Add new air conditioner device

Air conditioner need to be registered before using "Panasonic Comfort Cloud" app.





Setting connection network (Wireless Remote Control) - (2QR code)

Setup using QR scan

(1) Tap "Scan QR code".

(2) Scan in progress.

(3) Follow the screen instructions from the app. Tap "Next".



(4) Connecting in progress. (5) Tap "Connect".

(6) Select your router.

×

€ 3

? ₿



*1 If QR scan is failed. Proceed to "Setup using AP mode". (Refer page 2-3)

Setting connection network (Wireless Remote Control) - (2QR code)

Setup using QR scan

(7) Input router password. (8) Connection in progress. (9) Set a password. Connection Guide Router 1 0 Setting with remote controller Password Press and hold "wireless LAN" button for 5 The air conditioner is being connected to the network. Please wait for a few minutes. If a pop-up is displayed during the connection, permit the connection to the wireless LAN. (4. After step 1 ~ 3 have been done, tap "Next Cancel

-0

Start Using

(10) Enter a name for the air conditioner.



< Connection Guide	< Connection Guice
0	000
Setting with remote controller	Device password settings
Please prepare a 2.4GHz wireless LAN router.	Model:
1 Press and hold "wireless LAN" button for 5 secs until "1" is shown.	CS-HZ25UKE
The air conditioner is being connected to the network.	Input the password to complete the registration. Password must be 8-15 characters with letters and numbers.
Please wait for a few minutes.	Password
If a pop-up is displayed during the connection, permit the connection to	Password
the wireless LAN.	Re-enter password
	Re-enter password
Ŭ	
Please refer to the Operating Instructions for the position of the button.	
4 After step 1 ~ 3 have been done, tap "Next".	
	·
Next	Register
	 Keep the password
	for future use.
(11) Registration completed.	

Setting connection network (Wireless Remote Control) - (2QR code)

Setup using AP mode

I) Tap "can't find QR code".	Pollow the screen instructions from the app. Tap "Next".	③Tap "Connect".
C Setup preparation Scan QR code Please scan QR code to setup wireless LAN connection.	Connection Guide Conn	Connection Guide
C Scan QR code	Please refer to the Operating Instructions for the position of the button.	Please refer to the Operating National For the position to active. After step 1 ~ 3 have been done, top "Next".
) Tap "Connect".	 Select your router. 	6 Input router password
Tap "Connect". Connection Guide	(5) Select your router.	6 Input router password
Tap "Connect". Connection Guide Connection Guide Setting with remote controller If there by ADF DB of F, please price wireless LAN bythone to english the wireless LAN bythone processing to atep1.	(5) Select your router.	6 Input router password Router 1 Password Password
A Tap "Connect". Connection Guide Connection Guide Connection Guide Connection Guide Connection Guide Connection Control of the optimised of the optised	(5) Select your router.	6 Input router password Router 1 Password Password

Setting connection network (Wireless Remote Control) - (2QR code)

Setup using AP mode

(7) Connection in progress. (8) Set a password.

tot	ting with remote controller
utt	reless LAN LED is OFF, please press wireless LAN on once to enable the wireless LAN before essing to step1.
r	
	The air conditioner is being connected to the network.
ł	Please wait for a few minutes.
	If a pop-up is displayed during the connection, permit the connection to the wireless LAN.
	\supset
	Ĩ
	Please refer to the Operating Instructions for the position i the button

< Connection Guice	< Connec
0-0	0
Device password settings	Air conditioner nan
Model:	Model:
CS-HZ25UKE	CS-HZ25UKE
Input the password to complete the registration.	Enter your preferred nam
numbers.	Air conditioner name
Password	Air conditioner name
Password	
Re-enter password	
Re-enter password	
,	·
Register	Re

 Keep the password for future use.



(9) Enter a name for the air conditioner.

