

legal(ME)

Legal Information

This product incorporates the following software or technology:

- (1) the software licensed under the GNU General Public License Version 2 (GPL v2);
- (2) the software licensed under the GNU LIBRARY GENERAL PUBLIC LICENSE Version 2(LGPL v2);
- (3) the software licensed under the GNU Lesser General Public License Version 2.1 (LGPL v2.1)and/or,
- (4) the the software based in part on the work of the Independent JPEG Group,
- (5) open sourced software other than the software licensed under the GPL, LGPL and/or MPL.

In addition, some open source softwares are copyrighted by several individuals or entities.

Please refer to the copyright notice of applicable copyright holder at the following screen.

The open source softwares are distributed in the hope that it will be useful, but

WITHOUT ANY WARRANTY, without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

At least three (3) years from delivery of products, we will give to any third party

who contacts us at the contact information provided below,

for a charge no more than our cost of physically performing source code distribution,

a complete machine-readable copy of the corresponding source code covered under GPL/LGPL/MPL.

Contact Information

[<https://www.panasonic.com/middleeast/en/support.html>]

Applicable license terms

For the software classified as (1) to (3) above, please refer the following terms and conditions:

GPL v2:<http://www.gnu.org/licenses/old-licenses/gpl-2.0.html>

LGPL v2:<https://www.gnu.org/licenses/old-licenses/lgpl-2.0.html>

LGPL v2.1:LGPL: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

For the software classified as (4) and (5) above, please refer the following terms and conditions:

c-ares-1.10.0=====

Copyright 1998 by the Massachusetts Institute of Technology.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

legal(ME)

M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

curl-7.30.0=====

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2013, Daniel Stenberg, <daniel@haxx.se>.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

expat-2.0.1=====

Copyright (c) 1998, 1999, 2000 Thai Open Source Software Center Ltd
and Clark Cooper

Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Expat maintainers.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

freetype-2.3.7=====

LICENSE.TXT

legal(ME)

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that *you* must choose *one* of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `FTL.TXT`, which is similar to the original BSD license *with* an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General Public License.
- The GNU General Public License version 2, found in `GPL.TXT` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with the GPL due to its advertisement clause.

The contributed PCF driver comes with a license similar to that of the X Window System. It is compatible to the above two licenses (see file src/pcf/readme).

--- end of LICENSE.TXT ---

FTL.TXT

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

legal(ME)

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
""  
Portions of this software are copyright © <year> The FreeType  
Project (www.freetype.org). All rights reserved.  
""
```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType

legal(ME)

engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

- o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

- o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

--- end of FTL.TXT ---

GPL.TXT:SEE <http://www.gnu.org/licenses/old-licenses/gpl-2.0.htm>

iputils-s20101006=====

This package was debianized by Anthony Towns <ajt@debian.org> on Sat, 5 Aug 2000 19:51:36 +1000.

It has been maintained for Debian by Noah Meyerhans <noahm@debian.org> since 6 Feb 2001.

legal(ME)

It was downloaded from ftp://ftp.inr.ac.ru/ip-routing/

Upstream Author: Alexey Kuznetsov <kuznet@ms2.inr.ac.ru>

Copyright:

Some of the code in this package is:

Copyright (c) 1989 The Regents of the University of California.
All rights reserved.

This code is derived from software contributed to Berkeley by
Mike Muuss.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed by the University of
California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Other parts are copyright Alexey Kuznetsov, and are distributed under the
GNU General Public Licenses (version 2 or later), which is available in
/usr/share/common-licenses/GPL.

The rdisc program is distributed under the following terms:

- * Rdisc (this program) was developed by Sun Microsystems, Inc. and is
- * provided for unrestricted use provided that this legend is included on
- * all tape media and as a part of the software program in whole or part.
- * Users may copy or modify Rdisc without charge, and they may freely

legal(ME)

* distribute it.

*

* RDISC IS PROVIDED AS IS WITH NO WARRANTIES OF ANY KIND INCLUDING THE
* WARRANTIES OF DESIGN, MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE, OR ARISING FROM A COURSE OF DEALING, USAGE OR TRADE PRACTICE.

*

* Rdisc is provided with no support and without any obligation on the
* part of Sun Microsystems, Inc. to assist in its use, correction,
* modification or enhancement.

*

* SUN MICROSYSTEMS, INC. SHALL HAVE NO LIABILITY WITH RESPECT TO THE
* INFRINGEMENT OF COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY RDISC
* OR ANY PART THEREOF.

*

* In no event will Sun Microsystems, Inc. be liable for any lost revenue
* or profits or other special, indirect and consequential damages, even if
* Sun has been advised of the possibility of such damages.

*

* Sun Microsystems, Inc.

* 2550 Garcia Avenue

* Mountain View, California 94043

jpeg-6b=====

LEGAL ISSUES

=====

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2014, Thomas G. Lane, Guido Vollbeding. All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

legal(ME)

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

libxml2-2.7.8=====

This package was debianized by Anthony Towns <ajt@debian.org> on

Sat, 5 Aug 2000 19:51:36 +1000.

It has been maintained for Debian by Noah Meyerhans <noahm@debian.org> since 6 Feb 2001.

It was downloaded from ftp://ftp.inr.ac.ru/ip-routing/

Upstream Author: Alexey Kuznetsov <kuznet@ms2.inr.ac.ru>

Copyright:

Some of the code in this package is:

legal(ME)

Copyright (c) 1989 The Regents of the University of California.
All rights reserved.

This code is derived from software contributed to Berkeley by
Mike Muuss.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed by the University of
California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Other parts are copyright Alexey Kuznetsov, and are distributed under the
GNU General Public Licenses (version 2 or later), which is available in
/usr/share/common-licenses/GPL.

The rdisc program is distributed under the following terms:

- * Rdisc (this program) was developed by Sun Microsystems, Inc. and is
- * provided for unrestricted use provided that this legend is included on
- * all tape media and as a part of the software program in whole or part.
- * Users may copy or modify Rdisc without charge, and they may freely
- * distribute it.
- *
- * RDISC IS PROVIDED AS IS WITH NO WARRANTIES OF ANY KIND INCLUDING THE
- * WARRANTIES OF DESIGN, MERCHANTABILITY AND FITNESS FOR A PARTICULAR
- * PURPOSE, OR ARISING FROM A COURSE OF DEALING, USAGE OR TRADE PRACTICE.
- *
- * Rdisc is provided with no support and without any obligation on the

legal(ME)

```
* part of Sun Microsystems, Inc. to assist in its use, correction,  
* modification or enhancement.  
*  
* SUN MICROSYSTEMS, INC. SHALL HAVE NO LIABILITY WITH RESPECT TO THE  
* INFRINGEMENT OF COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY RDISC  
* OR ANY PART THEREOF.  
*  
* In no event will Sun Microsystems, Inc. be liable for any lost revenue  
* or profits or other special, indirect and consequential damages, even if  
* Sun has been advised of the possibility of such damages.  
*  
* Sun Microsystems, Inc.  
* 2550 Garcia Avenue  
* Mountain View, California 94043
```

libmng-1.0.10=====

```
/* ***** */  
/* * */  
/* * COPYRIGHT NOTICE: */  
/* * */  
/* * Copyright (c) 2000-2007 Gerard Juyn (gerard@libmng.com) */  
* */  
/* * [You may insert additional notices after this sentence if you modify * */  
/* * this source] * */  
/* * */  
/* * For the purposes of this copyright and license, "Contributing Authors" * */  
/* * is defined as the following set of individuals: * */  
/* * */  
/* * Gerard Juyn * */  
/* * Glenn Randers-Pehrson * */  
/* * */  
/* * The MNG Library is supplied "AS IS". The Contributing Authors * */  
/* * disclaim all warranties, expressed or implied, including, without * */  
/* * limitation, the warranties of merchantability and of fitness for any * */  
/* * purpose. The Contributing Authors assume no liability for direct, * */  
/* * indirect, incidental, special, exemplary, or consequential damages, * */  
/* * which may result from the use of the MNG Library, even if advised of * */  
/* * the possibility of such damage. * */  
/* * */  
/* * Permission is hereby granted to use, copy, modify, and distribute this * */  
/* * source code, or portions hereof, for any purpose, without fee, subject * */  
/* * to the following restrictions: * */  
/* * */  
/* * 1. The origin of this source code must not be misrepresented; * */  
/* * you must not claim that you wrote the original software. * */  
/* * */  
/* * 2. Altered versions must be plainly marked as such and must not be * */  
/* * misrepresented as being the original source. * */  
/* * */  
/* * 3. This Copyright notice may not be removed or altered from any source * */  
/* * or altered source distribution. * */  
/* * */
```

legal(ME)

```

/* * The Contributing Authors specifically permit, without fee, and      * */
/* * encourage the use of this source code as a component to supporting  * */
/* * the MNG and JNG file format in commercial products.  If you use this * */
/* * source code in a product, acknowledgment would be highly appreciated. * */
/* *                                                                    * */
/* *****                                                                    */
/* *                                                                    * */
/* * Parts of this software have been adapted from the libpng package.    * */
/* * Although this library supports all features from the PNG specification * */
/* * (as MNG descends from it) it does not require the libpng package.    * */
/* * It does require the zlib library and optionally the IJG jpeg library, * */
/* * and/or the "little-cms" library by Marti Maria (depending on the      * */
/* * inclusion of support for JNG and Full-Color-Management respectively.  * */
/* *                                                                    * */
/* * This library's function is primarily to read and display MNG          * */
/* * animations.  It is not meant as a full-featured image-editing        * */
/* * component!  It does however offer creation and editing functionality  * */
/* * at the chunk level.                                                  * */
/* * (future modifications may include some more support for creation      * */
/* * and or editing)                                                      * */
/* *                                                                    * */
/* *****                                                                    */

```

ncurses-5.7=====

```

-----
-- Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.          --
--                                                                    --
-- Permission is hereby granted, free of charge, to any person obtaining a --
-- copy of this software and associated documentation files (the         --
-- "Software"), to deal in the Software without restriction, including   --
-- without limitation the rights to use, copy, modify, merge, publish,   --
-- distribute, distribute with modifications, sublicense, and/or sell copies --
-- of the Software, and to permit persons to whom the Software is furnished --
-- to do so, subject to the following conditions:                         --
--                                                                    --
-- The above copyright notice and this permission notice shall be included --
-- in all copies or substantial portions of the Software.                --
--                                                                    --
-- THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS --
-- OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF           --
-- MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN --
-- NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,   --
-- DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR --
-- OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE --
-- USE OR OTHER DEALINGS IN THE SOFTWARE.                                --
--                                                                    --
-- Except as contained in this notice, the name(s) of the above copyright --
-- holders shall not be used in advertising or otherwise to promote the  --
-- sale, use or other dealings in this Software without prior written    --
-- authorization.                                                         --

```

openssl-1.0.1j=====

LICENSE ISSUES

=====

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

```
/* =====
 * Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. All advertising materials mentioning features or use of this
 * software must display the following acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
 *
 * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
 * endorse or promote products derived from this software without
 * prior written permission. For written permission, please contact
 * openssl-core@openssl.org.
 *
 * 5. Products derived from this software may not be called "OpenSSL"
 * nor may "OpenSSL" appear in their names without prior written
 * permission of the OpenSSL Project.
 *
 * 6. Redistributions of any form whatsoever must retain the following
 * acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit (http://www.openssl.org/)"
 *
 * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

legal(ME)

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).

*
*/

Original SSLeay License

```
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
 * This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
 *
 * This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to. The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code. The SSL documentation
 * included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 *
 * Copyright remains Eric Young's, and as such any Copyright notices in
 * the code are not to be removed.
 * If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
 * This can be in the form of a textual message at program startup or
 * in documentation (online or textual) provided with the package.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. All advertising materials mentioning features or use of this software
 * must display the following acknowledgement:
 * "This product includes cryptographic software written by
 * Eric Young (eay@cryptsoft.com)"
 * The word 'cryptographic' can be left out if the rouines from the library
```

legal(ME)

```
* being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
```

libpng-1.2.43=====

This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.2.6, August 15, 2004, through 1.2.43, February 25, 2010, are Copyright (c) 2004, 2006-2009 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.2.5 with the following individual added to the list of Contributing Authors

Cosmin Truta

libpng versions 1.0.7, July 1, 2000, through 1.2.5 - October 3, 2002, are Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors

Simon-Pierre Cadieux
Eric S. Raymond
Gilles Vollant

legal(ME)

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996, 1997 Andreas Dilger
Distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject

legal(ME)

to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

A "png_get_copyright" function is available, for convenient use in "about" boxes and the like:

```
printf("%s",png_get_copyright(NULL));
```

Also, the PNG logo (in PNG format, of course) is supplied in the files "pngbar.png" and "pngbar.jpg (88x31) and "pngnow.png" (98x31).

Libpng is OSI Certified Open Source Software. OSI Certified Open Source is a certification mark of the Open Source Initiative.

Glenn Randers-Pehrson
glennrp at users.sourceforge.net
February 25, 2010

```
sqlite=====
```

```
** The author disclaims copyright to this source code. In place of  
** a legal notice, here is a blessing:
```

```
**
```

```
** May you do good and not evil.
```

```
** May you find forgiveness for yourself and forgive others.
```

```
** May you share freely, never taking more than you give.
```

```
uriparser=====
```

```
uriparser - RFC 3986 URI parsing library
```

```
Copyright (C) 2007, Weijia Song <songweijia@gmail.com>
```

```
Copyright (C) 2007, Sebastian Pipping <webmaster@hartwork.org>
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above

legal(ME)

copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

libwebp-0.2.1=====

Copyright (c) 2010, Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

legal(ME)

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

wpa_supplicant=====

wpa_supplicant and hostapd

Copyright (c) 2002-2012, Jouni Malinen <j@w1.fi> and contributors
All Rights Reserved.

See the README file for the current license terms.

This software was previously distributed under BSD/GPL v2 dual license terms that allowed either of those license alternatives to be selected. As of February 11, 2012, the project has chosen to use only the BSD license option for future distribution. As such, the GPL v2 license option is no longer used. It should be noted that the BSD license option (the one with advertisement clause removed) is compatible with GPL and as such, does not prevent use of this software in projects that use GPL.

Some of the files may still include pointers to GPL version 2 license terms. However, such copyright and license notifications are maintained only for attribution purposes and any distribution of this software after February 11, 2012 is no longer under the GPL v2 option.

License

This software may be distributed, used, and modified under the terms of BSD license:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name(s) of the above-listed copyright holder(s) nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

legal(ME)

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

xerces=====

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

legal(ME)

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

legal(ME)

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- 5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- 6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

legal(ME)

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

legal(ME)

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

zlib-1.2.3=====

Copyright (C) 1995-2005 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly
jloup@gzip.org

Mark Adler
madler@alumni.caltech.edu

Copy right notices

bash\bash-3.2.48\aclocal.m4(1977):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2000):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2415):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2447):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2550):dn1 Copyright (C) 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2622):dn1 Copyright (C) 1997-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2649):dn1 Copyright (C) 1997-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2677):dn1 Copyright (C) 1997-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2709):dn1 Copyright (C) 1995-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2735):dn1 Copyright (C) 1995-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2767):dn1 Copyright (C) 1996-2003 Free Software

legal(ME)

Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(2877):dn1 Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(3428):dn1 Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(3583):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(3632):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(3829):dn1 Copyright (C) 1996-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(3920):dn1 Copyright (C) 1997-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(3948):dn1 Copyright (C) 1997-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\aclocal.m4(3980):dn1 Copyright (C) 1999-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\alias.c(4):/* Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\alias.h(3):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\array.c(12):/* Copyright (C) 1997-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\array.h(4):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\arrayfunc.c(3):/* Copyright (C) 2001-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\arrayfunc.h(3):/* Copyright (C) 2001-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\bashansi.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\bashhist.c(3):/* Copyright (C) 1993-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\bashhist.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\bashintl.h(3): Copyright (C) 1996-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\bashjmp.h(3):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\bashline.c(3):/* Copyright (C) 1987-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\bashline.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\bashtypes.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\bracecomp.c(7):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\braces.c(3):/* Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins.h(3):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\alias.def(4):Copyright (C) 1987-2004 Free Software Foundation, Inc.

legal(ME)

bash\bash-3.2.48\builtins\bashgetopt.c(3):/* Copyright (C) 1992-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\bashgetopt.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\bind.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\break.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\builtin.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\caller.def(4):Copyright (C) 2002-2003 Rocky Bernstein for Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\cd.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\colon.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\command.def(4):Copyright (C) 1987-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\common.c(1):/* Copyright (C) 1987-2007 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\common.h(3):/* Copyright (C) 1993-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\complete.def(4):Copyright (C) 1999-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\declare.def(4):Copyright (C) 1987-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\echo.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\enable.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\eval.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\evalfile.c(1):/* Copyright (C) 1996-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\evalstring.c(3): Copyright (C) 1996-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\exec.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\exit.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\fc.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\fg_bg.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\getopt.c(3): Copyright (C) 1993, 1994
bash\bash-3.2.48\builtins\getopt.h(2): Copyright (C) 1989, 1990, 1991, 1992, 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\getopts.def(4):Copyright (C) 1987-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\hash.def(4):Copyright (C) 1987-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\help.def(4):Copyright (C) 1987-2003 Free Software

legal(ME)

Foundation, Inc.
bash\bash-3.2.48\builtins\history.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\inlib.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\jobs.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\kill.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\let.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\Makefile.in(3):# Copyright (C) 1996-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\mkbuiltins.c(1083):"/* Copyright (C) 1987-2002 Free Software Foundation, Inc.",
bash\bash-3.2.48\builtins\mkbuiltins.c(4):/* Copyright (C) 1987-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\printf.def(4):Copyright (C) 1997-2007 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\psize.c(3):/* Copyright (C) 1987, 1991 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\pushd.def(4):Copyright (C) 1987-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\read.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\reserved.def(5):Copyright (C) 1987-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\return.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\set.def(4):Copyright (C) 1987-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\setattr.def(4):Copyright (C) 1987-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\shift.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\shopt.def(4):Copyright (C) 1994-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\source.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\suspend.def(4):Copyright (C) 1987-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\test.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\times.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\ttrap.def(4):Copyright (C) 1987-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\type.def(4):Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\ulimit.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\builtins\umask.def(4):Copyright (C) 1987-2004 Free Software

legal(ME)

Foundation, Inc.
bash\bash-3.2.48\builtins\wait.def(4):Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\command.h(4):/* Copyright (C) 1993-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\config.h.in(3):/* Copyright (C) 1987-2007 Free Software Foundation, Inc.
bash\bash-3.2.48\config-bot.h(4):/* Copyright (C) 1989-2007 Free Software Foundation, Inc.
bash\bash-3.2.48\config-top.h(6):/* Copyright (C) 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\configure(1045):Copyright (C) 2003 Free Software Foundation, Inc.
bash\bash-3.2.48\configure(27862):Copyright (C) 2003 Free Software Foundation, Inc.
bash\bash-3.2.48\configure(8):# Copyright (C) 2003 Free Software Foundation, Inc.
bash\bash-3.2.48\configure.in(8):# Copyright (C) 1987-2007 Free Software Foundation, Inc.
bash\bash-3.2.48\conftypes.h(3):/* Copyright (C) 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\copy_cmd.c(5):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\COPYING(302):Copyright (C) 19yy<name of author>
bash\bash-3.2.48\COPYING(323):Gnomovision version 69, Copyright (C) 19yy name of author
bash\bash-3.2.48\COPYING(337):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
bash\bash-3.2.48\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
bash\bash-3.2.48\CWRU\changelog(41):- update copyright date to 2001
bash\bash-3.2.48\CWRU\misc\bison(6):# Copyright (C) 1996-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\CWRU\misc\errlist.c(5):/* Copyright (C) 1998-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\CWRU\misc\hpux10-dlfcn.h(20):/* Copyright (C) 1998-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\CWRU\misc\open-files.c(3):/* Copyright (C) 1989-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\CWRU\misc\sigs.c(3):/* Copyright (C) 1990-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\CWRU\misc\sigstat.c(8):/* Copyright (C) 1991-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\dispose_cmd.c(3):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\dispose_cmd.h(3):/* Copyright (C) 1993-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\doc\bash.1(54):.if n Bash is Copyright (C) 1989-2005 by the Free Software Foundation, Inc.
bash\bash-3.2.48\doc\bash.1(55):.if t Bash is Copyright \ (co 1989-2005 by the Free Software Foundation, Inc.
bash\bash-3.2.48\doc\bashref.info(10): Copyright (C) 1988-2005 Free Software Foundation, Inc.

legal(ME)

```
bash\bash-3.2.48\doc\bashref.info(8536): Copyright (C) 2000,2001,2002 Free
Software Foundation, Inc.
bash\bash-3.2.48\doc\bashref.texi(19):Copyright @copyright{} 1988-2005 Free
Software Foundation, Inc.
bash\bash-3.2.48\doc\FAQ(1835):This document is Copyright 1995-2006 by Chester
Ramey.
bash\bash-3.2.48\doc\fdl.texi(419):Copyright (C)@var{year}@var{your name}.
bash\bash-3.2.48\doc\fdl.texi(9):Copyright @copyright{} 2000,2001,2002 Free
Software Foundation, Inc.
bash\bash-3.2.48\doc\fdl.txt(5): Copyright (C) 2000,2001,2002Free Software
Foundation, Inc.
bash\bash-3.2.48\doc\Makefile.in(3):# Copyright (C) 2003 Free Software
Foundation, Inc.
bash\bash-3.2.48\doc\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991,
1992, 1993, 1994, 1995,
bash\bash-3.2.48\doc\version.texi(2):Copyright (C) 1988-2006 Free Software
Foundation, Inc.
bash\bash-3.2.48\error.c(2):/* Copyright (C) 1993-2003 Free Software Foundation,
Inc.
bash\bash-3.2.48\error.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\eval.c(3):/* Copyright (C) 1996 Free Software Foundation, Inc.
bash\bash-3.2.48\examples\bashdb\bashdb(5):# Copyright (C) 1993-1994 O'Reilly and
Associates, Inc.
bash\bash-3.2.48\examples\bashdb\bashdb(6):# Copyright (C) 1998, 1999, 2001 Gary
V. Vaughan <gvv@techie.com>>
bash\bash-3.2.48\examples\bashdb\bashdb.el(2):;; Copyright (C) 2000, 2001
Masatake YAMATO
bash\bash-3.2.48\examples\functions\pathfuncs(20):#@(#)Copyright (c) 1991 Simon
J. Gerraty
bash\bash-3.2.48\examples\functions\recurse(26):# Copyright 1999
bash\bash-3.2.48\examples\loadables\cut.c(2): * Copyright (c) 1989, 1993
bash\bash-3.2.48\examples\loadables\cut.c(38):static const char copyright[] =
bash\bash-3.2.48\examples\loadables\cut.c(39):"@(#) Copyright (c) 1989, 1993\n\
bash\bash-3.2.48\examples\loadables\getconf.c(2): * ORIGINAL COPYRIGHT STATEMENT:
bash\bash-3.2.48\examples\loadables\getconf.c(4): * Copyright (c) 1994 Winning
Strategies, Inc.
bash\bash-3.2.48\examples\loadables\Makefile.in(4):# Copyright (C) 1996 Free
Software Foundation, Inc.
bash\bash-3.2.48\examples\loadables\perl\Makefile.in(5):# Copyright (C) 1998 Free
Software Foundation, Inc.
bash\bash-3.2.48\examples\scripts.noah\README(5):These scripts are as-is; there
is no copyright associated with
bash\bash-3.2.48\examples\scripts.v2\README(5):These scripts are as-is; there is
no copyright associated with
bash\bash-3.2.48\examples\scripts\bcsh.sh(24):#Copyright (c) Chris Robertson,
December 1985
bash\bash-3.2.48\examples\scripts\websrv.sh(6):#copyright chris ulrich; This
software may be used or modified
bash\bash-3.2.48\execute_cmd.c(3):/* Copyright (C) 1987-2007 Free Software
Foundation, Inc.
bash\bash-3.2.48\execute_cmd.h(3):/* Copyright (C) 1993 Free Software Foundation,
Inc.
```

legal(ME)

bash\bash-3.2.48\expr.c(3):/* Copyright (C) 1990-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\externs.h(4):/* Copyright (C) 1993-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\findcmd.c(3):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\findcmd.h(3):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\flags.c(4):/* Copyright (C) 1987,1989 Free Software Foundation, Inc.
bash\bash-3.2.48\flags.h(4):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\general.c(3):/* Copyright (C) 1987-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\general.h(3):/* Copyright (C) 1993-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\hashcmd.c(4):/* Copyright (C) 1997-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\hashcmd.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\hashlib.c(3):/* Copyright (C) 1987, 1989, 1991 Free Software Foundation, Inc.
bash\bash-3.2.48\hashlib.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\include\ansi_stdlib.h(5):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\include\chartypes.h(3):/* Copyright (C) 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\include\filecntl.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\include\gettext.h(2): Copyright (C) 1995-1998, 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\include\maxpath.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\include\memalloc.h(4):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\include\ocache.h(3):/* Copyright (C) 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\include\posixdir.h(3):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\include\posixjmp.h(3):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\include\posixstat.h(4):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\include\posixtime.h(3):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\include\posixwait.h(3):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\include\shmbutil.h(3):/* Copyright (C) 2002-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\include\shtty.h(1):/* Copyright (C) 1999 Free Software Foundation, Inc. */
bash\bash-3.2.48\include\stdc.h(4):/* Copyright (C) 1993 Free Software

legal(ME)

Foundation, Inc.
bash\bash-3.2.48\include\systemtimes.h(1):/* Copyright (C) 1991, 1992, 1996 Free Software Foundation, Inc.
bash\bash-3.2.48\include\typemax.h(3):/* Copyright (C) 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\include\unionwait.h(4):/* Copyright (C) 1996 Free Software Foundation, Inc.
bash\bash-3.2.48\input.c(3):/* Copyright (C) 1992 Free Software Foundation, Inc.
bash\bash-3.2.48\input.h(2):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\jobs.c(6):/* Copyright (C) 1989-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\jobs.h(3):/* Copyright (C) 1993-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\collsyms.h(4):/* Copyright (C) 1997-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\glob.c(3): Copyright (C) 1985-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\glob.h(2): Copyright (C) 1985, 1988, 1989 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\glob_loop.c(1):/* Copyright (C) 1991-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\Makefile.in(7):# Copyright (C) 1996-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\sm_loop.c(1):/* Copyright (C) 1991-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\smatch.c(4):/* Copyright (C) 1991-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\strmatch.c(4):/* Copyright (C) 1991-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\strmatch.h(1):/* Copyright (C) 1991-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\glob\xmbsrtowcs.c(3):/* Copyright (C) 2002-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\bindtextdom.c(2): Copyright (C) 1995-1998, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\config.charset(4):# Copyright (C) 2000-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\dcgettext.c(2): Copyright (C) 1995-1999, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\dcigettext.c(2): Copyright (C) 1995-1999, 2000-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\dcngettext.c(2): Copyright (C) 1995-1999, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\dgettext.c(2): Copyright (C) 1995-1997, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\dngettext.c(2): Copyright (C) 1995-1997, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\eval-plural.h(2): Copyright (C) 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\explodename.c(1):/* Copyright (C) 1995-1998, 2000, 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\finddomain.c(2): Copyright (C) 1995-1999, 2000, 2001

legal(ME)

Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\gettext.c(2): Copyright (C) 1995, 1997, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\gettextP.h(2): Copyright (C) 1995-1999, 2000-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\gmo.h(2): Copyright (C) 1995, 1997, 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\hash-string.h(2): Copyright (C) 1995, 1997, 1998, 2000, 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\intl-compat.c(3): Copyright (C) 1995, 2000-2003 Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\l10nflist.c(1):/* Copyright (C) 1995-1999, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\libgnuintl.h.in(2): Copyright (C) 1995-1997, 2000-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\loadinfo.h(1):/* Copyright (C) 1996-1999, 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\loadmsgcat.c(2): Copyright (C) 1995-1999, 2000-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\localcharset.c(3): Copyright (C) 2000-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\localcharset.h(2): Copyright (C) 2000-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\locale.alias(2):# Copyright (C) 1996,1997,1998,1999,2000,2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\localealias.c(2): Copyright (C) 1995-1999, 2000-2001, 2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\localename.c(2): Copyright (C) 1995-1999, 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\log.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\Makefile.in(2):# Copyright (C) 1995-1998, 2000-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\ngettext.c(2): Copyright (C) 1995, 1997, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\os2compat.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\os2compat.h(3): Copyright (C) 2001-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\osdep.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\plural.c(22): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\plural.c(327): Copyright (C) 1984, 1989, 1990, 2000, 2001, 2002 Free Software
bash\bash-3.2.48\lib\intl\plural.y(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\plural-exp.c(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\plural-exp.h(2): Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\ref-add.sin(3):# Copyright (C) 2000 Free Software

legal(ME)

Foundation, Inc.
bash\bash-3.2.48\lib\intl\ref-del.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\relocatable.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\relocatable.h(2): Copyright (C) 2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\intl\textdomain.c(2): Copyright (C) 1995-1998, 2000, 2001, 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\getpagesize.h(2): Copyright (C) 1991-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\imalloc.h(3):/* Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\Makefile.in(4):# Copyright (C) 1996-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\malloc.c(3):/*Copyright (C) 1985-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\mstats.h(3):/*Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\shmalloc.h(3):/* Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\stats.c(3):/*Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\stub.c(1):/* Copyright (C) 1993-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\table.c(3):/* Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\table.h(3):/*Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\trace.c(3):/* Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\watch.c(3):/* Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\watch.h(3):/*Copyright (C) 2001-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\malloc\xleaktrace(8):# Copyright (c) 2001 Chester Ramey
bash\bash-3.2.48\lib\malloc\xmalloc.c(3):/* Copyright (C) 1991-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\ansi_stdlib.h(5):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\bind.c(3):/* Copyright (C) 1987-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\callback.c(3):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\chardefs.h(3):/* Copyright (C) 1994 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\compat.c(3):/* Copyright (C) 2000 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\complete.c(3):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\COPYING(294):Copyright (C) 19yy<name of author>
bash\bash-3.2.48\lib\readline\COPYING(315):Gnomovision version 69, Copyright (C)

legal(ME)

19yy name of author

bash\bash-3.2.48\lib\readline\COPYING(329):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

bash\bash-3.2.48\lib\readline\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\display.c(3):/* Copyright (C) 1987-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\fdl.texi(419):Copyright (C)@var{year}@var{your name}.

bash\bash-3.2.48\lib\readline\doc\fdl.texi(9):Copyright @copyright{} 2000,2001,2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\history.texi(17):Copyright @copyright{} 1988-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\hstech.texi(4):Copyright (C) 1988-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\hsuser.texi(4):Copyright (C) 1988-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\Makefile(5):# Copyright (C) 1996-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\rlman.texi(17):Copyright @copyright{} 1988-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\rltech.texi(11):Copyright (C) 1988-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\rluser.texi(13):Copyright (C) 1988-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\rluserman.texi(17):Copyright @copyright{} 1988-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\doc\version.texi(2):Copyright (C) 1988-2006 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\emacs_keymap.c(226):{ ISFUNC, rl_insert },/* Copyright sign */

bash\bash-3.2.48\lib\readline\emacs_keymap.c(3):/* Copyright (C) 1987, 1989, 1992 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\examples\excallback.c(36):Copyright (C) 1999 Jeff Solomon

bash\bash-3.2.48\lib\readline\examples\fileman.c(1):/* Copyright (C) 1987-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\examples\histexamp.c(1):/* Copyright (C) 1987-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\examples\Inputrc(7):# Copyright (C) 1989-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\examples\Makefile(3):# Copyright (C) 1994 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\examples\manexamp.c(3):/* Copyright (C) 1987-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\examples\rl.c(8):/* Copyright (C) 1987-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\examples\rlcat.c(7):/* Copyright (C) 1987-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\examples\rltest.c(7):/* Copyright (C) 1987-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\readline\funmap.c(3):/* Copyright (C) 1987, 1989, 1992 Free

legal(ME)

Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\histexpand.c(3):/* Copyright (C) 1989-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\histfile.c(3):/* Copyright (C) 1989-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\histlib.h(2):/* Copyright (C) 1989, 1992 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\history.c(3):/* Copyright (C) 1989-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\history.h(2):/* Copyright (C) 1989-2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\histsearch.c(3):/* Copyright (C) 1989, 1992 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\input.c(3):/* Copyright (C) 1994-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\isearch.c(7):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\keymaps.c(3):/* Copyright (C) 1988,1989 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\keymaps.h(3):/* Copyright (C) 1987, 1989, 1992 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\kill.c(3):/* Copyright (C) 1994 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\macro.c(3):/* Copyright (C) 1994 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\Makefile.in(7):# Copyright (C) 1994-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\mbutil.c(3):/* Copyright (C) 2001-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\misc.c(3):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\nls.c(3):/* Copyright (C) 1996 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\parens.c(3):/* Copyright (C) 1987, 1989, 1992 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\posixdir.h(3):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\posixjmp.h(3):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\posixstat.h(4):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\readline.c(4):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\readline.h(3):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rlconf.h(3):/* Copyright (C) 1994 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rldefs.h(5):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rlmbutil.h(3):/* Copyright (C) 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rlprivate.h(4):/* Copyright (C) 1999-2005 Free

legal(ME)

Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rlshell.h(3):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rlstdc.h(4):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rltty.c(4):/* Copyright (C) 1992-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rltty.h(3):/* Copyright (C) 1995 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rltypedefs.h(3):/* Copyright (C) 2000-2004 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\rlwintsize.h(4):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\savestring.c(3):/* Copyright (C) 1998,2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\search.c(3):/* Copyright (C) 1992-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\shell.c(4):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\signals.c(3):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\tcap.h(3):/* Copyright (C) 1996 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\terminal.c(3):/* Copyright (C) 1996-2006 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\text.c(3):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\tilde.c(3):/* Copyright (C) 1988,1989 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\tilde.h(3):/* Copyright (C) 1992 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\undo.c(4):/* Copyright (C) 1987, 1989, 1992, 2006 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\util.c(3):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\vi_keymap.c(3):/* Copyright (C) 1987, 1989, 1992 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\vi_keymap.c(507):{ ISFUNC, rl_insert },/* Copyright sign */
bash\bash-3.2.48\lib\readline\vi_mode.c(4):/* Copyright (C) 1987-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\xmalloc.c(3):/* Copyright (C) 1991 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\readline\xmalloc.h(3):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\clktck.c(3):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\clock.c(3):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\eaccess.c(3):/* Copyright (C) 2006 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\fmtullong.c(3):/* Copyright (C) 2001-2002 Free Software

legal(ME)

Foundation, Inc.
bash\bash-3.2.48\lib\sh\fmtulong.c(3):/* Copyright (C) 1998-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\fmtumax.c(3):/* Copyright (C) 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\getcwd.c(3):/* Copyright (C) 1991 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\getenv.c(4):/* Copyright (C) 1997-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\inet_aton.c(37): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
bash\bash-3.2.48\lib\sh\inet_aton.c(4): * ++Copyright++ 1983, 1990, 1993
bash\bash-3.2.48\lib\sh\inet_aton.c(55): * --Copyright--
bash\bash-3.2.48\lib\sh\inet_aton.c(6): * Copyright (c) 1983, 1990, 1993
bash\bash-3.2.48\lib\sh\itos.c(3):/* Copyright (C) 1998-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\mailstat.c(3):/* Copyright (C) 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\Makefile.in(5):# Copyright (C) 1998-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\makepath.c(3):/* Copyright (C) 1987, 1989, 1991 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\memset.c(2): Copyright (C) 1991-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\mktime.c(1):/* Copyright (C) 1993-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\netconn.c(3):/* Copyright (C) 2002-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\netopen.c(8):/* Copyright (C) 1987-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\oslib.c(3):/* Copyright (C) 1995 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\pathcanon.c(3):/* Copyright (C) 2000 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\pathphys.c(3):/* Copyright (C) 2000 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\rename.c(5):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\setlinebuf.c(3):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\shmatch.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\shquote.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\shtty.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\snprintf.c(10): Copyright (C) 2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\spell.c(3):/* Copyright (C) 2000 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strcasecmp.c(3):/* Copyright (C) 1995 Free Software Foundation, Inc.

legal(ME)

bash\bash-3.2.48\lib\sh\strerror.c(3):/* Copyright (C) 1995 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strindex.c(4):/* Copyright (C) 2000
bash\bash-3.2.48\lib\sh\stringlist.c(3):/* Copyright (C) 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\stringvec.c(3):/* Copyright (C) 2000-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strnlen.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strpbrk.c(1):/* Copyright (C) 1991, 1994 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strstr.c(1):/* Copyright (C) 1994, 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strtod.c(1):/* Copyright (C) 1991, 1992 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strtoimax.c(2): Copyright 1999-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strtoul.c(2): Copyright (C) 1991,92,94,95,96,97,98,99,2000,2001 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strtoll.c(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strtoul.c(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strtoull.c(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strtoumax.c(2): Copyright 1999-2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\strtrans.c(4):/* Copyright (C) 2000
bash\bash-3.2.48\lib\sh\times.c(3):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\timeval.c(3):/* Copyright (C) 1999 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\tmpfile.c(5):/* Copyright (C) 2000 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\vprint.c(3):/* Copyright (C) 1987,1989 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\wcsdup.c(3):/* Copyright (C) 2006 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\winsize.c(3):/* Copyright (C) 2005 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\xstrchr.c(3):/* Copyright (C) 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\zcatfd.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\zread.c(1):/* Copyright (C) 1999-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\sh\zwrite.c(1):/* Copyright (C) 1999-2002 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\termcap\grot\configure(5):# Copyright (C) 1992, 1993, 1994 Free Software Foundation, Inc.
bash\bash-3.2.48\lib\termcap\grot\COPYING(302):Copyright (C) 19yy<name of author>
bash\bash-3.2.48\lib\termcap\grot\COPYING(323):Gnomovision version 69, Copyright

legal(ME)

(C) 19yy name of author

bash\bash-3.2.48\lib\termcap\grot\COPYING(337):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

bash\bash-3.2.48\lib\termcap\grot\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\Makefile.in(2):# Copyright (C) 1992, 1993, 1994 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\termcap.info(6): Copyright (C) 1988 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\termcap.info-1(6): Copyright (C) 1988 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\termcap.info-2(6): Copyright (C) 1988 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\termcap.info-3(6): Copyright (C) 1988 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\termcap.info-4(6): Copyright (C) 1988 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\termcap.texi(61):Copyright @copyright{} 1988 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\termcap.texi(9):Copyright (C) 1988 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\grot\texinfo.tex(3):% Copyright (C) 1985, 86, 88, 90, 91, 92, 93, 1994 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\ltcap.h(2): Copyright (C) 1999 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\Makefile.in(7):# Copyright (C) 1996-2005 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\termcap.c(2): Copyright (C) 1985, 86, 93, 94, 95 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\termcap.h(2): Copyright (C) 1991, 1992, 1995 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\tparam.c(2): Copyright (C) 1985, 87, 93, 95 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\termcap\version.c(1):/* Copyright (C) 1985-2002 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\tilde\Makefile.in(7):# Copyright (C) 1996-2005 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\tilde\shell.c(4):/* Copyright (C) 1998 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\tilde\tilde.c(3):/* Copyright (C) 1988,1989 Free Software Foundation, Inc.

bash\bash-3.2.48\lib\tilde\tilde.h(3):/* Copyright (C) 1992 Free Software Foundation, Inc.

bash\bash-3.2.48\list.c(3):/* Copyright (C) 1996

bash\bash-3.2.48\locale.c(3):/* Copyright (C) 1996-2004 Free Software Foundation, Inc.

bash\bash-3.2.48\mailcheck.c(3):/* Copyright (C) 1987-2004 Free Software Foundation, Inc.

bash\bash-3.2.48\mailcheck.h(3):/* Copyright (C) 1987,1991 Free Software Foundation, Inc.

bash\bash-3.2.48\make_cmd.c(4):/* Copyright (C) 1989-2005 Free Software Foundation, Inc.

legal(ME)

```
bash\bash-3.2.48\make_cmd.h(3):/* Copyright (C) 1993-2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\Makefile.in(3):# Copyright (C) 1996-2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\mksyntax.c(5):/* Copyright (C) 2000-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\nojobs.c(6):/* Copyright (C) 1987-2006 Free Software Foundation,
Inc.
bash\bash-3.2.48\parse.y(3):/* Copyright (C) 1989-2006 Free Software Foundation,
Inc.
bash\bash-3.2.48\parser.h(4):/* Copyright (C) 1995 Free Software Foundation, Inc.
bash\bash-3.2.48\patchlevel.h(3):/* Copyright (C) 2001-2006 Free Software
Foundation, Inc.
bash\bash-3.2.48\pathexp.c(3):/* Copyright (C) 1995-2007 Free Software
Foundation, Inc.
bash\bash-3.2.48\pathexp.h(3):/* Copyright (C) 1987-2007 Free Software
Foundation, Inc.
bash\bash-3.2.48\pathnames.h.in(3):/* Copyright (C) 1987,1991 Free Software
Foundation, Inc.
bash\bash-3.2.48\pcomplete.c(4):/* Copyright (C) 1999-2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\pcomplete.h(4):/* Copyright (C) 1999-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\pcomplib.c(3):/* Copyright (C) 1999-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\po\bash.pot(1435):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
bash\bash-3.2.48\po\bash.pot(2):# Copyright (C) YEAR Free Software Foundation,
Inc.
bash\bash-3.2.48\po\en@boldquot.po(1489):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
bash\bash-3.2.48\po\en@boldquot.po(1490):msgstr "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
bash\bash-3.2.48\po\en@boldquot.po(2):# Copyright (C) 2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\po\en@quot.po(1473):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
bash\bash-3.2.48\po\en@quot.po(1474):msgstr "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
bash\bash-3.2.48\po\en@quot.po(2):# Copyright (C) 2005 Free Software Foundation,
Inc.
bash\bash-3.2.48\po\Makefile.in.in(107):--copyright-holder='${COPYRIGHT_HOLDER}'
bash\bash-3.2.48\po\Makefile.in.in(2):# Copyright (C) 1995-1997, 2000-2003 by
Ulrich Drepper <drepper@gnu.ai.mit.edu>
bash\bash-3.2.48\po\Makevars(14):# $(DOMAIN).pot file.Set this to the copyright
holder of the surrounding
bash\bash-3.2.48\po\Makevars(16):# sources, belong to the copyright holder of the
package.)Translators are
bash\bash-3.2.48\po\Makevars(17):# expected to transfer the copyright for their
translations to this person
bash\bash-3.2.48\po\Makevars(18):# or entity, or to disclaim their copyright.The
empty string stands for
```


legal(ME)

```
bash\bash-3.2.48\po\Makevars(20):# their copyright.
bash\bash-3.2.48\po\Makevars(21):COPYRIGHT HOLDER = Free Software Foundation,
Inc.
bash\bash-3.2.48\po\POTFILES.in(2):# Copyright (C) 2004 Free Software Foundation,
Inc.
bash\bash-3.2.48\po\ru.po(1474):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
bash\bash-3.2.48\po\ru.po(3):# Copyright (C) 2006 Free Software Foundation, Inc.
bash\bash-3.2.48\po\Rules-builtins(8):--copyright-holder='${COPYRIGHT HOLDER}' \
bash\bash-3.2.48\print_cmd.c(3):/* Copyright (C) 1989-2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\quit.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\redir.c(3):/* Copyright (C) 1997-2005 Free Software Foundation,
Inc.
bash\bash-3.2.48\redir.h(3):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\shell.c(3):/* Copyright (C) 1987-2005 Free Software Foundation,
Inc.
bash\bash-3.2.48\shell.h(3):/* Copyright (C) 1993-2002 Free Software Foundation,
Inc.
bash\bash-3.2.48\sig.c(3):/* Copyright (C) 1994-2006 Free Software Foundation,
Inc.
bash\bash-3.2.48\sig.h(3):/* Copyright (C) 1994-2006 Free Software Foundation,
Inc.
bash\bash-3.2.48\siglist.c(3):/* Copyright (C) 1989 Free Software Foundation,
Inc.
bash\bash-3.2.48\siglist.h(3):/* Copyright (C) 1993 Free Software Foundation,
Inc.
bash\bash-3.2.48\stringlib.c(3):/* Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\subst.c(7):/* Copyright (C) 1987-2007 Free Software Foundation,
Inc.
bash\bash-3.2.48\subst.h(3):/* Copyright (C) 1993-2004 Free Software Foundation,
Inc.
bash\bash-3.2.48\support\bash.xbm(24):Copyright (C) 1992 Simon Marshall
bash\bash-3.2.48\support\bashbug.sh(10):# Copyright (C) 1996-2004 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\bashversion.c(3):/* Copyright (C) 2001 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995,
1996, 1997, 1998, 1999,
bash\bash-3.2.48\support\config.guess(56):Copyright (C) 1992, 1993, 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001
bash\bash-3.2.48\support\config.rpath(5):# Copyright 1996-2003 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995,
1996, 1997, 1998, 1999,
bash\bash-3.2.48\support\config.sub(73):Copyright (C) 1992, 1993, 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001
bash\bash-3.2.48\support\fixlinks(6):# Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\install.sh(8):# Copyright 1991 by the Massachusetts
Institute of Technology
```

legal(ME)

```
bash\bash-3.2.48\support\Makefile.in(12):# Copyright (C) 1998 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\missing(3):# Copyright (C) 1996, 1997 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\mkclone(7):# Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\mkconffiles(16):# Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\mkdirs(8):# Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\mksignames.c(4):/* Copyright (C) 1992-2006 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\mkversion.sh(8):# Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\printenv.c(9):/* Copyright (C) 1997-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\printenv.sh(3):# Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\recho.c(9):/* Copyright (C) 2002-2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\rlvers.sh(7):# Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\shobj-conf(13):# Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\signames.c(3):/* Copyright (C) 2006 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\texi2dvi(35):Copyright (C) 2003 Free Software
Foundation, Inc.
bash\bash-3.2.48\support\texi2dvi(5):# Copyright (C) 1992, 1993, 1994, 1995,
1996, 1997, 1998, 1999, 2001,
bash\bash-3.2.48\support\texi2html(181):# if set, ISO8879 characters are used for
special symbols (like copyright, etc)
bash\bash-3.2.48\support\texi2html(186): 'copyright', '(C)',
bash\bash-3.2.48\support\texi2html(187): verbose => 'if set, ISO8879 characters
are used for special symbols (like copyright, etc)',
bash\bash-3.2.48\support\texi2html(2441):$things_map{'copyright'} = "&copy;";
bash\bash-3.2.48\support\texi2html(8):#Copyright (C) 1999, 2000Free Software
Foundation, Inc.
bash\bash-3.2.48\support\xenix-link.sh(17):# Copyright (C) 1989-2002 Free
Software Foundation, Inc.
bash\bash-3.2.48\support\zecho.c(3):/* Copyright (C) 1996-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\syntax.h(3):/* Copyright (C) 2000 Free Software Foundation, Inc.
bash\bash-3.2.48\test.c(5):/* Copyright (C) 1987-2005 Free Software Foundation,
Inc.
bash\bash-3.2.48\test.h(3):/* Copyright (C) 1997 Free Software Foundation, Inc.
bash\bash-3.2.48\tests\COPYRIGHT(5):The file ifs-posix.tests is Copyright (C)
2005 Glen Fowler.
bash\bash-3.2.48\tests\posix2.tests(7):# Copyright (c) 1995Stephen Gildea
bash\bash-3.2.48\tests\README(3):Read COPYRIGHT for copyright information.
bash\bash-3.2.48\trap.c(4):/* Copyright (C) 1987-2006 Free Software Foundation,
Inc.
```

legal(ME)

bash\bash-3.2.48\trap.h(3):/* Copyright (C) 1993 Free Software Foundation, Inc.
bash\bash-3.2.48\unwind_prot.c(4):/* Copyright (C) 1987-2002 Free Software
Foundation, Inc.
bash\bash-3.2.48\unwind_prot.h(3):/* Copyright (C) 1993 Free Software Foundation,
Inc.
bash\bash-3.2.48\variables.c(3):/* Copyright (C) 1987-2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\variables.h(3):/* Copyright (C) 1987-2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\version.c(3):/* Copyright (C) 1989-2005 Free Software
Foundation, Inc.
bash\bash-3.2.48\version.c(85):printf (_("Copyright (C) 2007 Free Software
Foundation, Inc.\n"));
bash\bash-3.2.48\xmalloc.c(3):/* Copyright (C) 1991 Free Software Foundation,
Inc.
bash\bash-3.2.48\xmalloc.h(3):/* Copyright (C) 2001 Free Software Foundation,
Inc.
bash\bash-3.2.48\y.tab.c(752): Copyright (C) 1984, 1989, 1990 Free Software
Foundation, Inc.
busybox\1.15.3\busybox-1.15.3_patch\util-linux\volume_id\get_devname.c(5): *
Copyright (C) 2006 by Jason Schoon <floydpink@gmail.com>
busybox\1.15.3\busybox-1.15.3\applets\applet_tables.c(6): * Copyright (C) 2007
Denys Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\applets\applets.c(5): * Copyright (C) 2007 Denys
Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\applets\individual.c(3): * Copyright 2005 Rob
Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\applets\Kbuild(3):# Copyright (C) 1999-2005 by Erik
Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\applets\usage.c(3): * Copyright (C) 2008 Denys
Vlasenko.
busybox\1.15.3\busybox-1.15.3\archival\ar.c(5): * Copyright (C) 2000 by Glenn
McGrath
busybox\1.15.3\busybox-1.15.3\archival\bbunzip.c(200): * Based on GNU gzip v1.2.4
Copyright (C) 1992-1993 Jean-loup Gailly.
busybox\1.15.3\busybox-1.15.3\archival\bbunzip.c(215): * Copyright (C) 1992-1993
Jean-loup Gailly
busybox\1.15.3\busybox-1.15.3\archival\bbunzip.c(312): * Copyright (C)
2006Aurelien Jacobs <aurel@gnuage.org>
busybox\1.15.3\busybox-1.15.3\archival\bz\blocksort.c(17):Copyright (C) 1996-2006
Julian Seward <jseward@bzip.org>
busybox\1.15.3\busybox-1.15.3\archival\bz\bzlib.c(17):Copyright (C) 1996-2006
Julian Seward <jseward@bzip.org>
busybox\1.15.3\busybox-1.15.3\archival\bz\bzlib.h(17):Copyright (C) 1996-2006
Julian Seward <jseward@bzip.org>
busybox\1.15.3\busybox-1.15.3\archival\bz\bzlib_private.h(17):Copyright (C)
1996-2006 Julian Seward <jseward@bzip.org>
busybox\1.15.3\busybox-1.15.3\archival\bz\compress.c(17):Copyright (C) 1996-2006
Julian Seward <jseward@bzip.org>
busybox\1.15.3\busybox-1.15.3\archival\bz\huffman.c(17):Copyright (C) 1996-2006
Julian Seward <jseward@bzip.org>
busybox\1.15.3\busybox-1.15.3\archival\bz\LICENSE(8):documentation, are copyright

legal(ME)

(C) 1996-2006 Julian R Seward.All
busybox\1.15.3\busybox-1.15.3\archival\bz\README(15):Copyright (C) 1996-2006
Julian Seward <jseward@bzip.org>
busybox\1.15.3\busybox-1.15.3\archival\bzip2.c(2): * Copyright (C) 2007 Denys
Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\archival\cpio.c(5): * Copyright (C) 2001 by Glenn
McGrath
busybox\1.15.3\busybox-1.15.3\archival\dpkg.c(11): *copyright (c) 1995 Ian
Jackson <ian@chiark.greenend.org.uk>
busybox\1.15.3\busybox-1.15.3\archival\dpkg.c(7): *copyright (c) 2001 by glenn
mcgrath
busybox\1.15.3\busybox-1.15.3\archival\gzip.c(5): * Based on GNU gzip Copyright
(C) 1992-1993 Jean-loup Gailly.
busybox\1.15.3\busybox-1.15.3\archival\gzip.c(687): * Copyright (C) 1992-1993
Jean-loup Gailly
busybox\1.15.3\busybox-1.15.3\archival\Kbuild(3):# Copyright (C) 1999-2005 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\archival\liblzo.h(4): Copyright (C) 1996..2008
Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\liblzo_interface.h(4): Copyright (C)
1996..2008 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\data_extract_to_buffer.c(3):
* Copyright 2002 Glenn McGrath
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\decompress_unlzma.c(4): *
Copyright (C) 2006Aurelien Jacobs <aurel@gnuage.org>
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\decompress_unlzma.c(7): *
Copyright (C) 1999-2005Igor Pavlov
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\decompress_unzip.c(25): *
Copyright (C) 1992-1993 Jean-loup Gailly
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\decompress_unzip.c(5): *
Based on GNU gzip v1.2.4 Copyright (C) 1992-1993 Jean-loup Gailly.
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\filter_accept_all.c(3): *
Copyright (C) 2002 by Glenn McGrath
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\filter_accept_list.c(3): *
Copyright (C) 2002 by Glenn McGrath
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\filter_accept_list_reassign.c
(3): *Copyright (C) 2002 by Glenn McGrath
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\filter_accept_reject_list.c(3
) : * Copyright (C) 2002 by Glenn McGrath
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\find_list_entry.c(3): *
Copyright (C) 2002 by Glenn McGrath
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\get_header_ar.c(2):/*
Copyright 2001 Glenn McGrath.
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\get_header_cpio.c(2):/*
Copyright 2002 Laurence Anderson
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\get_header_tar_lzma.c(4): *
Copyright (C) 2006Aurelien Jacobs <aurel@gnuage.org>
busybox\1.15.3\busybox-1.15.3\archival\libunarchive\Kbuild(3):# Copyright (C)
1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_1.c(5): Copyright (C) 1996..2008
Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_1o.c(5): Copyright (C) 1996..2008

legal(ME)

Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(10): Copyright (C) 2003 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(11): Copyright (C) 2002 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(12): Copyright (C) 2001 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(13): Copyright (C) 2000 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(14): Copyright (C) 1999 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(15): Copyright (C) 1998 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(16): Copyright (C) 1997 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(17): Copyright (C) 1996 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(5): Copyright (C) 2008 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(6): Copyright (C) 2007 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(7): Copyright (C) 2006 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(8): Copyright (C) 2005 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_9x.c(9): Copyright (C) 2004 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_c.c(5): Copyright (C) 1996..2008 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzo1x_d.c(5): Copyright (C) 1996..2008 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\lzop.c(4): Copyright (C) 1996..2003 Markus Franz Xaver Johannes Oberhumer
busybox\1.15.3\busybox-1.15.3\archival\rpm.c(5): * Copyright (C) 2001,2002 by Laurence Anderson
busybox\1.15.3\busybox-1.15.3\archival\rpm2cpio.c(5): * Copyright (C) 2001 by Laurence Anderson
busybox\1.15.3\busybox-1.15.3\archival\tar.c(12): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\archival\tar.c(15): *Copyright (c) 1999 by David I. Bell
busybox\1.15.3\busybox-1.15.3\archival\tar.c(21): *Copyright (C) 1995 Bruce Perens
busybox\1.15.3\busybox-1.15.3\archival\unzip.c(5): * Copyright (C) 2004 by Ed Clark
busybox\1.15.3\busybox-1.15.3\console-tools\chvt.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\console-tools\clear.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\console-tools\deallocvt.c(5): * Copyright (C) 2003 by Tito Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\console-tools\deallocvt.c(6): * Copyright (C)

legal(ME)

1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\console-tools\dumpkmap.c(5): * Copyright (C) Arne Bernin <arne@matrix.loopback.org>
busybox\1.15.3\busybox-1.15.3\console-tools\kbd_mode.c(5): * Copyright (C) 2007 Loic Grenie <loic.grenie@gmail.com>
busybox\1.15.3\busybox-1.15.3\console-tools\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\console-tools\loadkmap.c(5): * Copyright (C) 1998 Enrique Zanardi <ezanardi@ull.es>
busybox\1.15.3\busybox-1.15.3\console-tools\reset.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\console-tools\resize.c(5): * Copyright 2006 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\console-tools\setconsole.c(5): *Copyright (C) 2004,2005Enrik Berkhan <Enrik.Berkhan@inka.de>
busybox\1.15.3\busybox-1.15.3\console-tools\setconsole.c(6): *Copyright (C) 2008 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\console-tools\setkeycodes.c(5): * Copyright (C) 1994-1998 Andries E. Brouwer <aeb@cw.nl>
busybox\1.15.3\busybox-1.15.3\console-tools\setlogcons.c(5): * Copyright (C) 2006 by Jan Kiszka <jan.kiszka@web.de>
busybox\1.15.3\busybox-1.15.3\console-tools\showkey.c(5): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\coreutils\basename.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\cal.c(320): * Copyright (c) 1989, 1993, 1994
busybox\1.15.3\busybox-1.15.3\coreutils\cal.c(5): * See original copyright at the end of this file
busybox\1.15.3\busybox-1.15.3\coreutils\cat.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\catv.c(5): * Copyright (C) 2006 Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\coreutils\chgrp.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\chmod.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\chown.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\chroot.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\cksum.c(5): * Copyright (C) 2006 by Rob Sullivan, with ideas from code by Walter Harms
busybox\1.15.3\busybox-1.15.3\coreutils\comm.c(5): * Copyright (C) 2005 by Robert Sullivan <cogito.ergo.cogito@gmail.com>
busybox\1.15.3\busybox-1.15.3\coreutils\cp.c(5): * Copyright (C) 2000 by Matt Kraai <kraai@alumni.carnegiemellon.edu>
busybox\1.15.3\busybox-1.15.3\coreutils\cut.c(5): * Copyright (C) 1999,2000,2001 by Lineo, inc.
busybox\1.15.3\busybox-1.15.3\coreutils\dd.c(6): * Copyright (C) 2000,2001Matt Kraai
busybox\1.15.3\busybox-1.15.3\coreutils\df.c(5): * Copyright (C) 1999-2004 by

legal(ME)

Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\dirname.c(5): * Copyright (C) 1999-2004
by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\dos2unix.c(7): * Copyright 1997,.. by
Peter Hanecak <hanecak@megaloman.sk>.
busybox\1.15.3\busybox-1.15.3\coreutils\du.c(5): * Copyright (C) 1999,2000,2001
by Lineo, inc. and John Beppu
busybox\1.15.3\busybox-1.15.3\coreutils\du.c(6): * Copyright (C) 1999,2000,2001
by John Beppu <beppu@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\du.c(7): * Copyright (C) 2002Edward Betts
<edward@debian.org>
busybox\1.15.3\busybox-1.15.3\coreutils\echo.c(10): * Original copyright notice
is retained at the end of this file.
busybox\1.15.3\busybox-1.15.3\coreutils\echo.c(148): * Copyright (c) 1991, 1993
busybox\1.15.3\busybox-1.15.3\coreutils\echo.c(5): * Copyright (c) 1991, 1993
busybox\1.15.3\busybox-1.15.3\coreutils\env.c(10): * Original copyright notice is
retained at the end of this file.
busybox\1.15.3\busybox-1.15.3\coreutils\env.c(5): * Copyright (c) 1988, 1993,
1994
busybox\1.15.3\busybox-1.15.3\coreutils\env.c(95): * Copyright (c) 1988, 1993,
1994
busybox\1.15.3\busybox-1.15.3\coreutils\expand.c(4): * Copyright (C) 89, 91,
1995-2006 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\expr.c(10): * Copyright (C)
2003-2005Vladimir Oleynik <dzo@simtreas.ru>
busybox\1.15.3\busybox-1.15.3\coreutils\expr.c(6): * Copyright (C) 86, 1991-1997,
1999 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\expr.c(9): * Copyright (c) 2000Edward
Betts <edward@debian.org>.
busybox\1.15.3\busybox-1.15.3\coreutils>false.c(5): * Copyright (C) 1999-2004 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\fold.c(5): Copyright (C) 91, 1995-2002
Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\fold.c(8): Copyright (C) 2003 Glenn
McGrath
busybox\1.15.3\busybox-1.15.3\coreutils\fsync.c(5): * Copyright (C) 2008 Nokia
Corporation. All rights reserved.
busybox\1.15.3\busybox-1.15.3\coreutils\head.c(5): * Copyright (C) 2003Manuel
Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\hostid.c(5): * Copyright (C) 2000Edward
Betts <edward@debian.org>.
busybox\1.15.3\busybox-1.15.3\coreutils\id.c(5): * Copyright (C) 2000 by Randolph
Chung <tausq@debian.org>
busybox\1.15.3\busybox-1.15.3\coreutils\id.c(6): * Copyright (C) 2008 by Tito
Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\coreutils\install.c(3): * Copyright (C) 2003 by
Glenn McGrath
busybox\1.15.3\busybox-1.15.3\coreutils\Kbuild(3):# Copyright (C) 1999-2005 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\libcoreutils\cp_mv_stat.c(5): * Copyright
(C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\libcoreutils\getopt_mk_fifo_nod.c(5): *

legal(ME)

Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\libcoreutils\Kbuild(3):# Copyright (C)
1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\ln.c(5): * Copyright (C) 1999-2004 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\logname.c(5): * Copyright (C) 2000Edward
Betts <edward@debian.org>.
busybox\1.15.3\busybox-1.15.3\coreutils\ls.c(4): * Copyright (C) 1996 Brian
Candler <B.Candler@pobox.com>
busybox\1.15.3\busybox-1.15.3\coreutils\md5_sha1_sum.c(3): *Copyright (C) 2003
Glenn L. McGrath
busybox\1.15.3\busybox-1.15.3\coreutils\md5_sha1_sum.c(4): *Copyright (C)
2003-2004 Erik Andersen
busybox\1.15.3\busybox-1.15.3\coreutils\mkdir.c(5): * Copyright (C) 2001 Matt
Kraai <kraai@alumni.carnegiemellon.edu>
busybox\1.15.3\busybox-1.15.3\coreutils\mkfifo.c(5): * Copyright (C) 2003Manuel
Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\mknod.c(5): * Copyright (C) 2003Manuel
Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\mv.c(5): * Copyright (C) 2000 by Matt
Kraai <kraai@alumni.carnegiemellon.edu>
busybox\1.15.3\busybox-1.15.3\coreutils\nice.c(5): * Copyright (C) 2005Manuel
Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\nohup.c(7): * Copyright 2006 Rob Landley
<rob@landley.net>
busybox\1.15.3\busybox-1.15.3\coreutils\nohup.c(8): * Copyright 2006 Bernhard
Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\coreutils\od.c(11): * Original copyright notice is
retained at the end of this file.
busybox\1.15.3\busybox-1.15.3\coreutils\od.c(199): * Copyright (c) 1990 The
Regents of the University of California.
busybox\1.15.3\busybox-1.15.3\coreutils\od.c(6): * Copyright (c) 1990
busybox\1.15.3\busybox-1.15.3\coreutils\od_bloaty.c(2): Copyright (C) 92,
1995-2004 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\printenv.c(5): * Copyright (C) 2005 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\printenv.c(6): * Copyright (C) 2005 by
Mike Frysinger <vapier@gentoo.org>
busybox\1.15.3\busybox-1.15.3\coreutils\printf.c(4): Copyright 1999 Dave Cinege
busybox\1.15.3\busybox-1.15.3\coreutils\printf.c(5): Portions copyright (C)
1990-1996 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\pwd.c(5): * Copyright (C) 1995, 1996 by
Bruce Perens <bruce@pixar.com>.
busybox\1.15.3\busybox-1.15.3\coreutils\readlink.c(5): * Copyright (C) 2000,2001
Matt Kraai <kraai@alumni.carnegiemellon.edu>
busybox\1.15.3\busybox-1.15.3\coreutils\rm.c(5): * Copyright (C) 2001 Matt Kraai
<kraai@alumni.carnegiemellon.edu>
busybox\1.15.3\busybox-1.15.3\coreutils\rmdir.c(5): * Copyright (C) 2003Manuel
Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\seq.c(5): * Copyright (C) 2004, Glenn
McGrath
busybox\1.15.3\busybox-1.15.3\coreutils\sleep.c(5): * Copyright (C) 2003Manuel

legal(ME)

Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\sort.c(5): * Copyright (C) 2004 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\coreutils\split.c(4): * Copyright (c) 2007 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\coreutils\stat.c(5): * Copyright (C) 2001, 2002, 2003, 2004, 2005 Free Software Foundation.
busybox\1.15.3\busybox-1.15.3\coreutils\stat.c(6): * Copyright (C) 2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\stat.c(7): * Copyright (C) 2005 by Mike Frysinger <vapier@gentoo.org>
busybox\1.15.3\busybox-1.15.3\coreutils\stat.c(8): * Copyright (C) 2006 by Yoshinori Sato <ysato@users.sourceforge.jp>
busybox\1.15.3\busybox-1.15.3\coreutils\stty.c(3): Copyright (C) 1990-1999 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\sum.c(6): * Copyright (C) 86, 89, 91, 1995-2002, 2004 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\sum.c(7): * Copyright (C) 2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\sum.c(8): * Copyright (C) 2005 by Mike Frysinger <vapier@gentoo.org>
busybox\1.15.3\busybox-1.15.3\coreutils\sync.c(5): * Copyright (C) 1995, 1996 by Bruce Perens <bruce@pixar.com>.
busybox\1.15.3\busybox-1.15.3\coreutils\tac.c(5): * Copyright (C) 2003Yang Xiaopeng<yxp at hanwang.com.cn>
busybox\1.15.3\busybox-1.15.3\coreutils\tac.c(6): * Copyright (C) 2007Natanael Copa<natanael.copa@gmail.com>
busybox\1.15.3\busybox-1.15.3\coreutils\tac.c(7): * Copyright (C) 2007Tito Ragusa<farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\coreutils\tail.c(5): * Copyright (C) 2001 by Matt Kraai <kraai@alumni.carnegiemellon.edu>
busybox\1.15.3\busybox-1.15.3\coreutils\tee.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\test.c(19): * Original copyright notice states:
busybox\1.15.3\busybox-1.15.3\coreutils\test.c(5): * Copyright (c) by a whole pile of folks:
busybox\1.15.3\busybox-1.15.3\coreutils\test_ptr_hack.c(3): * Copyright (C) 2008 by Denys Vlasenko <vda.linux@googlegmail.com>
busybox\1.15.3\busybox-1.15.3\coreutils\touch.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\tr.c(11): * Copyright (c) Michiel Huisjes
busybox\1.15.3\busybox-1.15.3\coreutils\tr.c(5): ** Copyright (c) 1987,1997, Prentice Hall All rights reserved.
busybox\1.15.3\busybox-1.15.3\coreutils>true.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\tty.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\uname.c(3): * Copyright (C) 1989-1999 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\uniq.c(5): * Copyright (C) 2005Manuel Novoa III<mjn3@codepoet.org>

legal(ME)

busybox\1.15.3\busybox-1.15.3\coreutils\usleep.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\uudecode.c(3): *Copyright 2003, Glenn McGrath
busybox\1.15.3\busybox-1.15.3\coreutils\uencode.c(3): *Copyright (C) 2000 by Glenn McGrath
busybox\1.15.3\busybox-1.15.3\coreutils\uencode.c(6): *Copyright (C) 1995, 1996, 1997, 1998, 2000 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\wc.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\coreutils\who.c(13): * Copyright (c) 2002 AYR Networks, Inc.
busybox\1.15.3\busybox-1.15.3\coreutils\whoami.c(5): * Copyright (C) 2000Edward Betts <edward@debian.org>.
busybox\1.15.3\busybox-1.15.3\coreutils\yes.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\debianutils\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\debianutils\mktemp.c(6): * Copyright (C) 2000 by Daniel Jacobowitz
busybox\1.15.3\busybox-1.15.3\debianutils\pipe_progress.c(5): * Copyright (C) 2003 by Rob Landley <rob@landley.net>, Joey Hess
busybox\1.15.3\busybox-1.15.3\debianutils\run_parts.c(11): * Copyright (C) 1996 Jeff Noxon <jeff@router.patch.net>,
busybox\1.15.3\busybox-1.15.3\debianutils\run_parts.c(12): * Copyright (C) 1996-1999 Guy Maor <maor@debian.org>
busybox\1.15.3\busybox-1.15.3\debianutils\run_parts.c(5): * Copyright (C) 2007 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\debianutils\run_parts.c(8): * Copyright (C) 2001 by Emanuele Aina <emanuele.aina@tiscali.it>
busybox\1.15.3\busybox-1.15.3\debianutils\which.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\debianutils\which.c(6): * Copyright (C) 2006 Gabriel Somlo <somlo at cmu.edu>
busybox\1.15.3\busybox-1.15.3\docs\autodocifier.pl(296):=head1 COPYRIGHT
busybox\1.15.3\busybox-1.15.3\docs\autodocifier.pl(298):Copyright (c) 2001 John BEPPU.All rights reserved.This program is
busybox\1.15.3\busybox-1.15.3\docs\new-applet-HOWTO.txt(17):First, write your applet.Be sure to include copyright information at the top,
busybox\1.15.3\busybox-1.15.3\docs\new-applet-HOWTO.txt(37): * Copyright (C) [YEAR] by [YOUR NAME] <YOUR EMAIL>
busybox\1.15.3\busybox-1.15.3\docs\Serial-Programming-HOWTO.txt(15):1. Copyright
busybox\1.15.3\busybox-1.15.3\docs\Serial-Programming-HOWTO.txt(50):1.Copyright
busybox\1.15.3\busybox-1.15.3\docs\Serial-Programming-HOWTO.txt(52):The Linux Serial-Programming-HOWTO is copyright (C) 1997 by Vernon
busybox\1.15.3\busybox-1.15.3\e2fsprogs\chattr.c(5): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\e2fs_defs.h(10): * Copyright (C) 1991, 1992Linus Torvalds
busybox\1.15.3\busybox-1.15.3\e2fsprogs\e2fs_defs.h(5): * Copyright (C) 1992, 1993, 1994, 1995
busybox\1.15.3\busybox-1.15.3\e2fsprogs\fsck.c(20): * Copyright (C) 1993, 1994,

legal(ME)

1995, 1996, 1997, 1998, 1999, 2000,
busybox\1.15.3\busybox-1.15.3\e2fsprogs\Kbuild(3):# Copyright (C) 1999-2005 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\lsattr.c(5): * Copyright (C) 1993,
1994Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\blkid.h(5): *
Copyright (C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\blkid.h(6): *
Copyright (C) 2003 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\blkid_getsize.c(5): *
Copyright (C) 1995, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\blkidP.h(5): *
Copyright (C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\blkidP.h(6): *
Copyright (C) 2003 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\cache.c(5): *
Copyright (C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\cache.c(6): *
Copyright (C) 2003 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\dev.c(5): * Copyright
(C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\dev.c(6): * Copyright
(C) 2003 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\devname.c(5): *
Copyright (C) Andries Brouwer
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\devname.c(6): *
Copyright (C) 1999, 2000, 2001, 2002, 2003 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\devname.c(7): *
Copyright (C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\devno.c(5): *
Copyright (C) 2000, 2001, 2003 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\devno.c(6): *
Copyright (C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\Kbuild(3):# Copyright
(C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\probe.c(6): *
Copyright (C) 1999 by Andries Brouwer
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\probe.c(7): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\probe.c(8): *
Copyright (C) 2001 by Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\probe.h(5): *
Copyright (C) 1999 by Andries Brouwer
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\probe.h(6): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\probe.h(7): *
Copyright (C) 2001 by Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\read.c(5): *
Copyright (C) 2001, 2003 Theodore Y. Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\read.c(6): *
Copyright (C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\blkid\resolve.c(5): *

legal(ME)

Copyright (C) 2001, 2003 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\blkid\resolve.c(6): *
Copyright (C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\blkid\save.c(5): *
Copyright (C) 2001 by Andreas Dilger
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\blkid\save.c(6): *
Copyright (C) 2003 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\blkid>tag.c(5): * Copyright
(C) 2001 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\blkid>tag.c(6): * Copyright
(C) 2003 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\chattr.c(5): * Copyright
(C) 1993, 1994Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(113): * Copyright
(C) 1997 Kaz Kylheku <kaz@ashi.footprints.net>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(1383): * Copyright
(C) 2000 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(1384): * Copyright
(C) 2000 Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(1387): * Copyright
(C) 1999 Red Hat Software
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(15): * derivative
works, as long as the modified versions carry this copyright
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(173): * Copyright
(C) 2000 Stephen C. Tweedie
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(19): * contain a
copyright notice related to this source.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(24): * Copyright
1999-2000 Red Hat Software --- All Rights Reserved
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(5): * Copyright
(C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(6): * Copyright
(C) 2006 Garrett Kajmowicz
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\efsck.c(9): * Copyright
(C) 1997 Kaz Kylheku <kaz@ashi.footprints.net>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\feature.c(5): *
Copyright (C) 1999Theodore Ts'o <tytso@mit.edu>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\fgetsetflags.c(6): *
Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\fgetsetversion.c(7): *
Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\hashstr.c(5): *
Copyright (C) 1999Theodore Ts'o <tytso@mit.edu>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\iod.c(5): * Copyright
(C) 1993, 1994Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\Kbuild(3):# Copyright
(C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\ls.c(5): * Copyright
(C) 1992, 1993, 1994Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\ls.c(9): * Copyright
(C) 1995, 1996, 1997Theodore Ts'o <tytso@mit.edu>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ep\mntopts.c(5): *

legal(ME)

Copyright (C) 2002 Theodore Ts'o <tytso@mit.edu>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ostype.c(5): *
Copyright (C) 2004,2005 Theodore Ts'o <tytso@mit.edu>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\parse_num.c(5): *
Copyright (C) 2004,2005 Theodore Ts'o <tytso@mit.edu>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\pe.c(5): * Copyright
(C) 1992, 1993, 1994 Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\pf.c(5): * Copyright
(C) 1993, 1994 Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ps.c(5): * Copyright
(C) 1993, 1994 Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\alloc.c(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\alloc_sb.c(6): *
Copyright (C) 1994, 1995, 1996, 2003 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\alloc_stats.c(5): *
Copyright (C) 2001 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\alloc_tables.c(6): *
Copyright (C) 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\badblocks.c(5): *
Copyright (C) 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\bb_compat.c(5): *
Copyright (C) 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\bb_inode.c(9): *
Copyright (C) 1994, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\bitmaps.c(6): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\bitops.c(6): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\bitops.h(13): * i386
bitops operations taken from <asm/bitops.h>, Copyright 1992,
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\bitops.h(6): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\block.c(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\bmap.c(5): *
Copyright (C) 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\brel.h(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\brel_ma.c(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\check_desc.c(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\closefs.c(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\cmp_bitmaps.c(5): *
Copyright (C) 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\dblister.c(5): *
Copyright 1997 by Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\dblister_dir.c(5): *
Copyright 1997 by Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\dir_iterate.c(5): *

legal(ME)

Copyright (C) 1993, 1994, 1994, 1995, 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\dirblock.c(5): *
Copyright (C) 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\dirhash.c(5): *
Copyright (c) 2001Daniel Phillips
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\dirhash.c(7): *
Copyright (c) 2002 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\dupfs.c(5): *
Copyright (C) 1997, 1998, 2001, 2003, 2005 by Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\e2image.h(5): *
Copyright (C) 2000 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\expanddir.c(5): *
Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\ext_attr.c(5): *
Copyright (C) 2001 Andreas Gruenbacher, <a.gruenbacher@computer.org>
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\ext_attr.c(7): *
Copyright (C) 2002 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\ext2_fs.h(14):
*Copyright (C) 1991, 1992Linus Torvalds
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\ext2_fs.h(5): *
Copyright (C) 1992, 1993, 1994, 1995
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\ext2_io.h(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\ext2fs.h(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\ext2fs_inline.c(5):
* Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\ext2fsP.h(5): *
Copyright (C) 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\fileio.c(5): *
Copyright (C) 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\finddev.c(6): *
Copyright (C) 2000 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\flushb.c(6): *
Copyright (C) 2000 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\freefs.c(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\gen_bitmap.c(5): *
Copyright (C) 2001 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\get_pathname.c(5): *
Copyright (C) 1993, 1994, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\getsectsize.c(5): *
Copyright (C) 1995, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\getsectsize.c(6): *
Copyright (C) 2003 VMware, Inc.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\getsize.c(5): *
Copyright (C) 1995, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\getsize.c(6): *
Copyright (C) 2003 VMware, Inc.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\icount.c(5): *
Copyright (C) 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\e2fsprogs\old_e2fsprogs\ext2fs\imager.c(6): *

legal(ME)

Copyright (C) 2000 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\ind_block.c(5): *
Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\initialize.c(6): *
Copyright (C) 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\inline.c(7): *
Copyright (C) 1993, 1994 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\inode.c(5): *
Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\inode_io.c(6): *
Copyright (C) 2002 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\irel.h(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\irel_ma.c(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\ismounted.c(5): *
Copyright (C) 1995,1996,1997,1998,1999,2000 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\Kbuild(3):#
Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\kernel-jbd.h(7): *
Copyright 1998-2000 Red Hat, Inc --- All Rights Reserved
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\link.c(5): *
Copyright (C) 1993, 1994 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\lookup.c(5): *
Copyright (C) 1993, 1994, 1994, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\mkdir.c(5): *
Copyright (C) 1994, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\mkjournal.c(5): *
Copyright (C) 2000 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\namei.c(5): *
Copyright (C) 1993, 1994, 1994, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\newdir.c(5): *
Copyright (C) 1994, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\openfs.c(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\read_bb.c(5): *
Copyright (C) 1994 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\read_bb_file.c(5): *
Copyright (C) 1994, 1995, 2000 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\res_gdt.c(6): *
Copyright (C) 2002 Andreas Dilger
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\rs_bitmap.c(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\rw_bitmaps.c(5): *
Copyright (C) 1993, 1994, 1994, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\sparse.c(5): *
Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\sparse.c(6): *
Copyright (C) 2002 Andreas Dilger.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\swapfs.c(5): *
Copyright (C) 1995, 1996, 2002 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\test_io.c(5): *

legal(ME)

Copyright (C) 1996 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\unix_io.c(10): *
Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\unlink.c(5): *
Copyright (C) 1993, 1994, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\valid_blk.c(5): *
Copyright 1997 by Theodore Ts'o
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\version.c(5): *
Copyright (C) 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\ext2fs\write_bb_file.c(5):
* Copyright (C) 1994, 1995 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\fsck.c(20): * Copyright (C)
1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\Kbuild(3):# Copyright (C)
1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\lsattr.c(5): * Copyright
(C) 1993, 1994 Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\mke2fs.c(5): * Copyright
(C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\tune2fs.c(5): * Copyright
(C) 1992, 1993, 1994 Remy Card <card@masi.ibp.fr>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\tune2fs.c(9): * Copyright
1995, 1996, 1997, 1998, 1999, 2000 by Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\util.c(5): * Copyright
1995, 1996, 1997, 1998, 1999, 2000 by Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\util.h(6): * Copyright 2000
by Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\compare.c(7): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\gen_uuid.c(5): *
Copyright (C) 1996, 1997, 1998, 1999 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\Kbuild(3):# Copyright
(C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\pack.c(5): * Copyright
(C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\parse.c(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\unpack.c(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\unparse.c(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\uuid.h(5): * Copyright
(C) 1996, 1997, 1998 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\uuid_time.c(7): *
Copyright (C) 1998, 1999 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\efsprogs\old_efsprogs\uuid\uuidP.h(5): *
Copyright (C) 1996, 1997 Theodore Ts'o.
busybox\1.15.3\busybox-1.15.3\editors\awk.c(5): * Copyright (C) 2002 by Dmitry
Zakharov <dmit@crp.bank.gov.ua>
busybox\1.15.3\busybox-1.15.3\editors\cmp.c(5): * Copyright (C) 2000,2001 by Matt
Kraai <kraai@alumni.carnegiemellon.edu>
busybox\1.15.3\busybox-1.15.3\editors\diff.c(5): * Copyright (C) 2006 by Robert

legal(ME)

Sullivan <cogito.ergo.cogito@hotmail.com>
busybox\1.15.3\busybox-1.15.3\editors\diff.c(6): * Copyright (c) 2003 Todd C. Miller <Todd.Miller@courtesan.com>
busybox\1.15.3\busybox-1.15.3\editors\ed.c(3): * Copyright (c) 2002 by David I. Bell
busybox\1.15.3\busybox-1.15.3\editors\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\editors\patch.c(4): *Copyright (C) 2003 Glenn McGrath
busybox\1.15.3\busybox-1.15.3\editors\sed.c(5): * Copyright (C) 1999,2000,2001 by Lineo, inc. and Mark Whitley
busybox\1.15.3\busybox-1.15.3\editors\sed.c(6): * Copyright (C) 1999,2000,2001 by Mark Whitley <markw@codepoet.org>
busybox\1.15.3\busybox-1.15.3\editors\sed.c(7): * Copyright (C) 2002Matt Kraai
busybox\1.15.3\busybox-1.15.3\editors\sed.c(8): * Copyright (C) 2003 by Glenn McGrath
busybox\1.15.3\busybox-1.15.3\editors\sed.c(9): * Copyright (C) 2003,2004 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\editors\vi.c(4): * Copyright (C) 2000, 2001 Sterling Huxley <sterling@europa.com>
busybox\1.15.3\busybox-1.15.3\examples\busybox.spec(12):Copyright: GPL
busybox\1.15.3\busybox-1.15.3\examples\depmod(5):# Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(3):# Copyright (c) 2001 David Schleeff <ds@schleeff.org>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(335):=head1 COPYRIGHT AND LICENSE
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(337): Copyright (c) 2001 David Schleeff <ds@schleeff.org>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(338): Copyright (c) 2001 Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(339): Copyright (c) 2001 Stuart Hughes <seh@zee2.com>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(340): Copyright (c) 2002 Steven J. Hill <shill@broadcom.com>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(341): Copyright (c) 2006 Freescale Semiconductor, Inc <stuarth@freescale.com>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(4):# Copyright (c) 2001 Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(5):# Copyright (c) 2001 Stuart Hughes <seh@zee2.com>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(6):# Copyright (c) 2002 Steven J. Hill <shill@broadcom.com>
busybox\1.15.3\busybox-1.15.3\examples\depmod.pl(7):# Copyright (c) 2006 Freescale Semiconductor, Inc <stuarth@freescale.com>
busybox\1.15.3\busybox-1.15.3\examples\inittab(3):# Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\findutils\find.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\findutils\grep.c(5): * Copyright (C) 1999,2000,2001 by Lineo, inc. and Mark Whitley
busybox\1.15.3\busybox-1.15.3\findutils\grep.c(6): * Copyright (C) 1999,2000,2001

legal(ME)

by Mark Whitley <markw@codepoet.org>
busybox\1.15.3\busybox-1.15.3\findutils\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\include\grp_.h(2):/* Copyright (C) 1991,92,95,96,97,98,99,2000,01 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\include\libbb.h(5): * Based in part on code from sash, Copyright (c) 1999 by David I. Bell
busybox\1.15.3\busybox-1.15.3\include\platform.h(3): Copyright 2006, Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\include\pwd_.h(2):/* Copyright (C) 1991,92,95,96,97,98,99,2001 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\include\shadow_.h(2):/* Copyright (C) 1996, 1997, 1998, 1999 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\include\volume_id.h(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\include\xatnum.h(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\include\xregex.h(6): * Based in part on code from sash, Copyright (c) 1999 by David I. Bell
busybox\1.15.3\busybox-1.15.3\init\halt.c(5): * Copyright 2006 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\init\init.c(5): * Copyright (C) 1995, 1996 by Bruce Perens <bruce@pixar.com>.
busybox\1.15.3\busybox-1.15.3\init\init.c(6): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\init\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\init\mesg.c(5): * Copyright (c) 2002 Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\appletlib.c(5): * Copyright (C) tons of folks.Tracking down who wrote what
busybox\1.15.3\busybox-1.15.3\libbb\appletlib.c(648): "Copyright (C) 1998-2008 Erik Andersen, Rob Landley, Denys Vlasenko\n"
busybox\1.15.3\busybox-1.15.3\libbb\appletlib.c(9): * Based in part on code from sash, Copyright (c) 1999 by David I. Bell
busybox\1.15.3\busybox-1.15.3\libbb\ask_confirmation.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\bb_askpass.c(6): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\bb_basename.c(5): * Copyright (C) 2007 Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\libbb\bb_do_delay.c(5): * Copyright (C) 2005 by Tito Ragusa <tito-wolit@tiscali.it>
busybox\1.15.3\busybox-1.15.3\libbb\bb_pwd.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\bb_pwd.c(6): * Copyright (C) 2008 by Tito Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\libbb\bb_qsort.c(5): * Copyright (c) 2008 Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\libbb\bb_strtod.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\bb_strtonum.c(5): * Copyright (C) 1999-2004

legal(ME)

by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\change_identity.c(3): * Copyright 1989 -
1991, Julianne Frances Haugh <jockgrrl@austin.rr.com>
busybox\1.15.3\busybox-1.15.3\libbb\chomp.c(5): * Copyright (C) many different
people.
busybox\1.15.3\busybox-1.15.3\libbb\concat_path_file.c(5): * Copyright (C) many
different people.
busybox\1.15.3\busybox-1.15.3\libbb\concat_subpath_file.c(5): * Copyright (C) (C)
2003Vladimir Oleynik<dzo@simtreas.ru>
busybox\1.15.3\busybox-1.15.3\libbb\copy_file.c(5): * Copyright (C) 2001 by Matt
Kraai <kraai@alumni.carnegiemellon.edu>
busybox\1.15.3\busybox-1.15.3\libbb\copyfd.c(5): * Copyright (C) 1999-2005 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\correct_password.c(3): * Copyright 1989 -
1991, Julianne Frances Haugh <jockgrrl@austin.rr.com>
busybox\1.15.3\busybox-1.15.3\libbb\crc32.c(4): * Copyright (C) 2006 by Rob
Sullivan <cogito.ergo.cogito@gmail.com>
busybox\1.15.3\busybox-1.15.3\libbb\default_error_retval.c(3): * Copyright (C)
2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\default_error_retval.c(8):/* Seems silly to
copyright a global variable.;-)Oh well.
busybox\1.15.3\busybox-1.15.3\libbb\device_open.c(5): * Copyright (C) 1999-2004
by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\die_if_bad_username.c(5): * Copyright (C)
2008 Tito Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\libbb\dump.c(11): * Original copyright notice is
retained at the end of this file.
busybox\1.15.3\busybox-1.15.3\libbb\dump.c(6): * Copyright (c) 1989
busybox\1.15.3\busybox-1.15.3\libbb\dump.c(813): * Copyright (c) 1989 The Regents
of the University of California.
busybox\1.15.3\busybox-1.15.3\libbb\error_msg.c(5): * Copyright (C) 1999-2004 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\error_msg_and_die.c(5): * Copyright (C)
1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\execable.c(5): * Copyright (C) 2006 Gabriel
Somlo <somlo at cmu.edu>
busybox\1.15.3\busybox-1.15.3\libbb\fclose_nonstdin.c(5): * Copyright (C)
2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\fflush_stdout_and_exit.c(5): * Copyright (C)
2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\fgets_str.c(5): * Copyright (C) many
different people.
busybox\1.15.3\busybox-1.15.3\libbb\find_mount_point.c(5): * Copyright (C)
1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\find_pid_by_name.c(5): * Copyright (C)
1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\find_root_device.c(5): * Copyright (C)
1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\full_write.c(5): * Copyright (C) 1999-2004 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\get_last_path_component.c(5): * Copyright (C)
2001Manuel Novoa III<mjn3@codepoet.org>

legal(ME)

busybox\1.15.3\busybox-1.15.3\libbb\get_line_from_file.c(5): * Copyright (C) 2005, 2006 Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\libbb\get_line_from_file.c(6): * Copyright (C) 2004 Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\get_line_from_file.c(7): * Copyright (C) 2001 Matt Krai
busybox\1.15.3\busybox-1.15.3\libbb\getopt32.c(5): * Copyright (C) 2003-2005 Vladimir Oleynik <dzo@simtreas.ru>
busybox\1.15.3\busybox-1.15.3\libbb\herror_msg.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\herror_msg_and_die.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\info_msg.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\inode_hash.c(5): * Copyright (C) many different people.
busybox\1.15.3\busybox-1.15.3\libbb\isdirectory.c(5): * Based in part on code from sash, Copyright (c) 1999 by David I. Bell
busybox\1.15.3\busybox-1.15.3\libbb\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\kernel_version.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\last_char_is.c(5): * Copyright (C) 2001 Larry Doolittle, <ldoolitt@recycle.lbl.gov>
busybox\1.15.3\busybox-1.15.3\libbb\lineedit.c(5): * Copyright (c) 1986-2003 may safely be consumed by a BSD or GPL license.
busybox\1.15.3\busybox-1.15.3\libbb\lineedit_ptr_hack.c(3): * Copyright (C) 2008 by Denys Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\libbb\llist.c(5): * Copyright (C) 2003 Glenn McGrath
busybox\1.15.3\busybox-1.15.3\libbb\llist.c(6): * Copyright (C) 2005 Vladimir Oleynik
busybox\1.15.3\busybox-1.15.3\libbb\llist.c(7): * Copyright (C) 2005 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\libbb\llist.c(8): * Copyright (C) 2006 Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\libbb\login.c(5): * Copyright (C) 2003 Bastian Blank <waldi@tuxbox.org>
busybox\1.15.3\busybox-1.15.3\libbb\loop.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\loop.c(6): * Copyright (C) 2005 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\libbb\make_directory.c(5): * Copyright (C) 2003 Manuel Novoa III <mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\makedev.c(4): * Copyright (C) 2006 Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\libbb\md5.c(10): *Copyright (C) 2003 Glenn L. McGrath
busybox\1.15.3\busybox-1.15.3\libbb\md5.c(11): *Copyright (C) 2003 Erik Andersen
busybox\1.15.3\busybox-1.15.3\libbb\md5.c(8): *Copyright (C) 1995-1999 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\libbb\md5.c(9): *Copyright (C) 2001 Manuel Novoa

legal(ME)

III

busybox\1.15.3\busybox-1.15.3\libbb\md5prime.c(12): * Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All
busybox\1.15.3\busybox-1.15.3\libbb\messages.c(3): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\mode_string.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\mtab.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\mtab_file.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\obscure.c(5): * Copyright (C) 2006 Tito Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\libbb\parse_config.c(5): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\libbb\parse_mode.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\perror_msg.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\perror_msg_and_die.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\perror_nomsg.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\perror_nomsg_and_die.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\pidfile.c(5): * Copyright (C) 2007 by Stephane Billiard <stephane.billiard@gmail.com>
busybox\1.15.3\busybox-1.15.3\libbb\print_flags.c(4): * Copyright (C) 2008 Natanael Copa <natanael.copa@gmail.com>
busybox\1.15.3\busybox-1.15.3\libbb\printable.c(5): * Copyright (C) 2007 Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\libbb\process_escape_sequence.c(5): * Copyright (C) Manuel Novoa III <mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\procps.c(5): * Copyright 1998 by Albert Cahalan; all rights reserved.
busybox\1.15.3\busybox-1.15.3\libbb\procps.c(6): * Copyright (C) 2002 by Vladimir Oleynik <dzo@simtreas.ru>
busybox\1.15.3\busybox-1.15.3\libbb\ptr_to_globals.c(3): * Copyright (C) 2008 by Denys Vlasenko <vda.linux@googlegmail.com>
busybox\1.15.3\busybox-1.15.3\libbb\pw_encrypt.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\pw_encrypt_des.c(4): * Copyright (c) 1994 David Burren
busybox\1.15.3\busybox-1.15.3\libbb\pw_encrypt_md5.c(4): * Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All
busybox\1.15.3\busybox-1.15.3\libbb\read.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\read_key.c(5): * Copyright (C) 2008 Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\libbb\read_key.c(6): * Copyright (C) 2008 Denys Vlasenko <vda.linux@googlegmail.com>
busybox\1.15.3\busybox-1.15.3\libbb\README(5):the very oldest stuff ended up

legal(ME)

without their original copyright and licensing

busybox\1.15.3\busybox-1.15.3\libbb\recursive_action.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\libbb\remove_file.c(5): * Copyright (C) 2001 Matt Kraai <kraai@alumni.carnegiemellon.edu>

busybox\1.15.3\busybox-1.15.3\libbb\restricted_shell.c(3): * Copyright 1989 - 1991, Julianne Frances Haugh <jockgrrl@austin.rr.com>

busybox\1.15.3\busybox-1.15.3\libbb\run_shell.c(3): * Copyright 1989 - 1991, Julianne Frances Haugh <jockgrrl@austin.rr.com>

busybox\1.15.3\busybox-1.15.3\libbb\safe_gethostname.c(5): * Copyright (C) 2008 Tito Ragusa <farmatito@tiscali.it>

busybox\1.15.3\busybox-1.15.3\libbb\safe_poll.c(5): * Copyright (C) 2007 by Denys Vlasenko <vda.linux@googlemail.com>

busybox\1.15.3\busybox-1.15.3\libbb\safe_strncpy.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\libbb\safe_write.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\libbb\selinux_common.c(5): * Copyright 2007 KaiGai Kohei <kaigai@kaigai.gr.jp>

busybox\1.15.3\busybox-1.15.3\libbb\setup_environment.c(3): * Copyright 1989 - 1991, Julianne Frances Haugh <jockgrrl@austin.rr.com>

busybox\1.15.3\busybox-1.15.3\libbb\sha1.c(6): * Copyright (C) 2002 Dr Brian Gladman <brg@gladman.me.uk>, Worcester, UK.

busybox\1.15.3\busybox-1.15.3\libbb\sha1.c(7): * Copyright (C) 2003 Glenn L. McGrath

busybox\1.15.3\busybox-1.15.3\libbb\sha1.c(8): * Copyright (C) 2003 Erik Andersen

busybox\1.15.3\busybox-1.15.3\libbb\signals.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\libbb\signals.c(6): * Copyright (C) 2006 Rob Landley

busybox\1.15.3\busybox-1.15.3\libbb\signals.c(7): * Copyright (C) 2006 Denys Vlasenko

busybox\1.15.3\busybox-1.15.3\libbb\simplify_path.c(5): * Copyright (C) 2001Manuel Novoa III<mjn3@codepoet.org>

busybox\1.15.3\busybox-1.15.3\libbb\skip_whitespace.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>

busybox\1.15.3\busybox-1.15.3\libbb\speed_table.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>

busybox\1.15.3\busybox-1.15.3\libbb\strrstr.c(5): * Copyright (C) 2008 Bernhard Reutner-Fischer

busybox\1.15.3\busybox-1.15.3\libbb\time.c(5): * Copyright (C) 2007 Denys Vlasenko

busybox\1.15.3\busybox-1.15.3\libbb\trim.c(5): * Copyright (C) many different people.

busybox\1.15.3\busybox-1.15.3\libbb\u_signal_names.c(5): * Copyright 2006 Rob Landley <rob@landley.net>

busybox\1.15.3\busybox-1.15.3\libbb\udp_io.c(5): * Copyright (C) 2007 Denys Vlasenko

busybox\1.15.3\busybox-1.15.3\libbb\unicode.c(5): * Copyright (C) 2009 Denys Vlasenko

busybox\1.15.3\busybox-1.15.3\libbb\uuencode.c(3): * Copyright 2006 Rob Landley <rob@landley.net>

legal(ME)

busybox\1.15.3\busybox-1.15.3\libbb\vdprintf.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\verror_msg.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\vfork_daemon_rexec.c(10): * Copyright (c) 1991, 1993
busybox\1.15.3\busybox-1.15.3\libbb\vfork_daemon_rexec.c(5): * Copyright (C) Vladimir N. Oleynik <dzo@simtreas.ru>
busybox\1.15.3\busybox-1.15.3\libbb\vfork_daemon_rexec.c(6): * Copyright (C) 2003 Russ Dill <Russ.Dill@asu.edu>
busybox\1.15.3\busybox-1.15.3\libbb\warn_ignoring_args.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\wfopen.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\wfopen_input.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\write.c(5): * Copyright (C) 2008 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\libbb\xatnum.c(5): * Copyright (C) 2003Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\xfunc_die.c(5): * Copyright (C) 2008 by Denys Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\libbb\xfuncs.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\xfuncs.c(6): * Copyright (C) 2006 Rob Landley
busybox\1.15.3\busybox-1.15.3\libbb\xfuncs.c(7): * Copyright (C) 2006 Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\libbb\xfuncs_printf.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libbb\xfuncs_printf.c(6): * Copyright (C) 2006 Rob Landley
busybox\1.15.3\busybox-1.15.3\libbb\xfuncs_printf.c(7): * Copyright (C) 2006 Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\libbb\xgetcwd.c(4): * Copyright (C) 1992, 1996 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\libbb\xgethostbyname.c(5): * Copyright (C) 2001 Matt Kraai <kraai@alumni.carnegiemellon.edu>.
busybox\1.15.3\busybox-1.15.3\libbb\xrealloc_vector.c(5): * Copyright (C) 2008 Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\libbb\xregcomp.c(5): * Copyright (C) many different people.
busybox\1.15.3\busybox-1.15.3\libpwdgrp\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\libpwdgrp\pwd_grp.c(2):/*Copyright (C) 2003 Manuel Novoa III
busybox\1.15.3\busybox-1.15.3\libpwdgrp\pwd_grp_internal.c(2):/*Copyright (C) 2003 Manuel Novoa III
busybox\1.15.3\busybox-1.15.3\libpwdgrp\uidgid_get.c(2):Copyright (c) 2001-2006, Gerrit Pape
busybox\1.15.3\busybox-1.15.3\LICENSE(12): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\LICENSE(324):Gnomovision version 69, Copyright (C)

legal(ME)

yearname of author

busybox\1.15.3\busybox-1.15.3\LICENSE(338):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
busybox\1.15.3\busybox-1.15.3\loginutils\addgroup.c(5): * Copyright (C) 1999 by Lineo, inc. and John Beppu
busybox\1.15.3\busybox-1.15.3\loginutils\addgroup.c(6): * Copyright (C) 1999,2000,2001 by John Beppu <beppu@codepoet.org>
busybox\1.15.3\busybox-1.15.3\loginutils\addgroup.c(7): * Copyright (C) 2007 by Tito Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\loginutils\adduser.c(5): * Copyright (C) 1999 by Lineo, inc. and John Beppu
busybox\1.15.3\busybox-1.15.3\loginutils\adduser.c(6): * Copyright (C) 1999,2000,2001 by John Beppu <beppu@codepoet.org>
busybox\1.15.3\busybox-1.15.3\loginutils\deluser.c(5): * Copyright (C) 1999 by Lineo, inc. and John Beppu
busybox\1.15.3\busybox-1.15.3\loginutils\deluser.c(6): * Copyright (C) 1999,2000,2001 by John Beppu <beppu@codepoet.org>
busybox\1.15.3\busybox-1.15.3\loginutils\deluser.c(7): * Copyright (C) 2007 by Tito Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\loginutils\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\loginutils\vlock.c(5): * Copyright (C) 2000 by spoon <spoon@ix.netcom.com>
busybox\1.15.3\busybox-1.15.3\mailutils\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\mailutils\mail.c(5): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\mailutils\mime.c(6): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\mailutils\popmaildir.c(8): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\mailutils\sendmail.c(5): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\miscutils\adjtimex.c(7): * Copyright 1997, 2000, 2001 Larry Doolittle <LRDoolittle@lbl.gov>
busybox\1.15.3\busybox-1.15.3\miscutils\beep.c(5): * Copyright (C) 2009 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\miscutils\chat.c(6): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\miscutils\chrt.c(4): * Copyright (c) 2006-2007 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\miscutils\crond.c(7): * Copyright 1994 Matthew Dillon (dillon@apollo.west.oic.com)
busybox\1.15.3\busybox-1.15.3\miscutils\crontab.c(7): * Copyright 1994 Matthew Dillon (dillon@apollo.west.oic.com)
busybox\1.15.3\busybox-1.15.3\miscutils\devfsd.c(12):Copyright (C) [2003] by [Matteo Croce] <3297627799@wind.it>
busybox\1.15.3\busybox-1.15.3\miscutils\devfsd.c(18):Copyright (C) 1998-2002Richard Gooch
busybox\1.15.3\busybox-1.15.3\miscutils\devfsd.c(24):Copyright (C) 1998-2000Richard Gooch
busybox\1.15.3\busybox-1.15.3\miscutils\devfsd.c(30):Copyright (C)

legal(ME)

1998-2002Richard Gooch
busybox\1.15.3\busybox-1.15.3\miscutils\devfsd.c(36):Copyright (C)
1997-1999Richard Gooch
busybox\1.15.3\busybox-1.15.3\miscutils\devfsd.c(9):Copyright (C) 2003 by Tito
Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\miscutils\devmem.c(3): *Copyright (C) 2000,
Jan-Derk Bakker (J.D.Bakker@its.tudelft.nl)
busybox\1.15.3\busybox-1.15.3\miscutils\devmem.c(4): *Copyright (C) 2008, BusyBox
Team. -solar 4/26/08
busybox\1.15.3\busybox-1.15.3\miscutils\eject.c(5): * Copyright (C) 2004Peter
Willis <psyphreak@phreaker.net>
busybox\1.15.3\busybox-1.15.3\miscutils\eject.c(6): * Copyright (C) 2005Tito
Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\miscutils\fb splash.c(3): * Copyright (C) 2008
Michele Sanges <michele.sanges@gmail.com>
busybox\1.15.3\busybox-1.15.3\miscutils\flash_eraseall.c(6): * Copyright (C) 2000
Arcom Control System Ltd
busybox\1.15.3\busybox-1.15.3\miscutils\hdparm.c(5): * Copyright (C) [2003] by
[Matteo Croce] <3297627799@wind.it>
busybox\1.15.3\busybox-1.15.3\miscutils\inotifyd.c(6): * Copyright (C) 2008 by
Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\miscutils\ionice.c(5): * Copyright (C) 2008
by<u173034@informatik.uni-oldenburg.de>
busybox\1.15.3\busybox-1.15.3\miscutils\Kbuild(3):# Copyright (C) 1999-2005 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\miscutils\last.c(5): * Copyright (C) 2003-2004 by
Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\miscutils\last_fancy.c(5): * Copyright (C) 2008 by
Patricia Muscalu <patricia.muscalu@axis.com>
busybox\1.15.3\busybox-1.15.3\miscutils\less.c(5): * Copyright (C) 2005 by Rob
Sullivan <cogito.ergo.cogito@gmail.com>
busybox\1.15.3\busybox-1.15.3\miscutils\man.c(2): * Copyright (C) 2008 Denys
Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\miscutils\microcom.c(6): * Copyright (C) 2008 by
Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\miscutils\mountpoint.c(5): * Copyright (C) 2005
Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\miscutils\raidautorun.c(5): * Copyright (C) 2006
Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\miscutils\readahead.c(8): * Copyright (C)
2006Michael Opdenacker <michael@free-electrons.com>
busybox\1.15.3\busybox-1.15.3\miscutils\runlevel.c(8): *Copyright 1991-1997
Miquel van Smoorenburg.
busybox\1.15.3\busybox-1.15.3\miscutils\rx.c(11): * Copyright (C) 2001
Hewlett-Packard Laboratories
busybox\1.15.3\busybox-1.15.3\miscutils\rx.c(3): * Copyright: Copyright (C) 2001,
Hewlett-Packard Company
busybox\1.15.3\busybox-1.15.3\miscutils\strings.c(5): * Copyright 2003 Tito
Ragusa <farmatito@tiscali.it>
busybox\1.15.3\busybox-1.15.3\miscutils\taskset.c(4): * Copyright (c) 2006
Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\miscutils\time.c(3): Copyright (C) 1990, 91, 92,

legal(ME)

93, 96 Free Software Foundation, Inc.

busybox\1.15.3\busybox-1.15.3\miscutils\timeout.c(6): * Copyright (C) 2005-6, Roberto A. Foglietta <me@roberto.foglietta.name>

busybox\1.15.3\busybox-1.15.3\miscutils\ttysize.c(8): * Copyright (C) 2007 by Denys Vlasenko <vda.linux@googlemail.com>

busybox\1.15.3\busybox-1.15.3\miscutils\volname.c(9): * Copyright (C) 2000-2001 Jeff Tranter (tranter@pobox.com)

busybox\1.15.3\busybox-1.15.3\miscutils\watchdog.c(5): * Copyright (C) 2003 Paul Mundt <lethal@linux-sh.org>

busybox\1.15.3\busybox-1.15.3\miscutils\watchdog.c(6): * Copyright (C) 2006 Bernhard Reutner-Fischer <busybox@busybox.net>

busybox\1.15.3\busybox-1.15.3\miscutils\watchdog.c(7): * Copyright (C) 2008 Darius Augulis <augulis.darius@gmail.com>

busybox\1.15.3\busybox-1.15.3\modutils\depmod.c(4): * Copyright (c) 2008 Bernhard Reutner-Fischer

busybox\1.15.3\busybox-1.15.3\modutils\depmod.c(6): * Copyright (c) 2008 Vladimir Dronnikov

busybox\1.15.3\busybox-1.15.3\modutils\insmod.c(5): * Copyright (C) 2008 Timo Teras <timo.teras@iki.fi>

busybox\1.15.3\busybox-1.15.3\modutils\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\modutils\lsmod.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\modutils\lsmod.c(6): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>

busybox\1.15.3\busybox-1.15.3\modutils\modprobe.c(5): * Copyright (c) 2008 Timo Teras <timo.teras@iki.fi>

busybox\1.15.3\busybox-1.15.3\modutils\modprobe.c(6): * Copyright (c) 2008 Vladimir Dronnikov

busybox\1.15.3\busybox-1.15.3\modutils\modprobe-small.c(5): * Copyright (c) 2008 Vladimir Dronnikov

busybox\1.15.3\busybox-1.15.3\modutils\modprobe-small.c(6): * Copyright (c) 2008 Bernhard Reutner-Fischer (initial depmod code)

busybox\1.15.3\busybox-1.15.3\modutils\modutils.c(4): * Copyright (C) 2008 by Timo Teras <timo.teras@iki.fi>

busybox\1.15.3\busybox-1.15.3\modutils\modutils.h(4): * Copyright (C) 2008 by Timo Teras <timo.teras@iki.fi>

busybox\1.15.3\busybox-1.15.3\modutils\modutils-24.c(302): Copyright 1996, 1997 Linux International.

busybox\1.15.3\busybox-1.15.3\modutils\modutils-24.c(41): * written by Paul Mackerras, Copyright 1996, 1997 Linux International.

busybox\1.15.3\busybox-1.15.3\modutils\modutils-24.c(458): Copyright 1996, 1997 Linux International.

busybox\1.15.3\busybox-1.15.3\modutils\modutils-24.c(48): * Copyright 1996, 1997 Linux International.

busybox\1.15.3\busybox-1.15.3\modutils\modutils-24.c(52): * Copyright 1996, 1997 Linux International.

busybox\1.15.3\busybox-1.15.3\modutils\modutils-24.c(8): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\modutils\rmmmod.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\modutils\rmmmod.c(6): * Copyright (C) 2008 Timo

legal(ME)

Teras <timo.teras@iki.fi>

busybox\1.15.3\busybox-1.15.3\networking\brctl.c(5): * Copyright (C) 2008 by Bernhard Reutner-Fischer

busybox\1.15.3\busybox-1.15.3\networking\brctl.c(8): * Copyright (C) 2000 Lennert Buytenhek

busybox\1.15.3\busybox-1.15.3\networking\dnsc.c(5): * Copyright (C) 2005 Roberto A. Foglietta (me@roberto.foglietta.name)

busybox\1.15.3\busybox-1.15.3\networking\dnsc.c(6): * Copyright (C) 2005 Odd Arild Olsen (oao at fibula dot no)

busybox\1.15.3\busybox-1.15.3\networking\dnsc.c(7): * Copyright (C) 2003 Paul Sheer

busybox\1.15.3\busybox-1.15.3\networking\ether-wake.c(49): *Copyright 1999-2003 Donald Becker and Scyld Computing Corporation.

busybox\1.15.3\busybox-1.15.3\networking\ftpgetput.c(7): * Copyright (C) 2002 Jeff Angielski, The PTR Group <jeff@theptgroup.com>

busybox\1.15.3\busybox-1.15.3\networking\ftpgetput.c(8): * Copyright (C) 2002 Glenn McGrath

busybox\1.15.3\busybox-1.15.3\networking\hostname.c(5): * Copyright (C) 1999 by Randolph Chung <tausq@debian.org>

busybox\1.15.3\busybox-1.15.3\networking\httpd.c(5): * Copyright (C) 2002,2003 Glenn Engel <glenne@engel.org>

busybox\1.15.3\busybox-1.15.3\networking\httpd.c(6): * Copyright (C) 2003-2006 Vladimir Oleynik <dzo@simtreas.ru>

busybox\1.15.3\busybox-1.15.3\networking\httpd_indexcgi.c(2): * Copyright (c) 2007 Denys Vlasenko <vda.linux@googlemail.com>

busybox\1.15.3\busybox-1.15.3\networking\ifenslave.c(12): *Copyright 1994-1996 Donald Becker

busybox\1.15.3\busybox-1.15.3\networking\ifenslave.c(4): * Copyright (C) 2005 by Marc Leeman <marc.leeman@barco.com>

busybox\1.15.3\busybox-1.15.3\networking\ifplugd.c(5): * Copyright (C) 2009 Maksym Kryzhanovskyy <xmaks@email.cz>

busybox\1.15.3\busybox-1.15.3\networking\ifupdown.c(4): *Copyright (c) 2002 Glenn McGrath

busybox\1.15.3\busybox-1.15.3\networking\ifupdown.c(5): *Copyright (c) 2003-2004 Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\networking\ifupdown.c(8): *Copyright (c) 1999 Anthony Towns <aj@azure.humbug.org.au>

busybox\1.15.3\busybox-1.15.3\networking\inetd.c(8): * Copyright (c) 1983,1991 The Regents of the University of California.

busybox\1.15.3\busybox-1.15.3\networking\interface.c(20): *and others.Copyright 1993 MicroWalt Corporation

busybox\1.15.3\busybox-1.15.3\networking\isrv.c(6): * Copyright (C) 2007 Denys Vlasenko

busybox\1.15.3\busybox-1.15.3\networking\isrv.h(6): * Copyright (C) 2007 Denys Vlasenko

busybox\1.15.3\busybox-1.15.3\networking\isrv_identd.c(5): * Copyright (C) 2007 Denys Vlasenko

busybox\1.15.3\busybox-1.15.3\networking\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\networking\libiproute\Kbuild(3):# Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\networking\nc.c(4): *Copyright (C) 1998,

legal(ME)

1999 Charles P. Wright

busybox\1.15.3\busybox-1.15.3\networking\nc.c(5): * Copyright (C) 1998 Dave Cinege

busybox\1.15.3\busybox-1.15.3\networking\nc_bloaty.c(14): * No GPLs, Berkeley copyrights or any of that nonsense. The author assumes NO

busybox\1.15.3\busybox-1.15.3\networking\nc_bloaty.c(4): * Copyright (C) 2007 Denys Vlasenko.

busybox\1.15.3\busybox-1.15.3\networking\netstat.c(6): * Copyright (C) 2002 by Bart Visscher <magick@linux-fan.com>

busybox\1.15.3\busybox-1.15.3\networking\nslookup.c(5): * Copyright (C) 1999, 2000 by Lineo, inc. and John Beppu

busybox\1.15.3\busybox-1.15.3\networking\nslookup.c(6): * Copyright (C) 1999, 2000, 2001 by John Beppu <beppu@codepoet.org>

busybox\1.15.3\busybox-1.15.3\networking\ping.c(17): * Copyright (C) 1999 by Randolph Chung <tausq@debian.org>

busybox\1.15.3\busybox-1.15.3\networking\ping.c(22): * Original copyright notice is retained at the end of this file.

busybox\1.15.3\busybox-1.15.3\networking\ping.c(5): * Copyright (C) 1999 by Randolph Chung <tausq@debian.org>

busybox\1.15.3\busybox-1.15.3\networking\ping.c(791): * Copyright (c) 1989 The Regents of the University of California.

busybox\1.15.3\busybox-1.15.3\networking\ping.c(8): * Copyright (c) 1989 The Regents of the University of California.

busybox\1.15.3\busybox-1.15.3\networking\pscan.c(4): * Copyright 2007 Tito Ragusa <farmatito@tiscali.it>

busybox\1.15.3\busybox-1.15.3\networking\tcpudp.c(5): * Copyright (C) 2007 Denys Vlasenko.

busybox\1.15.3\busybox-1.15.3\networking\tcpudp_perhost.c(5): * Copyright (C) 2007 Denys Vlasenko.

busybox\1.15.3\busybox-1.15.3\networking\tcpudp_perhost.h(5): * Copyright (C) 2007 Denys Vlasenko.

busybox\1.15.3\busybox-1.15.3\networking\telnet.c(6): * Copyright (C) 1994-2000 by Tomi Ollila

busybox\1.15.3\busybox-1.15.3\networking\telnetd.c(9): * (C) Copyright 2000, Axis Communications AB, LUND, SWEDEN

busybox\1.15.3\busybox-1.15.3\networking\tftp.c(12): * atftp: Copyright (C) 2000 Jean-Pierre Lefebvre <helix@step.polymtl.ca>

busybox\1.15.3\busybox-1.15.3\networking\tftp.c(15): * utftp: Copyright (C) 1999 Uwe Ohse <uwe@ohse.de>

busybox\1.15.3\busybox-1.15.3\networking\tftp.c(8): * Copyright (C) 2001 Magnus Damm <damm@opensource.se>

busybox\1.15.3\busybox-1.15.3\networking\traceroute.c(3): * Copyright (c) 1988, 1989, 1991, 1994, 1995, 1996, 1997, 1998, 1999, 2000

busybox\1.15.3\busybox-1.15.3\networking\tunctl.c(5): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>

busybox\1.15.3\busybox-1.15.3\networking\udhcp\clientsocket.c(60): * Copyright: 2006, 2007 Stefan Rompf <sux@loplof.de>.

busybox\1.15.3\busybox-1.15.3\networking\udhcp\dhcpcd.c(5): * Copyright (C) 1999 Matthew Ramsay <matthewr@moreton.com.au>

busybox\1.15.3\busybox-1.15.3\networking\udhcp\dhcprelay.c(2): /* Port to Busybox Copyright (C) 2006 Jesse Dutton <jessedutton@gmail.com>

busybox\1.15.3\busybox-1.15.3\networking\udhcp\dhcprelay.c(7): * Copyright (C) 2002 Mario Strasser <mast@gmx.net>.

legal(ME)

busybox\1.15.3\busybox-1.15.3\networking\udhcp\Kbuild(3):# Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\networking\udhcp\socket.c(6): * Copyright (C) 1999 Matthew Ramsay <matthewr@moreton.com.au>
busybox\1.15.3\busybox-1.15.3\networking\vconfig.c(5): * Copyright (C) 2001Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\networking\wget.c(154):/* Original copyright notice which applies to the CONFIG_FEATURE_WGET_STATUSBAR stuff,
busybox\1.15.3\busybox-1.15.3\networking\wget.c(157): * Copyright (c) 1992, 1993
busybox\1.15.3\busybox-1.15.3\networking\zcip.c(6): * Copyright (C) 2003 by Arthur van Hoff (avh@strangeberry.com)
busybox\1.15.3\busybox-1.15.3\networking\zcip.c(7): * Copyright (C) 2004 by David Brownell
busybox\1.15.3\busybox-1.15.3\printutils\lpd.c(5): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\printutils\lpr.c(5): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\procps\free.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\procps\fuser.c(5): * Copyright 2004 Tony J. White
busybox\1.15.3\busybox-1.15.3\procps\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\procps\kill.c(5): * Copyright (C) 1995, 1996 by Bruce Perens <bruce@pixar.com>.
busybox\1.15.3\busybox-1.15.3\procps\kill.c(6): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\procps\pgrep.c(5): * Copyright (C) 2007 Loic Grenie <loic.grenie@gmail.com>
busybox\1.15.3\busybox-1.15.3\procps\pidof.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\procps\ps.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\procps\renice.c(5): * Copyright (C) 2005Manuel Novoa III<mjn3@codepoet.org>
busybox\1.15.3\busybox-1.15.3\procps\sysctl.c(5): * Copyright 1999 George Staikos
busybox\1.15.3\busybox-1.15.3\procps\top.c(26): * Copyright (c) 1992 Branko Lankester
busybox\1.15.3\busybox-1.15.3\procps\top.c(27): * Copyright (c) 1992 Roger Binns
busybox\1.15.3\busybox-1.15.3\procps\top.c(28): * Copyright (C) 1994-1996 Charles L. Blake.
busybox\1.15.3\busybox-1.15.3\procps\top.c(29): * Copyright (C) 1992-1998 Michael K. Johnson
busybox\1.15.3\busybox-1.15.3\procps\uptime.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\procps\watch.c(5): * Copyright (C) 2001 by Michael Habermann <mhabermann@gmx.de>
busybox\1.15.3\busybox-1.15.3\runit\chpst.c(2):Copyright (c) 2001-2006, Gerrit Pape
busybox\1.15.3\busybox-1.15.3\runit\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\runit\runit_lib.c(2):Copyright (c) 2001-2006, Gerrit Pape

legal(ME)

busybox\1.15.3\busybox-1.15.3\runit\runit_lib.h(2):Copyright (c) 2001-2006, Gerrit Pape
busybox\1.15.3\busybox-1.15.3\runit\runsv.c(2):Copyright (c) 2001-2006, Gerrit Pape
busybox\1.15.3\busybox-1.15.3\runit\runsvdir.c(2):Copyright (c) 2001-2006, Gerrit Pape
busybox\1.15.3\busybox-1.15.3\runit\sv.c(2):Copyright (c) 2001-2006, Gerrit Pape
busybox\1.15.3\busybox-1.15.3\runit\svlogd.c(2):Copyright (c) 2001-2006, Gerrit Pape
busybox\1.15.3\busybox-1.15.3\scripts\basic\fixdep.c(58): * Copyright abandoned, Michael Chastain, <mailto:mec@shout.net>.
busybox\1.15.3\busybox-1.15.3\scripts\basic\fixdep.c(7): * Copyright2002 by Kai Germaschewski<kai.germaschewski@gmx.de>
busybox\1.15.3\busybox-1.15.3\scripts\basic\split-include.c(4): * Copyright abandoned, Michael Chastain, <mailto:mec@shout.net>.
busybox\1.15.3\busybox-1.15.3\scripts\bloat-o-meter(3):# Copyright 2004 Matt Mackall <mpm@selenic.com>
busybox\1.15.3\busybox-1.15.3\scripts\checkhelp.awk(4):# Copyright (C) 2006 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\scripts\checkstack.pl(7):#Copyright Joern Engel <joern@wh.fh-wedel.de>
busybox\1.15.3\busybox-1.15.3\scripts\echo.c(11): * Original copyright notice is retained at the end of this file.
busybox\1.15.3\busybox-1.15.3\scripts\echo.c(194): * Copyright (c) 1991, 1993
busybox\1.15.3\busybox-1.15.3\scripts\echo.c(6): * Copyright (c) 1991, 1993
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\conf.c(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\confdata.c(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\expr.c(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\expr.h(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\gconf.c(4): * Copyright (C) 2002-2003 Romain Lievin <roms@tilp.info>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\gconf.c(775):_("gkc is copyright (c) 2002 Romain Lievin <roms@lpg.ticalc.org>.\n"
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\images.c(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\lex.zconf.c_shipped(741): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\lkc.h(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\mconf.c(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\menu.c(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\qconf.cc(1319):static char str[] = "qconf is Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>.\n";
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\qconf.cc(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\qconf.h(2): * Copyright (C) 2002

legal(ME)

Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\symbol.c(2): * Copyright (C) 2002
Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\util.c(2): * Copyright (C)
2002-2005 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\util.c(3): * Copyright (C)
2002-2005 Sam Ravnborg <sam@ravnborg.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\zconf.l(6): * Copyright (C) 2002
Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\zconf.tab.c_shipped(138): *
Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\zconf.tab.c_shipped(4): Copyright
(C) 1984, 1989, 1990, 2000, 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\scripts\kconfig\zconf.y(3): * Copyright (C) 2002
Roman Zippel <zippel@linux-m68k.org>
busybox\1.15.3\busybox-1.15.3\scripts\mkconfigs(3):# Copyright (C) 2002 Khalid
Aziz <khalid_aziz at hp.com>
busybox\1.15.3\busybox-1.15.3\scripts\mkconfigs(4):# Copyright (C) 2002 Randy
Dunlap <rddunlap at osdl.org>
busybox\1.15.3\busybox-1.15.3\scripts\mkconfigs(5):# Copyright (C) 2002 Al Stone
<ahs3 at fc.hp.com>
busybox\1.15.3\busybox-1.15.3\scripts\mkconfigs(6):# Copyright (C) 2002
Hewlett-Packard Company
busybox\1.15.3\busybox-1.15.3\scripts\showasm(3):# Copyright 2006 Rob Landley
<rob@landley.net>
busybox\1.15.3\busybox-1.15.3\selinux\chcon.c(6): * Copyright (C) 2006 - 2007
KaiGai Kohei <kaigai@kaigai.gr.jp>
busybox\1.15.3\busybox-1.15.3\selinux\Kbuild(3):# Copyright (C) 1999-2005 by Erik
Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\selinux\Kbuild(4):# Copyright (C) 2007 by KaiGai
Kohei <kaigai@kaigai.gr.jp>
busybox\1.15.3\busybox-1.15.3\selinux\sestatus.c(6): * Copyright (C) KaiGai Kohei
<kaigai@ak.jp.nec.com>
busybox\1.15.3\busybox-1.15.3\shell\ash.c(12461): * Copyright (C) 1987, 1989,
1991 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\shell\ash.c(12463): * Copyright (C) 2003 Vladimir
Oleynik <dzo@simtreas.ru>
busybox\1.15.3\busybox-1.15.3\shell\ash.c(13334): * Copyright (c) 1989, 1991,
1993, 1994
busybox\1.15.3\busybox-1.15.3\shell\ash.c(16): * Original BSD copyright notice is
retained at the end of this file.
busybox\1.15.3\busybox-1.15.3\shell\ash.c(5): * Copyright (c) 1989, 1991, 1993,
1994
busybox\1.15.3\busybox-1.15.3\shell\ash.c(8): * Copyright (c) 1997-2005 Herbert
Xu <herbert@gondor.apana.org.au>
busybox\1.15.3\busybox-1.15.3\shell\ash_ptr_hack.c(3): * Copyright (C) 2008 by
Denys Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\shell\ash_test\printenv.c(9):/* Copyright (C)
1997-2002 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\shell\ash_test\recho.c(9):/* Copyright (C)
2002-2005 Free Software Foundation, Inc.
busybox\1.15.3\busybox-1.15.3\shell\ash_test\zecho.c(3):/* Copyright (C)

legal(ME)

1996-2002 Free Software Foundation, Inc.

busybox\1.15.3\busybox-1.15.3\shell\bbsb.c(5): * Copyright 2006 Rob Landley
<rob@landley.net>

busybox\1.15.3\busybox-1.15.3\shell\cttyhack.c(5): * Copyright (c) 2007 Denys
Vlasenko <vda.linux@googlemail.com>

busybox\1.15.3\busybox-1.15.3\shell\hush.c(16): *Copyright (C) 1999-2004 by Erik
Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\shell\hush.c(8): * Copyright (C) 2000,2001Larry
Doolittle <larry@doolittle.boa.org>

busybox\1.15.3\busybox-1.15.3\shell\hush.c(9): * Copyright (C) 2008,2009Denys
Vlasenko <vda.linux@googlemail.com>

busybox\1.15.3\busybox-1.15.3\shell\Kbuild(3):# Copyright (C) 1999-2005 by Erik
Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\shell\lash_unused.c(5): * Copyright (C) 1999-2004
by Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\shell\match.c(4): * Copyright (c) 1989, 1991, 1993,
1994

busybox\1.15.3\busybox-1.15.3\shell\match.c(7): * Copyright (c) 1997-2005 Herbert
Xu <herbert@gondor.apana.org.au>

busybox\1.15.3\busybox-1.15.3\shell\math.c(15): * Original BSD copyright notice
is retained at the end of this file.

busybox\1.15.3\busybox-1.15.3\shell\math.c(19): * Copyright (c) 2001 Aaron
Lehmann <aaronl@vitelus.com>

busybox\1.15.3\busybox-1.15.3\shell\math.c(37):/* Copyright (c) 2001 Aaron
Lehmann <aaronl@vitelus.com>

busybox\1.15.3\busybox-1.15.3\shell\math.c(4): * Copyright (c) 1989, 1991, 1993,
1994

busybox\1.15.3\busybox-1.15.3\shell\math.c(675): * Copyright (c) 1989, 1991,
1993, 1994

busybox\1.15.3\busybox-1.15.3\shell\math.c(7): * Copyright (c) 1997-2005 Herbert
Xu <herbert@gondor.apana.org.au>

busybox\1.15.3\busybox-1.15.3\shell\msh_unused.c(3648): * Copyright (c) 1999
Herbert Xu <herbert@debian.org>

busybox\1.15.3\busybox-1.15.3\shell\msh_unused.c(5302): * Copyright (c)
1987,1997, Prentice Hall

busybox\1.15.3\busybox-1.15.3\sysklogd\Kbuild(3):# Copyright (C) 1999-2005 by
Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\sysklogd\klogd.c(11): * Copyright (C) 2000 by Karl
M. Hegbloom <karlheg@debian.org>

busybox\1.15.3\busybox-1.15.3\sysklogd\klogd.c(13): * "circular buffer" Copyright
(C) 2000 by Gennady Feldman <gfeldman@gena01.com>

busybox\1.15.3\busybox-1.15.3\sysklogd\klogd.c(5): * Copyright (C) 2001 by
Gennady Feldman <gfeldman@gena01.com>.

busybox\1.15.3\busybox-1.15.3\sysklogd\klogd.c(9): * Copyright (C) 1999-2004 by
Erik Andersen <andersen@codepoet.org>

busybox\1.15.3\busybox-1.15.3\sysklogd\logger.c(124): * Copyright (c) 1983, 1993

busybox\1.15.3\busybox-1.15.3\sysklogd\logger.c(20): * Copyright (c) 1983, 1993

busybox\1.15.3\busybox-1.15.3\sysklogd\logger.c(23): * Original copyright notice
is retained at the end of this file.

busybox\1.15.3\busybox-1.15.3\sysklogd\logger.c(42): * Copyright (c) 1983, 1993

busybox\1.15.3\busybox-1.15.3\sysklogd\logger.c(45): * Original copyright notice
is retained at the end of this file.

legal(ME)

busybox\1.15.3\busybox-1.15.3\sysklogd\logger.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\sysklogd\logread.c(5): * Copyright (C) 2000 by Gennady Feldman <gfeldman@gena01.com>
busybox\1.15.3\busybox-1.15.3\sysklogd\syslogd.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\sysklogd\syslogd.c(7): * Copyright (C) 2000 by Karl M. Hegbloom <karlheg@debian.org>
busybox\1.15.3\busybox-1.15.3\sysklogd\syslogd.c(9): * "circular buffer" Copyright (C) 2001 by Gennady Feldman <gfeldman@gena01.com>
busybox\1.15.3\busybox-1.15.3\sysklogd\syslogd_and_logger.c(5): * Copyright (C) 2008 by Denys Vlasenko <vda.linux@gmail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\all_sourcecode.tests(4):# Copyright 2006 by Mike Frysinger <vapier@gentoo.org>
busybox\1.15.3\busybox-1.15.3\testsuite\awk.tests(3):# Copyright 2007 by Denys Vlasenko <vda.linux@googlegmail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\busybox.tests(4):# Copyright 2005 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\testsuite\comm.tests(3):# Copyright 2008 by Denys Vlasenko <vda.linux@googlegmail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\cpio.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\cut.tests(3):# Copyright 2007 by Denys Vlasenko <vda.linux@googlegmail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\diff.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\expand.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\grep.tests(3):# Copyright 2005 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\testsuite\makedevs.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\mdev.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\mkfs.minix.tests(4):# Copyright 2007 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\mount.testroot(4):# Copyright 2005 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\testsuite\mount.tests(2):# Copyright 2007 by Denys Vlasenko <vda.linux@googlegmail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\od.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\parse.tests(3):# Copyright 2008 by Denys Vlasenko <vda.linux@googlegmail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\patch.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\pidof.tests(4):# Copyright 2005 by Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\testsuite\printf.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\readlink.tests(4):# Copyright 2006 by Natanael Copa <n@tanael.org>

legal(ME)

busybox\1.15.3\busybox-1.15.3\testsuite\README(36):For the entire testsuite, the copyright is as follows:
busybox\1.15.3\busybox-1.15.3\testsuite\README(38):Copyright (C) 2001, 2002Matt Kraai
busybox\1.15.3\busybox-1.15.3\testsuite\rx.tests(2):# Copyright 2009 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\sed.tests(4):# Copyright 2005 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\testsuite\seq.tests(4):# Copyright 2006 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\testsuite\sort.tests(4):# Copyright 2005 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\testsuite\start-stop-daemon.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\sum.tests(4):# Copyright 2007 by Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\testsuite\tail.tests(3):# Copyright 2009 by Denys Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\taskset.tests(2):# Copyright 2006 Bernhard Reutner-Fischer
busybox\1.15.3\busybox-1.15.3\testsuite\test.tests(3):# Copyright 2007 by Denys Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\testing.sh(3):# Copyright 2005 by Rob Landley
busybox\1.15.3\busybox-1.15.3\testsuite\tr.tests(3):# Copyright 2009 by Denys Vlasenko <vda.linux@googlemail.com>
busybox\1.15.3\busybox-1.15.3\testsuite\unexpand.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\testsuite\uniq.tests(4):# Copyright 2005 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\testsuite\unzip.tests(4):# Copyright 2006 Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\testsuite\unzip.tests(5):# Copyright 2006 Glenn McGrath
busybox\1.15.3\busybox-1.15.3\testsuite\uuencode.tests(4):# Copyright 2006 by Erik Hovland <erik@hovland.org>
busybox\1.15.3\busybox-1.15.3\testsuite\xargs.tests(2):# Copyright 2008 by Denys Vlasenko
busybox\1.15.3\busybox-1.15.3\util-linux\acpid.c(5): * Copyright (C) 2008 by Vladimir Dronnikov <dronnikov@gmail.com>
busybox\1.15.3\busybox-1.15.3\util-linux\blkid.c(5): * Copyright (C) 2008 Denys Vlasenko.
busybox\1.15.3\busybox-1.15.3\util-linux\dmesg.c(6): * Copyright 2006 Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\util-linux\dmesg.c(7): * Copyright 2006 Bernhard Reutner-Fischer <rep.nop@aon.at>
busybox\1.15.3\busybox-1.15.3\util-linux\fbset.c(5): * Copyright (C) 1999 by Randolph Chung <tausq@debian.org>
busybox\1.15.3\busybox-1.15.3\util-linux\fdisk.c(4): * Copyright (C) 1992A. V. Le Blanc (LeBlanc@mcc.ac.uk)
busybox\1.15.3\busybox-1.15.3\util-linux\fdisk.c(5): * Copyright (C) 2001,2002 Vladimir Oleynik <dzo@simtreas.ru> (initial bb port)

legal(ME)

busybox\1.15.3\busybox-1.15.3\util-linux\fdisk_aix.c(3): * Copyright (C) Andreas Neuper, Sep 1998.
busybox\1.15.3\busybox-1.15.3\util-linux\fdisk_osf.c(2): * Copyright (c) 1987, 1988 Regents of the University of California.
busybox\1.15.3\busybox-1.15.3\util-linux\fdisk_sgi.c(113): * Copyright (C) Andreas Neuper, Sep 1998.
busybox\1.15.3\busybox-1.15.3\util-linux\fdisk_sgi.c(2): * Copyright (C) Andreas Neuper, Sep 1998.
busybox\1.15.3\busybox-1.15.3\util-linux\findfs.c(5): * Copyright (C) 2006 by Jason Schoon <floydpink@gmail.com>
busybox\1.15.3\busybox-1.15.3\util-linux\freeramdisk.c(5): * Copyright (C) 2000 and written by Emanuele Caratti <wiz@iol.it>
busybox\1.15.3\busybox-1.15.3\util-linux\fsck_minix.c(372): * mounted partition.Code adapted from e2fsck, Copyright (C) 1993,
busybox\1.15.3\busybox-1.15.3\util-linux\getopt.c(4): * Copyright (c) 1997, 1998, 1999, 2000Frodo Looijaard <frodol@dds.nl>
busybox\1.15.3\busybox-1.15.3\util-linux\hexdump.c(6): * Copyright (c) 1989
busybox\1.15.3\busybox-1.15.3\util-linux\hwclock.c(5): * Copyright (C) 2002 Robert Griebel <griebel@gmx.de>
busybox\1.15.3\busybox-1.15.3\util-linux\Kbuild(3):# Copyright (C) 1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\util-linux\losetup.c(5): * Copyright (C) 2002Matt Kraai.
busybox\1.15.3\busybox-1.15.3\util-linux\mdev.c(5): * Copyright 2005 Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\util-linux\mdev.c(6): * Copyright 2005 Frank Sorenson <frank@tuxrocks.com>
busybox\1.15.3\busybox-1.15.3\util-linux\mkswap.c(4): * Copyright 2006 Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\util-linux\more.c(5): * Copyright (C) 1995, 1996 by Bruce Perens <bruce@pixar.com>.
busybox\1.15.3\busybox-1.15.3\util-linux\more.c(6): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\util-linux\mount.c(5): * Copyright (C) 1995, 1996 by Bruce Perens <bruce@pixar.com>.
busybox\1.15.3\busybox-1.15.3\util-linux\mount.c(541): * Copyright (C) 1993 Rick Sladkey <jrs@world.std.com>
busybox\1.15.3\busybox-1.15.3\util-linux\mount.c(6): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\util-linux\mount.c(7): * Copyright (C) 2005-2006 by Rob Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\util-linux\rdev.c(5): * Copyright (c) 2008 Nuovation System Designs, LLC
busybox\1.15.3\busybox-1.15.3\util-linux\readprofile.c(5): *Copyright (C) 1994,1996 Alessandro Rubini (rubini@ipvvis.unipv.it)
busybox\1.15.3\busybox-1.15.3\util-linux\script.c(8): * Copyright (c) 1980
busybox\1.15.3\busybox-1.15.3\util-linux\setarch.c(5): * Copyright 2002 Andi Kleen, SuSE Labs.
busybox\1.15.3\busybox-1.15.3\util-linux\swaponoff.c(5): * Copyright (C) 1999-2004 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\util-linux\switch_root.c(2):/* Copyright 2005 Rob Landley <rob@landley.net>

legal(ME)

busybox\1.15.3\busybox-1.15.3\util-linux\umount.c(5): * Copyright (C) 1999-2004
by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\util-linux\umount.c(6): * Copyright (C) 2005 by Rob
Landley <rob@landley.net>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\ cramfs.c(4): * Copyright (C)
2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\ext.c(4): * Copyright (C) 2004
Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\fat.c(4): * Copyright (C) 2004
Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\get_devname.c(5): * Copyright
(C) 2006 by Jason Schoon <floydpink@gmail.com>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\hfs.c(4): * Copyright (C) 2004
Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\iso9660.c(4): * Copyright (C)
2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\jfs.c(4): * Copyright (C) 2004
Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\Kbuild(3):# Copyright (C)
1999-2005 by Erik Andersen <andersen@codepoet.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\linux_raid.c(4): * Copyright
(C) 2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\linux_swap.c(4): * Copyright
(C) 2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\luks.c(4): * Copyright (C)
2005 W. Michael Petullo <mike@flyn.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\ntfs.c(4): * Copyright (C)
2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\ocfs2.c(4): * Copyright (C)
Andre Masella <andre@masella.no-ip.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\reiserfs.c(4): * Copyright (C)
2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\reiserfs.c(5): * Copyright (C)
2005 Tobias Klauser <tklauser@access.unizh.ch>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\romfs.c(4): * Copyright (C)
2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\sysv.c(4): * Copyright (C)
2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\udf.c(4): * Copyright (C) 2004
Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_highpoint.c(4): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_hpfs.c(4): * Copyright
(C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_isw_raid.c(4): *
Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_lsi_raid.c(4): *
Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_lvm.c(4): * Copyright
(C) 2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_mac.c(4): * Copyright
(C) 2004 Kay Sievers <kay.sievers@vrfy.org>

legal(ME)

busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_minix.c(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_msdos.c(4): * Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_nvidia_raid.c(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_promise_raid.c(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_silicon_raid.c(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_ufs.c(4): * Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\unused_via_raid.c(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\util.c(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\volume_id.c(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\volume_id_internal.h(4): * Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\busybox-1.15.3\util-linux\volume_id\xfs.c(4): * Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
busybox\1.15.3\Makefile(3):#Copyright (c) 2004, CrystalMedia Technology, Inc.
busybox\1.18.5\Makefile(3):#Copyright (c) 2004, CrystalMedia Technology, Inc.
busybox\NOTICE.txt(12): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
busybox\NOTICE.txt(324):Gnomovision version 69, Copyright (C) yearname of author
busybox\NOTICE.txt(338):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(119):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005, 2006, 2008
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(153):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2009,
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(23):# Copyright (C) 2002, 2003, 2005, 2006, 2007, 2008, 2011 Free Software
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(341):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2008
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(421):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(558):# Copyright (C) 2001, 2003, 2005, 2008, 2011 Free Software Foundation,
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(582):# Copyright (C) 2003, 2005Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(606):# Copyright (C) 1996, 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2008,
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(64):# Copyright (C) 2001, 2003, 2005, 2011 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(645):# Copyright (C) 2001, 2002, 2003, 2005, 2009Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(695):# Copyright (C) 1999, 2000, 2001, 2003, 2004, 2005, 2008

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(732):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005, 2008
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(773):# Copyright (C) 2003, 2004, 2005, 2006, 2011 Free Software Foundation,
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(804):# Copyright (C) 2001, 2002, 2003, 2005, 2008, 2010 Free Software
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(838):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005, 2008
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(901):# Copyright (C) 2001, 2003, 2005, 2011 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(931):# Copyright (C) 2006, 2008, 2010 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\aclocal.m4(952):# Copyright (C) 2004, 2005, 2012 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\acountry.1(39):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\acountry.1(51):No further copyright claims are being made by the author(s) of this utility.
c-ares\c-ares-1.10.0\c-ares-1.10.0\adig.1(59):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\adig.1(71):No further copyright claims are being made by the author(s) of this utility.
c-ares\c-ares-1.10.0\c-ares-1.10.0\adig.c(1):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ahost.1(36):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ahost.1(48):No further copyright claims are being made by the author(s) of this utility.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ahost.c(1):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares.h(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares.h(3): * Copyright (C) 2007-2013 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares__close_sockets.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares__get_hostent.c(2):/* Copyright 1998, 2011 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares__read_line.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares__timeval.c(2):/* Copyright (C) 2008 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_build.h(5):/* Copyright (C) 2009 - 2013 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_build.h.in(5):/* Copyright (C) 2009 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_cancel.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_cancel.c(2):/* Copyright (C) 2004 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_create_query.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_create_query.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_data.c(2):/* Copyright (C) 2009-2013 by Daniel Stenberg

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_data.h(2):/* Copyright (C) 2009-2013 by Daniel Stenberg

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_destroy.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_destroy.3(44):Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_destroy.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_destroy.c(3): * Copyright (C) 2004-2011 by Daniel Stenberg

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_destroy_options.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_destroy_options.3(38):Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_dns.h(4):/* Copyright 1998, 2011 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_dup.3(2):.\" Copyright (C) 2004-2009 by Daniel Stenberg

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_expand_name.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_expand_name.3(65):Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_expand_name.c(2):/* Copyright 1998, 2011 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_expand_string.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_expand_string.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_fds.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_fds.3(61):Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_fds.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_data.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_data.3(3):.\" Copyright (C) 2004-2010 by Daniel Stenberg

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_data.3(76):Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_data.3(78):Copyright (C) 2004-2010 by Daniel Stenberg.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_hostent.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_hostent.3(45):Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_hostent.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_string.3(2):.\" Copyright 2000 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_string.3(35):Copyright 2000 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_free_string.c(2):/* Copyright 2000 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_get_servers.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_get_servers.3(3):.\" Copyright (C) 2008-2010 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_get_servers.3(76):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_get_servers.3(78):Copyright (C) 2008-2010 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getenv.c(3):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getenv.h(5):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_gethostbyaddr.3(104):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_gethostbyaddr.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_gethostbyaddr.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_gethostbyname.3(108):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_gethostbyname.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_gethostbyname.c(2):/* Copyright 1998, 2011, 2013 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_gethostbyname_file.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_gethostbyname_file.3(83):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getnameinfo.3(152):Copyright 2005 by Dominick Meglio.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getnameinfo.3(2):.\" Copyright 2005 by Dominick Meglio.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getnameinfo.c(2):/* Copyright 2005 by Dominick Meglio
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getopt.c(13): * Copyright (c) 1987-2001 The Regents of the University of California.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getopt.h(5): * Copyright (c) 1987-2001 The Regents of the University of California.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getsock.3(2):.\" Copyright 1998 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_getsock.c(2):/* Copyright (C) 2005 - 2010, Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_inet_net_pton.h(4):/* Copyright (C) 2005-2013 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_inet_ntop.3(2):.\" Copyright (C) 2013 by Daniel Stenberg

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_inet_pton.3(2):.\" Copyright (C) 2013 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_init.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_init.3(221):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_init.3(223):Copyright (C) 2004-2010 by Daniel Stenberg.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_init.3(3):.\" Copyright (C) 2004-2010 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_init.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_init.c(3): * Copyright (C) 2007-2013 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_iphlpapi.h(4):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_iphlpapi.h(5): * Copyright (C) 2004 - 2011 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_ipv6.h(2):/* Copyright (C) 2005 by Dominick Meglio
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_cleanup.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_cleanup.3(3):.\" Copyright (C) 2004-2009 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_cleanup.3(84):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_cleanup.3(86):Copyright (C) 2004-2009 by Daniel Stenberg.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_init.3(100):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_init.3(102):Copyright (C) 2004-2009 by Daniel Stenberg.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_init.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_init.3(3):.\" Copyright (C) 2004-2009 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_init.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_init.c(3): * Copyright (C) 2004-2009 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_init.h(5):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_library_init.h(6): * Copyright (C) 2004-2011 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_llist.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_llist.h(5):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_mkquery.3(2):.\" Copyright 1998, 2000 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_mkquery.3(82):Copyright 1998, 2000 by the Massachusetts Institute of Technology.

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_mkquery.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_nowarn.c(2):/* Copyright (C) 2010-2012 by Daniel Stenberg

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_nowarn.h(5):/* Copyright (C) 2010-2012 by Daniel Stenberg

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_options.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_options.c(3): * Copyright (C) 2008-2013 by Daniel Stenberg

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_a_reply.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_a_reply.3(78):Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_a_reply.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_aaaa_reply.3(2):.\" Copyright 2005 by Dominick Meglio.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_aaaa_reply.3(78):Copyright 2005 by Dominick Meglio.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_aaaa_reply.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_aaaa_reply.c(3): * Copyright 2005 Dominick Meglio

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_mx_reply.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_mx_reply.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_mx_reply.c(3): * Copyright (C) 2010 Jeremy Lal <kapouer@melix.org>

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_naptr_reply.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_naptr_reply.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_naptr_reply.c(3): * Copyright (C) 2009 by Jakub Hrozek <jhrozek@redhat.com>

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_ns_reply.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_ns_reply.c(1):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_ptr_reply.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_ptr_reply.3(74):Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_ptr_reply.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_soa_reply.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_soa_reply.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_soa_reply.c(3): * Copyright (C) 2012 Marko Kreen <markokr@gmail.com>

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_srv_reply.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_srv_reply.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_srv_reply.c(3): * Copyright (C) 2009 by Jakub Hrozek <jhrozek@redhat.com>
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_txt_reply.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_txt_reply.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_parse_txt_reply.c(3): * Copyright (C) 2009 by Jakub Hrozek <jhrozek@redhat.com>
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_platform.c(3):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_platform.c(4): * Copyright (C) 2004 - 2011 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_platform.h(5):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_platform.h(6): * Copyright (C) 2004 - 2011 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_private.h(5):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_private.h(6): * Copyright (C) 2004-2010 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_process.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_process.3(80):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_process.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_process.c(3): * Copyright (C) 2004-2013 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_query.3(149):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_query.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_query.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_rules.h(5):/* Copyright (C) 2009 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_save_options.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_save_options.3(74):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_search.3(151):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_search.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_search.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_send.3(123):Copyright 1998 by the Massachusetts Institute of Technology.

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_send.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_send.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_set_servers.3(2):.\" Copyright 2010 by Ben Greear <greearb@candelatech.com>
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_set_servers.3(82):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_set_servers.3(84):Copyright (C) 2008-2010 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_setup.h(5):/* Copyright (C) 2004 - 2012 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_strcasecmp.c(3):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_strcasecmp.h(5):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_strdup.c(3):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_strdup.h(5):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_strerror.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_strerror.3(37):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_strerror.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_timeout.3(2):.\" Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_timeout.3(61):Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_timeout.c(2):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_version.3(2):.\" Copyright 2004 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_version.h(5):/* This is the global package copyright */
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_version.h(6):#define ARES_COPYRIGHT \"2004 - 2013 Daniel Stenberg, <daniel@haxx.se>."
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_writev.c(3):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\ares_writev.h(5):/* Copyright 1998 by the Massachusetts Institute of Technology.
c-ares\c-ares-1.10.0\c-ares-1.10.0\bitncmp.c(3): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
c-ares\c-ares-1.10.0\c-ares-1.10.0\bitncmp.c(4): * Copyright (c) 1996,1999 by Internet Software Consortium.
c-ares\c-ares-1.10.0\c-ares-1.10.0\bitncmp.h(5):/* Copyright (C) 2005, 2013 by Dominick Meglio
c-ares\c-ares-1.10.0\c-ares-1.10.0\cares.rc(2):/* Copyright (C) 2009 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\compile(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2009, 2010, 2012 Free

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
c-ares\c-ares-1.10.0\c-ares-1.10.0\config.guess(57):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
c-ares\c-ares-1.10.0\c-ares-1.10.0\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
c-ares\c-ares-1.10.0\c-ares-1.10.0\config.sub(76):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
c-ares\c-ares-1.10.0\c-ares-1.10.0\configure(1769):Copyright (C) 2012 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\configure(27794):Copyright (C) 2012 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\configure(28914):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
c-ares\c-ares-1.10.0\c-ares-1.10.0\configure(8):# Copyright (C) 1992-1996, 1998-2012 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\config-win32.h(4):/* Copyright (C) 2004 - 2011 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009, 2010,
c-ares\c-ares-1.10.0\c-ares-1.10.0\inet_net_pton.c(3): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
c-ares\c-ares-1.10.0\c-ares-1.10.0\inet_net_pton.c(4): * Copyright (c) 1996,1999 by Internet Software Consortium.
c-ares\c-ares-1.10.0\c-ares-1.10.0\inet_ntop.c(2): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
c-ares\c-ares-1.10.0\c-ares-1.10.0\inet_ntop.c(3): * Copyright (c) 1996-1999 by Internet Software Consortium.
c-ares\c-ares-1.10.0\c-ares-1.10.0\install-sh(6):# Copyright 1991 by the Massachusetts Institute of Technology
c-ares\c-ares-1.10.0\c-ares-1.10.0\ltmain.sh(5):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006,
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\cares-compilers.m4(3):# Copyright (C) 2009-2013 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\cares-confopts.m4(3):# Copyright (C) 2008 - 2013 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\cares-functions.m4(3):# Copyright (C) 2008 - 2012 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\cares-reentrant.m4(4):# Copyright (C) 2008 - 2009 by Daniel Stenberg et al
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\libtool.m4(13):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\libtool.m4(642):Copyright (C) 2011 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005, 2007, 2009 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007, 2008, 2009 Free Software Foundation,
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.

legal(ME)

c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\ltversion.m4(3):# Copyright (C) 2004 Free Software Foundation, Inc.
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\xc-cc-check.m4(5):# Copyright (c) 2013 Daniel Stenberg <daniel@haxx.se>
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\xc-lt-iface.m4(5):# Copyright (c) 2013 Daniel Stenberg <daniel@haxx.se>
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\xc-translit.m4(5):# Copyright (c) 2011 Daniel Stenberg <daniel@haxx.se>
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\xc-val-flgs.m4(5):# Copyright (c) 2013 Daniel Stenberg <daniel@haxx.se>
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\zz40-xc-ovr.m4(5):# Copyright (c) 2013 Daniel Stenberg <daniel@haxx.se>
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\zz50-xc-ovr.m4(5):# Copyright (c) 2011 Daniel Stenberg <daniel@haxx.se>
c-ares\c-ares-1.10.0\c-ares-1.10.0\m4\zz60-xc-ovr.m4(5):# Copyright (c) 2013 Daniel Stenberg <daniel@haxx.se>
c-ares\c-ares-1.10.0\c-ares-1.10.0\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
c-ares\c-ares-1.10.0\c-ares-1.10.0\Makefile.msvc(2):# Copyright (C) 2009-2013 by Daniel Stenberg
c-ares\c-ares-1.10.0\c-ares-1.10.0\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006,
c-ares\c-ares-1.10.0\c-ares-1.10.0\setup_once.h(5):/* Copyright (C) 2004 - 2013 by Daniel Stenberg et al
c-ares\NOTICE.txt(1):Copyright 1998 by the Massachusetts Institute of Technology.
coreutils\coreutils-6.9_patch\lib\utimens.c(3): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9_patch\Makefile.in(19):# Copyright (C) 1990, 1993-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9_patch\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9_patch\src\copy.c(2): Copyright (C) 89, 90, 91, 1995-2007 Free Software Foundation.
coreutils\coreutils-6.9_patch\src\touch.c(2): Copyright (C) 87, 1989-1991, 1995-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\vg-suppressions(3):# Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(108):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\aclocal.m4(141):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\aclocal.m4(19):# Copyright (C) 2002, 2003, 2005, 2006Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
coreutils\coreutils-6.9\aclocal.m4(301):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005
coreutils\coreutils-6.9\aclocal.m4(370):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
coreutils\coreutils-6.9\aclocal.m4(493):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(507):# Copyright (C) 2003, 2005Free Software

legal(ME)

Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(530):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(55):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(580):# Copyright (C) 1999, 2000, 2001, 2003, 2004, 2005
coreutils\coreutils-6.9\aclocal.m4(616):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005
coreutils\coreutils-6.9\aclocal.m4(650):# Copyright (C) 2003, 2004, 2005, 2006Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(678):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(709):# Copyright (C) 1996, 1997, 1998, 2000, 2001, 2002, 2003, 2005, 2006
coreutils\coreutils-6.9\aclocal.m4(737):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005
coreutils\coreutils-6.9\aclocal.m4(787):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(815):# Copyright (C) 2006Free Software Foundation, Inc.
coreutils\coreutils-6.9\aclocal.m4(829):# Copyright (C) 2004, 2005Free Software Foundation, Inc.
coreutils\coreutils-6.9\bootstrap(5):# Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\bootstrap.conf(3):# Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\build-aux\ChangeLog(227):Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\build-aux\ChangeLog(23):* ChangeLog: Add copyright notice.
coreutils\coreutils-6.9\build-aux\ChangeLog(231):modification, are permitted provided the copyright notice
coreutils\coreutils-6.9\build-aux\compile(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\build-aux\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
coreutils\coreutils-6.9\build-aux\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
coreutils\coreutils-6.9\build-aux\config.rpath(5):# Copyright 1996-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\build-aux\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
coreutils\coreutils-6.9\build-aux\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
coreutils\coreutils-6.9\build-aux\cvsvu(5):# Copyright (C) 2000-2005Pavel Roskin <proski@gnu.org>
coreutils\coreutils-6.9\build-aux\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\build-aux\install-sh(10):# Copyright (C) 1994 X Consortium
coreutils\coreutils-6.9\build-aux\mdate-sh(6):# Copyright (C) 1995, 1996, 1997,

legal(ME)

2003, 2004, 2005 Free Software
coreutils\coreutils-6.9\build-aux\missing(6):# Copyright (C) 1996, 1997, 1999,
2000, 2002, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\build-aux\texinfo.tex(7593):\DeclareUnicodeCharacter{00A9
}\copyright}
coreutils\coreutils-6.9\build-aux\texinfo.tex(8):% Copyright (C) 1985, 1986,
1988, 1990, 1991, 1992, 1993, 1994, 1995,
coreutils\coreutils-6.9\build-aux\vc-list-files(4):# Copyright (C) 2006, 2007
Free Software Foundation, Inc.
coreutils\coreutils-6.9\build-aux\ylwrap(6):# Copyright (C) 1996, 1997, 1998,
1999, 2001, 2002, 2003, 2004, 2005
coreutils\coreutils-6.9\ChangeLog(5535):Copyright (C) 2005, 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\ChangeLog(5538):modification, are permitted provided the
copyright notice
coreutils\coreutils-6.9\ChangeLog(800):* tests/sample-test: Update copyright date
to 2007.
coreutils\coreutils-6.9\ChangeLog(801):* Makefile.maint (copyright-check): Also
check the copyright date
coreutils\coreutils-6.9\ChangeLog-2005(10065):* src/true.c: Add copyright.
coreutils\coreutils-6.9\ChangeLog-2005(11007):Copyright (C) 2002, 2003, 2004,
2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\configure(1646):Copyright (C) 1992, 1993, 1994, 1995,
1996, 1998, 1999, 2000, 2001,
coreutils\coreutils-6.9\configure(54778):Copyright (C) 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\configure(7):# Copyright (C) 1992, 1993, 1994, 1995,
1996, 1998, 1999, 2000, 2001,
coreutils\coreutils-6.9\configure.ac(4):# Copyright (C) 1991, 1993-2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\COPYING(315):Gnomovision version 69, Copyright (C) year
name of author
coreutils\coreutils-6.9\COPYING(329):Yoyodyne, Inc., hereby disclaims all
copyright interest in the program
coreutils\coreutils-6.9\COPYING(4): Copyright (C) 1989, 1991 Free Software
Foundation, Inc.,
coreutils\coreutils-6.9\doc\ChangeLog(1210):* getdate.texi: Add copyright
notice.Change getdate to
coreutils\coreutils-6.9\doc\ChangeLog(137):* ChangeLog: Add copyright notice.
coreutils\coreutils-6.9\doc\ChangeLog(146):* perm.texi: Add copyright notice.
coreutils\coreutils-6.9\doc\ChangeLog(1966):Copyright (C) 2001, 2003, 2004, 2005,
2006 Free Software
coreutils\coreutils-6.9\doc\ChangeLog(1970):modification, are permitted provided
the copyright notice
coreutils\coreutils-6.9\doc\ChangeLog(333):* coreutils.texi (General options in
ptx): Undocument --copyright.
coreutils\coreutils-6.9\doc\coreutils.info(109): Copyright (C) 1994, 1995, 1996,
2000, 2001, 2002, 2003, 2004, 2005,
coreutils\coreutils-6.9\doc\coreutils.info(128): Copyright (C) 1994, 1995, 1996,
2000, 2001, 2002, 2003, 2004, 2005,
coreutils\coreutils-6.9\doc\coreutils.info(12805): Copyright (C) 2000,2001,2002
Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\doc\coreutils.texi(134):Copyright @copyright{} 1994, 1995, 1996, 2000, 2001, 2002, 2003, 2004,
coreutils\coreutils-6.9\doc\fdl.texi(419):Copyright (C)@var{year}@var{your name}.
coreutils\coreutils-6.9\doc\fdl.texi(9):Copyright @copyright{} 2000,2001,2002
Free Software Foundation, Inc.
coreutils\coreutils-6.9\doc\getdate.texi(3):@c Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\doc\Makefile.am(3):# Copyright (C) 1995, 1996, 1997, 1998, 2001, 2002, 2003, 2004, 2005,
coreutils\coreutils-6.9\doc\Makefile.in(19):# Copyright (C) 1995, 1996, 1997, 1998, 2001, 2002, 2003, 2004, 2005,
coreutils\coreutils-6.9\doc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\doc\perm.texi(3):@c Copyright (C) 1994, 1996, 1999, 2000, 2001, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\GNUmakefile(7):# Copyright (C) 2001, 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005,
coreutils\coreutils-6.9\lib__fpending.c(2): Copyright (C) 2000, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib__fpending.h(3): Copyright (C) 2000, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\acl.c(3): Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\acl.h(3): Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\acl_entries.c(3): Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\acl-internal.h(3): Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\alloca_.h(3): Copyright (C) 1995, 1999, 2001, 2002, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\lib\allocsa.c(2): Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\allocsa.h(2): Copyright (C) 2003-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\argmatch.c(3): Copyright (C) 1990, 1998, 1999, 2001, 2002, 2003, 2004, 2005, 2006, 2007
coreutils\coreutils-6.9\lib\argmatch.h(3): Copyright (C) 1990, 1998, 1999, 2001, 2002, 2004, 2005 Free Software
coreutils\coreutils-6.9\lib\asnprintf.c(2): Copyright (C) 1999, 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\asprintf.c(2): Copyright (C) 1999, 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\at-func.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\backupfile.c(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998,
coreutils\coreutils-6.9\lib\backupfile.h(3): Copyright (C) 1990, 1991, 1992, 1997, 1998, 1999, 2003, 2004 Free
coreutils\coreutils-6.9\lib\base64.c(4): Copyright (C) 1999, 2000, 2001, 2004,

legal(ME)

2005, 2006, 2007 Free Software

coreutils\coreutils-6.9\lib\base64.h(4): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\basename.c(3): Copyright (C) 1990, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006 Free

coreutils\coreutils-6.9\lib\buffer-lcm.c(3): Copyright (C) 2002, 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\calloc.c(3): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\canon-host.c(3): Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\canon-host.h(3): Copyright (C) 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\canonicalize.c(2): Copyright (C) 1996-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\canonicalize.h(2): Copyright (C) 1996-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\c-ctype.c(3): Copyright 2000-2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\c-ctype.h(8): Copyright (C) 2000-2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\ChangeLog(3262):credit only to Jim Meyering and adjust the copyright dates.

coreutils\coreutils-6.9\lib\ChangeLog(8744):Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free

coreutils\coreutils-6.9\lib\chdir-long.c(2): Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\chdir-long.h(2): Copyright (C) 2004, 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\chown.c(4): Copyright (C) 1997, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\cloexec.c(3): Copyright (C) 1991, 2004, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\closeout.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2006 Free

coreutils\coreutils-6.9\lib\closeout.h(3): Copyright (C) 1998, 2000, 2003, 2004, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\close-stream.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2006 Free

coreutils\coreutils-6.9\lib\config.charset(4):# Copyright (C) 2000-2004, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\creat-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\c-strcase.h(2): Copyright (C) 1995-1996, 2001, 2003, 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\c-strcasecmp.c(2): Copyright (C) 1998-1999, 2005-2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\c-strncasecmp.c(2): Copyright (C) 1998-1999, 2005-2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\c-strtod.c(3): Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\cycle-check.c(3): Copyright (C) 2003, 2004, 2005,

legal(ME)

2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\cycle-check.h(3): Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\diacrit.c(3): Copyright (C) 1990, 1991, 1992, 1993, 2000, 2006 Free Software

coreutils\coreutils-6.9\lib\diacrit.h(2): Copyright (C) 1990, 1991, 1992, 1993 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\dirchownmod.c(3): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\dirent_.h(2): Copyright (C) 2006-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\dirfd.c(3): Copyright (C) 2001, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\dirfd.h(2): Copyright (C) 2001, 2002, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\dirname.c(3): Copyright (C) 1990, 1998, 2000, 2001, 2003, 2004, 2005, 2006 Free Software

coreutils\coreutils-6.9\lib\dirname.h(3): Copyright (C) 1998, 2001, 2003-2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\dup2.c(3): Copyright (C) 1999, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\dup-safer.c(3): Copyright (C) 2001, 2004, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\error.c(2): Copyright (C) 1990-1998, 2000-2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\error.h(2): Copyright (C) 1995, 1996, 1997, 2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\eidaccess.c(3): Copyright (C) 1990, 1991, 1995, 1998, 2000, 2003, 2004, 2005, 2006

coreutils\coreutils-6.9\lib\eidaccess-stat.c(5): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\exclude.c(3): Copyright (C) 1992, 1993, 1994, 1997, 1999, 2000, 2001, 2002, 2003,

coreutils\coreutils-6.9\lib\exclude.h(3): Copyright (C) 1992, 1993, 1994, 1997, 1999, 2001, 2002, 2003, 2005,

coreutils\coreutils-6.9\lib\exitfail.c(3): Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\exitfail.h(3): Copyright (C) 2002 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\fchdir.c(2): Copyright (C) 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\fchmodat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\fchownat.c(7): Copyright (C) 2006-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\fcntl--.h(3): Copyright (C) 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\fcntl_.h(3): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\fcntl-safer.h(3): Copyright (C) 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\fd-reopen.c(3): Copyright (C) 2005, 2006 Free

legal(ME)

Software Foundation, Inc.
coreutils\coreutils-6.9\lib\fd-reopen.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\fd-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\fileblocks.c(3): Copyright (C) 1990, 1997, 1998, 1999, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\lib\file-has-acl.c(3): Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\filemode.c(3): Copyright (C) 1985, 1990, 1993, 1998-2000, 2004, 2006 Free Software
coreutils\coreutils-6.9\lib\filemode.h(3): Copyright (C) 1998, 1999, 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\filenamecat.c(3): Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
coreutils\coreutils-6.9\lib\filenamecat.h(3): Copyright (C) 1996, 1997, 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\file-type.c(3): Copyright (C) 1993, 1994, 2001, 2002, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\lib\file-type.h(3): Copyright (C) 1993, 1994, 2001, 2002, 2004, 2005 Free Software
coreutils\coreutils-6.9\lib\fnmatch.c(1):/* Copyright (C)
1991,1992,1993,1996,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006,2007
coreutils\coreutils-6.9\lib\fnmatch_.h(1):/* Copyright (C) 1991, 1992, 1993, 1996, 1997, 1998, 1999, 2001, 2002, 2003,
coreutils\coreutils-6.9\lib\fnmatch_loop.c(1):/* Copyright (C)
1991,1992,1993,1996,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006
coreutils\coreutils-6.9\lib\fopen-safer.c(3): Copyright (C) 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\fprintftime.h(3):/* Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\free.c(3): Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\fstatat.c(3): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\fsusage.c(3): Copyright (C) 1991, 1992, 1996, 1998, 1999, 2002, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\lib\fsusage.h(3): Copyright (C) 1991, 1992, 1997, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\lib\fts.c(20): * Copyright (c) 1990, 1993, 1994
coreutils\coreutils-6.9\lib\fts.c(3): Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\fts_.h(20): * Copyright (c) 1989, 1993
coreutils\coreutils-6.9\lib\fts_.h(3): Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\fts-cycle.c(3): Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\full-read.c(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\full-read.h(3): Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\full-write.c(3): Copyright (C) 1993, 1994, 1997,

legal(ME)

1998, 1999, 2000, 2001, 2002, 2003,
coreutils\coreutils-6.9\lib\full-write.h(3): Copyright (C) 2002-2003 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\lib\gai_strerror.c(1):/* Copyright (C) 1997, 2001, 2002,
2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\getaddrinfo.c(2): Copyright (C) 1997, 2001, 2002,
2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\lib\getaddrinfo.h(2): Copyright (C) 1996-2002, 2003,
2004, 2005, 2006
coreutils\coreutils-6.9\lib\getcwd.c(1):/* Copyright (C)
1991,92,93,94,95,96,97,98,99,2004,2005,2006,2007 Free Software
coreutils\coreutils-6.9\lib\getdate.c(5): Copyright (C) 1984, 1989, 1990, 2000,
2001, 2002, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\lib\getdate.c(69): Copyright (C) 1999, 2000, 2002, 2003,
2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\lib\getdate.h(3): Copyright (C) 1995, 1997, 1998, 2003,
2004, 2007 Free Software
coreutils\coreutils-6.9\lib\getdate.y(4): Copyright (C) 1999, 2000, 2002, 2003,
2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\lib\getdelim.c(2): Copyright (C) 1994, 1996, 1997, 1998,
2001, 2003, 2005, 2006 Free
coreutils\coreutils-6.9\lib\getdelim.h(2): Copyright (C) 2005 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\lib\getgroups.c(3): Copyright (C) 1996, 1999, 2003, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\gethostname.c(3): Copyright (C) 1992, 2003, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\lib\gethrxtime.c(3): Copyright (C) 2005, 2006, 2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\lib\gethrxtime.h(3): Copyright (C) 2005 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\lib\getline.c(2): Copyright (C) 2005, 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\lib\getline.h(2): Copyright (C) 2005 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\lib\getloadavg.c(3): Copyright (C) 1985, 1986, 1987,
1988, 1989, 1991, 1992, 1993, 1994,
coreutils\coreutils-6.9\lib\getndelim2.c(4): Copyright (C) 1993, 1996, 1997,
1998, 2000, 2003, 2004, 2006 Free
coreutils\coreutils-6.9\lib\getndelim2.h(4): Copyright (C) 2003, 2004, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\lib\getopt.c(5): Copyright (C)
1987,88,89,90,91,92,93,94,95,96,98,99,2000,2001,2002,2003,2004,2006
coreutils\coreutils-6.9\lib\getopt_.h(2): Copyright (C)
1989-1994,1996-1999,2001,2003,2004,2005,2006,2007
coreutils\coreutils-6.9\lib\getopt_int.h(2): Copyright (C)
1989-1994,1996-1999,2001,2003,2004
coreutils\coreutils-6.9\lib\getopt1.c(2): Copyright (C)
1987,88,89,90,91,92,93,94,96,97,98,2004,2006
coreutils\coreutils-6.9\lib\getpagesize.h(2): Copyright (C) 1999, 2000, 2004,
2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\getpass.c(1):/* Copyright (C) 1992-2001, 2003, 2004,

legal(ME)

2005, 2006 Free Software

coreutils\coreutils-6.9\lib\getpass.h(2): Copyright (C) 2004 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\gettext.h(2): Copyright (C) 1995-1998, 2000-2002, 2004-2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\gettime.c(3): Copyright (C) 2002, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\gettimeofday.c(3): Copyright (C) 2001, 2002, 2003, 2005, 2006, 2007 Free Software

coreutils\coreutils-6.9\lib\getugroups.c(3): Copyright (C) 1990, 1991, 1998, 1999, 2000, 2003, 2004, 2005, 2006

coreutils\coreutils-6.9\lib\getusershell.c(3): Copyright (C) 1991, 1997, 2000, 2001, 2003, 2004, 2005, 2006 Free

coreutils\coreutils-6.9\lib\gnulib.mk(3):# Copyright (C) 2004-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\group-member.c(3): Copyright (C) 1994, 1997, 1998, 2003, 2005, 2006 Free Software

coreutils\coreutils-6.9\lib\group-member.h(3): Copyright (C) 1994, 1997, 2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\hard-locale.c(3): Copyright (C) 1997, 1998, 1999, 2002, 2003, 2004, 2006, 2007 Free

coreutils\coreutils-6.9\lib\hard-locale.h(3): Copyright (C) 1999, 2003, 2004 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\hash.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2006 Free

coreutils\coreutils-6.9\lib\hash.h(2): Copyright (C) 1998, 1999, 2001, 2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\hash-pjw.c(3): Copyright (C) 2001, 2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\hash-pjw.h(2): Copyright (C) 2001, 2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\human.c(3): Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

coreutils\coreutils-6.9\lib\human.h(3): Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

coreutils\coreutils-6.9\lib\idcache.c(3): Copyright (C) 1985, 1988, 1989, 1990, 1997, 1998, 2003, 2005, 2006

coreutils\coreutils-6.9\lib\inet_ntop.c(20): * Copyright (c) 1996-1999 by Internet Software Consortium.

coreutils\coreutils-6.9\lib\inet_ntop.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\inet_ntop.h(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\intprops.h(3): Copyright (C) 2001, 2002, 2003, 2004, 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\intttostr.c(3): Copyright (C) 2001, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\intttostr.h(3): Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006 Free Software

coreutils\coreutils-6.9\lib\inttypes_.h(1):/* Copyright (C) 2006-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\i-ring.c(2): Copyright (C) 2006 Free Software

legal(ME)

Foundation, Inc.
coreutils\coreutils-6.9\lib\i-ring.h(2): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\isapipe.c(3): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\lchmod.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\lchown.c(3): Copyright (C) 1998, 1999, 2002, 2004, 2006 Free Software
coreutils\coreutils-6.9\lib\lchown.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\linebuffer.c(3): Copyright (C) 1986, 1991, 1998, 1999, 2001, 2003, 2004, 2006 Free
coreutils\coreutils-6.9\lib\linebuffer.h(3): Copyright (C) 1986, 1991, 1998, 1999, 2002, 2003 Free Software
coreutils\coreutils-6.9\lib\localcharset.c(3): Copyright (C) 2000-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\localcharset.h(2): Copyright (C) 2000-2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\long-options.c(3): Copyright (C) 1993, 1994, 1998, 1999, 2000, 2002, 2003, 2004, 2005,
coreutils\coreutils-6.9\lib\long-options.h(2): Copyright (C) 1993, 1994, 1998, 1999, 2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\lstat.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\lib\lstat.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\Makefile.am(3):# Copyright (C) 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\Makefile.in(17):# Copyright (C) 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\Makefile.in(19):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\lib\malloc.c(3): Copyright (C) 1997, 1998, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\mbchar.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\mbchar.h(2): Copyright (C) 2001, 2005-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\mbscasecmp.c(2): Copyright (C) 1998-1999, 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\mbswidth.c(2): Copyright (C) 2000-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\mbswidth.h(2): Copyright (C) 2000-2004, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\mbuiter.h(2): Copyright (C) 2001, 2005, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\md5.c(3): Copyright (C) 1995,1996,1997,1999,2000,2001,2005,2006
coreutils\coreutils-6.9\lib\md5.h(3): Copyright (C)

legal(ME)

1995-1997,1999,2000,2001,2004,2005,2006

coreutils\coreutils-6.9\lib\memcasecmp.c(2): Copyright (C) 1996, 1997, 2000, 2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\memcasecmp.h(3): Copyright (C) 1996, 1998, 2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\memchr.c(1):/* Copyright (C) 1991, 1993, 1996, 1997, 1999, 2000, 2003, 2004, 2006 Free

coreutils\coreutils-6.9\lib\memcmp.c(1):/* Copyright (C) 1991, 1993, 1995, 1997, 1998, 2003, 2006 Free Software

coreutils\coreutils-6.9\lib\memcoll.c(3): Copyright (C) 1999, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\memcoll.h(3): Copyright (C) 1999, 2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\memcpy.c(1):/* Copyright (C) 1995, 1997, 2000, 2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\mempcpy.c(2): Copyright (C) 2003, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\memrchr.c(3): Copyright (C) 1991, 1993, 1996, 1997, 1999, 2000, 2003, 2004, 2005,

coreutils\coreutils-6.9\lib\memset.c(2): Copyright (C) 1991, 2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\memxfrm.c(3): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\mkancesdirs.c(3): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\mkdir.c(4): Copyright (C) 2001, 2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\mkdirat.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\mkdir-p.c(3): Copyright (C) 1990, 1997, 1998, 1999, 2000, 2002, 2003, 2004, 2005,

coreutils\coreutils-6.9\lib\mkdir-p.h(3): Copyright (C) 1994, 1995, 1996, 1997, 2000, 2003, 2004, 2005, 2006

coreutils\coreutils-6.9\lib\mkstemp.c(1):/* Copyright (C) 1998, 1999, 2001, 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\mkstemp-safer.c(3): Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\mktime.c(2): Copyright (C) 1993-1999, 2002-2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\modechange.c(3): Copyright (C) 1989, 1990, 1997, 1998, 1999, 2001, 2003, 2004, 2005,

coreutils\coreutils-6.9\lib\modechange.h(3): Copyright (C) 1989, 1990, 1997, 2003, 2004, 2005, 2006 Free

coreutils\coreutils-6.9\lib\mountlist.c(3): Copyright (C) 1991, 1992, 1997, 1998, 1999, 2000, 2001, 2002, 2003,

coreutils\coreutils-6.9\lib\mountlist.h(3): Copyright (C) 1991, 1992, 1998, 2000, 2001, 2002, 2003, 2004, 2005

coreutils\coreutils-6.9\lib\mpsort.c(3): Copyright (C) 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\nanosleep.c(3): Copyright (C) 1999, 2000, 2002, 2004, 2005, 2006, 2007 Free

coreutils\coreutils-6.9\lib\netinet_in_.h(2): Copyright (C) 2007 Free Software

legal(ME)

Foundation, Inc.

coreutils\coreutils-6.9\lib\obstack.c(3): Copyright (C) 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1996, 1997,

coreutils\coreutils-6.9\lib\obstack.h(2): Copyright (C)

1988-1994,1996-1999,2003,2004,2005,2006

coreutils\coreutils-6.9\lib\openat.c(2): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\openat.h(2): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\openat-die.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\openat-priv.h(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\openat-proc.c(3): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\open-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\pathmax.h(2): Copyright (C) 1992, 1999, 2001, 2003, 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\phymem.c(3): Copyright (C) 2000, 2001, 2003, 2005, 2006 Free Software

coreutils\coreutils-6.9\lib\phymem.h(3): Copyright (C) 2000, 2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\pipe-safer.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\posixtm.c(3): Copyright (C) 1989, 1990, 1991, 1998, 2000, 2001, 2002, 2003, 2004,

coreutils\coreutils-6.9\lib\posixtm.h(3): Copyright (C) 1998, 2003, 2005, 2007 Free Software Foundation Inc.

coreutils\coreutils-6.9\lib\posixver.c(3): Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software

coreutils\coreutils-6.9\lib\printf-args.c(2): Copyright (C) 1999, 2002-2003, 2005-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\printf-args.h(2): Copyright (C) 1999, 2002-2003, 2006-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\printf-parse.c(5): Copyright (C) 1999-2000, 2002-2003, 2006-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\printf-parse.h(2): Copyright (C) 1999, 2002-2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\putenv.c(1):/* Copyright (C) 1991, 1994, 1997, 1998, 2000, 2003, 2004, 2005, 2006, 2007

coreutils\coreutils-6.9\lib\quote.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2003, 2005, 2006 Free

coreutils\coreutils-6.9\lib\quote.h(3): Copyright (C) 1998, 1999, 2000, 2001, 2003 Free Software

coreutils\coreutils-6.9\lib\quotearg.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2005, 2006, 2007 Free

coreutils\coreutils-6.9\lib\quotearg.h(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2006 Free

coreutils\coreutils-6.9\lib\raise.c(3): Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\randint.c(3): Copyright (C) 2006 Free Software

legal(ME)

Foundation, Inc.
coreutils\coreutils-6.9\lib\randint.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\rand-isaac.c(3): Copyright (C) 1999-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\rand-isaac.c(4): Copyright (C) 1997, 1998, 1999 Colin Plumb.
coreutils\coreutils-6.9\lib\rand-isaac.h(3): Copyright (C) 1999-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\rand-isaac.h(4): Copyright (C) 1997, 1998, 1999 Colin Plumb.
coreutils\coreutils-6.9\lib\randperm.c(3): Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\randread.c(3): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\randread.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\readlink.c(2): Copyright (C) 2003-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\readtokens.c(3): Copyright (C) 1990-1991, 1999-2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\readtokens.h(3): Copyright (C) 1990, 1991, 1999, 2001-2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\readtokens0.c(3): Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\readtokens0.h(3): Copyright (C) 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\readutmp.c(3): Copyright (C) 1992-2001, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\readutmp.h(3): Copyright (C) 1992-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\realloc.c(3): Copyright (C) 1997, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\ref-add.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\ref-del.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\regcomp.c(2): Copyright (C) 2002,2003,2004,2005,2006,2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\regex.c(2): Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\regex.h(3): Copyright (C) 1985,1989-93,1995-98,2000,2001,2002,2003,2005,2006
coreutils\coreutils-6.9\lib\regex_internal.c(2): Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\regex_internal.h(2): Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\regexexec.c(2): Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\rename.c(5): Copyright (C) 2001, 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\rename-dest-slash.c(9): Copyright (C) 2006 Free

legal(ME)

Software Foundation, Inc.
coreutils\coreutils-6.9\lib\rmdir.c(3): Copyright (C) 1988, 1990, 1999, 2003, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\lib\root-dev-ino.c(4): Copyright (C) 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\root-dev-ino.h(5): Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\rpmatch.c(4): Copyright (C) 1996, 1998, 2000, 2002, 2003, 2006 Free Software
coreutils\coreutils-6.9\lib\safe-read.c(3): Copyright (C) 1993, 1994, 1998, 2002, 2003, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\lib\safe-read.h(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\safe-write.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\safe-write.h(2): Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\same.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2002, 2003, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\lib\same.h(3): Copyright (C) 1997, 1998, 1999, 2000, 2003, 2004 Free Software
coreutils\coreutils-6.9\lib\same-inode.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\save-cwd.c(3): Copyright (C) 1995, 1997, 1998, 2003, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\lib\save-cwd.h(3): Copyright (C) 1995, 1997, 1998, 2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\savedir.c(3): Copyright (C) 1990, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
coreutils\coreutils-6.9\lib\savedir.h(3): Copyright (C) 1997, 1999, 2001, 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\savewd.c(3): Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\savewd.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\setenv.c(1):/* Copyright (C) 1992,1995-1999,2000-2003,2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\setenv.h(2): Copyright (C) 2001-2004, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\settime.c(3): Copyright (C) 2002, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\lib\sha1.c(4): Copyright (C) 2000, 2001, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\lib\sha1.h(3): Copyright (C) 2000, 2001, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\sha256.c(4): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\sha256.h(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\sha512.c(4): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\sha512.h(3): Copyright (C) 2005, 2006 Free Software

legal(ME)

Foundation, Inc.

coreutils\coreutils-6.9\lib\sig2str.c(3): Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\sig2str.h(3): Copyright (C) 2002, 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\snprintf.c(2): Copyright (C) 2004, 2006-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\socket_.h(2): Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stat_.h(2): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stat-time.h(3): Copyright (C) 2005, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stdbool_.h(1):/* Copyright (C) 2001, 2002, 2003, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stdint_.h(1):/* Copyright (C) 2001-2002, 2004-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stdio--.h(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stdio_.h(3): Copyright (C) 2004, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stdio-safer.h(3): Copyright (C) 2001, 2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stdlib--.h(3): Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stdlib_.h(3): Copyright (C) 1995, 2001-2002, 2006-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stdlib-safer.h(3): Copyright (C) 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stpcpy.c(2): Copyright (C) 1992, 1995, 1997-1998, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strcspn.c(1):/* Copyright (C) 1991, 1994, 1996-1997, 2002-2003, 2005-2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strdup.c(1):/* Copyright (C) 1991, 1996, 1997, 1998, 2002, 2003, 2004, 2006, 2007 Free

coreutils\coreutils-6.9\lib\strftime.c(1):/* Copyright (C) 1991-1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software

coreutils\coreutils-6.9\lib\strftime.h(3): Copyright (C) 2002, 2004 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\string_.h(3): Copyright (C) 1995-1996, 2001-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strintcmp.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\stripslash.c(3): Copyright (C) 1990, 2001, 2003-2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strndup.c(3): Copyright (C) 1996, 1997, 1998, 2001, 2002, 2003, 2005, 2006, 2007

coreutils\coreutils-6.9\lib\strnlen.c(2): Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strnlen1.c(2): Copyright (C) 2005-2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strnlen1.h(2): Copyright (C) 2005 Free Software

legal(ME)

Foundation, Inc.

coreutils\coreutils-6.9\lib\strnumcmp.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strnumcmp-in.h(3): Copyright (C) 1988, 1991, 1992, 1993, 1995, 1996, 1998, 1999, 2000,

coreutils\coreutils-6.9\lib\strpbrk.c(1):/* Copyright (C) 1991, 1994, 2000, 2002-2003, 2006 Free Software

coreutils\coreutils-6.9\lib\strtod.c(1):/* Copyright (C) 1991, 1992, 1997, 1999, 2003, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strtoimax.c(3): Copyright (C) 1999, 2001, 2002, 2003, 2004, 2006 Free Software

coreutils\coreutils-6.9\lib\strtoul.c(3): Copyright (C) 1991, 1992, 1994, 1995, 1996, 1997, 1998, 1999, 2003, 2005,

coreutils\coreutils-6.9\lib\strtoll.c(2): Copyright (C) 1995, 1996, 1997, 1999, 2001 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strtol.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strtoull.c(2): Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strverscmp.c(2): Copyright (C) 1997, 2000, 2002, 2004, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\strverscmp.h(3): Copyright (C) 1997, 2003 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\sys_time_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\tempname.c(3): Copyright (C) 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

coreutils\coreutils-6.9\lib\tempname.h(3): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\t-fpending.c(3): Copyright (C) 2004 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\time_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\time_r.c(3): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\timespec.h(3): Copyright (C) 2000, 2002, 2004, 2005, 2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\TODO(36):Copyright (C) 1998 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\TODO(39):modification, are permitted provided the copyright notice

coreutils\coreutils-6.9\lib\u64.h(3): Copyright (C) 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\unicodeio.c(3): Copyright (C) 2000-2003, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\unicodeio.h(3): Copyright (C) 2000-2003, 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\unistd--.h(3): Copyright (C) 2005 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\unistd_.h(2): Copyright (C) 2004-2007 Free Software Foundation, Inc.

coreutils\coreutils-6.9\lib\unistd-safer.h(3): Copyright (C) 2001, 2003, 2005

legal(ME)

Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\unlinkdir.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\unlinkdir.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\unlocked-io.h(3): Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\unsetenv.c(1):/* Copyright (C) 1992,1995-1999,2000-2002,2005-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\userspec.c(2): Copyright (C) 1989-1992, 1997-1998, 2000, 2002-2007 Free Software
coreutils\coreutils-6.9\lib\utime.c(1):/* Copyright (C) 1998, 2001, 2002, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\lib\utimecmp.c(3): Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\utimecmp.h(3): Copyright (C) 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\utimens.c(3): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\lib\vasnprintf.c(5): Copyright (C) 1999, 2002-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\vasnprintf.h(2): Copyright (C) 2002-2004, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\vasprintf.c(2): Copyright (C) 1999, 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\vasprintf.h(2): Copyright (C) 2002-2003, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\verify.h(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\version-etc.c(2): Copyright (C) 1999-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\version-etc.c(36):enum { COPYRIGHT_YEAR = 2007 };
coreutils\coreutils-6.9\lib\version-etc.c(63):/* TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\lib\version-etc.c(66):fprintf (stream, version_etc_copyright, _("(C)"), COPYRIGHT_YEAR);
coreutils\coreutils-6.9\lib\version-etc.h(2): Copyright (C) 1999, 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\version-etc.h(26):extern const char version_etc_copyright[];
coreutils\coreutils-6.9\lib\version-etc-fsf.c(1):/* Variable with FSF copyright information, for version-etc.
coreutils\coreutils-6.9\lib\version-etc-fsf.c(2): Copyright (C) 1999-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\lib\version-etc-fsf.c(25):/* Default copyright goes to the FSF. */
coreutils\coreutils-6.9\lib\version-etc-fsf.c(27):const char version_etc_copyright[] =
coreutils\coreutils-6.9\lib\version-etc-fsf.c(28):/* Do *not* mark this string for translation.%s is a copyright
coreutils\coreutils-6.9\lib\version-etc-fsf.c(29): symbol suitable for this locale, and %d is the copyright

legal(ME)

coreutils\coreutils-6.9\m4\absolute-header.m4(2):dn1 Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\acl.m4(3):# Copyright (C) 2002, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\alloca.m4(2):dn1 Copyright (C) 2002-2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\allocsa.m4(2):dn1 Copyright (C) 2003-2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\argmatch.m4(2):dn1 Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\arpa_inet_h.m4(2):dn1 Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\assert.m4(3):# Copyright (C) 1998, 1999, 2001, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\atexit.m4(2):dn1 Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\autobuild.m4(2):# Copyright (C) 2004, 2006 Simon Josefsson
coreutils\coreutils-6.9\m4\backupfile.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\base64.m4(2):dn1 Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\bison.m4(3):# Copyright (C) 2002, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\boottime.m4(4):# Copyright (C) 1996, 2000, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\calloc.m4(3):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\canon-host.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\canonicalize.m4(3):# Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\ChangeLog(1246):* lib-check.m4: Add copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1252):* prereq.m4: Add copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1546):Use an all-permissive copyright notice, recommended by RMS.
coreutils\coreutils-6.9\m4\ChangeLog(1560):Use an all-permissive copyright notice, recommended by RMS.
coreutils\coreutils-6.9\m4\ChangeLog(1647):* openat.m4: Add copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1760):* unlocked-io.m4: Add copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1766):* mbswidth.m4: Add copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1819):* boottime.m4: Add copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1822):* fsusage.m4: Add copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1824):* jm-macros.m4: Include copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1827):* ls-mntd-fs.m4: Include copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(1830):* stat-prog.m4: Include copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(237):* ChangeLog: Add copyright notice.
coreutils\coreutils-6.9\m4\ChangeLog(3181):* strerror_r.m4: Add copyright notice,

legal(ME)

as nontrivial m4 files

coreutils\coreutils-6.9\m4\ChangeLog(4995):Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
coreutils\coreutils-6.9\m4\ChangeLog(4999):modification, are permitted provided the copyright notice
coreutils\coreutils-6.9\m4\chdir-long.m4(9):dn1 Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\check-decl.m4(4):dn1 Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\m4\chown.m4(4):dn1 Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2007 Free
coreutils\coreutils-6.9\m4\clock_time.m4(2):dn1 Copyright (C) 2002-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\cloexec.m4(2):dn1 Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\closeout.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\close-stream.m4(2):dn1 Copyright (C) 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\codeset.m4(2):dn1 Copyright (C) 2000-2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\config-h.m4(3):dn1 Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\c-strtod.m4(3):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\cycle-check.m4(2):dn1 Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\d-ino.m4(8):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\m4\dirfd.m4(5):# Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\m4\dirname.m4(2):dn1 Copyright (C) 2002-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\dos.m4(6):# Copyright (C) 2000, 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\double-slash-root.m4(2):dn1 Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\d-type.m4(8):# Copyright (C) 1997, 1999, 2000, 2001, 2002, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\m4\dup2.m4(2):dn1 Copyright (C) 2002, 2005, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\eealloc.m4(2):dn1 Copyright (C) 2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\everflow.m4(2):dn1 Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\error.m4(3):# Copyright (C) 1996, 1997, 1998, 2001, 2002, 2003, 2004 Free Software
coreutils\coreutils-6.9\m4\eidaccess.m4(2):dn1 Copyright (C) 2002-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\eidaccess-stat.m4(2):dn1 Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\exclude.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006

legal(ME)

Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\exitfail.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\extensions.m4(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fchdir.m4(2):dn1 Copyright (C) 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fcntl_h.m4(2):dn1 Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fcntl-safer.m4(2):dn1 Copyright (C) 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fd-reopen.m4(3):dn1 Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fileblocks.m4(2):dn1 Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\filemode.m4(2):dn1 Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\filenamecat.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\file-type.m4(2):dn1 Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\flexmember.m4(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fnmatch.m4(3):# Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\m4\fpending.m4(3):# Copyright (C) 2000, 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fprintftime.m4(2):dn1 Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\free.m4(3):# Copyright (C) 2003, 2004, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fstypename.m4(9):# Copyright (C) 1998, 1999, 2001, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fsusage.m4(4):# Copyright (C) 1997, 1998, 2000, 2001, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\m4\ftruncate.m4(5):# Copyright (C) 2000, 2001, 2003-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\fts.m4(2):dn1 Copyright (C) 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getaddrinfo.m4(2):dn1 Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getcwd.m4(3):# Copyright (C) 2001, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getcwd-abort-bug.m4(6):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getcwd-path-max.m4(9):# Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getdate.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getdelim.m4(3):dn1 Copyright (C) 2005, 2006 Free Software dn1 Foundation, Inc.
coreutils\coreutils-6.9\m4\getgroups.m4(6):# Copyright (C) 1996, 1997, 1999,

legal(ME)

2000, 2001, 2002, 2003, 2004 Free
coreutils\coreutils-6.9\m4\gethostname.m4(2):dn1 Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\gethrxtime.m4(2):dn1 Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getline.m4(3):dn1 Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2005, 2006 Free Software
coreutils\coreutils-6.9\m4\getloadavg.m4(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1999, 2000, 2002, 2003,
coreutils\coreutils-6.9\m4\getndelim2.m4(2):dn1 Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getopt.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getpagesize.m4(2):dn1 Copyright (C) 2002, 2004, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getpass.m4(2):dn1 Copyright (C) 2002-2003, 2005-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\gettext.m4(2):dn1 Copyright (C) 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\gettime.m4(2):dn1 Copyright (C) 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\gettimeofday.m4(3):# Copyright (C) 2001, 2002, 2003, 2005, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getugroups.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\getusershell.m4(2):dn1 Copyright (C) 2002, 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\glibc21.m4(2):dn1 Copyright (C) 2000-2002, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\gnulib-common.m4(2):dn1 Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\gnulib-comp.m4(4):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\group-member.m4(3):# Copyright (C) 1999, 2000, 2001, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\m4\hard-locale.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\hash.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\host-os.m4(3):# Copyright (C) 2001, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\human.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\iconv.m4(2):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\idcache.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\inet_ntop.m4(2):dn1 Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\inline.m4(2):dn1 Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\intmax_t.m4(2):dn1 Copyright (C) 1997-2004, 2006 Free

legal(ME)

Software Foundation, Inc.
coreutils\coreutils-6.9\m4\inttostr.m4(2):dnl Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\inttypes.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\inttypes_h.m4(2):dnl Copyright (C) 1997-2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\inttypes-pri.m4(2):dnl Copyright (C) 1997-2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\i-ring.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\isapipe.m4(3):dnl Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\jm-macros.m4(5):# Copyright (C) 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\m4\jm-winsz1.m4(3):# Copyright (C) 1996, 1999, 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\jm-winsz2.m4(3):# Copyright (C) 1996, 1999, 2001, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\lchmod.m4(3):dnl Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\lchown.m4(3):dnl Copyright (C) 1998, 2001, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\m4\lib-check.m4(5):# Copyright (C) 1993, 1994, 1995, 1996, 1997, 2000, 2001, 2003, 2004,
coreutils\coreutils-6.9\m4\lib-ignore.m4(3):dnl Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\lib-ld.m4(2):dnl Copyright (C) 1996-2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\lib-link.m4(2):dnl Copyright (C) 2001-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\lib-prefix.m4(2):dnl Copyright (C) 2001-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\link-follow.m4(5):# Copyright (C) 1999, 2000, 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\localcharset.m4(2):dnl Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\longdouble.m4(2):dnl Copyright (C) 2002-2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\longlong.m4(2):dnl Copyright (C) 1999-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\long-options.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\ls-mntd-fs.m4(4):# Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\m4\lstat.m4(3):# Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007
coreutils\coreutils-6.9\m4\mbchar.m4(2):dnl Copyright (C) 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mbiter.m4(2):dnl Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mbrtowc.m4(2):dnl Copyright (C) 2001-2002, 2004-2005

legal(ME)

Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mbscasecmp.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mbstate_t.m4(2):dnl Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mbswidth.m4(2):dnl Copyright (C) 2000-2002, 2004, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\md5.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memcasecmp.m4(2):dnl Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memchr.m4(2):dnl Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memcmp.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memcoll.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memcpy.m4(2):dnl Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memmove.m4(2):dnl Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memcpy.m4(2):dnl Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memrchr.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memset.m4(2):dnl Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\memxfrm.m4(1):dnl Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mkancesdirs.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mkdir-p.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mkdir-slash.m4(3):# Copyright (C) 2001, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mkstemp.m4(3):# Copyright (C) 2001, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mktime.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\modechange.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mountlist.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\mpsort.m4(3):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\nanosleep.m4(8):# Copyright (C) 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007 Free
coreutils\coreutils-6.9\m4\netinet_in_h.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\nls.m4(2):dnl Copyright (C) 1995-2003, 2005-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\openat.m4(4):dnl Copyright (C) 2004, 2005, 2006, 2007

legal(ME)

Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\pathmax.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\perl.m4(6):# Copyright (C) 1998-2001, 2003, 2004, 2007
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\physmem.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\po.m4(2):dnl Copyright (C) 1995-2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\posixtm.m4(2):dnl Copyright (C) 2002, 2003, 2005,
2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\posixver.m4(2):dnl Copyright (C) 2002, 2003, 2004,
2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\prereq.m4(10):# Copyright (C) 1998, 2000, 2001, 2003,
2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\m4\progtest.m4(2):dnl Copyright (C) 1996-2003, 2005 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\putenv.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005,
2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\quote.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\quotearg.m4(2):dnl Copyright (C) 2002, 2004, 2005,
2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\randint.m4(1):dnl Copyright (C) 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\randperm.m4(1):dnl Copyright (C) 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\randread.m4(1):dnl Copyright (C) 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\readlink.m4(2):dnl Copyright (C) 2003, 2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\readtokens.m4(2):dnl Copyright (C) 2002, 2003, 2005,
2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\readutmp.m4(2):dnl Copyright (C) 2002-2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\regex.m4(3):# Copyright (C) 1996, 1997, 1998, 1999,
2000, 2001, 2003, 2004, 2005,
coreutils\coreutils-6.9\m4\rename.m4(3):# Copyright (C) 2001, 2003, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\rename-dest-slash.m4(3):# Copyright (C) 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\rmdir.m4(2):dnl Copyright (C) 2002, 2005 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\rmdir-errno.m4(3):# Copyright (C) 2000, 2001, 2005,
2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\root-dev-ino.m4(4):dnl Copyright (C) 2005, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\rpmatch.m4(2):dnl Copyright (C) 2002, 2003 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\safe-read.m4(2):dnl Copyright (C) 2002, 2003, 2005,
2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\safe-write.m4(2):dnl Copyright (C) 2002, 2005, 2006

legal(ME)

Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\same.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\save-cwd.m4(2):dn1 Copyright (C) 2002, 2003, 2004,
2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\savedir.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\savewd.m4(3):dn1 Copyright (C) 2004 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\setenv.m4(2):dn1 Copyright (C) 2001-2004, 2006-2007
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\settime.m4(2):dn1 Copyright (C) 2002, 2004, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\sha1.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005,
2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\sha256.m4(2):dn1 Copyright (C) 2005 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\sha512.m4(2):dn1 Copyright (C) 2005, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\sig2str.m4(2):dn1 Copyright (C) 2002, 2005, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\snprintf.m4(2):dn1 Copyright (C) 2002, 2003, 2004,
2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\socklen.m4(2):dn1 Copyright (C) 2005, 2006, 2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\sockpfaf.m4(2):dn1 Copyright (C) 2004, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\ssize_t.m4(2):dn1 Copyright (C) 2001-2003, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\st_dm_mode.m4(3):# Copyright (C) 1998, 1999, 2001 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\stat-prog.m4(4):# Copyright (C) 2002, 2003, 2004, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\stat-time.m4(3):# Copyright (C) 1998, 1999, 2001,
2003, 2005, 2006, 2007 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\stdarg.m4(2):dn1 Copyright (C) 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\stdbool.m4(3):dn1 Copyright (C) 2002-2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\stdint.m4(2):dn1 Copyright (C) 2001-2002, 2004-2007
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\stdint_h.m4(2):dn1 Copyright (C) 1997-2004, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\stdio_h.m4(2):dn1 Copyright (C) 2007 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\stdio-safer.m4(2):dn1 Copyright (C) 2002, 2005-2007
Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\stdlib_h.m4(2):dn1 Copyright (C) 2007 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\m4\stdlib-safer.m4(2):dn1 Copyright (C) 2005, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\m4\stpcpy.m4(2):dn1 Copyright (C) 2002, 2007 Free

legal(ME)

Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strcspn.m4(2):dnl Copyright (C) 2002-2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strdup.m4(3):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\m4\strftime.m4(3):# Copyright (C) 1996, 1997, 1999, 2000, 2001, 2002, 2003, 2004, 2005,
coreutils\coreutils-6.9\m4\string_h.m4(3):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strndup.m4(2):dnl Copyright (C) 2002-2003, 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strnlen.m4(2):dnl Copyright (C) 2002-2003, 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strnumcmp.m4(3):dnl Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strpbrk.m4(2):dnl Copyright (C) 2002-2003, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strtod.m4(2):dnl Copyright (C) 2002, 2003, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strtoimax.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strtoul.m4(2):dnl Copyright (C) 2002, 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strtoll.m4(2):dnl Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strtoul.m4(2):dnl Copyright (C) 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strtoull.m4(2):dnl Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strtoumax.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\strverscmp.m4(2):dnl Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\sys_socket_h.m4(2):dnl Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\sys_stat_h.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\sys_time_h.m4(3):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\tempname.m4(3):# Copyright (C) 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\time_h.m4(3):# Copyright (C) 2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\m4\time_r.m4(3):dnl Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\timespec.m4(3):# Copyright (C) 2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\m4\tm_gmtoff.m4(2):dnl Copyright (C) 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\tzset.m4(3):# Copyright (C) 2003, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\unicodeio.m4(2):dnl Copyright (C) 2002-2003 Free

legal(ME)

Software Foundation, Inc.
coreutils\coreutils-6.9\m4\unistd_h.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\unistd-safer.m4(2):dnl Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\unlink-busy.m4(7):# Copyright (C) 2000, 2001, 2004, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\unlinkdir.m4(3):# Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\unlocked-io.m4(3):# Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\m4\uptime.m4(3):# Copyright (C) 1996, 1999, 2000, 2001, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\userspec.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\utimbuf.m4(3):# Copyright (C) 1998, 1999, 2000, 2001, 2003, 2004, 2007 Free Software
coreutils\coreutils-6.9\m4\utime.m4(6):# Copyright (C) 1998, 2000, 2001, 2003, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\utimecmp.m4(2):dnl Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\utimens.m4(1):dnl Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\utimes.m4(3):dnl Copyright (C) 2003, 2004, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\utimes-null.m4(3):# Copyright (C) 1998, 1999, 2001, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\m4\vasnprintf.m4(2):dnl Copyright (C) 2002-2004, 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\vasprintf.m4(2):dnl Copyright (C) 2002-2003, 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\wchar.m4(3):dnl Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\wchar_t.m4(2):dnl Copyright (C) 2002-2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\wctype.m4(3):dnl Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\wcwidth.m4(2):dnl Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\wint_t.m4(2):dnl Copyright (C) 2003, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\xalloc.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\xfts.m4(2):dnl Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\xgetcwd.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\xnanosleep.m4(2):dnl Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\xstrndup.m4(2):dnl Copyright (C) 2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\xstrtod.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006

legal(ME)

Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\xstrtol.m4(2):dn1 Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\m4\yesno.m4(2):dn1 Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\Makefile.am(3):# Copyright (C) 1990, 1993-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\Makefile.cfg(2):# Copyright (C) 2003-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\Makefile.in(19):# Copyright (C) 1990, 1993-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\Makefile.maint(453):# Make sure that the copyright date in \$(v_etc_file) is up to date.
coreutils\coreutils-6.9\Makefile.maint(454):copyright-check:
coreutils\coreutils-6.9\Makefile.maint(456):grep 'enum { COPYRIGHT_YEAR = '\$\$(date +%Y)' };' \$(v_etc_file) \
coreutils\coreutils-6.9\Makefile.maint(458):|| { echo 'out of date copyright in \$(v_etc_file); update it' 1>&2; \
coreutils\coreutils-6.9\Makefile.maint(462):grep '# Copyright (C) '\$\$(date +%Y)' Free' \$(sample-test) \
coreutils\coreutils-6.9\Makefile.maint(464):|| { echo 'out of date copyright in \$(sample-test); update it' 1>&2; \
coreutils\coreutils-6.9\Makefile.maint(5):## Copyright (C) 2001-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\Makefile.maint(80):po-check copyright-check m4-check author_mark_check \
coreutils\coreutils-6.9\man\base64.1(40):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\basename.1(34):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\cat.1(62):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\chgrp.1(80):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\chmod.1(129):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\chmod.x(1):\" Copyright (C) 1998, 1999, 2001, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\chown.1(112):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\chown.x(1):\" Copyright (C) 1998, 1999, 2001, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\chroot.1(28):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\cksum.1(26):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\comm.1(36):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\cp.1(142):Copyright \(\co 2007 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\man\csplit.1(63):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\cut.1(72):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\date.1(213):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\dd.1(146):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\df.1(92):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\df.x(1):'\ " Copyright (C) 1998, 1999, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\dir.1(231):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\dircolors.1(37):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\dirname.1(34):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\du.1(137):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\du.x(1):'\ " Copyright (C) 1998, 1999, 2000, 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\echo.1(68):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\env.1(31):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\expand.1(35):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\expr.1(97):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\factor.1(29):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man>false.1(30):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\fmt.1(47):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\fold.1(35):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\groups.1(23):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\head.1(45):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\help2man(259):# and seperated from any copyright/author details by a blank line.
coreutils\coreutils-6.9\man\help2man(397):# Copyright section
coreutils\coreutils-6.9\man\help2man(398):if (/^Copyright +[(\xa9)]/)
coreutils\coreutils-6.9\man\help2man(4):# Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004
coreutils\coreutils-6.9\man\help2man(400):\$sect = _('COPYRIGHT');
coreutils\coreutils-6.9\man\help2man(412):# Convert iso9959-1 copyright symbol or (c) to nroff
coreutils\coreutils-6.9\man\help2man(414):s/^Copyright

legal(ME)

```
+(?:\xa9|\\([Cc]\\.))/Copyright \\(co/mg;  
coreutils\\coreutils-6.9\\man\\help2man(416):# Insert line breaks before additional  
copyright messages  
coreutils\\coreutils-6.9\\man\\help2man(418):s/(.)\\n(Copyright  
|$PAT_FREE_SOFTWARE)/$1\\n.br\\n$2/og;  
coreutils\\coreutils-6.9\\man\\help2man(587):my @post = (_('AUTHOR'), _('REPORTING  
BUGS'), _('COPYRIGHT'), _('SEE ALSO'));  
coreutils\\coreutils-6.9\\man\\help2man(68):Copyright (C) 1997, 1998, 1999, 2000,  
2001, 2002, 2003, 2004 Free Software  
coreutils\\coreutils-6.9\\man\\hostid.1(26):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\hostname.1(26):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\id.1(43):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\install.1(97):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\join.1(63):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\kill.1(49):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\link.1(26):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\ln.1(91):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\logname.1(23):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\ls.1(231):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\Makefile.am(3):# Copyright (C) 2002-2007 Free  
Software Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\Makefile.in(19):# Copyright (C) 2002-2007 Free  
Software Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,  
1997, 1998, 1999, 2000, 2001, 2002,  
coreutils\\coreutils-6.9\\man\\md5sum.1(45):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\mkdir.1(34):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\mkfifo.1(28):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\mknod.1(42):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\mv.1(80):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\nice.1(32):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\nl.1(87):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\nohup.1(30):Copyright \\(co 2007 Free Software  
Foundation, Inc.  
coreutils\\coreutils-6.9\\man\\od.1(131):Copyright \\(co 2007 Free Software
```

legal(ME)

Foundation, Inc.
coreutils\coreutils-6.9\man\paste.1(33):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\pathchk.1(32):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\pinky.1(52):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\pr.1(121):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\printenv.1(30):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\printf.1(84):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\ptx.1(80):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\pwd.1(27):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\readlink.1(49):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\rm.1(89):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\rm.x(1):\" Copyright (C) 1998, 1999, 2001, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\man\rmdir.1(35):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\seq.1(47):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\sha1sum.1(45):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\sha224sum.1(45):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\sha256sum.1(45):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\sha384sum.1(45):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\sha512sum.1(45):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\shred.1(90):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\shuf.1(51):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\sleep.1(30):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\sort.1(113):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\split.1(48):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\stat.1(163):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\stty.1(389):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\su.1(43):Copyright \(\co 2007 Free Software

legal(ME)

Foundation, Inc.
coreutils\coreutils-6.9\man\sum.1(31):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\sync.1(23):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\tac.1(35):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\tail.1(81):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\tee.1(31):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\test.1(157):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\touch.1(55):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\tr.1(125):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man>true.1(30):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\tsort.1(24):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\tty.1(26):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\uname.1(51):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\unexpand.1(38):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\uniq.1(55):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\unlink.1(26):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\uptime.1(26):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\users.1(24):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\mdir.1(231):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\wc.1(47):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\who.1(72):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\whoami.1(24):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\man\yes.1(26):Copyright \(\co 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\NEWS(1845):Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\NEWS(400):ptx's --copyright (-C) option is scheduled for removal in 2007, and
coreutils\coreutils-6.9\old\fileutils\ChangeLog(1002):* src/shred.c: Add FSF copyright notice.
coreutils\coreutils-6.9\old\fileutils\ChangeLog(2301):* Makefile.maint

legal(ME)

(check-copyright): New target and rule.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(3):* ChangeLog: Add copyright notice.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(4600):* lib/getdate.y: Update copyright notice.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(5263):* lib/version-etc.c (version_etc_copyright): Default copyright string.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(5276):* getdate.y: Add copyright notice.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(5535):lines of copyright info between them.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(577):* src/stat.c: Add copyright comment.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(6251):* lib/long-options.c (parse_long_options): Remove version-, copyright-,

coreutils\coreutils-6.9\old\fileutils\ChangeLog(6343):* lib/long-options.c (parse_long_options): Include `Copyright...' line

coreutils\coreutils-6.9\old\fileutils\ChangeLog(7921):* src/copy.c: Add copyright.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(7922):* src/remove.c: Add copyright.

coreutils\coreutils-6.9\old\fileutils\ChangeLog(8393):Copyright (C) 1998, 1999, 2000, 2001, 2002, 2006 Free Software

coreutils\coreutils-6.9\old\fileutils\ChangeLog(8397):modification, are permitted provided the copyright notice

coreutils\coreutils-6.9\old\fileutils\ChangeLog-1997(2359):* src/*.c, src/*.h: Update Copyright years to include 1996.

coreutils\coreutils-6.9\old\fileutils\ChangeLog-1997(2971):* src/*.c: Update Copyright dates.

coreutils\coreutils-6.9\old\fileutils\ChangeLog-1997(6161):Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997

coreutils\coreutils-6.9\old\fileutils\ChangeLog-1997(6165):modification, are permitted provided the copyright notice

coreutils\coreutils-6.9\old\fileutils\NEWS(752):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,

coreutils\coreutils-6.9\old\sh-utils\ChangeLog(3):* ChangeLog: Add copyright notice.

coreutils\coreutils-6.9\old\sh-utils\ChangeLog(4168):* src/*.c, src/*.h: Update Copyright years to include 1996.

coreutils\coreutils-6.9\old\sh-utils\ChangeLog(4752):* src/*.c: Update Copyright dates.

coreutils\coreutils-6.9\old\sh-utils\ChangeLog(4861):Copyright (C) 1994, 1995, 1996, 1997, 1999, 2000, 2001, 2002, 2006

coreutils\coreutils-6.9\old\sh-utils\ChangeLog(4865):modification, are permitted provided the copyright notice

coreutils\coreutils-6.9\old\sh-utils\ChangeLog(555):* src/uname.c: Correct copyright notice as per latest coding standards.

coreutils\coreutils-6.9\old\sh-utils\ChangeLog.0(1709):Copyright (C) 1989, 1990, 1991, 1992, 1993, 1994 Free Software

coreutils\coreutils-6.9\old\sh-utils\ChangeLog.0(1713):modification, are permitted provided the copyright notice

coreutils\coreutils-6.9\old\sh-utils\ChangeLog.0(555):* Update Copyright dates in

legal(ME)

src/*.

coreutils\coreutils-6.9\old\sh-utils\NEWS(276):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,

coreutils\coreutils-6.9\old\textutils\ChangeLog(1046):(copyright-check): Use the new variable.

coreutils\coreutils-6.9\old\textutils\ChangeLog(3):* ChangeLog: Add copyright notice.

coreutils\coreutils-6.9\old\textutils\ChangeLog(5414):* install-sh: Get version with MIT copyright.

coreutils\coreutils-6.9\old\textutils\ChangeLog(5717):* src/*.c, src/*.h: Update Copyright years to include 1996.

coreutils\coreutils-6.9\old\textutils\ChangeLog(612):* src/ptx.c (main): Don't split copyright string in the middle

coreutils\coreutils-6.9\old\textutils\ChangeLog(6955):* src/*.c: Update Copyright dates.

coreutils\coreutils-6.9\old\textutils\ChangeLog(8748):Copyright (C) 1998, 1999, 2000, 2001, 2002, 2006 Free Software

coreutils\coreutils-6.9\old\textutils\ChangeLog(8752):modification, are permitted provided the copyright notice

coreutils\coreutils-6.9\old\textutils\ChangeLog(967):since the `Copyright ...' line should not be translated.

coreutils\coreutils-6.9\old\textutils\ChangeLog(971):* Makefile.maint (copyright-check): Update to reflect fact that

coreutils\coreutils-6.9\old\textutils\NEWS(464):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,

coreutils\coreutils-6.9\po\af.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.

coreutils\coreutils-6.9\po\af.po(450):#. TRANSLATORS: Translate "(C)" to the copyright symbol

coreutils\coreutils-6.9\po\be.po(3):# Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\po\be.po(451):#. TRANSLATORS: Translate "(C)" to the copyright symbol

coreutils\coreutils-6.9\po\bg.po(3):# Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

coreutils\coreutils-6.9\po\bg.po(447):#. TRANSLATORS: Translate "(C)" to the copyright symbol

coreutils\coreutils-6.9\po\bg.po(6484):msgstr "ミセシム・クム肖ヒー --copyright ミオ ミセム・ヒーム紹サミー; ミソミセミサキミイミーミケムヒオ --version ミイシミオム・ヒセ ミヌミオム・

coreutils\coreutils-6.9\po\ca.po(2):# Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.

coreutils\coreutils-6.9\po\ca.po(504):#. TRANSLATORS: Translate "(C)" to the copyright symbol

coreutils\coreutils-6.9\po\ca.po(6989):"-C, --copyrightMostra el Copyright i les condicions de cōpia.\n"

coreutils\coreutils-6.9\po\ChangeLog(224):Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software

coreutils\coreutils-6.9\po\ChangeLog(228):modification, are permitted provided the copyright notice

coreutils\coreutils-6.9\po\ChangeLog(33):* po/ChangeLog: Add copyright notice.

coreutils\coreutils-6.9\po\coreutils.pot(2):# Copyright (C) YEAR Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\po\coreutils.pot(438):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\cs.po(10359):#~ msgid "Copyright (C) 2001 Free Software Foundation, Inc."
coreutils\coreutils-6.9\po\cs.po(10360):#~ msgstr "Copyright (C) 2001 Free Software Foundation, Inc."
coreutils\coreutils-6.9\po\cs.po(12109):#~ "-C, --copyrightdisplay Copyright and copying "
coreutils\coreutils-6.9\po\cs.po(12143):#~ "-C, --copyrightvypře autorsk·pr·va a podm·ny "
coreutils\coreutils-6.9\po\cs.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\cs.po(455):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\da.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\da.po(452):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\da.po(6103):"-C, --copyrightvis Copyright og kopieringsbetingelser\n"
coreutils\coreutils-6.9\po\de.po(2):# Copyright 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\de.po(470):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\de.po(6529):"Warnung: --copyrightwird in einer kommenden Version aufgegeben werden;\n"
coreutils\coreutils-6.9\po\el.po(11032):#~ msgid "Copyright (C) 2001 Free Software Foundation, Inc."
coreutils\coreutils-6.9\po\el.po(12965):#~ "-C, --copyrightdisplay Copyright and copying "
coreutils\coreutils-6.9\po\el.po(12997):#~ "-C, --copyright···"
coreutils\coreutils-6.9\po\el.po(2):# Copyright (C) 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\el.po(506):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\es.po(2):# Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\es.po(513):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\es.po(7007):"-C, --copyrightmuestra el Copyright y las condiciones\n"
coreutils\coreutils-6.9\po\et.po(2):# Copyright (C) 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\et.po(436):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\et.po(6270):msgstr "v·i --copyright on aegunud; kasutage selle asemel --version"
coreutils\coreutils-6.9\po\eu.po(3):# Copyright (C) 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\eu.po(452):#. TRANSLATORS: Translate "(C)" to the copyright symbol

legal(ME)

```
coreutils\coreutils-6.9\po\eu.po(5948):" C copyright-a Copyright eta\n"  
coreutils\coreutils-6.9\po\fi.po(2):# Copyright 𐀀 2002, 2003, 2004, 2006 Free  
Software Foundation, Inc.  
coreutils\coreutils-6.9\po\fi.po(470):#. TRANSLATORS: Translate "(C)" to the  
copyright symbol  
coreutils\coreutils-6.9\po\fi.po(6342):"-C, --copyrightn̄,yt̄,  
tekij̄,noikeustiedot ja "  
coreutils\coreutils-6.9\po\fr.po(12116):#~ msgid "Copyright (C) 2001 Free  
Software Foundation, Inc."  
coreutils\coreutils-6.9\po\fr.po(12117):#~ msgstr "Copyright 𐀀 2001 Free Software  
Foundation, Inc."  
coreutils\coreutils-6.9\po\fr.po(14109):#~ "-C, --copyrightdisplay Copyright and  
copying "  
coreutils\coreutils-6.9\po\fr.po(14142):#~ "-C, --copyrightafficher les Droits  
d'auteur et les "  
coreutils\coreutils-6.9\po\fr.po(2):# Copyright 𐀀 2004 Free Software Foundation,  
Inc.  
coreutils\coreutils-6.9\po\fr.po(446):#. TRANSLATORS: Translate "(C)" to the  
copyright symbol  
coreutils\coreutils-6.9\po\fr.po(6569):"-C, --copyrightafficher les Droits  
d'auteur et les "  
coreutils\coreutils-6.9\po\ga.po(2):# Copyright (C) 2003 Free Software  
Foundation, Inc.  
coreutils\coreutils-6.9\po\ga.po(443):#. TRANSLATORS: Translate "(C)" to the  
copyright symbol  
coreutils\coreutils-6.9\po\ga.po(6380):msgstr "t·an rogha --copyright dulta i 𐀀  
g; bain 𐀀 as --version ina h𐀀t"  
coreutils\coreutils-6.9\po\gl.po(10744):#~ msgid "Copyright (C) 2001 Free  
Software Foundation, Inc."  
coreutils\coreutils-6.9\po\gl.po(10745):#~ msgstr "Copyright (C) 1999 Free  
Software Foundation, Inc."  
coreutils\coreutils-6.9\po\gl.po(12326):#~ "-C, --copyrightdisplay Copyright and  
copying "  
coreutils\coreutils-6.9\po\gl.po(12360):#~ "-C, --copyrightamosa-lo Copyright e  
as condici𐀀s de "  
coreutils\coreutils-6.9\po\gl.po(2):# Copyright (C) 2000, 2001, 2002 Free  
Software Foundation, Inc.  
coreutils\coreutils-6.9\po\gl.po(448):#. TRANSLATORS: Translate "(C)" to the  
copyright symbol  
coreutils\coreutils-6.9\po\gl.po(5836):"-C, --copyright amosa-lo Copyright e as  
condici𐀀s de copia\n"  
coreutils\coreutils-6.9\po\hu.po(2):# Copyright (C) 2002, 2005, 2006, 2007 Free  
Software Foundation, Inc.  
coreutils\coreutils-6.9\po\hu.po(442):#. TRANSLATORS: Translate "(C)" to the  
copyright symbol  
coreutils\coreutils-6.9\po\hu.po(6544):"a --copyright kapcsol̄ elavult,  
haszn̄ ld helyette a --version kapcsol̄t"  
coreutils\coreutils-6.9\po\it.po(2):# Copyright (C) 1997, 1998, 1999 Free  
Software Foundation, Inc.  
coreutils\coreutils-6.9\po\it.po(486):#. TRANSLATORS: Translate "(C)" to the  
copyright symbol  
coreutils\coreutils-6.9\po\ja.po(10406):#~ msgid "Copyright (C) 2001 Free
```

legal(ME)

Software Foundation, Inc."
coreutils\coreutils-6.9\po\ja.po(10407):#~ msgstr "Copyright (C) 2001 Free Software Foundation, Inc."
coreutils\coreutils-6.9\po\ja.po(2):# Copyright (C) 2000, 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\ja.po(455):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\ja.po(6074):"-C, --copyright 元 録「ネ・ウ・ヤ。シ、ヒ工リ、ケ、・ 入シイ\n"
coreutils\coreutils-6.9\po\ko.po(10042):#~ msgid "Copyright (C) 2001 Free Software Foundation, Inc."
coreutils\coreutils-6.9\po\ko.po(2):# Copyright (C) 1996, 2001, 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\ko.po(451):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\Makefile.in.in(133):--copyright-holder='\$(COPYRIGHT HOLDER)' \
coreutils\coreutils-6.9\po\Makefile.in.in(4):# Copyright (C) 1995-1997, 2000-2006 by Ulrich Drepper <drepper@gnu.ai.mit.edu>
coreutils\coreutils-6.9\po\Makevars(26):# \$(DOMAIN).pot file.Set this to the copyright holder of the surrounding
coreutils\coreutils-6.9\po\Makevars(28):# sources, belong to the copyright holder of the package.)Translators are
coreutils\coreutils-6.9\po\Makevars(29):# expected to transfer the copyright for their translations to this person
coreutils\coreutils-6.9\po\Makevars(30):# or entity, or to disclaim their copyright.The empty string stands for
coreutils\coreutils-6.9\po\Makevars(32):# their copyright.
coreutils\coreutils-6.9\po\Makevars(33):COPYRIGHT HOLDER = Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\ms.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\ms.po(449):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\nb.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\nb.po(455):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\nb.po(5431):"-C, --copyrightvis Copyright og kopieringsbetingelser\n"
coreutils\coreutils-6.9\po\nl.po(3):# Copyright (C) 1996, 2000, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\nl.po(440):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\nl.po(6511):msgstr "de --copyright optie is verouderd gebruik --version in plaats daarvan"
coreutils\coreutils-6.9\po\no.po(11559):#~ "-C, --copyrightdisplay Copyright and copying "
coreutils\coreutils-6.9\po\no.po(11592):#~ "-C, --copyrightvis Copyright og kopieringsbetingelser\n"
coreutils\coreutils-6.9\po\no.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\po\no.po(453):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\pl.po(2):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\pl.po(445):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\pl.po(6450):msgstr "opcja --copyright jest przestarzała; używaj --version"
coreutils\coreutils-6.9\po\POTFILES.in(2):# Copyright (C) 1996-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\pt.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\pt.po(452):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\pt_BR.po(2):# Copyright (C) 1998 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\pt_BR.po(468):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\ru.po(2):# Copyright (C) 1999, 2000, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\ru.po(439):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\rw.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\rw.po(483):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\sk.po(10254):#~ msgid "Copyright (C) 2001 Free Software Foundation, Inc."
coreutils\coreutils-6.9\po\sk.po(10255):#~ msgstr "Copyright (C) 2001 Free Software Foundation, Inc."
coreutils\coreutils-6.9\po\sk.po(11976):#~ "-C, --copyrightdisplay Copyright and copying "
coreutils\coreutils-6.9\po\sk.po(12010):#~ "-C, --copyrightvypře autorskopráva a podmeinky "
coreutils\coreutils-6.9\po\sk.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\sk.po(455):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\sl.po(2):# Copyright (C) 1996, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\sl.po(451):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\sl.po(6450):msgstr "izbira --copyright je odsvetovana; namesto nje uporabite --version"
coreutils\coreutils-6.9\po\sv.po(2):# Copyright © 1997, 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\sv.po(440):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\sv.po(6321):msgstr "flaggan --copyright undanbedes; använd --version istället"
coreutils\coreutils-6.9\po\tr.po(2):# Copyright (C) 2003, 2005 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\po\tr.po(463):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\tr.po(6400):" -C, --copyright Kopyalama hakkı bilgilerine ve 大斂rtları7nı7\n"
coreutils\coreutils-6.9\po\zh_CN.po(2):# Copyright (C) 1998, 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\zh_CN.po(450):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\po\zh_TW.po(2):# Copyright (C) 1998, 2002, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\po\zh_TW.po(458):#. TRANSLATORS: Translate "(C)" to the copyright symbol
coreutils\coreutils-6.9\README(213):Copyright (C) 1998, 2002, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\src\base64.c(2): Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\basename.c(2): Copyright (C) 1990-1997, 1999-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\cat.c(2): Copyright (C) 88, 90, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\chgrp.c(2): Copyright (C) 89, 90, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\chmod.c(2): Copyright (C) 89, 90, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\chown.c(2): Copyright (C) 89, 90, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\chown-core.c(2): Copyright (C) 2000, 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation.
coreutils\coreutils-6.9\src\chown-core.h(3): Copyright (C) 2000, 2003, 2004 Free Software Foundation.
coreutils\coreutils-6.9\src\chroot.c(2): Copyright (C) 95, 96, 1997, 1999-2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\cksum.c(2): Copyright (C) 92, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\comm.c(2): Copyright (C) 86, 90, 91, 1995-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\copy.c(2): Copyright (C) 89, 90, 91, 1995-2007 Free Software Foundation.
coreutils\coreutils-6.9\src\copy.h(2): Copyright (C) 89, 90, 91, 1995-2005 Free Software Foundation.
coreutils\coreutils-6.9\src\cp.c(2): Copyright (C) 89, 90, 91, 1995-2007 Free Software Foundation.
coreutils\coreutils-6.9\src\cp-hash.c(2): Copyright (C) 89, 90, 91, 1995-2005 Free Software Foundation.
coreutils\coreutils-6.9\src\csplit.c(2): Copyright (C) 91, 1995-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\cut.c(2): Copyright (C) 1997-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\cut.c(3): Copyright (C) 1984 David M. Ichnat
coreutils\coreutils-6.9\src\date.c(2): Copyright (C) 1989-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\dcgen(4):# Copyright (C) 1996, 1998, 2004, 2005, 2006

legal(ME)

Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\dd.c(2): Copyright (C) 85, 90, 91, 1995-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\df.c(2): Copyright (C) 91, 1995-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\dircolors.c(2): Copyright (C) 1996-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\dircolors.c(3): Copyright (C) 1994, 1995, 1997, 1998, 1999, 2000 H. Peter Anvin
coreutils\coreutils-6.9\src\dircolors.hin(4):# Copyright (C) 1996, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006
coreutils\coreutils-6.9\src\dircolors.hin(7):# are permitted provided the copyright notice and this notice are preserved.
coreutils\coreutils-6.9\src\dirname.c(3): Copyright (C) 1990-1997, 1999-2002, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\src\du.c(2): Copyright (C) 1988-1991, 1995-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\echo.c(2): Copyright (C) 87,89, 1991-1997, 1999-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\env.c(2): Copyright (C) 1986, 1991-2005, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\expand.c(2): Copyright (C) 89, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\expr.c(2): Copyright (C) 86, 1991-1997, 1999-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\extract-magic(4):# Copyright (C) 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\factor.c(2): Copyright (C) 86, 1995-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\fmt.c(2): Copyright (C) 1994-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\fold.c(2): Copyright (C) 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\groups.sh(3):# Copyright (C) 1991, 1997, 2000, 2002, 2004-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\groups.sh(35):Copyright (C) @RELEASE_YEAR@ Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\head.c(2): Copyright (C) 89, 90, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\hostid.c(3): Copyright (C) 1997, 1999, 2000, 2001, 2002, 2003, 2004 Free
coreutils\coreutils-6.9\src\hostname.c(2): Copyright (C) 1994-1997, 1999-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\id.c(2): Copyright (C) 1989-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\install.c(2): Copyright (C) 89, 90, 91, 1995-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\join.c(2): Copyright (C) 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\kill.c(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\link.c(2): Copyright (C) 2001, 2002, 2004 Free

legal(ME)

Software Foundation, Inc.
coreutils\coreutils-6.9\src\ln.c(2): Copyright (C) 1986, 1989-1991, 1995-2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\logname.c(2): Copyright (C) 1990-1997, 1999-2005 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\ls.c(2): Copyright (C) 85, 88, 90, 91, 1995-2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\Makefile.am(120):`sed -n '/.*COPYRIGHT_YEAR =
\([0-9][0-9][0-9][0-9]\) ');/s//\1/p' \
coreutils\coreutils-6.9\src\Makefile.am(3):## Copyright (C) 1990, 1991, 1993-2007
Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\Makefile.in(1078):`sed -n '/.*COPYRIGHT_YEAR =
\([0-9][0-9][0-9][0-9]\) ');/s//\1/p' \
coreutils\coreutils-6.9\src\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\src\md5sum.c(2): Copyright (C) 1995-2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\src\mkdir.c(2): Copyright (C) 90, 1995-2002, 2004, 2005,
2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\mkfifo.c(2): Copyright (C) 90, 91, 1995-2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\mknod.c(2): Copyright (C) 90, 91, 1995-2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\mv.c(2): Copyright (C) 86, 89, 90, 91, 1995-2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\nice.c(2): Copyright (C) 1990-2005 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\src\nl.c(2): Copyright (C) 89, 92, 1995-2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\nohup.c(2): Copyright (C) 2003, 2004, 2005 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\od.c(2): Copyright (C) 92, 1995-2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\src\paste.c(2): Copyright (C) 1997-2005 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\src\paste.c(3): Copyright (C) 1984 David M. Ichnat
coreutils\coreutils-6.9\src\pathchk.c(2): Copyright (C) 1991-2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\src\pinky.c(2): Copyright (C) 1992-1997, 1999-2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\pr.c(2): Copyright (C) 88, 91, 1995-2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\src\printenv.c(2): Copyright (C) 1989-1997, 1999-2005
Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\printf.c(2): Copyright (C) 1990-2007 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\src\ptx.c(2): Copyright (C) 1990, 1991, 1993, 1998-2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\ptx.c(2090):the --copyright option is deprecated; use
--version instead"));
coreutils\coreutils-6.9\src\rmdir.c(2): Copyright (C) 1994-1997, 1999-2006 Free
Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\src\readlink.c(2): Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\remove.c(2): Copyright (C) 88, 90, 91, 1994-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\remove.h(3): Copyright (C) 1998, 2000, 2002, 2003, 2004, 2005, 2006, 2007 Free
coreutils\coreutils-6.9\src\rm.c(2): Copyright (C) 88, 90, 91, 1994-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\rmdir.c(3): Copyright (C) 90, 91, 1995-2002, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\src\seq.c(2): Copyright (C) 1994-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\setuidgid.c(2): Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\shred.c(3): Copyright (C) 1999-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\shred.c(4): Copyright (C) 1997, 1998, 1999 Colin Plumb.
coreutils\coreutils-6.9\src\shred.c(69): * Bob Jenkins, for his good RNG work and patience with the FSF copyright
coreutils\coreutils-6.9\src\shuf.c(3): Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\sleep.c(2): Copyright (C) 84, 1991-1997, 1999-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\sort.c(2): Copyright (C) 1988, 1991-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\split.c(2): Copyright (C) 1988, 1991, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\stat.c(2): Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation.
coreutils\coreutils-6.9\src\stty.c(2): Copyright (C) 1990-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\su.c(2): Copyright (C) 1992-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\sum.c(2): Copyright (C) 86, 89, 91, 1995-2002, 2004, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\sync.c(2): Copyright (C) 1994-2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\system.h(2): Copyright (C) 1989, 1991-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\tac.c(2): Copyright (C) 1988-1991, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\tac-pipe.c(3): Copyright (C) 1997, 1998, 2002, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\tail.c(2): Copyright (C) 1989, 90, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\tee.c(2): Copyright (C) 85, 1990-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\test.c(5): /* Copyright (C) 1987-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\touch.c(2): Copyright (C) 87, 1989-1991, 1995-2005 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\src\tr.c(2): Copyright (C) 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src>true.c(2): Copyright (C) 1999-2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\tsort.c(2): Copyright (C) 1998-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\tty.c(2): Copyright (C) 1990-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\uname.c(3): Copyright (C) 1989, 1992, 1993, 1996, 1997, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\src\unexpand.c(2): Copyright (C) 89, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\uniq.c(2): Copyright (C) 86, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\unlink.c(2): Copyright (C) 2001, 2002, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\uptime.c(2): Copyright (C) 1992-2002, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\users.c(2): Copyright (C) 1992-2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\wc.c(2): Copyright (C) 85, 91, 1995-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\wheel-gen.pl(4):# Copyright (C) 2001, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\who.c(2): Copyright (C) 1992-2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\src\whoami.c(3): Copyright (C) 89,90, 1991-1997, 1999-2002, 2004, 2005 Free Software
coreutils\coreutils-6.9\src\yes.c(2): Copyright (C) 1991-1997, 1999-2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\acl(3):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chgrp\basic(4):# Copyright (C) 2000-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chgrp\default-no-deref(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chgrp\deref(4):# Copyright (C) 2000, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chgrp\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\chgrp\no-x(5):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chgrp\posix-H(4):# Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chgrp\recurse(4):# Copyright (C) 2000, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chmod\c-option(4):# Copyright (C) 2000, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chmod>equals(6):# Copyright (C) 2001, 2002, 2004, 2005, 2006 Free Software Foundation,
coreutils\coreutils-6.9\tests\chmod\equal-x(4):# Copyright (C) 1999, 2000, 2002, 2004, 2005, 2006 Free Software Foundation,

legal(ME)

coreutils\coreutils-6.9\tests\chmod\inaccessible(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chmod\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\chmod\no-x(5):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chmod\octal(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chmod\setgid(5):# Copyright (C) 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chmod\umask-x(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chmod\usage(4):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chown\basic(4):# Copyright (C) 2001, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chown\deref(5):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chown\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\chown\preserve-root(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\chown\separator(4):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\Coreutils.pm(4):# Copyright (C) 1998, 2000, 2001, 2002, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\tests\cp\acl(5):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\backup-1(4):# Copyright (C) 1997, 1999, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\backup-dir(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\backup-is-src(4):# Copyright (C) 1998, 1999, 2000, 2002, 2004, 2006 Free Software Foundation,
coreutils\coreutils-6.9\tests\cp\cp-deref(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\cp-HL(4):# Copyright (C) 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\cp-i(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\cp-mv-backup(4):# Copyright (C) 1999, 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\cp-parents(5):# Copyright (C) 2000, 2002, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\tests\cp\deref-slink(5):# Copyright (C) 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\dir-rm-dest(4):# Copyright (C) 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\dir-slash(5):# Copyright (C) 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\dir-vs-file(4):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\cp\fail-perm(3):# Copyright (C) 2000, 2002, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\tests\cp\file-perm-race(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\into-self(4):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\link(5):# Copyright (C) 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\link-no-deref(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\link-preserve(5):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\Makefile.am(3):# Copyright (C) 1997-2001, 2003, 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\Makefile.in(19):# Copyright (C) 1997-2001, 2003, 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\cp\no-deref-link1(5):# Copyright (C) 1997, 1999, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\no-deref-link2(5):# Copyright (C) 1997, 1999, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\no-deref-link3(5):# Copyright (C) 1997, 1999, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\parent-perm-race(4):# Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\perm(4):# Copyright (C) 2000, 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\preserve-2(4):# Copyright (C) 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\r-vs-symlink(4):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\same-file(5):# Copyright (C) 1998, 1999, 2000, 2002, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\cp\slink-2-slink(5):# Copyright (C) 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\sparse(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\special-bits(5):# Copyright (C) 2000, 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\src-base-dot(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cp\symlink-slash(5):# Copyright (C) 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\cut\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\cut\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\cut\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\cut\Test.pm(3):# Copyright (C) 1996, 1997, 1998, 1999, 2003, 2004 Free Software

legal(ME)

coreutils\coreutils-6.9\tests\dd\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\dd\misc(5):# Copyright (C) 1999, 2004, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\dd\not-rewound(5):# Copyright (C) 2000, 2004, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\dd\skip-seek(5):# Copyright (C) 2000, 2001, 2003,
2004, 2005 Free Software Foundation,
coreutils\coreutils-6.9\tests\dd\skip-seek2(5):# Copyright (C) 2000, 2004, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\dd\unblock-sync(4):# Copyright (C) 2003, 2005, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\dircolors\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\dircolors\simple(4):# Copyright (C) 1998, 2003,
2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\2g(6):# Copyright (C) 2005, 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\tests\du\8gb(5):# Copyright (C) 2003, 2005, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\basic(4):# Copyright (C) 2003, 2006-2007 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\deref(5):# Copyright (C) 2002, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\deref-args(5):# Copyright (C) 2003, 2004, 2005,
2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\exclude(4):# Copyright (C) 2003, 2004, 2005,
2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\fd-leak(4):# Copyright (C) 2003, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\files0-from(5):# Copyright (C) 2004, 2005 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\hard-link(6):# Copyright (C) 2003, 2006 Free
Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\inacc-dest(5):# Copyright (C) 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\tests\du\inaccessible-cwd(5):# Copyright (C) 2003, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\long-from-unreadable(4):# Copyright (C) 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\long-sloop(6):# Copyright (C) 2006 Free Software
Foundation, Inc.
coreutils\coreutils-6.9\tests\du\Makefile.am(3):# Copyright (C) 2000, 2002-2007
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\Makefile.in(19):# Copyright (C) 2000, 2002-2007
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\du\no-deref(4):# Copyright (C) 2003, 2004, 2006
Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\no-x(5):# Copyright (C) 2003, 2006 Free Software
Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\du\one-file-system(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\restore-wd(5):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\slash(4):# Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\slink(4):# Copyright (C) 2002-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\trailing-slash(5):# Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\du\two-args(5):# Copyright (C) 2000, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\envvar-check(4):# Copyright (C) 2000, 2001, 2003, 2004, 2006 Free Software Foundation,
coreutils\coreutils-6.9\tests\expensive(3):# Copyright (C) 2000, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\expr\basic(5):# Copyright (C) 2001, 2003, 2004, 2005, 2006 Free Software Foundation,
coreutils\coreutils-6.9\tests\expr\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\factor\basic(5):# Copyright (C) 1998, 1999, 2000, 2003, 2004, 2005 Free Software
coreutils\coreutils-6.9\tests\factor\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\fmt\basic(5):# Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007 Free Software
coreutils\coreutils-6.9\tests\fmt\long-line(4):# Copyright (C) 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\fmt\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\group-names(5):# Copyright (C) 2000, 2004, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\head\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\head\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\head\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\head\Test.pm(3):# Copyright (C) 1997, 1998, 1999, 2000, 2002, 2003, 2005 Free Software
coreutils\coreutils-6.9\tests\help-version(5):# Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\tests\install\basic-1(4):# Copyright (C) 1998, 2000-2002, 2004-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\install\create-leading(4):# Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\install\d-slashdot(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\install\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\install\ttrap(5):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\join\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\join\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\join\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\join\Test.pm(3):# Copyright (C) 1996, 1999, 2000, 2003, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ln\backup-1(5):# Copyright (C) 1999 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ln\hard-backup(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ln\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\ln\misc(4):# Copyright (C) 1998, 1999, 2000, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ln\sf-1(4):# Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ln\target-1(4):# Copyright (C) 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\color-dtype-dir(7):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\dangle(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\dired(4):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\file-type(4):# Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\follow-slink(4):# Copyright (C) 2000, 2002, 2004, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\infloop(5):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\inode(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\Makefile.am(3):# Copyright (C) 1997-2003, 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\Makefile.in(19):# Copyright (C) 1997-2003, 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\ls\m-option(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\nameless-uid(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\no-arg(4):# Copyright (C) 2001, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\recursive(5):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\rt-1(4):# Copyright (C) 1998, 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\stat-dtype(6):# Copyright (C) 2006 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\ls\stat-failed(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\stat-vs-dirent(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\symlink-slash(4):# Copyright (C) 1999, 2000, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\ls\time-1(4):# Copyright (C) 1998, 1999, 2000, 2001, 2004 Free Software Foundation,
coreutils\coreutils-6.9\tests\ls-2\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\ls-2\tests(4):# Copyright (C) 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\tests\Makefile.am.in(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\md5sum\basic-1(4):# Copyright (C) 1998, 1999, 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\md5sum\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\md5sum\newline-1(4):# Copyright (C) 1999, 2000, 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\base64(5):# Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\basename(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\cat-proc(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\close-stdout(5):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\csplit(4):# Copyright (C) 2001, 2002, 2003, 2004, 2005 2006 Free Software
coreutils\coreutils-6.9\tests\misc\cut(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\date(4):# Copyright (C) 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\date-sec(6):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\df(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\df-P(4):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\dirname(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\expand(5):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc>false-status(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\fold(5):# Copyright (C) 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\head-c(4):# Copyright (C) 2001, 2004, 2006 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\misc\head-elide-tail(5):# Copyright (C) 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\head-pos(5):# Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\Makefile.am(3):# Copyright (C) 200-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\Makefile.in(19):# Copyright (C) 200-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\misc\mknod(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\nice(4):# Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\nl(4):# Copyright (C) 2002, 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\nohup(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\paste-no-nl(5):# Copyright (C) 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\pathchk1(4):# Copyright (C) 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\pr(5):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\printf(4):# Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\printf-hex(4):# Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\pwd-long(4):# Copyright (C) 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\pwd-unreadable-parent(6):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\sha224sum(4):# Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\sha256sum(4):# Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\sha384sum(4):# Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\sha512sum(4):# Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\shuf(4):# Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\sort-compress(4):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\sort-merge(4):# Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\sort-rand(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\split-a(4):# Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\split-fail(4):# Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\misc\split-1(4):# Copyright (C) 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\stat-fmt(4):# Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\stat-printf(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\tac-continue(6):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\test-diag(4):# Copyright (C) 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\tty-eof(5):# Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\wc-files0(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\misc\wc-files0-from(6):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\mkdir\p-1(4):# Copyright (C) 1997, 2000, 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\p-2(4):# Copyright (C) 1997, 2000, 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\p-3(6):# Copyright (C) 2005-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\parents(4):# Copyright (C) 2000, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\perm(5):# Copyright (C) 2000, 2002, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\tests\mkdir\p-slashdot(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\p-thru-slink(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\p-v(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\special-1(4):# Copyright (C) 2000, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mkdir\t-slash(5):# Copyright (C) 2000, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mk-script(5):# Copyright (C) 1998, 2000, 2001, 2002, 2003, 2005 Free Software
coreutils\coreutils-6.9\tests\mv\acl(5):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\atomic(4):# Copyright (C) 2006, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\backup-dir(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\backup-is-src(4):# Copyright (C) 1998, 1999, 2000, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\childproof(5):# Copyright (C) 2001, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\diag(4):# Copyright (C) 2000, 2004, 2006 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\mv\dir2dir(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\dir-file(4):# Copyright (C) 2000, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\dup-source(7):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\force(4):# Copyright (C) 1999, 2000, 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\hard-2(5):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\hard-3(5):# Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\hard-4(4):# Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\hard-link-1(5):# Copyright (C) 1998, 1999, 2000, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\hard-verbose(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\i-1(4):# Copyright (C) 2001, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\i-2(5):# Copyright (C) 2000, 2001, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\i-4(4):# Copyright (C) 2001, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\i-5(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\i-link-no(4):# Copyright (C) 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\into-self(4):# Copyright (C) 1998, 1999, 2000, 2002 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\into-self-2(6):# Copyright (C) 1998, 1999, 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\into-self-3(4):# Copyright (C) 1998, 1999, 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\into-self-4(5):# Copyright (C) 2001, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\leak-fd(5):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\Makefile.am(3):# Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007
coreutils\coreutils-6.9\tests\mv\Makefile.in(19):# Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007
coreutils\coreutils-6.9\tests\mv\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\mv\mv-special-1(4):# Copyright (C) 1998, 1999, 2000, 2002, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\tests\mv\no-target-dir(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\part-fail(7):# Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\part-hardlink(7):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\mv\partition-perm(4):# Copyright (C) 1999, 2000, 2001, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\part-rename(6):# Copyright (C) 2000, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\part-symlink(5):# Copyright (C) 2000, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\perm-1(5):# Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\reply-no(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\to-symlink(5):# Copyright (C) 1999, 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\trailing-slash(7):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\update(4):# Copyright (C) 2001, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\mv\vfat(5):# Copyright (C) 2003 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\od\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\od\od-N(4):# Copyright (C) 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\od\x8(5):# Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\other-fs-tmpdir(7):# Copyright (C) 1998, 1999, 2001, 2002, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\pr\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\pr\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\pr\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\pr\Test.pm(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2004, 2005
coreutils\coreutils-6.9\tests\priv-check(5):# Copyright (C) 2001, 2003, 2004 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\readlink\can-e(4):# Copyright (C) 2004, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\readlink\can-f(4):# Copyright (C) 2004, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\readlink\can-m(4):# Copyright (C) 2004, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\readlink\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\readlink\r1-1(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\cycle(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\dangling-symlink(7):# Copyright (C) 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\deep-1(4):# Copyright (C) 1997, 2002, 2003, 2004, 2006 Free Software Foundation,

legal(ME)

coreutils\coreutils-6.9\tests\rm\dir-nonrecur(5):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\dir-no-w(5):# Copyright (C) 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\dot-rel(5):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\empty-inacc(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\f-1(4):# Copyright (C) 1997, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\fail-2eperm(5):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\fail-eaccess(4):# Copyright (C) 2006-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\fail-eperm(6):# Copyright (C) 2002, 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\hash(6):# Copyright (C) 2000, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\i-1(4):# Copyright (C) 1997, 1998, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\ignorable(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\inaccessible(5):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\i-never(5):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\i-no-r(6):# Copyright (C) 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\interactive-always(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\interactive-once(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\ir-1(4):# Copyright (C) 1997, 1998, 2002, 2004, 2006 Free Software Foundation,
coreutils\coreutils-6.9\tests\rm\isatty(4):# Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006 Free Software Foundation,
coreutils\coreutils-6.9\tests\rm\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007
coreutils\coreutils-6.9\tests\rm\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007
coreutils\coreutils-6.9\tests\rm\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\rm\no-give-up(5):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\one-file-system(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\r-1(4):# Copyright (C) 1997, 1998, 2000, 2002, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\rm\r-2(4):# Copyright (C) 1997, 1998, 2000, 2002, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\rm\r-3(4):# Copyright (C) 1997, 2001, 2002, 2003, 2004, 2006 Free Software Foundation,

legal(ME)

coreutils\coreutils-6.9\tests\rm\r-4(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\readdir-bug(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\rm1(4):# Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\rm2(4):# Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation,
coreutils\coreutils-6.9\tests\rm\rm3(4):# Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\rm4(4):# Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\rm5(4):# Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\sunos-1(4):# Copyright (C) 1997, 1998, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\unread2(4):# Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rm\unread3(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rmdir\fail-perm(5):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rmdir\ignore(4):# Copyright (C) 1999 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rmdir\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\rmdir\t-slash(4):# Copyright (C) 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\rwx-to-mode(6):# Copyright (C) 2000, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\sample-test(4):# Copyright (C) 2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\seq\basic(5):# Copyright (C) 1999, 2000, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\seq\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\setgid-check(5):# Copyright (C) 2000, 2002, 2004, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\sha1sum\basic-1(4):# Copyright (C) 2000, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\sha1sum\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\sha1sum\sample-vec(4):# Copyright (C) 2000, 2001, 2003, 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\shred\exact(4):# Copyright (C) 2000, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\shred\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\shred\remove(4):# Copyright (C) 1999, 2000, 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\sort\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software

legal(ME)

coreutils\coreutils-6.9\tests\sort\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\sort\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\sort\Test.pm(4):# Copyright (C) 1996, 1997, 1998, 1999, 2001, 2002, 2003, 2004, 2005,
coreutils\coreutils-6.9\tests\sparse-file(4):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\stty\basic-1(4):# Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2006 Free
coreutils\coreutils-6.9\tests\stty\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\stty\row-col-1(4):# Copyright (C) 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\tests\sum\basic-1(4):# Copyright (C) 2000, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\sum\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\sum\sysv(4):# Copyright (C) 2001, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tac\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\tac\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\tac\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\tac\Test.pm(3):# Copyright (C) 1997, 1998 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tail\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\tail\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\tail\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\tail\Test.pm(3):# Copyright (C) 1997, 1998, 2002, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\tests\tail-2\append-only(5):# Copyright (C) 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tail-2\assert(4):# Copyright (C) 1999, 2000, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tail-2\assert-2(6):# Copyright (C) 2000, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tail-2\big-4gb(5):# Copyright (C) 2002, 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tail-2\Makefile.am(3):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2006 Free Software
coreutils\coreutils-6.9\tests\tail-2\Makefile.in(19):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2006 Free Software
coreutils\coreutils-6.9\tests\tail-2\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\tail-2\proc-ksyms(4):# Copyright (C) 2001, 2004, 2006 Free Software Foundation, Inc.

legal(ME)

coreutils\coreutils-6.9\tests\tail-2\start-middle(5):# Copyright (C) 2001, 2002, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tail-2\tail-n0f(5):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tee\basic(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tee\dash(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tee\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\test\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\test\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\test\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\test\Test.pm(3):# Copyright (C) 1998, 2003, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\dangling-symlink(5):# Copyright (C) 1999, 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\empty-file(4):# Copyright (C) 1998, 1999, 2000, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\fail-diag(4):# Copyright (C) 2001, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\fifo(4):# Copyright (C) 2000 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\Makefile.am(3):# Copyright (C) 1998-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\Makefile.in(19):# Copyright (C) 1998-2007 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\touch\no-create-missing(4):# Copyright (C) 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\no-rights(5):# Copyright (C) 1999, 2000, 2002, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\not-owner(5):# Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\obsolescent(4):# Copyright (C) 2000, 2004, 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\read-only(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\touch\relative(5):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\tr\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\tr\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\tr\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\tr\Test.pm(3):# Copyright (C) 1996, 1997, 2000, 2002, 2004, 2005, 2006 Free Software

legal(ME)

coreutils\coreutils-6.9\tests\tsort\basic-1(5):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006 Free Software
coreutils\coreutils-6.9\tests\tsort\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\umask-check(4):# Copyright (C) 2005 Free Software Foundation, Inc.
coreutils\coreutils-6.9\tests\unexpand\basic-1(4):# Copyright (C) 2000, 2003, 2004, 2005, 2006 Free Software Foundation,
coreutils\coreutils-6.9\tests\unexpand\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\uniq\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\uniq\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\uniq\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\uniq\Test.pm(3):# Copyright (C) 1998, 1999, 2001, 2002, 2003, 2004, 2005, 2006 Free
coreutils\coreutils-6.9\tests\wc\Makefile.am(3):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\wc\Makefile.in(19):# Copyright (C) 1997, 1998, 2000, 2003, 2004, 2006 Free Software
coreutils\coreutils-6.9\tests\wc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
coreutils\coreutils-6.9\tests\wc\Test.pm(3):# Copyright (C) 1997, 2003, 2006 Free Software Foundation, Inc.
coreutils\coreutils-6.9\TODO(132):Pending copyright papers:
coreutils\coreutils-6.9\TODO(183):Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation,
coreutils\NOTICE.txt(213):Copyright (C) 1998, 2002, 2003, 2004, 2005, 2006 Free Software
curl\curl-7.30.0\curl-7.30.0\acinclude.m4(8):# Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(119):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005, 2006, 2008
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(153):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2009,
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(23):# Copyright (C) 2002, 2003, 2005, 2006, 2007, 2008, 2011 Free Software
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(341):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2008
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(421):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(558):# Copyright (C) 2001, 2003, 2005, 2008, 2011 Free Software Foundation,
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(582):# Copyright (C) 2003, 2005 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(606):# Copyright (C) 1996, 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2008,
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(64):# Copyright (C) 2001, 2003, 2005,

legal(ME)

2011 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(645):# Copyright (C) 2001, 2002, 2003, 2005, 2009 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(695):# Copyright (C) 1999, 2000, 2001, 2003, 2004, 2005, 2008
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(732):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005, 2008
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(773):# Copyright (C) 2003, 2004, 2005, 2006, 2011 Free Software Foundation,
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(804):# Copyright (C) 2001, 2002, 2003, 2005, 2008, 2010 Free Software
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(838):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005, 2008
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(901):# Copyright (C) 2001, 2003, 2005, 2011 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(931):# Copyright (C) 2006, 2008, 2010 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\aclocal.m4(952):# Copyright (C) 2004, 2005, 2012 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\buildconf(9):# Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\CHANGES(2468):- COPYING: Updated copyright year to include 2013
curl\curl-7.30.0\curl-7.30.0\CHANGES(2608):- updated copyright years.
curl\curl-7.30.0\curl-7.30.0\CHANGES(2610):- configure: update the copyright years for the output.
curl\curl-7.30.0\curl-7.30.0\CHANGES(330):- Updated copyright date.
curl\curl-7.30.0\curl-7.30.0\CHANGES(5148):- configure: update the copyright years for the output
curl\curl-7.30.0\curl-7.30.0\CHANGES(5718):- Added project copyright header.
curl\curl-7.30.0\curl-7.30.0\CMake\CurlTests.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\compile(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2009, 2010, 2012 Free
curl\curl-7.30.0\curl-7.30.0\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
curl\curl-7.30.0\curl-7.30.0\config.guess(57):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
curl\curl-7.30.0\curl-7.30.0\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
curl\curl-7.30.0\curl-7.30.0\config.sub(76):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
curl\curl-7.30.0\curl-7.30.0\configure(14):# Copyright (c) 1998 - 2013 Daniel Stenberg, <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\configure(2031):Copyright (C) 2012 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\configure(2035):Copyright (c) 1998 - 2013 Daniel Stenberg, <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\configure(39892):Copyright (C) 2012 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\configure(41042):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

legal(ME)

curl\curl-7.30.0\curl-7.30.0\configure(8):# Copyright (C) 1992-1996, 1998-2012 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\configure.ac(33):dnl configure script copyright
curl\curl-7.30.0\curl-7.30.0\configure.ac(34):AC_COPYRIGHT([Copyright (c) 1998 - 2013 Daniel Stenberg, <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\configure.ac(8):# Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\COPYING(19):Except as contained in this notice, the name of a copyright holder shall not
curl\curl-7.30.0\curl-7.30.0\COPYING(21):in this Software without prior written authorization of the copyright holder.
curl\curl-7.30.0\curl-7.30.0\COPYING(3):Copyright (c) 1996 - 2013, Daniel Stenberg, <daniel@haxx.se>.
curl\curl-7.30.0\curl-7.30.0\curl-config.in(9):# Copyright (C) 2001 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009, 2010,
curl\curl-7.30.0\curl-7.30.0\docs\CONTRIBUTE(68): When changing existing source code, you do not alter the copyright of the
curl\curl-7.30.0\curl-7.30.0\docs\CONTRIBUTE(69): original file(s). The copyright will still be owned by the original
curl\curl-7.30.0\curl-7.30.0\docs\CONTRIBUTE(70): creator(s) or those who have been assigned copyright by the original
curl\curl-7.30.0\curl-7.30.0\docs\curl.1(8):.\" * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\curl-config.1(8):.\" * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\DISTRO-DILEMMA(165): [1] = <http://www.xfree86.org/3.3.6/COPYRIGHT2.html#6>
curl\curl-7.30.0\curl-7.30.0\docs\DISTRO-DILEMMA(168): [4] = <http://curl.haxx.se/docs/copyright.html>
curl\curl-7.30.0\curl-7.30.0\docs\examples\10-at-a-time.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\anyauthput.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\asiohiper.cpp(8): * Copyright (C) 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\cacertinmem.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\certinfo.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\chkspeed.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\cookie_interface.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\curlgtk.c(9):/* Copyright (c) 2000 David Odin (aka DindinX) for MandrakeSoft */
curl\curl-7.30.0\curl-7.30.0\docs\examples\curlx.c(15): * Copyright (c) 2003 The OpenEvidence Project.All rights reserved.
curl\curl-7.30.0\curl-7.30.0\docs\examples\debug.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\evhiperfifo.c(8): * Copyright (C) 1998

legal(ME)

- 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\externalsocket.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\fileupload.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\fopen.c(16): * Copyright (c) 2003 Simtec Electronics
curl\curl-7.30.0\curl-7.30.0\docs\examples\ftpget.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\ftpgetinfo.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\ftpgetresp.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\ftpsget.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\ftpupload.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\ftpuploadresume.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\ftp-wildcard.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\getinfo.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\getinmemory.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\ghiper.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\hiperfifo.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\href_extractor.c(8): * Copyright (C) 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\htmltidy.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\htmltitle.cpp(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\httpcustomheader.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\http-post.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\httpput.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\https.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\imap.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\Makefile.am(8):# Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\makefile.dj(8):# Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\Makefile.example(8):# Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\Makefile.in(25):# Copyright (C) 1998 -

legal(ME)

2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\docs\examples\Makefile.m32(8):# Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\Makefile.netware(359):@echo
\$(DL)copyright "\$(COPYR)"\$(DL) >> \$@
curl\curl-7.30.0\curl-7.30.0\docs\examples\Makefile.netware(62):COPYR= Copyright
(C) \$(LIBCURL_COPYRIGHT_STR)
curl\curl-7.30.0\curl-7.30.0\docs\examples\multi-app.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\multi-debugcallback.c(8): * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\multi-double.c(8): * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\multi-post.c(8): * Copyright (C) 1998
- 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\multi-single.c(8): * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\multithread.c(8): * Copyright (C) 1998
- 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\multi-uv.c(8): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\opensslthreadlock.c(8): * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\persistant.c(8): * Copyright (C) 1998
- 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\pop3s.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\pop3slist.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\post-callback.c(8): * Copyright (C)
1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\postit2.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\progressfunc.c(8): * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\resolve.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\rtsp.c(2): * Copyright (c) 2011, Jim
Hollinger
curl\curl-7.30.0\curl-7.30.0\docs\examples\sampleconv.c(8): * Copyright (C) 1998
- 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\sendrecv.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\sepheaders.c(8): * Copyright (C) 1998
- 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\sftpget.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\simple.c(8): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\simplepost.c(8): * Copyright (C) 1998

legal(ME)

- 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\simplesmtp.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\simplessl.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\smooth-gtk-thread.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\smtp-multi.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\smtp-tls.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\synctime.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\threaded-ssl.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\url2file.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\examples\version-check.pl(9):# Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\FAQ(1400):the sources, on the condition that the copyright texts in the sources are
curl\curl-7.30.0\curl-7.30.0\docs\FAQ(1417):the COPYING file) which basically says you have to include the copyright
curl\curl-7.30.0\curl-7.30.0\docs\FAQ(1418):notice in "all copies" and that you may not use the copyright holder's name
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_cleanup.3(8):.\" * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_duphandle.3(8):.\" * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_escape.3(8):.\" * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_getinfo.3(8):.\" * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_init.3(8):.\" * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_pause.3(8):.\" * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_perform.3(8):.\" * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_recv.3(8):.\" * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_reset.3(8):.\" * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_send.3(8):.\" * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_setopt.3(8):.\" * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_strerror.3(8):.\" * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_easy_unescape.3(8):.\" * Copyright (C) 1998 - 2008, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_escape.3(8):.\" * Copyright (C)

legal(ME)

1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_formadd.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_formfree.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_formget.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_free.3(8):.\" * Copyright (C) 1998
- 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_getdate.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_getenv.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_global_cleanup.3(8):.\" *
Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_global_init.3(8):.\" * Copyright
(C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_global_init_mem.3(8):.\" *
Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_mprintf.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_add_handle.3(8):.\" *
Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_assign.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_cleanup.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_fdset.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_info_read.3(8):.\" *
Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_init.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_perform.3(8):.\" * Copyright
(C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_remove_handle.3(8):.\" *
Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_setopt.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_socket.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_socket_action.3(8):.\" *
Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_strerror.3(8):.\" *
Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_timeout.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_multi_wait.3(8):.\" * Copyright
(C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_share_cleanup.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_share_init.3(8):.\" * Copyright

legal(ME)

(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_share_setopt.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_share_strerror.3(8):.\" *
Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_slist_append.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_slist_free_all.3(8):.\" *
Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_strequal.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_unescape.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_version.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\curl_version_info.3(8):.\" * Copyright
(C) 1998 - 2009, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\libcurl.3(8):.\" * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\libcurl-easy.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\libcurl-errors.3(8):.\" * Copyright (C)
1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\libcurl-multi.3(8):.\" * Copyright (C)
1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\libcurl-share.3(8):.\" * Copyright (C)
1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\libcurl-tutorial.3(8):.\" * Copyright
(C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\Makefile.am(8):# Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\Makefile.in(25):# Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\docs\libcurl\symbols.pl(9):# Copyright (C) 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\LICENSE-MIXING(21):libcurl
<http://curl.haxx.se/docs/copyright.html>
curl\curl-7.30.0\curl-7.30.0\docs\Makefile.am(8):# Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\Makefile.in(25):# Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\docs\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\docs\mk-ca-bundle.1(8):.\" * Copyright (C) 2008 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\curl.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\curlbuild.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\curlbuild.h.cmake(10): * Copyright (C)

legal(ME)

1998 - 2008, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\curlbuild.h.in(10): * Copyright (C)
1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\curlrules.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\curlver.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\curlver.h(28):/* This is the global
package copyright */
curl\curl-7.30.0\curl-7.30.0\include\curl\curlver.h(29):#define LIBCURL_COPYRIGHT
"1996 - 2013 Daniel Stenberg, <daniel@haxx.se>."
curl\curl-7.30.0\curl-7.30.0\include\curl\easy.h(10): * Copyright (C) 1998 -
2008, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\Makefile.am(8):# Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\Makefile.in(309):# Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\include\curl\mprintf.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\multi.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\stdcheaders.h(10): * Copyright (C) 1998
- 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\curl\typecheck-gcc.h(10): * Copyright (C)
1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\include\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\install-sh(10):# Copyright (C) 1994 X Consortium
curl\curl-7.30.0\curl-7.30.0\lib\amigaos.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\amigaos.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\arpa_telnet.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\asyn.h(10): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\asyn-ares.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\asyn-thread.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\axtls.c(8): * Copyright (C) 2010, DirecTV
curl\curl-7.30.0\curl-7.30.0\lib\axtls.h(10): * Copyright (C) 2010, DirecTV
curl\curl-7.30.0\curl-7.30.0\lib\base64.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\bundles.c(8): * Copyright (C) 2012, Linus
Nielsen Feltzing, <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\lib\bundles.c(9): * Copyright (C) 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\bundles.h(10): * Copyright (C) 2012, Linus
Nielsen Feltzing, <linus@haxx.se>

legal(ME)

```
curl\curl-7.30.0\curl-7.30.0\lib\checksrc.pl(100):my $copyright=0;
curl\curl-7.30.0\curl-7.30.0\lib\checksrc.pl(107):# check for a copyright
statement
curl\curl-7.30.0\curl-7.30.0\lib\checksrc.pl(108):if(!$copyright && ($1 =~
/copyright .* \d\d\d\d/i)) {
curl\curl-7.30.0\curl-7.30.0\lib\checksrc.pl(109):$copyright=1;
curl\curl-7.30.0\curl-7.30.0\lib\checksrc.pl(192):if(!$copyright) {
curl\curl-7.30.0\curl-7.30.0\lib\checksrc.pl(193):checkwarn(1, 0, $file, "",
"Missing copyright statement", 1);
curl\curl-7.30.0\curl-7.30.0\lib\checksrc.pl(9):# Copyright (C) 2011 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-amigaos.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-dos.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-mac.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-os400.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-riscos.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-symbian.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-tpf.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-vxworks.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-win32.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\config-win32ce.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\conncache.c(8): * Copyright (C) 2012, Linus
Nielsen Feltzing, <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\lib\conncache.c(9): * Copyright (C) 2012 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\conncache.h(10): * Copyright (C) 2012, 2013,
Linus Nielsen Feltzing, <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\lib\connect.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\connect.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\content_encoding.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\content_encoding.h(10): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\cookie.c(8): * Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\cookie.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_addrinfo.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_addrinfo.h(10): * Copyright (C) 1998 -
```

legal(ME)

2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_base64.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_darwinssl.c(8): * Copyright (C) 2012-2013,
Nick Zitzmann, <nickzman@gmail.com>.
curl\curl-7.30.0\curl-7.30.0\lib\curl_darwinssl.c(9): * Copyright (C) 2012-2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_darwinssl.h(10): * Copyright (C) 2012, Nick
Zitzmann, <nickzman@gmail.com>.
curl\curl-7.30.0\curl-7.30.0\lib\curl_fnmatch.c(8): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_fnmatch.h(10): * Copyright (C) 1998 - 2009,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_gethostname.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_gethostname.h(10): * Copyright (C) 1998 -
2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_gssapi.c(8): * Copyright (C) 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_gssapi.h(10): * Copyright (C) 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_hmac.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ldap.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_md4.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_md5.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_memory.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_memrchr.c(8): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_memrchr.h(10): * Copyright (C) 1998 - 2009,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_multibyte.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_multibyte.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ntlm.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ntlm.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ntlm_core.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ntlm_core.h(10): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ntlm_msgs.c(8): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ntlm_msgs.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ntlm_wb.c(8): * Copyright (C) 1998 - 2012,

legal(ME)

Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ntlm_wb.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_rand.c(8): * Copyright (C) 1998 - 2009,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_rand.h(10): * Copyright (C) 1998 - 2009,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_rtmp.c(8): * Copyright (C) 2010, Howard
Chu, <hyc@highlandsun.com>
curl\curl-7.30.0\curl-7.30.0\lib\curl_rtmp.h(10): * Copyright (C) 2010, Howard
Chu, <hyc@highlandsun.com>
curl\curl-7.30.0\curl-7.30.0\lib\curl_sasl.c(8): * Copyright (C) 2012 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_sasl.h(10): * Copyright (C) 2012 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_schannel.c(10): * Copyright (C) 2012 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_schannel.c(33): * Copyright (C) 2010, 2011,
Hoi-Ho Chan, <hoiho.chan@gmail.com>
curl\curl-7.30.0\curl-7.30.0\lib\curl_schannel.c(36): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_schannel.c(8): * Copyright (C) 2012 - 2013,
Marc Hoersken, <info@marc-hoersken.de>
curl\curl-7.30.0\curl-7.30.0\lib\curl_schannel.c(9): * Copyright (C) 2012, Mark
Salisbury, <mark.salisbury@hp.com>
curl\curl-7.30.0\curl-7.30.0\lib\curl_schannel.h(10): * Copyright (C) 2012, Marc
Hoersken, <info@marc-hoersken.de>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_schannel.h(11): * Copyright (C) 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_setup.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_setup_once.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ssapi.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_ssapi.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_threads.c(8): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curl_threads.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\curlx.h(10): * Copyright (C) 1998 - 2008, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\cyassl.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\cyassl.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\dict.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\dict.h(10): * Copyright (C) 1998 - 2009, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\easy.c(8): * Copyright (C) 1998 - 2013, Daniel

legal(ME)

Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\easyif.h(10): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\escape.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\escape.h(10): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\file.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\file.h(10): * Copyright (C) 1998 - 2009, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\fileinfo.c(8): * Copyright (C) 2010-2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\fileinfo.h(10): * Copyright (C) 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\firefox-db2pem.sh(9):# * Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\formdata.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\formdata.h(10): * Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\ftp.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\ftp.h(10): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\ftplistparser.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\ftplistparser.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\getenv.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\getinfo.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\getinfo.h(10): * Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\gopher.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\gopher.h(10): * Copyright (C) 1998 - 2009, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\gtls.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\gtls.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hash.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hash.h(10): * Copyright (C) 1998 - 2007, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hmac.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hostasyn.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hostcheck.c(8): * Copyright (C) 1998 - 2012,

legal(ME)

Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hostcheck.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hostip.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hostip.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hostip4.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hostip6.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\hostsyn.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http.c(8): * Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http.h(10): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_chunks.c(8): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_chunks.h(10): * Copyright (C) 1998 - 2007,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_digest.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_digest.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_negotiate.c(8): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_negotiate.h(10): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_negotiate_ssapi.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_proxy.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\http_proxy.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\idn_win32.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\if2ip.c(8): * Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\if2ip.h(10): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\imap.c(8): * Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\imap.h(10): * Copyright (C) 2009 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\inet_ntop.c(2): * Copyright (C)
1996-2001Internet Software Consortium.
curl\curl-7.30.0\curl-7.30.0\lib\inet_ntop.h(10): * Copyright (C) 1998 - 2009,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\inet_pton.c(3):/* Copyright (c) 1996 by Internet
Software Consortium.
curl\curl-7.30.0\curl-7.30.0\lib\inet_pton.h(10): * Copyright (C) 1998 - 2005,

legal(ME)

Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\krb4.c(10): * Copyright (c) 2004 - 2011 Daniel Stenberg
curl\curl-7.30.0\curl-7.30.0\lib\krb4.c(8): * Copyright (c) 1995, 1996, 1997, 1998, 1999 Kungliga Tekniska Högskolan
curl\curl-7.30.0\curl-7.30.0\lib\krb4.h(10): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\krb5.c(3): * Copyright (c) 1995, 1996, 1997, 1998, 1999 Kungliga Tekniska Högskolan
curl\curl-7.30.0\curl-7.30.0\lib\krb5.c(5): * Copyright (c) 2004 - 2012 Daniel Stenberg
curl\curl-7.30.0\curl-7.30.0\lib\ldap.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\libcurl.rc(54):VALUE "LegalCopyright", " " LIBCURL_COPYRIGHT "\0"
curl\curl-7.30.0\curl-7.30.0\lib\libcurl.rc(55):VALUE "License", "http://curl.haxx.se/docs/copyright.html\0"
curl\curl-7.30.0\curl-7.30.0\lib\libcurl.rc(8): * Copyright (C) 1998 - 2009, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\llist.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\llist.h(10): * Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.am(8):# Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.in(460):# Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.netware(382):@echo \$(DL)copyright "\$\$(COPYR)"\$(DL) >> \$@
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.netware(62):COPYR= Copyright (C) \$(LIBCURL_COPYRIGHT_STR)
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.vc10(8):# Copyright (C) 1999 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.vc6(8):# Copyright (C) 1999 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.vc8(8):# Copyright (C) 1999 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\Makefile.vc9(8):# Copyright (C) 1999 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\md4.c(2): Copyright (C) 1990-2, RSA Data Security, Inc. All rights reserved.
curl\curl-7.30.0\curl-7.30.0\lib\md5.c(143):/* Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All
curl\curl-7.30.0\curl-7.30.0\lib\md5.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\memdebug.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\memdebug.h(11): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\mk-ca-bundle.pl(9):# * Copyright (C) 1998 -

legal(ME)

2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\mk-ca-bundle.vbs(8): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\mprintf.c(8): * Copyright (C) 1999 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\multi.c(8): * Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\multihandle.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\multiif.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\netrc.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\netrc.h(10): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\non-ascii.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\non-ascii.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\nonblock.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\nonblock.h(10): * Copyright (C) 1998 - 2009,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\nss.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\nssg.h(10): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\nwlib.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\nwos.c(8): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\objnames.inc(8):# * Copyright (C) 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\objnames-test08.sh(9):# * Copyright (C) 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\objnames-test10.sh(9):# * Copyright (C) 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\openldap.c(8): * Copyright (C) 2010, Howard Chu,
<hyc@openldap.org>
curl\curl-7.30.0\curl-7.30.0\lib\openldap.c(9): * Copyright (C) 2011 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\parsedate.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\parsedate.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\pingpong.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\pingpong.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\pipeline.c(8): * Copyright (C) 2013, Linus
Nielsen Feltzing, <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\lib\pipeline.h(10): * Copyright (C) 2013, Linus

legal(ME)

Nielsen Feltzing, <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\lib\polarssl.c(8): * Copyright (C) 2010 - 2011,
Hoi-Ho Chan, <hoiho.chan@gmail.com>
curl\curl-7.30.0\curl-7.30.0\lib\polarssl.c(9): * Copyright (C) 2012 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\polarssl.h(10): * Copyright (C) 2010, Hoi-Ho
Chan, <hoiho.chan@gmail.com>
curl\curl-7.30.0\curl-7.30.0\lib\polarssl_threadlock.c(8): * Copyright (C) 2010,
2011, Hoi-Ho Chan, <hoiho.chan@gmail.com>
curl\curl-7.30.0\curl-7.30.0\lib\polarssl_threadlock.c(9): * Copyright (C) 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\polarssl_threadlock.h(10): * Copyright (C) 2010,
Hoi-Ho Chan, <hoiho.chan@gmail.com>
curl\curl-7.30.0\curl-7.30.0\lib\polarssl_threadlock.h(11): * Copyright (C) 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\pop3.c(8): * Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\pop3.h(10): * Copyright (C) 2009 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\progress.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\progress.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\qssl.c(8): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\qssl.h(10): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\rawstr.c(8): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\rawstr.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\rtsp.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\rtsp.h(10): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\security.c(10): * Copyright (c) 1998, 1999
Kungliga Tekniska Högskolan
curl\curl-7.30.0\curl-7.30.0\lib\security.c(13): * Copyright (C) 2001 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\select.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\select.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\sendf.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\sendf.h(10): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\setup-os400.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\setup-vmx.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\share.c(8): * Copyright (C) 1998 - 2012, Daniel

legal(ME)

Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\share.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\slist.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\slist.h(10): * Copyright (C) 1998 - 2009, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\smtp.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\smtp.h(10): * Copyright (C) 2009 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\sockaddr.h(10): * Copyright (C) 1998 - 2009, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\socks.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\socks.h(10): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\socks_gssapi.c(8): * Copyright (C) 2009, 2011, Markus Moeller, <markus_moeller@compuserve.com>
curl\curl-7.30.0\curl-7.30.0\lib\socks_gssapi.c(9): * Copyright (C) 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\socks_ssapi.c(8): * Copyright (C) 2009, 2011, Markus Moeller, <markus_moeller@compuserve.com>
curl\curl-7.30.0\curl-7.30.0\lib\socks_ssapi.c(9): * Copyright (C) 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\speedcheck.c(8): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\speedcheck.h(10): * Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\splay.c(8): * Copyright (C) 1997 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\splay.h(10): * Copyright (C) 1997 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\ssh.c(3144): * Copyright (c) 2001-2004 Damien Miller <djm@openbsd.org>
curl\curl-7.30.0\curl-7.30.0\lib\ssh.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\ssh.h(10): * Copyright (C) 1998 - 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\sslgen.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\sslgen.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\ssluse.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\ssluse.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strdup.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strdup.h(10): * Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strequal.c(8): * Copyright (C) 1998 - 2013,

legal(ME)

Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strequal.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strerror.c(8): * Copyright (C) 2004 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strerror.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strtok.c(8): * Copyright (C) 1998 - 2007, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strtok.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strtoofft.c(8): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\strtoofft.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\telnet.c(8): * Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\telnet.h(10): * Copyright (C) 1998 - 2007,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\tftp.c(8): * Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\tftp.h(10): * Copyright (C) 1998 - 2007, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\timeval.c(8): * Copyright (C) 1998 - 2008,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\timeval.h(10): * Copyright (C) 1998 - 2007,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\transfer.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\transfer.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\url.c(8): * Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\url.h(10): * Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\urldata.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\version.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\warnless.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\warnless.h(10): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\wildcard.c(8): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\lib\wildcard.h(10): * Copyright (C) 2010 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\libcurl.pc.in(8):# Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\ltmain.sh(5):# Copyright (C) 1996, 1997, 1998, 1999,
2000, 2001, 2003, 2004, 2005, 2006,
curl\curl-7.30.0\curl-7.30.0\m4\curl-compilers.m4(8):# Copyright (C) 1998 - 2013,

legal(ME)

Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\m4\curl-confopts.m4(8):# Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\m4\curl-functions.m4(8):# Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\m4\curl-openssl.m4(8):# Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\m4\curl-reentrant.m4(8):# Copyright (C) 1998 - 2009,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\m4\libtool.m4(13):# Copyright (C) 1996, 1997, 1998,
1999, 2000, 2001, 2003, 2004, 2005,
curl\curl-7.30.0\curl-7.30.0\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998,
1999, 2000, 2001, 2003, 2004, 2005,
curl\curl-7.30.0\curl-7.30.0\m4\libtool.m4(642):Copyright (C) 2011 Free Software
Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005,
2007, 2009 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007,
2008, 2009 Free Software Foundation,
curl\curl-7.30.0\curl-7.30.0\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007,
2008 Free Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\m4\ltversion.m4(3):# Copyright (C) 2004 Free
Software Foundation, Inc.
curl\curl-7.30.0\curl-7.30.0\m4\xc-cc-check.m4(5):# Copyright (c) 2013 Daniel
Stenberg <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\m4\xc-lt-iface.m4(5):# Copyright (c) 2013 Daniel
Stenberg <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\m4\xc-translit.m4(5):# Copyright (c) 2011 Daniel
Stenberg <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\m4\xc-val-flgs.m4(5):# Copyright (c) 2013 Daniel
Stenberg <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\m4\zz40-xc-ovr.m4(5):# Copyright (c) 2013 Daniel
Stenberg <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\m4\zz50-xc-ovr.m4(5):# Copyright (c) 2011 Daniel
Stenberg <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\m4\zz60-xc-ovr.m4(5):# Copyright (c) 2013 Daniel
Stenberg <daniel@haxx.se>
curl\curl-7.30.0\curl-7.30.0\Makefile(8):# Copyright (C) 1998 - 2010, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\Makefile.am(170):cat COPYING >
\$(srcdir)/packages/Solaris/copyright ; \
curl\curl-7.30.0\curl-7.30.0\Makefile.am(8):# Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\Makefile.in(1126):cat COPYING >
\$(srcdir)/packages/Solaris/copyright ; \
curl\curl-7.30.0\curl-7.30.0\Makefile.in(25):# Copyright (C) 1998 - 2013, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\maketgz(12):# Copyright (C) 1998 - 2012, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\missing(3):# Copyright 1996, 1997, 1999, 2000 Free

legal(ME)

Software Foundation, Inc.

```
curl\curl-7.30.0\curl-7.30.0\packages\AIX\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\AIX\RPM\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\EPM\curl.list.in(15):%copyright 1998-2002
by Daniel Stenberg
curl\curl-7.30.0\curl-7.30.0\packages\EPM\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\Linux\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\Linux\RPM\curl.spec.in(12):Copyright: MPL
curl\curl-7.30.0\curl-7.30.0\packages\Linux\RPM\curl-ssl.spec.in(12):Copyright:
MIT/X derivate
curl\curl-7.30.0\curl-7.30.0\packages\Linux\RPM\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\NetWare\get_exp.awk(8):# * Copyright (C)
1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\NetWare\get_ver.awk(22):# awk script which
fetches curl version number and copyright string from input
curl\curl-7.30.0\curl-7.30.0\packages\NetWare\get_ver.awk(29):if (match ($0,
/^#define LIBCURL_COPYRIGHT "([^\"]+)"$/))
curl\curl-7.30.0\curl-7.30.0\packages\NetWare\get_ver.awk(30):copyright_string =
substr($0, 28, length($0)-28)
curl\curl-7.30.0\curl-7.30.0\packages\NetWare\get_ver.awk(42):print
"LIBCURL_COPYRIGHT_STR = " copyright_string
curl\curl-7.30.0\curl-7.30.0\packages\NetWare\get_ver.awk(8):# * Copyright (C)
1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\OS400\ccsidcurl.c(8): * Copyright (C) 1998
- 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\OS400\ccsidcurl.h(8): * Copyright (C) 1998
- 2008, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\OS400\curl.inc.in(8):* Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\OS400\make-lib.sh(16):echo '#pragma
comment(copyright, "Copyright (C) 1998-2013 Daniel Stenberg et al. OS/400 version
by P. Monnerat")' >> os400.c
curl\curl-7.30.0\curl-7.30.0\packages\OS400\os400sys.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\OS400\os400sys.h(8): * Copyright (C) 1998 -
2008, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\Solaris\Makefile.am(31):for file in pkginfo
preinstall postinstall copyright; \
curl\curl-7.30.0\curl-7.30.0\packages\Solaris\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\Solaris\Makefile.in(484):for file in
pkginfo preinstall postinstall copyright; \
curl\curl-7.30.0\curl-7.30.0\packages\vms\config_h.com(31):$! Copyright 2011,
John Malmberg
curl\curl-7.30.0\curl-7.30.0\packages\vms\curlmsg.h(10): * Copyright (C) 1998 -
```

legal(ME)

2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\vms\curlmsg_vms.h(10): * Copyright (C) 1998
- 2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\packages\vms\generate_config_vms_h_curl.com(20):\$!
Copyright 2013, John Malmberg
curl\curl-7.30.0\curl-7.30.0\packages\vms\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\Win32\cygwin\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\packages\Win32\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\README(47):Curl contains pieces of source code that
is Copyright (c) 1998, 1999
curl\curl-7.30.0\curl-7.30.0\src\curl.rc(54):VALUE "LegalCopyright", " " "
CURL_COPYRIGHT "\0"
curl\curl-7.30.0\curl-7.30.0\src\curl.rc(55):VALUE
"License", "http://curl.haxx.se/docs/copyright.html\0"
curl\curl-7.30.0\curl-7.30.0\src\curl.rc(8): * Copyright (C) 1998 - 2009, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\Makefile.am(8):# Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\Makefile.in(340):# Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\src\Makefile.netware(407):@echo \$(DL)copyright
"\$(COPYR)"\$(DL) >> \$@
curl\curl-7.30.0\curl-7.30.0\src\Makefile.netware(77):COPYR= Copyright (C)
\$(LIBCURL_COPYRIGHT_STR)
curl\curl-7.30.0\curl-7.30.0\src\Makefile.vc10(8):# Copyright (C) 1999 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\Makefile.vc6(8):# Copyright (C) 1999 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\Makefile.vc8(8):# Copyright (C) 1999 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\Makefile.vc9(8):# Copyright (C) 1999 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\mkhelp.pl(9):# Copyright (C) 1998 - 2011, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_binmode.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_binmode.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_bname.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_bname.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_cb_dbg.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_cb_dbg.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_cb_hdr.c(8): * Copyright (C) 1998 - 2012,

legal(ME)

Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_help.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_helpers.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_helpers.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_homedir.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_homedir.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_hugehelp.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_libinfo.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_libinfo.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_main.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_main.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_metalink.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_metalink.h(10): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_mfiles.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_mfiles.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_msgs.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_msgs.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_operate.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_operate.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_operhlp.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_operhlp.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_panykey.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_panykey.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_paramhlp.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_paramhlp.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_parsecfg.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_parsecfg.h(10): * Copyright (C) 1998 -

legal(ME)

2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_sdecls.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_setopt.c(8): * Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_setopt.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_setup.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_sleep.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_sleep.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_urlglob.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_urlglob.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_util.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_util.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_version.h(10): * Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_version.h(27):#define CURL_COPYRIGHT
LIBCURL_COPYRIGHT
curl\curl-7.30.0\curl-7.30.0\src\tool_vms.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_vms.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_writeenv.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_writeenv.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_writeout.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_writeout.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_xattr.c(8): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\tool_xattr.h(10): * Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\version.h(10): * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\src\version.h(28):#define CURL_COPYRIGHT
LIBCURL_COPYRIGHT
curl\curl-7.30.0\curl-7.30.0\tests\certs\Makefile.am(8):# Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\certs\Makefile.in(317):# Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\certs\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\tests\certs\scripts\genroot.sh(3):# (c) CopyRight

legal(ME)

EdelWeb for EdelKey and OpenEvidence, 2000-2004, 2009
curl\curl-7.30.0\curl-7.30.0\tests\certs\scripts\genserv.sh(3):# (c) CopyRight
EdelWeb for EdelKey and OpenEvidence, 2000-2004, 2009
curl\curl-7.30.0\curl-7.30.0\tests\certs\scripts\Makefile.am(8):# Copyright (C)
1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\certs\scripts\Makefile.in(277):# Copyright (C)
1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\certs\scripts\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\tests\data\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\tests\directories.pm(8):# Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\ftp.pm(8):# Copyright (C) 1998 - 2010, Daniel
Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\ftpserver.pl(9):# Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\getpart.pm(8):# Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\httpserver.pl(9):# Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\chkhostname.c(8): * Copyright (C) 1998
- 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\first.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1500.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1501.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1502.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1506.c(8): * Copyright (C) 2013,
Linus Nielsen Feltzing <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1507.c(8): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1508.c(8): * Copyright (C) 2013,
Linus Nielsen Feltzing <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1509.c(8): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1510.c(8): * Copyright (C) 2013,
Linus Nielsen Feltzing <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib1900.c(8): * Copyright (C) 2013,
Linus Nielsen Feltzing, <linus@haxx.se>
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib500.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib501.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib502.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib503.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib504.c(8): * Copyright (C) 1998 -

legal(ME)

2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib575.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib576.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib578.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib579.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib582.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib583.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib586.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib590.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib591.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib597.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib598.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\lib599.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\libauthretry.c(8): * Copyright (C)
1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\libntlmconnect.c(8): * Copyright (C)
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\Makefile.am(8):# Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\tests\libtest\Makefile.in(956):# Copyright (C) 1998
- 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\sethostname.c(8): * Copyright (C) 1998
- 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\sethostname.h(8): * Copyright (C) 1998
- 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\test.h(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\testtrace.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\testtrace.h(10): * Copyright (C) 1998
- 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\testutil.c(8): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\libtest\testutil.h(10): * Copyright (C) 1998 -
2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\Makefile.am(8):# Copyright (C) 1998 - 2013,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\Makefile.in(25):# Copyright (C) 1998 - 2013,

legal(ME)

Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\tests\memanalyze.pl(9):# Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\mem-include-scan.pl(9):# Copyright (C) 2010-2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\rtspserver.pl(9):# Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\runtests.1(8):.\" * Copyright (C) 1998 - 2007, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\runtests.pl(9):# Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\secureserver.pl(9):# Copyright (C) 1998 - 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\fake_ntlm.c(8): * Copyright (C) 2010, Mandy Wu, <mandy.wu@intel.com>
curl\curl-7.30.0\curl-7.30.0\tests\server\fake_ntlm.c(9): * Copyright (C) 2011 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\getpart.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\getpart.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\Makefile.am(8):# Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\tests\server\Makefile.in(400):# Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\resolve.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\rtspd.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\server_setup.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\server_sockaddr.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\sockfilt.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\sws.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\testpart.c(8): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\tftp.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\tftpd.c(18): * Copyright (c) 1983 Regents of the University of California.
curl\curl-7.30.0\curl-7.30.0\tests\server\util.c(8): * Copyright (C) 1998 - 2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\util.h(10): * Copyright (C) 1998 - 2012, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\server\help.pm(8):# Copyright (C) 1998 - 2011,

legal(ME)

Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\sshhelp.pm(8):# Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\sshserver.pl(9):# Copyright (C) 1998 - 2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\symbol-scan.pl(9):# Copyright (C) 2010-2011,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\testcurl.1(8):.\" * Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\testcurl.pl(9):# Copyright (C) 1998 - 2012,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\tftpserver.pl(9):# Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\curlcheck.h(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\Makefile.am(8):# Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\Makefile.in(360):# Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1300.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1301.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1302.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1303.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1304.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1305.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1307.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1308.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1309.c(8): * Copyright (C) 1998 -
2011, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\unit\unit1330.c(8): * Copyright (C) 1998 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\tests\valgrind.pm(8):# Copyright (C) 1998 - 2010,
Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\winbuild\Makefile.msvc.names(8):# Copyright (C) 1999
- 2010, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\curl-7.30.0\curl-7.30.0\winbuild\MakefileBuild.vc(8):# Copyright (C) 1999 -
2013, Daniel Stenberg, <daniel@haxx.se>, et al.
curl\NOTICE.txt(19):Except as contained in this notice, the name of a copyright
holder shall not
curl\NOTICE.txt(21):in this Software without prior written authorization of the
copyright holder.
curl\NOTICE.txt(3):Copyright (c) 1996 - 2009, Daniel Stenberg, <daniel@haxx.se>.

legal(ME)

directfb_1.5.3\kernel\linux-fusion\ChangeLog(2463):Fixed copyright info.
directfb_1.5.3\kernel\linux-fusion\ChangeLog(296):Fusion: Only coding style fixes
and copyright update.
directfb_1.5.3\kernel\linux-fusion\debian\rules(65):cp debian/copyright
debian/\$(dkmssource)/usr/share/doc/\$(dkmssource)
directfb_1.5.3\kernel\linux-fusion\debian\rules(69):cp debian/copyright
debian/\$(dkmssource)/usr/share/doc/\$(dkmssource)
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(2):%%Creator: dvips(k) 5.92b
Copyright 2002 Radical Eye Software
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(249):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(253):/Notice (Copyright (C) 1997
American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(548):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(552):/Notice (Copyright (C) 1997
American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(617):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(621):/Notice (Copyright (C) 1997
American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(672):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(676):/Notice (Copyright (C) 1997
American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(739):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(743):/Notice (Copyright (C) 1997
American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(806):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(810):/Notice (Copyright (C) 1997
American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(885):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\fusion.ps(889):/Notice (Copyright (C) 1997
American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\fusion.texi(3):@c Copyright 2003 Denis
Oliver Kropp
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(2):%%Creator: dvips(k) 5.96.1
Copyright 2007 Radical Eye Software
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(427):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(431):/Notice (Copyright (C)
1997 American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(495):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(499):/Notice (Copyright (C)
1997 American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(549):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(553):/Notice (Copyright (C)

legal(ME)

1997 American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(615):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(619):/Notice (Copyright (C)
1997 American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(681):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(685):/Notice (Copyright (C)
1997 American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(761):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(765):/Notice (Copyright (C)
1997 American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(81):% Copyright (C) 1997
American Mathematical Society. All Rights Reserved.
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.ps(85):/Notice (Copyright (C)
1997 American Mathematical Society. All Rights Reserved) readonly def
directfb_1.5.3\kernel\linux-fusion\doc\libfusion.texi(3):@c Copyright 2003 Denis
Oliver Kropp
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\call.c(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\call.c(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\call.h(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\call.h(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\debug.c(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\debug.c(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\debug.h(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\debug.h(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\entries.c(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\entries.c(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\entries.h(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\entries.h(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\fifo.c(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\fifo.c(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\fifo.h(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\fifo.h(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\fusioncore.h(2): (c)

legal(ME)

Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\ref.c(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\ref.c(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\ref.h(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\ref.h(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\shmpool.c(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\shmpool.c(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\shmpool.h(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\shmpool.h(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\skirmish.c(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\skirmish.c(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\skirmish.h(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\skirmish.h(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\types.h(2): (c)
Copyright 2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\drivers\char\fusion\types.h(3): (c)
Copyright 2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\linux\include\linux\fusion.h(2): (c) Copyright
2002-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\kernel\linux-fusion\linux\include\linux\fusion.h(3): (c) Copyright
2002-2004Convergence (integrated media) GmbH
directfb_1.5.3\kernel\linux-fusion\Makefile(11):# MediaTek Inc. Copyright (C)
2010. All rights reserved.#
directfb_1.5.3\kernel\linux-fusion\tests\calls.c(4): *(c) Copyright
2002Convergence GmbH
directfb_1.5.3\kernel\linux-fusion\tests\latency.c(4): *(c) Copyright
2002Convergence GmbH
directfb_1.5.3\kernel\linux-fusion\tests\throughput.c(4): *(c) Copyright
2002Convergence GmbH
directfb_1.5.3\kernel\linux-fusion\tests\throughput_pipe.c(4): *(c) Copyright
2002Convergence GmbH
directfb_1.5.3\Source\DirectFB\aclocal.m4(1001):# Copyright (C) 1996, 1997, 2000,
2001, 2003, 2005, 2008
directfb_1.5.3\Source\DirectFB\aclocal.m4(1064):# Copyright (C) 2001, 2003,
2005Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(1092):# Copyright (C) 2006, 2008Free
Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(1113):# Copyright (C) 2004, 2005Free
Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(180):# Copyright (C) 2002, 2003, 2005,

legal(ME)

2006, 2007, 2008Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(218):# Copyright (C) 2001, 2003, 2004, 2005, 2006Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(240):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(25):# Copyright ㄣ 2004 Scott James Remnant <scott@netsplit.com>.
directfb_1.5.3\Source\DirectFB\aclocal.m4(293):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005, 2006, 2008
directfb_1.5.3\Source\DirectFB\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
directfb_1.5.3\Source\DirectFB\aclocal.m4(327):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2009
directfb_1.5.3\Source\DirectFB\aclocal.m4(511):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2008
directfb_1.5.3\Source\DirectFB\aclocal.m4(591):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
directfb_1.5.3\Source\DirectFB\aclocal.m4(728):# Copyright (C) 2001, 2003, 2005, 2008Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(749):# Copyright (C) 2003, 2005Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(773):# Copyright (C) 1996, 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2008
directfb_1.5.3\Source\DirectFB\aclocal.m4(812):# Copyright (C) 2001, 2002, 2003, 2005, 2009Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(862):# Copyright (C) 1999, 2000, 2001, 2003, 2004, 2005, 2008
directfb_1.5.3\Source\DirectFB\aclocal.m4(899):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005, 2008
directfb_1.5.3\Source\DirectFB\aclocal.m4(940):# Copyright (C) 2003, 2004, 2005, 2006Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\aclocal.m4(968):# Copyright (C) 2001, 2002, 2003, 2005, 2008Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\ChangeLog(11342):[copyright] Update copyright headers.
directfb_1.5.3\Source\DirectFB\ChangeLog(15188):Added copyright footer.
directfb_1.5.3\Source\DirectFB\ChangeLog(16541):Updated copyright information.
directfb_1.5.3\Source\DirectFB\ChangeLog(22429):Missing copyright.
directfb_1.5.3\Source\DirectFB\ChangeLog(28190):Replaced some old copyright headers.
directfb_1.5.3\Source\DirectFB\ChangeLog(30112):Updated copyright header.
directfb_1.5.3\Source\DirectFB\ChangeLog(32095):Updated copyright in banner.
directfb_1.5.3\Source\DirectFB\ChangeLog(38401):updated copyright headers
directfb_1.5.3\Source\DirectFB\ChangeLog(38590):Updated the copyright notice added by gendoc.
directfb_1.5.3\Source\DirectFB\ChangeLog(38993):updated copyright
directfb_1.5.3\Source\DirectFB\ChangeLog(39005):Updated copyright notice in banner.
directfb_1.5.3\Source\DirectFB\ChangeLog(39486):Updated all copyright headers.
directfb_1.5.3\Source\DirectFB\ChangeLog(7622):[pxa3xx] add license and copyright header to all source files
directfb_1.5.3\Source\DirectFB\ChangeLog(7945):updated copyright in source files

legal(ME)

directfb_1.5.3\Source\DirectFB\ChangeLog(7947):Changed the DirectFB Open Source Community copyright from 2001-2008 to
directfb_1.5.3\Source\DirectFB\compile(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2009 Free Software
directfb_1.5.3\Source\DirectFB\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
directfb_1.5.3\Source\DirectFB\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
directfb_1.5.3\Source\DirectFB\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
directfb_1.5.3\Source\DirectFB\config.sub(78):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
directfb_1.5.3\Source\DirectFB\configure(2044):Copyright (C) 2010 Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\configure(21391):Copyright (C) 2010 Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\configure(22694):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
directfb_1.5.3\Source\DirectFB\configure(6):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
directfb_1.5.3\Source\DirectFB\COPYING(4): Copyright (C) 1991, 1999 Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\COPYING(429):copyrighted by the Free Software Foundation, write to the Free
directfb_1.5.3\Source\DirectFB\COPYING(496):Yoyodyne, Inc., hereby disclaims all copyright interest in the
directfb_1.5.3\Source\DirectFB\data\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009 Free
directfb_1.5.3\Source\DirectFB\docs\dfbg.1.in(3):.\" This man page is Copyright (C) 2002-2003 Sven Neumann <neo@directfb.org>
directfb_1.5.3\Source\DirectFB\docs\directfb-csource.1.in(3):.\" This man page is Copyright (C) 2002-2003 Sven Neumann <neo@directfb.org>
directfb_1.5.3\Source\DirectFB\docs\directfbrc.5.in(3):.\" This man page is Copyright (C) 2002 Sven Neumann <neo@directfb.org>
directfb_1.5.3\Source\DirectFB\docs\html\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\docs\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\flux\fluxcomp.cpp(2): (c) Copyright 2001-2011 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\flux\fluxcomp.cpp(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\flux\fluxcomp.cpp(67):\" (c) Copyright 2001-2011 The world wide DirectFB Open Source Community (directfb.org)\n"
directfb_1.5.3\Source\DirectFB\flux\fluxcomp.cpp(68):\" (c) Copyright 2000-2004 Convergence (integrated media) GmbH\n"
directfb_1.5.3\Source\DirectFB\flux\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128.c(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128_overlay.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128_overlay.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128_state.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128_state.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128_state.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\ati128_state.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\mmio.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\ati128\mmio.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\mmio.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\regs2d.h(4): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\regs2d.h(5): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\regs3d.h(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\regs3d.h(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_accel.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_accel.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_fifo.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_fifo.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_hwmap.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_hwset.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_overlay.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_ovl_hwmap.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_ovl_hwset.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_primary.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_primary.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_state.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\uc_state.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\unichrome.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\unichrome.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\vidregs.h(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\cle266\vidregs.h(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_alpha.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_alpha.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_alpha.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_alpha.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_overlay.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_overlay.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_overlay.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_overlay.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_underlay.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\cyber5k_underlay.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\mmio.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\cyber5k\mmio.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_2d.c(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_2d.c(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_2d.c(4): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_2d.h(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_2d.h(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_2d.h(4): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_c64x.c(4): (c) Copyright 2008directfb.org
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_c64x.c(5): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_gfxdriver.c(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_gfxdriver.c(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_gfxdriver.c(4): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd.c(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd.c(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd.c(4): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd.h(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd.h(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd.h(4): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd_pool.c(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd_pool.c(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd_pool.c(4): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd_pool.h(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd_pool.h(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_osd_pool.h(4): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_screen.c(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_screen.c(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_screen.c(4): (c) Copyright 2007Telio AG

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_screen.h(10): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_screen.h(11): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_screen.h(4): (c)
Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video.c(10): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video.c(11): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video.c(4): (c)
Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video.h(10): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video.h(11): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video.h(4): (c)
Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video_pool.c(10): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video_pool.c(11): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video_pool.c(4): (c)
Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video_pool.h(10): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video_pool.h(11): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\davinci_video_pool.h(4): (c)
Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\kernel-module\c64x\c64x.c(4):
(c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\kernel-module\include\linux\c64
x.h(4): (c) Copyright 2008directfb.org
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\kernel-module\include\linux\c64
x.h(5): (c) Copyright 2007Telio AG
directfb_1.5.3\Source\DirectFB\gfxdrivers\davinci\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\ep9x\ep9x.c(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\ep9x\ep9x.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\ep9x\ep9x.h(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\ep9x\ep9x.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\ep9x\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\gl_2d.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\gl_2d.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\gl_2d.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\gl_2d.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\gl_gfxdriver.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\gl_gfxdriver.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\gl_gfxdriver.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\gl_gfxdriver.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gl\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_2d.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_2d.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_2d.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_2d.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_gfxdriver.c(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_gfxdriver.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_gfxdriver.h(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_gfxdriver.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_shaders.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_shaders.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_shaders.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\gles2_shaders.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\gles2\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\i810\i810.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\i810\i810.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\i810\i810.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\i810\i810.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\i810\i810_overlay.c(5): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\i810\i810_overlay.c(6): (c) Copyright
2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\i810\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\i830\i830.c(4): (c) Copyright 2005 Servision Ltd.
directfb_1.5.3\Source\DirectFB\gfxdrivers\i830\i830.h(4): (c) Copyright 2005 Servision Ltd.
directfb_1.5.3\Source\DirectFB\gfxdrivers\i830\i830_overlay.c(32): * Copyright 2002 by Alan Hourihane and David Dawes
directfb_1.5.3\Source\DirectFB\gfxdrivers\i830\i830_overlay.c(4): (c) Copyright 2005 Servision Ltd.
directfb_1.5.3\Source\DirectFB\gfxdrivers\i830\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64_overlay.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64_overlay.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64_state.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64_state.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64_state.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mach64_state.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mmio.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\mach64\mmio.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_3d.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_3d.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_3d.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_3d.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_bes.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_bes.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_crtc2.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_crtc2.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_screen_crtc2.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_screen_crtc2.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_spic.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_spic.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_state.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_state.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_state.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\matrox_state.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\mmio.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\matrox\mmio.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\neo_overlay.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\neo_overlay.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\neo2200.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\neo2200.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\neomagic.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\neomagic.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\neomagic.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\neomagic\neomagic.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\gfx_regs.h(36): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\gfx_regs.h(91): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\gfx_type.h(37): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\gfx_type.h(92): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\nsc_galproto.h(42): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\nsc_galproto.h(97): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\pnl_defs.h(40): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\include\pnl_defs.h(95): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\nsc.c(40): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\nsc.c(95): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\nsc_galfns.c(42): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nsc\nsc_galfns.c(97): * Copyright (c) 1999-2001
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_2d.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_2d.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_2d.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_2d.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_3d.c(2): Copyright (C) 2004-2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_3d.h(2): Copyright (C) 2004-2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_accel.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_accel.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_objects.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_objects.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_overlay.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_overlay.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_primary.c(2): Copyright (C) 2005-2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_state.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_state.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_state.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\nvidia\nvidia_state.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\omap\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\omap\omap.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\omap\omap.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\omap\omap.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\omap\omap.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\omap\omap_primary.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\omap\omap_primary.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\omap\omapfb.h(6): * Copyright (C) 2004 Nokia Corporation
directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\pvr2d_2d.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\pvr2d_2d.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\pvr2d_2d.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\pvr2d_2d.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\pvr2d_gfxdriver.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\pvr2d_gfxdriver.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\pvr2d_gfxdriver.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\pvr2d\pvr2d_gfxdriver.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx.c(4):(c) Copyright
2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx.c(5):(c) Copyright
2009Raumfeld GmbH (raumfeld.com)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx.h(4): (c) Copyright
2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx.h(5): (c) Copyright
2009Raumfeld GmbH (raumfeld.com)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_blt.c(4): (c) Copyright
2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_blt.c(5): (c) Copyright
2009Raumfeld GmbH (raumfeld.com)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_blt.h(4): (c) Copyright
2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_blt.h(5): (c) Copyright
2009Raumfeld GmbH (raumfeld.com)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_dump.c(4): (c) Copyright
2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_dump.c(5): (c) Copyright
2009Raumfeld GmbH (raumfeld.com)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_regs.h(4): (c) Copyright
2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_regs.h(5): (c) Copyright
2009Raumfeld GmbH (raumfeld.com)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_types.h(4): (c) Copyright
2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx_types.h(5): (c) Copyright
2009Raumfeld GmbH (raumfeld.com)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx-gcu.h(4): (c) Copyright
2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\pxa3xx\pxa3xx-gcu.h(5): (c) Copyright
2009Raumfeld GmbH (raumfeld.com)
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\r100_3d.c(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\r100_state.c(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\r200_3d.c(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\r200_state.c(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\r300_3d.c(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\r300_program.h(2):Copyright (C)
2004 Nicolai Haehnle.All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\r300_state.c(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon.c(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon.h(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_2d.c(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_2d.h(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_3d.h(2): * Copyright (C)
2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_chipsets.h(2): *
Copyright (C) 2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_crtc1.c(2): * Copyright
(C) 2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_crtc2.c(2): * Copyright
(C) 2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_mmio.h(2): * Copyright
(C) 2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_overlay.c(2): * Copyright
(C) 2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_regs.h(2): * Copyright
2000 ATI Technologies Inc., Markham, Ontario, and
directfb_1.5.3\Source\DirectFB\gfxdrivers\radeon\radeon_state.h(2): * Copyright
(C) 2006 Claudio Ciccani <klan@users.sf.net>
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\mmio.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\mmio.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage_bci.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage_bci.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage_streams_old.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage_streams_old.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage_streams_old.h(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage_streams_old.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage2000.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage2000.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage2000.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage2000.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage3d.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage3d.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage3d.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage3d.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage4.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage4.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage4.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\savage\savage4.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\sh772x\kernel-module\sh7722.c(4): * Copyright (C) 2006-2008IGEL Co.,Ltd
directfb_1.5.3\Source\DirectFB\gfxdrivers\sh772x\kernel-module\sh7722.h(4): * Copyright (C) 2006-2008IGEL Co.,Ltd
directfb_1.5.3\Source\DirectFB\gfxdrivers\sh772x\kernel-module\sh7723.c(4): * Copyright (C) 2006-2008IGEL Co.,Ltd
directfb_1.5.3\Source\DirectFB\gfxdrivers\sh772x\kernel-module\sh7723.h(4): * Copyright (C) 2006-2008IGEL Co.,Ltd
directfb_1.5.3\Source\DirectFB\gfxdrivers\sh772x\kernel-module\sh772x_driver.c(4) : * Copyright (C) 2006-2008IGEL Co.,Ltd
directfb_1.5.3\Source\DirectFB\gfxdrivers\sh772x\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315.c(4): * Copyright (C) 2003 by Andreas Oberritter <obi@software.de>
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315.h(4): * Copyright (C) 2003 by Andreas Oberritter <obi@software.de>
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315_accel.c(4): * Copyright (C) 2003 by Andreas Oberritter <obi@software.de>
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315_accel.h(4): * Copyright (C) 2003 by Andreas Oberritter <obi@software.de>
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315_mmio.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315_mmio.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315_mmio.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315_mmio.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315_state.c(4): * Copyright (C) 2003 by Andreas Oberritter <obi@software.de>
directfb_1.5.3\Source\DirectFB\gfxdrivers\sis315\sis315_state.h(4): * Copyright (C) 2003 by Andreas Oberritter <obi@software.de>
directfb_1.5.3\Source\DirectFB\gfxdrivers\tdfx\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\tdfx\tdfx.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\tdfx\tdfx.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\tdfx\tdfx.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\tdfx\tdfx.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\mmio.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\regs2d.h(4): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\regs2d.h(5): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\regs3d.h(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\regs3d.h(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_accel.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_accel.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_fifo.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_fifo.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_hwmap.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_hwset.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_overlay.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_ovl_hwmap.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_ovl_hwset.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_primary.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_primary.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_probe.h(2): Copyright (c) 2004 Andreas Robinson, All rights reserved.
directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_spic.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

legal(ME)

directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_state.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\uc_state.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\unichrome.c(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\unichrome.h(2): Copyright (c) 2003 Andreas Robinson, All rights reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\vidregs.h(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\unichrome\vidregs.h(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\vdpu_2d.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\vdpu_2d.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\vdpu_2d.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\vdpu_2d.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\vdpu_gfxdriver.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\vdpu_gfxdriver.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\vdpu_gfxdriver.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\vdpu\vdpu_gfxdriver.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\vmware_2d.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\vmware_2d.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\vmware_2d.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\vmware_2d.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\vmware_gfxdriver.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\vmware_gfxdriver.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\vmware_gfxdriver.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\gfxdrivers\vmware\vmware_gfxdriver.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\include\dfb_types.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\include\dfb_types.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\include\dfiff.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\dfiff.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\dgiff.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\dgiff.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb_build.h(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb_build.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb_build.h.in(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb_build.h.in(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb_keyboard.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb_keyboard.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb_util.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb_util.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb_version.h(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb_version.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb_version.h.in(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb_version.h.in(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb_water.h(2): (c) Copyright 2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb_water.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfb_windows.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfb_windows.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfbgl.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfbgl.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\include\directfbgl2.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\include\directfbgl2.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\include\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\dbox2remote\dbox2remote.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\dbox2remote\dbox2remote.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\dbox2remote\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\dreamboxremote\dreamboxremote.c(10): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\dreamboxremote\dreamboxremote.c(11): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\dreamboxremote\dreamboxremote.c(2): (c) Copyright 2005Marcel Siegert
directfb_1.5.3\Source\DirectFB\inputdrivers\dreamboxremote\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\dynapro\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\elo\elo.c(2): (c) Copyright 2003Commercial Timesharing Inc.
directfb_1.5.3\Source\DirectFB\inputdrivers\elo\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\gunze\gunze.c(2): (c) Copyright 2005Gnat Solutions, Inc.
directfb_1.5.3\Source\DirectFB\inputdrivers\gunze\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\h3600_ts\h3600_ts.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\h3600_ts\h3600_ts.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\h3600_ts\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\joystick\joystick.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\joystick\joystick.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\joystick\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\keyboard\keyboard.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\keyboard\keyboard.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\keyboard\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\linux_input\linux_input.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\linux_input\linux_input.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\linux_input\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\lirc\lirc.c(2): (c) Copyright

legal(ME)

2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\lirc\lirc.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\lirc\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\mutouch\Makefile.in(4):# Copyright
(C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\mutouch\mutouch.c(2): (c) Copyright
2000-2002Fulgid Technology Co., Ltd.
directfb_1.5.3\Source\DirectFB\inputdrivers\penmount\Makefile.in(4):# Copyright
(C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\penmount\penmount.c(2): (c) Copyright
2000-2002Fulgid Technology Co., Ltd.
directfb_1.5.3\Source\DirectFB\inputdrivers\ps2mouse\Makefile.in(4):# Copyright
(C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\ps2mouse\ps2mouse.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\ps2mouse\ps2mouse.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\serialmouse\Makefile.in(4):#
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\serialmouse\serialmouse.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\serialmouse\serialmouse.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\sonypi\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\sonypi\sonypi.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\sonypi\sonypi.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\tslib\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\tslib\tslib.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\tslib\tslib.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\ucb1x00_ts\Makefile.in(4):# Copyright
(C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\ucb1x00_ts\ucb1x00_ts.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\ucb1x00_ts\ucb1x00_ts.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\wm97xx_ts\Makefile.in(4):# Copyright
(C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\wm97xx_ts\wm97xx_ts.c(15): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\wm97xx_ts\wm97xx_ts.c(16): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\inputdrivers\zytronic\Makefile.in(4):# Copyright

legal(ME)

(C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\inputdrivers\zytronic\zytronic.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\inputdrivers\zytronic\zytronic.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999,
2000, 2001, 2002, 2004, 2005,
directfb_1.5.3\Source\DirectFB\INSTALL(8):are permitted in any medium without
royalty provided the copyright
directfb_1.5.3\Source\DirectFB\install-sh(10):# Copyright (C) 1994 X Consortium
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\idirectfbfont_default.c(2
) : (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\idirectfbfont_default.c(3
) : (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\idirectfbfont_dgiff.c(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\idirectfbfont_dgiff.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\idirectfbfont_ft2.c(2):
(c) Copyright 2001-2010The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\idirectfbfont_ft2.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\idirectfbfont_lino.c(2):
(c) Copyright 2001-2008The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\idirectfbfont_lino.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBFont\Makefile.in(4):#
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr
ovider_dfiff.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source
Community (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr
ovider_dfiff.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr
ovider_gif.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source
Community (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr
ovider_gif.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr
ovider_jpeg.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source
Community (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr
ovider_jpeg.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr
ovider_mpeg2.c(2): (c) Copyright 2001-2007The DirectFB Organization
(directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr
ovider_mpeg2.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimagepr

legal(ME)

vider_png.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\idirectfbimageprovider_png.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\getbits.c(5): * Copyright (C) 1996, Stefan Eckart. All Rights Reserved.
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\getbits.c(8):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\getblk.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\gethdr.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\getpic.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\getvlc.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\getvlc.h(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\global.h(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\idct.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\idctref.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\motion.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\mpeg2dec.c(4):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
*/
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\mpeg2dec.h(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
*/
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\recon.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\store.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBImageProvider\mpeg2\systems.c(3):/* Copyright (C) 1996, MPEG Software Simulation Group. All Rights Reserved. */
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBVideoProvider\idirectfbvideopvider_gif.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBVideoProvider\idirectfbvideopvider_gif.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBVideoProvider\idirectfbvideopvider_mng.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBVideoProvider\idirectfbvideopvider_mng.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBVideoProvider\idirectfbvideopr
ovider_v41.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source
Community (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBVideoProvider\idirectfbvideopr
ovider_v41.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBVideoProvider\Makefile.in(4):#
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_defau
lt.c(2): (c) Copyright 2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_defau
lt.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_defau
lt.h(2): (c) Copyright 2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_defau
lt.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_dispa
tcher.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_dispa
tcher.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_dispa
tcher.h(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_dispa
tcher.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_reque
stor.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_reque
stor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_reque
stor.h(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\idirectfbwindows_reque
stor.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IDirectFBWindows\Makefile.in(4):#
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\interfaces\IWater\elements.c(2): (c) Copyright
2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IWater\elements.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IWater\elements.h(2): (c) Copyright
2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IWater\elements.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IWater\iwater_default.c(2): (c)
Copyright 2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IWater\iwater_default.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IWater\iwater_default.h(2): (c)
Copyright 2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IWater\iwater_default.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IWater\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\interfaces\IWater\transform.c(2): (c) Copyright

legal(ME)

2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IWater\transform.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IWater\transform.h(2): (c) Copyright
2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IWater\transform.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IWater\util.c(2): (c) Copyright
2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IWater\util.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\IWater\util.h(2): (c) Copyright
2001-2008The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\interfaces\IWater\util.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\interfaces\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\lib\direct\armasm_memcpy.h(4): * Copyright (C)
2009 Bluush Dev Team.
directfb_1.5.3\Source\DirectFB\lib\direct\armasm_memcpy.S(4): * Copyright (C)
2009 Bluush Dev Team.
directfb_1.5.3\Source\DirectFB\lib\direct\atomic.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\atomic.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\build.h(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\build.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\build.h.in(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\build.h.in(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\clock.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\clock.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\clock.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\clock.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\compiler.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\compiler.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\conf.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\conf.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\conf.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\conf.h(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\debug.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\debug.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\debug.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\debug.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\direct.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\direct.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\direct.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\direct.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\dtest.c(2): (c) Copyright 2001-2007The
DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\dtest.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\fastlz.c(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\fastlz.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\fastlz.h(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\fastlz.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\fifo.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\fifo.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\fifo.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\fifo.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\filesystem.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\filesystem.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\flz.c(4):Copyright (C) 2007 Ariya
Hidayat (ariya@kde.org)
directfb_1.5.3\Source\DirectFB\lib\direct\flz.c(5):Copyright (C) 2006 Ariya
Hidayat (ariya@kde.org)
directfb_1.5.3\Source\DirectFB\lib\direct\flz.c(6):Copyright (C) 2005 Ariya
Hidayat (ariya@kde.org)
directfb_1.5.3\Source\DirectFB\lib\direct\flz.h(4):Copyright (C) 2007 Ariya
Hidayat (ariya@kde.org)
directfb_1.5.3\Source\DirectFB\lib\direct\flz.h(5):Copyright (C) 2006 Ariya
Hidayat (ariya@kde.org)
directfb_1.5.3\Source\DirectFB\lib\direct\flz.h(6):Copyright (C) 2005 Ariya

legal(ME)

Hidayat (ariya@kde.org)

directfb_1.5.3\Source\DirectFB\lib\direct\hash.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\hash.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\hash.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\hash.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\init.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\init.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\init.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\init.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\interface.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\interface.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\interface.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\interface.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\interface_implementation.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\interface_implementation.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\kernelmod.c(6): * (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\kernelmod.c(7): * (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\list.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\list.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\list.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\list.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\log.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\log.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\log.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\log.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\log_domain.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\log_domain.c(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\log_domain.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\log_domain.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\lib\direct\map.c(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\map.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\map.h(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\map.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\mem.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\mem.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\mem.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\mem.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\memcpy.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\memcpy.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\memcpy.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\memcpy.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\messages.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\messages.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\messages.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\messages.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\modules.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\modules.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\modules.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\modules.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\clock.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\clock.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\filesystem.h(2): (c) Copyright

legal(ME)

2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\filesystem.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\clock.c(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\clock.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\deprecated.c(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\deprecated.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\filesystem.c(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\filesystem.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\filesystem.h(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\filesystem.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\log.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\log.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\Makefile.in(4):#
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\mem.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\mem.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\mutex.c(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\mutex.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\mutex.h(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\mutex.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\signals.c(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\signals.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\system.c(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\system.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\thread.c(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\thread.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\thread.h(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\thread.h(3): (c)

legal(ME)

Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\types.h(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\types.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\util.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\util.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\waitqueue.h(2): (c)
Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\linux\glibc\waitqueue.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\log.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\log.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\lib\direct\os\mem.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\mem.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\mutex.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\mutex.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\signals.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\signals.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\system.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\system.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\thread.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\thread.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\types.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\types.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\os\waitqueue.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\os\waitqueue.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\ppcasm_memcpy.S(4): * Copyright (C)
1996 Paul Mackerras.
directfb_1.5.3\Source\DirectFB\lib\direct\ppcasm_memcpy_cachable.S(4): *
Copyright (C) 1996 Paul Mackerras.
directfb_1.5.3\Source\DirectFB\lib\direct\print.c(2): (c) Copyright 2001-2008The

legal(ME)

world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\print.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\print.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\print.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\processor.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\processor.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\processor.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\processor.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\result.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\result.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\result.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\result.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\serial.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\serial.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\serial.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\serial.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\signals.c(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\signals.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\signals.h(2): (c) Copyright
2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\signals.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\stream.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\stream.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\stream.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\stream.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\system.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\system.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\system.h(2): (c) Copyright 2001-2008The

legal(ME)

world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\system.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\thread.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\thread.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\thread.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\thread.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\trace.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\trace.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\trace.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\trace.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\tree.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\tree.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\tree.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\tree.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\types.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\types.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\utf8.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\utf8.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\utf8.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\utf8.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\util.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\util.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\util.h(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\util.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\uuid.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\uuid.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\direct\uuid.h(2): (c) Copyright 2001-2008The

legal(ME)

world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\direct\uid.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\arena.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\arena.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\arena.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\arena.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\build.h(2): (c) Copyright
2000-2002convergence integrated media GmbH.
directfb_1.5.3\Source\DirectFB\lib\fusion\build.h(3): (c) Copyright
2002-2004convergence GmbH.
directfb_1.5.3\Source\DirectFB\lib\fusion\build.h.in(2): (c) Copyright
2000-2002convergence integrated media GmbH.
directfb_1.5.3\Source\DirectFB\lib\fusion\build.h.in(3): (c) Copyright
2002-2004convergence GmbH.
directfb_1.5.3\Source\DirectFB\lib\fusion\call.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\call.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\call.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\call.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\conf.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\conf.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\conf.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\conf.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\fusion.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\fusion.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\fusion.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\fusion.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\fusion_internal.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\fusion_internal.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\hash.c(3): Copyright (C) 1995-1997Peter
Mattis, Spencer Kimball and Josh MacDonald
directfb_1.5.3\Source\DirectFB\lib\fusion\hash.c(5): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\hash.c(6): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\hash.h(3): Copyright (C) 1995-1997 Peter Mattis, Spencer Kimball and Josh MacDonald
directfb_1.5.3\Source\DirectFB\lib\fusion\hash.h(4): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\hash.h(5): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\init.c(2): (c) Copyright 2001-2008 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\init.c(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\init.h(2): (c) Copyright 2001-2011 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\init.h(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\lock.c(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\lock.c(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\lock.h(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\lock.h(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\Makefile.in(4): # Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\lib\fusion\object.c(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\object.c(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\object.h(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\object.h(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\property.c(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\property.c(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\property.h(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\property.h(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\protocol.h(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\protocol.h(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\reactor.c(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\reactor.c(3): (c) Copyright 2000-2004 Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\reactor.h(2): (c) Copyright 2001-2009 The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\reactor.h(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\ref.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\ref.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\ref.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\ref.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\fake.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\fake.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\heap.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\heap.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\heap.c(30): Copyright 1990, 1991, 1992 Free Software Foundation, Inc.
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\pool.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\pool.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\pool.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm_internal.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm_internal.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm_malloc.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm_malloc.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm_malloc.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\shm\shm_malloc.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\types.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\types.h(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\vector.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\vector.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\fusion\vector.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\fusion\vector.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\lib\voodoo\app.h(2): (c) Copyright 2001-2010The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\app.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\build.h(2): (c) Copyright 2000-2002convergence integrated media GmbH.
directfb_1.5.3\Source\DirectFB\lib\voodoo\build.h(3): (c) Copyright 2002-2004convergence GmbH.
directfb_1.5.3\Source\DirectFB\lib\voodoo\build.h.in(2): (c) Copyright 2000-2002convergence integrated media GmbH.
directfb_1.5.3\Source\DirectFB\lib\voodoo\build.h.in(3): (c) Copyright 2002-2004convergence GmbH.
directfb_1.5.3\Source\DirectFB\lib\voodoo\client.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\client.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\client.h(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\client.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\conf.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\conf.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\conf.h(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\conf.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection.cpp(2): (c) Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection.cpp(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection.h(2): (c) Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_link.cpp(2): (c) Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_link.cpp(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_link.h(2): (c) Copyright

legal(ME)

2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_link.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_packet.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_packet.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_packet.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_packet.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_raw.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_raw.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_raw.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\connection_raw.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\dispatcher.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\dispatcher.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\dispatcher.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\dispatcher.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\init.c(2): (c) Copyright 2001-2008The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\init.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\init.h(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\init.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\instance.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\instance.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\instance.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\instance.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\interface.c(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\interface.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\interface.h(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\interface.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\internal.h(2): (c) Copyright

legal(ME)

2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\internal.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer.h(2): (c) Copyright
2001-2010The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer_dispatcher.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer_dispatcher.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer_dispatcher.h(2): (c)
Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer_dispatcher.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer_requestor.c(2): (c)
Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\ivoodoooplayer_requestor.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\link.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\link.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager.c(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager.h(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager_alt.c(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager_alt.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager_alt_android.c(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager_alt_android.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager_alt2.c(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\oodoo\manager_alt2.c(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\manager_c.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\manager_c.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\message.h(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\message.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\play.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\play.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\play.h(2): (c) Copyright 2001-2007The
DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\play.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\play_internal.h(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\play_internal.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\play_server.c(2): (c) Copyright
2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\play_server.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\play_server.h(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\play_server.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\server.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\server.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\server.h(2): (c) Copyright 2001-2007The
DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\server.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\types.h(2): (c) Copyright 2001-2007The
DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\types.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\unix\interfaces_unix.c(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\unix\interfaces_unix.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\unix\link_unix.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\lib\voodoo\unix\link_unix.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\lib\voodoo\unix\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\ltmain.sh(6):# Copyright (C) 1996, 1997, 1998,

legal(ME)

1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007 2008 Free Software Foundation, Inc.

directfb_1.5.3\Source\DirectFB\m4\libtool.m4(12):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

directfb_1.5.3\Source\DirectFB\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

directfb_1.5.3\Source\DirectFB\m4\libtool.m4(604):Copyright (C) 2008 Free Software Foundation, Inc.

directfb_1.5.3\Source\DirectFB\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005, 2007 Free Software Foundation, Inc.

directfb_1.5.3\Source\DirectFB\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.

directfb_1.5.3\Source\DirectFB\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.

directfb_1.5.3\Source\DirectFB\m4\ltversion.m4(3):# Copyright (C) 2004 Free Software Foundation, Inc.

directfb_1.5.3\Source\DirectFB\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

directfb_1.5.3\Source\DirectFB\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006,

directfb_1.5.3\Source\DirectFB\patches\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfb_dispatcher.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfb_dispatcher.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfb_dispatcher.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfb_dispatcher.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbdatabuffer_dispatcher.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbdatabuffer_dispatcher.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbdatabuffer_dispatcher.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbdatabuffer_dispatcher.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbdisplaylayer_dispatcher.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbdisplaylayer_dispatcher.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbdisplaylayer_dispatcher.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbdisplaylayer_dispatcher.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbeventbuffer_dispatcher.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community

legal(ME)

(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbeventbuffer_dispatcher.c
(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbeventbuffer_dispatcher.h
(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbeventbuffer_dispatcher.h
(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbfont_dispatcher.c(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbfont_dispatcher.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbfont_dispatcher.h(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbfont_dispatcher.h(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbimageprovider_dispatcher
.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbimageprovider_dispatcher
.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbimageprovider_dispatcher
.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbimageprovider_dispatcher
.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbinputdevice_dispatcher.c
(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbinputdevice_dispatcher.c
(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbinputdevice_dispatcher.h
(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbinputdevice_dispatcher.h
(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbpalette_dispatcher.c(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbpalette_dispatcher.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbpalette_dispatcher.h(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbpalette_dispatcher.h(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbscreen_dispatcher.c(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbscreen_dispatcher.c(3):

legal(ME)

(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbscreen_dispatcher.h(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbscreen_dispatcher.h(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbsurface_dispatcher.c(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbsurface_dispatcher.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbsurface_dispatcher.h(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbwindow_dispatcher.h(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbwindow_dispatcher.c(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbwindow_dispatcher.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbwindow_dispatcher.h(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\idirectfbwindow_dispatcher.h(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\dispatcher\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\proxy\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfb_requestor.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfb_requestor.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbdatabuffer_requestor.c(2)
: (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbdatabuffer_requestor.c(3)
: (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbdisplaylayer_requestor.c(
2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbdisplaylayer_requestor.c(
3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbdisplaylayer_requestor.h(
2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbdisplaylayer_requestor.h(
3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbeventbuffer_requestor.c(2
) : (c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbeventbuffer_requestor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbeventbuffer_requestor.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbeventbuffer_requestor.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbfont_requestor.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbfont_requestor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbfont_requestor.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbfont_requestor.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbimageprovider_requestor.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbimageprovider_requestor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbinputdevice_requestor.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbinputdevice_requestor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbinputdevice_requestor.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbinputdevice_requestor.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbpalette_requestor.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbpalette_requestor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbpalette_requestor.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbpalette_requestor.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbscreen_requestor.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbscreen_requestor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbsurface_requestor.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbsurface_requestor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbsurface_requestor.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community

legal(ME)

(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbsurface_requestor.h(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbwindow_requestor.c(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbwindow_requestor.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbwindow_requestor.h(2):
(c) Copyright 2001-2009The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\proxy\requestor\idirectfbwindow_requestor.h(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\proxy\requestor\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\README(421): (c) Copyright 2001-2009The DirectFB
Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\README(422): (c) Copyright 2000-2004Convergence
(integrated media) GmbH
directfb_1.5.3\Source\DirectFB\rules\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\core\clipboard.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\clipboard.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\clipboard.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\clipboard.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\colorhash.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\colorhash.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\colorhash.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\colorhash.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\core.c(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\core.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\core.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\core.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\core_parts.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\core_parts.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\core_parts.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\core_parts.h(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\core_system.h(2): (c) Copyright
2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\core_system.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\coredefs.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\coredefs.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreDFB.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreDFB.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreDFB.h(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreDFB.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreDFB_real.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreDFB_real.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsState.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsState.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsState.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsState.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsState_real.cpp(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsState_real.cpp(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsStateClient.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsStateClient.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsStateClient.h(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreGraphicsStateClient.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayer.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayer.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayer.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayer.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayer_real.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayer_real.cpp(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerContext.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerContext.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerContext.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerContext.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerContext_real.cpp(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerContext_real.cpp(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerRegion.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerRegion.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerRegion.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerRegion.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerRegion_real.cpp(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreLayerRegion_real.cpp(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CorePalette.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CorePalette.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CorePalette.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CorePalette.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CorePalette_real.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CorePalette_real.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreSurface.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreSurface.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreSurface.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreSurface.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreSurface_real.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreSurface_real.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\coretypes.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\coretypes.h(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreWindow.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreWindow.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreWindow.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreWindow.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreWindow_real.cpp(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreWindow_real.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreWindowStack.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreWindowStack.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreWindowStack.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreWindowStack.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\CoreWindowStack_real.cpp(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\CoreWindowStack_real.cpp(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\fonts.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\fonts.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\fonts.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\fonts.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\gfxcard.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\gfxcard.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\gfxcard.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\gfxcard.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\graphics_driver.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\graphics_driver.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\graphics_state.c(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\graphics_state.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\graphics_state.h(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\graphics_state.h(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\input.c(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\input.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\input.h(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\input.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\input_driver.h(2): (c) Copyright
2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\input_driver.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\Interface.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\Interface.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layer_context.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layer_context.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layer_context.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layer_context.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layer_control.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layer_control.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layer_control.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layer_control.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layer_region.c(2): (c) Copyright
2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layer_region.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layer_region.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layer_region.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layers.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layers.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layers.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layers.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\layers_internal.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\layers_internal.h(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\local_surface_pool.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\local_surface_pool.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\core\palette.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\palette.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\palette.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\palette.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\prealloc_surface_pool.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\prealloc_surface_pool.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\screen.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\screen.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\screen.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\screen.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\screens.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\screens.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\screens.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\screens.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\screens_internal.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\screens_internal.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\shared_surface_pool.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\shared_surface_pool.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\state.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\state.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\state.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\state.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface.c(2): (c) Copyright 2001-2010The

legal(ME)

world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface.h(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface_buffer.c(2): (c) Copyright
2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface_buffer.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface_buffer.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface_buffer.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface_core.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface_core.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface_pool.c(2): (c) Copyright
2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface_pool.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface_pool.h(2): (c) Copyright
2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface_pool.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface_pool_bridge.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface_pool_bridge.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\surface_pool_bridge.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\surface_pool_bridge.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\system.c(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\system.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\system.h(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\system.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\windows.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\windows.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\windows.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\windows.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\windows_internal.h(2): (c) Copyright

legal(ME)

2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\windows_internal.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core>windowstack.c(2): (c) Copyright
2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core>windowstack.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core>windowstack.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core>windowstack.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\wm.c(2): (c) Copyright 2001-2009The world
wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\wm.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\wm.h(2): (c) Copyright 2001-2009The world
wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\wm.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\core\wm_module.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\core\wm_module.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\directfb.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\directfb.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbdisplaylayer.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbdisplaylayer.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbdisplaylayer.h(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbdisplaylayer.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbpalette.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbpalette.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbpalette.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbpalette.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbscreen.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbscreen.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbscreen.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbscreen.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface.c(2): (c) Copyright

legal(ME)

2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface_layer.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface_layer.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface_layer.h(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface_layer.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface_window.c(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface_window.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface_window.h(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\display\idirectfbsurface_window.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\display\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\gfx\clip.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\clip.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\clip.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\clip.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\convert.c(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\convert.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\convert.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\convert.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\duffs_device.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\duffs_device.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic.h(3): (c) Copyright

legal(ME)

2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_64.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_64.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_blit.c(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_blit.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_draw_line.c(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_draw_line.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_dummy.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_dummy.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_fill_rectangle.c(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_fill_rectangle.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_mmx.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_mmx.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_stretch_blit.c(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_stretch_blit.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_texture_triangles.c(2):
(c) Copyright 2001-2011The world wide DirectFB Open Source Community
(directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_texture_triangles.c(3):
(c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_util.c(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\generic_util.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_acc_16.h(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_acc_16.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_acc_24.h(2): (c)
Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_acc_24.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_acc_32.h(2): (c)
Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_acc_32.h(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_colorkey_16.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_colorkey_16.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_colorkey_24.h(2): (c) Copyright 2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_colorkey_24.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_colorkey_32.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\template_colorkey_32.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\generic\yuvtbl-gen.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\generic\yuvtbl-gen.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\gfx\util.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\util.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\gfx\util.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\gfx\util.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\idirectfb.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\idirectfb.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\idirectfb.h(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\idirectfb.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\init.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\init.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\init.h(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\init.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\input\idirectfbinputbuffer.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\input\idirectfbinputbuffer.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\input\idirectfbinputbuffer.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\input\idirectfbinputbuffer.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\input\idirectfbinputdevice.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\src\input\idirectfbinputdevice.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\input\idirectfbinputdevice.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\input\idirectfbinputdevice.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\input\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer_file.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer_file.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer_memory.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer_memory.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer_streamed.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbdatabuffer_streamed.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbfont.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbfont.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbfont.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbfont.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbimageprovider.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbimageprovider.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbimageprovider.h(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbimageprovider.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbvideoprovider.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\media\idirectfbvideoprovider.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\idirectfbvideoprovider.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\src\media\idirectfbvideoprovider.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\media\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\misc\conf.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\misc\conf.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\misc\conf.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\misc\conf.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\misc\dither.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\misc\dither.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\misc\dither565.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\misc\dither565.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\misc\gfx_util.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\misc\gfx_util.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\misc\gfx_util.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\misc\gfx_util.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\misc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\src\misc\util.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\misc\util.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\misc\util.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\misc\util.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\windows\idirectfbwindow.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\windows\idirectfbwindow.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\windows\idirectfbwindow.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\src\windows\idirectfbwindow.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\src\windows\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\devmem\devmem.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\devmem\devmem.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\systems\devmem\devmem.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\devmem\devmem.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\devmem\devmem_surface_pool.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\devmem\devmem_surface_pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\devmem\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\devmem\surfacemanager.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\devmem\surfacemanager.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\devmem\surfacemanager.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\devmem\surfacemanager.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\dummy\dummy.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\dummy\dummy.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\dummy\dummy.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\dummy\dummy.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\dummy\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\fbdev\agp.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\fbdev\agp.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\fbdev\agp.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\fbdev\agp.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\fbdev\fbdev.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\fbdev\fbdev.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\fbdev\fbdev.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\fbdev\fbdev.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\fbdev\fbdev_surface_pool.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\fbdev\fbdev_surface_pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\fbdev\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\fbdev\surfacemanager.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\systems\fbdev\surfacemanager.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\fbdev\surfacemanager.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\fbdev\surfacemanager.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\fbdev\vt.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\fbdev\vt.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\fbdev\vt.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\fbdev\vt.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\mesa\idirectfbgl2.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\mesa\idirectfbgl2.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\mesa\idirectfbgl2context.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\mesa\idirectfbgl2context.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\mesa\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_layer.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_layer.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_screen.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_screen.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_surface_pool.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_surface_pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_system.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_system.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_system.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\mesa\mesa_system.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\mesa\vt.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\mesa\vt.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\mesa\vt.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\systems\mesa\vt.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\osx\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\osx\osx.c(2): (c) Copyright 2001-2010The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\osx\osx.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\osx\osx.h(2): (c) Copyright 2001-2009The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\osx\osx.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\osx\osxinput.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\osx\osxinput.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\osx\primary.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\osx\primary.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\osx\primary.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\osx\primary.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\pvr2d\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_primary.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_primary.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_primary.h(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_primary.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_surface_pool.c(2): (c)
Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_surface_pool.c(3): (c)
Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_system.c(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_system.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_system.h(2): (c) Copyright
2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\pvr2d\pvr2d_system.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\sd1\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\sd1\primary.c(2): (c) Copyright
2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\sd1\primary.c(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\systems\sdl\primary.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\sdl\primary.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\sdl\sdl.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\sdl\sdl.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\sdl\sdl.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\sdl\sdl.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\sdl\sdl_surface_pool.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\sdl\sdl_surface_pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\sdl\sdlgfx.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\sdl\sdlgfx.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\sdl\sdlinput.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\sdl\sdlinput.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\vnc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\vnc\primary.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\vnc\primary.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\vnc\primary.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\vnc\primary.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\vnc\vnc.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\vnc\vnc.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\vnc\vnc.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\vnc\vnc.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\glx_surface_pool.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\glx_surface_pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\glx_surface_pool.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\glx_surface_pool.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

legal(ME)

directfb_1.5.3\Source\DirectFB\systems\x11\primary.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\primary.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\primary.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\primary.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\surface\manager.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\surface\manager.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\surface\manager.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\surface\manager.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vpsemem_surface_pool.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vpsemem_surface_pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vpsemem_surface_pool.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vpsemem_surface_pool.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11_surface_pool.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11_surface_pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11_surface_pool.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11_surface_pool.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11_surface_pool_bridge.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11_surface_pool_bridge.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11_surface_pool_bridge.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11_surface_pool_bridge.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11image.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11image.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\systems\x11\x11image.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11image.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11input.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11input.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\x11types.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\x11types.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\xwindow.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\xwindow.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\xwindow.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\xwindow.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\primary.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\primary.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\primary.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\primary.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11input.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11input.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11types.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11types.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11\vdpaui_surface_pool.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11\vdpaui_surface_pool.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\systems\x11\vdpaui\x11\vdpaui_surface_pool.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\systems\x11vdpau\x11vdpau_surface_pool.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\coretest_blit2.c(2): (c) Copyright 2009Denis Oliver Kropp <dok@directfb.org>
directfb_1.5.3\Source\DirectFB\tests\dfbtest_blit.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_blit2.c(2): (c) Copyright 2009Denis Oliver Kropp <dok@directfb.org>
directfb_1.5.3\Source\DirectFB\tests\dfbtest_fillrect.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_font.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_gl1.c(2): (c) Copyright 2001convergence integrated media GmbH.
directfb_1.5.3\Source\DirectFB\tests\dfbtest_gl2.c(2): (c) Copyright 2001convergence integrated media GmbH.
directfb_1.5.3\Source\DirectFB\tests\dfbtest_gl3.c(2): (c) Copyright 2001convergence integrated media GmbH.
directfb_1.5.3\Source\DirectFB\tests\dfbtest_init.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_mirror.c(2): (c) Copyright 2009Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_reinit.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_scale.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_sync.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_water.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\dfbtest_water.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\dfbtest_window.c(2): (c) Copyright 2001-2009The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\dfbtest_window.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\dfbtest_window_flip_once.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\dfbtest_windows_watcher.c(2): (c) Copyright 2001-2009The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\dfbtest_windows_watcher.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\direct_stream.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tests\direct_test.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\direct_test.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\fusion_call.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\fusion_call.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\tests\fusion_call_bench.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\fusion_call_bench.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\fusion_fork.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\fusion_fork.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\fusion_reactor.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\fusion_reactor.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\fusion_skirmish.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\fusion_skirmish.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\fusion_stream.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\fusion_stream.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench_client.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench_client.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench_client_unix.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench_client_unix.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench_server.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench_server.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench_server_unix.c(2): (c) Copyright 2001-2008The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tests\voodoo_bench_server_unix.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tests\voodoo\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\tools\dfbdump.c(2): (c) Copyright 2001-2010The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfbdump.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\dfbfx.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfbfx.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\tools\dfbg.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfbg.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\dfbinfo.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfbinfo.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\dfbinput.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfbinput.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\dfblayer.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfblayer.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\dfbmaster.c(2): (c) Copyright 2008Denis Oliver Kropp
directfb_1.5.3\Source\DirectFB\tools\dfbpenmount.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfbpenmount.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\dfbproxy.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfbproxy.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\dfbscreen.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\dfbscreen.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\directfb-csource.c(14): based image CSource generatorCopyright (C) 1999, 2001 Tim Janik
directfb_1.5.3\Source\DirectFB\tools\directfb-csource.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\directfb-csource.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\fusion_bench.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\fusion_bench.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\fx.c(2): (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\fx.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\gendoc.pl(3):# (c) Copyright 2001-2007The DirectFB Organization (directfb.org)
directfb_1.5.3\Source\DirectFB\tools\gendoc.pl(4):# (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\tools\gendoc.pl(77):\$COLOR_COPYRIGHT_BG="#E0E8F0";
directfb_1.5.3\Source\DirectFB\tools\gendoc.pl(845):"<TABLE width=100% bgcolor=\$COLOR_COPYRIGHT_BG border=0 cellspacing=1 cellpadding=3>\n",

legal(ME)

directfb_1.5.3\Source\DirectFB\wm\unique\classes>window.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\classes>window.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\context.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\context.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\context.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\context.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\data\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\wm\unique\decoration.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\decoration.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\decoration.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\decoration.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\device.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\device.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\device.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\device.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\devices\keyboard.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\devices\keyboard.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\devices\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\wm\unique\devices\pointer.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\devices\pointer.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\devices\wheel.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\devices\wheel.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\input_channel.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\input_channel.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\input_channel.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\input_channel.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH

legal(ME)

directfb_1.5.3\Source\DirectFB\wm\unique\input_events.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\input_events.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\input_switch.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\input_switch.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\input_switch.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\input_switch.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\internal.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\internal.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\DirectFB\wm\unique\stret.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\stret.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\stret.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\stret.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\stret_iteration.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\stret_iteration.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\stret_iteration.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\stret_iteration.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\stret_test.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\stret_test.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\test_color.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\test_color.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\test_foo.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\test_foo.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\types.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\types.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\unique.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)

legal(ME)

directfb_1.5.3\Source\DirectFB\wm\unique\unique.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\uniquewm.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\uniquewm.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\uniquewm.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\uniquewm.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\uwmdump.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\uwmdump.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\window.c(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\window.c(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\DirectFB\wm\unique\window.h(2): (c) Copyright 2001-2009The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\DirectFB\wm\unique\window.h(3): (c) Copyright 2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\aclocal.m4(24):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
directfb_1.5.3\Source\SawMan\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
directfb_1.5.3\Source\SawMan\aclocal.m4(33):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
directfb_1.5.3\Source\SawMan\aclocal.m4(619):Copyright (C) 2008 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(7386):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(7749):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(7873):# Copyright (C) 2004 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(7897):# Copyright (C) 2004, 2005, 2007 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(7988):# Copyright (C) 2002, 2003, 2005, 2006, 2007, 2008Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8026):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8078):# Copyright (C) 1996, 1997, 1999, 2000, 2001, 2002, 2003, 2005
directfb_1.5.3\Source\SawMan\aclocal.m4(8102):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005, 2006, 2008
directfb_1.5.3\Source\SawMan\aclocal.m4(8136):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2009
directfb_1.5.3\Source\SawMan\aclocal.m4(8320):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2008
directfb_1.5.3\Source\SawMan\aclocal.m4(8398):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005

legal(ME)

directfb_1.5.3\Source\SawMan\aclocal.m4(8412):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
directfb_1.5.3\Source\SawMan\aclocal.m4(8549):# Copyright (C) 2001, 2003, 2005, 2008Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8570):# Copyright (C) 2003, 2005Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8594):# Copyright (C) 1996, 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2008
directfb_1.5.3\Source\SawMan\aclocal.m4(8633):# Copyright (C) 2001, 2002, 2003, 2005, 2009Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8685):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005, 2008
directfb_1.5.3\Source\SawMan\aclocal.m4(8726):# Copyright (C) 2003, 2004, 2005, 2006Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8754):# Copyright (C) 2001, 2002, 2003, 2005, 2008Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8787):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005, 2008
directfb_1.5.3\Source\SawMan\aclocal.m4(8850):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8878):# Copyright (C) 2006, 2008Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\aclocal.m4(8899):# Copyright (C) 2004, 2005Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
directfb_1.5.3\Source\SawMan\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
directfb_1.5.3\Source\SawMan\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
directfb_1.5.3\Source\SawMan\config.sub(78):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
directfb_1.5.3\Source\SawMan\configure(1626):Copyright (C) 2010 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\configure(16317):Copyright (C) 2010 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\configure(17511):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
directfb_1.5.3\Source\SawMan\configure(6):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
directfb_1.5.3\Source\SawMan\COPYING(4): Copyright (C) 1991, 1999 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\COPYING(429):copyrighted by the Free Software Foundation, write to the Free
directfb_1.5.3\Source\SawMan\COPYING(496):Yoyodyne, Inc., hereby disclaims all copyright interest in the
directfb_1.5.3\Source\SawMan\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009 Free
directfb_1.5.3\Source\SawMan\include\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\SawMan\include\sawman.h(2): (c) Copyright 2006-2007directfb.org

legal(ME)

directfb_1.5.3\Source\SawMan\include\sawman_types.h(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999,
2000, 2001, 2002, 2004, 2005,
directfb_1.5.3\Source\SawMan\INSTALL(8):are permitted in any medium without
royalty provided the copyright
directfb_1.5.3\Source\SawMan\install-sh(10):# Copyright (C) 1994 X Consortium
directfb_1.5.3\Source\SawMan\ltmain.sh(6):# Copyright (C) 1996, 1997, 1998, 1999,
2000, 2001, 2003, 2004, 2005, 2006, 2007 2008 Free Software Foundation, Inc.
directfb_1.5.3\Source\SawMan\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\SawMan\missing(6):# Copyright (C) 1996, 1997, 1999, 2000,
2002, 2003, 2004, 2005, 2006,
directfb_1.5.3\Source\SawMan\samples\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\SawMan\samples\sample1.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\samples\testman.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\samples\testrun.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\isawman.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\isawman.h(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\isawmanmanager.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\isawmanmanager.h(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\SawMan\src\region.c(2): (c) Copyright 2009directfb.org
directfb_1.5.3\Source\SawMan\src\region.h(2): (c) Copyright 2009directfb.org
directfb_1.5.3\Source\SawMan\src\sawman.c(2): (c) Copyright 2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\SawMan.cpp(2): (c) Copyright 2001-2011The world
wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawMan.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\src\SawMan.h(2): (c) Copyright 2001-2011The world
wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawMan.h(3): (c) Copyright 2000-2004Convergence
(integrated media) GmbH
directfb_1.5.3\Source\SawMan\src\sawman_config.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\sawman_config.h(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\sawman_draw.c(2): (c) Copyright
2001-2007directfb.org
directfb_1.5.3\Source\SawMan\src\sawman_draw.c(3): (c) Copyright
2000-2004convergence (integrated) media GmbH.
directfb_1.5.3\Source\SawMan\src\sawman_draw.h(2): (c) Copyright
2001-2007directfb.org

legal(ME)

directfb_1.5.3\Source\SawMan\src\sawman_draw.h(3): (c) Copyright
2000-2004convergence (integrated) media GmbH.
directfb_1.5.3\Source\SawMan\src\sawman_internal.h(2): (c) Copyright
2006-2010directfb.org
directfb_1.5.3\Source\SawMan\src\SawMan_real.cpp(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawMan_real.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\src\sawman_updates.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\sawman_updates.h(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\sawman_window.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\sawman_window.h(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\src\SawManManager.cpp(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawManManager.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\src\SawManManager.h(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawManManager.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\src\SawManManager_real.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawManManager_real.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\src\SawManProcess.cpp(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawManProcess.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\src\SawManProcess.h(2): (c) Copyright 2001-2011The
world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawManProcess.h(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\src\SawManProcess_real.cpp(2): (c) Copyright
2001-2011The world wide DirectFB Open Source Community (directfb.org)
directfb_1.5.3\Source\SawMan\src\SawManProcess_real.cpp(3): (c) Copyright
2000-2004Convergence (integrated media) GmbH
directfb_1.5.3\Source\SawMan\tools\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\SawMan\tools\swmdump.c(2): (c) Copyright
2006-2007directfb.org
directfb_1.5.3\Source\SawMan\wm\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\SawMan\wm\sawman\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
directfb_1.5.3\Source\SawMan\wm\sawman\sawman_wm.c(2): (c) Copyright
2001-2010directfb.org
directfb_1.5.3\Source\SawMan\wm\sawman\sawman_wm.c(3): (c) Copyright
2000-2004convergence (integrated) media GmbH.

legal(ME)

dosfstools\2.9\dosfstools-2.9\dosfsck\COPYING(1):The license below applies to dosfsck, which is copyrighted by
dosfstools\2.9\dosfstools-2.9\dosfsck\COPYING(299):Copyright (C) 19yy<name of author>
dosfstools\2.9\dosfstools-2.9\dosfsck\COPYING(321):Gnomovision version 69, Copyright (C) 19yy name of author
dosfstools\2.9\dosfstools-2.9\dosfsck\COPYING(335):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
dosfstools\2.9\dosfstools-2.9\dosfsck\COPYING(9): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
dosfstools\2.9\dosfstools-2.9\mkdosfs\COPYING(1): The GPL below is copyrighted by the Free Software
dosfstools\2.9\dosfstools-2.9\mkdosfs\COPYING(12): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
dosfstools\2.9\dosfstools-2.9\mkdosfs\COPYING(3): utility is copyrighted by me
dosfstools\2.9\dosfstools-2.9\mkdosfs\COPYING(302):Copyright (C) 19yy<name of author>
dosfstools\2.9\dosfstools-2.9\mkdosfs\COPYING(323):Gnomovision version 69, Copyright (C) 19yy name of author
dosfstools\2.9\dosfstools-2.9\mkdosfs\COPYING(337):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
dosfstools\2.9\dosfstools-2.9\mkdosfs\mkdosfs.c(28): Copying: Copyright 1993, 1994 David Hudson (dave@humbug.demon.co.uk)
dosfstools\2.9\dosfstools-2.9\mkdosfs\mkdosfs.c(30): Portions copyright 1992, 1993 Remy Card (card@masi.ibp.fr)
dosfstools\NOTICE.txt(1): The GPL below is copyrighted by the Free Software
dosfstools\NOTICE.txt(12): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
dosfstools\NOTICE.txt(3): utility is copyrighted by me
dosfstools\NOTICE.txt(302):Copyright (C) 19yy<name of author>
dosfstools\NOTICE.txt(323):Gnomovision version 69, Copyright (C) 19yy name of author
dosfstools\NOTICE.txt(337):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(1008):dn1 Copyright (C) 2001-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(1559):dn1 Copyright (C) 2001-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(1714):dn1 Copyright (C) 2002-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(1744):dn1 Copyright (C) 1999-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(1769):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(1818):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2244):dn1 Copyright (C) 2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2290):dn1 Copyright (C) 1996-2003 Free Software Foundation, Inc.

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2381):dn1 Copyright (C) 2001-2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2400):dn1 Copyright (C) 2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2461):dn1 Copyright (C) 1997-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2489):dn1 Copyright (C) 1997-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(25):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2521):dn1 Copyright (C) 1999-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2546):dn1 Copyright (C) 2002-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2568):dn1 Copyright (C) 2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2590):dn1 Copyright (C) 2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2608):# As a special exception, the respective Autoconf Macro's copyright
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2655):# Copyright ㄗㄗㄗ 2004 Scott James Remnant <scott@netsplit.com>.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2746):# Copyright (c) 2008 John Darrington <j.darrington@elvis.murdoch.edu.au>
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(2749):# permitted in any medium without royalty provided the copyright notice
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(512):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(544):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(647):dn1 Copyright (C) 2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(719):dn1 Copyright (C) 2002-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(751):dn1 Copyright (C) 1997-2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(778):dn1 Copyright (C) 1997-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(806):dn1 Copyright (C) 1997-2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(838):dn1 Copyright (C) 1995-2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(864):dn1 Copyright (C) 1995-2002 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\aclocal.m4(896):dn1 Copyright (C) 1996-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\config\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
e2fsprogs\e2fsprogs-1.41.14\config\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
e2fsprogs\e2fsprogs-1.41.14\config\config.rpath(5):# Copyright 1996-2002 Free Software Foundation, Inc.

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\config\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
e2fsprogs\e2fsprogs-1.41.14\config\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
e2fsprogs\e2fsprogs-1.41.14\configure(11708):Copyright (C) 2009 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\configure(1559):Copyright (C) 2009 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\configure(6):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
e2fsprogs\e2fsprogs-1.41.14\contrib\dconf(6):# Copyright (c) 1994
e2fsprogs\e2fsprogs-1.41.14\contrib\e2croncheck(15):# Written by Theodore Ts'o, Copyright 2007, 2008, 2009.
e2fsprogs\e2fsprogs-1.41.14\contrib\make-sparse.c(4): * Copyright 2004 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\COPYING(29): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\COPYING(341):Gnomovision version 69, Copyright (C) yearname of author
e2fsprogs\e2fsprogs-1.41.14\COPYING(355):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
e2fsprogs\e2fsprogs-1.41.14\COPYING(372): Copyright (C) 1991 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\COPYING(776):copyrighted by the Free Software Foundation, write to the Free
e2fsprogs\e2fsprogs-1.41.14\COPYING(843):Yoyodyne, Inc., hereby disclaims all copyright interest in the
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(1014):* Clarify the copyright licenses used by the various libraries in COPYING
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(1048):* Remove -WIP language from the debian copyright file.(Closes: #415560)
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(1628):* Clarified/corrected the copyright statements of the UUID and blkid
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(1629):libraries in the Debian copyright files.
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(2299):* Fixed name of copyright file in e2fsprogs-bf.
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(2341):* Fixed libss2 copyright file.
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(2400):* Updated copyright file (upstream location, packaging copyright notice
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(2436):* Clarified libuuid copyright to LGPL-2, excluding LGPL-2.1.
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(2455):* Updated main copyright file for a number of things.
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(2551):* Corrected the location of the GPL in copyright file.
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(2843):* updated "copyright" to show new location on tsx-11.
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(379):* Update the debian copyright files to point at the version-specific
e2fsprogs\e2fsprogs-1.41.14\debian\changelog(614):* Wrap debian/copyright files to avoid "line too long" lintian warnings

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\debian\e2fsck-static.copyright(10): Copyright (c) 2001 Alcove <<http://www.alcove.com/>>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsck-static.copyright(11): Copyright (c) 1997 Klee Dienes
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsck-static.copyright(12): Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsck-static.copyright(16): Copyright notice:
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsck-static.copyright(21): Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsck-static.copyright(8): Packaging is Copyright (c) 2003-2006 Theodore Ts'o <tytso@mit.edu>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsck-static.copyright(9): Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fslibs.copyright(10): copyright (c) 1997 Klee Dienes
e2fsprogs\e2fsprogs-1.41.14\debian\e2fslibs.copyright(11): copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fslibs.copyright(15): Copyright notice:
e2fsprogs\e2fsprogs-1.41.14\debian\e2fslibs.copyright(20): Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
e2fsprogs\e2fsprogs-1.41.14\debian\e2fslibs.copyright(7): Packaging is copyright (c) 2003 Theodore Ts'o <tytso@mit.edu>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fslibs.copyright(8): copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fslibs.copyright(9): copyright (c) 2001 Alcove <<http://www.alcove.com/>>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsprogs.copyright(10): Copyright (c) 1997 Klee Dienes
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsprogs.copyright(11): Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsprogs.copyright(15): Copyright notice:
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsprogs.copyright(20): Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsprogs.copyright(7): Packaging is Copyright (c) 2003-2007 Theodore Ts'o <tytso@mit.edu>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsprogs.copyright(8): Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
e2fsprogs\e2fsprogs-1.41.14\debian\e2fsprogs.copyright(9): Copyright (c) 2001 Alcove <<http://www.alcove.com/>>
e2fsprogs\e2fsprogs-1.41.14\debian\libblkid.copyright(10): Copyright:
e2fsprogs\e2fsprogs-1.41.14\debian\libblkid.copyright(12): Copyright (C) 1999, 2001 by Andries Brouwer
e2fsprogs\e2fsprogs-1.41.14\debian\libblkid.copyright(13): Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\debian\libcomerr2.copyright(11): Copyright 1987, 1988 by the Student Information Processing Board
e2fsprogs\e2fsprogs-1.41.14\debian\libcomerr2.copyright(17): appear in all copies and that both that copyright notice and
e2fsprogs\e2fsprogs-1.41.14\debian\libss2.copyright(12): Copyright 1987, 1988 by the Student Information Processing Board
e2fsprogs\e2fsprogs-1.41.14\debian\libss2.copyright(18): appear in all copies and that both that copyright notice and

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\debian\libuuid1.copyright(10):Copyright:
e2fsprogs\e2fsprogs-1.41.14\debian\libuuid1.copyright(12):Copyright (C) 1999,
2000, 2003, 2004 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\debian\rules(415):\$(INSTALL) -p -m 0644
debian/libblkid.copyright \
e2fsprogs\e2fsprogs-1.41.14\debian\rules(524):\$(INSTALL) -p -m 0644
debian/e2fsprogs.copyright \
e2fsprogs\e2fsprogs-1.41.14\debian\rules(528):\$(INSTALL) -p -m 0644
debian/uuid-runtime.copyright \
e2fsprogs\e2fsprogs-1.41.14\debian\rules(532):\$(INSTALL) -p -m 0644
debian/e2fslibs.copyright \
e2fsprogs\e2fsprogs-1.41.14\debian\rules(535):\$(INSTALL) -p -m 0644
debian/libcomerr2.copyright \
e2fsprogs\e2fsprogs-1.41.14\debian\rules(538):\$(INSTALL) -p -m 0644
debian/libss2.copyright \
e2fsprogs\e2fsprogs-1.41.14\debian\rules(542):\$(INSTALL) -p -m 0644
debian/libblkid.copyright \
e2fsprogs\e2fsprogs-1.41.14\debian\rules(545):\$(INSTALL) -p -m 0644
debian/libuuid1.copyright \
e2fsprogs\e2fsprogs-1.41.14\debian\uuid-dev.copyright(10):Copyright:
e2fsprogs\e2fsprogs-1.41.14\debian\uuid-dev.copyright(12):Copyright (C) 1999,
2000, 2003, 2004 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\debian\uuid-runtime.copyright(10):Copyright:
e2fsprogs\e2fsprogs-1.41.14\debian\uuid-runtime.copyright(12):Copyright (C) 1999,
2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 by
e2fsprogs\e2fsprogs-1.41.14\debugfs\debugfs.8.in(2):.\" Copyright 1993, 1994,
1995 by Theodore Ts'o.All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\debugfs\logdump.c(5): * Copyright (C) 2001 Red Hat,
Inc.
e2fsprogs\e2fsprogs-1.41.14\debugfs\logdump.c(6): * Based on portionsCopyright
(C) 1994 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\debugfs\lsdel.c(4): * Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001
e2fsprogs\e2fsprogs-1.41.14\debugfs\set_fields.c(4): * Copyright (C) 2000, 2001,
2002, 2003, 2004 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\debugfs\util.c(4): * Copyright (C) 1993, 1994
Theodore Ts'o.This file may be
e2fsprogs\e2fsprogs-1.41.14\doc\libext2fs.texinfo(32):Copyright (C) 1997, 1998,
1999, 2000, 2001, 2002, 2003, 2004, 2005,
e2fsprogs\e2fsprogs-1.41.14\doc\libext2fs.texinfo(79):Copyright @copyright{
1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
e2fsprogs\e2fsprogs-1.41.14\doc\texinfo.tex(3445):\def\copyright{copyright}%
e2fsprogs\e2fsprogs-1.41.14\doc\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988,
1990, 1991, 1992, 1993, 1994, 1995,
e2fsprogs\e2fsprogs-1.41.14\e2fsck\argv_parse.c(12): * Copyright 1999 by Theodore
Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\argv_parse.h(23): * Copyright 1999 by Theodore
Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\badblocks.c(4): * Copyright (C) 1993, 1994
Theodore Ts'o.This file may be
e2fsprogs\e2fsprogs-1.41.14\e2fsck\crc32.c(15): * Code was from the public
domain, copyright abandoned.Code was

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\e2fsck\crc32.c(4): * Copyright (C) 2008 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\dict.c(11): * derivative works, as long as the modified versions carry this copyright

e2fsprogs\e2fsprogs-1.41.14\e2fsck\dict.c(1184):goto copyright;

e2fsprogs\e2fsprogs-1.41.14\e2fsck\dict.c(1201):copyright:

e2fsprogs\e2fsprogs-1.41.14\e2fsck\dict.c(15): * contain a copyright notice related to this source.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\dict.c(3): * Copyright (C) 1997 Kaz Kylheku <kaz@ashi.footprints.net>

e2fsprogs\e2fsprogs-1.41.14\e2fsck\dict.h(11): * derivative works, as long as the modified versions carry this copyright

e2fsprogs\e2fsprogs-1.41.14\e2fsck\dict.h(15): * contain a copyright notice related to this source.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\dict.h(3): * Copyright (C) 1997 Kaz Kylheku <kaz@ashi.footprints.net>

e2fsprogs\e2fsprogs-1.41.14\e2fsck\e2fsck.8.in(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o.All Rights Reserved.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\e2fsck.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\e2fsck.conf.5.in(2):.\" Copyright 2006 by Theodore Ts'o.All Rights Reserved.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\e2fsck.h(4): * Copyright (C) 1993, 1994 Theodore Ts'o.This file may be

e2fsprogs\e2fsprogs-1.41.14\e2fsck\ea_refcount.c(4): * Copyright (C) 2001 Theodore Ts'o.This file may be

e2fsprogs\e2fsprogs-1.41.14\e2fsck\emptydir.c(4): * Copyright (C) 1998 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\e2fsck\extend.c(5): * Copyright (C) 1993, 1994, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\flushb.c(4): * Copyright 1997, 2000, by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\gen_crc32table.c(4): * Copyright (C) 2008 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\jfs_user.h(5): * Copyright (C) 2000 Stephen C. Tweedie

e2fsprogs\e2fsprogs-1.41.14\e2fsck\journal.c(4): * Copyright (C) 2000 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\e2fsck\journal.c(5): * Copyright (C) 2000 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\e2fsck\journal.c(8): * Copyright (C) 1999 Red Hat Software

e2fsprogs\e2fsprogs-1.41.14\e2fsck\message.c(4): * Copyright 1996, 1997 by Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\e2fsck\mtrace.c(2): Copyright (C) 1991, 1992 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\mtrace.h(2): Copyright 1990, 1991, 1992 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\pass1.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\e2fsck\pass1b.c(21): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\e2fsck\pass2.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\e2fsck\pass3.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\pass4.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\pass5.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\problem.c(4): * Copyright 1996, 1997 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\e2fsck\problem.h(4): * Copyright 1996 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\e2fsck\problemP.h(4): * Copyright 1997 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\e2fsck\profile.c(15): * Copyright (C) 2005, 2006 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\profile.c(22): * Copyright (C) 1985-2005 by the Massachusetts Institute of Technology.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\profile.h(11): * Copyright (C) 1985-2005 by the Massachusetts Institute of Technology.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\profile.h(4): * Copyright (C) 2005 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\profile_helpers.c(13): * Copyright (C) 2006 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\profile_helpers.h(4): * Copyright (C) 2006 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\recovery.c(6): * Copyright 1999-2000 Red Hat Software --- All Rights Reserved
e2fsprogs\e2fsprogs-1.41.14\e2fsck\region.c(4): * Copyright (C) 2001 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\rehash.c(4): * Copyright (C) 2002 Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\e2fsck\revoke.c(6): * Copyright 2000 Red Hat corp --- All Rights Reserved
e2fsprogs\e2fsprogs-1.41.14\e2fsck\super.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\unix.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\e2fsck\util.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\ext2ed\blockbitmap_com.c(15):Copyright (C) 1995 Gadi Oxman
e2fsprogs\e2fsprogs-1.41.14\ext2ed\COPYRIGHT(11): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\ext2ed\COPYRIGHT(301):Copyright (C) 19yy<name of author>
e2fsprogs\e2fsprogs-1.41.14\ext2ed\COPYRIGHT(322):Gnomovision version 69, Copyright (C) 19yy name of author
e2fsprogs\e2fsprogs-1.41.14\ext2ed\COPYRIGHT(336):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
e2fsprogs\e2fsprogs-1.41.14\ext2ed\dir_com.c(27):Copyright (C) 1995 Gadi Oxman
e2fsprogs\e2fsprogs-1.41.14\ext2ed\disk.c(21):Copyright (C) 1995 Gadi Oxman

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2ed-design.sgml(2403):Those lines of source are copyrighted by <Literal remap="tt">Remy Card</Literal> - The author of the

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2ed-design.sgml(2406):full copyright.

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2ed-design.sgml(3324):<Title>Copyright</Title>

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2ed-design.sgml(3327):EXT2ED is Copyright (C) 1995 Gadi Oxman.

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2ed-design.sgml(3333):copyright presented above will be left and that a list of the bug fixes,

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2ed-design.sgml(3341):the original copyright:

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2ed-design.sgml(3350): * Copyright (C) 1992, 1993, 1994, 1995

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2ed-design.sgml(3359): *Copyright (C) 1991, 1992Linus Torvalds

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2fs-overview.sgml(1457):<Title>Copyright</Title>

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2fs-overview.sgml(1462):the original copyright:

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2fs-overview.sgml(1471): * Copyright (C) 1992, 1993, 1994, 1995

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\ext2fs-overview.sgml(1480): *Copyright (C) 1991, 1992Linus Torvalds

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\user-guide.sgml(2124):<Title>Copyright</Title>

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\user-guide.sgml(2127):EXT2ED is Copyright (C) 1995 Gadi Oxman.

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\user-guide.sgml(2133):copyright presented above will be left and that a list of the bug fixes,

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\user-guide.sgml(2141):the original copyright:

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\user-guide.sgml(2150): * Copyright (C) 1992, 1993, 1994, 1995

e2fsprogs\e2fsprogs-1.41.14\ext2ed\doc\user-guide.sgml(2159): *Copyright (C) 1991, 1992Linus Torvalds

e2fsprogs\e2fsprogs-1.41.14\ext2ed\ext2.descriptors(15):Here is the original copyright:

e2fsprogs\e2fsprogs-1.41.14\ext2ed\ext2.descriptors(20): *Copyright (C) 1992, 1993, 1994Remy Card (card@masi.ibp.fr)

e2fsprogs\e2fsprogs-1.41.14\ext2ed\ext2.descriptors(28): *Copyright (C) 1991, 1992Linus Torvalds

e2fsprogs\e2fsprogs-1.41.14\ext2ed\ext2_com.c(15):Copyright (C) 1995 Gadi Oxman

e2fsprogs\e2fsprogs-1.41.14\ext2ed\ext2ed.h(16):Copyright (C) 1995 Gadi Oxman

e2fsprogs\e2fsprogs-1.41.14\ext2ed\file_com.c(13):Copyright (C) 1995 Gadi Oxman

e2fsprogs\e2fsprogs-1.41.14\ext2ed\general_com.c(13):Copyright (C) 1995 Gadi Oxman

e2fsprogs\e2fsprogs-1.41.14\ext2ed\general_com.c(90):wprintw (show_pad,"Copyright (C) 1995 Gadi Oxman\n");

e2fsprogs\e2fsprogs-1.41.14\ext2ed\group_com.c(11):Copyright (C) 1995 Gadi Oxman

e2fsprogs\e2fsprogs-1.41.14\ext2ed\init.c(13):Copyright (C) 1995 Gadi Oxman

e2fsprogs\e2fsprogs-1.41.14\ext2ed\inode_com.c(11):Copyright (C) 1995 Gadi Oxman

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\ext2ed\inodebitmap_com.c(15):Copyright (C) 1995 Gadi Oxman
e2fsprogs\e2fsprogs-1.41.14\ext2ed\main.c(21):Copyright (C) 1995 Gadi Oxman
e2fsprogs\e2fsprogs-1.41.14\ext2ed\super_com.c(13):Copyright (C) 1995 Gadi Oxman
e2fsprogs\e2fsprogs-1.41.14\ext2ed\win.c(16):Copyright (C) 1995 Gadi Oxman
e2fsprogs\e2fsprogs-1.41.14\include\nonunix\getopt.h(2): Copyright (C)
1989,90,91,92,93,94,96,97 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\bindtextdom.c(2): Copyright (C) 1995-1998,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\config.charset(4):# Copyright (C) 2000-2004 Free
Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\dcgettext.c(2): Copyright (C) 1995-1999,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\dcigettext.c(2): Copyright (C) 1995-1999,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\dcngettext.c(2): Copyright (C) 1995-1999,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\dgettext.c(2): Copyright (C) 1995-1997,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\dngettext.c(2): Copyright (C) 1995-1997,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\eval-plural.h(2): Copyright (C) 2000-2003 Free
Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\explodename.c(1):/* Copyright (C) 1995-1998,
2000-2001, 2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\finddomain.c(2): Copyright (C) 1995-1999,
2000-2001, 2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\gettext.c(2): Copyright (C) 1995, 1997,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\gettextP.h(2): Copyright (C) 1995-1999,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\gmo.h(2): Copyright (C) 1995, 1997, 2000-2002,
2004 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\hash-string.h(2): Copyright (C) 1995, 1997-1998,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\intl-compat.c(3): Copyright (C) 1995, 2000-2003
Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\l10nflist.c(1):/* Copyright (C) 1995-1999,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\libgettext.h(2): Copyright (C) 1995, 1996, 1997,
1998 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\libguintl.h.in(2): Copyright (C) 1995-1997,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\loadinfo.h(1):/* Copyright (C) 1996-1999,
2000-2003 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\loadmsgcat.c(2): Copyright (C) 1995-1999,
2000-2004 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\localcharset.c(3): Copyright (C) 2000-2003 Free
Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\localcharset.h(2): Copyright (C) 2000-2003 Free
Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\intl\locale.alias(2):# Copyright (C) 1996-2001,2003

legal(ME)

Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\localealias.c(2): Copyright (C) 1995-1999, 2000-2001, 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\localename.c(2): Copyright (C) 1995-1999, 2000-2004 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\log.c(2): Copyright (C) 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\Makefile.in(2):# Copyright (C) 1995-1998, 2000-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\nggettext.c(2): Copyright (C) 1995, 1997, 2000-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\os2compat.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\os2compat.h(3): Copyright (C) 2001-2002 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\osdep.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\plural.c(22): Copyright (C) 2000-2001, 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\plural.c(303): Copyright (C) 1984, 1989, 1990, 2000, 2001, 2002 Free Software

e2fsprogs\e2fsprogs-1.41.14\intl\plural.y(3): Copyright (C) 2000-2001, 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\plural-exp.c(2): Copyright (C) 2000-2001, 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\plural-exp.h(2): Copyright (C) 2000-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\printf.c(2): Copyright (C) 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\printf-args.c(2): Copyright (C) 1999, 2002-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\printf-args.h(2): Copyright (C) 1999, 2002-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\printf-parse.c(2): Copyright (C) 1999-2000, 2002-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\printf-parse.h(2): Copyright (C) 1999, 2002-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\ref-add.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\ref-del.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\relocatable.c(2): Copyright (C) 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\relocatable.h(2): Copyright (C) 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\textdomain.c(2): Copyright (C) 1995-1998, 2000-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\vasnprintf.c(2): Copyright (C) 1999, 2002-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\vasnprintf.h(2): Copyright (C) 2002-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\vasnwprintf.h(2): Copyright (C) 2002-2003 Free

legal(ME)

Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\wprintf-parse.h(2): Copyright (C) 1999, 2002-2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\intl\xsize.h(3): Copyright (C) 2003 Free Software Foundation, Inc.

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\blkid.h.in(4): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\blkid.h.in(5): * Copyright (C) 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\blkidP.h(4): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\blkidP.h(5): * Copyright (C) 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\cache.c(4): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\cache.c(5): * Copyright (C) 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\dev.c(4): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\dev.c(5): * Copyright (C) 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\devname.c(4): * Copyright (C) Andries Brouwer

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\devname.c(5): * Copyright (C) 1999, 2000, 2001, 2002, 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\devname.c(6): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\devno.c(4): * Copyright (C) 2000, 2001, 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\devno.c(5): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\getsize.c(4): * Copyright (C) 1995, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\libblkid.3.in(1):.\" Copyright 2001 Andreas Dilger (adilger@turbolinux.com)

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\llseek.c(4): * Copyright (C) 1994, 1995, 1996, 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\Makefile.in(3):# Copyright (C) 2001 Theodore Ts'o (tytso@mit.edu)

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\probe.c(5): * Copyright (C) 1999 by Andries Brouwer

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\probe.c(6): * Copyright (C) 1999, 2000, 2003 by Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\probe.c(7): * Copyright (C) 2001 by Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\probe.c(8): * Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\probe.h(4): * Copyright (C) 1999 by Andries Brouwer

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\probe.h(5): * Copyright (C) 1999, 2000, 2003 by Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\probe.h(6): * Copyright (C) 2001 by Andreas

legal(ME)

Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\read.c(4): * Copyright (C) 2001, 2003 Theodore Y. Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\read.c(5): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\resolve.c(4): * Copyright (C) 2001, 2003 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\resolve.c(5): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\save.c(4): * Copyright (C) 2001 by Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\save.c(5): * Copyright (C) 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid>tag.c(4): * Copyright (C) 2001 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\blkid>tag.c(5): * Copyright (C) 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\tst_types.c(4): * Copyright (C) 2006 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\blkid\version.c(4): * Copyright (C) 2004 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\feature.c(4): * Copyright (C) 1999Theodore Ts'o <tytso@mit.edu>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\fgetflags.c(4): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\fgetversion.c(4): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\fsetflags.c(4): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\fsetversion.c(4): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\getflags.c(4): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\getversion.c(4): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\hashstr.c(4): * Copyright (C) 1999Theodore Ts'o <tytso@mit.edu>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\iod.c(4): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\ls.c(4): * Copyright (C) 1992, 1993, 1994Remy Card <card@masi.ibp.fr>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\ls.c(8): * Copyright (C) 1995, 1996, 1997Theodore Ts'o <tytso@mit.edu>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\Makefile.in(3):# Copyright (C) 1993 Remy Card (card@masi.ibp.fr)

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\mntopts.c(4): * Copyright (C) 2002Theodore Ts'o <tytso@mit.edu>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\ostype.c(4): * Copyright (C) 2004,2005Theodore Ts'o <tytso@mit.edu>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\parse_num.c(4): * Copyright (C) 2004,2005Theodore Ts'o <tytso@mit.edu>

e2fsprogs\e2fsprogs-1.41.14\lib\e2p\pe.c(4): * Copyright (C) 1992, 1993, 1994Remy

legal(ME)

Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\lib\etp\percent.c(4): * Copyright (C) 2006Theodore
Ts'o <tytso@mit.edu>
e2fsprogs\e2fsprogs-1.41.14\lib\etp\pf.c(4): * Copyright (C) 1993, 1994Remy Card
<card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\lib\etp\ps.c(4): * Copyright (C) 1993, 1994Remy Card
<card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\lib\etp\setflags.c(4): * Copyright (C) 1993, 1994Remy
Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\lib\etp\setversion.c(4): * Copyright (C) 1993,
1994Remy Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_err.3(1):.\" Copyright (c) 1988
Massachusetts Institute of Technology,
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_err.c(2): * Copyright 1987, 1988 by MIT
Student Information Processing Board.
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_err.h(4): * Copyright 1988, Student
Information Processing Board of the
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_err.texinfo(112):the Free Software
Foundation, and is under different copyright restrictions
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_err.texinfo(14):@c Software Foundation,
and is under different copyright restrictions
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_err.texinfo(40):Copyright (C) 1987, 1988
Student Information Processing Board of the
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_err.texinfo(54):the Free Software
Foundation, and is under different copyright restrictions
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_err.texinfo(98):Copyright @copyright{
1987, 1988 by the Student Information Processing
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_right.c(5): * Copyright (c) 2003 by
Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\lib\et\com_right.c(9): * Copyright (c) 1997, 1998,
2001 Kungliga Tekniska Högskolan
e2fsprogs\e2fsprogs-1.41.14\lib\et\compile_et.1(1):.\" Copyright (c) 1988
Massachusetts Institute of Technology,
e2fsprogs\e2fsprogs-1.41.14\lib\et\error_message.c(6): * Copyright 1987 by the
Student Information Processing Board
e2fsprogs\e2fsprogs-1.41.14\lib\et\error_table.h(2): * Copyright 1988 by the
Student Information Processing Board of the
e2fsprogs\e2fsprogs-1.41.14\lib\et\et_name.c(2): * Copyright 1987 by MIT Student
Information Processing Board
e2fsprogs\e2fsprogs-1.41.14\lib\et\init_et.c(6): * Copyright 1986, 1987, 1988 by
MIT Information Systems and
e2fsprogs\e2fsprogs-1.41.14\lib\et\test_cases\heimdal.et(1):#Copyright 1987,1988
Massachusetts Institute of Technology
e2fsprogs\e2fsprogs-1.41.14\lib\et\test_cases\heimdal.et(4):#mit-copyright.h.
e2fsprogs\e2fsprogs-1.41.14\lib\et\test_cases\heimdal2.et(3):# Copyright 1988 by
the Massachusetts Institute of Technology.
e2fsprogs\e2fsprogs-1.41.14\lib\et\test_cases\heimdal2.et(6):# <mit-copyright.h>.
e2fsprogs\e2fsprogs-1.41.14\lib\et\test_cases\imap_err.et(3):# Copyright 1998
Carnegie Mellon University
e2fsprogs\e2fsprogs-1.41.14\lib\et\texinfo.tex(3):% Copyright (C) 1985, 1986,
1988 Richard M. Stallman
e2fsprogs\e2fsprogs-1.41.14\lib\et\texinfo.tex(33):%and appropriately publish on

legal(ME)

each copy a valid copyright notice

```
e2fsprogs\e2fsprogs-1.41.14\lib\et\texinfo.tex(34):%"Copyright (C) 1986 Richard
M. Stallman"; and include
e2fsprogs\e2fsprogs-1.41.14\lib\et\vfprintf.c(2): * Copyright (c) 1988 Regents of
the University of California.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\alloc.c(4): * Copyright (C) 1993, 1994,
1995, 1996 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\alloc_sb.c(5): * Copyright (C) 1994, 1995,
1996, 2003 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\alloc_stats.c(4): * Copyright (C) 2001
Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\alloc_tables.c(5): * Copyright (C) 1996
Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\badblocks.c(4): * Copyright (C) 1994,
1995, 1996 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\bb_compat.c(4): * Copyright (C) 1997
Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\bb_inode.c(8): * Copyright (C) 1994, 1995
Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\bitmaps.c(5): * Copyright (C) 1993, 1994,
1995, 1996 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\bitops.c(5): * Copyright (C) 1993, 1994,
1995, 1996 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\bitops.h(5): * Copyright (C) 1993, 1994,
1995, 1996 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\block.c(4): * Copyright (C) 1993, 1994,
1995, 1996 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\bmap.c(4): * Copyright (C) 1997 Theodore
Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\bmove.c(5): * Copyright (C) 1997 Theodore
Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\brel.h(4): * Copyright (C) 1996, 1997
Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\brel_ma.c(4): * Copyright (C) 1996, 1997
Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\check_desc.c(4): * Copyright (C) 1993,
1994, 1995, 1996 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\closefs.c(4): * Copyright (C) 1993, 1994,
1995, 1996 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\crc16.h(9): * Copyright (c) 2005 Ben
Gardner <bgardner@wabtec.com>
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\csum.c(4): * Copyright (C) 2006 Cluster
File Systems, Inc.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\csum.c(5): * Copyright (C) 2006, 2007 by
Andreas Dilger <adilger@clusterfs.com>
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dblist.c(4): * Copyright 1997 by Theodore
Ts'o
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dblist_dir.c(4): * Copyright 1997 by
Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dir_iterate.c(4): * Copyright (C) 1993,
1994, 1994, 1995, 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dirblock.c(4): * Copyright (C) 1995, 1996
```

legal(ME)

Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dirhash.c(4): * Copyright (c) 2001 Daniel Phillips

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dirhash.c(6): * Copyright (c) 2002 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dosio.c(4): * Copyright (c) 1997 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dosio.c(6): * Copyright (c) 1997 Mark Habersack

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dosio.h(6): * Copyright (c) 1997 Mark Habersack

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\dupfs.c(4): * Copyright (C) 1997, 1998, 2001, 2003, 2005 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\e2image.h(4): * Copyright (C) 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\expanddir.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext_attr.c(4): * Copyright (C) 2001 Andreas Gruenbacher, <a.gruenbacher@computer.org>

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext_attr.c(6): * Copyright (C) 2002 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext2_err.et.in(2):# Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext2_fs.h(13): * Copyright (C) 1991, 1992 Linus Torvalds

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext2_fs.h(4): * Copyright (C) 1992, 1993, 1994, 1995

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext2_io.h(4): * Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext2fs.h(4): * Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext2fsP.h(4): * Copyright (C) 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ext3_extents.h(2): * Copyright (c) 2003, 2004 Cluster File Systems, Inc, info@clusterfs.com

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\extent.c(4): * Copyright (C) 2007 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\fiemap.h(4): * Some portions copyright (C) 2007 Cluster File Systems, Inc

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\fileio.c(4): * Copyright (C) 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\finddev.c(5): * Copyright (C) 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\flushb.c(5): * Copyright (C) 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\freefs.c(4): * Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\gen_bitmap.c(4): * Copyright (C) 2001 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\get_pathname.c(4): * Copyright (C) 1993, 1994, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\getsectsize.c(4): * Copyright (C) 1995,

legal(ME)

1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\getsectsize.c(5): * Copyright (C) 2003 VMware, Inc.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\getsize.c(4): * Copyright (C) 1995, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\getsize.c(5): * Copyright (C) 2003 VMware, Inc.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\i_block.c(4): * Copyright (C) 2008 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\icount.c(4): * Copyright (C) 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\imager.c(5): * Copyright (C) 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ind_block.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\initialize.c(5): * Copyright (C) 1994, 1995, 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\inline.c(6): * Copyright (C) 1993, 1994 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\inode.c(4): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\inode_io.c(5): * Copyright (C) 2002 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\irel.h(4): * Copyright (C) 1996, 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\irel_ma.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\ismounted.c(4): * Copyright (C) 1995, 1996, 1997, 1998, 1999, 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\kernel-jbd.h(6): * Copyright 1998-2000 Red Hat, Inc --- All Rights Reserved

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\link.c(4): * Copyright (C) 1993, 1994 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\llseek.c(4): * Copyright (C) 1994, 1995, 1996, 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\lookup.c(4): * Copyright (C) 1993, 1994, 1994, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\mkdir.c(4): * Copyright (C) 1994, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\mkjournal.c(4): * Copyright (C) 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\namei.c(4): * Copyright (C) 1993, 1994, 1994, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\native.c(4): * Copyright (C) 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\newdir.c(4): * Copyright (C) 1994, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\nt_io.c(6): * Copyright (C) 1993, 1994, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\nt_io.c(7): * Copyright (C) 1998 Andrey Shedel (andreys@ns.cr.cyco.com)

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\openfs.c(4): * Copyright (C) 1993, 1994,

legal(ME)

1995, 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\read_bb.c(4): * Copyright (C) 1994 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\read_bb_file.c(4): * Copyright (C) 1994, 1995, 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\res_gdt.c(5): * Copyright (C) 2002 Andreas Dilger

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\rw_bitmaps.c(4): * Copyright (C) 1993, 1994, 1994, 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\sparse.c(4): * Copyright (C) 1993, 1994, 1995, 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\sparse.c(5): * Copyright (C) 2002 Andreas Dilger.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\swapfs.c(4): * Copyright (C) 1995, 1996, 2002 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb.c(10): Copyright (C) Jeremy Allison 2000-2006

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb.c(11): Copyright (C) Paul `Rusty' Russell 2000

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb.c(9): Copyright (C) Andrew Tridgell1999-2005

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb.h(9): Copyright (C) Andrew Tridgell 1999-2004

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb\patches\copyright(14):- Copyright (C) Andrew Tridgell2005

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb\patches\copyright(15):+ Copyright (C) Andrew Tridgell1999-2005

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb\patches\copyright(16):+ Copyright (C) Jeremy Allison 2000-2006

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb\patches\copyright(17):+ Copyright (C) Paul `Rusty' Russell 2000

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdb\patches\series(1):copyright

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdbtool.c(4): Copyright (C) Andrew Tridgell1999-2000

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdbtool.c(5): Copyright (C) Paul `Rusty' Russell2000

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdbtool.c(6): Copyright (C) Jeremy Allison2000

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tdbtool.c(7): Copyright (C) Andrew Esh2001

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\test_io.c(4): * Copyright (C) 1996 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tst_badblocks.c(4): * Copyright (C) 1996 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tst_bitops.c(4): * Copyright (C) 2001 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tst_byteswap.c(4): * Copyright (C) 2000 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tst_getsectsize.c(4): * Copyright (C) 1997 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tst_getsize.c(4): * Copyright (C) 1997 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tst_iscan.c(4): * Copyright (C) 1996 by

legal(ME)

Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tst_super_size.c(4): * Copyright (C) 2007 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\tst_types.c(4): * Copyright (C) 2006 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\undo_io.c(5): * Copyright IBM Corporation, 2007

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\unix_io.c(9): * Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\unlink.c(4): * Copyright (C) 1993, 1994, 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\valid_blk.c(4): * Copyright 1997 by Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\version.c(4): * Copyright (C) 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\ext2fs\write_bb_file.c(4): * Copyright (C) 1994, 1995 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\lib\fpopen.c(5): * Copyright Theodore Ts'o, 1996-1999.

e2fsprogs\e2fsprogs-1.41.14\lib\fpopen.c(8): * this copyright statement is kept intact and the author is not held

e2fsprogs\e2fsprogs-1.41.14\lib\ss\data.c(18):static const char copyright[] =

e2fsprogs\e2fsprogs-1.41.14\lib\ss\data.c(19):"Copyright 1987, 1988, 1989 by the Massachusetts Institute of Technology";

e2fsprogs\e2fsprogs-1.41.14\lib\ss\data.c(2): * Copyright 1987, 1988, 1989 Massachusetts Institute of Technology

e2fsprogs\e2fsprogs-1.41.14\lib\ss\error.c(2): * Copyright 1987, 1988, 1989 by MIT Student Information Processing

e2fsprogs\e2fsprogs-1.41.14\lib\ss\execute_cmd.c(2): * Copyright 1987, 1988, 1989 by Massachusetts Institute of Technology

e2fsprogs\e2fsprogs-1.41.14\lib\ss\get_readline.c(2): * Copyright 2003 by MIT Student Information Processing Board

e2fsprogs\e2fsprogs-1.41.14\lib\ss\help.c(2): * Copyright 1987, 1988 by MIT Student Information Processing Board

e2fsprogs\e2fsprogs-1.41.14\lib\ss\invocation.c(2): * Copyright 1987, 1988 by MIT Student Information Processing Board

e2fsprogs\e2fsprogs-1.41.14\lib\ss\list_rqs.c(2): * Copyright 1987, 1988 by MIT Student Information Processing Board

e2fsprogs\e2fsprogs-1.41.14\lib\ss\listen.c(7): * Copyright 1987, 1988 by MIT Student Information Processing Board

e2fsprogs\e2fsprogs-1.41.14\lib\ss\mit-sipb-copyright.h(3):Copyright 1987 by the Student Information Processing Board

e2fsprogs\e2fsprogs-1.41.14\lib\ss\mit-sipb-copyright.h(9):appear in all copies and that both that copyright notice and

e2fsprogs\e2fsprogs-1.41.14\lib\ss\mk_cmds.1(1):.\" Copyright (c) 2003 Theodore Ts'o

e2fsprogs\e2fsprogs-1.41.14\lib\ss\pager.c(5): * Copyright 1987, 1988 by MIT Student Information Processing Board

e2fsprogs\e2fsprogs-1.41.14\lib\ss\parse.c(2): * Copyright 1987, 1988 by MIT Student Information Processing Board

e2fsprogs\e2fsprogs-1.41.14\lib\ss\prompt.c(7): * Copyright 1987, 1988 by MIT Student Information Processing Board

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\lib\ss\request_tbl.c(2): * Copyright 1987, 1988 by MIT Student Information Processing Board
e2fsprogs\e2fsprogs-1.41.14\lib\ss\requests.c(4): * Copyright 1987, 1988, 1989 by MIT
e2fsprogs\e2fsprogs-1.41.14\lib\ss\ss.h(2): * Copyright 1987, 1988 by MIT Student Information Processing Board
e2fsprogs\e2fsprogs-1.41.14\lib\ss\ss_internal.h(2): * Copyright 1987, 1988 by MIT Student Information Processing Board
e2fsprogs\e2fsprogs-1.41.14\lib\ss\test_ss.c(4): * Copyright 1987, 1988 by MIT Student Information Processing Board
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\clear.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\compare.c(6): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\copy.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\gen_uuid.c(4): * Copyright (C) 1996, 1997, 1998, 1999 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\isnull.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\pack.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\parse.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\tst_uuid.c(4): * Copyright (C) 1996, 1997, 1998 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\unpack.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\unparse.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid.h.in(4): * Copyright (C) 1996, 1997, 1998 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_clear.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_compare.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_copy.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_generate.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_is_null.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_parse.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_time.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_time.c(6): * Copyright (C) 1998, 1999 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid_unparse.3.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuid.h(4): * Copyright (C) 2007 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\lib\uuid\uuidP.h(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\badblocks.c(12): * written and copyrighted by Linus Torvalds <Linus.Torvalds@cs.helsinki.fi>
e2fsprogs\e2fsprogs-1.41.14\misc\badblocks.c(4): * Copyright (C) 1992, 1993, 1994 Remy Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\misc\badblocks.c(8): * Copyright 1995, 1996, 1997, 1998, 1999 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\misc\badblocks.c(9): * Copyright 1999 by David Beattie
e2fsprogs\e2fsprogs-1.41.14\misc\base_device.c(14): * Copyright (C) 2000 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\blkid.8.in(1):.\" Copyright 2000 Andreas Dilger (adilger@turbolinux.com)
e2fsprogs\e2fsprogs-1.41.14\misc\blkid.c(4): * Copyright (C) 2001 Andreas Dilger
e2fsprogs\e2fsprogs-1.41.14\misc\chattr.c(4): * Copyright (C) 1993, 1994 Remy Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\misc\dumpe2fs.8.in(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o. All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\dumpe2fs.c(5): * Copyright (C) 1992, 1993, 1994 Remy Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\misc\dumpe2fs.c(9): * Copyright 1995, 1996, 1997 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\e2freefrag.c(4): * Copyright (C) 2009 Sun Microsystems, Inc.
e2fsprogs\e2fsprogs-1.41.14\misc\e2image.8.in(2):.\" Copyright 2001 by Theodore Ts'o. All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\e2image.c(5): * Copyright 2000, 2001 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\e2initrd_helper.c(4): * Copyright 2004 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\e2label.8.in(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o. All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\e2label.c(6): * Copyright 1997, 1998 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\e2undo.8.in(2):.\" Copyright 2008 by Theodore Ts'o. All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\e2undo.c(4): * Copyright IBM Corporation, 2007
e2fsprogs\e2fsprogs-1.41.14\misc\filefrag.c(4): * Copyright 2003 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\findfs.8.in(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o. All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\findsuper.c(8): * Portions Copyright 1998-2000, Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\fsck.8.in(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o. All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\fsck.c(19): * Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
e2fsprogs\e2fsprogs-1.41.14\misc\ismounted.c(4): * Copyright (C) 1995, 1996, 1997, 1998, 1999, 2000, 2008 Theodore Ts'o.

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\misc\logsave.8.in(2):.\" Copyright 2003 by Theodore Ts'o.All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\logsave.c(5): * Copyright (C) 2003 Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\lsattr.c(4): * Copyright (C) 1993, 1994Remy Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\misc\mke2fs.8.in(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o.All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\mke2fs.c(4): * Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
e2fsprogs\e2fsprogs-1.41.14\misc\mke2fs.conf.5.in(2):.\" Copyright 2006 by Theodore Ts'o.All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\mklost+found.8.in(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o.All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\mklost+found.c(5): * Copyright (C) 1992, 1993Remy Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\misc\tune2fs.c(4): * Copyright (C) 1992, 1993, 1994Remy Card <card@masi.ibp.fr>
e2fsprogs\e2fsprogs-1.41.14\misc\tune2fs.c(8): * Copyright 1995, 1996, 1997, 1998, 1999, 2000 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\util.c(4): * Copyright 1995, 1996, 1997, 1998, 1999, 2000 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\util.h(5): * Copyright 2000 by Theodore Ts'o.
e2fsprogs\e2fsprogs-1.41.14\misc\uuid.8.in(2):.\" Copyright 2007 by Theodore Ts'o.All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\misc\uuid.c(4): * Copyright (C) 2007Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\misc\uuidgen.1.in(1):.\" Copyright 1999 Andreas Dilger (adilger@enel.ucalgary.ca)
e2fsprogs\e2fsprogs-1.41.14\misc\uuidgen.c(4): * Copyright (C) 1999, Andreas Dilger and Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\po\ca.po(2):# Copyright (C) 2007, 2008 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\cs.po(2):# Copyright (C) 2008 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\de.po(2):# Copyright (C) 1996 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\e2fsprogs.pot(2):# Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
e2fsprogs\e2fsprogs-1.41.14\po\es.po(2):# Copyright (C) 2008 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\fr.po(2):# Copyright (C) 2008 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\fr.po(4):# Copyright  1996 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\po\id.po(2):# Copyright (C) 2008 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\it.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\po\Makefile.in.in(108):--copyright-holder='\$(COPYRIGHT HOLDER)' \
e2fsprogs\e2fsprogs-1.41.14\po\Makefile.in.in(2):# Copyright (C) 1995-1997, 2000-2004 by Ulrich Drepper <drepper@gnu.ai.mit.edu>

legal(ME)

e2fsprogs\e2fsprogs-1.41.14\po\Makevars(14):# \$(DOMAIN).pot file.Set this to the copyright holder of the surrounding
e2fsprogs\e2fsprogs-1.41.14\po\Makevars(16):# sources, belong to the copyright holder of the package.)Translators are
e2fsprogs\e2fsprogs-1.41.14\po\Makevars(17):# expected to transfer the copyright for their translations to this person
e2fsprogs\e2fsprogs-1.41.14\po\Makevars(18):# or entity, or to disclaim their copyright.The empty string stands for
e2fsprogs\e2fsprogs-1.41.14\po\Makevars(20):# their copyright.
e2fsprogs\e2fsprogs-1.41.14\po\Makevars(21):COPYRIGHT HOLDER = Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\po\nl.po(2):# Copyright (C) 2010 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\pl.po(2):# Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\sv.po(2):# Copyright © 2003, 2005, 2006, 2008, 2009, 2010 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\po\tr.po(2):# Copyright (C) 2007 Free Software Foundation, Inc.
e2fsprogs\e2fsprogs-1.41.14\po\vi.po(2):# Copyright © 2010 Theodore Tso (msgids)
e2fsprogs\e2fsprogs-1.41.14\RELEASE-NOTES(2344):Clarify the copyright licenses used by the various libraries in
e2fsprogs\e2fsprogs-1.41.14\RELEASE-NOTES(3740):Updated and clarify copyright statement vis-a-vis alpha releases of
e2fsprogs\e2fsprogs-1.41.14\resize\extent.c(11): * Copyright (C) 1999, 2000 by Theosore Ts'o
e2fsprogs\e2fsprogs-1.41.14\resize\extent.c(8): * Copyright (C) 1997, 1998 by Theodore Ts'o and
e2fsprogs\e2fsprogs-1.41.14\resize\main.c(4): * Copyright (C) 1997, 1998 by Theodore Ts'o and
e2fsprogs\e2fsprogs-1.41.14\resize\main.c(7): * Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\resize\online.c(4): * Copyright (C) 2006 by Theodore Ts'o
e2fsprogs\e2fsprogs-1.41.14\resize\resize2fs.8.in(138):Resize2fs is Copyright 1998 by Theodore Ts'o and PowerQuest, Inc.All
e2fsprogs\e2fsprogs-1.41.14\resize\resize2fs.8.in(2):.\" Copyright 1997 by Theodore Ts'o.All Rights Reserved.
e2fsprogs\e2fsprogs-1.41.14\resize\resize2fs.c(4): * Copyright (C) 1997, 1998 by Theodore Ts'o and
e2fsprogs\e2fsprogs-1.41.14\resize\resize2fs.c(7): * Copyright (C) 1999, 2000 by Theosore Ts'o
e2fsprogs\e2fsprogs-1.41.14\resize\resize2fs.h(4): * Copyright (C) 1997, 1998 by Theodore Ts'o and
e2fsprogs\e2fsprogs-1.41.14\resize\resize2fs.h(7): * Copyright (C) 1999, 2000 by Theosore Ts'o
e2fsprogs\e2fsprogs-1.41.14\resize\sim_progress.c(4): * Copyright (C) 1997, 1998 by Theodore Ts'o and
e2fsprogs\e2fsprogs-1.41.14\resize\sim_progress.c(7): * Copyright (C) 1999, 2000 by Theosore Ts'o
e2fsprogs\e2fsprogs-1.41.14\resize\test_extent.c(4): * Copyright (C) 1997, 1998 by Theodore Ts'o and
e2fsprogs\e2fsprogs-1.41.14\resize\test_extent.c(7): * Copyright (C) 1999, 2000

legal(ME)

by Theosore Ts'o

e2fsprogs\e2fsprogs-1.41.14\tests\progs\hold_inode.c(5): * Copyright (C) 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\tests\progs\random_exercise.c(8): * Copyright (C) 2000 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\tests\progs\test_icount.c(4): * Copyright (C) 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\tests\progs\test_rel.c(4): * Copyright (C) 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\tests\progs\test_rel.h(4): * Copyright (C) 1997 Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\util\copy_sparse.c(5): * Copyright 2003, 2004 by Theodore Ts'o.

e2fsprogs\e2fsprogs-1.41.14\version.h(5): * Copyright 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003,

e2fsprogs\Makefile(11):# MediaTek Inc. Copyright (C) 2010. All rights reserved.#

e2fsprogs\NOTICE.1.41.14.txt(29): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

e2fsprogs\NOTICE.1.41.14.txt(341):Gnomovision version 69, Copyright (C) yearname of author

e2fsprogs\NOTICE.1.41.14.txt(355):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

e2fsprogs\NOTICE.1.41.14.txt(372): Copyright (C) 1991 Free Software Foundation, Inc.

e2fsprogs\NOTICE.1.41.14.txt(776):copyrighted by the Free Software Foundation, write to the Free

e2fsprogs\NOTICE.1.41.14.txt(843):Yoyodyne, Inc., hereby disclaims all copyright interest in the

expat\2.0.1\expat-2.0.1\amiga\expat_lib.c(2):** Copyright (c) 2001-2007 Expat maintainers.

expat\2.0.1\expat-2.0.1\amiga\expat_vectors.c(2):** Copyright (c) 2001-2007 Expat maintainers.

expat\2.0.1\expat-2.0.1\amiga\include\libraries\expat.h(5):** Copyright (c) 2001-2007 Expat maintainers.

expat\2.0.1\expat-2.0.1\amiga\launch.c(2):** Copyright (c) 2001-2007 Expat maintainers.

expat\2.0.1\expat-2.0.1\amiga\README.txt(18): - bumped copyright banners and versions

expat\2.0.1\expat-2.0.1\amiga\stdlib.c(2):** Copyright (c) 2001-2007 Expat maintainers.

expat\2.0.1\expat-2.0.1\config.log(329):Copyright (C) 2006 Free Software Foundation, Inc.

expat\2.0.1\expat-2.0.1\config.log(520):Copyright (C) 2006 Free Software Foundation, Inc.

expat\2.0.1\expat-2.0.1\config.log(673):Copyright (C) 2007 Free Software Foundation, Inc.

expat\2.0.1\expat-2.0.1\config.log(76):Copyright (C) 2007 Free Software Foundation, Inc.

expat\2.0.1\expat-2.0.1\config.status(305):Copyright (C) 2003 Free Software Foundation, Inc.

expat\2.0.1\expat-2.0.1\configure(1158):Copyright (C) 2003 Free Software Foundation, Inc.

legal(ME)

expat\2.0.1\expat-2.0.1\configure(1544):## Copyright 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005
expat\2.0.1\expat-2.0.1\configure(21288):Copyright (C) 2003 Free Software Foundation, Inc.
expat\2.0.1\expat-2.0.1\configure(7):# Copyright (C) 2003 Free Software Foundation, Inc.
expat\2.0.1\expat-2.0.1\configure(9422):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001
expat\2.0.1\expat-2.0.1\configure.in(4):dn1 Copyright 2000 Clark Cooper
expat\2.0.1\expat-2.0.1\confertools\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
expat\2.0.1\expat-2.0.1\confertools\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
expat\2.0.1\expat-2.0.1\confertools\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
expat\2.0.1\expat-2.0.1\confertools\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
expat\2.0.1\expat-2.0.1\confertools\install-sh(6):# Copyright 1991 by the Massachusetts Institute of Technology
expat\2.0.1\expat-2.0.1\confertools\libtool.m4(2):## Copyright 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005
expat\2.0.1\expat-2.0.1\confertools\libtool.m4(4207):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001
expat\2.0.1\expat-2.0.1\confertools\ltmain.sh(4):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005
expat\2.0.1\expat-2.0.1\confertools\ltmain.sh(459):\$echo "Copyright (C) 2005Free Software Foundation, Inc."
expat\2.0.1\expat-2.0.1\COPYING(1):Copyright (c) 1998, 1999, 2000 Thai Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\COPYING(3):Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Expat maintainers.
expat\2.0.1\expat-2.0.1\doc\reference.html(6):<!-- Copyright 1999,2000 Clark Cooper <coopercc@netheaven.com>
expat\2.0.1\expat-2.0.1\examples\outline.c(4): * Copyright 1999, Clark Cooper
expat\2.0.1\expat-2.0.1\lib\ascii.h(1):/* Copyright (c) 1998, 1999 Thai Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\asciitab.h(1):/* Copyright (c) 1998, 1999 Thai Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\expat.h(1):/* Copyright (c) 1998, 1999, 2000 Thai Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\expat_external.h(1):/* Copyright (c) 1998, 1999, 2000 Thai Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\iasciitab.h(1):/* Copyright (c) 1998, 1999 Thai Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\latin1tab.h(1):/* Copyright (c) 1998, 1999 Thai Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\macconfig.h(2):** Copyright 2000, Clark Cooper
expat\2.0.1\expat-2.0.1\lib\Makefile.MPW(6):# Copyright   2002 Daryle Walker
expat\2.0.1\expat-2.0.1\lib\Makefile.MPW(7):# Portions Copyright   2002 Thomas Wegner
expat\2.0.1\expat-2.0.1\lib=utf8tab.h(1):/* Copyright (c) 1998, 1999 Thai Open Source Software Center Ltd

legal(ME)

expat\2.0.1\expat-2.0.1\lib\winconfig.h(2):** Copyright 2000, Clark Cooper
expat\2.0.1\expat-2.0.1\lib\xmlparse.c(1):/* Copyright (c) 1998, 1999, 2000 Thai
Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\xmlrole.c(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\xmlrole.h(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\xmltok.c(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\xmltok.h(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\xmltok_impl.c(1):/* Copyright (c) 1998, 1999 Thai
Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\xmltok_impl.h(2):Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\lib\xmltok_ns.c(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\libtool(356):# Copyright (C) 1996, 1997, 1998, 1999,
2000, 2001, 2003, 2004, 2005
expat\2.0.1\expat-2.0.1\libtool(7):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001
expat\2.0.1\expat-2.0.1\libtool(811):\$echo "Copyright (C) 2005Free Software
Foundation, Inc."
expat\2.0.1\expat-2.0.1\Makefile(4):# Copyright 2000 Clark Cooper
expat\2.0.1\expat-2.0.1\Makefile.in(4):# Copyright 2000 Clark Cooper
expat\2.0.1\expat-2.0.1\tests\chardata.c(1):/* Copyright (c) 1998-2003 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\tests\runtests.c(1):/* Copyright (c) 1998, 1999, 2000
Thai Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\vms\expat_config.h(1):/* Copyright 2000, Clark Cooper
expat\2.0.1\expat-2.0.1\win32\expat.iss(12):AppCopyright=Copyright © 1998-2006
Thai Open Source Software Center, Clark Cooper, and the Expat maintainers
expat\2.0.1\expat-2.0.1\xmlwf\codepage.c(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\xmlwf\codepage.h(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\xmlwf\filemap.h(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\xmlwf\readfilemap.c(1):/* Copyright (c) 1998, 1999 Thai
Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\xmlwf\unixfilemap.c(1):/* Copyright (c) 1998, 1999 Thai
Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\xmlwf\win32filemap.c(1):/* Copyright (c) 1998, 1999 Thai
Open Source Software Center Ltd
expat\2.0.1\expat-2.0.1\xmlwf\xmlfile.c(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\xmlwf\xmlfile.h(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\2.0.1\expat-2.0.1\xmlwf\xmlwf.c(1):/* Copyright (c) 1998, 1999 Thai Open
Source Software Center Ltd
expat\NOTICE.txt(1):Copyright (c) 1998, 1999, 2000 Thai Open Source Software
Center Ltd

legal(ME)

expat\NOTICE.txt(3):Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Expat maintainers.

findutils\findutils-4.2.31\aclocal.m4(108):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005, 2006

findutils\findutils-4.2.31\aclocal.m4(141):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006

findutils\findutils-4.2.31\aclocal.m4(19):# Copyright (C) 2002, 2003, 2005, 2006Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

findutils\findutils-4.2.31\aclocal.m4(301):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005

findutils\findutils-4.2.31\aclocal.m4(370):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

findutils\findutils-4.2.31\aclocal.m4(493):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(507):# Copyright (C) 2003, 2005Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(530):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(55):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(582):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005

findutils\findutils-4.2.31\aclocal.m4(616):# Copyright (C) 2003, 2004, 2005, 2006Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(644):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(675):# Copyright (C) 1996, 1997, 1998, 2000, 2001, 2002, 2003, 2005, 2006

findutils\findutils-4.2.31\aclocal.m4(703):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005

findutils\findutils-4.2.31\aclocal.m4(753):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(781):# Copyright (C) 2006Free Software Foundation, Inc.

findutils\findutils-4.2.31\aclocal.m4(795):# Copyright (C) 2004, 2005Free Software Foundation, Inc.

findutils\findutils-4.2.31\AUTHORS(12):a copyright assignment.

findutils\findutils-4.2.31\ChangeLog(121):Updated copyright years in the file header comment.

findutils\findutils-4.2.31\ChangeLog(1343):not require a copyright assignment as it consists of several

findutils\findutils-4.2.31\ChangeLog(1422):* COPYING, debian/copyright, depcomp, doc/texinfo.tex,

findutils\findutils-4.2.31\ChangeLog(1448):* locate/locate.c: Updated copyright years.

findutils\findutils-4.2.31\ChangeLog(1528):Added Dimitry (his new test suite contribution required a copyright

findutils\findutils-4.2.31\ChangeLog(168):* find/testsuite/config/unix.exp: Updated copyright years.

findutils\findutils-4.2.31\ChangeLog(1992):- use @copying so the copyright ends

legal(ME)

up in the HTML etc. output.

findutils\findutils-4.2.31\ChangeLog(2293):* THANKS, AUTHORS: Take into account the FSF copyright-assignments list

findutils\findutils-4.2.31\ChangeLog(3341):Updated copyright years and the address of the FSF

findutils\findutils-4.2.31\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

findutils\findutils-4.2.31\config.guess(58):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005

findutils\findutils-4.2.31\config.rpath(5):# Copyright 1996-2006 Free Software Foundation, Inc.

findutils\findutils-4.2.31\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

findutils\findutils-4.2.31\config.sub(74):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005

findutils\findutils-4.2.31\configure(1561):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

findutils\findutils-4.2.31\configure(29946):Copyright (C) 2006 Free Software Foundation, Inc.

findutils\findutils-4.2.31\configure(7):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

findutils\findutils-4.2.31\COPYING(316):Gnomovision version 69, Copyright (C) yearname of author

findutils\findutils-4.2.31\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

findutils\findutils-4.2.31\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

findutils\findutils-4.2.31\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.

findutils\findutils-4.2.31\doc\find.info(20): Copyright (C) 1994, 1996, 1998, 2000, 2001, 2003, 2004, 2005 Free

findutils\findutils-4.2.31\doc\find.texi(33):Copyright (C) 1994, 1996, 1998, 2000, 2001, 2003, 2004, 2005 Free

findutils\findutils-4.2.31\doc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

findutils\findutils-4.2.31\doc\mdate-sh(6):# Copyright (C) 1995, 1996, 1997, 2003, 2004, 2005 Free Software

findutils\findutils-4.2.31\doc\texinfo.tex(3697):\def\copyright{copyright}%

findutils\findutils-4.2.31\doc\texinfo.tex(7225):\gdef^^a9{\copyright}

findutils\findutils-4.2.31\doc\texinfo.tex(7565):\DeclareUnicodeCharacter{00A9}{\copyright}

findutils\findutils-4.2.31\doc\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991, 1992, 1993, 1994, 1995,

findutils\findutils-4.2.31\find\defs.h(2): Copyright (C) 1990, 91, 92, 93, 94, 2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

findutils\findutils-4.2.31\find\find.c(2): Copyright (C) 1990, 91, 92, 93, 94, 2000,

findutils\findutils-4.2.31\find\fstype.c(2): Copyright (C) 1990, 91, 92, 93, 94, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.

findutils\findutils-4.2.31\find\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

findutils\findutils-4.2.31\find\parser.c(2): Copyright (C) 1990, 1991, 1992,

legal(ME)

1993, 1994, 2000, 2001, 2003,
findutils\findutils-4.2.31\find\pred.c(2): Copyright (C) 1990, 1991, 1992, 1993,
1994, 2000, 2003,
findutils\findutils-4.2.31\find\testsuite\config\unix.exp(3):# Copyright (C)
2000, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\find\testsuite\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\find\tree.c(2): Copyright (C) 1990, 91, 92, 93, 94,
2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\find\util.c(2): Copyright (C) 1990, 91, 92, 93, 94,
2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib__fpending.c(2): Copyright (C) 2000, 2004,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib__fpending.h(3): Copyright (C) 2000, 2003,
2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\alloca_.h(3): Copyright (C) 1995, 1999,
2001, 2002, 2003, 2004, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\argmatch.c(3): Copyright (C) 1990, 1998,
1999, 2001, 2002, 2003, 2004, 2005, 2006, 2007
findutils\findutils-4.2.31\gnulib\lib\argmatch.h(3): Copyright (C) 1990, 1998,
1999, 2001, 2002, 2004, 2005 Free Software
findutils\findutils-4.2.31\gnulib\lib\at-func.c(2): Copyright (C) 2006 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\basename.c(3): Copyright (C) 1990, 1998,
1999, 2000, 2001, 2003, 2004, 2005, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\canonicalize.c(2): Copyright (C) 1996-2006
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\canonicalize.h(2): Copyright (C) 1996-2007
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\chdir-long.c(2): Copyright (C) 2004, 2005,
2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\chdir-long.h(2): Copyright (C) 2004, 2005
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\chown.c(4): Copyright (C) 1997, 2004, 2005,
2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\closeout.c(3): Copyright (C) 1998, 1999,
2000, 2001, 2002, 2004, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\closeout.h(3): Copyright (C) 1998, 2000,
2003, 2004, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\close-stream.c(3): Copyright (C) 1998,
1999, 2000, 2001, 2002, 2004, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\config.charset(4):# Copyright (C)
2000-2004, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\creat-safer.c(3): Copyright (C) 2005, 2006
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\cycle-check.c(3): Copyright (C) 2003, 2004,
2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\cycle-check.h(3): Copyright (C) 2003, 2004,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\dirfd.c(3): Copyright (C) 2001, 2006 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\dirfd.h(2): Copyright (C) 2001, 2002, 2006

legal(ME)

Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\dirname.c(3): Copyright (C) 1990, 1998, 2000, 2001, 2003, 2004, 2005, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\dirname.h(3): Copyright (C) 1998, 2001, 2003-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\dup-safer.c(3): Copyright (C) 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\error.c(2): Copyright (C) 1990-1998, 2000-2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\error.h(2): Copyright (C) 1995, 1996, 1997, 2003, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\exitfail.c(3): Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\exitfail.h(3): Copyright (C) 2002 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fchmodat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fchownat.c(7): Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fcntl--.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fcntl_.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fcntl-safer.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fd-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fileblocks.c(3): Copyright (C) 1990, 1997, 1998, 1999, 2004, 2005, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\filemode.c(3): Copyright (C) 1985, 1990, 1993, 1998-2000, 2004, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\filemode.h(3): Copyright (C) 1998, 1999, 2003, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\filenamecat.c(3): Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
findutils\findutils-4.2.31\gnulib\lib\filenamecat.h(3): Copyright (C) 1996, 1997, 2003, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fnmatch.c(1):/* Copyright (C) 1991,1992,1993,1996,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006,2007
findutils\findutils-4.2.31\gnulib\lib\fnmatch_.h(1):/* Copyright (C) 1991, 1992, 1993, 1996, 1997, 1998, 1999, 2001, 2002, 2003,
findutils\findutils-4.2.31\gnulib\lib\fnmatch_loop.c(1):/* Copyright (C) 1991,1992,1993,1996,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006
findutils\findutils-4.2.31\gnulib\lib\fopen-safer.c(3): Copyright (C) 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\fstatat.c(3): Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\getcwd.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,98,99,2004,2005,2006,2007 Free Software
findutils\findutils-4.2.31\gnulib\lib\getdelim.c(2): Copyright (C) 1994, 1996, 1997, 1998, 2001, 2003, 2005, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\getdelim.h(2): Copyright (C) 2005 Free

legal(ME)

Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\getline.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\getline.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\getopt.c(5): Copyright (C) 1987,88,89,90,91,92,93,94,95,96,98,99,2000,2001,2002,2003,2004,2006
findutils\findutils-4.2.31\gnulib\lib\getopt.h(2): Copyright (C) 1989-1994,1996-1999,2001,2003,2004,2005,2006
findutils\findutils-4.2.31\gnulib\lib\getopt_int.h(2): Copyright (C) 1989-1994,1996-1999,2001,2003,2004
findutils\findutils-4.2.31\gnulib\lib\getopt1.c(2): Copyright (C) 1987,88,89,90,91,92,93,94,96,97,98,2004,2006
findutils\findutils-4.2.31\gnulib\lib\gettext.h(2): Copyright (C) 1995-1998, 2000-2002, 2004-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\human.c(3): Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
findutils\findutils-4.2.31\gnulib\lib\human.h(3): Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
findutils\findutils-4.2.31\gnulib\lib\idcache.c(3): Copyright (C) 1985, 1988, 1989, 1990, 1997, 1998, 2003, 2005, 2006
findutils\findutils-4.2.31\gnulib\lib\intprops.h(3): Copyright (C) 2001, 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\inttypes.h(1):/* Copyright (C) 2006-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\lchown.c(3): Copyright (C) 1998, 1999, 2002, 2004, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\lchown.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\localcharset.c(3): Copyright (C) 2000-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\localcharset.h(2): Copyright (C) 2000-2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\lstat.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\lstat.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\Makefile.am(3):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\Makefile.in(17):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\gnulib\lib\malloc.c(3): Copyright (C) 1997, 1998, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\memcmp.c(1):/* Copyright (C) 1991, 1993, 1995, 1997, 1998, 2003, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\memcpy.c(2): Copyright (C) 2003, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\memchr.c(3): Copyright (C) 1991, 1993, 1996, 1997, 1999, 2000, 2003, 2004, 2005,
findutils\findutils-4.2.31\gnulib\lib\memset.c(2): Copyright (C) 1991, 2003 Free

legal(ME)

Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\mkdirat.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\mktime.c(2): Copyright (C) 1993-1999, 2002-2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\modechange.c(3): Copyright (C) 1989, 1990, 1997, 1998, 1999, 2001, 2003, 2004, 2005,
findutils\findutils-4.2.31\gnulib\lib\modechange.h(3): Copyright (C) 1989, 1990, 1997, 2003, 2004, 2005, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\mountlist.c(3): Copyright (C) 1991, 1992, 1997, 1998, 1999, 2000, 2001, 2002, 2003,
findutils\findutils-4.2.31\gnulib\lib\mountlist.h(3): Copyright (C) 1991, 1992, 1998, 2000, 2001, 2002, 2003, 2004, 2005
findutils\findutils-4.2.31\gnulib\lib\openat.c(2): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\openat.h(2): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\openat-die.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\openat-priv.h(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\openat-proc.c(3): Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\open-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\pathmax.h(2): Copyright (C) 1992, 1999, 2001, 2003, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\pipe-safer.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\quote.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2003, 2005, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\quote.h(3): Copyright (C) 1998, 1999, 2000, 2001, 2003 Free Software
findutils\findutils-4.2.31\gnulib\lib\quotearg.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2005, 2006, 2007 Free
findutils\findutils-4.2.31\gnulib\lib\quotearg.h(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\readlink.c(2): Copyright (C) 2003-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\realloc.c(3): Copyright (C) 1997, 2003, 2004, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\ref-add.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\ref-del.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\regcomp.c(2): Copyright (C) 2002,2003,2004,2005,2006,2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\regex.c(2): Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\regex.h(3): Copyright (C) 1985,1989-93,1995-98,2000,2001,2002,2003,2005,2006
findutils\findutils-4.2.31\gnulib\lib\regex_internal.c(2): Copyright (C) 2002,

legal(ME)

2003, 2004, 2005, 2006, 2007 Free Software
findutils\findutils-4.2.31\gnulib\lib\regex_internal.h(2): Copyright (C) 2002,
2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\regexexec.c(2): Copyright (C) 2002, 2003,
2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\rpmatch.c(4): Copyright (C) 1996, 1998,
2000, 2002, 2003, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\same-inode.h(3): Copyright (C) 2006 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\save-cwd.c(3): Copyright (C) 1995, 1997,
1998, 2003, 2004, 2005, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\save-cwd.h(3): Copyright (C) 1995, 1997,
1998, 2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\savedir.c(3): Copyright (C) 1990, 1997,
1998, 1999, 2000, 2001, 2003, 2004, 2005,
findutils\findutils-4.2.31\gnulib\lib\savedir.h(3): Copyright (C) 1997, 1999,
2001, 2003, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\stat_.h(2): Copyright (C) 2006 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\stdbool_.h(1):/* Copyright (C) 2001, 2002,
2003, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\stdint_.h(1):/* Copyright (C) 2001-2002,
2004-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\stdio--.h(3): Copyright (C) 2005, 2006 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\stdio-safer.h(3): Copyright (C) 2001, 2003,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\stdlib_.h(3): Copyright (C) 1995,
2001-2002, 2006-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\stpcpy.c(2): Copyright (C) 1992, 1995,
1997-1998, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\strdup.c(1):/* Copyright (C) 1991, 1996,
1997, 1998, 2002, 2003, 2004, 2006, 2007 Free
findutils\findutils-4.2.31\gnulib\lib\strftime.c(1):/* Copyright (C) 1991-1999,
2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software
findutils\findutils-4.2.31\gnulib\lib\strftime.h(3): Copyright (C) 2002, 2004
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\string_.h(3): Copyright (C) 1995-1996,
2001-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\stripslash.c(3): Copyright (C) 1990, 2001,
2003-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\strndup.c(3): Copyright (C) 1996, 1997,
1998, 2001, 2002, 2003, 2005, 2006, 2007
findutils\findutils-4.2.31\gnulib\lib\strnlen.c(2): Copyright (C) 2005, 2006,
2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\strtoimax.c(3): Copyright (C) 1999, 2001,
2002, 2003, 2004, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\strtoul.c(3): Copyright (C) 1991, 1992,
1994, 1995, 1996, 1997, 1998, 1999, 2003, 2005,
findutils\findutils-4.2.31\gnulib\lib\strtoll.c(2): Copyright (C) 1995, 1996,
1997, 1999, 2001 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\strtoul.c(1):/* Copyright (C) 1991, 1997

legal(ME)

Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\strtoull.c(2): Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\time_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\time_r.c(3): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\unistd--.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\unistd_.h(2): Copyright (C) 2004-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\unistd-safer.h(3): Copyright (C) 2001, 2003, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\verify.h(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\wchar_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\wctype_.h(3): Copyright (C) 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\xalloc.h(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998,
findutils\findutils-4.2.31\gnulib\lib\xalloc-die.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2002, 2003, 2004, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\xgetcwd.c(3): Copyright (C) 2001, 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\xgetcwd.h(2): Copyright (C) 1995, 2001, 2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\xmalloc.c(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998,
findutils\findutils-4.2.31\gnulib\lib\xreadlink.c(3): Copyright (C) 2001, 2003, 2004, 2005, 2006 Free Software
findutils\findutils-4.2.31\gnulib\lib\xreadlink.h(3): Copyright (C) 2001, 2003, 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\xstrndup.c(3): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\xstrndup.h(3): Copyright (C) 2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\lib\xstrtol.c(3): Copyright (C) 1995, 1996, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006
findutils\findutils-4.2.31\gnulib\lib\xstrtol.h(3): Copyright (C) 1995, 1996, 1998, 1999, 2001, 2002, 2003, 2004, 2006
findutils\findutils-4.2.31\gnulib\lib\yesno.c(3): Copyright (C) 1990, 1998, 2001, 2003, 2004, 2005, 2006 Free
findutils\findutils-4.2.31\gnulib\lib\yesno.h(2): Copyright (C) 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\absolute-header.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\alloca.m4(2):dnl Copyright (C) 2002-2004, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\argmatch.m4(2):dnl Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\canonicalize.m4(3):# Copyright (C) 2003,

legal(ME)

2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\chdir-long.m4(9):dnl Copyright (C) 2004,
2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\chown.m4(4):dnl Copyright (C) 1997, 1998,
1999, 2000, 2001, 2003, 2004, 2005, 2007 Free
findutils\findutils-4.2.31\gnulib\m4\closeout.m4(2):dnl Copyright (C) 2002, 2003,
2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\close-stream.m4(2):dnl Copyright (C)
2006-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\codeset.m4(2):dnl Copyright (C) 2000-2002,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\cycle-check.m4(2):dnl Copyright (C) 2005,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\d-ino.m4(8):# Copyright (C) 1997, 1999,
2000, 2001, 2003, 2004, 2006 Free Software
findutils\findutils-4.2.31\gnulib\m4\dirfd.m4(5):# Copyright (C) 2001, 2002,
2003, 2004, 2005, 2006 Free Software
findutils\findutils-4.2.31\gnulib\m4\dirname.m4(2):dnl Copyright (C) 2002-2006
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\dos.m4(6):# Copyright (C) 2000, 2001, 2004,
2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\double-slash-root.m4(2):dnl Copyright (C)
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\error.m4(3):# Copyright (C) 1996, 1997,
1998, 2001, 2002, 2003, 2004 Free Software
findutils\findutils-4.2.31\gnulib\m4\exitfail.m4(2):dnl Copyright (C) 2002, 2003,
2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\extensions.m4(4):# Copyright (C) 2003, 2006
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\fcntl_h.m4(2):dnl Copyright (C) 2006 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\fcntl-safer.m4(2):dnl Copyright (C)
2005-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\fileblocks.m4(2):dnl Copyright (C) 2002,
2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\filemode.m4(2):dnl Copyright (C) 2002, 2005,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\filenamecat.m4(2):dnl Copyright (C) 2002,
2003, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\flexmember.m4(4):# Copyright (C) 2006 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\fnmatch.m4(3):# Copyright (C) 2000, 2001,
2002, 2003, 2004, 2005, 2006, 2007 Free Software
findutils\findutils-4.2.31\gnulib\m4\fpending.m4(3):# Copyright (C) 2000, 2001,
2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\fstypename.m4(9):# Copyright (C) 1998, 1999,
2001, 2004, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\getcwd.m4(3):# Copyright (C) 2001, 2003,
2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\getcwd-abort-bug.m4(6):# Copyright (C) 2006
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\getcwd-path-max.m4(9):# Copyright (C) 2003,

legal(ME)

2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\getdelim.m4(3):dnl Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\getline.m4(3):dnl Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2005, 2006 Free Software
findutils\findutils-4.2.31\gnulib\m4\getopt.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\gettext.m4(2):dnl Copyright (C) 1995-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\glibc21.m4(2):dnl Copyright (C) 2000-2002, 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\gnulib-common.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\gnulib-comp.m4(2):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\human.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\iconv.m4(2):dnl Copyright (C) 2000-2002 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\idcache.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\inline.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\inttypes.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\inttypes-pri.m4(2):dnl Copyright (C) 1997-2002, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\lchown.m4(3):dnl Copyright (C) 1998, 2001, 2003, 2004, 2005, 2006 Free Software
findutils\findutils-4.2.31\gnulib\m4\lib-ld.m4(2):dnl Copyright (C) 1996-2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\lib-link.m4(2):dnl Copyright (C) 2001-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\lib-prefix.m4(2):dnl Copyright (C) 2001-2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\localcharset.m4(2):dnl Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\longlong.m4(2):dnl Copyright (C) 1999-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\ls-mntd-fs.m4(4):# Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2006 Free Software
findutils\findutils-4.2.31\gnulib\m4\lstat.m4(3):# Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007
findutils\findutils-4.2.31\gnulib\m4\mbrtowc.m4(2):dnl Copyright (C) 2001-2002, 2004-2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\mbstate_t.m4(2):dnl Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\memcmp.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\memcmp.m4(2):dnl Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\memrchr.m4(2):dnl Copyright (C) 2002, 2003,

legal(ME)

2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\memset.m4(2):dnl Copyright (C) 2002 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\mktime.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\modechange.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\mountlist.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\nls.m4(2):dnl Copyright (C) 1995-2003, 2005-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\onceonly_2_57.m4(2):dnl Copyright (C) 2002-2003, 2005-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\openat.m4(4):dnl Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\pathmax.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\po.m4(2):dnl Copyright (C) 1995-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\progtest.m4(2):dnl Copyright (C) 1996-2003, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\quote.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\quotearg.m4(2):dnl Copyright (C) 2002, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\readlink.m4(2):dnl Copyright (C) 2003, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\regex.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
findutils\findutils-4.2.31\gnulib\m4\rpmatch.m4(2):dnl Copyright (C) 2002, 2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\save-cwd.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\savedir.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\ssize_t.m4(2):dnl Copyright (C) 2001-2003, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\st_dm_mode.m4(3):# Copyright (C) 1998, 1999, 2001 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\stdbool.m4(3):dnl Copyright (C) 2002-2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\stdint.m4(2):dnl Copyright (C) 2001-2002, 2004-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\stdio-safer.m4(2):dnl Copyright (C) 2002, 2005-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\stdlib_h.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\stpcpy.m4(2):dnl Copyright (C) 2002, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strdup.m4(3):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software
findutils\findutils-4.2.31\gnulib\m4\strftime.m4(3):# Copyright (C) 1996, 1997,

legal(ME)

1999, 2000, 2001, 2002, 2003, 2004, 2005,
findutils\findutils-4.2.31\gnulib\m4\string_h.m4(3):# Copyright (C) 2007 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strndup.m4(2):dn1 Copyright (C) 2002-2003,
2005-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strnlen.m4(2):dn1 Copyright (C) 2002-2003,
2005-2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strtoimax.m4(2):dn1 Copyright (C) 2002,
2003, 2004, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strtoul.m4(2):dn1 Copyright (C) 2002, 2003,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strtoll.m4(2):dn1 Copyright (C) 2002, 2004,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strtoul.m4(2):dn1 Copyright (C) 2002, 2006
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strtoull.m4(2):dn1 Copyright (C) 2002, 2004,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\strtoumax.m4(2):dn1 Copyright (C) 2002,
2003, 2004, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\sys_stat_h.m4(2):dn1 Copyright (C) 2006 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\time_h.m4(3):# Copyright (C) 2000, 2001,
2003, 2004, 2005, 2006, 2007 Free Software
findutils\findutils-4.2.31\gnulib\m4\time_r.m4(3):dn1 Copyright (C) 2003, 2006,
2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\tm_gmtoff.m4(2):dn1 Copyright (C) 2002 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\ulonglong.m4(2):dn1 Copyright (C) 1999-2006
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\unistd_h.m4(2):dn1 Copyright (C) 2006-2007
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\unistd-safer.m4(2):dn1 Copyright (C) 2002,
2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\wchar.m4(3):dn1 Copyright (C) 2007 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\wchar_t.m4(2):dn1 Copyright (C) 2002-2003
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\wctype.m4(3):dn1 Copyright (C) 2006, 2007
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\wint_t.m4(2):dn1 Copyright (C) 2003, 2007
Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\xalloc.m4(2):dn1 Copyright (C) 2002, 2003,
2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\xgetcwd.m4(2):dn1 Copyright (C) 2002, 2003,
2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\xreadlink.m4(2):dn1 Copyright (C) 2002,
2003, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\xstrdup.m4(2):dn1 Copyright (C) 2003 Free
Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\xstrtol.m4(2):dn1 Copyright (C) 2002, 2003,
2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\m4\yesno.m4(2):dn1 Copyright (C) 2002, 2003,

legal(ME)

2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\Makefile.am(1):# Copyright (C) 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\gnulib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\gnulib\Makefile.in(410):# Copyright (C) 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\import-gnulib.sh(164):# Copyright (C) 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\import-gnulib.sh(4):# Copyright (C) 2003,2004,2005,2006,2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005 Free
findutils\findutils-4.2.31\install-sh(10):# Copyright (C) 1994 X Consortium
findutils\findutils-4.2.31\lib\buildcmd.c(2): Copyright (C) 1990, 91, 92, 93, 94, 2000, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\buildcmd.h(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\extendbuf.c(3): Copyright 2004, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\extendbuf.h(3): Copyright (C) 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\forcefindlib.c(2): Copyright (C) 2004, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\gnulib-version.h(2): Copyright (C) 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\gnulib-version.sh(4):# Copyright (C) 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\listfile.c(2): Copyright (C) 1991, 1993, 2000, 2003, 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\listfile.h(2): Copyright (C) 1991, 1993, 2000 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\lib\modetype.h(3): Copyright (C) 1990, 2001, 2003, 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\nextelem.c(2): Copyright (C) 1992, 2003, 2004, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\nextelem.h(2): Copyright (C) 1992, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\printquoted.c(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 2000,
findutils\findutils-4.2.31\lib\printquoted.h(3): Copyright 1997, 1999, 2001, 2003, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\qmark.c(2): Copyright (C) 1990, 1991, 1992, 1993, 1994, 2000,
findutils\findutils-4.2.31\lib\regexprops.c(4): Copyright 2005, 2007 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\regextype.c(5): Copyright 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\regextype.h(4): Copyright 2005 Free Software Foundation, Inc.

legal(ME)

findutils\findutils-4.2.31\lib\savedirinfo.c(3): Copyright 1990, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005 Free
findutils\findutils-4.2.31\lib\savedirinfo.h(3): Copyright 1997, 1999, 2001, 2003, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\wait.h(2): Copyright (C) 1990 Free Software Foundation, Inc.
findutils\findutils-4.2.31\lib\waitpid.c(2): Copyright 1994, 1995, 1998, 1999, 2003, 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\locate\bigram.c(2): Copyright (C) 1994, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\locate\code.c(2): Copyright (C) 1994, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\locate\frcode.c(2): Copyright (C) 1994, 2003, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\locate\locate.c(2): Copyright (C) 1994, 1996, 1998, 1999, 2000, 2003,
findutils\findutils-4.2.31\locate\locatedb.h(2): Copyright (C) 1994, 2003, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\locate\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\locate\testsuite\config\unix.exp(3):# Copyright (C) 1994, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\locate\testsuite\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\locate\updatedb.sh(3):# Copyright (C) 1994, 1996, 1997, 2000, 2001, 2003, 2004, 2005, 2006
findutils\findutils-4.2.31\m4\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\m4\mkinstalldirs.m4(1):dnl Copyright (C) 1995-2003, 2005,2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005
findutils\findutils-4.2.31\po\be.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\bg.po(2):# Copyright (C) 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\ca.po(2):# Copyright 1997, 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\da.po(2):# Copyright (C) 2000, 03, 04, 05 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\de.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\el.po(3):# Copyright (C) 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\eo.po(2):# Copyright (C) 2002, 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\es.po(2):# Copyright (C) 1996, 2001, 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\et.po(2):# Copyright (C) 2000 Free Software Foundation, Inc.

legal(ME)

findutils\findutils-4.2.31\po\fi.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\findutils.pot(2):# Copyright (C) YEAR Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\fr.po(2):# Copyright © 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\ga.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\gl.po(2):# Copyright (C) 2000 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\hr.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\hu.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\id.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\it.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\ja.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\ko.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\lg.po(3):# Copyright (C) 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\Makefile.in.in(121):--copyright-holder='\${(COPYRIGHT HOLDER)' \
findutils\findutils-4.2.31\po\Makefile.in.in(2):# Copyright (C) 1995-1997, 2000-2005 by Ulrich Drepper <drepper@gnu.ai.mit.edu>
findutils\findutils-4.2.31\po\Makevars(14):# \$(DOMAIN).pot file.Set this to the copyright holder of the surrounding
findutils\findutils-4.2.31\po\Makevars(16):# sources, belong to the copyright holder of the package.)Translators are
findutils\findutils-4.2.31\po\Makevars(17):# expected to transfer the copyright for their translations to this person
findutils\findutils-4.2.31\po\Makevars(18):# or entity, or to disclaim their copyright.The empty string stands for
findutils\findutils-4.2.31\po\Makevars(20):# their copyright.
findutils\findutils-4.2.31\po\Makevars(21):COPYRIGHT HOLDER = Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\ms.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\nl.po(2):# Copyright (C) 1996, 2000, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\pl.po(2):# Copyright (C) 1996, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\POTFILES.in(2):# Copyright (C) 2000 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\pt.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\pt_BR.po(2):# Copyright (C) 1999, 2000, 2002, 2004 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\ro.po(2):# Copyright (C) 2005 Free Software

legal(ME)

Foundation, Inc.
findutils\findutils-4.2.31\po\ru.po(2):# Copyright (C) 1997, 1998, 1999, 2000
Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\rw.po(2):# Copyright (C) 2005 Free Software
Foundation, Inc.
findutils\findutils-4.2.31\po\sk.po(2):# Copyright (C) 2002, 2003, 2004, 2005
Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\sl.po(2):# Copyright (C) 1996, 2000, 2001, 2005,
2006 Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\sr.po(2):# Copyright (C) 2003 Free Software
Foundation, Inc.
findutils\findutils-4.2.31\po\sv.po(2):# Copyright (C) 1996, 2001, 2004, 2006
Free Software Foundation, Inc.
findutils\findutils-4.2.31\po\tr.po(2):# Copyright (C) 2006 Free Software
Foundation, Inc.
findutils\findutils-4.2.31\po\vi.po(2):# Copyright    2006 Free Software
Foundation, Inc.
findutils\findutils-4.2.31\po\zh_CN.po(2):# Copyright (C) 2002 Free Software
Foundation, Inc.
findutils\findutils-4.2.31\po\zh_TW.po(2):# Copyright (C) 2005 Free Software
Foundation, Inc.
findutils\findutils-4.2.31\xargs\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\xargs\testsuite\config\unix.exp(3):# Copyright (C)
1994, 2005 Free Software Foundation, Inc.
findutils\findutils-4.2.31\xargs\testsuite\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
findutils\findutils-4.2.31\xargs\xargs.c(2): Copyright (C) 1990, 91, 92, 93, 94,
2000, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
findutils\NOTICE.txt(316):Gnomovision version 69, Copyright (C) yearname of
author
findutils\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest
in the program
findutils\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
freetype\freetype-2.3.7\autogen.sh(3):# Copyright 2005, 2006, 2007, 2008 by
freetype\freetype-2.3.7\builds\amiga\include\freetype\config\ftconfig.h(7):/*Copy
right 2005, 2006, 2007 by*/
freetype\freetype-2.3.7\builds\amiga\include\freetype\config\ftmodule.h(7):/*Copy
right 2005 by*/
freetype\freetype-2.3.7\builds\amiga\makefile(8):# Copyright 2005, 2006, 2007 by
freetype\freetype-2.3.7\builds\amiga\makefile.os4(7):# Copyright 2005, 2006, 2007
by
freetype\freetype-2.3.7\builds\amiga\README(4):Copyright 2005 by
freetype\freetype-2.3.7\builds\amiga\smakefile(6):# Copyright 2005,2006, 2007 by
freetype\freetype-2.3.7\builds\amiga\src\base\ftdebug.c(7):/*Copyright 1996-2001,
2002, 2004, 2005 by */
freetype\freetype-2.3.7\builds\amiga\src\base\ftsystem.c(7):/*Copyright
1996-2001, 2002, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\builds\ansi\ansi.mk(6):# Copyright 1996-2000 by
freetype\freetype-2.3.7\builds\ansi\ansi-def.mk(6):# Copyright 1996-2000, 2003,
2006 by
freetype\freetype-2.3.7\builds\beos\beos.mk(5):# Copyright 1996-2000, 2002, 2005

legal(ME)

by

freetype\freetype-2.3.7\builds\beos\beos-def.mk(8):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\beos\detect.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\ansi-cc.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\bcc.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\bcc-dev.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\emx.mk(6):# Copyright 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\gcc.mk(6):# Copyright 1996-2000, 2003, 2005, 2006 by
freetype\freetype-2.3.7\builds\compiler\gcc-dev.mk(6):# Copyright 1996-2000, 2003, 2004, 2005, 2006 by
freetype\freetype-2.3.7\builds\compiler\intelc.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\unix-lcc.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\visualage.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\visualc.mk(6):# Copyright 1996-2000, 2003, 2005, 2006, 2008 by
freetype\freetype-2.3.7\builds\compiler\watcom.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\compiler\win-lcc.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\detect.mk(6):# Copyright 1996-2000, 2001, 2002, 2003, 2006, 2008 by
freetype\freetype-2.3.7\builds\dos\detect.mk(6):# Copyright 1996-2000, 2003, 2004, 2006 by
freetype\freetype-2.3.7\builds\dos\dos-def.mk(6):# Copyright 1996-2000, 2003, 2005, 2006 by
freetype\freetype-2.3.7\builds\dos\dos-emx.mk(6):# Copyright 2003 by
freetype\freetype-2.3.7\builds\dos\dos-gcc.mk(6):# Copyright 1996-2000, 2003 by
freetype\freetype-2.3.7\builds\dos\dos-wat.mk(6):# Copyright 2003 by
freetype\freetype-2.3.7\builds\exports.mk(6):# Copyright 2005, 2006 by
freetype\freetype-2.3.7\builds\freetype.mk(6):# Copyright 1996-2000, 2001, 2002, 2003, 2004, 2005, 2006, 2008 by
freetype\freetype-2.3.7\builds\link_dos.mk(6):# Copyright 1996-2000 by
freetype\freetype-2.3.7\builds\link_std.mk(6):# Copyright 1996-2000 by
freetype\freetype-2.3.7\builds\mac\ftmac.c(8):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\builds\modules.mk(6):# Copyright 1996-2000, 2003, 2006, 2008 by
freetype\freetype-2.3.7\builds\os2\detect.mk(6):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\os2\os2-def.mk(6):# Copyright 1996-2000, 2003, 2005, 2006 by
freetype\freetype-2.3.7\builds\os2\os2-dev.mk(8):# Copyright 1996-2000, 2003, 2006 by

legal(ME)

freetype\freetype-2.3.7\builds\os2\os2-gcc.mk(6):# Copyright 1996-2000 by
freetype\freetype-2.3.7\builds\symbian\bld.inf(5):// Copyright 2008 by
freetype\freetype-2.3.7\builds\symbian\freetype.mmp(5):// Copyright 2008 by
freetype\freetype-2.3.7\builds\toplevel.mk(6):# Copyright 1996-2000, 2001, 2003,
2006, 2008 by
freetype\freetype-2.3.7\builds\unix\aclocal.m4(16):# Copyright (C) 1996, 1997,
1998, 1999, 2000, 2001, 2003, 2004, 2005,
freetype\freetype-2.3.7\builds\unix\aclocal.m4(25):# Copyright (C) 1996, 1997,
1998, 1999, 2000, 2001, 2003, 2004, 2005,
freetype\freetype-2.3.7\builds\unix\aclocal.m4(3):# Copyright (C) 1996, 1997,
1998, 1999, 2000, 2001, 2002, 2003, 2004,
freetype\freetype-2.3.7\builds\unix\aclocal.m4(611):Copyright (C) 2008 Free
Software Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\aclocal.m4(7310):# Copyright (C) 2004, 2005,
2007, 2008 Free Software Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\aclocal.m4(7673):# Copyright (C) 2004, 2005,
2007 Free Software Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\aclocal.m4(7797):# Copyright (C) 2004 Free
Software Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\aclocal.m4(7821):# Copyright (C) 2004, 2005,
2007 Free Software Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\config.guess(3):# Copyright (C) 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999,
freetype\freetype-2.3.7\builds\unix\config.guess(59):Copyright (C) 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
freetype\freetype-2.3.7\builds\unix\config.log(83):Copyright (C) 2009 Free
Software Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\config.status(1242):# Copyright (C) 1996,
1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
freetype\freetype-2.3.7\builds\unix\config.status(361):Copyright (C) 2008 Free
Software Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\config.sub(3):# Copyright (C) 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999,
freetype\freetype-2.3.7\builds\unix\config.sub(75):Copyright (C) 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
freetype\freetype-2.3.7\builds\unix\configure(14193):Copyright (C) 2008 Free
Software Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\configure(15204):# Copyright (C) 1996, 1997,
1998, 1999, 2000, 2001, 2003, 2004, 2005,
freetype\freetype-2.3.7\builds\unix\configure(1644):Copyright (C) 1992, 1993,
1994, 1995, 1996, 1998, 1999, 2000, 2001,
freetype\freetype-2.3.7\builds\unix\configure(7):# Copyright (C) 1992, 1993,
1994, 1995, 1996, 1998, 1999, 2000, 2001,
freetype\freetype-2.3.7\builds\unix\configure.ac(5):# Copyright 2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by
freetype\freetype-2.3.7\builds\unix\configure.raw(5):# Copyright 2001, 2002,
2003, 2004, 2005, 2006, 2007, 2008 by
freetype\freetype-2.3.7\builds\unix\detect.mk(6):# Copyright 1996-2000, 2002,
2003, 2004, 2006 by
freetype\freetype-2.3.7\builds\unix\freetype2.m4(4):# Copyright 2001, 2003, 2007
by
freetype\freetype-2.3.7\builds\unix\freetype-config(3):# Copyright 2000, 2001,

legal(ME)

2002, 2003, 2004, 2005, 2008 by
freetype\freetype-2.3.7\builds\unix\freetype-config.in(3):# Copyright 2000, 2001,
2002, 2003, 2004, 2005, 2008 by
freetype\freetype-2.3.7\builds\unix\ft2unix.h(7):/*Copyright 1996-2001, 2003,
2006 by */
freetype\freetype-2.3.7\builds\unix\ftconfig.h(8):/*Copyright 1996-2001, 2002,
2003, 2004, 2006, 2007 by */
freetype\freetype-2.3.7\builds\unix\ftconfig.in(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2006, 2007 by */
freetype\freetype-2.3.7\builds\unix\ft-munmap.m4(3):# Copyright 2002, 2003, 2004
by
freetype\freetype-2.3.7\builds\unix\ftsystem.c(7):/*Copyright 1996-2001, 2002,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\builds\unix\install.mk(6):# Copyright 1996-2000, 2002,
2003, 2006 by
freetype\freetype-2.3.7\builds\unix\install-sh(10):# Copyright (C) 1994 X
Consortium
freetype\freetype-2.3.7\builds\unix\libtool(403):# Copyright (C) 1996, 1997,
1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007 2008 Free Software
Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\libtool(8):# Copyright (C) 1996, 1997, 1998,
1999, 2000, 2001, 2003, 2004, 2005,
freetype\freetype-2.3.7\builds\unix\ltmain.sh(6):# Copyright (C) 1996, 1997,
1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007 2008 Free Software
Foundation, Inc.
freetype\freetype-2.3.7\builds\unix\unix.mk(6):# Copyright 1996-2000, 2002, 2004,
2006 by
freetype\freetype-2.3.7\builds\unix\unix-cc.in(5):# Copyright 1996-2000, 2002,
2003, 2005, 2006 by
freetype\freetype-2.3.7\builds\unix\unix-cc.mk(5):# Copyright 1996-2000, 2002,
2003, 2005, 2006 by
freetype\freetype-2.3.7\builds\unix\unixddef.mk(7):# Copyright 1996-2000, 2003,
2006 by
freetype\freetype-2.3.7\builds\unix\unix-def.in(6):# Copyright 1996-2000, 2002,
2004, 2006 by
freetype\freetype-2.3.7\builds\unix\unix-def.mk(6):# Copyright 1996-2000, 2002,
2004, 2006 by
freetype\freetype-2.3.7\builds\unix\unix-dev.mk(9):# Copyright 1996-2000, 2003,
2006 by
freetype\freetype-2.3.7\builds\unix\unix-lcc.mk(9):# Copyright 1996-2000 by
freetype\freetype-2.3.7\builds\vm\ftconfig.h(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2006, 2007 by */
freetype\freetype-2.3.7\builds\vm\ftsystem.c(7):/*Copyright 1996-2001, 2002,
2005 by */
freetype\freetype-2.3.7\builds\win32\detect.mk(6):# Copyright 1996-2000, 2003,
2004, 2006, 2007 by
freetype\freetype-2.3.7\builds\win32\ftdebug.c(7):/*Copyright 1996-2001, 2002,
2005, 2008 by */
freetype\freetype-2.3.7\builds\win32\w32-bcc.mk(6):# Copyright 1996-2000, 2003,
2005 by
freetype\freetype-2.3.7\builds\win32\w32-bccd.mk(6):# Copyright 1996-2000, 2003,
2006 by

legal(ME)

freetype\freetype-2.3.7\builds\win32\w32-dev.mk(8):# Copyright 1996-2000, 2003, 2006 by
freetype\freetype-2.3.7\builds\win32\w32-gcc.mk(6):# Copyright 1996-2000, 2003, 2005 by
freetype\freetype-2.3.7\builds\win32\w32-icc.mk(6):# Copyright 1996-2000, 2005 by
freetype\freetype-2.3.7\builds\win32\w32-intl.mk(6):# Copyright 1996-2000, 2003, 2005 by
freetype\freetype-2.3.7\builds\win32\w32-lcc.mk(6):# Copyright 1996-2000 by
freetype\freetype-2.3.7\builds\win32\w32-mingw32.mk(6):# Copyright 1996-2000, 2003, 2005 by
freetype\freetype-2.3.7\builds\win32\w32-vcc.mk(6):# Copyright 1996-2000, 2003, 2005 by
freetype\freetype-2.3.7\builds\win32\w32-wat.mk(6):# Copyright 1996-2000, 2003, 2005 by
freetype\freetype-2.3.7\builds\win32\win32-def.mk(6):# Copyright 1996-2000, 2003, 2005, 2006 by
freetype\freetype-2.3.7\ChangeLog(3515):Copyright 2006, 2007, 2008 by
freetype\freetype-2.3.7\ChangeLog.20(1535):Beautified; added copyright.
freetype\freetype-2.3.7\ChangeLog.20(1536):* src/base/fttrigon.c: Beautified; added copyright.
freetype\freetype-2.3.7\ChangeLog.20(2600):Copyright 2000, 2001, 2002, 2007 by
freetype\freetype-2.3.7\ChangeLog.21(13):* builds/amiga/*: Added copyright notes, reworked some comments.
freetype\freetype-2.3.7\ChangeLog.21(1425):* src/otlayout/otlayout.h: Add copyright.
freetype\freetype-2.3.7\ChangeLog.21(1537):Add copyright.
freetype\freetype-2.3.7\ChangeLog.21(1553):* src/otlayout/otlgpos.h: Add copyright.
freetype\freetype-2.3.7\ChangeLog.21(1567):Add copyright.
freetype\freetype-2.3.7\ChangeLog.21(1587):* src/otlayout/otlgsub.h: Add copyright.
freetype\freetype-2.3.7\ChangeLog.21(1600):Add copyright message.
freetype\freetype-2.3.7\ChangeLog.21(1601):* src/otlayout/otlbase.h: Add copyright message.
freetype\freetype-2.3.7\ChangeLog.21(1605):Add copyright message.
freetype\freetype-2.3.7\ChangeLog.21(1609):* src/otlayout/otlgdef.h: Add copyright message.
freetype\freetype-2.3.7\ChangeLog.21(1613):Add copyright message.
freetype\freetype-2.3.7\ChangeLog.21(1628):Add copyright message.
freetype\freetype-2.3.7\ChangeLog.21(17):* Add copyright notices to all files which don't have one.
freetype\freetype-2.3.7\ChangeLog.21(4494):Add copyright notice.
freetype\freetype-2.3.7\ChangeLog.21(4497):Add copyright notice.
freetype\freetype-2.3.7\ChangeLog.21(4500):Add copyright notice.
freetype\freetype-2.3.7\ChangeLog.21(4504):Add copyright notice.
freetype\freetype-2.3.7\ChangeLog.21(4507):Add copyright notice.
freetype\freetype-2.3.7\ChangeLog.21(4510):Add copyright notice.
freetype\freetype-2.3.7\ChangeLog.21(4514):Add copyright notice.
freetype\freetype-2.3.7\ChangeLog.21(649):* src/autofit/*: Add copyright messages.
freetype\freetype-2.3.7\ChangeLog.21(9426):Copyright 2002, 2003, 2004, 2005, 2007 by

legal(ME)

freetype\freetype-2.3.7\ChangeLog.22(2613):* src/truetype/ttinterp.c,
src/truetype/ttinterp.h: Update copyright
freetype\freetype-2.3.7\ChangeLog.22(2824):Copyright 2005, 2006, 2007, 2008 by
freetype\freetype-2.3.7\config.mk(6):# Copyright 1996-2000, 2002, 2004, 2006 by
freetype\freetype-2.3.7\configure(3):# Copyright 2002, 2003, 2004, 2005, 2006 by
freetype\freetype-2.3.7\devel\ft2build.h(8):/*Copyright 1996-2001, 2003, 2006 by
*/
freetype\freetype-2.3.7\devel\ftoption.h(417):/* describe the font, like family
name, copyright, version, etc.It */
freetype\freetype-2.3.7\devel\ftoption.h(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\docs\CHANGES(1477):Portions of this software are
copyright 1996-2002 The
freetype\freetype-2.3.7\docs\CHANGES(2546):- various obsolete files were removed,
and copyright header updated
freetype\freetype-2.3.7\docs\CHANGES(3170):Copyright 2000, 2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by
freetype\freetype-2.3.7\docs\CUSTOMIZE(140):Copyright 2003, 2005, 2006 by
freetype\freetype-2.3.7\docs\DEBUG(189):Copyright 2002, 2003, 2004, 2005 by
freetype\freetype-2.3.7\docs\formats.txt(144):Copyright 2004, 2005 by
freetype\freetype-2.3.7\docs\FTL.TXT(112):documentation. Thecopyright
noticesoftheunaltered,
freetype\freetype-2.3.7\docs\FTL.TXT(140):acceptit. However,asthe
FreeTypeProjectiscopyrighted
freetype\freetype-2.3.7\docs\FTL.TXT(51):Portions of this software are copyright
<year> The FreeType
freetype\freetype-2.3.7\docs\FTL.TXT(6):Copyright 1996-2002, 2006 by
freetype\freetype-2.3.7\docs\FTL.TXT(84):The FreeTypeProject is copyright (C)
1996-2000by David Turner,
freetype\freetype-2.3.7\docs\GPL.TXT(316):Gnomovision version 69, Copyright (C)
yearname of author
freetype\freetype-2.3.7\docs\GPL.TXT(330):Yoyodyne, Inc., hereby disclaims all
copyright interest in the program
freetype\freetype-2.3.7\docs\GPL.TXT(4): Copyright (C) 1989, 1991 Free Software
Foundation, Inc.
freetype\freetype-2.3.7\docs\INSTALL(79):Copyright 2000, 2001, 2002, 2003, 2004,
2005, 2006, 2007 by
freetype\freetype-2.3.7\docs\INSTALL.ANY(129):Copyright 2003, 2005, 2006 by
freetype\freetype-2.3.7\docs\INSTALL.CROSS(124):Copyright 2006 by suzuki toshiya
freetype\freetype-2.3.7\docs\INSTALL.GNU(149):Copyright 2003, 2004, 2005, 2006 by
freetype\freetype-2.3.7\docs\INSTALL.UNIX(20): Copyright (C) <year> Free Software
Foundation Inc.
freetype\freetype-2.3.7\docs\INSTALL.UNIX(86):Copyright 2003, 2004, 2005, 2006,
2007 by
freetype\freetype-2.3.7\docs\INSTALL.VMS(52):Copyright 2000, 2004 by
freetype\freetype-2.3.7\docs\LICENSE.TXT(2):TheFreeType 2fontengine
iscopyrightedwork andcannot beused
freetype\freetype-2.3.7\docs\raster.txt(621):Copyright 2003, 2007 by
freetype\freetype-2.3.7\docs\reference\ft2-sfnt_names.html(49):<p>The TrueType
and OpenType specifications allow the inclusion of a special ‘names
table’ in font files. This table contains textual (and internationalized)
information regarding the font, like family name, copyright, version, etc.</p>

legal(ME)

freetype\freetype-2.3.7\docs\release(156):Copyright 2003, 2005, 2006, 2007 by
freetype\freetype-2.3.7\docs\TODO(30):Copyright 2001, 2002, 2003, 2004, 2005,
2006, 2007 by
freetype\freetype-2.3.7\docs\TRUETYPE(30):Copyright 2003, 2005, 2006 by
freetype\freetype-2.3.7\docs\UPGRADE.UNIX(127):Copyright 2003, 2005 by
freetype\freetype-2.3.7\docs\VERSION.DLL(123):Copyright 2002, 2003, 2004, 2005,
2006, 2007, 2008 by
freetype\freetype-2.3.7\include\freetype\config\ftconfig.h(7):/*Copyright
1996-2001, 2002, 2003, 2004, 2006, 2007 by */
freetype\freetype-2.3.7\include\freetype\config\ftheader.h(7):/*Copyright
1996-2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\config\ftoption.h(417):/* describe the
font, like family name, copyright, version, etc.It */
freetype\freetype-2.3.7\include\freetype\config\ftoption.h(7):/*Copyright
1996-2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\config\ftstdlib.h(8):/*Copyright 2002,
2003, 2004, 2005, 2006, 2007 by*/
freetype\freetype-2.3.7\include\freetype\freetype.h(7):/*Copyright 1996-2001,
2002, 2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\ftbbox.h(7):/*Copyright 1996-2001, 2003,
2007 by */
freetype\freetype-2.3.7\include\freetype\ftbdf.h(7):/*Copyright 2002, 2003, 2004,
2006 by*/
freetype\freetype-2.3.7\include\freetype\ftbitmap.h(8):/*Copyright 2004, 2005,
2006 by*/
freetype\freetype-2.3.7\include\freetype\ftcache.h(7):/*Copyright 1996-2001,
2002, 2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\ftcid.h(7):/*Copyright 2007 by Dereg
Clegg. */
freetype\freetype-2.3.7\include\freetype\fterrdef.h(7):/*Copyright 2002, 2004,
2006, 2007 by*/
freetype\freetype-2.3.7\include\freetype\fterrors.h(7):/*Copyright 1996-2001,
2002, 2004, 2007 by */
freetype\freetype-2.3.7\include\freetype\ftgasp.h(7):/*Copyright 2007, 2008 by*/
freetype\freetype-2.3.7\include\freetype\ftglyph.h(7):/*Copyright 1996-2001,
2002, 2003, 2006 by */
freetype\freetype-2.3.7\include\freetype\ftgxval.h(7):/*Copyright 2004, 2005,
2006 by*/
freetype\freetype-2.3.7\include\freetype\ftgzip.h(7):/*Copyright 2002, 2003,
2004, 2006 by*/
freetype\freetype-2.3.7\include\freetype\ftimage.h(8):/*Copyright 1996-2001,
2002, 2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\ftinccr.h(7):/*Copyright 2002, 2003,
2006, 2007, 2008 by*/
freetype\freetype-2.3.7\include\freetype\ftlcdfil.h(8):/*Copyright 2006, 2007,
2008 by*/
freetype\freetype-2.3.7\include\freetype\ftlist.h(7):/*Copyright 1996-2001, 2003,
2007 by */
freetype\freetype-2.3.7\include\freetype\ftlw.h(7):/*Copyright 2004, 2006 by*/
freetype\freetype-2.3.7\include\freetype\ftmac.h(7):/*Copyright 1996-2001, 2004,
2006, 2007 by */
freetype\freetype-2.3.7\include\freetype\ftmm.h(7):/*Copyright 1996-2001, 2003,

legal(ME)

2004, 2006 by */
freetype\freetype-2.3.7\include\freetype\ftmodapi.h(7):/*Copyright 1996-2001,
2002, 2003, 2006, 2008 by */
freetype\freetype-2.3.7\include\freetype\ftmoderr.h(7):/*Copyright 2001, 2002,
2003, 2004, 2005 by*/
freetype\freetype-2.3.7\include\freetype\ftotval.h(7):/*Copyright 2004, 2005,
2006, 2007 by*/
freetype\freetype-2.3.7\include\freetype\ftoutln.h(8):/*Copyright 1996-2001,
2002, 2003, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\ftpfr.h(7):/*Copyright 2002, 2003, 2004,
2006 by*/
freetype\freetype-2.3.7\include\freetype\ftrender.h(7):/*Copyright 1996-2001,
2005, 2006 by */
freetype\freetype-2.3.7\include\freetype\ftsizes.h(7):/*Copyright 1996-2001,
2003, 2004, 2006 by */
freetype\freetype-2.3.7\include\freetype\ftsnames.h(10):/*Copyright 1996-2001,
2002, 2003, 2006 by */
freetype\freetype-2.3.7\include\freetype\ftsnames.h(54):/*like family name,
copyright, version, etc. */
freetype\freetype-2.3.7\include\freetype\ftsnames.h(6):/*to hold font names,
copyright info, notices, etc.) (specification).*/
freetype\freetype-2.3.7\include\freetype\ftstroke.h(7):/*Copyright 2002, 2003,
2004, 2005, 2006, 2008 by*/
freetype\freetype-2.3.7\include\freetype\ftsynth.h(8):/*Copyright 2000-2001,
2003, 2006 by */
freetype\freetype-2.3.7\include\freetype\ftsystem.h(7):/*Copyright 1996-2001,
2002, 2005 by */
freetype\freetype-2.3.7\include\freetype\fttrigon.h(7):/*Copyright 2001, 2003,
2005, 2007 by*/
freetype\freetype-2.3.7\include\freetype\fttypes.h(7):/*Copyright 1996-2001,
2002, 2004, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\ftwinfnt.h(187):FT_Bytecopyright[60];
freetype\freetype-2.3.7\include\freetype\ftwinfnt.h(7):/*Copyright 2003, 2004,
2008 by*/
freetype\freetype-2.3.7\include\freetype\ftxf86.h(7):/*Copyright 2002, 2003,
2004, 2006, 2007 by*/
freetype\freetype-2.3.7\include\freetype\internal\autohint.h(7):/*Copyright
1996-2001, 2002, 2007 by */
freetype\freetype-2.3.7\include\freetype\internal\ftcalc.h(7):/*Copyright
1996-2001, 2002, 2003, 2004, 2005, 2006, 2008 by */
freetype\freetype-2.3.7\include\freetype\internal\ftdebug.h(7):/*Copyright
1996-2001, 2002, 2004, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\internal\ftdriver.h(7):/*Copyright
1996-2001, 2002, 2003, 2006, 2008 by */
freetype\freetype-2.3.7\include\freetype\internal\ftglodr.h(7):/*Copyright 2002,
2003, 2005, 2006 by*/
freetype\freetype-2.3.7\include\freetype\internal\ftmemory.h(7):/*Copyright
1996-2001, 2002, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\include\freetype\internal\ftobjs.h(7):/*Copyright
1996-2001, 2002, 2003, 2004, 2005, 2006, 2008 by */
freetype\freetype-2.3.7\include\freetype\internal\fttrfork.h(7):/*Copyright 2004,
2006, 2007 by*/

legal(ME)

freetype\freetype-2.3.7\include\freetype\internal\ftserv.h(7):/*Copyright 2003, 2004, 2005, 2006, 2007 by*/
freetype\freetype-2.3.7\include\freetype\internal\ftstream.h(7):/*Copyright 1996-2001, 2002, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\include\freetype\internal\fttrace.h(7):/*Copyright 2002, 2004, 2005, 2006, 2007 by*/
freetype\freetype-2.3.7\include\freetype\internal\ftvalid.h(7):/*Copyright 2004 by*/
freetype\freetype-2.3.7\include\freetype\internal\internal.h(7):/*Copyright 1996-2001, 2002, 2003, 2004 by */
freetype\freetype-2.3.7\include\freetype\internal\pcftypes.h(5):Copyright (C) 2000, 2001, 2002 by
freetype\freetype-2.3.7\include\freetype\internal\psaux.h(8):/*Copyright 1996-2001, 2002, 2003, 2004, 2006, 2008 by */
freetype\freetype-2.3.7\include\freetype\internal\pshints.h(9):/*Copyright 2001, 2002, 2003, 2005, 2006, 2007 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svbdf.h(7):/*Copyright 2003 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svcid.h(7):/*Copyright 2007 by Derek Clegg. */
freetype\freetype-2.3.7\include\freetype\internal\services\svgldict.h(7):/*Copyright 2003 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svgxval.h(7):/*Copyright 2004, 2005 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svkern.h(7):/*Copyright 2006 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svmm.h(7):/*Copyright 2003, 2004 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svotval.h(7):/*Copyright 2004, 2006 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svpfr.h(7):/*Copyright 2003, 2006 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svpostnm.h(7):/*Copyright 2003, 2007 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svpscmmap.h(7):/*Copyright 2003, 2006 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svpsinfo.h(7):/*Copyright 2003, 2004 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svsfnt.h(7):/*Copyright 2003, 2004 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svttcmmap.h(10):/*Copyright 2003 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svttcmmap.h(7):/*Copyright 2003 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svtteng.h(7):/*Copyright 2006 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svttglyf.h(7):/*Copyright 2007 by David Turner.*/
freetype\freetype-2.3.7\include\freetype\internal\services\svwinfnt.h(7):/*Copyright 2003 by*/
freetype\freetype-2.3.7\include\freetype\internal\services\svxf86nm.h(7):/*Copyright 2003 by*/

legal(ME)

```
freetype\freetype-2.3.7\include\freetype\internal\sfnt.h(7):/*Copyright
1996-2001, 2002, 2003, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\include\freetype\internal\t1types.h(8):/*Copyright
1996-2001, 2002, 2003, 2004, 2006 by */
freetype\freetype-2.3.7\include\freetype\internal\tttypes.h(182):/*copyright,
etc. in _localized_ versions (i.e., language, encoding, */
freetype\freetype-2.3.7\include\freetype\internal\tttypes.h(8):/*Copyright
1996-2001, 2002, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\t1tables.h(8):/*Copyright 1996-2001,
2002, 2003, 2004, 2006, 2008 by */
freetype\freetype-2.3.7\include\freetype\ttnameid.h(7):/*Copyright 1996-2002,
2003, 2004, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\include\freetype\ttnameid.h(810):#define
TT_NAME_ID_COPYRIGHT0
freetype\freetype-2.3.7\include\freetype\tttables.h(8):/*Copyright 1996-2001,
2002, 2003, 2004, 2005, 2008 by */
freetype\freetype-2.3.7\include\freetype\tttags.h(7):/*Copyright 1996-2001, 2004,
2005, 2007 by */
freetype\freetype-2.3.7\include\freetype\ttunpat.h(7):/*Copyright 2003, 2006 by*/
freetype\freetype-2.3.7\include\ft2build.h(8):/*Copyright 1996-2001, 2006 by */
freetype\freetype-2.3.7\Jamfile(3):# Copyright 2001, 2002, 2003, 2004, 2005,
2006, 2007, 2008 by
freetype\freetype-2.3.7\Jamrules(3):# Copyright 2001, 2002, 2003 by
freetype\freetype-2.3.7\Makefile(6):# Copyright 1996-2000, 2002, 2006 by
freetype\freetype-2.3.7\modules.cfg(3):# Copyright 2005, 2006, 2007 by
freetype\freetype-2.3.7\README(54):Copyright 2006, 2007, 2008 by
freetype\freetype-2.3.7\README.CVS(40):Copyright 2005, 2006, 2007, 2008 by
freetype\freetype-2.3.7\src\autofit\afangles.c(8):/*Copyright 2003, 2004, 2005,
2006 by*/
freetype\freetype-2.3.7\src\autofit\afcjk.c(7):/*Copyright 2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\afcjk.h(7):/*Copyright 2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\afdummys.c(8):/*Copyright 2003, 2004, 2005
by*/
freetype\freetype-2.3.7\src\autofit\afdummys.h(8):/*Copyright 2003, 2004, 2005
by*/
freetype\freetype-2.3.7\src\autofit\aferrors.h(7):/*Copyright 2005 by*/
freetype\freetype-2.3.7\src\autofit\afglobal.c(7):/*Copyright 2003, 2004, 2005,
2006, 2007, 2008 by*/
freetype\freetype-2.3.7\src\autofit\afglobal.h(8):/*Copyright 2003, 2004, 2005,
2007 by*/
freetype\freetype-2.3.7\src\autofit\afhints.c(7):/*Copyright 2003, 2004, 2005,
2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\afhints.h(7):/*Copyright 2003, 2004, 2005,
2006, 2007, 2008 by*/
freetype\freetype-2.3.7\src\autofit\afindic.c(7):/*Copyright 2007 by*/
freetype\freetype-2.3.7\src\autofit\afindic.h(7):/*Copyright 2007 by*/
freetype\freetype-2.3.7\src\autofit\aflatin.c(7):/*Copyright 2003, 2004, 2005,
2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\aflatin.h(7):/*Copyright 2003, 2004, 2005,
2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\aflatin2.c(7):/*Copyright 2003, 2004, 2005,
2006, 2007 by*/
```

legal(ME)

freetype\freetype-2.3.7\src\autofit\aflatin2.h(7):/*Copyright 2003, 2004, 2005, 2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\afloader.c(7):/*Copyright 2003, 2004, 2005, 2006, 2007, 2008 by*/
freetype\freetype-2.3.7\src\autofit\afloader.h(7):/*Copyright 2003, 2004, 2005 by*/
freetype\freetype-2.3.7\src\autofit\afmodule.c(7):/*Copyright 2003, 2004, 2005, 2006 by*/
freetype\freetype-2.3.7\src\autofit\afmodule.h(7):/*Copyright 2003, 2004, 2005 by*/
freetype\freetype-2.3.7\src\autofit\aftypes.h(7):/*Copyright 2003, 2004, 2005, 2006, 2007, 2008 by*/
freetype\freetype-2.3.7\src\autofit\afwarp.c(7):/*Copyright 2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\afwarp.h(7):/*Copyright 2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\autofit.c(7):/*Copyright 2003, 2004, 2005, 2006, 2007 by*/
freetype\freetype-2.3.7\src\autofit\Jamfile(3):# Copyright 2003, 2004, 2005, 2006, 2007 by
freetype\freetype-2.3.7\src\autofit\module.mk(6):# Copyright 2003, 2004, 2005, 2006 by
freetype\freetype-2.3.7\src\autofit\rules.mk(6):# Copyright 2003, 2004, 2005, 2006, 2007 by
freetype\freetype-2.3.7\src\base\ftapi.c(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\base\ftbase.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2006, 2007 by */
freetype\freetype-2.3.7\src\base\ftbbox.c(7):/*Copyright 1996-2001, 2002, 2004, 2006 by */
freetype\freetype-2.3.7\src\base\ftbdf.c(7):/*Copyright 2002, 2003, 2004 by*/
freetype\freetype-2.3.7\src\base\ftbitmap.c(8):/*Copyright 2004, 2005, 2006, 2007 by*/
freetype\freetype-2.3.7\src\base\ftcalc.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006, 2008 by */
freetype\freetype-2.3.7\src\base\ftcid.c(7):/*Copyright 2007 by Derek Clegg. */
freetype\freetype-2.3.7\src\base\ftdbgm.c(7):/*Copyright 2001, 2002, 2003, 2004, 2005, 2006 by*/
freetype\freetype-2.3.7\src\base\ftdebug.c(7):/*Copyright 1996-2001, 2002, 2004, 2008 by */
freetype\freetype-2.3.7\src\base\ftgasp.c(7):/*Copyright 2007 by*/
freetype\freetype-2.3.7\src\base\ftglloadr.c(7):/*Copyright 2002, 2003, 2004, 2005, 2006 by*/
freetype\freetype-2.3.7\src\base\ftglyph.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2007, 2008 by */
freetype\freetype-2.3.7\src\base\ftgxval.c(7):/*Copyright 2004, 2005, 2006 by*/
freetype\freetype-2.3.7\src\base\ftinit.c(7):/*Copyright 1996-2001, 2002, 2005, 2007 by */
freetype\freetype-2.3.7\src\base\ftlcdfil.c(7):/*Copyright 2006, 2008 by*/
freetype\freetype-2.3.7\src\base\ftmac.c(11):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\base\ftmm.c(7):/*Copyright 1996-2001, 2003, 2004 by */
freetype\freetype-2.3.7\src\base\ftnames.c(10):/*Copyright 1996-2001, 2002 by */
freetype\freetype-2.3.7\src\base\ftnames.c(6):/*to hold font names, copyright

legal(ME)

```
info, notices, etc.) (body). */
freetype\freetype-2.3.7\src\base\ftobjs.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\base\ftotval.c(7):/*Copyright 2004, 2006 by*/
freetype\freetype-2.3.7\src\base\ftoutln.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\base\ftpatent.c(8):/*Copyright 2007 by David
Turner.*/
freetype\freetype-2.3.7\src\base\ftpfr.c(7):/*Copyright 2002, 2003, 2004 by*/
freetype\freetype-2.3.7\src\base\ftrfork.c(7):/*Copyright 2004, 2005, 2006, 2007
by*/
freetype\freetype-2.3.7\src\base\ftstream.c(7):/*Copyright 2000-2001, 2002, 2004,
2005, 2006, 2008 by */
freetype\freetype-2.3.7\src\base\ftstroke.c(7):/*Copyright 2002, 2003, 2004,
2005, 2006, 2008 by*/
freetype\freetype-2.3.7\src\base\ftsynth.c(7):/*Copyright 2000-2001, 2002, 2003,
2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\base\ftsystem.c(7):/*Copyright 1996-2001, 2002, 2006
by */
freetype\freetype-2.3.7\src\base\fttrigon.c(7):/*Copyright 2001, 2002, 2003,
2004, 2005 by*/
freetype\freetype-2.3.7\src\base\fttype1.c(7):/*Copyright 2002, 2003, 2004 by*/
freetype\freetype-2.3.7\src\base\ftutil.c(7):/*Copyright 2002, 2004, 2005, 2006,
2007 by*/
freetype\freetype-2.3.7\src\base\ftwinfnt.c(7):/*Copyright 2003, 2004 by*/
freetype\freetype-2.3.7\src\base\ftxf86.c(7):/*Copyright 2002, 2003, 2004 by*/
freetype\freetype-2.3.7\src\base\Jamfile(3):# Copyright 2001, 2002, 2003, 2004,
2005, 2006, 2007 by
freetype\freetype-2.3.7\src\base\rules.mk(6):# Copyright 1996-2000, 2002, 2003,
2004, 2005, 2006, 2007 by
freetype\freetype-2.3.7\src\bdf\bdf.c(5):Copyright (C) 2001, 2002 by
freetype\freetype-2.3.7\src\bdf\bdf.h(2): * Copyright 2000 Computing Research
Labs, New Mexico State University
freetype\freetype-2.3.7\src\bdf\bdf.h(3): * Copyright 2001, 2002, 2003, 2004
Francesco Zappa Nardelli
freetype\freetype-2.3.7\src\bdf\bdfdrivr.c(5):Copyright (C) 2001, 2002, 2003,
2004, 2005 by
freetype\freetype-2.3.7\src\bdf\bdfdrivr.h(5):Copyright (C) 2001, 2002, 2003,
2004 by
freetype\freetype-2.3.7\src\bdf\bdferror.h(2): * Copyright 2001, 2002 Francesco
Zappa Nardelli
freetype\freetype-2.3.7\src\bdf\bdflib.c(2): * Copyright 2000 Computing Research
Labs, New Mexico State University
freetype\freetype-2.3.7\src\bdf\bdflib.c(3): * Copyright 2001, 2002, 2003, 2004,
2005 Francesco Zappa Nardelli
freetype\freetype-2.3.7\src\bdf\bdflib.c(92):{ (char *)"COPYRIGHT", BDF_ATOM, 1,
{ 0 } },
freetype\freetype-2.3.7\src\bdf\Jamfile(3):# Copyright 2002 by
freetype\freetype-2.3.7\src\bdf\module.mk(5):# Copyright 2001, 2002, 2006 by
freetype\freetype-2.3.7\src\bdf\README(121):Copyright 2000 Computing Research
Labs, New Mexico State University
freetype\freetype-2.3.7\src\bdf\README(122):Copyright 2001-2002 Francesco Zappa
```

legal(ME)

Nardelli

```
freetype\freetype-2.3.7\src\bdf\README(98):Copyright (C) 2001-2002 by Francesco
Zappa Nardelli
freetype\freetype-2.3.7\src\bdf\rules.mk(6):# Copyright (C) 2001, 2002, 2003 by
freetype\freetype-2.3.7\src\cache\ftcache.c(7):/*Copyright 2000-2001, 2003 by */
freetype\freetype-2.3.7\src\cache\ftcbasic.c(7):/*Copyright 2003, 2004, 2005,
2006, 2007 by*/
freetype\freetype-2.3.7\src\cache\ftccache.c(7):/*Copyright 2000-2001, 2002,
2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\cache\ftccache.h(7):/*Copyright 2000-2001, 2002,
2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\cache\ftccback.h(7):/*Copyright 2004, 2005, 2006 by*/
freetype\freetype-2.3.7\src\cache\ftccmap.c(7):/*Copyright 2000-2001, 2002, 2003,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\cache\ftcerrror.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\cache\ftcglyph.c(7):/*Copyright 2000-2001, 2003,
2004, 2006 by */
freetype\freetype-2.3.7\src\cache\ftcglyph.h(7):/*Copyright 2000-2001, 2003,
2004, 2006, 2007 by */
freetype\freetype-2.3.7\src\cache\ftcimage.c(7):/*Copyright 2000-2001, 2003,
2004, 2006 by */
freetype\freetype-2.3.7\src\cache\ftcimage.h(7):/*Copyright 2000-2001, 2002,
2003, 2006 by */
freetype\freetype-2.3.7\src\cache\ftcmanag.c(7):/*Copyright 2000-2001, 2002,
2003, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\cache\ftcmanag.h(7):/*Copyright 2000-2001, 2003,
2004, 2006 by */
freetype\freetype-2.3.7\src\cache\ftcmru.c(7):/*Copyright 2003, 2004, 2006 by*/
freetype\freetype-2.3.7\src\cache\ftcmru.h(7):/*Copyright 2000-2001, 2003, 2004,
2005, 2006 by */
freetype\freetype-2.3.7\src\cache\ftcsbits.c(7):/*Copyright 2000-2001, 2002,
2003, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\cache\ftcsbits.h(7):/*Copyright 2000-2001, 2002,
2003, 2006 by */
freetype\freetype-2.3.7\src\cache\Jamfile(3):# Copyright 2001, 2003, 2004 by
freetype\freetype-2.3.7\src\cache\rules.mk(6):# Copyright 2000, 2001, 2003, 2004,
2006 by
freetype\freetype-2.3.7\src\cff\cff.c(7):/*Copyright 1996-2001, 2002 by */
freetype\freetype-2.3.7\src\cff\cffcmap.c(7):/*Copyright 2002, 2003, 2004, 2005,
2006, 2007 by*/
freetype\freetype-2.3.7\src\cff\cffcmap.h(7):/*Copyright 2002, 2003, 2006 by*/
freetype\freetype-2.3.7\src\cff\cffdrivr.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\cff\cffdrivr.h(7):/*Copyright 1996-2001, 2002 by */
freetype\freetype-2.3.7\src\cff\cfferrs.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\cff\cffgload.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\cff\cffgload.h(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\cff\cffload.c(1268):top->copyright = 0xFFFFU;
freetype\freetype-2.3.7\src\cff\cffload.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007 by */
```

legal(ME)

freetype\freetype-2.3.7\src\cff\cffload.h(7):/*Copyright 1996-2001, 2002, 2003, 2007 by */
freetype\freetype-2.3.7\src\cff\cffobjs.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\cff\cffobjs.h(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\cff\cffparse.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2007, 2008 by */
freetype\freetype-2.3.7\src\cff\cffparse.h(7):/*Copyright 1996-2001, 2002, 2003 by */
freetype\freetype-2.3.7\src\cff\cfftoken.h(27):CFF_FIELD_STRING(0x100, copyright)
freetype\freetype-2.3.7\src\cff\cfftoken.h(7):/*Copyright 1996-2001, 2002, 2003 by */
freetype\freetype-2.3.7\src\cff\cfftypes.h(106):FT_UIntcopyright;
freetype\freetype-2.3.7\src\cff\cfftypes.h(8):/*Copyright 1996-2001, 2002, 2003, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\cff\Jamfile(3):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\src\cff\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\cff\rules.mk(6):# Copyright 1996-2000, 2001, 2003 by
freetype\freetype-2.3.7\src\cid\ciderrs.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\cid\cidload.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\cid\cidload.h(7):/*Copyright 1996-2001, 2002, 2004 by */
freetype\freetype-2.3.7\src\cid\cidload.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\cid\cidload.h(7):/*Copyright 1996-2001, 2002, 2003, 2004 by */
freetype\freetype-2.3.7\src\cid\cidobjs.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\cid\cidobjs.h(7):/*Copyright 1996-2001, 2002, 2004, 2006 by */
freetype\freetype-2.3.7\src\cid\cidparse.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\cid\cidparse.h(7):/*Copyright 1996-2001, 2002, 2003, 2004 by */
freetype\freetype-2.3.7\src\cid\cidriver.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2006, 2008 by */
freetype\freetype-2.3.7\src\cid\cidriver.h(7):/*Copyright 1996-2001, 2002 by */
freetype\freetype-2.3.7\src\cid\cidtoken.h(7):/*Copyright 1996-2001, 2002, 2003, 2006 by */
freetype\freetype-2.3.7\src\cid\Jamfile(3):# Copyright 2001 by
freetype\freetype-2.3.7\src\cid\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\cid\rules.mk(6):# Copyright 1996-2000, 2001, 2003 by
freetype\freetype-2.3.7\src\cid\type1cid.c(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\gxvalid\gxvalid.c(7):/*Copyright 2005 by suzuki toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvalid.h(7):/*Copyright 2005 by suzuki toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvbsln.c(7):/*Copyright 2004, 2005 by suzuki toshiya, Masatake YAMATO, Red Hat K.K., */

legal(ME)

freetype\freetype-2.3.7\src\gxvalid\gxvcommn.c(7):/*Copyright 2004, 2005 by
suzuki toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvcommn.h(7):/*Copyright 2004, 2005 by
suzuki toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxverror.h(7):/*Copyright 2004, 2005 by
suzuki toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvfeat.c(7):/*Copyright 2004, 2005, 2008
by*/
freetype\freetype-2.3.7\src\gxvalid\gxvfeat.h(7):/*Copyright 2004, 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvfggen.c(26):/*Copyright 2003 by*/
freetype\freetype-2.3.7\src\gxvalid\gxvfggen.c(8):/*Copyright 2004, 2005, 2006 by
Masatake YAMATO and Redhat K.K.*/
freetype\freetype-2.3.7\src\gxvalid\gxvjust.c(7):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvkern.c(7):/*Copyright 2004, 2005, 2006,
2007 */
freetype\freetype-2.3.7\src\gxvalid\gxv1car.c(7):/*Copyright 2004, 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmod.c(7):/*Copyright 2004, 2005, 2006 */
freetype\freetype-2.3.7\src\gxvalid\gxvmod.h(8):/*Copyright 2004, 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmort.c(7):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmort.h(7):/*Copyright 2004, 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmort0.c(8):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmort1.c(8):/*Copyright 2005, 2007 by
suzuki toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmort2.c(8):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmort4.c(8):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmort5.c(8):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmorx.c(7):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmorx.h(7):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmorx0.c(8):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmorx1.c(8):/*Copyright 2005, 2007 by
suzuki toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmorx2.c(8):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmorx4.c(8):/*Copyright 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvmorx5.c(8):/*Copyright 2005, 2007 by
suzuki toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvopbd.c(7):/*Copyright 2004, 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */

legal(ME)

```
freetype\freetype-2.3.7\src\gxvalid\gxvprop.c(7):/*Copyright 2004, 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\gxvtrak.c(7):/*Copyright 2004, 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K., */
freetype\freetype-2.3.7\src\gxvalid\Jamfile(3):# Copyright 2005 by
freetype\freetype-2.3.7\src\gxvalid\module.mk(5):# Copyright 2004, 2005, 2006
freetype\freetype-2.3.7\src\gxvalid\README(521):Copyright 2004, 2005, 2007 by
freetype\freetype-2.3.7\src\gxvalid\rules.mk(6):# Copyright 2004, 2005 by suzuki
toshiya, Masatake YAMATO, Red Hat K.K.,
freetype\freetype-2.3.7\src\gzip\adler32.c(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\ftgzip.c(11):/*Copyright 2002, 2003, 2004, 2005,
2006 by*/
freetype\freetype-2.3.7\src\gzip\infblock.c(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\infblock.h(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\infcodes.c(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\infcodes.h(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\inflate.c(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\infhtrees.c(15):local const char
inflate_copyright[] =
freetype\freetype-2.3.7\src\gzip\infhtrees.c(16): " inflate 1.1.4 Copyright
1995-2002 Mark Adler ";
freetype\freetype-2.3.7\src\gzip\infhtrees.c(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\infhtrees.c(22):copyright string in the
executable of your product.
freetype\freetype-2.3.7\src\gzip\infhtrees.h(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\infutil.c(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\infutil.h(2): * Copyright (C) 1995-2002 Mark
Adler
freetype\freetype-2.3.7\src\gzip\Jamfile(3):# Copyright 2001 by
freetype\freetype-2.3.7\src\gzip\rules.mk(6):# Copyright 2002, 2003 by
freetype\freetype-2.3.7\src\gzip\zconf.h(2): * Copyright (C) 1995-2002 Jean-loup
Gailly.
freetype\freetype-2.3.7\src\gzip\zconf.h(271):# pragma
map(inflate_copyright,"INCOPY")
freetype\freetype-2.3.7\src\gzip\zlib.h(4):Copyright (C) 1995-2002 Jean-loup
Gailly and Mark Adler
freetype\freetype-2.3.7\src\gzip\zutil.c(2): * Copyright (C) 1995-2002 Jean-loup
Gailly.
freetype\freetype-2.3.7\src\gzip\zutil.h(2): * Copyright (C) 1995-2002 Jean-loup
Gailly.
freetype\freetype-2.3.7\src\Jamfile(3):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\src\lzw\ftlzw.c(11):/*Copyright 2004, 2005, 2006 by*/
freetype\freetype-2.3.7\src\lzw\ftlzw.c(14):/*Based on code in src/gzip/ftgzip.c,
```


legal(ME)

Copyright 2004 by*/
freetype\freetype-2.3.7\src\lzw\ftzopen.c(11):/*Copyright 2005, 2006, 2007 by
David Turner.*/
freetype\freetype-2.3.7\src\lzw\ftzopen.h(11):/*Copyright 2005, 2006, 2007, 2008
by David Turner.*/
freetype\freetype-2.3.7\src\lzw\Jamfile(3):# Copyright 2004, 2006 by
freetype\freetype-2.3.7\src\lzw\rules.mk(6):# Copyright 2004, 2005, 2006 by
freetype\freetype-2.3.7\src\lzw\rules.mk(9):# Based on src/lzw/rules.mk,
Copyright 2002 by
freetype\freetype-2.3.7\src\otvalid\Jamfile(3):# Copyright 2004 by
freetype\freetype-2.3.7\src\otvalid\module.mk(6):# Copyright 2004, 2006 by
freetype\freetype-2.3.7\src\otvalid\otvalid.c(7):/*Copyright 2004, 2007 by*/
freetype\freetype-2.3.7\src\otvalid\otvalid.h(7):/*Copyright 2004, 2008 by*/
freetype\freetype-2.3.7\src\otvalid\otvbase.c(7):/*Copyright 2004, 2007 by*/
freetype\freetype-2.3.7\src\otvalid\otvcommn.c(7):/*Copyright 2004, 2005, 2006,
2007 by*/
freetype\freetype-2.3.7\src\otvalid\otvcommn.h(7):/*Copyright 2004, 2005, 2007
by*/
freetype\freetype-2.3.7\src\otvalid\otverror.h(7):/*Copyright 2004, 2005 by*/
freetype\freetype-2.3.7\src\otvalid\otvgdef.c(7):/*Copyright 2004, 2005, 2007
by*/
freetype\freetype-2.3.7\src\otvalid\otvgpos.c(7):/*Copyright 2002, 2004, 2005,
2006, 2007, 2008 by*/
freetype\freetype-2.3.7\src\otvalid\otvgpos.h(7):/*Copyright 2004 by*/
freetype\freetype-2.3.7\src\otvalid\otvgsub.c(7):/*Copyright 2004, 2005, 2007
by*/
freetype\freetype-2.3.7\src\otvalid\otvjstf.c(7):/*Copyright 2004, 2007 by*/
freetype\freetype-2.3.7\src\otvalid\otvmath.c(7):/*Copyright 2007 by*/
freetype\freetype-2.3.7\src\otvalid\otvmod.c(7):/*Copyright 2004, 2005, 2006,
2007 by*/
freetype\freetype-2.3.7\src\otvalid\otvmod.h(8):/*Copyright 2004 by*/
freetype\freetype-2.3.7\src\otvalid\rules.mk(6):# Copyright 2004, 2007 by
freetype\freetype-2.3.7\src\pcf\Jamfile(3):# Copyright 2001, 2003 by
freetype\freetype-2.3.7\src\pcf\module.mk(5):# Copyright 2000, 2006 by
freetype\freetype-2.3.7\src\pcf\pcf.c(5):Copyright 2000-2001, 2003 by
freetype\freetype-2.3.7\src\pcf\pcf.h(5):Copyright (C) 2000, 2001, 2002, 2003,
2006 by
freetype\freetype-2.3.7\src\pcf\pcfdrivr.c(5):Copyright (C) 2000, 2001, 2002,
2003, 2004, 2006, 2007, 2008 by
freetype\freetype-2.3.7\src\pcf\pcfdrivr.h(5):Copyright 2000-2001, 2002 by
freetype\freetype-2.3.7\src\pcf\pcferror.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\pcf\pcfread.c(5):Copyright 2000, 2001, 2002, 2003,
2004, 2005, 2006, 2007 by
freetype\freetype-2.3.7\src\pcf\pcfread.h(5):Copyright 2003 by
freetype\freetype-2.3.7\src\pcf\pcfutil.c(3):Copyright 1990, 1994, 1998The Open
Group
freetype\freetype-2.3.7\src\pcf\pcfutil.h(5):Copyright 2000, 2001, 2004 by
freetype\freetype-2.3.7\src\pcf\README(87):Copyright (C) 2000 by Francesco Zappa
Nardelli
freetype\freetype-2.3.7\src\pcf\rules.mk(6):# Copyright (C) 2000, 2001, 2003 by
freetype\freetype-2.3.7\src\pfr\Jamfile(3):# Copyright 2002 by
freetype\freetype-2.3.7\src\pfr\module.mk(6):# Copyright 2002, 2006 by

legal(ME)

freetype\freetype-2.3.7\src\pfr\pfr.c(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\pfr\pfrcmmap.c(7):/*Copyright 2002, 2007 by*/
freetype\freetype-2.3.7\src\pfr\pfrcmmap.h(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\pfr\pfrdrv.c(7):/*Copyright 2002, 2003, 2004, 2006
by*/
freetype\freetype-2.3.7\src\pfr\pfrdrv.h(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\pfr\pfrerror.h(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\pfr\pfrglload.c(7):/*Copyright 2002, 2003, 2005, 2007
by*/
freetype\freetype-2.3.7\src\pfr\pfrglload.h(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\pfr\pfrload.c(7):/*Copyright 2002, 2003, 2004, 2005,
2007 by*/
freetype\freetype-2.3.7\src\pfr\pfrload.h(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\pfr\pfrobjs.c(7):/*Copyright 2002, 2003, 2004, 2005,
2006, 2007 by*/
freetype\freetype-2.3.7\src\pfr\pfrobjs.h(7):/*Copyright 2002, 2003, 2004 by*/
freetype\freetype-2.3.7\src\pfr\pfrsbit.c(7):/*Copyright 2002, 2003, 2006 by*/
freetype\freetype-2.3.7\src\pfr\pfrsbit.h(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\pfr\pfrtypes.h(7):/*Copyright 2002, 2003, 2005, 2007
by*/
freetype\freetype-2.3.7\src\pfr\rules.mk(6):# Copyright 2002, 2003 by
freetype\freetype-2.3.7\src\psaux\afmparse.c(7):/*Copyright 2006, 2007 by*/
freetype\freetype-2.3.7\src\psaux\afmparse.h(7):/*Copyright 2006 by*/
freetype\freetype-2.3.7\src\psaux\Jamfile(3):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\src\psaux\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\psaux\psaux.c(7):/*Copyright 1996-2001, 2002, 2006 by
*/
freetype\freetype-2.3.7\src\psaux\psauxerr.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\psaux\psauxmod.c(7):/*Copyright 2000-2001, 2002,
2003, 2006 by */
freetype\freetype-2.3.7\src\psaux\psauxmod.h(7):/*Copyright 2000-2001 by */
freetype\freetype-2.3.7\src\psaux\psconv.c(7):/*Copyright 2006, 2008 by*/
freetype\freetype-2.3.7\src\psaux\psconv.h(7):/*Copyright 2006 by*/
freetype\freetype-2.3.7\src\psaux\psobjs.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\psaux\psobjs.c(931):/* XXX: some stupid fonts have a
'Notice' or 'Copyright' string */
freetype\freetype-2.3.7\src\psaux\psobjs.c(937):/*notice/copyright was not
recognized as a valid string token */
freetype\freetype-2.3.7\src\psaux\psobjs.h(7):/*Copyright 1996-2001, 2002, 2003
by */
freetype\freetype-2.3.7\src\psaux\rules.mk(6):# Copyright 1996-2000, 2002, 2003,
2006 by
freetype\freetype-2.3.7\src\psaux\t1cmap.c(7):/*Copyright 2002, 2003, 2006, 2007
by*/
freetype\freetype-2.3.7\src\psaux\t1cmap.h(7):/*Copyright 2002, 2003, 2006 by*/
freetype\freetype-2.3.7\src\psaux\t1decode.c(7):/*Copyright 2000-2001, 2002,
2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\psaux\t1decode.h(7):/*Copyright 2000-2001, 2002, 2003
by */
freetype\freetype-2.3.7\src\pshinter\Jamfile(3):# Copyright 2001, 2003 by
freetype\freetype-2.3.7\src\pshinter\module.mk(6):# Copyright 1996-2001, 2006 by

legal(ME)

freetype\freetype-2.3.7\src\pshinter\pshalgo.c(7):/*Copyright 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by*/
freetype\freetype-2.3.7\src\pshinter\pshalgo.h(7):/*Copyright 2001, 2002, 2003, 2008 by*/
freetype\freetype-2.3.7\src\pshinter\pshglob.c(8):/*Copyright 2001, 2002, 2003, 2004, 2006 by*/
freetype\freetype-2.3.7\src\pshinter\pshglob.h(7):/*Copyright 2001, 2002, 2003 by*/
freetype\freetype-2.3.7\src\pshinter\pshinter.c(7):/*Copyright 2001, 2003 by*/
freetype\freetype-2.3.7\src\pshinter\pshmod.c(7):/*Copyright 2001, 2002, 2007 by*/
freetype\freetype-2.3.7\src\pshinter\pshmod.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\pshinter\pshnterr.h(7):/*Copyright 2003 by*/
freetype\freetype-2.3.7\src\pshinter\pshrec.c(7):/*Copyright 2001, 2002, 2003, 2004, 2007 by*/
freetype\freetype-2.3.7\src\pshinter\pshrec.h(7):/*Copyright 2001, 2002, 2003, 2006, 2008 by*/
freetype\freetype-2.3.7\src\pshinter\rules.mk(6):# Copyright 2001, 2003 by
freetype\freetype-2.3.7\src\psnames\Jamfile(3):# Copyright 2001 by
freetype\freetype-2.3.7\src\psnames\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\psnames\psmodule.c(7):/*Copyright 1996-2001, 2002, 2003, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\psnames\psmodule.h(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\psnames\psnamerr.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\psnames\psnames.c(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\psnames\pstables.h(7):/*Copyright 2005 by*/
freetype\freetype-2.3.7\src\psnames\rules.mk(6):# Copyright 1996-2000, 2001, 2003 by
freetype\freetype-2.3.7\src\raster\ftmisc.h(8):/*Copyright 2005 by*/
freetype\freetype-2.3.7\src\raster\ftraster.c(7):/*Copyright 1996-2001, 2002, 2003, 2005, 2007, 2008 by */
freetype\freetype-2.3.7\src\raster\ftraster.h(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\raster\ftrend1.c(7):/*Copyright 1996-2001, 2002, 2003, 2005, 2006 by */
freetype\freetype-2.3.7\src\raster\ftrend1.h(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\raster\Jamfile(3):# Copyright 2001 by
freetype\freetype-2.3.7\src\raster\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\raster\raster.c(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\raster\rasterrs.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\raster\rules.mk(6):# Copyright 1996-2000, 2001, 2003 by
freetype\freetype-2.3.7\src\sfnt\Jamfile(3):# Copyright 2001, 2002, 2004, 2005 by
freetype\freetype-2.3.7\src\sfnt\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\sfnt\rules.mk(6):# Copyright 1996-2000, 2002, 2003, 2004, 2005, 2006, 2007 by
freetype\freetype-2.3.7\src\sfnt\sfdriver.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\sfnt\sfdriver.h(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\sfnt\sferrons.h(7):/*Copyright 2001, 2004 by*/
freetype\freetype-2.3.7\src\sfnt\sfnt.c(7):/*Copyright 1996-2001, 2002, 2003, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\sfnt\sfobjs.c(7):/*Copyright 1996-2001, 2002, 2003,

legal(ME)

```
2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\sfnt\sfobjs.h(7):/*Copyright 1996-2001, 2002 by */
freetype\freetype-2.3.7\src\sfnt\ttbdff.c(7):/*Copyright 2005, 2006 by*/
freetype\freetype-2.3.7\src\sfnt\ttbdff.h(7):/*Copyright 2005 by*/
freetype\freetype-2.3.7\src\sfnt\ttcmmap.c(7):/*Copyright 2002, 2003, 2004, 2005,
2006, 2007 by*/
freetype\freetype-2.3.7\src\sfnt\ttcmmap.h(7):/*Copyright 2002, 2003, 2004, 2005
by*/
freetype\freetype-2.3.7\src\sfnt\ttkern.c(8):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\sfnt\ttkern.h(8):/*Copyright 1996-2001, 2002, 2005,
2007 by */
freetype\freetype-2.3.7\src\sfnt\ttload.c(8):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\sfnt\ttload.h(8):/*Copyright 1996-2001, 2002, 2005,
2006 by */
freetype\freetype-2.3.7\src\sfnt\ttmtx.c(7):/*Copyright 2006, 2007 by*/
freetype\freetype-2.3.7\src\sfnt\ttmtx.h(7):/*Copyright 2006 by*/
freetype\freetype-2.3.7\src\sfnt\ttpost.c(112):"bullet", "paragraph",
"germandbls", "registered", "copyright",
freetype\freetype-2.3.7\src\sfnt\ttpost.c(8):/*Copyright 1996-2001, 2002, 2003,
2006, 2007 by */
freetype\freetype-2.3.7\src\sfnt\ttpost.h(8):/*Copyright 1996-2001, 2002 by */
freetype\freetype-2.3.7\src\sfnt\ttsbit.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\sfnt\ttsbit.h(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\sfnt\ttsbit0.c(8):/*Copyright 2005, 2006, 2007, 2008
by*/
freetype\freetype-2.3.7\src\smooth\ftgrays.c(7):/*Copyright 2000-2001, 2002,
2003, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\smooth\ftgrays.h(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\smooth\ftsmerrs.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\smooth\ftsmooth.c(7):/*Copyright 2000-2001, 2002,
2003, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\smooth\ftsmooth.h(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\smooth\Jamfile(3):# Copyright 2001 by
freetype\freetype-2.3.7\src\smooth\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\smooth\rules.mk(6):# Copyright 1996-2000, 2001, 2003
by
freetype\freetype-2.3.7\src\smooth\smooth.c(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\tools\ftrandom\ftrandom.c(1):/* Copyright (C) 2005 by
George Williams */
freetype\freetype-2.3.7\src\tools\glNames.py(1881):copyright;00A9
freetype\freetype-2.3.7\src\tools\glNames.py(1882):copyrightsans;F8E9
freetype\freetype-2.3.7\src\tools\glNames.py(1883):copyrightserif;F6D9
freetype\freetype-2.3.7\src\tools\glNames.py(227):"copyright", "Aacute",
"Acircumflex", "Adieresis", "Agrave",
freetype\freetype-2.3.7\src\tools\glNames.py(5070):write( "/*Copyright 2005
by*/\n" )
freetype\freetype-2.3.7\src\tools\glNames.py(9):# Copyright 1996-2000, 2003,
2005, 2007 by
```

legal(ME)

```
freetype\freetype-2.3.7\src\tools\glnames.py(98):"bullet", "paragraph",
"germandbls", "registered", "copyright",
freetype\freetype-2.3.7\src\truetype\Jamfile(3):# Copyright 2001, 2004 by
freetype\freetype-2.3.7\src\truetype\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\truetype\rules.mk(6):# Copyright 1996-2000, 2001,
2003, 2004 by
freetype\freetype-2.3.7\src\truetype\truetype.c(7):/*Copyright 1996-2001, 2004,
2006 by */
freetype\freetype-2.3.7\src\truetype\ttdriver.c(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\truetype\ttdriver.h(7):/*Copyright 1996-2001, 2002 by
*/
freetype\freetype-2.3.7\src\truetype\tterrors.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\truetype\ttgload.c(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\truetype\ttgload.h(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\truetype\ttgxvar.c(7):/*Copyright 2004, 2005, 2006,
2007, 2008 by*/
freetype\freetype-2.3.7\src\truetype\ttgxvar.h(7):/*Copyright 2004 by*/
freetype\freetype-2.3.7\src\truetype\ttinterp.c(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\truetype\ttinterp.h(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\truetype\ttobjs.c(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\truetype\ttobjs.h(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\truetype\ttload.c(7):/*Copyright 1996-2001, 2002,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\truetype\ttload.h(7):/*Copyright 1996-2001, 2002,
2005, 2006 by */
freetype\freetype-2.3.7\src\type1\Jamfile(3):# Copyright 2001 by
freetype\freetype-2.3.7\src\type1\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\type1\rules.mk(6):# Copyright 1996-2000, 2001, 2003
by
freetype\freetype-2.3.7\src\type1\t1afm.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007 by */
freetype\freetype-2.3.7\src\type1\t1afm.h(7):/*Copyright 1996-2001, 2002, 2006 by
*/
freetype\freetype-2.3.7\src\type1\t1driver.c(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2006, 2007 by */
freetype\freetype-2.3.7\src\type1\t1driver.h(7):/*Copyright 1996-2001, 2002 by */
freetype\freetype-2.3.7\src\type1\t1errors.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\type1\t1gload.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006 by */
freetype\freetype-2.3.7\src\type1\t1gload.h(7):/*Copyright 1996-2001, 2002, 2003
by */
freetype\freetype-2.3.7\src\type1\t1load.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\type1\t1load.h(7):/*Copyright 1996-2001, 2002, 2004,
2006, 2007 by */
```

legal(ME)

```
freetype\freetype-2.3.7\src\type1\t1objs.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\type1\t1objs.h(7):/*Copyright 1996-2001, 2002, 2006
by */
freetype\freetype-2.3.7\src\type1\t1parse.c(7):/*Copyright 1996-2001, 2002, 2003,
2004, 2005, 2008 by */
freetype\freetype-2.3.7\src\type1\t1parse.h(7):/*Copyright 1996-2001, 2002, 2003,
2008 by */
freetype\freetype-2.3.7\src\type1\t1tokens.h(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2006 by */
freetype\freetype-2.3.7\src\type1\type1.c(7):/*Copyright 1996-2001 by */
freetype\freetype-2.3.7\src\type42\Jamfile(3):# Copyright 2002 by
freetype\freetype-2.3.7\src\type42\module.mk(6):# Copyright 2002, 2006 by
freetype\freetype-2.3.7\src\type42\rules.mk(6):# Copyright 2002, 2003 by
freetype\freetype-2.3.7\src\type42\t42drivr.c(7):/*Copyright 2002, 2003, 2004,
2006, 2007 by Roberto Alameda. */
freetype\freetype-2.3.7\src\type42\t42drivr.h(7):/*Copyright 2002 by Roberto
Alameda. */
freetype\freetype-2.3.7\src\type42\t42error.h(7):/*Copyright 2002, 2003 by*/
freetype\freetype-2.3.7\src\type42\t42objs.c(7):/*Copyright 2002, 2003, 2004,
2005, 2006, 2007 by Roberto Alameda. */
freetype\freetype-2.3.7\src\type42\t42objs.h(7):/*Copyright 2002, 2003, 2006,
2007 by Roberto Alameda. */
freetype\freetype-2.3.7\src\type42\t42parse.c(7):/*Copyright 2002, 2003, 2004,
2005, 2006, 2007, 2008 by Roberto Alameda. */
freetype\freetype-2.3.7\src\type42\t42parse.h(7):/*Copyright 2002, 2003 by
Roberto Alameda. */
freetype\freetype-2.3.7\src\type42\t42types.h(7):/*Copyright 2002, 2003, 2006 by
Roberto Alameda. */
freetype\freetype-2.3.7\src\type42\type42.c(7):/*Copyright 2002 by*/
freetype\freetype-2.3.7\src\winfonts\fntrrs.h(7):/*Copyright 2001 by*/
freetype\freetype-2.3.7\src\winfonts\Jamfile(3):# Copyright 2001 by
freetype\freetype-2.3.7\src\winfonts\module.mk(6):# Copyright 1996-2000, 2006 by
freetype\freetype-2.3.7\src\winfonts\rules.mk(6):# Copyright 1996-2000, 2001,
2003 by
freetype\freetype-2.3.7\src\winfonts\winfnt.c(10):/*Copyright 2007 Dmitry
Timoshkov for Codeweavers*/
freetype\freetype-2.3.7\src\winfonts\winfnt.c(149):FT_FRAME_BYTES( copyright, 60
),
freetype\freetype-2.3.7\src\winfonts\winfnt.c(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2006, 2007, 2008 by */
freetype\freetype-2.3.7\src\winfonts\winfnt.c(9):/*Copyright 2003 Huw D M Davies
for Codeweavers*/
freetype\freetype-2.3.7\src\winfonts\winfnt.h(7):/*Copyright 1996-2001, 2002,
2003, 2004, 2007 by */
freetype\freetype-2.3.7\src\winfonts\winfnt.h(9):/*Copyright 2007 Dmitry
Timoshkov for Codeweavers*/
freetype\freetype-2.3.7\src\winfonts\winfnt.h(160):# Copyright 2001 by
freetype\freetype-2.3.7\src\winfonts\winfnt.h(253):# Copyright 2001 by
freetype\freetype-2.3.7\src\winfonts\winfnt.h(285):# Copyright 2002 by
freetype\freetype-2.3.7\src\winfonts\winfnt.h(3):$! Copyright 2003, 2004, 2006, 2007 by
freetype\freetype-2.3.7\src\winfonts\winfnt.h(314):# Copyright 2001, 2002 Catharon
```

legal(ME)

Productions Inc.

freetype\freetype-2.3.7\vms_make.com(346):# Copyright 2001, 2003 by
freetype\freetype-2.3.7\vms_make.com(378):# Copyright 2002 by
freetype\freetype-2.3.7\vms_make.com(408):# Copyright 2001, 2002, 2003, 2004 by
freetype\freetype-2.3.7\vms_make.com(441):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\vms_make.com(471):# Copyright 2001 by
freetype\freetype-2.3.7\vms_make.com(501):# Copyright 2002 by
freetype\freetype-2.3.7\vms_make.com(535):# Copyright 2004 by
freetype\freetype-2.3.7\vms_make.com(569):# Copyright 2004 by
freetype\freetype-2.3.7\vms_make.com(601):# Copyright 2004 by
freetype\freetype-2.3.7\vms_make.com(631):# Copyright (C) 2001, 2002 by
freetype\freetype-2.3.7\vms_make.com(673):# Copyright 2002 by
freetype\freetype-2.3.7\vms_make.com(703):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\vms_make.com(733):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\vms_make.com(763):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\vms_make.com(793):# Copyright 2001 by
freetype\freetype-2.3.7\vms_make.com(823):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\vms_make.com(853):# Copyright 2001 by
freetype\freetype-2.3.7\vms_make.com(883):# Copyright 2001, 2002 by
freetype\freetype-2.3.7\vms_make.com(913):# Copyright 1996-2000, 2002 by
freetype\freetype-2.3.7\vms_make.com(945):# Copyright 2002 by
freetype\freetype-2.3.7\vms_make.com(975):# Copyright 2001, 2002 by
freetype\NOTICE.txt(112):documentation. Thecopyright noticesoftheunaltered,
freetype\NOTICE.txt(140):acceptit. However,asthe FreeTypeProjectiscopyrighted
freetype\NOTICE.txt(51):Portions of this software are copyright c <year> The
FreeType
freetype\NOTICE.txt(6):Copyright 1996-2002, 2006 by
freetype\NOTICE.txt(84):The FreeTypeProject is copyright (C) 1996-2000by David
Turner,
gawk\gawk-3.1.5\aclocal.m4(111):# Copyright (C) 1997, 2000, 2001, 2003, 2004,
2005
gawk\gawk-3.1.5\aclocal.m4(14):# Copyright (C) 2002, 2003, 2005Free Software
Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(143):# Copyright (C) 1999, 2000, 2001, 2002, 2003,
2004, 2005
gawk\gawk-3.1.5\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,
2002, 2003, 2004,
gawk\gawk-3.1.5\aclocal.m4(300):# Copyright (C) 1999, 2000, 2001, 2002, 2003,
2004, 2005
gawk\gawk-3.1.5\aclocal.m4(35):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(368):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004, 2005
gawk\gawk-3.1.5\aclocal.m4(480):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(494):# Copyright (C) 2003, 2005Free Software
Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(517):# Copyright (C) 2001, 2002, 2003, 2005Free
Software Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(569):# Copyright (C) 1997, 1999, 2000, 2001, 2003,
2005
gawk\gawk-3.1.5\aclocal.m4(602):# Copyright (C) 2003, 2004, 2005Free Software

legal(ME)

Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(667):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(698):# Copyright (C) 1996, 1997, 1998, 2000, 2001, 2002, 2003, 2005
gawk\gawk-3.1.5\aclocal.m4(725):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005
gawk\gawk-3.1.5\aclocal.m4(775):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(805):# Copyright (C) 2004, 2005Free Software Foundation, Inc.
gawk\gawk-3.1.5\aclocal.m4(87):# Copyright (C) 1996, 1997, 1999, 2000, 2001, 2002, 2003, 2005
gawk\gawk-3.1.5\ansi2knr.c(1):/* Copyright (C) 1989, 2000 Aladdin Enterprises.All rights reserved. */
gawk\gawk-3.1.5\ansi2knr.c(115):lpd 1995-04-05 changed copyright notice to make it clear that
gawk\gawk-3.1.5\ansi2knr.c(18):things, the copyright notice and this notice must be preserved on all
gawk\gawk-3.1.5\array.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\awk.h(6): * Copyright (C) 1986, 1988, 1989, 1991-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\awkgram.c(4): Copyright (C) 1984, 1989, 1990, 2000, 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\awkgram.y(6): * Copyright (C) 1986, 1988, 1989, 1991-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\awklib\Makefile.am(4):# Copyright (C) 1995-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\awklib\Makefile.in(20):# Copyright (C) 1995-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\awklib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
gawk\gawk-3.1.5\bisonfix.awk(3):# Copyright (C) 2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\builtin.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\ChangeLog(2166):All relevant files: Copyright year updated to 2003.
gawk\gawk-3.1.5\ChangeLog(5159):* Updated copyright dates in appropriate files.
gawk\gawk-3.1.5\ChangeLog(5523):(copyleft): update the copyright year.
gawk\gawk-3.1.5\ChangeLog(5705):* all files: remove ifdef'ed out code and update copyrights.
gawk\gawk-3.1.5\ChangeLog(6055):* main.c (copyleft): update copyright date to 1996.
gawk\gawk-3.1.5\ChangeLog(6056):too many files to list: update copyright date to 1996.
gawk\gawk-3.1.5\ChangeLog(7):Copyright dates on all relevant files updated to 2005.
gawk\gawk-3.1.5\ChangeLog(795):* main.c (copyleft): Fix copyright year.
gawk\gawk-3.1.5\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

legal(ME)

gawk\gawk-3.1.5\config.guess(56):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
gawk\gawk-3.1.5\config.rpath(5):# Copyright 1996-2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
gawk\gawk-3.1.5\config.sub(73):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
gawk\gawk-3.1.5\configure(13284):Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\configure(7):# Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\configure(985):Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\configure.ac(4):dnl Copyright (C) 1995-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\COPYING(316):Gnomovision version 69, Copyright (C) yearname of author
gawk\gawk-3.1.5\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
gawk\gawk-3.1.5\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
gawk\gawk-3.1.5\custom.h(14): * Copyright (C) 1995-2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\dfa.c(2): Copyright 1988, 1998, 2000, 2002, 2004, 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\dfa.h(2): Copyright (C) 1988, 1998, 2002, 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\ad.block(4):.\" Copyright (C) 1996, 1998, 2000, 2001, 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\awkcard.in(103):\"(FCopyright \\\(co 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004
gawk\gawk-3.1.5\doc\awkcard.in(1932):\"(CDCopyright \\\(co 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
gawk\gawk-3.1.5\doc\awkcard.in(258):\"(FC\\-\\^\\-copyleft*(FR, *(FC\\-\\^\\-copyright*(FR
gawk\gawk-3.1.5\doc\awkcard.in(261):copyright information on *(FCstdout*(FR.
gawk\gawk-3.1.5\doc\awkcard.in(3):.\" Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002,
gawk\gawk-3.1.5\doc\awkcard.in(408):print version and copyright on
gawk\gawk-3.1.5\doc\cardfonts(4):.\" Copyright (C) 1996 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\ChangeLog(129):All relevant files: Copyright year updated to 2003.
gawk\gawk-3.1.5\doc\colors(4):.\" Copyright (C) 1996,97,99 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawk.1(214):.B \"\\-W copyright"
gawk\gawk-3.1.5\doc\gawk.1(220):.B \\-\\^\\-copyright
gawk\gawk-3.1.5\doc\gawk.1(221):Print the short version of the *(GN copyright information message on
gawk\gawk-3.1.5\doc\gawk.1(3437):Copyright \\\(co 1989, 1991, 1992, 1993, 1994, 1995, 1996,

legal(ME)

gawk\gawk-3.1.5\doc\gawk.info(12):Copyright (C) 1989, 1991, 1992, 1993, 1996, 1997, 1998, 1999, 2000,
gawk\gawk-3.1.5\doc\gawk.info(12091):`-W copyright'
gawk\gawk-3.1.5\doc\gawk.info(12092):`--copyright'
gawk\gawk-3.1.5\doc\gawk.info(12098): Just like `--copyright'.This option may disappear in a future
gawk\gawk-3.1.5\doc\gawk.info(18635): effect, or assign the copyright in your changes to the FSF.Both
gawk\gawk-3.1.5\doc\gawk.info(18744): assign the copyright in your code to the FSF.Both of these
gawk\gawk-3.1.5\doc\gawk.info(20430): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawk.info(20732): Copyright (C) YEARNAME OF AUTHOR
gawk\gawk-3.1.5\doc\gawk.info(20753): Gnomovision version 69, Copyright (C) YEAR NAME OF AUTHOR
gawk\gawk-3.1.5\doc\gawk.info(20769): Yoyodyne, Inc., hereby disclaims all copyright
gawk\gawk-3.1.5\doc\gawk.info(20790): Copyright (C) 2000,2001,2002 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawk.info(21301):* --copyright option:Options. (line 12093)
gawk\gawk-3.1.5\doc\gawk.info(43):Copyright (C) 1989, 1991, 1992, 1993, 1996, 1997, 1998, 1999, 2000,
gawk\gawk-3.1.5\doc\gawk.texi(113):Copyright @copyright{} 1989, 1991, 1992, 1993, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawk.texi(16435):@item -W copyright
gawk\gawk-3.1.5\doc\gawk.texi(16436):@itemx --copyright
gawk\gawk-3.1.5\doc\gawk.texi(16437):@cindex @code{--copyright} option
gawk\gawk-3.1.5\doc\gawk.texi(16444):Just like @option{--copyright}.
gawk\gawk-3.1.5\doc\gawk.texi(25321):effect, or assign the copyright in your changes to the FSF.
gawk\gawk-3.1.5\doc\gawk.texi(25457):effect, or assign the copyright in your code to the FSF.
gawk\gawk-3.1.5\doc\gawk.texi(27627):Copyright @copyright{} 1989, 1991 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawk.texi(27965):Copyright (C) @var{year}@var{name of author}
gawk\gawk-3.1.5\doc\gawk.texi(27988):Gnomovision version 69, Copyright (C) @var{year} @var{name of author}
gawk\gawk-3.1.5\doc\gawk.texi(28007):Yoyodyne, Inc., hereby disclaims all copyright
gawk\gawk-3.1.5\doc\gawk.texi(28032):Copyright @copyright{} 2000,2001,2002 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawk.texi(28442):Copyright (C)@var{year}@var{your name}.
gawk\gawk-3.1.5\doc\gawkinet.info(13): Copyright (C) 2000, 2001, 2002, 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawkinet.info(36): Copyright (C) 2000, 2001, 2002, 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawkinet.info(3743): Copyright (C) 2000,2001,2002 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawkinet.info(66): Copyright (C) 2000, 2001, 2002, 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawkinet.texi(4735):Copyright @copyright{} 2000,2001,2002

legal(ME)

Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\gawkinet.texi(5145):Copyright (C)@var{year}@var{your name}.
gawk\gawk-3.1.5\doc\gawkinet.texi(75):Copyright (C) 2000, 2001, 2002, 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\macros(3):.\" Copyright (C) 1996, Specialized System Consultants Inc. (SSC)
gawk\gawk-3.1.5\doc\Makefile.am(39):SEDME = sed -e "s/^level0 restore/level0 restore flashme 100 72 moveto (Copyright `date +%m-%d-%y %T`, FSF, Inc. (all)) show/" \
gawk\gawk-3.1.5\doc\Makefile.am(4):# Copyright (C) 2000, 2001, 2002, 2004, 2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\Makefile.in(20):# Copyright (C) 2000, 2001, 2002, 2004, 2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\Makefile.in(206):SEDME = sed -e "s/^level0 restore/level0 restore flashme 100 72 moveto (Copyright `date +%m-%d-%y %T`, FSF, Inc. (all)) show/" \
gawk\gawk-3.1.5\doc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
gawk\gawk-3.1.5\doc\no.colors(5):.\" Copyright (C) 1996 Free Software Foundation, Inc.
gawk\gawk-3.1.5\doc\README.card(16): (Copyright `date`, FSF, Inc. (all)) show/" \
gawk\gawk-3.1.5\doc\setter.outline(4):% Copyright (C) 1996, Specialized System Consultants Inc. (SSC)
gawk\gawk-3.1.5\doc\texinfo.tex(3363):\def\copyright{copyright}%
gawk\gawk-3.1.5\doc\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991, 1992, 1993, 1994, 1995,
gawk\gawk-3.1.5\eval.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\eval_p.c(6): * Copyright (C) 2001 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\ext.c(10): * Copyright (C) 1995 - 2001, 2003-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\extension\arrayparm.c(13): * Copyright (C) 2001, 2003, 2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\extension\dl.c(9): * Copyright (C) 1995 - 2001 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\extension\filefuncs.c(10): * Copyright (C) 2001, 2004, 2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\extension\fork.c(8): * Copyright (C) 2001, 2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\extension\ordchr.c(11): * Copyright (C) 2001, 2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\extension\readfile.c(13): * Copyright (C) 2002, 2003, 2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\extension\xreadlink.c(3): Copyright (C) 2001, 2003, 2004, 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\extension\xreadlink.h(3): Copyright (C) 2001, 2003, 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\field.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\gawkmisc.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2004 the Free Software Foundation, Inc.

legal(ME)

gawk\gawk-3.1.5\getopt.c(5): Copyright (C)
1987,88,89,90,91,92,93,94,95,96,98,99,2000,2001,2002,2003,2004
gawk\gawk-3.1.5\getopt.h(2): Copyright (C) 1989-1994,1996-1999,2001,2003,2004
gawk\gawk-3.1.5\getopt_int.h(2): Copyright (C) 1989-1994,1996-1999,2001,2003,2004
gawk\gawk-3.1.5\getopt1.c(2): Copyright (C)
1987,88,89,90,91,92,93,94,96,97,98,2004
gawk\gawk-3.1.5\gettext.h(2): Copyright (C) 1995-1998, 2000-2002, 2005 Free
Software Foundation, Inc.
gawk\gawk-3.1.5\hard-locale.h(8): Copyright 1997, 1998, 1999 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001,
2002, 2004, 2005 Free
gawk\gawk-3.1.5\install-sh(10):# Copyright (C) 1994 X Consortium
gawk\gawk-3.1.5\io.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2005 the Free
Software Foundation, Inc.
gawk\gawk-3.1.5\m4\arch.m4(4):dnl Copyright (C) 1995, 1996, 1998, 1999, 2000,
2003, 2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\ChangeLog(82):All relevant files: Copyright year updated to
2003.
gawk\gawk-3.1.5\m4\codeset.m4(2):dnl Copyright (C) 2000-2002 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\gettext.m4(2):dnl Copyright (C) 1995-2005 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\glibc2.m4(2):dnl Copyright (C) 2000-2002, 2004 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\glibc21.m4(2):dnl Copyright (C) 2000-2002, 2004 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\iconv.m4(2):dnl Copyright (C) 2000-2002 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\intdiv0.m4(2):dnl Copyright (C) 2002 Free Software Foundation,
Inc.
gawk\gawk-3.1.5\m4\intmax.m4(2):dnl Copyright (C) 2002-2005 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\inttypes.m4(2):dnl Copyright (C) 1997-2002 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\inttypes_h.m4(2):dnl Copyright (C) 1997-2004 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\inttypes-pri.m4(2):dnl Copyright (C) 1997-2002 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\isc-posix.m4(2):dnl Copyright (C) 1995-2002 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\lcmmessage.m4(2):dnl Copyright (C) 1995-2002, 2004-2005 Free
Software Foundation, Inc.
gawk\gawk-3.1.5\m4\lib-ld.m4(2):dnl Copyright (C) 1996-2003 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\lib-link.m4(2):dnl Copyright (C) 2001-2005 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\lib-prefix.m4(2):dnl Copyright (C) 2001-2005 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\longdouble.m4(2):dnl Copyright (C) 2002-2003 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\m4\longlong.m4(2):dnl Copyright (C) 1999-2004 Free Software

legal(ME)

Foundation, Inc.
gawk\gawk-3.1.5\m4\nls.m4(2):dn1 Copyright (C) 1995-2003, 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\po.m4(2):dn1 Copyright (C) 1995-2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\printf-posix.m4(2):dn1 Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\progtest.m4(2):dn1 Copyright (C) 1996-2003, 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\signed.m4(2):dn1 Copyright (C) 2001-2002 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\size_max.m4(2):dn1 Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\socket.m4(4):dn1 Copyright (C) 1995, 1996, 1998, 1999, 2000, 2003, 2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\stdint_h.m4(2):dn1 Copyright (C) 1997-2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\strtod.m4(4):dn1 Copyright (C) 2001, 2002, 2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\uintmax_t.m4(2):dn1 Copyright (C) 1997-2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\ulonglong.m4(2):dn1 Copyright (C) 1999-2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\wchar_t.m4(2):dn1 Copyright (C) 2002-2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\wint_t.m4(2):dn1 Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\m4\xsize.m4(2):dn1 Copyright (C) 2003-2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\main.c(1110): * Per GNU coding standards, print copyright info,
gawk\gawk-3.1.5\main.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\main.c(679):fputs_(("\t-W copyright\t\t--copyright\n"), fp);
gawk\gawk-3.1.5\main.c(725):/* copyleft --- print out the short GNU copyright information */
gawk\gawk-3.1.5\main.c(731):N_("Copyright (C) 1989, 1991-%d Free Software Foundation.\n\
gawk\gawk-3.1.5\Makefile.am(4):# Copyright (C) 2000-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\Makefile.in(20):# Copyright (C) 2000-2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
gawk\gawk-3.1.5\mbstupport.h(6): * Copyright (C) 2004, 2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005
gawk\gawk-3.1.5\missing_d\COPYING.LIB(4): Copyright (C) 1991 Free Software Foundation, Inc.
gawk\gawk-3.1.5\missing_d\COPYING.LIB(408):copyrighted by the Free Software Foundation, write to the Free
gawk\gawk-3.1.5\missing_d\COPYING.LIB(476):Yoyodyne, Inc., hereby disclaims all

legal(ME)

copyright interest in the

gawk\gawk-3.1.5\missing_d\memmove.c(2): * Copyright (c) 1990, 1993

gawk\gawk-3.1.5\missing_d\mktime.c(1):/* Copyright (C) 1993, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.

gawk\gawk-3.1.5\missing_d\strerror.c(3): Copyright (C) 1986, 1988, 1989, 1991 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\missing_d\strftime.c(1):/* Copyright (C) 1991-1999, 2000, 2001, 2002, 2003

gawk\gawk-3.1.5\missing_d\strncasecmp.c(2): * Copyright (c) 1987 Regents of the University of California.

gawk\gawk-3.1.5\missing_d\system.c(3): Copyright (C) 1986, 1988, 1989, 1991 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\msg.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2001, 2003 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\NEWS(1018):Copyrights updated.

gawk\gawk-3.1.5\NEWS(1872):Updating of copyright in all .[chy] files.

gawk\gawk-3.1.5\NEWS(712):Fixed spelling of 'Programming' in the copyright notice in all the files.

gawk\gawk-3.1.5\NEWS(818):Copyrights updated on all changed files.

gawk\gawk-3.1.5\node.c(6): * Copyright (C) 1986, 1988, 1989, 1991-2001, 2003-2005 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\pc\ChangeLog(111):All relevant files: Copyright year updated to 2003.

gawk\gawk-3.1.5\pc\config.h(8): * Copyright (C) 1995-2005 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\pc\dlfcn.c(6): * Copyright (C) 2003 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\pc\dlfcn.h(6): * Copyright (C) 2003 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\pc\gawkmisc.pc(6): * Copyright (C) 1986, 1988, 1989, 1991 - 2003 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\pc\Makefile.tst(3):# Copyright (C) 1988-2004 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\po\ca.po(1523):msgstr "\t-W copyright\t\t--copyright\n"

gawk\gawk-3.1.5\po\ca.po(1616):"Copyright (C) 1989, 1991-%d Free Software Foundation.\n"

gawk\gawk-3.1.5\po\ca.po(1624):"Copyright (C) 1989, 1991-%d Free Software Foundation.\n"

gawk\gawk-3.1.5\po\ca.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.

gawk\gawk-3.1.5\po\da.po(1498):msgstr "\t-W copyright\t\t--copyright\n"

gawk\gawk-3.1.5\po\da.po(1593):"Copyright (C) 1989, 1991-%d Free Software Foundation.\n"

gawk\gawk-3.1.5\po\da.po(1601):"Copyright 1989, 1991-%d Free Software Foundation.\n"

gawk\gawk-3.1.5\po\da.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.

gawk\gawk-3.1.5\po\de.po(1513):msgstr "\t-W copyright\t\t--copyright\n"

gawk\gawk-3.1.5\po\de.po(1608):"Copyright (C) 1989, 1991-%d Free Software Foundation.\n"

gawk\gawk-3.1.5\po\de.po(1616):"Copyright (C) 1989, 1991-2001 Free Software Foundation.\n"

gawk\gawk-3.1.5\po\de.po(2):# Copyright (C) 2000 Free Software Foundation, Inc.

gawk\gawk-3.1.5\po\es.po(1521):msgstr "\t-W copyright\t\t--copyright\n"

legal(ME)

```
gawk\gawk-3.1.5\po\es.po(1625):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\es.po(1633):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\es.po(2):# Copyright (C) 2001, 2002, 2003, 2004, 2005 Free
Software Foundation, Inc.
gawk\gawk-3.1.5\po\fr.po(1519):msgstr "\t-W copyright\t\t--copyright\n"
gawk\gawk-3.1.5\po\fr.po(1620):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\fr.po(1628):"Copyright   1998, 1991-%d Free Software
Foundation, Inc.\n"
gawk\gawk-3.1.5\po\fr.po(2):# Copyright   2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\ga.po(1492):msgstr "\t-W copyright\t\t--copyright\n"
gawk\gawk-3.1.5\po\ga.po(1585):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\ga.po(1593):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\ga.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\gawk.pot(1550):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\gawk.pot(2):# Copyright (C) YEAR Free Software Foundation,
Inc.
gawk\gawk-3.1.5\po\he.po(1484):msgstr "\t-W copyright\t\t--copyright\n"
gawk\gawk-3.1.5\po\he.po(1585):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\he.po(1593):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\he.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\it.po(1489):msgstr "\t-W copyright\t\t--copyright\n"
gawk\gawk-3.1.5\po\it.po(1590):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\it.po(1598):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\it.po(2):# Copyright (C) 2002-2005 Free Software Foundation,
Inc.
gawk\gawk-3.1.5\po\ja.po(1494):msgstr "\t-W copyright\t\t--copyright\n"
gawk\gawk-3.1.5\po\ja.po(1596):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\ja.po(1604):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\ja.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\Makefile.in.in(121):--copyright-holder='$(COPYRIGHT_HOLDER)' \
gawk\gawk-3.1.5\po\Makefile.in.in(2):# Copyright (C) 1995-1997, 2000-2005 by
Ulrich Drepper <drepper@gnu.ai.mit.edu>
gawk\gawk-3.1.5\po\Makevars(14):# $(DOMAIN).pot file.Set this to the copyright
holder of the surrounding
gawk\gawk-3.1.5\po\Makevars(16):# sources, belong to the copyright holder of the
package.)Translators are
gawk\gawk-3.1.5\po\Makevars(17):# expected to transfer the copyright for their
translations to this person
gawk\gawk-3.1.5\po\Makevars(18):# or entity, or to disclaim their copyright.The
empty string stands for
```

legal(ME)

```
gawk\gawk-3.1.5\po\Makevars(20):# their copyright.
gawk\gawk-3.1.5\po\Makevars(21):COPYRIGHT HOLDER = Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\nl.po(1489):msgstr "\t-W copyright\t\t\t--copyright\n"
gawk\gawk-3.1.5\po\nl.po(1591):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\nl.po(1599):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\nl.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\pl.po(1518):msgstr "\t-W copyright\t\t\t--copyright\n"
gawk\gawk-3.1.5\po\pl.po(1620):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\pl.po(1628):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\pl.po(2):# Copyright (C) 2003, 2004, 2005 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\po\POTFILES.in(2):# Copyright (C) 1999, 2002 Free Software
Foundation, Inc.
gawk\gawk-3.1.5\po\pt_BR.po(1487):msgstr "\t-W copyright\t\t\t--copyright\n"
gawk\gawk-3.1.5\po\pt_BR.po(1589):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\pt_BR.po(1597):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\pt_BR.po(2):# Copyright (C) 2003 Free Software Foundation,
Inc.
gawk\gawk-3.1.5\po\ro.po(1519):msgstr "\t-W copyright\t\t\t--copyright\n"
gawk\gawk-3.1.5\po\ro.po(1612):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\ro.po(1620):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\ro.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\rw.po(1716):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\rw.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\sv.po(1491):msgstr "\t-W copyright\t\t\t--copyright\n"
gawk\gawk-3.1.5\po\sv.po(1595):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\sv.po(1603):"Copyright 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\sv.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\tr.po(1489):msgstr " -W copyright--copyright\n"
gawk\gawk-3.1.5\po\tr.po(1593):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\tr.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.
gawk\gawk-3.1.5\po\vi.po(1532):"\t-W copyright\t\t\t--copyright\n"
gawk\gawk-3.1.5\po\vi.po(1666):"Copyright (C) 1989, 1991-%d Free Software
Foundation.\n"
gawk\gawk-3.1.5\po\vi.po(2):# Copyright 2005 Free Software Foundation, Inc.
gawk\gawk-3.1.5\posix\ChangeLog(26):All relevant files: Copyright year updated to
2003.
gawk\gawk-3.1.5\posix\gawkmisc.c(3): Copyright (C) 1986, 1988, 1989, 1991 - 1998,
2001 - 2004 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\profile.c(6): * Copyright (C) 1999-2005 the Free Software
```


legal(ME)

Foundation, Inc.

gawk\gawk-3.1.5\profile_p.c(6): * Copyright (C) 2001 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\protos.h(6): * Copyright (C) 1991 - 2002 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\random.c(2): * Copyright (c) 1983, 1993

gawk\gawk-3.1.5\random.h(6): * Copyright (C) 1996, 2001, 2004, 2005 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\re.c(6): * Copyright (C) 1991-2005 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\regcomp.c(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.

gawk\gawk-3.1.5\regex.c(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.

gawk\gawk-3.1.5\regex.h(3): Copyright (C) 1985,1989-93,1995-98,2000,2001,2002,2003

gawk\gawk-3.1.5\regex_internal.c(2): Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.

gawk\gawk-3.1.5\regex_internal.h(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.

gawk\gawk-3.1.5\regexec.c(2): Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.

gawk\gawk-3.1.5\test\ChangeLog(289):All relevant files: Copyright year updated to 2003.

gawk\gawk-3.1.5\test\clobber.awk(29):# Copyright (C) 1989, 1991-1996 Free Software Foundation.

gawk\gawk-3.1.5\test\clobber.awk(49):# Copyright 1994 Free Software Foundation, Inc...

gawk\gawk-3.1.5\test\compare2.awk(65):# mawk 1.3.3 Nov 1996, Copyright (C) Michael D. Brennan

gawk\gawk-3.1.5\test\concat1.awk(48):#Copyright (C) 1989, 1991-2001 Free Software Foundation.

gawk\gawk-3.1.5\test\gsubstst5.awk(83):# Copyright (C) 1989, 1991-1997 Free Software Foundation.

gawk\gawk-3.1.5\test\Makefile.am(4):# Copyright (C) 1988-2005 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\test\Makefile.in(20):# Copyright (C) 1988-2005 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\test\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

gawk\gawk-3.1.5\test\nulrsend.awk(92):# Copyright (C) 1989, 1991-2002 Free Software Foundation.

gawk\gawk-3.1.5\test\ofmtfidl.awk(68):# Copyright (C) 1989, 1991-2001 Free Software Foundation.

gawk\gawk-3.1.5\unsupported\atari\config.h(10): * Copyright (C) 1995, 96 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\unsupported\atari\gawkmisc.atr(6): * Copyright (C) 1986, 1988, 1989, 1991-1996 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\unsupported\atari\Makefile.awklib(8):# Copyright (C) 1995, 96 the Free Software Foundation, Inc.

gawk\gawk-3.1.5\unsupported\atari\Makefile.st(12):# Copyright (C) 1986, 1988-1996 the Free Software Foundation, Inc.

legal(ME)

gawk\gawk-3.1.5\unsupported\atari\redirect.h(6): * Copyright (C) 1986, 1988, 1989, 1991-1993 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\unsupported\tandem\config.h(8): * Copyright (C) 1995-1997 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\unsupported\tandem\strnchk.c(2): * Copyright (c) 1987 Regents of the University of California.
gawk\gawk-3.1.5\unsupported\tandem\tmisc.c(31): * Copyright (C) 1986, 1988, 1989, 1991 - 95 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\vms\gawkmisc.vms(6): * Copyright (C) 1986, 1988, 1989, 1991-1996, 2003 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\vms\redirect.h(6): * Copyright (C) 1986, 88, 89, 91-93, 1996, 1997 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\vms\vms_args.c(4): Copyright (C) 1991-1996, 1997 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\vms\vms_fwrite.c(3): Copyright (C) 1991-1996 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\vms\vms_gawk.c(3): Copyright (C) 1991-1993, 1996, 2003, 2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\vms\vms_misc.c(3): Copyright (C) 1991-1993, 1996-1997, 2001, 2003 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\vms\vms_popen.c(3): Copyright (C) 1991-1993, 1996 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\vms\vms-conf.h(10): * Copyright (C) 1991-1992, 1995-1996, 1999, 2001, 2002, 2003, 2005 the Free Software Foundation, Inc.
gawk\gawk-3.1.5\ylwrap(6):# Copyright (C) 1996, 1997, 1998, 1999, 2001, 2002, 2003, 2004, 2005
gawk\NOTICE.txt(316):Gnomovision version 69, Copyright (C) yearname of author
gawk\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
gawk\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\about\Makefile(2):# Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp.h(2): Copyright (C) 1995-1999, 2003, 2004, 2005, 2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-ba.c(2): Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-eexst.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-fmtstream.c(2): Copyright (C) 1997-1999, 2001, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-fmtstream.h(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-fs-xinl.c(2): Copyright (C) 1997, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-help.c(2): Copyright (C) 1995-2003, 2004, 2005, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-namefrob.h(2): Copyright (C) 1997, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-parse.c(2): Copyright (C) 1995-2000, 2002, 2003, 2004, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\argp\argp-pv.c(2): Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\bits\ipc.h(1):/* Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\ipctypes.h(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\libc-lock.h(2): Copyright (C) 1996,97,99,2000-2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\libc-tsd.h(2): Copyright (C) 1998,2001,2002,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\mathdef.h(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\mman.h(2): Copyright (C) 1994-1998,2000,01,02,05 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\mqqueue.h(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\msq.h(1):/* Copyright (C) 1995, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\netdb.h(1):/* Copyright (C) 1996, 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\poll.h(1):/* Copyright (C) 1997, 2000, 2001, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\resource.h(2): Copyright (C) 1994,1996,1997,1998,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\sched.h(3): Copyright (C) 1996, 1997, 2001, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\select.h(1):/* Copyright (C) 1997, 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\sem.h(1):/* Copyright (C) 1995, 1996, 1997, 1998
glibc\glibc-2.12.2\glibc-2.12.2\bits\shm.h(1):/* Copyright (C) 1995, 1996, 1997, 2000, 2002, 2004
glibc\glibc-2.12.2\glibc-2.12.2\bits\sigaction.h(1):/* Copyright (C) 1991,92,96,97,98,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\sigcontext.h(2): Copyright (C) 1991, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\siginfo.h(2): Copyright (C) 1997, 1998, 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\signal.h(1):/* Copyright (C) 1991, 1993, 1996, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\sigset.h(2): Copyright (C) 1991, 1992, 1994, 1996, 1997, 2007
glibc\glibc-2.12.2\glibc-2.12.2\bits\sigstack.h(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\sigthread.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\sockaddr.h(2): Copyright (C) 1995,1996,1997,1998,2000,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\socket.h(2): Copyright (C) 1991,92,1994-1999,2000,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\stat.h(1):/* Copyright (C) 1992, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\statfs.h(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\bits\statvfs.h(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\stdio-lock.h(2): Copyright (C) 2000, 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\stropts.h(1):/* Copyright (C) 1998, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\sys_errlist.h(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\syslog-path.h(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\termios.h(2): Copyright (C) 1993,94,96,97,99,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\time.h(2): Copyright (C) 1996,1997,1999-2002,2003,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\types.h(2): Copyright (C) 2002, 2003, 2004, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\typesizes.h(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\uiio.h(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\ustat.h(1):/* Copyright (C) 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\utmp.h(2): Copyright (C) 1993, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\utsname.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\waitflags.h(2): Copyright (C) 1992, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\waitstatus.h(2): Copyright (C) 1992,1994,1996,1997,2000,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\wchar.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\bits\xtitypes.h(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\catgets\catgets.c(1):/* Copyright (C) 1996-2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\catgets\catgetsinfo.h(1):/* Copyright (C) 1996, 1997, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\catgets\gencat.c(1):/* Copyright (C) 1996-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\catgets\gencat.c(247):Copyright (C) %s Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\catgets\Makefile(1):# Copyright (C) 1996-2000, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\catgets\nl_types.h(1):/* Copyright (C) 1996, 1997, 1999, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\catgets\open_catalog.c(1):/* Copyright (C) 1996-2000, 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\catgets\test-gencat.sh(3):# Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\catgets\xopen-msg.sed(2):# Copyright (C) 1995 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.1(2318):* ansidecl: Added copyright notice.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.1(508):* posix/glob/Makefile: Fixed copyright notice.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.1(525):changed copyright notices to be independent of libc.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.1(545):* posix/{glob,fnmatch}.[ch]: Deansideclized; changed copyright
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.10(10285):* misc/sysexits.h: Remove advertising clause of copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.10(10336):* gmon/gmon.c: Remove advertising clause of copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.10(12995):* sysdeps/unix/make_errlist.c: Add i18n and copyright to
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.10(203):* intl/*.c: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(11062):* sysdeps/unix/sysv/aix/kill.c: Add copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(11065):* sysdeps/unix/sysv/aix/execve.c: Add copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(11066):* sysdeps/unix/sysv/aix/euidaccess.c: Add copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(11067):* sysdeps/unix/sysv/aix/close.c: Add copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(11068):* sysdeps/unix/sysv/aix/brk.c: Add copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(11070):* sysdeps/unix/sysv/aix/access.c: Add copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(12422):* csu/version.c: Add 2000 to copyright years.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(2368):copyright notice.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(6481):* nscd/nscd.c (print_version): Update copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(7821):* locale/programs/locale.c: Update copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(7859):* io/test-stat.c: Add copyright header, mention Maciej.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.11(9915):* nss/nss_db/dummy-db.h: Add copyright notice.Improve
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.12(1306):* manual/argp.texi: Remove ignored LGPL copyright notice; it's
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.12(1310):* COPYING: Fix Y2k bug in sample copyright notices.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.12(8075):* catgets/genocat.c: Copyright 2001.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(10860):* posix/getconf.c: Update copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(1098):* manual/libc.texinfo: @ifinfo -> @ifnottex around copyright notice.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(12745):* elf/ldd.bash.in: Update copyright message.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(2353):wording at request of copyright holder Stephen Moshier.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(2665):*
sysdeps/ieee754/flt-32/e_asinf.c: Added copyright notice for Stephen
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(2684):notice, per license from
copyright holder Stephen Moshier.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(3263):*
sysdeps/ieee754/dbl-64/MathLib.h: Changed the copyright holder
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(3267):*
sysdeps/ieee754/dbl-64/asincos.tbl: Added FSF copyright and
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(3278):*
sysdeps/ieee754/dbl-64/atnat.h: Changed the copyright holder
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(5845):*
sysdeps/ieee754/dbl-64/doasin.c: Changed copyright notice to
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.13(7748):* libio/___fbufsize.c: Correct
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.14(12780):* posix/getconf.c: Update
copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.14(3026):* posix/getconf.c: Update
copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.14(4230):* posix/rxspencer/COPYRIGHT:
New file.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.15(1470):* debug/catchsegv.sh: Update
copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.15(3386):*
sysdeps/i386/i686/hp-timing.c: Revert copyright terms change.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.15(3391):* csu/elf-init.c: Update
copyright terms including special exception
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.15(4981):*
sysdeps/generic/unwind-dw2-fde-glibc.c: Change copyright terms from
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.15(5040):* sysdeps/generic/unwind.h:
Change copyright terms from GCC GPL to
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.16(10803):*
sysdeps/ia64/fpu/libm_cpu_defs.h: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.16(12663):* posix/getconf.c: Update
copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.16(13020):missing portion of copyright
statement.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.16(13026):missing portion of copyright
statement.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.16(4264):* posix/getconf.c: Update
copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.17(10388):* manual/libc.texinfo: Update
copyrights, formatting magic, and
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.17(10631):* hurd/getdport.c: Add
missing copyright year update.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.17(13034):* posix/getconf.c: Update
copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.17(5489):* posix/getconf.c: Update
copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.17(564):* posix/getconf.c: Update
copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.17(8113):* posix/getconf.c: Update
copyright year.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.5(125):*
sysdeps/alpha/fpu/fpu_control.h: here.Fixed copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.5(2958):locale/C-numeric.c,
locale/C-time.c: Change copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.5(3294):time/sys/time.h, time/time.h:
Fix copyright comment.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.5(6739):*
sysdeps/unix/sysv/linux/sys/param.h: Add copyright and clean up.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(1322):* posix/Makefile: Correct
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(1331):* sysdeps/generic/dl-cache.c:
Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(1333):* signal/Makefile: Correct
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(141):* stdio-common/tmpnam.c: Update
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(1474):* inet/getnetgrent.c: Reformat
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(1504):* sysdeps/i386/dl-machine.h:
Correct copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(1532):* nss/nss.h: Reformat
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(1852):* interp.c: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(1922):* sysdeps/posix/fpathconf.c:
Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(199):* sysdeps/mach/hurd/getdents.c:
Update copyright.De-ANSI-declfy.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2025):* stdio-common/tmpfile.c:
Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2033):* sysdeps/generic/abort.c:
Update copyright.De-ANSI-declfy.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(204):* sysdeps/unix/readdir.c: Update
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2102):* locale/C-numeric.c: Update
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2106):* locale/mb_cur_max.c: Update
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2109):* new-malloc/malloc.c: Correct
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2112):* shadow/lckpwwd.c: Update
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2193):* time/strptime.c: Update
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2240):* signal/sigsetops.h: Update
copyright.Don't include ansidecl.h.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2242):* stdio-common/printf_fp.c:
Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2324):* stdio/feof.c: Update
copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2340):* sysdeps/posix/fdopen.c:
Update copyright.Don't use EXFUN.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2435):Reformat copyright.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2441):elf_machine_dynamic.Reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2460):* stdlib/getsubopt.c: Update copyright.Correct typo in comment.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2470):* assert/assert.c: De-ANSIdecl-fy.Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2482):* stdlib/rand.c: Update copyright and de-ANSI-declfy.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2486):* string/strfry.c: Update copyright.Use reentrant random functions.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2496):* sysdeps/unix/readdir_r: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2500):* time/ctime_r.c: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2524):* grp/initgroups.c: Update and reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2527):* inet/rcmd.c: Update and reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2611):* sysdeps/unix/sysv/linux/init-first.c: Reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2618):* sysdeps/unix/sysv/linux/i386/brk.c: Reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2698):* sysdeps/stub/getlogin.c: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2710):* stdio-common/Makefile: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2749):* io/stat.c: Add section from libgcc to copyright comment
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2757):* csu/initfini.c: Add section from libgcc to copyright comment
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2827):* login/utmp.h: Update copyright and pretty-print prototypes.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2861):for sigset_t == unsigned long.De-ansidecl-ify.Reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2865):* sysdeps/posix/sigintr.c: Reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2867):__sigismember doesn't anymore.Reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2918):* nss/nss_dns/dns-host.c: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2951):Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2968):* elf/ldd.bash.in: Add copyright and various cleanups.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(2996):* db/makedb.c: Update and reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(3123):* dirent/dirent.h: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(3408):* time/strftime.c: Update copyright.Small cosmetic changes.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(3412):* inet/getprtnam_r.c: Reformat copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(3440):* inet/gethstent_r.c: Update

legal(ME)

copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(3540):* Lots of files: Update and reformat copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(3940):* assert/assert.h: Reformat copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(3955):* elf/dlfcn.h: Use __const and __P.Reformat copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(4247):* rpm/template: Add INSTALL to %doc line to follow copyright

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(4315):* crypt/md5.c: Change form of copyright message according to GNITS

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(435):* time/asctime.c: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(521):* Make-dist: Update and reformat copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(56):* stdio-common/tstscanf.c: De-ANSI-declfy.Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(59):* wcsmb/btowc.c: Reformat copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(659):* locale/C-time.c: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(738):Update and reformat copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(7803):* resolv/nsap_addr.c: Add copyright message.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(856):* sysdeps/unix/sysv/fcntlbits.h: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(925):* set-init.c: Update and reformat copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.6(9370):* locale/programs/stringtrans.c: Fix typo in copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(10398):* sysdeps/generic/memmem.c: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(11032):* sysdeps/posix/system.c: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(11389):* nis/rpcsvc/ypclnt.h: Fix copyright and prototypes.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(11534):* sysdeps/generic/machine-gmon.h: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(11614):* sysdeps/unix/sparc/sysdep.h: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(11677):* sysdeps/i386/__longjmp.S: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(12008):* sysdeps/stub/fcntlbits.h: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(12026):* sysdeps/unix/sysv/linux/init-first.h: Add copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(12547):* sysdeps/ieee754/dbl2mpn.c: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(12823):* sysdeps/unix/sysv/linux/i386/socket.S: Update copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(13165):copyright.

glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(13450):* locale/ctype-extn.c: Update

legal(ME)

copyright. De-ANSI-declfy.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(13603):* ctype/ctype-info.c: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(14020):* stdio-common/_itoa.h: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(14129):* stdlib/a64l.c: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(14421):* misc/bsd-compat.c: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(1812):* maint.texi: Add copyright terms for libdb (Sleepycat, Harvard).
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(1987):* sysdeps/mach/hurd/cthreads.c: Add copyright text.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(2637):* string/tester.c: Add copyright and make little cleanups.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(3741):* libio/fcloseall.c: Update and reformat copyright.Protect use
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(4110):* sysdeps/sparc/sparc64/elf/crtbegin.S: Add copyright, fix PIC.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(5769):copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(6044):* manual/lgpl.texinfo: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(6098):* Rules: Update copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(6116):* sysdeps/alpha/_mcount.S: Update and reformat copyright,
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(6281):copyright, remove trailing white spaces and send through unexpand.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(6302):* munch-tmpl.c: Update and reformat copyright, remove trailing
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(6813):* manual/libc.texinfo: Update copyright and date.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(8535):* sysdeps/alpha/fpu/fpu_control.h: Update copyright.Change default
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.7(8537):* sysdeps/unix/sysv/linux/alpha/setfpucw.c: Add copyright.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.8(5226):* sysdeps/arm/bits/setjmp.h: Add copyright text.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.8(9928):* sysdeps/unix/sysv/linux/siglist.c: Add copyright text.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.9(2246):* sysdeps/unix/sysv/linux/mips/kernel_termios.h: Add copyright
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.9(791):* login/programs/pt_chown.c (main): Update copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.9(829):* manual/libc.texinfo (UPDATED): Updated.Also update copyright years.
glibc\glibc-2.12.2\glibc-2.12.2\ChangeLog.9(986):* catgets/gencat.c: Update year in copyright message text.
glibc\glibc-2.12.2\glibc-2.12.2\configure(1604):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
glibc\glibc-2.12.2\glibc-2.12.2\configure(8):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
glibc\glibc-2.12.2\glibc-2.12.2\configure(9363):Copyright (C) 2008 Free Software

legal(ME)

Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\conform\Makefile(1):# Copyright (C) 1999, 2000
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\COPYING(316):Gnomovision version 69, Copyright
(C) year name of author

glibc\glibc-2.12.2\glibc-2.12.2\COPYING(330):Yoyodyne, Inc., hereby disclaims all
copyright interest in the program

glibc\glibc-2.12.2\glibc-2.12.2\COPYING(4): Copyright (C) 1989, 1991 Free
Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\COPYING.LIB(432):copyrighted by the Free Software
Foundation, write to the Free

glibc\glibc-2.12.2\glibc-2.12.2\COPYING.LIB(5): Copyright (C) 1991, 1999 Free
Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\COPYING.LIB(501):Yoyodyne, Inc., hereby disclaims
all copyright interest in the

glibc\glibc-2.12.2\glibc-2.12.2\crypt\crypt.c(4): * Copyright (C) 1991, 1992,
1993, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\crypt.h(4): * Copyright (C)
1991,92,93,96,97,98,2000,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\crypt_util.c(4): * Copyright (C)
1991-1993,1996-1998,2000,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\crypt-entry.c(4): * Copyright (C)
1991,1992,1993,1996,1997,2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\crypt-private.h(4): * Copyright (C) 1991,
92, 93, 96, 97, 98 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\Makefile(1):# Copyright (C) 1996, 2000,
2001, 2007, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\md5.c(3): Copyright (C)
1995,1996,1997,1999,2000,2001,2005

glibc\glibc-2.12.2\glibc-2.12.2\crypt\md5.h(3): Copyright (C)
1995-1997,1999,2000,2001,2004,2005

glibc\glibc-2.12.2\glibc-2.12.2\crypt\md5-crypt.c(3): Copyright (C) 1996, 1997,
1999, 2000, 2001, 2002, 2004, 2009

glibc\glibc-2.12.2\glibc-2.12.2\crypt\sha256.c(3): Copyright (C) 2007 Free
Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\sha256.h(3): Copyright (C) 2007 Free
Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\sha256-crypt.c(2): Copyright (C) 2007, 2009
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\sha512.c(3): Copyright (C) 2007 Free
Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\sha512.h(3): Copyright (C) 2007 Free
Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\sha512-crypt.c(2): Copyright (C) 2007, 2009
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\ufc.c(4): * Copyright (C) 1991, 1992, 1993,
1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\crypt\ufc-crypt.h(2): Copyright (C) 1998 Free
Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\csu\abi-note.S(2): Copyright (C) 1997, 2001, 2002
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\csu\check_fds.c(1):/* Copyright (C) 2000, 2002,

legal(ME)

2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\dso_handle.c(1):/* Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\elf-init.c(2): Copyright (C) 2002, 2003, 2004, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\errno.c(2): Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\errno-loc.c(3): Copyright (C) 1996, 1998, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\gmon-start.c(2): Copyright (C) 1995,1996,1997,2000,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\init.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\init-first.c(2): Copyright (C) 1995, 1997, 1998, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\libc-start.c(1):/* Copyright (C) 1998-2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\libc-tls.c(2): Copyright (C) 2002-2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\Makefile(2):# Copyright (C) 1995-2004, 2005, 2006, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\tst-atomic.c(2): Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\tst-atomic-long.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\version.c(1):/* Copyright (C) 1992-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\csu\version.c(29):Copyright (C) 2010 Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\ctype\ctype.c(1):/* Copyright (C) 1991,92,97,99,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\ctype\ctype.h(1):/* Copyright (C) 1991,92,93,95,96,97,98,99,2001,2002,2004,2007,2008,2009
glibc\glibc-2.12.2\glibc-2.12.2\ctype\ctype_1.c(1):/* Copyright (C) 1991,92,97,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\ctype\ctype-extn.c(1):/* Copyright (C) 1991,1997,1999,2000,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\ctype\ctype-info.c(1):/* Copyright (C) 1991,92,95,96,97,99,2000, 2002, 2008
glibc\glibc-2.12.2\glibc-2.12.2\ctype\isctype.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\ctype\Makefile(1):# Copyright (C) 1991, 1992, 1993, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\ctype\test_ctype.c(1):/* Copyright (C) 1991, 1994, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\asprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1997, 1998, 2004, 2006, 2008
glibc\glibc-2.12.2\glibc-2.12.2\debug\backtrace.c(2): Copyright (C) 1998, 2000, 2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\backtracesyms.c(2): Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\backtracesymsfd.c(2): Copyright (C) 1998,

legal(ME)

2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\catchsegv.sh(2):# Copyright (C)
1998,1999,2001,2003,2004,2006,2007,2008,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\debug\catchsegv.sh(43):echo 'Copyright (C) 2010
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\chk_fail.c(1):/* Copyright (C) 2004, 2005,
2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\confstr_chk.c(1):/* Copyright (C) 2005 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\dprintf_chk.c(1):/* Copyright (C) 1991,
1995, 1997, 1998, 2004, 2006, 2008
glibc\glibc-2.12.2\glibc-2.12.2\debug\execinfo.h(1):/* Copyright (C) 1998, 1999,
2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\fgets_chk.c(1):/* Copyright (C) 1993, 1995,
1996, 1997, 1998, 1999, 2002, 2003, 2005
glibc\glibc-2.12.2\glibc-2.12.2\debug\fgets_chk.c(26): This exception applies to
code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\debug\fgets_u_chk.c(1):/* Copyright (C) 1993,
1995, 1996, 1997, 1998, 1999, 2002, 2003, 2005
glibc\glibc-2.12.2\glibc-2.12.2\debug\fgets_u_chk.c(26): This exception applies
to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\debug\fgetws_chk.c(1):/* Copyright (C) 1993,
1995, 1996, 1997, 1998, 1999, 2001, 2005
glibc\glibc-2.12.2\glibc-2.12.2\debug\fgetws_u_chk.c(1):/* Copyright (C) 1993,
95, 96, 97, 98, 99, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\fgetws_u_chk.c(25): This exception applies
to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\debug\fortify_fail.c(1):/* Copyright (C) 2007
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\fprintf_chk.c(1):/* Copyright (C) 1991,
1995, 1996, 1997, 2001, 2004, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\debug\fread_chk.c(1):/* Copyright (C) 1993, 1995,
1997, 1998, 1999, 2002, 2003, 2007
glibc\glibc-2.12.2\glibc-2.12.2\debug\fread_chk.c(26): This exception applies to
code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\debug\fread_u_chk.c(1):/* Copyright (C) 1993,
1995, 1997, 1998, 1999, 2002, 2003, 2007
glibc\glibc-2.12.2\glibc-2.12.2\debug\fread_u_chk.c(26): This exception applies
to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\debug\fwprintf_chk.c(1):/* Copyright (C) 1991,
1995, 1996, 1997, 2001, 2004, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\debug\getcwd_chk.c(1):/* Copyright (C) 2005 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\getdomainname_chk.c(1):/* Copyright (C)
2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\getgroups_chk.c(1):/* Copyright (C) 2005,
2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\gethostname_chk.c(1):/* Copyright (C) 2005
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\getlogin_r_chk.c(1):/* Copyright (C) 2005
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\debug\gets_chk.c(1):/* Copyright (C) 1993, 1996,

legal(ME)

1997, 1998, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\debug\gets_chk.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\debug\getwd_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\longjmp_chk.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\Makefile(1):# Copyright (C)

1998-2001,2004-2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\mbsnrto wcs_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\mbsrtowcs_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\mbstowcs_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\memcpy_chk.c(3): Copyright (C) 1991, 1997, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\memmove_chk.c(3): Copyright (C) 1991,1995,1996,1997,2003,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\memcpy_chk.c(4): Copyright (C) 1991, 1997, 1998, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\memset_chk.c(1):/* Copyright (C) 1991, 1997, 2003, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\noophooks.c(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\obprintf_chk.c(2): Copyright (C) 1996,1997,1999,2000,2001,2002,2003,2004,2005,2006,2008

glibc\glibc-2.12.2\glibc-2.12.2\debug\pcprofile.c(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\pcprofiledump.c(2): Copyright (C) 1999, 2002, 2007, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\pcprofiledump.c(223):Copyright (C) %s Free Software Foundation, Inc.\n\

glibc\glibc-2.12.2\glibc-2.12.2\debug\pread_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\pread64_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\printf_chk.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2001, 2004, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\debug\ptsname_r_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\read_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\readlink_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\readlinkat_chk.c(1):/* Copyright (C) 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\readonly-area.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\realpath_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\recv_chk.c(1):/* Copyright (C) 2005 Free

legal(ME)

Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\recvfrom_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\segfault.c(2): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2007

glibc\glibc-2.12.2\glibc-2.12.2\debug\snprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1997, 1998, 2004, 2006

glibc\glibc-2.12.2\glibc-2.12.2\debug\sprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1997, 1998, 2002, 2004, 2006

glibc\glibc-2.12.2\glibc-2.12.2\debug\stack_chk_fail.c(1):/* Copyright (C) 2005, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\stack_chk_fail_local.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\stpcpy_chk.c(1):/* Copyright (C) 1992, 1995, 1997, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\stpncpy_chk.c(1):/* Copyright (C) 1993,1995,1996,1997,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\strcat_chk.c(1):/* Copyright (C) 1991, 1997, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\strcpy_chk.c(1):/* Copyright (C) 1991, 1997, 2000, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\strncat_chk.c(1):/* Copyright (C) 1991, 1997, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\strncpy_chk.c(1):/* Copyright (C) 1991, 1997, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\swprintf_chk.c(1):/* Copyright (C) 1991,1995,1997,1998,1999,2000,2003,2005

glibc\glibc-2.12.2\glibc-2.12.2\debug\test-stpcpy_chk.c(2): Copyright (C) 1999, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\test-strcpy_chk.c(2): Copyright (C) 1999, 2002, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\tst-chk1.c(1):/* Copyright (C) 2004, 2005, 2006, 2007, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\ttynname_r_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\vasprintf_chk.c(1):/* Copyright (C) 1995,1997,1999-2002,2004,2006,2008,2009

glibc\glibc-2.12.2\glibc-2.12.2\debug\vasprintf_chk.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\debug\vdprintf_chk.c(1):/* Copyright (C) 1995, 1997-2000, 2001, 2002, 2003, 2006, 2008

glibc\glibc-2.12.2\glibc-2.12.2\debug\vdprintf_chk.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\debug\vfprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2001, 2004, 2005, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\debug\vwprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2001, 2004, 2005, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\debug\vprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2001, 2004, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\debug\vsprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1997, 1998, 2004, 2006, 2009

glibc\glibc-2.12.2\glibc-2.12.2\debug\vsprintf_chk.c(1):/* Copyright (C) 1994,

legal(ME)

1997, 1999-2003, 2004, 2006, 2009

glibc\glibc-2.12.2\glibc-2.12.2\debug\vsprintf_chk.c(1):/* Copyright (C) 1991,1995,1997,1998,2004,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\vwprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2001, 2004, 2005, 2007

glibc\glibc-2.12.2\glibc-2.12.2\debug\warning-nop.c(2): Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcpcpy_chk.c(1):/* Copyright (C) 1996, 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcpncpy_chk.c(1):/* Copyright (C) 1995, 1996, 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcrntomb_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcscat_chk.c(1):/* Copyright (C) 1995, 1996, 1997, 2001, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcscopy_chk.c(1):/* Copyright (C) 1995, 1996, 1997, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcsncat_chk.c(1):/* Copyright (C) 1995, 1996, 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcsncpy_chk.c(1):/* Copyright (C) 1995, 1996, 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcsnrtombs_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcsrtombs_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wcstombs_chk.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wctomb_chk.c(1):/* Copyright (C) 2005, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wmemcpy_chk.c(1):/* Copyright (C) 1996, 1997, 1999, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wmemmove_chk.c(1):/* Copyright (C) 1996, 1997, 1999, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wmemcpy_chk.c(1):/* Copyright (C) 1999, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wmemset_chk.c(1):/* Copyright (C) 1996,97,99,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\wprintf_chk.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2001, 2004, 2005, 2007

glibc\glibc-2.12.2\glibc-2.12.2\debug\xtrace.sh(2):# Copyright (C) 1999, 2001-2008, 2009, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\debug\xtrace.sh(66):printf \$"Copyright (C) %s Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\dirent\alphasort.c(1):/* Copyright (C) 1992, 1997, 1998, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\dirent\alphasort64.c(1):/* Copyright (C) 1992, 1997, 1998, 2000, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\dirent\closedir.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\dirent\dirent.h(1):/* Copyright (C) 1991-2000,2003-2005,2009,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\dirent\dirfd.c(2): Copyright (C) 1995, 1996 Free

legal(ME)

Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\fdopendir.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\getdents.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\getdents64.c(1):/* Copyright (C) 1991,95,96,97,99,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\list.c(1):/* Copyright (C) 1991, 1993, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\Makefile(1):# Copyright (C) 1991-2000,2002,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\opendir.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\opendir-tst1.c(1):/* Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\readdir.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\readdir_r.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\readdir64.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\readdir64_r.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\rewinddir.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\scandir.c(1):/* Copyright (C) 1992-1998,2000,2002,2003,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\scandir64.c(1):/* Copyright (C) 2000, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\seekdir.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\telldir.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\versionsort.c(1):/* Copyright (C) 1992, 1997, 1998, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dirent\versionsort64.c(1):/* Copyright (C) 1992, 1997, 1998, 2000, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dladdr.c(2): Copyright (C) 1996, 1997, 1998, 1999, 2003, 2004
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dladdr1.c(2): Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlclose.c(2): Copyright (C) 1995, 1996, 1997, 1998, 1999, 2004
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlerror.c(2): Copyright (C) 1995-2000,2002,2003,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlfcn.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlfcn.h(2): Copyright (C) 1995-2001,2003,2004,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlinfo.c(2): Copyright (C) 2003, 2004, 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlmopen.c(2): Copyright (C)

legal(ME)

1995-2000,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlopen.c(2): Copyright (C)
1995-2000,2003,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlopenold.c(2): Copyright (C) 1995-1999,
2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlsym.c(2): Copyright (C) 1995-2000, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\dlvsym.c(2): Copyright (C) 1995-2000, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\errmsg1.c(1):/* Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\errmsg1mod.c(1):/* Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\eval.c(2): Copyright (C) 1996, 1997, 2000,
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\glreflib1.c(2): Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\glreflib2.c(2): Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\glrefmain.c(2): Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\Makefile(1):# Copyright (C) 1995-2002,
2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\modatexit.c(1):/* Copyright (C) 2001 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\modcxaatexit.c(1):/* Copyright (C) 2001
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\tstatexit.c(1):/* Copyright (C) 2001 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\tstcxaatexit.c(1):/* Copyright (C) 2001
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\tst-dladdr.c(2): Copyright (C) 2000, 2001
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\dlfcn\tst-dlinfo.c(2): Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\cache.c(1):/* Copyright (C)
1999-2003,2005,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\check-execstack.c(2): Copyright (C) 2009 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\check-localplt.c(2): Copyright (C) 2006 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\check-textrel.c(2): Copyright (C) 2002, 2003,
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\chroot_canon.c(2): Copyright (C)
1996,1997,1998,1999,2000,2001,2004,2005,2010
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-addr.c(2): Copyright (C) 1996-2007, 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-cache.c(2): Copyright (C)
1996-2002,2003,2004,2006,2010
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-caller.c(2): Copyright (C) 2004, 2009 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-close.c(2): Copyright (C) 1996-2007, 2009

legal(ME)

Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-conflict.c(2): Copyright (C) 2001, 2002, 2003, 2004, 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-debug.c(2): Copyright (C) 1996, 1998, 2000, 2002, 2004, 2005, 2006
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-deps.c(2): Copyright (C) 1996-2003, 2004, 2005, 2006, 2007, 2010
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-dst.h(2): Copyright (C) 1999, 2001, 2002, 2003, 2004, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-environ.c(2): Copyright (C) 1995-1998, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-error.c(2): Copyright (C) 1995-2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-execstack.c(2): Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-fini.c(2): Copyright (C) 1995, 96, 1998-2002, 2004-2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-fptr.c(2): Copyright (C) 1999-2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-init.c(2): Copyright (C) 1995, 1996, 1998-2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-iteratephdr.c(2): Copyright (C) 2001-2004, 2006-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-libc.c(2): Copyright (C) 1999-2002, 2004, 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-load.c(2): Copyright (C) 1995-2005, 2006, 2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-lookup.c(2): Copyright (C) 1995-2005, 2006, 2007, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-minimal.c(2): Copyright (C) 1995-1998, 2000-2002, 2004-2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-misc.c(2): Copyright (C) 1997-2004, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-object.c(2): Copyright (C) 1995-2002, 2004, 2006-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-open.c(2): Copyright (C) 1996-2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-origin.c(2): Copyright (C) 1998, 1999, 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-profile.c(2): Copyright (C) 1997-2004, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-profstub.c(2): Copyright (C) 1998, 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-reloc.c(2): Copyright (C) 1995-2006, 2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-runtime.c(2): Copyright (C) 1995-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-scope.c(2): Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-support.c(2): Copyright (C) 1996-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-sym.c(2): Copyright (C)

legal(ME)

1999-2002,2004,2006,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-symaddr.c(2): Copyright (C) 1999, 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-sysdep.c(2): Copyright (C) 1995-1998,2000-2008,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-tls.c(2): Copyright (C) 2002,2003,2004,2005,2006,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-tsd.c(2): Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dl-version.c(2): Copyright (C) 1997-2002, 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\do-rel.h(2): Copyright (C) 1995-2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\dynamic-link.h(2): Copyright (C) 1995-2005, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\elf.h(2): Copyright (C) 1995-2003,2004,2005,2006,2007,2008,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\elf\enbl-secure.c(2): Copyright (C) 1996, 1997, 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\interp.c(2): Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\ldconfig.c(1):/* Copyright (C) 1999-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\ldconfig.c(317):Copyright (C) %s Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\elf\ldd.bash.in(2):# Copyright (C) 1996-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\ldd.bash.in(39):printf \$"Copyright (C) %s Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\link.h(3): Copyright (C) 1995-2001, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\Makefile(1):# Copyright (C) 1995-2007,2008,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\readelflib.c(1):/* Copyright (C) 1999, 2000, 2001, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\readlib.c(1):/* Copyright (C) 1999-2003, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\rtld.c(2): Copyright (C) 1995-2006, 2007, 2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\rtld-Rules(3):# Copyright (C) 2002,2003,2005,2006,2008,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\sln.c(2): Copyright (C) 1998, 1999, 2001, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\sprof.c(2): Copyright (C) 1997-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\sprof.c(387):Copyright (C) %s Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\elf\tlsdescht.h(2): Copyright (C) 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-align.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-align2.c(1):/* Copyright (C) 2005 Free

legal(ME)

Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-alignmod.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-alignmod2.c(1):/* Copyright (C) 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-dlmodcount.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-dlopenrpath.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-dlopenrpathmod.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-pathopt.sh(3):# Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\tst-stackguard1.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\vismain.c(1):/* Copyright (C) 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\vismod1.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\vismod2.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\elf\vismod3.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gmon\bb_exit_func.c(1):/* Copyright (C) 1996,1997,1998,2000,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gmon\bb_init_func.c(1):/* Copyright (C) 1996, 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gmon\gmon.c(2): * Copyright (c) 1983, 1992, 1993
glibc\glibc-2.12.2\glibc-2.12.2\gmon\Makefile(1):# Copyright (C) 1995,1996,1997,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gmon\mcount.c(2): * Copyright (c) 1983, 1992, 1993
glibc\glibc-2.12.2\glibc-2.12.2\gmon\prof-freq.c(3): * Copyright (c) 1983, 1992, 1993
glibc\glibc-2.12.2\glibc-2.12.2\gmon\profil.c(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gmon\sprofil.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gmon\sys\gmon.h(2): * Copyright (c) 1982, 1986, 1992, 1993
glibc\glibc-2.12.2\glibc-2.12.2\gmon\sys\gmon_out.h(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gmon\sys\profil.h(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gmon\tst-sprofil.c(1):/* Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gnulib\Makefile(1):# Copyright (C) 1991, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gnulib\tst-gcc.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\fgetgrent.c(1):/* Copyright (C) 1991,1996,1997,1999,2000,2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\grp\fgetgrent_r.c(1):/* Copyright (C) 1991, 1996-1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\getgrent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\getgrent_r.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\getgrgid.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\getgrgid_r.c(1):/* Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\getgrnam.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\getgrnam_r.c(1):/* Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\grp.h(1):/* Copyright (C) 1991,1992,1995-2001,2003,2004,2010
glibc\glibc-2.12.2\glibc-2.12.2\grp\initgroups.c(1):/* Copyright (C) 1989,91,93,1996-2005,2006,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\Makefile(1):# Copyright (C) 1991,1992,1996-2000,2003,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\putgrent.c(1):/* Copyright (C) 1991,92,96,98,99,2000,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\setgroups.c(1):/* Copyright (C) 1991,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\tst_fgetgrent.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\grp\tst_fgetgrent.sh(2):# Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\fgetsgent.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\fgetsgent_r.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\getsgent.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\getsgent_r.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\getsgnam.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\getsgnam_r.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\gshadow.h(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\Makefile(1):# Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\putsgent.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\sgetsgent.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\gshadow\sgetsgent_r.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\hesiod.c(6): * Copyright (c) 1996,1999 by Internet Software Consortium.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\hesiod\hesiod.h(2): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\hesiod_p.h(2): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\Makefile(1):# Copyright (C) 1997, 1998, 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\nss_hesiod\hesiod-grp.c(1):/* Copyright (C) 1997, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\nss_hesiod\hesiod-init.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\nss_hesiod\hesiod-proto.c(1):/* Copyright (C) 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\nss_hesiod\hesiod-pwd.c(1):/* Copyright (C) 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\nss_hesiod\hesiod-service.c(1):/* Copyright (C) 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hesiod\nss_hesiod\nss_hesiod.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\alloc-fd.c(1):/* Copyright (C) 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\catch-exc.c(1):/* Copyright (C) 1994,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\catch-signal.c(2): Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\compat-20.c(2): Copyright (C) 1998, 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\ctty-input.c(2): Copyright (C) 1995,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\ctty-output.c(2): Copyright (C) 1995,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\htable.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\exc2signal.c(2): Copyright (C) 1991, 1992, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\fchroot.c(1):/* Copyright (C) 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\fd-close.c(1):/* Copyright (C) 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\fd-read.c(1):/* Copyright (C) 1993,94,95,97,99,2002,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\fd-write.c(2): Copyright (C) 1993,94,95,97,99,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\fopenport.c(1):/* Copyright (C) 1994,95,97,2000,01,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\getdport.c(1):/* Copyright (C) 1991,1992,1994,1995,1997,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\geteuids.c(1):/* Copyright (C) 1993, 94, 96, 97, 98, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\get-host.c(2): Copyright (C) 1996,97,99,2000,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdl\getumask.c(1):/* Copyright (C) 1992, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid.h(1):/* Copyright (C)
1993,94,95,96,97,98,99,2001,2002,2007
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\fd.h(2): Copyright (C)
1993,1994,1995,1996,1997,1998,1999,2000,2001,2002,2006,2007
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\id.h(2): Copyright (C) 1993, 1994, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\ioctl.h(2): Copyright (C)
1993,94,95,96,97,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\lookup.h(2): Copyright (C) 1995, 1996,
1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\port.h(2): Copyright (C) 1993, 1994,
1995, 1997, 1999, 2007
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\resource.h(2): Copyright (C) 1994,
1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\signal.h(2): Copyright (C)
1993,94,95,96,98,99,2002,2007,2008
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\sigpreempt.h(2): Copyright (C) 1996
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\threadvar.h(2): Copyright (C)
1994,95,97,98,99,2001,02,06,07 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\userlink.h(2): Copyright (C) 1994,
1995, 1997, 1999, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\hurid\xattr.h(2): Copyright (C) 2005 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridauth.c(1):/* Copyright (C) 1991, 92, 93,
94, 95, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridchdir.c(2): Copyright (C) 1999,2001,02
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridexec.c(1):/* Copyright (C)
1991,92,93,94,95,96,97,99,2001,02
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridfault.c(2): Copyright (C)
1994,1995,1996,1997,2002,2005
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridfault.h(2): Copyright (C) 1994, 1996
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridfchdir.c(2): Copyright (C) 1999, 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridhost.h(2): Copyright (C) 1996, 1997 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridid.c(1):/* Copyright (C) 1993, 1994,
1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridinit.c(1):/* Copyright (C)
1992,93,94,95,96,97,98,99,2000,01
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridioctl.c(2): Copyright (C)
1994,95,96,97,99,2001,2002,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridkill.c(1):/* Copyright (C) 1991, 92, 93,
94, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridlookup.c(1):/* Copyright (C)
1992,1993,1994,1995,1996,1997,1999,2001,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridmalloc.c(12): * Copyright (c)
1991,1990,1989 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridmalloc.c(39): * Correcting copyright
glibc\glibc-2.12.2\glibc-2.12.2\hurid\huridmalloc.c(42): * Added new Mach copyright

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\hurdmmsg.c(1):/* Copyright (C) 1992, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdpid.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdpports.c(1):/* Copyright (C) 1991, 1992, 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdprio.c(2): Copyright (C) 1994,95,96,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdr-raise.c(1):/* Copyright (C) 1994,95,96,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdrlimit.c(2): Copyright (C) 1994,95,97,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdsselect.c(2): Copyright (C) 1991,92,93,94,95,96,97,98,99,2001
glibc\glibc-2.12.2\glibc-2.12.2\hurdsig.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,98,99,2000,2001,2002,2005,2008
glibc\glibc-2.12.2\glibc-2.12.2\hurdssock.c(2): Copyright (C) 1991,92,93,94,95,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdstartup.c(2): Copyright (C) 1991,92,93,94,95,96,97,98,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdstartup.h(2): Copyright (C) 1995,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmintern-fd.c(1):/* Copyright (C) 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmintr-msg.c(2): Copyright (C) 1995,96,97,98,99,2000,2001,2002,2005
glibc\glibc-2.12.2\glibc-2.12.2\hurdmintr-rpc.defs(2): Copyright (C) 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmintr-rpc.h(2): Copyright (C) 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdm longjmp-ts.c(2): Copyright (C) 1991, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmlookup-at.c(2): Copyright (C) 2006,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmlookup-retry.c(2): Copyright (C) 1992,1993,1994,1995,1996,1997,1999,2001,2002,2003,2005
glibc\glibc-2.12.2\glibc-2.12.2\hurdmMakefile(1):# Copyright (C) 1991,92,93,94,95,96,97,98,99,2001,2002,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\hurdmmsgportdemux.c(2): Copyright (C) 1991,92,94,95,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmnew-fd.c(1):/* Copyright (C) 1994, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmopenport.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdm path-lookup.c(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdm pid2task.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmport2fd.c(1):/* Copyright (C) 1994, 1997, 1999, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurdmport-cleanup.c(2): Copyright (C) 1995, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\hurid\ports-get.c(1):/* Copyright (C) 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\ports-set.c(1):/* Copyright (C) 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\preempt-sig.c(1):/* Copyright (C) 1994, 1995, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\privports.c(1):/* Copyright (C) 1993,94,97,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\report-wait.c(2): Copyright (C) 1996,1997,1999,2002,2005,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\setauth.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\seteuids.c(1):/* Copyright (C) 1993, 94, 97, 98 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\set-host.c(2): Copyright (C) 1996,97,99,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\siginfo.c(1):/* Copyright (C) 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\sigunwind.c(2): Copyright (C) 1995,1996,1997,1998,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\task2pid.c(1):/* Copyright (C) 1991, 1992, 1993, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\thread-cancel.c(2): Copyright (C) 1995, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\thread-self.c(2): Copyright (C) 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\trampoline.c(2): Copyright (C) 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\vpprintf.c(1):/* Copyright (C) 1991,94,97,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\hurid\xattr.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\dummy-repertoire.c(1):/* Copyright (C) 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv.c(3): Copyright (C) 1997-2001, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv.h(1):/* Copyright (C) 1997-1999, 2000-2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_builtin.c(2): Copyright (C) 1997-1999, 2000-2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_builtin.h(2): Copyright (C) 1997-1999, 2000-2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_cache.c(2): Copyright (C) 2001, 2002, 2003, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_charset.h(2): Copyright (C) 2001,2002,2003,2004,2005,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_close.c(2): Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_conf.c(2): Copyright (C) 1997-2003, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_db.c(2): Copyright (C) 1997-2003, 2004, 2005, 2006, 2007

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_dl.c(2): Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2004, 2005
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_int.h(1):/* Copyright (C) 1997-2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_open.c(2): Copyright (C) 1997,1998,1999,2000,2001,2004,2005,2007
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_simple.c(2): Copyright (C) 1997-2005, 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\gconv_trans.c(2): Copyright (C) 2000, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconv.c(3): Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconv.h(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconv_charmap.c(2): Copyright (C) 2001, 2005, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconv_close.c(2): Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconv_open.c(2): Copyright (C) 1997,1998,1999,2000,2001,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconv_prog.c(2): Copyright (C) 1998-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconv_prog.c(424):Copyright (C) %s Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconv_prog.h(1):/* Copyright (C) 2001, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconvconfig.c(2): Copyright (C) 2000-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconvconfig.c(396):Copyright (C) %s Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\iconv\iconvconfig.h(1):/* Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\loop.c(2): Copyright (C) 1998-2002, 2003, 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\Makefile(1):# Copyright (C) 1997,1998,2000-2004,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\skeleton.c(2): Copyright (C) 1998-2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\strtab.c(2): Copyright (C) 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\tst-iconv2.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconv\tst-iconv5.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\8bit-gap.c(3): Copyright (C) 1997-1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\8bit-generic.c(2): Copyright (C) 1997-1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ansi_x3.110.c(2): Copyright (C) 1998, 1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\armscii-8.c(2): Copyright (C) 1997-1999, 2000-2002, 2004 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\asmo_449.c(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\big5.c(2): Copyright (C) 1997-1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\big5hkscs.c(2): Copyright (C) 1997, 1998, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\brf.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\bug-iconv3.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cns11643.c(2): Copyright (C) 1998, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cns11643.h(2): Copyright (C) 1998,1999,2000,2001,2002,2003,2007
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cns11643l1.c(2): Copyright (C) 1998, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cns11643l1.h(2): Copyright (C) 1998, 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cns11643l2.h(2): Copyright (C) 1998, 1999, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp10007.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1125.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1250.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1251.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1252.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1253.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1254.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1255.c(2): Copyright (C) 1998, 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1256.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1257.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp1258.c(2): Copyright (C) 1998, 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp737.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp737.h(2): Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp775.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp775.h(2): Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cp932.c(2): Copyright (C) 1997,1998,1999,2000,2001,2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\csn_369103.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\cwi.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\dec-mcs.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-at-de.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-at-de-a.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-ca-fr.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-dk-no.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-dk-no-a.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-es.c(2): Copyright (C) 1998, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-es-a.c(2): Copyright (C) 1998, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-es-s.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-fi-se.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-fi-se-a.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-fr.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-is-friss.c(2): Copyright (C) 1998, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-it.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-pt.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-uk.c(2): Copyright (C) 1998, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ebcdic-us.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ecma-cyrillic.c(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\euc-cn.c(2): Copyright (C) 1998, 1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\euc-jisx0213.c(2): Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\euc-jp.c(2): Copyright (C) 1998, 1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\euc-jp-ms.c(2): Copyright (C) 1998, 1999, 2000, 2001, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\euc-kr.c(2): Copyright (C) 1998, 1999, 2000-2002, 2003, 2007
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\euc-tw.c(2): Copyright (C) 1998, 1999, 2000-2002, 2003, 2007

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\gb18030.c(2): Copyright (C) 1999, 2000, 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\gb2312.c(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\gb2312.h(2): Copyright (C) 1998, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\gbbig5.c(2): Copyright (C) 1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\gbgbk.c(2): Copyright (C) 1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\gbk.c(2): Copyright (C) 1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\gconv-modules(2):# Copyright (C) 1997-2004, 2005, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\georgian-academy.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\georgian-ps.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\gost_19768-74.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\greek7.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\greek7-old.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\greek-ccitt.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\hp-greek8.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\hp-roman8.c(2): Copyright (C) 1997, 1998, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\hp-roman9.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\hp-thai8.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\hp-turkish8.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm037.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm038.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1004.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1008.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1008.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1008_420.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1025.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1025.h(2): Copyright (C) 2005 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1390.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1390.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1399.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm1399.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm16804.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm16804.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm256.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm273.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm274.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm275.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm277.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm278.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm280.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm281.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm284.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm285.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm290.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm297.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm420.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm423.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm424.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm437.c(2): Copyright (C) 1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm4517.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm4517.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm4899.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm4899.h(2): Copyright (C) 2005 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm4909.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm4909.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm4971.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm4971.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm500.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm5347.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm5347.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm803.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm803.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm850.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm851.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm852.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm855.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm856.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm856.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm857.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm860.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm861.c(2): Copyright (C) 1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm862.c(2): Copyright (C) 1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm863.c(2): Copyright (C) 1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm864.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm865.c(2): Copyright (C) 1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm866.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm866nav.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm868.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm869.c(2): Copyright (C) 1998 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm870.c(2): Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm871.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm874.c(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm875.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm880.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm891.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm901.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm901.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm902.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm902.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm903.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm9030.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm9030.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm904.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm905.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm9066.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm9066.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm918.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm921.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm921.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm922.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm922.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm930.c(2): Copyright (C) 2000-2002, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm930.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm932.c(2): Copyright (C) 2000-2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm932.h(2): Copyright (C) 2000-2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm933.c(2): Copyright (C) 2000-2002, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm933.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm935.c(2): Copyright (C) 2000-2002, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm935.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm937.c(2): Copyright (C) 2000-2002, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm937.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm939.c(2): Copyright (C) 2000-2002, 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm939.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm943.c(2): Copyright (C) 2000-2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm943.h(2): Copyright (C) 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm9448.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ibm9448.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iec_p27-1.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\inis.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\inis-8.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\inis-cyrillic.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\isiri-3342.c(2): Copyright (C) 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso_10367-box.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso_11548-1.c(2): Copyright (C) 1997-1999, 2000-2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso_2033.c(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso_5427.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso_5427-ext.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso_5428.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso_6937.c(2): Copyright (C) 1997-1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso_6937-2.c(2): Copyright (C) 1998, 1999, 2000-2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-2022-cn.c(2): Copyright (C) 1999, 2000-2002, 2007, 2008 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-2022-cn-ext.c(2): Copyright (C) 2000-2002, 2004, 2007, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-2022-jp.c(2): Copyright (C) 1998, 1999, 2000-2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-2022-jp-3.c(2): Copyright (C) 1998-1999, 2000-2002, 2004, 2008

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-2022-kr.c(2): Copyright (C) 1998, 1999, 2000-2002, 2007, 2008

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso646.c(2): Copyright (C) 1998, 1999, 2000-2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-1.c(2): Copyright (C) 1997-1999, 2000-2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-10.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-11.c(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-13.c(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-14.c(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-15.c(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-16.c(2): Copyright (C) 2000, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-2.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-3.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-4.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-5.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-6.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-7.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-8.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-9.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso8859-9e.c(2): Copyright (C) 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-ir-165.c(3): Copyright (C) 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-ir-165.h(3): Copyright (C) 2000, 2003, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-ir-197.c(2): Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\iso-ir-209.c(2): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\jis0201.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\jis0201.h(2): Copyright (C) 1997, 1998, 1999, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\jis0208.c(2): Copyright (C) 1997, 1998, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\jis0208.h(2): Copyright (C) 1997, 1998, 1999, 2000, 2003, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\jis0212.c(2): Copyright (C) 1997, 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\jis0212.h(2): Copyright (C) 1997, 1998, 1999, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\jisx0213.c(2): Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\jisx0213.h(2): Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\johab.c(2): Copyright (C) 1998, 1999, 2000-2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\koi-8.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\koi8-r.c(2): Copyright (C) 1997, 1998, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\koi8-ru.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\koi8-t.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\koi8-u.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ksc5601.c(2): Copyright (C) 1998, 2000, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\ksc5601.h(2): Copyright (C) 1998, 1999, 2000, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\latin-greek.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\latin-greek-1.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\mac-centraleurope.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\macintosh.c(2): Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\mac-is.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\mac-sami.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\mac-uk.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\Makefile(1):# Copyright (C) 1997-2004, 2005, 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\mik.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\nats-dano.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\nats-sefi.c(2): Copyright (C) 1998 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\pt154.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\rk1048.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\run-iconv-test.sh(3):# Copyright (C) 1998-2002, 2005, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\sami-ws2.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\shift_jisx0213.c(2): Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\sjis.c(2): Copyright (C) 1997-2001, 2002, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\t.61.c(2): Copyright (C) 1997-1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tcvn5712-1.c(2): Copyright (C) 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\TESTS(2):# Copyright (C) 1998-2002, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\TESTS2(2):# Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tis-620.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tscii.c(2): Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tst-e2big.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tst-loading.c(2): Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tst-table.sh(2):# Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tst-table-charmap.sh(2):# Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tst-table-from.c(1):/* Copyright (C) 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tst-tables.sh(2):# Copyright (C) 2000,2001,2002,2003,2004,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\tst-table-to.c(1):/* Copyright (C) 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\uhc.c(2): Copyright (C) 1998, 1999, 2000-2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\unicode.c(2): Copyright (C) 1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\utf-16.c(2): Copyright (C) 1999, 2000-2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\utf-32.c(2): Copyright (C) 1999, 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\utf-7.c(2): Copyright (C) 2000-2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\iconvdata\viscii.c(2): Copyright (C) 2000, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\include\atomic.h(2): Copyright (C) 2002-2006, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\include\bits\xopen_lim.h(1):/* Copyright (C) 1996, 1997, 1999, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\caller.h(1):/* Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\features.h(1):/* Copyright (C) 1991-1993,1995-2007,2009,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\gnu\libc-version.h(2): Copyright (C) 1998, 1999, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\gnu-versions.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\inline-hashtab.h(2): Copyright (C) 1999-2003, 2005, 2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\libc-symbols.h(3): Copyright (C) 1995-1998,2000-2006,2008,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\limits.h(1):/* Copyright (C) 1991, 1992, 1996, 1997, 1998, 1999, 2000, 2005

glibc\glibc-2.12.2\glibc-2.12.2\include\link.h(3): Copyright (C) 1995-2006, 2007, 2009, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\set-hooks.h(2): Copyright (C) 1994, 1995, 1997, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\shlib-compat.h(2): Copyright (C) 2000, 2002, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\include\values.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\aliases.h(1):/* Copyright (C) 1996, 1997, 1998, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\arpa\ftp.h(2): * Copyright (c) 1983, 1989, 1993

glibc\glibc-2.12.2\glibc-2.12.2\inet\arpa\inet.h(1):/* Copyright (C) 1997, 1999, 2000, 2001, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\arpa\telnet.h(2): * Copyright (c) 1983, 1993

glibc\glibc-2.12.2\glibc-2.12.2\inet\arpa\tftp.h(2): * Copyright (c) 1983, 1993

glibc\glibc-2.12.2\glibc-2.12.2\inet\bug-if1.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\check_pf.c(2): Copyright (C) 2003, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ether_aton.c(1):/* Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ether_aton_r.c(1):/* Copyright (C) 1996,97,98,99,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ether_hton.c(1):/* Copyright (C) 1996, 1999, 2002, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ether_line.c(1):/* Copyright (C) 1996,1999,2002,2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ether_ntoa.c(1):/* Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ether_ntoa_r.c(1):/* Copyright (C) 1996,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ether_ntoh.c(1):/* Copyright (C) 1996,1997,1999,2001,2002,2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getaliasent.c(1):/* Copyright (C) 1996 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\inet\getaliasent_r.c(1):/* Copyright (C) 1996, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getaliasname.c(1):/* Copyright (C) 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getaliasname_r.c(1):/* Copyright (C) 1996, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\gethstbyad.c(1):/* Copyright (C) 1996, 1997, 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\gethstbyad_r.c(1):/* Copyright (C) 1996-2000,2002,2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\gethstbynm.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\gethstbynm_r.c(1):/* Copyright (C) 1996, 1997, 1998, 2002, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\gethstbynm2.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\gethstbynm2_r.c(1):/* Copyright (C) 1996, 1997, 2002, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\gethstent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\gethstent_r.c(1):/* Copyright (C) 1996, 2002, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getip4sourcefilter.c(2): Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnameinfo.c(11):1. All terms of the all other applicable copyrights and licenses must be

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnameinfo.c(18):4. [The copyright holder has authorized the removal of this clause.]

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnameinfo.c(36):/* This software is Copyright 1996 by Craig Metz, All Rights Reserved.*/

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnetbyad.c(1):/* Copyright (C) 1996, 1997, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnetbyad_r.c(1):/* Copyright (C) 1996, 1997, 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnetbynm.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnetbynm_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnetent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnetent_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnetgrent.c(1):/* Copyright (C) 1996, 1997, 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getnetgrent_r.c(1):/* Copyright (C) 1996, 1997, 1998, 1999, 2002, 2004, 2005, 2007

glibc\glibc-2.12.2\glibc-2.12.2\inet\getproto.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getproto_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getprtent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\inet\getprtent_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getprtrname.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getprtrname_r.c(1):/* Copyright (C) 1996, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getrpcbyname.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getrpcbyname_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getrpcbynumber.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getrpcbynumber_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getrpcent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getrpcent_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getservent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getservent_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getsourcefilter.c(2): Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getsrvbynm.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getsrvbynm_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getsrvbypt.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\getsrvbypt_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\herrno.c(1):/* Copyright (C) 1996,97,98,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\herrno-loc.c(1):/* Copyright (C) 1996, 97, 98, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\htonl.c(1):/* Copyright (C) 1993,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\htons.c(1):/* Copyright (C) 1993,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\htontest.c(2): Copyright (C) 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\if_index.c(1):/* Copyright (C) 1997,98,99,2000,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ifaddrs.c(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ifaddrs.h(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\ifreq.c(1):/* Copyright (C) 1999, 2002, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\inet\in6_addr.c(1):/* Copyright (C) 1997, 1998, 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\inet\inet_lnaof.c(2): * Copyright (c) 1983, 1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\inet_mkadr.c(2): * Copyright (c) 1983, 1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\inet_net.c(2): * Copyright (c) 1983, 1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\inet_netof.c(2): * Copyright (c) 1983, 1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\inet_ntoa.c(2): Copyright (C) 1997, 1998,
2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\inet6_opt.c(1):/* Copyright (C) 2006, 2007,
2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\inet6_option.c(1):/* Copyright (C) 2003,
2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\inet6_rth.c(1):/* Copyright (C) 2006, 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\Makefile(1):# Copyright (C) 1991-2006, 2007,
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\netgroup.h(2): Copyright (C) 1996, 1997,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\netinet\ether.h(2): Copyright (C) 1996,
1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\netinet\icmp6.h(1):/* Copyright (C)
1991-1997,2000,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\netinet\igmp.h(1):/* Copyright (C) 1997,
1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\netinet\igmp.h(32): * Copyright (c) 1988
Stephen Deering.
glibc\glibc-2.12.2\glibc-2.12.2\inet\netinet\igmp.h(33): * Copyright (c) 1992,
1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\netinet\in.h(1):/* Copyright (C) 1991-2001,
2003, 2004, 2006, 2007, 2008
glibc\glibc-2.12.2\glibc-2.12.2\inet\netinet\ip6.h(1):/* Copyright (C) 1991-1997,
2001, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\protocols\routed.h(2): * Copyright (c) 1983,
1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\protocols\rwhod.h(2): * Copyright (c) 1983,
1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\protocols\talkd.h(2): * Copyright (c) 1983,
1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\protocols\timed.h(2): * Copyright (c) 1983,
1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\rcmd.c(2): * Copyright (C) 1998 WIDE
Project.
glibc\glibc-2.12.2\glibc-2.12.2\inet\rcmd.c(30): * Copyright (c) 1983, 1993, 1994
glibc\glibc-2.12.2\glibc-2.12.2\inet\rexec.c(2): * Copyright (c) 1980, 1993
glibc\glibc-2.12.2\glibc-2.12.2\inet\ruserpass.c(2): * Copyright (c) 1985, 1993,
1994
glibc\glibc-2.12.2\glibc-2.12.2\inet\setipv4sourcefilter.c(2): Copyright (C) 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\setsourcefilter.c(2): Copyright (C) 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\test_ifindex.c(2): Copyright (C) 1997, 2000,
2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\inet\test-ifaddrs.c(2): Copyright (C) 2002, 2004,
2005 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\inet\tst-network.c(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\bindtextdom.c(2): Copyright (C) 1995-1998, 2000, 2001, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\dcgettext.c(2): Copyright (C) 1995-2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\dcigettext.c(2): Copyright (C) 1995-2005, 2006, 2007, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\intl\dcngettext.c(2): Copyright (C) 1995-1999, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\dgettext.c(2): Copyright (C) 1995-1997, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\dngettext.c(2): Copyright (C) 1995-1997, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\explodename.c(1):/* Copyright (C) 1995-2002, 2003, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\finddomain.c(2): Copyright (C) 1995-1999, 2000, 2001, 2002, 2004, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\intl\gettext.c(2): Copyright (C) 1995, 1997, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\gettextP.h(2): Copyright (C) 1995-1999, 2000, 2001, 2004-2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\intl\gmo.h(2): Copyright (C) 1995, 1997, 2000-2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\hash-string.c(2): Copyright (C) 1995, 1997, 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\hash-string.h(2): Copyright (C) 1995, 1997, 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\l10nflist.c(1):/* Copyright (C) 1995-2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\libintl.h(2): Copyright (C) 1995-2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\loadinfo.h(1):/* Copyright (C) 1996-2000, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\loadmsgcat.c(2): Copyright (C) 1995-2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\locale.alias(2):# Copyright (C) 1996-2001,2003,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\localealias.c(2): Copyright (C) 1995-2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\Makefile(1):# Copyright (C) 1995-2003, 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\ngettext.c(2): Copyright (C) 1995, 1997, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\plural.c(22): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\plural.c(328): Copyright (C) 1984, 1989, 1990, 2000, 2001, 2002 Free Software
glibc\glibc-2.12.2\glibc-2.12.2\intl\plural.y(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\plural-eval.c(2): Copyright (C) 2000, 2001, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\intl\plural-exp.c(2): Copyright (C) 2000, 2001, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\plural-exp.h(2): Copyright (C) 2000, 2001, 2002, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\po2test.sed(2):# Copyright (C) 2000,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\textdomain.c(2): Copyright (C) 1995-1998, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-codeset.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-codeset.sh(3):# Copyright (C) 2001, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext.c(2): Copyright (C) 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext.sh(3):# Copyright (C) 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext2.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext2.sh(3):# Copyright (C) 2000, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext3.c(3): Copyright (C) 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext3.sh(4):# Copyright (C) 2001, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext4.c(3): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext4.sh(4):# Copyright (C) 2001, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext5.c(4): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext5.sh(5):# Copyright (C) 2001, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext6.c(2): Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-gettext6.sh(3):# Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-ngettext.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-translit.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\intl\tst-translit.sh(3):# Copyright (C) 2000, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\access.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\bits\fcntl2.h(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\bug-ftw1.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\bug-ftw2.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\bug-ftw4.c(2): Copyright (C) 2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\io\chdir.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\chmod.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\chown.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997, 2002

glibc\glibc-2.12.2\glibc-2.12.2\io\close.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\creat.c(1):/* Copyright (C) 1991, 1996, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\creat64.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\dup.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\dup2.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\dup3.c(1):/* Copyright (C) 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\eidaccess.c(2): Copyright (C) 1991,1995,1996,1997,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\faccessat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fchdir.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fchmod.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fchmodat.c(2): Copyright (C) 2006, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fchown.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fchownat.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fcntl.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fcntl.h(1):/* Copyright (C) 1991,1992,1994-2001,2003,2004,2005,2006,2007,2009,2010

glibc\glibc-2.12.2\glibc-2.12.2\io\flock.c(1):/* Copyright (C) 1992, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fstat.c(1):/* Copyright (C) 1996, 1997, 1998, 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fstat64.c(1):/* Copyright (C) 1996, 1997, 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fstatat.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fstatat64.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fstatfs.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fstatfs64.c(1):/* Copyright (C) 1998, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\io\fstatvfs.c(2): Copyright (C) 1996, 1997, 1998, 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\io\fstattvfs64.c(1):/* Copyright (C) 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\fts.c(2): * Copyright (c) 1990, 1993, 1994
glibc\glibc-2.12.2\glibc-2.12.2\io\fts.h(2): * Copyright (c) 1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\io\ftw.c(2): Copyright (C) 1996-2004, 2006-2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\ftw.h(1):/* Copyright (C) 1992,1996-1999,2003,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\ftw64.c(2): Copyright (C) 1996, 1997, 1998, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\futimens.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\fxstat.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\fxstat64.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\fxstatat.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\fxstatat64.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\getcwd.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\getdirname.c(1):/* Copyright (C) 1992, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\getwd.c(2): Copyright (C) 1991, 1992, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\have_o_cloexec.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\isatty.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lchmod.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lchown.c(1):/* Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\link.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\linkat.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lockf.c(1):/* Copyright (C) 1994,1996,1997,1998,2000,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lockf64.c(1):/* Copyright (C) 1994,96,97,98,99,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lseek64.c(1):/* Copyright (C) 1991,95,96,97,98,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lstat.c(1):/* Copyright (C) 1996, 1997, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lstat64.c(1):/* Copyright (C) 1996, 1997, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lxstat.c(1):/* Copyright (C) 1991,1992,1995,1996,1997,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\lxstat64.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\io\Makefile(1):# Copyright (C)
1992-2003,2005,2006,2007,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\mkdir.c(1):/* Copyright (C) 1991, 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\mkdirat.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\mkfifo.c(1):/* Copyright (C) 1991, 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\mkfifoat.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\mknod.c(1):/* Copyright (C) 1995, 1996, 2001,
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\mknodat.c(1):/* Copyright (C) 1995, 1996,
2001, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\open.c(1):/* Copyright (C)
1991,1995,1996,1997,2002,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\open64.c(1):/* Copyright (C) 1991, 1995, 1996,
1997, 1999, 2000, 2002, 2007
glibc\glibc-2.12.2\glibc-2.12.2\io\openat.c(1):/* Copyright (C) 2005, 2006, 2007
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\openat64.c(1):/* Copyright (C) 2005, 2006,
2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\pipe.c(1):/* Copyright (C) 1991, 1995, 1996,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\pipe2.c(1):/* Copyright (C) 1991, 1995, 1996,
2002, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\poll.c(1):/* Copyright (C) 1994, 1995, 1996,
1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\posix_fadvise.c(1):/* Copyright (C) 2000, 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\posix_fadvise64.c(1):/* Copyright (C) 2000,
2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\posix_fallocate.c(1):/* Copyright (C) 2000,
2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\posix_fallocate64.c(1):/* Copyright (C) 2000,
2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\ppoll.c(1):/* Copyright (C) 2006 Free Software
Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\rmdir.c(1):/* Copyright (C) 1991, 1997, 1998,
2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\read.c(1):/* Copyright (C) 1991, 1995, 1996,
1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\readlink.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\readlinkat.c(1):/* Copyright (C) 2005, 2006
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\rmdir.c(1):/* Copyright (C) 1991, 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\sendfile.c(2): Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\sendfile64.c(2): Copyright (C) 2002 Free
Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\io\stat.c(1):/* Copyright (C) 1996, 1997, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\stat64.c(1):/* Copyright (C) 1996, 1997, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\statfs.c(2): Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\statfs64.c(1):/* Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\statvfs.c(2): Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\statvfs64.c(1):/* Copyright (C) 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\symlink.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\symlinkat.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\sys\poll.h(2): Copyright (C) 1994,1996-2001,2004,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\sys\sendfile.h(2): Copyright (C) 1998,99,01,2002,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\sys\stat.h(1):/* Copyright (C) 1991, 1992, 1995-2004, 2005, 2006, 2007, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\io\sys\statfs.h(2): Copyright (C) 1996, 1997, 1998, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\sys\statvfs.h(2): Copyright (C) 1998, 1999, 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\test-lfs.c(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\test-stat.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\test-stat2.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\test-utime.c(1):/* Copyright (C) 1994,1996,1997,2000,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\tst-fcntl.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\tst-getcwd.c(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\ttyname.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\ttyname_r.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\umask.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\unlink.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\unlinkat.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\utime.c(1):/* Copyright (C) 1991,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\utime.h(1):/* Copyright (C) 1991, 92, 96, 97, 98, 99, 2004 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\io\utimensat.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\write.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\xmknod.c(1):/* Copyright (C) 1991,1993,1995-1997,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\xmknodat.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\xstat.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\io\xstat64.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libidn\iconvme.c(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libidn\iconvme.h(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libidn\idna.c(2): * Copyright (C) 2002, 2003, 2004Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\idna.h(2): * Copyright (C) 2002, 2003, 2004Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\idn-stub.c(2): * Copyright (C) 2003, 2004Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\Makefile(1):# Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libidn\nfkc.c(2): * Copyright (C) 2002, 2003Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\nfkc.c(32): * gunidecomp.c, all licensed under LGPL and copyright hold by:
glibc\glibc-2.12.2\glibc-2.12.2\libidn\nfkc.c(34): *Copyright (C) 1999, 2000 Tom Tromey
glibc\glibc-2.12.2\glibc-2.12.2\libidn\nfkc.c(35): *Copyright 2000 Red Hat, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libidn\profiles.c(2): * Copyright (C) 2002, 2003, 2004Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\punycode.c(2): * Copyright (C) 2002, 2003Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\punycode.c(35): * Copyright (C) The Internet Society (2003).All Rights Reserved.
glibc\glibc-2.12.2\glibc-2.12.2\libidn\punycode.c(44): * the copyright notice or references to the Internet Society or other
glibc\glibc-2.12.2\glibc-2.12.2\libidn\punycode.h(2): * Copyright (C) 2002, 2003Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\punycode.h(35): * Copyright (C) The Internet Society (2003).All Rights Reserved.
glibc\glibc-2.12.2\glibc-2.12.2\libidn\punycode.h(44): * the copyright notice or references to the Internet Society or other
glibc\glibc-2.12.2\glibc-2.12.2\libidn\stringprep.c(2): * Copyright (C) 2002, 2003, 2004Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\stringprep.h(2): * Copyright (C) 2002, 2003, 2004Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libidn\toutf8.c(2): * Copyright (C) 2002, 2003, 2004, 2005Simon Josefsson
glibc\glibc-2.12.2\glibc-2.12.2\libio__fbufsize.c(1):/* Copyright (C) 2000, 2002

legal(ME)

Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio__flbf.c(1):/* Copyright (C) 2000, 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio__fpending.c(1):/* Copyright (C) 2000, 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio__fpurge.c(1):/* Copyright (C) 2000, 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio__freadable.c(1):/* Copyright (C) 2000,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio__freading.c(1):/* Copyright (C) 2000,
2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio__fsetlocking.c(1):/* Copyright (C) 2000,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio__fwritable.c(1):/* Copyright (C) 2000,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio__fwriting.c(1):/* Copyright (C) 2000, 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\bits\libio-ldbl.h(2): Copyright (C) 2006
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\bits\stdio.h(2): Copyright (C) 1998, 2000,
2001, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\bits\stdio2.h(2): Copyright (C) 2004, 2005,
2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\bits\stdio-ldbl.h(2): Copyright (C) 2006,
2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\bug-ungetc4.c(2): Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\clearerr.c(1):/* Copyright (C) 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\clearerr_u.c(1):/* Copyright (C) 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fcloseall.c(1):/* Copyright (C) 1993, 1995,
1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fcloseall.c(25): This exception applies to
code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\feof.c(1):/* Copyright (C) 1993, 1996, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\feof.c(25): This exception applies to code
released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\feof_u.c(1):/* Copyright (C) 1993, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\feof_u.c(25): This exception applies to
code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\ferror.c(1):/* Copyright (C) 1993, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\ferror.c(25): This exception applies to
code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\ferror_u.c(1):/* Copyright (C) 1993, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\ferror_u.c(25): This exception applies to
code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\filedoalloc.c(1):/* Copyright (C) 1993,

legal(ME)

1997, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\filedoalloc.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\filedoalloc.c(29): Copyright (C) 1990 The Regents of the University of California.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fileno.c(1):/* Copyright (C) 1993,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fileno.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\fileops.c(1):/* Copyright (C) 1993, 1995, 1997-2005, 2006, 2007, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\libio\fileops.c(27): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\fmemopen.c(2): Copyright (C) 2000, 2002, 2005, 2006, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\libio\fputc.c(1):/* Copyright (C) 1993, 1996, 1997, 1998, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fputc.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\fputc_u.c(1):/* Copyright (C) 1993, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fputc_u.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\fputwc.c(1):/* Copyright (C) 1993,1996,1997,1998,1999,2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fputwc.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\fputwc_u.c(1):/* Copyright (C) 1993, 1996, 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fputwc_u.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\freopen.c(1):/* Copyright (C) 1993,95,96,97,98,2000,2001,2002,2003,2008
glibc\glibc-2.12.2\glibc-2.12.2\libio\freopen.c(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\freopen64.c(1):/* Copyright (C) 1993,1995,1996,1997,1998,2000,2001,2002, 2003, 2008
glibc\glibc-2.12.2\glibc-2.12.2\libio\freopen64.c(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\fseek.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 2002, 2003
glibc\glibc-2.12.2\glibc-2.12.2\libio\fseek.c(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\fseeko.c(1):/* Copyright (C) 1993,1995,1996,1997,1998,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fseeko.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\fseeko64.c(1):/* Copyright (C) 1993,1995,1996,1997,1998,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\fseeko64.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\ftello.c(1):/* Copyright (C) 1993,

legal(ME)

1995-2001, 2002, 2003, 2004, 2007

glibc\glibc-2.12.2\glibc-2.12.2\libio\ftello.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\ftello64.c(1):/* Copyright (C) 1993, 1995-2001, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\libio\ftello64.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\fwide.c(1):/* Copyright (C) 1999, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\fwide.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\fwprintf.c(1):/* Copyright (C) 1991, 1997, 1999, 2000, 2001, 2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\fwscanf.c(1):/* Copyright (C) 1991, 1997, 1999, 2000, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\genops.c(1):/* Copyright (C)

1993,1995,1997-2002, 2003, 2004, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\libio\genops.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\getc.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 1999, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\getc.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\getc_u.c(1):/* Copyright (C)

1993,1995,1996,1997,1999,2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\getc_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\getchar.c(1):/* Copyright (C) 1993, 1996, 1997, 1998, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\getchar.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\getchar_u.c(1):/* Copyright (C) 1993, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\getchar_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\getwc.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 1999, 2000, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\getwc.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\getwc_u.c(1):/* Copyright (C)

1993,1995,1996,1997,1999,2000, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\getwc_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\getwchar.c(1):/* Copyright (C)

1993,1996,1997,1998,1999,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\getwchar.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\getwchar_u.c(1):/* Copyright (C) 1993, 1996, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\getwchar_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofclose.c(1):/* Copyright (C)

legal(ME)

1993,1995,1997-2004,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofclose.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofdopen.c(1):/* Copyright (C)

1993,1994,1997,1998,1999,2000,2002,2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofdopen.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofflush.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofflush.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofflush_u.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofflush_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgetpos.c(1):/* Copyright (C) 1993, 1995-2001, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgetpos.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgetpos64.c(1):/* Copyright (C) 1993, 1995-2001, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgetpos64.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgets.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 1999, 2002, 2003, 2005

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgets.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgets_u.c(1):/* Copyright (C)

1993,1995-1998,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgets_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgetws.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 1999, 2001, 2005

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgetws.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgetws_u.c(1):/* Copyright (C) 1993, 95, 96, 97, 98, 99, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofgetws_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofopen.c(1):/* Copyright (C)

1993,1997,1998,1999,2000,2002,2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofopen.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofopen64.c(1):/* Copyright (C) 1993, 1997, 1999, 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofopen64.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofopncook.c(1):/* Copyright (C)

1993,95,97,99,2000,2002,2004, 2005

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofopncook.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofputs.c(1):/* Copyright (C) 1993, 1996,

legal(ME)

1997, 1998, 1999, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofputs.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofputs_u.c(1):/* Copyright (C)

1993,1996,1997,1998,1999,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofputs_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofputws.c(1):/* Copyright (C) 1993, 1996, 1997, 1998, 1999, 2000, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofputws.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofputws_u.c(1):/* Copyright (C) 1993, 1996-2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofputws_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofread.c(1):/* Copyright (C) 1993, 1995, 1997, 1998, 1999, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofread.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofread_u.c(1):/* Copyright (C) 1993, 1995, 1997, 1998, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofread_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofsetpos.c(1):/* Copyright (C) 1993, 1995, 1997, 1998, 1999, 2000, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofsetpos.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofsetpos64.c(1):/* Copyright (C) 1993, 1995, 1997, 1998, 1999, 2000, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofsetpos64.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioftell.c(1):/* Copyright (C) 1993, 1995-2000, 2001, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioftell.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofwide.c(1):/* Copyright (C) 1999-2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofwide.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofwrite.c(1):/* Copyright (C) 1993, 1996, 1997, 1998, 1999, 2000, 2002, 2003, 2008

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofwrite.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofwrite_u.c(1):/* Copyright (C) 1993, 1996-2000, 2002, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iofwrite_u.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iogetdelim.c(1):/* Copyright (C) 1994,1996-1998,2001,2003,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iogetdelim.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iogetline.c(1):/* Copyright (C)

legal(ME)

1993,1997,1998,2000,2001,2002,2005

glibc\glibc-2.12.2\glibc-2.12.2\libio\iogetline.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iogets.c(1):/* Copyright (C)

1993,1996,1997,1998,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iogets.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iogetwline.c(1):/* Copyright (C)

1993,1997-2000,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iogetwline.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iopadn.c(1):/* Copyright (C) 1993, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\iopadn.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iopopen.c(1):/* Copyright (C) 1993,

1997-2002, 2003, 2004, 2007, 2008

glibc\glibc-2.12.2\glibc-2.12.2\libio\iopopen.c(27): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioputs.c(1):/* Copyright (C)

1993,1996-1999,2003,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioputs.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioseekoff.c(1):/* Copyright (C) 1993, 1997, 1998, 1999, 2001, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioseekoff.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioseekpos.c(1):/* Copyright (C)

1993,1997-1999,2002,2003,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioseekpos.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iosetbuffer.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 1999, 2000, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iosetbuffer.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iosetvbuf.c(1):/* Copyright (C) 1993, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\iosetvbuf.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioungetc.c(1):/* Copyright (C)

1993,1996,1997,1998,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioungetc.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioungetwc.c(1):/* Copyright (C) 1993, 1996, 1997, 1998, 1999, 2001, 2002, 2003, 2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\ioungetwc.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iovdprintf.c(1):/* Copyright (C) 1995, 1997-2000, 2001, 2002, 2003, 2006, 2010

glibc\glibc-2.12.2\glibc-2.12.2\libio\iovdprintf.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\iovsprintf.c(1):/* Copyright (C) 1993,

legal(ME)

1997-2003, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\iovfprintf.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\iovsscanf.c(1):/* Copyright (C) 1993, 1997-2003, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\iovsscanf.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\iovswscanf.c(1):/* Copyright (C) 1993, 1997-2000, 2001, 2002, 2006
glibc\glibc-2.12.2\glibc-2.12.2\libio\iovswscanf.c(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\iowpadn.c(1):/* Copyright (C) 1993, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\iowpadn.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\libc_fatal.c(1):/* Copyright (C) 1993, 1995, 1997, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\libio.h(1):/* Copyright (C) 1991-1995,1997-2006,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\libio.h(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\libioP.h(1):/* Copyright (C) 1993, 1997-2003,2004,2005,2006,2007
glibc\glibc-2.12.2\glibc-2.12.2\libio\libioP.h(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\Makefile(1):# Copyright (C) 1995-2004,2006,2007,2008,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\memstream.c(1):/* Copyright (C) 1995-97,99,2000,2002-2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\obprintf.c(2): Copyright (C) 1996,1997,1999,2000,2001,2002,2003,2004,2005,2006,2008
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldfileops.c(1):/* Copyright (C) 1993, 1995, 1997-2004, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldfileops.c(27): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofclose.c(1):/* Copyright (C) 1993,1995,1997-2002,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofclose.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofdopen.c(1):/* Copyright (C) 1993,94,97,99,2000,2002,2003,2004
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofdopen.c(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofgetpos.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 1999, 2000, 2002, 2003, 2004
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofgetpos.c(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofgetpos64.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 1999, 2000, 2002, 2003, 2004
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofgetpos64.c(26): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofopen.c(1):/* Copyright (C)

legal(ME)

1993,1997,1999,2000,2002,2003,2004

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofopen.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofsetpos.c(1):/* Copyright (C) 1993, 1995, 1997, 1998, 1999, 2000, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofsetpos.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofsetpos64.c(1):/* Copyright (C) 1993, 1995, 1997, 1998, 1999, 2000, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiofsetpos64.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiopopen.c(1):/* Copyright (C) 1998-2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldiopopen.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldpclose.c(1):/* Copyright (C) 1998,2000, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldpclose.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldstdfiles.c(1):/* Copyright (C) 1993,94,96,97,99,2000,2002,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldstdfiles.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\oldtmpfile.c(1):/* Copyright (C) 1991,1993,1996-2000,2003,2004,2007,2009

glibc\glibc-2.12.2\glibc-2.12.2\libio\pclose.c(1):/* Copyright (C) 1993, 1995, 1996-1998, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\pclose.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\peekc.c(1):/* Copyright (C) 1993,1995,1996,1997,1998,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\peekc.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\putc.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1998, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\putc_u.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\putchar.c(1):/* Copyright (C) 1991,1995,1996,1997,1998,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\putchar_u.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\putwc.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1998, 1999, 2002, 2003

glibc\glibc-2.12.2\glibc-2.12.2\libio\putwc_u.c(1):/* Copyright (C) 1991,1995-1997,1999,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\putwchar.c(1):/* Copyright (C) 1991,95,96,97,98,99,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\putwchar_u.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\rewind.c(1):/* Copyright (C) 1993,96,97,98,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\rewind.c(25): This exception applies to

legal(ME)

code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\setbuf.c(1):/* Copyright (C) 1993, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\setbuf.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\setlinebuf.c(1):/* Copyright (C) 1993, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\setlinebuf.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\stdfiles.c(1):/* Copyright (C) 1993-1997,1999,2000,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\stdfiles.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\stdio.c(1):/* Copyright (C) 1993,1994,1996,1997,2000,2002,2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\stdio.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\stdio.h(2): Copyright (C) 1991, 1994-2008, 2009, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\strfile.h(1):/* Copyright (C) 1993,1997,1998,1999,2005,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\strfile.h(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\strops.c(1):/* Copyright (C) 1993, 1997-2003, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\strops.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\swprintf.c(1):/* Copyright (C) 1991,1995,1997,1998,1999,2000,2003,2004,2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\swscanf.c(1):/* Copyright (C) 1991, 1995, 1996, 1998, 1999, 2003, 2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\test-fmemopen.c(2): Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\test-freopen.c(2): Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\test-freopen.sh(3):# Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\tst_getwc.c(2): Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\tst_putwc.c(2): Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\tst-fopenloc.c(2): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\tst-freopen.c(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\tst-mmap-setvbuf.c(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\tst-widetext.c(3): Copyright (C) 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\vasprintf.c(1):/* Copyright (C) 1995,1997,1999-2002,2004,2006,2009

glibc\glibc-2.12.2\glibc-2.12.2\libio\vasprintf.c(26): This exception applies to

legal(ME)

code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\vscanf.c(1):/* Copyright (C) 1993, 1997, 2002, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\vscanf.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\vsprintf.c(1):/* Copyright (C)

1994,1997,1999-2004,2006,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\vsprintf.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\vsprintf.c(1):/* Copyright (C) 1994, 1997, 1999-2002, 2004, 2005, 2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\vsprintf.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\vwprintf.c(1):/* Copyright (C) 1991, 1993, 1995, 1997, 1999, 2001, 2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\vwscanf.c(1):/* Copyright (C) 1993, 1997, 1999, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\vwscanf.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\wfiledoalloc.c(1):/* Copyright (C) 1993, 1997, 1999, 2000, 2002, 2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\wfiledoalloc.c(26): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\wfiledoalloc.c(30): Copyright (C) 1990 The Regents of the University of California.

glibc\glibc-2.12.2\glibc-2.12.2\libio\wfileops.c(1):/* Copyright (C)

1993,1995,1997-2004,2006,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\wfileops.c(27): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\wgenops.c(1):/* Copyright (C)

1993,1995,1997-2002,2004,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\wgenops.c(27): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\libio\wmemstream.c(1):/* Copyright (C)

1995-97,99,2000,2002-2004,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\wprintf.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1999, 2001, 2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\wscanf.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1999, 2006

glibc\glibc-2.12.2\glibc-2.12.2\libio\wstrops.c(1):/* Copyright (C)

1993,1997-1999,2001-2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\libio\wstrops.c(25): This exception applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(12):Copyright (C) 1991 Regents of the University of California.

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(152):Copyright (c) 2000, Intel Corporation

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(183):The files inet/getnameinfo.c and sysdeps/posix/getaddrinfo.c are copyright

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(196):1. All terms of the all other applicable copyrights and licenses must be

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(203):4. [The copyright holder has

legal(ME)

authorized the removal of this clause.]

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(41):The DNS resolver code, taken from BIND 4.9.5, is copyrighted both by

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(45):Portions Copyright (C) 1993 by Digital Equipment Corporation.

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(66):Copyright (C) 1984, Sun Microsystems, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(84):INFRINGEMENT OF COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC

glibc\glibc-2.12.2\glibc-2.12.2\LICENSES(96):Copyright (C) 1991,1990,1989 Carnegie Mellon University

glibc\glibc-2.12.2\glibc-2.12.2\locale\bits\locale.h(2): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\broken_cur_max.c(3): Copyright (C) 1996, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-address.c(1):/* Copyright (C) 1998, 2000, 2001, 2002, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\categories.def(2): Copyright (C) 1995-2001, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-collate.c(1):/* Copyright (C) 1995-1997,1999,2000,2001,2002,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-ctype.c(1):/* Copyright (C) 1995-2002, 2003, 2009, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-identification.c(1):/* Copyright (C) 1998, 1999, 2000, 2001, 2002, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-measurement.c(1):/* Copyright (C) 1998, 2000, 2001, 2002, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-messages.c(1):/* Copyright (C) 1995,1996,1997,2000,2001,2002,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-monetary.c(1):/* Copyright (C) 1995-1999, 2000, 2001, 2002, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-name.c(1):/* Copyright (C) 1998, 2000, 2001, 2002, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-numeric.c(1):/* Copyright (C) 1995,1996,1997,2000,2001,2002,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\coll-lookup.c(1):/* Copyright (C) 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\coll-lookup.h(1):/* Copyright (C) 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-paper.c(1):/* Copyright (C) 1998, 1999, 2000, 2001, 2002, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-telephone.c(1):/* Copyright (C) 1998, 2000, 2001, 2002, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-time.c(1):/* Copyright (C) 1995-2002, 2004, 2007, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\C-translit.h.in(2): Copyright (C) 2000, 2001, 2002, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\duplocale.c(2): Copyright (C) 1997,2000-2002,2005,2008,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\elem-hash.h(1):/* Copyright (C) 1999, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\locale\findlocale.c(1):/* Copyright (C)

legal(ME)

1996-2001, 2002, 2003, 2006, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\freelocale.c(2): Copyright (C)
1996,1997,2000,2002,2005,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\global-locale.c(2): Copyright (C) 2002,
2006, 2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\hashval.h(2): Copyright (C) 1994-1997,
2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\indigits.h(1):/* Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\indigitswc.h(1):/* Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\langinfo.h(2): Copyright (C)
1995-2002,2003,2004,2005,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-address.c(2): Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-collate.c(2): Copyright (C) 1995, 1996,
1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-ctype.c(2): Copyright (C)
1995,1996,1997,1998,1999,2000,2002,2003,2005,2008
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-identification.c(2): Copyright (C)
1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-measurement.c(2): Copyright (C) 1998
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-messages.c(2): Copyright (C) 1995, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-monetary.c(2): Copyright (C) 1995,
1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-name.c(2): Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-numeric.c(2): Copyright (C) 1995, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-paper.c(2): Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-telephone.c(2): Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\lc-time.c(2): Copyright (C) 1995-2001,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\loadarchive.c(2): Copyright (C) 2002,
2003, 2005, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\loadlocale.c(2): Copyright (C) 1996-2004,
2005, 2006, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\locale.h(1):/* Copyright (C)
1991,1992,1995-2002,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\localeconv.c(1):/* Copyright (C) 1991, 92,
95, 97, 99, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\localeinfo.h(2): Copyright (C) 1995-2003,
2005, 2006, 2007, 2008, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\locale\localename.c(2): Copyright (C) 2002, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\locarchive.h(2): Copyright (C) 2002, 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\Makefile(1):# Copyright (C)

legal(ME)

1991,1992,1995-2003,2005,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\mb_cur_max.c(3): Copyright (C) 1996, 1999
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\newlocale.c(2): Copyright (C) 1996, 1997,
1999, 2000-2002, 2004, 2005, 2006, 2008
glibc\glibc-2.12.2\glibc-2.12.2\locale\nl_langinfo.c(2): Copyright (C)
1995,96,97,99,2000,2001,2002,2005
glibc\glibc-2.12.2\glibc-2.12.2\locale\nl_langinfo_1.c(2): Copyright (C)
1995-1997,1999-2002,2005,2007,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\outdigits.h(1):/* Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\outdigitswc.h(1):/* Copyright (C) 2000
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\3level.h(1):/* Copyright (C)
2000-2001, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\charmap.c(1):/* Copyright (C)
1996, 1998-2004,2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\charmap.h(1):/* Copyright (C)
1996-1999,2001,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\charmap-dir.c(1):/* Copyright (C)
2000, 2001, 2002, 2003, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\charmap-dir.h(1):/* Copyright (C)
2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\charmap-kw.gperf(2):/* Copyright
(C) 1995,1996,1997,1998,1999,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\charmap-kw.h(33):/* Copyright (C)
1995,1996,1997,1998,1999,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\config.h(2): Copyright (C)
1995,1996,1997,1998,2000,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-address.c(1):/* Copyright (C)
1998-2002, 2005, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-collate.c(1):/* Copyright (C)
1995-2003, 2005-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-ctype.c(1):/* Copyright (C)
1995-2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-identification.c(1):/*
Copyright (C) 1998,1999,2000,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-measurement.c(1):/* Copyright
(C) 1998,1999,2000,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-messages.c(1):/* Copyright (C)
1995-1999,2000,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-monetary.c(1):/* Copyright (C)
1995-1999,2000,2001,2002,2005,2007
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-name.c(1):/* Copyright (C)
1998,1999,2000,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-numeric.c(1):/* Copyright (C)
1995-2002,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-paper.c(1):/* Copyright (C)
1998,1999,2000,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-telephone.c(1):/* Copyright
(C) 1998,1999,2000,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\ld-time.c(1):/* Copyright (C)

legal(ME)

1995-2005, 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\linereader.c(1):/* Copyright (C)
1996-2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\linereader.h(1):/* Copyright (C)
1996-2001, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locale.c(2): Copyright (C)
1995-1997, 1999-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locale.c(294):Copyright (C) %s
Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\localedef.c(1):/* Copyright (C)
1995-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\localedef.c(388):Copyright (C) %s
Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\localedef.h(2): Copyright (C)
1998,1999,2000,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locale-spec.c(2): Copyright (C)
1996, 1997, 1999, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locarchive.c(1):/* Copyright (C)
2002, 2003, 2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locfile.c(1):/* Copyright (C)
1996-2004, 2005, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locfile.h(1):/* Copyright (C)
1996-2001, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locfile-kw.gperf(2):/* Copyright
(C) 1996-2000,2005,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locfile-kw.h(33):/* Copyright (C)
1996-2000,2005,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\locfile-token.h(1):/* Copyright
(C) 1996-2000,2005,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\repertoire.c(1):/* Copyright (C)
1998-2002,2004,2005,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\repertoire.h(1):/* Copyright (C)
1998, 1999, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\simple-hash.c(2): Copyright (C)
1994-1997,2000,2001,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\simple-hash.h(1):/* Copyright (C)
1995-1999, 2001, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\xmalloc.c(2): Copyright (C)
1990,91,92,93,94,95,96,97,2004,2005
glibc\glibc-2.12.2\glibc-2.12.2\locale\programs\xstrdup.c(2): Copyright (C)
1990,1996,1997,1999,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\setlocale.c(1):/* Copyright (C) 1991,
1992, 1995-2000, 2002, 2003, 2004, 2006, 2008, 2010
glibc\glibc-2.12.2\glibc-2.12.2\locale\strlen-hash.h(2): Copyright (C) 1996, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\tst-C-locale.c(2): Copyright (C) 2000,
2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\uselocale.c(2): Copyright (C) 2002, 2004,
2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\weight.h(1):/* Copyright (C)
1996,1997,1998,1999,2000,2003,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\weightwc.h(1):/* Copyright (C)

legal(ME)

1996-2001,2003,2004,2005,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\xlocale.c(2): Copyright (C) 2001, 2002, 2005, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\locale\xlocale.h(2): Copyright (C) 1997,2000,2002,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\ChangeLog(4274):* tst-langinfo.c: Add copyright text.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\ChangeLog(4777):* locales/th_TH: Update copyright notice.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ANSI_X3.110-1983(384):<U00A9> /xd3 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP10007(176):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1250(174):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1251(178):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1252(174):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1253(165):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1254(172):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1255(167):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1256(179):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1257(166):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP1258(167):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CP775(176):<U00A9> /xa8 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\CSA_Z243.4-1985-GR(251):<U00A9> /xf2 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\DEC-MCS(175):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\EUC-JISX0213(3383):<U00A9> /xa9/xa6 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\EUC-JP(7147):<U00A9> /x8f/xa2/xed COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\EUC-JP-MS(8174):<U00A9> /x8f/xa2/xed COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\GB18030(177):<U00A9> /x81/x30/x84/x38 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\GB18030(5425):<U2117> /x81/x36/xbd/x34 SOUND RECORDING COPYRIGHT
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\GEORGIAN-ACADEMY(175):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\GEORGIAN-PS(175):<U00A9> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\IBM037(193):<U00A9> /xb4

legal(ME)

COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM1004(170):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM1026(190):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM1047(193):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM1129(176):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM1163(176):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM1164(187):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM273(189):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM277(190):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM278(191):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM280(190):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM284(190):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM285(190):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM297(190):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM424(170):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM500(193):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM850(196):<U00A9> /xb8
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM856(176):<U00A9> /xb8
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM857(194):<U00A9> /xb8
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM869(153):<U00A9> /x97
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM871(190):<U00A9> /xb4
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM875(256):<U00A9> /xfb
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\IBM922(176):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\ISO_10646(196):<Co>/x00/xA9C0
PYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\ISO_6937(383):<U00A9> /xd3
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\ISO_6937-2-ADD(381):<U00A9>
/xd3 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmmaps\ISO_8859-1,GL(225):<copyright

legal(ME)

-sign>\d169 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-1(184):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-13(179):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-14(178):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-15(178):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-16(181):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-7(185):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-8(180):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-9(182):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-8859-9E(176):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-IR-197(171):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-IR-209(171):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\ISO-IR-90(380):<U00A9> /xd3
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\KOI8-R(201):<U00A9> /xbf
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\KOI8-RU(199):<U00A9> /xbf
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\KOI8-T(181):<U00A9> /xbf
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\KOI8-U(200):<U00A9> /xbf
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\MAC-CENTRALEUROPE(175):<U00A9
> /xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\MAC-CYRILLIC(176):<U00A9>
/xa9 COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\MACINTOSH(178):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\MAC-IS(175):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\MAC-SAMI(179):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\MAC-UK(176):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\NEXTSTEP(169):<U00A9> /xa0
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\PT154(178):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\RK1048(178):<U00A9> /xa9
COPYRIGHT SIGN
glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\SAMI-WS2(176):<U00A9> /xa9

legal(ME)

COPYRIGHT SIGN

glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\SHIFT_JISX0213(884):<U00A9>
/x85/x45 COPYRIGHT SIGN

glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\T.101-G2(381):<U00A9> /xd3
COPYRIGHT SIGN

glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\TSCII(296):<U00A9>/xa9
COPYRIGHT SIGN

glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\UTF-8(178):<U00A9> /xc2/xa9
COPYRIGHT SIGN

glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\UTF-8(6719):<U2117>
/xe2/x84/x97 SOUND RECORDING COPYRIGHT

glibc\glibc-2.12.2\glibc-2.12.2\localedata\charmaps\VIDEOTEX-SUPPL(380):<U00A9>
/xd3 COPYRIGHT SIGN

glibc\glibc-2.12.2\glibc-2.12.2\localedata\collate-test.c(2): Copyright (C) 1997,
1999, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\dump-ctype.c(3): Copyright (C) 2000
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\gen-locale.sh(3):# Copyright (C)
2000,01,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\gen-unicode-ctype.c(2): Copyright (C)
2000-2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\locales\km_KH(19):% Copyright (C) 2005
Open Forum of Cambodia (www.forum.org.kh)

glibc\glibc-2.12.2\glibc-2.12.2\localedata\locales\lo_LA(19):% Copyright (C) 2002
Anousak Souphavanh

glibc\glibc-2.12.2\glibc-2.12.2\localedata\locales\th_TH(25):% Copyright (C) 1999
Theppitak Karoonboonyanan, National Electronics and

glibc\glibc-2.12.2\glibc-2.12.2\localedata\locales\translit_neutral(21):%
COPYRIGHT SIGN

glibc\glibc-2.12.2\glibc-2.12.2\localedata\locales\uk_UA(4):% Copyright (C)
2003-2006 Volodymyr M. Lisivka <v_lisivka@sourceforge.net>

glibc\glibc-2.12.2\glibc-2.12.2\localedata\locales\uk_UA(5):% Copyright (C) 2006
Max Kutny <mkutny@gmail.com>

glibc\glibc-2.12.2\glibc-2.12.2\localedata\Makefile(1):# Copyright (C)
1996-2003,2005,2007,2008,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tests\test6.c(2): Copyright (C) 1999
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-ctype.c(1):/* Copyright (C)
2000,02, 05 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-ctype.sh(3):# Copyright (C) 2000
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-digits.c(1):/* Copyright (C) 2000
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-fmon.c(2): Copyright (C) 1996,
1997, 2000, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-fmon.data(2):# Copyright (C) 1996,
1997, 2000, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-fmon.sh(3):# Copyright (C)
1996-1998, 2000, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-langinfo.c(2): Copyright (C) 2000
Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-langinfo.sh(3):# Copyright (C)

legal(ME)

2000, 2001, 2003, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-locale.sh(3):# Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-mbswcs.sh(3):# Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-mbswcs1.c(2): Copyright (C) 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-mbswcs2.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-mbswcs3.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-mbswcs4.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-mbswcs5.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-mbswcs6.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-numeric.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-numeric.data(2):# Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-numeric.sh(3):# Copyright (C) 1996, 1997, 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-rpmatch.c(2): Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-rpmatch.sh(3):# Copyright (C) 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-trans.c(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-trans.sh(3):# Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-wctype.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\tst-wctype.sh(3):# Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\localedata\xfrm-test.c(2): Copyright (C) 1997, 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\endutxent.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\forkpty.c(1):/* Copyright (C) 1998, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getpt.c(1):/* Copyright (C) 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutent.c(1):/* Copyright (C) 1996, 1997, 1998, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutent_r.c(1):/* Copyright (C) 1996-1998, 2000, 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutid.c(1):/* Copyright (C) 1996, 1997, 1998, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutid_r.c(1):/* Copyright (C) 1996, 1997, 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutline.c(1):/* Copyright (C) 1996, 1997,

legal(ME)

1998, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutline_r.c(1):/* Copyright (C) 1996,
1997, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutmp.c(1):/* Copyright (C) 1999 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutmpx.c(1):/* Copyright (C) 1999 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutxent.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutxid.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\getutxline.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\grantpt.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\login.c(1):/* Copyright (C) 1996, 1997,
1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\login_tty.c(2): * Copyright (c) 1990, 1993
glibc\glibc-2.12.2\glibc-2.12.2\login\logout.c(1):/* Copyright (C) 1996, 1997,
2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\logwtmp.c(1):/* Copyright (C) 1996, 1997,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\Makefile(1):# Copyright (C)
1996-1998,2000-2003,2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\openpty.c(1):/* Copyright (C) 1998, 1999,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\programs\pt_chown.c(2): Copyright (C) 1998,
1999, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\programs\pt_chown.c(64):Copyright (C) %s
Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\login\programs\utmpdump.c(2): Copyright (C) 1997,
2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\ptsname.c(1):/* Copyright (C) 1998,2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\pty.h(2): Copyright (C) 1996, 1997, 1999
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\pututxline.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\setutxent.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\tst-utmp.c(2): Copyright (C) 1998,
2001-2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\unlockpt.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\updwtmp.c(1):/* Copyright (C) 1997, 1998,
2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\updwtmpx.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\utmp.h(1):/* Copyright (C) 1993, 1996,
1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\utmp_file.c(1):/* Copyright (C) 1996-2004,
2007, 2008, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\login\utmpname.c(1):/* Copyright (C) 1997, 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\utmp-private.h(2): Copyright (C) 1996, 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\login\utmpxname.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\devstream.c(3): Copyright (C) 1992,93,94,96,97,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\err_boot.sub(3): * Copyright (c) 1992 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\err_ipc.sub(3): * Copyright (c) 1991,1990,1989,1988,1987 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\err_kern.sub(3): * Copyright (c) 1991,1990,1989 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\err_mach.sub(3): * Copyright (c) 1991,1990,1989 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\err_server.sub(3): * Copyright (c) 1991,1990,1989,1988,1987 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\err_us.sub(3): * Copyright (c) 1991,1990,1989,1988,1987 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\error_compat.c(3): * Copyright (c) 1991,1990,1989 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\errorlib.h(3): * Copyright (c) 1991,1990,1989 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\errstring.c(3): * Copyright (c) 1991,1990,1989 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\lock-intern.h(1):/* Copyright (C) 1994, 1996, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach.h(2): Copyright (C) 1993,94,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach_error.c(3): * Copyright (c) 1991,1990,1989 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach_error.c(46): * Added new copyright
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach_error.h(3): * Copyright (c) 1991,1990,1989 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach_init.c(1):/* Copyright (C) 1992,93,95,97,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach_init.h(2): Copyright (C) 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach\error.h(39): * Correcting copyright
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach\error.h(4): * Copyright (c) 1991,1990,1989,1988,1987 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach\error.h(42): * Changed to new Mach copyright
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach\mach_traps.h(1):/* Copyright (C) 1994,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\mach\mig_support.h(1):/* Copyright (C) 1993,94,97,99,2001,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\Machrules(2):# Copyright (C) 1991,1992,1993,1994,1995,1996,1998,1999,2001,2002,2006
glibc\glibc-2.12.2\glibc-2.12.2\mach\Makefile(1):# Copyright (C) 1991,92,93,94,95,96,97,98,2001,02

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\mach\mig-alloc.c(1):/* Copyright (C) 1992, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\mig-dealloc.c(1):/* Copyright (C) 1992, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\mig-reply.c(1):/* Copyright (C) 1992, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\msg.c(3): * Copyright (c) 1991,1990,1989, 1995 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\msg-destroy.c(3): * Copyright (c) 1991,1990 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\msg-destroy.c(30): * Correcting copyright
glibc\glibc-2.12.2\glibc-2.12.2\mach\msg-destroy.c(33): * Added new Mach copyright
glibc\glibc-2.12.2\glibc-2.12.2\mach\msgserver.c(1):/* Copyright (C) 1993,94,95,96,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\msgserver.c(26): * Copyright (c) 1991,1990 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\mach\msgserver.c(53): * Correcting copyright
glibc\glibc-2.12.2\glibc-2.12.2\mach\msgserver.c(56): * Added new Mach copyright
glibc\glibc-2.12.2\glibc-2.12.2\mach\mutex-init.c(2): Copyright (C) 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\mutex-solid.c(2): Copyright (C) 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\setup-thread.c(1):/* Copyright (C) 1991,94,1995,1997,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\spin-lock.h(2): Copyright (C) 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\mach\spin-solid.c(1):/* Copyright (C) 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\Makeconfig(1):# Copyright (C) 1991-2003,2004,2005,2006,2007,2008,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\Makefile(1):# Copyright (C) 1991-2002,2003,2004,2005,2006,2008,2009
glibc\glibc-2.12.2\glibc-2.12.2\Makerules(1):# Copyright (C) 1991-2006,2007,2008,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\arena.c(2): Copyright (C) 2001,2002,2003,2004,2005,2006,2007,2009
glibc\glibc-2.12.2\glibc-2.12.2\malloc\hooks.c(2): Copyright (C) 2001-2006, 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\Makefile(1):# Copyright (C) 1991-1999, 2000, 2001, 2002, 2003, 2005, 2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\malloc\malloc.c(2): Copyright (C) 1996-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\malloc.h(2): Copyright (C) 1996, 1997, 1999, 2000, 2002-2004, 2005, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\malloc\mcheck.c(2): Copyright (C) 1990-1997,1999,2000-2002,2007,2010
glibc\glibc-2.12.2\glibc-2.12.2\malloc\mcheck.h(1):/* Copyright (C) 1996, 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\mcheck-init.c(1):/* Copyright (C) 1991, 1994, 1995, 1996, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\memusage.c(2): Copyright (C) 1998-2002,

legal(ME)

2004-2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\memusage.sh(2):# Copyright (C) 1999-2008,
2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\memusage.sh(73):printf \$"Copyright (C) %s
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\memusagestat.c(2): Copyright (C) 1998,
1999, 2000, 2005, 2006,
glibc\glibc-2.12.2\glibc-2.12.2\malloc\memusagestat.c(558):Copyright (C) %s Free
Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\malloc\morecore.c(1):/* Copyright (C)
1991,92,93,94,95,97,2002,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\mtrace.c(2): Copyright (C)
1991-1994,1996-2004, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\mtrace.pl(4):# Copyright (C) 1997-2008,
2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\mtrace.pl(48):print "Copyright (C) 2010
Free Software Foundation, Inc.\n";
glibc\glibc-2.12.2\glibc-2.12.2\malloc\obstack.c(2): Copyright (C) 1988, 1989,
1990, 1991, 1992, 1993, 1994, 1996, 1997, 1998,
glibc\glibc-2.12.2\glibc-2.12.2\malloc\obstack.h(2): Copyright (C)
1988-1994,1996-1999,2003,2004,2005,2009
glibc\glibc-2.12.2\glibc-2.12.2\malloc\set-freeres.c(1):/* Copyright (C)
1997,1999,2000,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\thread-freeres.c(2): Copyright (C) 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\tst-calloc.c(1):/* Copyright (C) 2000,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\tst-malloc.c(1):/* Copyright (C) 1999 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\tst-mallocstate.c(1):/* Copyright (C) 2001
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\tst-mcheck.c(1):/* Copyright (C) 2005 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\tst-mtrace.c(2): Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\malloc\tst-mtrace.sh(3):# Copyright (C) 2000,
2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\manual\contrib.texi(179):for the University of
California at Berkeley and are copyrighted by the
glibc\glibc-2.12.2\glibc-2.12.2\manual\contrib.texi(186):includes copyrighted
code from UC Berkeley and from Digital Equipment
glibc\glibc-2.12.2\glibc-2.12.2\manual\contrib.texi(196):the file if_ppp.h is
also copyright by CMU, but under a different license;
glibc\glibc-2.12.2\glibc-2.12.2\manual\fdl.texi(313):of the Document, provided no
compilation copyright is claimed for the
glibc\glibc-2.12.2\glibc-2.12.2\manual\fdl.texi(378):Copyright
(C)@var{year}@var{your name}.
glibc\glibc-2.12.2\glibc-2.12.2\manual\fdl.texi(8):Copyright @copyright{} 2000
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\manual\intro.texi(221):a more general standard
than POSIX.X/Open owns the Unix copyright and
glibc\glibc-2.12.2\glibc-2.12.2\manual\lesser.texi(12):Copyright @copyright{}

legal(ME)

1991, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\manual\lesser.texi(477):copyrighted by the Free Software Foundation, write to the Free
glibc\glibc-2.12.2\glibc-2.12.2\manual\lesser.texi(537):Copyright (C)
@var{year}@var{name of author}
glibc\glibc-2.12.2\glibc-2.12.2\manual\lesser.texi(562):Yoyodyne, Inc., hereby disclaims all copyright interest in the library
glibc\glibc-2.12.2\glibc-2.12.2\manual\libc.texinfo(32):Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2001, 2002,
glibc\glibc-2.12.2\glibc-2.12.2\manual\libm-err-tab.pl(2):# Copyright (C) 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\manual\Makefile(1):# Copyright (C)
1992-1999,2000,2001,2002,2003,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\manual\summary.awk(2):# Copyright (C) 1992, 1993, 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\manual\texinfo.tex(4140):\def\copyright{copyright}%
glibc\glibc-2.12.2\glibc-2.12.2\manual\texinfo.tex(7839):\gdef^^a9{\copyright}
glibc\glibc-2.12.2\glibc-2.12.2\manual\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991, 1992, 1993, 1994, 1995, 2007,
glibc\glibc-2.12.2\glibc-2.12.2\manual\texinfo.tex(8179):\DeclareUnicodeCharacter{00A9}{\copyright}
glibc\glibc-2.12.2\glibc-2.12.2\manual\tsort.awk(3):# (C) Copyright 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\atest-exp.c(1):/* Copyright (C) 1997, 1998, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\atest-exp2.c(1):/* Copyright (C) 1997, 1998, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\atest-sincos.c(1):/* Copyright (C) 1997, 1998, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\basic-test.c(1):/* Copyright (C) 1999, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\bits\cmathcalls.h(3): Copyright (C) 1997, 1998, 2001, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\bits\mathcalls.h(2): Copyright (C)
1996-2002, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\cabs.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\cabsf.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\cabsl.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\carg.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\cargf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\cargl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\cimaf.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\cimafg.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\math\cimagl.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\complex.h(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\conj.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\conjf.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\conjl.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\creal.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\crealf.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\creall.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\divtc3.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\exp10.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\exp10f.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\exp10l.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\scalb.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\scalbf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\scalbl.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\fclexcpt.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fedisblxcpt.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\feenablxcpt.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fegetenv.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fegetexcept.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fegetround.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\feholdexcept.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fenv.h(1):/* Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fesetenv.c(2): Copyright (C) 1997, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fesetround.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\feupdateenv.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\math\fgetexcptflg.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fpuc_control.c(2): Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fraiseexcpt.c(2): Copyright (C) 1997, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\fsetexcptflg.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\ftestexcept.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\gen-libm-test.pl(2):# Copyright (C) 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\libm-test.inc(1):/* Copyright (C) 1997-2006, 2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\Makefile(1):# Copyright (C) 1996-2001,2002,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\math\math.h(2): Copyright (C) 1991-1993, 1995-1999, 2001, 2002, 2004, 2006, 2009
glibc\glibc-2.12.2\glibc-2.12.2\math\math_private.h(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\multc3.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cacos.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cacosf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cacosh.c(2): Copyright (C) 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cacoshf.c(2): Copyright (C) 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cacoshl.c(2): Copyright (C) 1997, 1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cacosl.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_casin.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_casinf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_casinh.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_casinhf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_casinh1.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_casinl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_catan.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_catanf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_catanh.c(2): Copyright (C) 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\math\s_catanhf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_catanhl.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_catanl.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ccos.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ccosf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ccosh.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ccoshf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ccoshl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ccosl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cexp.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cexpf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cexpl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_clog.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_clog10.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_clog10f.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_clog10l.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_clogf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_clogl.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cpow.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cpowf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cpowl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cproj.c(2): Copyright (C) 1997, 1999, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cprojf.c(2): Copyright (C) 1997, 1999, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_cprojl.c(2): Copyright (C) 1997, 1999, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_csin.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_csinf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\math\s_csinh.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_csinhf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_csinhl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_csinl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_csqrt.c(2): Copyright (C) 1997, 1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_csqrtf.c(2): Copyright (C) 1997, 1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_csqrtl.c(2): Copyright (C) 1997, 1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ctan.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ctanf.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ctanh.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ctanhf.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ctanh1.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ctan1.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fdim.c(2): Copyright (C) 1997, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fdimf.c(2): Copyright (C) 1997, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fdiml.c(2): Copyright (C) 1997, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fma.c(2): Copyright (C) 1997, 2001, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fmaf.c(2): Copyright (C) 1997, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fmalf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fmax.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fmaxf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fmaxl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fmin.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fminf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_fminl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ldexp.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\math\s_ldexpf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_ldexpl.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_nan.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_nanf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_nanl.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_nextafter.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_nexttowardf.c(5): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_significand.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_significandf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\s_significandl.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\setfpucw.c(2): Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-double.c(1):/* Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-fenv.c(1):/* Copyright (C) 1997, 1998, 2000, 2001, 2003, 2007
glibc\glibc-2.12.2\glibc-2.12.2\math\test-float.c(1):/* Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-fpucw.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-idouble.c(1):/* Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-ifloat.c(1):/* Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-ildoubl.c(1):/* Copyright (C) 1997, 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-ldouble.c(1):/* Copyright (C) 1997, 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-misc.c(2): Copyright (C) 2000, 2001, 2004, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-tgmath.c(2): Copyright (C) 2001, 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-tgmath2.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-tgmath-int.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\test-tgmath-ret.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\math\tgmath.h(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\math\tst-definitions.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\math\w_remainderf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_remainderl.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_scalb.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_scalbf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_scalbl.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_sinh.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_sinhf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_sinh1.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_sqrt.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_sqrtf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_sqrtl.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_tgamma.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_tgammaf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\math\w_tgamma1.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\misc\acct.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\ar.h(2): Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\bits\error.h(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\bits\stab.def(2): Copyright (C) 1988, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\bits\syslog.h(2): Copyright (C) 2005, 2007, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\bits\syslog-ldbl.h(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\brk.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\chflags.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\chroot.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\daemon.c(2): * Copyright (c) 1990, 1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\dirname.c(2): Copyright (C) 1996, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\efgcvt.c(2): Copyright (C) 1995, 1996, 1997, 1999, 2002, 2006
glibc\glibc-2.12.2\glibc-2.12.2\misc\efgcvt_r.c(2): Copyright (C) 1995, 1996,

legal(ME)

1997, 1998, 1999, 2000, 2001, 2002, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\misc\err.c(2): Copyright (C) 1995,96,98,2001,02
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\err.h(2): Copyright (C)
1995,1996,1997,1998,1999,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\error.c(2): Copyright (C) 1990-1998,
2000-2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\error.h(2): Copyright (C)
1995,1996,1997,2003,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\fchflags.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\fdatasync.c(1):/* Copyright (C) 1996, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\fgetxattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\flistxattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\fremovexattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\fsetxattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\fstab.c(1):/* Copyright (C) 1995, 1996,
1997, 1998, 2000, 2008
glibc\glibc-2.12.2\glibc-2.12.2\misc\fstab.h(2): * Copyright (c) 1980, 1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\fsync.c(1):/* Copyright (C) 1991, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\ftruncate.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\ftruncate64.c(1):/* Copyright (C) 1997,
1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\futimes.c(2): Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\futimesat.c(1):/* Copyright (C) 2005 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\getclktck.c(1):/* Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\getdomain.c(1):/* Copyright (C)
1994,95,97,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\getdtsz.c(1):/* Copyright (C) 1991, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\gethostid.c(1):/* Copyright (C) 1991, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\gethostname.c(1):/* Copyright (C)
1991,1995,1996,1997,2000,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\getloadavg.c(2): Copyright (C) 1999 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\getpagesize.c(1):/* Copyright (C) 1991,
1993, 1995, 1996, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\getpass.c(1):/* Copyright (C)
1992-1999,2001,2003,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\getsysstats.c(2): Copyright (C) 1996, 1997,
2001 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\misc\getttyent.c(2): * Copyright (c) 1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\getusershell.c(2): * Copyright (c) 1985,
1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\getxattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\gtty.c(1):/* Copyright (C) 1991, 1992, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\hsearch.c(1):/* Copyright (C) 1993, 1995,
1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\hsearch_r.c(1):/* Copyright (C)
1993,1995-1997,2002,2005,2007,2008,2009
glibc\glibc-2.12.2\glibc-2.12.2\misc\init-misc.c(2): Copyright (C)
1994,1995,1996,1997,1998,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\insremque.c(1):/* Copyright (C) 1992, 1995,
1996, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\ioctl.c(1):/* Copyright (C) 1991, 93, 94,
95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\lgetxattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\libgen.h(1):/* Copyright (C) 1996, 1997,
1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\listxattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\llistxattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\lremovexattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\lsearch.c(2): Copyright (C) 1996,97,98,2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\lseek.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\lsetxattr.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\lutimes.c(2): Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\madvise.c(1):/* Copyright (C)
1994,1995,1996,1997,2000,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\Makefile(1):# Copyright (C) 1991-2006, 2007,
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mincore.c(1):/* Copyright (C) 2000 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkdtemp.c(1):/* Copyright (C) 1999, 2007,
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkostemp.c(1):/* Copyright (C) 1998, 1999,
2001, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkostemp64.c(1):/* Copyright (C) 2000, 2007,
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkostemps.c(1):/* Copyright (C) 2009 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkostemps64.c(1):/* Copyright (C) 2000,
2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkstemp.c(1):/* Copyright (C) 1998, 1999,

legal(ME)

2001, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkstemp64.c(1):/* Copyright (C) 2000, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkstemp.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mkstemp64.c(1):/* Copyright (C) 2000, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mktemp.c(1):/* Copyright (C) 1998, 1999, 2000, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mlock.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mlockall.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mmap.c(1):/* Copyright (C) 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mmap64.c(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mntent.c(2): Copyright (C) 1995, 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mntent.h(2): Copyright (C) 1995, 1996, 1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\mntent_r.c(2): Copyright (C) 1995-2000, 2001, 2002, 2003, 2006, 2010
glibc\glibc-2.12.2\glibc-2.12.2\misc\mprotect.c(1):/* Copyright (C) 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\msync.c(1):/* Copyright (C) 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\munlock.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\munlockall.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\munmap.c(1):/* Copyright (C) 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\preadv.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\preadv64.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\pselect.c(1):/* Copyright (C) 1996-1998,2001,2002,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\ptrace.c(1):/* Copyright (C) 1991, 92, 93, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\pwritev.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\pwritev64.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\qefgcv.c(2): Copyright (C) 1996, 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\qefgcv_r.c(3): Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\readv.c(1):/* Copyright (C) 1991,1995,1996,1997,1998,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\reboot.c(1):/* Copyright (C) 1992, 1995,

legal(ME)

1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\regex.c(2): Copyright (C) 1996, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\regex.h(1):/* Copyright (C) 1996, 1997, 1998, 1999, 2004, 2008
glibc\glibc-2.12.2\glibc-2.12.2\misc\remap_file_pages.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\removexattr.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\revoke.c(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sbrk.c(1):/* Copyright (C) 1991,1995-1997,2000,2002,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\search.h(2): Copyright (C) 1995-1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\select.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\setdomain.c(1):/* Copyright (C) 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\setegid.c(1):/* Copyright (C) 1992,1994,1995,1996,1997,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\seteuid.c(1):/* Copyright (C) 1992, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sethostid.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sethostname.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\setregid.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\setreuid.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\setxattr.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sgtty.h(1):/* Copyright (C) 1991, 1992, 1996, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sstk.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\stty.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\swapoff.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\swapon.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sync.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\cdefs.h(1):/* Copyright (C) 1992-2001, 2002, 2004, 2005, 2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\dir.h(1):/* Copyright (C) 1991, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\file.h(1):/* Copyright (C) 1991, 92, 96, 97, 98, 99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\ioctl.h(1):/* Copyright (C) 1991, 92,

legal(ME)

93, 94, 96, 98, 99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\mman.h(2): Copyright (C) 1994-2000,
2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\queue.h(2): * Copyright (c) 1991, 1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\select.h(2): Copyright (C) 1996-2003,
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\syslog.h(2): * Copyright (c) 1982, 1986,
1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\uiop.h(1):/* Copyright (C)
1991,1992,1996-1999,2003,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\ustat.h(2): Copyright (C) 1996, 1998,
1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\xattr.h(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\syscall.c(1):/* Copyright (C) 1993, 1994,
1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\sys\sexits.h(2): * Copyright (c) 1987, 1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\syslog.c(2): * Copyright (c) 1983, 1988,
1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\truncate.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\truncate64.c(1):/* Copyright (C) 1997 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\tsearch.c(1):/* Copyright (C) 1995, 1996,
1997, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\tst-dirname.c(2): Copyright (C) 1996, 2000,
2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\tst-efgcv.c(1):/* Copyright (C) 1998, 1999,
2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\tst-fdset.c(2): Copyright (C) 1997 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\tst-tsearch.c(2): Copyright (C) 1997, 2000,
2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\ttyent.h(2): * Copyright (c) 1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\ttyslot.c(2): * Copyright (c) 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\misc\ualarm.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\usleep.c(1):/* Copyright (C)
1991,1995,1996,1997,1999,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\ustat.c(2): Copyright (C) 1995, 1996, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\utimes.c(1):/* Copyright (C)
1991,95,96,97,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\vhangup.c(1):/* Copyright (C) 1991, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\misc\writev.c(1):/* Copyright (C)
1991,1995,1996,1997,1998,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\NEWS(1922):Copyright information:
glibc\glibc-2.12.2\glibc-2.12.2\NEWS(1924):Copyright (C)
1992-1999,2000,2001,2002,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\NEWS(2):Copyright (C) 1992-2009, 2010 Free
Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nis\libnsl.h(1):/* Copyright (C) 2005, 2006, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\Makefile(1):# Copyright (C) 1996,1997,1998,2001,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_add.c(1):/* Copyright (C) 1997, 1998, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_addmember.c(1):/* Copyright (c) 1997, 1998, 1999, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_call.c(1):/* Copyright (C) 1997, 1998, 2001, 2004, 2005, 2006, 2007, 2008
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_callback.c(1):/* Copyright (C) 1997,1998,1999,2000,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_checkpoint.c(1):/* Copyright (c) 1997, 1998, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_clone_dir.c(1):/* Copyright (c) 1997, 1998, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_clone_obj.c(1):/* Copyright (c) 1997, 1998, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_clone_res.c(1):/* Copyright (c) 1997, 1998, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_creategroup.c(1):/* Copyright (c) 1997, 1998, 1999, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_defaults.c(1):/* Copyright (c) 1997, 1998, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_destroygroup.c(1):/* Copyright (c) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_domain_of.c(1):/* Copyright (c) 1997, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_domain_of_r.c(1):/* Copyright (c) 1997, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_error.c(1):/* Copyright (c) 1997,1998,1999,2004,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_file.c(1):/* Copyright (c) 1997, 1998, 1999, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_findserv.c(1):/* Copyright (C) 1997, 1998, 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_findserv.c(56): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_free.c(1):/* Copyright (c) 1997, 1998, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_getservlist.c(1):/* Copyright (c) 1997, 1998, 1999, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_hash.c(1):/* Copyright (c) 1997, 1998, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_intern.h(1):/* Copyright (c) 1997,1998,1999,2000,2001,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_ismember.c(1):/* Copyright (c) 1997, 1998, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_local_names.c(1):/* Copyright (c) 1997, 1998, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_lookup.c(1):/* Copyright (C) 1997-1999, 2004, 2005, 2006, 2007

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_mkdir.c(1):/* Copyright (c) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_modify.c(1):/* Copyright (C) 1997, 1998, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_ping.c(1):/* Copyright (c) 1997, 1998, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_print.c(1):/* Copyright (c) 1997, 1998, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_print_group_entry.c(1):/* Copyright (c) 1997, 1998, 2000, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_remove.c(1):/* Copyright (C) 1997, 1998, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_removemember.c(1):/* Copyright (c) 1997,1998,1999,2004,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_rmdir.c(1):/* Copyright (c) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_server.c(1):/* Copyright (c) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_subr.c(1):/* Copyright (c) 1997,1999,2000,2004,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_table.c(1):/* Copyright (c) 1997-1999, 2003, 2004, 2005, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_util.c(1):/* Copyright (c) 1997, 1998, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_verifygroup.c(1):/* Copyright (c) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_xdr.c(1):/* Copyright (c) 1997, 1998, 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nis_xdr.h(1):/* Copyright (c) 1998, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\nisplus-parser.h(1):/* Copyright (C) 1997, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_compat\compat-grp.c(1):/* Copyright (C) 1996-1999, 2001-2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_compat\compat-initgroups.c(1):/* Copyright (C) 1998-2004, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_compat\compat-pwd.c(1):/* Copyright (C) 1996-1999, 2001-2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_compat\compat-spwd.c(1):/* Copyright (C) 1996-1999, 2001-2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_nis\nis-alias.c(1):/* Copyright (C) 1996-2002, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_nis\nis-ethers.c(1):/* Copyright (C) 1996-2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_nis\nis-grp.c(1):/* Copyright (C) 1996-1999,2001-2004,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_nis\nis-hosts.c(1):/* Copyright (C) 1996-2000, 2002, 2003, 2006, 2007, 2008
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_nis\nis-initgroups.c(1):/* Copyright (C) 1998-2000,2002,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\niss_nis\nis-netgrp.c(1):/* Copyright (C) 1996,1997,1999,2000,2002,2003,2004,2005,2006

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nis\nis-network.c(1):/* Copyright (C) 1996-2003, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nis\nis-proto.c(1):/* Copyright (C) 1996-1998, 2000-2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nis\nis-publickey.c(1):/* Copyright (C) 1996-1999,2001,2002,2005,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nis\nis-pwd.c(1):/* Copyright (C) 1996-1998,2001-2003,2006,2009,2010

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nis\nis-rpc.c(1):/* Copyright (C) 1996-1998,2000,2002,2003,2004,2006

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nis\nis-service.c(1):/* Copyright (C) 1996-2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nis\nis-spwd.c(1):/* Copyright (C) 1996-1998,2001-2003,2006,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-alias.c(1):/* Copyright (C) 1997, 1998, 2001, 2002, 2003, 2005, 2006

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-ethers.c(1):/* Copyright (C) 1997,1998,2000-2003,2005,2006,2007

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-grp.c(1):/* Copyright (C) 1997, 2001, 2002, 2003, 2005, 2006

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-hosts.c(1):/* Copyright (C) 1997-2003, 2005, 2006, 2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-initgroups.c(1):/* Copyright (C) 1997, 2001, 2002, 2003, 2005, 2006

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-netgrp.c(1):/* Copyright (C) 1997, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-network.c(1):/* Copyright (C) 1997,1998,2000-2003,2005,2006,2007

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-parser.c(1):/* Copyright (C) 1997, 1999, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-proto.c(1):/* Copyright (C) 1997, 1998, 2001, 2002, 2003, 2005, 2006

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-publickey.c(1):/* Copyright (c) 1997,1999,2001,2003,2005,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-pwd.c(1):/* Copyright (C) 1997, 1999, 2001, 2002, 2003, 2005, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-rpc.c(1):/* Copyright (C) 1997, 1998, 2001, 2002, 2003, 2005, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-service.c(1):/* Copyright (C) 1997, 1998, 1999, 2001, 2002, 2003, 2005, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss_nisplus\nisplus-spwd.c(1):/* Copyright (C) 1997, 2001, 2002, 2003, 2005, 2007

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss-default.c(1):/* Copyright (C) 1996,2001,2004,2006,2007,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss-nis.c(1):/* Copyright (C) 1996, 2001, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss-nis.h(1):/* Copyright (C) 1996, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss-nisplus.c(1):/* Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nis\nss-nisplus.h(1):/* Copyright (C) 1997, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nis.h(19): * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nis.x(19):% * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nis_callback.h(19): * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nis_callback.x(19):% * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nis_callback.x(34): *Copyright (c)
1988-1992 Sun Microsystems Inc
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nis_object.x(4): *Copyright (c)
1988-1992 Sun Microsystems Inc
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nis_tags.h(18):/* from file:
zns_tags.h1.7 Copyright (c) 1990 Sun Microsystems */
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nis_tags.h(2): * Copyright (c) 1991,
Sun Microsystems Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\nislib.h(1):/* Copyright (C) 1997,
1998, 1999, 2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\yp.h(18): * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\yp.x(20): * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\ypcInt.h(1):/* Copyright (C) 1996,
1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\ypupd.h(19): * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\rpcsvc\ypupd.h(31): * Copyright (c) 1986,
1990 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nis\yp_xdr.c(18): * INFRINGEMENT OF COPYRIGHTS,
TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\ypcInt.c(1):/* Copyright (C) 1996-2001, 2002,
2003, 2004, 2005, 2006, 2008
glibc\glibc-2.12.2\glibc-2.12.2\nis\ypupdate_xdr.c(19): * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC
glibc\glibc-2.12.2\glibc-2.12.2\nis\ypupdate_xdr.c(31): * Copyright (c) 1986,
1990 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\db_info.c(4): Copyright (C) 2003, 2004,
2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\db_symbols.h(2): Copyright (C) 2009 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\fetch-value.c(2): Copyright (C) 2003,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\Makefile(1):# Copyright (C)
2002,2003,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\proc_service.h(2): Copyright (C)
1999,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\structs.def(2): Copyright (C) 2003, 2006,
2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_init.c(2): Copyright (C) 1999, 2001,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_log.c(2): Copyright (C) 1999, 2001,
2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_symbol_list.c(2): Copyright (C) 2001,2002,2003,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_clear_event.c(2): Copyright (C) 1999, 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_delete.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_enable_stats.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_event_addr.c(2): Copyright (C) 1999,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_event_getmsg.c(2): Copyright (C) 1999, 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_get_nthreads.c(2): Copyright (C) 1999,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_get_ph.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_get_stats.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_map_id2thr.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_map_lwp2thr.c(2): Copyright (C) 2003,2004,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_new.c(2): Copyright (C) 1999,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_reset_stats.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_set_event.c(2): Copyright (C) 1999,2001,2002,2003,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_setconcurrency.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_thr_iter.c(2): Copyright (C) 1999,2000,2001,2002,2003,2004,2007,2008
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_ta_tsd_iter.c(2): Copyright (C) 1999,2000,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_clear_event.c(2): Copyright (C) 1999,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_dbresume.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_dbsuspend.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_event_enable.c(2): Copyright (C) 1999, 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_event_getmsg.c(2): Copyright (C) 1999, 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_get_info.c(2): Copyright (C) 1999-2003,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_getfpregs.c(2): Copyright (C) 1999, 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_getgregs.c(2): Copyright (C) 1999, 2000, 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_getxregs.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_getxregsize.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_set_event.c(2): Copyright (C) 1999,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_setfpregs.c(2): Copyright (C) 1999, 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_setgregs.c(2): Copyright (C) 1999, 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_setprio.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_setsigpending.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_setxregs.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_sigsetmask.c(2): Copyright (C) 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_tls_get_addr.c(2): Copyright (C) 2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_tlsbase.c(2): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_tsd.c(2): Copyright (C) 1999,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\td_thr_validate.c(2): Copyright (C) 1999,2001,2002,2003,2004,2007,2008
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\thread_db.h(2): Copyright (C) 1999,2001,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl_db\thread_dbP.h(2): Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\alloca_cutoff.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\allocatestack.c(1):/* Copyright (C) 2002-2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\cancellation.c(1):/* Copyright (C) 2002, 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\ChangeLog(3612):* version.c: Update copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\ChangeLog(3719):* version.c: Update copyright year.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\ChangeLog(4755):* pthread_atfork.c: Update copyright terms including special exception
glibc\glibc-2.12.2\glibc-2.12.2\nptl\cleanup.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\cleanup_compat.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\cleanup_defer.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\cleanup_defer_compat.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\cleanup_routine.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\descr.h(1):/* Copyright (C) 2002-2006, 2007, 2008, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\eintr.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\events.c(2): Copyright (C) 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\forward.c(1):/* Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\herrno.c(1):/* Copyright (C) 1996,97,98,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\libc-cancellation.c(1):/* Copyright (C) 2002, 2003, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\libc-cleanup.c(1):/* Copyright (C) 2002, 2003, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\lowlevellock.h(2): Copyright (C) 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\Makeconfig(1):# Copyright (C) 2002,2003,2005,2006,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\Makefile(1):# Copyright (C) 2002-2008,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\nptl-init.c(1):/* Copyright (C) 2002-2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\old_pthread_atfork.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\old_pthread_cond_broadcast.c(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\old_pthread_cond_destroy.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\old_pthread_cond_init.c(1):/* Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\old_pthread_cond_signal.c(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\old_pthread_cond_timedwait.c(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\old_pthread_cond_wait.c(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\perf.c(1):/* Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pt-allocrtsig.c(1):/* Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pt-cleanup.c(1):/* Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_atfork.c(1):/* Copyright (C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_destroy.c(1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getdetachstate.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getguardsize.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getinheritsched.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getschedparam.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getschedpolicy.c(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getscope.c(1):/* Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getstack.c(1):/* Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getstackaddr.c(1):/* Copyright
(C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_getstacksize.c(1):/* Copyright
(C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_init.c(1):/* Copyright (C)
2002, 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setdetachstate.c(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setguardsize.c(1):/* Copyright
(C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setinheritsched.c(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setschedparam.c(1):/* Copyright
(C) 2002, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setschedpolicy.c(1):/*
Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setscope.c(1):/* Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setstack.c(1):/* Copyright (C)
2002, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setstackaddr.c(1):/* Copyright
(C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_attr_setstacksize.c(1):/* Copyright
(C) 2002, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_barrier_destroy.c(1):/* Copyright
(C) 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_barrier_init.c(1):/* Copyright (C)
2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_barrier_wait.c(1):/* Copyright (C)
2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_barrierattr_destroy.c(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_barrierattr_getpshared.c(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_barrierattr_init.c(1):/* Copyright
(C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_barrierattr_setpshared.c(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_cancel.c(1):/* Copyright (C) 2002,
2003, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_clock_gettime.c(1):/* Copyright (C)
2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_clock_settime.c(1):/* Copyright (C)
2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_cond_broadcast.c(1):/* Copyright (C)
2003, 2004, 2006, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_cond_destroy.c(1):/* Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_cond_init.c(1):/* Copyright (C) 2002, 2003, 2004, 2005, 2007, 2008

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_cond_signal.c(1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_cond_timedwait.c(1):/* Copyright (C) 2003, 2004, 2007, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_cond_wait.c(1):/* Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_condattr_destroy.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_condattr_getclock.c(1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_condattr_getpshared.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_condattr_init.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_condattr_setclock.c(1):/* Copyright (C) 2003, 2004, 2007, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_condattr_setpshared.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_create.c(1):/* Copyright (C) 2002-2007,2008,2009,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_detach.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_equal.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_exit.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_getattr_np.c(1):/* Copyright (C) 2002, 2003, 2004, 2006, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_getconcurrency.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_getcpuclockid.c(1):/* Copyright (C) 2000, 2001, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_getschedparam.c(1):/* Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_getspecific.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_join.c(1):/* Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_key_create.c(1):/* Copyright (C) 2002, 2003, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_key_delete.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_kill_other_threads.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_consistent.c(1):/* Copyright (C) 2005, 2006, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_destroy.c(1):/* Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_getprioceiling.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_init.c(1):/* Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_lock.c(1):/* Copyright (C) 2002-2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_setprioceiling.c(2): Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_timedlock.c(1):/* Copyright (C) 2002-2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_trylock.c(1):/* Copyright (C) 2002, 2003, 2005-2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutex_unlock.c(1):/* Copyright (C) 2002, 2003, 2005-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_destroy.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_getprioceiling.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_getprotocol.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_getpshared.c(1):/* Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_getrobust.c(1):/* Copyright (C) 2005, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_gettype.c(1):/* Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_init.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_setprioceiling.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_setprotocol.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_setpshared.c(1):/* Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_setrobust.c(1):/* Copyright (C) 2005, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_mutexattr_settype.c(1):/* Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_once.c(1):/* Copyright (C) 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_destroy.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_init.c(1):/* Copyright (C) 2002, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_rdlock.c(1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_timedrdlock.c(1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_timedwrlock.c(1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_tryrdlock.c(1):/* Copyright (C) 2002, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_trywrlock.c(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_unlock.c(1):/* Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlock_wrlock.c(1):/* Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlockattr_destroy.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlockattr_getkind_np.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlockattr_getpshared.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlockattr_init.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlockattr_setkind_np.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_rwlockattr_setpshared.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_self.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_setcancelstate.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_setcanceltype.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_setconcurrency.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_setschedparam.c(1):/* Copyright (C) 2002, 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_setschedprio.c(1):/* Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_setspecific.c(1):/* Copyright (C) 2002, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_spin_destroy.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_spin_init.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_spin_unlock.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_testcancel.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_timedjoin.c(1):/* Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthread_tryjoin.c(1):/* Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pthreadP.h(1):/* Copyright (C) 2002-2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pt-raise.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\pt-system.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\res.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sem_close.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sem_destroy.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sem_getvalue.c(1):/* Copyright (C) 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sem_init.c(1):/* Copyright (C) 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sem_open.c(1):/* Copyright (C) 2002, 2003, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sem_unlink.c(1):/* Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\semaphore.h(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\semaphoreP.h(1):/* Copyright (C) 2002, 2003, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sigaction.c(1):/* Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\i486\pthread_spin_trylock.S(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\i586\pthread_spin_trylock.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\i686\Makefile(1):# Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\i686\pthread_spin_trylock.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\i686\tls.h(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\Makefile(1):# Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\pthread_spin_init.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\pthread_spin_lock.c(1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\pthread_spin_unlock.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\pthreaddef.h(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\i386\tls.h(2): Copyright (C) 2002-2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\ia64\Makefile(1):# Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\ia64\pthread_spin_lock.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\ia64\pthread_spin_trylock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\ia64\pthread_spin_unlock.c(1):/* Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\ia64\pthreaddef.h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\ia64\tls.h(2): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\powerpc\Makefile(1):# Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\powerpc\pthread_spin_lock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\powerpc\pthread_spin_trylock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\powerpc\pthreaddef.h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\powerpc\tls.h(2): Copyright (C) 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\aios_misc.h(1):/* Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\alloclim.h(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\bits\libc-lock.h(2): Copyright (C) 1996-2003, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\bits\sigthread.h(2): Copyright (C) 1998, 1999, 2000, 2002, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\bits\stdio-lock.h(2): Copyright (C) 2000, 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\createthread.c(1):/* Copyright (C) 2002-2007, 2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\flockfile.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\ftrylockfile.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\funlockfile.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\gai_misc.h(1):/* Copyright (C) 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\librt-cancellation.c(1):/* Copyright (C) 2002, 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\list.h(1):/* Copyright (C) 2002, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\Makefile(1):# Copyright (C) 2002,2003,2004,2006,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\malloc-machine.h(3): Copyright (C) 2003, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\posix-timer.h(2): Copyright (C) 2000, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\pthread.h(1):/* Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\pthread_sigmask.c(1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\pthread-functions.h(1):/* Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\pt-initfini.c(2): Copyright (C) 1995,1996,1997,2000,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\pt-longjmp.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\setxid.h(1):/* Copyright (C) 2004, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\sigfillset.c(1):/* Copyright (C) 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\sigprocmask.c(1):/* Copyright (C) 1997,1998,1999,2000,2001,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\timer_create.c(1):/* Copyright (C) 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\timer_delete.c(1):/* Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\timer_getoverrr.c(1):/* Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\timer_gettime.c(1):/* Copyright (C) 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\timer_routines.c(2): Copyright (C) 2000, 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\timer_settime.c(1):/* Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\tst-timer.c(2): Copyright (C) 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\pthread\unwind-forcedunwind.c(1):/* Copyright (C) 2003, 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\s390\Makefile(1):# Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\s390\pthread_spin_init.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\s390\pthread_spin_lock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\s390\pthread_spin_trylock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\s390\pthread_spin_unlock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\s390\pthreaddef.h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\s390\tls.h(2): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sh\pthread_spin_init.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sh\pthread_spin_lock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sh\pthread_spin_trylock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sh\pthread_spin_unlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sh\pthreaddef.h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sh\tls.h(2): Copyright (C) 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\sparc32\pthread_spin_lock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\sparc32\pthread_spin_trylock.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\sparc32\pthreaddef.h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\sparc32\pthread_spin_lo
ck.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\sparc64\pthread_spin_lock.c(1)
:/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\sparc64\pthread_spin_trylock.c
(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\sparc64\pthread_spin_unlock.c(
2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\sparc64\pthreaddef.h(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\sparc\tls.h(2): Copyright (C) 2003,
2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\aiomisc.h(1):/*
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\allocrtsig.c(1):/*
Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\bits\local_lim.h(2):
Copyright (C) 1993-1998,2000,2002-2004,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\bits\posix_opt.h(2):
Copyright (C) 1996-2004, 2006, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\createthread.c(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\fork.c(1):/*
Copyright (C) 2002, 2003, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\fork.h(1):/*
Copyright (C) 2002, 2003, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\getpid.c(1):/*
Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\bits\pthreadtyp
es.h(1):/* Copyright (C) 2002,2003,2004,2005,2006,2007 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\bits\semaphore.
h(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\createthread.c(
1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\dl-sysdep.h(2):
Copyright (C) 2002,2003,2008,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\fork.c(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\libc-lowle
vellock.S(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\lowlevello
ck.S(1):/* Copyright (C) 2002-2004,2006,2007,2009,2010 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\lowlevelro
bustlock.S(1):/* Copyright (C) 2002, 2003, 2004, 2006, 2007 Free Software
Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_ba
rrier_wait.S(1):/* Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_co
nd_broadcast.S(1):/* Copyright (C) 2002,2003,2004,2006,2007,2009 Free Software

legal(ME)

Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_cond_signal.S(1):/* Copyright (C) 2002-2005,2007,2009,2010 Free Software

Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_cond_timedwait.S(1):/* Copyright (C) 2002-2004,2006-2007,2009,2010 Free Software

Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_cond_wait.S(1):/* Copyright (C) 2002-2004,2006-2007,2009,2010 Free Software

Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_rwlock_rdlock.S(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_rwlock_timedrdlock.S(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.

Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_rwlock_timedwrlock.S(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.

Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_rwlock_unlock.S(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\pthread_rwlock_wrlock.S(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\sem_post.S(1):/* Copyright (C) 2002, 2003, 2005, 2007, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\sem_timedwait.S(1):/* Copyright (C) 2002, 2003, 2004, 2005, 2007, 2009 Free Software

Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\sem_trywait.S(1):/* Copyright (C) 2002, 2003, 2005, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i486\sem_wait.S(1):/* Copyright (C) 2002, 2003, 2005, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\lowlevellock.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\lowlevelrobustlock.S(1):/* Copyright (C) 2002, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_barrier_wait.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_cond_broadcast.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_cond_signal.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_cond_timedwait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_cond_wait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_rwlock_rdlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_rwlock_timedrdlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_rwlock_timedwrlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_rwlock

legal(ME)

lock_unlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\pthread_rwlock_wrlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\sem_post.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\sem_timedwait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\sem_trywait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i586\sem_wait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\dl-sysdep.h(2): Copyright (C) 2002, 2003, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\lowlevellock.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\lowlevelrobustlock.S(1):/* Copyright (C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_barrier_wait.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_cond_broadcast.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_cond_signal.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_cond_timedwait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_cond_wait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_rwlock_rdlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_rwlock_timedrdlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_rwlock_timedwrlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_rwlock_unlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\pthread_rwlock_wrlock.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\sem_post.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\sem_timedwait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\sem_trywait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\i686\sem_wait.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\lowlevellock.h(1):/* Copyright (C) 2002-2004, 2006-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\not-cancel.h(2): Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\pthread_once.S(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\pt-vfork.S(1):/

legal(ME)

* Copyright (C) 1999, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\smp.h(2):
Copyright (C) 1996, 2002, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\sysdep-cancel.h
(1):/* Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\i386\vfork.S(1):/*
Copyright (C) 1999,2002,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64__ia64_longjmp.
S(1):/* Copyright (C) 1999, 2000, 2001, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64__sigstack_long
jmp.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\bits\local_lim.
h(2): Copyright (C) 1993-1998,2000,2002-2004,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\bits\pthreadtyp
es.h(1):/* Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\bits\semaphore.
h(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\createthread.c(
1):/* Copyright (C) 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\dl-sysdep.h(2):
Copyright (C) 2003, 2004, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\fork.c(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\lowlevellock.h(
1):/* Copyright (C) 2003, 2004, 2006-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\pthread_once.c(
1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\pt-initfini.c(2
) : Copyright (C) 2000, 2001, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\pt-vfork.S(1):/
* Copyright (C) 2000, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\sysdep-cancel.h
(1):/* Copyright (C) 2002, 2003,2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\unwind_longjmp.
c(1):/* Copyright (C) 1991,92,94,95,97,98,2000,02,04 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\unwind-forcedun
wind.c(1):/* Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\ia64\vfork.S(1):/*
Copyright (C) 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\internaltypes.h(1):/
* Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\jmp-unwind.c(2):
Copyright (C) 1995, 1997, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\kernel-posix-timers.
h(1):/* Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\libc_multiple_thread
s.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\libc_pthread_init.c(
1):/* Copyright (C) 2002,2003,2005,2006,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\libc-lowlevellock.c(

legal(ME)

1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\lowlevellock.c(2):
Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\lowlevelrobustlock.c
(1):/* Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\Makefile(1):#
Copyright (C) 2002,2003,2004,2005,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\mq_notify.c(1):/*
Copyright (C) 2004, 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\bits\local_1
im.h(2): Copyright (C) 1993-1998,2000,2002-2004,2006,2008
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\bits\pthread
types.h(2): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\bits\semapho
re.h(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\createthread
.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\lowlevellock
.h(1):/* Copyright (C) 2003, 2004, 2006-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\powerpc32\pt
-vfork.S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\powerpc32\sy
sdep-cancel.h(2): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software
Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\powerpc32\vf
ork.S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\powerpc64\pt
-vfork.S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\powerpc64\sy
sdep-cancel.h(2): Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\powerpc64\vf
ork.S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\pthread_once
.c(1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\pthread_spin
_unlock.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\pt-longjmp.c
(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\powerpc\sem_post.c(2
): Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pt-fork.c(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_attr_getaffi
nity.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_attr_setaffi
nity.c(1):/* Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_getaffinity.
c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_getcpuclocki
d.c(2): Copyright (C) 2000,2001,2002,2003,2004,2005 Free Software Foundation,
Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_getname.c(2)
: Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_kill.c(1):/*
Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_setaffinity.
c(1):/* Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_setname.c(2)
: Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_sigqueue.c(1
)/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pthread_yield.c(1):/
* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\pt-raise.c(1):/*
Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\raise.c(1):/*
Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\register-atfork.c(1)
:/* Copyright (C) 2002, 2003, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\rtld-lowlevel.h(2):
Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\bits\pthreadtyp
es.h(1):/* Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\bits\semaphore.
h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\fork.c(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\jmp-unwind.c(2)
: Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\lowlevellock.h(
1):/* Copyright (C) 2003, 2004, 2006-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\pthread_once.c(
1):/* Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\s390-32\pt-init
fini.c(2): Copyright (C) 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\s390-32\pt-vfor
k.S(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\s390-32\sysdep-
cancel.h(1):/* Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\s390-32\vfork.S
(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\s390-64\pt-init
fini.c(2): Copyright (C) 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\s390-64\pt-vfor
k.S(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\s390-64\sysdep-
cancel.h(1):/* Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\s390\s390-64\vfork.S
(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sem_post.c(2):
Copyright (C) 2003, 2004, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sem_timedwait.c(2):

legal(ME)

Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sem_trywait.c(2):
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sem_wait.c(2):
Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\bits\pthreadtypes
.h(1):/* Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\bits\semaphore.h(
1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\createthread.c(1)
:/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\fork.c(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\libc-lowlevellock
.S(1):/* Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\lowlevel-atomic.h
(1):/* Copyright (C) 2003, 2004, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\lowlevellock.h(1)
:/* Copyright (C) 2003, 2004, 2006, 2007, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\lowlevellock.S(1)
:/* Copyright (C) 2003, 2004, 2005, 2007, 2008, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\lowlevelrobustloc
k.S(1):/* Copyright (C) 2003, 2004, 2005, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_barrier_w
ait.S(1):/* Copyright (C) 2003, 2004, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_cond_broa
dcast.S(1):/* Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_cond_sign
al.S(1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_cond_time
dwait.S(1):/* Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_cond_wait
.S(1):/* Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_once.S(1)
:/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_rwlock_rd
lock.S(1):/* Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_rwlock_ti
medrdlock.S(1):/* Copyright (C) 2003, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_rwlock_ti
medwrlock.S(1):/* Copyright (C) 2003, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_rwlock_un
lock.S(1):/* Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pthread_rwlock_wr
lock.S(1):/* Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pt-initfini.c(2):
Copyright (C) 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\pt-vfork.S(1):/*
Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\sem_post.S(1):/*
Copyright (C) 2003, 2004, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\sem_timedwait.S(1

legal(ME)

```
)//* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\sem_await.S(1):
/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\sem_wait.S(1):/*
Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\smp.h(2):
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\sysdep-cancel.h(1
):/* Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sh\vfork.S(1):/*
Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\smp.h(2): Copyright
(C) 1996, 2002, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\bits\local_lim
.h(2): Copyright (C) 1993-1998,2000,2002-2004,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\bits\pthready
pes.h(2): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\bits\semaphore
.h(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\fork.c(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\lowlevellock.h
(1):/* Copyright (C) 2003, 2004, 2006, 2007, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\pthread_barrie
r_destroy.c(1):/* Copyright (C) 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\pthread_barrie
r_init.c(1):/* Copyright (C) 2002, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\pthread_barrie
r_wait.c(1):/* Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\pthread_once.c
(1):/* Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sem_init.c(1):
/* Copyright (C) 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sem_post.c(2):
Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sem_timedwait.
c(2): Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sem_wait.c(2):
Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\lowlev
ellock.c(2): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\pthea
d_barrier_wait.c(1):/* Copyright (C) 2003, 2004, 2006, 2007 Free Software
Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\pt-vfo
rk.S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\sem_po
st.c(2): Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\sem_ti
medwait.c(2): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
```

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\sem_tr
ywait.c(2): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\sem_wa
it.c(2): Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\sysdep
-cancel.h(1):/* Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc32\vfork.
S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc64\pt-vfo
rk.S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc64\sysdep
-cancel.h(1):/* Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\sparc\sparc64\vfork.
S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\timer_create.c(1):/*
Copyright (C) 2003,2004, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\timer_delete.c(1):/*
Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\timer_getoverr.c(1):
/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\timer_gettime.c(1):/
* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\timer_routines.c(1):
/* Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\timer_settime.c(1):/
* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\unregister-atfork.c(
1):/* Copyright (C) 2002, 2003, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\bits\pthreadd
types.h(1):/* Copyright (C) 2002,2003,2004,2005,2006,2007 Free Software
Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\bits\semaphor
e.h(1):/* Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\cancellation.
S(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\compat-timer.
h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\fork.c(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\libc-cancell
ation.S(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\libc-lowlevel
lock.S(1):/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\librt-cancell
ation.S(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\lowlevellock.
h(1):/* Copyright (C) 2002-2004, 2006-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\lowlevellock.
S(1):/* Copyright (C) 2002-2006, 2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\lowlevelrobus

legal(ME)

tlock.S(1):/* Copyright (C) 2002=2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_barrier_wait.S(1):/* Copyright (C) 2002, 2003, 2004, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_cond_broadcast.S(1):/* Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_cond_signal.S(1):/* Copyright (C) 2002-2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_cond_timedwait.S(1):/* Copyright (C) 2002-2005, 2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_cond_wait.S(1):/* Copyright (C) 2002-2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_once.S(1):/* Copyright (C) 2002, 2003, 2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_rwlock_k_rlock.S(1):/* Copyright (C) 2002, 2003, 2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_rwlock_k_timedrdlock.S(1):/* Copyright (C) 2002-2005, 2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_rwlock_k_timedwrlock.S(1):/* Copyright (C) 2002, 2003, 2005, 2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_rwlock_k_unlock.S(1):/* Copyright (C) 2002, 2003, 2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pthread_rwlock_k_wrlock.S(1):/* Copyright (C) 2002, 2003, 2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\pt-vfork.S(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\sem_post.S(1):/* Copyright (C) 2002, 2003, 2005, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\sem_timedwait.S(1):/* Copyright (C) 2002,2003,2005,2007,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\sem_trywait.S(1):/* Copyright (C) 2002, 2003, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\sem_wait.S(1):/* Copyright (C) 2002, 2003, 2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\sysdep-cancel.h(1):/* Copyright (C) 2002-2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\timer_create.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\timer_delete.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\timer_getoverr.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\timer_gettime.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\timer_settime

legal(ME)

.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\unix\sysv\linux\x86_64\vfork.S(1):/*
Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\x86_64\Makefile(1):# Copyright (C)
2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\x86_64\pthread_spin_trylock.S(1):/*
Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\x86_64\pthread_spin_unlock.S(1):/*
Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\x86_64\pthreaddef.h(1):/* Copyright
(C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\sysdeps\x86_64\tls.h(2): Copyright (C)
2002-2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tpp.c(2): Copyright (C) 2006, 2007 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-_res1.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-_res1mod1.c(1):/* Copyright (C) 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-abstime.c(1):/* Copyright (C) 2010 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-align.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-align2.c(1):/* Copyright (C) 2004, 2007
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-align3.c(1):/* Copyright (C) 2005 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-atfork1.c(1):/* Copyright (C) 2002, 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-atfork2.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-atfork2mod.c(1):/* Copyright (C) 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-attr1.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-attr2.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-attr3.c(2): Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-backtrace1.c(1):/* Copyright (C) 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-barrier1.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-barrier2.c(1):/* Copyright (C) 2002,
2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-barrier3.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-barrier4.c(1):/* Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-basic1.c(1):/* Copyright (C) 2002, 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-basic2.c(1):/* Copyright (C) 2002, 2003,

legal(ME)

2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-basic3.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-basic4.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-basic5.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-basic6.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel1.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel10.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel11.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel12.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel13.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel14.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel15.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel16.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel17.c(1):/* Copyright (C) 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel18.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel19.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel2.c(1):/* Copyright (C) 2002, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel20.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel21.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel22.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel3.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel4.c(1):/* Copyright (C) 2002, 2003, 2004, 2006, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel6.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel7.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel8.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel9.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cancel-wrappers.sh(3):# Copyright (C)

legal(ME)

2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cleanup0.c(1):/* Copyright (C) 2002,
2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cleanup1.c(1):/* Copyright (C) 2002,
2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cleanup2.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cleanup3.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cleanup4.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cleanup4aux.c(1):/* Copyright (C) 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-clock1.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-clock2.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond1.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond10.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond11.c(1):/* Copyright (C) 2003, 2004,
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond12.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond14.c(1):/* Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond15.c(1):/* Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond16.c(1):/* Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond18.c(1):/* Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond19.c(1):/* Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond2.c(1):/* Copyright (C) 2002, 2003,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond20.c(1):/* Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond23.c(1):/* Copyright (C) 2008 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond3.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond4.c(1):/* Copyright (C) 2002, 2003,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond5.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond6.c(1):/* Copyright (C) 2002, 2003,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond7.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond8.c(1):/* Copyright (C) 2003 Free

legal(ME)

Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-cond9.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-context1.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-detach1.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-eintr1.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-eintr2.c(1):/* Copyright (C) 2003, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-eintr3.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-eintr4.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-eintr5.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-exec1.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-exec2.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-exec3.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-exec4.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-exit1.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-fini1.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-fini1mod.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-flock1.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-flock2.c(1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-fork1.c(1):/* Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-fork2.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-fork3.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-fork4.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-initializers1.c(1):/* Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-join1.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-join2.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-join3.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-join4.c(1):/* Copyright (C) 2003, 2004

legal(ME)

Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-join5.c(1):/* Copyright (C) 2003, 2006
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-key1.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-key2.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-key3.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-key4.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-kill1.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-kill2.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-kill3.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-kill4.c(1):/* Copyright (C) 2003, 2006
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-kill5.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-kill6.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex1.c(1):/* Copyright (C) 2002, 2006
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex2.c(1):/* Copyright (C) 2002, 2003,
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex3.c(1):/* Copyright (C) 2002, 2003,
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex4.c(1):/* Copyright (C) 2002, 2003,
2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex5.c(1):/* Copyright (C) 2002, 2003,
2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex6.c(1):/* Copyright (C) 2002, 2006
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex7.c(1):/* Copyright (C) 2002, 2004,
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex8.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutex9.c(1):/* Copyright (C) 2003, 2004,
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-mutexpp10.c(1):/* Copyright (C) 2006
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-once1.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-once2.c(1):/* Copyright (C) 2002, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-once3.c(1):/* Copyright (C) 2002, 2003,
2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-once4.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-popen1.c(1):/* Copyright (C) 2003 Free

legal(ME)

Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-raise1.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-robust1.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-robust7.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock1.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock10.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock11.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock12.c(1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock13.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock14.c(1):/* Copyright (C) 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock2.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock3.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock4.c(1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock5.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock6.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock7.c(1):/* Copyright (C) 2002, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock8.c(2): Copyright (C) 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-rwlock9.c(2): Copyright (C) 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sched1.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem1.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem10.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem2.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem3.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem4.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem5.c(1):/* Copyright (C) 2002, 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem6.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem7.c(1):/* Copyright (C) 2003 Free

legal(ME)

Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem8.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sem9.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-setuid1.c(1):/* Copyright (C) 2004 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-signal1.c(1):/* Copyright (C) 2002,
2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-signal2.c(1):/* Copyright (C) 2002, 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-signal3.c(1):/* Copyright (C) 2002,
2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-signal4.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-signal5.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-signal6.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-signal7.c(1):/* Copyright (C) 2005 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-spin1.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-spin2.c(1):/* Copyright (C) 2002, 2003,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-spin3.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-stack1.c(1):/* Copyright (C) 2002, 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-stack2.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-stack3.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-stackguard1.c(1):/* Copyright (C) 2005
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-stdio1.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-stdio2.c(1):/* Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-sysconf.c(1):/* Copyright (C) 2002, 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tls1.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tls2.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tls3.c(1):/* Copyright (C) 2003, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tls3mod.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tls4.c(1):/* Copyright (C) 2003 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tls4moda.c(1):/* Copyright (C) 2003 Free

legal(ME)

Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tls4modb.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tls5.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-tpp.h(1):/* Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-td1.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-td2.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-td3.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-td4.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-td5.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-typesizes.c(1):/* Copyright (C) 2005, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-umask1.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\tst-unload.c(2): Copyright (C) 2000, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\unwind.c(1):/* Copyright (C) 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\vars.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\version.c(1):/* Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nptl\version.c(26):"Copyright (C) 2006 Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\nscd\aicache.c(2): Copyright (C) 2004-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\cache.c(1):/* Copyright (c) 1998, 1999, 2003-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\connections.c(2): Copyright (C) 1998-2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\dbg_log.c(1):/* Copyright (c) 1998, 2000, 2004, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\dbg_log.h(1):/* Copyright (c) 1998, 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\gai.c(1):/* Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\getgrgid_r.c(1):/* Copyright (C) 1996, 1997, 1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\getgrnam_r.c(1):/* Copyright (C) 1996, 1997, 1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\gethstbyad_r.c(1):/* Copyright (C) 1996-2000, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\gethstbynm3_r.c(1):/* Copyright (C) 1996-1998, 2000, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\getpwnam_r.c(1):/* Copyright (C) 1996, 1997,

legal(ME)

1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\getpuid_r.c(1):/* Copyright (C) 1996, 1997, 1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\getsrbynm_r.c(1):/* Copyright (C) 1996, 1997, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\getsrbypt_r.c(1):/* Copyright (C) 1996, 1997, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\grpcache.c(2): Copyright (C) 1998-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\hstcache.c(2): Copyright (C) 1998-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\initgrcache.c(2): Copyright (C) 2004, 2005, 2006, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\Makefile(1):# Copyright (C) 1998,2000,2002-2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\mem.c(2): Copyright (C) 2004, 2005, 2006, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd.c(1):/* Copyright (c) 1998-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd.c(430):Copyright (C) %s Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd.h(1):/* Copyright (c) 1998-2001, 2003-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_conf.c(1):/* Copyright (c) 1998, 2000, 2003-2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_getai.c(1):/* Copyright (C) 2004, 2005, 2006, 2007, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_getgr_r.c(1):/* Copyright (C) 1998-2000, 2002-2005, 2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_gethst_r.c(1):/* Copyright (C) 1998-2005, 2006, 2007, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_getpw_r.c(1):/* Copyright (C) 1998, 1999, 2003, 2004, 2005, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_getserv_r.c(1):/* Copyright (C) 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_helper.c(1):/* Copyright (C) 1998-2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_initgroups.c(1):/* Copyright (C) 2004, 2005, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_proto.h(1):/* Copyright (C) 1998-2000, 2002, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_setup_thread.c(2): Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd_stat.c(1):/* Copyright (c) 1998, 2003, 2004, 2005, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\nscd-client.h(1):/* Copyright (c) 1998, 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\nscd\pwdcache.c(2): Copyright (C) 1998-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\selenium.c(2): Copyright (C) 2004, 2005, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\selenium.h(2): Copyright (C) 2004, 2006,

legal(ME)

2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nscd\servicescache.c(2): Copyright (C) 2007,
2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\alias-lookup.c(1):/* Copyright (C) 1996 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\databases.def(2): Copyright (C) 1996, 1997,
2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\db-Makefile(2):# Copyright (C) 1996, 1997,
1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\digits_dots.c(1):/* Copyright (C) 1997, 1999,
2000, 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\ethers-lookup.c(1):/* Copyright (C) 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\function.def(2): Copyright (C) 1996, 1997,
1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\getent.c(1):/* Copyright (c) 1998-2008, 2009,
2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\getent.c(88):Copyright (C) %s Free Software
Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\nss\getnssent.c(1):/* Copyright (C) 2000, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\getnssent_r.c(1):/* Copyright (C) 2000, 2002,
2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\getXXbyYY.c(1):/* Copyright (C)
1996-2001,2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\getXXbyYY_r.c(1):/* Copyright (C) 1996-2004,
2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\getXXent.c(1):/* Copyright (C) 1996, 1997,
1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\getXXent_r.c(1):/* Copyright (C)
1996-2000,2002,2004,2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\grp-lookup.c(1):/* Copyright (C) 1996 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\hosts-lookup.c(1):/* Copyright (C) 1996, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\key-lookup.c(1):/* Copyright (C) 1996 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\makedb.c(2): Copyright (C) 1996, 1997, 1998,
1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\makedb.c(246):Copyright (C) %s Free Software
Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\nss\Makefile(1):# Copyright (C)
1996-1998,2000-2002,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\netgrp-lookup.c(1):/* Copyright (C) 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\network-lookup.c(1):/* Copyright (C) 1996
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss.h(1):/* Copyright (C) 1996, 1997, 1999,
2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_db\db-alias.c(2): Copyright (C) 1996,
1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_db\db-netgrp.c(2): Copyright (C) 1996,

legal(ME)

1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_db\db-open.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_db\db-XXX.c(2): Copyright (C) 1996, 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_db\dummy-db.h(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_db\nss_db.h(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-alias.c(2): Copyright (C) 1996,97,98,99,2002,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-ethers.c(1):/* Copyright (C) 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-grp.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-have_o_cloexec.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-hosts.c(2): Copyright (C) 1996-2001, 2003-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-key.c(2): Copyright (C) 1996, 1997, 1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-netgrp.c(2): Copyright (C) 1996, 1997, 2000, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-network.c(2): Copyright (C) 1996-1998, 2000, 2001, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-parse.c(2): Copyright (C) 1996-2000, 2003, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-proto.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-pwd.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-rpc.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-service.c(2): Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-sgrp.c(2): Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-spwd.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nss_files\files-XXX.c(2): Copyright (C) 1996-1999,2001,2002,2004,2007,2008
glibc\glibc-2.12.2\glibc-2.12.2\nss\nssswitch.c(1):/* Copyright (C) 1996-1999, 2001-2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\nssswitch.h(1):/* Copyright (C) 1996-1999,2001,2002,2003,2004,2007
glibc\glibc-2.12.2\glibc-2.12.2\nss\proto-lookup.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\rpc-lookup.c(1):/* Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\rpc-lookup.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\service-lookup.c(1):/* Copyright (C) 1996,

legal(ME)

1997, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\sgrp-lookup.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\spwd-lookup.c(1):/* Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\test-netdb.c(1):/* Copyright (C) 1998,99,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\nss\XXX-lookup.c(1):/* Copyright (C) 1996, 1997, 1999, 2000, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\be.po(2):# Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\be.po(301):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\bg.po(161):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\bg.po(165):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\bg.po(2):# Copyright (C) 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\ca.po(2):# Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\ca.po(207):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\ca.po(211):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\cs.po(180):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\cs.po(184):"Copyright ㄣ %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\cs.po(2):# Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\da.po(162):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\da.po(3):# Copyright (C) 1996, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\de.po(2):# Copyright ㄣ 1996, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\de.po(345):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\de.po(349):"Copyright ㄣ %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\el.po(1490):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\el.po(1494):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\el.po(2):# Copyright (C) 1998, 1999, 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\en_GB.po(1472):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\en_GB.po(2):# Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\es.po(2):# Copyright (C) 1996, 1997, 1998,

legal(ME)

2001, 2002, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\es.po(343):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\es.po(347):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\fi.po(177):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\fi.po(181):"Copyright © %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\fi.po(3):# Copyright © 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\fr.po(164):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\fr.po(168):"Copyright © %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\fr.po(3):# Copyright © 2004, 2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\gl.po(2):# Copyright (C) 1999, 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\gl.po(300):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\gl.po(304):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\header.pot(2):# Copyright (C) YEAR Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\hr.po(1540):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\hr.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\hu.po(161):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\hu.po(165):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\hu.po(2):# Copyright (C) 2003, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\id.po(159):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\id.po(2):# Copyright (C) 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\it.po(1533):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\it.po(1537):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\it.po(2):# Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\ja.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\ja.po(300):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\ja.po(304):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\ko.po(159):"Copyright (C) %s Free Software

legal(ME)

Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\ko.po(163):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\ko.po(3):# Copyright (C) 1996, 1998, 2000, 2001, 2002, 2004, 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\libc.pot(155):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\libc.pot(2):# Copyright (C) YEAR Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\lt.po(149):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\lt.po(2):# Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\lt.po(7023):#~ msgid "Copyright (C) 2006 Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\Makefile(1):# Copyright (C) 1996-1999,2001,2002,2006,2007,2009
glibc\glibc-2.12.2\glibc-2.12.2\po\nb.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\nb.po(305):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\nb.po(309):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\nl.po(168):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\nl.po(172):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\nl.po(2):# Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\pl.po(159):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\pl.po(163):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\pl.po(2):# Copyright (C) 1996, 1997, 1998, 1999, 2002, 2003, 2004, 2005, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\pt_BR.po(2):# Copyright   1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\pt_BR.po(857):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\pt_BR.po(861):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\ru.po(165):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\ru.po(169):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\ru.po(3):# Copyright (C) 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\rw.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\po\rw.po(346):"Copyright (C) %s Free Software Foundation, Inc.\n"
glibc\glibc-2.12.2\glibc-2.12.2\po\sk.po(2):# Copyright (C) 1998-2001, 2002,

legal(ME)

2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\sk.po(301):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\sv.po(162):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\sv.po(166):"Copyright © %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\sv.po(2):# Copyright © 1996, 1998, 2001, 2002, 2003, 2006, 2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\tr.po(156):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\tr.po(2):# Copyright (C) 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\vi.po(162):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\vi.po(2):# Copyright © 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\zh_CN.po(147):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\po\zh_CN.po(2):# Copyright (C) 2002, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\zh_TW.po(2):# Copyright (C) 2000, 05 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\po\zh_TW.po(303):"Copyright (C) %s Free Software Foundation, Inc.\n"

glibc\glibc-2.12.2\glibc-2.12.2\posix_exit.c(1):/* Copyright (C) 1991,94,95,96,97,99,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\alarm.c(1):/* Copyright (C) 1991,95,96,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\annexc.c(1):/* Copyright (C) 1998, 2000, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bits\posix1_lim.h(1):/* Copyright (C) 1991-1993,96,98,2000-2003,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bits\posix2_lim.h(1):/* Copyright (C) 1991, 1996, 1999, 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bits\unistd.h(2): Copyright (C) 2005, 2006, 2007, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\B00ST.tests(33);; The copyright notices in the Software and this entire statement, including

glibc\glibc-2.12.2\glibc-2.12.2\posix\bsd-getpgrp.c(2): Copyright (C) 1991,92,94,95,96,97,2000,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-glob2.c(3): Copyright (C) 2001, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex10.c(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex11.c(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex12.c(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex13.c(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex14.c(2): Copyright (C) 2002 Free

legal(ME)

Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex17.c(2): Copyright (C) 2002, 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex18.c(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex19.c(2): Copyright (C) 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex2.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex20.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex21.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex22.c(2): Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex23.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex25.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex26.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex27.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex28.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex3.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex30.c(2): Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex4.c(2): Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex6.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex7.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex8.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\bug-regex9.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\confstr.c(1):/* Copyright (C) 1991,1996,1997,2000-2004,2009,2010 Free
glibc\glibc-2.12.2\glibc-2.12.2\posix\cpio.h(3): Copyright (C) 1992, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\execl.c(1):/* Copyright (C) 1991,92,94,97,98,99,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\execle.c(1):/* Copyright (C) 1991,97,98,99,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\execlp.c(1):/* Copyright (C) 1991,93,96,97,98,99,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\execv.c(1):/* Copyright (C) 1991, 1992, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\execve.c(1):/* Copyright (C) 1991, 1995,

legal(ME)

1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\execvp.c(1):/* Copyright (C) 1991,92,
1995-99, 2002, 2004, 2005, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\posix\execvpe.c(1):/* Copyright (C) 1991,92,
1995-99, 2002, 2004, 2005, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\posix\fexecve.c(1):/* Copyright (C) 1994, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\fnmatch.c(1):/* Copyright (C)
1991,1992,1993,1996,1997,1998,1999,2000,2001,2002,2003,2007,2010
glibc\glibc-2.12.2\glibc-2.12.2\posix\fnmatch.h(1):/* Copyright (C)
1991-93,96,97,98,99,2001,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\fnmatch_loop.c(1):/* Copyright (C)
1991-1993,1996-2001,2003-2005,2007,2010
glibc\glibc-2.12.2\glibc-2.12.2\posix\fork.c(1):/* Copyright (C) 1991, 1995,
1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\fpathconf.c(1):/* Copyright (C) 1991, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\gai_strerror.c(1):/* Copyright (C)
1996,97,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\get_child_max.c(2): Copyright (C) 2006 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getaddrinfo.c(2): Copyright (C) 1996, 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getconf.c(1):/* Copyright (C) 1991, 92,
1995-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getconf.c(1105):Copyright (C) %s Free
Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\posix\getegid.c(1):/* Copyright (C) 1991, 1992,
1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\geteuid.c(1):/* Copyright (C) 1991, 1992,
1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getgid.c(1):/* Copyright (C) 1991, 1993,
1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getgroups.c(1):/* Copyright (C)
1991,1992,1995,1996,1997,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getlogin.c(1):/* Copyright (C) 1991, 1995,
1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getlogin_r.c(2): Copyright (C) 1996, 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getopt.c(5): Copyright (C)
1987-1996,1998-2004,2008,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\posix\getopt.h(2): Copyright (C)
1989-1994,1996-1999,2001,2003,2004,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\posix\getopt_init.c(2): Copyright (C) 1997, 1998,
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getopt_int.h(2): Copyright (C)
1989-1994,1996-1999,2001,2003,2004,2009
glibc\glibc-2.12.2\glibc-2.12.2\posix\getopt1.c(2): Copyright (C)
1987-1994,1996-1998,2004,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getpgid.c(1):/* Copyright (C)
1991,1995,1996,1997,1998,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getpgrp.c(1):/* Copyright (C) 1991, 1995,

legal(ME)

1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getpid.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getppid.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getresgid.c(1):/* Copyright (C) 1991,1995,1996,1997,1998,2002,2006
glibc\glibc-2.12.2\glibc-2.12.2\posix\getresuid.c(1):/* Copyright (C) 1991,1995,1996,1997,1998,2002,2006
glibc\glibc-2.12.2\glibc-2.12.2\posix\getsid.c(2): Copyright (C) 1995,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\getuid.c(1):/* Copyright (C) 1991, 1993, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob.c(1):/* Copyright (C) 1991-2002, 2003, 2004, 2005, 2006, 2007, 2008, 2010
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob.h(1):/* Copyright (C) 1991,1992,1995-1998,2000,2001,2004,2010
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob\configure(1319):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob\configure(5):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob\configure(5263):Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob\Makefile.ami(3):# Copyright (C) 1991, 92, 93, 94, 95, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob\Makefile.in(3):# Copyright (C) 1991, 92, 93, 94, 95 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob\SMakefile(2):# Copyright (C) 1991, 92, 93, 94, 95, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\glob64.c(1):/* Copyright (C) 1998,99,2002,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\globtest.c(1):/* Copyright (C) 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\group_member.c(2): Copyright (C) 1995, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\Makefile(1):# Copyright (C) 1991-1999, 2000-2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\Makefile(37):regex_internal.h fork.h rxspencer/tests rxspencer/COPYRIGHT \
glibc\glibc-2.12.2\glibc-2.12.2\posix\nanosleep.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\pathconf.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\pause.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\PCRE.tests(16):# Copyright (c) 1997-2003 University of Cambridge
glibc\glibc-2.12.2\glibc-2.12.2\posix\PCRE.tests(32):#which is open source software, written by Philip Hazel, and copyright
glibc\glibc-2.12.2\glibc-2.12.2\posix\posix_madvise.c(1):/* Copyright (C) 1994, 1995, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\pread.c(1):/* Copyright (C) 1991, 1995,

legal(ME)

1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\pread64.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\pwrite.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\pwrite64.c(1):/* Copyright (C) 1991,1995,1996,1997,1999,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\re_comp.h(1):/*Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\regcomp.c(2): Copyright (C) 2002-2007,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\regex.c(2): Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\regex.h(3): Copyright (C) 1985,1989-93,1995-98,2000,2001,2002,2003,2005,2006,2008
glibc\glibc-2.12.2\glibc-2.12.2\posix\regex_internal.c(2): Copyright (C) 2002-2006, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\regex_internal.h(2): Copyright (C) 2002-2005, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\regexec.c(2): Copyright (C) 2002-2005, 2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\runptests.c(2): Copyright (C) 1998, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\runtests.c(11):supporting documentation, and that the name of the copyright holder not be
glibc\glibc-2.12.2\glibc-2.12.2\posix\runtests.c(3):Copyright 1995 by Tom Lord
glibc\glibc-2.12.2\glibc-2.12.2\posix\rxspencer\COPYRIGHT(1):Copyright 1992, 1993, 1994, 1997 Henry Spencer.All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched.h(2): Copyright (C) 1996,1997,1999,2001-2004,2007,2010
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_cpualloc.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_cpucount.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_cpufree.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_getaffinity.c(1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_getp.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_gets.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_primax.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_primin.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_rr_gi.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_setaffinity.c(1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_setp.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_sets.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sched_yield.c(1):/* Copyright (C) 1996, 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\setgid.c(1):/* Copyright (C) 1991, 1993, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\setlogin.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\setpgid.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\setpgrp.c(1):/* Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\setresgid.c(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\setresuid.c(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\setsid.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\setuid.c(1):/* Copyright (C) 1991, 1993, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sleep.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawn.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawn.h(2): Copyright (C) 2000, 2003, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawn_faction_addclose.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawn_faction_adddup2.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawn_faction_addopen.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawn_faction_destroy.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawn_faction_init.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_destroy.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_getdefault.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_getflags.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_getpgroup.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_getschedparam.c(1):/* Copyright (C) 2000, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_getschedpolicy.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_getsigmask.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_init.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_setdefault.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_setflags.c(1):/* Copyright (C) 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_setpgroup.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_setschedparam.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_setschedpolicy.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnattr_setsigmask.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawni.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\spawnp.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sys\times.h(1):/* Copyright (C) 1991, 1992, 1996, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sys\types.h(1):/* Copyright (C) 1991,1992,1994-2002,2006,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sys\utsname.h(1):/* Copyright (C) 1991,92,94,96,97,99,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\sys\wait.h(1):/* Copyright (C) 1991-1994,1996-2001,2003,2004,2005,2007,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\posix\sysconf.c(1):/* Copyright (C) 1991,1993,1995-1997,2001,2002,2003,2009
glibc\glibc-2.12.2\glibc-2.12.2\posix\tar.h(2): Copyright (C) 1992, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\times.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-boost.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-chmod.c(2): Copyright (C) 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-dir.c(1):/* Copyright (C) 2000-2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-exec.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-fnmatch.c(2): Copyright (C) 2000, 2001, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-fnmatch.input(2):# Copyright (C) 2000, 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-fork.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-getaddrinfo.c(1):/* Copyright (C) 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-getlogin.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-gnuglob.c(3): Copyright (C) 2001-2002, 2007, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-nanosleep.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-nice.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-pcre.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-preadwrite.c(2): Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-preadwrite64.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-regex.c(1):/* Copyright (C) 2001, 2003, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-regexloc.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-rxspencer.c(2): Copyright (C) 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-spawn.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-truncate.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-truncate64.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-vfork1.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-vfork2.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-vfork3.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\tst-waitid.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\uname.c(1):/* Copyright (C) 1991,92,96,97,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\unistd.h(1):/* Copyright (C) 1991-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\vfork.c(1):/* Copyright (C) 1992, 1995, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\wait.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\wait3.c(1):/* Copyright (C) 1991, 1993, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\wait4.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\waitid.c(2): Copyright (C) 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\waitpid.c(1):/* Copyright (C) 1991,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\wordexp.c(2): Copyright (C) 1997-2003, 2005, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\wordexp.h(1):/* Copyright (C) 1991, 92, 1996-1999, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\posix\wordexp-test.c(1):/* Copyright (C) 1997, 1998, 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\pwd\fgetpwent.c(1):/* Copyright (C) 1991,1996,1997,1999,2000,2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\pwd\fgetpwent_r.c(1):/* Copyright (C) 1991, 1996, 1997, 1998, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\getpw.c(1):/* Copyright (C) 1991,92,96,98,99,2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\getpwent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\getpwent_r.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\getpwnam.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\getpwnam_r.c(1):/* Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\getpwuid.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\getpwuid_r.c(1):/* Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\Makefile(1):# Copyright (C) 1991,1996-1999,2003,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\putpwent.c(1):/* Copyright (C) 1991,1992,1996,1997,1998,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\pwd.h(1):/* Copyright (C) 1991,1992,1995-2001,2003,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\pwd\tst-getpw.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\arpa\nameser.h(2): * Copyright (c) 1983, 1989, 1993

glibc\glibc-2.12.2\glibc-2.12.2\resolv\arpa\nameser.h(31): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")

glibc\glibc-2.12.2\glibc-2.12.2\resolv\arpa\nameser.h(32): * Copyright (c) 1996-1999 by Internet Software Consortium.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\arpa\nameser_compat.h(1):/* Copyright (c) 1983, 1989

glibc\glibc-2.12.2\glibc-2.12.2\resolv\base64.c(19): * Portions Copyright (c) 1995 by International Business Machines, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\base64.c(2): * Copyright (c) 1996-1999 by Internet Software Consortium.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\gai_cancel.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\gai_error.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\gai_misc.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\gai_misc.h(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\gai_notify.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\gai_sigqueue.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\gai_suspend.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\resolv\getaddrinfo_a.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\resolv\gethnamaddr.c(2): * ++Copyright++ 1985, 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\gethnamaddr.c(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\gethnamaddr.c(4): * Copyright (c) 1985, 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\gethnamaddr.c(49): * --Copyright--
glibc\glibc-2.12.2\glibc-2.12.2\resolv\herror.c(2): * Copyright (c) 1987, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\herror.c(31): * Portions Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\inet_addr.c(2): * Copyright (c) 1983, 1990, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\inet_addr.c(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\inet_addr.c(51): * Portions Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\inet_net_ntop.c(2): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\inet_net_pton.c(2): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\inet_neta.c(2): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\inet_ntop.c(2): * Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\inet_pton.c(2): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\Makefile(1):# Copyright (C) 1994-2001,2003,2004,2007,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\mapv4v6addr.h(2): * ++Copyright++ 1985, 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\mapv4v6addr.h(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\mapv4v6addr.h(4): * Copyright (c) 1985, 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\mapv4v6addr.h(49): * --Copyright--
glibc\glibc-2.12.2\glibc-2.12.2\resolv\mapv4v6hostent.h(2): * ++Copyright++ 1985, 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\mapv4v6hostent.h(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\mapv4v6hostent.h(4): * Copyright (c) 1985, 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\mapv4v6hostent.h(49): * --Copyright--
glibc\glibc-2.12.2\glibc-2.12.2\resolv\netdb.h(1):/* Copyright (C) 1996-2004, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_date.c(2): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_date.c(3): * Copyright (c) 1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_name.c(2): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_name.c(3): * Copyright (c) 1996,1999 by Internet Software Consortium.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_netint.c(2): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_netint.c(3): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_parse.c(2): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_parse.c(3): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_print.c(2): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_print.c(3): * Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_samedomain.c(2): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_samedomain.c(3): * Copyright (c) 1995,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_ttl.c(2): * Copyright (c) 2004 by Internet Systems Consortium, Inc. ("ISC")
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_ttl.c(3): * Copyright (c) 1996,1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nsnap_addr.c(2): * Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-canon.c(1):/* Copyright (C) 2004, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-host.c(1):/* Copyright (C) 1996-2004, 2007-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-host.c(24): * ++Copyright++ 1985, 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-host.c(26): * Copyright (c) 1985, 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-host.c(53): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-host.c(71): * --Copyright--
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-network.c(1):/* Copyright (C) 1996, 1997, 1998, 1999, 2002, 2004, 2007, 2008
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-network.c(24):/* Copyright (c) 1993 Carlos Leandro and Rui Salgueiro
glibc\glibc-2.12.2\glibc-2.12.2\resolv\ns_dns\dns-network.c(32): * Copyright (c) 1983, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nres_comp.c(2): * Copyright (c) 1985, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nres_comp.c(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nres_comp.c(51): * Portions Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nres_data.c(2): * Copyright (c) 1995-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nres_debug.c(2): * Copyright (c) 1985
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nres_debug.c(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nres_debug.c(51): * Portions Copyright (c) 1995 by International Business Machines, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\nres_debug.c(76): * Portions Copyright (c)

legal(ME)

1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_debug.h(2): * Copyright (c) 1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_hconf.c(1):/* Copyright (C) 1993, 1995-2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_hconf.h(1):/* Copyright (C) 1993, 1995-1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_init.c(2): * Copyright (c) 1985, 1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_init.c(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_init.c(51): * Portions Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_libc.c(2): * Copyright (c) 1995-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_mkquery.c(2): * Copyright (c) 1985, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_mkquery.c(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_mkquery.c(51): * Portions Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_query.c(2): * Copyright (c) 1988, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_query.c(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_query.c(51): * Portions Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_send.c(2): * Copyright (c) 1985, 1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_send.c(31): * Portions Copyright (c) 1993 by Digital Equipment Corporation.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res_send.c(51): * Portions Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\resolv.h(2): * Copyright (c) 1983, 1987, 1989
glibc\glibc-2.12.2\glibc-2.12.2\resolv\resolv.h(31): * Portions Copyright (c) 1996-1999 by Internet Software Consortium.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\res-state.c(1):/* Copyright (C) 1996, 97, 98, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\tst-leaks.c(2): Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resolv\tst-leaks2.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\getpriority.c(1):/* Copyright (C) 1991,95,96,97,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\getrlimit.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\getrlimit64.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\getrusage.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\Makefile(1):# Copyright (C) 1991,1992,1994,1995,1997,2005,2008

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\resource\nice.c(1):/* Copyright (C) 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\setpriority.c(1):/* Copyright (C) 1991,95,96,97,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\setrlimit.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\setrlimit64.c(1):/* Copyright (C) 1991,1995,1996,1997,1998,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\sys\resource.h(1):/* Copyright (C) 1992,94,1996-2000,2002,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\sys\vlimit.h(1):/* Copyright (C) 1991, 1992, 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\sys\vtimes.h(1):/* Copyright (C) 1991, 1992, 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\ulimit.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\ulimit.h(1):/* Copyright (C) 1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\vlimit.c(1):/* Copyright (C) 1991, 1996, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\resource\vtimes.c(1):/* Copyright (C) 1991, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio.h(1):/* Copyright (C) 1996-2000,2003,2004,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_cancel.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_error.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_fsync.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_misc.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_notify.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_read.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_return.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_sigqueue.c(1):/* Copyright (C) 1997, 1999, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_suspend.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\aiio_write.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\bits\mqueue2.h(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\clock_getcpuclockid.c(1):/* Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\clock_getres.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\clock_gettime.c(1):/* Copyright (C) 1999, 2005 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\rt\clock_nanosleep.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\clock_settime.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\get_clockfreq.c(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\lio_listio.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\Makefile(1):# Copyright (C) 1997-2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_close.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_getattr.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_notify.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_open.c(1):/* Copyright (C) 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_receive.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_send.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_setattr.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_timedreceive.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_timedsend.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mq_unlink.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\mqqueue.h(1):/* Copyright (C) 2004, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\shm_open.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\shm_unlink.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\timer_create.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\timer_delete.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\timer_getoverr.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\timer_gettime.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\timer_settime.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-aio.c(2): Copyright (C) 1998,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-aio2.c(2): Copyright (C) 2000, 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-aio3.c(2): Copyright (C) 2000, 2002, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-ai04.c(2): Copyright (C) 2000,01,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-ai05.c(2): Copyright (C) 2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-ai06.c(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-ai064.c(2): Copyright (C) 1998,99,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-ai07.c(2): Copyright (C) 2001,02, 03 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-clock.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-clock_nanosleep.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-cpuclock1.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-cpuclock2.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue.h(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue1.c(2): Copyright (C) 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue2.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue3.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue4.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue5.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue6.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue7.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue8.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-mqueue9.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-shm.c(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-timer.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\rt\tst-timer4.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\Rules(1):# Copyright (C) 1991-2000,2002,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\scripts\check-c++-types.sh(2):# Copyright (C) 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\scripts\check-local-headers.sh(2):# Copyright (C) 2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\scripts\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\scripts\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
glibc\glibc-2.12.2\glibc-2.12.2\scripts\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
glibc\glibc-2.12.2\glibc-2.12.2\scripts\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
glibc\glibc-2.12.2\glibc-2.12.2\scripts\gen-sorted.awk(4):# (C) Copyright 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\scripts\install-sh(6):# Copyright 1991 by the Massachusetts Institute of Technology
glibc\glibc-2.12.2\glibc-2.12.2\scripts\rellns-sh(3):# Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\scripts\test-installation.pl(2):# Copyright (C) 1997, 1998, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\scripts\test-installation.pl(58):print "Copyright (C) 1997, 1998 Free Software Foundation, Inc.\n";
glibc\glibc-2.12.2\glibc-2.12.2\scripts\versions.awk(2):# Copyright (C) 1998,99,2000,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp__longjmp.c(1):/* Copyright (C) 1991, 1994, 1995, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\bits\setjmp2.h(2): * Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\bsd-_setjmp.c(2): Copyright (C) 1994, 1997, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\bsd-setjmp.c(2): Copyright (C) 1994, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\bug269-setjmp.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\jmp-unwind.c(2): Copyright (C) 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\longjmp.c(1):/* Copyright (C) 1991,92,94,95,97,98,2000,2002,2009
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\Makefile(1):# Copyright (C) 1991, 92, 93, 94, 95, 97, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\setjmp.c(1):/* Copyright (C) 1991, 94, 95, 96, 97, 98 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\setjmp.h(1):/* Copyright (C) 1991-1999,2001,2002,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\sigjmp.c(1):/* Copyright (C) 1992, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\setjmp\tst-setjmp.c(1):/* Copyright (C) 1991, 1992, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\fgetspent.c(1):/* Copyright (C) 1996, 1997, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\fgetspent_r.c(1):/* Copyright (C) 1996, 1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\getspent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\getspent_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\getspnam.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\shadow\getspnam_r.c(1):/* Copyright (C) 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\lckpwwd.c(2): Copyright (C) 1996,1998,2000,2002,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\Makefile(1):# Copyright (C) 1996, 2003, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\putspent.c(1):/* Copyright (C) 1991, 1992, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\sgetspent.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\sgetspent_r.c(1):/* Copyright (C) 1996, 1997, 1998, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\shadow\shadow.h(1):/* Copyright (C) 1996, 1997, 1998, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\allocrtsig.c(2): Copyright (C) 1997,98,99,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\kill.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\killpg.c(1):/* Copyright (C) 1991, 1993, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\Makefile(1):# Copyright (C) 1991-1998,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\raise.c(1):/* Copyright (C) 1991,95,96,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigaction.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigaddset.c(1):/* Copyright (C) 1991, 1996, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigtaltstack.c(1):/* Copyright (C) 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigandset.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigblock.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigdelset.c(1):/* Copyright (C) 1991, 1996, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigemempty.c(1):/* Copyright (C) 1991,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigfillset.c(1):/* Copyright (C) 1991,96,97,2002,2003,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigetmask.c(2): Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sighold.c(2): Copyright (C) 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigignore.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigintr.c(1):/* Copyright (C) 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigisemempty.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigismem.c(1):/* Copyright (C) 1991,96,2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\signal\signal.c(1):/* Copyright (C) 1991, 1995, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\signal.h(1):/* Copyright (C) 1991-2004, 2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigorset.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigpause.c(1):/* Copyright (C) 1991,95,96,2000,02,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigpending.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigprocmask.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigqueue.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigrelse.c(2): Copyright (C) 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigreturn.c(1):/* Copyright (C) 1992, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigset.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigsetmask.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigsetops.h(1):/* Copyright (C) 1991, 1995, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigstack.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigsuspend.c(1):/* Copyright (C) 1991,1995,1996,1997,1998,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigtimedwait.c(2): Copyright (C) 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigvec.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigwait.c(2): Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sigwaitinfo.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\sysv_signal.c(1):/* Copyright (C) 1991, 1992, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\tst-raise.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\signal\tst-sigsimple.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\socket\accept.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\socket\accept4.c(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\socket\bind.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\socket\bits\socket2.h(2): Copyright (C) 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\socket\connect.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\socket\getpeername.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\getsockname.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\getsockopt.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\have_sock_cloexec.c(1):/* Copyright (C) 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\isfdtype.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\listen.c(1):/* Copyright (C) 1991,1995,1996,1997,2001,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\Makefile(1):# Copyright (C) 1991,1995-2001,2005,2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\opensock.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\recv.c(1):/* Copyright (C) 1991,1995,1996,1997,2001,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\recvfrom.c(1):/* Copyright (C) 1991,1995,1996,1997,2001,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\recvmsg.c(1):/* Copyright (C) 1991,1995,1996,1997,2001,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\send.c(1):/* Copyright (C) 1991,1995,1996,1997,2001,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\sendmsg.c(1):/* Copyright (C) 1991,1995,1996,1997,2001,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\sendto.c(1):/* Copyright (C) 1991,1995,1996,1997,2001,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\setsockopt.c(1):/* Copyright (C) 1991,1995,1996,1997,1998,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\shutdown.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\socketatmark.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\socket.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\socketpair.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\socket\sys\socket.h(2): Copyright (C) 1991,92,1994-2001,2003,2005,2007,2008

glibc\glibc-2.12.2\glibc-2.12.2\socket\sys\un.h(1):/* Copyright (C) 1991, 1995, 1996, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\adddf3.c(3): Copyright (C) 1997,1999, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\addsf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\addtf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\divdf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\divsf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\divtf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\double.h(3): Copyright (C) 1997, 1998, 1999, 2006, 2007, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\eqdf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\eqsf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\eqtf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\extenddftf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\extended.h(3): Copyright (C) 1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\extendsfdf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\extendsftf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixdfdi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixdfsi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixsfdi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixsfsi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixtfdi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixtfsi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixunsdfdi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixunsdfsi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixunssfdi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixunssfsi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixunstfdi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\fixunstfsi.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatdidf.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatdisf.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatditf.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatsidf.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatsisf.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatsitf.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatundidf.c(3): Copyright (C) 1997, 1999, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatundisf.c(3): Copyright (C) 1997, 1999, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatunditf.c(3): Copyright (C) 1997,1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatunsidf.c(3): Copyright (C) 1997, 1999, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatunsisf.c(3): Copyright (C) 1997, 1999, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\floatunsitf.c(3): Copyright (C) 1997,1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\gedf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\gesf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\getf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\ledf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\lesf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\letf2.c(3): Copyright (C) 1997,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\Makefile(1):# Copyright (C) 1997, 1999, 2000Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\muldf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\mulsf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\multf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\negdf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\negsf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\negtf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\op-1.h(3): Copyright (C) 1997,1998,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\op-2.h(3): Copyright (C) 1997,1998,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\op-4.h(3): Copyright (C) 1997,1998,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\op-8.h(3): Copyright (C) 1997,1998,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\op-common.h(2): Copyright (C) 1997,1998,1999,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\quad.h(3): Copyright (C) 1997,1998,1999,2006,2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\single.h(3): Copyright (C) 1997,1998,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\soft-fp.h(2): Copyright (C) 1997,1998,1999,2000,2002,2003,2005,2006,2007
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\sqrtdf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\sqrtsf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\sqrttf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\subdf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\subsf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\subtf3.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\truncdfsf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\trunctfdf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\trunctfsf2.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\unorddf2.c(3): Copyright (C) 2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\unordsf2.c(3): Copyright (C) 2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\soft-fp\unordtf2.c(3): Copyright (C) 2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common_i18n_number.h(1):/* Copyright (C) 2000, 2004, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common_itoa.c(2): Copyright (C) 1994, 1995, 1996, 1999, 2000, 2002, 2003, 2004, 2007
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common_itoa.h(2): Copyright (C) 1994-1999,2002,2003,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common_itowa.c(2): Copyright (C) 1994-1996,1999,2000,2002,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common_itowa.h(2): Copyright (C) 1994,95,96,97,98,99,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\asprintf.c(1):/* Copyright (C) 1991, 1995, 1997, 1998, 2002, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\bits\printf-ldbl.h(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\ctermid.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\cuserid.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\dprintf.c(1):/* Copyright (C) 1991,95,97,98,2002,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\errlist.c(1):/* Copyright (C) 1991, 1994, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\errnobuf.c(3): Copyright (C) 1995, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\flockfile.c(2): Copyright (C) 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\fprintf.c(1):/* Copyright (C) 1991, 1997, 2002, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\fscanf.c(1):/* Copyright (C) 1991, 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\ftrylockfile.c(2): Copyright (C) 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\funlockfile.c(2): Copyright (C) 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\fxprintf.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\getline.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997, 2004
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\getw.c(1):/* Copyright (C) 1991, 1997, 1998, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\isoc99_fscanf.c(1):/* Copyright (C) 1991, 1997, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\isoc99_scanf.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002, 2004, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\isoc99_sscanf.c(1):/* Copyright (C) 1991, 1995, 1996, 1998, 2002, 2003, 2004, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\isoc99_vfscanf.c(1):/* Copyright (C) 1991, 1997, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\isoc99_vscanf.c(1):/* Copyright (C) 1991, 1997, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\isoc99_vsscanf.c(1):/* Copyright (C) 1993,1997-2003,2006,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\isoc99_vsscanf.c(25): This exception applies to code released by its copyright holders
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\itoa-digits.c(2): Copyright (C) 1994,1995,1996,1999,2000,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\itoa-udigits.c(2): Copyright (C) 1994,1995,1996,1999,2000,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\itowa-digits.c(2): Copyright (C) 1994, 1995, 1996, 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\Makefile(1):# Copyright (C) 1991-2006, 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\perror.c(1):/* Copyright (C) 1991-1993,1997,1998,2000-2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\printf.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2001, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\printf.h(1):/* Copyright (C) 1991-1993,1995-2001,2006,2009
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\printf_fp.c(2): Copyright (C) 1995-2003, 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\printf_fphex.c(2): Copyright (C) 1997-2002,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\printf_size.c(2): Copyright (C) 1997-2002, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\printf-parse.h(2): Copyright (C) 1995-1999, 2000, 2002, 2003, 2007, 2009

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\printf-parsemb.c(2): Copyright (C) 1995-2000,2002-2004,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\printf-prs.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1999, 2000, 2002-2005, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\psiginfo.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\psignal.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997, 2001, 2002, 2004, 2005, 2009
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\putw.c(1):/* Copyright (C) 1991, 1997, 1998, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\reg-modifier.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\reg-printf.c(1):/* Copyright (C) 1991,1996,1997,2002-2004,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\reg-type.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\remove.c(2): Copyright (C) 1995,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\rename.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\renameat.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\scanf.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\scanf11.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\siglist.c(2): Copyright (C) 1997, 1998, 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\snprintf.c(1):/* Copyright (C) 1991, 1995, 1997, 1998, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\sprintf.c(1):/* Copyright (C) 1991, 1995, 1997, 1998, 2002, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\sscanf.c(1):/* Copyright (C) 1991, 1995, 1996, 1998, 2002, 2003, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\stdio_ext.h(2): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\stdio_lim.h.in(1):/* Copyright (C) 1994, 1997, 1998, 1999, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tempnam.c(1):/* Copyright (C) 1991,1993,1996-2000,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tempname.c(1):/* Copyright (C) 1991, 92, 93, 95-99, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\test_rdwr.c(1):/* Copyright (C) 1991,1992,1996,1997,1998,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\test-fseek.c(1):/* Copyright (C) 1991, 1992, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\test-popen.c(1):/* Copyright (C) 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\test-vfprintf.c(2): Copyright (C) 2000, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tmpfile.c(2): Copyright (C) 1991,1993,1996-2000,2002,2003,2007,2009

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tmpnam.c(1):/* Copyright (C) 1991,1993,1996-2000,2007,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tmpnam_r.c(1):/* Copyright (C) 1991,1993,1996-2000,2007,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-fileno.c(1):/* Copyright (C) 1994, 1997, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-fseek.c(2): Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-getln.c(1):/* Copyright (C) 1992, 1995, 1996, 1997, 1998, 2004

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-gets.c(2): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-popen.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-printf.c(1):/* Copyright (C) 1991,92,93,95,96,97,98,99, 2000, 2002, 2006

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-printf.c(66):/* (C) Copyright C E Chew

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-printf.sh(3):# Copyright (C) 2000, 2002, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tstscanf.c(1):/* Copyright (C) 1991,92,1996-2001,2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-sscanf.c(1):/* Copyright (C) 2000, 2002, 2004, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-tmpnam.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-unbputc.sh(3):# Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\tst-unlockedio.c(2): Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\vfprintf.c(1):/* Copyright (C) 1991-2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\vfscanf.c(1):/* Copyright (C) 1991-2006, 2007, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdio-common\vprintf.c(1):/* Copyright (C) 1991, 1993, 1995, 1997, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib__a64l.c(1):/* Copyright (C) 1995, 1997, 1998, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib__abort.c(1):/* Copyright (C) 1991,93,1995-1998,2001,02,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib__abs.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib__add_n.c(3):Copyright (C) 1992, 1993, 1994, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib__addmul_1.c(6):Copyright (C) 1992, 1993, 1994, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib__alloca.h(1):/* Copyright (C) 1992, 1996, 1997, 1998, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib__at_quick_exit.c(1):/* Copyright (C) 1991,1996,1999,2001,2006,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib__atexit.c(1):/* Copyright (C) 1991, 1996, 1999, 2001, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\atof.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\atoi.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\atol.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\atoll.c(1):/* Copyright (C) 1991, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\bits\monetary-ldbl.h(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\bits\stdlib.h(2): Copyright (C) 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\bits\stdlib-ldbl.h(2): Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\bsearch.c(1):/* Copyright (C) 1991,92,97,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\bug-strtod.c(3): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\canonicalize.c(2): Copyright (C) 1996-2002,2004,2005,2006,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\cmp.c(3):Copyright (C) 1991, 1993, 1994, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\cxa_at_quick_exit.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\cxa_atexit.c(1):/* Copyright (C) 1999,2001,2002,2005,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\cxa_finalize.c(1):/* Copyright (C) 1999,2001-2003,2005,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\dbl2mpn.c(1):/* Copyright (C) 1993, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\div.c(1):/* Copyright (C) 1992, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\div.c(20): * Copyright (c) 1990 Regents of the University of California.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\divmod_1.c(9):Copyright (C) 1991, 1993, 1994, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\divrem.c(4):Copyright (C) 1993, 1994, 1995, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\drand48.c(1):/* Copyright (C) 1995,1996,1997,1998,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\drand48_r.c(1):/* Copyright (C) 1995, 1996, 1997, 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\drand48-iter.c(1):/* Copyright (C) 1995, 1996, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\erand48.c(1):/* Copyright (C) 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\erand48_r.c(1):/* Copyright (C) 1995, 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\errno.h(1):/* Copyright (C) 1991,92,93,94,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\exit.c(1):/* Copyright (C) 1991,95,96,97,99,2001,2002,2005,2009

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\exit.h(1):/* Copyright (C)
1991,1996,1997,1999,2001,2002,2006,2009
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\fmtmsg.c(1):/* Copyright (C)
1997,1999,2000-2003,2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\fmtmsg.h(2): Copyright (C) 1997, 1999,
2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\fpioconst.c(2): Copyright (C) 1995, 1996,
1997, 1998, 1999, 2002, 2003
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\fpioconst.h(2): Copyright (C) 1995, 1996,
1997, 1998, 1999, 2002, 2003
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\getcontext.c(1):/* Copyright (C) 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\getenv.c(1):/* Copyright (C)
1991,92,94,96,98,99,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\getsubopt.c(2): Copyright (C) 1996, 1997,
1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\gmp.h(3):Copyright (C) 1991, 1993, 1994,
1995, 1996, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\gmp-impl.h(3):Copyright (C) 1991, 1993,
1994, 1995, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\grouping.c(2): Copyright (C)
1995,1996,1997,1998,2000,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\grouping.h(2): Copyright (C)
1995,1996,1997,1998,2000,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\isomac.c(2): Copyright (C)
1996,97,98,99,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\jrand48.c(1):/* Copyright (C) 1995, 1996,
1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\jrand48_r.c(1):/* Copyright (C) 1995,
1997, 1998, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\l64a.c(1):/* Copyright (C) 1995, 1996,
2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\labs.c(1):/* Copyright (C) 1991, 1997 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\lcong48.c(1):/* Copyright (C) 1995, 1996,
1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\lcong48_r.c(1):/* Copyright (C) 1995,
1997, 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\ldiv.c(1):/* Copyright (C) 1992, 1997 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\llabs.c(2): Copyright (C) 1991, 1996, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\lldiv.c(2): Copyright (C) 1992, 1996, 1997
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\longlong.h(2): Copyright (C) 1991, 1992,
1994, 1995, 1996, 1997, 1998, 1999, 2000,
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\lrand48.c(1):/* Copyright (C)
1995,1996,1997,1998,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\lrand48_r.c(1):/* Copyright (C)
1995,97,98,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\lshift.c(3):Copyright (C) 1991, 1993,
1994, 1996 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\makecontext.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\Makefile(1):# Copyright (C) 1991-2006, 2007, 2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mblen.c(1):/* Copyright (C) 1991,1997,1998,1999,2000,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mbstowcs.c(1):/* Copyright (C) 1991, 1992, 1996, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mbtowc.c(1):/* Copyright (C) 1991, 1992, 1995-1999, 2002, 2008

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mod_1.c(6):Copyright (C) 1991, 1993, 1994, Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\monetary.h(2): Copyright (C) 1996,1997,1998,1999,2000,2002,2006,2009

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mp_clz_tab.c(2): Copyright (C) 1991, 1993, 1994, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mpn2dbl.c(1):/* Copyright (C) 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mpn2flt.c(1):/* Copyright (C) 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mrand48.c(1):/* Copyright (C) 1995,1996,1997,1998,2001,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mrand48_r.c(1):/* Copyright (C) 1995, 1997, 1998, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\msort.c(3): Copyright (C) 1992,95-97,99,2000,01,02,04,07 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mul.c(3):Copyright (C) 1991, 1993, 1994, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mul_1.c(4):Copyright (C) 1991, 1992, 1993, 1994, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\mul_n.c(3):Copyright (C) 1991, 1992, 1993, 1994, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\nrand48.c(1):/* Copyright (C) 1995, 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\nrand48_r.c(1):/* Copyright (C) 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\on_exit.c(1):/* Copyright (C) 1991, 1996, 2005, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\putenv.c(1):/* Copyright (C) 1991, 94, 95, 96, 97, 98, 99 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\qsort.c(1):/* Copyright (C) 1991,1992,1996,1997,1999,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\quick_exit.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\rand.c(1):/* Copyright (C) 1991, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\rand_r.c(2): Copyright (C) 1996, 1999, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\random.c(1):/* Copyright (C) 1995 Free Software Foundation

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\random.c(26): Copyright (C) 1983 Regents of the University of California.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\random_r.c(2): Copyright (C) 1995, 2005, 2009 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\random_r.c(20): Copyright (C) 1983 Regents of the University of California.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\rpmatch.c(4): Copyright (C) 1996, 1997, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\rshift.c(3): Copyright (C) 1991, 1993, 1994, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\secure-getenv.c(1):/* Copyright (C) 1991, 1992, 1994, 1996, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\seed48.c(1):/* Copyright (C) 1995,1996,1997,1998,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\seed48_r.c(1):/* Copyright (C) 1995, 1997, 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\setcontext.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\setenv.c(1):/* Copyright (C) 1992,1995-2001,2004, 2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\srand48.c(1):/* Copyright (C) 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\srand48_r.c(1):/* Copyright (C) 1995, 1996, 1997, 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\stdlib.h(1):/* Copyright (C) 1991-2007, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strfmon.c(2): Copyright (C) 1996-2001, 2002, 2003, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strfmon_l.c(2): Copyright (C) 1996,1997,2002,2004,2006,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtod.c(3): Copyright (C) 1995-2002,2003,2004,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtod_l.c(2): Copyright (C) 1997,1998,2002,2004,2005,2006,2007,2008,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtod_l.c(2): Copyright (C) 1997,1998,2002,2004,2005,2006,2007,2008,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtof.c(3): Copyright (C) 1995-2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtof_l.c(2): Copyright (C) 1997,98,2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtoul.c(2): Copyright (C) 1991,92,94,95,96,97,98,99,2000,2001,2002,2003,2004,2007
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtoul_l.c(2): Copyright (C) 1997, 2002, 2004, 2006, 2007, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtold.c(3): Copyright (C) 1995-2002,2003,2004,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtold_l.c(1):/* Copyright (C) 1999, 2002, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtoll.c(2): Copyright (C) 1995, 1996, 1997, 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtoll_l.c(2): Copyright (C) 1997, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtoul.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtoul_l.c(2): Copyright (C) 1997, 2002, 2004 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtoull.c(2): Copyright (C) 1995, 1996, 1997, 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\strtoull_1.c(2): Copyright (C) 1997, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\sub_n.c(3): Copyright (C) 1992, 1993, 1994, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\submul_1.c(6): Copyright (C) 1992, 1993, 1994, 1996, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\swapcontext.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\system.c(1):/* Copyright (C) 1991, 1993, 1995, 1996, 1997, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\test-a64l.c(2): Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\test-canon.c(2): Copyright (C) 1996, 1997, 2000, 2002, 2004, 2005, 2006
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\test-canon2.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\testdiv.c(1):/* Copyright (C) 1992, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\testrand.c(1):/* Copyright (C) 1992, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-bsearch.c(1):/* Copyright (C) 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-environ.c(1):/* Copyright (C) 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-fmtmsg.sh(3):# Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-makecontext.c(1):/* Copyright (C) 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-makecontext2.c(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-makecontext3.c(1):/* Copyright (C) 2001, 2002, 2004, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-random2.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-setcontext.c(1):/* Copyright (C) 2001, 2002, 2004, 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-strtod.c(1):/* Copyright (C) 1991, 1996-2001, 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-system.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\tst-xpg-basename.c(1):/* Copyright (C) 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\ucontext.h(1):/* Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\wcstombs.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\wctomb.c(1):/* Copyright (C) 1991, 1992, 1995-1999, 2002, 2008
glibc\glibc-2.12.2\glibc-2.12.2\stdlib\xpg_basename.c(2): Copyright (C) 1997, 1999 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\streams\fattach.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\streams\fdetach.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\streams\getmsg.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\streams\getpmsg.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\streams\isastream.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\streams\Makefile(1):# Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\streams\putmsg.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\streams\putpmsg.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\streams\stropts.h(1):/* Copyright (C) 1998, 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string_sterror.c(1):/* Copyright (C) 1991,93,95,96,97,98,2000,2002,2006
glibc\glibc-2.12.2\glibc-2.12.2\string\argz.h(2): Copyright (C) 1995,96,97,98,99,2000,2004,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-addsep.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-append.c(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-count.c(2): Copyright (C) 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-create.c(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-ctsep.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-delete.c(2): Copyright (C) 1995,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-extract.c(2): Copyright (C) 1995, 96, 97, 98 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-insert.c(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-next.c(2): Copyright (C) 1995, 96, 97, 98 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-replace.c(2): Copyright (C) 1997, 1998, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\argz-stringify.c(2): Copyright (C) 1995,96,97,2000,2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\basename.c(2): Copyright (C) 1996,97,98,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\bcopy.c(1):/* Copyright (C) 1991, 1992, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\bits\string2.h(2): Copyright (C) 1997-2003, 2004, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\bits\string3.h(1):/* Copyright (C) 2004, 2005, 2007, 2009, 2010 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\string\byteswap.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\bzero.c(1):/* Copyright (C) 1991, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\endian.h(1):/* Copyright (C) 1992, 1996, 1997, 2000, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\envz.c(2): Copyright (C) 1995-1998,2001,2002,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\envz.h(2): Copyright (C) 1995, 96, 98, 99, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\ffs.c(1):/* Copyright (C) 1991, 1992, 1997, 1998, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\ffsll.c(1):/* Copyright (C) 1991, 1992, 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\Makefile(1):# Copyright (C) 1991-2002, 2005-2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memccpy.c(1):/* Copyright (C) 1991, 1995, 1997, 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memchr.c(1):/* Copyright (C) 1991,93,96,97,99,2000,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memcmp.c(1):/* Copyright (C) 1991,1993,1995,1997,1998,2003,2004

glibc\glibc-2.12.2\glibc-2.12.2\string\memcpy.c(3): Copyright (C) 1991, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memfrob.c(1):/* Copyright (C) 1992, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memmem.c(1):/* Copyright (C) 1991,92,93,94,96,97,98,2000,2004,2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memmove.c(3): Copyright (C) 1991, 1995, 1996, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memory.h(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memcpy.c(4): Copyright (C) 1991, 1997, 1998, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memrchr.c(2): Copyright (C) 1991, 93, 96, 97, 99, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\memset.c(1):/* Copyright (C) 1991, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\rawmemchr.c(1):/* Copyright (C) 1991,93,96,97,99,2000,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\stpcpy.c(1):/* Copyright (C) 1992, 1995, 1997, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\stpncpy.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\stratcliff.c(2): Copyright (C) 1996,1997,1999-2003,2007,2009,2010

glibc\glibc-2.12.2\glibc-2.12.2\string\strcasecmp.c(1):/* Copyright (C) 1991,1992,1995,1996,1997,2001,2002, 2004

glibc\glibc-2.12.2\glibc-2.12.2\string\strcasecmp_1.c(1):/* Copyright (C) 1997, 2002, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strcasestr.c(2): Copyright (C) 1994, 1996-2000, 2004, 2008, 2009

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\string\strcat.c(1):/* Copyright (C) 1991, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strchr.c(1):/* Copyright (C) 1991,1993-1997,1999,2000,2003,2006

glibc\glibc-2.12.2\glibc-2.12.2\string\strchrnul.c(1):/* Copyright (C) 1991,1993-1997,99,2000,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strcmp.c(1):/* Copyright (C) 1991, 1996, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strcoll.c(1):/* Copyright (C) 1995-2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strcoll_l.c(1):/* Copyright (C) 1995-1997,2002,2004,2007,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strcpy.c(1):/* Copyright (C) 1991, 1997, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strcspn.c(1):/* Copyright (C) 1991, 1994, 1996, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strdup.c(1):/* Copyright (C) 1991, 1996, 1997, 1998, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strerror.c(1):/* Copyright (C) 1991, 93, 94, 95, 96, 98, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strerror_l.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strfry.c(1):/* Copyright (C) 1992, 1996, 1999, 2002, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\string.h(1):/* Copyright (C) 1991-1993,1995-2004,2007,2009,2010

glibc\glibc-2.12.2\glibc-2.12.2\string\string-inlines.c(1):/* Copyright (C) 1999, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strings.h(1):/* Copyright (C) 1991,1992,1996,1997,1999,2000,2001,2009,2010

glibc\glibc-2.12.2\glibc-2.12.2\string\strlen.c(1):/* Copyright (C) 1991,1993,1997,2000,2003,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strncase.c(3): Copyright (C) 1992, 1996, 1997, 2001, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strncase_l.c(3): Copyright (C) 1997, 2002, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strncat.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strncmp.c(1):/* Copyright (C) 1991, 1996, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strncpy.c(1):/* Copyright (C) 1991, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strndup.c(1):/* Copyright (C) 1996, 1997, 1998, 2001, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strnlen.c(2): Copyright (C) 1991,1993,1997,2000,2001,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strpbrk.c(1):/* Copyright (C) 1991, 1994, 1996, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strrchr.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strsep.c(1):/* Copyright (C) 1992, 93, 96, 97, 98, 99, 2004 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\string\strsignal.c(1):/* Copyright (C) 1991, 1994-2002, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strspn.c(1):/* Copyright (C) 1991, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strstr.c(2): Copyright (C) 1994,1996,1997,2000,2001,2003,2008,2009

glibc\glibc-2.12.2\glibc-2.12.2\string\strtok.c(1):/* Copyright (C) 1991,1996,1997,1999,2000,2001,2007

glibc\glibc-2.12.2\glibc-2.12.2\string\strtok_r.c(2): Copyright (C) 1991,1996-1999,2001,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\str-two-way.h(2): Copyright (C) 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strverscmp.c(2): Copyright (C) 1997, 2002, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strxfrm.c(1):/* Copyright (C) 1995-1999,2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\strxfrm_l.c(1):/* Copyright (C) 1995-1997,2002,2004-2006,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\swab.c(1):/* Copyright (C) 1992, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\testcopy.c(1):/* Copyright (C) 1990, 1991, 1992, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\tester.c(2): Copyright (C) 1995-2001, 2003, 2005, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-ffs.c(1):/* Copyright (C) 1994, 1997, 2000, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-memccpy.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-memchr.c(2): Copyright (C) 1999, 2002, 2003, 2005, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-memcmp.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-memcpy.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-memmem.c(2): Copyright (C) 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-memmove.c(2): Copyright (C) 1999, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-mempcpy.c(2): Copyright (C) 1999, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-memset.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-stpcpy.c(2): Copyright (C) 1999, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-stpncpy.c(2): Copyright (C) 1999, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-strcat.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-strchr.c(2): Copyright (C) 1999, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\string\test-strcmp.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\string\test-strcpy.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\test-strncpy.c(2): Copyright (C) 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\test-string.h(2): Copyright (C) 1999, 2002, 2004, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\test-strlen.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\test-strncmp.c(2): Copyright (C) 1999, 2002, 2003, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\test-strncpy.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\test-strpbrk.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\test-strchr.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\test-strspn.c(2): Copyright (C) 1999, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\tst-bswap.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\tst-inlcall.c(2): Copyright (C) 1998, 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\wordcopy.c(2): Copyright (C) 1991, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\string\xpg-strerror.c(1):/* Copyright (C) 1991, 1993, 1995, 1996, 1997, 1998, 2000, 2002, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\auth_des.c(2): * Copyright (c) 1988 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\auth_none.c(2): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\auth_unix.c(2): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\authdes_prot.c(2): * Copyright (c) 1988 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\authxprot.c(2): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\bindrsvprt.c(2): * Copyright (c) 1987 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\clnt_gen.c(2): * Copyright (C) 1987, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\clnt_perr.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\clnt_raw.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\clnt_simp.c(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\clnt_tcp.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\clnt_udp.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\clnt_unix.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\create_xid.c(1):/* Copyright (c) 1998, 2000, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\des_crypt.c(3): * Copyright (C) 1986, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\des_impl.c(1):/* Copyright (C) 1992 Eric Young */
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\get_myaddr.c(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\getrpcport.c(2): * Copyright (c) 1985 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\key_call.c(2): * Copyright (c) 1988 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\key_prot.c(1):/* Copyright (c)1990, 1991 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\Makefile(1):# Copyright (C) 1994-2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\netname.c(1):/* Copyright (C) 1997, 1998, 1999, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\openchild.c(2): * Copyright (c) 1988 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\pm_getmaps.c(6): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\pm_getport.c(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\pmap_clnt.c(2): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\pmap_prot.c(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\pmap_prot2.c(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\pmap_rmt.c(6): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\publickey.c(2): Copyright (C) 1996-1999,2002,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc_clntout.c(3): * Copyright (C) 1987, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc_cmsg.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc_parse.c(34): * Copyright (C) 1987 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc_prot.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc_scan.c(34): * Copyright (C) 1987, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\auth.h(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\auth_des.h(1):/* Copyright (C) 1996, 1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\auth_unix.h(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\clnt.h(4): * Copyright (C) 1984, Sun Microsystems, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\des_crypt.h(5): * Copyright (C) 1986, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\key_prot.h(11):/* Copyright (c)1990, 1991 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\pmap_clnt.h(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\pmap_prot.h(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\pmap_rmt.h(5): * Copyright (C) 1986, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\rpc.h(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\rpc_des.h(4): * Copyright (c) 1986 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\rpc_msg.h(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\svc.h(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\svc_auth.h(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpc\xdr.h(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpcinfo.c(2): * Copyright (C) 1986, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpcsvc\bootparam.h(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpcsvc\key_prot.x(3): * Copyright (C) 1990, 1991 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpcsvc\key_prot.x(49):%/* Copyright (c)1990, 1991 Sun Microsystems, Inc. */
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpcsvc\k1m_prot.x(6): * Copyright (C) 1986 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpcsvc\nfs_prot.x(5): * Copyright 1987 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpcsvc\nlm_prot.x(6): * Copyright (C) 1986 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rpcsvc\sm_inter.x(3): * Copyright (C) 1986 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\rtime.c(2): * Copyright (c) 1988 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svc.c(8): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svc_auth.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svc_authux.c(9): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svc_raw.c(7): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svc_simple.c(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svc_tcp.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svc_udp.c(6): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svc_unix.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\svcauth_des.c(2): * Copyright (c) 1988 by Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\tst-xdrmem.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\tst-xdrmem2.c(1):/* Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xcrypt.c(2): * Copyright (c) 1986-1991 by Sun Microsystems Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr.c(4): * Copyright (C) 1986, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr_array.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr_float.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr_intXX_t.c(1):/* Copyright (c) 1998, 1999, 2000, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr_mem.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr_rec.c(5): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr_ref.c(4): * Copyright (C) 1987, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr_sizeof.c(4): * Copyright 1990 Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sunrpc\xdr_stdio.c(4): * Copyright (C) 1984, Sun Microsystems, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\aiio_misc.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\bp-checks.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\bp-semctl.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\bp-start.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\bp-sym.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\bp-thunks.h(2): Copyright (C) 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\device-nrs.h(2): Copyright (C) 2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dirstream.h(1):/* Copyright (C) 1993, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-cache.h(2): Copyright (C) 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-dtprocnum.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-fptr.h(2): Copyright (C) 1995, 1996, 1997, 2000, 2001 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-hash.h(2): Copyright (C) 1995,1996,1997,1998,2003,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-irel.h(2): Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-librecon.h(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-lookupcfg.h(2): Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-machine.h(2): Copyright (C) 1995, 1996, 1997, 1999, 2000, 2001, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-osinfo.h(2): Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-procinfo.h(2): Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dl-sysdep.h(2): Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\dwaf2.h(3): Copyright (C) 1992, 1993, 1995, 1996, 1997, 2000
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\elf\backtracesyms.c(2): Copyright (C) 1998,1999,2000,2001,2003,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\elf\backtracesymsfd.c(2): Copyright (C) 1998,2000,2003,2005,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\fd_to_filename.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\fpu_control.h(2): Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\frame.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\framestate.c(2): Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\gccframe.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\gmp-mparam.h(2): Copyright (C) 1991,93,94,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\hp-timing.h(2): Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\ifreq.h(1):/* Copyright (C) 1999, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\initfini.c(2): Copyright (C) 1995, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\inttypes.h(1):/* Copyright (C) 1997-2001, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\ldconfig.h(1):/* Copyright (C) 1999, 2000, 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\ldsodefs.h(2): Copyright (C) 1995-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\machine-gmon.h(2): Copyright (C) 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\machine-lock.h(2): Copyright (C) 1994, 1997, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\machine-sp.h(2): Copyright (C) 1994, 1997, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\Makefile(1):# Copyright (C) 1992,93,94,95,96,97,99,2002,2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\malloc-machine.h(3): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\memcpy.h(2): Copyright (C) 1991, 1992, 1993, 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\memusage.h(1):/* Copyright (C) 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\net\if.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\netinet\if_ether.h(1):/* Copyright (C) 1996, 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\netinet\in_system.h(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\netinet\ip.h(1):/* Copyright (C) 1991-1993,1995-2000,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\netinet\ip.h(70): * Copyright (c) 1982, 1986, 1993
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\netinet\tcp.h(2): * Copyright (c) 1982, 1986, 1993
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\nfs\nfs.h(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\not-cancel.h(2): Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\nscd-types.h(2): Copyright (c) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\pagecopy.h(2): Copyright (C) 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\paths.h(2): * Copyright (c) 1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\profil-counter.h(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\pty-private.h(2): Copyright (C) 1998, 1999, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\register-dump.h(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sigcontextinfo.h(1):/* Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\siglist.h(2): Copyright (C) 1996,97,98,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sigset-cvt-mask.h(3): Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\stackinfo.h(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\stdint.h(1):/* Copyright (C) 1997,1998,1999,2000,2001,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sys\ptrace.h(2): Copyright (C) 1991, 1992, 1996, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sys\swap.h(2): Copyright (C) 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sys\sysinfo.h(1):/* Copyright (C) 1996-1997, 1999, 2000-2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sys\sysmacros.h(2): Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sys\ttydefaults.h(2): * Copyright (c) 1982, 1986, 1993
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sys\ucontext.h(2): Copyright (C) 1997,98,99,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\sysdep.h(2): Copyright (C) 1991,92,93,96,98,2002,2003,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\testrtsig.h(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\thread_state.h(2): Copyright (C) 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\tls.h(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\tst-stack-align.h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\unwind.h(2): Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\unwind-dw2.c(2): Copyright (C) 1997,1998,1999,2000,2001,2002,2003,2005,2006,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\unwind-dw2-fde.c(2):/* Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\unwind-dw2-fde.h(2):/* Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\unwind-dw2-fde-glibc.c(1):/* Copyright (C) 2001, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\unwind-pe.h(2): Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\generic\utmp-equal.h(2): Copyright (C) 1996,97,98,99,2000,01,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\bits\ipc.h(1):/* Copyright (C) 1995-1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\bits\msq.h(1):/* Copyright (C) 1995, 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\bits\sem.h(1):/* Copyright (C) 1995, 1996, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\bits\shm.h(1):/* Copyright (C) 1995, 1996, 1997, 2000, 2002, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\bits\utmp.h(2): Copyright (C) 1993, 1996, 1997, 1998, 1999, 2002
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\bits\utmpx.h(2): Copyright (C) 1997, 1998, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\errlist.awk(1):# Copyright (C) 1991-1999,2002,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\errlist-compat.awk(2):# Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\getutmp.c(1):/* Copyright (C) 1999, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\ifaddrs.c(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\Makefile(1):# Copyright (C) 1996,1997,1998,1999,2001,2002,2003,2004,2005,2006,2010

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\net\if.h(2): Copyright (C) 1997,98,99,2000,2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\netinet\ip_icmp.h(1):/* Copyright (C) 1991, 92, 93, 95, 96, 97, 99 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\netinet\ip_icmp.h(96): * Copyright (c) 1982, 1986, 1993

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\netinet\tcp.h(2): * Copyright (c) 1982, 1986, 1993

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\netinet\udp.h(1):/* Copyright (C) 1991-1993,1995-1997,2004,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\netinet\udp.h(20): * Copyright (C) 1982, 1986 Regents of the University of California.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\siglist.c(2): Copyright (C) 1997-2000, 2002, 2003, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\sys\mtio.h(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\unwind-resume.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\updwtmp.c(1):/* Copyright (C) 1998, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\utmp_file.c(1):/* Copyright (C) 1998, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\gnu\utmpx.h(1):/* Copyright (C) 1997, 1998, 1999, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386__longjmp.S(2): Copyright (C) 1995-1998,2000,2002,2005,2006,2009

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\add_n.S(3): Copyright (C) 1992,94,95,97,98,2000,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\addmul_1.S(3): Copyright (C) 1992,1994,1997,1998,2000,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\asm-syntax.h(2): Copyright (C) 1992, 1994, 1995, 1997, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\backtrace.c(2): Copyright (C) 1998, 2000, 2003-2005, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bits\byteswap.h(2): Copyright (C) 1997, 1998, 2000, 2002, 2003, 2006, 2007, 2008, 2010

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bits\huge_vall.h(3): Copyright (C) 1992, 1995, 1996, 1997, 1999, 2000, 2004

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bits\link.h(1):/* Copyright (C) 2004, 2005, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bits\mathdef.h(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bits\select.h(1):/* Copyright (C) 1997, 1998, 1999, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bits\setjmp.h(1):/* Copyright (C) 1997,1998,2000,2001,2003,2005,2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bp-asm.h(2): Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bsd-_setjmp.S(2): Copyright (C) 1994-1997,2000-2002,2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bsd-setjmp.S(2): Copyright (C) 1994-1997,2000,2001,2005, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\bzero.c(3): Copyright (C) 1991,92,93,97,98,99, 05 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-irel.h(3): Copyright (C) 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-lookupcfg.h(2): Copyright (C) 2005, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-machine.h(2): Copyright (C) 1995-2005, 2006, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-procinfo.c(2): Copyright (C) 2001,2002,2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-procinfo.h(2): Copyright (C) 1998, 2000, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-tls.h(2): Copyright (C) 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-tlsdesc.h(3): Copyright (C) 2005, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-tlsdesc.S(2): Copyright (C) 2004, 2005, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\dl-trampoline.S(2): Copyright (C) 2004, 2005, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\elf\start.S(2): Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\ffs.c(4): Copyright (C) 1991, 92, 93, 94, 97, 98, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu_control.h(2): Copyright (C) 1993,1995-1998,2000,2001,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\bits\fenv.h(1):/* Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\bits\mathinline.h(2): Copyright (C) 1995,1996,1997,1998,1999,2000,2001,2003,2004,2006,2007,2009

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_acosh.S(2): Copyright (C) 1996, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_acoshf.S(2): Copyright (C) 1996, 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_acoshl.S(2): Copyright (C) 1996, 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_atanh.S(2): Copyright (C) 1996, 1999, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_atanhf.S(2): Copyright (C) 1996, 1999, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_atanhl.S(2): Copyright (C) 1996, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_hypot.S(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_hypotf.S(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_pow.S(2): Copyright (C) 1996, 1997, 1998, 1999, 2001, 2004, 2005, 2007

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_powf.S(2): Copyright (C) 1996, 1997, 1999, 2001, 2004, 2005, 2007

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\e_powl.S(2): Copyright (C) 1996, 1997, 1998, 1999, 2001, 2004, 2005, 2007

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fclexcpt.c(2): Copyright (C) 1997,99,2000, 2001, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fedisblxcpt.c(2): Copyright (C) 1999, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\feenablxcpt.c(2): Copyright (C) 1999, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fegetenv.c(2): Copyright (C) 1997,1999,2000,2001,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fegetexcept.c(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fegetround.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\feholdexcpt.c(2): Copyright (C) 1997, 1999, 2003, 2004, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fesetenv.c(2): Copyright (C) 1997,98,99,2000,01,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fesetround.c(2): Copyright (C) 1997, 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\feupdateenv.c(2): Copyright (C) 1997,99,2000,01,07 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fgetexceptflg.c(2): Copyright (C) 1997,99,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fraiseexcpt.c(2): Copyright (C) 1997,99,2000,01,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\fsetexceptflg.c(2): Copyright (C) 1997,99,2000,01, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\ftestexcept.c(2): Copyright (C) 1997, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_asinh.S(2): Copyright (C) 1996, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_asinhf.S(2): Copyright (C) 1996, 1997, 1999, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_asinhl.S(2): Copyright (C) 1996, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_cbrt.S(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_cbrtf.S(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_cbrtl.S(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_cexp.S(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_cexpf.S(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_cexpl.S(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_expm1.S(2): Copyright (C) 1996, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_expm1f.S(2): Copyright (C) 1996, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_expm1l.S(2): Copyright (C) 1996, 1997, 2002, 2005, 2008 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fdim.S(2): Copyright (C) 1997, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fdimf.S(2): Copyright (C) 1997, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fdiml.S(2): Copyright (C) 1997, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fma.S(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fmaf.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fmalf.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fmax.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fmaxf.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fmaxl.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fmin.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fminf.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fminl.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_fpclassify.c(2): Copyright (C) 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_frexp.S(2): Copyright (C) 1997, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_frexpf.S(2): Copyright (C) 1997, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_frexpl.S(2): Copyright (C) 1997, 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_isnanl.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_llrint.S(3): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_llrintf.S(3): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_llrintl.S(3): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_lrint.S(3): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_lrintf.S(3): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_lrintl.S(3): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_nextafterl.c(9): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_nexttoward.c(9): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_nexttowardf.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_sincos.S(2): Copyright (C) 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_sincosf.S(2): Copyright (C) 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_sincosl.S(2): Copyright (C) 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_trunc.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_truncf.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\fpu\s_truncl.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\gccframe.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\gmp-mparam.h(3): Copyright (C) 1991, 1993, 1994, 1995 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\htonl.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\htons.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i386-mcount.S(2): Copyright (C) 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i486\bits\atomic.h(1):/* Copyright (C) 2002-2004, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i486\bits\string.h(2): Copyright (C) 1997,1998,1999,2000,2001,2002,2003,2004,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i486\htonl.S(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i486\strcat.S(3): Copyright (C) 1994-1997,2000,2003,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i486\string-inlines.c(1):/* Copyright (C) 1999, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i486\strlen.S(3): Copyright (C) 1991-1997, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\add_n.S(3): Copyright (C) 1992,94,95,96,97,98,2000,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\addmul_1.S(3): Copyright (C) 1992, 94, 96, 97, 98, 00, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\lshift.S(2): Copyright (C) 1992,94,95,96,97,98,2000,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\memcpy.h(2): Copyright (C) 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\memcpy.S(2): Copyright (C) 1997, 2000, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\memset.S(3): Copyright (C) 1996, 1997, 2000, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\mul_1.S(3): Copyright (C) 1992, 94, 96, 97, 98, 00, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\rshift.S(2): Copyright (C) 1992,94,95,96,97,98,2000,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\strchr.S(3): Copyright (C) 1995,1996,1997,2000,2003,2005 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\strcpy.S(2): Copyright (C) 1997, 2000, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\strlen.S(3): Copyright (C) 1995,1996,1997,2000,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\sub_n.S(3): Copyright (C) 1992,94,95,96,97,98,2000,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i586\submul_1.S(3): Copyright (C) 1992, 94, 96, 97, 98, 00, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\add_n.S(3): Copyright (C) 1992,94,95,97,98,2000,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\dl-hash.h(2): Copyright (C) 1998, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\ffs.c(4): Copyright (C) 1991, 92, 93, 94, 97, 98, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fdim.S(2): Copyright (C) 1997, 1998, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fdimf.S(2): Copyright (C) 1997, 1998, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fdiml.S(2): Copyright (C) 1997, 1998, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fmax.S(2): Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fmaxf.S(2): Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fmaxl.S(2): Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fmin.S(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fminf.S(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\fpu\s_fminl.S(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\hp-timing.c(2): Copyright (C) 1998, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\hp-timing.h(2): Copyright (C) 1998, 2002, 2003, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memcmp.S(2): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memcpy.S(4): Copyright (C) 1999, 2000, 2003, 2004, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memcpy_chk.S(2): Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memmove.S(4): Copyright (C) 2003, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memmove_chk.S(2): Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memcpy.S(4): Copyright (C) 1998,1999,2000,2002,2004,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memcpy_chk.S(2): Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memset.S(3): Copyright (C) 1999,2000,2003,2005,2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memset_chk.S(2): Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\memusage.h(1):/* Copyright (C) 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\bcopy.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\bzero.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcmp.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcmp-sse4.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcmp-ssse3.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcpy.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcpy_chk.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcpy-ssse3.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcpy-ssse3-rep.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memmove.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memmove_chk.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcpy.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memcpy_chk.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memset.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memset_chk.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memset-sse2.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\memset-sse2-rep.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\s_fma.c(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\s_fmaf.c(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\s_fmaf-fma.c(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\s_fma-fma.c(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\strcmp.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\strcmp-sse4.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\strcmp-ssse3.S(2): Copyright (C) 2010 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\strcspn.S(2):
Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\strlen.S(2):
Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\multiarch\strspn.S(2):
Copyright (C) 2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\strcmp.S(2): Copyright (C)
1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\strtok.S(3): Copyright (C)
1998, 2000, 2001, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\i686\tst-stack-align.h(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\init-first.c(2): Copyright (C)
1995,1996,1997,2000,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\jmpbuf-offsets.h(2): Copyright (C)
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\jmpbuf-unwind.h(1):/* Copyright (C)
2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\ldbl2mpn.c(1):/* Copyright (C) 1995,
1996, 1997, 2000, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\lshift.S(2): Copyright (C)
1992,1994,1997-2000,2005,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\machine-gmon.h(2): Copyright (C)
1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\memchr.S(3): Copyright (C)
1994-1998, 2000, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\memcmp.S(2): Copyright (C)
1995,1996,1997,2000,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\memcpy.h(2): Copyright (C) 1991,
1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\memset.c(3): Copyright (C)
1991,1992,1993,1997,1998,2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\memusage.h(1):/* Copyright (C) 2000
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\mul_1.S(3): Copyright (C)
1992,1994,1997,1998,2000,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\rawmemchr.S(3): Copyright (C)
1994-2000,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\rshift.S(2): Copyright (C)
1992,1994,1997-2000,2005,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\setfpuwc.c(2): Copyright (C) 2003,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\setjmp.S(2): Copyright (C)
1995,1996,1997,2000,2001,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\stackinfo.h(1):/* Copyright (C)
1999, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\stpcpy.S(3): Copyright (C) 1994,
1995, 1996, 1997, 2000, 2002, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\stpncpy.S(4): Copyright (C)
1994-1997,2000,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\strchr.S(3): Copyright (C)
1994-1997,1999,2000,2002,2003,2005

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\strchrnul.S(4): Copyright (C) 1994-1997, 1999, 2000, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\strcspn.S(4): Copyright (C) 1994-1997,2000,2003,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\string-inlines.c(1):/* Copyright (C) 1999, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\strlen.c(2): Copyright (C) 1991,1992,1993,1996,1997,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\strpbrk.S(4): Copyright (C) 1994-1997, 2000, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\strrchr.S(3): Copyright (C) 1994-1997, 2000, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\strspn.S(4): Copyright (C) 1994-1997, 2000, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\strtok.S(3): Copyright (C) 1996-1998,2000,2001,2005,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\sub_n.S(3): Copyright (C) 1992,1994,1995,1997,1998,2000,2005

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\submul_1.S(3): Copyright (C) 1992,1994,1997,1998,2000,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\sys\ucontext.h(1):/* Copyright (C) 1997,99,2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\sysdep.h(2): Copyright (C) 1991-93,95,96,98,2002,2003,2005,2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\tlsdesc.c(2): Copyright (C) 2005, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\i386\tst-stack-align.h(1):/* Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64_mcount.S(2): Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\backtrace.c(2): Copyright (C) 2003, 2004, 2005, 2007, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\bits\atomic.h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\bits\byteswap.h(2): Copyright (C) 1997,1998,2000,2002,2003,2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\bits\fenv.h(1):/* Copyright (C) 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\bits\huge_vall.h(3): Copyright (C) 2000, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\bits\link.h(1):/* Copyright (C) 2005, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\bits\mathdef.h(1):/* Copyright (C) 2000, 2001, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\bits\xtitypes.h(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\bzero.S(3): Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\d1-dtprocnum.h(2): Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\d1-fptr.h(2): Copyright (C) 2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\dl-lookupcfg.h(2): Copyright (C) 2000, 2001, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\dl-machine.h(2): Copyright (C) 1995-1997, 2000-2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\dl-sysdep.h(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\dl-tls.h(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\dl-trampoline.S(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\elf\initfini.c(2): Copyright (C) 2000, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\elf\start.S(1):/* Copyright (C) 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\bits\mathinline.h(2): Copyright (C) 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_acos.S(4):// Copyright (c) 2000 - 2003 Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_acosf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_acosh.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_acoshf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_acoshl.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_acosl.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_asin.S(4):// Copyright (c) 2000 - 2003 Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_asinf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_asinl.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_atan2.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_atan2f.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_atanh.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_atanhf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_atanh1.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_cosh.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_coshf.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_cosh1.S(4):// Copyright (c) 2000 - 2002, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_exp.S(4):// Copyright (c) 2000 - 2005, Intel Corporation

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_exp10.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_exp10f.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_exp10l.S(4):// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_exp2.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_exp2f.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_exp2l.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_expf.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_fmod.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_fmodf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_fmodl.S(4):// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_hypot.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_hypotf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_hypotl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_lgamma_r.c(4):// Copyright (c) 2002 Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_lgammaf_r.c(4):// Copyright (c) 2002 Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_lgammal_r.c(4):// Copyright (c) 2002 Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_log.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_log2.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_log2f.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_log2l.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_logf.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_logl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_pow.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_powf.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_powl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_remainder.S(4):// Copyright (c) 2000 - 2003, Intel Corporation

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_remainderf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_remainderl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_scalb.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_scalbf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_scalbl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_sinh.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_sinhf.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_sinhl.S(4):// Copyright (c) 2000 - 2002, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_sqrt.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_sqrtf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\e_sqrtl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fclexcpt.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fedisblxcpt.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\feenblxcpt.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fegetenv.c(2): Copyright (C) 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fegetexcept.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fegetround.c(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\feholdexcpt.c(2): Copyright (C) 1997, 1999, 2000, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fesetenv.c(2): Copyright (C) 1997, 1998, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fesetround.c(2): Copyright (C) 1999, 2000, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\feupdateenv.c(2): Copyright (C) 1997, 2000, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fgetexceptflg.c(2): Copyright (C) 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fraiseexcpt.c(2): Copyright (C) 1997, 1998, 2000, 2001, 2002, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\fsetexceptflg.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\ftestexcept.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_cpu_defs.h(4):// Copyright (c) 2000 - 2004, Intel Corporation

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_error.c(4)// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_error_codes.h(5)// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_frexp.S(4)// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_frexp4.S(3)// Copyright (C) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_frexp4f.S(3)// Copyright (C) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_frexp4l.S(3)// Copyright (C) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_frexpf.S(4)// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_frexpl.S(4)// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_lgamma.S(4)// Copyright (c) 2002 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_lgammaf.S(4)// Copyright (c) 2002 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_lgammal.S(4)// Copyright (c) 2002 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_reduce.S(4)// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_scalblnf.S(4)// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_sincos.S(4)// Copyright (c) 2002 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_sincos_large.S(4)// Copyright (c) 2002 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_sincosf.S(4)// Copyright (c) 2002 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_sincosl.S(4)// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_support.h(5)// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\libm_tan.S(3)// Copyright (C) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\printf_fphex.c(2): Copyright (C) 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_asinh.S(4)// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_asinhf.S(4)// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_asinhl.S(4)// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_atan.S(4)// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_atanf.S(4)// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_atanl.S(4)// Copyright (c) 2000 - 2005, Intel Corporation

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_cbrt.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_cbrtf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_cbrtl.S(4):// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ceil.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ceilf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ceil.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_copysign.S(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_cos.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_cosf.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_cosl.S(4):// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_erf.S(4):// Copyright (c) 2001 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_erfc.S(4):// Copyright (c) 2001 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_erfcf.S(4):// Copyright (c) 2002 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_erfcl.S(4):// Copyright (c) 2001 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_erff.S(4):// Copyright (c) 2001 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_erfl.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_expm1.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_expm1f.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_expm1l.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fabs.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fabsf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fabsl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fdim.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fdimf.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fdiml.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_finite.S(1):/* Copyright (C) 2000, 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_floor.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_floorf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_floorl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fma.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fmaf.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fmalf.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fmax.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fmaxf.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fmaxl.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_fpclassify.S(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_frexp.c(4):// Copyright (c) 2000-2002, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_frexp.c(4):// Copyright (c) 2000-2002, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_frexp.c(4):// Copyright (c) 2000-2002, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_frexp.c(4):// Copyright (c) 2000-2002, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ilogb.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ilogbf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ilogbl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_isinf.S(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_isnan.S(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ldexp.c(4):// Copyright (c) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ldexp.c(4):// Copyright (c) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ldexp.c(4):// Copyright (c) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_ldexpl.c(4):// Copyright (c) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_libm_ldexp.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_libm_ldexpf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_libm_ldexpl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_libm_scalbn.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_libm_scalbnf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_libm_scalbnl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_log1p.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_log1pf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_log1pl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_logb.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_logbf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_logbl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_matherrf.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_matherrl.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_modf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_modff.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_modfl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nearbyint.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nearbyintf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nearbyintl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nextafter.S(4):// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nextafterf.S(4):// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nextafterl.S(4):// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nexttoward.S(4):// Copyright (c) 2001 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nexttowardf.S(4):// Copyright (c) 2001 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_nexttowardl.S(4):// Copyright (c) 2001 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_rint.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_rintf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_rintl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_round.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_roundf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_roundl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_scalblnf.c(4):// Copyright (c) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_scalbn.c(4):// Copyright (c) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_scalbnf.c(4):// Copyright (c) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_scalbnl.c(4):// Copyright (c) 2000, 2001, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_signbit.S(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_significand.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_significandf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_significandl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_tan.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_tanf.S(4):// Copyright (c) 2000 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_tanh.S(4):// Copyright (c) 2001 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_tanhf.S(4):// Copyright (c) 2001 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_tanh1.S(4):// Copyright (c) 2001 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_tan1.S(4):// Copyright (c) 2000 - 2004, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_trunc.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_truncf.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\s_truncl.S(4):// Copyright (c) 2000 - 2003, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\w_lgamma.c(4):// Copyright (c) 2002 Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\w_lgammaf.c(4):// Copyright (c) 2002 Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\w_lgamma1.c(4):// Copyright (c) 2002 Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\w_tgamma.S(4):// Copyright (c) 2001 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\w_tgammaf.S(4):// Copyright (c) 2001 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\fpu\w_tgamma1.S(4):// Copyright (c) 2002 - 2005, Intel Corporation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\gccframe.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\hp-timing.c(2): Copyright (C) 2001, 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\hp-timing.h(2): Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\htonl.S(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\htons.S(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\ieee754.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\jmpbuf-unwind.h(1):/* Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\libc-tls.c(2): Copyright (C) 2003, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\machine-gmon.h(2): Copyright (C) 1995, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\memccpy.S(3): Copyright (C) 2000,2001,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\memchr.S(3): Copyright (C) 2000, 2001, 2003, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\memcmp.S(3): Copyright (C) 2000, 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\memcpy.S(3): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\memmove.S(3): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\memset.S(3): Copyright (C) 2000, 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\memusage.h(1):/* Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\sched_cpucount.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\softpipe.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\stackinfo.h(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\strcat.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\strchr.S(3): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\strcmp.S(3): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\strcpy.S(3): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\strlen.S(3): Copyright (C) 2000, 2001, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\strncmp.S(3): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\strncpy.S(3): Copyright (C) 2000, 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ia64\sysdep.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\bits\huge_val.h(3): Copyright (C) 1992, 1995, 1996, 1997, 1999, 2000, 2004

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\bits\huge_valf.h(3): Copyright (C) 1992, 1995, 1996, 1997, 1999, 2000, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\bits\inf.h(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\bits\nan.h(2): Copyright (C) 1992,1996,1997,1999,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\asincos.tbl(4): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\atnat.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\atnat2.h(5): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\branred.c(4): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\branred.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\dbl2mpn.c(1):/* Copyright (C) 1993,1994,1995,1996,1997,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\dla.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\doasin.c(4): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\doasin.h(5): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\dosincos.c(4): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\dosincos.h(5): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_acosh.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_asin.c(4): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_atan2.c(4): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_atanh.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_cosh.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_exp.c(4): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_exp2.c(2): Copyright (C) 1997,1998,2000,2001,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_fmod.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_gamma_r.c(2): Copyright (C) 1997, 1999, 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_hypot.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_j0.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_j1.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_jn.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_lgamma_r.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_log.c(4): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_log10.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_log2.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_pow.c(4): * Copyright (C) 2001, 2002, 2004 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_rem_pio2.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_remainder.c(4): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_sinh.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\e_sqrt.c(4): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\halfulp.c(4): * Copyright (C) 2001, 2005 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\k_rem_pio2.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\k_tan.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\MathLib.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpa.c(5): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpa.h(5): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpa2.h(5): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpatan.c(5): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpatan.h(5): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpatan2.c(5): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpexp.c(5): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpexp.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mplog.c(5): * Copyright (C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mplog.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpn2dbl.c(1):/* Copyright (C) 1995,1996,1997,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpsqrt.c(5): * Copyright (C) 2001 Free Software Foundation

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mpsqrt.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mptan.c(5): * Copyright (C) 2001 Free Software Foundation

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\mydefs.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\powtwo.tbl(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\root.tbl(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_asinh.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_atan.c(4): * Copyright (C) 2001 Free Software Foundation

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_cbrt.c(2): Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_ceil.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_copysign.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_erf.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_expm1.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_fabs.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_finite.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_floor.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_fpclassify.c(2): Copyright (C) 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_frexp.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_ilogb.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_isnan.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_llrint.c(3): Copyright (C) 1997, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_llround.c(2): Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_log1p.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_logb.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_lrint.c(3): Copyright (C) 1997, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_lround.c(2): Copyright (C) 1997, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_modf.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_nearbyint.c(4): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_remquo.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_rint.c(4): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_round.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_scalbln.c(4): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_scalbn.c(4): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_signbit.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_sin.c(4): * Copyright
(C) 2001, 2009 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_sincos.c(2): Copyright
(C) 1997, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_tan.c(4): * Copyright
(C) 2001, 2009 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_tanh.c(4): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\s_trunc.c(2): Copyright
(C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\sincos.tbl(4): * Copyright
(C) 2001, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\sincos32.c(4): * Copyright
(C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\sincos32.h(4): * Copyright
(C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\slowexp.c(4): * Copyright
(C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\slowpow.c(4): * Copyright
(C) 2001 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\t_exp.c(2): Copyright (C)
1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\uasncs.h(4): * Copyright
(C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\uatan.tbl(4): * Copyright
(C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\uexp.h(4): * Copyright (C)
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\uexp.tbl(4): * Copyright
(C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\uilog.h(4): * Copyright (C)
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\uilog.tbl(4): * Copyright
(C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\upow.h(4): * Copyright (C)
2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\upow.tbl(4): * Copyright
(C) 2001 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\urem.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\uroot.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\usnecs.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\utan.h(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\utan.tbl(4): * Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\w_exp.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\wordsize-64\s_ceil.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\wordsize-64\s_isnan.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\wordsize-64\s_lround.c(2): Copyright (C) 1997, 2004, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\wordsize-64\s_nearbyint.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\wordsize-64\s_rint.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\wordsize-64\s_round.c(2): Copyright (C) 1997, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\wordsize-64\s_scalbn.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\dbl-64\wordsize-64\s_trunc.c(2): Copyright (C) 1997, 1998, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_acosf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_acoshf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_asinf.c(18): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_asinf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_atan2f.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_atanhf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_coshf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_exp2f.c(2): Copyright (C) 1997, 1998, 2000, 2001, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_expf.c(2): Copyright (C) 1997, 1998, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_fmodf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_gammaf_r.c(2): Copyright (C) 1997, 1999, 2001, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_hypotf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_j0f.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_j1f.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_jnf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_lgammaf_r.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_log10f.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_log2f.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_logf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_powf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_rem_pio2f.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_remainderf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_sinhf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\e_sqrtf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\k_cosf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\k_rem_pio2f.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\k_sinf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\k_tanf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\mpn2flt.c(1):/* Copyright (C) 1995,1997,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_asinhf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_atanf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_cbrtf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_ceilf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_copysignf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_cosf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_erff.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_expmlf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_fabsf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_finitef.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_floorf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_fpclassifyf.c(2):
Copyright (C) 1997, 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_frexp.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_ilogbf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_isnanf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_llrintf.c(3): Copyright
(C) 1997, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_llroundf.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_log1pf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_logbf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_lrintf.c(3): Copyright
(C) 1997, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_lroundf.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_modff.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_nearbyintf.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_nextafterf.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_remquof.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_rintf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_roundf.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_scalblnf.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_scalbnf.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_signbitf.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_sincosf.c(2): Copyright
(C) 1997, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_sinf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_tanf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_tanhf.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\s_truncf.c(2): Copyright
(C) 1997, 1998 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\t_exp2f.h(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\flt-32\w_expf.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ieee754.h(1):/* Copyright (C) 1992, 1995, 1996, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\k_standard.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\bits\huge_vall.h(3): Copyright (C) 1992, 1995, 1996, 1997, 1999, 2000, 2004

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_acoshl.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_acosl.c(14): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_acosl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_asinl.c(14):Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_asinl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_atan2l.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_atanh1.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_coshl.c(13): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_coshl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_expl.c(2): Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_fmodl.c(6): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_gammal_r.c(2): Copyright (C) 1997, 1999, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_hypotl.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_j0l.c(78):/* Copyright 2001 by Stephen L. Moshier (moshier@na-net.ornl.gov).

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_j1l.c(82):/* Copyright 2001 by Stephen L. Moshier (moshier@na-net.ornl.gov).

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_jnl.c(13): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_jnl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_lgammal_r.c(55):/* Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_log10l.c(46): Copyright 1984, 1991 by Stephen L. Moshier

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_log2l.c(45): Copyright 1984, 1991 by Stephen L. Moshier

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_logl.c(45):/* Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_powl.c(13): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_powl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_rem_pio2l.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_remainderl.c(6): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_sinh1.c(18): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\e_sinh1.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\ieee754.h(1):/* Copyright (C) 1992, 1995, 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\k_cosl.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\k_sincosl.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\k_sinl.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\k_tanl.c(14):Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\k_tanl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\ldbl2mpn.c(1):/* Copyright (C) 1995,1996,1997,1998,1999,2002,2003
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\mpn2ldbl.c(1):/* Copyright (C) 1995,1996,1997,1998,1999,2002,2003
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\printf_fphex.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_asinh1.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_atanl.c(45):/* Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_cbtrl.c(39):Copyright 1984, 1991 by Stephen L. Moshier
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_ceil1.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_copysign1.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_cosl.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_erfl.c(13): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_erfl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_expm11.c(38):/* Copyright 2001 by Stephen L. Moshier
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_fabs1.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_finitel.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_floorl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_fpclassify.c(2):
Copyright (C) 1997, 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_frexp.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_ilogbl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_isnanl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_llrintl.c(3):
Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_llroundl.c(2):
Copyright (C) 1997, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_log1pl.c(39):/*
Copyright 2001 by Stephen L. Moshier
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_logbl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_lrintl.c(3): Copyright
(C) 1997, 1999, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_lroundl.c(2):
Copyright (C) 1997, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_modfl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_nearbyintl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_nextafterl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_nexttoward.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_nexttowardf.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_remquol.c(2):
Copyright (C) 1997, 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_rintl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_roundl.c(2): Copyright
(C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_scalblnl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_scalbnl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_signbitl.c(2):
Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_sincosl.c(2):
Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_sinl.c(7): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_tanhl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_tanl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\s_truncl.c(2): Copyright (C) 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\strtold_l.c(1):/* Copyright (C) 1999, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\t_expl.h(2): Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\t_sincosl.c(2): Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128\w_expl.c(8): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_acoshl.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_acosl.c(14): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_acosl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_asinl.c(14): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_asinl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_atan2l.c(7): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_atanh1.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_coshl.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_expl.c(2): Copyright (C) 1999, 2004, 2006, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_fmodl.c(6): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_gammal_r.c(2): Copyright (C) 1997, 1999, 2002, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_hypotl.c(4): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_jnl.c(13): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_jnl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_log10l.c(46): Copyright 1984, 1991 by Stephen L. Moshier

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_log2l.c(45): Copyright 1984, 1991 by Stephen L. Moshier

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_logl.c(45):/* Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_powl.c(13): Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_powl.c(3): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_rem_pio2l.c(2): Copyright (C) 1999, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\l_e_remainderl.c(6): * Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__e_sinh1.c(3): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__e_sqrt1.c(4): *
Copyright (C) 2001, 2004, 2006 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\ieee754.h(1):/*
Copyright (C) 1992, 1995, 1996, 1999, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__k_cos1.c(2):
Copyright (C) 1999,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__k_sincos1.c(2):
Copyright (C) 1999,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__k_sin1.c(2):
Copyright (C) 1999,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__k_tan1.c(14):Copyrigh
t (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__k_tan1.c(3): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__ldbl2mpn.c(1):/*
Copyright (C) 1995,1996,1997,1998,1999,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__mpn2ldbl.c(1):/*
Copyright (C) 1995, 1996, 1997, 1998, 1999, 2002, 2003, 2004, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__printf_fphex.c(2):
Copyright (C) 1997,1998,1999,2000,2001,2002,2004,2006,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_asinh1.c(4): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_atan1.c(45):/*
Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_ceil1.c(3):
Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_copysign1.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_cos1.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_cproj1.c(2):
Copyright (C) 1997,1999,2006,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_ctanh1.c(2):
Copyright (C) 1997,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_ctan1.c(2):
Copyright (C) 1997,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_erfl1.c(13):
Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_erfl1.c(3): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_expm11.c(38):/*
Copyright 2001 by Stephen L. Moshier
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_fabs1.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_finitel1.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_floor1.c(3):
Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm__s_fpclassify1.c(2):
Copyright (C) 1997,1999,2002,2004,2006,2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_frexp.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_ilogbl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_isnanl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_llrintl.c(3):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_llroundl.c(3):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_log1pl.c(39):/*
Copyright 2001 by Stephen L. Moshier
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_logbl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_lrintl.c(3):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_lroundl.c(3):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_modfl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_nearbyintl.c(3):
Copyright (C) 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_nextafterl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_nexttoward.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_nexttowardf.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_remquol.c(2):
Copyright (C) 1997,1999,2002,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_rintl.c(3):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_roundl.c(3):
Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_scalblnl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_scalbnl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_signbitl.c(2):
Copyright (C) 1997,1999,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_sincosl.c(2):
Copyright (C) 1997,1999,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_sinl.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_tanh.c(4): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_tanl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\s_truncl.c(3):
Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\strtold_l.c(1):/*
Copyright (C) 1999, 2006, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-128ibm\t_sincosl.c(2):
Copyright (C) 1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-64-128\strtold_l.c(1):/*
Copyright (C) 1999, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_acoshl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_asinl.c(14):Copyright
(C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_asinl.c(3): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_atan2l.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_atanh1.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_coshl.c(3): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_gammal_r.c(2):
Copyright (C) 1997, 1999, 2001, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_hypot1.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_j0l.c(13):Copyright (C)
2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_j0l.c(3): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_j1l.c(13):Copyright (C)
2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_j1l.c(3): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_jnl.c(13):Copyright (C)
2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_jnl.c(3): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_lgammal_r.c(13):Copyrig
ht (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_lgammal_r.c(3): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_remainder1.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\e_sinh1.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\ldbl2mpn.c(1):/*
Copyright (C) 1995,1996,1997,1998,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\mpn2ldbl.c(1):/*
Copyright (C) 1995,1996,1997,1998,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\printf_fphex.c(2):
Copyright (C) 1997, 1998, 1999, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_asinh1.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_cbtrl.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_ceil1.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_copysignl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_cosl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_erfl.c(13): Copyright
(C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_erfl.c(3): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_fabsl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_finitel.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_floorl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_fpclassify.c(2):
Copyright (C) 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_frexp.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_ilogbl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_isnanl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_llrintl.c(3): Copyright
(C) 1997, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_llroundl.c(2):
Copyright (C) 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_logbl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_lrintl.c(3): Copyright
(C) 1997, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_lroundl.c(2): Copyright
(C) 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_modfl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_nearbyintl.c(9): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_nextafterl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_nexttoward.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_nexttowardf.c(7): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_remquol.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_rintl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_roundl.c(2): Copyright
(C) 1997, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_scalblnl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_scalbnl.c(8): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_signbitl.c(2):
Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_sincosl.c(2): Copyright
(C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_sinl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_tanhl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_tanl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\s_truncl.c(2): Copyright
(C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\strtold_l.c(1):/*
Copyright (C) 1999, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-96\w_expl.c(8): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-opt\nldbl-compat.c(2):
Copyright (C) 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-opt\nldbl-compat.h(2):
Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\ldbl-opt\s_nexttowardfd.c(5): *
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\s_lib_version.c(4): * Copyright
(C) 1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\s_matherr.c(4): * Copyright (C)
1993 by Sun Microsystems, Inc. All rights reserved.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\ieee754\support.c(2): * Copyright (c)
1985, 1993
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach_strerror.c(1):/* Copyright (C)
1993,95,96,97,98,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\adjtime.c(1):/* Copyright (C) 1991,
1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\bits\libc-lock.h(2): Copyright (C)
1996,97,98,2000,01, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\getloadavg.c(2): Copyright (C) 1999,
2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\getpagesize.c(1):/* Copyright (C)
1991, 1995, 1996, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\getsysstats.c(2): Copyright (C)
1996,97,99,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\gettimeofday.c(1):/* Copyright (C)
1991,1992,1995-1997,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl_exit.c(1):/* Copyright (C)
1993,94,95,96,97,99,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl_accept.c(1):/* Copyright (C)
1992,1993,1994,1997,1999,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl_access.c(1):/* Copyright (C)
1991, 92, 93, 94, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl_adjtime.c(1):/* Copyright (C)
1991,93,95,97,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl_bind.c(1):/* Copyright (C)
1992,94,95,96,97,98,2001,02 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\fcntl.h(2): Copyright (C) 1993,1994,1996,1997,1998,1999,2000,2001,2004,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\ioctls.h(1):/* Copyright (C) 1992,93,96,97,98,99,2001,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\libc-lock.h(2): Copyright (C) 1996,97,98,2000,01, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\libc-tsd.h(2): Copyright (C) 1998,2002,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\local_lim.h(2): Copyright (C) 1993,94,96,98,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\posix_opt.h(2): Copyright (C) 1998,2000,2001,2002,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\stat.h(1):/* Copyright (C) 1992-1994,1996,1997,1999,2000,2005,2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\statfs.h(2): Copyright (C) 1996, 97, 98, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\statvfs.h(2): Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdbits\typesizes.h(2): Copyright (C) 2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\brk.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,99,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\chdir.c(1):/* Copyright (C) 1991,92,93,94,95,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\check_fds.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\chflags.c(1):/* Copyright (C) 1991, 92, 93, 94, 97, 98 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\chmod.c(1):/* Copyright (C) 1991, 1992, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\chown.c(1):/* Copyright (C) 1991,1992,1994,1995,1997,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\chroot.c(1):/* Copyright (C) 1991,92,93,94,95,97,99,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\clock.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\close.c(1):/* Copyright (C) 1991,92,93,94,95,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\closedir.c(1):/* Copyright (C) 1993, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\connect.c(1):/* Copyright (C) 1992,94,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\cthreads.c(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\device-nrs.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\dirfd.c(2): Copyright (C) 1995, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\dirstream.h(1):/* Copyright (C) 1993,94,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdb\dl-cache.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\dl-execstack.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\dl-sysdep.c(2): Copyright (C) 1995,1996,1997,1998,1999,2000,2001,2002,2003,2004,2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\dl-sysdep.h(2): Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\dup2.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 97, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\enbl-secure.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\errlist.c(1):/* Copyright (C) 1998,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\errno-loc.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\errnos.awk(1):# Copyright (C) 1991,92,93,94,95,96,97,2000,01,02
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\euidaccess.c(2): Copyright (C) 1991, 1995, 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\execve.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\faccessat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fchdir.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fchflags.c(1):/* Copyright (C) 1991, 92, 93, 94, 97, 98 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fchmod.c(1):/* Copyright (C) 1991, 1992, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fchmodat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fchown.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fchownat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fcntl.c(1):/* Copyright (C) 1992-1997,1999,2000,2002,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fdatasync.c(1):/* Copyright (C) 1991, 92, 93, 94, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fdopendir.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fexecve.c(1):/* Copyright (C) 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fgetxattr.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\flistxattr.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\flock.c(1):/* Copyright (C) 1992, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fork.c(1):/* Copyright (C) 1994,1995,1996,1997,1999,2001,2002,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdl\fpathconf.c(1):/* Copyright (C) 1991, 92, 94, 95, 96, 97 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfremovexattr.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfsetxattr.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfstatfs.c(2): Copyright (C) 1996,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfstatfs64.c(1):/* Copyright (C) 2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfstatvfs.c(1):/* Copyright (C) 1998, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfstatvfs64.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfsync.c(1):/* Copyright (C) 1991, 92, 93, 94, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdftruncate.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 97, 98 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfutimes.c(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfxstat.c(1):/* Copyright (C) 1992,93,94,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfxstat64.c(1):/* Copyright (C) 2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfxstatat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfxstatat64.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetclktck.c(2): Copyright (C) 1999, 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetcwd.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,98,2002,2004,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetdomain.c(1):/* Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetdtsz.c(1):/* Copyright (C) 1991,92,93,94,95,97,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetegid.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgeteuid.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetgid.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetgroups.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgethostid.c(1):/* Copyright (C) 1991, 92, 93, 94, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgethostname.c(1):/* Copyright (C) 1991-1997, 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetitimer.c(1):/* Copyright (C) 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetlogin.c(1):/* Copyright (C) 1991, 1992, 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdfgetlogin_r.c(2): Copyright (C) 1996, 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getpeername.c(1):/* Copyright (C) 1992,1994,1997,1999,2000,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getpgid.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 97, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getpid.c(1):/* Copyright (C) 1991, 1993, 1995, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getppid.c(1):/* Copyright (C) 1991, 1993, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getpriority.c(1):/* Copyright (C) 1994,95,96,97,2000,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getresgid.c(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getresuid.c(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getrlimit.c(1):/* Copyright (C) 1991,93,94,96,97,2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getrusage.c(2): Copyright (C) 1999,2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getsid.c(2): Copyright (C) 1995,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getsockname.c(1):/* Copyright (C) 1992, 1994, 1997, 1999, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getsockopt.c(1):/* Copyright (C) 1992,94,97,2001,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getuid.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\getxattr.c(2): Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\group_member.c(2): Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\bits\sigcontext.h(2): Copyright (C) 1991, 1992, 1994, 1997, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\exc2signal.c(2): Copyright (C) 1991,1992,1994,1996,1997,2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\init-first.c(2): Copyright (C) 1995,96,97,98,99,2000,01,02,03,04,05

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\intr-msg.h(2): Copyright (C) 1995,96,97,99,2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\ioperm.c(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\longjmp-ts.c(2): Copyright (C) 1991, 1994, 1995, 1997, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\sigcontextinfo.h(1):/* Copyright (C) 1998, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\sigreturn.c(1):/* Copyright (C) 1991,92,94,95,96,97,98,2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\static-start.S(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\sys\io.h(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\i386\tls.h(2): Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdi386\trampoline.c(2): Copyright (C) 1994,1995,1996,1997,1998,1999,2005,2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdif_index.c(2): Copyright (C) 2000,01,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdifreq.c(2): Copyright (C) 2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdioc1.c(1):/* Copyright (C) 1992,93,94,95,96,97,99,2000,2002,2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdisatty.c(1):/* Copyright (C) 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdijmp-unwind.c(2): Copyright (C) 1995,1996,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdkernel-features.h(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdkill.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlchmod.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlchown.c(1):/* Copyright (C) 1991, 92, 94, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlgetxattr.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlink.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlinkat.c(2): Copyright (C) 2006,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlisten.c(1):/* Copyright (C) 1992, 1994, 1997, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlistxattr.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlseek.c(1):/* Copyright (C) 1991,92,93,94,95,97,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlseek64.c(1):/* Copyright (C) 2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlsetxattr.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlutimes.c(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlxstat.c(1):/* Copyright (C) 1992,93,94,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlxstat64.c(1):/* Copyright (C) 2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdlMakefile(1):# Copyright (C) 1993,94,95,96,97,98,99,2000,2001,2002,2003,2004,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmalloc-machine.h(3): Copyright (C) 2003, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmig-reply.c(1):/* Copyright (C) 1994,1995,1996,1997,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmkdir.c(1):/* Copyright (C) 1991,93,94,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmkdirat.c(2): Copyright (C) 1991,1993,1994,1995,1996,1997,2002,2006

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmlock.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmmap.c(1):/* Copyright (C) 1994,1995,1996,1997,1999,2002,2003,2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmunlock.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmnet\ethernet.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmnet\ethernet.h(20): lacks a copyright in the header. */
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmnet\if_arp.h(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmnet\if_ether.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmnet\if_ppp.h(6): * Copyright (c) 1989 Carnegie Mellon University.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmnet\route.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc..
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmopen.c(1):/* Copyright (C) 1992,93,94,95,97,2000,2002,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmopenat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdmopendir.c(1):/* Copyright (C) 1993,1994,1995,1996,1997,1998,2001,2003,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\pathconf.c(1):/* Copyright (C) 1991, 1992, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\pipe.c(1):/* Copyright (C) 1992,93,94,95,96,99,2000,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\poll.c(2): Copyright (C) 1998, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\bits\sigcontext.h(2): Copyright (C) 2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\exc2signal.c(2): Copyright (C) 1991,92,94,96,97,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\init-first.c(2): Copyright (C) 1995-2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\intr-msg.h(2): Copyright (C) 1995,96,97,99,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\longjmp-ts.c(2): Copyright (C) 1991,94,95,97,2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\register-dump.h(2): Copyright (C) 1998, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\sigreturn.c(2): Copyright (C) 1996,97,98,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\static-start.S(2): Copyright (C) 1998,2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\powerpc\trampoline.c(2): Copyright (C) 1994,1995,1996,1997,1998,1999,2001,2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\ppoll.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdm\pread.c(3): Copyright (C) 1999,2001,02 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpread64.c(3): Copyright (C) 2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpprofil.c(2): Copyright (C) 1995, 1996, 1997, 2000, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpselect.c(2): Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdptrace.c(2): Copyright (C) 1991, 92, 93, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpptsname.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpwrite.c(3): Copyright (C) 1999,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpwrite64.c(3): Copyright (C) 2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpread.c(1):/* Copyright (C) 1993,94,95,97,98,99,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpreaddir.c(1):/* Copyright (C) 1993,94,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpreaddir_r.c(1):/* Copyright (C) 1993,94,95,96,97,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpreaddir64.c(1):/* Copyright (C) 2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpreaddir64_r.c(1):/* Copyright (C) 2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdpreadlink.c(1):/* Copyright (C) 1991,92,93,94,95,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp reboot.c(1):/* Copyright (C) 1992,93,94,97,98,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp recv.c(1):/* Copyright (C) 1994,1997,2001,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp recvfrom.c(1):/* Copyright (C) 1994, 1997, 1999, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp recvmsg.c(1):/* Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp removexattr.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp rename.c(1):/* Copyright (C) 1991,92,93,94,96,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp revoke.c(2): Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp rewinddir.c(1):/* Copyright (C) 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp rmdir.c(1):/* Copyright (C) 1991,92,93,94,95,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp sbrk.c(1):/* Copyright (C) 1991,94,95,97,98,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp seekdir.c(1):/* Copyright (C) 1993, 94, 95, 96, 97, 99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp select.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,98,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdp send.c(1):/* Copyright (C) 1994,96,97,2001,02 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\sendfile.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\sendfile64.c(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\sendmsg.c(1):/* Copyright (C) 2001,2002,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\sendto.c(1):/* Copyright (C) 1994,95,96,97,99,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setdomain.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setegid.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\seteuid.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setgid.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setgroups.c(1):/* Copyright (C) 1993,94,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\sethostid.c(1):/* Copyright (C) 1993, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\sethostname.c(1):/* Copyright (C) 1991, 92, 93, 94, 96, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setitimer.c(1):/* Copyright (C) 1994,1995,1996,1997,2000,2001,2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setlogin.c(1):/* Copyright (C) 1991, 1992, 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setpgid.c(1):/* Copyright (C) 1993,1994,1995,1996,1997,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setpriority.c(1):/* Copyright (C) 1994,95,97,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setregid.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setresgid.c(2): Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setresuid.c(2): Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setreuid.c(1):/* Copyright (C) 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setrlimit.c(1):/* Copyright (C) 1991,92,93,94,97,98,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setsid.c(1):/* Copyright (C) 1993,94,95,97,99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setsockopt.c(1):/* Copyright (C) 1992,94,97,98,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\settimeofday.c(1):/* Copyright (C) 1991,92,93,94,95,97,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setuid.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 97 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\setxattr.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurid\shutdown.c(1):/* Copyright (C) 1992, 1994, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsigaction.c(1):/* Copyright (C) 1991, 1992, 1993, 1994, 1995, 1996, 1997, 2002, 2007

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsigaltstack.c(1):/* Copyright (C) 1992, 93, 94, 95, 97, 98 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsiglist.h(1):/* Copyright (C) 1999, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsigpending.c(1):/* Copyright (C) 1991, 1993, 1994, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsigprocmask.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsigstack.c(1):/* Copyright (C) 1992,97,98,2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsigsuspend.c(1):/* Copyright (C) 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 2002, 2007

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsigwait.c(1):/* Copyright (C) 1996,97,2001,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdssocket.c(1):/* Copyright (C) 1992, 93, 94, 95, 96, 97, 98 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdssocketpair.c(1):/* Copyright (C) 1992, 94, 95, 96, 97, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsspawni.c(2): Copyright (C) 2001,02,04 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsstatfs.c(2): Copyright (C) 1996,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsstatfs64.c(1):/* Copyright (C) 2001,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsstatfsconv.c(2): Copyright (C) 2001,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsstatvfs.c(1):/* Copyright (C) 1998, 2001, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsstatvfs64.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsymlink.c(1):/* Copyright (C) 1991, 92, 93, 94, 95, 96, 97 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsymlinkat.c(2): Copyright (C) 1991,1992,1993,1994,1995,1996,1997,2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsync.c(1):/* Copyright (C) 1991,1992,1993,1994,1997,2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsys\param.h(1):/* Copyright (C) 1993, 1994, 1995, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdsys\param.h(25): * Copyright (c) 1982, 1986, 1989 The Regents of the University of California.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurds\telldir.c(1):/* Copyright (C) 1993, 1994, 1995, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurds\times.c(2): Copyright (C) 2001,2002,2003,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurds\tls.h(2): Copyright (C) 2003, 2005, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurds\tmpfile.c(2): Copyright (C) 2001,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurds\truncate.c(1):/* Copyright (C) 1991,92,93,94,95,97,98,2004 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdttyname.c(1):/* Copyright (C) 1994, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdttyname_r.c(1):/* Copyright (C) 1994,1995,1996,1998,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurdumask.c(1):/* Copyright (C) 1991, 1992, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduuname.c(1):/* Copyright (C) 1992,93,94,96,97,2000,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduunlink.c(1):/* Copyright (C) 1991,92,93,94,95,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduunlinkat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduutimes.c(1):/* Copyright (C) 1991-1995,1997,1999,2000,2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduwait4.c(1):/* Copyright (C) 1993,94,95,96,97,98,99,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduwrite.c(1):/* Copyright (C) 1991-1999,2001,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduxmknod.c(1):/* Copyright (C) 1991,1992,1993,1994,1995,1996,1999,2002,2005,2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduxmknodat.c(2): Copyright (C) 1991,1992,1993,1994,1995,1996,1999,2002,2005,2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduxstat.c(1):/* Copyright (C) 1992,93,94,95,96,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduxstat64.c(1):/* Copyright (C) 2000,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\hurduxstatconv.c(2): Copyright (C) 2000,01,02 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\i386\machine-lock.h(2): Copyright (C) 1994,1997,2007,2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\i386\machine-sp.h(2): Copyright (C) 1994,97,2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\i386\syscall.S(1):/* Copyright (C) 1993, 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\i386\sysdep.h(1):/* Copyright (C) 1991, 1992, 1993, 1994, 1995, 1996, 1997, 2007

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\i386\thread_state.h(2): Copyright (C) 1994, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\Makefile(1):# Copyright (C) 1993,1994,1996,1997,2002,2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\mprotect.c(1):/* Copyright (C) 1994, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\msync.c(2): Copyright (C) 2002, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\munmap.c(1):/* Copyright (C) 1994, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\nanosleep.c(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\pagecopy.h(2): Copyright (C) 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\powerpc\machine-lock.h(2): Copyright (C) 1994,97,2002,2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\powerpc\machine-sp.h(2): Copyright (C) 2001, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\powerpc\syscall.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\powerpc\sysdep.h(2): Copyright (C) 2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\powerpc\thread_state.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\readonly-area.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\sched_yield.c(2): Copyright (C) 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\sleep.c(1):/* Copyright (C) 1992, 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\start.c(1):/* Copyright (C) 1992, 1993, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\strerror_1.c(2): Copyright (C) 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\sys\reboot.h(3): * Copyright (C) 1993,1991,1990 Carnegie Mellon University
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\sys\reboot.h(44): * Correcting copyright
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\sys\reboot.h(47): * Changed to new Mach copyright
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\sys\reboot.h(59): Copyright (C) 1982, 1986, 1988 Regents of the University of California.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\sysdep.h(1):/* Copyright (C) 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\thread_state.h(2): Copyright (C) 1994, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\usleep.c(1):/* Copyright (C) 1992, 93, 94, 97, 98, 99, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\mach\xpg-strerror.c(1):/* Copyright (C) 1993, 1995, 1996, 1997, 1998, 2000, 2002, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\clock.c(1):/* Copyright (C) 1991, 1992, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\clock_getres.c(2): Copyright (C) 1999,2000,2001,2003,2004,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\ctermid.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\cuserid.c(1):/* Copyright (C) 1991, 1996, 1998, 1999, 2001, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\dup.c(1):/* Copyright (C) 1991, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\dup2.c(1):/* Copyright (C) 1991, 92, 93, 95, 96, 97, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\eidaccess.c(2): Copyright (C) 1990,1991,1995-2001,2005,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\flock.c(1):/* Copyright (C) 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\fpthreadconf.c(1):/* Copyright (C) 1991,1995,1996,1998,2000,2001,2003

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\gai_strerror.c(1):/* Copyright (C) 1997, 2001, 2002, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\getaddrinfo.c(11):1. All terms of the all other applicable copyrights and licenses must be

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\getaddrinfo.c(18):4. [The copyright holder has authorized the removal of this clause.]

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\getaddrinfo.c(36):/* This software is Copyright 1996 by Craig Metz, All Rights Reserved.*/

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\getcwd.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,98,99 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\getdtsz.c(1):/* Copyright (C) 1991, 1993, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\getpagesize.c(1):/* Copyright (C) 1993, 1995, 1996, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\gettimeofday.c(1):/* Copyright (C) 1991,1992,1994-1997,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\isatty.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\isfdtype.c(2): Copyright (C) 1996, 1997, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\killpg.c(1):/* Copyright (C) 1991, 1993, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\libc_fatal.c(1):/* Copyright (C) 1993-1995,1997,2000,2004,2005,2009

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\open64.c(1):/* Copyright (C) 1991,1995-1997,1999,2000,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\pathconf.c(1):/* Copyright (C) 1991,1995,1996,1998,2000,2001,2003

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\pause.c(2): Copyright (C) 2003, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\posix_fallocate.c(1):/* Copyright (C) 2000, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\posix_fallocate64.c(1):/* Copyright (C) 2000, 2003, 2004, 2005, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\pread.c(3): Copyright (C) 1997, 1998, 1999, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\pread64.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\preadv.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\profil.c(2): Copyright (C) 1996,1997,1998,2002,2004,2005,2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\pwrite.c(3): Copyright (C) 1997, 1998, 1999, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\pwrite64.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\pwritev.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\raise.c(1):/* Copyright (C) 1991,96,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\readv.c(1):/* Copyright (C) 1991,1992,1996,1997,2002,2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\remove.c(2): Copyright (C) 1995,96,97,2002,2003,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\rename.c(1):/* Copyright (C) 1991, 1992, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\shm_open.c(2): Copyright (C) 2001,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\shm_unlink.c(2): Copyright (C) 2001,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigblock.c(1):/* Copyright (C) 1991, 1994-1998, 2001-2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigignore.c(2): Copyright (C) 1998, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigintr.c(1):/* Copyright (C) 1992, 1994, 1996, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\signal.c(2): Copyright (C) 1991,1992,1996,1997,2000,2002,2005

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigpause.c(1):/* Copyright (C) 1991,92,94-98,2000,2002,2003,2004

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigset.c(1):/* Copyright (C) 1998, 2000, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigsetmask.c(1):/* Copyright (C) 1991,1994-1997,2001-2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigsuspend.c(1):/* Copyright (C) 1991, 1996, 1997, 1998, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigvec.c(1):/* Copyright (C) 1991,92,1994-98,2002,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sigwait.c(2): Copyright (C) 1996, 1997, 1999, 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sleep.c(1):/* Copyright (C) 1991, 1992, 1993, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\spawnl.c(2): Copyright (C) 2000-2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sprofil.c(1):/* Copyright (C) 2001, 2002, 2003, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sysconf.c(1):/* Copyright (C) 1991,1993,1995-1997,1999-2003,2004,2006,2009

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\system.c(1):/* Copyright (C) 1991-2000,2002,2003,2005,2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\sysv_signal.c(1):/* Copyright (C) 1991, 1992, 1996, 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\tempname.c(1):/* Copyright (C) 1991-2001, 2006, 2007, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\truncate.c(1):/* Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\ttynname.c(1):/* Copyright (C) 1991,92,93,96,97,98,2000,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\ttynname_r.c(1):/* Copyright (C) 1991,92,93,95,96,97,98,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\utimes.c(1):/* Copyright (C) 1995, 1997, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\wait.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\wait3.c(1):/* Copyright (C) 1992, 93, 95, 96, 97, 98, 99 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\waitid.c(2): Copyright (C) 1997, 1998, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\posix\writev.c(1):/* Copyright (C) 1991,1992,1996,1997,2002,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\bits\atomic.h(2): Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\bits\endian.h(1):/* Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\bits\fenv.h(1):/* Copyright (C) 1997, 1998, 1999, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\bits\link.h(2): Copyright (C) 2004, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\bits\mathdef.h(1):/* Copyright (C) 1997,1998,1999,2000,2003,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\bits\setjmp.h(1):/* Copyright (C) 1997,1998,2000,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\dl-procinfo.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\dl-procinfo.h(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\dl-tls.h(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\ffs.c(3): Copyright (C) 1991, 1992, 1997, 1998, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\bits\fenvinline.h(2): Copyright (C) 1995, 1996, 1997, 1998, 1999, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\bits\mathinline.h(2): Copyright (C) 1995, 1996, 1997, 1998, 1999, 2000, 2004, 2006, 2007, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\e_sqrt.c(2): Copyright (C) 1997, 2002, 2003, 2004, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\e_sqrtf.c(2): Copyright (C) 1997, 2003, 2004, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fclexcpt.c(2): Copyright (C) 1997,99,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fe_mask.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fe_nomask.c(2): Copyright (C) 1997, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fedisblxcpt.c(2): Copyright (C) 2000, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\feenablxcpt.c(2): Copyright (C) 2000, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fegetenv.c(2): Copyright (C) 1997,99,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fegetexcept.c(2): Copyright (C) 2000, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fegetround.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\feholdexcpt.c(2): Copyright (C) 1997, 2005, 2008 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_const.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_libc.h(2): Copyright (C) 1997, 2006, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_env.c(2): Copyright (C) 1997, 1999, 2000, 2001, 2007, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_round.c(2): Copyright (C) 1997, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_updateenv.c(2): Copyright (C) 1997, 1999, 2000, 2001, 2007, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_getexceptflg.c(2): Copyright (C) 1997,99,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_control.h(2): Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_fraiseexcept.c(2): Copyright (C) 1997,1999-2002, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_fsetexceptflg.c(2): Copyright (C) 1997,99,2000,01 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_ftestexcept.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_math_private.h(2): Copyright (C) 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_fabs.S(2): Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_fdim.c(2): Copyright (C) 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_fdimf.c(2): Copyright (C) 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_fmax.S(2): Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_fmin.S(2): Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_isnan.c(2): Copyright (C) 1997, 2000, 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_llround.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_llroundf.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_rint.c(2): Copyright (C) 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_s_rintf.c(2): Copyright (C) 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_test-powerpc-snan.c(2): Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_tst-setcontext-fpscr.c(1):/* Copyright (C) 2001,2002,2004,2006-2008,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_w_sqrt.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\fpu\fvncv_w_sqrtf.c(2): Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\gccframe.h(2): Copyright (C) 2001 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\jmpbuf-offsets.h(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\jmpbuf-unwind.h(1):/* Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\longjmp.c(1):/* Copyright (C) 1991,92,94,95,97,98,2000,2002,2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\machine-gmon.h(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\memusage.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\novmx-longjmp.c(1):/* Copyright (C) 1991,92,94,95,97,98,2000,2002,2003,2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\novmxsetjmp.h(1):/* Copyright (C) 1991-1999, 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\novmx-sigjmp.c(1):/* Copyright (C) 1992, 1994, 1997, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32__longjmp.S(2): Copyright (C)1995-1997,1999,2000,2003,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32__longjmp-common.S(2): Copyright (C) 1995-1997, 1999-2001, 2003, 2004, 2005, 2006, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\add_n.S(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\addmul_1.S(2): Copyright (C) 1993-1995, 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\backtrace.c(2): Copyright (C) 1998, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\bits\atomic.h(2): Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\bp-asm.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\bsd-_setjmp.S(2): Copyright (C) 1994,1997,1999,2000,2002,2003,2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\bsd-setjmp.S(2): Copyright (C) 1994,1997,1999,2000,2003,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\cell\memcpy.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\dl-irel.h(3): Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\dl-machine.c(2): Copyright (C) 1995-2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\dl-machine.h(2): Copyright (C) 1995-2002, 2003, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\dl-start.S(2): Copyright (C) 1995-2000, 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\dl-trampoline.S(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\elf\bzero.S(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\elf\start.S(2): Copyright (C) 1998,1999,2000,2001,2002,2003,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu__longjmp.S(2): Copyright (C)1995,1996,1997,1999,2000,2004 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu__longjmp-common.S(2): Copyright (C) 1995-99, 2000, 2003-2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\fprrest.S(1):/*
Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\fprrsave.S(1):/*
Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_ceil.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_ceilf.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_copysign.S(2):
Copyright (C) 1997, 1999, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_copysignl.S(3):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_fabsl.S(3):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_floor.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_floorf.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_isnan.S(2):
Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_llrint.c(2):
Copyright (C) 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_llrintf.c(2):
Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_lrint.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_lround.S(2):
Copyright (C) 2004, 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_rint.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_rintf.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_round.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_roundf.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_trunc.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\s_truncf.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\setjmp.S(2):
Copyright (C) 1995-1997, 1999, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\fpu\setjmp-common.S(2):
Copyright (C) 1995-2000, 2003-2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\gprrest0.S(1):/*
Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\gprrest1.S(1):/*
Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\gprsave0.S(1):/*
Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\gprsave1.S(1):/*
Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\hp-timing.h(2):
Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\libgcc-compat.S(2):
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\lshift.S(2): Copyright
(C) 1996, 1997, 1999, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\memset.S(2): Copyright
(C) 1997, 1999, 2000, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\mul_1.S(2): Copyright
(C) 1993-1995, 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\fpu\mpa.c(5): *
Copyright (C) 2001, 2006 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\fpu\s_llrint.S(2)
) : Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\fpu\s_llrintf.S(
2): Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\fpu\s_llround.S(
2): Copyright (C) 2004, 2006, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\fpu\slowexp.c(4)
: * Copyright (C) 2001, 2007 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\fpu\slowpow.c(4)
: * Copyright (C) 2001, 2006 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\fpu\w_sqrt.S(2):
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\fpu\w_sqrtf.S(2)
: Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\hp-timing.c(3):
Copyright (C) 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\hp-timing.h(2):
Copyright (C) 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\memcmp.S(2):
Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\memcpy.h(2):
Copyright (C) 1991, 1992, 1993, 1997, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\memcpy.S(2):
Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\memset.S(2):
Copyright (C) 1997,99, 2000,02,03, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\strncmp.S(2):
Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power4\wordcopy.c(2):
Copyright (C) 1991, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5\fpu\s_isnan.S(2)
: Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5\fpu\s_isnanf.S(2)
) : Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5\fpu\w_sqrt.S(2):
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5\fpu\w_sqrtf.S(2)
: Copyright (C) 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_ceil.S(2)
: Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_ceilf.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_floor.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_floorf.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_llround.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_lround.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_round.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_roundf.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_trunc.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power5+\fpu\s_truncf.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6\fpu\s_isnan.S(2)
: Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6\fpu\s_isnanf.S(2)
) : Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6\fpu\s_llrint.S(2)
) : Copyright (C) 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6\fpu\s_llrintf.S(2)
) : Copyright (C) 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6\fpu\s_llround.S(2)
) : Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6\memcpy.S(2):
Copyright (C) 2003, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6\memset.S(2):
Copyright (C) 1997,99,2000,02,03,06,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6\wordcopy.c(2):
Copyright (C) 1991, 1996, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6x\fpu\s_lrint.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power6x\fpu\s_lround.S(2)
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power7\fpu\s_finite.S(2)
) : Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power7\fpu\s_isinf.S(2)
: Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power7\fpu\s_isnan.S(2)
: Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\power7\memcpy.S(2):
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\ppc-mcount.S(2):
Copyright (C) 1997, 1999, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\register-dump.h(2):
Copyright (C) 1998, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\rshift.S(2): Copyright (C) 1995, 1997, 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\setjmp.S(2): Copyright (C) 1995-1997,1999-2001,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\setjmp-common.S(2): Copyright (C) 1995-1997,1999-2001,2003,2004,2005, 2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\stpcpy.S(2): Copyright (C) 1997, 1999, 2000, 2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\strchr.S(2): Copyright (C) 1997, 1999, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\strcmp.S(2): Copyright (C) 1997, 1999, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\strcpy.S(2): Copyright (C) 1997, 1999, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\strlen.S(2): Copyright (C) 1997, 1999, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\strncmp.S(2): Copyright (C) 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\sub_n.S(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\submul_1.S(2): Copyright (C) 1993-1995, 1997, 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc32\sysdep.h(2): Copyright (C) 1999, 2001, 2002, 2003, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64__longjmp.S(2): Copyright (C)1995-1997, 1999-2002, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64__longjmp-common.S(2): Copyright (C) 1995, 1996,1997,1999-2006,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\backtrace.c(2): Copyright (C) 1998, 2000, 2002, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\bits\atomic.h(2): Copyright (C) 2003, 2004, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\bp-asm.h(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\bsd-_setjmp.S(2): Copyright (C) 1994, 1997, 1999, 2000, 2002, 2003, 2004

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\bsd-setjmp.S(2): Copyright (C) 1994,1997,1999,2000,2003,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\cell\memcpy.S(2): Copyright (C) 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\d1-dtprocnum.h(2): Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\d1-irel.h(3): Copyright (C) 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\d1-machine.c(2): Copyright (C) 1995-2002, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\d1-machine.h(3): Copyright 1995-2005, 2006, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\d1-trampoline.S(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\elf\bzero.S(2): Copyright (C) 1997, 1999, 2000, 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\elf\entry.h(2):
Copyright (C) 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\elf\start.S(2):
Copyright (C) 1998,1999,2000,2001,2002,2003,2009

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\ffsll.c(3): Copyright
(C) 1991, 1992, 1997, 1998, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\sqrt.c(2):
Copyright (C) 1997, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\sqrtf.c(2):
Copyright (C) 1997, 2003, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\sceil.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\sceilf.S(2):
Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\sceil1.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_copysign.S(2):
Copyright (C) 1997, 1999, 2000, 2002, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_copysign1.S(3):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_fabs1.S(3):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_floor.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_floorf.S(2):
Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_floor1.S(3):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_isnan.S(2):
Copyright (C) 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_llrint.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_llrintf.S(2):
Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_llround.S(2):
Copyright (C) 2004, 2006, 2007, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_llroundf.S(2):
Copyright (C) 2004, 2006, 2007, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_nearbyintl.S(3):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_rint.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_rintf.S(2):
Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_round.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_roundf.S(2):
Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_round1.S(3):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_trunc.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_truncf.S(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\fpu\s_truncl.S(3):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\hp-timing.c(3):
Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\hp-timing.h(2):
Copyright (C) 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\memcpy.S(2): Copyright
(C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\memset.S(2): Copyright
(C) 1997, 1999, 2000, 2002, 2003, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\fpu\mpa.c(5): *
Copyright (C) 2001, 2006 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\fpu\slowexp.c(4)
: * Copyright (C) 2001, 2007 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\fpu\slowpow.c(4)
: * Copyright (C) 2001, 2006 Free Software Foundation
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\fpu\w_sqrt.c(2):
Copyright (C) 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\fpu\w_sqrtf.c(2)
: Copyright (C) 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\memcmp.S(2):
Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\memcpy.S(2):
Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\memset.S(2):
Copyright (C) 1997, 1999, 2000, 2002, 2003, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power4\strncmp.S(2):
Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5\fpu\s_isnan.S(2)
: Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_ceil.S(2)
: Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_ceilf.S(2
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_floor.S(2
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_floorf.S(
2) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_llround.S
(2) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_round.S(2
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_roundf.S(
2) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_trunc.S(2
) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power5+\fpu\s_truncf.S(
2) : Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power6\fpu\s_isnan.S(2)
: Copyright (C) 2008 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power6\memcpy.S(2):
Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power6\memset.S(2):
Copyright (C) 1997, 1999, 2000, 2002, 2003, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power6\wordcopy.c(2):
Copyright (C) 1991, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power6x\fpu\s_isnan.S(2):
Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power6x\fpu\s_llrint.S(2):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power6x\fpu\s_llround.S(2):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power7\fpu\s_finite.S(2):
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power7\fpu\s_isinf.S(2):
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power7\fpu\s_isnan.S(2):
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\power7\memcpy.S(2):
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\ppc-mcount.S(2):
Copyright (C) 1997, 1999, 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\register-dump.h(2):
Copyright (C) 1998, 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\setjmp.S(2): Copyright
(C) 1995-97, 1999-2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\setjmp-common.S(2):
Copyright (C) 1995-2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\stpcpy.S(2): Copyright
(C) 1997, 1999, 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\strchr.S(2): Copyright
(C) 1997, 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\strcmp.S(2): Copyright
(C) 1997, 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\strcpy.S(2): Copyright
(C) 1997, 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\strlen.S(2): Copyright
(C) 1997, 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\strncmp.S(2): Copyright
(C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\powerpc64\sysdep.h(2): Copyright
(C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\sched_cpucount.c(1):/* Copyright
(C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\sigjmp.c(1):/* Copyright (C)
1992, 1994, 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\soft-fp\Makefile(4):#Copyright
(C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\soft-fp\q_add.c(3): Copyright (C)
1997, 1999, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\soft-fp\q_cmp.c(3): Copyright (C)
1997, 1999, 2000 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\strcat.c(2): Copyright (C) 1997, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\sysdep.h(1):/* Copyright (C) 1999, 2001, 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\test-arith.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\powerpc\tst-stack-align.h(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aiocancel.c(2): Copyright (C) 1997, 1998, 2000, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aiofsync.c(2): Copyright (C) 1997, 1999, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aiomisc.c(2): Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2006, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aiomisc.h(1):/* Copyright (C) 1997,1999,2000,2001,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aiotify.c(2): Copyright (C) 1997-2001, 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aioread.c(2): Copyright (C) 1997, 1999, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aioread64.c(2): Copyright (C) 1997, 1999, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aiosuspend.c(2): Copyright (C) 1997-2000,2002,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aiowrite.c(2): Copyright (C) 1997, 1999, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\aiowrite64.c(2): Copyright (C) 1997, 1999, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\lio_listio.c(2): Copyright (C) 1997,1998,1999,2000,2001,2003,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\pthread\lio_listio64.c(2): Copyright (C) 1997,1998,1999,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\asm-syntax.h(2): Copyright (C) 1992, 1994, 1995, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\bits\atomic.h(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\bits\byteswap.h(2): Copyright (C) 2000, 2001, 2002, 2003, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\bits\link.h(1):/* Copyright (C) 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\bits\mathdef.h(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\bits\setjmp.h(1):/* Copyright (C) 2000,2001,2002,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\bits\string.h(2): Copyright (C) 2000, 2001, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\bits\xtitypes.h(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\d1-procinfo.c(2): Copyright (C) 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\d1-procinfo.h(2): Copyright (C) 2006, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\dl-tls.h(2): Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\ffs.c(3): Copyright (C) 2000, 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\bits\fenv.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\bits\mathinline.h(2): Copyright (C) 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\e_sqrt.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\e_sqrtf.c(1):/* Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\e_sqrtl.c(2): Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fclexcpt.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fedisblxcpt.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\feenablxcpt.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fegetenv.c(2): Copyright (C) 2000, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fegetexcept.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fegetround.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\feholdexcpt.c(2): Copyright (C) 2000, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fenv_libc.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fesetenv.c(2): Copyright (C) 2000, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fesetround.c(2): Copyright (C) 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\feupdateenv.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fgetexcptflg.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fpu_control.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fraiseexcpt.c(2): Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\fsetexcptflg.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\fpu\ftestexcept.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\gccframe.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\gmp-mparam.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\jmpbuf-offsets.h(2): Copyright (C) 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\jmpbuf-unwind.h(1):/* Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\libc-tls.c(2): Copyright (C) 2003, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\machine-gmon.h(2): Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\memusage.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32__longjmp.c(1):/* Copyright (C) 2000, 2001, 2005, 2009, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\add_n.S(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\addmul_1.S(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\backtrace.c(2): Copyright (C) 2000, 2001, 2003, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\bcopy.S(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\bsd-_setjmp.S(2): Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\bsd-setjmp.S(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\bzero.S(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\dl-machine.h(2): Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\dl-trampoline.S(2): Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\elf\setjmp.S(2): Copyright (C) 2000, 2002, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\elf\start.S(2): Copyright (C) 2000, 2001, 2002, 2003, 2004, 2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\initfini.c(2): Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\memchr.S(2): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\memcpy.S(2): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\memset.S(2): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\mul_1.S(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\s390-mcount.S(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\setjmp.S(2): Copyright (C) 2000, 2001, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\strcmp.S(3): Copyright (C) 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\strcpy.S(3): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\strncpy.S(4): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\sub_n.S(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-32\sysdep.h(2): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64__longjmp.c(1):/* Copyright (C) 2001, 2005, 2009, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\add_n.S(3): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\backtrace.c(2): Copyright (C) 2001, 2003, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\bcopy.S(3): Copyright (C) 2000, 2001, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\bsd-_setjmp.S(2): Copyright (C) 2001, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\bsd-setjmp.S(2): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\bzero.S(3): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\dl-machine.h(3): Copyright (C) 2001-2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\dl-trampoline.S(2): Copyright (C) 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\elf\setjmp.S(2): Copyright (C) 2001, 2002, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\elf\start.S(2): Copyright (C) 2001, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\initfini.c(2): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\iso-8859-1_cp037_z900.c(5): Copyright (C) 1997-2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\memchr.S(2): Copyright (C) 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\memcpy.S(2): Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\memset.S(2): Copyright (C) 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\s390x-mcount.S(2): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\setjmp.S(1):/* Copyright (C) 2001, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\strcmp.S(3): Copyright (C) 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\strcpy.S(2): Copyright (C) 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\strncpy.S(3): Copyright (C) 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\sub_n.S(3): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\sysdep.h(2): Copyright (C) 2001, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\utf16-utf32-z9.c(5): Copyright (C) 1997-2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\utf8-utf16-z9.c(5):
Copyright (C) 1997-2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\s390-64\utf8-utf32-z9.c(5):
Copyright (C) 1997-2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\s390\stackinfo.h(1):/* Copyright (C) 2000
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh___longjmp_chk.S(1):/* Copyright (C)
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh_mcount.S(2): Copyright (C) 2001, 2005
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\bits\huge_val.h(4): Copyright (C)
1992, 95, 96, 97, 98, 99, 2000, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\bits\link.h(1):/* Copyright (C) 2005,
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\bits\setjmp.h(1):/* Copyright (C)
1999,2000,2003,2005,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\bsd-_setjmp.S(2): Copyright (C) 1999,
2000, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\bsd-setjmp.S(2): Copyright (C) 1999,
2000, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\dl-machine.h(2): Copyright (C) 1999,
2000, 2001, 2002, 2003, 2004, 2005, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\dl-tls.h(2): Copyright (C) 2002 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\dl-trampoline.S(2): Copyright (C) 2005
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\elf\initfini.c(2): Copyright (C) 2000,
2002, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\elf\start.S(2): Copyright (C) 1999,
2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\gccframe.h(2): Copyright (C) 2001 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\gmp-mparam.h(3):Copyright (C) 1991,
1993, 1994, 1995, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\init-first.c(2): Copyright (C)
1995-1998, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\jmpbuf-offsets.h(2): Copyright (C)
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\jmpbuf-unwind.h(1):/* Copyright (C)
2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\libc-tls.c(2): Copyright (C) 2009 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\machine-gmon.h(2): Copyright (C) 1996,
1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\memcpy.S(1):/* Copyright (C) 1999,
2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\memset.S(1):/* Copyright (C) 1999,
2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\memusage.h(1):/* Copyright (C) 2000
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh3___longjmp.S(2): Copyright (C)
1999, 2000, 2005, 2006, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh3\setjmp.S(2): Copyright (C) 1999, 2000, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4__longjmp.S(2): Copyright (C) 1999, 2000, 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\bits\mathdef.h(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\bits\fenv.h(1):/* Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\fclexcpt.c(2): Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\fegetenv.c(2): Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\fegetround.c(2): Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\feholdexcpt.c(2): Copyright (C) 1997, 1998, 1999, 2000, 2005, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\fesetenv.c(2): Copyright (C) 1997, 1998, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\fesetround.c(2): Copyright (C) 1998, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\fpu_control.h(2): Copyright (C) 1999, 2000, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\fraiseexcpt.c(2): Copyright (C) 1997, 1998, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\fsetexcptflg.c(2): Copyright (C) 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\fpu\ftestexcept.c(2): Copyright (C) 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sh4\setjmp.S(2): Copyright (C) 1999, 2000, 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\stackinfo.h(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\strlen.S(1):/* Copyright (C) 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sys\ucontext.h(1):/* Copyright (C) 1999, 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sh\sysdep.h(2): Copyright (C) 1999, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\bits\huge_vall.h(3): Copyright (C) 1992, 1995, 1996, 1997, 1999, 2000, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\bits\link.h(2): Copyright (C) 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\bits\mathdef.h(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\bits\string.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\dl-dtprocnum.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\dl-procinfo.c(2): Copyright (C) 2002,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\dl-procinfo.h(2): Copyright (C) 1999,2000,2001,2002,2003,2004,2006

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\dl-sysdep.h(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\dl-tls.h(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\bits\fenv.h(1):/* Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\bits\mathinline.h(2): Copyright (C) 1999, 2000, 2001, 2002, 2004, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fclexcpt.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fedisblxcpt.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\feenablxcpt.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fegetenv.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fegetexcept.c(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fegetround.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\feholdexcpt.c(2): Copyright (C) 1997, 1998, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fesetenv.c(2): Copyright (C) 1997, 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fesetround.c(2): Copyright (C) 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\feupdateenv.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fgetexcptflg.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fpu_control.h(2): Copyright (C) 1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fraiseexcpt.c(2): Copyright (C) 1997, 1999, 2000, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\fsetexcptflg.c(2): Copyright (C) 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\fpu\ftestexcept.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\gccframe.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\machine-gmon.h(2): Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\memusage.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32__longjmp.S(1):/* Copyright (C) 1991, 1993, 1996, 1997, 1998, 1999, 2000, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\add_n.S(4):! Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\addmul_1.S(4):! Copyright (C) 1992, 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\alloca.S(1):/* Copyright (C) 1994, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\bits\atomic.h(2): Copyright (C) 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\bits\setjmp.h(1):/* Copyright (C) 1997, 1998, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\dl-irel.h(3): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\dl-machine.h(2): Copyright (C) 1996-2003, 2004, 2005, 2006, 2007, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\dl-plt.h(2): Copyright (C) 1996-2003, 2004, 2005, 2006, 2007, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\dl-trampoline.S(2): Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\e_sqrt.c(1):/* Copyright (C) 1991, 1992, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\elf\start.S(2): Copyright (C) 1997, 1998, 2002, 2004, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\fpu\s_fabsf.S(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\ieee754.h(1):/* Copyright (C) 1992, 1995, 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\jmpbuf-offsets.h(2): Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\jmpbuf-unwind.h(1):/* Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\lshift.S(3):! Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\Makefile(1):# Copyright (C) 1991,92,93,94,95,96,97,98,2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\memchr.S(4): Copyright (C) 1996, 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\memcpy.h(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\memcpy.S(3): Copyright (C) 1996, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\memset.S(3): Copyright (C) 1996, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\mul_1.S(4):! Copyright (C) 1992, 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\rshift.S(3):! Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\setjmp.S(1):/* Copyright (C) 1991, 1993, 1994, 1996, 1997, 1998, 2002, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\Makefile(3):#Copyri ght (C) 1999, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_add.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_cmp.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_cmpe.c(4): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_div.c(3): Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_dtoq.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_feq.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_fge.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_fgt.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_fle.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\qflt.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_fne.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_itoq.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_lltoq.c(3):
Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_mul.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_neg.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_qtod.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_qtoi.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_qtoll.c(3):
Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_qtos.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_qtou.c(3):
Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_qtoull.c(3):
Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_sqrt.c(3):
Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_stoq.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_sub.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_ulltoq.c(3):
Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_util.c(4):
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\q_utoq.c(3):
Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\soft-fp\soft-fp-machine.h(3):
Copyright (C) 1997,1998,1999, 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\sparcv8\addmul_1.S(4):!
Copyright (C) 1992, 1993, 1994, 1995 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\sparcv8\mul_1.S(4):!
Copyright (C) 1992, 1994, 1995 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\sparcv8\submul_1.S(4):!
Copyright (C) 1992, 1993, 1994 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\sparcv9\bits\atomic.h(2):
Copyright (C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\sparcv9\hp-timing.c(2):
Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\sparcv9\hp-timing.h(2):
Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\stpcpy.S(3): Copyright (C)
1996, 1999, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\strcat.S(3): Copyright (C)
1996, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\strchr.S(3): Copyright (C)
1996, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\strcmp.S(3): Copyright (C)
1996, 97, 99, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\strcpy.S(3): Copyright (C)
1996, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\strlen.S(3): Copyright (C)
1996, 1999, 2003, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\sub_n.S(4):! Copyright (C)
1995, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc32\submul_1.S(4):! Copyright
(C) 1992, 1993, 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\add_n.S(4): Copyright (C)
1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\addmul_1.S(4): Copyright
(C) 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\align-cpy.S(3): Copyright
(C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\backtrace.c(2): Copyright
(C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\bits\atomic.h(2): Copyright
(C) 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\dl-irel.h(3): Copyright (C)
2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\dl-machine.h(2): Copyright
(C) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006,
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\dl-plt.h(2): Copyright (C)
1997-2006, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\dl-trampoline.S(2):
Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\elf\start.S(2): Copyright
(C) 1997, 1998, 2002, 2004, 2007, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\fpu\sqrtl.c(2): Copyright
(C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\hp-timing.c(2): Copyright
(C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\hp-timing.h(2): Copyright
(C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\jmpbuf-unwind.h(1):/*
Copyright (C) 2005, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\lshift.S(3): Copyright (C) 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\memchr.S(4): Copyright (C) 1998, 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\memcmp.S(3): Copyright (C) 1998, 1999, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\memcpy.S(3): Copyright (C) 1996, 97, 98, 99, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\memset.S(3): Copyright (C) 1996, 97, 98, 99, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\mul_1.S(4): Copyright (C) 1995, 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\multiarch\memcpy.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\multiarch\memcpy-niagara1.S(2): Copyright (C) 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\multiarch\memcpy-niagara2.S(2): Copyright (C) 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\multiarch\memcpy-ultra3.S(3): Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\multiarch\memset.S(2): Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\multiarch\memset-niagara1.S(2): Copyright (C) 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\rawmemchr.S(3): Copyright (C) 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\rshift.S(3): Copyright (C) 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\Makefile(4):#Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_add.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_cmp.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_cmpe.c(4): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_div.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_dtoq.c(3): Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_feq.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_fge.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_fgt.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_fle.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qpflt.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_fne.c(3): Copyright (C) 1997,1999 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_itoq.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_mul.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_neg.S(3):
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_qtod.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_qtoi.c(3):
Copyright (C) 1997, 1999, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_qtos.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_qtoui.c(3):
Copyright (C) 1997, 1999, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_qtoux.c(3):
Copyright (C) 1997, 1999, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_qtox.c(3):
Copyright (C) 1997, 1999, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_sqrt.c(3):
Copyright (C) 1997,1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_stoq.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_sub.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_uitoq.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_util.c(4):
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_uxtoq.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\qp_xtoq.c(3):
Copyright (C) 1997,1999,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\s_frexp.c(3):
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\s_ilogbl.c(3):
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\s_scalblnl.c(3):
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\s_scalbnl.c(3):
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\soft-fp\sfp-machine.h(3):
Copyright (C) 1997, 1998, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\stpcpy.S(3): Copyright (C)
1998, 1999, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\stpncpy.S(5): Copyright (C)
1998, 1999, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strcat.S(3): Copyright (C)
1998, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strchr.S(3): Copyright (C)
1998, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strcmp.S(3): Copyright (C)
1997, 1999, 2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strcpy.S(3): Copyright (C) 1998, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strncpy.S(4): Copyright (C) 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strlen.S(2): Copyright (C) 1998, 1999, 2003, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strncmp.S(5): Copyright (C) 1997, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strncpy.S(5): Copyright (C) 1998, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strpbrk.S(4): Copyright (C) 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\strspn.S(4): Copyright (C) 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\sub_n.S(4): Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc64\submul_1.S(4): Copyright (C) 1996 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\sparc-mcount.S(2): Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\sparc\stackinfo.h(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix_exit.S(1):/* Copyright (C) 1991,92,97,99,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\alarm.c(1):/* Copyright (C) 1991,1992,1994,1997,2002,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bits\dirent.h(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bits\fcntl.h(2): Copyright (C) 1991, 1992, 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bits\signal.h(2): Copyright (C) 1991, 1992, 1993, 1996, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bits\stat.h(1):/* Copyright (C) 1991,1992,1996-2000,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\bits\dirent.h(2): Copyright (C) 1996,97,98,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\bits\errno.h(2): * Copyright (c) 1982, 1986, 1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\bits\fcntl.h(2): Copyright (C) 1991, 1992, 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\bits\ioctl.h(2): * Copyright (c) 1982, 1986, 1990 The Regents of the University of California.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\bits\sockaddr.h(2): Copyright (C) 1995, 1996, 1997, 1998, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\bits\socket.h(2): Copyright (C) 1991,92,1994-2002,2004,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\frebsd\bits\environments.h(1):/* Copyright (C) 1999, 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\frebsd\bits\typesizes.h(2): Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\frebsd\sys\sysmacros.h(2): Copyright (C) 2002 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\tcdrain.c(1):/* Copyright (C) 1992, 1994, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\tcgetattr.c(1):/* Copyright (C) 1991, 1992, 1994, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\tcsetattr.c(1):/* Copyright (C) 1992, 1994, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\wait.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\wait3.c(1):/* Copyright (C) 1991, 1992, 1993, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsd4.4\waitpid.c(1):/* Copyright (C) 1991,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\bsdstat.h(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\clock.c(1):/* Copyright (C) 1991, 1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\ftime.c(1):/* Copyright (C) 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\getpt.c(1):/* Copyright (C) 1998, 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\gtty.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\i386\vfork.S(1):/* Copyright (C) 1993, 1994, 1995, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\i386\wait3.S(1):/* Copyright (C) 1991, 1992, 1993, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\init-posix.c(1):/* Copyright (C) 1991, 94, 95, 97, 98, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\isatty.c(1):/* Copyright (C) 1991,95,96,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\poll.c(1):/* Copyright (C) 1994,1996,1997,1998,1999,2001,2002
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\ptsname.c(1):/* Copyright (C) 1998,2002,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\setegid.c(1):/* Copyright (C) 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\seteuid.c(1):/* Copyright (C) 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\setgid.c(1):/* Copyright (C) 1991, 1993, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\setrgid.c(1):/* Copyright (C) 1993, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\setruid.c(1):/* Copyright (C) 1993, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\setsid.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\setuid.c(1):/* Copyright (C) 1991, 1993, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\sigaction.c(1):/* Copyright (C) 1991,1995,1996,1997,2002,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\sigprocmask.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\sigsuspend.c(1):/* Copyright (C) 1991, 1996, 1997, 1998, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\stty.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\sys\reboot.h(2): * Copyright (c) 1982, 1986, 1988, 1993

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\tcdrain.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\tcflow.c(1):/* Copyright (C) 1991, 1992, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\tcflush.c(1):/* Copyright (C) 1991, 1992, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\tcgetattr.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\tcgetpgrp.c(1):/* Copyright (C) 1991, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\tcseendbrk.c(1):/* Copyright (C) 1991, 1992, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\tcsetattr.c(1):/* Copyright (C) 1991, 1993, 1996, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\tcsetpgrp.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\telldir.c(1):/* Copyright (C) 1994, 1995, 1996, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\times.c(1):/* Copyright (C) 1991,92,93,95,96,97,1998,2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\ualarm.c(1):/* Copyright (C) 1991, 1997, 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\ulimit.c(1):/* Copyright (C) 1991,1992,1994-1998,2001,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\unlockpt.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\bsd\usleep.c(1):/* Copyright (C) 1992, 1996, 1999, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\clock_gettime.c(2): Copyright (C) 1999-2004, 2005, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\clock_nanosleep.c(2): Copyright (C) 2000, 2001, 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\clock_settime.c(1):/* Copyright (C) 1999-2004, 2006, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\closedir.c(1):/* Copyright (C) 1991,1993,1995,1996,1998,2002,2003, 2007

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\common\bits\dirent.h(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\common\bits\fcntl.h(2): Copyright (C) 1991, 1992, 1995, 1997, 2000, 2004

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\common\lxstat.c(2): Copyright (C) 1991,1995,1996,1997,2000,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\common\tcseendbrk.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\dirfd.c(2): Copyright (C) 1995, 1996 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\dirstream.h(1):/* Copyright (C) 1993, 1995, 1996, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\errnos-tmpl.c(1):/* Copyright (C) 1991, 1993, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\execve.S(1):/* Copyright (C) 1991, 92, 93, 95, 96 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\fdopendir.c(1):/* Copyright (C) 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\fork.S(1):/* Copyright (C) 1991,92,94,95,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\fxstat.c(2): Copyright (C) 1991,1995,1996,1997,2000,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\get_child_max.c(2): Copyright (C) 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\getdents.c(1):/* Copyright (C) 1993, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\getegid.S(1):/* Copyright (C) 1991, 1992, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\geteuid.S(1):/* Copyright (C) 1991, 1992, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\getlogin.c(1):/* Copyright (C) 1991, 1992, 1996, 1997, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\getlogin_r.c(2): Copyright (C) 1991,92,96,97,98,2002,2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\getpagesize.c(1):/* Copyright (C) 1991,1992,1995,1996,1997,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\getppid.S(1):/* Copyright (C) 1991, 1992, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\grantpt.c(1):/* Copyright (C) 1998, 2000, 2001, 2002, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\brk.S(1):/* Copyright (C) 1991,92,93,95,97,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\fork.S(1):/* Copyright (C) 1991,92,94,95,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\pipe.S(1):/* Copyright (C) 1991,92,93,95,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\sigreturn.S(1):/* Copyright (C) 1992, 1993, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\syscall.S(1):/* Copyright (C) 1993, 1995, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\sysdep.h(1):/* Copyright (C) 1991, 92, 93, 95, 96, 97 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\sysdep.S(1):/* Copyright (C) 1991,1992,1993,1994,1995,1996,1997,2000,2002,2004,2005

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\vfork.S(1):/* Copyright (C) 1994, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\i386\wait.S(1):/* Copyright (C) 1991,92,93,95,97,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\Makefile(1):# Copyright (C) 1991,1992,1993,1994,1995,1996,1997,1998,1999,2003,2006,2008,2009

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\mkdir.c(1):/* Copyright (C) 1992, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\mkfifo.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\mkfifoat.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\mk-local_lim.c(1):/* Copyright (C) 1993, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\nice.c(1):/* Copyright (C) 1992, 1996, 1997, 2001, 2002, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\opendir.c(1):/* Copyright (C) 1991-1996,98,2000-2003,2005,2007,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\powerpc\sysdep.h(1):/* Copyright (C) 1991, 92, 93, 95, 96, 97, 1999, 2002
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\readdir.c(1):/* Copyright (C) 1991-1997,1999,2000,2002,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\readdir_r.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,98,99,2000,02,10
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\rewinddir.c(1):/* Copyright (C) 1991, 1995-1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\rmdir.c(1):/* Copyright (C) 1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\seekdir.c(1):/* Copyright (C) 1991,1995,1996,1997,1999,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sh\sysdep.h(1):/* Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sh\sysdep.S(1):/* Copyright (C) 1999, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\siglist.c(1):/* Copyright (C) 1996, 1997, 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\snarf-ioctls(2):# Copyright (C) 1991, 1992, 1995, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\socketmark.c(1):/* Copyright (C) 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sparc\brk.S(1):/* Copyright (C) 1993, 1995, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sparc\fork.S(1):/* Copyright (C) 1991, 92, 94, 95, 97, 99, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sparc\pipe.S(1):/* Copyright (C) 1991, 1992, 1995, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sparc\start.c(1):/* Copyright (C) 1991,92,93,94,95,96,97,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sparc\sysdep.h(1):/* Copyright (C) 1993, 1994, 1995, 1997, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sparc\sysdep.S(1):/* Copyright (C) 1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sparc\vfork.S(1):/* Copyright (C) 1991, 92, 94, 95, 97, 99, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\start.c(1):/* Copyright (C) 1991, 93, 1995-1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\stime.c(1):/* Copyright (C) 1992, 1996, 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\syscall.S(1):/* Copyright (C) 1993, 1997 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\syscall-template.S(2): Copyright (C) 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysdep.h(1):/* Copyright (C) 1991, 92, 93, 96, 98, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\bits\dirent.h(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\bits\fcntl.h(2): Copyright (C) 1991, 1992, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\bits\local_lim.h(1):/* Copyright (C) 1992, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\bits\signum.h(2): Copyright (C) 1991, 1992, 1993, 1996 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\bits\stat.h(1):/* Copyright (C) 1992, 1996, 1997, 2000, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\bits\utmp.h(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\bits\utsname.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\getdents.c(1):/* Copyright (C) 1993, 1995, 1997, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\gethostname.c(1):/* Copyright (C) 1992, 1995, 1997, 2000, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\i386\time.S(1):/* Copyright (C) 1991,92,96,97,2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux_exit.c(1):/* Copyright (C) 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\accept4.c(1):/* Copyright (C) 2008, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\adjtime.c(1):/* Copyright (C) 1995, 1996, 1997, 1998, 2002, 2004, 2007, 2008

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ aio_sigqueue.c(1):/* Copyright (C) 1997,1998,1999,2000,2003,2005

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\dirent.h(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\errno.h(2): Copyright (C) 1996-1999, 2005, 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\in.h(1):/* Copyright (C) 1991-1999, 2000, 2004, 2008, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\ioctl.h(1):/* Copyright (C) 1996, 1997, 1998, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\ioctl-types.h(2): Copyright (C) 1996, 1997, 1999, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\ipc.h(1):/* Copyright (C) 1995-1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\local_lim.h(2): Copyright (C) 1993-1998,2000,2003,2004,2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\mqueue.h(1):/* Copyright (C) 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\msg.h(1):/* Copyright (C) 1995, 1996, 1997, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\poll.h(1):/* Copyright (C) 1997, 2001, 2006, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\posix_opt.h(2):
Copyright (C) 1996,1997,1999,2000,2002,2003,2008,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\resource.h(2):
Copyright (C) 1994, 1996, 1997, 1998, 1999, 2000, 2004, 2005, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\sched.h(3):
Copyright (C) 1996-1999,2001-2003,2005,2006,2007,2008,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\sem.h(1):/*
Copyright (C) 1995, 1996, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\shm.h(1):/*
Copyright (C) 1995,1996,1997,2000,2002,2004,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\sigaction.h(2):
Copyright (C) 1993-1999, 2000, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\sigcontext.h(1):/*
Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\siginfo.h(2):
Copyright (C) 1997-2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\signal.h(2):
Copyright (C) 1995,1996,1997,1998,1999,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\sigset.h(2):
Copyright (C) 1991, 1992, 1994, 1996, 1997, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\sigstack.h(2):
Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\socket.h(2):
Copyright (C) 1991, 1992, 1994-2001, 2004, 2006, 2007, 2008, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\stat.h(1):/*
Copyright (C) 1992, 1995-2002, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\statfs.h(1):/*
Copyright (C) 1997, 1998, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\statvfs.h(1):/*
Copyright (C) 1997,1998,2000,2001,2002,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\sys_errlist.h(2):
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\termios.h(2):
Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2003, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\uiop.h(1):/*
Copyright (C) 1996, 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\utsname.h(1):/*
Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\bits\waitflags.h(2):
Copyright (C) 1992,1996,1997,2000,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\check_native.c(2):
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\check_pf.c(2): Copyright
(C) 2003, 2006, 2007, 2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\clock.c(1):/* Copyright
(C) 1991, 1992, 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\clock_getcpuclockid.c(2):
Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\clock_getres.c(2):
Copyright (C) 2003,2004,2005,2006,2008,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\clock_gettime.c(2):
Copyright (C) 2003,2004,2005,2006,2007,2010 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\clock_nanosleep.c(1):/*
Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\clock_settime.c(1):/*
Copyright (C) 2003, 2004, 2006, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\cmsg_nxthdr.c(2):
Copyright (C) 1997, 1998, 2001, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\device-nrs.h(2):
Copyright (C) 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\dl-execstack.c(2):
Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\dl-librecon.h(2):
Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\dl-origin.c(2): Copyright
(C) 1998, 1999, 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\dl-osinfo.h(2): Copyright
(C) 2000-2002,2004-2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\dl-sysdep.c(2): Copyright
(C) 1995,1997,2001,2004,2005,2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\dl-sysdep.h(2): Copyright
(C) 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\dl-vdso.c(2): Copyright
(C) 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\dl-vdso.h(2): Copyright
(C) 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\epoll_pwait.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\errqueue.h(1):/*
Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\eventfd.c(1):/* Copyright
(C) 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\eventfd_read.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\eventfd_write.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\execve.c(1):/* Copyright
(C) 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\exit-thread.S(1):/*
Copyright (C) 1991,92,97,99,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\faccessat.c(2): Copyright
(C) 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fallocate.c(1):/*
Copyright (C) 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fallocate64.c(1):/*
Copyright (C) 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fatal-prepare.h(1):/*
Copyright (C) 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fchmodat.c(2): Copyright
(C) 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fchownat.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fcntl.c(1):/* Copyright
(C) 2000, 2002, 2003, 2004, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fd_to_filename.h(2):
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fexecve.c(1):/* Copyright
(C) 1994, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fpathconf.c(2): Copyright
(C) 1991,1995,1996,1998-2003,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fstatfs64.c(2): Copyright
(C) 1996,1997,1998,1999,2000,2003,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fstatvfs.c(1):/*
Copyright (C) 1998, 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fstatvfs64.c(2):
Copyright (C) 1996,1997,1998,2000,2001,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ftruncate64.c(1):/*
Copyright (C) 1997,1998,1999,2000,2001,2003,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\futimens.c(2): Copyright
(C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\futimes.c(2): Copyright
(C) 2002,2003,2005,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\futimesat.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fxstat.c(2): Copyright
(C) 1991,1995-1998,2000,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fxstat64.c(2): Copyright
(C) 1997-2002, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fxstatat.c(1):/*
Copyright (C) 2005, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\fxstatat64.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\gai_sigqueue.c(1):/*
Copyright (C) 2001, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getclktck.c(1):/*
Copyright (C) 2000, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getcwd.c(2): Copyright
(C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getdents.c(1):/*
Copyright (C) 1993, 1995-2004, 2006, 2007, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getdirent.c(1):/*
Copyright (C) 1993, 95, 96, 97, 98, 99, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getdtsz.c(1):/* Copyright
(C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\gethostid.c(1):/*
Copyright (C) 1995,1996,1998-2001,2003,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getipv4sourcefilter.c(2):
Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getloadavg.c(2):
Copyright (C) 1999, 2000, 2001, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getlogin.c(1):/*
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getlogin_r.c(1):/*
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getpagesize.c(1):/*
Copyright (C) 1991,1992,1995-1997,2000,2002,2004,2010

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getpriority.c(2):
Copyright (C) 1996,98,2000,02,03 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getpt.c(1):/* Copyright
(C) 1998, 1999, 2001, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getsourcefilter.c(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\getsysstats.c(2):
Copyright (C) 1996-2003,2006,2007,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386___longjmp_chk.S(1)
:/* Copyright (C) 2001,2004,2005,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386_exit.S(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\accept4.S(1):/*
Copyright (C) 1995-1998,2002,2003,2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\alphasort64.c(1):/*
Copyright (C) 1992, 1997,1998,2000,2004,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\bits\environments.h(
1):/* Copyright (C) 1999, 2001, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\bits\fcntl.h(2):
Copyright (C) 1995, 1996, 1997, 1998, 2000, 2004, 2006, 2007, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\bits\mman.h(2):
Copyright (C) 1997,2000,2003,2005,2006,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\bits\wchar.h(2):
Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\brk.c(2): Copyright
(C) 1995, 1996, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\call_pselect6.S(1):/
* Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\chown.c(1):/*
Copyright (C) 1998,1999,2000,2002,2003,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\clone.S(1):/*
Copyright (C) 1996-2000,02,03,04,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\dl-librecon.h(2):
Copyright (C) 1998, 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\dl-procinfo.h(2):
Copyright (C) 1998-2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\epoll_pwait.S(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\fallocate.c(1):/*
Copyright (C) 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\fallocate64.c(1):/*
Copyright (C) 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\fchown.c(1):/*
Copyright (C) 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\fchownat.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\fcntl.c(1):/*
Copyright (C) 2000,2002-2004,2006,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\fxstat.c(2):
Copyright (C) 1991,1995-1998,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\fxstatat.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\get_clockfreq.c(2):
Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getcontext.S(2):
Copyright (C) 2001, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getdents64.c(1):/*
Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getegid.c(1):/*
Copyright (C) 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\geteuid.c(1):/*
Copyright (C) 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getgid.c(1):/*
Copyright (C) 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getgroups.c(1):/*
Copyright (C) 1997, 1998, 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getmsg.c(1):/*
Copyright (C) 1998, 1999, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getresgid.c(1):/*
Copyright (C) 1998,2000,2002,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getresuid.c(1):/*
Copyright (C) 1998,2000,2002,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getrlimit.c(1):/*
Copyright (C) 1999, 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getrlimit64.c(1):/*
Copyright (C) 1999, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\getuid.c(1):/*
Copyright (C) 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\lchown.c(1):/*
Copyright (C) 2000,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\ldconfig.h(1):/*
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\lockf64.c(1):/*
Copyright (C) 1994,1996,1997,1998,1999,2000,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\lxstat.c(2):
Copyright (C) 1991,1995,1996,1997,1998,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\makecontext.S(2):
Copyright (C) 2001,2002,2005,2007,2008,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\mmap.S(1):/*
Copyright (C) 1995,96,97,98,99,2000,2002,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\mmap64.S(1):/*
Copyright (C) 1995,96,97,98,99,2000,2002,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\msgctl.c(1):/*
Copyright (C) 1995,1997,1998,2000,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\olddirent.h(1):/*
Copyright (C) 2000, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\oldgetrlimit64.c(1):
/* Copyright (C) 1991, 1995-1999, 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\posix_fadvise64.S(1)
/* Copyright (C) 1995-2000,2002,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\posix_fallocate.c(1)
/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\posix_fallocate64.c(1)
/* Copyright (C) 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\profil-counter.h(2):
Copyright (C) 1996, 1997, 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\putmsg.c(1):/*
Copyright (C) 1998, 1999, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\readdir64.c(1):/*
Copyright (C) 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\readdir64_r.c(1):/*
Copyright (C) 2000, 2004, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\readelflib.c(1):/*
Copyright (C) 1999, 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\register-dump.h(2):
Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\scandir64.c(1):/*
Copyright (C) 2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\semctl.c(1):/*
Copyright (C) 1995,1997,1998,2000,2003,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\semtimedop.S(1):/*
Copyright (C) 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setcontext.S(2):
Copyright (C) 2001, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setegid.c(1):/*
Copyright (C) 1995-1998,2000,2002,2003,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\seteuid.c(1):/*
Copyright (C) 1998,2000,2002,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setfsgid.c(1):/*
Copyright (C) 1998, 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setfsuid.c(1):/*
Copyright (C) 1998, 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setgid.c(1):/*
Copyright (C) 1998, 2000, 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setgroups.c(1):/*
Copyright (C) 1997,1998,2000,2002,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setregid.c(1):/*
Copyright (C) 1998,2000,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setresgid.c(1):/*
Copyright (C) 1998,2000,2002,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setresuid.c(1):/*
Copyright (C) 1998,2000,2002,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setreuid.c(1):/*
Copyright (C) 1998,2000,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setrlimit.c(1):/*
Copyright (C) 1999, 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\setuid.c(1):/*
Copyright (C) 1998,2000,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\shmctl.c(1):/*
Copyright (C) 1995,1997,1998,2000,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sigaction.c(2):
Copyright (C) 1991,1995-2000,2002-2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sigcontextinfo.h(1):
/* Copyright (C) 1998, 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\socket.S(1):/*
Copyright (C) 1995-1998,2002,2003,2005,2008 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\swapcontext.S(2):
Copyright (C) 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sync_file_range.S(2)
: Copyright (C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\debugreg.h(1):/*
Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\elf.h(1):/*
Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\io.h(1):/*
Copyright (C) 1996, 2000, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\perm.h(1):/*
Copyright (C) 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\procfs.h(1):/*
Copyright (C) 1996, 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\reg.h(1):/*
Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\ucontext.h(1):/*
Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\user.h(1):/*
Copyright (C) 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sys\vm86.h(1):/*
Copyright (C) 1996, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\syscall.S(1):/*
Copyright (C) 1995, 1996, 1998, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sysconf.c(2):
Copyright (C) 2003, 2004, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sysdep.h(1):/*
Copyright (C) 1992,1993,1995-2000,2002-2006,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\sysdep.S(1):/*
Copyright (C) 1995, 1996, 1997, 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\versionsort64.c(1):/
* Copyright (C) 1992,1997,1998,2000,2004,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\vfork.S(1):/*
Copyright (C) 1999, 2002, 2004, 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\i386\xstat.c(2):
Copyright (C) 1991,95,96,97,98,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64___longjmp_chk.S(1)
:/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64__longjmp.S(1):/*
Copyright (C) 1999, 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64__start_context.S(1)
:/* Copyright (C) 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\fcntl.h(2):
Copyright (C) 1999, 2000, 2004, 2006, 2007, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\ipc.h(1):/*
Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\mman.h(2):
Copyright (C) 1997,1998,2000,2003,2005,2006,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\msq.h(1):/*
Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\sem.h(1):/*
Copyright (C) 2000

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\setjmp.h(2):
Copyright (C) 1999,2000,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\shm.h(1):/*
Copyright (C) 2000, 2002, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\sigaction.h(2):
Copyright (C) 1996, 1997, 2000, 2003, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\sigcontext.h(1)
:/* Copyright (C) 1996, 1997, 1998, 2000, 2001, 2003, 2004, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\siginfo.h(2):
Copyright (C) 2000-2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\sigstack.h(2):
Copyright (C) 1998, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\bits\stat.h(1):/*
Copyright (C) 1999-2002, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\brk.S(2): Copyright
(C) 1999,2000,2001,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\clock_getcpuclockid.
c(2): Copyright (C) 2000,2001,2003,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\clone2.S(1):/*
Copyright (C) 2000, 2001, 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\dl-cache.h(2):
Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\dl-static.c(2):
Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\fork.S(1):/*
Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\get_clockfreq.c(2):
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\getcontext.S(1):/*
Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\getpagesize.c(1):/*
Copyright (C) 1999, 2000, 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\has_cpuclock.c(1):/*
Copyright (C) 2000, 2001, 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\ioperm.c(1):/*
Copyright (C) 1999, 2000, 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\kernel_stat.h(2):
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\ldconfig.h(1):/*
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\ldsdefs.h(2):
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\makecontext.c(1):/*
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\pipe.S(1):/*
Copyright (C) 1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\profil-counter.h(2):
Copyright (C) 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\readelflib.c(1):/*
Copyright (C) 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\register-dump.h(2):
Copyright (C) 2004 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\setcontext.S(1):/*
Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\setjmp.S(1):/*
Copyright (C) 1999, 2000, 2001, 2002, 2004, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sigaction.c(1):/*
Copyright (C) 1997-2000,2002,2003,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sigcontextinfo.h(1):
/* Copyright (C) 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sigpending.c(1):/*
Copyright (C) 1997, 1998, 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sigprocmask.c(1):/*
Copyright (C) 1997, 1998, 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\swapcontext.c(1):/*
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sys\io.h(1):/*
Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sys\procfs.h(1):/*
Copyright (C) 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sys\ptrace.h(2):
Copyright (C) 2001, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sys\rse.h(1):/*
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sys\ucontext.h(1):/*
Copyright (C) 1998, 2000, 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sys\user.h(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\syscall.S(1):/*
Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sysconf.c(2):
Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sysdep.h(1):/*
Copyright (C) 1999, 2000, 2002, 2003, 2004, 2005, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\sysdep.S(1):/*
Copyright (C) 1999, 2000, 2001, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\system.c(1):/*
Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\ucontext_i.h(1):/*
Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\umount.c(2):
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\vfork.S(1):/*
Copyright (C) 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ia64\wordexp.c(1):/*
Copyright (C) 2001, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\if_index.c(1):/*
Copyright (C) 1997, 1998, 1999, 2000, 2002, 2003, 2004, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ifaddrs.c(2): Copyright
(C) 2003-2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ifreq.c(1):/* Copyright
(C) 1999,2002,2003,2004,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\init-first.c(2):
Copyright (C) 1995-2004, 2005, 2007 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\internal_statvfs.c(1):/*
Copyright (C) 1998-2006, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ipc_priv.h(1):/*
Copyright (C) 1995-1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\kernel_termios.h(1):/*
Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\kernel-features.h(3):
Copyright (C) 1999-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\lddlibc4.c(2): Copyright
(C) 1998, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\lddlibc4.c(70):Copyright
(C) %s Free Software Foundation, Inc.\n\
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ldsodefs.h(2): Copyright
(C) 2001, 2002, 2003, 2006, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\libc_fatal.c(1):/*
Copyright (C) 1993-1995,1997,2000,2002-2005,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\linkat.c(1):/* Copyright
(C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\linux_fsinfo.h(2):
Copyright (C) 1998-2003,2005,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\llseek.c(2): Copyright
(C) 1996-2000,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\lutimes.c(3): Copyright
(C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\lxstat.c(2): Copyright
(C) 1991,1995-1998,2000,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\lxstat64.c(2): Copyright
(C) 1997-2002,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\makedev.c(2): Copyright
(C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mkdirat.c(1):/* Copyright
(C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mmap64.c(1):/* Copyright
(C) 1999,2000,2001,2002,2006,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mq_close.c(1):/*
Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mq_getattr.c(1):/*
Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mq_notify.c(1):/*
Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mq_open.c(1):/* Copyright
(C) 2004, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mq_receive.c(1):/*
Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mq_send.c(1):/* Copyright
(C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\mq_unlink.c(1):/*
Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\msgctl.c(1):/* Copyright
(C) 1995,1997,1998,2000,2002,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\msgget.c(1):/* Copyright
(C) 1995, 1997, 1998, 2000 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\msgrcv.c(1):/* Copyright (C) 1995,1997,1998,2000,2002,2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\msgsnd.c(1):/* Copyright (C) 1995,1997,1998,1999,2000,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\net\ethernet.h(1):/* Copyright (C) 1997, 1999, 2001, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\net\ethernet.h(20): lacks a copyright in the header. */

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\net\if_arp.h(2): Copyright (C) 1997,1999,2001,2006,2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\net\if_packet.h(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\net\if_ppp.h(6): * Copyright (c) 1989 Carnegie Mellon University.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\net\if_shaper.h(1):/* Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\net\if_slip.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\net\route.h(1):/* Copyright (C) 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netash\ash.h(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netatalk\at.h(1):/* Copyright (C) 1991, 1992, 1993, 1995, 1996, 1997, 2004

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netax25\ax25.h(1):/* Copyright (C) 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\neteconet\ec.h(2): Copyright (C) 1998 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netinet\if_ether.h(1):/* Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netinet\if_ether.h(30): * Copyright (c) 1982, 1986, 1993

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netinet\if_fddi.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netinet\if_tr.h(1):/* Copyright (C) 1997, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netipx\ipx.h(1):/* Copyright (C) 1991, 92, 93, 95, 96, 97, 98 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netiucv\iucv.h(1):/* Copyright (C) 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netlinkaccess.h(1):/* Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netpacket\packet.h(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netrom\netrom.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\netrose\rose.h(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\not-cancel.h(2): Copyright (C) 2003, 2006 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\nscd_setup_thread.c(2): Copyright (C) 2004, 2005 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ntp_gettime.c(1):/*
Copyright (C) 1999, 2002, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ntp_gettimex.c(1):/*
Copyright (C) 1999, 2002, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\open_2.c(1):/* Copyright
(C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\open64.c(1):/* Copyright
(C) 1991,1995-1997,1999,2000,2002,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\open64_2.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\openat.c(1):/* Copyright
(C) 2005, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\opendir.c(1):/* Copyright
(C) 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\opensock.c(1):/*
Copyright (C) 1999, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\pathconf.c(2): Copyright
(C) 1991,1995,1996,1998-2003,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\pathconf.h(2): Copyright
(C) 1991,1995,1996,1998-2003,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\paths.h(2): * Copyright
(c) 1989, 1993
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\poll.c(2): Copyright (C)
1997,1998,1999,2000,2001,2002,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\posix_fadvise.c(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\posix_fadvise64.c(1):/*
Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\posix_fallocate.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\posix_fallocate64.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\posix_madvise.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\aix\aix-errno.h(1
)/* Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\aix\aix-stat.h(1
):/* Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\aix\aix-termios.h
(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\aix\direntconv.c(
1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\aix\errnoconv.c(3
)/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\aix\statconv.c(1
):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\aix\tcgetattr.c(1
)/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\aix\tcsetattr.c(1
)/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\environments
.h(1):/* Copyright (C) 1999, 2001, 2004, 2009 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\fcntl.h(2):
Copyright (C) 1995-1998, 2000, 2003, 2004, 2006, 2007, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\ipc.h(1):/*
Copyright (C) 1995-1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\libc-vdso.h(2):
Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\mman.h(2):
Copyright (C) 1997,2000,2003,2005,2006,2008,2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\msq.h(1):/*
Copyright (C) 1995, 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\sem.h(1):/*
Copyright (C) 1995, 1996, 1997, 1998, 2000, 2002
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\shm.h(1):/*
Copyright (C) 1995, 1996, 1997, 2000, 2002, 2004, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\stat.h(1):/*
Copyright (C) 1992, 1995-2002, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\bits\termios.h(1)
:/* Copyright (C) 1997,1999,2001,2003,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\chown.c(2):
Copyright (C) 1998, 2000, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\dl-sysdep.c(2):
Copyright (C) 1997, 1998, 2001, 2003, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\fchownat.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\get_clockfreq.c(2)
) : Copyright (C) 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\gettimeofday.c(1)
:/* Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\init-first.c(1):/
* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\ioctl.c(1):/*
Copyright (C) 1998, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\ipc_priv.h(1):/*
Copyright (C) 1995-1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\kernel_termios.h(1):/*
Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\lchown.S(2):
Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\ldconfig.h(2):
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\libc-start.c(1):/
* Copyright (C) 1998, 2000, 2001, 2002, 2003, 2004, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32___longjmp_chk.S(1):/*
Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\brk.S(2)
) : Copyright (C) 1995-97, 1999, 2000, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\clone.S(2):
Copyright (C) 1997,98,99,2000,02,04,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\fpu\fe_mask.c(2):
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\fpu\fe_nomask.c(2):
Copyright (C) 2000, 2006, 2008 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\fttrunca
te64.c(1):/* Copyright (C) 1997-2002,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\getcont
ext.S(2): Copyright (C) 2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\getcont
ext-common.S(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\kernel_
stat.h(2): Copyright (C) 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\makecon
text.S(2): Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\posix_f
advise.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\posix_f
advise64.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\pread.c
(1):/* Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\pread64
.c(1):/* Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\pwrite.
c(1):/* Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\pwrite6
4.c(1):/* Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\setcont
ext.S(2): Copyright (C) 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\setcont
ext-common.S(2): Copyright (C) 2005, 2006, 2008, 2009 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\socket.
S(1):/* Copyright (C) 1995-1997, 1999, 2003, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\swapcon
text.S(2): Copyright (C) 2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\swapcon
text-common.S(2): Copyright (C) 2005, 2006, 2008, 2009 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\sysdep.
h(1):/* Copyright (C) 1992,1997-2003,2004,2005,2006 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\truncat
e64.c(1):/* Copyright (C) 1997,1998,1999,2000,2002,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc32\vfork.S
(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64___lon
gjmp_chk.S(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\brk.S(2
) : Copyright (C) 1995,96,97,99, 2000,02, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\clone.S
(2): Copyright (C) 1997,98,99,2000,02,04, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\d1-cach
e.h(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\fcntl.c
(1):/* Copyright (C) 2000, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\fpu\fe_

legal(ME)

mask.c(2): Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\fpu\fe_
nomask.c(2): Copyright (C) 2003, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\getcont
ext.S(2): Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\kernel_
stat.h(2): Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\ldsodef
s.h(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\makecon
text.S(2): Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\pread.c
(1):/* Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\pread64
.c(1):/* Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\pwrite.
c(1):/* Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\pwrite6
4.c(1):/* Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\setcont
ext.S(2): Copyright (C) 2002, 2004, 2005, 2006, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\socket.
S(1):/* Copyright (C) 1995,96,97,99, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\swapcon
text.S(2): Copyright (C) 2002, 2004, 2005, 2006, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\sync_fi
le_range.c(2): Copyright (C) 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\sysdep.
h(1):/* Copyright (C) 1992,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\powerpc64\vfork.S
(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\readelflib.c(2):
Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\sigcontextinfo.h(
1):/* Copyright (C) 1998, 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\sys\procfs.h(1):/
* Copyright (C) 1996, 1997, 1999, 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\sys\ptrace.h(2):
Copyright (C) 2001, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\sys\ucontext.h(1)
:/* Copyright (C) 1998, 1999, 2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\sys\user.h(1):/*
Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\syscall.S(1):/*
Copyright (C) 1991, 1992, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\powerpc\sysdep.c(1):/*
Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ppoll.c(1):/* Copyright
(C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\pread.c(1):/* Copyright
(C) 1997-2000,2002,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\pread64.c(1):/* Copyright

legal(ME)

(C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\preadv.c(1):/* Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\prof-freq.c(2): Copyright
(C) 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\pselect.c(1):/* Copyright
(C) 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ptrace.c(1):/* Copyright
(C) 1995-1998,2000,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ptsname.c(1):/* Copyright
(C) 1998, 2000, 2001, 2002, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\pwrite.c(1):/* Copyright
(C) 1997-2000,2002,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\pwrite64.c(1):/*
Copyright (C) 1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\pwritev.c(1):/* Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\readahead.c(2): Copyright
(C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\readlinkat.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\readonly-area.c(1):/*
Copyright (C) 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\readv.c(2): Copyright (C)
1997,1998,2000,2002,2003,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\reboot.c(1):/* Copyright
(C) 1996, 1997, 1998, 1999, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\recvmmsg.c(1):/*
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\renameat.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\elfclass.h(1):/
* Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\environments.h(
1):/* Copyright (C) 1999, 2001, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\fcntl.h(2):
Copyright (C) 2000-2002,2004,2006,2007,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\ipc.h(1):/*
Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\libc-vdso.h(2):
Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\mman.h(2):
Copyright (C) 2000-2003,2005,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\msq.h(1):/*
Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\sem.h(1):/*
Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\shm.h(1):/*
Copyright (C) 2001, 2002, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\sigaction.h(2):
Copyright (C) 2001, 2002, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\siginfo.h(2):

legal(ME)

Copyright (C) 2001, 2002, 2003, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\stat.h(1):/*
Copyright (C) 2000, 2001, 2002, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\statfs.h(1):/*
Copyright (C) 1997, 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\typesizes.h(2):
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\utmp.h(2):
Copyright (C) 1993, 1996, 1997, 1998, 1999, 2002, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\bits\utmpx.h(2):
Copyright (C) 1997, 1998, 2000, 2001, 2002, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\brk.c(2): Copyright
(C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\dl-procinfo.h(2):
Copyright (C) 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\gettimeofday.c(1):/*
Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\init-first.c(1):/*
Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\ldconfig.h(1):/*
Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\readelflib.c(1):/*
Copyright (C) 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32___longjmp_
chk.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\chown.c(1):/
* Copyright (C) 2000,2001,2002,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\clone.S(1):/
* Copyright (C) 2000, 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getcontext.S
(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutent.c(1
)/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutent_r.c
(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutid.c(1
):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutid_r.c(
1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutline.c(
1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutline_r.
c(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutmp.c(1
):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutxent.c(
1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutxid.c(1
)/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\getutxline.c
(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\lchown.c(1):

legal(ME)

```
/* Copyright (C) 2000, 2001, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\login.c(1):/
* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\login32.c(1)
:/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\makecontext.
c(1):/* Copyright (C) 2001, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\mmap.S(1):/*
Copyright (C) 2000, 2001, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\mmap64.S(1):
/* Copyright (C) 2000, 2001, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\posix_fadvis
e64.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\profil-count
er.h(2): Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\pututxline.c
(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\register-dum
p.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\setcontext.S
(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\socket.S(1):
/* Copyright (C) 2000, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\swapcontext.
S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\syscall.S(1)
:/* Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\sysdep.h(1):
/* Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\sysdep.S(1):
/* Copyright (C) 2000, 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\updwtmp.c(1)
:/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\updwtmpx.c(1)
):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\utmp32.c(1):
/* Copyright (C) 2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\utmp32.h(2):
Copyright (C) 1993, 1996, 1997, 1998, 1999, 2002, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\utmp-compat.
h(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\utmp-convert
.h(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\utmpx32.c(1)
:/* Copyright (C) 2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\utmpx32.h(2)
: Copyright (C) 1993, 1996, 1997, 1998, 1999, 2002, 2008, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-32\utmpx-conver
t.h(1):/* Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\___longjmp_
chk.c(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\clone.S(2):
```

legal(ME)

Copyright (C) 2001, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\dl-cache.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\getcontext.S(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\kernel_stat.h(2): Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\makecontext.c(1):/* Copyright (C) 2001, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\mmap.S(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\profil-counter.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\register-dump.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\setcontext.S(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\sigaction.c(1):/* Copyright (C) 2001, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\sigpending.c(1):/* Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\sigprocmask.c(1):/* Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\socket.S(1):/* Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\swapcontext.S(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\syscall.S(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\sysdep.h(2): Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\s390-64\sysdep.S(1):/* Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\semtimedop.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\sigcontextinfo.h(1):/* Copyright (C) 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\sys\elf.h(1):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\sys\procfs.h(1):/* Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\sys\ptrace.h(2): Copyright (C) 2000, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\sys\ucontext.h(1):/* Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\sys\user.h(1):/* Copyright (C) 2000, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\s390\system.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sa_len.c(1):/* Copyright (C) 1998, 1999, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sched_getaffinity.c(1):/*

legal(ME)

Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sched_getcpu.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sched_setaffinity.c(1):/*
Copyright (C) 2002, 2003, 2004, 2005, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\scsi\scsi.h(1):/*
Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\scsi\scsi_ioctl.h(1):/*
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\scsi\sg.h(1):/* Copyright
(C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\semctl.c(1):/* Copyright
(C) 1995, 1997, 1998, 2000, 2003, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\semget.c(1):/* Copyright
(C) 1995, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\semop.c(1):/* Copyright
(C) 1995, 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\semtimedop.c(1):/*
Copyright (C) 1995, 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setegid.c(1):/* Copyright
(C) 1998, 2000, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\seteuid.c(1):/* Copyright
(C) 1998, 1999, 2002, 2003, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setgid.c(1):/* Copyright
(C) 1998, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setipv4sourcefilter.c(2):
Copyright (C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setregid.c(1):/*
Copyright (C) 1998, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setresgid.c(1):/*
Copyright (C) 1998, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setresuid.c(1):/*
Copyright (C) 1998, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setreuid.c(1):/*
Copyright (C) 1998, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setsourcefilter.c(2):
Copyright (C) 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\setuid.c(1):/* Copyright
(C) 1998, 2000, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\bits\atomic.h(2):
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\bits\fcntl.h(2):
Copyright (C) 1995, 1996, 1997, 1998, 2000, 2004, 2006, 2007, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\bits\mman.h(2):
Copyright (C) 1997, 1999, 2000, 2003, 2005, 2006, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\bits\shm.h(1):/*
Copyright (C) 1995, 1996, 1997, 2000, 2002, 2004, 2006, 2009 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\brk.c(2): Copyright
(C) 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\chown.c(1):/*
Copyright (C) 1998, 2000, 2002, 2003, 2006 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\clone.S(1):/*
Copyright (C) 1999, 2000, 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\makecontext.S(2):
Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\pipe.S(1):/* Copyright
(C) 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\pread.c(1):/*
Copyright (C) 1997, 1998, 2000, 2002, 2003, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\pread64.c(1):/*
Copyright (C) 1997, 1998, 2000, 2002, 2003, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\profil-counter.h(2):
Copyright (C) 1996, 1997, 1998, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\pwrite.c(1):/*
Copyright (C) 1997, 1998, 2000, 2002, 2003, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\pwrite64.c(1):/*
Copyright (C) 1997, 1998, 2000, 2002, 2003, 2004, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh3\getcontext.S(2):
Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh3\register-dump.h(2)
: Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh3\setcontext.S(2):
Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh3\swapcontext.S(2):
Copyright (C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh3\sys\ucontext.h(1):
/* Copyright (C) 1999, 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh4\getcontext.S(2):
Copyright (C) 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh4\register-dump.h(2)
: Copyright (C) 1999, 2000, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh4\setcontext.S(2):
Copyright (C) 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh4\swapcontext.S(2):
Copyright (C) 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sh4\sys\ucontext.h(1):
/* Copyright (C) 1999, 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sigcontextinfo.h(1):/*
Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\socket.S(1):/*
Copyright (C) 1999, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sys\procfs.h(1):/*
Copyright (C) 1996, 1997, 1999, 2004, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sys\user.h(1):/*
Copyright (C) 1998, 1999, 2000, 2003, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\syscall.S(1):/*
Copyright (C) 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sysdep.h(1):/*
Copyright (C) 1992,1993,1995,1996,1997,1998,1999,2000,2002,2003,2004,
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\sysdep.S(1):/*
Copyright (C) 1995, 1996, 1997, 1998, 1999, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sh\vfork.S(1):/*
Copyright (C) 1999, 2000, 2002, 2003 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\shm_open.c(1):/*
Copyright (C) 2000-2004,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\shmat.c(1):/* Copyright
(C) 1995,1997,1998,1999,2000,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\shmctl.c(1):/* Copyright
(C) 1995,1997,1998,2000,2003,2004,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\shmdt.c(1):/* Copyright
(C) 1995, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\shmget.c(1):/* Copyright
(C) 1995, 1997, 1998, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigaction.c(1):/*
Copyright (C) 1997-2000,2002,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\siglist.h(1):/* Copyright
(C) 1996,1997,1998,1999,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\signalfd.c(1):/*
Copyright (C) 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigpending.c(1):/*
Copyright (C) 1997,1998,1999,2000,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigprocmask.c(1):/*
Copyright (C) 1997-2001,2003,2004,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigqueue.c(1):/*
Copyright (C) 1997, 1998, 2000, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigset-cvt-mask.h(3):
Copyright (C) 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigstack.c(2): Copyright
(C) 1998, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigsuspend.c(1):/*
Copyright (C) 1996,1997,1998,1999,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigtimedwait.c(1):/*
Copyright (C) 1997,1998,2000,2002,2003,2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigwait.c(1):/* Copyright
(C) 1997,1998,2000,2002-2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sigwaitinfo.c(1):/*
Copyright (C) 1997,1998,2000,2002,2003,2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sizes.h(1):/* Copyright
(C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sleep.c(2): Copyright (C)
1996,1997,1998,1999,2003,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\socketcall.h(2):
Copyright (C) 1995, 1996, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\environments.h
(1):/* Copyright (C) 1999, 2001, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\errno.h(2):
Copyright (C) 1996-1999,2002,2005,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\fcntl.h(2):
Copyright (C) 1995-1998, 2000, 2003, 2004, 2006, 2007, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\ioctl.h(1):/*
Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\ipc.h(1):/*
Copyright (C) 1995-1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\mman.h(2):
Copyright (C) 1997,1999,2000,2003,2005,2006,2009

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\msq.h(1):/*
Copyright (C) 1995, 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\poll.h(1):/*
Copyright (C) 1997, 2001, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\resource.h(2):
Copyright (C) 1994, 1996, 1997, 1998, 1999, 2000, 2004, 2005, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\sem.h(1):/*
Copyright (C) 1995, 1996, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\setjmp.h(1):/*
Copyright (C) 1997, 1999, 2000, 2003, 2005, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\shm.h(1):/*
Copyright (C) 1995, 1996, 1997, 2000, 2002, 2004, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\sigaction.h(2)
: Copyright (C) 1996-2000, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\sigcontext.h(1)
):/* Copyright (C) 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\siginfo.h(2):
Copyright (C) 1997-2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\signal.h(2):
Copyright (C) 1996, 1997, 1998, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\sigstack.h(2):
Copyright (C) 1998, 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\socket.h(2):
Copyright (C) 1991, 1992, 1994-2001, 2004, 2006, 2007, 2008, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\stat.h(1):/*
Copyright (C) 1992,1995-2002,2006,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\termios.h(2):
Copyright (C) 1993, 1994, 1995, 1996, 1997, 2000, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\bits\typesizes.h(2)
: Copyright (C) 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\dl-cache.h(2):
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\fork.S(1):/*
Copyright (C) 1997, 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\getsysstats.c(2):
Copyright (C) 1999, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\kernel_termios.h(1)
):/* Copyright (C) 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\readelflib.c(1):/*
Copyright (C) 1999, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32___longjmp
_chk.S(1):/* Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\brk.c(2):
Copyright (C) 1995, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\clone.S(1):
/* Copyright (C) 1996, 1997, 1998, 2000, 2003, 2004, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\getcontext.
S(2): Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\getpagesize
.c(1):/* Copyright (C) 1997, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\makecontext
.c(2): Copyright (C) 2008 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\pipe.S(1):/* Copyright (C) 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\profil-counter.h(2): Copyright (C) 1997, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\register-dump.h(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\semctl.c(2): Copyright (C) 1995,1997,1998,2000,2002,2003,2004,2006

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\setcontext.S(2): Copyright (C) 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\sigaction.c(2): Copyright (C) 1997-2000,2002,2003,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\sigcontextinfo.h(1):/* Copyright (C) 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\socket.S(1):/* Copyright (C) 1997, 1998, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\swapcontext.S(2): Copyright (C) 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\syscall.S(1):/* Copyright (C) 1991, 1992, 1997, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc32\sysdep.h(1):/* Copyright (C) 1997, 2002, 2003, 2004, 2006, 2008

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64___longjmp_chk.S(1):/* Copyright (C) 2009 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\brk.S(1):/* Copyright (C) 1997, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\clone.S(1):/* Copyright (C) 1997, 2000, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\dl-cache.h(2): Copyright (C) 1999, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\get_clockfreq.c(2): Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\getcontext.S(1):/* Copyright (C) 1997, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\longjmp.S(1):/* Copyright (C) 1997, 2001, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\makecontext.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\msgctl.c(1):/* Copyright (C) 1995, 1997, 1998, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\msgrcv.c(1):/* Copyright (C) 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\pipe.S(1):/* Copyright (C) 1997, 1999, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\profil-counter.h(2): Copyright (C) 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\register-dump.h(2): Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\semctl.c(1):/* Copyright (C) 1995, 1997, 1998, 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\setcontext.S(1):/* Copyright (C) 1997, 2001 Free Software Foundation, Inc.

legal(ME)

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\setjmp.S(1)
:/* Copyright (C) 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\shmctl.c(1)
:/* Copyright (C) 1995, 1997, 1998, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\sigaction.c
(2): Copyright (C) 1997-2000,2002,2003,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\sigcontexti
nfo.h(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\sigpending.
c(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\sigprocmask
.c(1):/* Copyright (C) 1997, 1998, 1999, 2000, 2003 Free Software Foundation,
Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\sizes.h(1):
/* Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\socket.S(1)
:/* Copyright (C) 1997, 1998, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\swapcontext
.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\syscall.S(1)
):/* Copyright (C) 1997, 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\sysdep.h(1)
:/* Copyright (C) 1997, 2000, 2002, 2003, 2004, 2006, 2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\ucontext_i.
h(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sparc64\xstatconv.c
(2): Copyright (C) 1991, 1995, 1996, 1997, 2000, 2002, 2003, 2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\epoll.h(1):/*
Copyright (C) 2002-2006, 2007, 2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\eventfd.h(1):/*
Copyright (C) 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\inotify.h(1):/*
Copyright (C) 2005, 2006, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\procfs.h(1):/*
Copyright (C) 1996, 1997, 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\ptrace.h(2):
Copyright (C) 1996, 1997, 1998, 1999, 2000, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\signalfd.h(1):/
* Copyright (C) 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\timerfd.h(1):/*
Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\ucontext.h(1):/
* Copyright (C) 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sys\user.h(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\sysdep.h(1):/*
Copyright (C) 2000, 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\system.c(1):/*
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sparc\vfork.S(1):/*
Copyright (C) 1999, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\speed.c(2): Copyright (C)

legal(ME)

1991,1992,1993,1995,1996,1997,1998,2000,2002,2003

glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\statfs64.c(2): Copyright (C) 1996-2000,2003,2004,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\statvfs.c(1):/* Copyright (C) 1998, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\statvfs64.c(2): Copyright (C) 1998, 2000, 2001, 2004, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\symlinkat.c(1):/* Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sync_file_range.c(2): Copyright (C) 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\acct.h(1):/* Copyright (C) 1996, 1997, 1998, 1999, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\epoll.h(1):/* Copyright (C) 2002-2006, 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\eventfd.h(1):/* Copyright (C) 2007, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\fsuid.h(1):/* Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\inotify.h(1):/* Copyright (C) 2005, 2006, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\kd.h(1):/* Copyright (C) 1996, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\kdaemon.h(1):/* Copyright (C) 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\klog.h(1):/* Copyright (C) 1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\mount.h(2): Copyright (C) 1996-2000, 2004, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\param.h(1):/* Copyright (C) 1995-1997,2000,2001,2003,2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\pci.h(1):/* Copyright (C) 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\personality.h(1):/* Copyright (C) 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\prctl.h(1):/* Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\procfs.h(1):/* Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\ptrace.h(2): Copyright (C) 1996-1999,2000,2006,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\quota.h(3): * here's the corresponding copyright:
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\quota.h(4): * Copyright (c) 1982, 1986 Regents of the University of California.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\raw.h(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\reboot.h(1):/* Copyright (C) 1996, 1997, 1998, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\signalfd.h(1):/* Copyright (C) 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\swap.h(2): Copyright

legal(ME)

(C) 1996, 1998, 1999, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\syscall.h(1):/*
Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\sysctl.h(1):/*
Copyright (C) 1996, 1999, 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\sysinfo.h(1):/*
Copyright (C) 1996, 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\sysmacros.h(2):
Copyright (C) 1996, 1997, 1999, 2003, 2004, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\timerfd.h(1):/*
Copyright (C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\timex.h(1):/*
Copyright (C) 1995-1997, 1999, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sys\ttydefaults.h(2): *
Copyright (c) 1982, 1986, 1993
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sysconf.c(2): Copyright
(C) 2003, 2004, 2006, 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\sysctl.c(2): Copyright
(C) 1996-2000,2002,2003,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\system.c(1):/* Copyright
(C) 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\tcdrain.c(1):/* Copyright
(C) 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\tcflow.c(2): Copyright
(C) 1993,1997,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\tcflush.c(2): Copyright
(C) 1993,1997,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\tcgetattr.c(1):/*
Copyright (C) 1992,1995,1997,1998,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\tcsetattr.c(1):/*
Copyright (C) 1993,1996,1997,1998,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\testrtsig.h(2): Copyright
(C) 1997, 1999, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\time.c(1):/* Copyright
(C) 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\times.c(1):/* Copyright
(C) 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\truncate64.c(1):/*
Copyright (C) 1997-2000,2003,2004,2005,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\tst-clone.c(2): Copyright
(C) 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ttyname.c(1):/* Copyright
(C) 1991-1993,1996-2002,2006,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ttyname_r.c(1):/*
Copyright (C) 1991-1993,1995-2001,2003,2006,2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ulimit.c(1):/* Copyright
(C) 1991,92,1994-1998,2000,2001,2008
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\unlinkat.c(2): Copyright
(C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\unlockpt.c(1):/*
Copyright (C) 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\updwtmp.c(1):/* Copyright

legal(ME)

(C) 1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\usleep.c(2): Copyright
(C) 1996, 1997, 1999, 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\ustat.c(1):/* Copyright
(C) 1997, 1998, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\utimensat.c(2): Copyright
(C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\utimes.c(1):/* Copyright
(C) 1995, 1997, 2000, 2003, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\utmp_file.c(1):/*
Copyright (C) 1998, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\wait.c(1):/* Copyright
(C) 1991,1995,1996,1997,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\waitid.c(2): Copyright
(C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\waitpid.c(1):/* Copyright
(C) 1991,92,95,96,97,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\wordsize-64\fallocate.c(1
):/* Copyright (C) 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\wordsize-64\fxstat.c(2):
Copyright (C) 1991, 1995, 1996, 1997, 1998, 2000, 2002, 2003, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\wordsize-64\fxstata.c(1
):/* Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\wordsize-64\lxstat.c(2):
Copyright (C) 1991, 1995, 1996, 1997, 1998, 2000, 2002, 2003, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\wordsize-64\posix_fadvise
.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\wordsize-64\posix_falloca
te.c(1):/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\wordsize-64\xstat.c(2):
Copyright (C) 1991, 1995, 1996, 1997, 1998, 2000, 2002, 2003, 2004
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\writev.c(2): Copyright
(C) 1997,1998,2000,2002,2003,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64__longjmp_chk.S(
1):/* Copyright (C) 2001,2004,2005,2006,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64__start_context.S(
1):/* Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\environments.
h(1):/* Copyright (C) 1999, 2001, 2004, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\fcntl.h(2):
Copyright (C) 2001,2002,2004,2006,2007,2009,2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\libc-vdso.h(2
): Copyright (C) 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\mman.h(2):
Copyright (C) 2001,2003,2005,2006,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\msq.h(1):/*
Copyright (C) 1995, 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\sem.h(1):/*
Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\shm.h(1):/*
Copyright (C) 1995, 1996, 1997, 2000, 2002, 2004, 2009
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\sigcontext.h(

legal(ME)

1):/* Copyright (C) 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\bits\stat.h(1):/*
Copyright (C) 1999-2003,2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\brk.c(2):
Copyright (C) 1995, 1996, 2000, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\clone.S(1):/*
Copyright (C) 2001, 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\dl-cache.h(2):
Copyright (C) 1999, 2000, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\getcontext.S(2):
Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\gettimeofday.S(1):
/* Copyright (C) 2002, 2003, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\init-first.c(1):/*
Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\kernel_stat.h(2):
Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\ldconfig.h(1):/*
Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\makecontext.c(2):
Copyright (C) 2002, 2004, 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\profil-counter.h(2
) : Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\readelflib.c(1):/*
Copyright (C) 1999, 2001, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\recv.c(1):/*
Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\register-dump.h(2)
: Copyright (C) 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sched_getcpu.S(1):
/* Copyright (C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\send.c(1):/*
Copyright (C) 2001, 2002, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\setcontext.S(2):
Copyright (C) 2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sigaction.c(2):
Copyright (C) 2001, 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sigcontextinfo.h(1
) :/* Copyright (C) 2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\swapcontext.S(2):
Copyright (C) 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sys\debugreg.h(1):
/* Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sys\epoll.h(1):/*
Copyright (C) 2002-2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sys\io.h(1):/*
Copyright (C) 1996, 2000, 2002, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sys\perm.h(1):/*
Copyright (C) 1996, 1999, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sys\procfs.h(1):/*
Copyright (C) 2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sys\reg.h(1):/*

legal(ME)

Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sys\ucontext.h(1):
/* Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sys\user.h(1):/*
Copyright (C) 2001, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\syscall.S(1):/*
Copyright (C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sysconf.c(2):
Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sysdep.h(1):/*
Copyright (C) 2001-2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\sysdep.S(1):/*
Copyright (C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\time.S(1):/*
Copyright (C) 2001,02, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\umount.c(1):/*
Copyright (C) 2000, 2001, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\x86_64\vfork.S(1):/*
Copyright (C) 2001, 2002, 2004, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\xmknod.c(2): Copyright
(C) 1991, 1993, 1995, 1996, 1997, 1998, 2000, 2002, 2003
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\xmknodat.c(1):/*
Copyright (C) 2005, 2006, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\xstat.c(2): Copyright (C)
1991,1995-1998,2000,2002,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\xstat64.c(2): Copyright
(C) 1991,1995-2002,2003,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\xstatconv.c(2): Copyright
(C) 1991,1995-1997,2000,2002,2003,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\linux\xstatconv.h(2): Copyright
(C) 1991,1995-1997,2000,2002,2003,2006
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\Makefile(1):# Copyright (C)
1992, 1993, 1994, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\setrlimit.c(2): Copyright (C)
1991, 1992, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\settimeofday.c(1):/* Copyright
(C) 1992, 1995, 1996, 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\sigaction.c(1):/* Copyright (C)
1992,1994,1995,1996,1997,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\sysv_termio.h(1):/* Copyright
(C) 1992, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\tcdrain.c(1):/* Copyright (C)
1992, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\tcflow.c(1):/* Copyright (C)
1992, 1996, 1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\tcflush.c(1):/* Copyright (C)
1992, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\tcgetattr.c(1):/* Copyright (C)
1992, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\tcgetpgrp.c(1):/* Copyright (C)
1992, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\tcsendbrk.c(1):/* Copyright (C)

legal(ME)

1992, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\tcsetattr.c(1):/* Copyright (C)
1992, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\sysv\tcsetpgrp.c(1):/* Copyright (C)
1992, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\telldir.c(1):/* Copyright (C) 1991,
1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\time.c(1):/* Copyright (C)
1991,92,97,2001,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\utime.c(1):/* Copyright (C)
1991,94,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\x86_64\sysdep.h(1):/* Copyright (C)
1991, 92, 93, 95, 96, 97, 2000, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\x86_64\sysdep.S(1):/* Copyright (C)
2001, 2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\xmknod.c(2): Copyright (C)
1991,1993,1995,1996,1997,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\unix\xstat.c(2): Copyright (C)
1991,1995,1996,1997,2000,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\bits\wordsize.h(1):/*
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\divdi3.c(2): Copyright (C)
1989, 1992-1999,2000,2001,2002,2003,2004,2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\llabs.c(1):/* Copyright (C)
1999, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\lldiv.c(1):/* Copyright (C)
1999, 2000, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\strtoimax.c(2): Copyright (C)
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\strtoumax.c(2): Copyright (C)
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\symbol-hacks.h(2): Copyright
(C) 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\wcstoimax.c(2): Copyright (C)
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-32\wcstoumax.c(2): Copyright (C)
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-64\bits\wordsize.h(1):/*
Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-64\labs.c(1):/* Copyright (C)
1999, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-64\ldiv.c(1):/* Copyright (C)
1999, 2000, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-64\strtoimax.c(2): Copyright (C)
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-64\strtoumax.c(2): Copyright (C)
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-64\wcstoimax.c(2): Copyright (C)
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\wordsize-64\wcstoumax.c(2): Copyright (C)
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64__longjmp.S(1):/* Copyright (C)

legal(ME)

2001,2004,2005,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\mcount.S(2): Copyright (C) 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\add_n.S(3): Copyright (C) 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\addmul_1.S(3): Copyright (C) 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bits\atomic.h(1):/* Copyright (C)
2002-2004, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bits\byteswap.h(2): Copyright (C)
1997, 1998, 2000, 2002, 2003, 2007, 2008, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bits\link.h(1):/* Copyright (C)
2004, 2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bits\mathdef.h(1):/* Copyright (C)
2001, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bits\select.h(1):/* Copyright (C)
1997,1998,1999,2001,2008,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bits\setjmp.h(1):/* Copyright (C)
2001,2002,2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bits\string.h(2): Copyright (C)
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bits\xtypes.h(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bp-asm.h(2): Copyright (C) 2001
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bsd-_setjmp.S(2): Copyright (C)
1994-1997, 2000, 2001, 2002, 2003, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\bsd-setjmp.S(2): Copyright (C)
1994, 1995, 1996, 1997, 2000, 2001, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\cacheinfo.c(2): Copyright (C)
2003, 2004, 2006, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\dl-irel.h(3): Copyright (C) 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\dl-lookupcfg.h(2): Copyright (C)
2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\dl-machine.h(2): Copyright (C)
2001-2006, 2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\dl-tls.h(2): Copyright (C) 2002,
2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\dl-tlsdesc.h(3): Copyright (C)
2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\dl-tlsdesc.S(2): Copyright (C)
2004, 2005, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\dl-trampoline.h(3): Copyright (C)
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\dl-trampoline.S(2): Copyright (C)
2004, 2005, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\elf\initfini.c(2): Copyright (C)
2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\elf\start.S(2): Copyright (C)
2001, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\ffs.c(4): Copyright (C)

legal(ME)

1991,92,93,94,97,98,2001,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\ffsll.c(4): Copyright (C)
1991,92,93,94,97,98,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu_control.h(2): Copyright (C)
1993,1995,1996,1997,1998,2000,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\bits\fenv.h(1):/* Copyright
(C) 1997,1998,1999,2000,2001,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\bits\mathinline.h(2):
Copyright (C) 2002, 2003, 2004, 2007, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\powl.S(2): Copyright (C)
1996, 1997, 1998, 1999, 2001, 2004, 2007
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\sqrt.c(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\sqrtf.c(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fclexcpt.c(2): Copyright (C)
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fedisblxcpt.c(2): Copyright
(C) 2001, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\feenablxcpt.c(2): Copyright
(C) 2001, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fegetenv.c(2): Copyright (C)
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fegetexcept.c(2): Copyright
(C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fegetround.c(2): Copyright (C)
1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\feholdxcpt.c(2): Copyright
(C) 2001, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fesetenv.c(2): Copyright (C)
2001, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fesetround.c(2): Copyright (C)
2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\feupdateenv.c(2): Copyright
(C) 1997,99,2000,01,07 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fgetexcptflg.c(2): Copyright
(C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fraiseexcpt.c(2): Copyright
(C) 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\fsetexcptflg.c(2): Copyright
(C) 2001, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\ftestexcept.c(2): Copyright
(C) 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\printf_fphex.c(2): Copyright
(C) 1997,1998,1999,2000,2001,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_copysign.S(2): Copyright (C)
2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_copysignf.S(2): Copyright
(C) 2002, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_expm1.S(2): Copyright (C)
1996,1997,2001,2002,2008,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fabs.c(2): Copyright (C)

legal(ME)

2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fabsf.c(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fabsl.S(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fdiml.S(2): Copyright (C)
1997, 1998, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fmax.S(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fmaxf.S(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fmaxl.S(2): Copyright (C)
1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fmin.S(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fminf.S(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_fminl.S(2): Copyright (C)
1997, 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_llrint.S(3): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_llrintf.S(3): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_llrintl.S(3): Copyright (C)
1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_signbit.S(2): Copyright (C)
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_signbitf.S(2): Copyright (C)
2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_sincos.S(2): Copyright (C)
1997, 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_sincosl.S(2): Copyright (C)
1997, 2000, 2001, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\fpu\s_truncl.S(2): Copyright (C)
1997, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\hp-timing.h(2): Copyright (C)
2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\htonl.S(2): Copyright (C) 1997,
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\jmpbuf-offsets.h(2): Copyright (C)
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\jmpbuf-unwind.h(1):/* Copyright
(C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\lshift.S(2): Copyright 2004, 2006
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\machine-gmon.h(2): Copyright (C)
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\memchr.S(1):/* Copyright (C) 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\memcmp.S(2): Copyright (C) 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\memcpy.S(4): Copyright (C) 2007

legal(ME)

Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\memcpy_chk.S(2): Copyright (C)
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\memcpy_chk.S(2): Copyright (C)
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\memset.S(3): Copyright (C)
2002-2005, 2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\memset_chk.S(2): Copyright (C)
2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\memusage.h(1):/* Copyright (C)
2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\mul_1.S(3): Copyright (C) 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\init-arch.c(3):
Copyright (C) 2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\init-arch.h(2):
Copyright (C) 2008, 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\memcmp.S(2): Copyright
(C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\memcmp-sse4.S(2):
Copyright (C) 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\rawmemchr.S(1):/*
Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\s_fma.c(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\s_fmaf.c(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\sched_cpucount.c(3):
Copyright (C) 2008, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strchr.S(2): Copyright
(C) 2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strcmp.S(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strcpy.S(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strcspn.S(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strcspn-c.c(2):
Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strend-sse4.S(2):
Copyright (C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strlen.S(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strrchr.S(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strspn.S(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strspn-c.c(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\multiarch\strstr.c(2): Copyright
(C) 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\rawmemchr.S(1):/* Copyright (C)

legal(ME)

2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\rshift.S(2): Copyright (C) 2004,
2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\rtld-strchr.S(3): Copyright (C)
2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\rtld-strlen.S(2): Copyright (C)
2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\sched_cpucount.c(1):/* Copyright
(C) 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\setjmp.S(2): Copyright (C) 2001,
2003, 2005, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\stackinfo.h(1):/* Copyright (C)
2001, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strcat.S(3): Copyright (C) 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strchr.S(3): Copyright (C) 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strchrnul.S(4): Copyright (C) 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strcmp.S(2): Copyright (C) 1999,
2000, 2002, 2003, 2005, 2009, 2010
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strcpy.S(2): Copyright (C) 2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strcpy_chk.S(2): Copyright (C)
2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strcspn.S(4): Copyright (C)
1994-1997, 2000, 2002, 2003, 2004, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strlen.S(2): Copyright (C) 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strrchr.S(3): Copyright (C) 2009
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strspn.S(4): Copyright (C)
1994-1997, 2000, 2002, 2003, 2004, 2005
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\strtok.S(3): Copyright (C)
1998,2000-2003,2005,2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\sub_n.S(3): Copyright (C) 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\submul_1.S(3): Copyright (C) 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\sysdep.h(2): Copyright (C) 2001,
2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\tlsdesc.c(2): Copyright (C) 2005,
2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysdeps\x86_64\tst-stack-align.h(1):/* Copyright
(C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\ftok.c(1):/* Copyright (C) 1995, 1996,
2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\Makefile(1):# Copyright (C) 1995, 1996,
1997, 2002, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\msgctl.c(1):/* Copyright (C) 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\msgget.c(1):/* Copyright (C) 1995, 1996,

legal(ME)

1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\msgrcv.c(1):/* Copyright (C) 1995, 1996, 1997, 2006 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\msgsnd.c(1):/* Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\semctl.c(1):/* Copyright (C) 1995, 1996, 1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\semget.c(1):/* Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\semop.c(1):/* Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\semtimedop.c(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\shmat.c(1):/* Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\shmctl.c(1):/* Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\shmdt.c(1):/* Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\shmget.c(1):/* Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\sys\ipc.h(1):/* Copyright (C) 1995,1996,1997,1999,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\sys\msg.h(1):/* Copyright (C) 1995-1997,1999,2000,2003,2006,2007
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\sys\sem.h(1):/* Copyright (C) 1995-1999, 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\sysvipc\sys\shm.h(1):/* Copyright (C) 1995-1999, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\cfmakeraw.c(1):/* Copyright (C) 1992, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\cfsetspeed.c(1):/* Copyright (C) 1992,93,96,97,98,2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\Makefile(1):# Copyright (C) 1991,1992,1993,1995,1997,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\speed.c(2): Copyright (C) 1991,1992,1993,1996,1997,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\sys\ttychars.h(2): * Copyright (c) 1982, 1986, 1990, 1993
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcdrain.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcflow.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcflush.c(1):/* Copyright (C) 1991, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcgetattr.c(1):/* Copyright (C) 1991, 1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcgetpgrp.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcgetsid.c(1):/* Copyright (C) 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcsendbrk.c(1):/* Copyright (C) 1991,

legal(ME)

1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcsetattr.c(1):/* Copyright (C)
1991,95,96,2000,01,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\tcsetpgrp.c(1):/* Copyright (C) 1991,
1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\termios\termios.h(1):/* Copyright (C)
1991-1994,1996-1999,2003,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\test-skeleton.c(2): Copyright (C) 1998,2000-2004,
2005, 2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\adjtime.c(1):/* Copyright (C) 1991, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\alt_digit.c(2): Copyright (C) 1995-2002,
2008, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\asctime.c(1):/* Copyright (C)
1991,1993,1995-1997,2000,2002,2005,2010
glibc\glibc-2.12.2\glibc-2.12.2\time\clock.c(1):/* Copyright (C) 1991, 1995,
1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\ctime.c(1):/* Copyright (C) 1991, 1996 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\ctime_r.c(2): Copyright (C) 1996, 1998 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\difftime.c(1):/* Copyright (C) 1991, 1994,
1996, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\dysize.c(1):/* Copyright (C) 1994, 1997 Free
Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\era.c(2): Copyright (C) 1995-2002, 2008,
2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\ftime.c(1):/* Copyright (C) 1994, 1996,
1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\getdate.c(2): Copyright (C)
1997,1998,1999,2000,2001,2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\getitimer.c(1):/* Copyright (C) 1991, 1994,
1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\gettimeofday.c(1):/* Copyright (C) 1991,
1995, 1996, 1997, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\gmtime.c(2): Copyright (C) 1991, 93, 95, 96,
97, 98, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\lc-time-cleanup.c(2): Copyright (C) 2002,
2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\localtime.c(2): Copyright (C)
1991,92,93,95,96,97,98,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\Makefile(1):# Copyright (C) 1991-2003, 2004,
2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\mktime.c(2): Copyright (C) 1993-1999,
2002-2007, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\offtime.c(1):/* Copyright (C) 1991, 1993,
1997, 1998, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\setitimer.c(1):/* Copyright (C) 1991, 1994,
1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\settimeofday.c(1):/* Copyright (C) 1991,
1995, 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\stime.c(1):/* Copyright (C) 1992, 1995,

legal(ME)

1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\strftime.c(1):/* Copyright (C) 1991-1999,
2000, 2001, 2002, 2003, 2004
glibc\glibc-2.12.2\glibc-2.12.2\time\strftime_1.c(1):/* Copyright (C) 2002, 2004,
2007-2009, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\strptime.c(2): Copyright (C) 1996-2000,
2001, 2002, 2004, 2007
glibc\glibc-2.12.2\glibc-2.12.2\time\strptime_1.c(1):/* Copyright (C)
2002,2004,2005,2007,2008,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\sys\time.h(1):/* Copyright (C)
1991-1994,1996-2003,2005,2006,2009
glibc\glibc-2.12.2\glibc-2.12.2\time\sys\timeb.h(1):/* Copyright (C) 1994, 1995,
1996, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\test_time.c(1):/* Copyright (C) 1991, 1992,
1994, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\time.c(1):/* Copyright (C) 1991,96,97,2002
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\time.h(1):/* Copyright (C)
1991-2003,2006,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\timegm.c(3): Copyright (C) 1994, 1997, 2003
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\tst-getdate.c(2): Copyright (C) 2000, 2001,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\tst-strptime.c(2): Copyright (C) 1998, 1999,
2000, 2001, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\tzfile.c(1):/* Copyright (C)
1991-1993,1995-2001,2003,2004,2006,2007,2009
glibc\glibc-2.12.2\glibc-2.12.2\time\tzset.c(1):/* Copyright (C)
1991-2002,2003,2004,2007,2009 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\time\wcsftime.c(1):/* Copyright (C) 1991-1999,
2000, 2001, 2002, 2003, 2004
glibc\glibc-2.12.2\glibc-2.12.2\time\wcsftime_1.c(1):/* Copyright (C) 2002, 2004
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\timezone\Makefile(1):# Copyright (C)
1998,1999,2000,2002,2005,2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\timezone\tst-timezone.c(1):/* Copyright (C) 1998,
1999, 2000, 2005, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\bits\wchar2.h(2): Copyright (C) 2005,
2006, 2007, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\bits\wchar-ldbl.h(2): Copyright (C) 2006,
2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\btowc.c(1):/* Copyright (C)
1996-2000,2002,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\isoc99_fwscanf.c(1):/* Copyright (C) 1991,
1997, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\isoc99_swscanf.c(1):/* Copyright (C) 1991,
1995, 1996, 1998, 2002, 2003, 2004, 2006, 2007
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\isoc99_vfwscanf.c(1):/* Copyright (C)
1991, 1997, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\isoc99_vswscanf.c(1):/* Copyright (C)
1993, 1997-2003, 2006, 2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\isoc99_vswscanf.c(25): This exception

legal(ME)

applies to code released by its copyright holders

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\isoc99_vwscanf.c(1):/* Copyright (C) 1991, 1997, 2006, 2007 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\isoc99_wscanf.c(1):/* Copyright (C) 1991, 1995, 1996, 1997, 2002, 2004, 2006, 2007

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\Makefile(1):# Copyright (C) 1995-2000,2002,2003,2004,2005,2006,2007

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\mbrlen.c(1):/* Copyright (C) 1996, 1997, 1998, 2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\mbrtowc.c(1):/* Copyright (C) 1996, 1997, 1998, 1999, 2000, 2002, 2004, 2005

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\mbsinit.c(1):/* Copyright (C) 1996, 1997, 1998, 2000, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\mbsnrtowcs.c(1):/* Copyright (C) 1996-2000, 2002, 2005, 2008 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\mbsrtowcs.c(1):/* Copyright (C) 1996-2000,2002,2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\mbsrtowcs_l.c(1):/* Copyright (C) 2002, 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\tst-btowc.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\tst-mbrtowc.c(1):/* Copyright (C) 2000, 2001, 2002, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\tst-mbsrtowcs.c(2): Copyright (C) 2004, 2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\tst-wcpcpy.c(1):/* Copyright (C) 2003, 2004 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\tst-wcrtomb.c(1):/* Copyright (C) 2000 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\tst-wcsnlen.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wchar.h(1):/* Copyright (C) 1995-2008, 2009, 2010 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcpcpy.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcpcpy.c(1):/* Copyright (C) 1996, 1997, 2003 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcrtomb.c(1):/* Copyright (C) 1996,1997,1998,2000,2002,2005 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcscasecmp.c(1):/* Copyright (C) 1991, 1992, 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcscasecmp_l.c(1):/* Copyright (C) 1997,2002 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcscat.c(1):/* Copyright (C) 1995, 1996, 1997, 2001 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcschr.c(1):/* Copyright (C) 1995, 1996, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcschrnul.c(1):/* Copyright (C) 1995, 1996, 1999 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcscmp.c(1):/* Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.

glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcscoll.c(1):/* Copyright (C)

legal(ME)

1996,1997,1999,2000,2001,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscoll_1.c(1):/* Copyright (C) 1996,
1997, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscpy.c(1):/* Copyright (C) 1995, 1996,
1997, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscspn.c(1):/* Copyright (C) 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscdup.c(1):/* Copyright (C) 1995, 1996,
1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscslen.c(1):/* Copyright (C) 1995, 1996,
1997, 1998 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscsmbload.c(1):/* Copyright (C)
1998-2002,2004,2005,2008,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscsmbload.h(1):/* Copyright (C)
1998-2002, 2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscncase.c(3): Copyright (C) 1992, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscncase_1.c(1):/* Copyright (C) 1997,
2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscncat.c(1):/* Copyright (C) 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscncmp.c(1):/* Copyright (C) 1995, 1996
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscncpy.c(1):/* Copyright (C) 1995, 1996,
1997, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscnlen.c(1):/* Copyright (C) 1998, 1999,
2007 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscnrtombs.c(1):/* Copyright (C)
1996-2000, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscspbrk.c(1):/* Copyright (C) 1995, 1996
Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscrchr.c(1):/* Copyright (C) 1995, 1996,
1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wscrtombs.c(1):/* Copyright (C) 1996-2000,
2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcsspn.c(1):/* Copyright (C) 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcssstr.c(1):/* Copyright (C) 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstod.c(1):/* Copyright (C) 1996, 1997,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstod_1.c(2): Copyright (C) 1997, 1998,
2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstof.c(1):/* Copyright (C) 1996, 1997,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstof_1.c(2): Copyright (C) 1997,98,2002,
2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstok.c(1):/* Copyright (C) 1995, 1996,
1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstol.c(2): Copyright (C) 1996, 1997,
2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstol_1.c(2): Copyright (C) 1997, 2002,

legal(ME)

2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstold.c(1):/* Copyright (C) 1996, 1997, 1998, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstold_1.c(2): Copyright (C) 1997,98,99,2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstoll.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstoll_1.c(2): Copyright (C) 1997, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstoul.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstoul_1.c(2): Copyright (C) 1997, 2002, 2004, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstoull.c(2): Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcstoull_1.c(2): Copyright (C) 1997, 2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcswidth.c(1):/* Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcsxfrm.c(1):/* Copyright (C) 1996-2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcsxfrm_1.c(1):/* Copyright (C) 1996,97,2002, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wctob.c(1):/* Copyright (C) 1996-2000, 2002, 2003, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcwidth.c(1):/* Copyright (C) 1996, 1997, 2001 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wcwidth.h(2): Copyright (C) 1996,1997,1999,2000,2001,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wmemchr.c(1):/* Copyright (C) 1996,97,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wmemcmp.c(1):/* Copyright (C) 1996, 1997 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wmemcpy.c(1):/* Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wmemmove.c(1):/* Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wmemcpy.c(1):/* Copyright (C) 1999 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wcsmb\wmemset.c(1):/* Copyright (C) 1996,97,99,2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\iswctype.c(1):/* Copyright (C) 1996, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\iswctype_1.c(1):/* Copyright (C) 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\Makefile(1):# Copyright (C) 1996, 1997, 1999, 2000, 2008 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\test_wcfuncs.c(1):/* Copyright (C) 1999, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\test_wctype.c(1):/* Copyright (C) 1996, 1997, 2000 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\towctrans.c(2): Copyright (C) 1996, 1997,

legal(ME)

2000, 2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\towctrans_1.c(2): Copyright (C) 1996, 1997, 2000, 2002 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\wcfuncs.c(1):/* Copyright (C) 1996-2001, 2002, 2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\wcfuncs_1.c(1):/* Copyright (C) 1996,1997,2000-2002,2004,2005 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\wchar-lookup.h(1):/* Copyright (C) 2000, 2003 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\wctrans.c(1):/* Copyright (C) 1996-1997,1999,2000,2002,2004 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\wctrans_1.c(1):/* Copyright (C) 1996,97,99,2000,01,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\wctype.c(1):/* Copyright (C) 1996,97,98,2000,02 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\wctype.h(1):/* Copyright (C) 1996-2002,2005,2007-2009,2010 Free Software Foundation, Inc.
glibc\glibc-2.12.2\glibc-2.12.2\wctype\wctype_1.c(1):/* Copyright (C) 1996,97,2000,01,02 Free Software Foundation, Inc.
glibc\NOTICE.2.12.2.txt(316):Gnomovision version 69, Copyright (C) year name of author
glibc\NOTICE.2.12.2.txt(316):Gnomovision version 69, Copyright (C) year name of author
glibc\NOTICE.2.12.2.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
glibc\NOTICE.2.12.2.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
glibc\NOTICE.2.12.2.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
glibc\NOTICE.2.12.2.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
grep\grep-2.5.1a_patch\configure(5):# Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001, 2002
grep\grep-2.5.1a_patch\configure(9238):Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001
grep\grep-2.5.1a_patch\configure(925):Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001, 2002
grep\grep-2.5.1a\aclocal.m4(3):# Copyright 1996, 1997, 1998, 1999, 2000, 2001
grep\grep-2.5.1a\bootstrap\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001
grep\grep-2.5.1a\ChangeLog(1069):* src/grep.c (main): Update copyright notice.
grep\grep-2.5.1a\ChangeLog(1888):* src/grep.c (main): Update copyright.
grep\grep-2.5.1a\ChangeLog(2110):* Updated the copyright of the files with emacs.
grep\grep-2.5.1a\ChangeLog(2312):* grep.c: --version: more verbosity (COPYRIGHT).
grep\grep-2.5.1a\ChangeLog(303):(usage): Copyright updated.
grep\grep-2.5.1a\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001
grep\grep-2.5.1a\config.guess(55):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001
grep\grep-2.5.1a\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001
grep\grep-2.5.1a\config.sub(72):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997,

legal(ME)

1998, 1999, 2000, 2001
grep\grep-2.5.1a\configure(5):# Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001, 2002
grep\grep-2.5.1a\configure(9238):Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001
grep\grep-2.5.1a\configure(925):Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001, 2002
grep\grep-2.5.1a\COPYING(294):Copyright (C) 19yy<name of author>
grep\grep-2.5.1a\COPYING(316):Gnomovision version 69, Copyright (C) 19yy name of author
grep\grep-2.5.1a\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
grep\grep-2.5.1a\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
grep\grep-2.5.1a\depcomp(4):# Copyright 1999, 2000 Free Software Foundation, Inc.
grep\grep-2.5.1a\doc\grep.texi(1310):Copyright @copyright{} 1989, 1991 Free Software Foundation, Inc.
grep\grep-2.5.1a\doc\grep.texi(1644):Copyright (C) 19@var{yy}@var{name of author}
grep\grep-2.5.1a\doc\grep.texi(1667):Gnomovision version 69, Copyright (C) 19@var{yy} @var{name of author}
grep\grep-2.5.1a\doc\grep.texi(1686):Yoyodyne, Inc., hereby disclaims all copyright
grep\grep-2.5.1a\doc\grep.texi(1708):Copyright (C) 2000Free Software Foundation, Inc.
grep\grep-2.5.1a\doc\grep.texi(1984):of the Document, provided no compilation copyright is claimed for the
grep\grep-2.5.1a\doc\grep.texi(2050):Copyright (C)@var{year}@var{your name}.
grep\grep-2.5.1a\doc\grep.texi(38):@c man begin COPYRIGHT
grep\grep-2.5.1a\doc\grep.texi(39):Copyright @copyright{} 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\doc\grep.texi(71):Copyright @copyright{} 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\doc\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001
grep\grep-2.5.1a\doc\mdate-sh(3):# Copyright 1995, 1996, 1997 Free Software Foundation, Inc.
grep\grep-2.5.1a\doc\texinfo.tex(8):% Copyright (C) 1985, 86, 88, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 2000
grep\grep-2.5.1a\install-sh(6):# Copyright 1991 by the Massachusetts Institute of Technology
grep\grep-2.5.1a\intl\bindtextdom.c(2): Copyright (C) 1995-1998, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\ChangeLog(1011):* intlh.inst.in: Reformat copyright.
grep\grep-2.5.1a\intl\ChangeLog(1023):* cat-compatible.c: Fix copyright.
grep\grep-2.5.1a\intl\ChangeLog(1027):* loadmsgcat.c: Update copyright.Fix typos.
grep\grep-2.5.1a\intl\ChangeLog(1032):* gettext.c: Update copyright.
grep\grep-2.5.1a\intl\ChangeLog(1041):* explodename.c: Reformat copyright text.
grep\grep-2.5.1a\intl\ChangeLog(1410):* gettextP.h: Fix copyright.
grep\grep-2.5.1a\intl\ChangeLog(2002):* makelinks: Add copyright and short description.
grep\grep-2.5.1a\intl\ChangeLog(258):* *.h, *.c, *.y, Makefile.in: Change copyright notice from GPL to LGPL.

legal(ME)

grep\grep-2.5.1a\intl\ChangeLog(896):* *.h, *.c, *.y: Change copyright notice from LGPL to GPL.
grep\grep-2.5.1a\intl\ChangeLog(987):* dgettext.c: Update copyright.
grep\grep-2.5.1a\intl\config.charset(4):# Copyright (C) 2000-2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\dcgettext.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\dcigettext.c(2): Copyright (C) 1995-1999, 2000-2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\dcngettext.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\dgettext.c(2): Copyright (C) 1995-1997, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\dngettext.c(2): Copyright (C) 1995-1997, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\eval-plural.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\explodename.c(1):/* Copyright (C) 1995-1998, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\finddomain.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\gettext.c(2): Copyright (C) 1995, 1997, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\gettextP.h(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\gmo.h(2): Copyright (C) 1995, 1997, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\hash-string.h(2): Copyright (C) 1995, 1997, 1998, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\intl-compat.c(3): Copyright (C) 1995, 2000, 2001 Software Foundation, Inc.
grep\grep-2.5.1a\intl\l10nflist.c(1):/* Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\libgnuintl.h(2): Copyright (C) 1995-1997, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\libintl.glibc(2): Copyright (C) 1995-1999, 2000 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\loadinfo.h(1):/* Copyright (C) 1996-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\loadmsgcat.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\localcharset.c(3): Copyright (C) 2000-2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\locale.alias(2):# Copyright (C) 1996,1997,1998,1999,2000,2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\localealias.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\localename.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\Makefile(2):# Copyright (C) 1995-1998, 2000-2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\intl\Makefile.in(2):# Copyright (C) 1995-1998, 2000-2002 Free

legal(ME)

Software Foundation, Inc.

grep\grep-2.5.1a\intl\nggettext.c(2): Copyright (C) 1995, 1997, 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\os2compat.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\os2compat.h(3): Copyright (C) 2001-2002 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\osdep.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\plural.c(23): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\plural.c(306): Copyright (C) 1984, 1989, 1990 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\plural.y(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\plural-exp.c(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\plural-exp.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\ref-add.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\ref-del.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\intl\textdomain.c(2): Copyright (C) 1995-1998, 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\closeout.c(2): Copyright (C) 1998, 1999, 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\error.c(2): Copyright (C) 1990-1998, 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\error.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\exclude.c(2): Copyright 1992, 1993, 1994, 1997, 1999, 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\exclude.h(2): Copyright 1992, 1993, 1994, 1997, 1999 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\fnmatch.c(1):/* Copyright 1991, 1992, 1993, 1996, 1997, 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\fnmatch.h(1):/* Copyright (C) 1991, 1992, 1993 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\getopt.c(5): Copyright (C) 1987, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99

grep\grep-2.5.1a\lib\getopt.h(2): Copyright (C) 1989,90,91,92,93,94,96,97,98 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\getopt1.c(2): Copyright (C) 1987,88,89,90,91,92,93,94,96,97,98

grep\grep-2.5.1a\lib\hard-locale.c(2): Copyright 1997, 1998, 1999 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\isdir.c(2): Copyright (C) 1990, 1998 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001

grep\grep-2.5.1a\lib\malloc.c(2): Copyright (C) 2001 Free Software Foundation,

legal(ME)

Inc.

grep\grep-2.5.1a\lib\memchr.c(1):/* Copyright (C) 1991, 1993, 1997, 1999 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\obstack.c(2): Copyright (C) 1988-1994,96,97,98,99 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\obstack.h(2): Copyright (C) 1988,89,90,91,92,93,94,96,97,98,99 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\posix\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001

grep\grep-2.5.1a\lib\posix\regex.h(3): Copyright (C) 1985,1989-1993,1995-1998, 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\quotearg.c(2): Copyright (C) 1998, 1999, 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\quotearg.h(2): Copyright (C) 1998, 1999, 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\realloc.c(2): Copyright (C) 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\regex.c(5): Copyright (C) 1993-1999, 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\savedir.c(2): Copyright (C) 1990, 1997, 1998, 1999, 2000, 2001 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\stpcpy.c(2): Copyright (C) 1992, 1995, 1997, 1998 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\strtol.c(2): Copyright (C) 1991, 92, 94, 95, 96, 97, 98, 99, 01 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\strtoul.c(1):/* Copyright (C) 1991, 1999 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\strtoull.c(2): Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\strtoumax.c(2): Copyright 1999 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\xalloc.h(2): Copyright (C) 1990-1998, 1999, 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\xmalloc.c(2): Copyright (C) 1990-1999, 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\xstrtol.c(2): Copyright (C) 1995, 1996, 1998-2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\lib\xstrtoumax.c(2): Copyright 1999 Free Software Foundation, Inc.

grep\grep-2.5.1a\m4\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001

grep\grep-2.5.1a\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001

grep\grep-2.5.1a\missing(3):# Copyright 1996, 1997, 1999, 2000 Free Software Foundation, Inc.

grep\grep-2.5.1a\po\bg.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.

grep\grep-2.5.1a\po\bg.po(300):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"

grep\grep-2.5.1a\po\bg.po(301):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"

grep\grep-2.5.1a\po\ca.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.

grep\grep-2.5.1a\po\ca.po(307):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free

legal(ME)

Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\ca.po(308):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\cs.po(2):# Copyright (C) 1998 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\cs.po(291):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\cs.po(292):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\da.po(2):# Copyright (C) 1996, 1997, 1998 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\da.po(314):msgid "Copyright 1988, 1992-1999, 2000 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\de.po(2):# Copyright (C) 1997-99, 2000, 2001, 2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\de.po(300):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\de.po(301):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\el.po(2):# Copyright (C) 1998, 2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\el.po(371):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\eo.po(2):# Copyright (C) 1998, 1999 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\eo.po(277):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\es.po(2):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\es.po(324):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\es.po(325):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\et.po(2):# Copyright (C) 2000 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\et.po(292):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\fr.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\fr.po(306):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\fr.po(307):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\gl.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\gl.po(298):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\gl.po(299):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\grep.pot(2):# Copyright (C) YEAR THE PACKAGE'S COPYRIGHT HOLDER
grep\grep-2.5.1a\po\grep.pot(233):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\hr.po(2):# Copyright (C) 1999 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\hr.po(338):msgid "Copyright (C) 1988, 1992-1997, 1998 Free Software Foundation, Inc.\n"

legal(ME)

grep\grep-2.5.1a\po\hr.po(339):msgstr "Copyright (C) 1988, 1992-1997, 1998 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\id.po(2):# Copyright (C) 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\id.po(293):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\it.po(2):# Copyright (C) 1999, 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\it.po(294):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\it.po(295):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\ja.po(2):# Copyright (C) 1996, 1997, 2001, 2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\ja.po(302):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\ja.po(303):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\ko.po(2):# Copyright (C) 1996, 1997 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\ko.po(294):msgid "Copyright (C) 1988, 1992-1997, 1998 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\Makefile.in.in(2):# Copyright (C) 1995, 1996, 1997 by Ulrich Drepper <drepper@gnu.ai.mit.edu>
grep\grep-2.5.1a\po\nb.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\nb.po(336):msgid "Copyright (C) 1988, 1992-1997, 1998 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\nb.po(337):msgstr "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\nl.po(2):# Copyright (C) 1996, 2000 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\nl.po(327):msgid "Copyright 1988, 1992-1999, 2000 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\nl.po(328):msgstr "Copyright 1988, 1992-1999, 2000 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\no.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\no.po(274):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\no.po(276):"Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\pl.po(2):# Copyright (C) 1995-1998, 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\pl.po(304):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\pl.po(305):msgstr "Copyright (C) 1988, 1992-1999, 2000, 2001 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\pt_BR.po(2):# Copyright (C) 1997 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\pt_BR.po(321):msgid "Copyright 1988, 1992-1999, 2000 Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\pt_BR.po(322):msgstr "Copyright 1988, 1992-1999, 2000 Free Software Foundation, Inc.\n"

legal(ME)

```
grep\grep-2.5.1a\po\ru.po(2):# Copyright (C) 1997, 1998, 1999, 2000 Free Software
Foundation, Inc.
grep\grep-2.5.1a\po\ru.po(301):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free
Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\ru.po(302):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free
Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\sl.po(2):# Copyright (C) 1996, 1999, 2000 Free Software
Foundation, Inc.
grep\grep-2.5.1a\po\sl.po(299):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free
Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\sl.po(300):msgstr "Copyright (C) 1988, 1992-1999, 2000, 2001
Free Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\sv.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
grep\grep-2.5.1a\po\sv.po(283):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free
Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\sv.po(284):msgstr "Copyright 1988, 1992-1999, 2000, 2001 Free
Software Foundation, Inc.\n"
grep\grep-2.5.1a\po\tr.po(2):# Copyright (C) 2001, 2002 Free Software Foundation,
Inc.
grep\grep-2.5.1a\po\tr.po(293):msgid "Copyright 1988, 1992-1999, 2000, 2001 Free
Software Foundation, Inc.\n"
grep\grep-2.5.1a\src\ansi2knr.c(1):/* Copyright (C) 1989, 1997, 1998, 1999
Aladdin Enterprises.All rights reserved. */
grep\grep-2.5.1a\src\ansi2knr.c(18):things, the copyright notice and this notice
must be preserved on all
grep\grep-2.5.1a\src\ansi2knr.c(94):lpd 1995-04-05 changed copyright notice to
make it clear that
grep\grep-2.5.1a\src\dfa.c(2): Copyright 1988, 1998, 2000 Free Software
Foundation, Inc.
grep\grep-2.5.1a\src\dfa.h(2): Copyright (C) 1988, 1998 Free Software Foundation,
Inc.
grep\grep-2.5.1a\src\grep.c(1665):Copyright 1988, 1992-1999, 2000, 2001 Free
Software Foundation, Inc.\n"));
grep\grep-2.5.1a\src\grep.c(2): Copyright 1992, 1997-1999, 2000 Free Software
Foundation, Inc.
grep\grep-2.5.1a\src\grep.h(2): Copyright (C) 1992, 1998, 2001 Free Software
Foundation, Inc.
grep\grep-2.5.1a\src\kwset.c(2): Copyright 1989, 1998, 2000 Free Software
Foundation, Inc.
grep\grep-2.5.1a\src\kwset.h(2): Copyright (C) 1989, 1998 Free Software
Foundation, Inc.
grep\grep-2.5.1a\src\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998,
1999, 2000, 2001
grep\grep-2.5.1a\src\search.c(2): Copyright 1992, 1998, 2000 Free Software
Foundation, Inc.
grep\grep-2.5.1a\src\system.h(2): Copyright 1996, 1998, 1999, 2000 Free Software
Foundation, Inc.
grep\grep-2.5.1a\tests\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998,
1999, 2000, 2001
grep\grep-2.5.1a\vms\Makefile.in(3):# Copyright 1994, 1995, 1996, 1997, 1998,
1999, 2000, 2001
grep\NOTICE.txt(294):Copyright (C) 19yy<name of author>
```

legal(ME)

grep\nOTICE.txt(316):Gnomovision version 69, Copyright (C) 19yy name of author
grep\nOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in
the program
grep\nOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
gzip\gzip-1.3.12_patch\gzip.c(3): Copyright (C) 1999, 2001, 2002, 2006, 2007 Free
Software Foundation, Inc.
gzip\gzip-1.3.12_patch\gzip.c(31):"Copyright (C) 2007 Free Software Foundation,
Inc.",
gzip\gzip-1.3.12_patch\gzip.c(32):"Copyright (C) 1993 Jean-loup Gailly.",
gzip\gzip-1.3.12_patch\gzip.c(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12_patch\lib\utimens.c(3): Copyright (C) 2003, 2004, 2005, 2006,
2007 Free Software
gzip\gzip-1.3.12\aclocal.m4(108):# Copyright (C) 1997, 2000, 2001, 2003, 2004,
2005, 2006
gzip\gzip-1.3.12\aclocal.m4(141):# Copyright (C) 1999, 2000, 2001, 2002, 2003,
2004, 2005, 2006
gzip\gzip-1.3.12\aclocal.m4(19):# Copyright (C) 2002, 2003, 2005, 2006Free
Software Foundation, Inc.
gzip\gzip-1.3.12\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004,
gzip\gzip-1.3.12\aclocal.m4(301):# Copyright (C) 1999, 2000, 2001, 2002, 2003,
2004, 2005
gzip\gzip-1.3.12\aclocal.m4(370):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004,
gzip\gzip-1.3.12\aclocal.m4(493):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
gzip\gzip-1.3.12\aclocal.m4(507):# Copyright (C) 2003, 2005Free Software
Foundation, Inc.
gzip\gzip-1.3.12\aclocal.m4(530):# Copyright (C) 2001, 2002, 2003, 2005Free
Software Foundation, Inc.
gzip\gzip-1.3.12\aclocal.m4(55):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
gzip\gzip-1.3.12\aclocal.m4(580):# Copyright (C) 1999, 2000, 2001, 2003, 2004,
2005
gzip\gzip-1.3.12\aclocal.m4(616):# Copyright (C) 1997, 1999, 2000, 2001, 2003,
2004, 2005
gzip\gzip-1.3.12\aclocal.m4(650):# Copyright (C) 2003, 2004, 2005, 2006Free
Software Foundation, Inc.
gzip\gzip-1.3.12\aclocal.m4(678):# Copyright (C) 2001, 2002, 2003, 2005Free
Software Foundation, Inc.
gzip\gzip-1.3.12\aclocal.m4(711):# Copyright (C) 1996, 1997, 2000, 2001, 2003,
2005
gzip\gzip-1.3.12\aclocal.m4(761):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
gzip\gzip-1.3.12\aclocal.m4(789):# Copyright (C) 2006Free Software Foundation,
Inc.
gzip\gzip-1.3.12\aclocal.m4(803):# Copyright (C) 2004, 2005Free Software
Foundation, Inc.
gzip\gzip-1.3.12\amiga\Makefile.gcc(2):# Copyright (C) 1992-1993 Jean-loup Gailly
and the Free Software Foundation
gzip\gzip-1.3.12\amiga\match.a(2):; Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\amiga\tailor.c(2): * Copyright (C) 1993 Carsten Steger

legal(ME)

(carsten.steger@informatik.tu-muenchen.de)

gzip\gzip-1.3.12\bits.c(3): Copyright (C) 1999 Free Software Foundation, Inc.

gzip\gzip-1.3.12\bits.c(4): Copyright (C) 1992-1993 Jean-loup Gailly

gzip\gzip-1.3.12\build-aux\compile(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.

gzip\gzip-1.3.12\build-aux\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

gzip\gzip-1.3.12\build-aux\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005

gzip\gzip-1.3.12\build-aux\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

gzip\gzip-1.3.12\build-aux\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005

gzip\gzip-1.3.12\build-aux\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007 Free Software

gzip\gzip-1.3.12\build-aux\install-sh(10):# Copyright (C) 1994 X Consortium

gzip\gzip-1.3.12\build-aux\mdate-sh(6):# Copyright (C) 1995, 1996, 1997, 2003, 2004, 2005, 2007 Free Software

gzip\gzip-1.3.12\build-aux\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006

gzip\gzip-1.3.12\build-aux\texinfo.tex(3697):\def\copyright{copyright}%

gzip\gzip-1.3.12\build-aux\texinfo.tex(7264):\gdef^^a9{\copyright}

gzip\gzip-1.3.12\build-aux\texinfo.tex(7604):\DeclareUnicodeCharacter{00A9}{\copyright}

gzip\gzip-1.3.12\build-aux\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991, 1992, 1993, 1994, 1995,

gzip\gzip-1.3.12\ChangeLog(1709):Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2006, 2007 Free

gzip\gzip-1.3.12\ChangeLog(1712):Copyright (C) 1992, 1993 Jean-loup Gailly

gzip\gzip-1.3.12\ChangeLog(1715):modification, are permitted provided the copyright notice

gzip\gzip-1.3.12\ChangeLog(497):* bits.c: Use the more-usual form for copyright notices in source code.

gzip\gzip-1.3.12\ChangeLog(595):* zless.in: Add copyright notice.

gzip\gzip-1.3.12\ChangeLog(599):Add copyright notice.

gzip\gzip-1.3.12\ChangeLog(6):* README: Update year in copyright notice.

gzip\gzip-1.3.12\ChangeLog(7):* m4/shell.m4: Add copyright notice.

gzip\gzip-1.3.12\ChangeLog(758):* gzip.c (license_msg): Update copyright.

gzip\gzip-1.3.12\ChangeLog(779):* gzip.1: Remove incorrect report of 2 GB bug.Add copyright notice.

gzip\gzip-1.3.12\ChangeLog(794):Add copyright notice.

gzip\gzip-1.3.12\configure(10547):Copyright (C) 2006 Free Software Foundation, Inc.

gzip\gzip-1.3.12\configure(1423):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

gzip\gzip-1.3.12\configure(7):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

gzip\gzip-1.3.12\configure.ac(3):# Copyright (C) 1999, 2000, 2001, 2002, 2006, 2007 Free Software

gzip\gzip-1.3.12\configure.ac(6):# Copyright (C) 1992-1993 Jean-loup Gailly

gzip\gzip-1.3.12\COPYING(315):Gnomovision version 69, Copyright (C) year name of author

legal(ME)

gzip\gzip-1.3.12\COPYING(329):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
gzip\gzip-1.3.12\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
gzip\gzip-1.3.12\crypt.c(2): * Hardly worth copyrighting :-)
gzip\gzip-1.3.12\crypt.h(2): * Hardly worth copyrighting :-)
gzip\gzip-1.3.12\deflate.c(3): Copyright (C) 1999, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\deflate.c(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\doc\fdl.texi(419):Copyright (C)@var{year}@var{your name}.
gzip\gzip-1.3.12\doc\fdl.texi(9):Copyright @copyright{} 2000,2001,2002 Free Software Foundation, Inc.
gzip\gzip-1.3.12\doc\gzip.info(37): Copyright (C) 1998, 1999, 2001, 2002, 2006, 2007 Free Software
gzip\gzip-1.3.12\doc\gzip.info(40): Copyright (C) 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\doc\gzip.info(476): Copyright (C) 2000,2001,2002 Free Software Foundation, Inc.
gzip\gzip-1.3.12\doc\gzip.info(6): Copyright (C) 1998, 1999, 2001, 2002, 2006, 2007 Free Software
gzip\gzip-1.3.12\doc\gzip.info(9): Copyright (C) 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\doc\gzip.texi(14):Copyright @copyright{} 1998, 1999, 2001, 2002, 2006, 2007 Free
gzip\gzip-1.3.12\doc\gzip.texi(17):Copyright @copyright{} 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\doc\Makefile.am(3):# Copyright (C) 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\doc\Makefile.in(19):# Copyright (C) 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\doc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
gzip\gzip-1.3.12\gzexe.in(16):# Copyright (C) 1998, 2002, 2004, 2006, 2007 Free Software Foundation
gzip\gzip-1.3.12\gzexe.in(17):# Copyright (C) 1993 Jean-loup Gailly
gzip\gzip-1.3.12\gzexe.in(39):Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\gzip.1(492):.SH "COPYRIGHT NOTICE"
gzip\gzip-1.3.12\gzip.1(493):Copyright \ (co 1998, 1999, 2001, 2002 Free Software Foundation, Inc.
gzip\gzip-1.3.12\gzip.1(495):Copyright \ (co 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\gzip.c(3): Copyright (C) 1999, 2001, 2002, 2006, 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\gzip.c(31):"Copyright (C) 2007 Free Software Foundation, Inc.",
gzip\gzip-1.3.12\gzip.c(32):"Copyright (C) 1993 Jean-loup Gailly.",
gzip\gzip-1.3.12\gzip.c(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\gzip.doc(354):COPYRIGHT NOTICE
gzip\gzip-1.3.12\gzip.doc(355): Copyright (C) 1998, 1999, 2001, 2002 Free Software Foundation, Inc.
gzip\gzip-1.3.12\gzip.doc(356): Copyright (C) 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\gzip.h(3): Copyright (C) 1997, 1998, 1999, 2001, 2006, 2007 Free Software
gzip\gzip-1.3.12\gzip.h(6): Copyright (C) 1992-1993 Jean-loup Gailly.
gzip\gzip-1.3.12\inflate.c(20):/* Not copyrighted 1992 by Mark Adler
gzip\gzip-1.3.12\inflate.c(3): Copyright (C) 1997, 1998, 1999, 2002, 2006 Free

legal(ME)

Software

gzip\gzip-1.3.12\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005,
gzip\gzip-1.3.12\lib\creat-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\dup-safer.c(3): Copyright (C) 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\error.c(2): Copyright (C) 1990-1998, 2000-2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\error.h(2): Copyright (C) 1995, 1996, 1997, 2003, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\exitfail.c(3): Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\exitfail.h(3): Copyright (C) 2002 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\fcntl--.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\fcntl_.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\fcntl-safer.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\fd-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\getopt.c(5): Copyright (C) 1987,88,89,90,91,92,93,94,95,96,98,99,2000,2001,2002,2003,2004,2006
gzip\gzip-1.3.12\lib\getopt_.h(2): Copyright (C) 1989-1994,1996-1999,2001,2003,2004,2005,2006,2007
gzip\gzip-1.3.12\lib\getopt_int.h(2): Copyright (C) 1989-1994,1996-1999,2001,2003,2004
gzip\gzip-1.3.12\lib\getopt1.c(2): Copyright (C) 1987,88,89,90,91,92,93,94,96,97,98,2004,2006
gzip\gzip-1.3.12\lib\gettext.h(2): Copyright (C) 1995-1998, 2000-2002, 2004-2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\gnulib.mk(3):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\Makefile.am(3):# Copyright (C) 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\Makefile.in(19):# Copyright (C) 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\Makefile.in(35):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
gzip\gzip-1.3.12\lib\match.c(3): Copyright (C) 2002, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\match.c(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\lib\match.c(407): * Copyright: Sverre Jarp (HP Labs) 2001-2002
gzip\gzip-1.3.12\lib\open-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\pipe-safer.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\lib\stat_.h(2): Copyright (C) 2006, 2007 Free Software

legal(ME)

Foundation, Inc.

gzip\gzip-1.3.12\lib\stat-time.h(3): Copyright (C) 2005, 2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lib\stdbool_.h(1):/* Copyright (C) 2001, 2002, 2003, 2006, 2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lib\stdlib_.h(3): Copyright (C) 1995, 2001-2002, 2006-2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lib\sys_time_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lib\time_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lib\unistd--.h(3): Copyright (C) 2005 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lib\unistd_.h(2): Copyright (C) 2004-2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lib\unistd-safer.h(3): Copyright (C) 2001, 2003, 2005 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lib\utimens.c(3): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software

gzip\gzip-1.3.12\lib\xalloc.h(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998,

gzip\gzip-1.3.12\lib\xalloc-die.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2002, 2003, 2004, 2006 Free

gzip\gzip-1.3.12\lib\xmalloc.c(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998,

gzip\gzip-1.3.12\lib\yesno.c(3): Copyright (C) 1990, 1998, 2001, 2003, 2004, 2005, 2006 Free

gzip\gzip-1.3.12\lib\yesno.h(2): Copyright (C) 2004 Free Software Foundation, Inc.

gzip\gzip-1.3.12\lzw.h(3): Copyright (C) 1992-1993 Jean-loup Gailly.

gzip\gzip-1.3.12\m4\absolute-header.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\error.m4(3):# Copyright (C) 1996, 1997, 1998, 2001, 2002, 2003, 2004 Free Software

gzip\gzip-1.3.12\m4\exitfail.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\extensions.m4(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\fcntl_h.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\fcntl-safer.m4(2):dnl Copyright (C) 2005-2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\getopt.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\gnulib-common.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\gnulib-comp.m4(4):# Copyright (C) 2004-2007 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\inline.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.

gzip\gzip-1.3.12\m4\shell.m4(3):# Copyright (C) 2000, 2001, 2007 Free Software Foundation, Inc.

legal(ME)

gzip\gzip-1.3.12\m4\stat-time.m4(3):# Copyright (C) 1998, 1999, 2001, 2003, 2005, 2006, 2007 Free Software
gzip\gzip-1.3.12\m4\stdbool.m4(3):dnl Copyright (C) 2002-2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\stdlib_h.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\sys_stat_h.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\sys_time_h.m4(3):# Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\time_h.m4(3):# Copyright (C) 2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software
gzip\gzip-1.3.12\m4\unistd_h.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\unistd-safer.m4(2):dnl Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\utimbuf.m4(3):# Copyright (C) 1998, 1999, 2000, 2001, 2003, 2004, 2007 Free Software
gzip\gzip-1.3.12\m4\utimens.m4(1):dnl Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\utimes.m4(3):dnl Copyright (C) 2003, 2004, 2005 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\xalloc.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\m4\yesno.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\Makefile.am(3):# Copyright (C) 1999, 2001, 2002, 2006, 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\Makefile.in(19):# Copyright (C) 1999, 2001, 2002, 2006, 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
gzip\gzip-1.3.12\msdos\Makefile.djg(2):# Copyright (C) 1992-1993 Jean-loup Gailly and the Free Software Foundation
gzip\gzip-1.3.12\msdos\match.asm(2);; Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\msdos\tailor.c(2): * Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\NEWS(336):Copyright (C) 1999, 2001, 2002, 2006, 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\NEWS(337):Copyright (C) 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\README(135):Copyright (C) 1999, 2001, 2002, 2006, 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\README(136):Copyright (C) 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\README-alpha(12):Copyright (C) 2001, 2002, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\revision.h(3): Copyright (C) 1998, 1999, 2001, 2002, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\revision.h(4): Copyright (C) 1992-1993 Jean-loup Gailly.
gzip\gzip-1.3.12\sample\add.c(1):/* add.c not copyrighted (n) 1993 by Mark Adler */
gzip\gzip-1.3.12\sample\makecrc.c(1):/* Not copyrighted 1990 Mark Adler */
gzip\gzip-1.3.12\sample\sub.c(1):/* sub.c not copyrighted (n) 1993 by Mark Adler */

legal(ME)

gzip\gzip-1.3.12\tailor.h(3): Copyright (C) 1997, 1998, 1999, 2002, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\tailor.h(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\TODO(75):Copyright (C) 1999, 2001, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\TODO(76):Copyright (C) 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\trees.c(3): Copyright (C) 1997, 1998, 1999 Free Software Foundation, Inc.
gzip\gzip-1.3.12\trees.c(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\unpack.c(3): Copyright (C) 1997, 1999, 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\unpack.c(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\unzip.c(3): Copyright (C) 1997, 1998, 1999 Free Software Foundation, Inc.
gzip\gzip-1.3.12\unzip.c(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\util.c(3): Copyright (C) 1997, 1998, 1999, 2001, 2002, 2006 Free Software
gzip\gzip-1.3.12\util.c(5): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\vms\Makefile.gcc(2):# Copyright (C) 1992-1993 Jean-loup Gailly and the Free Software Foundation
gzip\gzip-1.3.12\vms\Makefile.mms(2):# Copyright (C) 1992-1993 Jean-loup Gailly and the Free Software Foundation
gzip\gzip-1.3.12\vms\Makefile.vms(2):# Copyright (C) 1992-1993 Jean-loup Gailly and the Free Software Foundation
gzip\gzip-1.3.12\zdiff.in(30):Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\zdiff.in(4):# Copyright (C) 1998, 2002, 2006, 2007 Free Software Foundation
gzip\gzip-1.3.12\zdiff.in(5):# Copyright (C) 1993 Jean-loup Gailly
gzip\gzip-1.3.12\zforce.in(10):# Copyright (C) 1993 Jean-loup Gailly
gzip\gzip-1.3.12\zforce.in(29):Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\zforce.in(9):# Copyright (C) 2002, 2007 Free Software Foundation
gzip\gzip-1.3.12\zgrep.in(27):Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\zgrep.in(6):# Copyright (C) 1998, 2001, 2002, 2006, 2007 Free Software Foundation
gzip\gzip-1.3.12\zgrep.in(7):# Copyright (C) 1993 Jean-loup Gailly
gzip\gzip-1.3.12\zip.c(3): Copyright (C) 1997, 1998, 1999, 2006, 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\zip.c(4): Copyright (C) 1992-1993 Jean-loup Gailly
gzip\gzip-1.3.12\zless.1(26):.SH "COPYRIGHT NOTICE"
gzip\gzip-1.3.12\zless.1(27):Copyright \ (co 2006 Free Software Foundation, Inc.
gzip\gzip-1.3.12\zless.1(29):Copyright \ (co 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\zless.in(22):Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\zless.in(3):# Copyright (C) 1998, 2002, 2006, 2007 Free Software Foundation
gzip\gzip-1.3.12\zmore.in(23):Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\zmore.in(3):# Copyright (C) 2001, 2002, 2007 Free Software Foundation
gzip\gzip-1.3.12\zmore.in(4):# Copyright (C) 1992, 1993 Jean-loup Gailly
gzip\gzip-1.3.12\znew.in(23):Copyright (C) 2007 Free Software Foundation, Inc.
gzip\gzip-1.3.12\znew.in(3):# Copyright (C) 1998, 2002, 2004, 2007 Free Software Foundation
gzip\gzip-1.3.12\znew.in(4):# Copyright (C) 1993 Jean-loup Gailly

legal(ME)

gzip\NOTICE.txt(315):Gnomovision version 69, Copyright (C) year name of author
gzip\NOTICE.txt(329):Yoyodyne, Inc., hereby disclaims all copyright interest in
the program
gzip\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
inetutils\inetutils-1.4.2_patch\libicmp\icmp_timestamp.c(1):/* Copyright (C)
1998, 2001 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2_patch\libinetutils\ttymsg.c(2): * Copyright (c) 1989,
1993
inetutils\inetutils-1.4.2\acinclude.m4(3):dn1 Copyright (C) 1996, 1997, 1998,
2002 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1014):# Copyright 2001 Free Software
Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1081):# Copyright 2001 Free Software
Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1105):# Copyright 2001 Free Software
Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1144):# Copyright 1999, 2000, 2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1291):# Copyright 1999, 2000, 2001, 2002
Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1375):# Copyright (C) 2001, 2002 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1437):# Copyright 1997, 2000, 2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1480):dn1 Copyright (C) 1995-2002 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1507):# Copyright 1996, 1997, 1998, 2000,
2001, 2002Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(1548):# Copyright 1996, 1997, 1999, 2000,
2001, 2002Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(16):dn1 Copyright (C) 1996, 1997, 1998, 2002
Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999,
2000, 2001, 2002
inetutils\inetutils-1.4.2\aclocal.m4(683):# Copyright 1996, 1997, 2000, 2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(712):# Copyright 1996, 1997, 1998, 1999,
2000, 2001, 2002
inetutils\inetutils-1.4.2\aclocal.m4(829):# Copyright 2002Free Software
Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(860):# Copyright 2001, 2002Free Software
Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(906):# Copyright 1996, 1997, 2000, 2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\aclocal.m4(969):# Copyright 1997, 1999, 2000, 2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\ChangeLog(66):format to match current GNU practice.Add
a copyright statement,
inetutils\inetutils-1.4.2\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995,
1996, 1997, 1998, 1999,
inetutils\inetutils-1.4.2\config.guess(56):Copyright (C) 1992, 1993, 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001

legal(ME)

inetutils/inetutils-1.4.2/config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
inetutils/inetutils-1.4.2/config.sub(73):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001
inetutils/inetutils-1.4.2/configure(16318):Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001
inetutils/inetutils-1.4.2/configure(7):# Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2/configure(986):Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2/configure.ac(3):# Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001, 2002 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/COPYING(316):Gnomovision version 69, Copyright (C) yearname of author
inetutils/inetutils-1.4.2/COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
inetutils/inetutils-1.4.2/COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/depcomp(4):# Copyright 1999, 2000 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/doc/inetutils.info(25): Copyright (C) 1994, 95, 96, 2000, 2001 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/doc/inetutils.info-1(25): Copyright (C) 1994, 95, 96, 2000, 2001 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/doc/inetutils.info-2(25): Copyright (C) 1994, 95, 96, 2000, 2001 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/doc/inetutils.info-3(25): Copyright (C) 1994, 95, 96, 2000, 2001 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/doc/inetutils.texi(54):Copyright (C) 1994, 95, 96, 2000, 2001 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/doc/inetutils.texi(86):Copyright @copyright{} 1994, 95, 96, 2001 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/doc/Makefile.in(4):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2/doc/mdate-sh(3):# Copyright 1995, 1996, 1997 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/doc/rfc/Makefile.am(2):# Copyright (C) 2000,2001, Free Software Foundation
inetutils/inetutils-1.4.2/doc/rfc/Makefile.in(18):# Copyright (C) 2000,2001, Free Software Foundation
inetutils/inetutils-1.4.2/doc/rfc/Makefile.in(4):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2/doc/texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991, 1992, 1993, 1994, 1995,
inetutils/inetutils-1.4.2/ftp/ChangeLog(39):* main.c: Remove COPYRIGHT (it's in the header) and
inetutils/inetutils-1.4.2/ftp/ChangeLog(86):the University of California as the only copyright holder."
inetutils/inetutils-1.4.2/ftp/cmds.c(2): * Copyright (c) 1985, 1989, 1993, 1994
inetutils/inetutils-1.4.2/ftp/cmdtab.c(2): * Copyright (c) 1985, 1989, 1993, 1994
inetutils/inetutils-1.4.2/ftp/domacro.c(2): * Copyright (c) 1985, 1993, 1994
inetutils/inetutils-1.4.2/ftp/extern.h(2): * Copyright (c) 1994, 2000 The Regents

legal(ME)

of the University of California.

```
inetutils/inetutils-1.4.2\ftp\ftp.1(1):.\" Copyright (c) 1985, 1989, 1990, 1993
inetutils/inetutils-1.4.2\ftp\ftp.c(2): * Copyright (c) 1985, 1989, 1993, 1994
inetutils/inetutils-1.4.2\ftp\ftp_var.h(2): * Copyright (c) 1985, 1989, 1993,
1994
inetutils/inetutils-1.4.2\ftp\main.c(2): * Copyright (c) 1985, 1989, 1993, 1994,
2002
inetutils/inetutils-1.4.2\ftp\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2\ftp\ruserpass.c(2): * Copyright (c) 1985, 1993, 1994
inetutils/inetutils-1.4.2\ftpd\ChangeLog(208):the University of California as the
only copyright holder."
inetutils/inetutils-1.4.2\ftpd\ChangeLog(64):* ftpd.c: Remove PROGRAM, declare
__PROGNAME. Remove COPYRIGHT
inetutils/inetutils-1.4.2\ftpd\extern.h(2): * Copyright (c) 1992, 1993
inetutils/inetutils-1.4.2\ftpd\ftpcmd.c(424): Copyright (C) 1984, 1989, 1990 Free
Software Foundation, Inc.
inetutils/inetutils-1.4.2\ftpd\ftpcmd.y(2): * Copyright (c) 1985, 1988, 1993,
1994
inetutils/inetutils-1.4.2\ftpd\ftpd.8(1):.\" Copyright (c) 1985, 1988, 1991, 1993
inetutils/inetutils-1.4.2\ftpd\ftpd.c(2): * Copyright (c) 1985, 1988, 1990, 1992,
1993, 1994, 2002
inetutils/inetutils-1.4.2\ftpd\logwtmp.c(25): * Copyright (c) 1988, 1993
inetutils/inetutils-1.4.2\ftpd\logwtmp.c(4):Copyright (C) 1996, 2000 Free
Software Foundation, Inc.
inetutils/inetutils-1.4.2\ftpd\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2\ftpd\popen.c(2): * Copyright (c) 1988, 1993, 1994
inetutils/inetutils-1.4.2\glob\COPYING.LIB(4): Copyright (C) 1991 Free Software
Foundation, Inc.
inetutils/inetutils-1.4.2\glob\COPYING.LIB(408):copyrighted by the Free Software
Foundation, write to the Free
inetutils/inetutils-1.4.2\glob\COPYING.LIB(475):Yoyodyne, Inc., hereby disclaims
all copyright interest in the
inetutils/inetutils-1.4.2\glob\fnmatch.c(1):/* Copyright (C) 1991, 1992, 1993,
1996 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2\glob\fnmatch.h(1):/* Copyright (C) 1991, 1992, 1993
Free Software Foundation, Inc.
inetutils/inetutils-1.4.2\glob\glob.c(1):/* Copyright (C) 1991, 92, 93, 94, 95,
96 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2\glob\glob.h(1):/* Copyright (C) 1991, 1992, 1995, 1996
Free Software Foundation, Inc.
inetutils/inetutils-1.4.2\glob\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2\glob\SMakefile(3):# Copyright (C) 1991, 92, 93, 94, 95
Free Software Foundation, Inc.
inetutils/inetutils-1.4.2\gwhois\data.h(64):\"* Copyright (C) 1998 by SGNIC\", \"*
modification.\",
inetutils/inetutils-1.4.2\gwhois\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2\gwhois\whois.c(1):/* Copyright 1999 by Marco d'Itri
<md@linux.it>.
```


legal(ME)

inetutils\inetutils-1.4.2\headers\arpa\ftp.h(2): * Copyright (c) 1983, 1989, 1993
inetutils\inetutils-1.4.2\headers\arpa\telnet.h(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\headers\arpa\tftp.h(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\headers\ChangeLog(47):the University of California as
the only copyright holder."
inetutils\inetutils-1.4.2\headers\crypt.h(3): Copyright (C) 1996 Free Software
Foundation, Inc.
inetutils\inetutils-1.4.2\headers\err.h(2):Copyright (C) 1995, 1996, 1997 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\headers\getopt.h(2): Copyright (C)
1989,90,91,92,93,94,96,97 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\headers\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\headers\obstack.h(2): Copyright (C) 1988, 89, 90, 91,
92, 93, 94, 95, 96 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\headers\paths.h(2): * Copyright (c) 1989, 1993
inetutils\inetutils-1.4.2\headers\poll.h(2): Copyright (C) 1994, 1996, 1997,
1998, 2000 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\headers\protocols\talkd.h(2): * Copyright (c) 1983,
1993
inetutils\inetutils-1.4.2\headers\syslog-int.h(2): * Copyright (c) 1982, 1986,
1988, 1993
inetutils\inetutils-1.4.2\headers\tftpsubs.h(2): * Copyright (c) 1993
inetutils\inetutils-1.4.2\inetd\ChangeLog(65):* inetd.c: Remove COPYRIGHT (it's
in the header)
inetutils\inetutils-1.4.2\inetd\ChangeLog(97):the University of California as the
only copyright holder."
inetutils\inetutils-1.4.2\inetd\inetd.8(1):.\" Copyright (c) 1985, 1991, 1993,
1994
inetutils\inetutils-1.4.2\inetd\inetd.c(2): * Copyright (c) 1983, 1991, 1993,
1994, 2002
inetutils\inetutils-1.4.2\inetd\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\INSTALL(1):Copyright (C) 1994, 1995, 1996, 1999, 2000,
2001, 2002 Free Software
inetutils\inetutils-1.4.2\install-sh(6):# Copyright 1991 by the Massachusetts
Institute of Technology
inetutils\inetutils-1.4.2\libicmp\icmp.h(1):/* Copyright (C) 1998 Free Software
Foundation, Inc.
inetutils\inetutils-1.4.2\libicmp\icmp_address.c(1):/* Copyright (C) 1998, 2001
Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libicmp\icmp_cksum.c(1):/* Copyright (C) 1998, 2001
Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libicmp\icmp_echo.c(1):/* Copyright (C) 1998, 2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\libicmp\icmp_timestamp.c(1):/* Copyright (C) 1998, 2001
Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libicmp\libping.c(1):/* Copyright (C) 1998, 2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\libicmp\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\libicmp\ping.h(1):/* Copyright (C) 1998 Free Software

legal(ME)

Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\argcv.c(2): Copyright (C) 1999, 2000, 2001 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\argcv.h(2): Copyright (C) 1999, 2000, 2001 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\ChangeLog(224):the University of California as the only copyright holder."

inetutils\inetutils-1.4.2\libinetutils\cleansess.c(3): Copyright (C) 1996 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\daemon.c(2): * Copyright (c) 1990, 1993

inetutils\inetutils-1.4.2\libinetutils\des_rw.c(2): * Copyright (c) 1989, 1993

inetutils\inetutils-1.4.2\libinetutils\err.c(3):Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\forkpty.c(6): * Copyright (c) 1990, 1993

inetutils\inetutils-1.4.2\libinetutils\getopt.c(5): Copyright (C)

1987,88,89,90,91,92,93,94,95,96,98,99,2000,2001,2002

inetutils\inetutils-1.4.2\libinetutils\getopt.h(2): Copyright (C) 1989-1994, 1996-1999, 2001 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\getopt1.c(2): Copyright (C)

1987,88,89,90,91,92,93,94,96,97,98

inetutils\inetutils-1.4.2\libinetutils\getpass.c(1):/* Copyright (C)

1992,93,94,95,96,97,98,99,2000, 2001 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\gettext.h(2): Copyright (C) 1995-1998, 2000-2002 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\getusershell.c(2): Copyright (C) 1991, 1997, 2000, 2001 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\herror.c(3): Copyright (C) 1997, 2000 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\hstrerror.c(3): Copyright (C) 1996, 2000 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\iruserok.c(7): * Copyright (c) 1983, 1993, 1994

inetutils\inetutils-1.4.2\libinetutils\kcmd.c(2): * Copyright (c) 1983, 1993

inetutils\inetutils-1.4.2\libinetutils\krcmd.c(2): * Copyright (c) 1989, 1993

inetutils\inetutils-1.4.2\libinetutils\localhost.c(3): Copyright (C) 1996, 1997, 2000 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\login_tty.c(1):/* Copyright (C) 2001 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\logout.c(3): Copyright (C) 1996, 2000 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\logwtmp.c(3): Copyright (C) 1996, 2000 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002

inetutils\inetutils-1.4.2\libinetutils\malloc.c(2): Copyright (C) 1997, 1998 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\memcmp.c(1):/* Copyright (C) 1991, 1993, 1995, 1997, 1998 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\memcpy.c(1):/* Copyright (C) 1995, 1997, 2000 Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\libinetutils\memset.c(2): Copyright (C) 1991 Free Software Foundation, Inc.

legal(ME)

inetutils\inetutils-1.4.2\libinetutils\obstack.c(2): Copyright (C) 1988-1994, 1996-1999, 2000-2002 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\obstack.h(2): Copyright (C) 1988,89,90,91,92,93,94,96,97,98,99 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\openpty.c(1):/* Copyright (c) 1990, 1993
inetutils\inetutils-1.4.2\libinetutils\pathmax.h(2): Copyright (C) 1992, 1999, 2001 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\poll.c(1):/* Copyright (C) 1994, 1996, 1997, 2000 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\realloc.c(2): Copyright (C) 1997 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\regex.c(5): Copyright (C) 1993-1999, 2000, 2001 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\regex.h(3): Copyright (C) 1985,1989-1993,1995-1998, 2000 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\ruserok.c(7): * Copyright (c) 1983, 1993, 1994
inetutils\inetutils-1.4.2\libinetutils\setenv.c(1):/* Copyright (C) 1992, 1995, 2000 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\setsig.c(3): Copyright (C) 1997, 2000 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\strcasecmp.c(2): Copyright (C) 1998, 1999 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\strdup.c(1):/* Copyright (C) 1991, 1996, 1997, 1998, 2002 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\strerror.c(3): Copyright (C) 1986, 1988, 1989, 1991, 2002 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\strsignal.c(2): Copyright (C) 1999, 2000, 2001 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\tftpsubs.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\libinetutils\ttymsg.c(2): * Copyright (c) 1989, 1993
inetutils\inetutils-1.4.2\libinetutils\utmp_init.c(2):* Copyright 1995 by Wietse Venema.All rights reserved. Individual files
inetutils\inetutils-1.4.2\libinetutils\utmp_init.c(3):* may be covered by other copyrights (as noted in the file itself.)
inetutils\inetutils-1.4.2\libinetutils\utmp_logout.c(2):* Copyright 1995 by Wietse Venema.All rights reserved. Individual files
inetutils\inetutils-1.4.2\libinetutils\utmp_logout.c(3):* may be covered by other copyrights (as noted in the file itself.)
inetutils\inetutils-1.4.2\libinetutils\xalloc.h(2): Copyright (C) 1990-1998, 1999, 2000 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\xgetcwd.c(2): Copyright (C) 1992, 1996, 2000, 2001 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\xgetcwd.h(2): Copyright (C) 1995, 2001 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\xmalloc.c(2): Copyright (C) 1990-1999, 2000, 2002 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libinetutils\xstrdup.c(2): Copyright (C) 1990, 1996, 1998, 2001 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libls\cmp.c(5): * Copyright (c) 1989, 1993
inetutils\inetutils-1.4.2\libls\extern.h(5): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libls\fts.c(2): * Copyright (c) 1990, 1993, 1994

legal(ME)

inetutils\inetutils-1.4.2\libls\fts.h(2): * Copyright (c) 1989, 1993
inetutils\inetutils-1.4.2\libls\ls.1(4):.\" Copyright (c) 1980, 1990, 1991, 1993, 1994
inetutils\inetutils-1.4.2\libls\ls.c(37):static char copyright[] =
inetutils\inetutils-1.4.2\libls\ls.c(38):"@(#) Copyright (c) 1989, 1993, 1994\n\
inetutils\inetutils-1.4.2\libls\ls.c(5): * Copyright (c) 1989, 1993, 1994
inetutils\inetutils-1.4.2\libls\ls.h(5): * Copyright (c) 1989, 1993
inetutils\inetutils-1.4.2\libls\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\libls\print.c(5): * Copyright (c) 1989, 1993, 1994
inetutils\inetutils-1.4.2\libls\stat_flags.c(5): * Copyright (c) 1993
inetutils\inetutils-1.4.2\libls\util.c(5): * Copyright (c) 1989, 1993, 1994
inetutils\inetutils-1.4.2\libtelnet\auth.c(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\auth.c(35): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\auth.h(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\auth.h(33): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\auth-proto.h(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\auth-proto.h(33): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\ChangeLog(52):the University of California as the only copyright holder."
inetutils\inetutils-1.4.2\libtelnet\enc_des.c(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\enc-proto.h(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\enc-proto.h(33): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\encrypt.c(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\encrypt.c(35): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\encrypt.h(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\encrypt.h(33): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\forward.c(13): * Copyright (c) 1993
inetutils\inetutils-1.4.2\libtelnet\genget.c(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\getent.c(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\kerberos.c(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\kerberos.c(35): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\kerberos5.c(1):/* Copyright (C) 2002 Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\libtelnet\key-proto.h(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\key-proto.h(33): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\libtelnet\misc.c(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\misc.h(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\misc-proto.h(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\libtelnet\misc-proto.h(33): * Copyright (C) 1990, 2000 by the Massachusetts Institute of Technology
inetutils\inetutils-1.4.2\libtelnet\read_passwd.c(2): * Copyright (c) 1992, 1993

legal(ME)

```
inetutils/inetutils-1.4.2/libtelnet/read_passwd.c(38): * Copyright 1985, 1986,
1987, 1988 by the Massachusetts Institute
inetutils/inetutils-1.4.2/libtelnet/read_passwd.c(42): * <mit-copyright.h>.
inetutils/inetutils-1.4.2/logger/ChangeLog(20):Remove COPYRIGHT (it's in the
header) and replace "#ifndef lint"
inetutils/inetutils-1.4.2/logger/ChangeLog(58):the University of California as
the only copyright holder."
inetutils/inetutils-1.4.2/logger/logger.1(1):.\" Copyright (c) 1983, 1990, 1993
inetutils/inetutils-1.4.2/logger/logger.c(2): * Copyright (c) 1983, 1993, 2002
inetutils/inetutils-1.4.2/logger/Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2/Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2/missing(3):# Copyright (C) 1996, 1997, 1999, 2000, 2002
Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/NEWS(104):Copyright information:
inetutils/inetutils-1.4.2/NEWS(106):Copyright (C) 2002 Free Software Foundation,
Inc.
inetutils/inetutils-1.4.2/NEWS(2):Copyright (C) 2002 Free Software Foundation,
Inc.
inetutils/inetutils-1.4.2/paths(3):# Copyright (C) 1996, 1997, 2000 Free Software
Foundation, Inc.
inetutils/inetutils-1.4.2/ping/Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2/ping/ping.8(1):.\" Copyright (c) 1985, 1991, 1993
inetutils/inetutils-1.4.2/ping/ping.c(1):/* Copyright (C) 1998,2001, 2002 Free
Software Foundation, Inc.
inetutils/inetutils-1.4.2/ping/ping.c(133):printf ("Copyright (C) 1998,2001 Free
Software Foundation, Inc.\n");
inetutils/inetutils-1.4.2/ping/ping_address.c(1):/* Copyright (C) 2001, 2002 Free
Software Foundation, Inc.
inetutils/inetutils-1.4.2/ping/ping_echo.c(1):/* Copyright (C) 2001, 2002 Free
Software Foundation, Inc.
inetutils/inetutils-1.4.2/ping/ping_router.c(1):/* Copyright (C) 2000, 2001, 2002
Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/ping/ping_timestamp.c(1):/* Copyright (C) 2000, 2001,
2002 Free Software Foundation, Inc.
inetutils/inetutils-1.4.2/rcp/ChangeLog(63):the University of California as the
only copyright holder."
inetutils/inetutils-1.4.2/rcp/extern.h(2): * Copyright (c) 1992, 1993
inetutils/inetutils-1.4.2/rcp/Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2/rcp/rcp.1(1):.\" Copyright (c) 1983, 1990, 1993
inetutils/inetutils-1.4.2/rcp/rcp.c(2): * Copyright (c) 1983, 1990, 1992, 1993,
2002
inetutils/inetutils-1.4.2/rcp/rcp.c(31):static char copyright[] =
inetutils/inetutils-1.4.2/rcp/rcp.c(32):"@(#) Copyright (c) 1983, 1990, 1992,
1993\n\
inetutils/inetutils-1.4.2/rcp/util.c(2): * Copyright (c) 1992, 1993
inetutils/inetutils-1.4.2/rexecd/ChangeLog(46):the University of California as
the only copyright holder."
inetutils/inetutils-1.4.2/rexecd/Makefile.in(4):# Copyright 1994, 1995, 1996,
```

legal(ME)

1997, 1998, 1999, 2000, 2001, 2002

inetutils\inetutils-1.4.2\rexecd\rexecd.8(1):.\" Copyright (c) 1983, 1991, 1993

inetutils\inetutils-1.4.2\rexecd\rexecd.c(2): * Copyright (c) 1983, 1993

inetutils\inetutils-1.4.2\rexecd\rexecd.c(31):static char copyright[] =

inetutils\inetutils-1.4.2\rexecd\rexecd.c(32):"@(#) Copyright (c) 1983, 1993\n\

inetutils\inetutils-1.4.2\rlogin\ChangeLog(71):the University of California as
the only copyright holder."

inetutils\inetutils-1.4.2\rlogin\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002

inetutils\inetutils-1.4.2\rlogin\rlogin.1(1):.\" Copyright (c) 1983, 1990, 1993

inetutils\inetutils-1.4.2\rlogin\rlogin.c(2): * Copyright (c) 1983, 1990, 1993,
2002

inetutils\inetutils-1.4.2\rlogind\ChangeLog(111):the University of California as
the only copyright holder."

inetutils\inetutils-1.4.2\rlogind\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002

inetutils\inetutils-1.4.2\rlogind\rlogind.8(1):.\" Copyright (c) 1983, 1989,
1991, 1993

inetutils\inetutils-1.4.2\rlogind\rlogind.c(1):/* Copyright (C) 1998,2001, 2002
Free Software Foundation, Inc.

inetutils\inetutils-1.4.2\rsh\ChangeLog(18):* rsh.c: Removed copyright and sccsid
variable.

inetutils\inetutils-1.4.2\rsh\ChangeLog(43):the University of California as the
only copyright holder."

inetutils\inetutils-1.4.2\rsh\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002

inetutils\inetutils-1.4.2\rsh\rsh.1(1):.\" Copyright (c) 1983, 1990, 1993

inetutils\inetutils-1.4.2\rsh\rsh.c(2): * Copyright (c) 1983, 1990, 1993, 1994,
2002

inetutils\inetutils-1.4.2\rshd\ChangeLog(35):Removed copyright and sccsid
variables.

inetutils\inetutils-1.4.2\rshd\ChangeLog(58):the University of California as the
only copyright holder."

inetutils\inetutils-1.4.2\rshd\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002

inetutils\inetutils-1.4.2\rshd\rshd.8(1):.\" Copyright (c) 1983, 1989, 1991, 1993

inetutils\inetutils-1.4.2\rshd\rshd.c(2): * Copyright (c) 1988, 1989, 1992, 1993,
1994, 2002

inetutils\inetutils-1.4.2\syslogd\ChangeLog(574):the University of California as
the only copyright holder."

inetutils\inetutils-1.4.2\syslogd\ChangeLog(67):Prototype waitdaemon(). Remove
COPYRIGHT (it's in the

inetutils\inetutils-1.4.2\syslogd\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002

inetutils\inetutils-1.4.2\syslogd\syslog.conf.5(1):.\" Copyright (c) 1990, 1991,
1993

inetutils\inetutils-1.4.2\syslogd\syslogd.8(1):.\" Copyright (c) 1983, 1986,
1991, 1993

inetutils\inetutils-1.4.2\syslogd\syslogd.c(3): * Copyright (c) 1983, 1988, 1993,
1994, 2002

inetutils\inetutils-1.4.2\talk\ChangeLog(28):the University of California as the
only copyright holder."

legal(ME)

```
inetutils\inetutils-1.4.2\talk\ctl.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\ctl_transact.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\display.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\get_addrs.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\get_names.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\init_disp.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\invite.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\io.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\look_up.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\talk\msgs.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\talk.1(1):.\" Copyright (c) 1983, 1990, 1993
inetutils\inetutils-1.4.2\talk\talk.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\talk.c(31):static char copyright[] =
inetutils\inetutils-1.4.2\talk\talk.c(32):\"@(#) Copyright (c) 1983, 1993\n\
inetutils\inetutils-1.4.2\talk\talk.h(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talk\talk_ctl.h(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\talkd\acl.c(1):/* Copyright (C) 1998,2001 Free Software
Foundation, Inc.
inetutils\inetutils-1.4.2\talkd\announce.c(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\talkd\ChangeLog(119):the University of California as
the only copyright holder."
inetutils\inetutils-1.4.2\talkd\intalkd.h(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\talkd\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\talkd\print.c(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\talkd\process.c(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\talkd\table.c(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\talkd\talkd.8(1):.\" Copyright (c) 1983, 1991, 1993
inetutils\inetutils-1.4.2\talkd\talkd.c(1):/* Copyright (C) 1998,2001, 2002 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\talkd\talkd.c(175):printf ("Copyright (C) 2001 Free
Software Foundation, Inc.\n");
inetutils\inetutils-1.4.2\telnet\authenc.c(2): * Copyright (c) 1991, 1993
inetutils\inetutils-1.4.2\telnet\ChangeLog(57):the University of California as
the only copyright holder."
inetutils\inetutils-1.4.2\telnet\commands.c(2): * Copyright (c) 1988, 1990, 1993
inetutils\inetutils-1.4.2\telnet\defines.h(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnet\externs.h(2): * Copyright (c) 1988, 1990, 1993
inetutils\inetutils-1.4.2\telnet\fdset.h(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnet\general.h(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnet\main.c(2): * Copyright (c) 1988, 1990, 1993,
2002
inetutils\inetutils-1.4.2\telnet\main.c(31):static char copyright[] =
inetutils\inetutils-1.4.2\telnet\main.c(32):\"@(#) Copyright (c) 1988, 1990,
1993\n\
```

legal(ME)

```
inetutils\inetutils-1.4.2\telnet\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\telnet\network.c(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnet\ring.c(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnet\ring.h(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnet\sys_bsd.c(2): * Copyright (c) 1988, 1990, 1993
inetutils\inetutils-1.4.2\telnet\telnet.1(1):.\" Copyright (c) 1983, 1990, 1993
inetutils\inetutils-1.4.2\telnet\telnet.c(2): * Copyright (c) 1988, 1990, 1993
inetutils\inetutils-1.4.2\telnet\terminal.c(2): * Copyright (c) 1988, 1990, 1993
inetutils\inetutils-1.4.2\telnet\tn3270.c(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnet\types.h(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnet\utilities.c(2): * Copyright (c) 1988, 1993
inetutils\inetutils-1.4.2\telnetd\ChangeLog(173):the University of California as
the only copyright holder."
inetutils\inetutils-1.4.2\telnetd\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\telnetd\pty.c(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\telnetd\slc.c(2): * Copyright (c) 1989, 1993
inetutils\inetutils-1.4.2\telnetd\state.c(2): * Copyright (c) 1989, 1993
inetutils\inetutils-1.4.2\telnetd\telnetd.8(1):.\" Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\telnetd\telnetd.c(1):/* Copyright (C) 1998,2001, 2002
Free Software Foundation, Inc.
inetutils\inetutils-1.4.2\telnetd\telnetd.c(620):printf ("Copyright (C)
1998,2001,2002 Free Software Foundation, Inc.\n");
inetutils\inetutils-1.4.2\telnetd\telnetd.h(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\telnetd\term.c(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\telnetd\termstat.c(2): * Copyright (c) 1989, 1993
inetutils\inetutils-1.4.2\telnetd\utility.c(1):/* Copyright (C) 1998,2001 Free
Software Foundation, Inc.
inetutils\inetutils-1.4.2\tftp\ChangeLog(39):the University of California as the
only copyright holder."
inetutils\inetutils-1.4.2\tftp\extern.h(2): * Copyright (c) 1993
inetutils\inetutils-1.4.2\tftp\main.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\tftp\main.c(31):static char copyright[] =
inetutils\inetutils-1.4.2\tftp\main.c(32):"@(#) Copyright (c) 1983, 1993\n\
inetutils\inetutils-1.4.2\tftp\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\tftp\tftp.1(1):.\" Copyright (c) 1990, 1993, 1994
inetutils\inetutils-1.4.2\tftp\tftp.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\tftpd\ChangeLog(31):the University of California as the
only copyright holder."
inetutils\inetutils-1.4.2\tftpd\Makefile.in(4):# Copyright 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002
inetutils\inetutils-1.4.2\tftpd\tftpd.8(1):.\" Copyright (c) 1983, 1991, 1993
inetutils\inetutils-1.4.2\tftpd\tftpd.c(2): * Copyright (c) 1983, 1993
inetutils\inetutils-1.4.2\tftpd\tftpd.c(31):static char copyright[] =
inetutils\inetutils-1.4.2\tftpd\tftpd.c(32):"@(#) Copyright (c) 1983, 1993\n\
inetutils\inetutils-1.4.2\uucpd\ChangeLog(23):the University of California as the
only copyright holder."
```


legal(ME)

inetutils/inetutils-1.4.2\uucpd\Makefile.in(4):# Copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002
inetutils/inetutils-1.4.2\uucpd\uucpd.c(2): * Copyright (c) 1985, 1993
inetutils/inetutils-1.4.2\uucpd\uucpd.c(34):static char copyright[] =
inetutils/inetutils-1.4.2\uucpd\uucpd.c(35):"@(#) Copyright (c) 1985, 1993\n\
inetutils\NOTICE.txt(316):Gnomovision version 69, Copyright (C) yearname of author
inetutils\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
inetutils\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
iptables\iptables-1.4.15\aclocal.m4(1021):# Copyright (C) 2001, 2003, 2005, 2011 Free Software Foundation, Inc.
iptables\iptables-1.4.15\aclocal.m4(1051):# Copyright (C) 2006, 2008, 2010 Free Software Foundation, Inc.
iptables\iptables-1.4.15\aclocal.m4(1072):# Copyright (C) 2004, 2005, 2012 Free Software Foundation, Inc.
iptables\iptables-1.4.15\aclocal.m4(183):# Copyright (C) 2002, 2003, 2005, 2006, 2007, 2008, 2011 Free Software
iptables\iptables-1.4.15\aclocal.m4(224):# Copyright (C) 2001, 2003, 2005, 2011 Free Software Foundation, Inc.
iptables\iptables-1.4.15\aclocal.m4(26):# Copyright ㄣ 2004 Scott James Remnant <scott@netsplit.com>.
iptables\iptables-1.4.15\aclocal.m4(279):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005, 2006, 2008
iptables\iptables-1.4.15\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
iptables\iptables-1.4.15\aclocal.m4(313):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2009,
iptables\iptables-1.4.15\aclocal.m4(501):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2008
iptables\iptables-1.4.15\aclocal.m4(581):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
iptables\iptables-1.4.15\aclocal.m4(718):# Copyright (C) 2001, 2003, 2005, 2008, 2011 Free Software Foundation,
iptables\iptables-1.4.15\aclocal.m4(742):# Copyright (C) 2003, 2005Free Software Foundation, Inc.
iptables\iptables-1.4.15\aclocal.m4(765):# Copyright (C) 2001, 2002, 2003, 2005, 2009Free Software Foundation, Inc.
iptables\iptables-1.4.15\aclocal.m4(815):# Copyright (C) 1999, 2000, 2001, 2003, 2004, 2005, 2008
iptables\iptables-1.4.15\aclocal.m4(852):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005, 2008
iptables\iptables-1.4.15\aclocal.m4(893):# Copyright (C) 2003, 2004, 2005, 2006, 2011 Free Software Foundation,
iptables\iptables-1.4.15\aclocal.m4(924):# Copyright (C) 2001, 2002, 2003, 2005, 2008, 2010 Free Software
iptables\iptables-1.4.15\aclocal.m4(958):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005, 2008
iptables\iptables-1.4.15\build-aux\compile(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2009, 2010, 2012 Free
iptables\iptables-1.4.15\build-aux\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

legal(ME)

iptables\iptables-1.4.15\build-aux\config.guess(57):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
iptables\iptables-1.4.15\build-aux\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
iptables\iptables-1.4.15\build-aux\config.sub(76):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
iptables\iptables-1.4.15\build-aux\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009, 2010,
iptables\iptables-1.4.15\build-aux\install-sh(10):# Copyright (C) 1994 X Consortium
iptables\iptables-1.4.15\build-aux\ltmain.sh(5):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006,
iptables\iptables-1.4.15\build-aux\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006,
iptables\iptables-1.4.15\configure(12749):Copyright (C) 2012 Free Software Foundation, Inc.
iptables\iptables-1.4.15\configure(13879):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
iptables\iptables-1.4.15\configure(1551):Copyright (C) 2012 Free Software Foundation, Inc.
iptables\iptables-1.4.15\configure(6):# Copyright (C) 1992-1996, 1998-2012 Free Software Foundation, Inc.
iptables\iptables-1.4.15\COPYING(315):Gnomovision version 69, Copyright (C) year name of author
iptables\iptables-1.4.15\COPYING(329):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
iptables\iptables-1.4.15\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
iptables\iptables-1.4.15\extensions\libip6t_mh.c(3): * Copyright (C)2006 USAGI/WIDE Project
iptables\iptables-1.4.15\extensions\libxt_CONNSECMARK.c(6): * Copyright (C) 2006 Red Hat, Inc., James Morris <jmorris@redhat.com>
iptables\iptables-1.4.15\extensions\libxt_contrack.c(6): *Copyright ㄣ CC Computer Consultants GmbH, 2007 - 2008
iptables\iptables-1.4.15\extensions\libxt_devgroup.c(3): * Copyright (c) 2011 Patrick McHardy <kaber@trash.net>
iptables\iptables-1.4.15\extensions\libxt_IDLETIMER.c(4): * Copyright (C) 2010 Nokia Corporation. All rights reserved.
iptables\iptables-1.4.15\extensions\libxt_osf.c(2): * Copyright (c) 2003+ Evgeniy Polyakov <zbr@ioremap.net>
iptables\iptables-1.4.15\extensions\libxt_owner.c(4): *Copyright ㄣ CC Computer Consultants GmbH, 2007 - 2008
iptables\iptables-1.4.15\extensions\libxt_SECMARK.c(6): * Copyright (C) 2006 Red Hat, Inc., James Morris <jmorris@redhat.com>
iptables\iptables-1.4.15\extensions\libxt_SET.c(1):/* Copyright (C) 2000-2002 Joakim Axelsson <gozem@linux.nu>
iptables\iptables-1.4.15\extensions\libxt_SET.c(4): * Copyright (C) 2003-2010 Jozsef Kadlec <kadlec@blackhole.kfki.hu>
iptables\iptables-1.4.15\extensions\libxt_socket.c(4): * Copyright (C) 2007 BalaBit IT Ltd.
iptables\iptables-1.4.15\extensions\libxt_string.c(3): * Copyright (C) 2000 Emmanuel Roger<winfield@freegates.be>

legal(ME)

iptables\iptables-1.4.15\extensions\libxt_TCPMSS.c(3): * Copyright (c) 2000 Marc Boucher
iptables\iptables-1.4.15\extensions\libxt_TCPOPTSTRIP.c(3): * Copyright (c) 2007 Sven Schnelle <svens@bitebene.org>
iptables\iptables-1.4.15\extensions\libxt_TCPOPTSTRIP.c(4): * Copyright ㄣ CC Computer Consultants GmbH, 2007
iptables\iptables-1.4.15\extensions\libxt_TEE.c(3): *Copyright ㄣ Sebastian Clař ㄣn <sebastian.classen [at] freenet.ag>, 2007
iptables\iptables-1.4.15\extensions\libxt_time.c(3): *Copyright ㄣ CC Computer Consultants GmbH, 2007
iptables\iptables-1.4.15\extensions\libxt_TOS.c(4): * Copyright ㄣ CC Computer Consultants GmbH, 2007
iptables\iptables-1.4.15\extensions\libxt_TPROXY.c(4): * Copyright (C) 2002-2008 BalaBit IT Ltd.
iptables\iptables-1.4.15\extensions\libxt_u32.c(10): * Copyright ㄣ CC Computer Consultants GmbH, 2007
iptables\iptables-1.4.15\include\libipq\libipq.h(8): * Copyright (c) 2000-2001 Netfilter Core Team
iptables\iptables-1.4.15\include\linux\netfilter\ipset\ip_set.h(4):/* Copyright (C) 2000-2002 Joakim Axelsson <gozem@linux.nu>
iptables\iptables-1.4.15\include\linux\netfilter\ipset\ip_set.h(7): * Copyright (C) 2003-2011 Jozsef Kadlecik <kadlec@blackhole.kfki.hu>
iptables\iptables-1.4.15\include\linux\netfilter\xt_IDLETIMER.h(6): * Copyright (C) 2004, 2010 Nokia Corporation
iptables\iptables-1.4.15\include\linux\netfilter\xt_osf.h(2): * Copyright (c) 2003+ Evgeniy Polyakov <johnpol@2ka.mxt.ru>
iptables\iptables-1.4.15\include\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
iptables\iptables-1.4.15\iptables\iptables.xslt(3): Copyright 2006 UfoMechanic
iptables\iptables-1.4.15\iptables\iptables-apply(35):copyright
iptables\iptables-1.4.15\iptables\iptables-apply(5):# Copyright ㄣ Martin F. Krafft <madduck@madduck.net>
iptables\iptables-1.4.15\iptables\iptables-apply.8(39):iptables\iptables-apply is copyright by Martin F. Krafft.
iptables\iptables-1.4.15\iptables\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
iptables\iptables-1.4.15\libipq\ipq_create_handle.3(3):.\" Copyright (c) 2000-2001 Netfilter Core Team
iptables\iptables-1.4.15\libipq\ipq_create_handle.3(77):Copyright (c) 2000-2001 Netfilter Core Team.
iptables\iptables-1.4.15\libipq\ipq_errstr.3(3):.\" Copyright (c) 2000 Netfilter Core Team
iptables\iptables-1.4.15\libipq\ipq_errstr.3(59):Copyright (c) 2000-2001 Netfilter Core Team.
iptables\iptables-1.4.15\libipq\ipq_message_type.3(129):Copyright (c) 2000-2001 Netfilter Core Team.
iptables\iptables-1.4.15\libipq\ipq_message_type.3(3):.\" Copyright (c) 2000-2001 Netfilter Core Team
iptables\iptables-1.4.15\libipq\ipq_read.3(3):.\" Copyright (c) 2000-2001 Netfilter Core Team
iptables\iptables-1.4.15\libipq\ipq_read.3(95):Copyright (c) 2000-2001 Netfilter Core Team.

legal(ME)

iptables\iptables-1.4.15\libipq\ipq_set_mode.3(100):Copyright (c) 2000-2001
Netfilter Core Team.
iptables\iptables-1.4.15\libipq\ipq_set_mode.3(3):.\" Copyright (c) 2000-2001
Netfilter Core Team
iptables\iptables-1.4.15\libipq\ipq_set_verdict.3(3):.\" Copyright (c) 2000-2001
Netfilter Core Team
iptables\iptables-1.4.15\libipq\ipq_set_verdict.3(94):Copyright (c) 2000-2001
Netfilter Core Team.
iptables\iptables-1.4.15\libipq\libipq.3(251):Copyright (c) 2000-2001 Netfilter
Core Team.
iptables\iptables-1.4.15\libipq\libipq.3(3):.\" Copyright (c) 2000-2001 Netfilter
Core Team
iptables\iptables-1.4.15\libipq\libipq.c(13): * Copyright (c) 2000-2001 Netfilter
Core Team
iptables\iptables-1.4.15\libipq\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
iptables\iptables-1.4.15\libiptc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
iptables\iptables-1.4.15\libxtables\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
iptables\iptables-1.4.15\libxtables\xtoptions.c(3): *Copyright © Jan Engelhardt,
2011
iptables\iptables-1.4.15\m4\ax_check_linker_flags.m4(22):# Copyright (c) 2009
Mike Frysinger <vapier@gentoo.org>
iptables\iptables-1.4.15\m4\ax_check_linker_flags.m4(23):# Copyright (c) 2009
Steven G. Johnson <stevenj@alum.mit.edu>
iptables\iptables-1.4.15\m4\ax_check_linker_flags.m4(24):# Copyright (c) 2009
Matteo Frigo
iptables\iptables-1.4.15\m4\ax_check_linker_flags.m4(39):# As a special
exception, the respective Autoconf Macro's copyright owner
iptables\iptables-1.4.15\m4\libtool.m4(13):# Copyright (C) 1996, 1997, 1998,
1999, 2000, 2001, 2003, 2004, 2005,
iptables\iptables-1.4.15\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998, 1999,
2000, 2001, 2003, 2004, 2005,
iptables\iptables-1.4.15\m4\libtool.m4(642):Copyright (C) 2011 Free Software
Foundation, Inc.
iptables\iptables-1.4.15\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005, 2007,
2009 Free Software Foundation, Inc.
iptables\iptables-1.4.15\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007,
2008, 2009 Free Software Foundation,
iptables\iptables-1.4.15\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007, 2008
Free Software Foundation, Inc.
iptables\iptables-1.4.15\m4\ltversion.m4(3):# Copyright (C) 2004 Free Software
Foundation, Inc.
iptables\iptables-1.4.15\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002,
iptables\iptables-1.4.15\utils\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
iptables\iptables-1.4.15\utils\nfnl_osf.c(2): * Copyright (c) 2005 Evgeniy
Polyakov <johnpol@2ka.mxt.ru>
iptables\iptables-1.4.15\utils\pf.os(7):# (C) Copyright 2000-2003 by Michal
Zalewski <lcamtuf@coredump.cx>

legal(ME)

iptables\iptables-1.4.15\utils\pf.os(8):# (C) Copyright 2003 by Mike Frantzen
<frantzen@w4g.org>
iputils\iputils-s20101006\iputils-s20101006\doc\docbook2man-spec.pl(40):=head1
COPYRIGHT
iputils\iputils-s20101006\iputils-s20101006\doc\docbook2man-spec.pl(42):Copyright
(C) 1998-1999 Steve Cheng <steve@ggi-project.org>
iputils\iputils-s20101006\iputils-s20101006\doc\iputils.db(203):Different files
are copyrighted by different persons and organizations
iputils\iputils-s20101006\iputils-s20101006\doc\ping.sgml(619):Copyright (c) 1989
The Regents of the University of California.
iputils\iputils-s20101006\iputils-s20101006\doc\rdisc.sgml(205):INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY RDISC
iputils\iputils-s20101006\iputils-s20101006\Modules\pg3.c(3): * Copyright 2001 by
Robert Olsson <robert.olsson@its.uu.se>
iputils\iputils-s20101006\iputils-s20101006\ping.c(2): * Copyright (c) 1989 The
Regents of the University of California.
iputils\iputils-s20101006\iputils-s20101006\ping.c(38):char copyright[] =
iputils\iputils-s20101006\iputils-s20101006\ping.c(39):"@(#) Copyright (c) 1989
The Regents of the University of California.\n\
iputils\iputils-s20101006\iputils-s20101006\ping6.c(11): * Copyright (c) 1989 The
Regents of the University of California.
iputils\iputils-s20101006\iputils-s20101006\ping6.c(47):char copyright[] =
iputils\iputils-s20101006\iputils-s20101006\ping6.c(48):"@(#) Copyright (c) 1989
The Regents of the University of California.\n\
iputils\iputils-s20101006\iputils-s20101006\ping6.c(7): *Original copyright
notice included bellow
iputils\iputils-s20101006\iputils-s20101006\rdisc.c(17): * INFRINGEMENT OF
COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY RDISC
iputils\iputils-s20101006\iputils-s20101006\tftp.h(2): * Copyright (c) 1983, 1993
iputils\iputils-s20101006\iputils-s20101006\tftpd.c(2): * Copyright (c) 1983
Regents of the University of California.
iputils\iputils-s20101006\iputils-s20101006\tftpd.c(35):char copyright[] =
iputils\iputils-s20101006\iputils-s20101006\tftpd.c(36):"@(#) Copyright (c) 1983
Regents of the University of California.\n\
iputils\iputils-s20101006\iputils-s20101006\tftpsubs.c(2): * Copyright (c) 1983
Regents of the University of California.
iputils\iputils-s20101006\iputils-s20101006\traceroute6.c(16): *Original
copyright and comments left intact. They might not
iputils\iputils-s20101006\iputils-s20101006\traceroute6.c(21): * Copyright (c)
1990, 1993
iputils\iputils-s20101006\iputils-s20101006\traceroute6.c(57):char copyright[] =
iputils\iputils-s20101006\iputils-s20101006\traceroute6.c(58):"@(#) Copyright (c)
1990, 1993\n\
iputils\NOTICE.txt(10):Copyright:
iputils\NOTICE.txt(14): Copyright (c) 1989 The Regents of the University of
California.
iputils\NOTICE.txt(69): * INFRINGEMENT OF COPYRIGHTS, TRADE SECRETS OR ANY
PATENTS BY RDISC
jpeg\jpeg-6b-config_update-1.patch(15):-# Copyright (C) 1992, 93, 94, 95, 96,
1997 Free Software Foundation, Inc.
jpeg\jpeg-6b-config_update-1.patch(1548):-# Copyright (C) 1991, 92, 93, 94, 95,
96, 1997 Free Software Foundation, Inc.

legal(ME)

jpeg\jpeg-6b-config_update-1.patch(1550):+# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
jpeg\jpeg-6b-config_update-1.patch(1606):+Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004
jpeg\jpeg-6b-config_update-1.patch(17):+# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
jpeg\jpeg-6b-config_update-1.patch(2870):-# Copyright (C) 1996-1998 Free Software Foundation, Inc.
jpeg\jpeg-6b-config_update-1.patch(2872):+# Copyright (C) 1996-1999 Free Software Foundation, Inc.
jpeg\jpeg-6b-config_update-1.patch(5643):-# Copyright (C) 1996-1998 Free Software Foundation, Inc.
jpeg\jpeg-6b-config_update-1.patch(5645):+# Copyright (C) 1996-1999 Free Software Foundation, Inc.
jpeg\jpeg-6b-config_update-1.patch(6059):-# Copyright (C) 1996-1998 Free Software Foundation, Inc.
jpeg\jpeg-6b-config_update-1.patch(6061):+# Copyright (C) 1996-1999 Free Software Foundation, Inc.
jpeg\jpeg-6b-config_update-1.patch(65):+Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004
jpeg\jpeg-6b-config_update-1.patch(6622):+# /* Copyright (C) 1999 Free Software Foundation, Inc.
jpeg\jpegsrc.v6b\jpeg-6b\ansi2knr.c(16):Among other things, the copyright notice and this notice must be preserved
jpeg\jpegsrc.v6b\jpeg-6b\ansi2knr.c(213):lpd 95-04-05 changed copyright notice to make it clear that
jpeg\jpegsrc.v6b\jpeg-6b\ansi2knr.c(35): Copyright (C) 1988 Richard M. Stallman
jpeg\jpegsrc.v6b\jpeg-6b\ansi2knr.c(73):and appropriately publish on each copy a valid copyright and license
jpeg\jpegsrc.v6b\jpeg-6b\ansi2knr.c(74):notice "Copyright (C) 1989 Aladdin Enterprises.All rights reserved.
jpeg\jpegsrc.v6b\jpeg-6b\cderror.h(4): * Copyright (C) 1994-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\cdjpeg.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\cdjpeg.h(4): * Copyright (C) 1994-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\cjpeg.c(281):JVERSION, JCOPYRIGHT);
jpeg\jpegsrc.v6b\jpeg-6b\cjpeg.c(4): * Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\ckconfig.c(4): * Copyright (C) 1991-1994, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\coderules.doc(3):Copyright (C) 1991-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\config.guess(3):# Copyright (C) 1992, 93, 94, 95, 96, 1997 Free Software Foundation, Inc.
jpeg\jpegsrc.v6b\jpeg-6b\config.sub(3):# Copyright (C) 1991, 92, 93, 94, 95, 96, 1997 Free Software Foundation, Inc.
jpeg\jpegsrc.v6b\jpeg-6b\configure(5):# Copyright (C) 1992, 93, 94, 95, 96 Free Software Foundation, Inc.
jpeg\jpegsrc.v6b\jpeg-6b\djpeg.c(244):JVERSION, JCOPYRIGHT);
jpeg\jpegsrc.v6b\jpeg-6b\djpeg.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\filelist.doc(3):Copyright (C) 1994-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\install.doc(3):Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\install-sh(6):# Copyright 1991 by the Massachusetts Institute of Technology

legal(ME)

jpeg\jpegsrc.v6b\jpeg-6b\jcapimin.c(4): * Copyright (C) 1994-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcapistd.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jccoefct.c(4): * Copyright (C) 1994-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jccolor.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcdctmgr.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jchuff.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jchuff.h(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcinit.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcmaint.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcmarker.c(4): * Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcmaster.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcomapi.c(4): * Copyright (C) 1994-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jconfig.doc(4): * Copyright (C) 1991-1994, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcparam.c(4): * Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcphuff.c(4): * Copyright (C) 1995-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcpresct.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jcsample.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jctrans.c(4): * Copyright (C) 1995-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdapimin.c(4): * Copyright (C) 1994-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdapistd.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdatadst.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdatasrc.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdcoefct.c(4): * Copyright (C) 1994-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdcolor.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdct.h(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jddctmgr.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdhuff.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdhuff.h(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdinput.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdmainct.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdmarker.c(4): * Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdmaster.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrc.v6b\jpeg-6b\jdmerge.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.

legal(ME)

jpeg\jpegsrvc.v6b\jpeg-6b\jdpuff.c(4): * Copyright (C) 1995-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jdpostct.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jdsample.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jdtrans.c(4): * Copyright (C) 1995-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jerror.c(4): * Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jerror.h(122):JMESSAGE(JMSG_COPYRIGHT, JCOPYRIGHT)
jpeg\jpegsrvc.v6b\jpeg-6b\jerror.h(4): * Copyright (C) 1994-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jfdctflt.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jfdctfst.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jfdctint.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jidctflt.c(4): * Copyright (C) 1994-1998, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jidctfst.c(4): * Copyright (C) 1994-1998, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jidctint.c(4): * Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jidctred.c(4): * Copyright (C) 1994-1998, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jinclue.h(4): * Copyright (C) 1991-1994, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmemansi.c(4): * Copyright (C) 1992-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmemdos.c(4): * Copyright (C) 1992-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmemdosa.asm(4):; Copyright (C) 1992, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmemmac.c(4): * Copyright (C) 1992-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmemmgr.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmemname.c(4): * Copyright (C) 1992-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmemnobs.c(4): * Copyright (C) 1992-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmehmsys.h(4): * Copyright (C) 1992-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jmorecfg.h(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jpegint.h(4): * Copyright (C) 1991-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jpeglib.h(4): * Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jpegtran.c(183):JVERSION, JCOPYRIGHT);
jpeg\jpegsrvc.v6b\jpeg-6b\jpegtran.c(4): * Copyright (C) 1995-1997, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jquant1.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jquant2.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jutils.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\jversion.h(14):#define JCOPYRIGHTCopyright (C) 1998, Thomas G. Lane
jpeg\jpegsrvc.v6b\jpeg-6b\jversion.h(4): * Copyright (C) 1991-1998, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\libjpeg.doc(3):Copyright (C) 1994-1998, Thomas G. Lane.
jpeg\jpegsrvc.v6b\jpeg-6b\ltconfig(1321):# Copyright (C) 1996-1998 Free Software

legal(ME)

Foundation, Inc.

jpeg\jpegsrvc.v6b\jpeg-6b\ltconfig(4):# Copyright (C) 1996-1998 Free Software Foundation, Inc.

jpeg\jpegsrvc.v6b\jpeg-6b\ltmain.sh(4):# Copyright (C) 1996-1998 Free Software Foundation, Inc.

jpeg\jpegsrvc.v6b\jpeg-6b\rdbmp.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\rdcolmap.c(30):** Copyright (C) 1988 by Jef Poskanzer.

jpeg\jpegsrvc.v6b\jpeg-6b\rdcolmap.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\rdgif.c(17): * "The Graphics Interchange Format(c) is the Copyright property of

jpeg\jpegsrvc.v6b\jpeg-6b\rdgif.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\rdjpgcom.c(4): * Copyright (C) 1994-1997, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\rdppm.c(28):** Copyright (C) 1988 by Jef Poskanzer.

jpeg\jpegsrvc.v6b\jpeg-6b\rdppm.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\rdrlc.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\rdswitch.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\rdtarga.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\README(130):This software is copyright (C) 1991-1998, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\README(162):sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.

jpeg\jpegsrvc.v6b\jpeg-6b\README(173):ltconfig, ltmain.sh).Another support script, install-sh, is copyright

jpeg\jpegsrvc.v6b\jpeg-6b\README(193):"The Graphics Interchange Format(c) is the Copyright property of

jpeg\jpegsrvc.v6b\jpeg-6b\README(213):and some added material.Note: the Wallace article is copyright ACM and IEEE,

jpeg\jpegsrvc.v6b\jpeg-6b\structure.doc(3):Copyright (C) 1991-1995, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\transupp.c(4): * Copyright (C) 1997, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\transupp.h(4): * Copyright (C) 1997, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\wrbmp.c(4): * Copyright (C) 1994-1996, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\wrgif.c(26): * Copyright (C) 1989 by Jef Poskanzer.

jpeg\jpegsrvc.v6b\jpeg-6b\wrgif.c(35): * "The Graphics Interchange Format(c) is the Copyright property of

jpeg\jpegsrvc.v6b\jpeg-6b\wrgif.c(4): * Copyright (C) 1991-1997, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\wrjpgcom.c(4): * Copyright (C) 1994-1997, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\wrppm.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\wrrlc.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.

jpeg\jpegsrvc.v6b\jpeg-6b\wrtarga.c(4): * Copyright (C) 1991-1996, Thomas G. Lane.

jpeg\NOTICE.txt(3):Copyright (C) 1994-1998, Thomas G. Lane.

libiconv\libiconv-1.11.1\aclocal.m4(120):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005

libiconv\libiconv-1.11.1\aclocal.m4(14):# Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\aclocal.m4(277):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005

libiconv\libiconv-1.11.1\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999,

legal(ME)

2000, 2001, 2002, 2003, 2004,
libiconv\libiconv-1.11.1\aclocal.m4(345):# Copyright (C) 1996, 1997, 1998, 1999,
2000, 2001, 2002, 2003, 2004, 2005
libiconv\libiconv-1.11.1\aclocal.m4(35):# Copyright (C) 2001, 2003, 2005Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\aclocal.m4(457):# Copyright (C) 2001, 2003, 2005Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\aclocal.m4(471):# Copyright (C) 2003, 2005Free Software
Foundation, Inc.
libiconv\libiconv-1.11.1\aclocal.m4(494):# Copyright (C) 2001, 2002, 2003,
2005Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\aclocal.m4(546):# Copyright (C) 1997, 1999, 2000, 2001,
2003, 2005
libiconv\libiconv-1.11.1\aclocal.m4(579):# Copyright (C) 2003, 2004, 2005Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\aclocal.m4(644):# Copyright (C) 2001, 2002, 2003,
2005Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\aclocal.m4(677):# Copyright (C) 1996, 1997, 2000, 2001,
2003, 2005
libiconv\libiconv-1.11.1\aclocal.m4(727):# Copyright (C) 2001, 2003, 2005Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\aclocal.m4(757):# Copyright (C) 2004, 2005Free Software
Foundation, Inc.
libiconv\libiconv-1.11.1\aclocal.m4(88):# Copyright (C) 1997, 2000, 2001, 2003,
2004, 2005
libiconv\libiconv-1.11.1\build-aux\config.guess(3):# Copyright (C) 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999,
libiconv\libiconv-1.11.1\build-aux\config.guess(59):Copyright (C) 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
libiconv\libiconv-1.11.1\build-aux\config.libpath(5):# Copyright 1996-2005 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\build-aux\config.rpath(5):# Copyright 1996-2006 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\build-aux\config.sub(3):# Copyright (C) 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999,
libiconv\libiconv-1.11.1\build-aux\config.sub(75):Copyright (C) 1992, 1993, 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
libiconv\libiconv-1.11.1\build-aux\install-reloc(3):# Copyright (C) 2003, 2005
Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\build-aux\install-sh(10):# Copyright (C) 1994 X
Consortium
libiconv\libiconv-1.11.1\build-aux\ltmain.sh(4):# Copyright (C) 1996, 1997, 1998,
1999, 2000, 2001, 2003, 2004, 2005
libiconv\libiconv-1.11.1\build-aux\ltmain.sh(459):\$echo "Copyright (C) 2005Free
Software Foundation, Inc."
libiconv\libiconv-1.11.1\build-aux\missing(6):# Copyright (C) 1996, 1997, 1999,
2000, 2002, 2003, 2004, 2005
libiconv\libiconv-1.11.1\build-aux\reloc-ldflags(5):# Copyright 2003 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\ChangeLog(2040):* tools/8bit_tab_to_h.c (main): Update
copyright year.
libiconv\libiconv-1.11.1\ChangeLog(2131):* tools/cjk_tab_to_h.c (output_title):

legal(ME)

Bump copyright year.

libiconv\libiconv-1.11.1\ChangeLog(2754):* tools/8bit_tab_to_h.c (main): Emit copyright notice to the output

libiconv\libiconv-1.11.1\ChangeLog(312):* src/iconv.c (print_version): Bump copyright year.

libiconv\libiconv-1.11.1\ChangeLog(319):* src/iconv.c (print_version): Update copyright year.

libiconv\libiconv-1.11.1\configure(12081):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001

libiconv\libiconv-1.11.1\configure(1688):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

libiconv\libiconv-1.11.1\configure(39165):Copyright (C) 2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\configure(5):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

libiconv\libiconv-1.11.1\configure.ac(1):dn1 Copyright (C) 1999-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\COPYING.LIB(4): Copyright (C) 1991 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\COPYING.LIB(408):copyrighted by the Free Software Foundation, write to the Free

libiconv\libiconv-1.11.1\COPYING.LIB(476):Yoyodyne, Inc., hereby disclaims all copyright interest in the

libiconv\libiconv-1.11.1\extras\iconv_string.c(1):/* Copyright (C) 1999-2001, 2003 Bruno Haible.

libiconv\libiconv-1.11.1\extras\iconv_string.h(1):/* Copyright (C) 1999-2001 Bruno Haible.

libiconv\libiconv-1.11.1\include\iconv.h.build.in(1):/* Copyright (C) 1999-2003, 2005-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\include\iconv.h.in(1):/* Copyright (C) 1999-2003, 2005-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\include\iconv.h.msvc-shared(1):/* Copyright (C) 1999-2003, 2005-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\include\iconv.h.msvc-static(1):/* Copyright (C) 1999-2003, 2005-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\include\iconv.h_vms(1):/* Copyright (C) 1999-2003, 2005-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\aliases2.h(2): * Copyright (C) 1999-2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\armscii_8.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\ascii.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\atarist.h(2): * Copyright (C) 1999-2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\big5.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\big5_2003.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\big5hkscs1999.h(2): * Copyright (C) 1999-2002, 2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\big5hkscs2001.h(2): * Copyright (C) 1999-2002, 2006

legal(ME)

Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\big5hkscs2004.h(2): * Copyright (C) 1999-2002, 2006
Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\c99.h(2): * Copyright (C) 1999-2002 Free Software
Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ces_big5.h(2): * Copyright (C) 1999-2001 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ces_gbk.h(2): * Copyright (C) 1999-2001, 2005 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cjk_variants.h(2): * Copyright (C) 1999-2001 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643.h(2): * Copyright (C) 1999-2001 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_1.h(2): * Copyright (C) 1999-2005 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_15.h(2): * Copyright (C) 1999-2002 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_2.h(2): * Copyright (C) 1999-2001 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_3.h(2): * Copyright (C) 1999-2002 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_4.h(2): * Copyright (C) 1999-2001 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_4a.h(2): * Copyright (C) 1999-2002 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_4b.h(2): * Copyright (C) 1999-2002 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_5.h(2): * Copyright (C) 1999-2002 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_6.h(2): * Copyright (C) 1999-2002 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_7.h(2): * Copyright (C) 1999-2002 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cns11643_inv.h(2): * Copyright (C) 1999-2005 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\config.h.in(1):/* Copyright (C) 1999-2003, 2005 Free
Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\config.h.msvc(1):/* Copyright (C) 1999-2003, 2005
Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\config.h_vms(1):/* Copyright (C) 1999-2003, 2005
Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\converters.h(2): * Copyright (C) 1999-2002,
2004-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1046.h(2): * Copyright (C) 1999-2001 Free Software
Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1124.h(2): * Copyright (C) 1999-2001 Free Software
Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1125.h(2): * Copyright (C) 1999-2001 Free Software
Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1129.h(2): * Copyright (C) 1999-2001 Free Software
Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1133.h(2): * Copyright (C) 1999-2001 Free Software

legal(ME)

Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1161.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1162.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1163.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1250.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1251.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1252.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1253.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1254.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1255.h(2): * Copyright (C) 1999-2001, 2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1256.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1257.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp1258.h(2): * Copyright (C) 1999-2001, 2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp437.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp737.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp775.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp850.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp852.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp853.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp855.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp856.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp857.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp858.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp860.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp861.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp862.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp863.h(2): * Copyright (C) 1999-2002 Free Software

legal(ME)

Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp864.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp865.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp866.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp869.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp874.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp922.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp932.h(2): * Copyright (C) 1999-2002, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp932ext.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp936.h(2): * Copyright (C) 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp936ext.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp943.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp949.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp950.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\cp950ext.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\dec_hanyu.h(2): * Copyright (C) 2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\dec_kanji.h(2): * Copyright (C) 2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\encodings.def(1):/* Copyright (C) 1999-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\encodings_aix.def(1):/* Copyright (C) 2000-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\encodings_dos.def(1):/* Copyright (C) 2001-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\encodings_extra.def(1):/* Copyright (C) 2002, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\encodings_local.def(1):/* Copyright (C) 2000-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\encodings_osf1.def(1):/* Copyright (C) 2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\euc_cn.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\euc_jisx0213.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\euc_jp.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\euc_kr.h(2): * Copyright (C) 1999-2001 Free Software

legal(ME)

Foundation, Inc.
libiconv\libiconv-1.11.1\lib\euc_tw.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\flushwc.h(2): * Copyright (C) 2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gb12345.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gb12345ext.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gb18030.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gb18030ext.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gb18030uni.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gb2312.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gbk.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gbkext_inv.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gbkext1.h(2): * Copyright (C) 1999-2000 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gbkext2.h(2): * Copyright (C) 1999-2000 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\genaliases.c(1):/* Copyright (C) 1999-2001, 2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\genaliases2.c(1):/* Copyright (C) 1999-2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\genflags.c(1):/* Copyright (C) 2000-2002, 2005-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gentranslit.c(1):/* Copyright (C) 1999-2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\gentranslit.c(39):printf(" * Copyright (C) 1999-2003 Free Software Foundation, Inc.\n");
libiconv\libiconv-1.11.1\lib\georgian_academy.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\georgian_ps.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\hkscs1999.h(2): * Copyright (C) 1999-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\hkscs2001.h(2): * Copyright (C) 1999-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\hkscs2004.h(2): * Copyright (C) 1999-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\hp_roman8.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\hz.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iconv.c(2): * Copyright (C) 1999-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso2022_cn.h(2): * Copyright (C) 1999-2001 Free

legal(ME)

Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso2022_cnext.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso2022_jp.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso2022_jp1.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso2022_jp2.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso2022_jp3.h(2): * Copyright (C) 1999-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso2022_kr.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso646_cn.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso646_jp.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_1.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_10.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_11.h(2): * Copyright (C) 1999-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_13.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_14.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_15.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_16.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_2.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_3.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_4.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_5.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_6.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_7.h(2): * Copyright (C) 1999-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_8.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\iso8859_9.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\isoir165.h(2): * Copyright (C) 1999-2001, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\isoir165ext.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\java.h(2): * Copyright (C) 1999-2002 Free Software

legal(ME)

Foundation, Inc.

libiconv\libiconv-1.11.1\lib\jisx0201.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\jisx0208.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\jisx0212.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\jisx0213.h(2): * Copyright (C) 1999-2004 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\johab.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\johab_hangul.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\koi8_r.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\koi8_ru.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\koi8_t.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\koi8_u.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\ksc5601.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\loop_unicode.h(2): * Copyright (C) 1999-2003, 2005-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\loop_wchar.h(2): * Copyright (C) 2000-2002, 2005-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\loops.h(2): * Copyright (C) 2000 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_arabic.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_centraleurope.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_croatian.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_cyrillic.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_greek.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_hebrew.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_iceland.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_roman.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_romania.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_thai.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_turkish.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\mac_ukraine.h(2): * Copyright (C) 1999-2001 Free

legal(ME)

Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\mulelao.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\nextstep.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\pt154.h(2): * Copyright (C) 1999-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\relocatable.c(2): Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\relocatable.h(2): Copyright (C) 2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\riscos1.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\shift_jisx0213.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\sjis.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\tcvn.h(2): * Copyright (C) 1999-2002, 2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\tds565.h(2): * Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\tis620.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\translit.def(1):# Copyright (C) 1999-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\translit.h(2): * Copyright (C) 1999-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs2.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs2be.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs2internal.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs2le.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs2swapped.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs4.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs4be.h(2): * Copyright (C) 1999-2000 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs4internal.h(2): * Copyright (C) 1999-2000 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs4le.h(2): * Copyright (C) 1999-2000 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\ucs4swapped.h(2): * Copyright (C) 1999-2000 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\uhc_1.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\uhc_2.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\lib\utf16.h(2): * Copyright (C) 1999-2001 Free Software

legal(ME)

Foundation, Inc.

libiconv\libiconv-1.11.1\lib\utf16be.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\utf16le.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\utf32.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\utf32be.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\utf32le.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\utf7.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\utf8.h(2): * Copyright (C) 1999-2001, 2004 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\vietcomb.h(2): * Copyright (C) 2001, 2004 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\lib\viscii.h(2): * Copyright (C) 1999-2001 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\libcharset\autoconf\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

libiconv\libiconv-1.11.1\libcharset\build-aux\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

libiconv\libiconv-1.11.1\libcharset\build-aux\config.guess(58):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005

libiconv\libiconv-1.11.1\libcharset\build-aux\config.libpath(5):# Copyright 1996-2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\libcharset\build-aux\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

libiconv\libiconv-1.11.1\libcharset\build-aux\config.sub(74):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005

libiconv\libiconv-1.11.1\libcharset\build-aux\install-sh(9):# Copyright (C) 1994 X Consortium

libiconv\libiconv-1.11.1\libcharset\build-aux\ltmain.sh(4):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005

libiconv\libiconv-1.11.1\libcharset\build-aux\ltmain.sh(459):\$echo "Copyright (C) 2005Free Software Foundation, Inc."

libiconv\libiconv-1.11.1\libcharset\configure(10558):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001

libiconv\libiconv-1.11.1\libcharset\configure(1520):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

libiconv\libiconv-1.11.1\libcharset\configure(20802):Copyright (C) 2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\libcharset\configure(5):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

libiconv\libiconv-1.11.1\libcharset\configure.ac(1):dnl Copyright (C) 2000-2003, 2005-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\libcharset\COPYING.LIB(4): Copyright (C) 1991 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\libcharset\COPYING.LIB(408):copyrighted by the Free Software Foundation, write to the Free

legal(ME)

libiconv\libiconv-1.11.1\libcharset\COPYING.LIB(476):Yoyodyne, Inc., hereby disclaims all copyright interest in the
libiconv\libiconv-1.11.1\libcharset\include\libcharset.h.in(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\include\libcharset.h.msvc-shared(1):/* Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\include\localcharset.h.build.in(2): Copyright (C) 2000-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\include\localcharset.h.in(2): Copyright (C) 2000-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\include\localcharset.h.msvc-shared(2): Copyright (C) 2000-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\lib\config.charset(4):# Copyright (C) 2000-2004, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\lib\localcharset.c(3): Copyright (C) 2000-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\lib\ref-add.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\lib\ref-del.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\lib\relocatable.c(2): Copyright (C) 2003-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\lib\relocatable.h(2): Copyright (C) 2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\m4\codeset.m4(2):dnl Copyright (C) 2000-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\m4\glibc21.m4(2):dnl Copyright (C) 2000-2002, 2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\m4\libtool.m4(2):## Copyright 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006
libiconv\libiconv-1.11.1\libcharset\m4\libtool.m4(4239):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001
libiconv\libiconv-1.11.1\libcharset\m4\relocatable.m4(2):dnl Copyright (C) 2003, 2005-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\m4\visibility.m4(2):dnl Copyright (C) 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\libcharset\windows\charset.rc(28):VALUE
"LegalCopyright", "Copyright (C) 1999-2005\0"
libiconv\libiconv-1.11.1\m4\alloca.m4(2):dnl Copyright (C) 2002-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\alloca.m4(2):dnl Copyright (C) 2003-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\canonicalize.m4(2):dnl Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\codeset.m4(2):dnl Copyright (C) 2000-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\cp.m4(1):dnl Copyright (C) 1993-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\eealloc.m4(2):dnl Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\endian.m4(1):dnl Copyright (C) 1993-2003 Free Software Foundation, Inc.

legal(ME)

libiconv\libiconv-1.11.1\m4\error.m4(2):dn1 Copyright (C) 2002-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\extensions.m4(3):dn1 Copyright (C) 2003, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\full-header-path.m4(2):dn1 Copyright (C) 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\general.m4(1):dn1 Copyright (C) 1993-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\gettext.m4(2):dn1 Copyright (C) 1995-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\glibc21.m4(2):dn1 Copyright (C) 2000-2002, 2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\iconv.m4(2):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\intmax.m4(2):dn1 Copyright (C) 2002-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\inttypes_h.m4(2):dn1 Copyright (C) 1997-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\inttypes-h.m4(2):dn1 Copyright (C) 1997-2002, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\isc-posix.m4(2):dn1 Copyright (C) 1995-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\lcmmessage.m4(2):dn1 Copyright (C) 1995-2002, 2004-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\lib-ld.m4(2):dn1 Copyright (C) 1996-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\lib-link.m4(2):dn1 Copyright (C) 2001-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\lib-prefix.m4(2):dn1 Copyright (C) 2001-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\libtool.m4(2):## Copyright 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006
libiconv\libiconv-1.11.1\m4\libtool.m4(4239):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001
libiconv\libiconv-1.11.1\m4\ln.m4(1):dn1 Copyright (C) 1993-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\longdouble.m4(2):dn1 Copyright (C) 2002-2003, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\longlong.m4(2):dn1 Copyright (C) 1999-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\mbstate_t.m4(2):dn1 Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\nls.m4(2):dn1 Copyright (C) 1995-2003, 2005-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\onceonly.m4(2):dn1 Copyright (C) 2002-2003, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\pathmax.m4(2):dn1 Copyright (C) 2002, 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\po.m4(2):dn1 Copyright (C) 1995-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\printf-posix.m4(2):dn1 Copyright (C) 2003 Free Software Foundation, Inc.

legal(ME)

libiconv\libiconv-1.11.1\m4\progtest.m4(2):dnl Copyright (C) 1996-2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\proto.m4(1):dnl Copyright (C) 1993-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\readlink.m4(2):dnl Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\relocatable.m4(2):dnl Copyright (C) 2003, 2005-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\setenv.m4(2):dnl Copyright (C) 2001-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\signed.m4(2):dnl Copyright (C) 2001-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\size_max.m4(2):dnl Copyright (C) 2003, 2005-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\ssize_t.m4(2):dnl Copyright (C) 2001-2003, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\stdbool.m4(3):dnl Copyright (C) 2002-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\stdint.m4(2):dnl Copyright (C) 2001-2002, 2004-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\stdint_h.m4(2):dnl Copyright (C) 1997-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\strerror.m4(2):dnl Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\strerror_r.m4(5):dnl Copyright 2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\unistd_h.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\unlocked-io.m4(3):dnl Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004 Free Software
libiconv\libiconv-1.11.1\m4\visibility.m4(2):dnl Copyright (C) 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\wchar_t.m4(2):dnl Copyright (C) 2002-2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\wint_t.m4(2):dnl Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\m4\xreadlink.m4(2):dnl Copyright (C) 2002, 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\man\iconv.1(1):.\" Copyright (c) Bruno Haible
<bruno@clisp.org>
libiconv\libiconv-1.11.1\man\iconv.3(1):.\" Copyright (c) Bruno Haible
<bruno@clisp.org>
libiconv\libiconv-1.11.1\man\iconv_close.3(1):.\" Copyright (c) Bruno Haible
<bruno@clisp.org>
libiconv\libiconv-1.11.1\man\iconv_open.3(1):.\" Copyright (c) Bruno Haible
<bruno@clisp.org>
libiconv\libiconv-1.11.1\man\iconvctl.3(1):.\" Copyright (c) Perry Rapp
libiconv\libiconv-1.11.1\man\iconvctl.3(2):.\" Copyright (c) Bruno Haible
<bruno@clisp.org>
libiconv\libiconv-1.11.1\po\af.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\ca.po(2):# Copyright (C) 2002 Free Software

legal(ME)

Foundation, Inc.
libiconv\libiconv-1.11.1\po\da.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\de.po(3):# Copyright (C) 2002, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\el.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\eo.po(2):# Copyright    2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\es.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\et.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\fi.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\fr.po(2):# Copyright   2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\ga.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\gl.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\hr.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\hu.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\id.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\it.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\libiconv.pot(2):# Copyright (C) YEAR Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\Makefile.in.in(131):--copyright-holder='\$(COPYRIGHT_HOLDER)' \
libiconv\libiconv-1.11.1\po\Makefile.in.in(2):# Copyright (C) 1995-1997, 2000-2006 by Ulrich Drepper <drepper@gnu.ai.mit.edu>
libiconv\libiconv-1.11.1\po\Makevars(17):# \$(DOMAIN).pot file.Set this to the copyright holder of the surrounding
libiconv\libiconv-1.11.1\po\Makevars(19):# sources, belong to the copyright holder of the package.)Translators are
libiconv\libiconv-1.11.1\po\Makevars(20):# expected to transfer the copyright for their translations to this person
libiconv\libiconv-1.11.1\po\Makevars(21):# or entity, or to disclaim their copyright.The empty string stands for
libiconv\libiconv-1.11.1\po\Makevars(23):# their copyright.
libiconv\libiconv-1.11.1\po\Makevars(24):COPYRIGHT HOLDER = Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\nl.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\pl.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\po\POTFILES.in(2):# Copyright (C) 2002 Free Software Foundation, Inc.

legal(ME)

libiconv\libiconv-1.11.1\po\pt_BR.po(135):"Este é um software livre; veja o código fonte para condições de copyright. "

libiconv\libiconv-1.11.1\po\pt_BR.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\rm.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\ro.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\ru.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\sk.po(2):# Copyright (C) 2002, 2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\sl.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\sq.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\sr.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\sv.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\tr.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\uk.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\vi.po(2):# Copyright © 2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\wa.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\zh_CN.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\po\zh_TW.po(2):# Copyright (C) 2003, 05 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\src\iconv.c(1):/* Copyright (C) 2000-2006 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\src\iconv.c(185):printf("Copyright (C) %s Free Software Foundation, Inc.\n", "2000-2006");

libiconv\libiconv-1.11.1\srclib\alloca.h(2): Copyright (C) 1995, 1999, 2001-2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\srclib\allocsa.c(2): Copyright (C) 2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\srclib\allocsa.h(2): Copyright (C) 2003-2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\srclib\binary-io.h(2): Copyright (C) 2001, 2003, 2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\srclib\canonicalize.c(2): Copyright (C) 1996-2003, 2005 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\srclib\canonicalize.h(2): Copyright (C) 2003 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\srclib\cjk.h(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.

libiconv\libiconv-1.11.1\srclib\error.c(2): Copyright (C) 1990-1998, 2000-2003, 2004 Free Software Foundation, Inc.

legal(ME)

libiconv\libiconv-1.11.1\srclib\error.h(2): Copyright (C) 1995, 1996, 1997, 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\exit.h(2): Copyright (C) 1995, 2001 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\gettext.h(2): Copyright (C) 1995-1998, 2000-2002, 2004-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\Makefile.am(2):## Copyright (C) 2003-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
libiconv\libiconv-1.11.1\srclib\pathmax.h(2): Copyright (C) 1992, 1999, 2001, 2003, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\progname.c(2): Copyright (C) 2001-2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\progname.h(2): Copyright (C) 2001-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\progrelloc.c(2): Copyright (C) 2003-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\readlink.c(2): Copyright (C) 2003-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\relocatable.c(2): Copyright (C) 2003-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\relocatable.h(2): Copyright (C) 2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\relocwrapper.c(2): Copyright (C) 2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\setenv.c(1):/* Copyright (C) 1992,1995-1999,2000-2003,2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\setenv.h(2): Copyright (C) 2001-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\stdbool_.h(1):/* Copyright (C) 2001, 2002, 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\stdint_.h(1):/* Copyright (C) 2001-2002, 2004-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\streq.h(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\strerror.c(3): Copyright (C) 1986, 1988-1989, 1991, 2002-2003, 2005 Free Software
libiconv\libiconv-1.11.1\srclib\unitypes.h(2): Copyright (C) 2002, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\uniwidth.h(2): Copyright (C) 2001-2002, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\unlocked-io.h(3): Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\unsetenv.c(1):/* Copyright (C) 1992,1995-1999,2000-2002,2005-2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\width.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\xalloc.h(2): Copyright (C) 2001-2004 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\xmalloc.c(2): Copyright (C) 1990-1996, 2000-2003, 2005 Free Software Foundation, Inc.

legal(ME)

libiconv\libiconv-1.11.1\srclib\xreadlink.c(3): Copyright (C) 2001, 2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\xreadlink.h(2): Copyright (C) 2001, 2003 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\srclib\xstrdup.c(2): Copyright (C) 1990, 1996, 2000-2003, 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tests\gengb18030z.c(1):/* Copyright (C) 2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tests\genutf8.c(1):/* Copyright (C) 2000, 2004-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tests\table-from.c(1):/* Copyright (C) 2000-2002, 2004-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tests\table-to.c(1):/* Copyright (C) 2000-2002, 2004-2005 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tests\uniq-u.c(2): Copyright (C) 86, 91, 1995-1998, 1999 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tools\8bit_tab_to_h.c(1):/* Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tools\8bit_tab_to_h.c(147):fprintf(f, " * Copyright (C) 1999-2002 Free Software Foundation, Inc.\n");
libiconv\libiconv-1.11.1\tools\cjk_tab_to_h.c(1):/* Copyright (C) 1999-2004, 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tools\cjk_tab_to_h.c(79):printf(" * Copyright (C) 1999-2006 Free Software Foundation, Inc.\n");
libiconv\libiconv-1.11.1\tools\cjk_variants.c(1):/* Copyright (C) 1999-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\tools\cjk_variants.c(38):printf(" * Copyright (C) 1999-2002 Free Software Foundation, Inc.\n");
libiconv\libiconv-1.11.1\windows\iconv.rc(28):VALUE "LegalCopyright", "Copyright (C) 1999-2005\0"
libiconv\libiconv-1.11.1\windows\stdbool.h(1):/* Copyright (C) 2001-2002 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\woe32dll\export.h(2): Copyright (C) 2006 Free Software Foundation, Inc.
libiconv\libiconv-1.11.1\woe32dll\iconv-exports.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
libiconv\NOTICE.txt(4): Copyright (C) 1991 Free Software Foundation, Inc.
libiconv\NOTICE.txt(408):copyrighted by the Free Software Foundation, write to the Free
libiconv\NOTICE.txt(476):Yoyodyne, Inc., hereby disclaims all copyright interest in the
libxml2\libxml2-2.7.8\aclocal.m4(113):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005, 2006, 2008
libxml2\libxml2-2.7.8\aclocal.m4(147):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2009
libxml2\libxml2-2.7.8\aclocal.m4(22):# Copyright (C) 2002, 2003, 2005, 2006, 2007, 2008 Free Software Foundation, Inc.
libxml2\libxml2-2.7.8\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
libxml2\libxml2-2.7.8\aclocal.m4(331):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2008
libxml2\libxml2-2.7.8\aclocal.m4(409):# Copyright (C) 1996, 1997, 2000, 2001,

legal(ME)

2003, 2005

libxml2\libxml2-2.7.8\aclocal.m4(423):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

libxml2\libxml2-2.7.8\aclocal.m4(560):# Copyright (C) 2001, 2003, 2005, 2008Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\aclocal.m4(581):# Copyright (C) 2003, 2005Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\aclocal.m4(60):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\aclocal.m4(604):# Copyright (C) 2001, 2002, 2003, 2005, 2009Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\aclocal.m4(656):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005, 2008

libxml2\libxml2-2.7.8\aclocal.m4(697):# Copyright (C) 2003, 2004, 2005, 2006Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\aclocal.m4(725):# Copyright (C) 2001, 2002, 2003, 2005, 2008Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\aclocal.m4(756):# Copyright (C) 1996, 1997, 1998, 2000, 2001, 2002, 2003, 2005, 2006

libxml2\libxml2-2.7.8\aclocal.m4(784):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005, 2008

libxml2\libxml2-2.7.8\aclocal.m4(847):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\aclocal.m4(875):# Copyright (C) 2006, 2008Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\aclocal.m4(896):# Copyright (C) 2004, 2005Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\ChangeLog(14384):* Copyright Makefile.am README configure.in libxml.spec.in:

libxml2\libxml2-2.7.8\ChangeLog(19672):* changed the original Copyright

libxml2\libxml2-2.7.8\ChangeLog(8505):* Copyright: fixed some wording

libxml2\libxml2-2.7.8\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

libxml2\libxml2-2.7.8\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,

libxml2\libxml2-2.7.8\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

libxml2\libxml2-2.7.8\config.sub(78):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,

libxml2\libxml2-2.7.8\configure(14639):ln -s Copyright COPYING

libxml2\libxml2-2.7.8\configure(15251):Copyright (C) 2010 Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\configure(16360):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

libxml2\libxml2-2.7.8\configure(1648):Copyright (C) 2010 Free Software Foundation, Inc.

libxml2\libxml2-2.7.8\configure(6):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

libxml2\libxml2-2.7.8\configure.in(1496):ln -s Copyright COPYING

libxml2\libxml2-2.7.8\COPYING(3):with different Copyright notices) all the files are:

libxml2\libxml2-2.7.8\COPYING(5): Copyright (C) 1998-2003 Daniel Veillard.All

legal(ME)

Rights Reserved.

libxml2\libxml2-2.7.8\Copyright(3):with different Copyright notices) all the files are:

libxml2\libxml2-2.7.8\Copyright(5): Copyright (C) 1998-2003 Daniel Veillard.All Rights Reserved.

libxml2\libxml2-2.7.8\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009 Free

libxml2\libxml2-2.7.8\dict.c(5): * Copyright (C) 2003 Daniel Veillard.

libxml2\libxml2-2.7.8\doc\devhelp\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

libxml2\libxml2-2.7.8\doc\examples\index.py(133):print "Example %s lacks a copyright description" % (filename)

libxml2\libxml2-2.7.8\doc\examples\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

libxml2\libxml2-2.7.8\doc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

libxml2\libxml2-2.7.8\doc\README.docs(7):This code is released under the MIT Licence see the Copyright file.

libxml2\libxml2-2.7.8\example\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

libxml2\libxml2-2.7.8\hash.c(6): * Copyright (C) 2000 Bjorn Reese and Daniel Veillard.

libxml2\libxml2-2.7.8\include\libxml\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

libxml2\libxml2-2.7.8\include\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

libxml2\libxml2-2.7.8\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005,

libxml2\libxml2-2.7.8\INSTALL(8):are permitted in any medium without royalty provided the copyright

libxml2\libxml2-2.7.8\install-sh(10):# Copyright (C) 1994 X Consortium

libxml2\libxml2-2.7.8\libxml.spec.in(119):%doc AUTHORS ChangeLog.gz NEWS README Copyright

libxml2\libxml2-2.7.8\libxml.spec.in(86):%doc AUTHORS ChangeLog.gz NEWS README Copyright TODO

libxml2\libxml2-2.7.8\libxml.spec.in(99):%doc AUTHORS ChangeLog.gz NEWS README Copyright

libxml2\libxml2-2.7.8\libxml2.spec(119):%doc AUTHORS ChangeLog.gz NEWS README Copyright

libxml2\libxml2-2.7.8\libxml2.spec(86):%doc AUTHORS ChangeLog.gz NEWS README Copyright TODO

libxml2\libxml2-2.7.8\libxml2.spec(99):%doc AUTHORS ChangeLog.gz NEWS README Copyright

libxml2\libxml2-2.7.8\list.c(4): * Copyright (C) 2000 Gary Pennington and Daniel Veillard.

libxml2\libxml2-2.7.8\ltmain.sh(6):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006,

libxml2\libxml2-2.7.8\m4\libtool.m4(13):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

libxml2\libxml2-2.7.8\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

libxml2\libxml2-2.7.8\m4\libtool.m4(637):Copyright (C) 2010 Free Software

legal(ME)

Foundation, Inc.
libxml2\libxml2-2.7.8\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005, 2007, 2009
Free Software Foundation, Inc.
libxml2\libxml2-2.7.8\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007, 2008,
2009 Free Software Foundation,
libxml2\libxml2-2.7.8\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007, 2008
Free Software Foundation, Inc.
libxml2\libxml2-2.7.8\m4\ltversion.m4(3):# Copyright (C) 2004 Free Software
Foundation, Inc.
libxml2\libxml2-2.7.8\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002,
2003, 2004, 2005, 2006,
libxml2\libxml2-2.7.8\python\Makefile.in(4):# Copyright (C) 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002,
libxml2\libxml2-2.7.8\python\tests\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
libxml2\libxml2-2.7.8\test\valid\dtds\NewsMLv1.0.dtd(7):Copyright (c) IPTC, 2000
libxml2\libxml2-2.7.8\test\valid\dtds\nitf-2-5.dtd(160):| doc.copyright
libxml2\libxml2-2.7.8\test\valid\dtds\nitf-2-5.dtd(6):Copyright (c) 2000. All
Rights Reserved.
libxml2\libxml2-2.7.8\test\valid\dtds\xhtml1-frameset.dtd(11): Copyright (c)
1998-1999 W3C (MIT, INRIA, Keio),
libxml2\libxml2-2.7.8\test\valid\dtds\xhtml1-strict.dtd(11): Copyright (c)
1998-1999 W3C (MIT, INRIA, Keio),
libxml2\libxml2-2.7.8\test\valid\dtds\xhtml1-transitional.dtd(11): Copyright (c)
1998-1999 W3C (MIT, INRIA, Keio),
libxml2\libxml2-2.7.8\tree.c(4074): * say RPM:Copyright without changing the
namespace pointer to
libxml2\libxml2-2.7.8\trio.c(5): * Copyright (C) 1998 Bjorn Reese and Daniel
Stenberg.
libxml2\libxml2-2.7.8\trio.h(5): * Copyright (C) 1998 Bjorn Reese and Daniel
Stenberg.
libxml2\libxml2-2.7.8\triodef.h(5): * Copyright (C) 2001 Bjorn Reese
<breese@users.sourceforge.net>
libxml2\libxml2-2.7.8\trionan.c(5): * Copyright (C) 2001 Bjorn Reese
<breese@users.sourceforge.net>
libxml2\libxml2-2.7.8\trionan.h(5): * Copyright (C) 2001 Bjorn Reese
<breese@users.sourceforge.net>
libxml2\libxml2-2.7.8\triop.h(5): * Copyright (C) 2000 Bjorn Reese and Daniel
Stenberg.
libxml2\libxml2-2.7.8\triostr.c(5): * Copyright (C) 2001 Bjorn Reese and Daniel
Stenberg.
libxml2\libxml2-2.7.8\triostr.h(5): * Copyright (C) 2001 Bjorn Reese and Daniel
Stenberg.
libxml2\libxml2-2.7.8\VxWorks\build.sh(42):rm -fR Copyright
libxml2\libxml2-2.7.8\xstc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002,
libxml2\NOTICE.txt(3):with different Copyright notices) all the files are:
libxml2\NOTICE.txt(5): Copyright (C) 1998-2003 Daniel Veillard.All Rights
Reserved.
linux-3.10\arch\alpha\boot\bootp.c(4): * Copyright (C) 1997 Jay Estabrook
linux-3.10\arch\alpha\boot\bootpz.c(4): * Copyright (C) 1997 Jay Estabrook
linux-3.10\arch\alpha\boot\main.c(4): * Copyright (C) 1994, 1995 Linus Torvalds

legal(ME)

linux-3.10\arch\alpha\boot\Makefile(8):# Copyright (C) 1994 by Linus Torvalds
linux-3.10\arch\alpha\boot\tools\objstrip.c(6): * Copyright (C) 1996 David
Mosberger-Tang.
linux-3.10\arch\alpha\include\asm\a.out-core.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\alpha\include\asm\bitops.h(12): * Copyright 1994, Linus Torvalds.
linux-3.10\arch\alpha\include\asm\bugs.h(4): *Copyright (C) 1994Linus Torvalds
linux-3.10\arch\alpha\include\asm\core_irongate.h(15): * Copyright (C) 1999 Alpha
Processor, Inc.,
linux-3.10\arch\alpha\include\asm\err_common.h(4): *Copyright (C) 2000 Jeff
Wiedemeier (Compaq Computer Corporation)
linux-3.10\arch\alpha\include\asm\floppy.h(8): * Copyright (C) 1995
linux-3.10\arch\alpha\include\asm\mmu_context.h(7): * Copyright (C) 1996, Linus
Torvalds
linux-3.10\arch\alpha\include\asm\parport.h(4): * Copyright (C) 1999, 2000Tim
Waugh <tim@cyberelk.demon.co.uk>
linux-3.10\arch\alpha\include\asm\processor.h(4): * Copyright (C) 1994 Linus
Torvalds
linux-3.10\arch\alpha\include\asm\sfp-machine.h(3): Copyright (C) 1997,1998,1999
Free Software Foundation, Inc.
linux-3.10\arch\alpha\kernel\core_cia.c(7): *Copyright (C) 1995David A Rusling
linux-3.10\arch\alpha\kernel\core_cia.c(8): *Copyright (C) 1997, 1998Jay
Estabrook
linux-3.10\arch\alpha\kernel\core_cia.c(9): *Copyright (C) 1998, 1999,
2000Richard Henderson
linux-3.10\arch\alpha\kernel\core_irongate.c(6): *Copyright (C) 1999 Alpha
Processor, Inc.,
linux-3.10\arch\alpha\kernel\core_wildfire.c(6): *Copyright (C) 2000 Andrea
Arcangeli <andrea@suse.de> SuSE
linux-3.10\arch\alpha\kernel\err_common.c(4): *Copyright (C) 2000 Jeff Wiedemeier
(Compaq Computer Corporation)
linux-3.10\arch\alpha\kernel\err_ev6.c(4): *Copyright (C) 2000 Jeff Wiedemeier
(Compaq Computer Corporation)
linux-3.10\arch\alpha\kernel\err_ev7.c(4): *Copyright (C) 2000 Jeff Wiedemeier
(Compaq Computer Corporation)
linux-3.10\arch\alpha\kernel\err_impl.h(4): *Copyright (C) 2000 Jeff Wiedemeier
(Compaq Computer Corporation)
linux-3.10\arch\alpha\kernel\err_marvel.c(4): *Copyright (C) 2001 Jeff Wiedemeier
(Compaq Computer Corporation)
linux-3.10\arch\alpha\kernel\err_titan.c(4): *Copyright (C) 2000 Jeff Wiedemeier
(Compaq Computer Corporation)
linux-3.10\arch\alpha\kernel\irq.c(4): *Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\alpha\kernel\irq_impl.h(4): *Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\alpha\kernel\irq_impl.h(5): *Copyright (C) 1998, 2000 Richard
Henderson
linux-3.10\arch\alpha\kernel\machvec_impl.h(4): *Copyright (C) 1997, 1998Richard
Henderson
linux-3.10\arch\alpha\kernel\module.c(2):Copyright (C) 2002 Richard Henderson.
linux-3.10\arch\alpha\kernel\osf_sys.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\alpha\kernel\pci-sysfs.c(4): * Copyright (C) 2009 Ivan Kokshaysky
linux-3.10\arch\alpha\kernel\perf_event.c(9): * ARM code, which are copyright by
their respective authors.

legal(ME)

linux-3.10\arch\alpha\kernel\process.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\alpha\kernel\setup.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\alpha\kernel\signal.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\alpha\kernel\smc37c669.c(29): * Copyright (C) 1997 by
linux-3.10\arch\alpha\kernel\smc37c669.c(891): * Copyright (C) 1997 by
linux-3.10\arch\alpha\kernel\sys_alcor.c(4): *Copyright (C) 1995 David A Rusling
linux-3.10\arch\alpha\kernel\sys_alcor.c(5): *Copyright (C) 1996 Jay A Estabrook
linux-3.10\arch\alpha\kernel\sys_alcor.c(6): *Copyright (C) 1998, 1999 Richard
Henderson
linux-3.10\arch\alpha\kernel\sys_cabriolet.c(4): *Copyright (C) 1995 David A
Rusling
linux-3.10\arch\alpha\kernel\sys_cabriolet.c(5): *Copyright (C) 1996 Jay A
Estabrook
linux-3.10\arch\alpha\kernel\sys_cabriolet.c(6): *Copyright (C) 1998, 1999, 2000
Richard Henderson
linux-3.10\arch\alpha\kernel\sys_dp264.c(4): *Copyright (C) 1995 David A Rusling
linux-3.10\arch\alpha\kernel\sys_dp264.c(5): *Copyright (C) 1996, 1999 Jay A
Estabrook
linux-3.10\arch\alpha\kernel\sys_dp264.c(6): *Copyright (C) 1998, 1999 Richard
Henderson
linux-3.10\arch\alpha\kernel\sys_eb64p.c(4): *Copyright (C) 1995 David A Rusling
linux-3.10\arch\alpha\kernel\sys_eb64p.c(5): *Copyright (C) 1996 Jay A Estabrook
linux-3.10\arch\alpha\kernel\sys_eb64p.c(6): *Copyright (C) 1998, 1999 Richard
Henderson
linux-3.10\arch\alpha\kernel\sys_eiger.c(4): *Copyright (C) 1995 David A Rusling
linux-3.10\arch\alpha\kernel\sys_eiger.c(5): *Copyright (C) 1996, 1999 Jay A
Estabrook
linux-3.10\arch\alpha\kernel\sys_eiger.c(6): *Copyright (C) 1998, 1999 Richard
Henderson
linux-3.10\arch\alpha\kernel\sys_eiger.c(7): *Copyright (C) 1999 Iain Grant
linux-3.10\arch\alpha\kernel\sys_jensen.c(4): *Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\alpha\kernel\sys_jensen.c(5): *Copyright (C) 1998, 1999 Richard
Henderson
linux-3.10\arch\alpha\kernel\sys_miata.c(4): *Copyright (C) 1995 David A Rusling
linux-3.10\arch\alpha\kernel\sys_miata.c(5): *Copyright (C) 1996 Jay A Estabrook
linux-3.10\arch\alpha\kernel\sys_miata.c(6): *Copyright (C) 1998, 1999, 2000
Richard Henderson
linux-3.10\arch\alpha\kernel\sys_mikasa.c(4): *Copyright (C) 1995 David A Rusling
linux-3.10\arch\alpha\kernel\sys_mikasa.c(5): *Copyright (C) 1996 Jay A Estabrook
linux-3.10\arch\alpha\kernel\sys_mikasa.c(6): *Copyright (C) 1998, 1999 Richard
Henderson
linux-3.10\arch\alpha\kernel\sys_nautilus.c(4): *Copyright (C) 1995 David A
Rusling
linux-3.10\arch\alpha\kernel\sys_nautilus.c(5): *Copyright (C) 1998 Richard
Henderson
linux-3.10\arch\alpha\kernel\sys_nautilus.c(6): *Copyright (C) 1999 Alpha
Processor, Inc.,
linux-3.10\arch\alpha\kernel\sys_noritake.c(4): *Copyright (C) 1995 David A
Rusling
linux-3.10\arch\alpha\kernel\sys_noritake.c(5): *Copyright (C) 1996 Jay A
Estabrook
linux-3.10\arch\alpha\kernel\sys_noritake.c(6): *Copyright (C) 1998, 1999 Richard

legal(ME)

Henderson

linux-3.10\arch\alpha\kernel\sys_rawhide.c(4): *Copyright (C) 1995 David A
Rusling

linux-3.10\arch\alpha\kernel\sys_rawhide.c(5): *Copyright (C) 1996 Jay A
Estabrook

linux-3.10\arch\alpha\kernel\sys_rawhide.c(6): *Copyright (C) 1998, 1999 Richard
Henderson

linux-3.10\arch\alpha\kernel\sys_ruffian.c(4): *Copyright (C) 1995 David A
Rusling

linux-3.10\arch\alpha\kernel\sys_ruffian.c(5): *Copyright (C) 1996 Jay A
Estabrook

linux-3.10\arch\alpha\kernel\sys_ruffian.c(6): *Copyright (C) 1998, 1999, 2000
Richard Henderson

linux-3.10\arch\alpha\kernel\sys_rx164.c(4): *Copyright (C) 1995 David A Rusling

linux-3.10\arch\alpha\kernel\sys_rx164.c(5): *Copyright (C) 1996 Jay A Estabrook

linux-3.10\arch\alpha\kernel\sys_rx164.c(6): *Copyright (C) 1998, 1999 Richard
Henderson

linux-3.10\arch\alpha\kernel\sys_sable.c(4): *Copyright (C) 1995 David A Rusling

linux-3.10\arch\alpha\kernel\sys_sable.c(5): *Copyright (C) 1996 Jay A Estabrook

linux-3.10\arch\alpha\kernel\sys_sable.c(6): *Copyright (C) 1998, 1999 Richard
Henderson

linux-3.10\arch\alpha\kernel\sys_sio.c(4): *Copyright (C) 1995 David A Rusling

linux-3.10\arch\alpha\kernel\sys_sio.c(5): *Copyright (C) 1996 Jay A Estabrook

linux-3.10\arch\alpha\kernel\sys_sio.c(6): *Copyright (C) 1998, 1999 Richard
Henderson

linux-3.10\arch\alpha\kernel\sys_sx164.c(4): *Copyright (C) 1995 David A Rusling

linux-3.10\arch\alpha\kernel\sys_sx164.c(5): *Copyright (C) 1996 Jay A Estabrook

linux-3.10\arch\alpha\kernel\sys_sx164.c(6): *Copyright (C) 1998, 1999, 2000
Richard Henderson

linux-3.10\arch\alpha\kernel\sys_takara.c(4): *Copyright (C) 1995 David A Rusling

linux-3.10\arch\alpha\kernel\sys_takara.c(5): *Copyright (C) 1996 Jay A Estabrook

linux-3.10\arch\alpha\kernel\sys_takara.c(6): *Copyright (C) 1998, 1999 Richard
Henderson

linux-3.10\arch\alpha\kernel\sys_titan.c(4): *Copyright (C) 1995 David A Rusling

linux-3.10\arch\alpha\kernel\sys_titan.c(5): *Copyright (C) 1996, 1999 Jay A

Estabrook

linux-3.10\arch\alpha\kernel\sys_titan.c(6): *Copyright (C) 1998, 1999 Richard
Henderson

linux-3.10\arch\alpha\kernel\sys_titan.c(7): *Copyright (C) 1999, 2000 Jeff
Wiedemeier

linux-3.10\arch\alpha\kernel\sys_wildfire.c(6): *Copyright (C) 2000 Andrea
Arcangeli <andrea@suse.de> SuSE

linux-3.10\arch\alpha\kernel\time.c(4): *Copyright (C) 1991, 1992, 1995, 1999,
2000 Linus Torvalds

linux-3.10\arch\alpha\kernel\traps.c(4): * (C) Copyright 1994 Linus Torvalds

linux-3.10\arch\alpha\lib\csum_partial_copy.c(4): * (C) Copyright 1996 Linus
Torvalds

linux-3.10\arch\alpha\lib\divide.S(30): * nicer on the cache.. Besides, I don't
know the copyright status

linux-3.10\arch\alpha\lib\ev6-divide.S(30): * nicer on the cache.. Besides, I
don't know the copyright status

linux-3.10\arch\alpha\lib\fpreg.c(4): * (C) Copyright 1998 Linus Torvalds

legal(ME)

linux-3.10\arch\alpha\lib\memchr.S(1):/* Copyright (C) 1996 Free Software Foundation, Inc.
linux-3.10\arch\alpha\lib\memcpy.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\alpha\lib\memset.S(7): *(C) Copyright 1996 Linus Torvalds
linux-3.10\arch\alpha\lib\udelay.c(2): * Copyright (C) 1993, 2000 Linus Torvalds
linux-3.10\arch\alpha\Makefile(8):# Copyright (C) 1994 by Linus Torvalds
linux-3.10\arch\alpha\math-emu\qrand.S(2): # Copyright (C) 1992, 1994, 1995, 2000 Free Software Foundation, Inc.
linux-3.10\arch\alpha\mm\fault.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\alpha\mm\init.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\alpha\mm\numa.c(6): *Copyright (C) 2001 Andrea Arcangeli
<andrea@suse.de> SuSE
linux-3.10\arch\alpha\oprofile\common.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\alpha\oprofile\op_impl.h(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\alpha\oprofile\op_model_ev4.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\alpha\oprofile\op_model_ev5.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\alpha\oprofile\op_model_ev6.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\alpha\oprofile\op_model_ev67.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\arc\boot\dts\abilis_tb100.dtsi(4): * Copyright (C) Abilis Systems 2013
linux-3.10\arch\arc\boot\dts\abilis_tb100_dvk.dts(4): * Copyright (C) Abilis Systems 2013
linux-3.10\arch\arc\boot\dts\abilis_tb101.dtsi(4): * Copyright (C) Abilis Systems 2013
linux-3.10\arch\arc\boot\dts\abilis_tb101_dvk.dts(4): * Copyright (C) Abilis Systems 2013
linux-3.10\arch\arc\boot\dts\abilis_tb10x.dtsi(4): * Copyright (C) Abilis Systems 2013
linux-3.10\arch\arc\boot\dts\angel4.dts(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\boot\dts\nsimosci.dts(2): * Copyright (C) 2013 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\boot\dts\skeleton.dts(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\boot\dts\skeleton.dtsi(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\arcregs.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\asm-offsets.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\atomic.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\barrier.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\bitops.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)

legal(ME)

linux-3.10\arch\arc\include\asm\bug.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\cache.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\cacheflush.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\checksum.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\clk.h(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\cmpxchg.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\current.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\defines.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\delay.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\disasm.h(5): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\dma.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\dma-mapping.h(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\elf.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\entry.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\exec.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\futex.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\io.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\irq.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\irqflags.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\kdebug.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\kgdb.h(4): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\kprobes.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\linkage.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\mach_desc.h(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\mmu.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\mmu_context.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)

legal(ME)

linux-3.10\arch\arc\include\asm\module.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\mutex.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\page.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\perf_event.h(2): * Copyright (C) 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\pgalloc.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\pgtable.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\processor.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\prom.h(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\ptrace.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\sections.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\segment.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\serial.h(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\setup.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\shmparam.h(2): * Copyright (C) 2013 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\smp.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\spinlock.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\spinlock_types.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\string.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\switch_to.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\syscall.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\syscalls.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\thread_info.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\timex.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\tlb.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\tlbflush.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\tlb-mmu1.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)

legal(ME)

linux-3.10\arch\arc\include\asm\uaccess.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\unaligned.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\asm\unwind.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\byteorder.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\cachectl.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\elf.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\page.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\ptrace.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\sigcontext.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\signal.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\swab.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\include\uapi\asm\unistd.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\Kconfig(2):# Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\arc_hostlink.c(6): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\arcksyms.c(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\asm-offsets.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\clk.c(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\ctx_sw.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\ctx_sw_asm.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\devtree.c(2): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\disasm.c(5): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\entry.S(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\fpu.c(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\head.S(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\irq.c(2): * Copyright (C) 2011-12 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\kgdb.c(4): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)

legal(ME)

linux-3.10\arch\arc\kernel\kprobes.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\Makefile(2):# Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\module.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\process.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\ptrace.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\reset.c(2): * Copyright (C) 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\setup.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\signal.c(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\smp.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\stacktrace.c(5): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\time.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\traps.c(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\troubleshoot.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\unaligned.c(2): * Copyright (C) 2011-2012 Synopsys (www.synopsys.com)
linux-3.10\arch\arc\kernel\unwind.c(2): * Copyright (C) 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\kernel\unwind.c(3): * Copyright (C) 2002-2006 Novell, Inc.
linux-3.10\arch\arc\kernel\vmlinux.lds.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\lib\Makefile(2):# Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\lib\memcmp.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\lib\memcpy-700.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\lib\memset.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\lib\strchr-700.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\lib\strcmp.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\lib\strcpy-700.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\lib\strlen.S(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\Makefile(2):# Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\cache_arc700.c(4): * Copyright (C) 2004, 2007-2010,

legal(ME)

2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\dma.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\extable.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\fault.c(3): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\init.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\ioremap.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\Makefile(2):# Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\mmap.c(6): * Copyright (C) 2013 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\tlb.c(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\mm\tlbex.S(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\oprofile\common.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-arcfpga\include\plat\irq.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-arcfpga\include\plat\mmap.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-arcfpga\include\plat\smp.h(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-arcfpga\irq.c(4): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-arcfpga\Kconfig(2):# Copyright (C) 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-arcfpga\Makefile(2):# Copyright (C) 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-arcfpga\platform.c(4): * Copyright (C) 2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-arcfpga\smp.c(4): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\arch\arc\plat-tb10x\tb10x.c(4): * Copyright (C) Abilis Systems 2012
linux-3.10\arch\arm\boot\bootp\bootp.lds(4): *Copyright (C) 2000-2002 Russell King
linux-3.10\arch\arm\boot\bootp\init.S(4): *Copyright (C) 2000-2003 Russell King.
linux-3.10\arch\arm\boot\compressed\head.S(4): *Copyright (C) 1996-2002 Russell King
linux-3.10\arch\arm\boot\compressed\head.S(5): *Copyright (C) 2004 Hyok S. Choi (MPU support)
linux-3.10\arch\arm\boot\compressed\head-sa1100.S(4): * Copyright (C) 1999 Nicolas Pitre <nico@fluxnic.net>
linux-3.10\arch\arm\boot\compressed\head-sharpsl.S(4): * Copyright (C) 2004-2005 Richard Purdie <rpurdie@rpsys.net>
linux-3.10\arch\arm\boot\compressed\ll_char_wr.S(4): *Copyright (C) 1995, 1996 Russell King.
linux-3.10\arch\arm\boot\compressed\mmCIF-sh7372.c(4): * Copyright (C) 2010

legal(ME)

Magnus Damm

linux-3.10\arch\arm\boot\compressed\mmcif-sh7372.c(5): * Copyright (C) 2010 Simon Horman

linux-3.10\arch\arm\boot\compressed\sdhi-sh7372.c(4): * Copyright (C) 2010 Magnus Damm

linux-3.10\arch\arm\boot\compressed\sdhi-sh7372.c(5): * Copyright (C) 2010 Kuninori Morimoto

linux-3.10\arch\arm\boot\compressed\sdhi-sh7372.c(6): * Copyright (C) 2010 Simon Horman

linux-3.10\arch\arm\boot\compressed\sdhi-shmobile.c(4): * Copyright (C) 2010 Magnus Damm

linux-3.10\arch\arm\boot\compressed\sdhi-shmobile.c(5): * Copyright (C) 2010 Kuninori Morimoto

linux-3.10\arch\arm\boot\compressed\sdhi-shmobile.c(6): * Copyright (C) 2010 Simon Horman

linux-3.10\arch\arm\boot\compressed\vmlinux.lds.in(4): *Copyright (C) 2000 Russell King

linux-3.10\arch\arm\boot\dts\aks-cdu.dts(4): * Copyright (C) 2012 AK signal Brno a.s.

linux-3.10\arch\arm\boot\dts\am335x-bone.dts(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\am335x-evm.dts(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\am335x-evmsk.dts(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\am33xx.dtsi(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\am3517_mt_ventoux.dts(2): * Copyright (C) 2011 Ilya Yanok, EmCraft Systems

linux-3.10\arch\arm\boot\dts\am3517-evm.dts(2): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\animeo_ip.dts(4): *Copyright (C) 2011-2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>

linux-3.10\arch\arm\boot\dts\armada-370.dtsi(4): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\armada-370-db.dts(5): *Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\armada-370-rd.dts(7): *Copyright (C) 2013 Florian Fainelli <florian@openwrt.org>

linux-3.10\arch\arm\boot\dts\armada-370-xp.dtsi(4): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\armada-xp.dtsi(4): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\armada-xp-db.dts(5): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\armada-xp-gp.dts(5): * Copyright (C) 2013 Marvell

linux-3.10\arch\arm\boot\dts\armada-xp-mv78230.dtsi(4): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\armada-xp-mv78260.dtsi(4): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\armada-xp-mv78460.dtsi(4): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\armada-xp-openblocks-ax3-4.dts(4): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\boot\dts\at91-ariag25.dts(4): * Copyright (C) 2013 Douglas Gilbert <dgilbert@interlog.com>,

linux-3.10\arch\arm\boot\dts\at91rm9200.dtsi(4): *Copyright (C) 2011 Atmel,

legal(ME)

linux-3.10\arch\arm\boot\dts\at91rm9200ek.dts(4): *Copyright (C) 2012 Joachim Eastwood <manabian@gmail.com>
linux-3.10\arch\arm\boot\dts\at91sam9260.dtsi(4): *Copyright (C) 2011 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9263.dtsi(4): *Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9263ek.dts(4): *Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9g15.dtsi(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9g15ek.dts(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9g20.dtsi(4): *Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9g20ek.dts(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9g20ek_2mmc.dts(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9g20ek_common.dtsi(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9g25.dtsi(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9g25ek.dts(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9g35.dtsi(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9g35ek.dts(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9g45.dtsi(6): *Copyright (C) 2011 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9m10g45ek.dts(4): *Copyright (C) 2011 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9n12.dtsi(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9n12ek.dts(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9x25.dtsi(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9x25ek.dts(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9x35.dtsi(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\at91sam9x35ek.dts(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9x5.dtsi(6): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9x5cm.dtsi(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\at91sam9x5ek.dtsi(4): *Copyright (C) 2012 Atmel,
linux-3.10\arch\arm\boot\dts\atlas6.dtsi(4): * Copyright (c) 2012 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\boot\dts\atlas6-evb.dts(4): * Copyright (c) 2012 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\boot\dts\bcm11351.dtsi(2): * Copyright (C) 2012 Broadcom Corporation
linux-3.10\arch\arm\boot\dts\bcm11351-brt.dts(2): * Copyright (C) 2012 Broadcom Corporation
linux-3.10\arch\arm\boot\dts\ccu9540.dts(2): * Copyright 2012 ST-Ericsson AB
linux-3.10\arch\arm\boot\dts\cros5250-common.dtsi(4): * Copyright (c) 2012 Google, Inc
linux-3.10\arch\arm\boot\dts\da850.dtsi(2): * Copyright 2012 DENX Software Engineering GmbH
linux-3.10\arch\arm\boot\dts\da850-enbw-cmc.dts(4): * Copyright 2012 DENX Software Engineering GmbH

legal(ME)

linux-3.10\arch\arm\boot\dts\da850-evm.dts(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\dbx5x0.dtsi(2): * Copyright 2012 Linaro Ltd
linux-3.10\arch\arm\boot\dts\ea3250.dts(4): * Copyright 2012 Roland Stigge <stigge@antcom.de>
linux-3.10\arch\arm\boot\dts\ecx-2000.dts(2): * Copyright 2011-2012 Calxeda, Inc.
linux-3.10\arch\arm\boot\dts\ecx-common.dtsi(2): * Copyright 2011-2012 Calxeda, Inc.
linux-3.10\arch\arm\boot\dts\emev2.dtsi(4): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\arch\arm\boot\dts\emev2-kzm9d.dts(4): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\arch\arm\boot\dts\ethernut5.dts(4): * Copyright (C) 2012 egnite GmbH <info@egnite.de>
linux-3.10\arch\arm\boot\dts\evk-pro3.dts(4): * Copyright (C) 2012 Telit,
linux-3.10\arch\arm\boot\dts\exynos4.dtsi(4): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4.dtsi(6): * Copyright (c) 2010-2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210.dtsi(4): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210.dtsi(6): * Copyright (c) 2010-2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210-origen.dts(4): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210-origen.dts(6): * Copyright (c) 2010-2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210-pinctrl.dtsi(4): * Copyright (c) 2011-2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210-pinctrl.dtsi(6): * Copyright (c) 2011-2012 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210-smdkv310.dts(4): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210-smdkv310.dts(6): * Copyright (c) 2010-2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210-trats.dts(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4210-universal_c210.dts(4): * Copyright (c) 2012-2013 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4212.dtsi(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4412.dtsi(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4412-odroidx.dts(4): * Copyright (c) 2012 Dongjin Kim <tobetter@gmail.com>
linux-3.10\arch\arm\boot\dts\exynos4412-origen.dts(4): * Copyright (c) 2012-2013 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4412-smdk4412.dts(4): * Copyright (c) 2012-2013 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4x12.dtsi(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos4x12-pinctrl.dtsi(4): * Copyright (c) 2012

legal(ME)

Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos5250.dtsi(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos5250-arndale.dts(4): * Copyright (c) 2013 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos5250-pinctrl.dtsi(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos5250-smdk5250.dts(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos5250-snow.dts(4): * Copyright (c) 2012 Google, Inc
linux-3.10\arch\arm\boot\dts\exynos5440.dtsi(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos5440-sd5v1.dts(4): * Copyright (c) 2013 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\exynos5440-ssdk5440.dts(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\boot\dts\ge863-pro3.dtsi(4): * Copyright (C) 2012 Telit,
linux-3.10\arch\arm\boot\dts\highbank.dts(2): * Copyright 2011-2012 Calxeda, Inc.
linux-3.10\arch\arm\boot\dts\href.dtsi(2): * Copyright 2012 ST-Ericsson AB
linux-3.10\arch\arm\boot\dts\hrefprev60.dts(2): * Copyright 2012 ST-Ericsson AB
linux-3.10\arch\arm\boot\dts\hrefv60plus.dts(2): * Copyright 2012 ST-Ericsson AB
linux-3.10\arch\arm\boot\dts\imx23.dtsi(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx23-evk.dts(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx23-olinuxino.dts(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx23-stmp378x_devb.dts(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx25.dtsi(2): * Copyright 2012 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
linux-3.10\arch\arm\boot\dts\imx25-karo-tx25.dts(2): * Copyright 2012 Sascha Hauer, Pengutronix
linux-3.10\arch\arm\boot\dts\imx25-pdk.dts(2): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx27.dtsi(2): * Copyright 2012 Sascha Hauer, Pengutronix
linux-3.10\arch\arm\boot\dts\imx27-apf27.dts(2): * Copyright 2012 Philippe Reynes <tremyfr@yahoo.fr>
linux-3.10\arch\arm\boot\dts\imx27-apf27.dts(3): * Copyright 2012 Armadeus Systems <support@armadeus.com>
linux-3.10\arch\arm\boot\dts\imx27-apf27.dts(5): * Based on code which is: Copyright 2012 Sascha Hauer, Pengutronix
linux-3.10\arch\arm\boot\dts\imx27-apf27dev.dts(2): * Copyright 2013 Armadeus Systems - <support@armadeus.com>
linux-3.10\arch\arm\boot\dts\imx27-pdk.dts(2): * Copyright 2012 Sascha Hauer, Pengutronix
linux-3.10\arch\arm\boot\dts\imx27-phytec-phycore.dts(2): * Copyright 2012 Sascha Hauer, Pengutronix
linux-3.10\arch\arm\boot\dts\imx28.dtsi(2): * Copyright 2012 Freescale Semiconductor, Inc.

legal(ME)

linux-3.10\arch\arm\boot\dts\imx28-apf28.dts(2): * Copyright 2012 Armadeus Systems - <support@armadeus.com>
linux-3.10\arch\arm\boot\dts\imx28-apf28dev.dts(2): * Copyright 2012 Armadeus Systems - <support@armadeus.com>
linux-3.10\arch\arm\boot\dts\imx28-cfa10036.dts(2): * Copyright 2012 Free Electrons
linux-3.10\arch\arm\boot\dts\imx28-cfa10037.dts(2): * Copyright 2012 Free Electrons
linux-3.10\arch\arm\boot\dts\imx28-cfa10049.dts(2): * Copyright 2012 Free Electrons
linux-3.10\arch\arm\boot\dts\imx28-evk.dts(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx28-m28evk.dts(2): * Copyright (C) 2012 Marek Vasut <marex@denx.de>
linux-3.10\arch\arm\boot\dts\imx28-sps1.dts(2): * Copyright (C) 2012 Marek Vasut <marex@denx.de>
linux-3.10\arch\arm\boot\dts\imx31.dtsi(2): * Copyright 2012 Denis 'GNUtoo' Carikli <GNUtoo@no-log.org>
linux-3.10\arch\arm\boot\dts\imx31-bug.dts(2): * Copyright 2012 Denis 'GNUtoo' Carikli <GNUtoo@no-log.org>
linux-3.10\arch\arm\boot\dts\imx35-pinfunc.h(2): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx51.dtsi(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx51.dtsi(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx51-apf51.dts(2): * Copyright 2012 Armadeus Systems - <support@armadeus.com>
linux-3.10\arch\arm\boot\dts\imx51-apf51.dts(3): * Copyright 2012 Laurent Cans <laurent.cans@gmail.com>
linux-3.10\arch\arm\boot\dts\imx51-apf51.dts(6): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx51-apf51.dts(7): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx51-apf51dev.dts(2): * Copyright 2013 Armadeus Systems - <support@armadeus.com>
linux-3.10\arch\arm\boot\dts\imx51-babbage.dts(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx51-babbage.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx51-pinfunc.h(2): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx53.dtsi(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx53.dtsi(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx53-ard.dts(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx53-ard.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx53-evk.dts(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx53-evk.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx53-mba53.dts(2): * Copyright 2012 Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\boot\dts\imx53-mba53.dts(3): * Copyright 2012 Steffen Trumtrar <s.trumtrar@pengutronix.de>, Pengutronix

legal(ME)

linux-3.10\arch\arm\boot\dts\imx53-pinfunc.h(2): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx53-qsb.dts(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx53-qsb.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx53-smd.dts(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx53-smd.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx53-tqma53.dtsi(2): * Copyright 2012 Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\boot\dts\imx53-tqma53.dtsi(3): * Copyright 2012 Steffen Trumtrar <s.trumtrar@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\boot\dts\imx6dl.dtsi(3): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6dl-pinfunc.h(2): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6dl-sabreauto.dts(2): * Copyright (C) 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6dl-sabresd.dts(2): * Copyright (C) 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6dl-wandboard.dts(2): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6q.dtsi(3): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6q-arm2.dts(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6q-arm2.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx6qdl.dtsi(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6qdl.dtsi(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx6qdl-sabreauto.dtsi(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6qdl-sabreauto.dtsi(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx6qdl-sabresd.dtsi(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6qdl-sabresd.dtsi(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx6q-pinfunc.h(2): * Copyright 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6q-sabreauto.dts(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6q-sabreauto.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx6q-sabrelite.dts(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6q-sabrelite.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx6q-sabresd.dts(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\boot\dts\imx6q-sabresd.dts(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\boot\dts\imx6q-sbc6x.dts(2): * Copyright 2013 Pavel Machek <pavel@denx.de>
linux-3.10\arch\arm\boot\dts\imx6sl-pinfunc.h(2): * Copyright 2013 Freescale

legal(ME)

Semiconductor, Inc.

linux-3.10\arch\arm\boot\dts\kizbox.dts(4): * Copyright (C) 2012 Boris BREZILLON
<linux-arm@overkiz.com>

linux-3.10\arch\arm\boot\dts\lpc32xx.dtsi(4): * Copyright 2012 Roland Stigge
<stigge@antcom.de>

linux-3.10\arch\arm\boot\dts\marco.dtsi(4): * Copyright (c) 2012 Cambridge
Silicon Radio Limited, a CSR plc group company.

linux-3.10\arch\arm\boot\dts\marco-evb.dts(4): * Copyright (c) 2012 Cambridge
Silicon Radio Limited, a CSR plc group company.

linux-3.10\arch\arm\boot\dts\mmp2.dtsi(2): *Copyright (C) 2012 Marvell Technology
Group Ltd.

linux-3.10\arch\arm\boot\dts\mmp2-brownstone.dts(2): *Copyright (C) 2012 Marvell
Technology Group Ltd.

linux-3.10\arch\arm\boot\dts\mpa1600.dts(4): *Copyright (C) 2013 Joachim Eastwood
<manabian@gmail.com>

linux-3.10\arch\arm\boot\dts\omap2.dtsi(4): * Copyright (C) 2011 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap2420.dtsi(4): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap2420-h4.dts(2): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap2430.dtsi(4): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap3.dtsi(4): * Copyright (C) 2011 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap3430-sdp.dts(2): * Copyright (C) 2013 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap34xx.dtsi(4): * Copyright (C) 2013 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap36xx.dtsi(4): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap3-beagle.dts(2): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap3-beagle-xm.dts(2): * Copyright (C) 2011 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap3-evm.dts(2): * Copyright (C) 2011 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\boot\dts\omap3-igep.dtsi(4): * Copyright (C) 2012 Javier
Martinez Canillas <javier@collabora.co.uk>

linux-3.10\arch\arm\boot\dts\omap3-igep.dtsi(5): * Copyright (C) 2012 Enric
Balletbo i Serra <eballetbo@gmail.com>

linux-3.10\arch\arm\boot\dts\omap3-igep0020.dts(4): * Copyright (C) 2012 Javier
Martinez Canillas <javier@collabora.co.uk>

linux-3.10\arch\arm\boot\dts\omap3-igep0020.dts(5): * Copyright (C) 2012 Enric
Balletbo i Serra <eballetbo@gmail.com>

linux-3.10\arch\arm\boot\dts\omap3-igep0030.dts(4): * Copyright (C) 2012 Javier
Martinez Canillas <javier@collabora.co.uk>

linux-3.10\arch\arm\boot\dts\omap3-igep0030.dts(5): * Copyright (C) 2012 Enric
Balletbo i Serra <eballetbo@gmail.com>

linux-3.10\arch\arm\boot\dts\omap3-overo.dtsi(2): * Copyright (C) 2012 Florian
Vaussard, EPFL Mobots group

linux-3.10\arch\arm\boot\dts\omap3-tobi.dts(2): * Copyright (C) 2012 Florian

legal(ME)

Vaussard, EPFL Robots group

linux-3.10\arch\arm\boot\dts\omap4.dtsi(2): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap443x.dtsi(4): * Copyright (C) 2013 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap4460.dtsi(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap4-panda.dts(2): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap4-panda-a4.dts(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap4-panda-common.dtsi(2): * Copyright (C) 2011-2013 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap4-panda-es.dts(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap4-sdp.dts(2): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap4-sdp-es23plus.dts(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap4-var-som.dts(2): * Copyright (C) 2012 Variscite Ltd. - <http://www.variscite.com>
linux-3.10\arch\arm\boot\dts\omap5.dtsi(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\omap5-evm.dts(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\orion5x.dtsi(2): * Copyright (C) 2012 Thomas Petazzoni <thomas.petazzoni@free-electrons.com>
linux-3.10\arch\arm\boot\dts\orion5x-lacie-ethernet-disk-mini-v2.dts(2): * Copyright (C) 2012 Thomas Petazzoni <thomas.petazzoni@free-electrons.com>
linux-3.10\arch\arm\boot\dts\phy3250.dts(4): * Copyright 2012 Roland Stigge <stigge@antcom.de>
linux-3.10\arch\arm\boot\dts\picoccell-pc3x2.dtsi(2): *Copyright (C) 2011 Picochip, Jamie Iles
linux-3.10\arch\arm\boot\dts\picoccell-pc3x3.dtsi(2): *Copyright (C) 2011 Picochip, Jamie Iles
linux-3.10\arch\arm\boot\dts\picoccell-pc7302-pc3x2.dts(2): *Copyright (C) 2011 Picochip, Jamie Iles
linux-3.10\arch\arm\boot\dts\picoccell-pc7302-pc3x3.dts(2): *Copyright (C) 2011 Picochip, Jamie Iles
linux-3.10\arch\arm\boot\dts\pm9g45.dts(4): *Copyright (C) 2012 Jean-Christophe PLAGNIOIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\prima2.dtsi(4): * Copyright (c) 2012 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\boot\dts\prima2-evb.dts(4): * Copyright (c) 2012 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\boot\dts\pxa168.dtsi(2): *Copyright (C) 2012 Marvell Technology Group Ltd.
linux-3.10\arch\arm\boot\dts\pxa168-aspenite.dts(2): *Copyright (C) 2012 Marvell Technology Group Ltd.
linux-3.10\arch\arm\boot\dts\pxa2xx.dtsi(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\arch\arm\boot\dts\pxa910.dtsi(2): *Copyright (C) 2012 Marvell

legal(ME)

Technology Group Ltd.

linux-3.10\arch\arm\boot\dts\pxa910-dkb.dts(2): *Copyright (C) 2012 Marvell
Technology Group Ltd.

linux-3.10\arch\arm\boot\dts\r8a73a4.dtsi(4): * Copyright (C) 2013 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a73a4.dtsi(5): * Copyright (C) 2013 Magnus Damm

linux-3.10\arch\arm\boot\dts\r8a73a4-ape6evm.dts(4): * Copyright (C) 2013 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7740.dtsi(4): * Copyright (C) 2012 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7740-armadillo800eva.dts(4): * Copyright (C) 2012
Renesas Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7778.dtsi(10): * Copyright (C) 2013 Simon Horman

linux-3.10\arch\arm\boot\dts\r8a7778.dtsi(4): * Copyright (C) 2013Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7778.dtsi(5): * Copyright (C) 2013Kuninori
Morimoto <kuninori.morimoto.gx@renesas.com>

linux-3.10\arch\arm\boot\dts\r8a7778.dtsi(9): * Copyright (C) 2013 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7778-bockw.dts(10): * Copyright (C) 2013 Simon
Horman

linux-3.10\arch\arm\boot\dts\r8a7778-bockw.dts(4): * Copyright (C) 2013Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7778-bockw.dts(5): * Copyright (C) 2013Kuninori
Morimoto <kuninori.morimoto.gx@renesas.com>

linux-3.10\arch\arm\boot\dts\r8a7778-bockw.dts(9): * Copyright (C) 2013 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7779.dtsi(4): * Copyright (C) 2013 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7779.dtsi(5): * Copyright (C) 2013 Simon Horman

linux-3.10\arch\arm\boot\dts\r8a7779-marzen-reference.dts(4): * Copyright (C)
2013 Renesas Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7779-marzen-reference.dts(5): * Copyright (C)
2013 Simon Horman

linux-3.10\arch\arm\boot\dts\r8a7790.dtsi(4): * Copyright (C) 2013 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\r8a7790-lager.dts(4): * Copyright (C) 2013 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\sama5d3.dtsi(5): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\boot\dts\sama5d31ek.dts(4): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\boot\dts\sama5d33ek.dts(4): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\boot\dts\sama5d34ek.dts(4): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\boot\dts\sama5d35ek.dts(4): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\boot\dts\sama5d3xcm.dtsi(4): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\boot\dts\sama5d3xmd.dtsi(4): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\boot\dts\sama5d3xmb.dtsi(4): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\boot\dts\sh7372.dtsi(4): * Copyright (C) 2012 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\sh7372-mackerel.dts(4): * Copyright (C) 2012 Renesas
Solutions Corp.

linux-3.10\arch\arm\boot\dts\sh73a0.dtsi(4): * Copyright (C) 2012 Renesas
Solutions Corp.

legal(ME)

linux-3.10\arch\arm\boot\dts\sh73a0-kzm9g.dts(4): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\arch\arm\boot\dts\sh73a0-kzm9g-reference.dts(4): * Copyright (C) 2012 Horms Solutions Ltd.
linux-3.10\arch\arm\boot\dts\sh73a0-kzm9g-reference.dts(7): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\arch\arm\boot\dts\snowball.dts(2): * Copyright 2011 ST-Ericsson AB
linux-3.10\arch\arm\boot\dts\socfpga.dtsi(2): *Copyright (C) 2012 Altera <www.altera.com>
linux-3.10\arch\arm\boot\dts\socfpga_cyclone5.dts(2): *Copyright (C) 2012 Altera Corporation <www.altera.com>
linux-3.10\arch\arm\boot\dts\socfpga_vt.dts(2): *Copyright (C) 2013 Altera Corporation <www.altera.com>
linux-3.10\arch\arm\boot\dts\spear1310.dtsi(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear1310-evb.dts(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear1340.dtsi(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear1340-evb.dts(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear13xx.dtsi(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear300.dtsi(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear300-evb.dts(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear310.dtsi(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear310-evb.dts(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear320.dtsi(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear320-evb.dts(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear320-hmi.dts(4): * Copyright 2012 Shiraz Hashim <shiraz.hashim@st.com>
linux-3.10\arch\arm\boot\dts\spear3xx.dtsi(4): * Copyright 2012 Viresh Kumar <viresh.linux@gmail.com>
linux-3.10\arch\arm\boot\dts\spear600.dtsi(2): * Copyright 2012 Stefan Roes <sr@denx.de>
linux-3.10\arch\arm\boot\dts\spear600-evb.dts(2): * Copyright 2012 Stefan Roes <sr@denx.de>
linux-3.10\arch\arm\boot\dts\stuib.dtsi(2): * Copyright 2012 ST-Ericsson AB
linux-3.10\arch\arm\boot\dts\sun4i-a10.dtsi(2): * Copyright 2012 Stefan Roes
linux-3.10\arch\arm\boot\dts\sun4i-a10-cubieboard.dts(2): * Copyright 2012 Stefan Roes
linux-3.10\arch\arm\boot\dts\sun4i-a10-hackberry.dts(2): * Copyright 2012 Maxime Ripard
linux-3.10\arch\arm\boot\dts\sun4i-a10-mini-xplus.dts(2): * Copyright 2012 Maxime Ripard
linux-3.10\arch\arm\boot\dts\sun5i-a13.dtsi(2): * Copyright 2012 Maxime Ripard

legal(ME)

linux-3.10\arch\arm\boot\dts\sun5i-a13-olinuxino.dts(2): * Copyright 2012 Maxime Ripard
linux-3.10\arch\arm\boot\dts\tny_a9260.dts(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\tny_a9260_common.dtsi(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\tny_a9263.dts(4): *Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\tny_a9g20.dts(4): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\tps6507x.dtsi(2): * Copyright (C) 2013 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\tps65217.dtsi(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\tps65910.dtsi(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\twl4030.dtsi(2): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\twl6030.dtsi(2): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\boot\dts\u9540.dts(2): * Copyright 2012 ST-Ericsson AB
linux-3.10\arch\arm\boot\dts\usb_a9260.dts(4): *Copyright (C) 2011-2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\usb_a9260_common.dtsi(4): *Copyright (C) 2011-2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\usb_a9263.dts(4): *Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\usb_a9g20.dts(4): *Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\usb_a9g20-dab-mmx.dtsi(4): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\boot\dts\vt8500.dtsi(4): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\arch\arm\boot\dts\vt8500-bv07.dts(4): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\arch\arm\boot\dts\wm8505.dtsi(4): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\arch\arm\boot\dts\wm8505-ref.dts(4): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\arch\arm\boot\dts\wm8650.dtsi(4): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\arch\arm\boot\dts\wm8650-mid.dts(4): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\arch\arm\boot\dts\wm8850.dtsi(4): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\arch\arm\boot\dts\wm8850-w70v2.dts(7): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\arch\arm\boot\dts\zynq-7000.dtsi(2): *Copyright (C) 2011 Xilinx
linux-3.10\arch\arm\boot\dts\zynq-zc702.dts(2): *Copyright (C) 2011 Xilinx
linux-3.10\arch\arm\boot\dts\zynq-zc702.dts(3): *Copyright (C) 2012 National Instruments Corp.
linux-3.10\arch\arm\boot\install.sh(9):# Copyright (C) 1995 by Linus Torvalds

legal(ME)

linux-3.10\arch\arm\boot\Makefile(11):# Copyright (C) 1995-2002 Russell King
linux-3.10\arch\arm\common\dmabounce.c(17): *Copyright (C) 2002 Hewlett Packard
Company.
linux-3.10\arch\arm\common\dmabounce.c(18): *Copyright (C) 2004 MontaVista
Software, Inc.
linux-3.10\arch\arm\common\firmware.c(2): * Copyright (C) 2012 Samsung
Electronics.
linux-3.10\arch\arm\common\icst.c(4): *Copyright (C) 2003 Deep Blue Solutions,
Ltd, All Rights Reserved.
linux-3.10\arch\arm\common\it8152.c(4): * Copyright Compulab Ltd, 2002-2007
linux-3.10\arch\arm\common\it8152.c(8): * (see this file for respective
copyrights)
linux-3.10\arch\arm\common\mcpm_entry.c(5): * Copyright: (C) 2012-2013Linaro
Limited
linux-3.10\arch\arm\common\mcpm_head.S(5): * Copyright: (C) 2012-2013Linaro
Limited
linux-3.10\arch\arm\common\mcpm_platsmp.c(5): * Copyright: (C) 2012-2013Linaro
Limited
linux-3.10\arch\arm\common\scoop.c(4): * Copyright (c) 2004 Richard Purdie
linux-3.10\arch\arm\common\sharpsl_param.c(4): * Copyright (c) 2005 Richard
Purdie
linux-3.10\arch\arm\common\timer-sp.c(4): *Copyright (C) 1999 - 2003 ARM Limited
linux-3.10\arch\arm\common\timer-sp.c(5): *Copyright (C) 2000 Deep Blue Solutions
Ltd
linux-3.10\arch\arm\common\vlock.h(5): * Copyright:(C) 2012-2013Linaro Limited
linux-3.10\arch\arm\common\vlock.S(5): * Copyright:(C) 2012-2013Linaro Limited
linux-3.10\arch\arm\crypto\sha1_glue.c(10): * Copyright (c) Mathias Krause
<minipli@googlemail.com>
linux-3.10\arch\arm\crypto\sha1_glue.c(7): * Copyright (c) Alan Smithee.
linux-3.10\arch\arm\crypto\sha1_glue.c(8): * Copyright (c) Andrew McDonald
<andrew@mcdonald.org.uk>
linux-3.10\arch\arm\crypto\sha1_glue.c(9): * Copyright (c) Jean-Francois Dive
<jef@linuxbe.org>
linux-3.10\arch\arm\include\asm\a.out-core.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\arm\include\asm\assembler.h(4): *Copyright (C) 1996-2000 Russell
King
linux-3.10\arch\arm\include\asm\atomic.h(4): *Copyright (C) 1996 Russell King.
linux-3.10\arch\arm\include\asm\atomic.h(5): *Copyright (C) 2002 Deep Blue
Solutions Ltd.
linux-3.10\arch\arm\include\asm\bitops.h(2): * Copyright 1995, Russell King.
linux-3.10\arch\arm\include\asm\bitops.h(3): * Various bits and pieces copyrights
include:
linux-3.10\arch\arm\include\asm\bitops.h(5): * Big endian support: Copyright
2001, Nicolas Pitre
linux-3.10\arch\arm\include\asm\bugs.h(4): *Copyright (C) 1995-2003 Russell King
linux-3.10\arch\arm\include\asm\cacheflush.h(4): *Copyright (C) 1999-2002 Russell
King
linux-3.10\arch\arm\include\asm\checksum.h(6): * Copyright (C) Original authors
of ../asm-i386/checksum.h
linux-3.10\arch\arm\include\asm\checksum.h(7): * Copyright (C) 1996-1999 Russell
King

legal(ME)

linux-3.10\arch\arm\include\asm\clkdev.h(4): *Copyright (C) 2008 Russell King.
linux-3.10\arch\arm\include\asm\cpu.h(4): *Copyright (C) 2004-2005 ARM Ltd.
linux-3.10\arch\arm\include\asm\delay.h(2): * Copyright (C) 1995-2004 Russell King
linux-3.10\arch\arm\include\asm\domain.h(4): *Copyright (C) 1999 Russell King.
linux-3.10\arch\arm\include\asm\edac.h(2): * Copyright 2011 Calxeda, Inc.
linux-3.10\arch\arm\include\asm\edac.h(3): * Based on PPC version Copyright 2007 MontaVista Software, Inc.
linux-3.10\arch\arm\include\asm\firmware.h(2): * Copyright (C) 2012 Samsung Electronics.
linux-3.10\arch\arm\include\asm\floppy.h(4): *Copyright (C) 1996-2000 Russell King
linux-3.10\arch\arm\include\asm\fncpy.h(4): * Copyright (C) 2011 Linaro Limited
linux-3.10\arch\arm\include\asm\fpstate.h(4): *Copyright (C) 1995 Russell King
linux-3.10\arch\arm\include\asm\glue.h(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\include\asm\glue.h(5): *Copyright (C) 2000-2002 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\include\asm\glue-cache.h(4): *Copyright (C) 1999-2002 Russell King
linux-3.10\arch\arm\include\asm\glue-df.h(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\include\asm\glue-df.h(5): *Copyright (C) 2000-2002 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\include\asm\glue-pf.h(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\include\asm\glue-pf.h(5): *Copyright (C) 2000-2002 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\include\asm\glue-proc.h(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\include\asm\glue-proc.h(5): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\include\asm\hardware\cache-l2x0.h(4): * Copyright (C) 2007 ARM Limited
linux-3.10\arch\arm\include\asm\hardware\cache-tauros2.h(4): * Copyright (C) 2008 Marvell Semiconductor
linux-3.10\arch\arm\include\asm\hardware\coresight.h(6): * Copyright (C) 2009 Nokia Corporation.
linux-3.10\arch\arm\include\asm\hardware\debug-8250.S(4): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\asm\hardware\debug-pl01x.S(5): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\asm\hardware\dec21285.h(4): *Copyright (C) 1998 Russell King
linux-3.10\arch\arm\include\asm\hardware\icst.h(4): *Copyright (C) 2003 Deep Blue Solutions, Ltd, All Rights Reserved.
linux-3.10\arch\arm\include\asm\hardware\ioc.h(4): *Copyright (C) Russell King
linux-3.10\arch\arm\include\asm\hardware\iomd.h(4): *Copyright (C) 1999 Russell King
linux-3.10\arch\arm\include\asm\hardware\iop_adma.h(2): * Copyright 2006, Intel Corporation.
linux-3.10\arch\arm\include\asm\hardware\iop3xx.h(7): * Copyright (C) 2002 Rory Bolt

legal(ME)

linux-3.10\arch\arm\include\asm\hardware\iop3xx.h(8): * Copyright (C) 2004 Intel Corp.
linux-3.10\arch\arm\include\asm\hardware\iop3xx-adma.h(2): * Copyright ㄣ 2006, Intel Corporation.
linux-3.10\arch\arm\include\asm\hardware\iop3xx-gpio.h(6): * Copyright (c) 2008 Arnaud Patard <arnaud.patard@rtp-net.org>
linux-3.10\arch\arm\include\asm\hardware\it8152.h(4): * Copyright CompuLab Ltd., 2006, 2007
linux-3.10\arch\arm\include\asm\hardware\locomo.h(6): * (C) Copyright 2004 John Lenz
linux-3.10\arch\arm\include\asm\hardware\memc.h(4): *Copyright (C) Russell King.
linux-3.10\arch\arm\include\asm\hardware\pci_v3.h(6): *Copyright (C) ARM Limited
linux-3.10\arch\arm\include\asm\hardware\pci_v3.h(7): *Copyright (C) 2000-2001 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\include\asm\hardware\sa1111.h(4): * Copyright (C) 2000 John G Dorsey <john+@cs.cmu.edu>
linux-3.10\arch\arm\include\asm\hardware\scoop.h(4): *Copyright (c) 2004 Richard Purdie
linux-3.10\arch\arm\include\asm\hardware\ssp.h(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\arch\arm\include\asm\ide.h(4): *Copyright (C) 1994-1996Linus Torvalds & authors
linux-3.10\arch\arm\include\asm\io.h(4): *Copyright (C) 1996-2000 Russell King
linux-3.10\arch\arm\include\asm\kgdb.h(6): * Copyright (C) 2002 MontaVista Software Inc.
linux-3.10\arch\arm\include\asm\kprobes.h(4): * Copyright (C) 2006, 2007 Motorola Inc.
linux-3.10\arch\arm\include\asm\kvm_arch_timer.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm\include\asm\kvm_arm.h(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\include\asm\kvm_asm.h(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\include\asm\kvm_coproc.h(2): * Copyright (C) 2012 Rusty Russell IBM Corporation
linux-3.10\arch\arm\include\asm\kvm_emulate.h(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\include\asm\kvm_host.h(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\include\asm\kvm_mmio.h(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\include\asm\kvm_mmu.h(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\include\asm\kvm_psci.h(2): * Copyright (C) 2012 - ARM Ltd
linux-3.10\arch\arm\include\asm\kvm_vgic.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm\include\asm\localtimer.h(4): *Copyright (C) 2004-2005 ARM Ltd.
linux-3.10\arch\arm\include\asm\mach\arch.h(4): *Copyright (C) 2000 Russell King
linux-3.10\arch\arm\include\asm\mach\dma.h(4): *Copyright (C) 1998-2000 Russell King
linux-3.10\arch\arm\include\asm\mach\flash.h(4): *Copyright (C) 2003 Russell King, All Rights Reserved.

legal(ME)

linux-3.10\arch\arm\include\asm\mach\irda.h(4): *Copyright (C) 2004 Russell King.
linux-3.10\arch\arm\include\asm\mach\irq.h(4): *Copyright (C) 1995-2000 Russell King.
linux-3.10\arch\arm\include\asm\mach\map.h(4): *Copyright (C) 1999-2000 Russell King
linux-3.10\arch\arm\include\asm\mach\pci.h(4): *Copyright (C) 2000 Russell King
linux-3.10\arch\arm\include\asm\mach\sharpsl_param.h(4): * Copyright (c) 2005 Richard Purdie
linux-3.10\arch\arm\include\asm\mach\time.h(4): * Copyright (C) 2004 MontaVista Software, Inc.
linux-3.10\arch\arm\include\asm\mcpm.h(5): * Copyright: (C) 2012-2013Linaro Limited
linux-3.10\arch\arm\include\asm\memory.h(4): *Copyright (C) 2000-2002 Russell King
linux-3.10\arch\arm\include\asm\mmu.h(25): *Copyright (C) 2002, David McCullough <davidm@snapgear.com>
linux-3.10\arch\arm\include\asm\mmu_context.h(4): *Copyright (C) 1996 Russell King.
linux-3.10\arch\arm\include\asm\mtd-xip.h(8): * Copyright:(C) 2004 MontaVista Software, Inc.
linux-3.10\arch\arm\include\asm\opcodes-sec.h(11): * Copyright (C) 2012 ARM Limited
linux-3.10\arch\arm\include\asm\opcodes-virt.h(3): * Copyright (C) 2012Linaro Limited
linux-3.10\arch\arm\include\asm\outercache.h(4): * Copyright (C) 2010 ARM Ltd.
linux-3.10\arch\arm\include\asm\page.h(4): *Copyright (C) 1995-2003 Russell King
linux-3.10\arch\arm\include\asm\page-nommu.h(4): *Copyright (C) 2004 Hyok S. Choi
linux-3.10\arch\arm\include\asm\percpu.h(2): * Copyright 2012 Calxeda, Inc.
linux-3.10\arch\arm\include\asm\perf_event.h(4): *Copyright (C) 2009 picoChip Designs Ltd, Jamie Iles
linux-3.10\arch\arm\include\asm\pgalloc.h(4): *Copyright (C) 2000-2001 Russell King
linux-3.10\arch\arm\include\asm\pgtable.h(4): *Copyright (C) 1995-2002 Russell King
linux-3.10\arch\arm\include\asm\pgtable-2level.h(4): *Copyright (C) 1995-2002 Russell King
linux-3.10\arch\arm\include\asm\pgtable-2level-hwdef.h(4): *Copyright (C) 1995-2002 Russell King
linux-3.10\arch\arm\include\asm\pgtable-2level-types.h(4): * Copyright (C) 1995-2003 Russell King
linux-3.10\arch\arm\include\asm\pgtable-3level.h(4): * Copyright (C) 2011 ARM Ltd.
linux-3.10\arch\arm\include\asm\pgtable-3level-hwdef.h(4): * Copyright (C) 2011 ARM Ltd.
linux-3.10\arch\arm\include\asm\pgtable-3level-types.h(4): * Copyright (C) 2011 ARM Ltd.
linux-3.10\arch\arm\include\asm\pgtable-hwdef.h(4): *Copyright (C) 1995-2002 Russell King
linux-3.10\arch\arm\include\asm\pgtable-nommu.h(4): *Copyright (C) 1995-2002 Russell King
linux-3.10\arch\arm\include\asm\pgtable-nommu.h(5): *Copyright (C) 2004Hyok S. Choi

legal(ME)

linux-3.10\arch\arm\include\asm\pmu.h(4): *Copyright (C) 2009 picoChip Designs Ltd, Jamie Iles
linux-3.10\arch\arm\include\asm\processor.h(4): *Copyright (C) 1995-1999 Russell King
linux-3.10\arch\arm\include\asm\proc-fns.h(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\include\asm\proc-fns.h(5): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\include\asm\procinfo.h(4): *Copyright (C) 1996-1999 Russell King
linux-3.10\arch\arm\include\asm\prom.h(4): *Copyright (C) 2009 Canonical Ltd. <jeremy.kerr@canonical.com>
linux-3.10\arch\arm\include\asm\psci.h(11): * Copyright (C) 2012 ARM Limited
linux-3.10\arch\arm\include\asm\ptrace.h(4): *Copyright (C) 1996-2003 Russell King
linux-3.10\arch\arm\include\asm\setup.h(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\include\asm\smp.h(4): *Copyright (C) 2004-2005 ARM Ltd.
linux-3.10\arch\arm\include\asm\tcm.h(3): * Copyright (C) 2008-2009 ST-Ericsson AB
linux-3.10\arch\arm\include\asm\thread_info.h(4): *Copyright (C) 2002 Russell King.
linux-3.10\arch\arm\include\asm\thread_notify.h(4): *Copyright (C) 2006 Russell King.
linux-3.10\arch\arm\include\asm\timex.h(4): *Copyright (C) 1997,1998 Russell King
linux-3.10\arch\arm\include\asm\tlb.h(4): *Copyright (C) 2002 Russell King
linux-3.10\arch\arm\include\asm\tlbflush.h(4): *Copyright (C) 1999-2003 Russell King
linux-3.10\arch\arm\include\asm\unified.h(4): * Copyright (C) 2008 ARM Limited
linux-3.10\arch\arm\include\asm\unistd.h(4): *Copyright (C) 2001-2005 Russell King
linux-3.10\arch\arm\include\asm\unwind.h(4): * Copyright (C) 2008 ARM Limited
linux-3.10\arch\arm\include\asm\virt.h(2): * Copyright (c) 2012 Linaro Limited.
linux-3.10\arch\arm\include\asm\xor.h(4): *Copyright (C) 2001 Russell King
linux-3.10\arch\arm\include\debug\8250_32.S(2): * Copyright (c) 2011 Picochip Ltd., Jamie Iles
linux-3.10\arch\arm\include\debug\bcm2835.S(4): * Copyright (C) 2010 Broadcom
linux-3.10\arch\arm\include\debug\bcm2835.S(5): * Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\cns3xxx.S(4): * Copyright 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\cns3xxx.S(5): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\include\debug\exynos.S(2): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\include\debug\highbank.S(4): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\icedcc.S(4): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\imx.S(5): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\imx-uart.h(2): * Copyright (C) 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\include\debug\mvebu.S(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\include\debug\mxs.S(5): *Copyright (C) 1994-1999 Russell King

legal(ME)

linux-3.10\arch\arm\include\debug\nomadik.S(4): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\omap2plus.S(4): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\picoccell.S(2): * Copyright (c) 2011 Picochip Ltd., Jamie Iles
linux-3.10\arch\arm\include\debug\pxa.S(4): * Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\pxa.S(7): * Copyright (C) 2013 Haojian Zhuang
linux-3.10\arch\arm\include\debug\samsung.S(3): * Copyright 2005, 2007 Simtec Electronics
linux-3.10\arch\arm\include\debug\sirf.S(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\include\debug\socfpga.S(2): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\sunxi.S(4): * Copyright (C) 2012 Maxime Ripard
linux-3.10\arch\arm\include\debug\tegra.S(12): * Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\tegra.S(2): * Copyright (C) 2010,2011 Google, Inc.
linux-3.10\arch\arm\include\debug\tegra.S(3): * Copyright (C) 2011-2012 NVIDIA CORPORATION. All Rights Reserved.
linux-3.10\arch\arm\include\debug\ux500.S(4): *Copyright (C) 2009 ST-Ericsson
linux-3.10\arch\arm\include\debug\vexpress.S(5): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\include\debug\vt8500.S(4): *Copyright (C) 2010 Alexey Charkov <alchark@gmail.com>
linux-3.10\arch\arm\include\debug\zynq.S(4): *Copyright (C) 2011 Xilinx
linux-3.10\arch\arm\include\uapi\asm\kvm.h(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\include\uapi\asm\posix_types.h(4): *Copyright (C) 1996-1998 Russell King.
linux-3.10\arch\arm\include\uapi\asm\ptrace.h(4): *Copyright (C) 1996-2003 Russell King
linux-3.10\arch\arm\include\uapi\asm\setup.h(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\include\uapi\asm\unistd.h(4): *Copyright (C) 2001-2005 Russell King
linux-3.10\arch\arm\kernel\arch_timer.c(4): *Copyright (C) 2011 ARM Ltd.
linux-3.10\arch\arm\kernel\armksyms.c(4): *Copyright (C) 2000 Russell King
linux-3.10\arch\arm\kernel\arthur.c(4): *Copyright (C) 1998, 1999, 2000, 2001 Philip Blundell
linux-3.10\arch\arm\kernel\asm-offsets.c(2): * Copyright (C) 1995-2003 Russell King
linux-3.10\arch\arm\kernel\atags_compat.c(4): *Copyright (C) 2001 Russell King
linux-3.10\arch\arm\kernel\atags_parse.c(4): * Copyright (C) 1995-2001 Russell King
linux-3.10\arch\arm\kernel\calls.S(4): *Copyright (C) 1995-2005 Russell King
linux-3.10\arch\arm\kernel\cpuidle.c(2): * Copyright 2012 Linaro Ltd.
linux-3.10\arch\arm\kernel\crash_dump.c(4): * Copyright (C) 2010 Nokia Corporation.
linux-3.10\arch\arm\kernel\crash_dump.c(9): * Copyright (C) IBM Corporation,

legal(ME)

2004. All rights reserved

linux-3.10\arch\arm\kernel\debug.S(4): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\kernel\devtree.c(4): *Copyright (C) 2009 Canonical Ltd.
<jeremy.kerr@canonical.com>
linux-3.10\arch\arm\kernel\dma.c(4): *Copyright (C) 1995-2000 Russell King
linux-3.10\arch\arm\kernel\dma-isa.c(17): * Copyright (C) 1998 Phil Blundell
linux-3.10\arch\arm\kernel\dma-isa.c(4): *Copyright (C) 1999-2000 Russell King
linux-3.10\arch\arm\kernel\early_printk.c(4): *Copyright (C) 2009 Sascha Hauer
<s.hauer@pengutronix.de>
linux-3.10\arch\arm\kernel\entry-armv.S(4): *Copyright (C) 1996,1997,1998 Russell
King.
linux-3.10\arch\arm\kernel\entry-common.S(4): *Copyright (C) 2000 Russell King
linux-3.10\arch\arm\kernel\etm.c(6): * Copyright (C) 2009 Nokia Corporation.
linux-3.10\arch\arm\kernel\fiq.c(4): *Copyright (C) 1998 Russell King
linux-3.10\arch\arm\kernel\fiq.c(5): *Copyright (C) 1998, 1999 Phil Blundell
linux-3.10\arch\arm\kernel\fiqasm.S(6): *Copyright (C) 1998 Russell King
linux-3.10\arch\arm\kernel\fiqasm.S(7): *Copyright (C) 1998, 1999 Phil Blundell
linux-3.10\arch\arm\kernel\fiqasm.S(8): *Copyright (C) 2011, Linaro Limited
linux-3.10\arch\arm\kernel\ftrace.c(4): * Copyright (C) 2008 Abhishek Sagar
<sagar.abhishek@gmail.com>
linux-3.10\arch\arm\kernel\ftrace.c(5): * Copyright (C) 2010 Rabin Vincent
<rabin@rab.in>
linux-3.10\arch\arm\kernel\head.S(4): *Copyright (C) 1994-2002 Russell King
linux-3.10\arch\arm\kernel\head.S(5): *Copyright (c) 2003 ARM Limited
linux-3.10\arch\arm\kernel\head-common.S(4): *Copyright (C) 1994-2002 Russell
King
linux-3.10\arch\arm\kernel\head-common.S(5): *Copyright (c) 2003 ARM Limited
linux-3.10\arch\arm\kernel\head-nommu.S(4): *Copyright (C) 1994-2002 Russell King
linux-3.10\arch\arm\kernel\head-nommu.S(5): *Copyright (C) 2003-2006 Hyok S. Choi
linux-3.10\arch\arm\kernel\hw_breakpoint.c(15): * Copyright (C) 2009, 2010 ARM
Limited
linux-3.10\arch\arm\kernel\hyp-stub.S(2): * Copyright (c) 2012 Linaro Limited.
linux-3.10\arch\arm\kernel\irq.c(4): *Copyright (C) 1992 Linus Torvalds
linux-3.10\arch\arm\kernel\irq.c(5): *Modifications for ARM processor Copyright
(C) 1995-2000 Russell King.
linux-3.10\arch\arm\kernel\irq.c(7): *Support for Dynamic Tick Timer Copyright
(C) 2004-2005 Nokia Corporation.
linux-3.10\arch\arm\kernel\isa.c(4): *Copyright (C) 1999 Phil Blundell
linux-3.10\arch\arm\kernel\iwmmxt.S(10):* Copyright (c) 2003-2004, MontaVista
Software, Inc.
linux-3.10\arch\arm\kernel\iwmmxt.S(7): *Copyright (c) 2003, Intel Corporation
linux-3.10\arch\arm\kernel\kgdb.c(6): * Copyright (c) 2002-2004 MontaVista
Software, Inc
linux-3.10\arch\arm\kernel\kgdb.c(7): * Copyright (c) 2008 Wind River Systems,
Inc.
linux-3.10\arch\arm\kernel\kprobes.c(10): * Copyright (C) 2007 Marvell Ltd.
linux-3.10\arch\arm\kernel\kprobes.c(7): * Copyright (C) 2006, 2007 Motorola Inc.
linux-3.10\arch\arm\kernel\kprobes.h(4): * Copyright (C) 2011 Jon Medhurst
<tixy@yxit.co.uk>.
linux-3.10\arch\arm\kernel\kprobes.h(7): * Copyright (C) 2006, 2007 Motorola Inc.
linux-3.10\arch\arm\kernel\kprobes-arm.c(4): * Copyright (C) 2006, 2007 Motorola
Inc.

legal(ME)

linux-3.10\arch\arm\kernel\kprobes-common.c(4): * Copyright (C) 2011 Jon Medhurst <tixy@yxit.co.uk>.
linux-3.10\arch\arm\kernel\kprobes-common.c(7): * Copyright (C) 2006, 2007 Motorola Inc.
linux-3.10\arch\arm\kernel\kprobes-test.c(4): * Copyright (C) 2011 Jon Medhurst <tixy@yxit.co.uk>.
linux-3.10\arch\arm\kernel\kprobes-test.h(4): * Copyright (C) 2011 Jon Medhurst <tixy@yxit.co.uk>.
linux-3.10\arch\arm\kernel\kprobes-test-arm.c(4): * Copyright (C) 2011 Jon Medhurst <tixy@yxit.co.uk>.
linux-3.10\arch\arm\kernel\kprobes-test-thumb.c(4): * Copyright (C) 2011 Jon Medhurst <tixy@yxit.co.uk>.
linux-3.10\arch\arm\kernel\kprobes-thumb.c(4): * Copyright (C) 2011 Jon Medhurst <tixy@yxit.co.uk>.
linux-3.10\arch\arm\kernel\module.c(4): *Copyright (C) 2002 Russell King.
linux-3.10\arch\arm\kernel\perf_event.c(6): * Copyright (C) 2009 picoChip Designs, Ltd., Jamie Iles
linux-3.10\arch\arm\kernel\perf_event.c(7): * Copyright (C) 2010 ARM Ltd., Will Deacon <will.deacon@arm.com>
linux-3.10\arch\arm\kernel\perf_event_cpu.c(15): * Copyright (C) 2012 ARM Limited
linux-3.10\arch\arm\kernel\perf_event_v6.c(4): * Copyright (C) 2009 picoChip Designs, Ltd., Jamie Iles
linux-3.10\arch\arm\kernel\perf_event_xscale.c(4): * Copyright (C) 2010, ARM Ltd., Will Deacon <will.deacon@arm.com>
linux-3.10\arch\arm\kernel\pj4-cp0.c(6): * Copyright (c) 2010 Marvell International Inc.
linux-3.10\arch\arm\kernel\process.c(4): *Copyright (C) 1996-2000 Russell King - Converted to ARM.
linux-3.10\arch\arm\kernel\process.c(5): *Original Copyright (C) 1995Linus Torvalds
linux-3.10\arch\arm\kernel\psci.c(11): * Copyright (C) 2012 ARM Limited
linux-3.10\arch\arm\kernel\ptrace.c(6): * ARM modifications Copyright (C) 2000 Russell King
linux-3.10\arch\arm\kernel\return_address.c(4): * Copyright (C) 2009 Uwe Kleine-Koenig <u.kleine-koenig@pengutronix.de>
linux-3.10\arch\arm\kernel\setup.c(4): *Copyright (C) 1995-2001 Russell King
linux-3.10\arch\arm\kernel\signal.c(4): *Copyright (C) 1995-2009 Russell King
linux-3.10\arch\arm\kernel\signal.h(4): *Copyright (C) 2005-2009 Russell King.
linux-3.10\arch\arm\kernel\smp.c(4): *Copyright (C) 2002 ARM Limited, All Rights Reserved.
linux-3.10\arch\arm\kernel\smp_scu.c(4): *Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\kernel\smp_tlb.c(4): *Copyright (C) 2002 ARM Limited, All Rights Reserved.
linux-3.10\arch\arm\kernel\smp_twd.c(4): *Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\kernel\swp_emulate.c(4): *Copyright (C) 2009 ARM Limited
linux-3.10\arch\arm\kernel\sys_arm.c(4): *Copyright (C) People who wrote linux/arch/i386/kernel/sys_i386.c
linux-3.10\arch\arm\kernel\sys_arm.c(5): *Copyright (C) 1995, 1996 Russell King.
linux-3.10\arch\arm\kernel\sys_oabi-compat.c(9): *Copyright:MontaVista Software, Inc.
linux-3.10\arch\arm\kernel\tcm.c(2): * Copyright (C) 2008-2009 ST-Ericsson AB
linux-3.10\arch\arm\kernel\thumb.c(4): * Copyright (C) 2008 ARM Limited

legal(ME)

linux-3.10\arch\arm\kernel\time.c(4): *Copyright (C) 1991, 1992, 1995 Linus Torvalds
linux-3.10\arch\arm\kernel\topology.c(4): * Copyright (C) 2011 Linaro Limited.
linux-3.10\arch\arm\kernel\traps.c(4): *Copyright (C) 1995-2009 Russell King
linux-3.10\arch\arm\kernel\unwind.c(4): * Copyright (C) 2008 ARM Limited
linux-3.10\arch\arm\kvm\arch_timer.c(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm\kvm\arm.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\coproc.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\coproc.h(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\coproc_a15.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\emulate.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\guest.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\handle_exit.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\init.S(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\interrupts.S(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\mmio.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\mmu.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\perf.c(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm\kvm\psci.c(2): * Copyright (C) 2012 - ARM Ltd
linux-3.10\arch\arm\kvm\reset.c(2): * Copyright (C) 2012 - Virtual Open Systems and Columbia University
linux-3.10\arch\arm\kvm\vgic.c(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm\lib\ashldi3.S(1):/* Copyright 1995, 1996, 1998, 1999, 2000, 2003, 2004, 2005
linux-3.10\arch\arm\lib\ashrdi3.S(1):/* Copyright 1995, 1996, 1998, 1999, 2000, 2003, 2004, 2005
linux-3.10\arch\arm\lib\backtrace.S(4): *Copyright (C) 1995, 1996 Russell King
linux-3.10\arch\arm\lib\call_with_stack.S(4): * Copyright (C) 2011 ARM Ltd.
linux-3.10\arch\arm\lib\changebit.S(4): *Copyright (C) 1995-1996 Russell King
linux-3.10\arch\arm\lib\clear_user.S(4): *Copyright (C) 1995, 1996,1997,1998 Russell King
linux-3.10\arch\arm\lib\clearbit.S(4): *Copyright (C) 1995-1996 Russell King
linux-3.10\arch\arm\lib\copy_from_user.S(6): *Copyright:MontaVista Software, Inc.
linux-3.10\arch\arm\lib\copy_page.S(4): *Copyright (C) 1995-1999 Russell King
linux-3.10\arch\arm\lib\copy_template.S(8): *Copyright:MontaVista Software, Inc.
linux-3.10\arch\arm\lib\copy_to_user.S(6): *Copyright:MontaVista Software, Inc.
linux-3.10\arch\arm\lib\csumipv6.S(4): *Copyright (C) 1995-1998 Russell King
linux-3.10\arch\arm\lib\csumpartial.S(4): *Copyright (C) 1995-1998 Russell King
linux-3.10\arch\arm\lib\csumpartialcopy.S(4): *Copyright (C) 1995-1998 Russell King
linux-3.10\arch\arm\lib\csumpartialcopygeneric.S(4): *Copyright (C) 1995-2001

legal(ME)

Russell King

linux-3.10\arch\arm\lib\csumpartialcopyuser.S(4): *Copyright (C) 1995-1998

Russell King

linux-3.10\arch\arm\lib\delay.c(4): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm\lib\delay-loop.S(4): *Copyright (C) 1995, 1996 Russell King

linux-3.10\arch\arm\lib\div64.S(8): *Copyright:Monta Vista Software, Inc.

linux-3.10\arch\arm\lib\ecard.S(4): *Copyright (C) 1995, 1996 Russell King

linux-3.10\arch\arm\lib\findbit.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\floppydma.S(4): *Copyright (C) 1995, 1996 Russell King

linux-3.10\arch\arm\lib\getuser.S(10): *Idea from x86 version, (C) Copyright 1998

Linus Torvalds

linux-3.10\arch\arm\lib\getuser.S(4): *Copyright (C) 2001 Russell King

linux-3.10\arch\arm\lib\io-acorn.S(4): *Copyright (C) 1995, 1996 Russell King

linux-3.10\arch\arm\lib\io-readsb.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\io-readsl.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\io-readsw-armv3.S(4): *Copyright (C) 1995-2000 Russell

King

linux-3.10\arch\arm\lib\io-readsw-armv4.S(4): *Copyright (C) 1995-2000 Russell

King

linux-3.10\arch\arm\lib\io-shark.c(8): * Copyright (C) 1995, 1996 Russell King

linux-3.10\arch\arm\lib\io-writesb.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\io-writesl.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\io-writesw-armv3.S(4): *Copyright (C) 1995-2000 Russell

King

linux-3.10\arch\arm\lib\io-writesw-armv4.S(4): *Copyright (C) 1995-2000 Russell

King

linux-3.10\arch\arm\lib\lib1funcs.S(9):/* Copyright 1995, 1996, 1998, 1999, 2000, 2003 Free Software Foundation, Inc.

linux-3.10\arch\arm\lib\lshrdi3.S(1):/* Copyright 1995, 1996, 1998, 1999, 2000, 2003, 2004, 2005

linux-3.10\arch\arm\lib\Makefile(4):# Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\memchr.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\memcpy.S(6): *Copyright:MontaVista Software, Inc.

linux-3.10\arch\arm\lib\memmove.S(6): *Copyright:(C) MontaVista Software Inc.

linux-3.10\arch\arm\lib\memset.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\memzero.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\muldi3.S(6): *Copyright:Monta Vista Software, Inc.

linux-3.10\arch\arm\lib\putuser.S(10): *Idea from x86 version, (C) Copyright 1998

Linus Torvalds

linux-3.10\arch\arm\lib\putuser.S(4): *Copyright (C) 2001 Russell King

linux-3.10\arch\arm\lib\setbit.S(4): *Copyright (C) 1995-1996 Russell King

linux-3.10\arch\arm\lib\strchr.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\strrchr.S(4): *Copyright (C) 1995-2000 Russell King

linux-3.10\arch\arm\lib\testchangebit.S(4): *Copyright (C) 1995-1996 Russell King

linux-3.10\arch\arm\lib\testclearbit.S(4): *Copyright (C) 1995-1996 Russell King

linux-3.10\arch\arm\lib\testsetbit.S(4): *Copyright (C) 1995-1996 Russell King

linux-3.10\arch\arm\lib\uaccess.S(4): *Copyright (C) 1995, 1996,1997,1998 Russell

King

linux-3.10\arch\arm\lib\uaccess_with_memcpy.c(5): *Copyright (C) 2009 Marvell

Semiconductor

linux-3.10\arch\arm\lib\ucmpdi2.S(6): *Copyright:Monta Vista Software, Inc.

linux-3.10\arch\arm\mach-at91\at91_aic.h(4): * Copyright (C) 2005 Ivan Kokshaysky

legal(ME)

linux-3.10\arch\arm\mach-at91\at91_aic.h(5): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\at91_rstc.h(4): * Copyright (C) 2007 Andrew Victor
linux-3.10\arch\arm\mach-at91\at91_rstc.h(5): * Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\at91_shdwc.h(4): * Copyright (C) 2007 Andrew Victor
linux-3.10\arch\arm\mach-at91\at91_shdwc.h(5): * Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\at91_tc.h(4): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\at91rm9200.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\at91rm9200_devices.c(4): *Copyright (C) 2005 Thibaut VARENE <varenet@parisc-linux.org>
linux-3.10\arch\arm\mach-at91\at91rm9200_devices.c(5): *Copyright (C) 2005 David Brownell
linux-3.10\arch\arm\mach-at91\at91rm9200_time.c(4): *Copyright (C) 2003 SAN People
linux-3.10\arch\arm\mach-at91\at91rm9200_time.c(5): *Copyright (C) 2003 ATMEL
linux-3.10\arch\arm\mach-at91\at91sam9260.c(4): *Copyright (C) 2006 SAN People
linux-3.10\arch\arm\mach-at91\at91sam9260_devices.c(4): *Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\at91sam9261.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\at91sam9261_devices.c(4): *Copyright (C) 2005 Thibaut VARENE <varenet@parisc-linux.org>
linux-3.10\arch\arm\mach-at91\at91sam9261_devices.c(5): *Copyright (C) 2005 David Brownell
linux-3.10\arch\arm\mach-at91\at91sam9263.c(4): *Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\at91sam9263_devices.c(4): *Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\at91sam926x_time.c(4): * Copyright (C) 2005-2006 M. Amine SAYA, ATMEL Rousset, France
linux-3.10\arch\arm\mach-at91\at91sam9g45.c(4): *Copyright (C) 2009 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\at91sam9g45_devices.c(4): *Copyright (C) 2009 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\at91sam9g45_reset.S(4): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcosoft.com>
linux-3.10\arch\arm\mach-at91\at91sam9n12.c(4): * Copyright (C) 2012 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\at91sam9r1.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\at91sam9r1.c(5): *Copyright (C) 2007 Atmel Corporation
linux-3.10\arch\arm\mach-at91\at91sam9r1_devices.c(2): *Copyright (C) 2007 Atmel Corporation
linux-3.10\arch\arm\mach-at91\at91sam9x5.c(4): *Copyright (C) 2010-2012 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\at91x40.c(4): * (C) Copyright 2007, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\arm\mach-at91\at91x40.c(5): * Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\at91x40_time.c(4): * (C) Copyright 2007, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\arm\mach-at91\board.h(4): *Copyright (C) 2005 HP Labs
linux-3.10\arch\arm\mach-at91\board-1arm.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-afeb-9260v1.c(4): *Copyright (C) 2005 SAN

legal(ME)

People

linux-3.10\arch\arm\mach-at91\board-afeb-9260v1.c(5): *Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\board-afeb-9260v1.c(6): *Copyright (C) 2008 Sergey
Lapin
linux-3.10\arch\arm\mach-at91\board-cam60.c(5): * Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-cam60.c(6): * Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\board-carmeva.c(4): *Copyright (c) 2005 Peer Georgi
linux-3.10\arch\arm\mach-at91\board-cpu9krea.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-cpu9krea.c(5): *Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\board-cpu9krea.c(6): *Copyright (C) 2009 Eric
Benard - eric@eukrea.com
linux-3.10\arch\arm\mach-at91\board-cpuat91.c(4): *Copyright (C) 2009 Eric Benard
- eric@eukrea.com
linux-3.10\arch\arm\mach-at91\board-csb337.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-csb637.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-dt-rm9200.c(4): *Copyright (C) 2011 Atmel,
linux-3.10\arch\arm\mach-at91\board-dt-sam9.c(4): *Copyright (C) 2011 Atmel,
linux-3.10\arch\arm\mach-at91\board-dt-sama5.c(4): *Copyright (C) 2013 Atmel,
linux-3.10\arch\arm\mach-at91\board-eb01.c(4): * (C) Copyright 2007, Greg Ungerer
<gerg@snapgear.com>
linux-3.10\arch\arm\mach-at91\board-eb9200.c(4): *Copyright (C) 2005 SAN People,
adapted for ATEB9200 from Embest
linux-3.10\arch\arm\mach-at91\board-ecbat91.c(3): * Copyright (C) 2007
emQbit.com.
linux-3.10\arch\arm\mach-at91\board-ecbat91.c(5): * We started from board-dk.c,
which is Copyright (C) 2005 SAN People.
linux-3.10\arch\arm\mach-at91\board-flexibity.c(4): *Copyright (C) 2010-2011
Flexibity
linux-3.10\arch\arm\mach-at91\board-flexibity.c(5): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-flexibity.c(6): *Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\board-foxg20.c(2): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-foxg20.c(3): *Copyright (C) 2008 Atmel
linux-3.10\arch\arm\mach-at91\board-foxg20.c(4): *Copyright (C) 2010 Lee
McLoughlin - lee@lmmrtech.com
linux-3.10\arch\arm\mach-at91\board-foxg20.c(5): *Copyright (C) 2010 Sergio
Tanzilli - tanzilli@acmesystems.it
linux-3.10\arch\arm\mach-at91\board-gsia18s.c(2): *Copyright (C) 2010 Christian
Glindkamp <christian.glindkamp@taskit.de>
linux-3.10\arch\arm\mach-at91\board-kafa.c(4): *Copyright (C) 2006 Sperry-Sun
linux-3.10\arch\arm\mach-at91\board-kb9202.c(4): *Copyright (c) 2005 kb_admin
linux-3.10\arch\arm\mach-at91\board-pcontrol-g20.c(2): *Copyright (C) 2010
Christian Glindkamp <christian.glindkamp@taskit.de>
linux-3.10\arch\arm\mach-at91\board-picotux200.c(4): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-picotux200.c(5): *Copyright (C) 2007
Kleinhenz Elektronik GmbH
linux-3.10\arch\arm\mach-at91\board-qil-a9260.c(4): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-qil-a9260.c(5): *Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\board-qil-a9260.c(6): *Copyright (C) 2007
Calao-systems

legal(ME)

linux-3.10\arch\arm\mach-at91\board-rm9200dk.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-rm9200dk.c(7): * Copyright (C) 2005 Thibaut
VARENE <varenet@parisc-linux.org>
linux-3.10\arch\arm\mach-at91\board-rm9200ek.c(4): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-rm9200ek.c(7): * Copyright (C) 2005 Thibaut
VARENE <varenet@parisc-linux.org>
linux-3.10\arch\arm\mach-at91\board-rsi-ews.c(4): *Copyright (C)
linux-3.10\arch\arm\mach-at91\board-sam9260ek.c(4): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-sam9260ek.c(5): *Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\board-sam9261ek.c(4): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-sam9261ek.c(5): *Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\board-sam9263ek.c(4): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-sam9263ek.c(5): *Copyright (C) 2007 Atmel
Corporation.
linux-3.10\arch\arm\mach-at91\board-sam9g20ek.c(2): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-sam9g20ek.c(3): *Copyright (C) 2008 Atmel
linux-3.10\arch\arm\mach-at91\board-sam9-19260.c(4): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-sam9-19260.c(5): *Copyright (C) 2006 Atmel
linux-3.10\arch\arm\mach-at91\board-sam9-19260.c(6): *Copyright (C) 2007 Olimex
Ltd
linux-3.10\arch\arm\mach-at91\board-sam9m10g45ek.c(7): *Copyright (C) 2009 Atmel
Corporation.
linux-3.10\arch\arm\mach-at91\board-sam9r1ek.c(2): *Copyright (C) 2005 SAN People
linux-3.10\arch\arm\mach-at91\board-sam9r1ek.c(3): *Copyright (C) 2007 Atmel
Corporation
linux-3.10\arch\arm\mach-at91\board-snapper9260.c(4): *Copyright (C) 2010
Bluewater System Ltd
linux-3.10\arch\arm\mach-at91\board-stamp9g20.c(2): *Copyright (C) 2010 Christian
Glindkamp <christian.glindkamp@taskit.de>
linux-3.10\arch\arm\mach-at91\board-usb-a926x.c(4): *Copyright (C) 2005 SAN
People
linux-3.10\arch\arm\mach-at91\board-usb-a926x.c(5): *Copyright (C) 2007 Atmel
Corporation.
linux-3.10\arch\arm\mach-at91\board-usb-a926x.c(6): *Copyright (C) 2007
Calao-systems
linux-3.10\arch\arm\mach-at91\board-usb-a926x.c(7): *Copyright (C) 2011
Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\mach-at91\board-yl-9200.c(7): *Copyright (C) 2007 S. Birtles
linux-3.10\arch\arm\mach-at91\clock.c(4): * Copyright (C) 2005 David Brownell
linux-3.10\arch\arm\mach-at91\clock.c(5): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\arm\mach-at91\generic.h(4): *Copyright (C) 2005 David Brownell
linux-3.10\arch\arm\mach-at91\gpio.c(4): * Copyright (C) 2005 HP Labs
linux-3.10\arch\arm\mach-at91\include\mach\at91_adc.h(4): * Copyright (C) SAN
People
linux-3.10\arch\arm\mach-at91\include\mach\at91_dbgu.h(4): * Copyright (C) 2005
Ivan Kokshaysky
linux-3.10\arch\arm\mach-at91\include\mach\at91_dbgu.h(5): * Copyright (C) SAN

legal(ME)

People

linux-3.10\arch\arm\mach-at91\include\mach\at91_matrix.h(2): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\mach-at91\include\mach\at91_pio.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\arm\mach-at91\include\mach\at91_pio.h(5): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\include\mach\at91_pmc.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\arm\mach-at91\include\mach\at91_pmc.h(5): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\include\mach\at91_ramc.h(4): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\mach-at91\include\mach\at91_rtt.h(4): * Copyright (C) 2007 Andrew Victor
linux-3.10\arch\arm\mach-at91\include\mach\at91_rtt.h(5): * Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\include\mach\at91_st.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\arm\mach-at91\include\mach\at91_st.h(5): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\include\mach\at91rm9200.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\arm\mach-at91\include\mach\at91rm9200.h(5): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\include\mach\at91rm9200_mc.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\arm\mach-at91\include\mach\at91rm9200_mc.h(5): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\include\mach\at91rm9200_sdramc.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\arm\mach-at91\include\mach\at91rm9200_sdramc.h(5): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9_ddrsdr.h(4): * Copyright (C) 2010 Atmel Corporation
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9_sdramc.h(4): * Copyright (C) 2007 Andrew Victor
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9_sdramc.h(5): * Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9_smc.h(4): * Copyright (C) 2007 Andrew Victor
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9_smc.h(5): * Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9260_matrix.h(4): *Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9261.h(4): * Copyright (C) SAN People
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9261_matrix.h(4): *Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9263_matrix.h(4): *Copyright (C) 2006 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\include\mach\at91sam9g45.h(4): *Copyright (C)

legal(ME)

2008-2009 Atmel Corporation.

linux-3.10\arch\arm\mach-at91\include\mach\at91sam9g45_matrix.h(4): *Copyright (C) 2008-2009 Atmel Corporation.

linux-3.10\arch\arm\mach-at91\include\mach\at91sam9n12.h(4): * Copyright (C) 2012 Atmel Corporation

linux-3.10\arch\arm\mach-at91\include\mach\at91sam9n12_matrix.h(4): * Copyright (C) 2012 Atmel Corporation.

linux-3.10\arch\arm\mach-at91\include\mach\at91sam9r1.h(4): *Copyright (C) 2007 Atmel Corporation

linux-3.10\arch\arm\mach-at91\include\mach\at91sam9r1_matrix.h(4): *Copyright (C) 2007 Atmel Corporation

linux-3.10\arch\arm\mach-at91\include\mach\at91sam9x5.h(4): *Copyright (C) 2009-2012 Atmel Corporation.

linux-3.10\arch\arm\mach-at91\include\mach\at91sam9x5_matrix.h(4): *Copyright (C) 2009-2012 Atmel Corporation.

linux-3.10\arch\arm\mach-at91\include\mach\at91x40.h(4): * (C) Copyright 2007, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\arm\mach-at91\include\mach\cpu.h(4): * Copyright (C) 2006 SAN People

linux-3.10\arch\arm\mach-at91\include\mach\cpu.h(5): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>

linux-3.10\arch\arm\mach-at91\include\mach\debug-macro.S(4): *Copyright (C) 2003-2005 SAN People

linux-3.10\arch\arm\mach-at91\include\mach\gpio.h(4): *Copyright (C) 2005 HP Labs

linux-3.10\arch\arm\mach-at91\include\mach\hardware.h(4): *Copyright (C) 2003 SAN People

linux-3.10\arch\arm\mach-at91\include\mach\hardware.h(5): *Copyright (C) 2003 ATMEL

linux-3.10\arch\arm\mach-at91\include\mach\io.h(4): *Copyright (C) 2003 SAN People

linux-3.10\arch\arm\mach-at91\include\mach\memory.h(4): *Copyright (C) 2004 SAN People

linux-3.10\arch\arm\mach-at91\include\mach\sama5d3.h(4): *Copyright (C) 2013 Atmel,

linux-3.10\arch\arm\mach-at91\include\mach\system_rev.h(2): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>

linux-3.10\arch\arm\mach-at91\include\mach\timex.h(4): *Copyright (C) 2003 SAN People

linux-3.10\arch\arm\mach-at91\include\mach\uncompress.h(4): * Copyright (C) 2003 SAN People

linux-3.10\arch\arm\mach-at91\include\mach\uncompress.h(5): * Copyright (C) 2012 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>

linux-3.10\arch\arm\mach-at91\irq.c(4): *Copyright (C) 2004 SAN People

linux-3.10\arch\arm\mach-at91\irq.c(5): *Copyright (C) 2004 ATMEL

linux-3.10\arch\arm\mach-at91\irq.c(6): *Copyright (C) Rick Bronson

linux-3.10\arch\arm\mach-at91\leds.c(4): *Copyright (C) SAN People (Pty) Ltd

linux-3.10\arch\arm\mach-at91\pm.c(5): * Copyright (C) 2005 David Brownell

linux-3.10\arch\arm\mach-at91\pm.h(4): * Copyright (C) 2005 David Brownell

linux-3.10\arch\arm\mach-at91\pm_slowclock.S(4): *Copyright (C) 2006 Savin Zlobec

linux-3.10\arch\arm\mach-at91\pm_slowclock.S(7): *Copyright (C) 2007 Anti Sullin <anti.sullin@artecdesign.ee

linux-3.10\arch\arm\mach-at91\sam9_smc.c(4): * Copyright (C) 2008 Andrew Victor

legal(ME)

linux-3.10\arch\arm\mach-at91\sam9_smc.c(5): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\mach-at91\sam9_smc.h(4): * Copyright (C) 2008 Andrew Victor
linux-3.10\arch\arm\mach-at91\sama5d3.c(4): *Copyright (C) 2013 Atmel,
linux-3.10\arch\arm\mach-at91\setup.c(2): * Copyright (C) 2007 Atmel Corporation.
linux-3.10\arch\arm\mach-at91\setup.c(3): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\mach-at91\soc.h(2): * Copyright (C) 2011 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\arch\arm\mach-bcm\bcm_kona_smc.c(2): * Copyright (C) 2013 Broadcom Corporation
linux-3.10\arch\arm\mach-bcm\bcm_kona_smc.h(2): * Copyright (C) 2013 Broadcom Corporation
linux-3.10\arch\arm\mach-bcm\bcm_kona_smc_asm.S(2): * Copyright (C) 2013 Broadcom Corporation
linux-3.10\arch\arm\mach-bcm\board_bcm.c(2): * Copyright (C) 2012 Broadcom Corporation
linux-3.10\arch\arm\mach-bcm\Makefile(2):# Copyright (C) 2012 Broadcom Corporation
linux-3.10\arch\arm\mach-bcm2835\bcm2835.c(2): * Copyright (C) 2010 Broadcom
linux-3.10\arch\arm\mach-clps711x\board-cdb89712.c(4): *Copyright (C) 2000-2001 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-clps711x\board-edb7211.c(2): *Copyright (C) 2000, 2001 Blue Mug, Inc.All Rights Reserved.
linux-3.10\arch\arm\mach-clps711x\board-fortunet.c(6): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-clps711x\board-p720t.c(4): *Copyright (C) 2000-2001 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-clps711x\common.c(6): *Copyright (C) 2001,2011 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-clps711x\include\mach\clps711x.h(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mach-clps711x\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\mach-clps711x\include\mach\hardware.h(6): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mach-clps711x\include\mach\memory.h(4): *Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-clps711x\include\mach\syspld.h(6): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mach-clps711x\include\mach\uncompress.h(4): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-cns3xxx\cns3420vb.c(4): * Copyright 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-cns3xxx\cns3420vb.c(5): * Copyright 2008 ARM Limited
linux-3.10\arch\arm\mach-cns3xxx\cns3420vb.c(6): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-cns3xxx\cns3420vb.c(8): * Copyright 2010 MontaVista Software, LLC.
linux-3.10\arch\arm\mach-cns3xxx\cns3xxx.h(2): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-cns3xxx\core.c(2): * Copyright 1999 - 2003 ARM Limited
linux-3.10\arch\arm\mach-cns3xxx\core.c(3): * Copyright 2000 Deep Blue Solutions Ltd

legal(ME)

linux-3.10\arch\arm\mach-cns3xxx\core.c(4): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-cns3xxx\core.h(2): * Copyright 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-cns3xxx\core.h(3): * Copyright 2004 ARM Limited
linux-3.10\arch\arm\mach-cns3xxx\core.h(4): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-cns3xxx\devices.c(4): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-cns3xxx\devices.c(6): * Copyright 2010 MontaVista Software, LLC.
linux-3.10\arch\arm\mach-cns3xxx\devices.h(4): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-cns3xxx\devices.h(6): * Copyright 2010 MontaVista Software, LLC.
linux-3.10\arch\arm\mach-cns3xxx\pcie.c(4): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-cns3xxx\pcie.c(6): * Copyright 2010 MontaVista Software, LLC.
linux-3.10\arch\arm\mach-cns3xxx\pm.c(2): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-cns3xxx\pm.h(2): * Copyright 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-cns3xxx\pm.h(3): * Copyright 2004 ARM Limited
linux-3.10\arch\arm\mach-cns3xxx\pm.h(4): * Copyright 2008 Cavium Networks
linux-3.10\arch\arm\mach-davinci\aeimf.c(4): * Copyright (C) 2010 Texas Instruments Incorporated. <http://www.ti.com/>
linux-3.10\arch\arm\mach-davinci\board-da850-evm.c(4): * Copyright (C) 2009 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-davinci\board-da850-evm.c(7): * Original Copyrights follow:
linux-3.10\arch\arm\mach-davinci\board-dm365-evm.c(4): * Copyright (C) 2009 Texas Instruments Incorporated
linux-3.10\arch\arm\mach-davinci\board-dm646x-evm.c(5): * Copyright (C) 2006 Texas Instruments.
linux-3.10\arch\arm\mach-davinci\board-mityomap1138.c(4): * Copyright (C) 2010 Critical Link LLC - <http://www.criticallink.com>
linux-3.10\arch\arm\mach-davinci\board-omap1138-hawk.c(6): * Copyright (C) 2009 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\arch\arm\mach-davinci\board-sffsdr.c(4): * Copyright (C) 2008 Philip Balister, OpenSDR <philip@opensdr.com>
linux-3.10\arch\arm\mach-davinci\board-sffsdr.c(5): * Copyright (C) 2008 Lyrtech <www.lyrtech.com>
linux-3.10\arch\arm\mach-davinci\board-sffsdr.c(7): * Based on DV-EVM platform, original copyright follows:
linux-3.10\arch\arm\mach-davinci\board-sffsdr.c(9): * Copyright (C) 2007 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-davinci\board-tnetv107x-evm.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\arch\arm\mach-davinci\cdce949.c(9): * Copyright (C) 2009 Texas Instruments Incorporated. <http://www.ti.com/>
linux-3.10\arch\arm\mach-davinci\clock.c(4): * Copyright (C) 2006-2007 Texas Instruments.
linux-3.10\arch\arm\mach-davinci\clock.c(5): * Copyright (C) 2008-2009 Deep Root Systems, LLC
linux-3.10\arch\arm\mach-davinci\clock.h(4): * Copyright (C) 2006-2007 Texas Instruments.
linux-3.10\arch\arm\mach-davinci\clock.h(5): * Copyright (C) 2008-2009 Deep Root

legal(ME)

Systems, LLC

linux-3.10\arch\arm\mach-davinci\cp_intc.c(5): * Copyright (C) 2008-2009, MontaVista Software, Inc. <source@mvista.com>

linux-3.10\arch\arm\mach-davinci\cpuidle.c(4): * Copyright (C) 2009 Texas Instruments Incorporated. <http://www.ti.com/>

linux-3.10\arch\arm\mach-davinci\da850.c(4): * Copyright (C) 2009 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\mach-davinci\da850.c(7): * Original Copyrights follow:

linux-3.10\arch\arm\mach-davinci\da8xx-dt.c(2): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\mach-davinci\davinci.h(5): * Copyright (C) 2011 Texas Instruments Incorporated

linux-3.10\arch\arm\mach-davinci\davinci.h(6): * Copyright (c) 2007 Deep Root Systems, LLC

linux-3.10\arch\arm\mach-davinci\devices-da8xx.c(4): * Copyright (c) 2007-2009, MontaVista Software, Inc. <source@mvista.com>

linux-3.10\arch\arm\mach-davinci\devices-da8xx.c(6): *Copyright (C) 2006 Komal Shah <komal_shah802003@yahoo.com>

linux-3.10\arch\arm\mach-davinci\devices-tnetv107x.c(4): * Copyright (C) 2010 Texas Instruments

linux-3.10\arch\arm\mach-davinci\dm365.c(4): * Copyright (C) 2009 Texas Instruments

linux-3.10\arch\arm\mach-davinci\dma.c(4): * Copyright (C) 2006-2009 Texas Instruments.

linux-3.10\arch\arm\mach-davinci\include\mach\cp_intc.h(5): * Copyright (C) 2008-2009, MontaVista Software, Inc. <source@mvista.com>

linux-3.10\arch\arm\mach-davinci\include\mach\cpufreq.h(4): * Copyright (C) 2009 Texas Instruments, Inc. <http://www.ti.com/>

linux-3.10\arch\arm\mach-davinci\include\mach\edma.h(4): *Copyright (C) 2006-2009 Texas Instruments.

linux-3.10\arch\arm\mach-davinci\include\mach\gpio.h(4): * Copyright (c) 2006 David Brownell

linux-3.10\arch\arm\mach-davinci\include\mach\gpio.h(5): * Copyright (c) 2007, MontaVista Software, Inc. <source@mvista.com>

linux-3.10\arch\arm\mach-davinci\include\mach\gpio-davinci.h(4): * Copyright (c) 2006 David Brownell

linux-3.10\arch\arm\mach-davinci\include\mach\gpio-davinci.h(5): * Copyright (c) 2007, MontaVista Software, Inc. <source@mvista.com>

linux-3.10\arch\arm\mach-davinci\include\mach\irqs.h(4): *Copyright (C) 2006 Texas Instruments.

linux-3.10\arch\arm\mach-davinci\include\mach\mux.h(16): * Copyright (C) 2008 Texas Instruments.

linux-3.10\arch\arm\mach-davinci\include\mach\mux.h(7): * Copyright (C) 2003 - 2005 Nokia Corporation

linux-3.10\arch\arm\mach-davinci\include\mach\pm.h(4): * Copyright (C) 2009 Texas Instruments, Inc. <http://www.ti.com/>

linux-3.10\arch\arm\mach-davinci\include\mach\psc.h(4): *Copyright (C) 2006 Texas Instruments.

linux-3.10\arch\arm\mach-davinci\include\mach\sram.h(4): * Copyright (C) 2009 David Brownell

linux-3.10\arch\arm\mach-davinci\include\mach\tnetv107x.h(4): * Copyright (C) 2010 Texas Instruments

legal(ME)

linux-3.10\arch\arm\mach-davinci\include\mach\uncompress.h(7): * Original copyrights follow.
linux-3.10\arch\arm\mach-davinci\include\mach\uncompress.h(9): * Copyright (C) 2000 RidgeRun, Inc.
linux-3.10\arch\arm\mach-davinci\irq.c(4): * Copyright (C) 2006 Texas Instruments.
linux-3.10\arch\arm\mach-davinci\mux.c(16): * Copyright (C) 2008 Texas Instruments.
linux-3.10\arch\arm\mach-davinci\mux.c(7): * Copyright (C) 2003 - 2005 Nokia Corporation
linux-3.10\arch\arm\mach-davinci\mux.h(11): * Copyright (C) 2008 Texas Instruments.
linux-3.10\arch\arm\mach-davinci\pm.c(4): * Copyright (C) 2009 Texas Instruments, Inc. <http://www.ti.com/>
linux-3.10\arch\arm\mach-davinci\pm_domain.c(6): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-davinci\psc.c(4): * Copyright (C) 2006 Texas Instruments.
linux-3.10\arch\arm\mach-davinci\serial.c(4): * Copyright (C) 2006 Texas Instruments.
linux-3.10\arch\arm\mach-davinci\sleep.S(2): * (C) Copyright 2009, Texas Instruments, Inc. <http://www.ti.com/>
linux-3.10\arch\arm\mach-davinci\sram.c(4): * Copyright (C) 2009 David Brownell
linux-3.10\arch\arm\mach-davinci\tnetv107x.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\arch\arm\mach-dove\cm-a510.c(4): * Copyright (C) 2010 CompuLab, Ltd.
linux-3.10\arch\arm\mach-ebsa110\core.c(4): *Copyright (C) 1998-2001 Russell King
linux-3.10\arch\arm\mach-ebsa110\core.h(2): *Copyright (C) 1996-2000 Russell King.
linux-3.10\arch\arm\mach-ebsa110\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\mach-ebsa110\include\mach\hardware.h(4): *Copyright (C) 1996-2000 Russell King.
linux-3.10\arch\arm\mach-ebsa110\include\mach\io.h(4): *Copyright (C) 1997,1998 Russell King
linux-3.10\arch\arm\mach-ebsa110\include\mach\irqs.h(4): *Copyright (C) 1996 Russell King
linux-3.10\arch\arm\mach-ebsa110\include\mach\memory.h(4): *Copyright (C) 1996-1999 Russell King.
linux-3.10\arch\arm\mach-ebsa110\include\mach\timex.h(4): *Copyright (C) 1997, 1998 Russell King
linux-3.10\arch\arm\mach-ebsa110\include\mach\uncompress.h(4): *Copyright (C) 1996,1997,1998 Russell King
linux-3.10\arch\arm\mach-ebsa110\io.c(4): *Copyright (C) 2001 Russell King
linux-3.10\arch\arm\mach-ep93xx\adssphere.c(5): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\clock.c(5): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\core.c(5): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\core.c(6): * Copyright (C) 2007 Herbert Valerio Riedel <hvr@gnu.org>

legal(ME)

linux-3.10\arch\arm\mach-ep93xx\crunch.c(5): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\crunch-bits.S(5): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\crunch-bits.S(8): * Copyright (c) 2003-2004, MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ep93xx\dma.c(11): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\dma.c(12): * Copyright (C) 2006 Applied Data Systems
linux-3.10\arch\arm\mach-ep93xx\dma.c(13): * Copyright (C) 2009 Ryan Mallon <rmallon@gmail.com>
linux-3.10\arch\arm\mach-ep93xx\dma.c(6): * Copyright (C) 2011 Mika Westerberg
linux-3.10\arch\arm\mach-ep93xx\edb93xx.c(12): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\edb93xx.c(15): * Copyright (C) 2007 Herbert Valerio Riedel <hvr@gnu.org>
linux-3.10\arch\arm\mach-ep93xx\edb93xx.c(18): * Copyright (C) 2006 Infosys Technologies Limited
linux-3.10\arch\arm\mach-ep93xx\edb93xx.c(6): * Copyright (C) 2008-2009 H Hartley Sweeten <hsweeten@visionengravers.com>
linux-3.10\arch\arm\mach-ep93xx\edb93xx.c(9): * Copyright (C) 2006 George Kashperko <george@chas.com.ua>
linux-3.10\arch\arm\mach-ep93xx\gesbc9312.c(5): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\include\mach\debug-macro.S(5): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\include\mach\uncompress.h(4): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\micro9.c(4): * Copyright (C) 2006 Contec Steuerungstechnik & Automation GmbH
linux-3.10\arch\arm\mach-ep93xx\micro9.c(6): * Copyright (C) 2009 Contec Steuerungstechnik & Automation GmbH
linux-3.10\arch\arm\mach-ep93xx\simone.c(5): * Copyright (C) 2010 Ryan Mallon
linux-3.10\arch\arm\mach-ep93xx\simone.c(8): * Copyright (C) 2009 Simplemachines
linux-3.10\arch\arm\mach-ep93xx\snappercl15.c(5): * Copyright (C) 2009 Bluewater Systems Ltd
linux-3.10\arch\arm\mach-ep93xx\soc.h(4): * Copyright (C) 2012 Open Kernel Labs <www.ok-labs.com>
linux-3.10\arch\arm\mach-ep93xx\soc.h(5): * Copyright (C) 2012 Ryan Mallon <rmallon@gmail.com>
linux-3.10\arch\arm\mach-ep93xx\ts72xx.c(5): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-ep93xx\vision_ep9307.c(5): * Copyright (C) 2008-2011 Vision Engraving Systems
linux-3.10\arch\arm\mach-exynos\common.c(2): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\common.h(2): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\cpuidle.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\dev-ahci.c(3): * Copyright (c) 2011 Samsung

legal(ME)

Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\dev-audio.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\dev-audio.c(6): * Copyright (c) 2010 Samsung Electronics Co. Ltd
linux-3.10\arch\arm\mach-exynos\dev-ohci.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\dev-uart.c(2): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\dma.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\dma.c(6): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\arch\arm\mach-exynos\exynos-smc.S(2): * Copyright (C) 2012 Samsung Electronics.
linux-3.10\arch\arm\mach-exynos\exynos-smc.S(4): * Copied from omap-smc.S Copyright (C) 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-exynos\firmware.c(2): * Copyright (C) 2012 Samsung Electronics.
linux-3.10\arch\arm\mach-exynos\headsmp.S(6): *Copyright (c) 2003 ARM Limited
linux-3.10\arch\arm\mach-exynos\hotplug.c(5): *Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\dma.h(2): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\gpio.h(2): * Copyright (c) 2010-2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\hardware.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\irqs.h(2): * Copyright (c) 2010-2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\map.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\memory.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\pm-core.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\pm-core.h(7): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-exynos\include\mach\regs-clock.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\regs-gpio.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\regs-irq.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\regs-pmu.h(2): * Copyright (c) 2010-2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\regs-usb-phy.h(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\mach-exynos\include\mach\timex.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-exynos\include\mach\timex.h(6): * Copyright (c) 2003-2010 Simtec Electronics
linux-3.10\arch\arm\mach-exynos\include\mach\uncompress.h(2): * Copyright (c)

legal(ME)

2010-2012 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\Kconfig(3):# Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\mach-armlex4210.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\mach-exynos4-dt.c(4): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\mach-exynos4-dt.c(6): * Copyright (c) 2010-2011 Linaro Ltd.

linux-3.10\arch\arm\mach-exynos\mach-exynos5-dt.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\mach-nuri.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\mach-origen.c(3): * Copyright (c) 2011 Insignal Co., Ltd.

linux-3.10\arch\arm\mach-exynos\mach-smdk4x12.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\mach-smdkv310.c(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\mach-universal_c210.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\Makefile(3):# Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\platsmp.c(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\platsmp.c(8): *Copyright (C) 2002 ARM Ltd.

linux-3.10\arch\arm\mach-exynos\pm.c(2): * Copyright (c) 2011-2012 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\pm.c(8): * Copyright (c) 2006 Simtec Electronics

linux-3.10\arch\arm\mach-exynos\pm_domains.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\pmu.c(2): * Copyright (c) 2011-2012 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-fimc.c(2): * Copyright (C) 2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-fimd0.c(3): * Copyright (c) 2009-2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-i2c0.c(2): * Copyright (c) 2009-2012 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-i2c1.c(4): * Copyright (C) 2010 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-i2c2.c(4): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-i2c3.c(4): * Copyright (c) 2010 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-i2c4.c(4): * Copyright (c) 2010 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-i2c5.c(4): * Copyright (c) 2010 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-i2c6.c(4): * Copyright (c) 2010 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-i2c7.c(4): * Copyright (c) 2010 Samsung

legal(ME)

Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-keypad.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-sdhci-gpio.c(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-exynos\setup-spi.c(3): * Copyright (C) 2011 Samsung Electronics Ltd.

linux-3.10\arch\arm\mach-exynos\setup-usb-phy.c(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd

linux-3.10\arch\arm\mach-exynos\smc.h(2): *Copyright (c) 2012 Samsung Electronics.

linux-3.10\arch\arm\mach-footbridge\cats-hw.c(6): * Copyright (C) 1998, 1999 Russell King, Phil Blundell

linux-3.10\arch\arm\mach-footbridge\common.c(4): *Copyright (C) 1998-2000 Russell King, Dave Gilbert.

linux-3.10\arch\arm\mach-footbridge\dc21285.c(4): *Copyright (C) 1998-2001 Russell King

linux-3.10\arch\arm\mach-footbridge\dc21285.c(5): *Copyright (C) 1998-2000 Phil Blundell

linux-3.10\arch\arm\mach-footbridge\dc21285-timer.c(4): *Copyright (C) 1998 Russell King.

linux-3.10\arch\arm\mach-footbridge\dc21285-timer.c(5): *Copyright (C) 1998 Phil Blundell

linux-3.10\arch\arm\mach-footbridge\dma.c(4): *Copyright (C) 1998 Phil Blundell

linux-3.10\arch\arm\mach-footbridge\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King

linux-3.10\arch\arm\mach-footbridge\include\mach\hardware.h(4): *Copyright (C) 1998-1999 Russell King.

linux-3.10\arch\arm\mach-footbridge\include\mach\io.h(4): *Copyright (C) 1997-1999 Russell King

linux-3.10\arch\arm\mach-footbridge\include\mach\irqs.h(4): * Copyright (C) 1998 Russell King

linux-3.10\arch\arm\mach-footbridge\include\mach\irqs.h(5): * Copyright (C) 1998 Phil Blundell

linux-3.10\arch\arm\mach-footbridge\include\mach\isa-dma.h(6): *Copyright (C) 1998,1999 Russell King

linux-3.10\arch\arm\mach-footbridge\include\mach\isa-dma.h(7): *Copyright (C) 1998,1999 Philip Blundell

linux-3.10\arch\arm\mach-footbridge\include\mach\memory.h(4): *Copyright (C) 1996-1999 Russell King.

linux-3.10\arch\arm\mach-footbridge\include\mach\timex.h(4): *Copyright (C) 1998 Russell King

linux-3.10\arch\arm\mach-footbridge\include\mach\uncompress.h(4): *Copyright (C) 1996-1999 Russell King

linux-3.10\arch\arm\mach-footbridge\isa.c(4): *Copyright (C) 2004 Russell King.

linux-3.10\arch\arm\mach-footbridge\isa-irq.c(4): *Copyright (C) 1996-2000 Russell King

linux-3.10\arch\arm\mach-footbridge\isa-rtc.c(4): *Copyright (C) 1998 Russell King.

linux-3.10\arch\arm\mach-footbridge\isa-rtc.c(5): *Copyright (C) 1998 Phil Blundell

linux-3.10\arch\arm\mach-footbridge\isa-timer.c(4): *Copyright (C) 1998 Russell

legal(ME)

King.

linux-3.10\arch\arm\mach-footbridge\isa-timer.c(5): *Copyright (C) 1998 Phil Blundell

linux-3.10\arch\arm\mach-footbridge\netwinder-hw.c(6): * Copyright (C) 1998, 1999 Russell King, Phil Blundell

linux-3.10\arch\arm\mach-gemini\board-nas4220b.c(4): *Copyright (C) 2009 Janos Laube <janos.dev@gmail.com>

linux-3.10\arch\arm\mach-gemini\board-nas4220b.c(7): *Copyright (C) 2008 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\board-rut1xx.c(4): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\board-wbd111.c(4): *Copyright (C) 2009 Imre Kaloz <kaloz@openwrt.org>

linux-3.10\arch\arm\mach-gemini\board-wbd222.c(4): *Copyright (C) 2009 Imre Kaloz <kaloz@openwrt.org>

linux-3.10\arch\arm\mach-gemini\common.h(4): * Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\devices.c(4): * Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\gpio.c(4): * Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\gpio.c(8): *Copyright 2008 Juergen Beisert, kernel@pengutronix.de

linux-3.10\arch\arm\mach-gemini\include\mach\debug-macro.S(4): *Copyright (C) 1994-1999 Russell King

linux-3.10\arch\arm\mach-gemini\include\mach\debug-macro.S(5): *Copyright (C) 2001-2006 Storlink, Corp.

linux-3.10\arch\arm\mach-gemini\include\mach\debug-macro.S(6): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\include\mach\entry-macro.S(4): *Copyright (C) 2001-2006 Storlink, Corp.

linux-3.10\arch\arm\mach-gemini\include\mach\entry-macro.S(5): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\include\mach\global_reg.h(4): *Copyright (C) 2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\include\mach\gpio.h(4): * Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\include\mach\hardware.h(4): *Copyright (C) 2001-2006 Storlink, Corp.

linux-3.10\arch\arm\mach-gemini\include\mach\hardware.h(5): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\include\mach\irqs.h(2): *Copyright (C) 2001-2006 Storlink, Corp.

linux-3.10\arch\arm\mach-gemini\include\mach\irqs.h(3): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\include\mach\timex.h(4): * Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\include\mach\uncompress.h(2): * Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mach-gemini\include\mach\uncompress.h(5): * Copyright:(C) 2001 MontaVista Software Inc.

linux-3.10\arch\arm\mach-gemini\irq.c(4): *Copyright (C) 2001-2006 Storlink,

legal(ME)

Corp.

linux-3.10\arch\arm\mach-gemini\irq.c(5): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>
linux-3.10\arch\arm\mach-gemini\mm.c(4): *Copyright (C) 2001-2006 Storlink, Corp.
linux-3.10\arch\arm\mach-gemini\mm.c(5): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>
linux-3.10\arch\arm\mach-gemini\reset.c(2): *Copyright (C) 2001-2006 Storlink, Corp.
linux-3.10\arch\arm\mach-gemini\reset.c(3): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>
linux-3.10\arch\arm\mach-gemini\time.c(2): *Copyright (C) 2001-2006 Storlink, Corp.
linux-3.10\arch\arm\mach-gemini\time.c(3): *Copyright (C) 2008-2009 Paulius Zaleckas <paulius.zaleckas@teltonika.lt>
linux-3.10\arch\arm\mach-highbank\highbank.c(2): * Copyright 2010-2011 Calxeda, Inc.
linux-3.10\arch\arm\mach-highbank\hotplug.c(2): * Copyright 2011 Calxeda, Inc.
linux-3.10\arch\arm\mach-highbank\platsmp.c(2): * Copyright 2010-2011 Calxeda, Inc.
linux-3.10\arch\arm\mach-highbank\platsmp.c(3): * Based on platsmp.c, Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\mach-highbank\pm.c(2): * Copyright 2011 Calxeda, Inc.
linux-3.10\arch\arm\mach-highbank\smc.S(2): * Copied from omap44xx-smc.S Copyright (C) 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-highbank\smc.S(3): * Copyright 2012 Calxeda, Inc.
linux-3.10\arch\arm\mach-highbank\sysregs.h(2): * Copyright 2011 Calxeda, Inc.
linux-3.10\arch\arm\mach-highbank\system.c(2): * Copyright 2011 Calxeda, Inc.
linux-3.10\arch\arm\mach-imx\3ds_debugboard.c(2): * Copyright 2008-2009 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\3ds_debugboard.c(3): * Copyright (C) 2010 Jason Wang <jason77.wang@gmail.com>
linux-3.10\arch\arm\mach-imx\3ds_debugboard.h(2): * Copyright 2008-2009 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\anatop.c(2): * Copyright (C) 2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\avic.c(2): * Copyright 2004-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\avic.c(3): * Copyright 2008 Juergen Beisert, kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\board-mx31lilly.h(2): * Copyright (C) 2009 Daniel Mack <daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\board-mx31lilly.h(5): * Copyright (C) 2009 Valentin Longchamp, EPFL Mobots group
linux-3.10\arch\arm\mach-imx\board-mx31lite.h(2): * Copyright 2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\board-mx31lite.h(3): * Copyright (C) 2009 Daniel Mack <daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\board-mx31lite.h(6): * Copyright (C) 2009 Valentin Longchamp, EPFL Mobots group
linux-3.10\arch\arm\mach-imx\board-mx31moboard.h(2): * Copyright (C) 2009 Valentin Longchamp, EPFL Mobots group
linux-3.10\arch\arm\mach-imx\board-pcm038.h(2): * Copyright (C) 2008 Juergen

legal(ME)

Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\clk-busy.c(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\clk-busy.c(3): * Copyright 2012 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\clk-gate2.c(2): * Copyright (C) 2010-2011 Canonical Ltd <jeremy.kerr@canonical.com>
linux-3.10\arch\arm\mach-imx\clk-gate2.c(3): * Copyright (C) 2011-2012 Mike Turquette, Linaro Ltd <mturquette@linaro.org>
linux-3.10\arch\arm\mach-imx\clk-imx1.c(2): * Copyright (C) 2008 Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-imx\clk-imx21.c(2): * Copyright 2004-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\clk-imx21.c(3): * Copyright 2008 Juergen Beisert, kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\clk-imx21.c(4): * Copyright 2008 Martin Fuzzey, mfuzzey@gmail.com
linux-3.10\arch\arm\mach-imx\clk-imx25.c(2): * Copyright (C) 2009 by Sascha Hauer, Pengutronix
linux-3.10\arch\arm\mach-imx\clk-imx31.c(2): * Copyright (C) 2012 Sascha Hauer <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\clk-imx35.c(2): * Copyright (C) 2012 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
linux-3.10\arch\arm\mach-imx\clk-imx51-imx53.c(2): * Copyright (C) 2011 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
linux-3.10\arch\arm\mach-imx\clk-imx6q.c(2): * Copyright 2011-2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\clk-imx6q.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\clk-pfd.c(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\clk-pfd.c(3): * Copyright 2012 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\clk-pllv3.c(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\clk-pllv3.c(3): * Copyright 2012 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\common.h(2): * Copyright 2004-2013 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\cpuidle.h(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\cpuidle.h(3): * Copyright 2012 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\cpuidle-imx5.c(2): * Copyright (C) 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\cpuidle-imx6q.c(2): * Copyright (C) 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\cpu-imx25.c(4): * Copyright (c) 2009 Daniel Mack <daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\cpu-imx25.c(5): * Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved
linux-3.10\arch\arm\mach-imx\cpu-imx27.c(2): * Copyright 2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\cpu-imx27.c(3): * Copyright 2008 Juergen Beisert, kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\cpu-imx31.c(4): * Copyright (c) 2009 Daniel Mack <daniel@caiaq.de>

legal(ME)

linux-3.10\arch\arm\mach-imx\cpu-imx35.c(4): * Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\cpu-imx5.c(2): * Copyright 2008-2010 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\crmregs-imx3.h(2): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\crmregs-imx3.h(3): * Copyright (C) 2008 by Sascha
Hauer <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\crm-regs-imx5.h(2): * Copyright 2008-2009 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\devices\devices.c(2): * Copyright 2008 Sascha Hauer,
kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\devices\devices-common.h(2): * Copyright (C)
2009-2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-fec.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-flexcan.c(2): * Copyright (C) 2010
Pengutronix, Marc Kleine-Budde <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\devices\platform-fsl-usb2-udc.c(2): * Copyright (C)
2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-gpio_keys.c(2): * Copyright (C)
2010 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\devices\platform-gpio-mxc.c(2): * Copyright 2011
Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\devices\platform-gpio-mxc.c(3): * Copyright 2011
Linaro Limited
linux-3.10\arch\arm\mach-imx\devices\platform-imx_udc.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imx21-hcd.c(2): * Copyright (C)
2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imx27-coda.c(2): * Copyright (C)
2012 Vista Silicon
linux-3.10\arch\arm\mach-imx\devices\platform-imx2-wdt.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imxdi_rtc.c(2): * Copyright (C)
2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imx-dma.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imx-fb.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imx-i2c.c(2): * Copyright (C)
2009-2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imx-keypad.c(2): * Copyright (C)
2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imx-ssi.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-imx-uart.c(2): * Copyright (C)
2009-2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-ipu-core.c(2): * Copyright (C) 2011
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mx1-camera.c(2): * Copyright (C)
2010 Pengutronix

legal(ME)

linux-3.10\arch\arm\mach-imx\devices\platform-mx2-camera.c(2): * Copyright (C)
2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mx2-emma.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mxc_nand.c(2): * Copyright (C)
2009-2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mxc_pwm.c(2): * Copyright (C)
2009-2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mxc_rnga.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mxc_rtc.c(2): * Copyright (C)
2010-2011 Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mxc_w1.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mxc-ehci.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-mxc-mmc.c(2): * Copyright (C) 2010
Pengutronix
linux-3.10\arch\arm\mach-imx\devices\platform-sdhci-esdhc-imx.c(2): * Copyright
(C) 2010 Pengutronix, Wolfram Sang <w.sang@pengutronix.de>
linux-3.10\arch\arm\mach-imx\devices\platform-spi_imx.c(2): * Copyright (C)
2009-2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices-imx1.h(2): * Copyright (C) 2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices-imx21.h(2): * Copyright (C) 2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices-imx25.h(2): * Copyright (C) 2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices-imx27.h(2): * Copyright (C) 2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices-imx31.h(2): * Copyright (C) 2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices-imx35.h(2): * Copyright (C) 2010 Pengutronix
linux-3.10\arch\arm\mach-imx\devices-imx51.h(2): * Copyright (C) 2010 Pengutronix
linux-3.10\arch\arm\mach-imx\ehci-imx25.c(2): * Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\ehci-imx25.c(3): * Copyright (C) 2010 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\ehci-imx27.c(2): * Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\ehci-imx27.c(3): * Copyright (C) 2010 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\ehci-imx31.c(2): * Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\ehci-imx31.c(3): * Copyright (C) 2010 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\ehci-imx35.c(2): * Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\ehci-imx35.c(3): * Copyright (C) 2010 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\ehci-imx5.c(2): * Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\ehci-imx5.c(3): * Copyright (C) 2010 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\epit.c(4): *Copyright (C) 2010 Sascha Hauer
<s.hauer@pengutronix.de>
linux-3.10\arch\arm\mach-imx\eukrea_mbimx27-baseboard.c(2): * Copyright (C)

legal(ME)

2009-2010 Eric Benard - eric@eukrea.com
linux-3.10\arch\arm\mach-imx\eukrea_mbimx27-baseboard.c(5): * Copyright (C) 2008
Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\eukrea_mbimxsd25-baseboard.c(2): * Copyright (C)
2010 Eric Benard - eric@eukrea.com
linux-3.10\arch\arm\mach-imx\eukrea_mbimxsd25-baseboard.c(5): * Copyright (C)
2008 Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\eukrea_mbimxsd35-baseboard.c(2): * Copyright (C)
2010 Eric Benard - eric@eukrea.com
linux-3.10\arch\arm\mach-imx\eukrea_mbimxsd35-baseboard.c(5): * Copyright (C)
2008 Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\eukrea_mbimxsd51-baseboard.c(2): * Copyright (C)
2010 Eric Benard - eric@eukrea.com
linux-3.10\arch\arm\mach-imx\eukrea_mbimxsd51-baseboard.c(5): * Copyright (C)
2008 Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\eukrea-baseboards.h(2): * Copyright (C) 2010 Eric
Benard - eric@eukrea.com
linux-3.10\arch\arm\mach-imx\eukrea-baseboards.h(5): * Copyright (C) 2008 Juergen
Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\gpc.c(2): * Copyright 2011-2013 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\gpc.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\hardware.h(2): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\hardware.h(3): * Copyright 2008 Juergen Beisert,
kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\headsmp.S(2): * Copyright 2011 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\headsmp.S(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\hotplug.c(2): * Copyright 2011 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\hotplug.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\iim.h(2): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\iim.h(3): * Copyright 2008 Juergen Beisert,
kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\imx25-dt.c(2): * Copyright 2012 Sascha Hauer,
Pengutronix
linux-3.10\arch\arm\mach-imx\imx27-dt.c(2): * Copyright 2012 Sascha Hauer,
Pengutronix
linux-3.10\arch\arm\mach-imx\imx31-dt.c(2): * Copyright 2012 Sascha Hauer,
Pengutronix
linux-3.10\arch\arm\mach-imx\imx51-dt.c(2): * Copyright 2011 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\imx51-dt.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\iomux-imx31.c(2): * Copyright 2004-2006 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\iomux-imx31.c(3): * Copyright (C) 2008 by Sascha
Hauer <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\iomux-imx31.c(4): * Copyright (C) 2009 by Valentin
Longchamp <valentin.longchamp@epfl.ch>
linux-3.10\arch\arm\mach-imx\iomux-mx1.h(2): * Copyright (C) 2008 by Sascha Hauer

legal(ME)

<kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\iomux-mx21.h(2): * Copyright (C) 2009 by Holger Schurig <hs4233@mail.mn-solutions.de>
linux-3.10\arch\arm\mach-imx\iomux-mx25.h(10): *Copyright (C) 2009 by Jan Weitzel Phytec Messtechnik GmbH <armlinux@phytec.de>
linux-3.10\arch\arm\mach-imx\iomux-mx25.h(4): * Copyright (C) 2009 by Lothar Wassmann <LW@KARO-electronics.de>
linux-3.10\arch\arm\mach-imx\iomux-mx25.h(7): *Copyright 2008 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\iomux-mx27.h(2): * Copyright (C) 2008 by Sascha Hauer <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\iomux-mx27.h(3): * Copyright (C) 2009 by Holger Schurig <hs4233@mail.mn-solutions.de>
linux-3.10\arch\arm\mach-imx\iomux-mx2x.h(2): * Copyright (C) 2008 by Sascha Hauer <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\iomux-mx2x.h(3): * Copyright (C) 2009 by Holger Schurig <hs4233@mail.mn-solutions.de>
linux-3.10\arch\arm\mach-imx\iomux-mx3.h(2): * Copyright 2004-2006 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\iomux-mx3.h(3): * Copyright (C) 2008 by Sascha Hauer <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\iomux-mx35.h(2): * Copyright (C) 2009 by Jan Weitzel Phytec Messtechnik GmbH <armlinux@phytec.de>
linux-3.10\arch\arm\mach-imx\iomux-mx51.h(2): * Copyright (C) 2009-2010 Amit Kucheria <amit.kucheria@canonical.com>
linux-3.10\arch\arm\mach-imx\iomux-mx51.h(3): * Copyright (C) 2010 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\iomux-v1.c(4): * Copyright (C) 2004 Sascha Hauer, Synertronixx GmbH
linux-3.10\arch\arm\mach-imx\iomux-v1.c(5): * Copyright (C) 2009 Uwe Kleine-Koenig, Pengutronix
linux-3.10\arch\arm\mach-imx\iomux-v1.h(2): * Copyright (C) 2008 by Sascha Hauer <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\iomux-v1.h(3): * Copyright (C) 2009 by Holger Schurig <hs4233@mail.mn-solutions.de>
linux-3.10\arch\arm\mach-imx\iomux-v3.c(2): * Copyright 2004-2006 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\iomux-v3.c(3): * Copyright (C) 2008 by Sascha Hauer <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\iomux-v3.c(4): * Copyright (C) 2009 by Jan Weitzel Phytec Messtechnik GmbH,
linux-3.10\arch\arm\mach-imx\iomux-v3.h(2): * Copyright (C) 2009 by Jan Weitzel Phytec Messtechnik GmbH,
linux-3.10\arch\arm\mach-imx\irq-common.c(2): * Copyright (C) BitBox Ltd 2010
linux-3.10\arch\arm\mach-imx\irq-common.h(2): * Copyright (C) BitBox Ltd 2010
linux-3.10\arch\arm\mach-imx\mach-apf9328.c(4): * Copyright (c) 2005-2011 ARMadeus systems <support@armadeus.com>
linux-3.10\arch\arm\mach-imx\mach-apf9328.c(7): * Copyright (c) 2004 Sascha Hauer <saschahauer@web.de>
linux-3.10\arch\arm\mach-imx\mach-apf9328.c(8): * Copyright (c) 2006-2008 Juergen Beisert <jbeisert@netscape.net>
linux-3.10\arch\arm\mach-imx\mach-armadillo5x0.c(4): * Copyright 2009 Alberto

legal(ME)

Panizzo <maramaopercheseimorto@gmail.com>
linux-3.10\arch\arm\mach-imx\mach-bug.c(2): * Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-imx\mach-bug.c(3): * Copyright (C) 2002 Shane Nay (shane@minirl.com)
linux-3.10\arch\arm\mach-imx\mach-bug.c(4): * Copyright 2005-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mach-bug.c(5): * Copyright 2011 Denis 'GNUtoo' Carikli <GNUtoo@no-log.org>
linux-3.10\arch\arm\mach-imx\mach-cpuimx27.c(2): * Copyright (C) 2009 Eric Benard - eric@eukrea.com
linux-3.10\arch\arm\mach-imx\mach-cpuimx27.c(5): * Copyright 2007 Robert Schwebel <r.schwebel@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-imx\mach-cpuimx27.c(6): * Copyright (C) 2008 Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\mach-cpuimx35.c(2): * Copyright (C) 2010 Eric Benard - eric@eukrea.com
linux-3.10\arch\arm\mach-imx\mach-cpuimx35.c(3): * Copyright (C) 2009 Sascha Hauer, Pengutronix
linux-3.10\arch\arm\mach-imx\mach-cpuimx51sd.c(3): * Copyright (C) 2010 Eric Břnard <eric@eukrea.com>
linux-3.10\arch\arm\mach-imx\mach-cpuimx51sd.c(6): * Copyright 2009 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mach-cpuimx51sd.c(7): * Copyright (C) 2009-2010 Amit Kucheria <amit.kucheria@canonical.com>
linux-3.10\arch\arm\mach-imx\mach-eukrea_cpuimx25.c(2): * Copyright 2009 Sascha Hauer, <kernel@pengutronix.de>
linux-3.10\arch\arm\mach-imx\mach-eukrea_cpuimx25.c(3): * Copyright 2010 Eric Břnard - Eukrřka Electromatique, <eric@eukrea.com>
linux-3.10\arch\arm\mach-imx\mach-imx27_visstrim_m10.c(4): * Copyright 2010Javier Martin <javier.martin@vista-silicon.com>
linux-3.10\arch\arm\mach-imx\mach-imx27ipcam.c(2): * Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mach-imx27lite.c(2): * Copyright 2007 Robert Schwebel <r.schwebel@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-imx\mach-imx27lite.c(3): * Copyright (C) 2008 Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\mach-imx27lite.c(4): * Copyright 2009 Daniel Schaeffer (daniel.schaeffer@timesys.com)
linux-3.10\arch\arm\mach-imx\mach-imx53.c(2): * Copyright 2011 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mach-imx53.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\mach-imx6q.c(2): * Copyright 2011-2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\mach-imx6q.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\mach-kzm_arm11_01.c(3): *Copyright (C) 2009Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\arm\mach-imx\mach-kzm_arm11_01.c(6): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-imx\mach-kzm_arm11_01.c(7): *Copyright (C) 2002 Shane Nay (shane@minirl.com)
linux-3.10\arch\arm\mach-imx\mach-kzm_arm11_01.c(8): *Copyright 2005-2007

legal(ME)

Freescale Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx1ads.c(6): *Copyright (c) 2004 Sascha Hauer
<sascha@saschahauer.de>

linux-3.10\arch\arm\mach-imx\mach-mx21ads.c(2): *Copyright (C) 2000 Deep Blue
Solutions Ltd

linux-3.10\arch\arm\mach-imx\mach-mx21ads.c(3): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)

linux-3.10\arch\arm\mach-imx\mach-mx21ads.c(4): *Copyright 2006-2007 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx25_3ds.c(2): * Copyright 2009 Sascha Hauer,
<kernel@pengutronix.de>

linux-3.10\arch\arm\mach-imx\mach-mx27_3ds.c(2): * Copyright 2009 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx27ads.c(2): *Copyright (C) 2000 Deep Blue
Solutions Ltd

linux-3.10\arch\arm\mach-imx\mach-mx27ads.c(3): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)

linux-3.10\arch\arm\mach-imx\mach-mx27ads.c(4): *Copyright 2006-2007 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx31_3ds.c(2): *Copyright 2008 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx31ads.c(2): *Copyright (C) 2000 Deep Blue
Solutions Ltd

linux-3.10\arch\arm\mach-imx\mach-mx31ads.c(3): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)

linux-3.10\arch\arm\mach-imx\mach-mx31ads.c(4): *Copyright 2005-2007 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx31lilly.c(10): *Copyright (C) 2009 Valentin
Longchamp, EPFL Mobots group

linux-3.10\arch\arm\mach-imx\mach-mx31lilly.c(4): *Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>

linux-3.10\arch\arm\mach-imx\mach-mx31lilly.c(8): *Copyright 2005-2007 Freescale
Semiconductor

linux-3.10\arch\arm\mach-imx\mach-mx31lilly.c(9): *Copyright (c) 2009 Alberto
Panizzo <maramaopercheseimorto@gmail.com>

linux-3.10\arch\arm\mach-imx\mach-mx31lite.c(2): *Copyright (C) 2000 Deep Blue
Solutions Ltd

linux-3.10\arch\arm\mach-imx\mach-mx31lite.c(3): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)

linux-3.10\arch\arm\mach-imx\mach-mx31lite.c(4): *Copyright 2005-2007 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx31lite.c(5): *Copyright (C) 2009 Daniel Mack
<daniel@caiaq.de>

linux-3.10\arch\arm\mach-imx\mach-mx31mboard.c(2): *Copyright (C) 2008 Valentin
Longchamp, EPFL Mobots group

linux-3.10\arch\arm\mach-imx\mach-mx35_3ds.c(2): * Copyright 2009 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx35_3ds.c(3): * Copyright (C) 2009 Marc
Kleine-Budde, Pengutronix

linux-3.10\arch\arm\mach-imx\mach-mx35_3ds.c(7): * Copyright (C) 2011 Meprolight,
Ltd.

linux-3.10\arch\arm\mach-imx\mach-mx51_babbage.c(2): * Copyright 2009-2010

legal(ME)

Freescale Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-mx51_babbage.c(3): * Copyright (C) 2009-2010
Amit Kucheria <amit.kucheria@canonical.com>

linux-3.10\arch\arm\mach-imx\mach-mxt_td60.c(2): *Copyright (C) 2000 Deep Blue
Solutions Ltd

linux-3.10\arch\arm\mach-imx\mach-mxt_td60.c(3): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)

linux-3.10\arch\arm\mach-imx\mach-mxt_td60.c(4): *Copyright 2006-2007 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-pca100.c(2): * Copyright 2007 Robert Schwebel
<r.schwebel@pengutronix.de>, Pengutronix

linux-3.10\arch\arm\mach-imx\mach-pca100.c(3): * Copyright (C) 2009 Sascha Hauer
(kernel@pengutronix.de)

linux-3.10\arch\arm\mach-imx\mach-pcm037.c(2): *Copyright (C) 2008 Sascha Hauer,
Pengutronix

linux-3.10\arch\arm\mach-imx\mach-pcm037_eet.c(2): * Copyright (C) 2009

linux-3.10\arch\arm\mach-imx\mach-pcm038.c(2): * Copyright 2007 Robert Schwebel
<r.schwebel@pengutronix.de>, Pengutronix

linux-3.10\arch\arm\mach-imx\mach-pcm038.c(3): * Copyright (C) 2008 Juergen
Beisert (kernel@pengutronix.de)

linux-3.10\arch\arm\mach-imx\mach-pcm043.c(2): *Copyright (C) 2009 Sascha Hauer,
Pengutronix

linux-3.10\arch\arm\mach-imx\mach-qong.c(2): *Copyright (C) 2009 Ilya Yanok,
Emcraft Systems Ltd, <yanok@emcraft.com>

linux-3.10\arch\arm\mach-imx\mach-scb9328.c(4): * Copyright (c) 2004 Sascha Hauer
<saschahauer@web.de>

linux-3.10\arch\arm\mach-imx\mach-scb9328.c(5): * Copyright (c) 2006-2008 Juergen
Beisert <jbeisert@netscape.net>

linux-3.10\arch\arm\mach-imx\mach-vpr200.c(2): * Copyright 2009 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mach-vpr200.c(3): * Copyright (C) 2009 Marc
Kleine-Budde, Pengutronix

linux-3.10\arch\arm\mach-imx\mach-vpr200.c(4): * Copyright 2010 Creative Product
Design

linux-3.10\arch\arm\mach-imx\mmdc.c(2): * Copyright 2011 Freescale Semiconductor,
Inc.

linux-3.10\arch\arm\mach-imx\mmdc.c(3): * Copyright 2011 Linaro Ltd.

linux-3.10\arch\arm\mach-imx\mm-imx1.c(4): *Copyright: Synertronixx GmbH

linux-3.10\arch\arm\mach-imx\mm-imx21.c(4): * Copyright (C) 2008 Juergen Beisert
(kernel@pengutronix.de)

linux-3.10\arch\arm\mach-imx\mm-imx25.c(2): *Copyright (C) 1999,2000 Arm Limited

linux-3.10\arch\arm\mach-imx\mm-imx25.c(3): *Copyright (C) 2000 Deep Blue
Solutions Ltd

linux-3.10\arch\arm\mach-imx\mm-imx25.c(4): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)

linux-3.10\arch\arm\mach-imx\mm-imx25.c(5): *Copyright 2005-2007 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\arch\arm\mach-imx\mm-imx27.c(4): * Copyright (C) 2008 Juergen Beisert
(kernel@pengutronix.de)

linux-3.10\arch\arm\mach-imx\mm-imx3.c(2): *Copyright (C) 1999,2000 Arm Limited

linux-3.10\arch\arm\mach-imx\mm-imx3.c(3): *Copyright (C) 2000 Deep Blue
Solutions Ltd

legal(ME)

linux-3.10\arch\arm\mach-imx\mm-imx3.c(4): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)
linux-3.10\arch\arm\mach-imx\mm-imx3.c(5): *Copyright 2005-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mm-imx5.c(2): * Copyright 2008-2010 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mx1.h(2): * Copyright (C) 1997,1998 Russell King
linux-3.10\arch\arm\mach-imx\mx1.h(3): * Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-imx\mx1.h(4): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mx1.h(5): * Copyright (c) 2008 Paulius Zaleckas
<paulius.zaleckas@teltonika.lt>
linux-3.10\arch\arm\mach-imx\mx1-camera-fiq.S(2): *Copyright (C) 2008 Paulius
Zaleckas <paulius.zaleckas@teltonika.lt>
linux-3.10\arch\arm\mach-imx\mx1-camera-fiq.S(5): *Copyright (C) 1995, 1996
Russell King
linux-3.10\arch\arm\mach-imx\mx1-camera-fiq-ksym.c(4): * Copyright (C) 2008,
Darius Augulis <augulis.darius@gmail.com>
linux-3.10\arch\arm\mach-imx\mx21.h(2): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mx21.h(3): * Copyright 2008 Juergen Beisert,
kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\mx21.h(4): * Copyright 2009 Holger Schurig,
hs4233@mail.mn-solutions.de
linux-3.10\arch\arm\mach-imx\mx27.h(2): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mx27.h(3): * Copyright 2008 Juergen Beisert,
kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\mx2x.h(2): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mx2x.h(3): * Copyright 2008 Juergen Beisert,
kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\mx31lilly-db.c(10): *Copyright (C) 2009 Valentin
Longchamp, EPFL Mobots group
linux-3.10\arch\arm\mach-imx\mx31lilly-db.c(4): *Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\mx31lilly-db.c(8): *Copyright 2005-2007 Freescale
Semiconductor
linux-3.10\arch\arm\mach-imx\mx31lilly-db.c(9): *Copyright (c) 2009 Alberto
Panizzo <maramaopercheseimorto@gmail.com>
linux-3.10\arch\arm\mach-imx\mx31lite-db.c(10): *Copyright (C) 2009 Valentin
Longchamp, EPFL Mobots group
linux-3.10\arch\arm\mach-imx\mx31lite-db.c(4): *Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-imx\mx31lite-db.c(8): *Copyright 2005-2007 Freescale
Semiconductor
linux-3.10\arch\arm\mach-imx\mx31lite-db.c(9): *Copyright (c) 2009 Alberto
Panizzo <maramaopercheseimorto@gmail.com>
linux-3.10\arch\arm\mach-imx\mx31mboard-devboard.c(2): * Copyright (C) 2009
Valentin Longchamp, EPFL Mobots group
linux-3.10\arch\arm\mach-imx\mx31mboard-marxbot.c(2): * Copyright (C) 2009
Valentin Longchamp, EPFL Mobots group

legal(ME)

linux-3.10\arch\arm\mach-imx\mx31moboard-smartbot.c(2): * Copyright (C) 2009 Valentin Longchamp, EPFL Mobots group
linux-3.10\arch\arm\mach-imx\mx3x.h(2): * Copyright 2004-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mx.c.h(2): * Copyright 2004-2007, 2010 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\mx.c.h(3): * Copyright (C) 2008 Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\pcm970-baseboard.c(2): * Copyright (C) 2008 Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\platsmp.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\platsmp.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\pm-imx3.c(2): *Copyright (C) 2012 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\pm-imx5.c(2): *Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\pm-imx6q.c(2): * Copyright 2011-2013 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\pm-imx6q.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\src.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\arm\mach-imx\src.c(3): * Copyright 2011 Linaro Ltd.
linux-3.10\arch\arm\mach-imx\ssi-fiq.S(2): *Copyright (C) 2009 Sascha Hauer <s.hauer@pengutronix.de>
linux-3.10\arch\arm\mach-imx\ssi-fiq-ksym.c(4): * Copyright (C) 2009, Sascha Hauer <s.hauer@pengutronix.de>
linux-3.10\arch\arm\mach-imx\system.c(2): * Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-imx\system.c(3): * Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-imx\system.c(4): * Copyright 2006-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\system.c(5): * Copyright 2008 Juergen Beisert, kernel@pengutronix.de
linux-3.10\arch\arm\mach-imx\system.c(6): * Copyright 2009 Ilya Yanok, Emcraft Systems Ltd, yanok@emcraft.com
linux-3.10\arch\arm\mach-imx\time.c(4): *Copyright (C) 2000-2001 Deep Blue Solutions
linux-3.10\arch\arm\mach-imx\time.c(5): *Copyright (C) 2002 Shane Nay (shane@minirl.com)
linux-3.10\arch\arm\mach-imx\time.c(6): *Copyright (C) 2006-2007 Pavel Pisa (ppisa@pikron.com)
linux-3.10\arch\arm\mach-imx\time.c(7): *Copyright (C) 2008 Juergen Beisert (kernel@pengutronix.de)
linux-3.10\arch\arm\mach-imx\tzic.c(2): * Copyright (C)2004-2010 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\arch\arm\mach-imx\ulpi.c(2): * Copyright 2008 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
linux-3.10\arch\arm\mach-imx\ulpi.c(3): * Copyright 2009 Daniel Mack <daniel@caiaq.de>
linux-3.10\arch\arm\mach-integrator\core.c(4): *Copyright (C) 2000-2003 Deep Blue Solutions Ltd

legal(ME)

linux-3.10\arch\arm\mach-integrator\impd1.c(4): *Copyright (C) 2003 Deep Blue Solutions Ltd, All Rights Reserved.
linux-3.10\arch\arm\mach-integrator\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\mach-integrator\include\mach\hardware.h(6): *Copyright (C) 1999 ARM Limited.
linux-3.10\arch\arm\mach-integrator\include\mach\irqs.h(4): *Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-integrator\include\mach\irqs.h(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mach-integrator\include\mach\memory.h(4): *Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-integrator\include\mach\platform.h(17): * * Copyright ㄣ ARM Limited 1998.All rights reserved.
linux-3.10\arch\arm\mach-integrator\include\mach\timex.h(6): *Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-integrator\include\mach\uncompress.h(4): *Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-integrator\integrator_ap.c(4): *Copyright (C) 2000-2003 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-integrator\integrator_cp.c(4): *Copyright (C) 2003 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-integrator\lm.c(4): *Copyright (C) 2003 Deep Blue Solutions Ltd, All Rights Reserved.
linux-3.10\arch\arm\mach-integrator\pci.c(4): *Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-integrator\pci.c(5): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-integrator\pci_v3.c(6): *Copyright (C) 1999 ARM Limited
linux-3.10\arch\arm\mach-integrator\pci_v3.c(7): *Copyright (C) 2000-2001 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-iop13xx\include\mach\adma.h(2): * Copyright(c) 2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\include\mach\debug-macro.S(6): * Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\mach-iop13xx\include\mach\entry-macro.S(3): * Copyright (c) 2005-2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\io.c(3): * Copyright (c) 2005-2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\iq81340mc.c(3): * Copyright (c) 2005-2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\iq81340sc.c(3): * Copyright (c) 2005-2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\irq.c(3): * Copyright (c) 2005-2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\msi.c(6): * Copyright (c) 2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\pci.c(3): * Copyright (c) 2005-2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\setup.c(3): * Copyright (c) 2005-2006, Intel Corporation.
linux-3.10\arch\arm\mach-iop13xx\tpmi.c(3): * Copyright (c) 2005-2006, Intel Corporation.

legal(ME)

linux-3.10\arch\arm\mach-iop32x\em7210.c(8): * Copyright (C) 2007 Arnaud Patard
<arnaud.patard@rtp-net.org>
linux-3.10\arch\arm\mach-iop32x\glantank.c(6): * Copyright (C) 2006, 2007 Martin
Michlmayr <tbm@cyrius.com>
linux-3.10\arch\arm\mach-iop32x\glantank.c(7): * Copyright (C) 2006 Lennert
Buytenhek <buytenh@wantstofly.org>
linux-3.10\arch\arm\mach-iop32x\include\mach\debug-macro.S(6): * Copyright (C)
1994-1999 Russell King
linux-3.10\arch\arm\mach-iop32x\include\mach\iop32x.h(7): * Copyright (C) 2002
Rory Bolt
linux-3.10\arch\arm\mach-iop32x\include\mach\iop32x.h(8): * Copyright (C) 2004
Intel Corp.
linux-3.10\arch\arm\mach-iop32x\include\mach\irqs.h(5): * Copyright:(C) 2002 Rory
Bolt
linux-3.10\arch\arm\mach-iop32x\iq31244.c(7): * Copyright (C) 2002 Rory Bolt
linux-3.10\arch\arm\mach-iop32x\iq31244.c(8): * Copyright 2003 (c) MontaVista,
Software, Inc.
linux-3.10\arch\arm\mach-iop32x\iq31244.c(9): * Copyright (C) 2004 Intel Corp.
linux-3.10\arch\arm\mach-iop32x\iq80321.c(7): * Copyright (C) 2002 Rory Bolt
linux-3.10\arch\arm\mach-iop32x\iq80321.c(8): * Copyright (C) 2004 Intel Corp.
linux-3.10\arch\arm\mach-iop32x\irq.c(7): * Copyright (C) 2002 Rory Bolt
linux-3.10\arch\arm\mach-iop32x\n2100.c(7): * Copyright (C) 2002 Rory Bolt
linux-3.10\arch\arm\mach-iop32x\n2100.c(8): * Copyright 2003 (c) MontaVista,
Software, Inc.
linux-3.10\arch\arm\mach-iop32x\n2100.c(9): * Copyright (C) 2004 Intel Corp.
linux-3.10\arch\arm\mach-iop33x\include\mach\debug-macro.S(6): * Copyright (C)
1994-1999 Russell King
linux-3.10\arch\arm\mach-iop33x\include\mach\iop33x.h(7): * Copyright (C) 2003,
2004 Intel Corp.
linux-3.10\arch\arm\mach-iop33x\include\mach\irqs.h(5): * Copyright:(C) 2003
Intel Corp.
linux-3.10\arch\arm\mach-iop33x\iq80331.c(7): * Copyright (C) 2003 Intel Corp.
linux-3.10\arch\arm\mach-iop33x\iq80332.c(7): * Copyright (C) 2004 Intel Corp.
linux-3.10\arch\arm\mach-iop33x\irq.c(7): * Copyright (C) 2003 Intel Corp.
linux-3.10\arch\arm\mach-iop33x\uart.c(5): * Copyright (C) 2004 Intel
Corporation.
linux-3.10\arch\arm\mach-ixp4xx\avila-pci.c(10): * Copyright (C) 2003-2004
MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\avila-pci.c(9): * Copyright (C) 2002 Intel
Corporation.
linux-3.10\arch\arm\mach-ixp4xx\avila-setup.c(9): * Copyright (C) 2003-2005
MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\common.c(8): * Copyright 2002 (c) Intel
Corporation
linux-3.10\arch\arm\mach-ixp4xx\common.c(9): * Copyright 2003-2004 (c)
MontaVista, Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\common-pci.c(10): * Copyright (C) 2003-2004
MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\common-pci.c(8): * Copyright (C) 2002 Intel
Corporation.
linux-3.10\arch\arm\mach-ixp4xx\common-pci.c(9): * Copyright (C) 2003 Greg
Ungerer <gerg@snapgear.com>

legal(ME)

linux-3.10\arch\arm\mach-ixp4xx\coyote-pci.c(6): * Copyright (C) 2002 Jungo Software Technologies.
linux-3.10\arch\arm\mach-ixp4xx\coyote-pci.c(7): * Copyright (C) 2003 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\coyote-setup.c(6): * Copyright (C) 2003-2005 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\dsmsg600-pci.c(4): * Copyright (C) 2006 Tower Technologies
linux-3.10\arch\arm\mach-ixp4xx\dsmsg600-pci.c(8): *Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\dsmsg600-pci.c(9): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\dsmsg600-setup.c(10): *Copyright (C) 2005 Tower Technologies
linux-3.10\arch\arm\mach-ixp4xx\dsmsg600-setup.c(12): *Copyright (C) 2004 Karen Spearel
linux-3.10\arch\arm\mach-ixp4xx\dsmsg600-setup.c(4): * Copyright (C) 2008 Rod Whitby <rod@whitby.id.au>
linux-3.10\arch\arm\mach-ixp4xx\dsmsg600-setup.c(5): * Copyright (C) 2006 Tower Technologies
linux-3.10\arch\arm\mach-ixp4xx\dsmsg600-setup.c(8): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\fsg-pci.c(10): *Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\fsg-pci.c(11): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\fsg-setup.c(11): *Copyright (C) 2005 Tower Technologies
linux-3.10\arch\arm\mach-ixp4xx\fsg-setup.c(6): * Copyright (C) 2008 Rod Whitby <rod@whitby.id.au>
linux-3.10\arch\arm\mach-ixp4xx\fsg-setup.c(9): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\gateway7001-pci.c(10): *Copyright (C) 2003 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\gateway7001-pci.c(6): * Copyright (C) 2007 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\arm\mach-ixp4xx\gateway7001-pci.c(9): *Copyright (C) 2002 Jungo Software Technologies.
linux-3.10\arch\arm\mach-ixp4xx\gateway7001-setup.c(6): * Copyright (C) 2007 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\arm\mach-ixp4xx\gateway7001-setup.c(9): *Copyright (C) 2003-2005 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\goramo_mlr.c(3): * Copyright (C) 2006-2009 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\arch\arm\mach-ixp4xx\gtwx5715-pci.c(6): * Copyright (C) 2004 George T. Joseph
linux-3.10\arch\arm\mach-ixp4xx\gtwx5715-setup.c(6): * Copyright (C) 2004 George T. Joseph
linux-3.10\arch\arm\mach-ixp4xx\include\mach\cpu.h(6): * Copyright (C) 2007 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King

legal(ME)

linux-3.10\arch\arm\mach-ixp4xx\include\mach\hardware.h(4): * Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\hardware.h(5): * Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\io.h(6): * Copyright (C) 2002-2005 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\irqs.h(6): * Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\irqs.h(7): * Copyright (C) 2003 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\ixp46x_ts.h(4): * Copyright (C) 2010 OMICRON electronics GmbH
linux-3.10\arch\arm\mach-ixp4xx\include\mach\ixp4xx-regs.h(10): * Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\ixp4xx-regs.h(9): * Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\platform.h(7): * Copyright (C) 2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\qmgr.h(2): * Copyright (C) 2007 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\arch\arm\mach-ixp4xx\include\mach\uncompress.h(4): * Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\include\mach\uncompress.h(5): * Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\ixdp425-pci.c(6): * Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\ixdp425-pci.c(7): * Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\ixdp425-setup.c(6): * Copyright (C) 2003-2005 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\ixdp425-pci.c(6): * Copyright (C) 2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\ixp4xx_npe.c(4): * Copyright (C) 2007 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\arch\arm\mach-ixp4xx\ixp4xx_qmgr.c(4): * Copyright (C) 2007 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\arch\arm\mach-ixp4xx\miccpt-pci.c(6): * Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\miccpt-pci.c(7): * Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\miccpt-pci.c(8): * Copyright (C) 2006 OMICRON electronics GmbH
linux-3.10\arch\arm\mach-ixp4xx\nas100d-pci.c(7): *Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\nas100d-pci.c(8): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\nas100d-setup.c(11): *Copyright (C) 2005 Tower Technologies
linux-3.10\arch\arm\mach-ixp4xx\nas100d-setup.c(13): *Copyright (C) 2004 Karen Spearel
linux-3.10\arch\arm\mach-ixp4xx\nas100d-setup.c(6): * Copyright (C) 2008 Rod Whitby <rod@whitby.id.au>

legal(ME)

linux-3.10\arch\arm\mach-ixp4xx\nas100d-setup.c(9): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\nslu2-pci.c(7): *Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\nslu2-pci.c(8): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\nslu2-setup.c(11): *Copyright (C) 2005 Tower Technologies
linux-3.10\arch\arm\mach-ixp4xx\nslu2-setup.c(6): * Copyright (C) 2008 Rod Whitby <rod@whitby.id.au>
linux-3.10\arch\arm\mach-ixp4xx\nslu2-setup.c(9): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\omixp-setup.c(5): *Copyright (C) 2009 OMICRON electronics GmbH
linux-3.10\arch\arm\mach-ixp4xx\omixp-setup.c(8): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\vulcan-pci.c(10): *Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\vulcan-pci.c(6): * Copyright (C) 2010 Marc Zyngier <maz@misterjones.org>
linux-3.10\arch\arm\mach-ixp4xx\vulcan-pci.c(9): *Copyright (C) 2002 Intel Corporation.
linux-3.10\arch\arm\mach-ixp4xx\vulcan-setup.c(6): * Copyright (C) 2010 Marc Zyngier <maz@misterjones.org>
linux-3.10\arch\arm\mach-ixp4xx\vulcan-setup.c(9): *Copyright (C) 2008 Rod Whitby <rod@whitby.id.au>
linux-3.10\arch\arm\mach-ixp4xx\wg302v2-pci.c(10): *Copyright (C) 2003 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-ixp4xx\wg302v2-pci.c(6): * Copyright (C) 2007 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\arm\mach-ixp4xx\wg302v2-pci.c(9): *Copyright (C) 2002 Jungo Software Technologies.
linux-3.10\arch\arm\mach-ixp4xx\wg302v2-setup.c(6): * Copyright (C) 2007 Imre Kaloz <Kaloz@openwrt.org>
linux-3.10\arch\arm\mach-ixp4xx\wg302v2-setup.c(9): *Copyright (C) 2003-2005 MontaVista Software, Inc.
linux-3.10\arch\arm\mach-kirkwood\board-dnskw.c(2): * Copyright 2012 (C), Jamie Lentin <jm@lentin.co.uk>
linux-3.10\arch\arm\mach-kirkwood\board-dreamplug.c(2): * Copyright 2012 (C), Jason Cooper <jason@lakedaemon.net>
linux-3.10\arch\arm\mach-kirkwood\board-dt.c(2): * Copyright 2012 (C), Jason Cooper <jason@lakedaemon.net>
linux-3.10\arch\arm\mach-kirkwood\board-goflexnet.c(2): * Copyright 2012 (C), Jason Cooper <jason@lakedaemon.net>
linux-3.10\arch\arm\mach-kirkwood\board-ib62x0.c(2): * Copyright 2012 (C), Simon Baatz <gmbnomis@gmail.com>
linux-3.10\arch\arm\mach-kirkwood\board-km_kirkwood.c(2): * Copyright 2012 2012 KEYMILE AG, CH-3097 Bern
linux-3.10\arch\arm\mach-kirkwood\board-lsx1.c(2): * Copyright 2012 (C), Michael Walle <michael@walle.cc>
linux-3.10\arch\arm\mach-kirkwood\board-mplice4.c(2): * Copyright (C) 2012 MPL AG, Switzerland

legal(ME)

linux-3.10\arch\arm\mach-kirkwood\board-ns2.c(2): * Copyright 2012 (C), Simon Guinot <simon.guinot@sequanux.org>
linux-3.10\arch\arm\mach-kirkwood\board-openblocks_a6.c(2): * Copyright 2012 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
linux-3.10\arch\arm\mach-kirkwood\board-readynas.c(5): * Copyright (C) 2013, Arnaud EBALARD <arno@natisbad.org>
linux-3.10\arch\arm\mach-kirkwood\board-ts219.c(10): * Copyright (C) 2008Byron Bradley <byron.bbradley@gmail.com>
linux-3.10\arch\arm\mach-kirkwood\board-ts219.c(5): * Copyright (C) 2012 Andrew Lunn <andrew@lunn.ch>
linux-3.10\arch\arm\mach-kirkwood\board-ts219.c(9): * Copyright (C) 2009Martin Michlmayr <tbm@cyrius.com>
linux-3.10\arch\arm\mach-kirkwood\board-usi_topkick.c(2): * Copyright 2012 (C), Jason Cooper <jason@lakedaemon.net>
linux-3.10\arch\arm\mach-kirkwood\d2net_v2-setup.c(6): * Copyright (C) 2010 Simon Guinot <sguinot@lacie.com>
linux-3.10\arch\arm\mach-kirkwood\mpp.h(4): * Copyright 2009: Marvell Technology Group Ltd.
linux-3.10\arch\arm\mach-kirkwood\netspace_v2-setup.c(6): * Copyright (C) 2009 Simon Guinot <sguinot@lacie.com>
linux-3.10\arch\arm\mach-kirkwood\netspace_v2-setup.c(7): * Copyright (C) 2009 Benoît Canet <benoit.canet@gmail.com>
linux-3.10\arch\arm\mach-kirkwood\netxbig_v2-setup.c(6): * Copyright (C) 2010 Simon Guinot <sguinot@lacie.com>
linux-3.10\arch\arm\mach-kirkwood\t5325-setup.c(5): * Copyright (C) 2010Martin Michlmayr <tbm@cyrius.com>
linux-3.10\arch\arm\mach-kirkwood\t5325-setup.c(5): * Copyright (C) 2009Martin Michlmayr <tbm@cyrius.com>
linux-3.10\arch\arm\mach-kirkwood\t5325-setup.c(6): * Copyright (C) 2008Byron Bradley <byron.bbradley@gmail.com>
linux-3.10\arch\arm\mach-kirkwood\t5325-setup.c(5): * Copyright (C) 2009-2010Martin Michlmayr <tbm@cyrius.com>
linux-3.10\arch\arm\mach-kirkwood\t5325-setup.c(6): * Copyright (C) 2008Byron Bradley <byron.bbradley@gmail.com>
linux-3.10\arch\arm\mach-ks8695\board-ac5k.c(6): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\board-dsm320.c(6): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\cpu.c(4): * Copyright (C) 2006 Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\cpu.c(5): * Copyright (C) 2006 Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\devices.c(4): * Copyright (C) 2006 Andrew Victor
linux-3.10\arch\arm\mach-ks8695\generic.h(4): * Copyright (C) 2006 Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\generic.h(5): * Copyright (C) 2006 Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\debug-macro.S(4): * Copyright (C) 2006 Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\include\mach\debug-macro.S(5): * Copyright (C) 2006 Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\devices.h(4): * Copyright (C) 2006 Andrew Victor

legal(ME)

linux-3.10\arch\arm\mach-ks8695\include\mach\entry-macro.S(4): * Copyright (C)
2006 Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\include\mach\entry-macro.S(5): * Copyright (C)
2006 Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\gpio.h(4): * Copyright (C) 2006
Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\gpio-ks8695.h(2): * Copyright (C)
2006 Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\hardware.h(4): * Copyright (C) 2006
Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\include\mach\hardware.h(5): * Copyright (C) 2006
Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\irqs.h(4): * Copyright (C) 2006
Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\memory.h(4): * Copyright (C) 2006
Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-gpio.h(4): * Copyright (C) 2007
Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-hpna.h(4): * Copyright (C) 2006
Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-irq.h(4): * Copyright (C) 2006
Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-irq.h(5): * Copyright (C) 2006
Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-lan.h(4): * Copyright (C) 2006
Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-mem.h(4): * Copyright (C) 2006
Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-misc.h(4): * Copyright (C) 2006
Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-pci.h(4): * Copyright (C) 2006
Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-pci.h(5): * Copyright (C) 2006
Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-switch.h(4): * Copyright (C)
2006 Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-sys.h(4): * Copyright (C) 2006
Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-sys.h(5): * Copyright (C) 2006
Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-uart.h(4): * Copyright (C) 2006
Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-uart.h(5): * Copyright (C) 2006
Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\regs-wan.h(4): * Copyright (C) 2006
Andrew Victor
linux-3.10\arch\arm\mach-ks8695\include\mach\timex.h(4): * Copyright (C) 2006
Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\include\mach\uncompress.h(4): * Copyright (C)
2006 Ben Dooks <ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\include\mach\uncompress.h(5): * Copyright (C)
2006 Simtec Electronics

legal(ME)

linux-3.10\arch\arm\mach-ks8695\irq.c(4): * Copyright (C) 2006 Ben Dooks
<ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\irq.c(5): * Copyright (C) 2006 Simtec Electronics
linux-3.10\arch\arm\mach-ks8695\pci.c(4): *Copyright (C) 2003, Micrel
Semiconductors
linux-3.10\arch\arm\mach-ks8695\pci.c(5): *Copyright (C) 2006, Greg Ungerer
<gerg@snapgear.com>
linux-3.10\arch\arm\mach-ks8695\pci.c(6): *Copyright (C) 2006, Ben Dooks
linux-3.10\arch\arm\mach-ks8695\pci.c(7): *Copyright (C) 2007, Andrew Victor
linux-3.10\arch\arm\mach-ks8695\time.c(4): * Copyright (C) 2006 Ben Dooks
<ben@simtec.co.uk>
linux-3.10\arch\arm\mach-ks8695\time.c(5): * Copyright (C) 2006 Simtec
Electronics
linux-3.10\arch\arm\mach-lpc32xx\clock.c(6): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\clock.h(6): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\common.c(6): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\common.h(6): * Copyright (C) 2009-2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\include\mach\board.h(6): * Copyright (C) 2010
NXP Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\include\mach\debug-macro.S(6): * Copyright (C)
2010 NXP Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\include\mach\entry-macro.S(6): * Copyright (C)
2010 NXP Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\include\mach\gpio-lpc32xx.h(4): * Copyright (C)
2010 NXP Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\include\mach\hardware.h(4): * Copyright (c) 2005
MontaVista Software, Inc. <source@mvista.com>
linux-3.10\arch\arm\mach-lpc32xx\include\mach\irqs.h(6): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\include\mach\platform.h(6): * Copyright (C) 2010
NXP Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\include\mach\timex.h(6): * Copyright (C) 2010
NXP Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\include\mach\uncompress.h(6): * Copyright (C)
2010 NXP Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\irq.c(6): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\phy3250.c(6): * Copyright (C) 2012 Roland Stigge
<stigge@antcom.de>
linux-3.10\arch\arm\mach-lpc32xx\phy3250.c(7): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\serial.c(6): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\timer.c(6): * Copyright (C) 2009 - 2010 NXP
Semiconductors
linux-3.10\arch\arm\mach-lpc32xx\timer.c(7): * Copyright (C) 2009 Fontys
University of Applied Sciences, Eindhoven
linux-3.10\arch\arm\mach-mmp\avengers_lite.c(6): *Copyright (C) 2009-2010 Marvell

legal(ME)

International Ltd.
linux-3.10\arch\arm\mach-mmp\brownstone.c(6): *Copyright (C) 2009-2010 Marvell International Ltd.
linux-3.10\arch\arm\mach-mmp\flint.c(6): *Copyright (C) 2009 Marvell International Ltd.
linux-3.10\arch\arm\mach-mmp\include\mach\pm-mmp2.h(7): * (C) Copyright 2010 Marvell International Ltd.
linux-3.10\arch\arm\mach-mmp\include\mach\pm-pxa910.h(7): * (C) Copyright 2009 Marvell International Ltd.
linux-3.10\arch\arm\mach-mmp\include\mach\regs-usb.h(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.
linux-3.10\arch\arm\mach-mmp\irq.c(5): *Copyright (C) 2008 - 2012 Marvell Technology Group Ltd.
linux-3.10\arch\arm\mach-mmp\jasper.c(6): *Copyright (C) 2009-2010 Marvell International Ltd.
linux-3.10\arch\arm\mach-mmp\mmp2.c(6): * Copyright (C) 2009 Marvell International Ltd.
linux-3.10\arch\arm\mach-mmp\mmp2-dt.c(4): *Copyright (C) 2012 Marvell Technology Group Ltd.
linux-3.10\arch\arm\mach-mmp\mmp-dt.c(4): *Copyright (C) 2012 Marvell Technology Group Ltd.
linux-3.10\arch\arm\mach-mmp\pm-mmp2.c(7): * (C) Copyright 2012 Marvell International Ltd.
linux-3.10\arch\arm\mach-mmp\pm-pxa910.c(7): * (C) Copyright 2009 Marvell International Ltd.
linux-3.10\arch\arm\mach-mmp\sram.c(6): *Copyright (c) 2011 Marvell Semiconductors Inc.
linux-3.10\arch\arm\mach-mmp\time.c(6): * Copyright (C) 2008 Marvell International Ltd.
linux-3.10\arch\arm\mach-msm\board-dt-8660.c(1):/* Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\arm\mach-msm\board-dt-8960.c(1):/* Copyright (c) 2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\arm\mach-msm\board-halibut.c(3): * Copyright (C) 2007 Google, Inc.
linux-3.10\arch\arm\mach-msm\board-mahimahi.c(3): * Copyright (C) 2009 Google, Inc.
linux-3.10\arch\arm\mach-msm\board-mahimahi.c(4): * Copyright (C) 2009 HTC Corporation.
linux-3.10\arch\arm\mach-msm\board-msm7x30.c(1):/* Copyright (c) 2009-2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\board-qsd8x50.c(1):/* Copyright (c) 2009-2011, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\board-sapphire.c(2): * Copyright (C) 2007-2009 HTC Corporation.
linux-3.10\arch\arm\mach-msm\board-trout.c(3): * Copyright (C) 2009 Google, Inc.
linux-3.10\arch\arm\mach-msm\board-trout-gpio.c(4): * Copyright (C) 2005 HP Labs
linux-3.10\arch\arm\mach-msm\board-trout-gpio.c(5): * Copyright (C) 2008 Google, Inc.
linux-3.10\arch\arm\mach-msm\board-trout-gpio.c(6): * Copyright (C) 2009 Pavel Machek <pavel@ucw.cz>
linux-3.10\arch\arm\mach-msm\clock.c(3): * Copyright (C) 2007 Google, Inc.

legal(ME)

linux-3.10\arch\arm\mach-msm\clock.c(4): * Copyright (c) 2007-2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\clock.h(3): * Copyright (C) 2007 Google, Inc.
linux-3.10\arch\arm\mach-msm\clock.h(4): * Copyright (c) 2007-2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\clock-7x30.h(1):/* Copyright (c) 2009, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\clock-debug.c(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\arch\arm\mach-msm\clock-debug.c(3): * Copyright (c) 2007-2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\clock-pcom.c(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\arch\arm\mach-msm\clock-pcom.c(3): * Copyright (c) 2007-2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\clock-pcom.h(1):/* Copyright (c) 2009, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\common.h(1):/* Copyright (c) 2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\arm\mach-msm\devices.h(3): * Copyright (C) 2008 Google, Inc.
linux-3.10\arch\arm\mach-msm\devices-iommu.c(1):/* Copyright (c) 2010-2011, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\devices-msm7x00.c(3): * Copyright (C) 2008 Google, Inc.
linux-3.10\arch\arm\mach-msm\devices-msm7x30.c(2): * Copyright (C) 2008 Google, Inc.
linux-3.10\arch\arm\mach-msm\devices-msm7x30.c(3): * Copyright (c) 2008-2011, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\devices-qsd8x50.c(2): * Copyright (C) 2008 Google, Inc.
linux-3.10\arch\arm\mach-msm\devices-qsd8x50.c(3): * Copyright (c) 2008-2011, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\dma.c(3): * Copyright (C) 2007 Google, Inc.
linux-3.10\arch\arm\mach-msm\gpiomux.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\gpiomux.h(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\gpiomux-8x50.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\gpiomux-8x60.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\gpiomux-v1.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\gpiomux-v1.h(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\gpiomux-v2.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\gpiomux-v2.h(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\arch\arm\mach-msm\headsmp.S(4): *Copyright (c) 2003 ARM Limited
linux-3.10\arch\arm\mach-msm\hotplug.c(2): *Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\mach-msm\include\mach\board.h(3): * Copyright (C) 2007 Google, Inc.
linux-3.10\arch\arm\mach-msm\include\mach\clk.h(1):/* Copyright (c) 2009, Code

legal(ME)

Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\debug-macro.S(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\debug-macro.S(4): * Copyright (c) 2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\dma.h(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\entry-macro.S(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\hardware.h(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\iommu.h(1):/* Copyright (c) 2010-2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\iommu_hw-8xxx.h(1):/* Copyright (c) 2010-2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\irqs.h(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\irqs.h(3): * Copyright (c) 2008-2010, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\irqs-7x00.h(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\irqs-7x00.h(3): * Copyright (c) 2009, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\irqs-7x30.h(1):/* Copyright (c) 2009, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\irqs-8960.h(1):/* Copyright (c) 2011 Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\irqs-8x50.h(1):/* Copyright (c) 2008-2009, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\irqs-8x60.h(1):/* Copyright (c) 2010 Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\msm_gpiomux.h(1):/* Copyright (c) 2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap.h(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap.h(3): * Copyright (c) 2008-2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-7x00.h(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-7x00.h(4): * Copyright (c) 2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-7x30.h(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-7x30.h(3): * Copyright (c) 2008-2011 Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-8960.h(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-8960.h(3): * Copyright (c) 2008-2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-8x50.h(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-8x50.h(3): * Copyright (c)

legal(ME)

2008-2011 Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-8x60.h(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\msm_iomap-8x60.h(3): * Copyright (c) 2008-2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\msm_smd.h(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\sirc.h(1):/* Copyright (c) 2008-2009, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\timex.h(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\uncompress.h(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\include\mach\uncompress.h(3): * Copyright (c) 2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\include\mach\vreg.h(3): * Copyright (C) 2008 Google, Inc.

linux-3.10\arch\arm\mach-msm\io.c(5): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\io.c(6): * Copyright (c) 2008-2011, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\irq.c(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\irq-vic.c(2): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\irq-vic.c(3): * Copyright (c) 2009, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\last_radio_log.c(5): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\platsmp.c(2): *Copyright (C) 2002 ARM Ltd.

linux-3.10\arch\arm\mach-msm\platsmp.c(4): *Copyright (c) 2010, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\proc_comm.c(3): * Copyright (C) 2007-2008 Google, Inc.

linux-3.10\arch\arm\mach-msm\proc_comm.h(3): * Copyright (c) 2007 QUALCOMM Incorporated

linux-3.10\arch\arm\mach-msm\scm.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\scm.h(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\scm-boot.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\scm-boot.h(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\sirc.c(1):/* Copyright (c) 2008-2009, Code Aurora Forum. All rights reserved.

linux-3.10\arch\arm\mach-msm\smd.c(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\smd_debug.c(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\smd_private.h(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\smd_private.h(4): * Copyright (c) 2007 QUALCOMM Incorporated

linux-3.10\arch\arm\mach-msm\timer.c(3): * Copyright (C) 2007 Google, Inc.

linux-3.10\arch\arm\mach-msm\timer.c(4): * Copyright (c) 2009-2012, The Linux Foundation. All rights reserved.

linux-3.10\arch\arm\mach-msm\vreg.c(3): * Copyright (C) 2008 Google, Inc.

legal(ME)

linux-3.10\arch\arm\mach-msm\vreg.c(4): * Copyright (c) 2009, Code Aurora Forum.
All rights reserved.
linux-3.10\arch\arm\mach-mvebu\armada-370-xp.c(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\armada-370-xp.h(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\coherency.c(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\coherency.h(7): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\coherency_ll.S(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\common.h(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\headsmp.S(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\hotplug.c(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\platsmp.c(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\pmsu.c(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\pmsu.h(4): * Copyright (C) 2012 Marvell
linux-3.10\arch\arm\mach-mvebu\system-controller.c(4): * Copyright (C) 2012
Marvell
linux-3.10\arch\arm\mach-mxs\mach-mxs.c(2): * Copyright 2012 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-mxs\mach-mxs.c(3): * Copyright 2012 Linaro Ltd.
linux-3.10\arch\arm\mach-mxs\pm.c(2): * Copyright (C) 2010 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-mxs\pm.h(2): * Copyright (C) 2013 Freescale
Semiconductor, Inc.
linux-3.10\arch\arm\mach-netx\fb.c(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\fb.h(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\generic.c(4): * Copyright (C) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\generic.h(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\include\mach\debug-macro.S(5): *Copyright (C)
1994-1999 Russell King
linux-3.10\arch\arm\mach-netx\include\mach\hardware.h(4): * Copyright (C) 2005
Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\include\mach\irqs.h(4): * Copyright (C) 2005 Sascha
Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\include\mach\netx-regs.h(4): * Copyright (c) 2005
Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\include\mach\param.h(4): * Copyright (C) 2005
Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\include\mach\pfifo.h(4): * Copyright (c) 2005
Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\include\mach\timex.h(4): * Copyright (C) 2005
Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\include\mach\uncompress.h(4): * Copyright (C) 2005
Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\include\mach\xc.h(4): * Copyright (C) 2005 Sascha
Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\nxdb500.c(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\nxdkn.c(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix

legal(ME)

linux-3.10\arch\arm\mach-netx\nxeb500hmi.c(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\pfifo.c(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\time.c(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-netx\xc.c(4): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\arm\mach-nomadik\cpu-8815.c(2): * Copyright STMicroelectronics,
2007.
linux-3.10\arch\arm\mach-omap1\ams-delta-fiq.c(4): *Copyright (C) 2009 Janusz
Krzysztofik
linux-3.10\arch\arm\mach-omap1\ams-delta-fiq.c(5): *Copyright (c) 2006 Matt
Callow
linux-3.10\arch\arm\mach-omap1\ams-delta-fiq.c(6): *Copyright (c) 2004 Amstrad
Plc
linux-3.10\arch\arm\mach-omap1\ams-delta-fiq.c(7): *Copyright (C) 2001 RidgeRun,
Inc.
linux-3.10\arch\arm\mach-omap1\ams-delta-fiq-handler.S(6): *Copyright (C) 1995,
1996 Russell King
linux-3.10\arch\arm\mach-omap1\ams-delta-fiq-handler.S(7): *Copyright (C) 2004
Pete Trapps
linux-3.10\arch\arm\mach-omap1\ams-delta-fiq-handler.S(8): *Copyright (C) 2006
Matt Callow
linux-3.10\arch\arm\mach-omap1\ams-delta-fiq-handler.S(9): *Copyright (C) 2010
Janusz Krzysztofik
linux-3.10\arch\arm\mach-omap1\board-ams-delta.c(8): * Copyright (C) 2006
Jonathan McDowell <noodles@earth.li>
linux-3.10\arch\arm\mach-omap1\board-h2.c(12): * Copyright (C) 2004 Nokia
Corporation by Tony Lindrgen <tony@atomide.com>
linux-3.10\arch\arm\mach-omap1\board-h2.c(15): * Copyright (C) 2004 Nokia
Corporation by Imre Deak <imre.deak@nokia.com>
linux-3.10\arch\arm\mach-omap1\board-h2.c(6): * Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\board-h2.c(9): * Copyright (C) 2002 MontaVista
Software, Inc.
linux-3.10\arch\arm\mach-omap1\board-h2-mmc.c(4): * Copyright (C) 2007 Instituto
Nokia de Tecnologia - INdT
linux-3.10\arch\arm\mach-omap1\board-h2-mmc.c(8): * Copyright (C) 2006 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\board-h3.c(6): * Copyright (C) 2004 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap1\board-h3.c(7): * Copyright (C) 2002 MontaVista
Software, Inc.
linux-3.10\arch\arm\mach-omap1\board-h3.c(8): * Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\board-h3.h(4): * Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\board-h3.h(5): * Copyright (C) 2004 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap1\board-h3-mmc.c(4): * Copyright (C) 2007 Instituto
Nokia de Tecnologia - INdT
linux-3.10\arch\arm\mach-omap1\board-h3-mmc.c(8): * Copyright (C) 2006 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\board-htcherald.c(3): * Copyright (C) 2009 Cory

legal(ME)

Maccarrone <darkstar6262@gmail.com>
linux-3.10\arch\arm\mach-omap1\board-htcherald.c(4): * Copyright (C) 2009 Wing
Linux
linux-3.10\arch\arm\mach-omap1\board-htcherald.c(7): * Copyright (C) 2006 Unai
Uribarri
linux-3.10\arch\arm\mach-omap1\board-htcherald.c(8): * Copyright (C) 2008
linwizard.sourceforge.net
linux-3.10\arch\arm\mach-omap1\board-innovator.c(12): * Copyright (C) 2004 Nokia
Corporation by Tony Lindrgen <tony@atomide.com>
linux-3.10\arch\arm\mach-omap1\board-innovator.c(6): * Copyright (C) 2001
RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\board-innovator.c(9): * Copyright (C) 2002
MontaVista Software, Inc.
linux-3.10\arch\arm\mach-omap1\board-nand.c(6): * Copyright (C) 2004, 2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap1\board-nand.c(7): * Copyright (C) 2002 MontaVista
Software, Inc.
linux-3.10\arch\arm\mach-omap1\board-nand.c(8): * Copyright (C) 2001 RidgeRun,
Inc.
linux-3.10\arch\arm\mach-omap1\board-palmte.c(13): * Copyright (c) 2006 Andrzej
Zaborowski<balrog@zabor.org>
linux-3.10\arch\arm\mach-omap1\board-sx1-mmc.c(4): * Copyright (C) 2007 Instituto
Nokia de Tecnologia - INdT
linux-3.10\arch\arm\mach-omap1\board-sx1-mmc.c(8): * Copyright (C) 2007 Instituto
Nokia de Tecnologia - INdT
linux-3.10\arch\arm\mach-omap1\board-voiceblue.c(6): * Copyright (C) 2004 2N
Telekomunikace, Ladislav Michl <michl@2n.cz>
linux-3.10\arch\arm\mach-omap1\clock.c(4): *Copyright (C) 2004 - 2005, 2009-2010
Nokia Corporation
linux-3.10\arch\arm\mach-omap1\clock.h(4): *Copyright (C) 2004 - 2005, 2009 Nokia
corporation
linux-3.10\arch\arm\mach-omap1\clock_data.c(4): *Copyright (C) 2004 - 2005,
2009-2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\dma.c(10): * Some functions based on earlier
dma-omap.c Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\dma.c(12): * Copyright (C) 2010 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap1\dma.c(4): * Copyright (C) 2003 - 2008 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\dma.c(9): * OMAP2/3 support Copyright (C)
2004-2007 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap1\fb.c(6): * Copyright (C) 2006 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\fpga.c(12): * Copyright (C) 2004 Nokia Corporation
by Tony Lindrgen <tony@atomide.com>
linux-3.10\arch\arm\mach-omap1\fpga.c(6): * Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\fpga.c(9): * Copyright (C) 2002 MontaVista
Software, Inc.
linux-3.10\arch\arm\mach-omap1\fpga.h(10): * Copyright (C) 2004 Nokia Corporation
by Tony Lindrgen <tony@atomide.com>
linux-3.10\arch\arm\mach-omap1\fpga.h(4): * Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\fpga.h(7): * Copyright (C) 2002 MontaVista
Software, Inc.

legal(ME)

linux-3.10\arch\arm\mach-omap1\gpio15xx.c(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap1\gpio16xx.c(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap1\gpio7xx.c(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap1\i2c.c(4): * Copyright (C) 2009 Nokia Corporation.
linux-3.10\arch\arm\mach-omap1\id.c(6): * Copyright (C) 2004 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\include\mach\ams-delta-fiq.h(6): * Copyright (c) 2004 Amstrad Plc
linux-3.10\arch\arm\mach-omap1\include\mach\ams-delta-fiq.h(7): * Copyright (c) 2006 Matt Callow
linux-3.10\arch\arm\mach-omap1\include\mach\ams-delta-fiq.h(8): * Copyright (c) 2010 Janusz Krzysztofik
linux-3.10\arch\arm\mach-omap1\include\mach\board-ams-delta.h(4): * Copyright (C) 2006 Jonathan McDowell <noodles@earth.li>
linux-3.10\arch\arm\mach-omap1\include\mach\board-sx1.h(4): * Copyright: Vovan888 at gmail com
linux-3.10\arch\arm\mach-omap1\include\mach\board-voiceblue.h(2): * Copyright (C) 2004 2N Telekomunikace, Ladislav Michl <michl@2n.cz>
linux-3.10\arch\arm\mach-omap1\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\mach-omap1\include\mach\entry-macro.S(6): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap1\include\mach\hardware.h(9): * Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\include\mach\io.h(7): * Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\mach-omap1\include\mach\irda.h(4): *Copyright (C) 2005-2006 Komal Shah <komal_shah802003@yahoo.com>
linux-3.10\arch\arm\mach-omap1\include\mach\irqs.h(4): *Copyright (C) Greg Lonnon 2001
linux-3.10\arch\arm\mach-omap1\include\mach\irqs.h(7): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap1\include\mach\lcd_dma.h(5): *Copyright (C) 2003 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\include\mach\lcdc.h(5): * Copyright (C) 2004 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\include\mach\mux.h(7): * Copyright (C) 2004 - 2008 Texas Instruments Inc.
linux-3.10\arch\arm\mach-omap1\include\mach\mux.h(8): * Copyright (C) 2003 - 2008 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\include\mach\serial.h(2): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap1\include\mach\soc.h(4): * Copyright (C) 2004, 2008 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\include\mach\soc.h(6): * Copyright (C) 2009-11 Texas Instruments.
linux-3.10\arch\arm\mach-omap1\include\mach\tc.h(6): * Copyright (C) 2004 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\include\mach\uncompress.h(8): * Copyright (C) 2000 RidgeRun, Inc.

legal(ME)

linux-3.10\arch\arm\mach-omap1\irq.c(14): * Copyright (C) 2001 RidgeRun, Inc.
Greg Lonnon <glonnon@ridgerun.com>
linux-3.10\arch\arm\mach-omap1\irq.c(6): * Copyright (C) 2004 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\lcd_dma.c(10): * OMAP2/3 support Copyright (C)
2004-2007 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap1\lcd_dma.c(12): * Some functions based on earlier
dma-omap.c Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\lcd_dma.c(14): * Copyright (C) 2009 Texas
Instruments
linux-3.10\arch\arm\mach-omap1\lcd_dma.c(5): * Copyright (C) 2003 - 2008 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\mailbox.c(4): * Copyright (C) 2006-2009 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\mcbssp.c(4): * Copyright (C) 2008 Instituto Nokia
de Tecnologia
linux-3.10\arch\arm\mach-omap1\mux.c(6): * Copyright (C) 2003 - 2008 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\ocpi.c(6): * Copyright (C) 2003 - 2005 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\ocpi.c(7): * Copyright (C) 2012 Texas Instruments,
Inc.
linux-3.10\arch\arm\mach-omap1\opp.h(4): *Copyright (C) 2004 - 2005 Nokia
corporation
linux-3.10\arch\arm\mach-omap1\opp_data.c(4): *Copyright (C) 2004 - 2005 Nokia
corporation
linux-3.10\arch\arm\mach-omap1\pm.c(10): * Copyright (c) 2002 Monta Vista
Software, Inc.
linux-3.10\arch\arm\mach-omap1\pm.c(13): * Copyright (c) 2002 Monta Vista
Software, Inc.
linux-3.10\arch\arm\mach-omap1\pm.c(7): * Copyright (c) 2001 Cliff Brake
<cbrake@accelent.com>
linux-3.10\arch\arm\mach-omap1\pm.h(9): * Copyright 2002 MontaVista Software Inc.
linux-3.10\arch\arm\mach-omap1\pm_bus.c(6): * Copyright (C) 2010 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap1\sleep.S(10): * Copyright (c) 2002 Monta Vista
Software, Inc.
linux-3.10\arch\arm\mach-omap1\sleep.S(7): * Copyright (c) 2001 Cliff Brake
<cbrake@accelent.com>
linux-3.10\arch\arm\mach-omap1\sram-init.c(4): * Copyright (C) 2005 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\time.c(12): * Copyright (C) 2000 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap1\time.c(6): * Copyright (C) 2004 Nokia Corporation
linux-3.10\arch\arm\mach-omap1\timer.c(9): * Copyright (C) 2011 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap1\timer32k.c(13): * Copyright (C) 2000 RidgeRun,
Inc.
linux-3.10\arch\arm\mach-omap1\timer32k.c(6): * Copyright (C) 2004 - 2005 Nokia
Corporation
linux-3.10\arch\arm\mach-omap1\usb.c(4): * Copyright (C) 2004 Texas Instruments,
Inc.
linux-3.10\arch\arm\mach-omap2\am33xx.h(4): * Copyright (C) 2011 Texas
Instruments, Inc. - <http://www.ti.com/>

legal(ME)

linux-3.10\arch\arm\mach-omap2\am35xx.h(5): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap2\am35xx-emas.c(2): * Copyright (C) 2011 Ilya Yanok, Emcraft Systems
linux-3.10\arch\arm\mach-omap2\am35xx-emas.c(5): * Copyright (C) 2009 Texas Instruments Incorporated
linux-3.10\arch\arm\mach-omap2\am35xx-emas.h(2): * Copyright (C) 2011 Ilya Yanok, Emcraft Systems
linux-3.10\arch\arm\mach-omap2\board-2430sdp.c(4): * Copyright (C) 2006 Texas Instruments
linux-3.10\arch\arm\mach-omap2\board-3430sdp.c(4): * Copyright (C) 2007 Texas Instruments
linux-3.10\arch\arm\mach-omap2\board-3630sdp.c(2): * Copyright (C) 2009 Texas Instruments Inc.
linux-3.10\arch\arm\mach-omap2\board-4430sdp.c(4): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap2\board-am3517crane.c(5): * Copyright (C) 2010 Mistral Solutions Pvt Ltd. <www.mistralsolutions.com>
linux-3.10\arch\arm\mach-omap2\board-am3517evm.c(4): * Copyright (C) 2009 Texas Instruments Incorporated
linux-3.10\arch\arm\mach-omap2\board-cm-t35.c(4): * Copyright (C) 2009-2011 CompuLab, Ltd.
linux-3.10\arch\arm\mach-omap2\board-cm-t3517.c(6): * Copyright (C) 2010 CompuLab, Ltd.
linux-3.10\arch\arm\mach-omap2\board-devkit8000.c(4): * Copyright (C) 2009 Kim Botherway
linux-3.10\arch\arm\mach-omap2\board-devkit8000.c(5): * Copyright (C) 2010 Thomas Weber
linux-3.10\arch\arm\mach-omap2\board-flash.c(5): * Copyright (C) 2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\board-flash.c(6): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap2\board-flash.h(6): *Copyright (C) 2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\board-flash.h(7): *Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap2\board-generic.c(2): * Copyright (C) 2005 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\board-generic.c(5): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\board-h4.c(4): * Copyright (C) 2005 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\board-igep0020.c(2): * Copyright (C) 2009 Integration Software and Electronic Engineering.
linux-3.10\arch\arm\mach-omap2\board-ldp.c(4): * Copyright (C) 2008 Texas Instruments Inc.
linux-3.10\arch\arm\mach-omap2\board-n8x0.c(4): * Copyright (C) 2005-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\board-omap3beagle.c(4): * Copyright (C) 2008 Texas Instruments
linux-3.10\arch\arm\mach-omap2\board-omap3evm.c(4): * Copyright (C) 2008 Texas Instruments

legal(ME)

linux-3.10\arch\arm\mach-omap2\board-omap3logic.c(4): * Copyright (C) 2010
Li-Pro.Net
linux-3.10\arch\arm\mach-omap2\board-omap3logic.c(7): * Copyright (C) 2010-2012
Logic Product Development, Inc.
linux-3.10\arch\arm\mach-omap2\board-omap3stalker.c(4): * Copyright (C) 2008
Guangzhou EMA-Tech
linux-3.10\arch\arm\mach-omap2\board-omap3touchbook.c(4): * Copyright (C) 2009
Always Innovating
linux-3.10\arch\arm\mach-omap2\board-omap4panda.c(4): * Copyright (C) 2010 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\board-rm680.c(4): * Copyright (C) 2010 Nokia
linux-3.10\arch\arm\mach-omap2\board-rx51.c(4): * Copyright (C) 2007, 2008 Nokia
linux-3.10\arch\arm\mach-omap2\board-rx51-peripherals.c(4): * Copyright (C)
2008-2009 Nokia
linux-3.10\arch\arm\mach-omap2\board-rx51-video.c(4): * Copyright (C) 2010 Nokia
linux-3.10\arch\arm\mach-omap2\board-ti8168evm.c(4): * Copyright (C) 2010 Texas
Instruments, Inc. - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\board-zoom.c(2): * Copyright (C) 2009-2010 Texas
Instruments Inc.
linux-3.10\arch\arm\mach-omap2\board-zoom-debugboard.c(2): * Copyright (C) 2009
Texas Instruments Inc.
linux-3.10\arch\arm\mach-omap2\board-zoom-display.c(2): * Copyright (C) 2010
Texas Instruments Inc.
linux-3.10\arch\arm\mach-omap2\board-zoom-peripherals.c(2): * Copyright (C) 2009
Texas Instruments Inc.
linux-3.10\arch\arm\mach-omap2\cclock2420_data.c(4): * Copyright (C) 2005-2012
Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cclock2420_data.c(5): * Copyright (C) 2004-2011
Nokia Corporation
linux-3.10\arch\arm\mach-omap2\cclock2430_data.c(4): * Copyright (C) 2005-2009,
2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cclock2430_data.c(5): * Copyright (C) 2004-2011
Nokia Corporation
linux-3.10\arch\arm\mach-omap2\cclock33xx_data.c(4): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\cclock3xxx_data.c(4): * Copyright (C) 2007-2012
Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cclock3xxx_data.c(5): * Copyright (C) 2007-2011
Nokia Corporation
linux-3.10\arch\arm\mach-omap2\cclock44xx_data.c(4): * Copyright (C) 2009-2012
Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cclock44xx_data.c(5): * Copyright (C) 2009-2010
Nokia Corporation
linux-3.10\arch\arm\mach-omap2\clkt_clksel.c(4): * Copyright (C) 2005-2008 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\clkt_clksel.c(5): * Copyright (C) 2004-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\clkt_dp11.c(4): * Copyright (C) 2005-2008 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\clkt_dp11.c(5): * Copyright (C) 2004-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\clkt_iclk.c(4): * Copyright (C) 2011 Nokia

legal(ME)

Corporation

linux-3.10\arch\arm\mach-omap2\clkt2xxx_apll.c(4): * Copyright (C) 2005-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clkt2xxx_apll.c(5): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clkt2xxx_dp11.c(4): * Copyright (C) 2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clkt2xxx_dp11core.c(4): * Copyright (C) 2005-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clkt2xxx_dp11core.c(5): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clkt2xxx_osc.c(4): * Copyright (C) 2005-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clkt2xxx_osc.c(5): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clkt2xxx_sys.c(4): * Copyright (C) 2005-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clkt2xxx_sys.c(5): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clkt2xxx_virt_prcm_set.c(4): * Copyright (C) 2005-2008, 2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clkt2xxx_virt_prcm_set.c(5): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clkt34xx_dp113m2.c(4): * Copyright (C) 2007-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clkt34xx_dp113m2.c(5): * Copyright (C) 2007-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock.c(4): *Copyright (C) 2005-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock.c(5): *Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock.h(4): *Copyright (C) 2005-2009 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock.h(5): *Copyright (C) 2004-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock_common_data.c(4): *Copyright (C) 2005-2009 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock_common_data.c(5): *Copyright (C) 2004-2009 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock2430.c(4): * Copyright (C) 2005-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock2430.c(5): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock2xxx.c(4): * Copyright (C) 2005-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock2xxx.c(5): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock2xxx.h(4): * Copyright (C) 2005-2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock2xxx.h(5): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock34xx.c(4): * Copyright (C) 2007-2008 Texas

legal(ME)

Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock34xx.c(5): * Copyright (C) 2007-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock34xx.h(4): * Copyright (C) 2007-2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock34xx.h(5): * Copyright (C) 2007-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock3517.c(4): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock3517.c(5): * Copyright (C) 2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock3517.h(4): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock3517.h(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock36xx.c(4): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock36xx.c(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock36xx.h(4): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock36xx.h(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock3xxx.c(4): * Copyright (C) 2007-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock3xxx.c(5): * Copyright (C) 2007-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock3xxx.h(4): * Copyright (C) 2007-2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock3xxx.h(5): * Copyright (C) 2007-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clock44xx.h(4): * Copyright (C) 2009 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clock44xx.h(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clockdomain.c(4): * Copyright (C) 2008-2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clockdomain.c(5): * Copyright (C) 2008-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clockdomain.h(4): * Copyright (C) 2008, 2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clockdomain.h(5): * Copyright (C) 2008-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clockdomains2420_data.c(4): * Copyright (C) 2008-2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clockdomains2420_data.c(5): * Copyright (C) 2008-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clockdomains2430_data.c(4): * Copyright (C) 2008-2009 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\clockdomains2430_data.c(5): * Copyright (C) 2008-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\clockdomains2xxx_3xxx_data.c(4): * Copyright (C)

legal(ME)

2008-2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\clockdomains2xxx_3xxx_data.c(5): * Copyright (C)
2008-2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\clockdomains33xx_data.c(4): * Copyright (C)
2011-2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\clockdomains3xxx_data.c(4): * Copyright (C)
2008-2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\clockdomains3xxx_data.c(5): * Copyright (C)
2008-2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\clockdomains44xx_data.c(4): * Copyright (C)
2009-2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\clockdomains44xx_data.c(5): * Copyright (C)
2009-2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\cm.h(4): * Copyright (C) 2007-2009, 2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm.h(5): * Copyright (C) 2007-2009 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\cm_common.c(4): * Copyright (C) 2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm1_44xx.h(4): * Copyright (C) 2009-2011 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm1_44xx.h(5): * Copyright (C) 2009-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\cm2_44xx.h(4): * Copyright (C) 2009-2011 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm2_44xx.h(5): * Copyright (C) 2009-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\cm2xxx.c(4): * Copyright (C) 2009 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\cm2xxx.c(5): * Copyright (C) 2008-2010, 2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm2xxx.h(4): * Copyright (C) 2007-2009, 2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm2xxx.h(5): * Copyright (C) 2007-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\cm2xxx_3xxx.h(4): * Copyright (C) 2007-2009 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm2xxx_3xxx.h(5): * Copyright (C) 2007-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\cm33xx.c(4): * Copyright (C) 2011-2012 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\cm33xx.h(4): * Copyright (C) 2011-2012 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\cm3xxx.c(4): * Copyright (C) 2009 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\cm3xxx.c(5): * Copyright (C) 2008-2010, 2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm3xxx.h(4): * Copyright (C) 2007-2009 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\cm3xxx.h(5): * Copyright (C) 2007-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\cm44xx.c(4): * Copyright (C) 2010 Nokia

legal(ME)

Corporation

linux-3.10\arch\arm\mach-omap2\cm44xx.h(4): * Copyright (C) 2007-2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\cm44xx.h(5): * Copyright (C) 2007-2009 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\cminst44xx.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\cminst44xx.c(5): * Copyright (C) 2008-2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\cminst44xx.h(4): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\cm-regbits-24xx.h(7): * Copyright (C) 2007 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\cm-regbits-24xx.h(8): * Copyright (C) 2007 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\cm-regbits-33xx.h(7): * Copyright (C) 2011-2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\mach-omap2\cm-regbits-34xx.h(7): * Copyright (C) 2007-2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\cm-regbits-34xx.h(8): * Copyright (C) 2007-2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\cm-regbits-44xx.h(4): * Copyright (C) 2009-2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\cm-regbits-44xx.h(5): * Copyright (C) 2009-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\common.c(6): * Copyright (C) 2009 Texas Instruments

linux-3.10\arch\arm\mach-omap2\common.c(7): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\common-board-devices.c(4): * Copyright (C) 2011 CompuLab, Ltd.

linux-3.10\arch\arm\mach-omap2\control.c(4): * Copyright (C) 2007, 2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\control.c(5): * Copyright (C) 2007 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\control.h(6): * Copyright (C) 2007-2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\control.h(7): * Copyright (C) 2007-2008, 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\cpuidle34xx.c(12): * Copyright (C) 2006 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\cpuidle34xx.c(15): * Copyright (C) 2005 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\cpuidle34xx.c(6): * Copyright (C) 2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\cpuidle34xx.c(9): * Copyright (C) 2007 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\cpuidle44xx.c(4): * Copyright (C) 2011-2013 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\ctrl_module_core_44xx.h(4): * Copyright (C) 2009-2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\ctrl_module_pad_core_44xx.h(4): * Copyright (C)

legal(ME)

2009-2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\ctrl_module_pad_wkup_44xx.h(4): * Copyright (C)
2009-2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\ctrl_module_wkup_44xx.h(4): * Copyright (C)
2009-2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\display.c(4): * Copyright (C) 2010 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\display.h(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\dma.c(10): * Some functions based on earlier
dma-omap.c Copyright (C) 2001 RidgeRun, Inc.
linux-3.10\arch\arm\mach-omap2\dma.c(12): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap2\dma.c(15): * Copyright (C) 2010 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\dma.c(4): * Copyright (C) 2003 - 2008 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\dma.c(9): * OMAP2/3 support Copyright (C)
2004-2007 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\dp113xxx.c(4): * Copyright (C) 2009-2010 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\dp113xxx.c(5): * Copyright (C) 2009-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\dp1144xx.c(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\drm.c(4): * Copyright (C) 2012 Texas Instruments
linux-3.10\arch\arm\mach-omap2\dsp.c(4): * Copyright (C) 2005-2006 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\dsp.c(5): * Copyright (C) 2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\dss-common.c(2): * Copyright (C) 2012 Texas
Instruments, Inc..
linux-3.10\arch\arm\mach-omap2\emu.c(6): * Copyright (C) 2009 Nokia Corporation.
linux-3.10\arch\arm\mach-omap2\fb.c(4): * Copyright (C) 2006 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\gpio.c(4): * Copyright (C) 2010 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\gpmc.c(4): * Copyright (C) 2005-2006 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\gpmc.c(8): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap2\gpmc.h(4): * Copyright (C) 2005-2006 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\gpmc-nand.c(4): * Copyright (C) 2009 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\gpmc-onenand.c(4): * Copyright (C) 2006 - 2009
Nokia Corporation
linux-3.10\arch\arm\mach-omap2\gpmc-smc91x.c(4): * Copyright (C) 2009 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\gpmc-smc91x.h(4): * Copyright (C) 2009 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\gpmc-smc911x.c(4): * Copyright (C) 2009
Li-Pro.Net
linux-3.10\arch\arm\mach-omap2\gpmc-smc911x.h(4): * Copyright (C) 2009
Li-Pro.Net
linux-3.10\arch\arm\mach-omap2\hdq1w.c(4): * Copyright (C) 2012 Texas

legal(ME)

Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\hdq1w.h(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\hsmmc.c(4): * Copyright (C) 2007-2008 Texas Instruments
linux-3.10\arch\arm\mach-omap2\hsmmc.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\hwspinlock.c(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\arch\arm\mach-omap2\i2c.c(4): * Copyright (C) 2009 Nokia Corporation.
linux-3.10\arch\arm\mach-omap2\i2c.h(4): * Copyright (C) 2009 Nokia Corporation.
linux-3.10\arch\arm\mach-omap2\id.c(6): * Copyright (C) 2005 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\id.c(9): * Copyright (C) 2009-11 Texas Instruments
linux-3.10\arch\arm\mach-omap2\id.h(4): * Copyright (C) 2010 Kan-Ru Chen
<kanru@oxlab.org>
linux-3.10\arch\arm\mach-omap2\include\mach\barriers.h(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\include\mach\serial.h(2): * Copyright (C) 2009 Texas Instruments
linux-3.10\arch\arm\mach-omap2\io.c(6): * Copyright (C) 2005 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\io.c(7): * Copyright (C) 2007-2009 Texas Instruments
linux-3.10\arch\arm\mach-omap2\iomap.h(7): * Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm\mach-omap2\iomap.h(9): * Copyright (C) 2009-2012 Texas Instruments
linux-3.10\arch\arm\mach-omap2\irq.c(6): * Copyright (C) 2005 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\l3_2xxx.h(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\l3_3xxx.h(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\l4_2xxx.h(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\l4_3xxx.h(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\mailbox.c(4): * Copyright (C) 2006-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\mcbsp.c(4): * Copyright (C) 2008 Instituto Nokia de Tecnologia
linux-3.10\arch\arm\mach-omap2\msdi.c(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\mux.c(6): * Copyright (C) 2004 - 2010 Texas Instruments Inc.
linux-3.10\arch\arm\mach-omap2\mux.c(7): * Copyright (C) 2003 - 2008 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\mux.h(2): * Copyright (C) 2009 Nokia
linux-3.10\arch\arm\mach-omap2\mux.h(3): * Copyright (C) 2009-2010 Texas Instruments
linux-3.10\arch\arm\mach-omap2\mux2420.c(2): * Copyright (C) 2010 Nokia
linux-3.10\arch\arm\mach-omap2\mux2420.c(3): * Copyright (C) 2010 Texas Instruments
linux-3.10\arch\arm\mach-omap2\mux2420.h(2): * Copyright (C) 2009 Nokia
linux-3.10\arch\arm\mach-omap2\mux2420.h(3): * Copyright (C) 2009 Texas Instruments

legal(ME)

linux-3.10\arch\arm\mach-omap2\mux2430.c(2): * Copyright (C) 2010 Nokia
linux-3.10\arch\arm\mach-omap2\mux2430.c(3): * Copyright (C) 2010 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\mux2430.h(2): * Copyright (C) 2009 Nokia
linux-3.10\arch\arm\mach-omap2\mux2430.h(3): * Copyright (C) 2009 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\mux34xx.c(2): * Copyright (C) 2009 Nokia
linux-3.10\arch\arm\mach-omap2\mux34xx.c(3): * Copyright (C) 2009 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\mux34xx.h(2): * Copyright (C) 2009 Nokia
linux-3.10\arch\arm\mach-omap2\mux34xx.h(3): * Copyright (C) 2009 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\mux44xx.c(4): * Copyright (C) 2010 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\mux44xx.h(4): * Copyright (C) 2009-2010 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_device.c(4): * Copyright (C) 2009-2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\omap_device.h(4): * Copyright (C) 2009 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod.c(4): * Copyright (C) 2009-2011 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod.c(5): * Copyright (C) 2011-2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_hwmod.h(4): * Copyright (C) 2009-2011 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod.h(5): * Copyright (C) 2011-2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2420_data.c(4): * Copyright (C)
2009-2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2420_data.c(5): * Copyright (C) 2012
Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2430_data.c(4): * Copyright (C)
2009-2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2430_data.c(5): * Copyright (C) 2012
Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2xxx_3xxx_interconnect_data.c(4): *
Copyright (C) 2009-2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2xxx_3xxx_ipblock_data.c(4): *
Copyright (C) 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2xxx_3xxx_ipblock_data.c(5): *
Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2xxx_interconnect_data.c(4): *
Copyright (C) 2009-2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_2xxx_ipblock_data.c(4): * Copyright (C)
2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_33xx_data.c(4): * Copyright (C) {2012}
Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\omap_hwmod_3xxx_data.c(4): * Copyright (C)
2009-2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_3xxx_data.c(5): * Copyright (C) 2012
Texas Instruments, Inc.

legal(ME)

linux-3.10\arch\arm\mach-omap2\omap_hwmod_44xx_data.c(4): * Copyright (C)
2009-2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_hwmod_44xx_data.c(5): * Copyright (C)
2009-2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_common_data.c(4): * Copyright (C) 2010
Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_hwmod_common_data.c(8): * Copyright (C) 2010
Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_common_data.h(4): * Copyright (C)
2010-2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap_hwmod_common_data.h(5): * Copyright (C)
2010-2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_hwmod_reset.c(4): * Copyright (C) 2012 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap_opp_data.h(4): * Copyright (C) 2009-2010
Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\omap_opp_data.h(7): * Copyright (C) 2010 Nokia
Corporation.
linux-3.10\arch\arm\mach-omap2\omap_phy_internal.c(5): * Copyright (C) 2010 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\arch\arm\mach-omap2\omap_twl.c(4): * Copyright (C) 2010 Texas
Instruments Incorporated.
linux-3.10\arch\arm\mach-omap2\omap_twl.c(6): * Copyright (C) 2009 Texas
Instruments Incorporated.
linux-3.10\arch\arm\mach-omap2\omap_twl.c(8): * Copyright (C) 2009 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\omap24xx.h(5): * Copyright (C) 2007 Texas
Instruments.
linux-3.10\arch\arm\mach-omap2\omap24xx.h(6): * Copyright (C) 2007 Nokia
Corporation.
linux-3.10\arch\arm\mach-omap2\omap2-restart.c(4): * Copyright (C) 2012 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\omap34xx.h(4): * Copyright (C) 2007 Texas
Instruments.
linux-3.10\arch\arm\mach-omap2\omap34xx.h(5): * Copyright (C) 2007 Nokia
Corporation.
linux-3.10\arch\arm\mach-omap2\omap3-restart.c(4): * Copyright (C) 2009, 2012
Texas Instruments
linux-3.10\arch\arm\mach-omap2\omap3-restart.c(5): * Copyright (C) 2010 Nokia
Corporation
linux-3.10\arch\arm\mach-omap2\omap44xx.h(5): * Copyright (C) 2009 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\omap4-common.c(4): * Copyright (C) 2010 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap4-sar-layout.h(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap54xx.h(5): * Copyright (C) 2012 Texas
Instruments
linux-3.10\arch\arm\mach-omap2\omap-headsmp.S(11): * Copyright (c) 2003 ARM
Limited.
linux-3.10\arch\arm\mach-omap2\omap-headsmp.S(4): * Copyright (C) 2009 Texas
Instruments, Inc.

legal(ME)

linux-3.10\arch\arm\mach-omap2\omap-hotplug.c(10): * Copyright (c) 2002 ARM Limited.
linux-3.10\arch\arm\mach-omap2\omap-hotplug.c(4): * Copyright (C) 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-iommu.c(4): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap-mpuss-lowpower.c(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-pm.h(4): * Copyright (C) 2008-2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-pm.h(5): * Copyright (C) 2008-2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap-pm-noop.c(10): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\omap-pm-noop.c(9): * Copyright (C) 2008-2009 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-secure.c(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-secure.h(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-smc.S(4): * Copyright (C) 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-smp.c(12): * * Copyright (c) 2002 ARM Limited.
linux-3.10\arch\arm\mach-omap2\omap-smp.c(5): * Copyright (C) 2009 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-wakeupgen.c(11): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\omap-wakeupgen.h(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\opp.c(4): * Copyright (C) 2009-2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\opp.c(7): * Copyright (C) 2010 Nokia Corporation.
linux-3.10\arch\arm\mach-omap2\opp2420_data.c(4): * Copyright (C) 2005-2009 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\opp2420_data.c(5): * Copyright (C) 2004-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\opp2430_data.c(4): * Copyright (C) 2005-2009 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\opp2430_data.c(5): * Copyright (C) 2004-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\opp2xxx.h(4): * Copyright (C) 2005-2009 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\opp2xxx.h(5): * Copyright (C) 2004-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\opp3xxx_data.c(4): * Copyright (C) 2009-2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\opp3xxx_data.c(7): * Copyright (C) 2010-2011 Nokia Corporation.
linux-3.10\arch\arm\mach-omap2\opp4xxx_data.c(4): * Copyright (C) 2010-2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\opp4xxx_data.c(8): * Copyright (C) 2010-2011 Nokia

legal(ME)

Corporation.

linux-3.10\arch\arm\mach-omap2\pm.c(4): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\pm.c(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\pm.h(4): * Copyright (C) 2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\pm24xx.c(4): * Copyright (C) 2005 Texas

Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\pm24xx.c(5): * Copyright (C) 2006-2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\pm34xx.c(11): * Copyright (C) 2005 Texas

Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\pm34xx.c(4): * Copyright (C) 2006-2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\pm34xx.c(8): * Copyright (C) 2007 Texas

Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\pm44xx.c(4): * Copyright (C) 2010-2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\pm-debug.c(4): * Copyright (C) 2005 Texas

Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\pm-debug.c(5): * Copyright (C) 2006-2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\pmu.c(4): * Copyright (C) 2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomain.c(4): * Copyright (C) 2007-2008, 2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomain.c(5): * Copyright (C) 2007-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\powerdomain.h(4): * Copyright (C) 2007-2008, 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomain.h(5): * Copyright (C) 2007-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\powerdomain-common.c(4): * Copyright (C) 2010-2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomain-common.c(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\powerdomains2xxx_3xxx_data.c(4): * Copyright (C) 2007-2008, 2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomains2xxx_3xxx_data.c(5): * Copyright (C) 2007-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\powerdomains2xxx_3xxx_data.h(4): * Copyright (C) 2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomains2xxx_3xxx_data.h(5): * Copyright (C) 2008-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\powerdomains2xxx_data.c(4): * Copyright (C) 2007-2008, 2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomains2xxx_data.c(5): * Copyright (C) 2007-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\powerdomains33xx_data.c(4): * Copyright (C) 2011-2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\mach-omap2\powerdomains3xxx_data.c(4): * Copyright (C) 2007-2008, 2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomains3xxx_data.c(5): * Copyright (C)

legal(ME)

2007-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\powerdomains44xx_data.c(4): * Copyright (C)

2009-2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\powerdomains44xx_data.c(5): * Copyright (C)

2009-2011 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prcm_mpu44xx.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prcm_mpu44xx.h(4): * Copyright (C) 2010, 2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prcm_mpu44xx.h(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prcm44xx.h(4): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prcm44xx.h(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prcm-common.h(7): * Copyright (C) 2007-2009, 2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prcm-common.h(8): * Copyright (C) 2007-2009 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prm.h(4): * Copyright (C) 2007-2009, 2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prm.h(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prm_common.c(4): * Copyright (C) 2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prm2xxx.c(4): * Copyright (C) 2010-2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prm2xxx.c(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prm2xxx.h(4): * Copyright (C) 2007-2009, 2011-2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prm2xxx.h(5): * Copyright (C) 2008-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prm2xxx_3xxx.c(4): * Copyright (C) 2010-2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prm2xxx_3xxx.c(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prm2xxx_3xxx.h(4): * Copyright (C) 2007-2009, 2011-2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prm2xxx_3xxx.h(5): * Copyright (C) 2008-2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prm33xx.c(4): * Copyright (C) 2011-2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\mach-omap2\prm33xx.h(4): * Copyright (C) 2011-2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\mach-omap2\prm3xxx.c(4): * Copyright (C) 2010-2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prm3xxx.c(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\prm3xxx.h(4): * Copyright (C) 2007-2009, 2011-2012 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\prm3xxx.h(5): * Copyright (C) 2008-2010 Nokia Corporation

legal(ME)

linux-3.10\arch\arm\mach-omap2\prm44xx.c(4): * Copyright (C) 2011-2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\prm44xx.c(5): * Copyright (C) 2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\prm44xx.h(4): * Copyright (C) 2009-2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\prm44xx.h(5): * Copyright (C) 2009-2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\prminst44xx.c(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\prminst44xx.c(5): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\prminst44xx.h(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\prminst44xx.h(5): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\prm-regbits-24xx.h(7): * Copyright (C) 2007 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\prm-regbits-24xx.h(8): * Copyright (C) 2007 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\prm-regbits-33xx.h(4): * Copyright (C) 2011-2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\prm-regbits-34xx.h(4): * Copyright (C) 2007-2008 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\prm-regbits-34xx.h(5): * Copyright (C) 2007-2008 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\prm-regbits-44xx.h(4): * Copyright (C) 2009-2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\prm-regbits-44xx.h(5): * Copyright (C) 2009-2010 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\scrm44xx.h(4): * Copyright (C) 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\sdr-am-hynix-h8mbx00u0mer-0em.h(4): * Copyright (C) 2009 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\sdr-am-micron-mt46h32m32lf-6.h(4): * Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\sdr-am-micron-mt46h32m32lf-6.h(5): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\sdr-am-nokia.c(4): * Copyright (C) 2008, 2010-2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\sdr-am-nokia.h(4): * Copyright (C) 2010 Nokia
linux-3.10\arch\arm\mach-omap2\sdr-am-numonyx-m65kxxxxam.h(4): * Copyright (C) 2009 Integration Software and Electronic Engineering.
linux-3.10\arch\arm\mach-omap2\sdr-am-qimonda-hyb18m512160af-6.h(4): * Copyright (C) 2008-2009 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\sdr-am-qimonda-hyb18m512160af-6.h(5): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\sdrc.c(4): * Copyright (C) 2005, 2008 Texas Instruments Inc.
linux-3.10\arch\arm\mach-omap2\sdrc.c(5): * Copyright (C) 2005, 2008 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\sdrc.h(7): * Copyright (C) 2007-2008, 2012 Texas

legal(ME)

Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\sdr.c(8): * Copyright (C) 2007-2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\sdr.c(6): * Copyright (C) 2005, 2008 Texas Instruments Inc.

linux-3.10\arch\arm\mach-omap2\sdr.c(7): * Copyright (C) 2005, 2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\serial.c(13): * Copyright (C) 2009 Texas Instruments

linux-3.10\arch\arm\mach-omap2\serial.c(6): * Copyright (C) 2005-2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\sleep24xx.S(4): * (C) Copyright 2004

linux-3.10\arch\arm\mach-omap2\sleep24xx.S(8): * (C) Copyright 2006 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\sleep34xx.S(2): * (C) Copyright 2007

linux-3.10\arch\arm\mach-omap2\sleep34xx.S(6): * (C) Copyright 2004

linux-3.10\arch\arm\mach-omap2\sleep44xx.S(4): * Copyright (C) 2011 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\smartreflex-class3.c(6): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\soc.h(4): * Copyright (C) 2004, 2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\soc.h(6): * Copyright (C) 2009-11 Texas Instruments.

linux-3.10\arch\arm\mach-omap2\sr_device.c(10): * Copyright (C) 2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\sr_device.c(13): * Copyright (C) 2007 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\sr_device.c(7): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\sram.c(5): * Copyright (C) 2005 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\sram.c(8): * Copyright (C) 2009-2012 Texas Instruments

linux-3.10\arch\arm\mach-omap2\sram242x.S(6): * (C) Copyright 2004

linux-3.10\arch\arm\mach-omap2\sram243x.S(6): * (C) Copyright 2004

linux-3.10\arch\arm\mach-omap2\sram34xx.S(6): * Copyright (C) 2004, 2007, 2008 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\sram34xx.S(7): * Copyright (C) 2008 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\ti81xx.h(4): * Copyright (C) 2010 Texas Instruments, Inc. - <http://www.ti.com/>

linux-3.10\arch\arm\mach-omap2\timer.c(10): * Copyright (C) 2007 MontaVista Software, Inc.

linux-3.10\arch\arm\mach-omap2\timer.c(13): * Copyright (C) 2005 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\timer.c(20): * Copyright (C) 2004-2009 Texas Instruments, Inc.

linux-3.10\arch\arm\mach-omap2\timer.c(6): * Copyright (C) 2009 Nokia Corporation

linux-3.10\arch\arm\mach-omap2\twl-common.c(4): * Copyright (C) 2011 Texas Instruments, Inc..

linux-3.10\arch\arm\mach-omap2\usb-host.c(7): * Copyright (C) 2007-2011 Texas Instruments

legal(ME)

linux-3.10\arch\arm\mach-omap2\usb-musb.c(7): * Copyright (C) 2007-2008 Texas Instruments
linux-3.10\arch\arm\mach-omap2\usb-musb.c(8): * Copyright (C) 2008 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\usb-tusb6010.c(4): * Copyright (C) 2006 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\vc.c(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\vc.h(4): * Copyright (C) 2007, 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\vc.h(9): * Copyright (C) 2008, 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\vc3xxx_data.c(4): * Copyright (C) 2007, 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\vc3xxx_data.c(9): * Copyright (C) 2008, 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\vc44xx_data.c(4): * Copyright (C) 2007, 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\vc44xx_data.c(9): * Copyright (C) 2008, 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\voltage.c(10): * Copyright (C) 2008, 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\voltage.c(14): * Copyright (C) 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\voltage.c(6): * Copyright (C) 2007 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\voltage.h(6): * Copyright (C) 2009 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\voltagedomains2xxx_data.c(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\voltagedomains33xx_data.c(4): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\arch\arm\mach-omap2\voltagedomains3xxx_data.c(4): * Copyright (C) 2007, 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\voltagedomains3xxx_data.c(9): * Copyright (C) 2008, 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\voltagedomains44xx_data.c(10): * Copyright (C) 2008 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\voltagedomains44xx_data.c(13): * Copyright (C) 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\voltagedomains44xx_data.c(6): * Copyright (C) 2007 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\vp.h(4): * Copyright (C) 2007, 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\vp.h(9): * Copyright (C) 2008, 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\vp3xxx_data.c(4): * Copyright (C) 2007, 2010 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-omap2\vp3xxx_data.c(9): * Copyright (C) 2008, 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\vp44xx_data.c(4): * Copyright (C) 2007, 2010 Texas Instruments, Inc.

legal(ME)

linux-3.10\arch\arm\mach-omap2\vp44xx_data.c(9): * Copyright (C) 2008, 2011 Nokia Corporation
linux-3.10\arch\arm\mach-omap2\wd_timer.c(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\arch\arm\mach-orion5x\board-dt.c(2): * Copyright 2012 (C), Thomas Petazzoni <thomas.petazzoni@free-electrons.com>
linux-3.10\arch\arm\mach-orion5x\d2net-setup.c(6): * Copyright (C) 2009 Simon Guinot <sguinot@lacie.com>
linux-3.10\arch\arm\mach-orion5x\dns323-setup.c(4): * Copyright (C) 2007 Herbert Valerio Riedel <hvr@gnu.org>
linux-3.10\arch\arm\mach-orion5x\dns323-setup.c(8): * Copyright (C) 2010 Benjamin Herrenschmidt <benh@kernel.crashing.org>
linux-3.10\arch\arm\mach-orion5x\edmini_v2-setup.c(6): * Copyright (C) 2008 Christopher Moore <moore@free.fr>
linux-3.10\arch\arm\mach-orion5x\edmini_v2-setup.c(7): * Copyright (C) 2008 Albert Aribaud <albert.aribaud@free.fr>
linux-3.10\arch\arm\mach-orion5x\mv2120-setup.c(2): * Copyright (C) 2007 Herbert Valerio Riedel <hvr@gnu.org>
linux-3.10\arch\arm\mach-orion5x\mv2120-setup.c(3): * Copyright (C) 2008 Martin Michlmayr <tbm@cyrius.com>
linux-3.10\arch\arm\mach-orion5x\net2big-setup.c(6): * Copyright (C) 2009 Simon Guinot <sguinot@lacie.com>
linux-3.10\arch\arm\mach-orion5x\ts409-setup.c(6): * Copyright (C) 2008 Sylvier Bruneau <sylvier.bruneau@gmail.com>
linux-3.10\arch\arm\mach-orion5x\ts409-setup.c(7): * Copyright (C) 2008 Martin Michlmayr <tbm@cyrius.com>
linux-3.10\arch\arm\mach-picoxcell\common.c(2): * Copyright (c) 2011 Picochip Ltd., Jamie Iles
linux-3.10\arch\arm\mach-picoxcell\common.h(2): * Copyright (c) 2011 Picochip Ltd., Jamie Iles
linux-3.10\arch\arm\mach-prima2\common.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\common.h(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\headsmp.S(4): * Copyright (c) 2012 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\hotplug.c(4): * Copyright (c) 2012 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\l2x0.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\lluart.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\platsmp.c(4): * Copyright (c) 2012 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\pm.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\pm.h(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\rstc.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-prima2\rtciobrg.c(5): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.

legal(ME)

linux-3.10\arch\arm\mach-prima2\sleep.S(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\arch\arm\mach-pxa\am200epd.c(4): * Copyright (C) 2008, Jaya Kumar
linux-3.10\arch\arm\mach-pxa\am300epd.c(4): * Copyright (C) 2008, Jaya Kumar
linux-3.10\arch\arm\mach-pxa\balloon3.c(8): *Copyright:Toby Churchill Ltd
linux-3.10\arch\arm\mach-pxa\capc7117.c(7): * Copyright (C) 2009 Embedian Inc.
linux-3.10\arch\arm\mach-pxa\capc7117.c(8): * Copyright (C) 2009 TMT Services & Supplies (Pty) Ltd.
linux-3.10\arch\arm\mach-pxa\cm-x255.c(4): * Copyright (C) 2007, 2008 CompuLab, Ltd.
linux-3.10\arch\arm\mach-pxa\cm-x270.c(4): * Copyright (C) 2007, 2008 CompuLab, Ltd.
linux-3.10\arch\arm\mach-pxa\cm-x2xx.c(4): * Copyright (C) 2008 CompuLab, Ltd.
linux-3.10\arch\arm\mach-pxa\cm-x2xx-pci.c(8): * Copyright (C) 2007, 2008 CompuLab, Ltd.
linux-3.10\arch\arm\mach-pxa\cm-x300.c(6): * Copyright (C) 2008,2009 CompuLab Ltd.
linux-3.10\arch\arm\mach-pxa\colibri-pxa270-income.c(6): * Copyright (C) 2010
linux-3.10\arch\arm\mach-pxa\corgi.c(5): * Copyright (c) 2004-2005 Richard Purdie
linux-3.10\arch\arm\mach-pxa\corgi_pm.c(4): * Copyright (c) 2005 Richard Purdie
linux-3.10\arch\arm\mach-pxa\csb726.c(4): *Copyright (c) 2008 Dmitry Eremin-Solenikov
linux-3.10\arch\arm\mach-pxa\em-x270.c(4): * Copyright (C) 2007, 2008 CompuLab, Ltd.
linux-3.10\arch\arm\mach-pxa\eseries.c(4): * Copyright (c) 2003 Ian Molton <spyro@f2s.com>
linux-3.10\arch\arm\mach-pxa\ezx.c(4): *Copyright (C) 2005-2006 Harald Welte <laforge@openezx.org>,
linux-3.10\arch\arm\mach-pxa\generic.c(6): *Copyright:MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\generic.h(5): * Copyright:MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\gumstix.c(8): *Copyright:Craig Hughes
linux-3.10\arch\arm\mach-pxa\h5000.c(4): * Copyright 2000-2003Hewlett-Packard Company.
linux-3.10\arch\arm\mach-pxa\h5000.c(5): * Copyright 2002 Jamey Hicks <jamey.hicks@hp.com>
linux-3.10\arch\arm\mach-pxa\h5000.c(6): * Copyright 2004-2005Phil Blundell <pb@handhelds.org>
linux-3.10\arch\arm\mach-pxa\h5000.c(7): * Copyright 2007-2008Anton Vorontsov <cbouatmailru@gmail.com>
linux-3.10\arch\arm\mach-pxa\himalaya.c(8): * Copyright (c) 2008 Zbynek Michl <Zbynek.Michl@seznam.cz>
linux-3.10\arch\arm\mach-pxa\hx4700.c(4): * Copyright (c) 2008-2009 Philipp Zabel
linux-3.10\arch\arm\mach-pxa\hx4700.c(7): *Copyright (c) 2004 Hewlett-Packard Company.
linux-3.10\arch\arm\mach-pxa\hx4700.c(8): *Copyright (c) 2005 SDG Systems, LLC
linux-3.10\arch\arm\mach-pxa\hx4700.c(9): *Copyright (c) 2006 Anton Vorontsov <cbou@mail.ru>
linux-3.10\arch\arm\mach-pxa\icontrol.c(7): * Copyright (C) 2009 TMT Services & Supplies (Pty) Ltd.
linux-3.10\arch\arm\mach-pxa\idp.c(8): *Copyright (c) 2001 Cliff Brake, Accelent Systems Inc.
linux-3.10\arch\arm\mach-pxa\include\mach\balloon3.h(6): *Copyright:Toby

legal(ME)

Churchill Ltd

linux-3.10\arch\arm\mach-pxa\include\mach\bitfield.h(5): *AuthorCopyright (c)
Marc A. Viredaz, 1998

linux-3.10\arch\arm\mach-pxa\include\mach\corgi.h(4): * Copyright (c) 2004-2005
Richard Purdie

linux-3.10\arch\arm\mach-pxa\include\mach\csb726.h(4): *Copyright (c) 2008 Dmitry
Baryshkov

linux-3.10\arch\arm\mach-pxa\include\mach\dma.h(6): *Copyright:MontaVista
Software, Inc.

linux-3.10\arch\arm\mach-pxa\include\mach\eseries-gpio.h(4): *Copyright (C) Ian
Molton <spyro@f2s.com>

linux-3.10\arch\arm\mach-pxa\include\mach\eseries-irq.h(4): *Copyright (C) Ian
Molton <spyro@f2s.com>

linux-3.10\arch\arm\mach-pxa\include\mach\h5000.h(4): * Copyright(20)02
Hewlett-Packard Company.

linux-3.10\arch\arm\mach-pxa\include\mach\hardware.h(6): *Copyright:MontaVista
Software Inc.

linux-3.10\arch\arm\mach-pxa\include\mach\hx4700.h(4): * Copyright (c) 2008
Philipp Zabel

linux-3.10\arch\arm\mach-pxa\include\mach\idp.h(8): * Copyright (c) 2001 Cliff
Brake, Accelent Systems Inc.

linux-3.10\arch\arm\mach-pxa\include\mach\irqs.h(6): *Copyright:MontaVista
Software Inc.

linux-3.10\arch\arm\mach-pxa\include\mach\lubbock.h(6): *Copyright:MontaVista
Software Inc.

linux-3.10\arch\arm\mach-pxa\include\mach\magician.h(4): * Copyright (c) 2007
Philipp Zabel

linux-3.10\arch\arm\mach-pxa\include\mach\mainstone.h(6): *Copyright:MontaVista
Software Inc.

linux-3.10\arch\arm\mach-pxa\include\mach\mfp.h(6): * Copyright (C) 2007 Marvell
International Ltd.

linux-3.10\arch\arm\mach-pxa\include\mach\mfp-pxa300.h(6): * Copyright (C) 2007
Marvell International Ltd.

linux-3.10\arch\arm\mach-pxa\include\mach\mfp-pxa320.h(6): * Copyright (C) 2007
Marvell International Ltd.

linux-3.10\arch\arm\mach-pxa\include\mach\mfp-pxa930.h(6): * Copyright (C)
2007-2008 Marvell International Ltd.

linux-3.10\arch\arm\mach-pxa\include\mach\mtd-xip.h(8): * Copyright:(C) 2004
MontaVista Software, Inc.

linux-3.10\arch\arm\mach-pxa\include\mach\palm27x.h(4): * Copyright (C) 2010

linux-3.10\arch\arm\mach-pxa\include\mach\pm.h(2): * Copyright (c) 2005 Richard
Purdie

linux-3.10\arch\arm\mach-pxa\include\mach\pxa2xx-regs.h(7): *Copyright:MontaVista
Software Inc.

linux-3.10\arch\arm\mach-pxa\include\mach\pxa3xx-regs.h(6): * Copyright (C) 2007
Marvell International Ltd.

linux-3.10\arch\arm\mach-pxa\include\mach\sharpsl_pm.h(4): * Copyright (c)
2004-2005 Richard Purdie

linux-3.10\arch\arm\mach-pxa\include\mach\smemc.h(4): * Copyright (C) 2010 Marek
Vasut <marek.vasut@gmail.com>

linux-3.10\arch\arm\mach-pxa\include\mach\spitz.h(4): * Copyright (c) 2005
Alexander Wykes

legal(ME)

linux-3.10\arch\arm\mach-pxa\include\mach\spitz.h(5): * Copyright (c) 2005
Richard Purdie
linux-3.10\arch\arm\mach-pxa\include\mach\timex.h(6): * Copyright:MontaVista
Software Inc.
linux-3.10\arch\arm\mach-pxa\include\mach\tosa.h(4): * Copyright (c) 2005 Dirk
Opfer
linux-3.10\arch\arm\mach-pxa\include\mach\tosa_bt.h(6): * Copyright (c) 2008
Dmitry Baryshkov
linux-3.10\arch\arm\mach-pxa\include\mach\trizeps4.h(3): * Copyright (c) Jürgen
Schindele
linux-3.10\arch\arm\mach-pxa\include\mach\uncompress.h(5): * Copyright:(C) 2001
MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\include\mach\viper.h(14): *Copyright:MontaVista
Software Inc.
linux-3.10\arch\arm\mach-pxa\include\mach\viper.h(6): * Copyright:Arcom Control
Systems.
linux-3.10\arch\arm\mach-pxa\include\mach\vpac270.h(4): * Copyright (C) 2010
linux-3.10\arch\arm\mach-pxa\include\mach\zeus.h(6): *Copyright:Arcom Control
Systems Ltd.
linux-3.10\arch\arm\mach-pxa\irq.c(8): *Copyright:MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\littleton.c(8): *Copyright:(C) Copyright 2006
Marvell International Ltd.
linux-3.10\arch\arm\mach-pxa\lpd270.c(9): * Copyright:MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\lubbock.c(8): *Copyright:MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\magician.c(6): * Copyright (c) 2006-2007 Philipp
Zabel
linux-3.10\arch\arm\mach-pxa\mainstone.c(9): *Copyright:MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\mfp-pxa3xx.c(6): * Copyright (C) 2007 Marvell
Internation Ltd.
linux-3.10\arch\arm\mach-pxa\mioa701.c(4): * Copyright (C) 2008 Robert Jarzmik
linux-3.10\arch\arm\mach-pxa\mxm8x10.c(6): * Copyright (C) 2006 Marvell
International Ltd.
linux-3.10\arch\arm\mach-pxa\mxm8x10.c(7): * Copyright (C) 2009 Embedian Inc.
linux-3.10\arch\arm\mach-pxa\mxm8x10.c(8): * Copyright (C) 2009 TMT Services &
Supplies (Pty) Ltd.
linux-3.10\arch\arm\mach-pxa\palm27x.c(4): * Copyright (C) 2010-2011 Marek Vasut
<marek.vasut@gmail.com>
linux-3.10\arch\arm\mach-pxa\pcm027.c(11): *Copyright:Phytec Messtechnik GmbH
linux-3.10\arch\arm\mach-pxa\pcm027.c(16): *Copyright 2007 Juergen Beisert @
Pengutronix (j.beisert@pengutronix.de)
linux-3.10\arch\arm\mach-pxa\pcm990-baseboard.c(11): *Copyright:Phytec
Messtechnik GmbH
linux-3.10\arch\arm\mach-pxa\pcm990-baseboard.c(16): *Copyright 2007 Juergen
Beisert @ Pengutronix (j.beisert@pengutronix.de)
linux-3.10\arch\arm\mach-pxa\pm.c(5): * Copyright (c) 2001 Cliff Brake
<cbrake@accelent.com>
linux-3.10\arch\arm\mach-pxa\pm.c(8): * Copyright (c) 2002 Monta Vista Software,
Inc.
linux-3.10\arch\arm\mach-pxa\pxa25x.c(6): *Copyright:MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\pxa27x.c(6): *Copyright:MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\pxa2xx.c(6): * Copyright (C) 2008 Dmitry Baryshkov
linux-3.10\arch\arm\mach-pxa\pxa300.c(6): * Copyright (C) 2007 Marvell

legal(ME)

Internation Ltd.
linux-3.10\arch\arm\mach-pxa\pxa320.c(6): * Copyright (C) 2007 Marvell
Internation Ltd.
linux-3.10\arch\arm\mach-pxa\pxa3xx.c(6): * Copyright (C) 2006 Marvell
International Ltd.
linux-3.10\arch\arm\mach-pxa\pxa3xx-ulpi.c(6): * Copyright (C) 2010 CompuLab Ltd.
linux-3.10\arch\arm\mach-pxa\pxa930.c(6): * Copyright (C) 2007-2008 Marvell
Internation Ltd.
linux-3.10\arch\arm\mach-pxa\pxa-dt.c(4): *Copyright (C) 2012 Daniel Mack
linux-3.10\arch\arm\mach-pxa\raumfeld.c(12): * Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\arch\arm\mach-pxa\saar.c(6): *Copyright (C) 2007-2008 Marvell
International Ltd.
linux-3.10\arch\arm\mach-pxa\sharpsl_pm.c(5): * Copyright (c) 2004-2005 Richard
Purdie
linux-3.10\arch\arm\mach-pxa\sleep.S(5): * Copyright (c) 2001 Cliff Brake
<cbrake@accelent.com>
linux-3.10\arch\arm\mach-pxa\sleep.S(8): * Copyright (c) 2002 Monta Vista
Software, Inc.
linux-3.10\arch\arm\mach-pxa\spitz.c(5): * Copyright (c) 2005 Richard Purdie
linux-3.10\arch\arm\mach-pxa\spitz_pm.c(4): * Copyright (c) 2005 Richard Purdie
linux-3.10\arch\arm\mach-pxa\stargate2.c(6): *Copyright: Intel Corp.
linux-3.10\arch\arm\mach-pxa\tavorevb.c(6): *Copyright (C) 2007-2008 Marvell
International Ltd.
linux-3.10\arch\arm\mach-pxa\time.c(5): * Copyright (c) 2007 by Bill Gatliff
<bgat@billgatliff.com>.
linux-3.10\arch\arm\mach-pxa\time.c(7): * Derived from Nicolas Pitre's PXA timer
handler Copyright (c) 2001
linux-3.10\arch\arm\mach-pxa\tosa.c(5): *Copyright (c) 2005 Dirk Opfer
linux-3.10\arch\arm\mach-pxa\tosa-bt.c(4): * Copyright (c) 2008 Dmitry Baryshkov
linux-3.10\arch\arm\mach-pxa\trizeps4.c(8): *Copyright: Jørge Schindele
linux-3.10\arch\arm\mach-pxa\viper.c(16): *Copyright: MontaVista Software Inc.
linux-3.10\arch\arm\mach-pxa\viper.c(8): *Copyright: Arcom Control Systems
linux-3.10\arch\arm\mach-pxa\vpac270.c(4): * Copyright (C) 2010
linux-3.10\arch\arm\mach-pxa\xcep.c(10): *Copyright:(C) 2006-2009 Instrumentation
Technologies
linux-3.10\arch\arm\mach-pxa\z2.c(6): *Copyright (C) 2009-2010 Marek Vasut
<marek.vasut@gmail.com>
linux-3.10\arch\arm\mach-pxa\zeus.c(4): *Copyright (C) 2006 Arcom Control Systems
Ltd.
linux-3.10\arch\arm\mach-pxa\zylonite.c(6): * Copyright (C) 2006 Marvell
International Ltd.
linux-3.10\arch\arm\mach-pxa\zylonite_pxa300.c(7): * Copyright (C) 2007 Marvell
Internation Ltd.
linux-3.10\arch\arm\mach-pxa\zylonite_pxa320.c(7): * Copyright (C) 2007 Marvell
Internation Ltd.
linux-3.10\arch\arm\mach-realview\core.c(4): *Copyright (C) 1999 - 2003 ARM
Limited
linux-3.10\arch\arm\mach-realview\core.c(5): *Copyright (C) 2000 Deep Blue
Solutions Ltd
linux-3.10\arch\arm\mach-realview\core.h(4): *Copyright (C) 2004 ARM Limited
linux-3.10\arch\arm\mach-realview\core.h(5): *Copyright (C) 2000 Deep Blue

legal(ME)

Solutions Ltd

linux-3.10\arch\arm\mach-realview\hotplug.c(4): *Copyright (C) 2002 ARM Ltd.

linux-3.10\arch\arm\mach-realview\include\mach\board-eb.h(4): * Copyright (C)
2007 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\board-pb1176.h(4): * Copyright (C)
2008 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\board-pb11mp.h(4): * Copyright (C)
2008 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\board-pba8.h(4): * Copyright (C)
2008 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\board-pbx.h(4): * Copyright (C)
2009 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\debug-macro.S(5): *Copyright (C)
1994-1999 Russell King

linux-3.10\arch\arm\mach-realview\include\mach\hardware.h(6): *Copyright (C) 2003
ARM Limited.

linux-3.10\arch\arm\mach-realview\include\mach\irqs.h(4): *Copyright (C) 2003 ARM
Limited

linux-3.10\arch\arm\mach-realview\include\mach\irqs.h(5): *Copyright (C) 2000
Deep Blue Solutions Ltd.

linux-3.10\arch\arm\mach-realview\include\mach\irqs-eb.h(4): * Copyright (C) 2007
ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\irqs-pb1176.h(4): * Copyright (C)
2008 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\irqs-pb11mp.h(4): * Copyright (C)
2008 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\irqs-pba8.h(4): * Copyright (C)
2008 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\irqs-pbx.h(4): * Copyright (C)
2009 ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\memory.h(4): *Copyright (C) 2003
ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\platform.h(4): * Copyright (c) ARM
Limited 2003.All rights reserved.

linux-3.10\arch\arm\mach-realview\include\mach\timex.h(6): *Copyright (C) 2003
ARM Limited

linux-3.10\arch\arm\mach-realview\include\mach\uncompress.h(4): *Copyright (C)
2003 ARM Limited

linux-3.10\arch\arm\mach-realview\platsmp.c(4): *Copyright (C) 2002 ARM Ltd.

linux-3.10\arch\arm\mach-realview\realview_eb.c(4): *Copyright (C) 2004 ARM
Limited

linux-3.10\arch\arm\mach-realview\realview_eb.c(5): *Copyright (C) 2000 Deep Blue
Solutions Ltd

linux-3.10\arch\arm\mach-realview\realview_pb1176.c(4): *Copyright (C) 2008 ARM
Limited

linux-3.10\arch\arm\mach-realview\realview_pb1176.c(5): *Copyright (C) 2000 Deep
Blue Solutions Ltd

linux-3.10\arch\arm\mach-realview\realview_pb11mp.c(4): *Copyright (C) 2008 ARM
Limited

linux-3.10\arch\arm\mach-realview\realview_pb11mp.c(5): *Copyright (C) 2000 Deep
Blue Solutions Ltd

linux-3.10\arch\arm\mach-realview\realview_pba8.c(4): *Copyright (C) 2008 ARM

legal(ME)

Limited

linux-3.10\arch\arm\mach-realview\realview_pba8.c(5): *Copyright (C) 2000 Deep Blue Solutions Ltd

linux-3.10\arch\arm\mach-realview\realview_pbx.c(4): *Copyright (C) 2009 ARM Limited

linux-3.10\arch\arm\mach-realview\realview_pbx.c(5): *Copyright (C) 2000 Deep Blue Solutions Ltd

linux-3.10\arch\arm\mach-rpc\dma.c(4): *Copyright (C) 1998 Russell King

linux-3.10\arch\arm\mach-rpc\ecard.c(4): *Copyright 1995-2001 Russell King

linux-3.10\arch\arm\mach-rpc\ecard.h(4): *Copyright 2007 Russell King

linux-3.10\arch\arm\mach-rpc\include\mach\acornfb.h(4): *Copyright (C) 1999 Russell King

linux-3.10\arch\arm\mach-rpc\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King

linux-3.10\arch\arm\mach-rpc\include\mach\hardware.h(4): *Copyright (C) 1996-1999 Russell King.

linux-3.10\arch\arm\mach-rpc\include\mach\io.h(4): *Copyright (C) 1997 Russell King

linux-3.10\arch\arm\mach-rpc\include\mach\irqs.h(4): *Copyright (C) 1996 Russell King

linux-3.10\arch\arm\mach-rpc\include\mach\isa-dma.h(4): *Copyright (C) 1997 Russell King

linux-3.10\arch\arm\mach-rpc\include\mach\memory.h(4): *Copyright (C) 1996,1997,1998 Russell King.

linux-3.10\arch\arm\mach-rpc\include\mach\timex.h(4): *Copyright (C) 1997, 1998 Russell King

linux-3.10\arch\arm\mach-rpc\include\mach\uncompress.h(4): *Copyright (C) 1996 Russell King

linux-3.10\arch\arm\mach-rpc\riscpc.c(4): *Copyright (C) 1998-2001 Russell King

linux-3.10\arch\arm\mach-rpc\time.c(4): *Copyright (c) 1996-2000 Russell King.

linux-3.10\arch\arm\mach-s3c24xx\anubis.h(2): * Copyright (c) 2005 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\bast.h(2): * Copyright (c) 2003-2004 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\bast-ide.c(3): * Copyright 2007 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\bast-irq.c(3): * Copyright 2003-2005 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\clock-dclk.c(2): * Copyright (c) 2004-2008 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\clock-s3c2410.c(2): * Copyright (c) 2006 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\clock-s3c2412.c(3): * Copyright (c) 2006 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\clock-s3c2416.c(3): * Copyright (c) 2010 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\clock-s3c2416.c(4): * Copyright (c) 2010 Ben Dooks <ben-linux@fluff.org>

linux-3.10\arch\arm\mach-s3c24xx\clock-s3c2440.c(3): * Copyright (c) 2004-2005 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\clock-s3c2443.c(3): * Copyright (c) 2007, 2010 Simtec Electronics

legal(ME)

linux-3.10\arch\arm\mach-s3c24xx\clock-s3c244x.c(3): * Copyright (c) 2004-2008
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\common.c(3): * Copyright (c) 2004-2005 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\common.h(2): * Copyright (c) 2012 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c24xx\common-s3c2443.c(4): * Copyright (c) 2007, 2010
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\common-smdk.c(3): * Copyright (c) 2006 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\common-smdk.h(2): * Copyright (c) 2006 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\cpufreq.c(2): * Copyright (c) 2006-2008 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\cpufreq-debugfs.c(2): * Copyright (c) 2009
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\cpufreq-s3c2410.c(2): * Copyright (c) 2006-2008
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\cpufreq-s3c2412.c(2): * Copyright 2008 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\cpufreq-s3c2440.c(2): * Copyright (c) 2006-2009
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\cpufreq-utils.c(2): * Copyright (c) 2009 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\dma.c(1290):printk("S3C24XX DMA Driver,
Copyright 2003-2006 Simtec Electronics\n");
linux-3.10\arch\arm\mach-s3c24xx\dma.c(2): * Copyright 2003-2006 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\dma-s3c2410.c(3): * Copyright (c) 2006 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\dma-s3c2412.c(3): * Copyright (c) 2006 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\dma-s3c2440.c(3): * Copyright (c) 2006 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\dma-s3c2443.c(3): * Copyright (c) 2007 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\h1940.h(2): * Copyright 2006 Ben Dooks
<ben-linux@fluff.org>
linux-3.10\arch\arm\mach-s3c24xx\h1940.h(4): * Copyright (c) 2005 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\h1940-bluetooth.c(3): * Copyright (c) Arnaud
Patard <arnaud.patard@rtp-net.org>
linux-3.10\arch\arm\mach-s3c24xx\include\mach\debug-macro.S(5): *Copyright (C)
1994-1999 Russell King
linux-3.10\arch\arm\mach-s3c24xx\include\mach\debug-macro.S(6): *Copyright (C)
2005 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\dma.h(3): * Copyright (C) 2003-2006
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\gpio.h(2): * Copyright (c) 2008
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\hardware.h(3): * Copyright (c) 2003
Simtec Electronics

legal(ME)

linux-3.10\arch\arm\mach-s3c24xx\include\mach\io.h(5): * Copyright (C) 1997
Russell King
linux-3.10\arch\arm\mach-s3c24xx\include\mach\irqs.h(3): * Copyright (c)
2003-2005 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\map.h(3): * Copyright (c) 2003
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\pm-core.h(3): * Copyright 2008
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\regs-clock.h(3): * Copyright (c)
2003-2006 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\mach-s3c24xx\include\mach\regs-gpio.h(3): * Copyright (c)
2003-2004 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\mach-s3c24xx\include\mach\regs-irq.h(3): * Copyright (c) 2003
Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\mach-s3c24xx\include\mach\regs-lcd.h(3): * Copyright (c) 2003
Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\mach-s3c24xx\include\mach\regs-s3c2443-clock.h(3): *
Copyright (c) 2007 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\tick.h(3): * Copyright 2008 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\timex.h(3): * Copyright (c)
2003-2005 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\include\mach\uncompress.h(3): * Copyright (c)
2003-2007 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\iotiming-s3c2410.c(2): * Copyright (c) 2006-2009
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\iotiming-s3c2412.c(2): * Copyright (c) 2006-2008
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\irq-pm.c(3): * Copyright (c) 2003-2004 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\Kconfig(3):# Copyright (c) 2012 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c24xx\Kconfig(6):# Copyright 2007 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\mach-amlm5900.c(5): * Copyright (c) 2006
American Microsystems Limited
linux-3.10\arch\arm\mach-s3c24xx\mach-anubis.c(3): * Copyright 2003-2009 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\mach-anubis.c(58):#define COPYRIGHT ", Copyright
2005-2009 Simtec Electronics"
linux-3.10\arch\arm\mach-s3c24xx\mach-at2440evb.c(3): * Copyright (c) 2008 Ramax
Lo <ramaxlo@gmail.com>
linux-3.10\arch\arm\mach-s3c24xx\mach-bast.c(3): * Copyright 2003-2008 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\mach-bast.c(64):#define COPYRIGHT ", Copyright
2004-2008 Simtec Electronics"
linux-3.10\arch\arm\mach-s3c24xx\mach-gta02.c(4): * Copyright (C) 2006-2009 by
Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c24xx\mach-h1940.c(2): * Copyright (c) 2003-2005
Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\mach-jive.c(3): * Copyright 2007 Simtec
Electronics
linux-3.10\arch\arm\mach-s3c24xx\mach-mini2440.c(3): * Copyright (c) 2008 Ramax

legal(ME)

Lo <ramaxlo@gmail.com>

linux-3.10\arch\arm\mach-s3c24xx\mach-n30.c(4): * Copyright (c) 2003-2005 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\mach-n30.c(7): * Copyright (c) 2005-2008 Christer Weinigel <christer@weinigel.se>

linux-3.10\arch\arm\mach-s3c24xx\mach-nexcoder.c(3): * Copyright (c) 2004 Nex Vision

linux-3.10\arch\arm\mach-s3c24xx\mach-osiris.c(2): * Copyright (c) 2005-2008 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\mach-osiris-dvs.c(3): * Copyright (c) 2009 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\mach-otom.c(3): * Copyright (c) 2004 Nex Vision

linux-3.10\arch\arm\mach-s3c24xx\mach-qt2410.c(3): * Copyright (C) 2006 by OpenMoko, Inc.

linux-3.10\arch\arm\mach-s3c24xx\mach-rx1950.c(2): * Copyright (c) 2006-2009 Victor Chukhantsev, Denis Grigoriev,

linux-3.10\arch\arm\mach-s3c24xx\mach-rx1950.c(3): * Copyright (c) 2007-2010 Vasily Khoruzhick

linux-3.10\arch\arm\mach-s3c24xx\mach-rx3715.c(3): * Copyright (c) 2003-2004 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\mach-smdk2410.c(5): * Copyright (C) 2004 by FS Forth-Systeme GmbH

linux-3.10\arch\arm\mach-s3c24xx\mach-smdk2413.c(3): * Copyright (c) 2006 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\mach-smdk2416.c(3): * Copyright (c) 2009 Yauhen Kharuzhy <jekhor@gmail.com>,

linux-3.10\arch\arm\mach-s3c24xx\mach-smdk2416.c(5): * Copyright (c) 2009 Promwad Innovation Company

linux-3.10\arch\arm\mach-s3c24xx\mach-smdk2440.c(3): * Copyright (c) 2004-2005 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\mach-smdk2443.c(3): * Copyright (c) 2007 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\mach-tct_hammer.c(3): * Copyright (c) 2007 TinCanTools

linux-3.10\arch\arm\mach-s3c24xx\mach-vr1000.c(2): * Copyright (c) 2003-2008 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\Makefile(3):# Copyright (c) 2012 Samsung Electronics Co., Ltd.

linux-3.10\arch\arm\mach-s3c24xx\Makefile(6):# Copyright 2007 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\osiris.h(2): * Copyright 2005 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\pll-s3c2410.c(2): * Copyright (c) 2006-2007 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\pll-s3c2440-12000000.c(2): * Copyright (c) 2006-2007 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\pll-s3c2440-16934400.c(2): * Copyright (c) 2006-2008 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\pm.c(3): * Copyright (c) 2004-2006 Simtec Electronics

linux-3.10\arch\arm\mach-s3c24xx\pm-h1940.S(3): * Copyright (c) 2006 Ben Dooks <ben-linux@fluff.org>

linux-3.10\arch\arm\mach-s3c24xx\pm-s3c2410.c(3): * Copyright (c) 2006 Simtec Electronics

legal(ME)

linux-3.10\arch\arm\mach-s3c24xx\pm-s3c2412.c(3): * Copyright (c) 2006 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\pm-s3c2416.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c24xx\regs-dsc.h(2): * Copyright (c) 2004 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\mach-s3c24xx\regs-mem.h(2): * Copyright (c) 2004 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\mach-s3c24xx\s3c2410.c(3): * Copyright (c) 2003-2005 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\s3c2412.c(2): * Copyright (c) 2006 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\s3c2412.h(2): * Copyright (c) 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\s3c2412-power.h(2): * Copyright (c) 2003-2006 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\mach-s3c24xx\s3c2416.c(3): * Copyright (c) 2009 Yauhen Kharuzhy <jekhor@gmail.com>,
linux-3.10\arch\arm\mach-s3c24xx\s3c2416.c(5): * Copyright (c) 2009 Promwad Innovation Company
linux-3.10\arch\arm\mach-s3c24xx\s3c2440.c(3): * Copyright (c) 2004-2006 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\s3c2442.c(3): * Copyright (c) 2004-2005 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\s3c2443.c(3): * Copyright (c) 2007 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\s3c244x.c(3): * Copyright (c) 2004-2006 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\setup-i2c.c(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\setup-sdhci-gpio.c(3): * Copyright 2010 Promwad Innovation Company
linux-3.10\arch\arm\mach-s3c24xx\setup-spi.c(4): * Copyright (C) 2011 Samsung Electronics Ltd.
linux-3.10\arch\arm\mach-s3c24xx\setup-ts.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c24xx\simtec.h(3): * Copyright (c) 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\simtec-audio.c(3): * Copyright (c) 2009 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\simtec-nor.c(3): * Copyright (c) 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\simtec-pm.c(3): * Copyright 2004 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\simtec-pm.c(38):#define COPYRIGHT ", Copyright 2005 Simtec Electronics"
linux-3.10\arch\arm\mach-s3c24xx\simtec-pm.c(56):printk(KERN_INFO "Simtec Board Power Management" COPYRIGHT "\n");
linux-3.10\arch\arm\mach-s3c24xx\simtec-usb.c(109):printk("USB Power Control, Copyright 2004 Simtec Electronics\n");
linux-3.10\arch\arm\mach-s3c24xx\simtec-usb.c(3): * Copyright 2004-2005 Simtec Electronics

legal(ME)

linux-3.10\arch\arm\mach-s3c24xx\sleep.S(3): * Copyright (c) 2004 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\sleep-s3c2410.S(3): * Copyright (c) 2004 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\sleep-s3c2412.S(3): * Copyright (c) 2007 Simtec Electronics
linux-3.10\arch\arm\mach-s3c24xx\vr1000.h(4): * Copyright (c) 2003 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\clock.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\clock.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\common.c(2): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c64xx\common.c(5): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\common.c(6): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\common.h(2): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c64xx\common.h(5): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\common.h(6): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\cpuidle.c(3): * Copyright (c) 2011 Wolfson Microelectronics, plc
linux-3.10\arch\arm\mach-s3c64xx\cpuidle.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c64xx\crag6410.h(3): * Copyright 2011 Wolfson Microelectronics plc
linux-3.10\arch\arm\mach-s3c64xx\dev-audio.c(3): * Copyright 2009 Wolfson Microelectronics
linux-3.10\arch\arm\mach-s3c64xx\dev-uart.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\dev-uart.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\dma.c(3): * Copyright 2009 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\dma.c(4): * Copyright 2009 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\debug-macro.S(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\debug-macro.S(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\dma.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\dma.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\gpio.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\gpio.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\hardware.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\hardware.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\irqs.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\irqs.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\map.h(3): * Copyright 2008

legal(ME)

Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\map.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\pm-core.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\pm-core.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\regs-clock.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\regs-clock.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\regs-gpio.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\regs-gpio.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\regs-irq.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\regs-irq.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\tick.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\tick.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\timex.h(3): * Copyright (c) 2003-2005 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\include\mach\uncompress.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\include\mach\uncompress.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\irq-pm.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\irq-pm.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\Kconfig(1):# Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\mach-anw6410.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\mach-anw6410.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\mach-anw6410.c(7): * Copyright 2009 Kwangwoo Lee
linux-3.10\arch\arm\mach-s3c64xx\mach-crag6410.c(3): * Copyright 2011 Wolfson Microelectronics plc
linux-3.10\arch\arm\mach-s3c64xx\mach-crag6410.c(6): * Copyright 2011 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\mach-crag6410-module.c(3): * Copyright 2011 Wolfson Microelectronics plc
linux-3.10\arch\arm\mach-s3c64xx\mach-hmt.c(3): * Copyright 2009 Peter Korsgaard <jacmet@sunsite.dk>
linux-3.10\arch\arm\mach-s3c64xx\mach-mini6410.c(3): * Copyright 2010 Darius Augulis <augulis.darius@gmail.com>
linux-3.10\arch\arm\mach-s3c64xx\mach-mini6410.c(4): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\mach-mini6410.c(5): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\mach-ncp.c(4): * Copyright (C) 2008-2009 Samsung

legal(ME)

Electronics

linux-3.10\arch\arm\mach-s3c64xx\mach-real6410.c(3): * Copyright 2010 Darius Augulis <augulis.darius@gmail.com>
linux-3.10\arch\arm\mach-s3c64xx\mach-real6410.c(4): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\mach-real6410.c(5): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\mach-smartq.c(4): * Copyright (C) 2010 Maurus Cuelenaere
linux-3.10\arch\arm\mach-s3c64xx\mach-smartq.h(4): * Copyright (C) 2010 Maurus Cuelenaere
linux-3.10\arch\arm\mach-s3c64xx\mach-smartq5.c(4): * Copyright (C) 2010 Maurus Cuelenaere
linux-3.10\arch\arm\mach-s3c64xx\mach-smartq7.c(4): * Copyright (C) 2010 Maurus Cuelenaere
linux-3.10\arch\arm\mach-s3c64xx\mach-smdk6400.c(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\mach-smdk6410.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\mach-smdk6410.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\Makefile(3):# Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\Makefile(4):# Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\pm.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\pm.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\regs-gpio-memport.h(2): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\regs-gpio-memport.h(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\regs-modem.h(2): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\regs-modem.h(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\regs-srom.h(2): * Copyright 2009 Andy Green <andy@warmcat.com>
linux-3.10\arch\arm\mach-s3c64xx\regs-sys.h(2): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\regs-sys.h(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\regs-syscon-power.h(2): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\regs-syscon-power.h(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\s3c6400.c(3): * Copyright 2009 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\s3c6410.c(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\s3c6410.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\setup-fb-24bpp.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\setup-fb-24bpp.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\setup-i2c0.c(3): * Copyright 2008 Openmoko, Inc.

legal(ME)

linux-3.10\arch\arm\mach-s3c64xx\setup-i2c0.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\setup-i2c1.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\setup-i2c1.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\setup-ide.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c64xx\setup-keypad.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s3c64xx\setup-sdhci-gpio.c(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s3c64xx\setup-spi.c(3): * Copyright (C) 2011 Samsung Electronics Ltd.
linux-3.10\arch\arm\mach-s3c64xx\setup-usb-phy.c(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\mach-s3c64xx\sleep.S(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\mach-s3c64xx\sleep.S(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s5p64x0\clock.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\clock.h(2): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\clock-s5p6440.c(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\clock-s5p6450.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\common.c(2): * Copyright (c) 2009-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\common.h(2): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\dev-audio.c(3): * Copyright (c) 2010 Samsung Electronics Co. Ltd
linux-3.10\arch\arm\mach-s5p64x0\dma.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\dma.c(6): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\arch\arm\mach-s5p64x0\i2c.h(2): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\debug-macro.S(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\dma.h(2): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\gpio.h(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\hardware.h(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\irqs.h(3): * Copyright 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\map.h(3): * Copyright (c) 2009-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\pm-core.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\regs-clock.h(3): * Copyright (c)

legal(ME)

2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\regs-gpio.h(3): * Copyright (c)
2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\regs-irq.h(3): * Copyright (c)
2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\timex.h(3): * Copyright (c) 2010
Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\include\mach\timex.h(6): * Copyright (c)
2003-2005 Simtec Electronics
linux-3.10\arch\arm\mach-s5p64x0\include\mach\uncompress.h(3): * Copyright (c)
2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\irq-pm.c(3): * Copyright (c) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\kconfig(3):# Copyright (c) 2009-2010 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\mach-smdk6440.c(3): * Copyright (c) 2009-2010
Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\mach-smdk6450.c(3): * Copyright (c) 2010 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\Makefile(3):# Copyright (c) 2009-2010 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\pm.c(3): * Copyright (c) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\setup-fb-24bpp.c(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\setup-i2c0.c(3): * Copyright (c) 2009-2010
Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\setup-i2c1.c(3): * Copyright (c) 2009-2010
Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\setup-sdhci-gpio.c(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5p64x0\setup-spi.c(3): * Copyright (C) 2011 Samsung
Electronics Ltd.
linux-3.10\arch\arm\mach-s5pc100\clock.c(3): * Copyright (c) 2010 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pc100\common.c(2): * Copyright (c) 2010-2011 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pc100\common.c(5): * Copyright 2009 Samsung
Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\common.h(2): * Copyright (c) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pc100\dev-audio.c(3): * Copyright (c) 2010 Samsung
Electronics Co. Ltd
linux-3.10\arch\arm\mach-s5pc100\dma.c(3): * Copyright (c) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pc100\dma.c(6): * Copyright (C) 2010 Samsung
Electronics Co. Ltd.
linux-3.10\arch\arm\mach-s5pc100\include\mach\debug-macro.S(3): * Copyright 2009
Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\dma.h(2): * Copyright (C) 2010
Samsung Electronics Co. Ltd.
linux-3.10\arch\arm\mach-s5pc100\include\mach\entry-macro.S(3): * Copyright 2009

legal(ME)

Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\gpio.h(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\hardware.h(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\irqs.h(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\map.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pc100\include\mach\map.h(6): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\regs-clock.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pc100\include\mach\regs-gpio.h(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\regs-irq.h(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\tick.h(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\include\mach\timex.h(3): * Copyright (c) 2003-2005 Simtec Electronics
linux-3.10\arch\arm\mach-s5pc100\include\mach\uncompress.h(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\Kconfig(1):# Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\mach-smdkc100.c(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\Makefile(3):# Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\setup-fb-24bpp.c(4): * Copyright 2009 Samsung Electronics
linux-3.10\arch\arm\mach-s5pc100\setup-i2c0.c(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\setup-i2c1.c(3): * Copyright 2009 Samsung Electronics Co.
linux-3.10\arch\arm\mach-s5pc100\setup-ide.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pc100\setup-keypad.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pc100\setup-sdhci-gpio.c(3): * Copyright 2009 Samsung Electronics
linux-3.10\arch\arm\mach-s5pc100\setup-spi.c(3): * Copyright (C) 2011 Samsung Electronics Ltd.
linux-3.10\arch\arm\mach-s5pv210\clock.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\common.c(2): * Copyright (c) 2009-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\common.h(2): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\dev-audio.c(3): * Copyright (c) 2010 Samsung Electronics Co. Ltd
linux-3.10\arch\arm\mach-s5pv210\dma.c(3): * Copyright (c) 2011 Samsung

legal(ME)

Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\dma.c(6): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\debug-macro.S(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\dma.h(2): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\gpio.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\hardware.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\irqs.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\map.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\memory.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\pm-core.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\pm-core.h(7): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\mach-s5pv210\include\mach\regs-clock.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\regs-gpio.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\regs-irq.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\timex.h(3): * Copyright (c) 2003-2010 Simtec Electronics
linux-3.10\arch\arm\mach-s5pv210\include\mach\timex.h(6): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\include\mach\uncompress.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\Kconfig(3):# Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\mach-aquila.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\mach-goni.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\mach-smdkc110.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\mach-smdkv210.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\mach-torbreck.c(3): * Copyright (c) 2010 aESOP Community
linux-3.10\arch\arm\mach-s5pv210\Makefile(3):# Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\pm.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\pm.c(9): * Copyright (c) 2006 Simtec Electronics
linux-3.10\arch\arm\mach-s5pv210\setup-fb-24bpp.c(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.

legal(ME)

linux-3.10\arch\arm\mach-s5pv210\setup-fimc.c(2): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\setup-i2c0.c(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\setup-i2c1.c(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\setup-i2c2.c(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\setup-ide.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\setup-keypad.c(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\mach-s5pv210\setup-sdhci-gpio.c(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\mach-s5pv210\setup-spi.c(3): * Copyright (C) 2011 Samsung Electronics Ltd.
linux-3.10\arch\arm\mach-s5pv210\setup-usb-phy.c(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\mach-sa1100\badge4.c(9): * Copyright (C) 2002 Hewlett-Packard Company
linux-3.10\arch\arm\mach-sa1100\h3100.c(4): * Copyright (c) 2000,1 Compaq Computer Corporation. (Author: Jamey Hicks)
linux-3.10\arch\arm\mach-sa1100\h3100.c(5): * Copyright (c) 2009 Dmitry Artamonow <mad_soft@inbox.ru>
linux-3.10\arch\arm\mach-sa1100\h3600.c(4): * Copyright (c) 2000,1 Compaq Computer Corporation. (Author: Jamey Hicks)
linux-3.10\arch\arm\mach-sa1100\h3600.c(5): * Copyright (c) 2009 Dmitry Artamonow <mad_soft@inbox.ru>
linux-3.10\arch\arm\mach-sa1100\h3xxx.c(4): * Copyright (c) 2000,1 Compaq Computer Corporation. (Author: Jamey Hicks)
linux-3.10\arch\arm\mach-sa1100\h3xxx.c(5): * Copyright (c) 2009 Dmitry Artamonow <mad_soft@inbox.ru>
linux-3.10\arch\arm\mach-sa1100\hackkit.c(4): * Copyright (C) 2002 Stefan Eletzhofer <stefan.eletzhofer@eletztrick.de>
linux-3.10\arch\arm\mach-sa1100\include\mach\badge4.h(7): * Copyright (C) 2002 Hewlett-Packard Company
linux-3.10\arch\arm\mach-sa1100\include\mach\bitfield.h(5): *AuthorCopyright (c) Marc A. Viredaz, 1998
linux-3.10\arch\arm\mach-sa1100\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King
linux-3.10\arch\arm\mach-sa1100\include\mach\hardware.h(4): * Copyright (C) 1998 Nicolas Pitre <nico@fluxnic.net>
linux-3.10\arch\arm\mach-sa1100\include\mach\irqs.h(4): * Copyright (C) 1996 Russell King
linux-3.10\arch\arm\mach-sa1100\include\mach\irqs.h(5): * Copyright (C) 1998 Deborah Wallach (updates for SA1100/Brutus).
linux-3.10\arch\arm\mach-sa1100\include\mach\irqs.h(6): * Copyright (C) 1999 Nicolas Pitre (full GPIO irq isolation)
linux-3.10\arch\arm\mach-sa1100\include\mach\jornada720.h(6): * Copyright 2007,2008 Kristoffer Ericson <Kristoffer.Ericson@gmail.com>
linux-3.10\arch\arm\mach-sa1100\include\mach\jornada720.h(7): *Copyright 2000 John Ankcorn <jca@lcs.mit.edu>

legal(ME)

linux-3.10\arch\arm\mach-sa1100\include\mach\memory.h(4): * Copyright (C)
1999-2000 Nicolas Pitre <nico@fluxnic.net>
linux-3.10\arch\arm\mach-sa1100\include\mach\mtd-xip.h(8): * Copyright:(C) 2004
MontaVista Software, Inc.
linux-3.10\arch\arm\mach-sa1100\include\mach\nanoengine.h(7): * Copyright (C)
2010 Marcelo Roberto Jimenez <mroberto@cpti.cetuc.puc-rio.br>
linux-3.10\arch\arm\mach-sa1100\include\mach\SA-1100.h(5): *AuthorCopyright (c)
Marc A. Viredaz, 1998
linux-3.10\arch\arm\mach-sa1100\include\mach\SA-1101.h(4): * Copyright (c) Peter
Danielsson 1999
linux-3.10\arch\arm\mach-sa1100\include\mach\timex.h(6): * Copyright (C) 1998
linux-3.10\arch\arm\mach-sa1100\irq.c(4): * Copyright (C) 1999-2001 Nicolas Pitre
linux-3.10\arch\arm\mach-sa1100\jornada720.c(6): * Copyright (C) 2007 Kristoffer
Ericson <Kristoffer.Ericson@gmail.com>
linux-3.10\arch\arm\mach-sa1100\jornada720.c(7): * Copyright (C) 2006 Filip
Zyzniewski <filip.zyzniewski@tefnet.pl>
linux-3.10\arch\arm\mach-sa1100\jornada720.c(8): *Copyright (C) 2005 Michael
Gernoth <michael@gernoth.net>
linux-3.10\arch\arm\mach-sa1100\jornada720_ssp.c(4): *Copyright (C) 2006/2007
Kristoffer Ericson <Kristoffer.Ericson@gmail.com>
linux-3.10\arch\arm\mach-sa1100\jornada720_ssp.c(5): * Copyright (C) 2006 Filip
Zyzniewski <filip.zyzniewski@tefnet.pl>
linux-3.10\arch\arm\mach-sa1100\nanoengine.c(6): * Copyright (C) 2010 Marcelo
Roberto Jimenez <mroberto@cpti.cetuc.puc-rio.br>
linux-3.10\arch\arm\mach-sa1100\pci-nanoengine.c(6): * Copyright (C) 2010 Marcelo
Roberto Jimenez <mroberto@cpti.cetuc.puc-rio.br>
linux-3.10\arch\arm\mach-sa1100\pm.c(4): * Copyright (c) 2001 Cliff Brake
<cbrake@accelent.com>
linux-3.10\arch\arm\mach-sa1100\sleep.S(4): * Copyright (c) 2001 Cliff Brake
<cbrake@accelent.com>
linux-3.10\arch\arm\mach-sa1100\ssp.c(4): *Copyright (C) 2003 Russell King.
linux-3.10\arch\arm\mach-sa1100\time.c(4): * Copyright (C) 1998 Deborah Wallach.
linux-3.10\arch\arm\mach-shark\dma.c(8): *Copyright (C) 1998 Phil Blundell
linux-3.10\arch\arm\mach-shark\include\mach\debug-macro.S(5): *Copyright (C)
1994-1999 Russell King
linux-3.10\arch\arm\mach-shark\include\mach\hardware.h(8): * Copyright (C)
1996-1999 Russell King.
linux-3.10\arch\arm\mach-shark\include\mach\memory.h(8): * Copyright (c)
1996-1999 Russell King.
linux-3.10\arch\arm\mach-shark\include\mach\uncompress.h(7): * Copyright (C)
1996,1997,1998 Russell King
linux-3.10\arch\arm\mach-shark\irq.c(8): * Copyright (C) 1996-1998 Russell King
linux-3.10\arch\arm\mach-shmobile\board-ag5evm.c(4): * Copyright (C) 2010Takashi
Yoshii <yoshii.takashi.zj@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-ag5evm.c(5): * Copyright (C)
2009Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-ap4evb.c(4): * Copyright (C) 2010Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\board-ap4evb.c(5): * Copyright (C)
2008Yoshihiro Shimoda
linux-3.10\arch\arm\mach-shmobile\board-ape6evm.c(4): * Copyright (C) 2013Renesas
Solutions Corp.

legal(ME)

linux-3.10\arch\arm\mach-shmobile\board-ape6evm.c(5): * Copyright (C) 2013Magnus Damm
linux-3.10\arch\arm\mach-shmobile\board-armadillo800eva.c(4): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-armadillo800eva.c(5): * Copyright (C) 2012 Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-bockw.c(4): * Copyright (C) 2013Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-bockw.c(5): * Copyright (C) 2013Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-bonito.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-bonito.c(5): * Copyright (C) 2011 Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-kota2.c(4): * Copyright (C) 2011Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-kota2.c(5): * Copyright (C) 2011Magnus Damm
linux-3.10\arch\arm\mach-shmobile\board-kota2.c(6): * Copyright (C) 2010Takashi Yoshii <yoshii.takashi.zj@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-kota2.c(7): * Copyright (C) 2009Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-kzm9d.c(4): * Copyright (C) 2012Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-kzm9d.c(5): * Copyright (C) 2012Magnus Damm
linux-3.10\arch\arm\mach-shmobile\board-kzm9g.c(4): * Copyright (C) 2012Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-kzm9g-reference.c(4): * Copyright (C) 2012Horms Solutions Ltd.
linux-3.10\arch\arm\mach-shmobile\board-kzm9g-reference.c(7): * Copyright (C) 2012Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\board-lager.c(4): * Copyright (C) 2013Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-lager.c(5): * Copyright (C) 2013Magnus Damm
linux-3.10\arch\arm\mach-shmobile\board-mackerel.c(4): * Copyright (C) 2010 Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-mackerel.c(8): * Copyright (C) 2010Magnus Damm
linux-3.10\arch\arm\mach-shmobile\board-mackerel.c(9): * Copyright (C) 2008Yoshihiro Shimoda
linux-3.10\arch\arm\mach-shmobile\board-marzen.c(4): * Copyright (C) 2011Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-marzen.c(5): * Copyright (C) 2011Magnus Damm
linux-3.10\arch\arm\mach-shmobile\board-marzen-reference.c(4): * Copyright (C) 2011Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\board-marzen-reference.c(5): * Copyright (C) 2011Magnus Damm
linux-3.10\arch\arm\mach-shmobile\board-marzen-reference.c(6): * Copyright (C) 2013Simon Horman

legal(ME)

linux-3.10\arch\arm\mach-shmobile\clock.c(4): * Copyright (C) 2010Magnus Damm
linux-3.10\arch\arm\mach-shmobile\clock-emev2.c(4): * Copyright (C) 2012Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\clock-r8a73a4.c(4): * Copyright (C) 2013Renesas
Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\clock-r8a73a4.c(5): * Copyright (C) 2013Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\clock-r8a7740.c(4): * Copyright (C) 2011Renesas
Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\clock-r8a7740.c(5): * Copyright (C)
2011Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\clock-r8a7778.c(10): * Copyright (C) 2011Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\clock-r8a7778.c(4): * Copyright (C) 2013Renesas
Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\clock-r8a7778.c(5): * Copyright (C)
2013Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\clock-r8a7778.c(9): * Copyright (C) 2011Renesas
Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\clock-r8a7779.c(4): * Copyright (C) 2011Renesas
Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\clock-r8a7779.c(5): * Copyright (C) 2011Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\clock-r8a7790.c(4): * Copyright (C) 2013Renesas
Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\clock-r8a7790.c(5): * Copyright (C) 2013Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\clock-sh7372.c(4): * Copyright (C) 2010 Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\clock-sh73a0.c(4): * Copyright (C) 2010 Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\console.c(4): * Copyright (C) 2010Magnus Damm
linux-3.10\arch\arm\mach-shmobile\cpuidle.c(4): *Copyright (C) 2011 Magnus Damm
linux-3.10\arch\arm\mach-shmobile\entry-intc.S(4): * Copyright (C) 2010 Magnus
Damm
linux-3.10\arch\arm\mach-shmobile\entry-intc.S(5): * Copyright (C) 2008 Renesas
Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\headsmp.S(4): * Copyright (C) 2010Magnus Damm
linux-3.10\arch\arm\mach-shmobile\headsmp.S(5): * Copyright (C) 2010Takashi
Yoshii
linux-3.10\arch\arm\mach-shmobile\headsmp.S(7): * Based on vexpress, Copyright
(c) 2003 ARM Limited, All Rights Reserved
linux-3.10\arch\arm\mach-shmobile\headsmp-scu.S(4): * Copyright (C) 2012 Bastian
Hecht
linux-3.10\arch\arm\mach-shmobile\include\mach\dma-register.h(4): * Copyright (C)
2012 Renesas Solutions Corp
linux-3.10\arch\arm\mach-shmobile\include\mach\dma-register.h(9): * Copyright (C)
2010 Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\arch\arm\mach-shmobile\include\mach\head-ap4evb.txt(2):LIST "(C)
Copyright 2010 Renesas Solutions Corp"
linux-3.10\arch\arm\mach-shmobile\include\mach\head-mackerel.txt(2):LIST "(C)
Copyright 2010 Renesas Solutions Corp"

legal(ME)

linux-3.10\arch\arm\mach-shmobile\include\mach\pm-rmobile.h(2): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\include\mach\r8a7740.h(2): * Copyright (C) 2011Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\include\mach\r8a7740.h(3): * Copyright (C) 2011Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\include\mach\r8a7778.h(2): * Copyright (C) 2013Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\include\mach\r8a7778.h(3): * Copyright (C) 2013Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\include\mach\sh7372.h(2): * Copyright (C) 2010 Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\intc-r8a7740.c(4): * Copyright (C) 2011Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\intc-r8a7740.c(5): * Copyright (C) 2011Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\intc-r8a7779.c(4): * Copyright (C) 2011Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\intc-r8a7779.c(5): * Copyright (C) 2011Magnus Damm
linux-3.10\arch\arm\mach-shmobile\intc-sh7372.c(4): * Copyright (C) 2010Magnus Damm
linux-3.10\arch\arm\mach-shmobile\intc-sh73a0.c(4): * Copyright (C) 2010Magnus Damm
linux-3.10\arch\arm\mach-shmobile\platsmp.c(4): * Copyright (C) 2010Magnus Damm
linux-3.10\arch\arm\mach-shmobile\platsmp.c(5): * Copyright (C) 2011Paul Mundt
linux-3.10\arch\arm\mach-shmobile\platsmp.c(7): * Based on vexpress, Copyright (C) 2002 ARM Ltd, All Rights Reserved
linux-3.10\arch\arm\mach-shmobile\pm-r8a7740.c(4): * Copyright (C) 2012Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\pm-r8a7740.c(5): * Copyright (C) 2012Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\pm-r8a7779.c(4): * Copyright (C) 2011Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\pm-r8a7779.c(5): * Copyright (C) 2011Magnus Damm
linux-3.10\arch\arm\mach-shmobile\pm-rmobile.c(4): * Copyright (C) 2012Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\pm-rmobile.c(5): * Copyright (C) 2012Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\arch\arm\mach-shmobile\pm-rmobile.c(8): *Copyright (C) 2011 Magnus Damm
linux-3.10\arch\arm\mach-shmobile\pm-sh7372.c(4): *Copyright (C) 2011 Magnus Damm
linux-3.10\arch\arm\mach-shmobile\pm-sh73a0.c(4): *Copyright (C) 2012 Bastian Hecht <hechtb+renesas@gmail.com>
linux-3.10\arch\arm\mach-shmobile\setup-emev2.c(4): * Copyright (C) 2012Magnus Damm
linux-3.10\arch\arm\mach-shmobile\setup-r8a73a4.c(4): * Copyright (C) 2013Renesas Solutions Corp.
linux-3.10\arch\arm\mach-shmobile\setup-r8a73a4.c(5): * Copyright (C) 2013Magnus Damm
linux-3.10\arch\arm\mach-shmobile\setup-r8a7740.c(4): * Copyright (C) 2011Renesas

legal(ME)

Solutions Corp.

linux-3.10\arch\arm\mach-shmobile\setup-r8a7740.c(5): * Copyright (C)

2011Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>

linux-3.10\arch\arm\mach-shmobile\setup-r8a7778.c(4): * Copyright (C) 2013Renesas Solutions Corp.

linux-3.10\arch\arm\mach-shmobile\setup-r8a7778.c(5): * Copyright (C)

2013Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>

linux-3.10\arch\arm\mach-shmobile\setup-r8a7778.c(6): * Copyright (C) 2013Cogent Embedded, Inc.

linux-3.10\arch\arm\mach-shmobile\setup-r8a7779.c(4): * Copyright (C) 2011, 2013Renesas Solutions Corp.

linux-3.10\arch\arm\mach-shmobile\setup-r8a7779.c(5): * Copyright (C) 2011Magnus Damm

linux-3.10\arch\arm\mach-shmobile\setup-r8a7779.c(6): * Copyright (C) 2013Cogent Embedded, Inc.

linux-3.10\arch\arm\mach-shmobile\setup-r8a7790.c(4): * Copyright (C) 2013Renesas Solutions Corp.

linux-3.10\arch\arm\mach-shmobile\setup-r8a7790.c(5): * Copyright (C) 2013Magnus Damm

linux-3.10\arch\arm\mach-shmobile\setup-sh7372.c(4): * Copyright (C) 2010Magnus Damm

linux-3.10\arch\arm\mach-shmobile\setup-sh7372.c(5): * Copyright (C)

2008Yoshihiro Shimoda

linux-3.10\arch\arm\mach-shmobile\setup-sh73a0.c(4): * Copyright (C) 2010Takashi Yoshii

linux-3.10\arch\arm\mach-shmobile\setup-sh73a0.c(5): * Copyright (C) 2010Magnus Damm

linux-3.10\arch\arm\mach-shmobile\setup-sh73a0.c(6): * Copyright (C)

2008Yoshihiro Shimoda

linux-3.10\arch\arm\mach-shmobile\sh-gpio.h(4): * Copyright (c) 2008Magnus Damm

linux-3.10\arch\arm\mach-shmobile\sleep-sh7372.S(10): * (C) Copyright 2007 Texas Instruments

linux-3.10\arch\arm\mach-shmobile\sleep-sh7372.S(13): * (C) Copyright 2004 Texas Instruments, <www.ti.com>

linux-3.10\arch\arm\mach-shmobile\sleep-sh7372.S(4): * Copyright (C) 2011 Magnus Damm

linux-3.10\arch\arm\mach-shmobile\smp-emev2.c(4): * Copyright (C) 2012Renesas Solutions Corp.

linux-3.10\arch\arm\mach-shmobile\smp-emev2.c(5): * Copyright (C) 2012Magnus Damm

linux-3.10\arch\arm\mach-shmobile\smp-r8a7779.c(4): * Copyright (C) 2011Renesas Solutions Corp.

linux-3.10\arch\arm\mach-shmobile\smp-r8a7779.c(5): * Copyright (C) 2011Magnus Damm

linux-3.10\arch\arm\mach-shmobile\smp-sh73a0.c(4): * Copyright (C) 2010Magnus Damm

linux-3.10\arch\arm\mach-shmobile\smp-sh73a0.c(5): * Copyright (C) 2010Takashi Yoshii

linux-3.10\arch\arm\mach-shmobile\suspend.c(4): *Copyright (C) 2011 Magnus Damm

linux-3.10\arch\arm\mach-shmobile\timer.c(4): * Copyright (C) 2010Magnus Damm

linux-3.10\arch\arm\mach-shmobile\timer.c(5): * Copyright (C) 2002 - 2009Paul Mundt

linux-3.10\arch\arm\mach-socfpga\core.h(2): * Copyright 2012 Pavel Machek

legal(ME)

<pavel@denx.de>
linux-3.10\arch\arm\mach-socfpga\core.h(3): * Copyright (C) 2012 Altera Corporation
linux-3.10\arch\arm\mach-socfpga\headsmp.S(2): *Copyright (c) 2003 ARM Limited
linux-3.10\arch\arm\mach-socfpga\headsmp.S(3): *Copyright (c) u-boot contributors
linux-3.10\arch\arm\mach-socfpga\headsmp.S(4): *Copyright (c) 2012 Pavel Machek
<pavel@denx.de>
linux-3.10\arch\arm\mach-socfpga\platsmp.c(2): * Copyright 2010-2011 Calxeda, Inc.
linux-3.10\arch\arm\mach-socfpga\platsmp.c(3): * Copyright 2012 Pavel Machek
<pavel@denx.de>
linux-3.10\arch\arm\mach-socfpga\platsmp.c(4): * Based on platsmp.c, Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\mach-socfpga\platsmp.c(5): * Copyright (C) 2012 Altera Corporation
linux-3.10\arch\arm\mach-socfpga\socfpga.c(2): *Copyright (C) 2012 Altera Corporation
linux-3.10\arch\arm\mach-spear\generic.h(4): * Copyright (C) 2009-2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\headsmp.S(5): * Copyright (c) 2012 ST Microelectronics Limited
linux-3.10\arch\arm\mach-spear\hotplug.c(4): * Copyright (C) 2012 ST Microelectronics Ltd.
linux-3.10\arch\arm\mach-spear\include\mach\debug-macro.S(6): * Copyright (C) 2009 ST Microelectronics
linux-3.10\arch\arm\mach-spear\include\mach\irqs.h(4): * Copyright (C) 2009-2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\include\mach\misc_regs.h(6): * Copyright (C) 2009 ST Microelectronics
linux-3.10\arch\arm\mach-spear\include\mach\spear.h(4): * Copyright (C) 2009,2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\include\mach\timex.h(6): * Copyright (C) 2009 ST Microelectronics
linux-3.10\arch\arm\mach-spear\include\mach\uncompress.h(6): * Copyright (C) 2009 ST Microelectronics
linux-3.10\arch\arm\mach-spear\pl080.c(6): * Copyright (C) 2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\pl080.h(6): * Copyright (C) 2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\platsmp.c(6): * Copyright (C) 2012 ST Microelectronics Ltd.
linux-3.10\arch\arm\mach-spear\restart.c(6): * Copyright (C) 2009 ST Microelectronics
linux-3.10\arch\arm\mach-spear\spear1310.c(6): * Copyright (C) 2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\spear1340.c(6): * Copyright (C) 2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\spear13xx.c(6): * Copyright (C) 2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\spear300.c(6): * Copyright (C) 2009-2012 ST Microelectronics
linux-3.10\arch\arm\mach-spear\spear310.c(6): * Copyright (C) 2009-2012 ST

legal(ME)

Microelectronics

linux-3.10\arch\arm\mach-spear\spear320.c(6): * Copyright (C) 2009-2012 ST
Microelectronics

linux-3.10\arch\arm\mach-spear\spear3xx.c(6): * Copyright (C) 2009-2012 ST
Microelectronics

linux-3.10\arch\arm\mach-spear\spear6xx.c(6): * Copyright (C) 2009 ST
Microelectronics

linux-3.10\arch\arm\mach-spear\spear6xx.c(9): * Copyright 2012 Stefan Roesse
<sr@denx.de>

linux-3.10\arch\arm\mach-spear\time.c(4): * Copyright (C) 2010 ST

Microelectronics

linux-3.10\arch\arm\mach-sunxi\sunxi.c(4): * Copyright (C) 2012 Maxime Ripard

linux-3.10\arch\arm\mach-sunxi\sunxi.h(4): * Copyright (C) 2012 Maxime Ripard

linux-3.10\arch\arm\mach-tegra\apbio.c(2): * Copyright (C) 2010 NVIDIA
Corporation.

linux-3.10\arch\arm\mach-tegra\apbio.c(3): * Copyright (C) 2010 Google, Inc.

linux-3.10\arch\arm\mach-tegra\apbio.h(2): * Copyright (C) 2010 NVIDIA
Corporation.

linux-3.10\arch\arm\mach-tegra\apbio.h(3): * Copyright (C) 2010 Google, Inc.

linux-3.10\arch\arm\mach-tegra\board.h(4): * Copyright (c) 2013 NVIDIA
Corporation. All rights reserved.

linux-3.10\arch\arm\mach-tegra\board.h(5): * Copyright (C) 2010 Google, Inc.

linux-3.10\arch\arm\mach-tegra\board-harmony-pcie.c(4): * Copyright (C) 2010
CompuLab, Ltd.

linux-3.10\arch\arm\mach-tegra\board-paz00.c(4): * Copyright (C) 2011 Marc
Dietrich <marvin24@gmx.de>

linux-3.10\arch\arm\mach-tegra\board-paz00.c(7): * Copyright (C) 2010 Google,
Inc.

linux-3.10\arch\arm\mach-tegra\board-paz00.h(4): * Copyright (C) 2010 Marc
Dietrich <marvin24@gmx.de>

linux-3.10\arch\arm\mach-tegra\common.c(4): * Copyright (c) 2013 NVIDIA
Corporation. All rights reserved.

linux-3.10\arch\arm\mach-tegra\common.c(5): * Copyright (C) 2010 Google, Inc.

linux-3.10\arch\arm\mach-tegra\cpuidle.c(6): * Copyright (c) 2010-2012, NVIDIA
Corporation.

linux-3.10\arch\arm\mach-tegra\cpuidle.c(7): * Copyright (c) 2011 Google, Inc.

linux-3.10\arch\arm\mach-tegra\cpuidle.h(2): * Copyright (c) 2012, NVIDIA
Corporation. All rights reserved.

linux-3.10\arch\arm\mach-tegra\cpuidle-tegra114.c(2): * Copyright (c) 2013,
NVIDIA Corporation. All rights reserved.

linux-3.10\arch\arm\mach-tegra\cpuidle-tegra20.c(4): * Copyright (c) 2010-2012,
NVIDIA Corporation.

linux-3.10\arch\arm\mach-tegra\cpuidle-tegra20.c(5): * Copyright (c) 2011 Google,
Inc.

linux-3.10\arch\arm\mach-tegra\cpuidle-tegra30.c(4): * Copyright (c) 2010-2012,
NVIDIA Corporation.

linux-3.10\arch\arm\mach-tegra\cpuidle-tegra30.c(5): * Copyright (c) 2011 Google,
Inc.

linux-3.10\arch\arm\mach-tegra\flowctrl.c(6): * Copyright (c) 2010-2012, NVIDIA
Corporation. All rights reserved.

linux-3.10\arch\arm\mach-tegra\flowctrl.h(6): * Copyright (c) 2010-2012, NVIDIA
Corporation. All rights reserved.

legal(ME)

linux-3.10\arch\arm\mach-tegra\fuse.c(4): * Copyright (C) 2010 Google, Inc.
linux-3.10\arch\arm\mach-tegra\fuse.c(5): * Copyright (c) 2013, NVIDIA CORPORATION. All rights reserved.
linux-3.10\arch\arm\mach-tegra\fuse.h(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\arch\arm\mach-tegra\fuse.h(3): * Copyright (c) 2013, NVIDIA CORPORATION. All rights reserved.
linux-3.10\arch\arm\mach-tegra\gpio-names.h(4): * Copyright (c) 2010 Google, Inc
linux-3.10\arch\arm\mach-tegra\hotplug.c(2): *Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\mach-tegra\hotplug.c(4): *Copyright (c) 2010, 2012-2013, NVIDIA Corporation. All rights reserved.
linux-3.10\arch\arm\mach-tegra\io.c(4): * Copyright (C) 2010 Google, Inc.
linux-3.10\arch\arm\mach-tegra\iomap.h(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\arch\arm\mach-tegra\irammap.h(2): * Copyright (c) 2012, NVIDIA CORPORATION. All rights reserved.
linux-3.10\arch\arm\mach-tegra\irq.c(2): * Copyright (C) 2011 Google, Inc.
linux-3.10\arch\arm\mach-tegra\irq.c(7): * Copyright (C) 2010,2013, NVIDIA Corporation
linux-3.10\arch\arm\mach-tegra\irq.h(2): * Copyright (c) 2012, NVIDIA Corporation. All rights reserved.
linux-3.10\arch\arm\mach-tegra\pcie.c(10): * Copyright (c) 2008-2009, NVIDIA Corporation.
linux-3.10\arch\arm\mach-tegra\pcie.c(6): * Copyright (c) 2010, CompuLab, Ltd.
linux-3.10\arch\arm\mach-tegra\platsmp.c(4): *Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\mach-tegra\platsmp.c(7): *Copyright (C) 2009 Palm
linux-3.10\arch\arm\mach-tegra\pm.c(4): * Copyright (c) 2009-2012, NVIDIA Corporation. All rights reserved.
linux-3.10\arch\arm\mach-tegra\pm.h(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\arch\arm\mach-tegra\pm.h(3): * Copyright (c) 2010-2012 NVIDIA Corporation. All rights reserved.
linux-3.10\arch\arm\mach-tegra\pmc.c(2): * Copyright (C) 2012,2013 NVIDIA CORPORATION. All rights reserved.
linux-3.10\arch\arm\mach-tegra\pmc.h(2): * Copyright (C) 2012 NVIDIA CORPORATION. All rights reserved.
linux-3.10\arch\arm\mach-tegra\powergate.c(4): * Copyright (c) 2010 Google, Inc
linux-3.10\arch\arm\mach-tegra\reset.c(4): * Copyright (C) 2011,2012 NVIDIA Corporation.
linux-3.10\arch\arm\mach-tegra\reset.h(6): * Copyright (c) 2011, NVIDIA Corporation.
linux-3.10\arch\arm\mach-tegra\reset-handler.S(2): * Copyright (c) 2012, NVIDIA Corporation. All rights reserved.
linux-3.10\arch\arm\mach-tegra\sleep.h(2): * Copyright (c) 2010-2013, NVIDIA Corporation. All rights reserved.
linux-3.10\arch\arm\mach-tegra\sleep.S(4): * Copyright (c) 2010-2011, NVIDIA Corporation.
linux-3.10\arch\arm\mach-tegra\sleep.S(5): * Copyright (c) 2011, Google, Inc.
linux-3.10\arch\arm\mach-tegra\sleep-tegra20.S(2): * Copyright (c) 2010-2012, NVIDIA Corporation. All rights reserved.
linux-3.10\arch\arm\mach-tegra\sleep-tegra20.S(3): * Copyright (c) 2011, Google, Inc.
linux-3.10\arch\arm\mach-tegra\sleep-tegra30.S(2): * Copyright (c) 2012, NVIDIA Corporation. All rights reserved.
linux-3.10\arch\arm\mach-tegra\tegra.c(4): * Copyright (C) 2011, 2013, NVIDIA

legal(ME)

Corporation

linux-3.10\arch\arm\mach-tegra\tegra.c(5): * Copyright (C) 2010 Secret Lab Technologies, Ltd.
linux-3.10\arch\arm\mach-tegra\tegra.c(6): * Copyright (C) 2010 Google, Inc.
linux-3.10\arch\arm\mach-tegra\tegra114_speedo.c(2): * Copyright (c) 2013, NVIDIA CORPORATION.All rights reserved.
linux-3.10\arch\arm\mach-tegra\tegra2_emc.c(2): * Copyright (C) 2011 Google, Inc.
linux-3.10\arch\arm\mach-tegra\tegra2_emc.h(2): * Copyright (C) 2011 Google, Inc.
linux-3.10\arch\arm\mach-tegra\tegra20_speedo.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\arch\arm\mach-tegra\tegra30_speedo.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\arch\arm\mach-u300\core.c(6): * Copyright (C) 2007-2012 ST-Ericsson SA
linux-3.10\arch\arm\mach-u300\dummyspichip.c(4): * Copyright (C) 2007-2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\i2c.c(4): * Copyright (C) 2009-2012 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\i2c.h(4): * Copyright (C) 2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\include\mach\debug-macro.S(6): * Copyright (C) 2006-2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\include\mach\irqs.h(6): * Copyright (C) 2006-2012 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\include\mach\syscon.h(6): * Copyright (C) 2008-2012 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\include\mach\timex.h(6): * Copyright (C) 2006-2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\include\mach\u300-regs.h(6): * Copyright (C) 2006-2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\include\mach\uncompress.h(4): * Copyright (C) 2003 ARM Limited
linux-3.10\arch\arm\mach-u300\regulator.c(4): * Copyright (C) 2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\spi.c(4): * Copyright (C) 2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\spi.h(4): * Copyright (C) 2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-u300\timer.c(6): * Copyright (C) 2007-2009 ST-Ericsson AB
linux-3.10\arch\arm\mach-ux500\board-mop500.c(2): * Copyright (C) 2008-2012 ST-Ericsson
linux-3.10\arch\arm\mach-ux500\board-mop500.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\board-mop500-audio.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\board-mop500-pins.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\board-mop500-regulators.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\board-mop500-regulators.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\board-mop500-sdi.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\board-mop500-stuib.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\board-mop500-u8500uib.c(2): * Copyright (C) ST-Ericsson SA 2010

legal(ME)

linux-3.10\arch\arm\mach-ux500\board-mop500-uib.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\cache-l2x0.c(2): * Copyright (C) ST-Ericsson SA 2011
linux-3.10\arch\arm\mach-ux500\cpu.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\cpu-db8500.c(2): * Copyright (C) 2008-2009 ST-Ericsson SA
linux-3.10\arch\arm\mach-ux500\cpuidle.c(2): * Copyright (c) 2012 Linaro : Daniel Lezcano <daniel.lezcano@linaro.org> (IBM)
linux-3.10\arch\arm\mach-ux500\db8500-regs.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\devices.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\devices.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\devices-common.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\devices-common.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\devices-db8500.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\devices-db8500.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\headsmp.S(2): *Copyright (c) 2009 ST-Ericsson
linux-3.10\arch\arm\mach-ux500\headsmp.S(4): *Copyright (c) 2003 ARM Limited
linux-3.10\arch\arm\mach-ux500\hotplug.c(2): * Copyright (C) STMicroelectronics 2009
linux-3.10\arch\arm\mach-ux500\hotplug.c(3): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\id.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\id.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\irqs.h(2): *Copyright (C) 2008 STMicroelectronics
linux-3.10\arch\arm\mach-ux500\irqs.h(3): *Copyright (C) 2009 ST-Ericsson.
linux-3.10\arch\arm\mach-ux500\irqs-board-mop500.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\irqs-db8500.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\pins-db8500.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\arch\arm\mach-ux500\platsmp.c(2): * Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\mach-ux500\platsmp.c(3): * Copyright (C) 2008 STMicroelectronics.
linux-3.10\arch\arm\mach-ux500\platsmp.c(4): * Copyright (C) 2009 ST-Ericsson.
linux-3.10\arch\arm\mach-ux500\pm.c(2): * Copyright (C) ST-Ericsson SA 2010-2013
linux-3.10\arch\arm\mach-ux500\setup.h(2): * Copyright (C) 2009 ST-Ericsson.
linux-3.10\arch\arm\mach-ux500\ste-dma40-db8500.h(5): * Copyright (C) ST-Ericsson 2007-2010
linux-3.10\arch\arm\mach-ux500\timer.c(2): * Copyright (C) ST-Ericsson SA 2011
linux-3.10\arch\arm\mach-ux500\usb.c(2): * Copyright (C) ST-Ericsson SA 2011
linux-3.10\arch\arm\mach-versatile\core.c(4): *Copyright (C) 1999 - 2003 ARM Limited
linux-3.10\arch\arm\mach-versatile\core.c(5): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\mach-versatile\core.h(4): *Copyright (C) 2004 ARM Limited
linux-3.10\arch\arm\mach-versatile\core.h(5): *Copyright (C) 2000 Deep Blue

legal(ME)

Solutions Ltd

linux-3.10\arch\arm\mach-versatile\include\mach\debug-macro.S(5): *Copyright (C) 1994-1999 Russell King

linux-3.10\arch\arm\mach-versatile\include\mach\hardware.h(6): *Copyright (C) 2003 ARM Limited.

linux-3.10\arch\arm\mach-versatile\include\mach\irqs.h(4): *Copyright (C) 2003 ARM Limited

linux-3.10\arch\arm\mach-versatile\include\mach\irqs.h(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.

linux-3.10\arch\arm\mach-versatile\include\mach\platform.h(4): * Copyright (c) ARM Limited 2003. All rights reserved.

linux-3.10\arch\arm\mach-versatile\include\mach\timex.h(6): *Copyright (C) 2003 ARM Limited

linux-3.10\arch\arm\mach-versatile\include\mach\uncompress.h(4): *Copyright (C) 2003 ARM Limited

linux-3.10\arch\arm\mach-versatile\pci.c(4): * (C) Copyright Koninklijke Philips Electronics NV 2004. All rights reserved.

linux-3.10\arch\arm\mach-versatile\versatile_ab.c(4): *Copyright (C) 2004 ARM Limited

linux-3.10\arch\arm\mach-versatile\versatile_ab.c(5): *Copyright (C) 2000 Deep Blue Solutions Ltd

linux-3.10\arch\arm\mach-versatile\versatile_dt.c(4): *Copyright (C) 2010 Secret Lab Technologies Ltd.

linux-3.10\arch\arm\mach-versatile\versatile_dt.c(5): *Copyright (C) 2009 Jeremy Kerr <jeremy.kerr@canonical.com>

linux-3.10\arch\arm\mach-versatile\versatile_dt.c(6): *Copyright (C) 2004 ARM Limited

linux-3.10\arch\arm\mach-versatile\versatile_dt.c(7): *Copyright (C) 2000 Deep Blue Solutions Ltd

linux-3.10\arch\arm\mach-versatile\versatile_pb.c(4): *Copyright (C) 2004 ARM Limited

linux-3.10\arch\arm\mach-versatile\versatile_pb.c(5): *Copyright (C) 2000 Deep Blue Solutions Ltd

linux-3.10\arch\arm\mach-vexpress\hotplug.c(4): *Copyright (C) 2002 ARM Ltd.

linux-3.10\arch\arm\mach-vexpress\platsmp.c(4): *Copyright (C) 2002 ARM Ltd.

linux-3.10\arch\arm\mach-virt\platsmp.c(4): * Copyright (C) 2012 ARM Ltd

linux-3.10\arch\arm\mach-virt\virt.c(4): * Copyright (C) 2012 ARM Ltd

linux-3.10\arch\arm\mach-vt8500\common.h(3): * Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>

linux-3.10\arch\arm\mach-vt8500\vt8500.c(4): *Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>

linux-3.10\arch\arm\mach-w90x900\clkssel.c(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\clock.c(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\clock.h(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\cpu.c(4): * Copyright (c) 2009 Nuvoton corporation.

linux-3.10\arch\arm\mach-w90x900\cpu.h(6): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\dev.c(4): * Copyright (C) 2009 Nuvoton

legal(ME)

corporation.

linux-3.10\arch\arm\mach-w90x900\include\mach\hardware.h(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\include\mach\irqs.h(4): * Copyright (c) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\include\mach\map.h(4): * Copyright (c) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\include\mach\mfp.h(4): * Copyright (c) 2010 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\include\mach\regs-clock.h(4): * Copyright (c) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\include\mach\regs-ebi.h(4): * Copyright (c) 2009 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\include\mach\regs-gcr.h(4): * Copyright (c) 2010 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\include\mach\regs-irq.h(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\include\mach\regs-ldm.h(4): * Copyright (c) 2009 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\include\mach\regs-serial.h(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\include\mach\regs-timer.h(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\include\mach\regs-usb.h(4): * Copyright (c) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\include\mach\timex.h(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\include\mach\uncompress.h(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\irq.c(6): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\mach-nuc910evb.c(6): * Copyright (C) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\mach-nuc950evb.c(6): * Copyright (C) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\mach-nuc960evb.c(6): * Copyright (C) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\mfp.c(4): * Copyright (c) 2008 Nuvoton technology corporation

linux-3.10\arch\arm\mach-w90x900\nuc910.c(6): * Copyright (c) 2009 Nuvoton corporation.

linux-3.10\arch\arm\mach-w90x900\nuc910.h(4): * Copyright (c) 2008 Nuvoton corporation

linux-3.10\arch\arm\mach-w90x900\nuc950.c(6): * Copyright (c) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\nuc950.h(4): * Copyright (c) 2008 Nuvoton corporation

linux-3.10\arch\arm\mach-w90x900\nuc960.c(6): * Copyright (c) 2008 Nuvoton technology corporation.

linux-3.10\arch\arm\mach-w90x900\nuc960.h(4): * Copyright (c) 2008 Nuvoton corporation

linux-3.10\arch\arm\mach-w90x900\nuc9xx.h(6): * Copyright (c) 2008 Nuvoton

legal(ME)

corporation

linux-3.10\arch\arm\mach-w90x900\time.c(6): * Copyright (c) 2009 Nuvoton
technology corporation

linux-3.10\arch\arm\mach-zynq\common.c(5): *Copyright (C) 2011 Xilinx

linux-3.10\arch\arm\mach-zynq\common.h(5): *Copyright (C) 2011 Xilinx

linux-3.10\arch\arm\mach-zynq\headsmp.S(2): * Copyright (c) 2013 Steffen Trumtrar
<s.trumtrar@pengutronix.de>

linux-3.10\arch\arm\mach-zynq\headsmp.S(3): * Copyright (c) 2012-2013 Xilinx

linux-3.10\arch\arm\mach-zynq\hotplug.c(2): * Copyright (C) 2012-2013 Xilinx

linux-3.10\arch\arm\mach-zynq\hotplug.c(6): * Copyright (C) 2002 ARM Ltd.

linux-3.10\arch\arm\mach-zynq\platsmp.c(5): * Copyright (C) 2011-2013 Xilinx

linux-3.10\arch\arm\mach-zynq\platsmp.c(9): * Copyright (C) 2002 ARM Ltd.

linux-3.10\arch\arm\mach-zynq\slcr.c(4): * Copyright (c) 2011-2013 Xilinx Inc.

linux-3.10\arch\arm\Makefile(11):# Copyright (C) 1995-2001 by Russell King

linux-3.10\arch\arm\mm\alignment.c(4): *Copyright (C) 1995Linus Torvalds

linux-3.10\arch\arm\mm\alignment.c(8): *Copyright (C) 1996, Cygnus Software
Technologies Ltd.

linux-3.10\arch\arm\mm\cache-aurora-l2.h(4): * Copyright (C) 2012 Marvell

linux-3.10\arch\arm\mm\cache-fa.S(4): *Copyright (C) 2005 Faraday Corp.

linux-3.10\arch\arm\mm\cache-fa.S(5): *Copyright (C) 2008-2009 Paulius Zaleckas
<paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mm\cache-fa.S(8): *Copyright (C) 1997-2002 Russell king

linux-3.10\arch\arm\mm\cache-feroceon-l2.c(4): * Copyright (C) 2008 Marvell
Semiconductor

linux-3.10\arch\arm\mm\cache-l2x0.c(4): * Copyright (C) 2007 ARM Limited

linux-3.10\arch\arm\mm\cache-tauros2.c(4): * Copyright (C) 2008 Marvell
Semiconductor

linux-3.10\arch\arm\mm\cache-v4.S(4): *Copyright (C) 1997-2002 Russell king

linux-3.10\arch\arm\mm\cache-v4wb.S(4): *Copyright (C) 1997-2002 Russell king

linux-3.10\arch\arm\mm\cache-v4wt.S(4): *Copyright (C) 1997-2002 Russell king

linux-3.10\arch\arm\mm\cache-v6.S(4): *Copyright (C) 2001 Deep Blue Solutions
Ltd.

linux-3.10\arch\arm\mm\cache-v7.S(4): *Copyright (C) 2001 Deep Blue Solutions
Ltd.

linux-3.10\arch\arm\mm\cache-v7.S(5): *Copyright (C) 2005 ARM Ltd.

linux-3.10\arch\arm\mm\cache-xsc3l2.c(4): * Copyright (C) 2007 ARM Limited

linux-3.10\arch\arm\mm\context.c(4): *Copyright (C) 2002-2003 Deep Blue Solutions
Ltd, all rights reserved.

linux-3.10\arch\arm\mm\context.c(5): *Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm\mm\copypage-fa.c(4): *Copyright (C) 2005 Faraday Corp.

linux-3.10\arch\arm\mm\copypage-fa.c(5): *Copyright (C) 2008-2009 Paulius
Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\arch\arm\mm\copypage-fa.c(8): *Copyright (C) 1995-1999 Russell King

linux-3.10\arch\arm\mm\copypage-feroceon.c(4): *Copyright (C) 2008 Marvell
Semiconductors

linux-3.10\arch\arm\mm\copypage-v4mc.c(4): *Copyright (C) 1995-2005 Russell King

linux-3.10\arch\arm\mm\copypage-v4wb.c(4): *Copyright (C) 1995-1999 Russell King

linux-3.10\arch\arm\mm\copypage-v4wt.c(4): *Copyright (C) 1995-1999 Russell King

linux-3.10\arch\arm\mm\copypage-v6.c(4): *Copyright (C) 2002 Deep Blue Solutions
Ltd, All Rights Reserved.

linux-3.10\arch\arm\mm\copypage-xsc3.c(4): *Copyright (C) 2004 Intel Corp.

linux-3.10\arch\arm\mm\copypage-xscale.c(4): *Copyright (C) 1995-2005 Russell

legal(ME)

King

linux-3.10\arch\arm\mm\dma-mapping.c(4): *Copyright (C) 2000-2004 Russell King
linux-3.10\arch\arm\mm\fault.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\arm\mm\fault-armv.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\arm\mm\flush.c(4): *Copyright (C) 1995-2002 Russell King
linux-3.10\arch\arm\mm\highmem.c(6): * Copyright:Marvell Semiconductors Inc.
linux-3.10\arch\arm\mm\init.c(4): *Copyright (C) 1995-2005 Russell King
linux-3.10\arch\arm\mm\ioremap.c(6): * (C) Copyright 1995 1996 Linus Torvalds
linux-3.10\arch\arm\mm\mmu.c(4): *Copyright (C) 1995-2005 Russell King
linux-3.10\arch\arm\mm\pgd.c(4): *Copyright (C) 1998-2005 Russell King
linux-3.10\arch\arm\mm\proc-arm1020.S(4): *Copyright (C) 2000 ARM Limited
linux-3.10\arch\arm\mm\proc-arm1020.S(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm1020e.S(4): *Copyright (C) 2000 ARM Limited
linux-3.10\arch\arm\mm\proc-arm1020e.S(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm1022.S(4): *Copyright (C) 2000 ARM Limited
linux-3.10\arch\arm\mm\proc-arm1022.S(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm1026.S(4): *Copyright (C) 2000 ARM Limited
linux-3.10\arch\arm\mm\proc-arm1026.S(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm720.S(4): *Copyright (C) 2000 Steve Hill (sjhill@cotw.com)
linux-3.10\arch\arm\mm\proc-arm720.S(6): *Copyright (C) 2000 ARM Limited, Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm740.S(4): *Copyright (C) 2004-2006 Hyok S. Choi (hyok.choi@samsung.com)
linux-3.10\arch\arm\mm\proc-arm7tdmi.S(4): *Copyright (C) 2003-2006 Hyok S. Choi <hyok.choi@samsung.com>
linux-3.10\arch\arm\mm\proc-arm920.S(4): *Copyright (C) 1999,2000 ARM Limited
linux-3.10\arch\arm\mm\proc-arm920.S(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm922.S(4): *Copyright (C) 1999,2000 ARM Limited
linux-3.10\arch\arm\mm\proc-arm922.S(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm922.S(6): *Copyright (C) 2001 Altera Corporation
linux-3.10\arch\arm\mm\proc-arm925.S(10): *Copyright (C) 2004 Nokia Corporation by Tony Lindgren <tony@atomide.com>
linux-3.10\arch\arm\mm\proc-arm925.S(4): *Copyright (C) 1999,2000 ARM Limited
linux-3.10\arch\arm\mm\proc-arm925.S(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm925.S(6): *Copyright (C) 2002 RidgeRun, Inc.
linux-3.10\arch\arm\mm\proc-arm925.S(7): *Copyright (C) 2002-2003 MontaVista Software, Inc.
linux-3.10\arch\arm\mm\proc-arm926.S(4): *Copyright (C) 1999-2001 ARM Limited
linux-3.10\arch\arm\mm\proc-arm926.S(5): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-arm940.S(4): *Copyright (C) 2004-2006 Hyok S. Choi (hyok.choi@samsung.com)
linux-3.10\arch\arm\mm\proc-arm946.S(4): *Copyright (C) 2004-2006 Hyok S. Choi (hyok.choi@samsung.com)

legal(ME)

linux-3.10\arch\arm\mm\proc-arm9tdmi.S(4): *Copyright (C) 2003-2006 Hyok S. Choi
<hyok.choi@samsung.com>
linux-3.10\arch\arm\mm\proc-fa526.S(5): *Copyright (C) 2005 Faraday Corp.
linux-3.10\arch\arm\mm\proc-fa526.S(6): *Copyright (C) 2008-2009 Paulius Zaleckas
<paulius.zaleckas@teltonika.lt>
linux-3.10\arch\arm\mm\proc-sa110.S(4): *Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm\mm\proc-sa1100.S(4): *Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm\mm\proc-syms.c(4): *Copyright (C) 2000-2002 Russell King
linux-3.10\arch\arm\mm\proc-v6.S(4): *Copyright (C) 2001 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-v7.S(4): *Copyright (C) 2001 Deep Blue Solutions Ltd.
linux-3.10\arch\arm\mm\proc-v7-2level.S(4): * Copyright (C) 2001 Deep Blue
Solutions Ltd.
linux-3.10\arch\arm\mm\proc-v7-3level.S(4): * Copyright (C) 2001 Deep Blue
Solutions Ltd.
linux-3.10\arch\arm\mm\proc-v7-3level.S(5): * Copyright (C) 2011 ARM Ltd.
linux-3.10\arch\arm\mm\proc-xsc3.S(7): * Copyright 2004 (C) Intel Corp.
linux-3.10\arch\arm\mm\proc-xsc3.S(8): * Copyright 2005 (C) MontaVista Software,
Inc.
linux-3.10\arch\arm\mm\proc-xscale.S(16): *Copyright 2001 by Intel Corp.
linux-3.10\arch\arm\mm\proc-xscale.S(6): *Copyright:(C) 2000, 2001 MontaVista
Software Inc.
linux-3.10\arch\arm\mm\tcm.h(2): * Copyright (C) 2008-2009 ST-Ericsson AB
linux-3.10\arch\arm\mm\tlb-fa.S(4): *Copyright (C) 2005 Faraday Corp.
linux-3.10\arch\arm\mm\tlb-fa.S(5): *Copyright (C) 2008-2009 Paulius Zaleckas
<paulius.zaleckas@teltonika.lt>
linux-3.10\arch\arm\mm\tlb-fa.S(8): *Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm\mm\tlb-v4.S(4): *Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm\mm\tlb-v4wb.S(4): *Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm\mm\tlb-v4wbi.S(4): *Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm\mm\tlb-v6.S(4): *Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm\mm\tlb-v7.S(4): *Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm\net\bpf_jit_32.c(4): * Copyright (c) 2011 Mircea Gherzan
<mgherzan@gmail.com>
linux-3.10\arch\arm\net\bpf_jit_32.h(4): * Copyright (c) 2011 Mircea Gherzan
<mgherzan@gmail.com>
linux-3.10\arch\arm\nwfpe\fpmodule.c(100):/* Display title, version and copyright
information. */
linux-3.10\arch\arm\nwfpe\Makefile(2):# Copyright (C) 1998, 1999, 2001 Philip
Blundell
linux-3.10\arch\arm\oprofile\common.c(4): * @remark Copyright 2004 Oprofile
Authors
linux-3.10\arch\arm\oprofile\common.c(5): * @remark Copyright 2010 ARM Ltd.
linux-3.10\arch\arm\plat-iop\adma.c(3): * Copyright 2006, Intel Corporation.
linux-3.10\arch\arm\plat-iop\cp6.c(3): * Copyright (c) 2006, Intel Corporation.
linux-3.10\arch\arm\plat-iop\gpio.c(5): * Copyright (C) 2006 Lennert Buytenhek
<buytenh@wantstofly.org>
linux-3.10\arch\arm\plat-iop\i2c.c(5): * Copyright (C) 2001 MontaVista Software,
Inc.
linux-3.10\arch\arm\plat-iop\i2c.c(6): * Copyright (C) 2004 Intel Corporation.
linux-3.10\arch\arm\plat-iop\pci.c(7): * Copyright (C) 2002 Rory Bolt
linux-3.10\arch\arm\plat-iop\pmu.c(3): * Copyright (C) 2010 Will Deacon, ARM Ltd.
linux-3.10\arch\arm\plat-iop\restart.c(4): * Copyright (C) 2001 MontaVista

legal(ME)

Software, Inc.

linux-3.10\arch\arm\plat-iop\setup.c(5): * Copyright (C) 2001 MontaVista Software, Inc.

linux-3.10\arch\arm\plat-iop\setup.c(6): * Copyright (C) 2004 Intel Corporation.

linux-3.10\arch\arm\plat-iop\time.c(8): * Copyright 2002-2003 MontaVista Software Inc.

linux-3.10\arch\arm\plat-omap\counter_32k.c(4): * Copyright (C) 2009 Texas Instruments

linux-3.10\arch\arm\plat-omap\counter_32k.c(5): * Copyright (C) 2010 Nokia Corporation

linux-3.10\arch\arm\plat-omap\debug-leds.c(4): * Copyright 2011 by Bryan Wu <bryan.wu@canonical.com>

linux-3.10\arch\arm\plat-omap\debug-leds.c(5): * Copyright 2003 by Texas Instruments Incorporated

linux-3.10\arch\arm\plat-omap\dma.c(11): * Some functions based on earlier dma-omap.c Copyright (C) 2001 RidgeRun, Inc.

linux-3.10\arch\arm\plat-omap\dma.c(13): * Copyright (C) 2009 Texas Instruments

linux-3.10\arch\arm\plat-omap\dma.c(18): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\plat-omap\dma.c(4): * Copyright (C) 2003 - 2008 Nokia Corporation

linux-3.10\arch\arm\plat-omap\dma.c(9): * OMAP2/3 support Copyright (C) 2004-2007 Texas Instruments, Inc.

linux-3.10\arch\arm\plat-omap\dmtimer.c(12): * Copyright (C) 2005 Nokia Corporation

linux-3.10\arch\arm\plat-omap\dmtimer.c(16): * Copyright (C) 2009 Texas Instruments

linux-3.10\arch\arm\plat-omap\dmtimer.c(6): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\plat-omap\i2c.c(6): * Copyright (C) 2007 Nokia Corporation.

linux-3.10\arch\arm\plat-omap\include\plat\cpu.h(4): * Copyright (C) 2004, 2008 Nokia Corporation

linux-3.10\arch\arm\plat-omap\include\plat\cpu.h(6): * Copyright (C) 2009-11 Texas Instruments.

linux-3.10\arch\arm\plat-omap\include\plat\dmtimer.h(12): * Copyright (C) 2005 Nokia Corporation

linux-3.10\arch\arm\plat-omap\include\plat\dmtimer.h(6): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\arch\arm\plat-omap\include\plat\i2c.h(4): * Copyright (C) 2009 Nokia Corporation.

linux-3.10\arch\arm\plat-omap\include\plat\timex.h(4): * Copyright (C) 2000 RidgeRun, Inc.

linux-3.10\arch\arm\plat-omap\mailbox.c(4): * Copyright (C) 2006-2009 Nokia Corporation. All rights reserved.

linux-3.10\arch\arm\plat-omap\sram.c(6): * Copyright (C) 2005 Nokia Corporation

linux-3.10\arch\arm\plat-omap\sram.c(9): * Copyright (C) 2009-2012 Texas Instruments

linux-3.10\arch\arm\plat-orion\include\plat\cache-feroceon-l2.h(4): * Copyright (C) 2008 Marvell Semiconductor

linux-3.10\arch\arm\plat-pxa\dma.c(8): *Copyright:MontaVista Software Inc.

linux-3.10\arch\arm\plat-pxa\include\plat\mfp.h(6): * Copyright (C) 2007 Marvell International Ltd.

legal(ME)

linux-3.10\arch\arm\plat-pxa\mfp.c(6): * Copyright (C) 2007 Marvell International Ltd.
linux-3.10\arch\arm\plat-pxa\ssp.c(6): *Copyright (C) 2003 Russell King.
linux-3.10\arch\arm\plat-pxa\ssp.c(7): *Copyright (C) 2003 Wolfson Microelectronics PLC
linux-3.10\arch\arm\plat-samsung\adc.c(3): * Copyright (c) 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\clock.c(10): **Copyright (C) 2004 ARM Limited.
linux-3.10\arch\arm\plat-samsung\clock.c(3): * Copyright 2004-2005 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\clock.c(360):printk(KERN_INFO "S3C24XX Clocks, Copyright 2004 Simtec Electronics\n");
linux-3.10\arch\arm\plat-samsung\clock-clksrc.c(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\cpu.c(3): * Copyright (c) 2009-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\dev-backlight.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\devs.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\dev-uart.c(4): * Copyright (c) 2004 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\dma.c(3): * Copyright (c) 2003-2009 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\dma-ops.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\adc.h(3): * Copyright (c) 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\adc-core.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\ata-core.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\backlight.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\camport.h(2): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\clock.h(3): * Copyright (c) 2004-2005 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\clock-clksrc.h(10): * Copyright 2009 Harald Welte
linux-3.10\arch\arm\plat-samsung\include\plat\clock-clksrc.h(4): *Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\clock-clksrc.h(5): *Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\clock-clksrc.h(9): * Copyright 2009 Ben Dooks <ben-linux@fluff.org>
linux-3.10\arch\arm\plat-samsung\include\plat\cpu.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\cpu.h(6): * Copyright (c) 2004-2005 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\cpu-freq.h(3): * Copyright (c) 2006-2007 Simtec Electronics

legal(ME)

linux-3.10\arch\arm\plat-samsung\include\plat\cpu-freq-core.h(3): * Copyright (c) 2006-2009 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\devs.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\devs.h(6): * Copyright (c) 2004 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\dma.h(3): * Copyright (C) 2003-2006 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\dma-core.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\dma-core.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\dma-ops.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\dma-pl330.h(2): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\dma-s3c24xx.h(3): * Copyright (C) 2006 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\fb.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\fb.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\fb-core.h(4): * Copyright 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\fb-s3c2410.h(3): * Copyright (c) 2004 Arnaud Patard <arnaud.patard@rtp-net.org>
linux-3.10\arch\arm\plat-samsung\include\plat\fimc-core.h(4): * Copyright 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\fiq.h(3): * Copyright (c) 2009 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\gpio-cfg.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\gpio-cfg.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\gpio-cfg-helpers.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\gpio-cfg-helpers.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\gpio-core.h(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\hdm_i.h(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\plat-samsung\include\plat\iic-core.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\iic-core.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\irqs.h(3): * Copyright (c) 2009 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\irq-uart.h(3): * Copyright (c) 2010 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\irq-vic-timer.h(3): * Copyright (c) 2010 Simtec Electronics

legal(ME)

linux-3.10\arch\arm\plat-samsung\include\plat\keypad.h(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\plat-samsung\include\plat\keypad-core.h(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\plat-samsung\include\plat\map-base.h(3): * Copyright 2003, 2007 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\map-s3c.h(3): * Copyright (c) 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\map-s5p.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\mfc.h(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\plat-samsung\include\plat\nand-core.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\onenand-core.h(4): *Copyright (c) 2010 Samsung Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\pll.h(3): * Copyright (c) 2009-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\pll.h(6): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\pll.h(7): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\pm.h(3): * Copyright (c) 2004 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\pwm-clock.h(3): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\pwm-clock.h(6): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\pwm-clock.h(7): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\regs-adc.h(3): * Copyright (c) 2004 Shannon Holland <holland@loser.net>
linux-3.10\arch\arm\plat-samsung\include\plat\regs-ata.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\regs-dma.h(3): * Copyright (C) 2003-2006 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\regs-irqtype.h(3): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\regs-nand.h(3): * Copyright (c) 2004-2005 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\plat-samsung\include\plat\regs-spi.h(3): * Copyright (c) 2004 Fetron GmbH
linux-3.10\arch\arm\plat-samsung\include\plat\regs-srom.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\regs-timer.h(3): * Copyright (c) 2003 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\plat-samsung\include\plat\regs-udc.h(3): * Copyright (C) 2004 Herbert Poetzl <herbert@13thfloor.at>
linux-3.10\arch\arm\plat-samsung\include\plat\regs-usb-hsotg-phy.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\regs-usb-hsotg-phy.h(4): * Copyright 2008 Simtec Electronics

legal(ME)

linux-3.10\arch\arm\plat-samsung\include\plat\regs-watchdog.h(3): * Copyright (c) 2003 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\arch\arm\plat-samsung\include\plat\rtc-core.h(3): * Copyright (c) 2011 Heiko Stuebner <heiko@sntech.de>
linux-3.10\arch\arm\plat-samsung\include\plat\s5p-clock.h(3): * Copyright (c) 2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\samsung-time.h(3): * Copyright 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\sdhci.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\sdhci.h(6): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\include\plat\sdhci.h(7): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\spi-core.h(2): * Copyright (C) 2012 Heiko Stuebner <heiko@sntech.de>
linux-3.10\arch\arm\plat-samsung\include\plat\tv-core.h(4): * Copyright 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\include\plat\uncompress.h(3): * Copyright 2003, 2007 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\include\plat\usb-phy.h(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\plat-samsung\include\plat\wakeup-mask.h(3): * Copyright 2010 Ben Dooks <ben-linux@fluff.org>
linux-3.10\arch\arm\plat-samsung\include\plat\watchdog-reset.h(3): * Copyright (c) 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\init.c(3): * Copyright (c) 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\irq-vic-timer.c(4): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\irq-vic-timer.c(5): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\Kconfig(3):# Copyright 2009 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\Makefile(3):# Copyright 2009 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\platformdata.c(3): * Copyright 2010 Ben Dooks <ben-linux <at> fluff.org>
linux-3.10\arch\arm\plat-samsung\pm.c(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\pm.c(372): printk("S3C Power Management, Copyright 2004 Simtec Electronics\n");
linux-3.10\arch\arm\plat-samsung\pm.c(4): * Copyright 2004-2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\pm-check.c(4): * Copyright (c) 2004-2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\pm-gpio.c(4): * Copyright 2008 Openmoko, Inc.
linux-3.10\arch\arm\plat-samsung\pm-gpio.c(5): * Copyright 2008 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\pwm-clock.c(3): * Copyright (c) 2007 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\pwm-clock.c(4): * Copyright (c) 2007, 2008 Ben Dooks
linux-3.10\arch\arm\plat-samsung\s3c-dma-ops.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

legal(ME)

linux-3.10\arch\arm\plat-samsung\s5p-clock.c(2): * Copyright 2009 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\s5p-dev-mfc.c(2): * Copyright (C) 2010-2011 Samsung Electronics Co.Ltd
linux-3.10\arch\arm\plat-samsung\s5p-dev-uart.c(2): * Copyright (c) 2009,2012 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\s5p-irq.c(2): * Copyright (c) 2009 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\s5p-irq-eint.c(2): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\s5p-irq-gpio.c(2): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\s5p-irq-pm.c(2): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\s5p-irq-pm.c(6): * Copyright (c) 2003,2004 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\s5p-pm.c(2): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\s5p-pm.c(8): * Copyright (c) 2004,2006 Simtec Electronics
linux-3.10\arch\arm\plat-samsung\s5p-sleep.S(2): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\samsung-time.c(2): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\setup-camif.c(2): * Copyright (C) 2012 Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\arch\arm\plat-samsung\setup-mipiphy.c(2): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\arch\arm\plat-samsung\wakeup-mask.c(3): * Copyright 2010 Ben Dooks <ben-linux@fluff.org>
linux-3.10\arch\arm\plat-versatile\clock.c(4): *Copyright (C) 2004 ARM Limited.
linux-3.10\arch\arm\plat-versatile\headsmp.S(4): *Copyright (c) 2003 ARM Limited
linux-3.10\arch\arm\plat-versatile\include\plat\platsmp.h(4): *Copyright (C) 2011 ARM Ltd.
linux-3.10\arch\arm\plat-versatile\platsmp.c(4): *Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\arm\plat-versatile\sched-clock.c(4): *Copyright (C) 1999 - 2003 ARM Limited
linux-3.10\arch\arm\plat-versatile\sched-clock.c(5): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm\tools\Makefile(4):# Copyright (C) 2001 Russell King
linux-3.10\arch\arm\vfp\entry.S(4): *Copyright (C) 2004 ARM Limited.
linux-3.10\arch\arm\vfp\Makefile(4):# Copyright (C) 2001 ARM Limited
linux-3.10\arch\arm\vfp\vfp.h(4): *Copyright (C) 2004 ARM Limited.
linux-3.10\arch\arm\vfp\vfp_hw.S(4): *Copyright (C) 2004 ARM Limited.
linux-3.10\arch\arm\vfp\vfpinstr.h(4): *Copyright (C) 2004 ARM Limited.
linux-3.10\arch\arm\vfp\vfpmodule.c(4): *Copyright (C) 2004 ARM Limited.
linux-3.10\arch\arm64\boot\install.sh(9):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\arm64\boot\Makefile(11):# Copyright (C) 2012, ARM Ltd.
linux-3.10\arch\arm64\include\asm\arch_timer.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\assembler.h(4): * Copyright (C) 1996-2000 Russell King
linux-3.10\arch\arm64\include\asm\assembler.h(5): * Copyright (C) 2012 ARM Ltd.

legal(ME)

linux-3.10\arch\arm64\include\asm\atomic.h(4): * Copyright (C) 1996 Russell King.
linux-3.10\arch\arm64\include\asm\atomic.h(5): * Copyright (C) 2002 Deep Blue Solutions Ltd.
linux-3.10\arch\arm64\include\asm\atomic.h(6): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\barrier.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\bitops.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\cache.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\cacheflush.h(4): * Copyright (C) 1999-2002 Russell King.
linux-3.10\arch\arm64\include\asm\cacheflush.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\cachetype.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\cmpxchg.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\compat.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\compiler.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\cputable.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\cputype.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\debug-monitors.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\device.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\dma-mapping.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\elf.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\esr.h(2): * Copyright (C) 2013 - ARM Ltd
linux-3.10\arch\arm64\include\asm\exception.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\exec.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\fb.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\fpsimd.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\fpsimdmacros.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\futex.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\hardirq.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\hw_breakpoint.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\hwcaps.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\io.h(4): * Copyright (C) 1996-2000 Russell King
linux-3.10\arch\arm64\include\asm\io.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\irqflags.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\memblock.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\memory.h(4): * Copyright (C) 2000-2002 Russell King
linux-3.10\arch\arm64\include\asm\memory.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\mmu.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\mmu_context.h(4): * Copyright (C) 1996 Russell King.
linux-3.10\arch\arm64\include\asm\mmu_context.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\module.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\page.h(4): * Copyright (C) 1995-2003 Russell King
linux-3.10\arch\arm64\include\asm\page.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\perf_event.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\pgalloc.h(4): * Copyright (C) 2000-2001 Russell King
linux-3.10\arch\arm64\include\asm\pgalloc.h(5): * Copyright (C) 2012 ARM Ltd.

legal(ME)

linux-3.10\arch\arm64\include\asm\pgtable.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\pgtable-2level-hwdef.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\pgtable-2level-types.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\pgtable-3level-hwdef.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\pgtable-3level-types.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\pgtable-hwdef.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\pmu.h(4): * Copyright (C) 2009 picoChip Designs Ltd, Jamie Iles
linux-3.10\arch\arm64\include\asm\pmu.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\processor.h(4): * Copyright (C) 1995-1999 Russell King
linux-3.10\arch\arm64\include\asm\processor.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\proc-fns.h(4): * Copyright (C) 1997-1999 Russell King
linux-3.10\arch\arm64\include\asm\proc-fns.h(5): * Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\arch\arm64\include\asm\proc-fns.h(6): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\psci.h(11): * Copyright (C) 2013 ARM Limited
linux-3.10\arch\arm64\include\asm\ptrace.h(4): * Copyright (C) 1996-2003 Russell King
linux-3.10\arch\arm64\include\asm\ptrace.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\shmparam.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\sigcontext.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\signal32.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\smp.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\smp_plat.h(4): * Copyright (C) 2013 ARM Ltd.
linux-3.10\arch\arm64\include\asm\sparsemem.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\spinlock.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\spinlock_types.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\stacktrace.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\stat.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\string.h(2): * Copyright (C) 2013 ARM Ltd.
linux-3.10\arch\arm64\include\asm\syscall.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\syscalls.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\system_misc.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\thread_info.h(4): * Copyright (C) 2002 Russell King.
linux-3.10\arch\arm64\include\asm\thread_info.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\timex.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\tlb.h(4): * Copyright (C) 2002 Russell King
linux-3.10\arch\arm64\include\asm\tlb.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\tlbflush.h(4): * Copyright (C) 1999-2003 Russell King
linux-3.10\arch\arm64\include\asm\tlbflush.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\traps.h(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\uaccess.h(4): * Copyright (C) 2012 ARM Ltd.

legal(ME)

linux-3.10\arch\arm64\include\asm\ucontext.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\unistd.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\unistd32.h(4): * Copyright (C) 2001-2005
Russell King
linux-3.10\arch\arm64\include\asm\unistd32.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\asm\vdso.h(2): * Copyright (C) 2012 ARM Limited
linux-3.10\arch\arm64\include\asm\vdso_datapage.h(2): * Copyright (C) 2012 ARM
Limited
linux-3.10\arch\arm64\include\asm\virt.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\auxvec.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\bitsperlong.h(2): * Copyright (C) 2012 ARM
Ltd.
linux-3.10\arch\arm64\include\uapi\asm\byteorder.h(2): * Copyright (C) 2012 ARM
Ltd.
linux-3.10\arch\arm64\include\uapi\asm\fcntl.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\hwcap.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\param.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\ptrace.h(4): * Copyright (C) 1996-2003
Russell King
linux-3.10\arch\arm64\include\uapi\asm\ptrace.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\setup.h(4): * Copyright (C) 1997-1999
Russell King
linux-3.10\arch\arm64\include\uapi\asm\setup.h(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\sigcontext.h(2): * Copyright (C) 2012 ARM
Ltd.
linux-3.10\arch\arm64\include\uapi\asm\siginfo.h(2): * Copyright (C) 2012 ARM
Ltd.
linux-3.10\arch\arm64\include\uapi\asm\signal.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\stat.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\statfs.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\include\uapi\asm\unistd.h(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\arm64ksyms.c(4): * Copyright (C) 2000 Russell King
linux-3.10\arch\arm64\kernel\arm64ksyms.c(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\asm-offsets.c(4): * Copyright (C) 1995-2003 Russell
King
linux-3.10\arch\arm64\kernel\asm-offsets.c(6): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\cputable.c(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\debug-monitors.c(4): * Copyright (C) 2012 ARM
Limited
linux-3.10\arch\arm64\kernel\early_printk.c(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\entry.S(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\entry-fpsimd.S(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\fpsimd.c(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\head.S(5): * Copyright (C) 1994-2002 Russell King
linux-3.10\arch\arm64\kernel\head.S(6): * Copyright (C) 2003-2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\hw_breakpoint.c(5): * Copyright (C) 2012 ARM Limited
linux-3.10\arch\arm64\kernel\hyp_stub.S(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\io.c(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\kernel\irq.c(4): * Copyright (C) 1992 Linus Torvalds
linux-3.10\arch\arm64\kernel\irq.c(5): * Modifications for ARM processor
Copyright (C) 1995-2000 Russell King.
linux-3.10\arch\arm64\kernel\irq.c(6): * Support for Dynamic Tick Timer Copyright

legal(ME)

(C) 2004-2005 Nokia Corporation.

linux-3.10\arch\arm64\kernel\irq.c(9): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\kuser32.S(5): * Copyright (C) 2005-2011 Nicolas Pitre <nico@fluxnic.net>

linux-3.10\arch\arm64\kernel\kuser32.S(6): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\module.c(4): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm64\kernel\perf_event.c(4): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm64\kernel\process.c(4): * Original Copyright (C) 1995 Linus Torvalds

linux-3.10\arch\arm64\kernel\process.c(5): * Copyright (C) 1996-2000 Russell King - Converted to ARM.

linux-3.10\arch\arm64\kernel\process.c(6): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\psci.c(11): * Copyright (C) 2013 ARM Limited

linux-3.10\arch\arm64\kernel\ptrace.c(6): * ARM modifications Copyright (C) 2000 Russell King

linux-3.10\arch\arm64\kernel\ptrace.c(7): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\setup.c(4): * Copyright (C) 1995-2001 Russell King

linux-3.10\arch\arm64\kernel\setup.c(5): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\signal.c(4): * Copyright (C) 1995-2009 Russell King

linux-3.10\arch\arm64\kernel\signal.c(5): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\signal32.c(4): * Copyright (C) 1995-2009 Russell King

linux-3.10\arch\arm64\kernel\signal32.c(5): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\smp.c(5): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\smp_psci.c(4): * Copyright (C) 2013 ARM Ltd.

linux-3.10\arch\arm64\kernel\smp_spin_table.c(4): * Copyright (C) 2013 ARM Ltd.

linux-3.10\arch\arm64\kernel\stacktrace.c(4): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\sys.c(4): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\sys_compat.c(4): * Copyright (C) People who wrote linux/arch/i386/kernel/sys_i386.c

linux-3.10\arch\arm64\kernel\sys_compat.c(5): * Copyright (C) 1995, 1996 Russell King.

linux-3.10\arch\arm64\kernel\sys_compat.c(6): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\sys32.S(4): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\time.c(4): * Copyright (C) 1991, 1992, 1995 Linus Torvalds

linux-3.10\arch\arm64\kernel\time.c(6): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\traps.c(4): * Copyright (C) 1995-2009 Russell King

linux-3.10\arch\arm64\kernel\traps.c(5): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\kernel\vdso.c(4): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm64\kernel\vdso\gettimeofday.S(4): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm64\kernel\vdso\note.S(2): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm64\kernel\vdso\sigreturn.S(5): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm64\kernel\vdso\vdso.lds.S(4): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm64\kernel\vdso\vdso.S(2): * Copyright (C) 2012 ARM Limited

linux-3.10\arch\arm64\lib\bitops.S(4): * Copyright (C) 2013 ARM Ltd.

linux-3.10\arch\arm64\lib\clear_page.S(2): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\lib\clear_user.S(4): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\lib\copy_from_user.S(2): * Copyright (C) 2012 ARM Ltd.

linux-3.10\arch\arm64\lib\copy_in_user.S(4): * Copyright (C) 2012 ARM Ltd.

legal(ME)

linux-3.10\arch\arm64\lib\copy_page.S(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\lib\copy_to_user.S(2): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\lib\delay.c(4): * Copyright (C) 2012 ARM Limited
linux-3.10\arch\arm64\lib\memchr.S(4): * Copyright (C) 1995-2000 Russell King
linux-3.10\arch\arm64\lib\memchr.S(5): * Copyright (C) 2013 ARM Ltd.
linux-3.10\arch\arm64\lib\memcpy.S(2): * Copyright (C) 2013 ARM Ltd.
linux-3.10\arch\arm64\lib\memmove.S(2): * Copyright (C) 2013 ARM Ltd.
linux-3.10\arch\arm64\lib\memset.S(2): * Copyright (C) 2013 ARM Ltd.
linux-3.10\arch\arm64\lib\strchr.S(4): * Copyright (C) 1995-2000 Russell King
linux-3.10\arch\arm64\lib\strchr.S(5): * Copyright (C) 2013 ARM Ltd.
linux-3.10\arch\arm64\lib\strncpy_from_user.S(4): * Copyright (C) 1995-2000
Russell King
linux-3.10\arch\arm64\lib\strncpy_from_user.S(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\lib\strlen_user.S(4): * Copyright (C) 1995-2000 Russell
King
linux-3.10\arch\arm64\lib\strlen_user.S(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\lib\strrchr.S(4): * Copyright (C) 1995-2000 Russell King
linux-3.10\arch\arm64\lib\strrchr.S(5): * Copyright (C) 2013 ARM Ltd.
linux-3.10\arch\arm64\Makefile(11):# Copyright (C) 1995-2001 by Russell King
linux-3.10\arch\arm64\mm\cache.S(4): * Copyright (C) 2001 Deep Blue Solutions
Ltd.
linux-3.10\arch\arm64\mm\cache.S(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\context.c(4): * Copyright (C) 2002-2003 Deep Blue
Solutions Ltd, all rights reserved.
linux-3.10\arch\arm64\mm\context.c(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\copypage.c(4): * Copyright (C) 2002 Deep Blue Solutions
Ltd, All Rights Reserved.
linux-3.10\arch\arm64\mm\copypage.c(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\dma-mapping.c(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\fault.c(4): * Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\arm64\mm\fault.c(5): * Copyright (C) 1995-2004 Russell King
linux-3.10\arch\arm64\mm\fault.c(6): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\flush.c(4): * Copyright (C) 1995-2002 Russell King
linux-3.10\arch\arm64\mm\flush.c(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\init.c(4): * Copyright (C) 1995-2005 Russell King
linux-3.10\arch\arm64\mm\init.c(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\ioremap.c(4): * (C) Copyright 1995 1996 Linus Torvalds
linux-3.10\arch\arm64\mm\ioremap.c(8): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\mmap.c(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\mmu.c(4): * Copyright (C) 1995-2005 Russell King
linux-3.10\arch\arm64\mm\mmu.c(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\pgd.c(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\proc.S(4): * Copyright (C) 2001 Deep Blue Solutions Ltd.
linux-3.10\arch\arm64\mm\proc.S(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\proc-macros.S(4): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\arm64\mm\tlb.S(4): * Copyright (C) 1997-2002 Russell King
linux-3.10\arch\arm64\mm\tlb.S(5): * Copyright (C) 2012 ARM Ltd.
linux-3.10\arch\avr32\boards\atngw100\evklcd10x.c(5): * Copyright (C) 2008 Atmel
Corporation
linux-3.10\arch\avr32\boards\atngw100\flash.c(4): * Copyright (C) 2005-2006 Atmel
Corporation
linux-3.10\arch\avr32\boards\atngw100\mrm.c(5): * Copyright (C) 2008 Mediam

legal(ME)

Technologies

linux-3.10\arch\avr32\boards\atngw100\mrmt.c(6): * Based on ATNGW100 Network Gateway (Copyright (C) Atmel)
linux-3.10\arch\avr32\boards\atngw100\setup.c(4): * Copyright (C) 2005-2006 Atmel Corporation
linux-3.10\arch\avr32\boards\atstk1000\atstk1000.h(4): * Copyright (C) 2007 Atmel Corporation
linux-3.10\arch\avr32\boards\atstk1000\atstk1002.c(4): * Copyright (C) 2005-2007 Atmel Corporation
linux-3.10\arch\avr32\boards\atstk1000\atstk1003.c(4): * Copyright (C) 2007 Atmel Corporation
linux-3.10\arch\avr32\boards\atstk1000\atstk1004.c(4): * Copyright (C) 2007 Atmel Corporation
linux-3.10\arch\avr32\boards\atstk1000\flash.c(4): * Copyright (C) 2005-2006 Atmel Corporation
linux-3.10\arch\avr32\boards\atstk1000\setup.c(4): * Copyright (C) 2005-2006 Atmel Corporation
linux-3.10\arch\avr32\boards\favr-32\flash.c(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\boards\favr-32\setup.c(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\boards\hammerhead\flash.c(4): * Copyright (C) 2008 Miromico AG
linux-3.10\arch\avr32\boards\hammerhead\setup.c(4): * Copyright (C) 2008 Miromico AG
linux-3.10\arch\avr32\boards\merisc\display.c(4): * Copyright (C) 2008 Martinsson Elektronik AB
linux-3.10\arch\avr32\boards\merisc\flash.c(4): * Copyright (C) 2008 Martinsson Elektronik AB
linux-3.10\arch\avr32\boards\merisc\merisc.h(4): * Copyright (C) 2008 Martinsson Elektronik AB
linux-3.10\arch\avr32\boards\merisc\merisc_sysfs.c(4): * Copyright (C) 2008 Martinsson Elektronik AB
linux-3.10\arch\avr32\boards\merisc\setup.c(4): * Copyright (C) 2008 Martinsson Elektronik AB
linux-3.10\arch\avr32\boards\mimc200\flash.c(4): * Copyright (C) 2008 Mercury IMC Ltd
linux-3.10\arch\avr32\boards\mimc200\fram.c(4): * Copyright 2008 Mark Jackson <mpfj@mimc.co.uk>
linux-3.10\arch\avr32\boards\mimc200\setup.c(4): * Copyright (C) 2008 Mercury IMC Ltd
linux-3.10\arch\avr32\boot\images\Makefile(2):# Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\boot\u-boot\head.S(4): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\include\asm\addrspace.h(5): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\include\asm\asm.h(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\include\asm\atomic.h(8): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\include\asm\barrier.h(2): * Copyright (C) 2004-2006 Atmel Corporation

legal(ME)

Corporation

linux-3.10\arch\avr32\include\asm\bitops.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\bug.h(2): * Copyright (C) 2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\cacheflush.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\checksum.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\cmpxchg.h(8): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\irqflags.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\kprobes.h(4): * Copyright (C) 2005-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\kprobes.h(5): * Copyright (C) IBM Corporation, 2002, 2004

linux-3.10\arch\avr32\include\asm\mmu_context.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\mmu_context.h(5): * Copyright (C) 1999 Niibe Yutaka

linux-3.10\arch\avr32\include\asm\mmu_context.h(6): * Copyright (C) 2003 Paul Mundt

linux-3.10\arch\avr32\include\asm\ocd.h(4): * Copyright (C) 2004-2007 Atmel Corporation

linux-3.10\arch\avr32\include\asm\page.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\pgalloc.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\pgtable.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\pgtable-2level.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\processor.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\ptrace.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\setup.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\setup.h(5): * Copyright (C) 1997-1999 Russell King

linux-3.10\arch\avr32\include\asm\signal.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\string.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\switch_to.h(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\syscalls.h(4): * Copyright (c) 2008 Jaswinder Singh

linux-3.10\arch\avr32\include\asm\sysreg.h(4): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\asm\termios.h(2): * Copyright (C) 2004-2006 Atmel Corporation

legal(ME)

Corporation

linux-3.10\arch\avr32\include\asm\thread_info.h(2): * Copyright (C) 2004-2006
Atmel Corporation

linux-3.10\arch\avr32\include\asm\timex.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\asm\tlb.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\asm\tlbflush.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\asm\traps.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\asm\types.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\asm\uaccess.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\asm\unistd.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\asm\user.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\uapi\asm\posix_types.h(2): * Copyright (C)
2004-2006 Atmel Corporation

linux-3.10\arch\avr32\include\uapi\asm\ptrace.h(2): * Copyright (C) 2004-2006
Atmel Corporation

linux-3.10\arch\avr32\include\uapi\asm\setup.h(2): * Copyright (C) 2004-2006
Atmel Corporation

linux-3.10\arch\avr32\include\uapi\asm\setup.h(5): * Copyright (C) 1997-1999
Russell King

linux-3.10\arch\avr32\include\uapi\asm\sigcontext.h(2): * Copyright (C) 2004-2006
Atmel Corporation

linux-3.10\arch\avr32\include\uapi\asm\signal.h(2): * Copyright (C) 2004-2006
Atmel Corporation

linux-3.10\arch\avr32\include\uapi\asm\stat.h(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\include\uapi\asm\termios.h(2): * Copyright (C) 2004-2006
Atmel Corporation

linux-3.10\arch\avr32\include\uapi\asm\types.h(2): * Copyright (C) 2004-2006
Atmel Corporation

linux-3.10\arch\avr32\include\uapi\asm\unistd.h(2): * Copyright (C) 2004-2006
Atmel Corporation

linux-3.10\arch\avr32\kernel\avr32_ksyms.c(4): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\kernel\cpu.c(2): * Copyright (C) 2005-2006 Atmel
Corporation

linux-3.10\arch\avr32\kernel\entry-avr32b.S(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\kernel\head.S(4): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\kernel\irq.c(2): * Copyright (C) 2004-2006 Atmel
Corporation

linux-3.10\arch\avr32\kernel\irq.c(5): * Copyright (C) 1992, 1998 Linus Torvalds,
Ingo Molnar

linux-3.10\arch\avr32\kernel\kprobes.c(4): * Copyright (C) 2005-2006 Atmel

legal(ME)

Corporation

linux-3.10\arch\avr32\kernel\kprobes.c(7): *Copyright (C) IBM Corporation, 2002, 2004

linux-3.10\arch\avr32\kernel\module.c(4): * Copyright (C) 2005-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\module.c(7): * Copyright (C) 2002, 2003 IBM Deutschland Entwicklung GmbH,

linux-3.10\arch\avr32\kernel\nmi_debug.c(2): * Copyright (C) 2007 Atmel Corporation

linux-3.10\arch\avr32\kernel\ocd.c(2): * Copyright (C) 2007 Atmel Corporation

linux-3.10\arch\avr32\kernel\process.c(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\ptrace.c(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\setup.c(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\signal.c(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\signal.c(5): *Copyright (C) 1999, 2000Niibe Yutaka & Kaz Kojima

linux-3.10\arch\avr32\kernel\signal.c(6): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\arch\avr32\kernel\stacktrace.c(4): * Copyright (C) 2007 Atmel Corporation

linux-3.10\arch\avr32\kernel\switch_to.S(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\syscall_table.S(4): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\syscall-stubs.S(2): * Copyright (C) 2005-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\time.c(2): * Copyright (C) 2004-2007 Atmel Corporation

linux-3.10\arch\avr32\kernel\traps.c(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\kernel\vmlinux.lds.S(4): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\lib__avr32_asr64.S(2): * Copyright (C) 2005-2006 Atmel Corporation

linux-3.10\arch\avr32\lib__avr32_lsl64.S(2): * Copyright (C) 2005-2006 Atmel Corporation

linux-3.10\arch\avr32\lib__avr32_lsr64.S(2): * Copyright (C) 2005-2006 Atmel Corporation

linux-3.10\arch\avr32\lib\clear_user.S(2): * Copyright 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\lib\copy_user.S(4): * Copyright 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\lib\csum_partial.S(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\lib\csum_partial_copy_generic.S(2): * Copyright (C) 2004-2006 Atmel Corporation

linux-3.10\arch\avr32\lib\delay.c(4): *Copyright (C) 1993 Linus Torvalds

linux-3.10\arch\avr32\lib\delay.c(5): *Copyright (C) 1997 Martin Mares

<mj@atrey.karlin.mff.cuni.cz>

linux-3.10\arch\avr32\lib\delay.c(6): *Copyright (C) 2005-2006 Atmel Corporation

legal(ME)

linux-3.10\arch\avr32\lib\findbit.S(2): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\lib\io-readsb.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\io-readsl.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\io-readsw.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\io-writesb.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\io-writesl.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\io-writesw.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\memcpy.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\memset.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\memset.S(5): * Copyright (C) 1995-2000 Russell King
linux-3.10\arch\avr32\lib\strncpy_from_user.S(4): * Copyright 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\lib\strlen_user.S(4): * Copyright 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\at32ap700x.c(2): * Copyright (C) 2005-2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\clock.c(4): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\clock.c(7): * Copyright (C) 2005 David Brownell
linux-3.10\arch\avr32\mach-at32ap\clock.c(8): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\avr32\mach-at32ap\clock.h(4): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\clock.h(7): * Copyright (C) 2005 David Brownell
linux-3.10\arch\avr32\mach-at32ap\clock.h(8): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\arch\avr32\mach-at32ap\extint.c(4): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\hmatrix.c(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\hsmc.c(4): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\hsmc.h(4): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\include\mach\at32ap700x.h(4): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\include\mach\chip.h(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\include\mach\cpu.h(4): * Copyright (C) 2007 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\include\mach\hmatrix.h(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\include\mach\init.h(4): * Copyright (C) 2006 Atmel Corporation

legal(ME)

linux-3.10\arch\avr32\mach-at32ap\include\mach\pm.h(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\include\mach\portmux.h(4): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\include\mach\smc.h(4): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\include\mach\sram.h(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\intc.c(2): * Copyright (C) 2006, 2008 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\pdc.c(2): * Copyright (C) 2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\pio.c(4): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\pio.h(4): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\pm.c(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\pm-at32ap700x.S(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\mach-at32ap\sdrmc.h(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\arch\avr32\Makefile(6):# Copyright (C) 2004-2006 Atmel Corporation.
linux-3.10\arch\avr32\mm\cache.c(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mm\clear_page.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mm\copy_page.S(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mm\dma-coherent.c(2): *Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mm\fault.c(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mm\fault.c(5): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\avr32\mm\init.c(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mm\ioremap.c(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\mm\tlb.c(4): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\arch\avr32\oprofile\backtrace.c(4): * Copyright 2008 Weinmann GmbH
linux-3.10\arch\avr32\oprofile\op_model_avr32.c(4): * Copyright (C) 2005-2007 Atmel Corporation
linux-3.10\arch\blackfin\boot\install.sh(9):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\blackfin\Clear_BSD.txt(22):GRANTED BY THIS LICENSE.THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT
linux-3.10\arch\blackfin\Clear_BSD.txt(3):Copyright (c) 2012, Analog Devices, Inc.All rights reserved.
linux-3.10\arch\blackfin\include\asm\atomic.h(2): * Copyright 2004-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\barrier.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_can.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_crc.h(4): * Copyright 2012 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\include\asm\bfin_dma.h(4): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_pfmon.h(4): * Copyright 2005-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_ppi.h(4): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_rotary.h(5): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_sdh.h(4): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_serial.h(4): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_simple_timer.h(2): * Copyright 2006-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_sport.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_sport3.h(4): * Copyright (c) 2012 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_twi.h(4): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin_watchdog.h(4): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin5xx_spi.h(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin6xx_spi.h(4): * Copyright (c) 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin-global.h(4): * Copyright 2006-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfin-lq035q1.h(4): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bfrom.h(3): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bitops.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\blackfin.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\bug.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\cache.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\cacheflush.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\cdef_LPBlackfin.h(2): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\checksum.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\clocks.h(4): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\cmpxchg.h(2): * Copyright 2004-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\context.S(2): * Copyright 2007-2009 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\include\asm\cplb.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\cplbinit.h(4): * Copyright 2006-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\cpu.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\def_LPBlackfin.h(4): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\delay.h(4): * Copyright (c) 2004-2007 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\dma.h(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\dma-mapping.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\dpmc.h(4): * Copyright (C) 2004-2009 Analog Device Inc.
linux-3.10\arch\blackfin\include\asm\early_printk.h(4): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\elf.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\entry.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\fixed_code.h(5): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\flat.h(4): * Copyright 2003-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\ftrace.h(4): * Copyright 2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\gpio.h(2): * Copyright 2006-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\gptimers.h(4): * Copyright (c) 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\gptimers.h(5): * Copyright (C) 2005 John DeHority
linux-3.10\arch\blackfin\include\asm\gptimers.h(6): * Copyright (C) 2006 Hella Aglaia GmbH (awe@aglaia-gmbh.de)
linux-3.10\arch\blackfin\include\asm\hardirq.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\io.h(2): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\ipipe.h(4): * Copyright (C) 2002-2007 Philippe Gerum.
linux-3.10\arch\blackfin\include\asm\ipipe_base.h(4): * Copyright (C) 2007 Philippe Gerum.
linux-3.10\arch\blackfin\include\asm\irq.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\irq_handler.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\irqflags.h(4): * Copyright 2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\kgdb.h(3): * Copyright 2005-2009 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\include\asm\l1layout.h(4): * Copyright 2006-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\linkage.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\mem_init.h(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\mmu.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\mmu_context.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\module.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\nand.h(4): * Copyright 2007-2008 Analog Devices, Inc.
linux-3.10\arch\blackfin\include\asm\nmi.h(2): * Copyright 2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\page.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\page_offset.h(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\pda.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\pgtable.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\pm.h(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\portmux.h(4): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\processor.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\pseudo_instructions.h(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\ptrace.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\reboot.h(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\sections.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\segment.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\smp.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\spinlock.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\spinlock_types.h(2): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\string.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\switch_to.h(2): * Copyright 2004-2009 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\include\asm\syscall.h(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\thread_info.h(2): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\time.h(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\timex.h(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\tlb.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\trace.h(4): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\traps.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\uaccess.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\asm\unistd.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\mach-common\irq.h(4): * Copyright 2005-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\include\mach-common\pll.h(2): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\bfin_sport.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\cachectl.h(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\cachectl.h(5): * Copyright (C) 1994, 1995, 1996 by Ralf Baechle
linux-3.10\arch\blackfin\include\uapi\asm\fcntl.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\fixed_code.h(5): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\poll.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\posix_types.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\ptrace.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\sigcontext.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\siginfo.h(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\stat.h(2): * Copyright 2004-2006 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\swab.h(2): * Copyright 2009 Analog Devices Inc.
linux-3.10\arch\blackfin\include\uapi\asm\unistd.h(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\asm-offsets.c(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\bfin_dma.c(4): * Copyright 2004-2008 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\kernel\bfin_gpio.c(4): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\bfin_ksyms.c(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\cplbinfo.c(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\cplb-mpu\cplbinit.c(4): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\cplb-mpu\cplbmgr.c(4): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\cplb-nompu\cplbinit.c(4): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\cplb-nompu\cplbmgr.c(8): * Copyright 2008 Airvana Inc.
linux-3.10\arch\blackfin\kernel\cplb-nompu\cplbmgr.c(9): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\debug-mmrs.c(4): * Copyright 2007-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\dma-mapping.c(4): * Copyright 2005-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\dumpstack.c(3): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\early_printk.c(5): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\entry.S(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\exception.c(3): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\fixed_code.S(10): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\flat.c(2): * Copyright 2007 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\ftrace.c(4): * Copyright (C) 2009-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\ftrace-entry.S(4): * Copyright (C) 2009-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\gptimers.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\gptimers.c(5): * Copyright (C) 2005 John DeHority
linux-3.10\arch\blackfin\kernel\gptimers.c(6): * Copyright (C) 2006 Hella Aglaia GmbH (awe@aglaia-gmbh.de)
linux-3.10\arch\blackfin\kernel\ipipe.c(4): * Copyright (C) 2005-2007 Philippe Gerum.
linux-3.10\arch\blackfin\kernel\irqchip.c(2): * Copyright 2005-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\kgdb.c(4): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\kgdb_test.c(4): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\module.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\nmi.c(5): * Copyright 2010-2010 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\kernel\perf_event.c(13): *Copyright (C) 2008 Thomas Gleixner <tglx@linutronix.de>
linux-3.10\arch\blackfin\kernel\perf_event.c(14): *Copyright (C) 2008-2009 Red Hat, Inc., Ingo Molnar
linux-3.10\arch\blackfin\kernel\perf_event.c(15): *Copyright (C) 2009 Jaswinder Singh Rajput
linux-3.10\arch\blackfin\kernel\perf_event.c(16): *Copyright (C) 2009 Advanced Micro Devices, Inc., Robert Richter
linux-3.10\arch\blackfin\kernel\perf_event.c(17): *Copyright (C) 2008-2009 Red Hat, Inc., Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\arch\blackfin\kernel\perf_event.c(18): *Copyright (C) 2009 Intel Corporation, <markus.t.metzger@intel.com>
linux-3.10\arch\blackfin\kernel\perf_event.c(21): *Copyright 2008-2009 Paul Mackerras, IBM Corporation.
linux-3.10\arch\blackfin\kernel\perf_event.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\perf_event.c(8): *Copyright (C) 2009Paul Mundt
linux-3.10\arch\blackfin\kernel\process.c(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\pseudodbg.c(3): * Copyright 2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\ptrace.c(3): * these modifications are Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\reboot.c(4): * Copyright 2004-2007 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\setup.c(2): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\shadow_console.c(5): * Copyright 2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\signal.c(2): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\stacktrace.c(4): * Copyright 2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\sys_bfin.c(5): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\time.c(7): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\time-ts.c(4): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\trace.c(4): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\traps.c(4): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\kernel\vmlinux.lds.S(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\lib\ashldi3.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\lib\ashrdi3.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\lib\divsi3.S(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\lib\gcclib.h(2): * Copyright 2004-2009 Analog Devices

legal(ME)

Inc.

linux-3.10\arch\blackfin\lib\ins.S(4): * Copyright 2004-2008 Analog Devices Inc.

linux-3.10\arch\blackfin\lib\ins.S(5): * Copyright (C) 2005 Bas Vermeulen,
BuyWays BV <bas@buyways.nl>

linux-3.10\arch\blackfin\lib\lshrdi3.c(2): * Copyright 2004-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\memchr.S(2): * Copyright 2005-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\memcmp.S(2): * Copyright 2004-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\memcpy.S(8): * Copyright 2004-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\memmove.S(2): * Copyright 2005-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\memset.S(2): * Copyright 2004-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\modsi3.S(7): * Copyright 2004-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\muldi3.S(2): * Copyright 2008 Analog Devices Inc.

linux-3.10\arch\blackfin\lib\outs.S(4): * Copyright 2005-2009 Analog Devices Inc.

linux-3.10\arch\blackfin\lib\smulsi3_highpart.S(2): * Copyright 2007 Analog
Devices Inc.

linux-3.10\arch\blackfin\lib\strcmp.S(2): * Copyright 2005-2010 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\strcpy.S(2): * Copyright 2005-2010 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\strncmp.S(2): * Copyright 2005-2010 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\strncpy.S(2): * Copyright 2005-2010 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\udivsi3.S(2): * Copyright 2004-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\umodsi3.S(4): * Copyright 2004-2009 Analog Devices
Inc.

linux-3.10\arch\blackfin\lib\umulsi3_highpart.S(2): * Copyright 2007 Analog
Devices Inc.

linux-3.10\arch\blackfin\mach-bf518\boards\ezbrd.c(2): * Copyright 2004-2009
Analog Devices Inc.

linux-3.10\arch\blackfin\mach-bf518\boards\tcm-bf518.c(2): * Copyright 2004-2009
Analog Devices Inc.

linux-3.10\arch\blackfin\mach-bf518\dma.c(4): * Copyright 2008 Analog Devices
Inc.

linux-3.10\arch\blackfin\mach-bf518\include\mach\anomaly.h(8): * Copyright
2004-2011 Analog Devices Inc.

linux-3.10\arch\blackfin\mach-bf518\include\mach\bf518.h(2): * Copyright 2008
Analog Devices Inc.

linux-3.10\arch\blackfin\mach-bf518\include\mach\bf518_serial.h(4): * Copyright
2006-2010 Analog Devices Inc.

linux-3.10\arch\blackfin\mach-bf518\include\mach\blackfin.h(2): * Copyright
2008-2010 Analog Devices Inc.

linux-3.10\arch\blackfin\mach-bf518\include\mach\cdefBF512.h(2): * Copyright
2008-2010 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\mach-bf518\include\mach\cdefBF514.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\cdefBF516.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\cdefBF518.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\defBF512.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\defBF514.h(2): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\defBF516.h(2): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\defBF518.h(2): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\dma.h(3): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\irq.h(2): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\include\mach\portmux.h(2): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf518\ints-priority.c(4): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\boards\ad7160eval.c(2): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\boards\cm_bf527.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\boards\ezbrd.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\boards\ezkit.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\boards\tll6527m.c(5): * Copyright: 2010 - The Learning Labs Inc.
linux-3.10\arch\blackfin\mach-bf527\dma.c(4): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\bf527.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\bfin_serial.h(4): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\blackfin.h(2): * Copyright 2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\cdefBF522.h(2): * Copyright 2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\cdefBF525.h(2): * Copyright 2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\cdefBF527.h(2): * Copyright 2007-2010 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\mach-bf527\include\mach\defBF522.h(2): * Copyright 2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\defBF525.h(2): * Copyright 2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\defBF527.h(2): * Copyright 2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\dma.h(3): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\irq.h(2): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\include\mach\portmux.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf527\ints-priority.c(4): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\boards\blackstamp.c(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\boards\cm_bf533.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\boards\ezkit.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\boards\H8606.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\boards\ip0x.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\boards\stamp.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\dma.c(4): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\bf533.h(4): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\bfin_serial.h(4): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\blackfin.h(2): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\cdefBF532.h(2): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\defBF532.h(4): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\dma.h(3): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\irq.h(2): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\include\mach\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\mach-bf533\include\mach\portmux.h(2): * Copyright
2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf533\ints-priority.c(4): * Copyright 2005-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\boards\cm_bf537e.c(2): * Copyright 2004-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\boards\cm_bf537u.c(2): * Copyright 2004-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\boards\dn5370.c(7): * Copyright 2010 3ality
Digital Systems
linux-3.10\arch\blackfin\mach-bf537\boards\dn5370.c(8): * Copyright 2005
National ICT Australia (NICTA)
linux-3.10\arch\blackfin\mach-bf537\boards\dn5370.c(9): * Copyright 2004-2006
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\boards\minotaur.c(2): * Copyright 2004-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\boards\pnav10.c(2): * Copyright 2004-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\boards\stamp.c(2): * Copyright 2004-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\boards\tcm_bf537.c(2): * Copyright 2004-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\dma.c(2): * Copyright 2007-2009 Analog
Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\anomaly.h(8): * Copyright
2004-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\bf537.h(4): * Copyright
2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\bfin_serial.h(4): * Copyright
2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\blackfin.h(2): * Copyright
2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\cdefBF534.h(2): * Copyright
2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\cdefBF537.h(2): * Copyright
2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\defBF534.h(2): * Copyright
2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\defBF537.h(2): * Copyright
2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\dma.h(3): * Copyright 2004-2008
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\gpio.h(2): * Copyright (C) 2008
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\irq.h(2): * Copyright 2005-2008
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\mem_map.h(4): * Copyright
2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\include\mach\portmux.h(2): * Copyright
2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf537\ints-priority.c(2): * Copyright 2005-2009
Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\mach-bf538\boards\ezkit.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\dma.c(4): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\ext-gpio.c(4): * Copyright 2009-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\bf538.h(4): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\bfin_serial.h(4): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\blackfin.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\cdefBF538.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\cdefBF539.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\defBF538.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\defBF539.h(2): * Copyright 2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\dma.h(3): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\gpio.h(2): * Copyright (C) 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\irq.h(2): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\include\mach\portmux.h(2): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf538\ints-priority.c(4): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\boards\cm_bf548.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\boards\ezkit.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\dma.c(4): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\bf548.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\bf54x_keys.h(2): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\bf54x-lq043.h(2): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\bfin_serial.h(4): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\blackfin.h(2): * Copyright 2007-2010 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\mach-bf548\include\mach\cdefBF542.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\cdefBF544.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\cdefBF547.h(2): * Copyright
2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\cdefBF548.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\cdefBF549.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\cdefBF54x_base.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\defBF542.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\defBF544.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\defBF547.h(2): * Copyright
2008-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\defBF548.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\defBF549.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\defBF54x_base.h(2): * Copyright
2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\dma.h(3): * Copyright 2004-2008
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\gpio.h(2): * Copyright 2007-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\irq.h(2): * Copyright 2007-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\mem_map.h(4): * Copyright
2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\include\mach\portmux.h(2): * Copyright
2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf548\ints-priority.c(2): * Copyright 2007-2008
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\atomic.S(2): * Copyright 2007-2008 Analog
Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\boards\acvilon.c(10): * Copyright 2004-2006
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\boards\acvilon.c(11): * Copyright 2009 CJSC
"NII STT"
linux-3.10\arch\blackfin\mach-bf561\boards\cm_bf561.c(2): * Copyright 2004-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\boards\ezkit.c(2): * Copyright 2004-2009
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\boards\tepla.c(2): * Copyright 2004-2007
Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\coreb.c(3): * Copyright 2004-2009 Analog
Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\dma.c(4): * Copyright 2007-2008 Analog
Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\mach-bf561\hotplug.c(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\bf561.h(4): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\bfin_serial.h(4): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\blackfin.h(2): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\cdefBF561.h(2): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\defBF561.h(2): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\dma.h(3): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\irq.h(2): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\pll.h(2): * Copyright 2005-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\portmux.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\include\mach\smp.h(2): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\ints-priority.c(4): * Copyright 2005-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\secondary.S(4): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf561\smp.c(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\boards\ezkit.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\dma.c(4): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\anomaly.h(8): * Copyright 2004-2012 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\bf609.h(2): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\bfin_serial.h(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\blackfin.h(2): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\cdefBF609.h(2): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\cdefBF60x_base.h(2): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\defBF609.h(2): * Copyright 2011 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\mach-bf609\include\mach\defBF60x_base.h(2): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\dma.h(3): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\gpio.h(2): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\irq.h(2): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\mem_map.h(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\pm.h(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\include\mach\portmux.h(2): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\ints-priority.c(2): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-bf609\pm.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\arch_checks.c(4): * Copyright 2007-2010 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\cache.S(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\cache-c.c(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\clocks-init.c(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\dpmc.c(2): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\dpmc_modes.S(2): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\entry.S(6): * Copyright 2005-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\head.S(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\interrupt.S(4): * Copyright 2005-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\ints-priority.c(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\pm.c(4): * Copyright 2006-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mach-common\pm.c(8): * Copyright 2001, Cliff Brake <cbrake@accelent.com> and others
linux-3.10\arch\blackfin\mach-common\smp.c(2): * IPI management based on arch/arm/kernel/smp.c (Copyright 2002 ARM Limited)
linux-3.10\arch\blackfin\mach-common\smp.c(4): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mm\blackfin_sram.h(4): * Copyright 2006-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mm\init.c(2): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\mm\isram-driver.c(4): * Copyright 2008 Analog Devices Inc.
linux-3.10\arch\blackfin\mm\maccess.c(4): * Copyright 2005-2008 Analog Devices Inc.

legal(ME)

linux-3.10\arch\blackfin\mm\sram-alloc.c(4): * Copyright 2004-2009 Analog Devices Inc.
linux-3.10\arch\blackfin\oprofile\bfin_oprofile.c(4): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\arch\c6x\boot\dts\dsk6455.dts(5): * Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\boot\dts\evmc6457.dts(6): * Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\boot\dts\evmc6472.dts(6): * Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\boot\dts\evmc6474.dts(6): * Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\boot\dts\evmc6678.dts(6): * Copyright (C) 2012 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\bitops.h(4): *Copyright (C) 2004, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\bug.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\cache.h(4): *Copyright (C) 2005, 2006, 2009, 2010, 2012 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\cacheflush.h(4): *Copyright (C) 2004, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\checksum.h(2): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\clock.h(10): * Copyright (C) 2008-2009 Deep Root Systems, LLC
linux-3.10\arch\c6x\include\asm\clock.h(4): * Copyright (C) 2010, 2011 Texas Instruments.
linux-3.10\arch\c6x\include\asm\clock.h(9): * Copyright (C) 2006-2007 Texas Instruments.
linux-3.10\arch\c6x\include\asm\cmpxchg.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\delay.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\dma-mapping.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\dscr.h(2): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\elf.h(4): *Copyright (C) 2004, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\hardirq.h(4): *Copyright (C) 2004, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\irq.h(4): *Copyright (C) 2004, 2006, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\irqflags.h(4): * Copyright (C) 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\module.h(4): *Copyright (C) 2004, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\pgtable.h(4): *Copyright (C) 2004, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\processor.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated

legal(ME)

linux-3.10\arch\c6x\include\asm\procinfo.h(2): *Copyright (C) 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\ptrace.h(2): *Copyright (C) 2004, 2006, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\setup.h(4): *Copyright (C) 2004, 2009, 2010 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\soc.h(4): * Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\special_insns.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\string.h(4): *Copyright (C) 2004, 2009, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\switch_to.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\syscall.h(2): * Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\syscalls.h(2): * Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\thread_info.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\timex.h(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\traps.h(4): *Copyright (C) 2004, 2009, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\uaccess.h(2): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\asm\unaligned.h(4): *Copyright (C) 2004, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\uapi\asm\ptrace.h(2): *Copyright (C) 2004, 2006, 2009, 2010 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\uapi\asm\sigcontext.h(4): *Copyright (C) 2004, 2009 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\uapi\asm\swab.h(2): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\include\uapi\asm\unistd.h(2): * Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\c6x_ksyms.c(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\devicetree.c(4): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\dma.c(2): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\entry.S(4):;Copyright (C) 2004-2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\head.S(4):;Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\irq.c(11): *Copyright (C) 1996-2001 Cort Dougan
linux-3.10\arch\c6x\kernel\irq.c(13): *Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au)
linux-3.10\arch\c6x\kernel\irq.c(2): *Copyright (C) 2011-2012 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\irq.c(7): *Copyright (C) 1992 Linus Torvalds

legal(ME)

linux-3.10\arch\c6x\kernel\irq.c(9): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)
linux-3.10\arch\c6x\kernel\module.c(4): *Copyright (C) 2005, 2009, 2010, 2011
Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\process.c(4): *Copyright (C) 2004, 2006, 2009, 2010,
2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\ptrace.c(4): *Copyright (C) 2004, 2006, 2009, 2010,
2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\setup.c(4): *Copyright (C) 2004, 2006, 2009, 2010,
2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\signal.c(4): *Copyright (C) 2004, 2006, 2009, 2010,
2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\soc.c(4): *Copyright (C) 2011 Texas Instruments
Incorporated
linux-3.10\arch\c6x\kernel\switch_to.S(2): *Copyright (C) 2011 Texas Instruments
Incorporated
linux-3.10\arch\c6x\kernel\sys_c6x.c(4): *Copyright (C) 2004, 2009, 2010, 2011
Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\time.c(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas
Instruments Incorporated
linux-3.10\arch\c6x\kernel\traps.c(4): *Copyright (C) 2004, 2006, 2009, 2010,
2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\vectors.S(4);;Copyright (C) 2004, 2006, 2009, 2010,
2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\kernel\vmlinux.lds.S(4): *Copyright (C) 2010, 2011 Texas
Instruments Incorporated
linux-3.10\arch\c6x\lib\csum_64plus.S(6);;Copyright (C) 2006, 2009, 2010, 2011
Texas Instruments Incorporated
linux-3.10\arch\c6x\lib\divi.S(1);;Copyright 2010Free Software Foundation, Inc.
linux-3.10\arch\c6x\lib\divremi.S(1);;Copyright 2010Free Software Foundation,
Inc.
linux-3.10\arch\c6x\lib\divremu.S(1);;Copyright 2011Free Software Foundation,
Inc.
linux-3.10\arch\c6x\lib\divu.S(1);;Copyright 2010Free Software Foundation, Inc.
linux-3.10\arch\c6x\lib\llshl.S(1);;Copyright (C) 2010 Texas Instruments
Incorporated
linux-3.10\arch\c6x\lib\llshr.S(1);;Copyright (C) 2010 Texas Instruments
Incorporated
linux-3.10\arch\c6x\lib\llshru.S(1);;Copyright (C) 2010 Texas Instruments
Incorporated
linux-3.10\arch\c6x\lib\memcpy_64plus.S(3);;Copyright (C) 2006, 2009, 2010 Texas
Instruments Incorporated
linux-3.10\arch\c6x\lib\mpyll.S(1);;Copyright (C) 2010 Texas Instruments
Incorporated
linux-3.10\arch\c6x\lib\negll.S(1);;Copyright (C) 2010 Texas Instruments
Incorporated
linux-3.10\arch\c6x\lib\pop_rts.S(1);;Copyright 2010Free Software Foundation,
Inc.
linux-3.10\arch\c6x\lib\push_rts.S(1);;Copyright 2010Free Software Foundation,
Inc.
linux-3.10\arch\c6x\lib\remi.S(1);;Copyright 2010Free Software Foundation, Inc.
linux-3.10\arch\c6x\lib\remu.S(1);;Copyright 2010Free Software Foundation, Inc.

legal(ME)

linux-3.10\arch\c6x\lib\strasgi.S(1):;;Copyright 2010Free Software Foundation, Inc.
linux-3.10\arch\c6x\lib\strasgi_64plus.S(1):;;Copyright 2010Free Software Foundation, Inc.
linux-3.10\arch\c6x\mm\dma-coherent.c(14): *Copyright (C) 2000-2004 Russell King
linux-3.10\arch\c6x\mm\dma-coherent.c(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\mm\init.c(4): *Copyright (C) 2004, 2009, 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\platforms\cache.c(2): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\platforms\dscr.c(4): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\platforms\emif.c(4): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\platforms\Makefile(4):# Copyright 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\platforms\megamod-pic.c(4): *Copyright (C) 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\platforms\platform.c(2): * Copyright 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\platforms\pll.c(10): * Copyright (C) 2008-2009 Deep Root Systems, LLC
linux-3.10\arch\c6x\platforms\pll.c(4): * Copyright (C) 2010, 2011 Texas Instruments.
linux-3.10\arch\c6x\platforms\pll.c(9): * Copyright (C) 2006-2007 Texas Instruments.
linux-3.10\arch\c6x\platforms\plldata.c(4): *Copyright (C) 2011 Texas Instruments Incorporated
linux-3.10\arch\c6x\platforms\timer64.c(2): *Copyright (C) 2010, 2011 Texas Instruments Incorporated
linux-3.10\arch\cris\arch-v10\drivers\axisflashmap.c(4): * Copyright (c) 2001, 2002 Axis Communications AB
linux-3.10\arch\cris\arch-v10\drivers\gpio.c(4): * Copyright (c) 1999-2007 Axis Communications AB
linux-3.10\arch\cris\arch-v10\drivers\i2c.c(9):*! (C) Copyright 1999-2007 Axis Communications AB, LUND, SWEDEN
linux-3.10\arch\cris\arch-v10\drivers\sync_serial.c(9): * Copyright (c) 2001-2008 Axis Communications AB
linux-3.10\arch\cris\arch-v10\kernel\debugport.c(3): * Copyright (c) 2000-2007 Axis Communications AB
linux-3.10\arch\cris\arch-v10\kernel\dma.c(2): * Copyright 2004-2007, Axis Communications AB
linux-3.10\arch\cris\arch-v10\kernel\entry.S(4): *Copyright (C) 2000, 2001, 2002 Axis Communications AB
linux-3.10\arch\cris\arch-v10\kernel\fasttimer.c(6): * Copyright (C) 2000-2007 Axis Communications AB, Lund, Sweden
linux-3.10\arch\cris\arch-v10\kernel\head.S(4): * Copyright (C) 2000, 2001 Axis Communications AB
linux-3.10\arch\cris\arch-v10\kernel\io_interface_mux.c(2): * Copyright 2004-2007, Axis Communications AB
linux-3.10\arch\cris\arch-v10\kernel\irq.c(4): *Copyright (c) 2000-2002 Axis

legal(ME)

Communications AB

linux-3.10\arch\cris\arch-v10\kernel\kgdb.c(22):*! (C) Copyright 1999, Axis Communications AB, LUND, SWEDEN

linux-3.10\arch\cris\arch-v10\kernel\process.c(4): *Copyright (C) 1995Linus Torvalds

linux-3.10\arch\cris\arch-v10\kernel\process.c(5): *Copyright (C) 2000-2002Axis Communications AB

linux-3.10\arch\cris\arch-v10\kernel\ptrace.c(2): * Copyright (C) 2000-2003, Axis Communications AB.

linux-3.10\arch\cris\arch-v10\kernel\setup.c(5): *Copyright (C) 1995Linus Torvalds

linux-3.10\arch\cris\arch-v10\kernel\setup.c(6): *Copyright (c) 2001-2002Axis Communications AB

linux-3.10\arch\cris\arch-v10\kernel\signal.c(10): *Copyright (C) 2000-2007 Axis Communications AB

linux-3.10\arch\cris\arch-v10\kernel\signal.c(5): * Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\arch\cris\arch-v10\kernel\time.c(4): *Copyright (C) 1991, 1992, 1995Linus Torvalds

linux-3.10\arch\cris\arch-v10\kernel\time.c(5): *Copyright (C) 1999-2002 Axis Communications AB

linux-3.10\arch\cris\arch-v10\kernel\traps.c(4): * Copyright (C) 2000-2007, Axis Communications AB.

linux-3.10\arch\cris\arch-v10\lib\checksum.S(3): * Copyright (c) 1998-2001 Axis Communications AB

linux-3.10\arch\cris\arch-v10\lib\checksumcopy.S(3): * Copyright (c) 1998, 2001 Axis Communications AB

linux-3.10\arch\cris\arch-v10\lib\csumcpfruser.S(5): * Copyright (C) 2001 Axis Communications AB.

linux-3.10\arch\cris\arch-v10\lib\dram_init.S(8): * Copyright (C) 2000, 2001 Axis Communications AB

linux-3.10\arch\cris\arch-v10\lib\hw_settings.S(6): * Copyright (C) 2001 Axis Communications AB

linux-3.10\arch\cris\arch-v10\lib\memset.c(2): Copyright (C) 1999-2005 Axis Communications.

linux-3.10\arch\cris\arch-v10\lib\string.c(2): Copyright (C) 1994-2005 Axis Communications.

linux-3.10\arch\cris\arch-v10\lib\usercopy.c(5): * Copyright (C) 2000, Axis Communications AB.

linux-3.10\arch\cris\arch-v10\mm\fault.c(7): *Copyright (C) 2000-2007Axis Communications AB

linux-3.10\arch\cris\arch-v10\mm\tlb.c(7): *Copyright (C) 2000-2007Axis Communications AB

linux-3.10\arch\cris\arch-v32\drivers\axisflashmap.c(4): * Copyright (c) 2001-2007 Axis Communications AB

linux-3.10\arch\cris\arch-v32\drivers\cryptocop.c(4): *Copyright (C) 2003-2007Axis Communications AB

linux-3.10\arch\cris\arch-v32\drivers\i2c.c(22):*! (C) Copyright 1999-2007 Axis Communications AB, LUND, SWEDEN

linux-3.10\arch\cris\arch-v32\drivers\iop_fw_load.c(4): * Copyright (C) 2004Axis Communications AB

linux-3.10\arch\cris\arch-v32\drivers\mach-a3\gpio.c(4): * Copyright (c) 2007

legal(ME)

Axis Communications AB

linux-3.10\arch\cris\arch-v32\drivers\mach-a3\nandflash.c(4): *Copyright (c) 2007

linux-3.10\arch\cris\arch-v32\drivers\mach-a3\nandflash.c(7): *Copyright (C) 2000

Steven J. Hill (sjhill@realitydiluted.com)

linux-3.10\arch\cris\arch-v32\drivers\mach-fs\gpio.c(4): * Copyright (c)

1999-2006 Axis Communications AB

linux-3.10\arch\cris\arch-v32\drivers\mach-fs\nandflash.c(4): *Copyright (c) 2004

linux-3.10\arch\cris\arch-v32\drivers\mach-fs\nandflash.c(7): *Copyright (C) 2000

Steven J. Hill (sjhill@realitydiluted.com)

linux-3.10\arch\cris\arch-v32\drivers\sync_serial.c(4): * Copyright (c) 2005 Axis

Communications AB

linux-3.10\arch\cris\arch-v32\kernel\debugport.c(2): * Copyright (C) 2003, Axis

Communications AB.

linux-3.10\arch\cris\arch-v32\kernel\entry.S(2): *Copyright (C) 2000-2003 Axis

Communications AB

linux-3.10\arch\cris\arch-v32\kernel\fasttimer.c(6): * Copyright (C) 2000-2006

Axis Communications AB, Lund, Sweden

linux-3.10\arch\cris\arch-v32\kernel\head.S(4): * Copyright (C) 2003, Axis

Communications AB

linux-3.10\arch\cris\arch-v32\kernel\irq.c(2): * Copyright (C) 2003, Axis

Communications AB.

linux-3.10\arch\cris\arch-v32\kernel\kgdb.c(19): *Copyright (C) 1995 Andreas

Busse

linux-3.10\arch\cris\arch-v32\kernel\kgdb.c(7): *Copyright (C) 1999 IBM

Deutschland Entwicklung GmbH, IBM Corporation

linux-3.10\arch\cris\arch-v32\kernel\kgdb_asm.S(2): *Copyright (C) 2004 Axis

Communications AB

linux-3.10\arch\cris\arch-v32\kernel\process.c(2): *Copyright (C) 2000-2003Axis

Communications AB

linux-3.10\arch\cris\arch-v32\kernel\ptrace.c(2): * Copyright (C) 2000-2007, Axis

Communications AB.

linux-3.10\arch\cris\arch-v32\kernel\setup.c(4): * Copyright (C) 2003, Axis

Communications AB.

linux-3.10\arch\cris\arch-v32\kernel\signal.c(2): * Copyright (C) 2003, Axis

Communications AB.

linux-3.10\arch\cris\arch-v32\kernel\time.c(4): *Copyright (C) 2003-2010 Axis

Communications AB

linux-3.10\arch\cris\arch-v32\kernel\traps.c(2): * Copyright (C) 2003-2006, Axis

Communications AB.

linux-3.10\arch\cris\arch-v32\lib\checksum.S(3): * Copyright (c) 1998-2007 Axis

Communications AB

linux-3.10\arch\cris\arch-v32\lib\checksumcopy.S(3): * Copyright (c) 1998-2007

Axis Communications AB

linux-3.10\arch\cris\arch-v32\lib\csumcpfruser.S(5): * Copyright (C) 2001, 2003

Axis Communications AB.

linux-3.10\arch\cris\arch-v32\lib\delay.c(4): * Copyright (C) 2006 Axis

Communications AB.

linux-3.10\arch\cris\arch-v32\lib\memset.c(2): Copyright (C) 1999-2005 Axis

Communications.

linux-3.10\arch\cris\arch-v32\lib\spinlock.S(3);; Copyright (C) 2004 Axis

Communications AB.

linux-3.10\arch\cris\arch-v32\lib\strcmp.S(2);; Copyright (C) 2008 AXIS

legal(ME)

Communications AB

linux-3.10\arch\cris\arch-v32\lib\string.c(2): Copyright (C) 1994-2005 Axis Communications.

linux-3.10\arch\cris\arch-v32\lib\usercopy.c(5): * Copyright (C) 2000, 2003 Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mach-a3\arbiter.c(9): * Copyright (c) 2004-2007 Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mach-a3\dram_init.S(8): * Copyright (C) 2005-2007 Axis Communications AB

linux-3.10\arch\cris\arch-v32\mach-a3\hw_settings.S(6): * Copyright (C) 2001-2007 Axis Communications AB

linux-3.10\arch\cris\arch-v32\mach-a3\io.c(4): * Copyright (c) 2005-2007 Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mach-a3\pinmux.c(6): * Copyright (c) 2005-2007 Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mach-fs\arbiter.c(9): * Copyright (c) 2004-2007 Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mach-fs\dram_init.S(8): * Copyright (C) 2000-2007 Axis Communications AB

linux-3.10\arch\cris\arch-v32\mach-fs\hw_settings.S(6): * Copyright (C) 2001-2007 Axis Communications AB

linux-3.10\arch\cris\arch-v32\mach-fs\io.c(4): * Copyright (c) 2004-2007 Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mach-fs\pinmux.c(6): * Copyright (c) 2004-2007 Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mm\init.c(4): * Copyright (C) 2000-2003, Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mm\intmem.c(4): * Copyright (c) 2004 Axis Communications AB.

linux-3.10\arch\cris\arch-v32\mm\mmu.S(4): *Copyright (C) 2003 Axis Communications AB

linux-3.10\arch\cris\arch-v32\mm\tlb.c(4): * Copyright (C) 2000-2003, Axis Communications AB.

linux-3.10\arch\cris\boot\compressed\head_v10.S(4): *Copyright (C) 1999, 2001 Axis Communications AB

linux-3.10\arch\cris\boot\compressed\head_v32.S(5): *Copyright (C) 1999 - 2006, Axis Communications AB

linux-3.10\arch\cris\boot\rescue\head_v10.S(62): * Copyright (C) 1999-2007 Axis Communications AB

linux-3.10\arch\cris\boot\rescue\testrescue.S(5): * Copyright (C) 1999 Axis Communications AB

linux-3.10\arch\cris\boot\tools\build.c(4): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\arch\cris\include\arch-v10\arch\io_interface_mux.h(2): * Copyright 2004, Axis Communications AB

linux-3.10\arch\cris\include\asm\bugs.h(5): *Copyright (C) 2001 Axis Communications AB

linux-3.10\arch\cris\include\asm\delay.h(5): * Copyright (C) 1998-2002 Axis Communications AB

linux-3.10\arch\cris\include\asm\eshlibld.h(12):*! (C) Copyright 1998, 1999 Axis Communications AB, LUND, SWEDEN

linux-3.10\arch\cris\include\asm\fasttimer.h(5): * Copyright (C) 2000-2007 Axis

legal(ME)

Communications AB

linux-3.10\arch\cris\include\asm\processor.h(4): * Copyright (C) 2000, 2001 Axis Communications AB

linux-3.10\arch\cris\include\asm\thread_info.h(3): * Copyright (C) 2002 David Howells (dhowells@redhat.com)

linux-3.10\arch\cris\include\uapi\asm\ethernet.h(4): * Copyright (c) 2001 Axis Communications AB

linux-3.10\arch\cris\include\uapi\asm\sync_serial.h(4): * Copyright (c) 2001-2003 Axis Communications AB

linux-3.10\arch\cris\kernel\irq.c(5): *Copyright (c) 2000,2007 Axis Communications AB

linux-3.10\arch\cris\kernel\module.c(2):Copyright (C) 2001 Rusty Russell.

linux-3.10\arch\cris\kernel\process.c(4): *Copyright (C) 1995Linus Torvalds

linux-3.10\arch\cris\kernel\process.c(5): *Copyright (C) 2000-2002Axis Communications AB

Communications AB

linux-3.10\arch\cris\kernel\ptrace.c(6): * Copyright (c) 2000, 2001, 2002 Axis Communications AB

linux-3.10\arch\cris\kernel\setup.c(5): *Copyright (C) 1995Linus Torvalds

linux-3.10\arch\cris\kernel\setup.c(6): *Copyright (c) 2001Axis Communications AB

linux-3.10\arch\cris\kernel\time.c(4): *Copyright (C) 1991, 1992, 1995Linus Torvalds

linux-3.10\arch\cris\kernel\time.c(5): *Copyright (C) 1999, 2000, 2001 Axis Communications AB

Communications AB

linux-3.10\arch\cris\kernel\traps.c(8): *Copyright (C) 2000-2007 Axis Communications AB

Communications AB

linux-3.10\arch\cris\mm\fault.c(4): *Copyright (C) 2000-2010Axis Communications AB

linux-3.10\arch\cris\mm\init.c(4): *Copyright (C) 1995Linus Torvalds

linux-3.10\arch\cris\mm\init.c(5): *Copyright (C) 2000,2001Axis Communications AB

linux-3.10\arch\cris\mm\ioremap.c(8): * (C) Copyright 1995 1996 Linus Torvalds

linux-3.10\arch\cris\mm\tlb.c(4): *Copyright (C) 2000, 2001Axis Communications AB

linux-3.10\arch\frv\boot\Makefile(8):# Copyright (C) 1995-2000 Russell King

linux-3.10\arch\frv\include\asm\atomic.h(6): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\ax88796.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\barrier.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\bitops.h(6): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\bug.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\bugs.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\busctl-regs.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\cache.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\cacheflush.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\include\asm\checksum.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

legal(ME)

linux-3.10\arch\frv\include\asm\cmpxchg.h(6): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\cpu-irqs.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\current.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\delay.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\dm9000.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\dma.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\elf.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\gdb-stub.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\gpio-regs.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\hardirq.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\highmem.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\hw_irq.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\io.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\irc-regs.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\irq.h(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\irq_regs.h(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\irqflags.h(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mb86943a.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mb93091-fpga-irqs.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mb93093-fpga-irqs.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mb93493-irqs.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mb93493-regs.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mb-regs.h(3): * Copyright (C) 2003, 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mc146818rtc.h(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mem-layout.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\mmu.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

legal(ME)

linux-3.10\arch\frv\include\asm\mmu_context.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\module.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\pci.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\perf_event.h(3): * Copyright (C) 2009 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\pgalloc.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\pgtable.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\processor.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\ptrace.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\sections.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\segment.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\serial.h(4): * Copyright (C) 2003 Develer S.r.l. (<http://www.develer.com/>)
linux-3.10\arch\frv\include\asm\serial-regs.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\setup.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\spinlock.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\spr-regs.h(3): * Copyright (C) 2003, 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\string.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\switch_to.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\syscall.h(3): * Copyright (C) 2009 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\thread_info.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\timer-regs.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\tlbflush.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\types.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\uaccess.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\unaligned.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\user.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\asm\vga.h(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.

legal(ME)

linux-3.10\arch\frv\include\asm\virtconvert.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\uapi\asm\ptrace.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\uapi\asm\registers.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\uapi\asm\setup.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\uapi\asm\sigcontext.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\include\uapi\asm\types.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\break.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\cmode.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\debug-stub.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\dma.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\entry.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\entry-table.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\futex.c(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\gdb-io.c(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\gdb-io.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\gdb-stub.c(3): * Copyright (C) 2003,4 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\gdb-stub.c(5): * - Derived from Linux/MIPS version, Copyright (C) 1995 Andreas Busse
linux-3.10\arch\frv\kernel\head.inc(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\head.S(3): * Copyright (C) 2003, 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\head-mmu-fr451.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\head-uc-fr401.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\head-uc-fr451.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\head-uc-fr555.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\irq.c(3): * Copyright (C) 2003, 2004, 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\irq-mb93091.c(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\irq-mb93093.c(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.

legal(ME)

linux-3.10\arch\frv\kernel\irq-mb93493.c(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\local.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\module.c(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\module.c(5): * - Derived from arch/i386/kernel/module.c, Copyright (C) 2001 Rusty Russell.
linux-3.10\arch\frv\kernel\pm.c(4): * Copyright (c) 2004 Red Hat, Inc.
linux-3.10\arch\frv\kernel\pm.c(7): * Copyright (c) 2001 Cliff Brake <cbrake@accelent.com>
linux-3.10\arch\frv\kernel\pm-mb93093.c(4): * Copyright (c) 2004 Red Hat, Inc.
linux-3.10\arch\frv\kernel\process.c(3): * Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\ptrace.c(3): * Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\setup.c(3): * Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\signal.c(3): * Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\sleep.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\switch_to.S(5):# Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\sys_frv.c(3): * Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\sysctl.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\time.c(3): * Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\traps.c(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\kernel\uaccess.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib__ashldi3.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib__ashrdi3.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib__lshrdi3.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib__muldi3.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib__negdi2.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib__ucmpdi2.S(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib\atomic64-ops.S(6): * Copyright (C) 2009 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib\atomic-ops.S(6): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib\cache.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

legal(ME)

linux-3.10\arch\frv\lib\insl_ns.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib\insl_sw.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib\memcpy.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib\memset.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib\outs1_ns.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\lib\outs1_sw.S(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\Makefile(13):# Copyright (c) 2003, 2004 Red Hat Inc.
linux-3.10\arch\frv\Makefile(16):#Copyright (c) 1999,2001D. Jeff Dionne <jeff@lineo.ca>,
linux-3.10\arch\frv\Makefile(19):# Copyright (C) 1998,1999D. Jeff Dionne <jeff@uclinux.org>,
linux-3.10\arch\frv\Makefile(23):# Copyright (C) 1994 by Hamish Macdonald
linux-3.10\arch\frv\mb93090-mb00\flash.c(3): * Copyright (C) 2009 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mb93090-mb00\pci-dma.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mb93090-mb00\pci-dma-nommu.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mb93090-mb00\pci-frv.c(3): * Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mb93090-mb00\pci-irq.c(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mb93090-mb00\pci-vdk.c(3): * Copyright (C) 2003, 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mm\cache-page.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mm\dma-alloc.c(10): *Copyright (C) 2000 Russell King
linux-3.10\arch\frv\mm\dma-alloc.c(6): *Copyright (C) 2001 Dan Malek (dmalek@jilc.net)
linux-3.10\arch\frv\mm\elf-fdpic.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mm\fault.c(14): *Copyright (C) 1995Hamish Macdonald
linux-3.10\arch\frv\mm\fault.c(4): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mm\fault.c(7): * - Copyright (C) 1998D. Jeff Dionne <jeff@lineo.ca>,
linux-3.10\arch\frv\mm\fault.c(8): * - Copyright (C) 2000Lineo, Inc.(www.lineo.com)
linux-3.10\arch\frv\mm\highmem.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\frv\mm\init.c(13): *- Copyright (C) 1998D. Jeff Dionne <jeff@lineo.ca>,
Kenneth Albanowski <kjahds@kjahds.com>,
linux-3.10\arch\frv\mm\init.c(14): *- Copyright (C) 2000Lineo, Inc.(www.lineo.com)
linux-3.10\arch\frv\mm\init.c(16): *- Copyright (C) 1995Hamish Macdonald
linux-3.10\arch\frv\mm\init.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights

legal(ME)

Reserved.

linux-3.10\arch\frv\mm\kmap.c(3): * Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\mm\mmu-context.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\mm\pgalloc.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\mm\tlb-flush.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\frv\mm\tlb-miss.S(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\h8300\boot\compressed\head.S(4): *Copyright (C) 2006 Yoshinori Sato

linux-3.10\arch\h8300\include\asm\bitops.h(5): * Copyright 1992, Linus Torvalds.

linux-3.10\arch\h8300\include\asm\bitops.h(6): * Copyright 2002, Yoshinori Sato

linux-3.10\arch\h8300\include\asm\bugs.h(4): *Copyright (C) 1994Linus Torvalds

linux-3.10\arch\h8300\include\asm\cacheflush.h(2): * (C) Copyright 2002, Yoshinori Sato <ysato@users.sourceforge.jp>

linux-3.10\arch\h8300\include\asm\current.h(5): *(C) Copyright 2000, Lineo, David McCullough <davidm@lineo.com>

linux-3.10\arch\h8300\include\asm\current.h(6): *(C) Copyright 2002, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\h8300\include\asm\delay.h(7): * Copyright (C) 2002 Yoshinori Sato <ysato@sourceforge.jp>

linux-3.10\arch\h8300\include\asm\processor.h(4): * Copyright (C) 2002 Yoshinori Sato

linux-3.10\arch\h8300\include\asm\processor.h(8): * Copyright (C) 1995 Hamish Macdonald

linux-3.10\arch\h8300\include\asm\thread_info.h(4): * Copyright (C) 2002David Howells (dhowells@redhat.com)

linux-3.10\arch\h8300\include\asm\tlbflush.h(5): * Copyright (C) 2000 Lineo, David McCullough <davidm@uclinux.org>

linux-3.10\arch\h8300\include\asm\tlbflush.h(6): * Copyright (C) 2000-2002, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\h8300\include\asm\traps.h(4): *Copyright (C) 2003 Yoshinori Sato <ysato@users.sourceforge.jp>

linux-3.10\arch\h8300\kernel\irq.c(4): * Copyright 2007 Yoshinori Sato <ysato@users.sourceforge.jp>

linux-3.10\arch\h8300\kernel\process.c(10): *Copyright (C) 1998D. Jeff Dionne <jeff@ryeham.ee.ryerson.ca> ,

linux-3.10\arch\h8300\kernel\process.c(16): *Copyright (C) 1995Hamish Macdonald

linux-3.10\arch\h8300\kernel\ptrace.c(9): *Copyright (C) 1994 by Hamish Macdonald

linux-3.10\arch\h8300\kernel\setup.c(10): *Copyright (C) 2001Lineo, Inc. <www.lineo.com>

linux-3.10\arch\h8300\kernel\setup.c(5): *Copyright (C) 1999,2000Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\h8300\kernel\setup.c(6): *Copyright (C) 1998,1999D. Jeff Dionne <jeff@lineo.ca>

linux-3.10\arch\h8300\kernel\setup.c(7): *Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>

linux-3.10\arch\h8300\kernel\setup.c(8): *Copyright (C) 1995 Hamish Macdonald

linux-3.10\arch\h8300\kernel\setup.c(9): *Copyright (C) 2000 Lineo Inc.

legal(ME)

(www.lineo.com)

linux-3.10\arch\h8300\kernel\signal.c(4): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\arch\h8300\kernel\time.c(10): *Copyright (C) 1991, 1992, 1995Linus Torvalds

linux-3.10\arch\h8300\kernel\traps.c(10): * Copyright 1999-2000 D. Jeff Dionne, <jeff@rt-control.com>

linux-3.10\arch\h8300\kernel\traps.c(7): * No original Copyright holder listed, linux-3.10\arch\h8300\lib\ashrdi3.c(2):/* Copyright (C) 1989, 1992, 1993, 1994, 1995 Free Software Foundation, Inc.

linux-3.10\arch\h8300\Makefile(8):# (C) Copyright 2002,2003 Yoshinori Sato <ysato@users.sourceforge.jp>

linux-3.10\arch\h8300\mm\fault.c(12): *Copyright (C) 1995Hamish Macdonald

linux-3.10\arch\h8300\mm\fault.c(4): *Copyright (C) 1998D. Jeff Dionne <jeff@lineo.ca>,

linux-3.10\arch\h8300\mm\fault.c(5): *Copyright (C) 2000Lineo, Inc.(www.lineo.com)

linux-3.10\arch\h8300\mm\init.c(13): *Copyright (C) 1995Hamish Macdonald

linux-3.10\arch\h8300\mm\init.c(4): *Copyright (C) 1998D. Jeff Dionne <jeff@lineo.ca>,

linux-3.10\arch\h8300\mm\init.c(6): *Copyright (C) 2000Lineo, Inc.(www.lineo.com)

linux-3.10\arch\h8300\mm\kmap.c(7): *Copyright (C) 2000 Lineo, <davidm@snapgear.com>

linux-3.10\arch\h8300\mm\kmap.c(8): *Copyright (C) 2000-2002 David McCullough <davidm@snapgear.com>

linux-3.10\arch\h8300\mm\memory.c(10): *Copyright (C) 1998Kenneth Albanowski <kjahds@kjahds.com>,

linux-3.10\arch\h8300\mm\memory.c(11): *Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\h8300\mm\memory.c(17): *Copyright (C) 1995Hamish Macdonald

linux-3.10\arch\h8300\mm\memory.c(4): *Copyright (C) 2002Yoshinori Sato <ysato@users.sourceforge.jp>,

linux-3.10\arch\hexagon\include\asm\atomic.h(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\barrier.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\bitops.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\cache.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\cacheflush.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\checksum.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\cmpxchg.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\delay.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\dma.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

linux-3.10\arch\hexagon\include\asm\dma-mapping.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

legal(ME)

linux-3.10\arch\hexagon\include\asm\elf.h(4): * Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\exec.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\fixmap.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\hexagon_vm.h(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\intrinsics.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\io.h(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\irq.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\irqflags.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\kgdb.h(4): * Copyright (c) 2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\linkage.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\mem-layout.h(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\mmu.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\mmu_context.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\module.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\page.h(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\perf_event.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\pgalloc.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\pgtable.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\processor.h(4): * Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\smp.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\spinlock.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\spinlock_types.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\string.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\suspend.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\switch_to.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\syscall.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

legal(ME)

linux-3.10\arch\hexagon\include\asm\thread_info.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\time.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\timer-regs.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\timex.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\tlb.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\tlbflush.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\traps.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\uaccess.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\vdso.h(4): * Copyright (c) 2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\vm_fault.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\asm\vm_mmu.h(4): * Copyright (c) 2010-2011, 2013 The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\bitsperlong.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\byteorder.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\param.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\ptrace.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\setup.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\sigcontext.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\signal.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\swab.h(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\include\uapi\asm\unistd.h(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\asm-offsets.c(2): * Copyright (C) 1996 David S. Miller
linux-3.10\arch\hexagon\kernel\asm-offsets.c(3): * Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003 Ralf Baechle
linux-3.10\arch\hexagon\kernel\asm-offsets.c(4): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\hexagon\kernel\asm-offsets.c(6): * Copyright (C) 2000 MIPS Technologies, Inc.
linux-3.10\arch\hexagon\kernel\asm-offsets.c(8): * Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\dma.c(4): * Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.

legal(ME)

linux-3.10\arch\hexagon\kernel\head.S(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\hexagon_ksyms.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\irq_cpu.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\kgdb.c(4): * Copyright (c) 2011-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\module.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\process.c(4): * Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\ptrace.c(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\reset.c(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\setup.c(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\signal.c(4): * Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\smp.c(4): * Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\stacktrace.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\syscalltab.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\time.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\trampoline.S(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\traps.c(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\vdso.c(4): * Copyright (c) 2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\vm_entry.S(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\vm_events.c(4): * Copyright (c) 2010-2012, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\vm_init_segtable.S(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\vm_ops.S(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\vm_switch.S(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\vm_vectors.S(4): * Copyright (c) 2010-2012,2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\kernel\vmlinux.lds.S(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\lib\checksum.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\lib\io.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.

legal(ME)

linux-3.10\arch\hexagon\lib\memcpy.S(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\lib\memset.S(2): * Copyright (c) 2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\cache.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\copy_from_user.S(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\copy_to_user.S(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\copy_user_template.S(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\init.c(4): * Copyright (c) 2010-2013, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\ioremap.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\pgalloc.c(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\strlen_user.S(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\uaccess.c(2): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\vm_fault.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\hexagon\mm\vm_tlb.c(4): * Copyright (c) 2010-2011, The Linux Foundation. All rights reserved.
linux-3.10\arch\ia64\dig\Makefile(4):# Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\ia64\dig\Makefile(5):# Copyright (C) Srinivasa Thirumalachar (sprasad@engr.sgi.com)
linux-3.10\arch\ia64\dig\setup.c(4): * Copyright (C) 1999 Intel Corp.
linux-3.10\arch\ia64\dig\setup.c(5): * Copyright (C) 1999, 2001 Hewlett-Packard Co
linux-3.10\arch\ia64\dig\setup.c(6): * Copyright (C) 1999, 2001, 2003 David Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\dig\setup.c(7): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\dig\setup.c(8): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\dig\setup.c(9): * Copyright (C) 1999 Vijay Chander <vijay@engr.sgi.com>
linux-3.10\arch\ia64\hp\common\aml_nfw.c(4): * (c) Copyright 2007 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\hp\common\hsw_iommu.c(2): * Copyright (c) 2004 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\hp\common\Makefile(4):# Copyright (C) 2002 Hewlett Packard
linux-3.10\arch\ia64\hp\common\Makefile(5):# Copyright (C) Alex Williamson (alex_williamson@hp.com)
linux-3.10\arch\ia64\hp\common\sba_iommu.c(4):** (c) Copyright 2002-2005 Alex Williamson
linux-3.10\arch\ia64\hp\common\sba_iommu.c(5):** (c) Copyright 2002-2003 Grant Grundler
linux-3.10\arch\ia64\hp\common\sba_iommu.c(6):** (c) Copyright 2002-2005 Hewlett-Packard Company

legal(ME)

linux-3.10\arch\ia64\hp\sim\boot\boot_head.S(2): * Copyright (C) 1998-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\boot\bootloader.c(6): * Copyright (C) 1998-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\boot\fw-emu.c(4): * Copyright (C) 1998-2001
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\boot\Makefile(8):# Copyright (C) 1998, 2003 by David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\hp\sim\boot\ssc.h(2): * Copyright (C) 1998-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\hpsim_console.c(4): * Copyright (C) 1998, 1999, 2002
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\hpsim_console.c(6): * Copyright (C) 1999 Vijay
Chander <vijay@engr.sgi.com>
linux-3.10\arch\ia64\hp\sim\hpsim_irq.c(4): * Copyright (C) 1998-2001
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\hpsim_irq.c(5): * Copyright (C) 1998-2001 David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\hp\sim\hpsim_setup.c(4): * Copyright (C) 1998, 1999, 2002
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\hpsim_setup.c(6): * Copyright (C) 1999 Vijay Chander
<vijay@engr.sgi.com>
linux-3.10\arch\ia64\hp\sim\hpsim_ssc.h(4): * Copyright (C) 1998, 1999
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\hpsim_ssc.h(5): * Copyright (C) 1998, 1999 David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\hp\sim\hpsim_ssc.h(6): * Copyright (C) 1999 Vijay Chander
<vijay@engr.sgi.com>
linux-3.10\arch\ia64\hp\sim\Makefile(4):# Copyright (C) 2002 Hewlett-Packard Co.
linux-3.10\arch\ia64\hp\sim\Makefile(6):# Copyright (C) 1999 Silicon Graphics,
Inc.
linux-3.10\arch\ia64\hp\sim\Makefile(7):# Copyright (C) Srinivasa Thirumalachar
(sprasad@engr.sgi.com)
linux-3.10\arch\ia64\hp\sim\simeth.c(4): * Copyright (C) 1999-2001, 2003
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\simscsi.c(4): * Copyright (C) 1999, 2001-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\sim\simserial.c(9): * Copyright (C) 1999-2000, 2002-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\hp\zx1\Makefile(4):# Copyright (C) 2002 Hewlett Packard
linux-3.10\arch\ia64\hp\zx1\Makefile(5):# Copyright (C) Alex Williamson
(alex_williamson@hp.com)
linux-3.10\arch\ia64\include\asm\acpi.h(2): *Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\include\asm\acpi.h(3): *Copyright (C) 1999 Walt Drummond
<drummond@valinux.com>
linux-3.10\arch\ia64\include\asm\acpi.h(4): *Copyright (C) 2000,2001 J.I. Lee
<jung-ik.lee@intel.com>
linux-3.10\arch\ia64\include\asm\acpi.h(5): *Copyright (C) 2001,2002 Paul
Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\arch\ia64\include\asm\acpi-ext.h(2): * (c) Copyright 2003, 2006
Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\include\asm\agp.h(7): * Copyright (C) 2002-2003

legal(ME)

Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\asmmacro.h(5): * Copyright (C) 2000-2001,
2003-2004 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\atomic.h(12): * Copyright (C) 1998, 1999,
2002-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\barrier.h(6): * Copyright (C) 1998-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\barrier.h(8): * Copyright (C) 1999 Asit Mallick
<asit.k.mallick@intel.com>
linux-3.10\arch\ia64\include\asm\barrier.h(9): * Copyright (C) 1999 Don Dugger
<don.dugger@intel.com>
linux-3.10\arch\ia64\include\asm\bitops.h(5): * Copyright (C) 1998-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\cache.h(6): * Copyright (C) 1998-2000
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\cacheflush.h(5): * Copyright (C) 2002
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\cputime.h(6): * Copyright (C) 2007 FUJITSU
LIMITED
linux-3.10\arch\ia64\include\asm\cputime.h(7): * Copyright (C) 2007 Hidetoshi
Seto <seto.hidetoshi@jp.fujitsu.com>
linux-3.10\arch\ia64\include\asm\delay.h(10): * Copyright (C) 1999 Walt Drummond
<drummond@valinux.com>
linux-3.10\arch\ia64\include\asm\delay.h(11): * Copyright (C) 1999 Asit Mallick
<asit.k.mallick@intel.com>
linux-3.10\arch\ia64\include\asm\delay.h(12): * Copyright (C) 1999 Don Dugger
<don.dugger@intel.com>
linux-3.10\arch\ia64\include\asm\delay.h(7): * Copyright (C) 1998, 1999
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\delay.h(9): * Copyright (C) 1999 VA Linux
Systems
linux-3.10\arch\ia64\include\asm\dma.h(5): * Copyright (C) 1998-2002
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\dma-mapping.h(5): * Copyright (C) 2003-2004
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\elf.h(7): * Copyright (C) 1998-1999, 2002-2004
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\esi.h(4): * Copyright (c) Copyright 2005-2006
Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\include\asm\fpswa.h(7): * Copyright (C) 1999 Intel
Corporation.
linux-3.10\arch\ia64\include\asm\fpswa.h(8): * Copyright (C) 1999 Asit Mallick
<asit.k.mallick@intel.com>
linux-3.10\arch\ia64\include\asm\fpswa.h(9): * Copyright (C) 1999 Goutham Rao
<goutham.rao@intel.com>
linux-3.10\arch\ia64\include\asm\gcc_intrin.h(3): * Copyright (C) 2002,2003 Jun
Nakajima <jun.nakajima@intel.com>
linux-3.10\arch\ia64\include\asm\gcc_intrin.h(4): * Copyright (C) 2002,2003
Suresh Siddha <suresh.b.siddha@intel.com>
linux-3.10\arch\ia64\include\asm\hw_irq.h(5): * Copyright (C) 2001-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\intrinsics.h(4): * Copyright (C) 2002-2003

legal(ME)

Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\io.h(16): * Copyright (C) 1998-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\io.h(18): * Copyright (C) 1999 Asit Mallick
<asit.k.mallick@intel.com>
linux-3.10\arch\ia64\include\asm\io.h(19): * Copyright (C) 1999 Don Dugger
<don.dugger@intel.com>
linux-3.10\arch\ia64\include\asm\irq.h(5): * Copyright (C) 1999-2000, 2002
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\irqflags.h(4): * Copyright (C) 1998-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\irqflags.h(6): * Copyright (C) 1999 Asit Mallick
<asit.k.mallick@intel.com>
linux-3.10\arch\ia64\include\asm\irqflags.h(7): * Copyright (C) 1999 Don Dugger
<don.dugger@intel.com>
linux-3.10\arch\ia64\include\asm\kdebug.h(18): * Copyright (C) Intel Corporation,
2005
linux-3.10\arch\ia64\include\asm\kprobes.h(20): * Copyright (C) IBM Corporation,
2002, 2004
linux-3.10\arch\ia64\include\asm\kprobes.h(21): * Copyright (C) Intel
Corporation, 2005
linux-3.10\arch\ia64\include\asm\kregs.h(5): * Copyright (C) 2001-2002
Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\kvm_host.h(4): * Copyright (C) 2007, Intel
Corporation.
linux-3.10\arch\ia64\include\asm\machvec.h(4): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\ia64\include\asm\machvec.h(5): * Copyright (C) Srinivasa
Thirumalachar <sprasad@engr.sgi.com>
linux-3.10\arch\ia64\include\asm\machvec.h(6): * Copyright (C) Vijay Chander
<vijay@engr.sgi.com>
linux-3.10\arch\ia64\include\asm\machvec.h(7): * Copyright (C) 1999-2001,
2003-2004 Hewlett-Packard Co.
linux-3.10\arch\ia64\include\asm\machvec_sn2.h(2): * Copyright (c) 2002-2003,2006
Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\include\asm\machvec_uv.h(8): * Copyright (C) 2008 Silicon
Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\mca.h(5): * Copyright (C) 1999, 2004 Silicon
Graphics, Inc.
linux-3.10\arch\ia64\include\asm\mca.h(6): * Copyright (C) Vijay Chander
<vijay@engr.sgi.com>
linux-3.10\arch\ia64\include\asm\mca.h(7): * Copyright (C) Srinivasa
Thirumalachar <sprasad@engr.sgi.com>
linux-3.10\arch\ia64\include\asm\mca.h(8): * Copyright (C) Russ Anderson
<rja@sgi.com>
linux-3.10\arch\ia64\include\asm\mca_asm.h(10): * Copyright (C) 2002 Intel Corp.
linux-3.10\arch\ia64\include\asm\mca_asm.h(11): * Copyright (C) 2002 Jenna Hall
<jenna.s.hall@intel.com>
linux-3.10\arch\ia64\include\asm\mca_asm.h(12): * Copyright (C) 2005 Silicon
Graphics, Inc
linux-3.10\arch\ia64\include\asm\mca_asm.h(13): * Copyright (C) 2005 Keith Owens
<kaos@sgi.com>

legal(ME)

linux-3.10\arch\ia64\include\asm\mca_asm.h(5): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\ia64\include\asm\mca_asm.h(6): * Copyright (C) Vijay Chander <vijay@engr.sgi.com>
linux-3.10\arch\ia64\include\asm\mca_asm.h(7): * Copyright (C) Srinivasa Thirumalachar <sprasad@engr.sgi.com>
linux-3.10\arch\ia64\include\asm\mca_asm.h(8): * Copyright (C) 2000 Hewlett-Packard Co.
linux-3.10\arch\ia64\include\asm\mca_asm.h(9): * Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\include\asm\mmu_context.h(5): * Copyright (C) 1998-2002 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\mmzone.h(6): * Copyright (c) 2000,2003 Silicon Graphics, Inc.All rights reserved.
linux-3.10\arch\ia64\include\asm\mmzone.h(7): * Copyright (c) 2002 NEC Corp.
linux-3.10\arch\ia64\include\asm\mmzone.h(8): * Copyright (c) 2002 Erich Focht <efocht@ess.nec.de>
linux-3.10\arch\ia64\include\asm\mmzone.h(9): * Copyright (c) 2002 Kimio Suganuma <k-suganuma@da.jp.nec.com>
linux-3.10\arch\ia64\include\asm\module.h(9): * Copyright (C) 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\mutex.h(4): * Copyright (C) 2006 Ken Chen <kenneth.w.chen@intel.com>
linux-3.10\arch\ia64\include\asm\native\inst.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\include\asm\native\irq.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\include\asm\native\patchlist.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\include\asm\native\pvchk_inst.h(11): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\include\asm\native\pvchk_inst.h(8): * Copyright (C) 2005 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\nodedata.h(6): * Copyright (c) 2000 Silicon Graphics, Inc.All rights reserved.
linux-3.10\arch\ia64\include\asm\nodedata.h(7): * Copyright (c) 2002 NEC Corp.
linux-3.10\arch\ia64\include\asm\nodedata.h(8): * Copyright (c) 2002 Erich Focht <efocht@ess.nec.de>
linux-3.10\arch\ia64\include\asm\nodedata.h(9): * Copyright (c) 2002 Kimio Suganuma <k-suganuma@da.jp.nec.com>
linux-3.10\arch\ia64\include\asm\page.h(6): * Copyright (C) 1998, 1999, 2002 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\pal.h(10): * Copyright (C) 1998-2001 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\pal.h(13): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\include\asm\pal.h(14): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\include\asm\pal.h(15): * Copyright (C) 1999 Srinivasa Prasad Thirumalachar <sprasad@sprasad.engr.sgi.com>
linux-3.10\arch\ia64\include\asm\pal.h(16): * Copyright (C) 2008 Silicon Graphics, Inc. (SGI)
linux-3.10\arch\ia64\include\asm\paravirt.h(2): * Copyright (c) 2008 Isaku

legal(ME)

Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\include\asm\paravirt_patch.h(2): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\include\asm\paravirt_privop.h(2): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\include\asm\parport.h(4): * Copyright (C) 1999, 2000Tim Waugh <tim@cyberelk.demon.co.uk>
linux-3.10\arch\ia64\include\asm\patch.h(5): * Copyright (C) 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\percpu.h(5): * Copyright (C) 2002-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\perfmon.h(2): * Copyright (C) 2001-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\pgalloc.h(11): * Copyright (C) 1998-2001 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\pgalloc.h(13): * Copyright (C) 2000, Goutham Rao <goutham.rao@intel.com>
linux-3.10\arch\ia64\include\asm\pgtable.h(11): * Copyright (C) 1998-2005 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\processor.h(5): * Copyright (C) 1998-2004 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\processor.h(8): * Copyright (C) 1999 Asit Mallick <asit.k.mallick@intel.com>
linux-3.10\arch\ia64\include\asm\processor.h(9): * Copyright (C) 1999 Don Dugger <don.dugger@intel.com>
linux-3.10\arch\ia64\include\asm\ptrace.h(2): * Copyright (C) 1998-2004 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\ptrace.h(5): * Copyright (C) 2003 Intel Co
linux-3.10\arch\ia64\include\asm\rwsem.h(4): * Copyright (C) 2003 Ken Chen <kenneth.w.chen@intel.com>
linux-3.10\arch\ia64\include\asm\rwsem.h(5): * Copyright (C) 2003 Asit Mallick <asit.k.mallick@intel.com>
linux-3.10\arch\ia64\include\asm\rwsem.h(6): * Copyright (C) 2005 Christoph Lameter <clameter@sgi.com>
linux-3.10\arch\ia64\include\asm\sal.h(10): * Copyright (C) 2001 Intel
linux-3.10\arch\ia64\include\asm\sal.h(11): * Copyright (C) 2002 Jenna Hall <jenna.s.hall@intel.com>
linux-3.10\arch\ia64\include\asm\sal.h(12): * Copyright (C) 2001 Fred Lewis <frederick.v.lewis@intel.com>
linux-3.10\arch\ia64\include\asm\sal.h(13): * Copyright (C) 1998, 1999, 2001, 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\sal.h(15): * Copyright (C) 1999 Srinivasa Prasad Thirumalachar <sprasad@sprasad.engr.sgi.com>
linux-3.10\arch\ia64\include\asm\sections.h(5): * Copyright (C) 1998-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\smp.h(4): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\include\asm\smp.h(5): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\include\asm\smp.h(6): * (c) Copyright 2001-2003, 2005 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\include\asm\sn\acpi.h(6): * Copyright (C) 2006 Silicon Graphics, Inc. All rights reserved.

legal(ME)

linux-3.10\arch\ia64\include\asm\sn\addrs.h(6): * Copyright (c)
1992-1999,2001-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\arch.h(8): * Copyright (C)
1995-1997,1999,2001-2005 Silicon Graphics, Inc.All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\arch.h(9): * Copyright (C) 1999 Ralf Baechle
(ralf@gnu.org)
linux-3.10\arch\ia64\include\asm\sn\bte.h(6): * Copyright (c) 2000-2007 Silicon
Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\include\asm\sn\clksupport.h(6): * Copyright (C) 2000-2004
Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\geo.h(6): * Copyright (C) 1992 - 1997,
2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\intr.h(6): * Copyright (C) 1992 - 1997,
2000-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\io.h(6): * Copyright (C) 2000-2004 Silicon
Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\ioc3.h(2): * Copyright (C) 2005 Silicon
Graphics, Inc.
linux-3.10\arch\ia64\include\asm\sn\klconfig.h(8): * Copyright (C)
1992-1997,1999,2001-2004 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\include\asm\sn\klconfig.h(9): * Copyright (C) 1999 by Ralf
Baechle
linux-3.10\arch\ia64\include\asm\sn\l1.h(6): * Copyright (C) 1992-1997,2000-2004
Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\include\asm\sn\leds.h(5): * Copyright (C) 2000-2004 Silicon
Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\module.h(6): * Copyright (C) 1992 - 1997,
2000-2004 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\mspec.h(7): * Copyright (c) 2001-2008 Silicon
Graphics, Inc.All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\nodepda.h(6): * Copyright (C) 1992 - 1997,
2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\pcibr_provider.h(6): * Copyright (C)
1992-1997,2000-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\pcibus_provider_defs.h(6): * Copyright (C)
1992 - 1997, 2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\pcidev.h(6): * Copyright (C) 1992 - 1997,
2000-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\pda.h(6): * Copyright (C) 1992 - 1997,
2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\pic.h(6): * Copyright (C) 1992 - 1997,
2000-2003 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\rw_mmr.h(6): * Copyright (C) 2002-2006
Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\include\asm\sn\shub_mmr.h(7): * Copyright (c) 2001-2005
Silicon Graphics, Inc.All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\shubio.h(6): * Copyright (C) 1992 - 1997,
2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\simulator.h(5): * Copyright (C) 2000-2004
Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\sn_cpuid.h(7): * Copyright (C) 2000-2005
Silicon Graphics, Inc. All rights reserved.

legal(ME)

linux-3.10\arch\ia64\include\asm\sn\sn_feature_sets.h(11): * Copyright (c) 2005-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\sn_sal.h(11): * Copyright (c) 2000-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\sn2\sn_hwperf.h(6): * Copyright (C) 2004 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\tioca.h(9): * Copyright (c) 2003-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\tioca_provider.h(6): * Copyright (c) 2003-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\tioce.h(6): * Copyright (c) 2003-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\tioce_provider.h(6): * Copyright (c) 2003-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\tiocp.h(6): * Copyright (C) 2003-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\tiocx.h(6): * Copyright (c) 2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\include\asm\sn\types.h(6): * Copyright (C) 1999,2001-2003 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\include\asm\sn\types.h(7): * Copyright (C) 1999 by Ralf Baechle
linux-3.10\arch\ia64\include\asm\spinlock.h(5): * Copyright (C) 1998-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\spinlock.h(7): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\include\asm\string.h(8): * Copyright (C) 1998-2000, 2002 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\switch_to.h(6): * Copyright (C) 1998-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\switch_to.h(8): * Copyright (C) 1999 Asit Mallick <asit.k.mallick@intel.com>
linux-3.10\arch\ia64\include\asm\switch_to.h(9): * Copyright (C) 1999 Don Dugger <don.dugger@intel.com>
linux-3.10\arch\ia64\include\asm\sync_bitops.h(5): * Copyright (C) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\include\asm\syscall.h(4): * Copyright (C) 2008 Intel Corp. Shaohua Li <shaohua.li@intel.com>
linux-3.10\arch\ia64\include\asm\syscall.h(6): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\arch\ia64\include\asm\thread_info.h(2): * Copyright (C) 2002-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\timex.h(5): * Copyright (C) 1998-2001, 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\tlb.h(6): * Copyright (C) 2002-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\tlbflush.h(5): * Copyright (C) 2002 Hewlett-Packard Co
linux-3.10\arch\ia64\include\asm\topology.h(2): * Copyright (C) 2002, Erich Focht, NEC
linux-3.10\arch\ia64\include\asm\uaccess.h(31): * Copyright (C) 1998, 1999, 2001-2004 Hewlett-Packard Co

legal(ME)

linux-3.10\arch\ia64\include\asm\uncached.h(2): * Copyright (C) 2001-2008 Silicon Graphics, Inc. All rights reserved.

linux-3.10\arch\ia64\include\asm\unistd.h(4): * Copyright (C) 1998-2005 Hewlett-Packard Co

linux-3.10\arch\ia64\include\asm\unwind.h(5): * Copyright (C) 1999-2000, 2003 Hewlett-Packard Co

linux-3.10\arch\ia64\include\asm\uv\uv_hub.h(8): * Copyright (C) 2008 Silicon Graphics, Inc. All rights reserved.

linux-3.10\arch\ia64\include\asm\uv\uv_mmrs.h(8): * Copyright (C) 2007-2008 Silicon Graphics, Inc. All rights reserved.

linux-3.10\arch\ia64\include\asm\xen\events.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>

linux-3.10\arch\ia64\include\asm\xen\hypercall.h(6): * Copyright (c) 2002-2004, K A Fraser

linux-3.10\arch\ia64\include\asm\xen\hypervisor.h(6): * Copyright (c) 2002-2004, K A Fraser

linux-3.10\arch\ia64\include\asm\xen\inst.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>

linux-3.10\arch\ia64\include\asm\xen\irq.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>

linux-3.10\arch\ia64\include\asm\xen\page.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>

linux-3.10\arch\ia64\include\asm\xen\patchlist.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>

linux-3.10\arch\ia64\include\asm\xen\privop.h(12): * Copyright (c) 2007 Isaku Yamahata <yamahata at valinux co jp>

linux-3.10\arch\ia64\include\asm\xen\privop.h(5): * Copyright (C) 2005 Hewlett-Packard Co

linux-3.10\arch\ia64\include\asm\xen\xcom_hcall.h(2): * Copyright (C) 2006 Tristan Gingold <tristan.gingold@bull.net>, Bull SAS

linux-3.10\arch\ia64\include\asm\xen\xencomm.h(2): * Copyright (C) 2006 Hollis Blanchard <hollisb@us.ibm.com>, IBM Corporation

linux-3.10\arch\ia64\include\uapi\asm\break.h(7): * Copyright (C) 1999 Hewlett-Packard Co

linux-3.10\arch\ia64\include\uapi\asm\break.h(8): * Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com>

linux-3.10\arch\ia64\include\uapi\asm\cmpxchg.h(8): * Copyright (C) 2002-2003 Hewlett-Packard Co

linux-3.10\arch\ia64\include\uapi\asm\fpu.h(5): * Copyright (C) 1998, 1999, 2002, 2003 Hewlett-Packard Co

linux-3.10\arch\ia64\include\uapi\asm\gcc_intrin.h(3): * Copyright (C) 2002, 2003 Jun Nakajima <jun.nakajima@intel.com>

linux-3.10\arch\ia64\include\uapi\asm\gcc_intrin.h(4): * Copyright (C) 2002, 2003 Suresh Siddha <suresh.b.siddha@intel.com>

linux-3.10\arch\ia64\include\uapi\asm\ia64regs.h(2): * Copyright (C) 2002, 2003 Intel Corp.

linux-3.10\arch\ia64\include\uapi\asm\intel_intrin.h(6): * Copyright (C) 2002, 2003 Jun Nakajima <jun.nakajima@intel.com>

linux-3.10\arch\ia64\include\uapi\asm\intel_intrin.h(7): * Copyright (C) 2002, 2003 Suresh Siddha <suresh.b.siddha@intel.com>

linux-3.10\arch\ia64\include\uapi\asm\intel_intrin.h(8): * Copyright (C) 2005, 2006 Hongjiu Lu <hongjiu.lu@intel.com>

legal(ME)

linux-3.10\arch\ia64\include\uapi\asm\intrinsics.h(4): * Copyright (C) 2002-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\uapi\asm\kvm.h(7): * Copyright (C) 2007 Xiantao Zhang <xiantao.zhang@intel.com>
linux-3.10\arch\ia64\include\uapi\asm\perfmon.h(2): * Copyright (C) 2001-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\uapi\asm\perfmon_default_smpl.h(2): * Copyright (C) 2002-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\uapi\asm\ptrace.h(2): * Copyright (C) 1998-2004 Hewlett-Packard Co
linux-3.10\arch\ia64\include\uapi\asm\ptrace.h(5): * Copyright (C) 2003 Intel Co
linux-3.10\arch\ia64\include\uapi\asm\ptrace_offsets.h(5): * Copyright (C) 1999, 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\include\uapi\asm\rse.h(5): * Copyright (C) 1998, 1999 Hewlett-Packard Co
linux-3.10\arch\ia64\include\uapi\asm\rse.h(6): * Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\include\uapi\asm\sigcontext.h(5): * Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co
linux-3.10\arch\ia64\include\uapi\asm\sigcontext.h(6): * Copyright (C) 1998, 1999, 2001 David Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\include\uapi\asm\unistd.h(4): * Copyright (C) 1998-2005 Hewlett-Packard Co
linux-3.10\arch\ia64\install.sh(9):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\ia64\kernel\acpi.c(10): *Copyright (C) 2001 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\arch\ia64\kernel\acpi.c(11): *Copyright (C) 2001 Jenna Hall <jenna.s.hall@intel.com>
linux-3.10\arch\ia64\kernel\acpi.c(12): *Copyright (C) 2001 Takayoshi Kochi <t-kochi@bq.jp.nec.com>
linux-3.10\arch\ia64\kernel\acpi.c(13): *Copyright (C) 2002 Erich Focht <efocht@ess.nec.de>
linux-3.10\arch\ia64\kernel\acpi.c(14): *Copyright (C) 2004 Ashok Raj <ashok.raj@intel.com>
linux-3.10\arch\ia64\kernel\acpi.c(4): *Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\kernel\acpi.c(5): *Copyright (C) 1999,2000 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\kernel\acpi.c(6): *Copyright (C) 2000, 2002-2003 Hewlett-Packard Co.
linux-3.10\arch\ia64\kernel\acpi.c(8): *Copyright (C) 2000 Intel Corp.
linux-3.10\arch\ia64\kernel\acpi.c(9): *Copyright (C) 2000,2001 J.I. Lee <jung-ik.lee@intel.com>
linux-3.10\arch\ia64\kernel\acpi-ext.c(2): * (c) Copyright 2003, 2006 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\kernel\crash.c(7): * Copyright (C) 2005 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\kernel\crash.c(8): * Copyright (C) 2005 Intel CorpZou Nan hai <nanhai.zou@intel.com>
linux-3.10\arch\ia64\kernel\efi.c(12): * (c) Copyright 2006 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\kernel\efi.c(7): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\kernel\efi.c(8): * Copyright (C) 1999 Walt Drummond

legal(ME)

<drummond@valinux.com>
linux-3.10\arch\ia64\kernel\efi.c(9): * Copyright (C) 1999-2003 Hewlett-Packard Co.
linux-3.10\arch\ia64\kernel\efi_stub.S(4): * Copyright (C) 1999-2001 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\entry.S(13): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\kernel\entry.S(14): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\kernel\entry.S(26): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\kernel\entry.S(6): * Copyright (C) 1998-2003, 2005 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\entry.S(8): * Copyright (C) 1999, 2002-2003
linux-3.10\arch\ia64\kernel\err_inject.c(24): * Copyright (C) 2006, Intel Corp.All rights reserved.
linux-3.10\arch\ia64\kernel\esi.c(4): * Copyright (C) 2006 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\esi_stub.S(4): * Copyright (C) 2005 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\fsys.S(4): * Copyright (C) 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\fsyscall_gtod_data.h(2): * (c) Copyright 2007 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\kernel\ftrace.c(4): * Copyright (C) 2008 Shaohua Li <shaohua.li@intel.com>
linux-3.10\arch\ia64\kernel\gate.S(5): * Copyright (C) 1999-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\head.S(11): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\kernel\head.S(12): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\kernel\head.S(13): * Copyright (C) 1999 Intel Corp.
linux-3.10\arch\ia64\kernel\head.S(14): * Copyright (C) 1999 Asit Mallick <Asit.K.Mallick@intel.com>
linux-3.10\arch\ia64\kernel\head.S(15): * Copyright (C) 1999 Don Dugger <Don.Dugger@intel.com>
linux-3.10\arch\ia64\kernel\head.S(16): * Copyright (C) 2002 Fenghua Yu <fenghua.yu@intel.com>
linux-3.10\arch\ia64\kernel\head.S(18): * Copyright (C) 2004 Ashok Raj <ashok.raj@intel.com>
linux-3.10\arch\ia64\kernel\head.S(8): * Copyright (C) 1998-2001, 2003, 2005 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\init_task.c(5): * Copyright (C) 1999, 2002-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\iosapic.c(10): * Copyright (C) 1999,2000 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\kernel\iosapic.c(4): * Copyright (C) 1999 Intel Corp.
linux-3.10\arch\ia64\kernel\iosapic.c(5): * Copyright (C) 1999 Asit Mallick <asit.k.mallick@intel.com>
linux-3.10\arch\ia64\kernel\iosapic.c(6): * Copyright (C) 2000-2002 J.I. Lee <jung-ik.lee@intel.com>
linux-3.10\arch\ia64\kernel\iosapic.c(7): * Copyright (C) 1999-2000, 2002-2003 Hewlett-Packard Co.
linux-3.10\arch\ia64\kernel\iosapic.c(9): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\kernel\irq.c(12): * Copyright (C) Ashok

legal(ME)

Raj<ashok.raj@intel.com>, Intel Corporation 2004
linux-3.10\arch\ia64\kernel\irq.c(4): *Copyright (C) 1992, 1998 Linus Torvalds,
Ingo Molnar
linux-3.10\arch\ia64\kernel\irq_ia64.c(4): * Copyright (C) 1998-2001
Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\irq_lsapic.c(10): * Copyright (C) 2000
Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\irq_lsapic.c(11): * Copyright (C) 2000 David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\kernel\irq_lsapic.c(8): * Copyright (C) 1999 VA Linux
Systems
linux-3.10\arch\ia64\kernel\irq_lsapic.c(9): * Copyright (C) 1999 Walt Drummond
<drummond@valinux.com>
linux-3.10\arch\ia64\kernel\ivt.S(16): * Copyright (C) 2005 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\ivt.S(19): * Copyright (c) 2008 Isaku Yamahata
<yamahata at valinux co jp>
linux-3.10\arch\ia64\kernel\ivt.S(4): * Copyright (C) 1998-2001, 2003, 2005
Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\ivt.S(7): * Copyright (C) 2000, 2002-2003 Intel Co
linux-3.10\arch\ia64\kernel\jprobes.S(18): * Copyright (C) Intel Corporation,
2005
linux-3.10\arch\ia64\kernel\kprobes.c(19): * Copyright (C) IBM Corporation, 2002,
2004
linux-3.10\arch\ia64\kernel\kprobes.c(20): * Copyright (C) Intel Corporation,
2005
linux-3.10\arch\ia64\kernel\machine_kexec.c(5): * Copyright (C) 2005
Hewlett-Packard Development Comapny, L.P.
linux-3.10\arch\ia64\kernel\machine_kexec.c(6): * Copyright (C) 2005 Khalid Aziz
<khalid.aziz@hp.com>
linux-3.10\arch\ia64\kernel\machine_kexec.c(7): * Copyright (C) 2006 Intel Corp,
Zou Nan hai <nanhai.zou@intel.com>
linux-3.10\arch\ia64\kernel\mca.c(11): * Copyright (C) 2002 Intel
linux-3.10\arch\ia64\kernel\mca.c(12): * Copyright (C) Jenna Hall
<jenna.s.hall@intel.com>
linux-3.10\arch\ia64\kernel\mca.c(14): * Copyright (C) 2001 Intel
linux-3.10\arch\ia64\kernel\mca.c(15): * Copyright (C) Fred Lewis
<frederick.v.lewis@intel.com>
linux-3.10\arch\ia64\kernel\mca.c(17): * Copyright (C) 2000 Intel
linux-3.10\arch\ia64\kernel\mca.c(18): * Copyright (C) Chuck Fleckenstein
<cfleck@co.intel.com>
linux-3.10\arch\ia64\kernel\mca.c(20): * Copyright (C) 1999, 2004-2008 Silicon
Graphics, Inc.
linux-3.10\arch\ia64\kernel\mca.c(21): * Copyright (C) Vijay Chander
<vijay@engr.sgi.com>
linux-3.10\arch\ia64\kernel\mca.c(23): * Copyright (C) 2006 FUJITSU LIMITED
linux-3.10\arch\ia64\kernel\mca.c(24): * Copyright (C) Hidetoshi Seto
<seto.hidetoshi@jp.fujitsu.com>
linux-3.10\arch\ia64\kernel\mca.c(5): * Copyright (C) 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\mca.c(8): * Copyright (C) 2002 Dell Inc.
linux-3.10\arch\ia64\kernel\mca.c(9): * Copyright (C) Matt Domsch
<Matt_Domsch@dell.com>
linux-3.10\arch\ia64\kernel\mca_drv.c(5): * Copyright (C) 2004 FUJITSU LIMITED

legal(ME)

linux-3.10\arch\ia64\kernel\mca_drv.c(6): * Copyright (C) 2004 Hidetoshi Seto
<seto.hidetoshi@jp.fujitsu.com>
linux-3.10\arch\ia64\kernel\mca_drv.c(7): * Copyright (C) 2005 Silicon Graphics,
Inc
linux-3.10\arch\ia64\kernel\mca_drv.c(8): * Copyright (C) 2005 Keith Owens
<kaos@sgi.com>
linux-3.10\arch\ia64\kernel\mca_drv.c(9): * Copyright (C) 2006 Russ Anderson
<rja@sgi.com>
linux-3.10\arch\ia64\kernel\mca_drv.h(5): * Copyright (C) 2004 FUJITSU LIMITED
linux-3.10\arch\ia64\kernel\mca_drv.h(6): * Copyright (C) 2004 Hidetoshi Seto
<seto.hidetoshi@jp.fujitsu.com>
linux-3.10\arch\ia64\kernel\mca_drv_asm.S(5): * Copyright (C) 2004 FUJITSU
LIMITED
linux-3.10\arch\ia64\kernel\mca_drv_asm.S(6): * Copyright (C) 2004 Hidetoshi Seto
<seto.hidetoshi@jp.fujitsu.com>
linux-3.10\arch\ia64\kernel\module.c(4): * Copyright (C) 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\numa.c(18): * Copyright (C) 2002 Erich Focht
<efocht@ess.nec.de>
linux-3.10\arch\ia64\kernel\numa.c(19): * Copyright (C) 2004 Silicon Graphics,
Inc.
linux-3.10\arch\ia64\kernel\pal.S(5): * Copyright (C) 1999 Don Dugger
<don.dugger@intel.com>
linux-3.10\arch\ia64\kernel\pal.S(6): * Copyright (C) 1999 Walt Drummond
<drummond@valinux.com>
linux-3.10\arch\ia64\kernel\pal.S(7): * Copyright (C) 1999-2001, 2003
Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\palinfo.c(11): * Copyright (C) 2004 Intel Corporation
linux-3.10\arch\ia64\kernel\palinfo.c(9): * Copyright (C) 2000-2001, 2003
Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\paravirt.c(4): * Copyright (c) 2008 Isaku Yamahata
<yamahata at valinux co jp>
linux-3.10\arch\ia64\kernel\paravirt_inst.h(4): * Copyright (c) 2008 Isaku
Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\kernel\paravirt_patch.c(4): * Copyright (c) 2008 Isaku
Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\kernel\paravirt_patchlist.c(2): * Copyright (c) 2008 Isaku
Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\kernel\paravirt_patchlist.h(4): * Copyright (c) 2008 Isaku
Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\kernel\paravirtentry.S(4): * Copyright (c) 2008 Isaku
Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\kernel\patch.c(4): * Copyright (C) 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\perfmon.c(14): * Copyright (C) 1999-2005Hewlett
Packard Co
linux-3.10\arch\ia64\kernel\perfmon_default_smpl.c(2): * Copyright (C) 2002-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\perfmon_generic.h(5): * Copyright (C)
2002-2003Hewlett Packard Co
linux-3.10\arch\ia64\kernel\perfmon_itanium.h(5): * Copyright (C)
2002-2003Hewlett Packard Co
linux-3.10\arch\ia64\kernel\perfmon_mckinley.h(5): * Copyright (C)
2002-2003Hewlett Packard Co

legal(ME)

linux-3.10\arch\ia64\kernel\perfmon_montecito.h(5): * Copyright (c) 2005-2006 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\kernel\process.c(4): * Copyright (C) 1998-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\ptrace.c(4): * Copyright (C) 1999-2005 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\ptrace.c(6): * Copyright (C) 2006 Intel Co
linux-3.10\arch\ia64\kernel\relocate_kernel.S(6): * Copyright (C) 2005 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\kernel\relocate_kernel.S(7): * Copyright (C) 2005 Khalid Aziz<khalid.aziz@hp.com>
linux-3.10\arch\ia64\kernel\relocate_kernel.S(8): * Copyright (C) 2005 Intel Corp,Zou Nan hai <nanhai.zou@intel.com>
linux-3.10\arch\ia64\kernel\sali.c(4): * Copyright (C) 1998, 1999, 2001, 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\sali.c(6): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\kernel\sali.c(7): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\kernel\salinfor.c(6): * Copyright (c) 2003, 2006 Silicon Graphics, Inc.All rights reserved.
linux-3.10\arch\ia64\kernel\salinfor.c(7): * Copyright (c) 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\setup.c(11): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\kernel\setup.c(12): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\kernel\setup.c(4): * Copyright (C) 1998-2001, 2003-2004 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\setup.c(7): * Copyright (C) 2000, 2004 Intel Corp
linux-3.10\arch\ia64\kernel\signal.c(4): * Copyright (C) 1999-2004 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\smp.c(4): * Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\kernel\smp.c(5): * Copyright (C) 1999, 2001, 2003 David Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\kernel\smpboot.c(4): * Copyright (C) 1998-2003, 2005 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\smpboot.c(6): * Copyright (C) 2001, 2004-2005 Intel Corp
linux-3.10\arch\ia64\kernel\sys_ia64.c(5): * Copyright (C) 1999-2000, 2002-2003, 2005 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\time.c(4): * Copyright (C) 1998-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\time.c(7): * Copyright (C) 1999 Don Dugger <don.dugger@intel.com>
linux-3.10\arch\ia64\kernel\time.c(8): * Copyright (C) 1999-2000 VA Linux Systems
linux-3.10\arch\ia64\kernel\time.c(9): * Copyright (C) 1999-2000 Walt Drummond <drummond@valinux.com>
linux-3.10\arch\ia64\kernel\traps.c(4): * Copyright (C) 1998-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\unaligned.c(4): * Copyright (C) 1999-2002, 2004 Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\uncached.c(2): * Copyright (C) 2001-2008 Silicon Graphics, Inc.All rights reserved.

legal(ME)

linux-3.10\arch\ia64\kernel\unwind.c(2): * Copyright (C) 1999-2004
Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\unwind.c(4): * Copyright (C) 2003 Fenghua Yu
<fenghua.yu@intel.com>
linux-3.10\arch\ia64\kernel\unwind_decoder.c(2): * Copyright (C) 2000
Hewlett-Packard Co
linux-3.10\arch\ia64\kernel\unwind_decoder.c(3): * Copyright (C) 2000 David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\kernel\unwind_i.h(2): * Copyright (C) 2000, 2002-2003
Hewlett-Packard Co
linux-3.10\arch\ia64\kvm\asm-offsets.c(8): * Copyright (c) 2007 Intel
CorporationKVM support.
linux-3.10\arch\ia64\kvm\irq.h(3): * Copyright (c) 2008, Intel Corporation.
linux-3.10\arch\ia64\kvm\kvm_fw.c(4): * Copyright (c) 2004 Li Susie
<susie.li@intel.com>
linux-3.10\arch\ia64\kvm\kvm_fw.c(5): * Copyright (c) 2005 Yu Ke
<ke.yu@intel.com>
linux-3.10\arch\ia64\kvm\kvm_fw.c(6): * Copyright (c) 2007 Xiantao Zhang
<xiantao.zhang@intel.com>
linux-3.10\arch\ia64\kvm\kvm_lib.c(5): * Copyright (C) 2008, Intel Corporation.
linux-3.10\arch\ia64\kvm\kvm_minstate.h(3): *Copyright (c) 2007, Intel
Corporation.
linux-3.10\arch\ia64\kvm\kvm-ia64.c(5): * Copyright (C) 2007, Intel Corporation.
linux-3.10\arch\ia64\kvm\misc.h(7): * Copyright (C) 2007, Intel Corporation.
linux-3.10\arch\ia64\kvm\mmio.c(3): * Copyright (c) 2004, Intel Corporation.
linux-3.10\arch\ia64\kvm\mmio.c(7): * Copyright (c) 2007 Intel CorporationKVM
support.
linux-3.10\arch\ia64\kvm\optvtfault.S(5): * Copyright (C) 2006 Intel Co
linux-3.10\arch\ia64\kvm\optvtfault.S(7): * Copyright (C) 2008 Intel Co
linux-3.10\arch\ia64\kvm\process.c(3): * Copyright (c) 2005, Intel Corporation.
linux-3.10\arch\ia64\kvm\trampoline.S(3): * Copyright (c) 2007 Fleming Feng
<fleming.feng@intel.com>
linux-3.10\arch\ia64\kvm\trampoline.S(4): * Copyright (c) 2007 Anthony Xu
<anthony.xu@intel.com>
linux-3.10\arch\ia64\kvm\vcpu.c(3): * Copyright (c) 2005, Intel Corporation.
linux-3.10\arch\ia64\kvm\vcpu.h(3): *Copyright (c) 2005, Intel Corporation.
linux-3.10\arch\ia64\kvm\vcpu.h(7): * Copyright (c) 2007, Intel Corporation.
linux-3.10\arch\ia64\kvm\vmm.c(4): * Copyright (c) 2007, Intel Corporation.
linux-3.10\arch\ia64\kvm\vmm_ivt.S(4): * Copyright (C) 1998-2001, 2003
Hewlett-Packard Co
linux-3.10\arch\ia64\kvm\vmm_ivt.S(7): * Copyright (C) 2000, 2002-2003 Intel Co
linux-3.10\arch\ia64\kvm\vti.h(3): * Copyright (c) 2004, Intel Corporation.
linux-3.10\arch\ia64\kvm\vti.h(9): *Copyright (c) 2007, Intel Corporation.
linux-3.10\arch\ia64\kvm\vtlb.c(3): * Copyright (c) 2004, Intel Corporation.
linux-3.10\arch\ia64\kvm\vtlb.c(7): * Copyright (c) 2007, Intel Corporation.
linux-3.10\arch\ia64\lib\carta_random.S(7): * Copyright (C) 2002 Hewlett-Packard
Co
linux-3.10\arch\ia64\lib\checksum.c(4): * Copyright (C) 1999, 2003
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\clear_page.S(2): * Copyright (C) 1999-2002
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\clear_page.S(5): * Copyright (C) 2002 Ken Chen

legal(ME)

<kenneth.w.chen@intel.com>
linux-3.10\arch\ia64\lib\clear_user.S(10): * Copyright (C) 1998, 1999, 2001
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\copy_page.S(11): * Copyright (C) 1999, 2001
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\copy_page_mck.S(4): * Copyright (C) 2002 Hewlett-Packard
Co
linux-3.10\arch\ia64\lib\copy_user.S(22): * Copyright (C) 2000-2001
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\csum_partial_copy.c(4): * Copyright (C) 1999, 2003-2004
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\do_csum.S(11): * Copyright (C) 1999, 2001-2002
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\flush.S(4): * Copyright (C) 1999-2001, 2005
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\idiv32.S(2): * Copyright (C) 2000 Hewlett-Packard Co
linux-3.10\arch\ia64\lib\idiv32.S(3): * Copyright (C) 2000 David Mosberger-Tang
<davidm@hpl.hp.com>
linux-3.10\arch\ia64\lib\idiv64.S(2): * Copyright (C) 1999-2000 Hewlett-Packard
Co
linux-3.10\arch\ia64\lib\idiv64.S(3): * Copyright (C) 1999-2000 David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\lib\ip_fast_csum.S(11): * Copyright (C) 2002, 2006 Intel
Corp.
linux-3.10\arch\ia64\lib\ip_fast_csum.S(12): * Copyright (C) 2002, 2006 Ken Chen
<kenneth.w.chen@intel.com>
linux-3.10\arch\ia64\lib\memcpy.S(12): * Copyright (C) 2000-2001 Hewlett-Packard
Co
linux-3.10\arch\ia64\lib\memcpy_mck.S(13): * Copyright (C) 2002 Intel Corp.
linux-3.10\arch\ia64\lib\memcpy_mck.S(14): * Copyright (C) 2002 Ken Chen
<kenneth.w.chen@intel.com>
linux-3.10\arch\ia64\lib\memset.S(3): Copyright (c) 2002 Hewlett-Packard Co/CERN
linux-3.10\arch\ia64\lib\strlen.S(13): * Copyright (C) 1999, 2001 Hewlett-Packard
Co
linux-3.10\arch\ia64\lib\strlen_user.S(10): * Copyright (C) 1998, 1999, 2001
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\strncpy_from_user.S(12): * Copyright (C) 1998-2001
Hewlett-Packard Co
linux-3.10\arch\ia64\lib\strncpy_from_user.S(13): * Copyright (C) 1998-2001 David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\lib\strlen_user.S(12): * Copyright (C) 1999, 2001 David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\Makefile(11):# Copyright (C) 1998-2004 by David
Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\arch\ia64\mm\contig.c(10): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\ia64\mm\contig.c(11): * Copyright (C) 1999 Walt Drummond
<drummond@valinux.com>
linux-3.10\arch\ia64\mm\contig.c(12): * Copyright (C) 2003 Silicon Graphics, Inc.
All rights reserved.
linux-3.10\arch\ia64\mm\contig.c(6): * Copyright (C) 1998-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\mm\contig.c(9): * Copyright (C) 2000, Rohit Seth
<rohit.seth@intel.com>

legal(ME)

linux-3.10\arch\ia64\mm\discontig.c(2): * Copyright (c) 2000, 2003 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\mm\discontig.c(3): * Copyright (c) 2001 Intel Corp.
linux-3.10\arch\ia64\mm\discontig.c(4): * Copyright (c) 2001 Tony Luck
<tony.luck@intel.com>
linux-3.10\arch\ia64\mm\discontig.c(5): * Copyright (c) 2002 NEC Corp.
linux-3.10\arch\ia64\mm\discontig.c(6): * Copyright (c) 2002 Kimio Suganuma
<k-suganuma@da.jp.nec.com>
linux-3.10\arch\ia64\mm\discontig.c(7): * Copyright (c) 2004 Silicon Graphics, Inc
linux-3.10\arch\ia64\mm\extable.c(4): * Copyright (C) 1998, 1999, 2001-2002, 2004 Hewlett-Packard Co
linux-3.10\arch\ia64\mm\fault.c(4): * Copyright (C) 1998-2002 Hewlett-Packard Co
linux-3.10\arch\ia64\mm\hugetlbpage.c(4): * Copyright (C) 2002-2004 Rohit Seth
<rohit.seth@intel.com>
linux-3.10\arch\ia64\mm\hugetlbpage.c(5): * Copyright (C) 2003-2004 Ken Chen
<kenneth.w.chen@intel.com>
linux-3.10\arch\ia64\mm\init.c(4): * Copyright (C) 1998-2003 Hewlett-Packard Co
linux-3.10\arch\ia64\mm\ioremap.c(2): * (c) Copyright 2006, 2007 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\mm\tlb.c(14): * Copyright (C) 2007 Intel Corp
linux-3.10\arch\ia64\mm\tlb.c(4): * Copyright (C) 1998-2001, 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\oprofile\backtrace.c(10): * Copyright (c) 2003-2004 Silicon Graphics Inc. All Rights Reserved.
linux-3.10\arch\ia64\oprofile\backtrace.c(4): * @remark Copyright 2004 Silicon Graphics Inc. All Rights Reserved.
linux-3.10\arch\ia64\oprofile\init.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\ia64\oprofile\perfmon.c(4): * @remark Copyright 2003 OProfile authors
linux-3.10\arch\ia64\pci\pci.c(11): * Note: Above list of copyright holders is incomplete...
linux-3.10\arch\ia64\pci\pci.c(6): * (c) Copyright 2002, 2005 Hewlett-Packard Development Company, L.P.
linux-3.10\arch\ia64\pci\pci.c(9): * Copyright (C) 2004 Silicon Graphics, Inc.
linux-3.10\arch\ia64\sn\include\ioerror.h(6): * Copyright (C) 1992 - 1997, 2000-2003 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\include\tio.h(6): * Copyright (C) 2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\include\xtalk\hubdev.h(6): * Copyright (C) 1992 - 1997, 2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\include\xtalk\xbow.h(6): * Copyright (C) 1992-1997, 2000-2006 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\include\xtalk\xwidgetdev.h(6): * Copyright (C) 1992-1997, 2000-2003 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\bte.c(6): * Copyright (c) 2000-2007 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\bte_error.c(6): * Copyright (c) 2000-2007 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\huberror.c(6): * Copyright (C) 1992 - 1997, 2000, 2002-2007 Silicon Graphics, Inc. All rights reserved.

legal(ME)

linux-3.10\arch\ia64\sn\kernel\idle.c(6): * Copyright (c) 2001-2004 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\io_acpi_init.c(6): * Copyright (C) 2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\io_common.c(6): * Copyright (C) 2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\io_init.c(6): * Copyright (C) 1992 - 1997, 2000-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\iomv.c(6): * Copyright (C) 2000-2003, 2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\irq.c(8): * Copyright (c) 2000-2008 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\klconflib.c(6): * Copyright (C) 1992 - 1997, 2000-2004 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\machvec.c(6): * Copyright (c) 2002-2003 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\Makefile(7):# Copyright (C) 1999,2001-2006,2008 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\mca.c(6): * Copyright (c) 2000-2006 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\msi_sn.c(6): * Copyright (C) 2006 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\pio_phys.S(6): * Copyright (C) 2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\setup.c(6): * Copyright (C) 1999,2001-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\cache.c(6): * Copyright (C) 2001-2003, 2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\io.c(6): * Copyright (C) 2003 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\Makefile(7):# Copyright (C) 1999,2001-2002 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\prominfo_proc.c(6): * Copyright (C) 1999,2001-2004, 2006 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\ptc_deadlock.S(6): * Copyright (C) 2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\sn_hwperf.c(6): * Copyright (C) 2004-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\sn_proc_fs.c(6): * Copyright (C) 2000-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\sn2_smp.c(8): * Copyright (C) 2000-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\kernel\sn2\timer.c(4): * Copyright (C) 2003 Silicon Graphics, Inc.
linux-3.10\arch\ia64\sn\kernel\sn2\timer.c(5): * Copyright (C) 2003 Hewlett-Packard Co
linux-3.10\arch\ia64\sn\kernel\sn2\timer_interrupt.c(4): * Copyright (c) 2005, 2006 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\arch\ia64\sn\kernel\tiocx.c(6): * Copyright (c) 2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\Makefile(7):# Copyright (C) 2004 Silicon Graphics, Inc. All Rights Reserved.

legal(ME)

linux-3.10\arch\ia64\sn\pci\Makefile(6):# Copyright (C) 2000-2004 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\sn\pci\pci_dma.c(6): * Copyright (C) 2000,2002-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\pci\pcibr\Makefile(6):# Copyright (C) 2002-2004 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\sn\pci\pcibr\pcibr_ate.c(6): * Copyright (C) 2001-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\pci\pcibr\pcibr_dma.c(6): * Copyright (C) 2001-2005 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\pci\pcibr\pcibr_provider.c(6): * Copyright (C) 2001-2004, 2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\pci\pcibr\pcibr_reg.c(6): * Copyright (C) 2004 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\sn\pci\tioca_provider.c(6): * Copyright (C) 2003-2005 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\sn\pci\tioce_provider.c(6): * Copyright (C) 2003-2006 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\uv\kernel\machvec.c(6): * Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\uv\kernel\Makefile(7):# Copyright (C) 2008 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\uv\kernel\setup.c(8): * Copyright (C) 2008 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\ia64\uv\Makefile(7):# Copyright (C) 2008 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\ia64\xen\grant-table.c(4): * Copyright (c) 2006 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\xen\hypercall.S(4): * Copyright (C) 2005 Dan Magenheimer <dan.magenheimer@hp.com>
linux-3.10\arch\ia64\xen\hypercall.S(5): * Copyright (C) 2008 Yaozu (Eddie) Dong <eddie.dong@intel.com>
linux-3.10\arch\ia64\xen\hypervisor.c(4): * Copyright (c) 2006 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\xen\irq_xen.c(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\xen\irq_xen.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\xen\suspend.c(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\xen\time.c(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\xen\time.h(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\xen\xcom_hcall.c(18): *Copyright (c) 2007
linux-3.10\arch\ia64\xen\xen_pv_ops.c(4): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>
linux-3.10\arch\ia64\xen\xencomm.c(2): * Copyright (C) 2006 Hollis Blanchard <hollisb@us.ibm.com>, IBM Corporation
linux-3.10\arch\ia64\xen\xenivt.S(4): * Copyright (C) 2005 Hewlett-Packard Co
linux-3.10\arch\ia64\xen\xenivt.S(7): * Copyright (c) 2008 Isaku Yamahata <yamahata at valinux co jp>

legal(ME)

linux-3.10\arch\ia64\xen\xensetup.S(4): * Copyright (C) 2005 Dan Magenheimer
<dan.magenheimer@hp.com>
linux-3.10\arch\m32r\boot\compressed\head.S(4): *Copyright (c) 2001-2003Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\boot\compressed\head.S(6): *Copyright (c) 2004Hirokazu
Takata
linux-3.10\arch\m32r\boot\compressed\install.sh(9):# Copyright (C) 1995 by Linus
Torvalds
linux-3.10\arch\m32r\boot\setup.S(4): *Copyright (C) 2001-2005 Hiroyuki Kondo,
Hirokazu Takata,
linux-3.10\arch\m32r\include\asm\addrspace.h(6): * Copyright (C) 2001 by Hiroyuki
Kondo
linux-3.10\arch\m32r\include\asm\assembler.h(7): * Copyright (C) 2004Hirokazu
Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\atomic.h(8): *Copyright (C) 2001, 2002Hitoshi
Yamamoto
linux-3.10\arch\m32r\include\asm\atomic.h(9): *Copyright (C) 2004Hirokazu Takata
<takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\barrier.h(6): * Copyright (C) 2001Hiroyuki
Kondo, Hirokazu Takata, and Hitoshi Yamamoto
linux-3.10\arch\m32r\include\asm\barrier.h(7): * Copyright (C) 2004, 2006Hirokazu
Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\bitops.h(10): *Copyright (C) 2001, 2002Hitoshi
Yamamoto
linux-3.10\arch\m32r\include\asm\bitops.h(11): *Copyright (C) 2004Hirokazu Takata
<takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\bitops.h(7): *Copyright 1992, Linus Torvalds.
linux-3.10\arch\m32r\include\asm\cachectl.h(4): * Copyright (C) 2003 by Kazuhiro
Inaoka
linux-3.10\arch\m32r\include\asm\checksum.h(16): *Copyright (C) 2001,
2002Hiroyuki Kondo, Hirokazu Takata
linux-3.10\arch\m32r\include\asm\checksum.h(17): *Copyright (C) 2004Hirokazu
Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\cmpxchg.h(6): *Copyright (C) 2001, 2002Hitoshi
Yamamoto
linux-3.10\arch\m32r\include\asm\cmpxchg.h(7): *Copyright (C) 2004Hirokazu Takata
<takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\dcache_clear.h(6): * Copyright (C) 2001Hiroyuki
Kondo, Hirokazu Takata, and Hitoshi Yamamoto
linux-3.10\arch\m32r\include\asm\dcache_clear.h(7): * Copyright (C) 2004,
2006Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\elf.h(7): * Copyright (C) 1999-2004, Renesas
Technology Corp.
linux-3.10\arch\m32r\include\asm\flat.h(6): * Copyright (C) 2004Kazuhiro Inaoka
linux-3.10\arch\m32r\include\asm\irqflags.h(6): * Copyright (C) 2001Hiroyuki
Kondo, Hirokazu Takata, and Hitoshi Yamamoto
linux-3.10\arch\m32r\include\asm\irqflags.h(7): * Copyright (C) 2004,
2006Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\local.h(10): *Copyright (C) 2007Mathieu
Desnoyers <mathieu.desnoyers@polymtl.ca>
linux-3.10\arch\m32r\include\asm\local.h(8): *Copyright (C) 2001, 2002Hitoshi
Yamamoto

legal(ME)

linux-3.10\arch\m32r\include\asm\local.h(9): *Copyright (C) 2004Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\m32102.h(7): * Copyright (c) 2001Hitoshi Yamamoto
linux-3.10\arch\m32r\include\asm\m32102.h(8): * Copyright (c) 2003, 2004Renesas Technology Corp.
linux-3.10\arch\m32r\include\asm\m32104ut\m32104ut_pld.h(10): * Copyright (c) 2002Takeo Takahashi
linux-3.10\arch\m32r\include\asm\m32104ut\m32104ut_pld.h(11): * Copyright (c) 2005Naoto Sugai
linux-3.10\arch\m32r\include\asm\m32700ut\m32700ut_lan.h(9): * Copyright (c) 2002Takeo Takahashi
linux-3.10\arch\m32r\include\asm\m32700ut\m32700ut_lcd.h(9): * Copyright (c) 2002Takeo Takahashi
linux-3.10\arch\m32r\include\asm\m32700ut\m32700ut_pld.h(9): * Copyright (c) 2002Takeo Takahashi
linux-3.10\arch\m32r\include\asm\m32r.h(7): * Copyright (C) 2003, 2004Renesas Technology Corp.
linux-3.10\arch\m32r\include\asm\m32r_mp_fpga.h(7): * Copyright (c) 2002Hitoshi Yamamoto
linux-3.10\arch\m32r\include\asm\m32r_mp_fpga.h(8): * Copyright (c) 2003, 2004Renesas Technology Corp.
linux-3.10\arch\m32r\include\asm\opspu\opspu_lan.h(9): * Copyright (c) 2002-2004Takeo Takahashi, Mamoru Sakugawa
linux-3.10\arch\m32r\include\asm\opspu\opspu_lcd.h(9): * Copyright (c) 2002Takeo Takahashi
linux-3.10\arch\m32r\include\asm\opspu\opspu_pld.h(9): * Copyright (c) 2002Takeo Takahashi
linux-3.10\arch\m32r\include\asm\processor.h(11): * Copyright (C) 1994Linus Torvalds
linux-3.10\arch\m32r\include\asm\processor.h(12): * Copyright (C) 2001Hiroyuki Kondo, Hirokazu Takata, and Hitoshi Yamamoto
linux-3.10\arch\m32r\include\asm\processor.h(13): * Copyright (C) 2004Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\ptrace.h(9): * Copyright (C) 2001-2002, 2004Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\s1d13806.h(5)://Copyright (c) 2000,2001 Epson Research and Development, Inc.
linux-3.10\arch\m32r\include\asm\spinlock.h(8): *Copyright (C) 2001, 2002Hitoshi Yamamoto
linux-3.10\arch\m32r\include\asm\spinlock.h(9): *Copyright (C) 2004Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\switch_to.h(6): * Copyright (C) 2001Hiroyuki Kondo, Hirokazu Takata, and Hitoshi Yamamoto
linux-3.10\arch\m32r\include\asm\switch_to.h(7): * Copyright (C) 2004, 2006Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\thread_info.h(6): * Copyright (C) 2002David Howells (dhowells@redhat.com)
linux-3.10\arch\m32r\include\asm\thread_info.h(8): * Copyright (C) 2004Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\include\asm\uaccess.h(8): *Copyright (C) 2004, 2006Hirokazu Takata <takata at linux-m32r.org>

legal(ME)

linux-3.10\arch\m32r\include\uapi\asm\ptrace.h(9): * Copyright (C) 2001-2002, 2004Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\kernel\align.c(4): * Copyright (c) 2003 Hitoshi Yamamoto
linux-3.10\arch\m32r\kernel\entry.S(4): *Copyright (c) 2001, 2002Hirokazu Takata, Hitoshi Yamamoto, H. Kondo
linux-3.10\arch\m32r\kernel\entry.S(5): *Copyright (c) 2003Hitoshi Yamamoto
linux-3.10\arch\m32r\kernel\entry.S(6): *Copyright (c) 2004Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\kernel\entry.S(9): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\m32r\kernel\head.S(6): *Copyright (c) 2001, 2002Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\kernel\irq.c(11): *Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar
linux-3.10\arch\m32r\kernel\irq.c(4): *Copyright (c) 2003, 2004Hitoshi Yamamoto
linux-3.10\arch\m32r\kernel\irq.c(5): *Copyright (c) 2004Hirokazu Takata <takata at linux-m32r.org>
linux-3.10\arch\m32r\kernel\process.c(4): *Copyright (c) 2001, 2002Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\kernel\process.c(7): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\m32r\kernel\process.c(8): *SuperH version:Copyright (C) 1999, 2000Niibe Yutaka & Kaz Kojima
linux-3.10\arch\m32r\kernel\ptrace.c(12): * Copyright (C) 1999, 2000Kaz Kojima & Niibe Yutaka
linux-3.10\arch\m32r\kernel\ptrace.c(14): * Copyright (C) 2000 Russell King
linux-3.10\arch\m32r\kernel\ptrace.c(4): * Copyright (C) 2002Hirokazu Takata, Takeo Takahashi
linux-3.10\arch\m32r\kernel\ptrace.c(5): * Copyright (C) 2004Hirokazu Takata, Kei Sakamoto
linux-3.10\arch\m32r\kernel\setup.c(6): *Copyright (c) 2001, 2002Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\kernel\signal.c(4): *Copyright (c) 2003Hitoshi Yamamoto
linux-3.10\arch\m32r\kernel\signal.c(7): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\m32r\kernel\smp.c(6): *Copyright (c) 2001, 2002Hitoshi Yamamoto
linux-3.10\arch\m32r\kernel\smpboot.c(7): *Copyright (c) 2001, 2002, 2003Hitoshi Yamamoto
linux-3.10\arch\m32r\kernel\time.c(14): *Copyright (C) 1999Tetsuya Okada & Niibe Yutaka
linux-3.10\arch\m32r\kernel\time.c(15): *Copyright (C) 2000Philipp Rumpf <prumpf@tux.org>
linux-3.10\arch\m32r\kernel\time.c(4): *Copyright (c) 2001, 2002Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\kernel\time.c(7): *Copyright (C) 1991, 1992, 1995Linus Torvalds
linux-3.10\arch\m32r\kernel\time.c(8): *Copyright (C) 1996, 1997, 1998Ralf Baechle
linux-3.10\arch\m32r\kernel\traps.c(4): *Copyright (C) 2001, 2002Hirokazu Takata, Hiroyuki Kondo,
linux-3.10\arch\m32r\lib\ashxdi3.S(4): * Copyright (C) 2001,2002Hiroyuki Kondo, and Hirokazu Takata
linux-3.10\arch\m32r\lib\csum_partial_copy.c(13): * Copyright (C) 1994, 1995Waldorf Electronics GmbH
linux-3.10\arch\m32r\lib\csum_partial_copy.c(14): * Copyright (C) 1998, 1999Ralf

legal(ME)

Baechle

linux-3.10\arch\m32r\lib\csum_partial_copy.c(15): * Copyright (C)
2001-2005Hiroyuki Kondo, Hirokazu Takata
linux-3.10\arch\m32r\lib\delay.c(4): * Copyright (c) 2002Hitoshi Yamamoto,
Hirokazu Takata
linux-3.10\arch\m32r\lib\delay.c(5): * Copyright (c) 2004Hirokazu Takata
linux-3.10\arch\m32r\lib\memcpy.S(4): *Copyright (C) 2001Hiroyuki Kondo, and
Hirokazu Takata
linux-3.10\arch\m32r\lib\memcpy.S(5): *Copyright (C) 2004Hirokazu Takata
linux-3.10\arch\m32r\lib\memset.S(4): *Copyright (C) 2001,2002Hiroyuki Kondo, and
Hirokazu Takata
linux-3.10\arch\m32r\lib\memset.S(5): *Copyright (C) 2004Hirokazu Takata
linux-3.10\arch\m32r\lib\strlen.S(4): *Copyright (C) 2001Hirokazu Takata
linux-3.10\arch\m32r\lib\usercopy.c(5): * Copyright 1997 Andi Kleen <ak@muc.de>
linux-3.10\arch\m32r\lib\usercopy.c(6): * Copyright 1997 Linus Torvalds
linux-3.10\arch\m32r\lib\usercopy.c(7): * Copyright 2001, 2002, 2004 Hirokazu
Takata
linux-3.10\arch\m32r\mm\cache.c(4): *Copyright (C) 2002-2005Hirokazu Takata,
Hayato Fujiwara
linux-3.10\arch\m32r\mm\discontig.c(6): *Copyright (c) 2003Hitoshi Yamamoto
linux-3.10\arch\m32r\mm\fault.c(4): *Copyright (c) 2001, 2002Hitoshi Yamamoto,
and H. Kondo
linux-3.10\arch\m32r\mm\fault.c(5): *Copyright (c) 2004Naoto Sugai, NIIBE Yutaka
linux-3.10\arch\m32r\mm\fault.c(8): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\m32r\mm\fault-nommu.c(4): *Copyright (c) 2001, 2002Hitoshi
Yamamoto, and H. Kondo
linux-3.10\arch\m32r\mm\fault-nommu.c(7): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\m32r\mm\init.c(4): *Copyright (c) 2001, 2002Hitoshi Yamamoto
linux-3.10\arch\m32r\mm\init.c(7): *Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\m32r\mm\init.c(9): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\m32r\mm\ioremap.c(4): *Copyright (c) 2001, 2002Hiroyuki Kondo
linux-3.10\arch\m32r\mm\ioremap.c(7): *(C) Copyright 1995 1996 Linus Torvalds
linux-3.10\arch\m32r\mm\ioremap.c(8): *(C) Copyright 2001 Ralf Baechle
linux-3.10\arch\m32r\mm\ioremap-nommu.c(4): *Copyright (c) 2001, 2002Hiroyuki
Kondo
linux-3.10\arch\m32r\mm\ioremap-nommu.c(7): *(C) Copyright 1995 1996 Linus
Torvalds
linux-3.10\arch\m32r\mm\ioremap-nommu.c(8): *(C) Copyright 2001 Ralf Baechle
linux-3.10\arch\m32r\mm\mmu.S(4): *Copyright (C) 2001 by Hiroyuki Kondo
linux-3.10\arch\m32r\mm\page.S(6): *Copyright (C) 2004The Free Software
Initiative of Japan
linux-3.10\arch\m32r\oprofile\init.c(4): * @remark Copyright 2002 OProfile
authors
linux-3.10\arch\m32r\platforms\m32104ut\io.c(6): *Copyright (c) 2001-2005Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\m32104ut\setup.c(6): *Copyright (c)
2002-2005Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\m32700ut\io.c(6): *Copyright (c) 2001-2005Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\m32700ut\setup.c(6): *Copyright (c)
2002-2005Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\mappi\io.c(6): *Copyright (c) 2001-2005Hiroyuki

legal(ME)

Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\mappi\setup.c(6): *Copyright (c) 2001-2005Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\mappi2\io.c(6): *Copyright (c) 2001-2005Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\mappi2\setup.c(6): *Copyright (c)
2001-2005Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\mappi3\io.c(6): *Copyright (c) 2001-2005Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\mappi3\setup.c(6): *Copyright (c)
2001-2005Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\oaks32r\io.c(6): *Copyright (c) 2001-2005Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\oaks32r\setup.c(6): *Copyright (c)
2002-2005Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\opsp\io.c(6): *Copyright (c) 2001-2005Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\opsp\setup.c(6): *Copyright (c) 2002-2005
linux-3.10\arch\m32r\platforms\usrv\io.c(6): *Copyright (c) 2001-2005Hiroyuki
Kondo, Hirokazu Takata,
linux-3.10\arch\m32r\platforms\usrv\setup.c(6): *Copyright (c) 2001, 2002,
2003Hiroyuki Kondo, Hirokazu Takata,
linux-3.10\arch\m68k\amiga\cia.c(4): *Copyright (C) 1996 Roman Zippel
linux-3.10\arch\m68k\amiga\config.c(4): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\arch\m68k\amiga\pcmcia.c(6):** Copyright 1997 by Alain Malek
linux-3.10\arch\m68k\amiga\platform.c(2): *Copyright (C) 2007-2009 Geert
Uytterhoeven
linux-3.10\arch\m68k\atari\config.c(4): *Copyright (C) 1994 Bjoern Brauel
linux-3.10\arch\m68k\atari\stdma.c(4): *Copyright (C) 1994 Roman Hodek
linux-3.10\arch\m68k\atari\stram.c(4): * Copyright 1994-97 Roman Hodek
<Roman.Hodek@informatik.uni-erlangen.de>
linux-3.10\arch\m68k\bvme6000\config.c(10): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\arch\m68k\bvme6000\config.c(4): *Copyright (C) 1997 Richard Hirst
[richard@sleepie.demon.co.uk]
linux-3.10\arch\m68k\emu\natfeat.c(4): * Copyright (c) 2005 Petr Stehlik of
ARAnyM dev team
linux-3.10\arch\m68k\emu\nfeth.c(4): * Copyright (c) 2005 Milan Jurik, Petr
Stehlik of ARAnyM dev team
linux-3.10\arch\m68k\fbsp040\bindec.S(131):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\binstr.S(60):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\bugfix.S(152):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\decbin.S(69):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\do_func.S(22):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\fbsp.h(5):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\gen_except.S(29):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\get_op.S(54):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\kernel_ex.S(12):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\README(6):M68040 Software Package Copyright (c)
1993, 1994 Motorola Inc.
linux-3.10\arch\m68k\fbsp040\res_func.S(16):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\round.S(8):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fbsp040\sacos.S(38):|Copyright (C) Motorola, Inc. 1990

legal(ME)

linux-3.10\arch\m68k\fsp040\sasin.S(38):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\satan.S(43):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\satanh.S(45):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\scale.S(21):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\scosh.S(49):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\setox.S(331):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\sgetem.S(24):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\sint.S(51):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\skeleton.S(30):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\slog2.S(96):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\slogn.S(63):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\smovecr.S(15):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\srem_mod.S(66):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\ssin.S(83):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\ssinh.S(49):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\stan.S(50):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\stanh.S(49):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\sto_res.S(19):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\stwotox.S(76):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\tbldo.S(17):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\util.S(16):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_bsun.S(13):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_fline.S(13):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_operr.S(43):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_ovfl.S(35):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_snan.S(22):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_store.S(11):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_unfl.S(21):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_unimp.S(22):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\fsp040\x_unsupp.S(23):|Copyright (C) Motorola, Inc. 1990
linux-3.10\arch\m68k\hp300\config.c(4): *Copyright (C) 1998 Philip Blundell
<philb@gnu.org>
linux-3.10\arch\m68k\hp300\reboot.S(4): *Copyright (C) 1998 Philip Blundell
<philb@gnu.org>
linux-3.10\arch\m68k\hp300\time.c(4): *Copyright (C) 1998 Philip Blundell
<philb@gnu.org>
linux-3.10\arch\m68k\ifpsp060\CHANGES(7):M68060 Software Package Copyright ヽ
1993, 1994 Motorola Inc.All rights reserved.
linux-3.10\arch\m68k\ifpsp060\fpisp.doc(7):M68060 Software Package Copyright ヽ
1993, 1994 Motorola Inc.All rights reserved.
linux-3.10\arch\m68k\ifpsp060\fsp.doc(7):M68060 Software Package Copyright ヽ
1993, 1994 Motorola Inc.All rights reserved.
linux-3.10\arch\m68k\ifpsp060\fskeleton.S(7):|M68060 Software Package Copyright
ヽ 1993, 1994 Motorola Inc.All rights reserved.
linux-3.10\arch\m68k\ifpsp060\ilisp.doc(7):M68060 Software Package Copyright ヽ
1993, 1994 Motorola Inc.All rights reserved.
linux-3.10\arch\m68k\ifpsp060\iskeleton.S(7):|M68060 Software Package Copyright
ヽ 1993, 1994 Motorola Inc.All rights reserved.
linux-3.10\arch\m68k\ifpsp060\isp.doc(7):M68060 Software Package Copyright ヽ
1993, 1994 Motorola Inc.All rights reserved.
linux-3.10\arch\m68k\ifpsp060\MISC(7):M68060 Software Package Copyright ヽ 1993,
1994 Motorola Inc.All rights reserved.

legal(ME)

linux-3.10\arch\m68k\ifpsp060\os.S(7):|M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\README(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\src\fp1sp.S(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\src\fpsp.S(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\src\ftest.S(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\src\ilsp.S(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\src\isp.S(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\src\itest.S(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\src\pfpsp.S(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\ifpsp060\TEST.DOC(7):M68060 Software Package Copyright 1993, 1994 Motorola Inc.All rights reserved.

linux-3.10\arch\m68k\include\asm\a.out-core.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\m68k\include\asm\amigahw.h(7):** Copyright 1992 by Greg Harp

linux-3.10\arch\m68k\include\asm\amigaints.h(4):** Copyright 1992 by Greg Harp

linux-3.10\arch\m68k\include\asm\amigayle.h(8):** Copyright 1997 by Alain Malek

linux-3.10\arch\m68k\include\asm\amipcmcia.h(4):** Copyright 1997 by Alain Malek

linux-3.10\arch\m68k\include\asm\atarihw.h(5):** Copyright 1994 by Bjørn Brauel

linux-3.10\arch\m68k\include\asm\atariints.h(4):** Copyright 1994 by Bjørn Brauel

linux-3.10\arch\m68k\include\asm\atarikb.h(6):** Copyright 1994 by Robert de Vries

linux-3.10\arch\m68k\include\asm\bitops.h(4): * Copyright 1992, Linus Torvalds.

linux-3.10\arch\m68k\include\asm\bootinfo.h(4):** Copyright 1992 by Greg Harp

linux-3.10\arch\m68k\include\asm\bugs.h(4): *Copyright (C) 1994Linus Torvalds

linux-3.10\arch\m68k\include\asm\cacheflush_no.h(5): * (C) Copyright 2000-2010, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\m68k\include\asm\coldfire.h(6): *(C) Copyright 1999-2006, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\m68k\include\asm\coldfire.h(7): *(C) Copyright 2000, Lineo (www.lineo.com)

linux-3.10\arch\m68k\include\asm\commproc.h(4): * Copyright (c) 2000 Michael Leslie <mleslie@lineo.com> (mc68360) after:

linux-3.10\arch\m68k\include\asm\commproc.h(5): * Copyright (c) 1997 Dan Malek <dmalek@jlc.net> (mpc8xx)

linux-3.10\arch\m68k\include\asm\contregs.h(7): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)

linux-3.10\arch\m68k\include\asm\delay.h(7): * Copyright (C) 1994 Hamish Macdonald

linux-3.10\arch\m68k\include\asm\delay.h(8): * Copyright (C) 2004 Greg Ungerer <gerg@uclinux.com>

linux-3.10\arch\m68k\include\asm\dsp56k.h(5): * Copyright (C) 1996,1997 Fredrik Noring, lars brinkhoff & Tomas Berndtsson

legal(ME)

linux-3.10\arch\m68k\include\asm\dvma.h(4): * Copyright 1995 (C) David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\include\asm\floppy.h(10): * Copyright (C) 1999, 2000, 2001
linux-3.10\arch\m68k\include\asm\gpio.h(4): * (C) Copyright 2009, Steven King <sfking@fdwdc.com>
linux-3.10\arch\m68k\include\asm\ide.h(2): *Copyright (C) 1994-1996Linus Torvalds & authors
linux-3.10\arch\m68k\include\asm\ide.h(5):/* Copyright(c) 1996 Kars de Jong */
linux-3.10\arch\m68k\include\asm\idprom.h(6): * Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\include\asm\m5206sim.h(6): *(C) Copyright 1999, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\m5206sim.h(7): * (C) Copyright 2000, Lineo Inc. (www.lineo.com)
linux-3.10\arch\m68k\include\asm\m520xsim.h(6): *(C) Copyright 2005, Intec Automation (mike@steroidmicros.com)
linux-3.10\arch\m68k\include\asm\m523xsim.h(6): *(C) Copyright 2003-2005, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\include\asm\m525xsim.h(6): *(C) Copyright 2012, Steven king <sfking@fdwdc.com>
linux-3.10\arch\m68k\include\asm\m525xsim.h(7): *(C) Copyright 2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\m5272sim.h(6): *(C) Copyright 1999, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\m5272sim.h(7): * (C) Copyright 2000, Lineo Inc. (www.lineo.com)
linux-3.10\arch\m68k\include\asm\m527xsim.h(6): *(C) Copyright 2004, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\m528xsim.h(6): *(C) Copyright 2003, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\m52xxacr.h(6): * (C) Copyright 2010, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\include\asm\m5307sim.h(6): *(C) Copyright 1999,Moreton Bay Ventures Pty Ltd.
linux-3.10\arch\m68k\include\asm\m5307sim.h(7): *(C) Copyright 1999,Lineo (www.lineo.com)
linux-3.10\arch\m68k\include\asm\m53xxacr.h(6): * (C) Copyright 2010, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\include\asm\m5407sim.h(6): *(C) Copyright 2000,Lineo (www.lineo.com)
linux-3.10\arch\m68k\include\asm\m5407sim.h(7): *(C) Copyright 1999,Moreton Bay Ventures Pty Ltd.
linux-3.10\arch\m68k\include\asm\m5441xsim.h(4): *(C) Copyright 2012, Steven King <sfking@fdwdc.com>
linux-3.10\arch\m68k\include\asm\m54xxpci.h(6): *(C) Copyright 2011,Greg Ungerer <gerg@uclinux.org>
linux-3.10\arch\m68k\include\asm\mac_iop.h(5): * The original header from which this was taken is copyrighted. I've done some
linux-3.10\arch\m68k\include\asm\machines.h(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\include\asm\machw.h(5):** Copyright 1997 by Michael Schmitz
linux-3.10\arch\m68k\include\asm\macints.h(4):** Copyright 1997 by Michael

legal(ME)

Schmitz

linux-3.10\arch\m68k\include\asm\Mc68328.h(4): * Copyright (C) 1999Vladimir Gurevich <vgurevic@cisco.com>
linux-3.10\arch\m68k\include\asm\Mc68328.h(8): * Copyright (C) 1998Kenneth Albanowski <kjahds@kjahds.com>,
linux-3.10\arch\m68k\include\asm\Mc68EZ328.h(4): * Copyright (C) 1999Vladimir Gurevich <vgurevic@cisco.com>
linux-3.10\arch\m68k\include\asm\Mc68EZ328.h(8): * Copyright (C) 1998Kenneth Albanowski <kjahds@kjahds.com>,
linux-3.10\arch\m68k\include\asm\Mc68VZ328.h(4): * Copyright (c) 2000-2001Lineo Inc. <www.lineo.com>
linux-3.10\arch\m68k\include\asm\Mc68VZ328.h(5): * Copyright (c) 2000-2001Lineo Canada Corp. <www.lineo.ca>
linux-3.10\arch\m68k\include\asm\Mc68VZ328.h(6): * Copyright (C) 1999Vladimir Gurevich <vgurevic@cisco.com>
linux-3.10\arch\m68k\include\asm\Mc68VZ328.h(9): * Copyright (C) 1998Kenneth Albanowski <kjahds@kjahds.com>,
linux-3.10\arch\m68k\include\asm\mcf8390.h(6): *(C) Copyright 1999-2000, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\mcf8390.h(7): *(C) Copyright 2000,Lineo (www.lineo.com)
linux-3.10\arch\m68k\include\asm\mcf8390.h(8): *(C) Copyright 2001,SnapGear (www.snapgear.com)
linux-3.10\arch\m68k\include\asm\mcfdma.h(6): *(C) Copyright 1999, Rob Scott (rscott@mtrob.ml.org)
linux-3.10\arch\m68k\include\asm\mcfgpio.h(4): * (C) Copyright 2009, Steven King <sfking@fdwdc.com>
linux-3.10\arch\m68k\include\asm\mcfintc.h(7): * (C) Copyright 2009,Greg Ungerer <gerg@uclinux.org>
linux-3.10\arch\m68k\include\asm\mcfmmu.h(4): *(C) Copyright 2011,Greg Ungerer <gerg@uclinux.org>
linux-3.10\arch\m68k\include\asm\mcfpit.h(6): *(C) Copyright 2003, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\mcfqspi.h(4): * Copyright 2010 Steven King <sfking@fdwdc.com>
linux-3.10\arch\m68k\include\asm\mcfsim.h(6): *(C) Copyright 1999-2003, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\mcfsim.h(7): * (C) Copyright 2000, Lineo Inc. (www.lineo.com)
linux-3.10\arch\m68k\include\asm\mcfslt.h(6): *(C) Copyright 2004, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\mcfslt.h(7): *(C) Copyright 2009, Philippe De Muyter (phdm@macqel.be)
linux-3.10\arch\m68k\include\asm\mcftimer.h(6): *(C) Copyright 1999-2006, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\include\asm\mcftimer.h(7): * (C) Copyright 2000, Lineo Inc. (www.lineo.com)
linux-3.10\arch\m68k\include\asm\mcfuart.h(6): *(C) Copyright 1999-2003, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\include\asm\mcfuart.h(7): * (C) Copyright 2000, Lineo Inc. (www.lineo.com)
linux-3.10\arch\m68k\include\asm\mcfwdebug.h(6): * (C) Copyright 2001, Lineo Inc.

legal(ME)

(www.lineo.com)

linux-3.10\arch\m68k\include\asm\natfeat.h(4): * Copyright (c) 2005 Petr Stehlik of ARAnyM dev team
linux-3.10\arch\m68k\include\asm\nettel.h(6): *(C) Copyright 1999-2000, Moreton Bay (www.moretonbay.com)
linux-3.10\arch\m68k\include\asm\nettel.h(7): * (C) Copyright 2000-2001, Lineo Inc. (www.lineo.com)
linux-3.10\arch\m68k\include\asm\nettel.h(8): * (C) Copyright 2001-2002, SnapGear Inc., (www.snapgear.com)
linux-3.10\arch\m68k\include\asm\openprom.h(7): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\include\asm\oplib.h(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\include\asm\parport.h(4): * Copyright (C) 1999, 2000Tim Waugh <tim@cyberelk.demon.co.uk>
linux-3.10\arch\m68k\include\asm\pgtable_no.h(7): * (C) Copyright 2000-2002, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\include\asm\processor.h(4): * Copyright (C) 1995 Hamish Macdonald
linux-3.10\arch\m68k\include\asm\rtc.h(3): * Copyright Richard Zidlicky
linux-3.10\arch\m68k\include\asm\setup.h(4):** Copyright 1992 by Greg Harp
linux-3.10\arch\m68k\include\asm\sun3xflop.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\include\asm\traps.h(4): *Copyright (C) 1993Hamish Macdonald
linux-3.10\arch\m68k\include\uapi\asm\setup.h(4):** Copyright 1992 by Greg Harp
linux-3.10\arch\m68k\install.sh(7):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\m68k\kernel\entry.S(5): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\m68k\kernel\head.S(6):** Copyright 1993 by Hamish Macdonald
linux-3.10\arch\m68k\kernel\irq.c(4): * (C) Copyright 2007, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\kernel\pcibios.c(9): * (C) Copyright 2011, Greg Ungerer <gerg@uclinux.org>
linux-3.10\arch\m68k\kernel\process.c(4): *Copyright (C) 1995Hamish Macdonald
linux-3.10\arch\m68k\kernel\ptrace.c(4): *Copyright (C) 1994 by Hamish Macdonald
linux-3.10\arch\m68k\kernel\setup_mm.c(4): *Copyright (C) 1995Hamish Macdonald
linux-3.10\arch\m68k\kernel\setup_no.c(10): *Copyright (C) 2001Lineo, Inc. <www.lineo.com>
linux-3.10\arch\m68k\kernel\setup_no.c(4): *Copyright (C) 1999-2007Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\kernel\setup_no.c(5): *Copyright (C) 1998,1999D. Jeff Dionne <jeff@uclinux.org>
linux-3.10\arch\m68k\kernel\setup_no.c(7): *Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>
linux-3.10\arch\m68k\kernel\setup_no.c(8): *Copyright (C) 1995 Hamish Macdonald
linux-3.10\arch\m68k\kernel\setup_no.c(9): *Copyright (C) 2000 Lineo Inc. (www.lineo.com)
linux-3.10\arch\m68k\kernel\signal.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\m68k\kernel\syscalltable.S(2): *Copyright (C) 2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\kernel\syscalltable.S(6): *Copyright (C) 1998D. Jeff Dionne <jeff@lineo.ca>,
linux-3.10\arch\m68k\kernel\syscalltable.S(8): *Copyright (C) 2000Lineo Inc.

legal(ME)

(www.lineo.com)

linux-3.10\arch\m68k\kernel\syscalltable.S(9): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\m68k\kernel\time.c(4): *Copyright (C) 1991, 1992, 1995 Linus Torvalds
linux-3.10\arch\m68k\kernel\traps.c(4): *Copyright (C) 1993, 1994 by Hamish Macdonald
linux-3.10\arch\m68k\kernel\vectors.c(4): *Copyright (C) 1993, 1994 by Hamish Macdonald
linux-3.10\arch\m68k\kernel\vmlinux-nommu.lds(4): *(C) Copyright 2002-2012, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\lib\ashldi3.c(2):/* Copyright (C) 1989, 92-98, 1999 Free Software Foundation, Inc.
linux-3.10\arch\m68k\lib\ashrdi3.c(2):/* Copyright (C) 1989, 1992, 1993, 1994, 1995 Free Software Foundation, Inc.
linux-3.10\arch\m68k\lib\divsi3.S(2): Copyright (C) 1994, 1996, 1997, 1998 Free Software Foundation, Inc.
linux-3.10\arch\m68k\lib\lshrdi3.c(2):/* Copyright (C) 1989, 1992, 1993, 1994, 1995 Free Software Foundation, Inc.
linux-3.10\arch\m68k\lib\modsi3.S(2): Copyright (C) 1994, 1996, 1997, 1998 Free Software Foundation, Inc.
linux-3.10\arch\m68k\lib\muldi3.c(3):/* Copyright (C) 1989, 1992, 1993, 1994, 1995 Free Software Foundation, Inc.
linux-3.10\arch\m68k\lib\mulsi3.S(2): Copyright (C) 1994, 1996, 1997, 1998 Free Software Foundation, Inc.
linux-3.10\arch\m68k\lib\udivsi3.S(2): Copyright (C) 1994, 1996, 1997, 1998 Free Software Foundation, Inc.
linux-3.10\arch\m68k\lib\umodsi3.S(2): Copyright (C) 1994, 1996, 1997, 1998 Free Software Foundation, Inc.
linux-3.10\arch\m68k\mac\iop.c(38): * 990612 (jmt) - Copyright notice added. Reworked the way replies are handled.
linux-3.10\arch\m68k\Makefile(13):# Copyright (C) 1994 by Hamish Macdonald
linux-3.10\arch\m68k\Makefile(14):# Copyright (C) 2002,2011 Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\math-emu\fp_arith.c(6): Copyright (c) 1998-1999 David Huggins-Daines.
linux-3.10\arch\m68k\math-emu\fp_arith.h(6): Copyright (c) 1998 David Huggins-Daines.
linux-3.10\arch\m68k\math-emu\fp_cond.S(23): * the restrictions contained in a BSD-style copyright.)
linux-3.10\arch\m68k\math-emu\fp_cond.S(4): * Copyright Roman Zippel, 1997. All rights reserved.
linux-3.10\arch\m68k\math-emu\fp_decode.h(23): * the restrictions contained in a BSD-style copyright.)
linux-3.10\arch\m68k\math-emu\fp_decode.h(4): * Copyright Roman Zippel, 1997. All rights reserved.
linux-3.10\arch\m68k\math-emu\fp_emu.h(23): * the restrictions contained in a BSD-style copyright.)
linux-3.10\arch\m68k\math-emu\fp_emu.h(4): * Copyright Roman Zippel, 1997. All rights reserved.
linux-3.10\arch\m68k\math-emu\fp_entry.S(23): * the restrictions contained in a BSD-style copyright.)

legal(ME)

linux-3.10\arch\m68k\math-emu\fp_entry.S(4): * Copyright Roman Zippel, 1997. All rights reserved.

linux-3.10\arch\m68k\math-emu\fp_log.c(6): Copyright (c) 1998-1999 David Huggins-Daines / Roman Zippel.

linux-3.10\arch\m68k\math-emu\fp_move.S(23): * the restrictions contained in a BSD-style copyright.)

linux-3.10\arch\m68k\math-emu\fp_move.S(4): * Copyright Roman Zippel, 1997. All rights reserved.

linux-3.10\arch\m68k\math-emu\fp_movem.S(23): * the restrictions contained in a BSD-style copyright.)

linux-3.10\arch\m68k\math-emu\fp_movem.S(4): * Copyright Roman Zippel, 1997. All rights reserved.

linux-3.10\arch\m68k\math-emu\fp_scan.S(23): * the restrictions contained in a BSD-style copyright.)

linux-3.10\arch\m68k\math-emu\fp_scan.S(4): * Copyright Roman Zippel, 1997. All rights reserved.

linux-3.10\arch\m68k\math-emu\fp_trig.c(6): Copyright (c) 1998-1999 David Huggins-Daines / Roman Zippel.

linux-3.10\arch\m68k\math-emu\fp_trig.h(6): Copyright (c) 1998 David Huggins-Daines.

linux-3.10\arch\m68k\math-emu\fp_util.S(23): * the restrictions contained in a BSD-style copyright.)

linux-3.10\arch\m68k\math-emu\fp_util.S(4): * Copyright Roman Zippel, 1997. All rights reserved.

linux-3.10\arch\m68k\mm\cache.c(6): * Copyright (C) 1995 Hamish Macdonald

linux-3.10\arch\m68k\mm\fault.c(4): * Copyright (C) 1995 Hamish Macdonald

linux-3.10\arch\m68k\mm\init.c(4): * Copyright (C) 1995 Hamish Macdonald

linux-3.10\arch\m68k\mm\kmap.c(4): * Copyright (C) 1997 Roman Hodek

linux-3.10\arch\m68k\mm\mcfmmu.c(7): * Copyright (c) 2008 Freescale Semiconductor, Inc.

linux-3.10\arch\m68k\mm\memory.c(4): * Copyright (C) 1995 Hamish Macdonald

linux-3.10\arch\m68k\mm\motorola.c(6): * which are Copyright (C) 1995 Hamish Macdonald

linux-3.10\arch\m68k\mm\sun3kmap.c(4): * Copyright (C) 2002 Sam Creasey <sammy@sammy.net>

linux-3.10\arch\m68k\mvme147\config.c(4): * Copyright (C) 1996 Dave Frascione [chaos@mindspring.com]

linux-3.10\arch\m68k\mvme147\config.c(9): * Copyright (C) 1993 Hamish Macdonald

linux-3.10\arch\m68k\mvme16x\config.c(10): * Copyright (C) 1993 Hamish Macdonald

linux-3.10\arch\m68k\mvme16x\config.c(4): * Copyright (C) 1995 Richard Hirst [richard@sleepie.demon.co.uk]

linux-3.10\arch\m68k\platform\68000\entry.S(4): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\m68k\platform\68000\ints.c(8): * Copyright 1996 Roman Zippel

linux-3.10\arch\m68k\platform\68000\ints.c(9): * Copyright 1999 D. Jeff Dionne <jeff@rt-control.com>

linux-3.10\arch\m68k\platform\68000\m68328.c(6): * Copyright (C) 1993 Hamish Macdonald

linux-3.10\arch\m68k\platform\68000\m68328.c(7): * Copyright (C) 1999 D. Jeff Dionne

linux-3.10\arch\m68k\platform\68000\m68EZ328.c(6): * Copyright (C) 1993 Hamish Macdonald

legal(ME)

linux-3.10\arch\m68k\platform\68000\m68EZ328.c(7): *Copyright (C) 1999 D. Jeff Dionne
linux-3.10\arch\m68k\platform\68000\m68VZ328.c(6): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\arch\m68k\platform\68000\m68VZ328.c(7): *Copyright (C) 1999 D. Jeff Dionne
linux-3.10\arch\m68k\platform\68000\m68VZ328.c(8): *Copyright (C) 2001 Georges Menie, Ken Desmet
linux-3.10\arch\m68k\platform\68000\romvec.S(10): * Copyright 2006 Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\platform\68000\romvec.S(8): * Copyright 1996 Roman Zippel
linux-3.10\arch\m68k\platform\68000\romvec.S(9): * Copyright 1999 D. Jeff Dionne <jeff@rt-control.com>
linux-3.10\arch\m68k\platform\68000\timers.c(6): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\arch\m68k\platform\68000\timers.c(7): *Copyright (C) 1999 D. Jeff Dionne
linux-3.10\arch\m68k\platform\68000\timers.c(8): *Copyright (C) 2001 Georges Menie, Ken Desmet
linux-3.10\arch\m68k\platform\68360\commproc.c(5): * Copyright (c) 2000 Michael Leslie <mleslie@lineo.com>
linux-3.10\arch\m68k\platform\68360\commproc.c(6): * Copyright (c) 1997 Dan Malek (dmalek@jlc.net)
linux-3.10\arch\m68k\platform\68360\config.c(4): *Copyright (c) 2000 Michael Leslie <mleslie@lineo.com>
linux-3.10\arch\m68k\platform\68360\config.c(5): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\arch\m68k\platform\68360\config.c(6): *Copyright (C) 1999 D. Jeff Dionne <jeff@uclinux.org>
linux-3.10\arch\m68k\platform\68360\entry.S(4): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\m68k\platform\68360\entry.S(5): *Copyright (C) 2001 SED Systems, a Division of Calian Ltd.
linux-3.10\arch\m68k\platform\68360\head-ram.S(11): * Copyright (C) 1998D. Jeff Dionne <jeff@uclinux.org>,
linux-3.10\arch\m68k\platform\68360\head-ram.S(5): * Copyright 2001 (C) SED Systems, a Division of Calian Ltd.
linux-3.10\arch\m68k\platform\68360\head-ram.S(9): * Copyright (C) Michael Leslie <mleslie@lineo.com>
linux-3.10\arch\m68k\platform\68360\head-rom.S(11): * Copyright (C) 1998D. Jeff Dionne <jeff@uclinux.org>,
linux-3.10\arch\m68k\platform\68360\head-rom.S(5): * Copyright (C) SED Systems, a Division of Calian Ltd.
linux-3.10\arch\m68k\platform\68360\head-rom.S(9): * Copyright (C) Michael Leslie <mleslie@lineo.com>
linux-3.10\arch\m68k\platform\68360\ints.c(10): * Copyright (c) 1999 D. Jeff Dionne <jeff@uclinux.org>
linux-3.10\arch\m68k\platform\68360\ints.c(8): * Copyright (c) 2000Michael Leslie <mleslie@lineo.com>
linux-3.10\arch\m68k\platform\68360\ints.c(9): * Copyright (c) 1996 Roman Zippel
linux-3.10\arch\m68k\platform\coldfire\cache.c(6): *Copyright (C) 2010, Greg Ungerer (gerg@snapgear.com)

legal(ME)

linux-3.10\arch\m68k\platform\coldfire\clk.c(6): *Copyright (C) 2009, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\m68k\platform\coldfire\device.c(4): * (C) Copyright 2011, Greg Ungerer <gerg@uclinux.org>

linux-3.10\arch\m68k\platform\coldfire\dma.c(6): *Copyright (C) 2007, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\m68k\platform\coldfire\dma_timer.c(4): * Copyright (C) 2007, Benedikt Spranger <b.spranger@linutronix.de>

linux-3.10\arch\m68k\platform\coldfire\dma_timer.c(5): * Copyright (C) 2008. Sebastian Siewior, Linutronix

linux-3.10\arch\m68k\platform\coldfire\entry.S(14): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\arch\m68k\platform\coldfire\entry.S(4): *Copyright (C) 1999-2007, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\m68k\platform\coldfire\entry.S(5): *Copyright (C) 1998D. Jeff Dionne <jeff@lineo.ca> ,

linux-3.10\arch\m68k\platform\coldfire\entry.S(7): *Copyright (C) 2000Lineo Inc. (www.lineo.com)

linux-3.10\arch\m68k\platform\coldfire\entry.S(8): *Copyright (C) 2004-2006Macq Electronique SA. (www.macqel.com)

linux-3.10\arch\m68k\platform\coldfire\firebee.c(6): *Copyright (C) 2011, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\m68k\platform\coldfire\gpio.c(4): * (C) Copyright 2009, Steven King <sfking@fdwdc.com>

linux-3.10\arch\m68k\platform\coldfire\head.S(6): *(C) Copyright 1999-2011, Greg Ungerer <gerg@snapgear.com>.

linux-3.10\arch\m68k\platform\coldfire\intc.c(4): * (C) Copyright 2009, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\m68k\platform\coldfire\intc-2.c(13): * (C) Copyright 2009-2011, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\m68k\platform\coldfire\intc-5249.c(4): * (C) Copyright 2009, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\m68k\platform\coldfire\intc-525x.c(4): * (C) Copyright 2012, Steven King <sfking@fdwdc.com>

linux-3.10\arch\m68k\platform\coldfire\intc-525x.c(5): * (C) Copyright 2009, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\m68k\platform\coldfire\intc-5272.c(4): * (C) Copyright 2009, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\m68k\platform\coldfire\intc-simr.c(6): * (C) Copyright 2009-2011, Greg Ungerer <gerg@snapgear.com>

linux-3.10\arch\m68k\platform\coldfire\m5206.c(6): *Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\m68k\platform\coldfire\m5206.c(7): * Copyright (C) 2000-2001, Lineo Inc. (www.lineo.com)

linux-3.10\arch\m68k\platform\coldfire\m520x.c(6): *Copyright (C) 2005,Freescale (www.freescale.com)

linux-3.10\arch\m68k\platform\coldfire\m520x.c(7): *Copyright (C) 2005,Intec Automation (mike@steroidmicros.com)

linux-3.10\arch\m68k\platform\coldfire\m520x.c(8): *Copyright (C) 1999-2007, Greg Ungerer (gerg@snapgear.com)

linux-3.10\arch\m68k\platform\coldfire\m520x.c(9): *Copyright (C) 2001-2003, SnapGear Inc. (www.snapgear.com)

legal(ME)

linux-3.10\arch\m68k\platform\coldfire\m523x.c(10): *Copyright (C) 2001-2003, SnapGear Inc. (www.snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m523x.c(9): *Copyright (C) 1999-2005, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m5249.c(6): *Copyright (C) 2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m525x.c(6): *Copyright (C) 2012, Steven King <sfking@fdwdc.com>
linux-3.10\arch\m68k\platform\coldfire\m5272.c(6): *Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m5272.c(7): *Copyright (C) 2001-2002, SnapGear Inc. (www.snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m527x.c(10): *Copyright (C) 2001-2004, SnapGear Inc. (www.snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m527x.c(9): *Copyright (C) 1999-2004, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m528x.c(10): *Copyright (C) 2001-2003, SnapGear Inc. (www.snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m528x.c(9): *Copyright (C) 1999-2003, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m5307.c(6): *Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m5307.c(7): *Copyright (C) 2000, Lineo (www.lineo.com)
linux-3.10\arch\m68k\platform\coldfire\m53xx.c(10): *Copyright (c) 2006, emlix, Sebastian Hess <shess@hessware.de>
linux-3.10\arch\m68k\platform\coldfire\m53xx.c(6): *Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m53xx.c(7): *Copyright (C) 2000, Lineo (www.lineo.com)
linux-3.10\arch\m68k\platform\coldfire\m53xx.c(9): *Copyright Freescale Semiconductor, Inc 2006
linux-3.10\arch\m68k\platform\coldfire\m5407.c(6): *Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\m5407.c(7): *Copyright (C) 2000, Lineo (www.lineo.com)
linux-3.10\arch\m68k\platform\coldfire\m5441x.c(4): *(C) Copyright Steven King <sfking@fdwdc.com>
linux-3.10\arch\m68k\platform\coldfire\m54xx.c(6): *Copyright (C) 2010, Philippe De Muyter <phdm@macqel.be>
linux-3.10\arch\m68k\platform\coldfire\mcf8390.c(4): * (C) Copyright 2012, Greg Ungerer <gerg@uclinux.org>
linux-3.10\arch\m68k\platform\coldfire\nettel.c(6): *Copyright (C) 2009, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\pci.c(4): * (C) Copyright 2012, Greg Ungerer <gerg@uclinux.com>
linux-3.10\arch\m68k\platform\coldfire\pit.c(10): *Copyright (C) 2001-2004, SnapGear Inc. (www.snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\pit.c(9): *Copyright (C) 1999-2008, Greg Ungerer (gerg@snapgear.com)
linux-3.10\arch\m68k\platform\coldfire\reset.c(4): * (C) Copyright 2012, Greg Ungerer <gerg@uclinux.org>

legal(ME)

linux-3.10\arch\m68k\platform\coldfire\sltimers.c(6): *Copyright (C) 2009-2010, Philippe De Muyter <phdm@macqel.be>
linux-3.10\arch\m68k\platform\coldfire\sltimers.c(9): *Copyright (C) 1999-2008, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\platform\coldfire\timers.c(6): *Copyright (C) 1999-2008, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\platform\coldfire\vectors.c(6): *Copyright (C) 1999-2007, Greg Ungerer <gerg@snapgear.com>
linux-3.10\arch\m68k\q40\config.c(4): *Copyright (C) 1999 Richard Zidlicky
linux-3.10\arch\m68k\q40\q40ints.c(4): * Copyright (C) 1999,2001 Richard Zidlicky
linux-3.10\arch\m68k\sun3\config.c(4): *Copyright (C) 1996,1997 Pekka Pietik{inen
linux-3.10\arch\m68k\sun3\idprom.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\sun3\prom\console.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\sun3\prom\init.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\sun3\prom\misc.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\sun3\prom\printf.c(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\m68k\sun3\sun3dvma.c(4): * Copyright (C) 2000 Sam Creasey
linux-3.10\arch\m68k\tools\amiga\dmesg.c(6): * Copyright 1996 by Geert Uytterhoeven <geert@linux-m68k.org>
linux-3.10\arch\metag\boot\dts\skeleton.dts(2): * Copyright (C) 2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\boot\Makefile(6):# Copyright (C) 2007,2012Imagination Technologies Ltd.
linux-3.10\arch\metag\include\asm\cachepart.h(4): * Copyright 2010 Imagination Technologies Ltd.
linux-3.10\arch\metag\include\asm\clock.h(4): * Copyright (C) 2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\include\asm\da.h(4): * Copyright 2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\include\asm\delay.h(5): * Copyright (C) 1993 Linus Torvalds
linux-3.10\arch\metag\include\asm\fixmap.h(8): * Copyright (C) 1998 Ingo Molnar
linux-3.10\arch\metag\include\asm\hwthread.h(2): * Copyright (C) 2008 Imagination Technologies
linux-3.10\arch\metag\include\asm\mach\arch.h(4): * Copyright (C) 2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\include\asm\mach\arch.h(7): *Copyright (C) 2000 Russell King
linux-3.10\arch\metag\include\asm\metag_isa.h(4): * Copyright (C) 2000-2007, 2012 Imagination Technologies.
linux-3.10\arch\metag\include\asm\metag_mem.h(4): * Copyright (C) 2000-2007, 2012 Imagination Technologies.
linux-3.10\arch\metag\include\asm\metag_regs.h(4): * Copyright (C) 2000-2007, 2012 Imagination Technologies.
linux-3.10\arch\metag\include\asm\processor.h(2): * Copyright (C) 2005,2006,2007,2008 Imagination Technologies
linux-3.10\arch\metag\include\asm\prom.h(4): *Copyright (C) 2012 Imagination Technologies Ltd.

legal(ME)

linux-3.10\arch\metag\include\asm\prom.h(7): *Copyright (C) 2009 Canonical Ltd.
<jeremy.kerr@canonical.com>
linux-3.10\arch\metag\include\asm\switch.h(2): * Copyright (C) 2012 Imagination
Technologies Ltd.
linux-3.10\arch\metag\include\asm\syscall.h(4): * Copyright (C) 2008 Imagination
Technologies Ltd.
linux-3.10\arch\metag\include\asm\syscall.h(6): * This copyrighted material is
made available to anyone wishing to use,
linux-3.10\arch\metag\include\asm\tbx.h(4): * Copyright (C) 2000-2012 Imagination
Technologies.
linux-3.10\arch\metag\include\asm\thread_info.h(3): * Copyright (C) 2002David
Howells (dhowells@redhat.com)
linux-3.10\arch\metag\include\asm\traps.h(2): *Copyright (C) 2005,2008
Imagination Technologies
linux-3.10\arch\metag\include\asm\unistd.h(2): * Copyright (C) 2012 Imagination
Technologies Ltd.
linux-3.10\arch\metag\include\asm\user_gateway.h(2): * Copyright (C) 2010
Imagination Technologies
linux-3.10\arch\metag\include\uapi\asm\unistd.h(2): * Copyright (C) 2012
Imagination Technologies Ltd.
linux-3.10\arch\metag\kernel\cachepart.c(4): * Copyright 2010 Imagination
Technologies Ltd.
linux-3.10\arch\metag\kernel\clock.c(4): * Copyright (C) 2012 Imagination
Technologies Ltd.
linux-3.10\arch\metag\kernel\core_reg.c(4): *Copyright (C) 2011 Imagination
Technologies Ltd.
linux-3.10\arch\metag\kernel\da.c(4): * Copyright 2012 Imagination Technologies
Ltd.
linux-3.10\arch\metag\kernel\devtree.c(4): *Copyright (C) 2012 Imagination
Technologies Ltd.
linux-3.10\arch\metag\kernel\devtree.c(7): *Copyright (C) 2009 Canonical Ltd.
<jeremy.kerr@canonical.com>
linux-3.10\arch\metag\kernel\dma.c(3): *Copyright (C) 2008 Imagination
Technologies Ltd.
linux-3.10\arch\metag\kernel\dma.c(6): *Copyright (C) 2001 Dan Malek
(dmalek@jilc.net)
linux-3.10\arch\metag\kernel\dma.c(8): *Copyright (C) 2000 Russell King
linux-3.10\arch\metag\kernel\ftrace.c(2): * Copyright (C) 2008 Imagination
Technologies Ltd.
linux-3.10\arch\metag\kernel\ftrace_stub.S(2): * Copyright (C) 2008 Imagination
Technologies Ltd.
linux-3.10\arch\metag\kernel\head.S(1):! Copyright 2005,2006,2007,2009
Imagination Technologies
linux-3.10\arch\metag\kernel\kick.c(2): *Copyright (C) 2009 Imagination
Technologies
linux-3.10\arch\metag\kernel\machines.c(4): *Copyright (C) 2012 Imagination
Technologies Ltd.
linux-3.10\arch\metag\kernel\perf\perf_event.c(10): *Copyright (C) 2010 ARM Ltd.,
Will Deacon <will.deacon@arm.com>
linux-3.10\arch\metag\kernel\perf\perf_event.c(3): *Copyright (C) 2012
Imagination Technologies Ltd
linux-3.10\arch\metag\kernel\perf\perf_event.c(6): *Copyright (C) 2009 Paul Mundt

legal(ME)

linux-3.10\arch\metag\kernel\perf\perf_event.c(9): *Copyright (C) 2009 picoChip Designs, Ltd., James Iles
linux-3.10\arch\metag\kernel\perf\perf_event.h(3): *Copyright (C) 2012 Imagination Technologies Ltd
linux-3.10\arch\metag\kernel\process.c(2): * Copyright (C) 2005,2006,2007,2008,2009,2010,2011 Imagination Technologies
linux-3.10\arch\metag\kernel\ptrace.c(2): *Copyright (C) 2005-2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\kernel\setup.c(2): * Copyright (C) 2005-2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\kernel\signal.c(2): *Copyright (C) 1991,1992Linus Torvalds
linux-3.10\arch\metag\kernel\signal.c(3): *Copyright (C) 2005-2012Imagination Technologies Ltd.
linux-3.10\arch\metag\kernel\smp.c(2): *Copyright (C) 2009,2010,2011 Imagination Technologies Ltd.
linux-3.10\arch\metag\kernel\smp.c(4): *Copyright (C) 2002 ARM Limited, All Rights Reserved.
linux-3.10\arch\metag\kernel\tcm.c(2): * Copyright (C) 2010 Imagination Technologies Ltd.
linux-3.10\arch\metag\kernel\time.c(2): * Copyright (C) 2005-2013 Imagination Technologies Ltd.
linux-3.10\arch\metag\kernel\topology.c(2): *Copyright (C) 2007Paul Mundt
linux-3.10\arch\metag\kernel\topology.c(3): *Copyright (C) 2010Imagination Technolohies Ltd.
linux-3.10\arch\metag\kernel\traps.c(4): *Copyright (C) 2005,2006,2007,2008,2009,2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\kernel\user_gateway.S(2): * Copyright (C) 2010 Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\ashldi3.S(1):! Copyright (C) 2012 by Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\ashrdi3.S(1):! Copyright (C) 2012 by Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\clear_page.S(1):! Copyright 2007,2008,2009 Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\cmpdi2.S(1):! Copyright (C) 2012 by Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\copy_page.S(1):! Copyright 2007,2008 Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\delay.c(4): *Copyright (C) 1993 Linus Torvalds
linux-3.10\arch\metag\lib\delay.c(5): *Copyright (C) 1997 Martin Mares <mj@atrey.karlin.mff.cuni.cz>
linux-3.10\arch\metag\lib\delay.c(6): *Copyright (C) 2007,2009 Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\div64.S(1):! Copyright (C) 2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\divsi3.S(1):! Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007
linux-3.10\arch\metag\lib\lshrdi3.S(1):! Copyright (C) 2012 by Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\memcpy.S(1):! Copyright (C) 2008-2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\memmove.S(1):! Copyright (C) 2008-2012 Imagination

legal(ME)

Technologies Ltd.
linux-3.10\arch\metag\lib\memset.S(1):! Copyright (C) 2008-2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\modsi3.S(1):! Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007
linux-3.10\arch\metag\lib\muldi3.S(1):! Copyright (C) 2012 by Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\ucmpdi2.S(1):! Copyright (C) 2012 by Imagination Technologies Ltd.
linux-3.10\arch\metag\lib\usercopy.c(5): * Copyright (C) 2006, Imagination Technologies.
linux-3.10\arch\metag\lib\usercopy.c(6): * Copyright (C) 2000, Axis Communications AB.
linux-3.10\arch\metag\Makefile(12):# Copyright (C) 1994 by Linus Torvalds
linux-3.10\arch\metag\mm\cache.c(4): * Copyright (C) 2001, 2002, 2005, 2007, 2012 Imagination Technologies.
linux-3.10\arch\metag\mm\fault.c(4): *Copyright (C) 2005-2012 Imagination Technologies Ltd.
linux-3.10\arch\metag\mm\hugetlbpage.c(10): * Copyright (C) 2002, 2003 David S. Miller (davem@redhat.com)
linux-3.10\arch\metag\mm\init.c(2): *Copyright (C) 2005,2006,2007,2008,2009,2010 Imagination Technologies
linux-3.10\arch\metag\mm\ioremap.c(6): * Copyright (C) 1995,1996 Linus Torvalds
linux-3.10\arch\metag\mm\maccess.c(4): * Copyright 2012 Imagination Technologies
linux-3.10\arch\metag\mm\mmu-meta1.c(2): *Copyright (C) 2005,2006,2007,2008,2009 Imagination Technologies
linux-3.10\arch\metag\mm\mmu-meta2.c(2): * Copyright (C) 2008,2009,2010,2011 Imagination Technologies Ltd.
linux-3.10\arch\metag\mm\numa.c(4): *Copyright (C) 2007Paul Mundt
linux-3.10\arch\metag\mm\numa.c(5): *Copyright (C) 2010Imagination Technologies Ltd.
linux-3.10\arch\metag\oprofile\backtrace.c(2): * Copyright (C) 2010-2013 Imagination Technologies Ltd.
linux-3.10\arch\metag\oprofile\common.c(12): *Copyright (C) 2004, 2005 Ralf Baechle
linux-3.10\arch\metag\oprofile\common.c(13): *Copyright (C) 2005 MIPS Technologies, Inc.
linux-3.10\arch\metag\oprofile\common.c(4): * Copyright (C) 2013 Imagination Technologies Ltd.
linux-3.10\arch\metag\oprofile\common.c(8): * Copyright (C) 2003 - 2010Paul Mundt
linux-3.10\arch\metag\tbx\tbicore.S(4): * Copyright (C) 2001, 2002, 2007, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbictx.S(4): * Copyright (C) 2001, 2002, 2007, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbictxfpu.S(4): * Copyright (C) 2009, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbidefr.S(4): * Copyright (C) 2009, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbidspram.S(4): * Copyright (C) 2009, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbilogf.S(4): * Copyright (C) 2001, 2002, 2007, 2012 Imagination Technologies.

legal(ME)

linux-3.10\arch\metag\tbx\tbipcx.S(4): * Copyright (C) 2001, 2002, 2007, 2009, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbiroot.S(4): * Copyright (C) 2001, 2002, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbisoft.S(4): * Copyright (C) 2001, 2002, 2007, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbistring.c(4): * Copyright (C) 2001, 2002, 2003, 2005, 2007, 2012 Imagination Technologies.
linux-3.10\arch\metag\tbx\tbitimer.S(4): * Copyright (C) 2001, 2002, 2007, 2012 Imagination Technologies.
linux-3.10\arch\microblaze\include\asm\barrier.h(2): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\cache.h(4): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\cache.h(5): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\cache.h(6): * Copyright (C) 2003 John Williams <jwilliams@itee.uq.edu.au>
linux-3.10\arch\microblaze\include\asm\cacheflush.h(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\cacheflush.h(3): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\cacheflush.h(4): * Copyright (C) 2007 John Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\include\asm\cacheflush.h(6): * Copyright (C) 2001,02,03 NEC Electronics Corporation
linux-3.10\arch\microblaze\include\asm\cacheflush.h(7): * Copyright (C) 2001,02,03 Miles Bader <miles@gnu.org>
linux-3.10\arch\microblaze\include\asm\checksum.h(2): * Copyright (C) 2008 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\checksum.h(3): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\cpuinfo.h(4): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\cpuinfo.h(5): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\cpuinfo.h(6): * Copyright (C) 2007 John Williams <jwilliams@itee.uq.edu.au>
linux-3.10\arch\microblaze\include\asm\current.h(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\current.h(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\current.h(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\delay.h(10): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\delay.h(8): * Copyright (C) 2008 Michal Simek
linux-3.10\arch\microblaze\include\asm\delay.h(9): * Copyright (C) 2007 John Williams
linux-3.10\arch\microblaze\include\asm\dma.h(2): * Copyright (C) 2006 Atmark Techno, Inc.

legal(ME)

linux-3.10\arch\microblaze\include\asm\dma-mapping.h(12): * Copyright (C) 2004 IBM
linux-3.10\arch\microblaze\include\asm\dma-mapping.h(4): * Copyright (C) 2009-2010 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\dma-mapping.h(5): * Copyright (C) 2009-2010 PetaLogix
linux-3.10\arch\microblaze\include\asm\elf.h(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\elf.h(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\elf.h(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\entry.h(4): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\entry.h(5): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\entry.h(6): * Copyright (C) 2007 John Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\include\asm\exceptions.h(4): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\exceptions.h(5): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\exceptions.h(6): * Copyright (C) 2005 John Williams <jwilliams@itee.uq.edu.au>
linux-3.10\arch\microblaze\include\asm\fixmap.h(10): * Copyright 2008 Freescale Semiconductor Inc.
linux-3.10\arch\microblaze\include\asm\fixmap.h(13): * Copyright 2011 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\fixmap.h(14): * Copyright 2011 PetaLogix Qld Pty Ltd
linux-3.10\arch\microblaze\include\asm\fixmap.h(8): * Copyright (C) 1998 Ingo Molnar
linux-3.10\arch\microblaze\include\asm\flat.h(4): * Copyright (C) 2005 John Williams <jwilliams@itee.uq.edu.au>
linux-3.10\arch\microblaze\include\asm\highmem.h(15): * Copyright (C) 1999 Ingo Molnar <mingo@redhat.com>
linux-3.10\arch\microblaze\include\asm\highmem.h(7): * Copyright (C) 1999 Gerhard Wichert, Siemens AG
linux-3.10\arch\microblaze\include\asm\io.h(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\io.h(3): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\io.h(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\irq.h(2): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\irqflags.h(2): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\linkage.h(2): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\mmu.h(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>

legal(ME)

linux-3.10\arch\microblaze\include\asm\mmu.h(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\mmu.h(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\mmu_context_mm.h(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\mmu_context_mm.h(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\mmu_context_mm.h(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\module.h(2): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\page.h(4): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\page.h(5): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\page.h(6): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\page.h(8): *Copyright (C) 2007 Xilinx, Inc.All rights reserved.
linux-3.10\arch\microblaze\include\asm\pgalloc.h(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\pgalloc.h(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\pgalloc.h(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\pgtable.h(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\pgtable.h(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\pgtable.h(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\processor.h(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\processor.h(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\include\asm\processor.h(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\prom.h(5): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\microblaze\include\asm\ptrace.h(2): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\pvr.h(4): * Copyright (C) 2009 - 2011 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\pvr.h(5): * Copyright (C) 2007 John Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\include\asm\pvr.h(6): * Copyright (C) 2007 - 2011 PetaLogix
linux-3.10\arch\microblaze\include\asm\registers.h(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\registers.h(3): * Copyright (C) 2008-2009 PetaLogix

legal(ME)

linux-3.10\arch\microblaze\include\asm\registers.h(4): * Copyright (C) 2006
Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\sections.h(2): * Copyright (C) 2008-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\sections.h(3): * Copyright (C) 2008-2009
PetaLogix
linux-3.10\arch\microblaze\include\asm\sections.h(4): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\asm\selfmod.h(2): * Copyright (C) 2007-2008
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\setup.h(2): * Copyright (C) 2007-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\setup.h(3): * Copyright (C) 2007-2009
PetaLogix
linux-3.10\arch\microblaze\include\asm\setup.h(4): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\asm\string.h(2): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\asm\switch_to.h(2): * Copyright (C) 2006
Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\thread_info.h(2): * Copyright (C) 2006
Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\timex.h(2): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\asm\tlb.h(2): * Copyright (C) 2008-2009 Michal
Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\tlb.h(3): * Copyright (C) 2008-2009
PetaLogix
linux-3.10\arch\microblaze\include\asm\tlb.h(4): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\asm\tlbflush.h(2): * Copyright (C) 2008-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\tlbflush.h(3): * Copyright (C) 2008-2009
PetaLogix
linux-3.10\arch\microblaze\include\asm\tlbflush.h(4): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\asm\uaccess.h(2): * Copyright (C) 2008-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\uaccess.h(3): * Copyright (C) 2008-2009
PetaLogix
linux-3.10\arch\microblaze\include\asm\uaccess.h(4): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\asm\unaligned.h(2): * Copyright (C) 2008
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\unaligned.h(3): * Copyright (C) 2006
Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\asm\unistd.h(2): * Copyright (C) 2007-2008
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\asm\unistd.h(3): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\asm\unwind.h(4): * Copyright (C) 2010 Digital
Design Corporation

legal(ME)

linux-3.10\arch\microblaze\include\uapi\asm\elf.h(2): * Copyright (C) 2008-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\uapi\asm\elf.h(3): * Copyright (C) 2008-2009
PetaLogix
linux-3.10\arch\microblaze\include\uapi\asm\elf.h(4): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\include\uapi\asm\ptrace.h(2): * Copyright (C) 2006
Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\uapi\asm\setup.h(2): * Copyright (C) 2007-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\uapi\asm\setup.h(3): * Copyright (C) 2007-2009
PetaLogix
linux-3.10\arch\microblaze\include\uapi\asm\setup.h(4): * Copyright (C) 2006
Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\uapi\asm\sigcontext.h(2): * Copyright (C) 2006
Atmark Techno, Inc.
linux-3.10\arch\microblaze\include\uapi\asm\unistd.h(2): * Copyright (C)
2007-2008 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\include\uapi\asm\unistd.h(3): * Copyright (C) 2006
Atmark Techno, Inc.
linux-3.10\arch\microblaze\kernel\asm-offsets.c(2): * Copyright (C) 2007-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\asm-offsets.c(3): * Copyright (C) 2007-2009
PetaLogix
linux-3.10\arch\microblaze\kernel\asm-offsets.c(4): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\kernel\cpu\cache.c(4): * Copyright (C) 2007-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\cpu\cache.c(5): * Copyright (C) 2007-2009
PetaLogix
linux-3.10\arch\microblaze\kernel\cpu\cache.c(6): * Copyright (C) 2007-2009 John
Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo.c(2): * Copyright (C) 2007-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo.c(3): * Copyright (C) 2007-2009
PetaLogix
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo.c(4): * Copyright (C) 2007 John
Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo-pvr-full.c(4): * Copyright (C)
2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo-pvr-full.c(5): * Copyright (C)
2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo-pvr-full.c(6): * Copyright (C) 2007
John Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo-static.c(2): * Copyright (C)
2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo-static.c(3): * Copyright (C)
2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\cpu\cpuinfo-static.c(4): * Copyright (C) 2007
John Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\kernel\cpu\mb.c(4): * Copyright (C) 2007-2009 Michal
Simek <monstr@monstr.eu>

legal(ME)

linux-3.10\arch\microblaze\kernel\cpu\mb.c(5): * Copyright (C) 2006-2009
PetaLogix
linux-3.10\arch\microblaze\kernel\cpu\pvr.c(4): * Copyright (C) 2007-2009 Michal
Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\cpu\pvr.c(5): * Copyright (C) 2007-2009
PetaLogix
linux-3.10\arch\microblaze\kernel\cpu\pvr.c(6): * Copyright (C) 2007 John
Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\kernel\dma.c(2): * Copyright (C) 2009-2010 PetaLogix
linux-3.10\arch\microblaze\kernel\dma.c(3): * Copyright (C) 2006 Benjamin
Herrenschmidt, IBM Corporation
linux-3.10\arch\microblaze\kernel\early_printk.c(4): * Copyright (C) 2007-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\early_printk.c(5): * Copyright (C) 2007-2009
PetaLogix
linux-3.10\arch\microblaze\kernel\early_printk.c(6): * Copyright (C) 2003-2006
Yasushi SHOJI <yashi@atmark-techno.com>
linux-3.10\arch\microblaze\kernel\entry.S(4): * Copyright (C) 2008-2009 Michal
Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\entry.S(5): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\entry.S(6): * Copyright (C) 2003 John Williams
<jwilliams@itee.uq.edu.au>
linux-3.10\arch\microblaze\kernel\entry.S(7): * Copyright (C) 2001,2002 NEC
Corporation
linux-3.10\arch\microblaze\kernel\entry.S(8): * Copyright (C) 2001,2002 Miles
Bader <miles@gnu.org>
linux-3.10\arch\microblaze\kernel\entry-nommu.S(2): * Copyright (C) 2007-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\entry-nommu.S(3): * Copyright (C) 2007-2009
PetaLogix
linux-3.10\arch\microblaze\kernel\entry-nommu.S(4): * Copyright (C) 2006 Atmark
Techno, Inc.
linux-3.10\arch\microblaze\kernel\exceptions.c(4): * Copyright (C) 2008-2009
Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\exceptions.c(5): * Copyright (C) 2008 PetaLogix
linux-3.10\arch\microblaze\kernel\ftrace.c(4): * Copyright (C) 2009 Michal Simek
<monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\ftrace.c(5): * Copyright (C) 2009 PetaLogix
linux-3.10\arch\microblaze\kernel\head.S(11): *Copyright (c) 1996 Paul Mackerras
<paulus@cs.anu.edu.au>
linux-3.10\arch\microblaze\kernel\head.S(13): *Copyright (c) 1997 Dan Malek
<dmalek@jlc.net>
linux-3.10\arch\microblaze\kernel\head.S(15): *Copyright (c) 1998-1999 TiVo, Inc.
linux-3.10\arch\microblaze\kernel\head.S(17): *Copyright (c) 1999 Grant Erickson
<grant@lcse.umn.edu>
linux-3.10\arch\microblaze\kernel\head.S(19): *Copyright 2000 MontaVista Software
Inc.
linux-3.10\arch\microblaze\kernel\head.S(2): * Copyright (C) 2007-2009 Michal
Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\head.S(3): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\head.S(4): * Copyright (C) 2006 Atmark Techno,
Inc.

legal(ME)

linux-3.10\arch\microblaze\kernel\head.S(7): *Copyright (c) 1995-1996 Gary Thomas <gdt@linuxppc.org>
linux-3.10\arch\microblaze\kernel\head.S(9): *Copyright (c) 1996 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\microblaze\kernel\heartbeat.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\heartbeat.c(3): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\heartbeat.c(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(12): *Copyright (C) 1995-1996 Gary Thomas <gdt@linuxppc.org>
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(14): *Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(16): *Copyright (C) 1996 Paul Mackerras <paulus@cs.anu.edu.au>
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(18): *Copyright (C) 1997 Dan Malek <dmalek@jlc.net>
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(20): *Copyright (C) 1998-1999 TiVo, Inc.
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(22): *Copyright (C) 1999 Grant Erickson <grant@lcse.umn.edu>
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(24): *Copyright 2000 MontaVista Software Inc.
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(32): * Copyright (C) 2004 Xilinx, Inc.
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(6): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\hw_exception_handler.S(7): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\intc.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\intc.c(3): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\intc.c(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\kernel\irq.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\irq.c(3): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\irq.c(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\kernel\mcount.S(4): * Copyright (C) 2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\mcount.S(5): * Copyright (C) 2009 PetaLogix
linux-3.10\arch\microblaze\kernel\microblaze_ksyms.c(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\microblaze_ksyms.c(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\misc.S(4): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\misc.S(5): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\misc.S(6): * Copyright (C) 2007 Xilinx, Inc. All rights reserved.

legal(ME)

linux-3.10\arch\microblaze\kernel\module.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\module.c(3): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\process.c(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\process.c(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\process.c(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\kernel\prom.c(5): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\microblaze\kernel\ptrace.c(10): * Copyright (C) 2002,03 NEC Electronics Corporation
linux-3.10\arch\microblaze\kernel\ptrace.c(11): * Copyright (C) 2002,03 Miles Bader <miles@gnu.org>
linux-3.10\arch\microblaze\kernel\ptrace.c(15): * Copyright (C) 1992 Ross Biro
linux-3.10\arch\microblaze\kernel\ptrace.c(16): * Copyright (C) Linus Torvalds
linux-3.10\arch\microblaze\kernel\ptrace.c(17): * Copyright (C) 1994, 95, 96, 97, 98, 2000 Ralf Baechle
linux-3.10\arch\microblaze\kernel\ptrace.c(18): * Copyright (C) 1996 David S. Miller
linux-3.10\arch\microblaze\kernel\ptrace.c(20): * Copyright (C) 1999 MIPS Technologies, Inc.
linux-3.10\arch\microblaze\kernel\ptrace.c(4): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\ptrace.c(5): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\ptrace.c(6): * Copyright (C) 2004-2007 John Williams <john.williams@petalogix.com>
linux-3.10\arch\microblaze\kernel\reset.c(2): * Copyright (C) 2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\reset.c(3): * Copyright (C) 2009 PetaLogix
linux-3.10\arch\microblaze\kernel\selfmod.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\selfmod.c(3): * Copyright (C) 2009 PetaLogix
linux-3.10\arch\microblaze\kernel\setup.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\setup.c(3): * Copyright (C) 2007-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\setup.c(4): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\kernel\signal.c(10): * Copyright (C) 1991,1992 Linus Torvalds
linux-3.10\arch\microblaze\kernel\signal.c(4): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\kernel\signal.c(5): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\kernel\signal.c(6): * Copyright (C) 2003,2004 John Williams <jwilliams@itee.uq.edu.au>
linux-3.10\arch\microblaze\kernel\signal.c(7): * Copyright (C) 2001 NEC Corporation
linux-3.10\arch\microblaze\kernel\signal.c(8): * Copyright (C) 2001 Miles Bader

legal(ME)

<miles@gnu.org>

linux-3.10\arch\microblaze\kernel\signal.c(9): * Copyright (C) 1999,2000 Niibe Yutaka & Kaz Kojima

linux-3.10\arch\microblaze\kernel\stacktrace.c(4): * Copyright (C) 2009 Michal Simek <monstr@monstr.eu>

linux-3.10\arch\microblaze\kernel\stacktrace.c(5): * Copyright (C) 2009 PetaLogix

linux-3.10\arch\microblaze\kernel\sys_microblaze.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>

linux-3.10\arch\microblaze\kernel\sys_microblaze.c(3): * Copyright (C) 2007-2009 PetaLogix

linux-3.10\arch\microblaze\kernel\sys_microblaze.c(4): * Copyright (C) 2007 John Williams <john.williams@petalogix.com>

linux-3.10\arch\microblaze\kernel\sys_microblaze.c(6): * Copyright (C) 2006 Atmark Techno, Inc.

linux-3.10\arch\microblaze\kernel\timer.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>

linux-3.10\arch\microblaze\kernel\timer.c(3): * Copyright (C) 2007-2009 PetaLogix

linux-3.10\arch\microblaze\kernel\timer.c(4): * Copyright (C) 2006 Atmark Techno, Inc.

linux-3.10\arch\microblaze\kernel\traps.c(2): * Copyright (C) 2007-2009 Michal Simek <monstr@monstr.eu>

linux-3.10\arch\microblaze\kernel\traps.c(3): * Copyright (C) 2007-2009 PetaLogix

linux-3.10\arch\microblaze\kernel\traps.c(4): * Copyright (C) 2006 Atmark Techno, Inc.

linux-3.10\arch\microblaze\kernel\unwind.c(4): * Copyright (C) 2010 Digital Design Corporation

linux-3.10\arch\microblaze\kernel\unwind.c(7): * Copyright (C) 2004 Paul Mundt

linux-3.10\arch\microblaze\kernel\unwind.c(8): * Copyright (C) 2004 Richard Curnow

linux-3.10\arch\microblaze\kernel\vmlinux.lds.S(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>

linux-3.10\arch\microblaze\kernel\vmlinux.lds.S(3): * Copyright (C) 2008-2009 PetaLogix

linux-3.10\arch\microblaze\kernel\vmlinux.lds.S(4): * Copyright (C) 2006 Atmark Techno, Inc.

linux-3.10\arch\microblaze\lib\fastcopy.S(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>

linux-3.10\arch\microblaze\lib\fastcopy.S(3): * Copyright (C) 2008-2009 PetaLogix

linux-3.10\arch\microblaze\lib\fastcopy.S(4): * Copyright (C) 2008 Jim Law - Iris LP All rights reserved.

linux-3.10\arch\microblaze\lib\memcpy.c(14): * copyright notice.

linux-3.10\arch\microblaze\lib\memcpy.c(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>

linux-3.10\arch\microblaze\lib\memcpy.c(3): * Copyright (C) 2008-2009 PetaLogix

linux-3.10\arch\microblaze\lib\memcpy.c(4): * Copyright (C) 2007 John Williams

linux-3.10\arch\microblaze\lib\memcpy.c(9): * It is based on demo code originally Copyright 2001 by Intel Corp, taken from

linux-3.10\arch\microblaze\lib\memmove.c(14): * copyright notice.

linux-3.10\arch\microblaze\lib\memmove.c(2): * Copyright (C) 2008-2009 Michal Simek <monstr@monstr.eu>

linux-3.10\arch\microblaze\lib\memmove.c(3): * Copyright (C) 2008-2009 PetaLogix

linux-3.10\arch\microblaze\lib\memmove.c(4): * Copyright (C) 2007 John Williams

linux-3.10\arch\microblaze\lib\memmove.c(9): * It is based on demo code

legal(ME)

originally Copyright 2001 by Intel Corp, taken from
linux-3.10\arch\microblaze\lib\memset.c(14): * copyright notice.
linux-3.10\arch\microblaze\lib\memset.c(2): * Copyright (C) 2008-2009 Michal
Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\lib\memset.c(3): * Copyright (C) 2008-2009 PetaLogix
linux-3.10\arch\microblaze\lib\memset.c(4): * Copyright (C) 2007 John Williams
linux-3.10\arch\microblaze\lib\memset.c(9): * It is based on demo code originally
Copyright 2001 by Intel Corp, taken from
linux-3.10\arch\microblaze\lib\uaccess_old.S(2): * Copyright (C) 2009 Michal
Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\lib\uaccess_old.S(3): * Copyright (C) 2009 PetaLogix
linux-3.10\arch\microblaze\lib\uaccess_old.S(4): * Copyright (C) 2007 LynuxWorks,
Inc.
linux-3.10\arch\microblaze\mm\consistent.c(3): * Copyright (C) 2010 Michal Simek
<monstr@monstr.eu>
linux-3.10\arch\microblaze\mm\consistent.c(4): * Copyright (C) 2010 PetaLogix
linux-3.10\arch\microblaze\mm\consistent.c(5): * Copyright (C) 2005 John Williams
<jwilliams@itee.uq.edu.au>
linux-3.10\arch\microblaze\mm\consistent.c(8): * Copyright (C) 2001 Dan Malek
(dmalek@jlc.net)
linux-3.10\arch\microblaze\mm\consistent.c(9): * Copyright (C) 2000 Russell King
linux-3.10\arch\microblaze\mm\fault.c(10): *Copyright (C) 1991, 1992, 1993,
1994Linus Torvalds
linux-3.10\arch\microblaze\mm\fault.c(4): *Copyright (C) 2007 Xilinx, Inc.All
rights reserved.
linux-3.10\arch\microblaze\mm\fault.c(7): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)
linux-3.10\arch\microblaze\mm\highmem.c(17): * Copyright (C) 1999 Ingo Molnar
<mingo@redhat.com>
linux-3.10\arch\microblaze\mm\highmem.c(9): * Copyright (C) 1999 Gerhard Wichert,
Siemens AG
linux-3.10\arch\microblaze\mm\init.c(2): * Copyright (C) 2007-2008 Michal Simek
<monstr@monstr.eu>
linux-3.10\arch\microblaze\mm\init.c(3): * Copyright (C) 2006 Atmark Techno, Inc.
linux-3.10\arch\microblaze\mm\mmu_context.c(10): *Copyright (C) 1995-1996 Gary
Thomas (gdt@linuxppc.org)
linux-3.10\arch\microblaze\mm\mmu_context.c(14): *Copyright (C) 1996 Paul
Mackerras
linux-3.10\arch\microblaze\mm\mmu_context.c(18): *Copyright (C) 1991, 1992, 1993,
1994Linus Torvalds
linux-3.10\arch\microblaze\mm\mmu_context.c(4): *Copyright (C) 2007 Xilinx,
Inc.All rights reserved.
linux-3.10\arch\microblaze\mm\pgtable.c(13): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)
linux-3.10\arch\microblaze\mm\pgtable.c(17): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\microblaze\mm\pgtable.c(21): *Copyright (C) 1991, 1992, 1993,
1994Linus Torvalds
linux-3.10\arch\microblaze\mm\pgtable.c(4): * Copyright (C) 2008 Michal Simek
linux-3.10\arch\microblaze\mm\pgtable.c(5): * Copyright (C) 2008 PetaLogix
linux-3.10\arch\microblaze\mm\pgtable.c(7): *Copyright (C) 2007 Xilinx, Inc.All
rights reserved.
linux-3.10\arch\microblaze\oprofile\microblaze_oprofile.c(4): * Copyright (C)

legal(ME)

2009 Michal Simek <monstr@monstr.eu>
linux-3.10\arch\microblaze\oprofile\microblaze_oprofile.c(5): * Copyright (C)
2009 PetaLogix
linux-3.10\arch\microblaze\pci\indirect_pci.c(4): * Copyright (C) 1998 Gabriel
Paubert.
linux-3.10\arch\microblaze\pci\iomap.c(4): * (C) Copyright 2004 Linus Torvalds
linux-3.10\arch\microblaze\pci\pci-common.c(8): * Copyright (C) 2003 Anton
Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\microblaze\pci\xilinx_pci.c(10): * Copyright 2007 Ben.
Herrenschmidt <benh@kernel.crashing.org>, IBM Corp.
linux-3.10\arch\microblaze\pci\xilinx_pci.c(5): * Copyright 2009 Roderick
Colenbrander
linux-3.10\arch\microblaze\pci\xilinx_pci.c(6): * Copyright 2009 Secret Lab
Technologies Ltd.
linux-3.10\arch\microblaze\platform\generic\Kconfig.auto(2):# (C) Copyright 2007
Michal Simek
linux-3.10\arch\microblaze\platform\generic\system.dts(4): * (C) Copyright
2007-2008 Xilinx, Inc.
linux-3.10\arch\microblaze\platform\generic\system.dts(5): * (C) Copyright
2007-2009 Michal Simek
linux-3.10\arch\microblaze\platform\platform.c(2): * Copyright 2008 Michal Simek
<monstr@monstr.eu>
linux-3.10\arch\microblaze\platform\platform.c(6): * Copyright 2007 Secret Lab
Technologies Ltd.
linux-3.10\arch\mips\alchemy\board-gpr.c(4): * Copyright (C) 2010 Wolfgang
Grandegger <wg@denx.de>
linux-3.10\arch\mips\alchemy\board-mtx1.c(4): * Copyright (C) 2007-2009, Florian
Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\alchemy\board-xxs1500.c(5): * Copyright 2003, 2008
MontaVista Software Inc.
linux-3.10\arch\mips\alchemy\common\clocks.c(5): * Copyright 2001, 2008
MontaVista Software Inc.
linux-3.10\arch\mips\alchemy\common\dbdma.c(8): * Copyright 2004 Embedded Edge,
LLC
linux-3.10\arch\mips\alchemy\common\dma.c(7): * Copyright 2000, 2008 MontaVista
Software Inc.
linux-3.10\arch\mips\alchemy\common\dma.c(9): * Copyright (C) 2005 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\alchemy\common\gpiolib.c(2): *Copyright (C) 2007-2009,
OpenWrt.org, Florian Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\alchemy\common\irq.c(2): * Copyright 2001, 2007-2008
MontaVista Software Inc.
linux-3.10\arch\mips\alchemy\common\irq.c(5): * Copyright (C) 2007 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\alchemy\common\Makefile(2):#Copyright 2000, 2008 MontaVista
Software Inc.
linux-3.10\arch\mips\alchemy\common\platform.c(4): * Copyright 2004, Matt Porter
<mporter@kernel.crashing.org>
linux-3.10\arch\mips\alchemy\common\platform.c(6): * (C) Copyright Embedded Alley
Solutions, Inc 2005
linux-3.10\arch\mips\alchemy\common\power.c(5): * Copyright 2001, 2008 MontaVista
Software Inc.

legal(ME)

linux-3.10\arch\mips\alchemy\common\power.c(9): *copyrights apply here.
linux-3.10\arch\mips\alchemy\common\prom.c(13): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\alchemy\common\prom.c(6): * Copyright 2000-2001, 2006, 2008 MontaVista Software Inc.
linux-3.10\arch\mips\alchemy\common\setup.c(2): * Copyright 2000, 2007-2008 MontaVista Software Inc.
linux-3.10\arch\mips\alchemy\common\sleeper.S(2): * Copyright 2002 Embedded Edge, LLC
linux-3.10\arch\mips\alchemy\common\time.c(2): * Copyright (C) 2008-2009 Manuel Lauss <manuel.lauss@gmail.com>
linux-3.10\arch\mips\alchemy\common\time.c(5): * Copyright (C) 2001, 2006, 2008 MontaVista Software, <source@mvista.com>
linux-3.10\arch\mips\alchemy\common\time.c(9): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\alchemy\devboards\db1000.c(4): * Copyright 2000, 2008 MontaVista Software Inc.
linux-3.10\arch\mips\alchemy\devboards\db1200.c(4): * Copyright (C) 2008-2011 Manuel Lauss
linux-3.10\arch\mips\ar7\clock.c(2): * Copyright (C) 2007 Felix Fietkau <nbd@openwrt.org>
linux-3.10\arch\mips\ar7\clock.c(3): * Copyright (C) 2007 Eugene Konev <ejka@openwrt.org>
linux-3.10\arch\mips\ar7\clock.c(4): * Copyright (C) 2009 Florian Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\ar7\gpio.c(2): * Copyright (C) 2007 Felix Fietkau <nbd@openwrt.org>
linux-3.10\arch\mips\ar7\gpio.c(3): * Copyright (C) 2007 Eugene Konev <ejka@openwrt.org>
linux-3.10\arch\mips\ar7\gpio.c(4): * Copyright (C) 2009-2010 Florian Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\ar7\irq.c(2): * Copyright (C) 2006,2007 Felix Fietkau <nbd@openwrt.org>
linux-3.10\arch\mips\ar7\irq.c(3): * Copyright (C) 2006,2007 Eugene Konev <ejka@openwrt.org>
linux-3.10\arch\mips\ar7\memory.c(2): * Copyright (C) 2007 Felix Fietkau <nbd@openwrt.org>
linux-3.10\arch\mips\ar7\memory.c(3): * Copyright (C) 2007 Eugene Konev <ejka@openwrt.org>
linux-3.10\arch\mips\ar7\platform.c(2): * Copyright (C) 2006,2007 Felix Fietkau <nbd@openwrt.org>
linux-3.10\arch\mips\ar7\platform.c(3): * Copyright (C) 2006,2007 Eugene Konev <ejka@openwrt.org>
linux-3.10\arch\mips\ar7\prom.c(3): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\ar7\setup.c(3): * Copyright (C) 2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\ar7\time.c(3): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\ath79\clock.c(4): *Copyright (C) 2010-2011 Jaiganesh Narayanan <jnarayanan@atheros.com>
linux-3.10\arch\mips\ath79\clock.c(5): *Copyright (C) 2011 Gabor Juhos

legal(ME)

<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\common.c(4): *Copyright (C) 2010-2011 Jaiganesh Narayanan <jnarayanan@atheros.com>
linux-3.10\arch\mips\ath79\common.c(5): *Copyright (C) 2008-2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\common.c(6): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\common.h(4): *Copyright (C) 2008-2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\common.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-common.c(4): *Copyright (C) 2008-2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-common.c(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-common.h(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-common.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-gpio-buttons.c(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-gpio-buttons.c(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-gpio-buttons.h(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-gpio-buttons.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-leds-gpio.c(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-leds-gpio.c(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-leds-gpio.h(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-leds-gpio.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-spi.c(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-spi.c(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-spi.h(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-spi.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-usb.c(4): *Copyright (C) 2008-2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-usb.c(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-usb.h(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-usb.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-wmac.c(4): *Copyright (C) 2010-2011 Jaiganesh

legal(ME)

Narayanan <jnarayanan@atheros.com>
linux-3.10\arch\mips\ath79\dev-wmac.c(5): *Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-wmac.c(6): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\dev-wmac.h(4): *Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\dev-wmac.h(5): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\early_printk.c(4): *Copyright (C) 2008-2011 Gabor
Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\early_printk.c(5): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\gpio.c(4): *Copyright (C) 2010-2011 Jaiganesh
Narayanan <jnarayanan@atheros.com>
linux-3.10\arch\mips\ath79\gpio.c(5): *Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\gpio.c(6): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\irq.c(4): *Copyright (C) 2010-2011 Jaiganesh Narayanan
<jnarayanan@atheros.com>
linux-3.10\arch\mips\ath79\irq.c(5): *Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\irq.c(6): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\mach-ap121.c(4): *Copyright (C) 2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\mach-ap136.c(4): * Copyright (c) 2012 Qualcomm Atheros
linux-3.10\arch\mips\ath79\mach-ap136.c(5): * Copyright (c) 2012-2013 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\mach-ap81.c(4): *Copyright (C) 2009-2010 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\mach-ap81.c(5): *Copyright (C) 2009 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\mach-db120.c(4): * Copyright (c) 2011 Qualcomm Atheros
linux-3.10\arch\mips\ath79\mach-db120.c(5): * Copyright (c) 2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\mach-pb44.c(4): *Copyright (C) 2009-2010 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\machtypes.h(4): *Copyright (C) 2008-2010 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\machtypes.h(5): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\mach-ubnt-xm.c(4): *Copyright (C) 2011 Renṯṯ Bolldorf
<xsecute@googlemail.com>
linux-3.10\arch\mips\ath79\Makefile(4):# Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\Makefile(5):# Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\pci.c(4): *Copyright (C) 2011 Renṯṯ Bolldorf
<xsecute@googlemail.com>
linux-3.10\arch\mips\ath79\pci.c(5): *Copyright (C) 2008-2011 Gabor Juhos

legal(ME)

<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\pci.c(6): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\pci.h(4): *Copyright (C) 2011 Renṽ Bolldorf
<xsecute@googlemail.com>
linux-3.10\arch\mips\ath79\pci.h(5): *Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\pci.h(6): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\prom.c(4): *Copyright (C) 2008-2010 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\prom.c(5): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ath79\setup.c(4): *Copyright (C) 2010-2011 Jaiganesh
Narayanan <jnarayanan@atheros.com>
linux-3.10\arch\mips\ath79\setup.c(5): *Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ath79\setup.c(6): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\bcm47xx\irq.c(2): *Copyright (C) 2004 Florian Schirmer
<jolt@tuxbox.org>
linux-3.10\arch\mips\bcm47xx\nvram.c(4): * Copyright (C) 2005 Broadcom
Corporation
linux-3.10\arch\mips\bcm47xx\nvram.c(5): * Copyright (C) 2006 Felix Fietkau
<nbd@openwrt.org>
linux-3.10\arch\mips\bcm47xx\nvram.c(6): * Copyright (C) 2010-2012 Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\arch\mips\bcm47xx\prom.c(2): *Copyright (C) 2004 Florian Schirmer
<jolt@tuxbox.org>
linux-3.10\arch\mips\bcm47xx\prom.c(3): *Copyright (C) 2007 Aurelien Jarno
<aurelien@aurel32.net>
linux-3.10\arch\mips\bcm47xx\prom.c(4): *Copyright (C) 2010-2012 Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\arch\mips\bcm47xx\serial.c(6): * Copyright (C) 2007 Aurelien Jarno
<aurelien@aurel32.net>
linux-3.10\arch\mips\bcm47xx\setup.c(2): *Copyright (C) 2004 Florian Schirmer
<jolt@tuxbox.org>
linux-3.10\arch\mips\bcm47xx\setup.c(3): *Copyright (C) 2006 Felix Fietkau
<nbd@openwrt.org>
linux-3.10\arch\mips\bcm47xx\setup.c(4): *Copyright (C) 2006 Michael Buesch
<m@bues.ch>
linux-3.10\arch\mips\bcm47xx\setup.c(5): *Copyright (C) 2010 Waldemar Brodkorb
<>wbx@openadk.org>
linux-3.10\arch\mips\bcm47xx\setup.c(6): *Copyright (C) 2010-2012 Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\arch\mips\bcm47xx\sprom.c(2): *Copyright (C) 2004 Florian Schirmer
<jolt@tuxbox.org>
linux-3.10\arch\mips\bcm47xx\sprom.c(3): *Copyright (C) 2006 Felix Fietkau
<nbd@openwrt.org>
linux-3.10\arch\mips\bcm47xx\sprom.c(4): *Copyright (C) 2006 Michael Buesch
<m@bues.ch>
linux-3.10\arch\mips\bcm47xx\sprom.c(5): *Copyright (C) 2010 Waldemar Brodkorb

legal(ME)

<wbx@openadk.org>
linux-3.10\arch\mips\bcm47xx\sprom.c(6): *Copyright (C) 2010-2012 Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\arch\mips\bcm47xx\time.c(2): *Copyright (C) 2004 Florian Schirmer
<jolt@tuxbox.org>
linux-3.10\arch\mips\bcm47xx\wgt634u.c(6): * Copyright (C) 2007 Aurelien Jarno
<aurelien@aurel32.net>
linux-3.10\arch\mips\bcm63xx\boards\board_bcm963xx.c(6): * Copyright (C) 2008
Maxime Bizon <mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\boards\board_bcm963xx.c(7): * Copyright (C) 2008
Florian Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\clk.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\cpu.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\cpu.c(7): * Copyright (C) 2009 Florian Fainelli
<florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\cs.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\dev-dsp.c(8): * Copyright (C) 2009 Florian Fainelli
<florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\dev-enet.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\dev-flash.c(10): * Copyright (C) 2012 Jonas Gorski
<jonas.gorski@gmail.com>
linux-3.10\arch\mips\bcm63xx\dev-flash.c(8): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\dev-flash.c(9): * Copyright (C) 2008 Florian
Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\dev-pcmcia.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\dev-rng.c(6): * Copyright (C) 2011 Florian Fainelli
<florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\dev-spi.c(6): * Copyright (C) 2009-2011 Florian
Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\dev-spi.c(7): * Copyright (C) 2010 Tanguy Bouzeloc
<tanguy.bouzeloc@efixo.com>
linux-3.10\arch\mips\bcm63xx\dev-uart.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\dev-usb-usbd.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\dev-usb-usbd.c(7): * Copyright (C) 2012 Kevin
Cernekee <cernekee@gmail.com>
linux-3.10\arch\mips\bcm63xx\dev-usb-usbd.c(8): * Copyright (C) 2012 Broadcom
Corporation
linux-3.10\arch\mips\bcm63xx\dev-wdt.c(6): * Copyright (C) 2008 Florian Fainelli
<florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\early_printk.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\gpio.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\gpio.c(7): * Copyright (C) 2008-2011 Florian

legal(ME)

Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\irq.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\irq.c(7): * Copyright (C) 2008 Nicolas Schichan
<nschichan@freebox.fr>
linux-3.10\arch\mips\bcm63xx\nvram.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\nvram.c(7): * Copyright (C) 2008 Florian Fainelli
<florian@openwrt.org>
linux-3.10\arch\mips\bcm63xx\nvram.c(8): * Copyright (C) 2012 Jonas Gorski
<jonas.gorski@gmail.com>
linux-3.10\arch\mips\bcm63xx\prom.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\reset.c(6): * Copyright (C) 2012 Jonas Gorski
<jonas.gorski@gmail.com>
linux-3.10\arch\mips\bcm63xx\setup.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\bcm63xx\timer.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\boot\compressed\calc_vmlinuz_load_addr.c(2): * Copyright (C)
2010 "Wu Zhangjin" <wuzhangjin@gmail.com>
linux-3.10\arch\mips\boot\compressed\decompress.c(2): * Copyright 2001 MontaVista
Software Inc.
linux-3.10\arch\mips\boot\compressed\decompress.c(5): * Copyright (C) 2009
Lemote, Inc.
linux-3.10\arch\mips\boot\compressed\head.S(12): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\boot\compressed\head.S(6): * Copyright (C) 1994, 1995
Waldorf Electronics
linux-3.10\arch\mips\boot\compressed\head.S(8): * Copyright (C) 1995 - 1999 Ralf
Baechle
linux-3.10\arch\mips\boot\compressed\head.S(9): * Copyright (C) 1996 Paul M.
Antoine
linux-3.10\arch\mips\boot\compressed\ld.script(4): * Copyright (C) 2009 Lemote
Inc.
linux-3.10\arch\mips\boot\compressed\ld.script(6): * Copyright (C) 2010 "Wu
Zhangjin" <wuzhanjing@gmail.com>
linux-3.10\arch\mips\boot\compressed\Makefile(11):# Copyright (C) 2009 Lemote
Inc. & DSLab, Lanzhou University
linux-3.10\arch\mips\boot\compressed\Makefile(7):# Copyright (C) 1994 by Linus
Torvalds
linux-3.10\arch\mips\boot\elf2ecoff.c(2): * Copyright (c) 1995
linux-3.10\arch\mips\boot\Makefile(6):# Copyright (C) 1995, 1998, 2001, 2002 by
Ralf Baechle
linux-3.10\arch\mips\boot\Makefile(7):# Copyright (C) 2004Maciej W. Rozycki
linux-3.10\arch\mips\cavium-octeon\cpu.c(6): * Copyright (C) 2009 Wind River
Systems,
linux-3.10\arch\mips\cavium-octeon\csrc-octeon.c(6): * Copyright (C) 2007 by Ralf
Baechle
linux-3.10\arch\mips\cavium-octeon\csrc-octeon.c(7): * Copyright (C) 2009, 2012
Cavium, Inc.
linux-3.10\arch\mips\cavium-octeon\dma-octeon.c(11): * Copyright (C) 2010 Cavium

legal(ME)

Networks, Inc.

linux-3.10\arch\mips\cavium-octeon\dma-octeon.c(6): * Copyright (C) 2000 Ani Joshi
<ajoshi@unixbox.com>
linux-3.10\arch\mips\cavium-octeon\dma-octeon.c(7): * Copyright (C) 2000,
2001 Ralf Baechle <ralf@gnu.org>
linux-3.10\arch\mips\cavium-octeon\dma-octeon.c(8): * Copyright (C) 2005 Ilya A.
Volynets-Evenbakh <ilya@total-knowledge.com>
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-bootmem.c(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-cmd-queue.c(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper.c(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-board.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-errata.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-jtag.c(8): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-loop.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-npi.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-rgmii.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-sgmii.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-spi.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-util.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-helper-xau.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-interrupt-decodes.c(7): *
Copyright (c) 2003-2009 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-interrupt-rsl.c(7): * Copyright
(c) 2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-l2c.c(7): * Copyright (c)
2003-2010 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-pko.c(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-spi.c(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\cvmx-sysinfo.c(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\Makefile(9):# Copyright (C)
2005-2008 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\executive\octeon-model.c(7): * Copyright (c)
2003-2010 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\flash_setup.c(8): * Copyright (C) 2007, 2008
Cavium Networks
linux-3.10\arch\mips\cavium-octeon\Makefile(9):# Copyright (C) 2005-2009 Cavium

legal(ME)

Networks

linux-3.10\arch\mips\cavium-octeon\octeon_boot.h(2): * (C) Copyright 2004, 2005 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\octeon_irq.c(6): * Copyright (C) 2004-2012 Cavium, Inc.
linux-3.10\arch\mips\cavium-octeon\octeon_memcpy.S(10): * Copyright (C) 2002 Broadcom, Inc.
linux-3.10\arch\mips\cavium-octeon\octeon_memcpy.S(8): * Copyright (C) 1998, 99, 2000, 01, 2002 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\cavium-octeon\octeon_memcpy.S(9): * Copyright (C) 1999, 2000, 01, 2002 Silicon Graphics, Inc.
linux-3.10\arch\mips\cavium-octeon\octeon_platform.c(6): * Copyright (C) 2004-2011 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\octeon_platform.c(7): * Copyright (C) 2008 Wind River Systems
linux-3.10\arch\mips\cavium-octeon\serial.c(6): * Copyright (C) 2004-2007 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\setup.c(6): * Copyright (C) 2004-2007 Cavium Networks
linux-3.10\arch\mips\cavium-octeon\setup.c(7): * Copyright (C) 2008, 2009 Wind River Systems
linux-3.10\arch\mips\cavium-octeon\smp.c(6): * Copyright (C) 2004-2008, 2009, 2010 Cavium Networks
linux-3.10\arch\mips\cobalt\buttons.c(4): *Copyright (C) 2007Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\cobalt\irq.c(8): * Copyright (C) 1995, 1996, 1997, 2003 by Ralf Baechle
linux-3.10\arch\mips\cobalt\lcd.c(4): *Copyright (C) 2008Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\cobalt\led.c(4): *Copyright (C) 2007Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\cobalt\mtd.c(4): *Copyright (C) 2006Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\cobalt\pci.c(8): * Copyright (C) 1996, 1997, 2004, 05 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\cobalt\pci.c(9): * Copyright (C) 2001, 2002, 2003 by Liam Davies (ldavies@agile.tv)
linux-3.10\arch\mips\cobalt\reset.c(8): * Copyright (C) 1995, 1996, 1997 by Ralf Baechle
linux-3.10\arch\mips\cobalt\reset.c(9): * Copyright (C) 2001 by Liam Davies (ldavies@agile.tv)
linux-3.10\arch\mips\cobalt\rtc.c(4): *Copyright (C) 2007Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\cobalt\serial.c(4): *Copyright (C) 2007Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\cobalt\setup.c(8): * Copyright (C) 1996, 1997, 2004, 05 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\cobalt\setup.c(9): * Copyright (C) 2001, 2002, 2003 by Liam Davies (ldavies@agile.tv)
linux-3.10\arch\mips\cobalt\time.c(4): *Copyright (C) 2007Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\dec\ecc-berr.c(7): *Copyright (c) 2003, 2005Maciej W.

legal(ME)

Rozycki

linux-3.10\arch\mips\dec\int-handler.S(2): * Copyright (C) 1995, 1996, 1997 Paul M. Antoine and Harald Koerfgen

linux-3.10\arch\mips\dec\int-handler.S(3): * Copyright (C) 2000, 2001, 2002, 2003, 2005Maciej W. Rozycki

linux-3.10\arch\mips\dec\int-handler.S(9): * Copyright (C) 1998 Harald Koerfgen

linux-3.10\arch\mips\dec\ioasic-irq.c(4): *Copyright (c) 2002, 2003Maciej W.

Rozycki

linux-3.10\arch\mips\dec\kn01-berr.c(6): *Copyright (c) 2005Maciej W. Rozycki

linux-3.10\arch\mips\dec\kn02-irq.c(5): *Copyright (c) 2002, 2003, 2005Maciej W.

Rozycki

linux-3.10\arch\mips\dec\kn02xa-berr.c(8): *Copyright (c) 2005Maciej W. Rozycki

linux-3.10\arch\mips\dec\prom\call_o32.S(4): *Copyright (C) 2002Maciej W. Rozycki

linux-3.10\arch\mips\dec\prom\cmdline.c(4): * Copyright (C) 1998 Harald Koerfgen

linux-3.10\arch\mips\dec\prom\cmdline.c(5): * Copyright (C) 2002, 2004Maciej W.

Rozycki

linux-3.10\arch\mips\dec\prom\console.c(4): *Copyright (C) 2004, 2007Maciej W.

Rozycki

linux-3.10\arch\mips\dec\prom\identify.c(4): * Copyright (C) 1998 Harald Koerfgen and Paul M. Antoine

linux-3.10\arch\mips\dec\prom\identify.c(5): * Copyright (C) 2002, 2003, 2004, 2005Maciej W. Rozycki

linux-3.10\arch\mips\dec\prom\init.c(4): * Copyright (C) 1998 Harald Koerfgen

linux-3.10\arch\mips\dec\prom\init.c(5): * Copyright (C) 2002, 2004Maciej W.

Rozycki

linux-3.10\arch\mips\dec\prom\memory.c(4): * Copyright (C) 1998 Harald Koerfgen, Frieder Streffer and Paul M. Antoine

linux-3.10\arch\mips\dec\prom\memory.c(5): * Copyright (C) 2000, 2002Maciej W.

Rozycki

linux-3.10\arch\mips\dec\promcon.c(5): * Copyright (c) 1998 Harald Koerfgen

linux-3.10\arch\mips\dec\reset.c(4): * Copyright (C) 199xthe Anonymous

linux-3.10\arch\mips\dec\reset.c(5): * Copyright (C) 2001, 2002, 2003Maciej W.

Rozycki

linux-3.10\arch\mips\dec\setup.c(8): * Copyright (C) 1998 Harald Koerfgen

linux-3.10\arch\mips\dec\setup.c(9): * Copyright (C) 2000, 2001, 2002, 2003, 2005Maciej W. Rozycki

linux-3.10\arch\mips\dec\tc.c(4): *Copyright (c) Harald Koerfgen, 1998

linux-3.10\arch\mips\dec\tc.c(5): *Copyright (c) 2001, 2003, 2005, 2006Maciej W.

Rozycki

linux-3.10\arch\mips\dec\tc.c(6): *Copyright (c) 2005James Simmons

linux-3.10\arch\mips\dec\time.c(2): *Copyright (C) 1991, 1992, 1995Linus Torvalds

linux-3.10\arch\mips\dec\time.c(3): *Copyright (C) 2000, 2003Maciej W. Rozycki

linux-3.10\arch\mips\dec\wbflush.c(13): * Copyright (C) 1998 Harald Koerfgen

linux-3.10\arch\mips\dec\wbflush.c(14): * Copyright (C) 2002 Maciej W. Rozycki

linux-3.10\arch\mips\emma\common\Makefile(2):#Copyright (C) NEC Electronics Corporation 2005-2006

linux-3.10\arch\mips\emma\common\prom.c(2): *Copyright (C) NEC Electronics Corporation 2004-2006

linux-3.10\arch\mips\emma\common\prom.c(6): *Copyright 2001 MontaVista Software Inc.

linux-3.10\arch\mips\emma\markeins\irq.c(2): *Copyright (C) NEC Electronics Corporation 2004-2006

legal(ME)

linux-3.10\arch\mips\emma\markeins\irq.c(6): *Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\emma\markeins\led.c(2): *Copyright (C) NEC Electronics Corporation 2004-2006
linux-3.10\arch\mips\emma\markeins\Makefile(2):#Copyright (C) NEC Electronics Corporation 2005-2006
linux-3.10\arch\mips\emma\markeins\platform.c(2): *Copyright(C) MontaVista Software Inc, 2006
linux-3.10\arch\mips\emma\markeins\setup.c(2): *Copyright (C) NEC Electronics Corporation 2004-2006
linux-3.10\arch\mips\emma\markeins\setup.c(6): *Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\fw\arc\arc_con.c(5): * Copyright (c) 1998 Harald Koerfgen
linux-3.10\arch\mips\fw\arc\arc_con.c(6): * Copyright (c) 2001 Ralf Baechle
linux-3.10\arch\mips\fw\arc\arc_con.c(7): * Copyright (c) 2002 Thiemo Seufer
linux-3.10\arch\mips\fw\arc\cmdline.c(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\fw\arc\env.c(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\fw\arc\file.c(8): * Copyright (C) 1994, 1995, 1996, 1999 Ralf Baechle
linux-3.10\arch\mips\fw\arc\file.c(9): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\fw\arc\identify.c(12): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\fw\arc\identify.c(8): * Copyright (C) 1998 Thomas Bogendoerfer
linux-3.10\arch\mips\fw\arc\init.c(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\fw\arc\memory.c(5): * Copyright (C) 1996 by David S. Miller
linux-3.10\arch\mips\fw\arc\memory.c(6): * Copyright (C) 1999, 2000, 2001 by Ralf Baechle
linux-3.10\arch\mips\fw\arc\memory.c(7): * Copyright (C) 1999, 2000 by Silicon Graphics, Inc.
linux-3.10\arch\mips\fw\arc\misc.c(10): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\fw\arc\misc.c(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\fw\arc\misc.c(9): * Copyright (C) 1999 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\fw\arc\promlib.c(6): * Copyright (C) 1996 David S. Miller (dm@sgi.com)
linux-3.10\arch\mips\fw\arc\salone.c(5): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\fw\arc\time.c(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\fw\arc\tree.c(10): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\fw\arc\tree.c(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\fw\arc\tree.c(9): * Copyright (C) 1999 Ralf Baechle (ralf@gnu.org)

legal(ME)

linux-3.10\arch\mips\fw\cfe\cfe_api.c(2): * Copyright (C) 2000, 2001, 2002
Broadcom Corporation
linux-3.10\arch\mips\fw\cfe\cfe_api_int.h(2): * Copyright (C) 2000, 2001, 2002
Broadcom Corporation
linux-3.10\arch\mips\fw\lib\call_o32.S(4): *Copyright (C) 2002Maciej W. Rozycki
linux-3.10\arch\mips\fw\lib\cmdline.c(6): * Copyright (C) 2012 MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\fw\sni\sniprom.c(8): * Copyright (C) 2005-2006 Florian
Lohoff (flo@rfc822.org)
linux-3.10\arch\mips\fw\sni\sniprom.c(9): * Copyright (C) 2005-2006 Thomas
Bogendoerfer (tsbogend@alpha.franken.de)
linux-3.10\arch\mips\include\asm\abi.h(6): * Copyright (C) 2005, 06 by Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\abi.h(7): * Copyright (C) 2005 MIPS
Technologies, Inc.
linux-3.10\arch\mips\include\asm\addrspace.h(6): * Copyright (C) 1996, 99 Ralf
Baechle
linux-3.10\arch\mips\include\asm\addrspace.h(7): * Copyright (C) 2000, 2002Maciej
W. Rozycki
linux-3.10\arch\mips\include\asm\addrspace.h(8): * Copyright (C) 1990, 1999 by
Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\asm.h(6): * Copyright (C) 1995, 1996, 1997,
1999, 2001 by Ralf Baechle
linux-3.10\arch\mips\include\asm\asm.h(7): * Copyright (C) 1999 by Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\asm.h(8): * Copyright (C) 2001 MIPS
Technologies, Inc.
linux-3.10\arch\mips\include\asm\asm.h(9): * Copyright (C) 2002Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\asmmacro.h(6): * Copyright (C) 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\asmmacro-32.h(4): * Copyright (C) 1996 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\mips\include\asm\asmmacro-32.h(5): * Copyright (C) 1998, 1999,
2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\asmmacro-64.h(4): * Copyright (C) 1996 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\mips\include\asm\asmmacro-64.h(5): * Copyright (C) 1998, 1999
Ralf Baechle
linux-3.10\arch\mips\include\asm\asmmacro-64.h(6): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\atomic.h(12): * Copyright (C) 1996, 97, 99,
2000, 03, 04, 06 by Ralf Baechle
linux-3.10\arch\mips\include\asm\barrier.h(6): * Copyright (C) 2006 by Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\bcache.h(6): * Copyright (c) 1997, 1999 by Ralf
Baechle
linux-3.10\arch\mips\include\asm\bcache.h(7): * Copyright (c) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\bitops.h(6): * Copyright (c) 1994 - 1997, 99,
2000, 06, 07Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\bitops.h(7): * Copyright (c) 1999, 2000Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\bmips.h(6): * Copyright (C) 2011 by Kevin

legal(ME)

Cernekee (cernekee@gmail.com)

linux-3.10\arch\mips\include\asm\bootinfo.h(10): * Copyright (C) 2009 Zhang Le
linux-3.10\arch\mips\include\asm\bootinfo.h(6): * Copyright (C) 1995, 1996, 2003
by Ralf Baechle
linux-3.10\arch\mips\include\asm\bootinfo.h(7): * Copyright (C) 1995, 1996
Andreas Busse
linux-3.10\arch\mips\include\asm\bootinfo.h(8): * Copyright (C) 1995, 1996 Stoned
Elipot
linux-3.10\arch\mips\include\asm\bootinfo.h(9): * Copyright (C) 1995, 1996 Paul
M. Antoine.
linux-3.10\arch\mips\include\asm\branch.h(6): * Copyright (C) 1996, 1997, 1998,
2001 by Ralf Baechle
linux-3.10\arch\mips\include\asm\break.h(6): * Copyright (C) 1995, 2003 by Ralf
Baechle
linux-3.10\arch\mips\include\asm\break.h(7): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\bugs.h(4): * Copyright (C) 2007Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\cache.h(6): * Copyright (C) 1997, 98, 99, 2000,
2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\cache.h(7): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\cacheflush.h(6): * Copyright (C) 1994, 95, 96,
97, 98, 99, 2000, 01, 02, 03 by Ralf Baechle
linux-3.10\arch\mips\include\asm\cacheflush.h(7): * Copyright (C) 1999, 2000,
2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\cacheops.h(8): * (C) Copyright 1996, 97, 99,
2002, 03 Ralf Baechle
linux-3.10\arch\mips\include\asm\cacheops.h(9): * (C) Copyright 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\cevt-r4k.h(6): * Copyright (C) 2008 Kevin D.
Kissell
linux-3.10\arch\mips\include\asm\checksum.h(6): * Copyright (C) 1995, 96, 97, 98,
99, 2001 by Ralf Baechle
linux-3.10\arch\mips\include\asm\checksum.h(7): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\checksum.h(8): * Copyright (C) 2001 Thiemo
Seufer.
linux-3.10\arch\mips\include\asm\checksum.h(9): * Copyright (C) 2002 Maciej W.
Rozycki
linux-3.10\arch\mips\include\asm\clkdev.h(4): *Copyright (C) 2008 Russell King.
linux-3.10\arch\mips\include\asm\cmpxchg.h(6): * Copyright (C) 2003, 06, 07 by
Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\compiler.h(2): * Copyright (C) 2004, 2007Maciej
W. Rozycki
linux-3.10\arch\mips\include\asm\cop2.h(6): * Copyright (C) 2009 Wind River
Systems,
linux-3.10\arch\mips\include\asm\cpu.h(5): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\include\asm\cpu.h(6): * Copyright (C) 2004Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\cpu-features.h(6): * Copyright (C) 2003, 2004
Ralf Baechle
linux-3.10\arch\mips\include\asm\cpu-features.h(7): * Copyright (C) 2004Maciej W.

legal(ME)

Rozycki

linux-3.10\arch\mips\include\asm\cpu-info.h(10): * Copyright (C) 2004Maciej W.

Rozycki

linux-3.10\arch\mips\include\asm\cpu-info.h(6): * Copyright (C) 1994 Waldorf GMBH

linux-3.10\arch\mips\include\asm\cpu-info.h(7): * Copyright (C) 1995, 1996, 1997, 1998, 1999, 2001, 2002, 2003 Ralf Baechle

linux-3.10\arch\mips\include\asm\cpu-info.h(8): * Copyright (C) 1996 Paul M. Antoine

linux-3.10\arch\mips\include\asm\cpu-info.h(9): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\asm\debug.h(5): * Copyright (C) 2001 MontaVista Software Inc.

linux-3.10\arch\mips\include\asm\dec\ecc.h(8): *Copyright (C) 2003Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\interrupts.h(11): * Copyright (C) 2001, 2002, 2003Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\interrupts.h(9): * Copyright (C) 1997 by Paul M. Antoine.

linux-3.10\arch\mips\include\asm\dec\ioasic.h(6): *Copyright (C) 2000, 2002, 2003Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\ioasic_addrs.h(14): * Copyright (C) 199xthe Anonymous

linux-3.10\arch\mips\include\asm\dec\ioasic_addrs.h(15): * Copyright (C) 2002, 2003Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\ioasic_ints.h(15): * Copyright (C) 199xthe Anonymous

linux-3.10\arch\mips\include\asm\dec\ioasic_ints.h(16): * Copyright (C) 2002Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\kn01.h(11): * Copyright (C) 2002, 2003, 2005Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\kn01.h(9): * Copyright (C) 1995,1996 by Paul M. Antoine, some code and definitions

linux-3.10\arch\mips\include\asm\dec\kn02.h(11): * Copyright (C) 2002, 2003, 2005Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\kn02.h(9): * Copyright (C) 1995,1996 by Paul M. Antoine, some code and definitions

linux-3.10\arch\mips\include\asm\dec\kn02ba.h(6): *Copyright (C) 2002, 2003Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\kn02ca.h(6): *Copyright (C) 2002, 2003Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\kn02xa.h(10): * Copyright (C) 1995,1996 by Paul M. Antoine, some code and definitions

linux-3.10\arch\mips\include\asm\dec\kn02xa.h(12): * Copyright (C) 2000, 2002, 2003, 2005Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\kn03.h(11): * Copyright (C) 1995,1996 by Paul M. Antoine, some code and definitions

linux-3.10\arch\mips\include\asm\dec\kn03.h(13): * Copyright (C) 2000, 2002, 2003, 2005Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\kn05.h(9): *Copyright (C) 2002, 2003, 2005, 2008Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\dec\kn230.h(6): *Copyright (C) 2002, 2003Maciej W. Rozycki

legal(ME)

linux-3.10\arch\mips\include\asm\dec\machtype.h(8): * Copyright (c) 1998, 2000 Harald Koerfgen
linux-3.10\arch\mips\include\asm\dec\prom.h(6): *Copyright (C) 2002Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\dec\system.h(6): *Copyright (C) 2005, 2006Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\delay.h(6): * Copyright (C) 1994 by Waldorf Electronics
linux-3.10\arch\mips\include\asm\delay.h(7): * Copyright (C) 1995 - 2000, 01, 03 by Ralf Baechle
linux-3.10\arch\mips\include\asm\delay.h(8): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\delay.h(9): * Copyright (C) 2007Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\div64.h(2): * Copyright (C) 2000, 2004Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\div64.h(3): * Copyright (C) 2003, 07 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\dma-coherence.h(6): * Copyright (C) 2006Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\ds1287.h(4): *Copyright (C) 2008Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\dsp.h(2): * Copyright (C) 2005 Mips Technologies
linux-3.10\arch\mips\include\asm\emma\emma2rh.h(2): *Copyright (C) NEC Electronics Corporation 2005-2006
linux-3.10\arch\mips\include\asm\emma\emma2rh.h(5): *Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\include\asm\emma\markeins.h(2): *Copyright (C) NEC Electronics Corporation 2005-2006
linux-3.10\arch\mips\include\asm\emma\markeins.h(5): *Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\include\asm\errno.h(6): * Copyright (C) 1995, 1999, 2001, 2002 by Ralf Baechle
linux-3.10\arch\mips\include\asm\exec.h(10): * Copyright (C) 2000 MIPS Technologies, Inc.
linux-3.10\arch\mips\include\asm\exec.h(6): * Copyright (C) 1994, 95, 96, 97, 98, 99, 2003, 06 by Ralf Baechle
linux-3.10\arch\mips\include\asm\exec.h(7): * Copyright (C) 1996 by Paul M. Antoine
linux-3.10\arch\mips\include\asm\exec.h(8): * Copyright (C) 1999 Silicon Graphics
linux-3.10\arch\mips\include\asm\fixmap.h(8): * Copyright (C) 1998 Ingo Molnar
linux-3.10\arch\mips\include\asm\floppy.h(8): * Copyright (C) 1995 - 2000 Ralf Baechle
linux-3.10\arch\mips\include\asm\fpregdef.h(10): * Copyright (C) 1990 - 1992, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\fpregdef.h(8): * Copyright (C) 1995, 1999 Ralf Baechle
linux-3.10\arch\mips\include\asm\fpregdef.h(9): * Copyright (C) 1985 MIPS Computer Systems, Inc.
linux-3.10\arch\mips\include\asm\fpu.h(2): * Copyright (C) 2002 MontaVista Software Inc.
linux-3.10\arch\mips\include\asm\fpu_emulator.h(21): * Copyright (C) 2000 MIPS

legal(ME)

Technologies, Inc. All rights reserved.

linux-3.10\arch\mips\include\asm\ftrace.h(6): * Copyright (C) 2009 DSLab, Lanzhou University, China

linux-3.10\arch\mips\include\asm\futex.h(6): * Copyright (c) 2006 Ralf Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\include\asm\fw\arc\types.h(6): * Copyright 1999 Ralf Baechle (ralf@gnu.org)

linux-3.10\arch\mips\include\asm\fw\arc\types.h(7): * Copyright 1999 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\asm\fw\cfe\cfe_api.h(2): * Copyright (C) 2000, 2001, 2002 Broadcom Corporation

linux-3.10\arch\mips\include\asm\fw\cfe\cfe_error.h(2): * Copyright (C) 2000, 2001, 2002 Broadcom Corporation

linux-3.10\arch\mips\include\asm\fw\fw.h(6): * Copyright (C) 2012 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\asm\gcmpregs.h(6): * Copyright (C) 2000, 07 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\asm\gic.h(6): * Copyright (C) 2000, 07 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\asm\gt64120.h(2): * Copyright (C) 2000, 2004, 2005 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\asm\gt64120.h(6): * Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\include\asm\hardirq.h(6): * Copyright (C) 1997, 98, 99, 2000, 01, 05 Ralf Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\include\asm\hardirq.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\asm\hardirq.h(8): * Copyright (C) 2001 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\asm\hazards.h(6): * Copyright (C) 2003, 04, 07 Ralf Baechle <ralf@linux-mips.org>

linux-3.10\arch\mips\include\asm\hazards.h(7): * Copyright (C) MIPS Technologies, Inc.

linux-3.10\arch\mips\include\asm\highmem.h(15): * Copyright (C) 1999 Ingo Molnar <mingo@redhat.com>

linux-3.10\arch\mips\include\asm\highmem.h(7): * Copyright (C) 1999 Gerhard Wichert, Siemens AG

linux-3.10\arch\mips\include\asm\hugetlb.h(6): * Copyright (C) 2008, 2009 Cavium Networks, Inc.

linux-3.10\arch\mips\include\asm\hw_irq.h(6): * Copyright (C) 2000, 2001, 2002 by Ralf Baechle

linux-3.10\arch\mips\include\asm\i8259.h(6): * Copyright (C) 2003 Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\i8259.h(7): * Copyright (C) 2003 Ralf Baechle <ralf@linux-mips.org>

linux-3.10\arch\mips\include\asm\inst.h(8): * Copyright (C) 1996, 2000 by Ralf Baechle

linux-3.10\arch\mips\include\asm\inst.h(9): * Copyright (C) 2006 by Thiemo Seuffer

linux-3.10\arch\mips\include\asm\io.h(6): * Copyright (C) 1994, 1995 Waldorf GmbH

linux-3.10\arch\mips\include\asm\io.h(7): * Copyright (C) 1994 - 2000, 06 Ralf Baechle

linux-3.10\arch\mips\include\asm\io.h(8): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

legal(ME)

linux-3.10\arch\mips\include\asm\io.h(9): * Copyright (C) 2004, 2005 MIPS Technologies, Inc. All rights reserved.

linux-3.10\arch\mips\include\asm\ip32\crime.h(9): * Copyright (C) 2000 Harald Koerfgen

linux-3.10\arch\mips\include\asm\ip32\ip32_ints.h(6): * Copyright (C) 2000 Harald Koerfgen

linux-3.10\arch\mips\include\asm\ip32\mace.h(8): * Copyright (C) 2000 Harald Koerfgen

linux-3.10\arch\mips\include\asm\ip32\mace.h(9): * Copyright (C) 2004 Ladislav Michl

linux-3.10\arch\mips\include\asm\irq.h(6): * Copyright (C) 1994 by Waldorf GMBH, written by Ralf Baechle

linux-3.10\arch\mips\include\asm\irq.h(7): * Copyright (C) 1995, 96, 97, 98, 99, 2000, 01, 02, 03 by Ralf Baechle

linux-3.10\arch\mips\include\asm\irq_cpu.h(6): * Copyright (C) 2002 Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\irq_gt641xx.h(4): * Copyright (C) 2007 Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\include\asm\irq_regs.h(7): * Copyright (C) 2006 Ralf Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\include\asm\irqflags.h(6): * Copyright (C) 1994, 95, 96, 97, 98, 99, 2003 by Ralf Baechle

linux-3.10\arch\mips\include\asm\irqflags.h(7): * Copyright (C) 1996 by Paul M. Antoine

linux-3.10\arch\mips\include\asm\irqflags.h(8): * Copyright (C) 1999 Silicon Graphics

linux-3.10\arch\mips\include\asm\irqflags.h(9): * Copyright (C) 2000 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\asm\isadep.h(6): * Copyright (c) 1998 Harald Koerfgen

linux-3.10\arch\mips\include\asm\jazz.h(6): * Copyright (C) 1995 - 1998 by Andreas Busse and Ralf Baechle

linux-3.10\arch\mips\include\asm\jump_label.h(6): * Copyright (c) 2010 Cavium Networks, Inc.

linux-3.10\arch\mips\include\asm\kprobes.h(5): * Copyright 2006 Sony Corp.

linux-3.10\arch\mips\include\asm\kprobes.h(6): * Copyright 2010 Cavium Networks

linux-3.10\arch\mips\include\asm\kspd.h(2): * Copyright (C) 2005 MIPS Technologies, Inc. All rights reserved.

linux-3.10\arch\mips\include\asm\kvm_host.h(6): * Copyright (C) 2012 MIPS Technologies, Inc. All rights reserved.

linux-3.10\arch\mips\include\asm\lasat\lasat.h(5): * Copyright (C) 2000 LASAT Networks A/S.

linux-3.10\arch\mips\include\asm\mach-ar7\ar7.h(2): * Copyright (C) 2006, 2007 Felix Fietkau <nbd@openwrt.org>

linux-3.10\arch\mips\include\asm\mach-ar7\ar7.h(3): * Copyright (C) 2006, 2007 Eugene Konev <ejka@openwrt.org>

linux-3.10\arch\mips\include\asm\mach-ar7\gpio.h(2): * Copyright (C) 2007-2009 Florian Fainelli <florian@openwrt.org>

linux-3.10\arch\mips\include\asm\mach-ar7\irq.h(7): * Copyright (C) 2003 by Ralf Baechle

linux-3.10\arch\mips\include\asm\mach-ar7\prom.h(2): * Copyright (C) 2006, 2007 Florian Fainelli <florian@openwrt.org>

legal(ME)

linux-3.10\arch\mips\include\asm\mach-ar7\spaces.h(6): * Copyright (C) 1994 - 1999, 2000, 03, 04 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ar7\spaces.h(7): * Copyright (C) 2000, 2002 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-ar7\spaces.h(8): * Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-ar7\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-ath79\ar71xx_regs.h(4): *Copyright (C) 2010-2011 Jaiganesh Narayanan <jnarayanan@atheros.com>
linux-3.10\arch\mips\include\asm\mach-ath79\ar71xx_regs.h(5): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\ar71xx_regs.h(6): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\ar933x_uart.h(4): *Copyright (C) 2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\ar933x_uart_platform.h(4): *Copyright (C) 2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\ath79.h(4): *Copyright (C) 2008-2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\ath79.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\ath79_spi_platform.h(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\cpu-feature-overrides.h(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\cpu-feature-overrides.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\cpu-feature-overrides.h(8): *Copyright (C) 2003, 2004 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ath79\cpu-feature-overrides.h(9): *Copyright (C) 2004 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-ath79\gpio.h(4): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\gpio.h(5): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\irq.h(2): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\irq.h(3): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\kernel-entry-init.h(4): *Copyright (C) 2009 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ath79\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-au1x00\au1000.h(6): * Copyright 2000-2001, 2006-2008 MontaVista Software Inc.
linux-3.10\arch\mips\include\asm\mach-au1x00\au1000_dma.h(6): * Copyright 2000, 2008 MontaVista Software Inc.
linux-3.10\arch\mips\include\asm\mach-au1x00\au1100_mmc.h(6): * Copyright (c) 2003 Embedded Edge, LLC.
linux-3.10\arch\mips\include\asm\mach-au1x00\au1xxx_dbdma.h(7): * Copyright 2004 Embedded Edge, LLC

legal(ME)

linux-3.10\arch\mips\include\asm\mach-au1x00\au1xxx_ide.h(7): * Copyright (c) 2003-2005 AMD, Personal Connectivity Solutions
linux-3.10\arch\mips\include\asm\mach-au1x00\au1xxx_psc.h(6): * Copyright 2004 Embedded Edge, LLC
linux-3.10\arch\mips\include\asm\mach-au1x00\gpio-au1000.h(4): * Copyright (c) 2009 Manuel Lauss.
linux-3.10\arch\mips\include\asm\mach-au1x00\gpio-au1300.h(4): * Copyright (c) 2009-2011 Manuel Lauss <manuel.lauss@googlemail.com>
linux-3.10\arch\mips\include\asm\mach-au1x00\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-bcm47xx\bcm47xx.h(2): * Copyright (C) 2007 Aurelien Jarno <aurelien@aurel32.net>
linux-3.10\arch\mips\include\asm\mach-bcm47xx\bcm47xx_nvram.h(2): *Copyright (C) 2005, Broadcom Corporation
linux-3.10\arch\mips\include\asm\mach-bcm47xx\bcm47xx_nvram.h(3): *Copyright (C) 2006, Felix Fietkau <nbd@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-bcm47xx\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-bcm63xx\spaces.h(6): * Copyright (C) 1994 - 1999, 2000, 03, 04 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-bcm63xx\spaces.h(7): * Copyright (C) 2000, 2002 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-bcm63xx\spaces.h(8): * Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-bcm63xx\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-cavium-octeon\cpu-feature-overrides.h(6): * Copyright (C) 2004 Cavium Networks
linux-3.10\arch\mips\include\asm\mach-cavium-octeon\dma-coherence.h(6): * Copyright (C) 2006 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-cavium-octeon\irq.h(6): * Copyright (C) 2004-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\mach-cavium-octeon\kernel-entry-init.h(6): * Copyright (C) 2005-2008 Cavium Networks, Inc
linux-3.10\arch\mips\include\asm\mach-cavium-octeon\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-cavium-octeon\war.h(7): * Copyright (C) 2008 Cavium Networks <support@caviumnetworks.com>
linux-3.10\arch\mips\include\asm\mach-cobalt\cobalt.h(10): * Copyright (C) 2001, 2002, 2003 Liam Davies (ldavies@agile.tv)
linux-3.10\arch\mips\include\asm\mach-cobalt\cobalt.h(8): * Copyright (C) 1997 Cobalt Microserver
linux-3.10\arch\mips\include\asm\mach-cobalt\cobalt.h(9): * Copyright (C) 1997, 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-cobalt\cpu-feature-overrides.h(6): * Copyright (C) 2006, 07 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-cobalt\irq.h(10): * Copyright (C) 2001-2003 Liam Davies (ldavies@agile.tv)
linux-3.10\arch\mips\include\asm\mach-cobalt\irq.h(11): * Copyright (C) 2007 Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-cobalt\irq.h(8): * Copyright (C) 1997 Cobalt Microserver

legal(ME)

linux-3.10\arch\mips\include\asm\mach-cobalt\irq.h(9): * Copyright (C) 1997, 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-cobalt\mach-gt64120.h(2): *Copyright (C) 2006Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-cobalt\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-db1x00\irq.h(6): * Copyright (C) 2003 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-dec\mc146818rtc.h(4): * Copyright (C) 1998, 2001 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-dec\mc146818rtc.h(5): * Copyright (C) 1998 by Harald Koerfgen
linux-3.10\arch\mips\include\asm\mach-dec\mc146818rtc.h(6): * Copyright (C) 2002, 2005Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-dec\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-emma2rh\irq.h(6): * Copyright (C) 2003 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-emma2rh\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-generic\cpu-feature-overrides.h(6): * Copyright (C) 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-generic\dma-coherence.h(6): * Copyright (C) 2006Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-generic\floppy.h(6): * Copyright (C) 1996, 1997, 1998, 2003 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-generic\ide.h(6): * Copyright (C) 1994-1996Linus Torvalds & authors
linux-3.10\arch\mips\include\asm\mach-generic\irq.h(6): * Copyright (C) 2003 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-generic\kernel-entry-init.h(6): * Copyright (C) 2005 Embedded Alley Solutions, Inc
linux-3.10\arch\mips\include\asm\mach-generic\kernel-entry-init.h(7): * Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-generic\mangle-port.h(6): * Copyright (C) 2003, 2004 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-generic\mc146818rtc.h(6): * Copyright (C) 1998, 2001, 03 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-generic\spaces.h(6): * Copyright (C) 1994 - 1999, 2000, 03, 04 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-generic\spaces.h(7): * Copyright (C) 2000, 2002Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-generic\spaces.h(8): * Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-ip22\cpu-feature-overrides.h(6): * Copyright (C) 2003, 07 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip22\spaces.h(6): * Copyright (C) 1994 - 1999, 2000, 03, 04 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip22\spaces.h(7): * Copyright (C) 2000, 2002Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-ip22\spaces.h(8): * Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc.

legal(ME)

linux-3.10\arch\mips\include\asm\mach-ip22\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-ip27\cpu-feature-overrides.h(6): * Copyright (C) 2003, 07 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip27\dma-coherence.h(6): * Copyright (C) 2006 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-ip27\irq.h(6): * Copyright (C) 1999, 2000, 01, 02, 03 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip27\irq.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-ip27\irq.h(8): * Copyright (C) 2001 Kanoj Sarcar
linux-3.10\arch\mips\include\asm\mach-ip27\kernel-entry-init.h(6): * Copyright (C) 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-ip27\kernel-entry-init.h(7): * Copyright (C) 2005 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-ip27\mangle-port.h(6): * Copyright (C) 2003, 2004 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip27\spaces.h(6): * Copyright (C) 1996, 99 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip27\spaces.h(7): * Copyright (C) 2000, 2002 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-ip27\spaces.h(8): * Copyright (C) 1990, 1999 by Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-ip27\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-ip28\cpu-feature-overrides.h(6): * Copyright (C) 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip28\spaces.h(6): * Copyright (C) 1994 - 1999, 2000, 03, 04 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip28\spaces.h(7): * Copyright (C) 2000, 2002 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-ip28\spaces.h(8): * Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-ip28\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-ip32\cpu-feature-overrides.h(6): * Copyright (C) 2005 Ilya A. Volynets-Evenbakh
linux-3.10\arch\mips\include\asm\mach-ip32\cpu-feature-overrides.h(7): * Copyright (C) 2005, 07 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-ip32\dma-coherence.h(6): * Copyright (C) 2006 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-ip32\mangle-port.h(6): * Copyright (C) 2003 Ladislav Michl
linux-3.10\arch\mips\include\asm\mach-ip32\mangle-port.h(7): * Copyright (C) 2004 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip32\mc146818rtc.h(6): * Copyright (C) 1998, 2001, 03 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ip32\mc146818rtc.h(7): * Copyright (C) 2000 Harald Koerfgen
linux-3.10\arch\mips\include\asm\mach-ip32\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>

legal(ME)

linux-3.10\arch\mips\include\asm\mach-jazz\dma-coherence.h(6): * Copyright (C) 2006 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-jazz\floppy.h(6): * Copyright (C) 1998, 2003 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-jazz\mc146818rtc.h(6): * Copyright (C) 1998, 2001, 03 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-jazz\mc146818rtc.h(7): * Copyright (C) 2007 Thomas Bogendoerfer
linux-3.10\arch\mips\include\asm\mach-jazz\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-jz4740\clock.h(2): * Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\arch\mips\include\asm\mach-jz4740\dma.h(2): * Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\arch\mips\include\asm\mach-jz4740\gpio.h(2): * Copyright (C) 2009, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\arch\mips\include\asm\mach-jz4740\irq.h(2): * Copyright (C) 2009-2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\arch\mips\include\asm\mach-jz4740\jz4740_fb.h(2): * Copyright (C) 2009, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\arch\mips\include\asm\mach-jz4740\jz4740_nand.h(2): * Copyright (C) 2009-2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\arch\mips\include\asm\mach-jz4740\platform.h(2): * Copyright (C) 2009-2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\arch\mips\include\asm\mach-jz4740\timer.h(2): * Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\arch\mips\include\asm\mach-jz4740\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-lantiq\falcon\falcon_irq.h(6): * Copyright (C) 2010 Thomas Langer <thomas.langer@lantiq.com>
linux-3.10\arch\mips\include\asm\mach-lantiq\falcon\irq.h(6): * Copyright (C) 2011 Thomas Langer <thomas.langer@lantiq.com>
linux-3.10\arch\mips\include\asm\mach-lantiq\falcon\lantiq_soc.h(6): * Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-lantiq\lantiq.h(6): * Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-lantiq\lantiq_platform.h(6): * Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-lantiq\xway\irq.h(6): * Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-lantiq\xway\lantiq_irq.h(6): * Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-lantiq\xway\lantiq_soc.h(6): * Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-lantiq\xway\xway_dma.h(15): * Copyright (C) 2011 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-lasat\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-loongson\cpu-feature-overrides.h(6): * Copyright (C) 2009 Wu Zhangjin <wuzhangjin@gmail.com>
linux-3.10\arch\mips\include\asm\mach-loongson\cpu-feature-overrides.h(7): * Copyright (C) 2009 Philippe Vachon <philippe@cowpig.ca>

legal(ME)

linux-3.10\arch\mips\include\asm\mach-loongson\cpu-feature-overrides.h(8): *
Copyright (C) 2009 Zhang Le <r0bertz@gentoo.org>
linux-3.10\arch\mips\include\asm\mach-loongson\cs5536\cs5536.h(4): * Copyright
(C) 2007 Lemote, Inc.
linux-3.10\arch\mips\include\asm\mach-loongson\cs5536\cs5536_pci.h(7): *
Copyright (C) 2007 Lemote Inc.
linux-3.10\arch\mips\include\asm\mach-loongson\cs5536\cs5536_vsm.h(4): *
Copyright (C) 2009 Lemote, Inc.
linux-3.10\arch\mips\include\asm\mach-loongson\dma-coherence.h(6): * Copyright
(C) 2006, 07Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-loongson\dma-coherence.h(7): * Copyright
(C) 2007 Lemote, Inc. & Institute of Computing Technology
linux-3.10\arch\mips\include\asm\mach-loongson\gpio.h(4): * Copyright (c)
2008Richard Liu, STMicroelectronics <richard.liu@st.com>
linux-3.10\arch\mips\include\asm\mach-loongson\gpio.h(5): * Copyright (c)
2008-2010Arnaud Patard <apatard@mandriva.com>
linux-3.10\arch\mips\include\asm\mach-loongson\loongson.h(2): * Copyright (C)
2009 Lemote, Inc.
linux-3.10\arch\mips\include\asm\mach-loongson\machine.h(2): * Copyright (C) 2009
Lemote, Inc.
linux-3.10\arch\mips\include\asm\mach-loongson\mc146818rtc.h(6): * Copyright (C)
1998, 2001, 03, 07 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-loongson\mem.h(2): * Copyright (C) 2009
Lemote, Inc.
linux-3.10\arch\mips\include\asm\mach-loongson\pci.h(2): * Copyright (c) 2008
Zhang Le <r0bertz@gentoo.org>
linux-3.10\arch\mips\include\asm\mach-loongson\pci.h(3): * Copyright (c) 2009 Wu
Zhangjin <wuzhangjin@gmail.com>
linux-3.10\arch\mips\include\asm\mach-loongson\war.h(6): * Copyright (C) 2002,
2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-loongson1\irq.h(2): * Copyright (c) 2011
Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\include\asm\mach-loongson1\loongson1.h(2): * Copyright (c)
2011 Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\include\asm\mach-loongson1\platform.h(2): * Copyright (c)
2011 Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\include\asm\mach-loongson1\prom.h(2): * Copyright (c) 2011
Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\include\asm\mach-loongson1\regs-clk.h(2): * Copyright (c)
2011 Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\include\asm\mach-loongson1\regs-wdt.h(2): * Copyright (c)
2011 Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\include\asm\mach-loongson1\war.h(6): * Copyright (C) 2002,
2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-malta\cpu-feature-overrides.h(6): *
Copyright (C) 2003, 2004 Chris Dearman
linux-3.10\arch\mips\include\asm\mach-malta\cpu-feature-overrides.h(7): *
Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-malta\kernel-entry-init.h(7): * Copyright
(C) 2007 Mips Technologies, Inc.
linux-3.10\arch\mips\include\asm\mach-malta\mc146818rtc.h(3): * Copyright (C)
1999,2000 MIPS Technologies, Inc.All rights reserved.

legal(ME)

linux-3.10\arch\mips\include\asm\mach-malta\mc146818rtc.h(4): * Copyright (C) 2003 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-malta\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-netlogic\cpu-feature-overrides.h(6): * Copyright (C) 2011 Netlogic Microsystems
linux-3.10\arch\mips\include\asm\mach-netlogic\cpu-feature-overrides.h(7): * Copyright (C) 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-netlogic\irq.h(6): * Copyright (C) 2011 Netlogic Microsystems.
linux-3.10\arch\mips\include\asm\mach-netlogic\multi-node.h(2): * Copyright (c) 2003-2012 Broadcom Corporation
linux-3.10\arch\mips\include\asm\mach-netlogic\war.h(6): * Copyright (C) 2011 Netlogic Microsystems.
linux-3.10\arch\mips\include\asm\mach-netlogic\war.h(7): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\cpu-feature-overrides.h(6): * Copyright (C) 2003, 04, 07 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_cic_int.h(4): * Copyright (C) 1999 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_gpio_macros.h(6): * Copyright 2010 PMC-Sierra, Inc.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_int.h(4): * Copyright (C) 2005, PMC-Sierra, Inc. All rights reserved.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_pci.h(2): * Copyright (c) 2000-2006 PMC-Sierra INC.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_prom.h(4): * Copyright (C) 2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_regops.h(24): * Copyright 2005-2007 PMC-Sierra, Inc.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_regs.h(11): * Copyright (C) 2005-2007 PMC-Sierra, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_slp_int.h(4): * Copyright (C) 1999 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\msp_usb.h(2): * Copyright (c) 2000-2007 PMC-Sierra INC.
linux-3.10\arch\mips\include\asm\mach-pmcs-msp71xx\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-pnx833x\gpio.h(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\include\asm\mach-pnx833x\irq.h(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\include\asm\mach-pnx833x\irq-mapping.h(5): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\include\asm\mach-pnx833x\pnx833x.h(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\include\asm\mach-pnx833x\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-powertv\asic.h(2): * Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-powertv\asic_reg_map.h(7): * Copyright (C) 2009Cisco Systems, Inc.

legal(ME)

linux-3.10\arch\mips\include\asm\mach-powertv\asic_regs.h(2): * Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-powertv\cpu-feature-overrides.h(2): * Copyright (C) 2010Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-powertv\dma-coherence.h(7): * Portions Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-powertv\dma-coherence.h(8): * Copyright (C) 2006Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-powertv\interrupts.h(2): * Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-powertv\ioremap.h(7): * Portions Copyright (C)Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-powertv\irq.h(2): * Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-powertv\powertv-clock.h(2): * Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-powertv\war.h(8): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-powertv\war.h(9): * Portions copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\include\asm\mach-ralink\mt7620.h(10): * Copyright (C) 2013 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\mt7620.h(8): * Copyright (C) 2008-2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\mt7620.h(9): * Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\ralink_regs.h(4): *Copyright (C) 2013 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\ralink_regs.h(5): *Copyright (C) 2008-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\ralink_regs.h(6): *Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt288x.h(10): * Copyright (C) 2013 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt288x.h(8): * Copyright (C) 2008-2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt288x.h(9): * Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt288x\cpu-feature-overrides.h(4): * Copyright (C) 2008-2009 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt288x\cpu-feature-overrides.h(5): * Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt288x\cpu-feature-overrides.h(8): *Copyright (C) 2003, 2004 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ralink\rt288x\cpu-feature-overrides.h(9): *Copyright (C) 2004 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-ralink\rt305x.h(10): * Copyright (C) 2013 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt305x.h(8): * Copyright (C) 2008-2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt305x.h(9): * Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>

legal(ME)

linux-3.10\arch\mips\include\asm\mach-ralink\rt305x\cpu-feature-overrides.h(4): *
Copyright (C) 2008-2009 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt305x\cpu-feature-overrides.h(5): *
Copyright (C) 2008 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt305x\cpu-feature-overrides.h(8):
*Copyright (C) 2003, 2004 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ralink\rt305x\cpu-feature-overrides.h(9):
*Copyright (C) 2004 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-ralink\rt3883.h(4): * Copyright (C)
2011-2012 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt3883\cpu-feature-overrides.h(4): *
Copyright (C) 2011-2013 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-ralink\rt3883\cpu-feature-overrides.h(7):
*Copyright (C) 2003, 2004 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-ralink\rt3883\cpu-feature-overrides.h(8):
*Copyright (C) 2004 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-ralink\war.h(6): * Copyright (C) 2002,
2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-rc32434\cpu-feature-overrides.h(4):
*Copyright (C) 2008 Florian Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-rc32434\cpu-feature-overrides.h(7):
*Copyright (C) 2003, 2004 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-rc32434\cpu-feature-overrides.h(8):
*Copyright (C) 2004 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-rc32434\ddr.h(4): *Copyright 2002 Ryan Holm
<ryan.holmQVist@idt.com>
linux-3.10\arch\mips\include\asm\mach-rc32434\ddr.h(5): *Copyright 2008 Florian
Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-rc32434\dma.h(2): * Copyright 2002
Integrated Device Technology, Inc.
linux-3.10\arch\mips\include\asm\mach-rc32434\dma_v.h(2): * Copyright 2002
Integrated Device Technology, Inc.
linux-3.10\arch\mips\include\asm\mach-rc32434\eth.h(4): *Copyright 2002 Allend
Stichter <allen.stichter@idt.com>
linux-3.10\arch\mips\include\asm\mach-rc32434\eth.h(5): *Copyright 2008 Florian
Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-rc32434\gpio.h(10): * Copyright (C) 2008
Florian Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-rc32434\gpio.h(2): * Copyright 2002
Integrated Device Technology, Inc.
linux-3.10\arch\mips\include\asm\mach-rc32434\gpio.h(9): * Copyright (C) 2001,
2002 Ryan Holm <ryan.holmQVist@idt.com>
linux-3.10\arch\mips\include\asm\mach-rc32434\integ.h(4): *Copyright 2002 Ryan
Holm <ryan.holmQVist@idt.com>
linux-3.10\arch\mips\include\asm\mach-rc32434\integ.h(5): *Copyright 2008 Florian
Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-rc32434\pci.h(22): * Copyright 2004 IDT
Inc. (rischelp@idt.com)
linux-3.10\arch\mips\include\asm\mach-rc32434\prom.h(4): *Copyright 2002 Ryan
Holm <ryan.holmQVist@idt.com>
linux-3.10\arch\mips\include\asm\mach-rc32434\prom.h(5): *Copyright 2008 Florian
Fainelli <florian@openwrt.org>

legal(ME)

linux-3.10\arch\mips\include\asm\mach-rc32434\rb.h(12): *Copyright (C) 2004 IDT Inc.
linux-3.10\arch\mips\include\asm\mach-rc32434\rb.h(13): *Copyright (C) 2006 Felix Fietkau <nbd@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-rc32434\timer.h(4): *Copyright 2004 Philip Rischel <rischelp@idt.com>
linux-3.10\arch\mips\include\asm\mach-rc32434\timer.h(5): *Copyright 2008 Florian Fainelli <florian@openwrt.org>
linux-3.10\arch\mips\include\asm\mach-rc32434\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-rm\cpu-feature-overrides.h(6): * Copyright (C) 2003, 04, 07 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-rm\mc146818rtc.h(6): * Copyright (C) 2004 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-rm\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-sead3\cpu-feature-overrides.h(6): * Copyright (C) 2003, 2004 Chris Dearman
linux-3.10\arch\mips\include\asm\mach-sead3\cpu-feature-overrides.h(7): * Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-sead3\kernel-entry-init.h(7): * Copyright (C) 2007 Mips Technologies, Inc.
linux-3.10\arch\mips\include\asm\mach-sead3\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-sibyte\cpu-feature-overrides.h(6): * Copyright (C) 2003, 04, 07 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\mach-sibyte\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-tx39xx\spaces.h(6): * Copyright (C) 1994 - 1999, 2000, 03, 04 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-tx39xx\spaces.h(7): * Copyright (C) 2000, 2002 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-tx39xx\spaces.h(8): * Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-tx39xx\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-tx49xx\spaces.h(6): * Copyright (C) 1994 - 1999, 2000, 03, 04 Ralf Baechle
linux-3.10\arch\mips\include\asm\mach-tx49xx\spaces.h(7): * Copyright (C) 2000, 2002 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\mach-tx49xx\spaces.h(8): * Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\mach-tx49xx\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-vr41xx\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mach-wrppmc\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\include\asm\mc146818rtc.h(8): * Copyright (C) 1996, 1997, 1998, 2000 Ralf Baechle
linux-3.10\arch\mips\include\asm\mc146818rtc.h(9): * Copyright (C) 2002 Maciej W. Rozycki

legal(ME)

linux-3.10\arch\mips\include\asm\mips_machine.h(2): *Copyright (C) 2008-2010
Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\include\asm\mips-boards\bonito64.h(10): * Copyright (C) 2001
MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mips-boards\bonito64.h(7): * Copyright (c) 1999
Algorithmics Ltd
linux-3.10\arch\mips\include\asm\mips-boards\generic.h(8): * Copyright (C)
2000,2012 MIPS Technologies, Inc.
linux-3.10\arch\mips\include\asm\mips-boards\malta.h(3): * Copyright (C) 2000
MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mips-boards\maltaint.h(6): * Copyright (C)
2000,2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mips-boards\msc01_pci.h(4): * Copyright (C)
2002, 2005MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mips-boards\piix4.h(3): * Copyright (C) 2000
MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mips-boards\sead3int.h(6): * Copyright (C)
2000,2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mips-boards\sim.h(2): * Copyright (C) 2005 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mipsmtregs.h(3): * Copyright (C) 2004 - 2005
MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\mipsregs.h(10): * Copyright (C) 2000, 07 MIPS
Technologies, Inc.
linux-3.10\arch\mips\include\asm\mipsregs.h(11): * Copyright (C) 2003, 2004Maciej
W. Rozycki
linux-3.10\arch\mips\include\asm\mipsregs.h(6): * Copyright (C) 1994, 1995, 1996,
1997, 2000, 2001 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mipsregs.h(7): * Copyright (C) 2000 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\mmu_context.h(8): * Copyright (C) 1996, 1997,
1998, 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\mmu_context.h(9): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\msc01_ic.h(4): * Copyright (C) 2004 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\include\asm\netlogic\common.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\haldefs.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\interrupt.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\mips-extns.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\psb-bootinfo.h(2): * Copyright
2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlp-hal\bridge.h(2): * Copyright
2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlp-hal\cpucontrol.h(2): * Copyright
2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlp-hal\iomap.h(2): * Copyright
2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights

legal(ME)

linux-3.10\arch\mips\include\asm\netlogic\xlp-hal\pcibus.h(2): * Copyright (c)
2003-2012 Broadcom Corporation
linux-3.10\arch\mips\include\asm\netlogic\xlp-hal\pic.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlp-hal\sys.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlp-hal\uart.h(2): * Copyright
2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlp-hal\xlp.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlr\bridge.h(2): * Copyright (c)
2003-2012 Broadcom Corporation
linux-3.10\arch\mips\include\asm\netlogic\xlr\flash.h(2): * Copyright (c)
2003-2012 Broadcom Corporation
linux-3.10\arch\mips\include\asm\netlogic\xlr\fmn.h(2): * Copyright (c) 2003-2012
Broadcom Corporation
linux-3.10\arch\mips\include\asm\netlogic\xlr\gpio.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlr\iomap.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlr\msidef.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlr\pic.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\netlogic\xlr\xlr.h(2): * Copyright 2003-2011
NetLogic Microsystems, Inc. (NetLogic). All rights
linux-3.10\arch\mips\include\asm\nile4.h(4): *Copyright (C) 2000 Geert
Uytterhoeven <geert@sonycom.com>
linux-3.10\arch\mips\include\asm\octeon\cvmx.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-address.h(7): * Copyright (c)
2003-2009 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-agl-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-asm.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-asxx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-bootinfo.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-bootmem.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-ciu2-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-ciu-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-cmd-queue.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-dbg-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-dpi-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks

legal(ME)

linux-3.10\arch\mips\include\asm\octeon\cvmx-fau.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-fpa.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-fpa-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-gmxx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-gpio-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-board.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-errata.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-jtag.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-loop.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-npi.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-rgmii.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-sgmii.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-spi.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-util.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-helper-xaui.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-iob-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-ipd.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-ipd-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-l2c.h(7): * Copyright (c) 2003-2010
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-l2c-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-l2d-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-l2t-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-led-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-lmcx-defs.h(7): * Copyright (c)
2003-2012 Cavium Inc.
linux-3.10\arch\mips\include\asm\octeon\cvmx-mdio.h(7): * Copyright (c) 2003-2008
Cavium Networks

legal(ME)

linux-3.10\arch\mips\include\asm\octeon\cvmx-mio-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-mixx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-mpi-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-npei-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-npi-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-packet.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pci-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pciercx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pcsx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pcsxx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pemx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pescx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pexp-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pip.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pip-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pko.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pko-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pow.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-pow-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-rnm-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-scratch.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-sli-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-smix-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-spi.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-spinlock.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-spxx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks

legal(ME)

linux-3.10\arch\mips\include\asm\octeon\cvmx-sriox-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-srxx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-stxx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-sysinfo.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-uctlx-defs.h(7): * Copyright (c)
2003-2012 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\cvmx-wqe.h(7): * Copyright (c) 2003-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\octeon.h(6): * Copyright (C) 2004-2008
Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\octeon-feature.h(7): * Copyright (c)
2003-2008 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\octeon-model.h(7): * Copyright (c)
2003-2010 Cavium Networks
linux-3.10\arch\mips\include\asm\octeon\pci-octeon.h(6): * Copyright (C)
2005-2009 Cavium Networks
linux-3.10\arch\mips\include\asm\paccess.h(6): * Copyright (C) 1996, 1997, 1998,
1999, 2000 by Ralf Baechle
linux-3.10\arch\mips\include\asm\paccess.h(7): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\page.h(6): * Copyright (C) 1994 - 1999, 2000, 03
Ralf Baechle
linux-3.10\arch\mips\include\asm\page.h(7): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.
linux-3.10\arch\mips\include\asm\pci\bridge.h(10): * Copyright (C) 1999 Ralf
Baechle (ralf@gnu.org)
linux-3.10\arch\mips\include\asm\pci\bridge.h(9): * Copyright (C) 1996, 1999
Silcon Graphics, Inc.
linux-3.10\arch\mips\include\asm\perf_event.h(4): * Copyright (C) 2010 MIPS
Technologies, Inc.
linux-3.10\arch\mips\include\asm\pgalloc.h(6): * Copyright (C) 1994 - 2001, 2003
by Ralf Baechle
linux-3.10\arch\mips\include\asm\pgalloc.h(7): * Copyright (C) 1999, 2000, 2001
Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\pgtable.h(6): * Copyright (C) 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\pgtable-32.h(6): * Copyright (C) 1994, 95, 96,
97, 98, 99, 2000, 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\pgtable-32.h(7): * Copyright (C) 1999, 2000,
2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\pgtable-64.h(6): * Copyright (C) 1994, 95, 96,
97, 98, 99, 2000, 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\pgtable-64.h(7): * Copyright (C) 1999, 2000,
2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\pgtable-bits.h(6): * Copyright (C) 1994 - 2002
by Ralf Baechle
linux-3.10\arch\mips\include\asm\pgtable-bits.h(7): * Copyright (C) 1999, 2000,
2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\pgtable-bits.h(8): * Copyright (C) 2002Maciej W.

legal(ME)

Rozycki

linux-3.10\arch\mips\include\asm\pmon.h(6): * Copyright (C) 2004 by Ralf Baechle

linux-3.10\arch\mips\include\asm\prefetch.h(6): * Copyright (C) 2003 by Ralf Baechle

linux-3.10\arch\mips\include\asm\processor.h(6): * Copyright (C) 1994 Waldorf GMBH

linux-3.10\arch\mips\include\asm\processor.h(7): * Copyright (C) 1995, 1996, 1997, 1998, 1999, 2001, 2002, 2003 Ralf Baechle

linux-3.10\arch\mips\include\asm\processor.h(8): * Copyright (C) 1996 Paul M. Antoine

linux-3.10\arch\mips\include\asm\processor.h(9): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\asm\prom.h(4): *Copyright (C) 2010 Cisco Systems Inc. <dediao@cisco.com>

linux-3.10\arch\mips\include\asm\ptrace.h(6): * Copyright (C) 1994, 95, 96, 97, 98, 99, 2000 by Ralf Baechle

linux-3.10\arch\mips\include\asm\ptrace.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\asm\r4kcache.h(10): * Copyright (C) 2004 Ralf Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\include\asm\r4kcache.h(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)

linux-3.10\arch\mips\include\asm\r4kcache.h(9): * Copyright (C) 1997 - 2002 Ralf Baechle (ralf@gnu.org)

linux-3.10\arch\mips\include\asm\r4k-timer.h(6): * Copyright (C) 2008 by Ralf Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\include\asm\reboot.h(6): * Copyright (C) 1997, 1999, 2001, 06 by Ralf Baechle

linux-3.10\arch\mips\include\asm\reboot.h(7): * Copyright (C) 2001 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\asm\reg.h(10): * Copyright (C) 1995, 1999 Silicon Graphics

linux-3.10\arch\mips\include\asm\reg.h(9): * Copyright (C) 1995, 1999 Ralf Baechle

linux-3.10\arch\mips\include\asm\regdef.h(6): * Copyright (C) 1985 MIPS Computer Systems, Inc.

linux-3.10\arch\mips\include\asm\regdef.h(7): * Copyright (C) 1994, 95, 99, 2003 by Ralf Baechle

linux-3.10\arch\mips\include\asm\regdef.h(8): * Copyright (C) 1990 - 1992, 1999 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\asm\regdef.h(9): * Copyright (C) 2011 Wind River Systems,

linux-3.10\arch\mips\include\asm\rm9k-ocd.h(2): *Copyright (C) 2004 by Basler Vision Technologies AG

linux-3.10\arch\mips\include\asm\rtlx.h(2): * Copyright (C) 2004, 2005 MIPS Technologies, Inc. All rights reserved.

linux-3.10\arch\mips\include\asm\sgi\gio.h(8): * Copyright (C) 2002 Ladislav Michl

linux-3.10\arch\mips\include\asm\sgi\hpc3.h(8): * Copyright (C) 1996 David S. Miller

linux-3.10\arch\mips\include\asm\sgi\hpc3.h(9): * Copyright (C) 1998 Ralf Baechle

linux-3.10\arch\mips\include\asm\sgi\ioc.h(10): * Copyright (C) 2001, 2003

legal(ME)

Ladislav Michl

linux-3.10\arch\mips\include\asm\sgi\ioc.h(8): * Copyright (C) 1996 David S. Miller

linux-3.10\arch\mips\include\asm\sgi\ioc.h(9): * Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle

linux-3.10\arch\mips\include\asm\sgi\ip22.h(8): * Copyright (C) 1996 David S. Miller

linux-3.10\arch\mips\include\asm\sgi\ip22.h(9): * Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle

linux-3.10\arch\mips\include\asm\sgi\mc.h(10): * Copyright (C) 1999 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\asm\sgi\mc.h(8): * Copyright (C) 1996 David S. Miller

linux-3.10\arch\mips\include\asm\sgi\mc.h(9): * Copyright (C) 1999 Ralf Baechle

linux-3.10\arch\mips\include\asm\sgi\seeq.h(6): * Copyright (C) 2007 by Ralf Baechle

linux-3.10\arch\mips\include\asm\sgi\sgi.h(8): * Copyright (C) 1996 David S. Miller (dm@sgi.com)

linux-3.10\arch\mips\include\asm\sgi\wd.h(6): * Copyright (C) 2007 by Ralf Baechle

linux-3.10\arch\mips\include\asm\sgialib.h(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)

linux-3.10\arch\mips\include\asm\sgialib.h(9): * Copyright (C) 2001, 2002 Ralf Baechle (ralf@gnu.org)

linux-3.10\arch\mips\include\asm\sgiarcs.h(10): * Copyright (C) 1999 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\asm\sgiarcs.h(8): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)

linux-3.10\arch\mips\include\asm\sgiarcs.h(9): * Copyright (C) 1999, 2001 Ralf Baechle (ralf@gnu.org)

linux-3.10\arch\mips\include\asm\sibyte\bcm1480_int.h(14):*Copyright 2000,2001,2002,2003

linux-3.10\arch\mips\include\asm\sibyte\bcm1480_l2c.h(13):*Copyright 2000,2001,2002,2003

linux-3.10\arch\mips\include\asm\sibyte\bcm1480_mc.h(13):*Copyright 2000,2001,2002,2003

linux-3.10\arch\mips\include\asm\sibyte\bcm1480_regs.h(13):*Copyright 2000,2001,2002,2003

linux-3.10\arch\mips\include\asm\sibyte\bcm1480_scd.h(13):*Copyright 2000,2001,2002,2003,2004,2005

linux-3.10\arch\mips\include\asm\sibyte\bigsur.h(2): * Copyright (C) 2000,2001,2002,2003,2004 Broadcom Corporation

linux-3.10\arch\mips\include\asm\sibyte\board.h(2): * Copyright (C) 2000,2001,2002,2003,2004 Broadcom Corporation

linux-3.10\arch\mips\include\asm\sibyte\carmel.h(2): * Copyright (C) 2002 Broadcom Corporation

linux-3.10\arch\mips\include\asm\sibyte\sb1250.h(2): * Copyright (C) 2000, 2001, 2002, 2003 Broadcom Corporation

linux-3.10\arch\mips\include\asm\sibyte\sb1250_defs.h(13):*Copyright 2000,2001,2002,2003

linux-3.10\arch\mips\include\asm\sibyte\sb1250_dma.h(15):*Copyright 2000,2001,2002,2003

legal(ME)

linux-3.10\arch\mips\include\asm\sibyte\sb1250_genbus.h(14):*Copyright 2000, 2001, 2002, 2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_int.h(13):*Copyright 2000, 2001, 2002, 2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_l2c.h(13):*Copyright 2000,2001,2002,2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_ldt.h(13):*Copyright 2000, 2001, 2002, 2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_mac.h(13):*Copyright 2000,2001,2002,2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_mc.h(13):*Copyright 2000, 2001, 2002, 2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_regs.h(13):*Copyright 2000,2001,2002,2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_scd.h(13):*Copyright 2000,2001,2002,2003,2004,2005
linux-3.10\arch\mips\include\asm\sibyte\sb1250_smbus.h(14):*Copyright 2000,2001,2002,2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_syncser.h(13):*Copyright 2000,2001,2002,2003
linux-3.10\arch\mips\include\asm\sibyte\sb1250_uart.h(13):*Copyright 2000,2001,2002,2003
linux-3.10\arch\mips\include\asm\sibyte\sentosa.h(2): * Copyright (C) 2000, 2001 Broadcom Corporation
linux-3.10\arch\mips\include\asm\sibyte\swarm.h(2): * Copyright (C) 2000, 2001, 2002, 2003 Broadcom Corporation
linux-3.10\arch\mips\include\asm\sigcontext.h(6): * Copyright (C) 1996, 1997, 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sigcontext.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\siginfo.h(6): * Copyright (C) 1998, 1999, 2001, 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\siginfo.h(7): * Copyright (C) 2000, 2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\signal.h(6): * Copyright (C) 1995, 96, 97, 98, 99, 2003 by Ralf Baechle
linux-3.10\arch\mips\include\asm\signal.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sim.h(6): * Copyright (C) 1999, 2000, 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\sim.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\smp.h(6): * Copyright (C) 2000 - 2001 by Kanoj Sarcар (kanoj@sgi.com)
linux-3.10\arch\mips\include\asm\smp.h(7): * Copyright (C) 2000 - 2001 by Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\smp.h(8): * Copyright (C) 2000, 2001, 2002 Ralf Baechle
linux-3.10\arch\mips\include\asm\smp.h(9): * Copyright (C) 2000, 2001 Broadcom Corporation
linux-3.10\arch\mips\include\asm\smp-ops.h(6): * Copyright (C) 2000 - 2001 by Kanoj Sarcар (kanoj@sgi.com)

legal(ME)

linux-3.10\arch\mips\include\asm\smp-ops.h(7): * Copyright (C) 2000 - 2001 by Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\smp-ops.h(8): * Copyright (C) 2000, 2001, 2002 Ralf Baechle
linux-3.10\arch\mips\include\asm\smp-ops.h(9): * Copyright (C) 2000, 2001 Broadcom Corporation
linux-3.10\arch\mips\include\asm\smtc_proc.h(3): * Copyright(C) 2005 MIPS Technologies Inc.
linux-3.10\arch\mips\include\asm\sn\addr.h(6): * Copyright (C) 1992 - 1997, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\addr.h(7): * Copyright (C) 1999, 2000 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\agent.h(8): * Copyright (C) 1992 - 1997, 1999, 2000 Silcon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\agent.h(9): * Copyright (C) 1999, 2000 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\include\asm\sn\arch.h(8): * Copyright (C) 1995 - 1997, 1999 Silcon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\arch.h(9): * Copyright (C) 1999 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\include\asm\sn\fru.h(8): * Copyright (C) 1992 - 1997, 1999 Silcon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\fru.h(9): * Copyright (C) 1999, 2006 Ralf Baechle (ralf@linux-mips)
linux-3.10\arch\mips\include\asm\sn\gda.h(8): * Copyright (C) 1992 - 1997, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\intr.h(6): * Copyright (C) 1992 - 1997 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\io.h(6): * Copyright (C) 2000, 2003 Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\io.h(7): * Copyright (C) 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\ioc3.h(2): * Copyright (C) 1999, 2000 Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\ioc3.h(3): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\klconfig.h(8): * Copyright (C) 1992 - 1997, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\klconfig.h(9): * Copyright (C) 1999, 2000 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\kldir.h(8): * Copyright (C) 1992 - 1997, 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\kldir.h(9): * Copyright (C) 1999, 2000 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\klkernvars.h(3): * Copyright 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\launch.h(6): * Copyright (C) 1992 - 1997, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\launch.h(7): * Copyright (C) 2000 by Colin Ngam
linux-3.10\arch\mips\include\asm\sn\mapped_kernel.h(3): * Copyright 2000 Silicon Graphics, Inc.

legal(ME)

linux-3.10\arch\mips\include\asm\sn\nmi.h(8): * Copyright (C) 1992 - 1997 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\addrs.h(8): * Copyright (C) 1992 - 1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\addrs.h(9): * Copyright (C) 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\sn0\arch.h(8): * Copyright (C) 1995 - 1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\arch.h(9): * Copyright (C) 1999 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\include\asm\sn\sn0\hub.h(6): * Copyright (C) 1992 - 1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\hub.h(7): * Copyright (C) 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\sn0\hubio.h(8): * Copyright (C) 1992 - 1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\hubio.h(9): * Copyright (C) 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\sn0\hubmd.h(8): * Copyright (C) 1992 - 1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\hubmd.h(9): * Copyright (C) 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\sn0\hubni.h(8): * Copyright (C) 1992-1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\hubni.h(9): * Copyright (C) 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\sn0\hubpi.h(8): * Copyright (C) 1992 - 1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\hubpi.h(9): * Copyright (C) 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\sn0\ip27.h(8): * Copyright (C) 1992 - 1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\sn0\ip27.h(9): * Copyright (C) 1999, 2006 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sn\types.h(6): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\sn\types.h(7): * Copyright (C) 1999 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sni.h(8): * Copyright (C) 1997, 1998 by Ralf Baechle
linux-3.10\arch\mips\include\asm\sni.h(9): * Copyright (C) 2006 Thomas Bogendoerfer (tsbogend@alpha.franken.de)
linux-3.10\arch\mips\include\asm\socket.h(6): * Copyright (C) 1997, 1999, 2000, 2001 Ralf Baechle
linux-3.10\arch\mips\include\asm\socket.h(7): * Copyright (C) 2000, 2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\spinlock.h(6): * Copyright (C) 1999, 2000, 06 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\include\asm\spinlock.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\stackframe.h(6): * Copyright (C) 1994, 95, 96, 99, 2001 Ralf Baechle

legal(ME)

linux-3.10\arch\mips\include\asm\stackframe.h(7): * Copyright (C) 1994, 1995, 1996 Paul M. Antoine.
linux-3.10\arch\mips\include\asm\stackframe.h(8): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\stackframe.h(9): * Copyright (C) 2007Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\string.h(6): * Copyright (c) 1994, 95, 96, 97, 98, 2000, 01 Ralf Baechle
linux-3.10\arch\mips\include\asm\string.h(7): * Copyright (c) 2000 by Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\string.h(8): * Copyright (c) 2001 MIPS Technologies, Inc.
linux-3.10\arch\mips\include\asm\switch_to.h(10): * Copyright (C) 2000 MIPS Technologies, Inc.
linux-3.10\arch\mips\include\asm\switch_to.h(6): * Copyright (C) 1994, 95, 96, 97, 98, 99, 2003, 06 by Ralf Baechle
linux-3.10\arch\mips\include\asm\switch_to.h(7): * Copyright (C) 1996 by Paul M. Antoine
linux-3.10\arch\mips\include\asm\switch_to.h(8): * Copyright (C) 1999 Silicon Graphics
linux-3.10\arch\mips\include\asm\termios.h(6): * Copyright (C) 1995, 1996, 2000, 2001 by Ralf Baechle
linux-3.10\arch\mips\include\asm\termios.h(7): * Copyright (C) 2000, 2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\thread_info.h(3): * Copyright (C) 2002David Howells (dhowells@redhat.com)
linux-3.10\arch\mips\include\asm\time.h(2): * Copyright (C) 2001, 2002, MontaVista Software Inc.
linux-3.10\arch\mips\include\asm\time.h(4): * Copyright (c) 2003Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\timex.h(6): * Copyright (C) 1998, 1999, 2003 by Ralf Baechle
linux-3.10\arch\mips\include\asm\tlbdebug.h(6): * Copyright (C) 2002 by Ralf Baechle
linux-3.10\arch\mips\include\asm\topology.h(6): * Copyright (C) 2007 by Ralf Baechle
linux-3.10\arch\mips\include\asm\traps.h(4): *Copyright (C) 2002, 2003Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\txx9\jmr3927.h(8): * Copyright (C) 2000-2001 Toshiba Corporation
linux-3.10\arch\mips\include\asm\txx9\ndfmc.h(6): * (C) Copyright TOSHIBA CORPORATION 2007
linux-3.10\arch\mips\include\asm\txx9\rbtx4927.h(5): * Copyright 2001-2002 MontaVista Software Inc.
linux-3.10\arch\mips\include\asm\txx9\rbtx4939.h(4): * (C) Copyright TOSHIBA CORPORATION 2005-2006
linux-3.10\arch\mips\include\asm\txx9\smc_fdc37m81x.h(11): * Copyright (C) 2004 MontaVista Software Inc.
linux-3.10\arch\mips\include\asm\txx9\spi.h(4): * Copyright (C) 2000-2001 Toshiba Corporation
linux-3.10\arch\mips\include\asm\txx9\tx3927.h(6): * Copyright (C) 2000 Toshiba Corporation
linux-3.10\arch\mips\include\asm\txx9\tx4927.h(5): * Copyright 2001-2006

legal(ME)

MontaVista Software Inc.

linux-3.10\arch\mips\include\asm\txx9\tx4938.h(3): * Copyright (C) 2000-2001
Toshiba Corporation

linux-3.10\arch\mips\include\asm\txx9\tx4939.h(4): * Copyright (C)
2000-2001,2005-2006 Toshiba Corporation

linux-3.10\arch\mips\include\asm\types.h(6): * Copyright (C) 1994, 1995, 1996,
1999 by Ralf Baechle

linux-3.10\arch\mips\include\asm\types.h(7): * Copyright (C) 2008 Wind River
Systems,

linux-3.10\arch\mips\include\asm\types.h(9): * Copyright (C) 1999 Silicon
Graphics, Inc.

linux-3.10\arch\mips\include\asm\uaccess.h(6): * Copyright (C) 1996, 1997, 1998,
1999, 2000, 03, 04 by Ralf Baechle

linux-3.10\arch\mips\include\asm\uaccess.h(7): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.

linux-3.10\arch\mips\include\asm\uaccess.h(8): * Copyright (C) 2007Maciej W.
Rozycki

linux-3.10\arch\mips\include\asm\uasm.h(6): * Copyright (C) 2004, 2005, 2006,
2008 Thiemo Seufer

linux-3.10\arch\mips\include\asm\uasm.h(7): * Copyright (C) 2005Maciej W. Rozycki

linux-3.10\arch\mips\include\asm\uasm.h(8): * Copyright (C) 2006Ralf Baechle
(ralf@linux-mips.org)

linux-3.10\arch\mips\include\asm\uasm.h(9): * Copyright (C) 2012, 2013MIPS
Technologies, Inc.All rights reserved.

linux-3.10\arch\mips\include\asm\unaligned.h(6): * Copyright (C) 2007 Ralf
Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\include\asm\unistd.h(10): * the stack. Robin Farine for ACN
S.A, Copyright (C) 1996 by ACN S.A

linux-3.10\arch\mips\include\asm\unistd.h(6): * Copyright (C) 1995, 96, 97, 98,
99, 2000 by Ralf Baechle

linux-3.10\arch\mips\include\asm\unistd.h(7): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.

linux-3.10\arch\mips\include\asm\user.h(6): * Copyright (C) 1994, 1995, 1996,
1999 by Ralf Baechle

linux-3.10\arch\mips\include\asm\vdso.h(6): * Copyright (C) 2009 Cavium Networks

linux-3.10\arch\mips\include\asm\vp.h(2): * Copyright (C) 2005 MIPS
Technologies, Inc.All rights reserved.

linux-3.10\arch\mips\include\asm\vr41xx\capcella.h(4): *Copyright (C)
2002-2004Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\include\asm\vr41xx\giu.h(4): *Copyright (C) 2005-2009Yoichi
Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\include\asm\vr41xx\irq.h(10): * Copyright (C) 2003-2006
Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\include\asm\vr41xx\irq.h(6): * Copyright (C) 1999 Michael
Klar

linux-3.10\arch\mips\include\asm\vr41xx\irq.h(7): * Copyright (C) 2001, 2002 Paul
Mundt

linux-3.10\arch\mips\include\asm\vr41xx\irq.h(8): * Copyright (C) 2002 MontaVista
Software, Inc.

linux-3.10\arch\mips\include\asm\vr41xx\irq.h(9): * Copyright (C) 2002 TimeSys
Corp.

linux-3.10\arch\mips\include\asm\vr41xx\mpc30x.h(4): *Copyright (C)

legal(ME)

2002-2004Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\vr41xx\pci.h(4): *Copyright (C) 2004-2005Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\vr41xx\siu.h(4): *Copyright (C) 2005-2008Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\vr41xx\tb0219.h(4): *Copyright (C) 2002-2004Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\vr41xx\tb0219.h(7): *Copyright (C) 2003 Megasolution Inc.<matsu@megasolution.jp>
linux-3.10\arch\mips\include\asm\vr41xx\tb0226.h(4): *Copyright (C) 2002-2004Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\vr41xx\tb0287.h(4): *Copyright (C) 2005Media Lab Inc. <ito@mlb.co.jp>
linux-3.10\arch\mips\include\asm\vr41xx\vr41xx.h(10): * Copyright (C) 2003-2008 Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\include\asm\vr41xx\vr41xx.h(6): * Copyright (C) 1999 Michael Klar
linux-3.10\arch\mips\include\asm\vr41xx\vr41xx.h(7): * Copyright (C) 2001, 2002 Paul Mundt
linux-3.10\arch\mips\include\asm\vr41xx\vr41xx.h(8): * Copyright (C) 2002 MontaVista Software, Inc.
linux-3.10\arch\mips\include\asm\vr41xx\vr41xx.h(9): * Copyright (C) 2002 TimeSys Corp.
linux-3.10\arch\mips\include\asm\war.h(6): * Copyright (C) 2002, 2004, 2007 by Ralf Baechle
linux-3.10\arch\mips\include\asm\war.h(7): * Copyright (C) 2007Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\watch.h(6): * Copyright (C) 2008 David Daney
linux-3.10\arch\mips\include\asm\wbflush.h(8): * Copyright (c) 1998 Harald Koerfgen
linux-3.10\arch\mips\include\asm\wbflush.h(9): * Copyright (C) 2002 Maciej W. Rozycki
linux-3.10\arch\mips\include\asm\xtalk\xtalk.h(10): * Copyright (C) 1999 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\include\asm\xtalk\xtalk.h(9): * Copyright (C) 1995 - 1997, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\asm\xtalk\xwidget.h(10): * Copyright (C) 1999 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\include\asm\xtalk\xwidget.h(9): * Copyright (C) 1996, 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\uapi\asm\break.h(6): * Copyright (C) 1995, 2003 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\break.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\uapi\asm\byteorder.h(6): * Copyright (C) 1996, 99, 2003 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\cachectl.h(6): * Copyright (C) 1994, 1995, 1996 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\errno.h(6): * Copyright (C) 1995, 1999, 2001, 2002 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\fcntl.h(6): * Copyright (C) 1995, 96, 97, 98, 99, 2003, 05 Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\inst.h(10): * Copyright (C) 2012 MIPS

legal(ME)

Technologies, Inc. All rights reserved.

linux-3.10\arch\mips\include\uapi\asm\inst.h(8): * Copyright (C) 1996, 2000 by Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\inst.h(9): * Copyright (C) 2006 by Thiemo Seufer

linux-3.10\arch\mips\include\uapi\asm\ioctl.h(6): * Copyright (C) 1995, 96, 99, 2001 Ralf Baechle <ralf@linux-mips.org>

linux-3.10\arch\mips\include\uapi\asm\ioctl.h(7): * Copyright (C) 2009 Wind River Systems

linux-3.10\arch\mips\include\uapi\asm\ioctls.h(6): * Copyright (C) 1995, 1996, 2001 Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\ioctls.h(7): * Copyright (C) 2001 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\uapi\asm\kvm.h(6): * Copyright (C) 2012 MIPS Technologies, Inc. All rights reserved.

linux-3.10\arch\mips\include\uapi\asm\kvm.h(7): * Copyright (C) 2013 Cavium, Inc.

linux-3.10\arch\mips\include\uapi\asm\mman.h(6): * Copyright (C) 1995, 1999, 2002 by Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\param.h(6): * Copyright 1994 - 2000, 2002 Ralf Baechle (ralf@gnu.org)

linux-3.10\arch\mips\include\uapi\asm\param.h(7): * Copyright 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\uapi\asm\posix_types.h(6): * Copyright (C) 1996, 97, 98, 99, 2000 by Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\posix_types.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\uapi\asm\ptrace.h(6): * Copyright (C) 1994, 95, 96, 97, 98, 99, 2000 by Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\ptrace.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\uapi\asm\resource.h(6): * Copyright (C) 1995, 96, 98, 99, 2000 by Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\resource.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\uapi\asm\sgidefs.h(6): * Copyright (C) 1996, 1999, 2001 Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\sgidefs.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\uapi\asm\sgidefs.h(8): * Copyright (C) 2001 MIPS Technologies, Inc.

linux-3.10\arch\mips\include\uapi\asm\sigcontext.h(6): * Copyright (C) 1996, 1997, 1999 by Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\sigcontext.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\uapi\asm\siginfo.h(6): * Copyright (C) 1998, 1999, 2001, 2003 Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\siginfo.h(7): * Copyright (C) 2000, 2001 Silicon Graphics, Inc.

linux-3.10\arch\mips\include\uapi\asm\signal.h(6): * Copyright (C) 1995, 96, 97, 98, 99, 2003 by Ralf Baechle

linux-3.10\arch\mips\include\uapi\asm\signal.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.

legal(ME)

linux-3.10\arch\mips\include\uapi\asm\socket.h(6): * Copyright (C) 1997, 1999, 2000, 2001 Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\socket.h(7): * Copyright (C) 2000, 2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\uapi\asm\sockios.h(8): * Copyright (C) 1995 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\stat.h(6): * Copyright (C) 1995, 1999, 2000 Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\stat.h(7): * Copyright (C) 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\uapi\asm\statfs.h(6): * Copyright (C) 1995, 1999 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\swab.h(6): * Copyright (C) 1996, 99, 2003 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\sysmips.h(8): * Copyright (C) 1995 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\termbits.h(6): * Copyright (C) 1995, 96, 99, 2001, 06 Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\termbits.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\uapi\asm\termbits.h(8): * Copyright (C) 2001 MIPS Technologies, Inc.
linux-3.10\arch\mips\include\uapi\asm\termios.h(6): * Copyright (C) 1995, 1996, 2000, 2001 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\termios.h(7): * Copyright (C) 2000, 2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\uapi\asm\types.h(6): * Copyright (C) 1994, 1995, 1996, 1999 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\types.h(7): * Copyright (C) 2008 Wind River Systems,
linux-3.10\arch\mips\include\uapi\asm\types.h(9): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\include\uapi\asm\unistd.h(10): * the stack. Robin Farine for ACN S.A, Copyright (C) 1996 by ACN S.A
linux-3.10\arch\mips\include\uapi\asm\unistd.h(6): * Copyright (C) 1995, 96, 97, 98, 99, 2000 by Ralf Baechle
linux-3.10\arch\mips\include\uapi\asm\unistd.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\jazz\irq.c(6): * Copyright (C) 1992 Linus Torvalds
linux-3.10\arch\mips\jazz\irq.c(7): * Copyright (C) 1994 - 2001, 2003, 07 Ralf Baechle
linux-3.10\arch\mips\jazz\jazzdma.c(3): * Copyright (C) 1995, 1996 by Andreas Busse
linux-3.10\arch\mips\jazz\setup.c(10): * Copyright (C) 2007 by Thomas Bogendoerfer
linux-3.10\arch\mips\jazz\setup.c(8): * Copyright (C) 1996, 1997, 1998, 2001, 07, 08 by Ralf Baechle
linux-3.10\arch\mips\jazz\setup.c(9): * Copyright (C) 2001 MIPS Technologies, Inc.
linux-3.10\arch\mips\jz4740\board-qi_lb60.c(6): * Copyright (c) 2009 Qi Hardware inc.,
linux-3.10\arch\mips\jz4740\board-qi_lb60.c(8): * Copyright 2010, Lars-Peter

legal(ME)

Clausen <lars@metafoo.de>
linux-3.10\arch\mips\jz4740\clock.c(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\clock.h(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\clock-debugfs.c(2): *Copyright (C) 2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\arch\mips\jz4740\dma.c(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\gpio.c(2): *Copyright (C) 2009-2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\arch\mips\jz4740\irq.c(2): *Copyright (C) 2009-2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\arch\mips\jz4740\irq.h(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\platform.c(2): *Copyright (C) 2009-2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\arch\mips\jz4740\pm.c(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\prom.c(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\reset.c(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\serial.c(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\serial.h(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\setup.c(2): *Copyright (C) 2009-2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\arch\mips\jz4740\setup.c(3): *Copyright (C) 2011, Maarten ter Huurne
<maarten@treewalker.org>
linux-3.10\arch\mips\jz4740\time.c(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\jz4740\timer.c(2): *Copyright (C) 2010, Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\arch\mips\kernel\8250-platform.c(6): * Copyright (C) 2007 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\asm-offsets.c(4): * Copyright (C) 1996 David S.
Miller
linux-3.10\arch\mips\kernel\asm-offsets.c(5): * Copyright (C) 1997, 1998, 1999,
2000, 2001, 2002, 2003 Ralf Baechle
linux-3.10\arch\mips\kernel\asm-offsets.c(6): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.
linux-3.10\arch\mips\kernel\asm-offsets.c(9): * Copyright (C) 2000 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\binfmt_elfn32.c(4): * Copyright (C) 1999, 2001 Ralf
Baechle
linux-3.10\arch\mips\kernel\binfmt_elfn32.c(5): * Copyright (C) 1999, 2001
Silicon Graphics, Inc.
linux-3.10\arch\mips\kernel\binfmt_elfn32.c(8): * Copyright (C) 1995, 1996, 1997,
1998 David S. Miller (davem@redhat.com)
linux-3.10\arch\mips\kernel\binfmt_elfn32.c(9): * Copyright (C) 1995, 1996, 1997,

legal(ME)

1998 Jakub Jelinek(jj@ultra.linux.cz)
linux-3.10\arch\mips\kernel\binfmt_elfo32.c(4): * Copyright (C) 1999, 2001 Ralf Baechle
linux-3.10\arch\mips\kernel\binfmt_elfo32.c(5): * Copyright (C) 1999, 2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\kernel\binfmt_elfo32.c(8): * Copyright (C) 1995, 1996, 1997, 1998 David S. Miller (davem@redhat.com)
linux-3.10\arch\mips\kernel\binfmt_elfo32.c(9): * Copyright (C) 1995, 1996, 1997, 1998 Jakub Jelinek(jj@ultra.linux.cz)
linux-3.10\arch\mips\kernel\bmips_vec.S(6): * Copyright (C) 2011 by Kevin Cernekee (cernekee@gmail.com)
linux-3.10\arch\mips\kernel\branch.c(6): * Copyright (C) 1996, 97, 2000, 2001 by Ralf Baechle
linux-3.10\arch\mips\kernel\branch.c(7): * Copyright (C) 2001 MIPS Technologies, Inc.
linux-3.10\arch\mips\kernel\cevt-bcm1480.c(2): * Copyright (C) 2000,2001,2004 Broadcom Corporation
linux-3.10\arch\mips\kernel\cevt-ds1287.c(4): *Copyright (C) 2008Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\kernel\cevt-gic.c(6): * Copyright (C) 2013Imagination Technologies Ltd.
linux-3.10\arch\mips\kernel\cevt-gt641xx.c(4): *Copyright (C) 2007Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\kernel\cevt-r4k.c(6): * Copyright (C) 2007 MIPS Technologies, Inc.
linux-3.10\arch\mips\kernel\cevt-r4k.c(7): * Copyright (C) 2007 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\kernel\cevt-sb1250.c(2): * Copyright (C) 2000, 2001 Broadcom Corporation
linux-3.10\arch\mips\kernel\cevt-smtc.c(6): * Copyright (C) 2007 MIPS Technologies, Inc.
linux-3.10\arch\mips\kernel\cevt-smtc.c(7): * Copyright (C) 2007 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\kernel\cevt-smtc.c(8): * Copyright (C) 2008 Kevin D. Kissell, Paralogos sarl
linux-3.10\arch\mips\kernel\cevt-txx9.c(10): * Copyright (C) 2000-2001 Toshiba Corporation
linux-3.10\arch\mips\kernel\cevt-txx9.c(11): * Copyright (C) 2007 MIPS Technologies, Inc.
linux-3.10\arch\mips\kernel\cevt-txx9.c(12): * Copyright (C) 2007 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\kernel\cevt-txx9.c(9): * Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\kernel\cpu-bugs64.c(2): * Copyright (C) 2003, 2004, 2007Maciej W. Rozycki
linux-3.10\arch\mips\kernel\cpu-probe.c(4): * Copyright (C) xxxxthe Anonymous
linux-3.10\arch\mips\kernel\cpu-probe.c(5): * Copyright (C) 1994 - 2006 Ralf Baechle
linux-3.10\arch\mips\kernel\cpu-probe.c(6): * Copyright (C) 2003, 2004Maciej W. Rozycki
linux-3.10\arch\mips\kernel\cpu-probe.c(7): * Copyright (C) 2001, 2004, 2011, 2012 MIPS Technologies, Inc.

legal(ME)

linux-3.10\arch\mips\kernel\csrc-bcm1480.c(2): * Copyright (C) 2000,2001,2004
Broadcom Corporation
linux-3.10\arch\mips\kernel\csrc-gic.c(6): * Copyright (C) 2012 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kernel\csrc-ioasic.c(4): *Copyright (C) 2008Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\arch\mips\kernel\csrc-powertv.c(2): * Copyright (C) 2008
Scientific-Atlanta, Inc.
linux-3.10\arch\mips\kernel\csrc-r4k.c(6): * Copyright (C) 2007 by Ralf Baechle
linux-3.10\arch\mips\kernel\csrc-sb1250.c(2): * Copyright (C) 2000, 2001 Broadcom
Corporation
linux-3.10\arch\mips\kernel\early_printk.c(6): * Copyright (C) 2002, 2003, 06, 07
Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\early_printk.c(7): * Copyright (C) 2007 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\entry.S(6): * Copyright (C) 1994 - 2000, 2001, 2003
Ralf Baechle
linux-3.10\arch\mips\kernel\entry.S(7): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.
linux-3.10\arch\mips\kernel\entry.S(8): * Copyright (C) 2001 MIPS Technologies,
Inc.
linux-3.10\arch\mips\kernel\ftrace.c(4): * Copyright (C) 2007-2008 Steven Rostedt
<srostedt@redhat.com>
linux-3.10\arch\mips\kernel\ftrace.c(5): * Copyright (C) 2009, 2010 DSLab,
Lanzhou University, China
linux-3.10\arch\mips\kernel\genex.S(6): * Copyright (C) 1994 - 2000, 2001, 2003
Ralf Baechle
linux-3.10\arch\mips\kernel\genex.S(7): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.
linux-3.10\arch\mips\kernel\genex.S(8): * Copyright (C) 2002, 2007Maciej W.
Rozycki
linux-3.10\arch\mips\kernel\genex.S(9): * Copyright (C) 2001, 2012 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kernel\gpio_txx9.c(4): * Copyright (C) 2008 Atsushi Nemoto
<anemo@mba.ocn.ne.jp>
linux-3.10\arch\mips\kernel\head.S(12): * Copyright (C) 1999 Silicon Graphics,
Inc.
linux-3.10\arch\mips\kernel\head.S(14): * Copyright (C) 2000 MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\kernel\head.S(6): * Copyright (C) 1994, 1995 Waldorf
Electronics
linux-3.10\arch\mips\kernel\head.S(8): * Copyright (C) 1994 - 99, 2003, 06 Ralf
Baechle
linux-3.10\arch\mips\kernel\head.S(9): * Copyright (C) 1996 Paul M. Antoine
linux-3.10\arch\mips\kernel\i8259.c(8): * Copyright (C) 1992 Linus Torvalds
linux-3.10\arch\mips\kernel\i8259.c(9): * Copyright (C) 1994 - 2000 Ralf Baechle
linux-3.10\arch\mips\kernel\idle.c(4): * Copyright (C) xxxxthe Anonymous
linux-3.10\arch\mips\kernel\idle.c(5): * Copyright (C) 1994 - 2006 Ralf Baechle
linux-3.10\arch\mips\kernel\idle.c(6): * Copyright (C) 2003, 2004Maciej W.
Rozycki
linux-3.10\arch\mips\kernel\idle.c(7): * Copyright (C) 2001, 2004, 2011, 2012
MIPS Technologies, Inc.

legal(ME)

linux-3.10\arch\mips\kernel\irq.c(8): * Copyright (C) 1992 Linus Torvalds
linux-3.10\arch\mips\kernel\irq.c(9): * Copyright (C) 1994 - 2000 Ralf Baechle
linux-3.10\arch\mips\kernel\irq_cpu.c(2): * Copyright 2001 MontaVista Software
Inc.
linux-3.10\arch\mips\kernel\irq_cpu.c(5): * Copyright (C) 2001 Ralf Baechle
linux-3.10\arch\mips\kernel\irq_cpu.c(6): * Copyright (C) 2005MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\kernel\irq_txx9.c(10): * Copyright (C) 2000-2001 Toshiba
Corporation
linux-3.10\arch\mips\kernel\irq_txx9.c(6): * Copyright 2001, 2003-2005 MontaVista
Software Inc.
linux-3.10\arch\mips\kernel\irq-gic.c(6): * Copyright (C) 2008 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\irq-gic.c(7): * Copyright (C) 2012 MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\kernel\irq-gt641xx.c(4): *Copyright (C) 2007Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\arch\mips\kernel\irq-msc01.c(10): * Copyright (C) 2004, 06 Ralf
Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\kernel\irq-msc01.c(7): * Copyright (c) 2004 MIPS Inc
linux-3.10\arch\mips\kernel\irq-rm7000.c(2): * Copyright (C) 2003 Ralf Baechle
linux-3.10\arch\mips\kernel\jump_label.c(6): * Copyright (c) 2010 Cavium
Networks, Inc.
linux-3.10\arch\mips\kernel\kgdb.c(11): *Copyright (C) 2003 MontaVista Software
Inc.
linux-3.10\arch\mips\kernel\kgdb.c(14): *Copyright (C) 2004-2005 MontaVista
Software Inc.
linux-3.10\arch\mips\kernel\kgdb.c(17): *Copyright (C) 2007-2008 Wind River
Systems, Inc.
linux-3.10\arch\mips\kernel\kgdb.c(9): *Copyright (C) 1995 Andreas Busse
linux-3.10\arch\mips\kernel\kprobes.c(10): * Copyright (C) IBM Corporation, 2002,
2004
linux-3.10\arch\mips\kernel\kprobes.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\mips\kernel\kprobes.c(6): *Copyright 2010 Cavium Networks
linux-3.10\arch\mips\kernel\linux32.c(4): * Copyright (C) 2000 Silicon Graphics,
Inc.
linux-3.10\arch\mips\kernel\mcount.S(8): * Copyright (C) 2009 Lemote Inc. &
DSLab, Lanzhou University, China
linux-3.10\arch\mips\kernel\mcount.S(9): * Copyright (C) 2010 DSLab, Lanzhou
University, China
linux-3.10\arch\mips\kernel\mips_ksyms.c(8): * Copyright (C) 1996, 97, 98, 99,
2000, 01, 03, 04, 05, 12 by Ralf Baechle
linux-3.10\arch\mips\kernel\mips_ksyms.c(9): * Copyright (C) 1999, 2000, 01
Silicon Graphics, Inc.
linux-3.10\arch\mips\kernel\mips_machine.c(2): *Copyright (C) 2008-2010 Gabor
Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\kernel\mips-mt.c(3): * Copyright (C) 2005 Mips Technologies,
Inc
linux-3.10\arch\mips\kernel\mips-mt-fpaff.c(3): * Copyright (C) 2005 Mips
Technologies, Inc
linux-3.10\arch\mips\kernel\module.c(16): *Copyright (C) 2001 Rusty Russell.
linux-3.10\arch\mips\kernel\module.c(17): *Copyright (C) 2003, 2004 Ralf Baechle

legal(ME)

(ralf@linux-mips.org)

linux-3.10\arch\mips\kernel\module.c(18): *Copyright (C) 2005 Thiemo Seufer
linux-3.10\arch\mips\kernel\module-rela.c(16): *Copyright (C) 2001 Rusty Russell.
linux-3.10\arch\mips\kernel\module-rela.c(17): *Copyright (C) 2003, 2004 Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\module-rela.c(18): *Copyright (C) 2005 Thiemo Seufer
linux-3.10\arch\mips\kernel\octeon_switch.S(10): * Copyright (C) 2000 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\octeon_switch.S(6): * Copyright (C) 1994, 1995, 1996,
1998, 1999, 2002, 2003 Ralf Baechle
linux-3.10\arch\mips\kernel\octeon_switch.S(7): * Copyright (C) 1996 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\mips\kernel\octeon_switch.S(8): * Copyright (C) 1994, 1995, 1996,
by Andreas Busse
linux-3.10\arch\mips\kernel\octeon_switch.S(9): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\kernel\perf_event.c(4): * Copyright (C) 2010 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\perf_event_mipsxx.c(4): * Copyright (C) 2010 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\perf_event_mipsxx.c(5): * Copyright (C) 2011 Cavium
Networks, Inc.
linux-3.10\arch\mips\kernel\proc.c(2): *Copyright (C) 1995, 1996, 2001Ralf
Baechle
linux-3.10\arch\mips\kernel\proc.c(3): *Copyright (C) 2001, 2004MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\proc.c(4): *Copyright (C) 2004Maciej W. Rozycki
linux-3.10\arch\mips\kernel\process.c(10): * Copyright (C) 2013Imagination
Technologies Ltd.
linux-3.10\arch\mips\kernel\process.c(6): * Copyright (C) 1994 - 1999, 2000 by
Ralf Baechle and others.
linux-3.10\arch\mips\kernel\process.c(7): * Copyright (C) 2005, 2006 by Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\process.c(8): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.
linux-3.10\arch\mips\kernel\process.c(9): * Copyright (C) 2004 Thiemo Seufer
linux-3.10\arch\mips\kernel\prom.c(4): * Copyright (C) 2010 Cisco Systems Inc.
<dediao@cisco.com>
linux-3.10\arch\mips\kernel\ptrace.c(11): * Copyright (C) 1999 MIPS Technologies,
Inc.
linux-3.10\arch\mips\kernel\ptrace.c(12): * Copyright (C) 2000 Ulf Carlsson
linux-3.10\arch\mips\kernel\ptrace.c(6): * Copyright (C) 1992 Ross Biro
linux-3.10\arch\mips\kernel\ptrace.c(7): * Copyright (C) Linus Torvalds
linux-3.10\arch\mips\kernel\ptrace.c(8): * Copyright (C) 1994, 95, 96, 97, 98,
2000 Ralf Baechle
linux-3.10\arch\mips\kernel\ptrace.c(9): * Copyright (C) 1996 David S. Miller
linux-3.10\arch\mips\kernel\ptrace32.c(11): * Copyright (C) 1999 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\ptrace32.c(12): * Copyright (C) 2000 Ulf Carlsson
linux-3.10\arch\mips\kernel\ptrace32.c(6): * Copyright (C) 1992 Ross Biro
linux-3.10\arch\mips\kernel\ptrace32.c(7): * Copyright (C) Linus Torvalds
linux-3.10\arch\mips\kernel\ptrace32.c(8): * Copyright (C) 1994, 95, 96, 97, 98,

legal(ME)

2000 Ralf Baechle

linux-3.10\arch\mips\kernel\ptrace32.c(9): * Copyright (C) 1996 David S. Miller
linux-3.10\arch\mips\kernel\r2300_fpu.S(12): * Copyright (c) 1998 Harald Koerfgen
linux-3.10\arch\mips\kernel\r2300_fpu.S(6): * Copyright (C) 1996, 1998 by Ralf
Baechle
linux-3.10\arch\mips\kernel\r2300_fpu.S(9): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\kernel\r2300_switch.S(11): * Copyright (c) 1998-2000 Harald
Koerfgen
linux-3.10\arch\mips\kernel\r2300_switch.S(4): * Copyright (C) 1994, 1995, 1996,
1999 by Ralf Baechle
linux-3.10\arch\mips\kernel\r2300_switch.S(5): * Copyright (C) 1994, 1995, 1996
by Andreas Busse
linux-3.10\arch\mips\kernel\r2300_switch.S(8): * Copyright (C) 1996 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\mips\kernel\r4k_fpu.S(12): * Copyright (C) 2000 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\r4k_fpu.S(13): * Copyright (C) 1999, 2001 Silicon
Graphics, Inc.
linux-3.10\arch\mips\kernel\r4k_fpu.S(6): * Copyright (C) 1996, 98, 99, 2000, 01
Ralf Baechle
linux-3.10\arch\mips\kernel\r4k_fpu.S(9): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\kernel\r4k_switch.S(10): * Copyright (C) 2000 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\r4k_switch.S(6): * Copyright (C) 1994, 1995, 1996,
1998, 1999, 2002, 2003 Ralf Baechle
linux-3.10\arch\mips\kernel\r4k_switch.S(7): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\kernel\r4k_switch.S(8): * Copyright (C) 1994, 1995, 1996, by
Andreas Busse
linux-3.10\arch\mips\kernel\r4k_switch.S(9): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\kernel\r6000_fpu.S(11): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\kernel\r6000_fpu.S(8): * Copyright (C) 1996 by Ralf Baechle
linux-3.10\arch\mips\kernel\reset.c(6): * Copyright (C) 2001, 06 by Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\reset.c(7): * Copyright (C) 2001 MIPS Technologies,
Inc.
linux-3.10\arch\mips\kernel\rtlx.c(2): * Copyright (C) 2005 MIPS Technologies,
Inc. All rights reserved.
linux-3.10\arch\mips\kernel\rtlx.c(3): * Copyright (C) 2005, 06 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\scall32-o32.S(6): * Copyright (C) 1995-99, 2000- 02,
06 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\kernel\scall32-o32.S(7): * Copyright (C) 2001 MIPS
Technologies, Inc.
linux-3.10\arch\mips\kernel\scall32-o32.S(8): * Copyright (C) 2004 Thiemo Seufer
linux-3.10\arch\mips\kernel\scall64-64.S(6): * Copyright (C) 1995, 96, 97, 98,
99, 2000, 01, 02 by Ralf Baechle
linux-3.10\arch\mips\kernel\scall64-64.S(7): * Copyright (C) 1999, 2000 Silicon

legal(ME)

Graphics, Inc.

linux-3.10\arch\mips\kernel\scall64-64.S(8): * Copyright (C) 2001 MIPS Technologies, Inc.

linux-3.10\arch\mips\kernel\scall64-n32.S(6): * Copyright (C) 1995, 96, 97, 98, 99, 2000, 01 by Ralf Baechle

linux-3.10\arch\mips\kernel\scall64-n32.S(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\kernel\scall64-n32.S(8): * Copyright (C) 2001 MIPS Technologies, Inc.

linux-3.10\arch\mips\kernel\scall64-o32.S(6): * Copyright (C) 1995 - 2000, 2001 by Ralf Baechle

linux-3.10\arch\mips\kernel\scall64-o32.S(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\kernel\scall64-o32.S(8): * Copyright (C) 2001 MIPS Technologies, Inc.

linux-3.10\arch\mips\kernel\scall64-o32.S(9): * Copyright (C) 2004 Thiemo Seufer

linux-3.10\arch\mips\kernel\setup.c(10): * Copyright (C) 1999 Silicon Graphics, Inc.

linux-3.10\arch\mips\kernel\setup.c(11): * Copyright (C) 2000, 2001, 2002, 2007 Maciej W. Rozycki

linux-3.10\arch\mips\kernel\setup.c(6): * Copyright (C) 1995 Linus Torvalds

linux-3.10\arch\mips\kernel\setup.c(7): * Copyright (C) 1995 Waldorf Electronics

linux-3.10\arch\mips\kernel\setup.c(8): * Copyright (C) 1994, 95, 96, 97, 98, 99, 2000, 01, 02, 03 Ralf Baechle

linux-3.10\arch\mips\kernel\setup.c(9): * Copyright (C) 1996 Stoned Elipot

linux-3.10\arch\mips\kernel\signal.c(6): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\mips\kernel\signal.c(7): * Copyright (C) 1994 - 2000 Ralf Baechle

linux-3.10\arch\mips\kernel\signal.c(8): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\kernel\signal_n32.c(2): * Copyright (C) 2003 Broadcom Corporation

linux-3.10\arch\mips\kernel\signal32.c(6): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\mips\kernel\signal32.c(7): * Copyright (C) 1994 - 2000, 2006 Ralf Baechle

linux-3.10\arch\mips\kernel\signal32.c(8): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\kernel\signal-common.h(6): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\mips\kernel\signal-common.h(7): * Copyright (C) 1994 - 2000 Ralf Baechle

linux-3.10\arch\mips\kernel\signal-common.h(8): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.

linux-3.10\arch\mips\kernel\smp.c(16): * Copyright (C) 2000, 2001 Kanoj Sarcar

linux-3.10\arch\mips\kernel\smp.c(17): * Copyright (C) 2000, 2001 Ralf Baechle

linux-3.10\arch\mips\kernel\smp.c(18): * Copyright (C) 2000, 2001 Silicon Graphics, Inc.

linux-3.10\arch\mips\kernel\smp.c(19): * Copyright (C) 2000, 2001, 2003 Broadcom Corporation

linux-3.10\arch\mips\kernel\smp-bmips.c(6): * Copyright (C) 2011 by Kevin Cernekee (cernekee@gmail.com)

linux-3.10\arch\mips\kernel\smp-cmp.c(15): * Copyright (C) 2007 MIPS

legal(ME)

Technologies, Inc.
linux-3.10\arch\mips\kernel\smp-mt.c(15): * Copyright (C) 2004, 05, 06 MIPS Technologies, Inc.
linux-3.10\arch\mips\kernel\smp-mt.c(18): * Copyright (C) 2006 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\smp-up.c(6): * Copyright (C) 2006, 07 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\kernel\smtc.c(16): * Copyright (C) 2004 Mips Technologies, Inc
linux-3.10\arch\mips\kernel\smtc.c(17): * Copyright (C) 2008 Kevin D. Kissell
linux-3.10\arch\mips\kernel\smtc-proc.c(3): * Copyright (C) 2005 Mips Technologies, Inc
linux-3.10\arch\mips\kernel\spram.c(9): * Copyright (C) 2007, 2008 MIPS Technologies, Inc.
linux-3.10\arch\mips\kernel\stacktrace.c(4): *Copyright (C) 2006 Atsushi Nemoto <anemo@mba.ocn.ne.jp>
linux-3.10\arch\mips\kernel\syscall.c(6): * Copyright (C) 1995, 1996, 1997, 2000, 2001, 05 by Ralf Baechle
linux-3.10\arch\mips\kernel\syscall.c(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\kernel\syscall.c(8): * Copyright (C) 2001 MIPS Technologies, Inc.
linux-3.10\arch\mips\kernel\time.c(2): * Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\kernel\time.c(4): * Copyright (c) 2003, 2004Maciej W. Rozycki
linux-3.10\arch\mips\kernel\traps.c(11): * Copyright (C) 2002, 2003, 2004, 2005, 2007Maciej W. Rozycki
linux-3.10\arch\mips\kernel\traps.c(12): * Copyright (C) 2000, 2001, 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kernel\traps.c(6): * Copyright (C) 1994 - 1999, 2000, 01, 06 Ralf Baechle
linux-3.10\arch\mips\kernel\traps.c(7): * Copyright (C) 1995, 1996 Paul M. Antoine
linux-3.10\arch\mips\kernel\traps.c(8): * Copyright (C) 1998 Ulf Carlsson
linux-3.10\arch\mips\kernel\traps.c(9): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\kernel\unaligned.c(8): * Copyright (C) 1996, 1998, 1999, 2002 by Ralf Baechle
linux-3.10\arch\mips\kernel\unaligned.c(9): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\kernel\vdso.c(6): * Copyright (C) 2009, 2010 Cavium Networks, Inc.
linux-3.10\arch\mips\kernel\vpe.c(2): * Copyright (C) 2004, 2005 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kernel\watch.c(6): * Copyright (C) 2008 David Daney
linux-3.10\arch\mips\kvm\kvm_cb.c(6): * Copyright (C) 2012MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_locore.S(8):* Copyright (C) 2012MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips.c(8): * Copyright (C) 2012MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips_comm.h(8):* Copyright (C) 2012MIPS

legal(ME)

Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips_commpage.c(9):* Copyright (C) 2012MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips_dyntrans.c(8):* Copyright (C) 2012MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips_emul.c(8):* Copyright (C) 2012MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips_int.c(8):* Copyright (C) 2012MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips_int.h(7):* Copyright (C) 2012MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips_opcode.h(6):* Copyright (C) 2012MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_mips_stats.c(8):* Copyright (C) 2012MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_tlb.c(9):* Copyright (C) 2012MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\kvm\kvm_trap_emul.c(8):* Copyright (C) 2012MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\kvm\trace.h(6):* Copyright (C) 2012MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\lantiq\clk.c(6): * Copyright (C) 2010 Thomas Langer
<thomas.langer@lantiq.com>
linux-3.10\arch\mips\lantiq\clk.c(7): * Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\clk.h(6): * Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\early_printk.c(6): *Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\falcon\prom.c(6): * Copyright (C) 2012 Thomas Langer
<thomas.langer@lantiq.com>
linux-3.10\arch\mips\lantiq\falcon\prom.c(7): * Copyright (C) 2012 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\falcon\reset.c(6): * Copyright (C) 2012 Thomas Langer
<thomas.langer@lantiq.com>
linux-3.10\arch\mips\lantiq\falcon\reset.c(7): * Copyright (C) 2012 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\falcon\sysctrl.c(6): * Copyright (C) 2011 Thomas
Langer <thomas.langer@lantiq.com>
linux-3.10\arch\mips\lantiq\falcon\sysctrl.c(7): * Copyright (C) 2011 John
Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\irq.c(6): * Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\irq.c(7): * Copyright (C) 2010 Thomas Langer
<thomas.langer@lantiq.com>
linux-3.10\arch\mips\lantiq\Makefile(1):# Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\prom.c(6): * Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\prom.h(6): * Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\xway\clk.c(6): *Copyright (C) 2010 John Crispin

legal(ME)

<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\xway\dma.c(15): * Copyright (C) 2011 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\xway\gptu.c(6): *Copyright (C) 2012 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\xway\gptu.c(7): *Copyright (C) 2012 Lantiq GmbH
linux-3.10\arch\mips\lantiq\xway\prom.c(6): *Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\xway\reset.c(6): *Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\xway\sysctrl.c(6): *Copyright (C) 2011-2012 John
Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\lantiq\xway\xrx200_phy_fw.c(6): *Copyright (C) 2012 John
Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\lasat\interrupt.c(3): * Copyright (C) 1999,2000 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\lasat\lasat_board.c(3): * Copyright (C) 2000 LASAT Networks
A/S.
linux-3.10\arch\mips\lasat\reset.c(3): * Copyright (C) 2000 LASAT Networks A/S.
linux-3.10\arch\mips\lasat\serial.c(4): *Copyright (C) 2007Brian Murphy
<brian@murphy.dk>
linux-3.10\arch\mips\lasat\setup.c(3): * Copyright (C) 1999 MIPS Technologies,
Inc.All rights reserved.
linux-3.10\arch\mips\lasat\setup.c(6): * Copyright (C) 2000 LASAT Networks A/S.
linux-3.10\arch\mips\lasat\sysctl.c(3): * Copyright (C) 2000 LASAT Networks A/S.
linux-3.10\arch\mips\lib\bitops.c(6): * Copyright (c) 1994-1997, 99, 2000, 06, 07
Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\lib\bitops.c(7): * Copyright (c) 1999, 2000Silicon Graphics,
Inc.
linux-3.10\arch\mips\lib\csum_partial.S(10): * Copyright (C) 2007Maciej W.
Rozycki
linux-3.10\arch\mips\lib\csum_partial.S(8): * Copyright (C) 1998, 1999 Ralf
Baechle
linux-3.10\arch\mips\lib\csum_partial.S(9): * Copyright (C) 1999 Silicon
Graphics, Inc.
linux-3.10\arch\mips\lib\delay.c(6): * Copyright (C) 1994 by Waldorf Electronics
linux-3.10\arch\mips\lib\delay.c(7): * Copyright (C) 1995 - 2000, 01, 03 by Ralf
Baechle
linux-3.10\arch\mips\lib\delay.c(8): * Copyright (C) 1999, 2000 Silicon Graphics,
Inc.
linux-3.10\arch\mips\lib\delay.c(9): * Copyright (C) 2007Maciej W. Rozycki
linux-3.10\arch\mips\lib\dump_tlb.c(4): * Copyright (C) 1994, 1995 by Waldorf
Electronics, written by Ralf Baechle.
linux-3.10\arch\mips\lib\dump_tlb.c(5): * Copyright (C) 1999 by Silicon Graphics,
Inc.
linux-3.10\arch\mips\lib\iomap.c(4): * (C) Copyright 2004 Linus Torvalds
linux-3.10\arch\mips\lib\iomap.c(5): * (C) Copyright 2006 Ralf Baechle
<ralf@linux-mips.org>
linux-3.10\arch\mips\lib\iomap.c(6): * (C) Copyright 2007 MIPS Technologies, Inc.
linux-3.10\arch\mips\lib\iomap-pci.c(4): * (C) Copyright 2004 Linus Torvalds
linux-3.10\arch\mips\lib\iomap-pci.c(5): * (C) Copyright 2006 Ralf Baechle
<ralf@linux-mips.org>

legal(ME)

linux-3.10\arch\mips\lib\iomap-pci.c(6): * (C) Copyright 2007 MIPS Technologies, Inc.
linux-3.10\arch\mips\lib\memcpy.S(10): * Copyright (C) 2002 Broadcom, Inc.
linux-3.10\arch\mips\lib\memcpy.S(12): * Copyright (C) 2007 Maciej W. Rozycki
linux-3.10\arch\mips\lib\memcpy.S(8): * Copyright (C) 1998, 99, 2000, 01, 2002 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\lib\memcpy.S(9): * Copyright (C) 1999, 2000, 01, 2002 Silicon Graphics, Inc.
linux-3.10\arch\mips\lib\memset.S(6): * Copyright (C) 1998, 1999, 2000 by Ralf Baechle
linux-3.10\arch\mips\lib\memset.S(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\lib\memset.S(8): * Copyright (C) 2007 by Maciej W. Rozycki
linux-3.10\arch\mips\lib\memset.S(9): * Copyright (C) 2011, 2012 MIPS Technologies, Inc.
linux-3.10\arch\mips\lib\mips-atomic.c(6): * Copyright (C) 1994, 95, 96, 97, 98, 99, 2003 by Ralf Baechle
linux-3.10\arch\mips\lib\mips-atomic.c(7): * Copyright (C) 1996 by Paul M. Antoine
linux-3.10\arch\mips\lib\mips-atomic.c(8): * Copyright (C) 1999 Silicon Graphics
linux-3.10\arch\mips\lib\mips-atomic.c(9): * Copyright (C) 2000 MIPS Technologies, Inc.
linux-3.10\arch\mips\lib\r3k_dump_tlb.c(4): * Copyright (C) 1994, 1995 by Waldorf Electronics, written by Ralf Baechle.
linux-3.10\arch\mips\lib\r3k_dump_tlb.c(5): * Copyright (C) 1999 by Silicon Graphics, Inc.
linux-3.10\arch\mips\lib\r3k_dump_tlb.c(6): * Copyright (C) 1999 by Harald Koerfgen
linux-3.10\arch\mips\lib\strlen_user.S(6): * Copyright (C) 1996, 1998, 1999, 2004 by Ralf Baechle
linux-3.10\arch\mips\lib\strlen_user.S(7): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\lib\strlen_user.S(8): * Copyright (C) 2011 MIPS Technologies, Inc.
linux-3.10\arch\mips\lib\strncpy_user.S(6): * Copyright (C) 1996, 1999 by Ralf Baechle
linux-3.10\arch\mips\lib\strncpy_user.S(7): * Copyright (C) 2011 MIPS Technologies, Inc.
linux-3.10\arch\mips\lib\strnlen_user.S(6): * Copyright (c) 1996, 1998, 1999, 2004 by Ralf Baechle
linux-3.10\arch\mips\lib\strnlen_user.S(7): * Copyright (c) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\lib\uncached.c(6): * Copyright (C) 2005 Thiemo Seufer
linux-3.10\arch\mips\lib\uncached.c(7): * Copyright (C) 2005 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\loongson\common\bonito-irq.c(2): * Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\loongson\common\bonito-irq.c(4): * Copyright (C) 2000, 2001 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\loongson\common\bonito-irq.c(6): * Copyright (C) 2007 Lemote Inc. & Insititute of Computing Technology
linux-3.10\arch\mips\loongson\common\cmdline.c(12): * Copyright (C) 2009 Lemote

legal(ME)

Inc.

linux-3.10\arch\mips\loongson\common\cmdline.c(3): * Copyright 2001 MontaVista Software Inc.

linux-3.10\arch\mips\loongson\common\cmdline.c(6): * Copyright 2003 ICT CAS

linux-3.10\arch\mips\loongson\common\cmdline.c(9): * Copyright (C) 2007 Lemote Inc. & Insititute of Computing Technology

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_acc.c(4): * Copyright (C) 2007 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_acc.c(7): * Copyright (C) 2009 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_ehci.c(4): * Copyright (C) 2007 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_ehci.c(7): * Copyright (C) 2009 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_ide.c(4): * Copyright (C) 2007 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_ide.c(7): * Copyright (C) 2009 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_isa.c(4): * Copyright (C) 2007 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_isa.c(7): * Copyright (C) 2009 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_mfgpt.c(4): * Copyright (C) 2007 Lemote Inc. & Insititute of Computing Technology

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_mfgpt.c(7): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_ohci.c(4): * Copyright (C) 2007 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_ohci.c(7): * Copyright (C) 2009 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_pci.c(4): * Copyright (C) 2007 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\cs5536\cs5536_pci.c(7): * Copyright (C) 2009 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\early_printk.c(3): *Copyright (c) 2009 Philippe Vachon <philippe@cowpig.ca>

linux-3.10\arch\mips\loongson\common\early_printk.c(4): *Copyright (c) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\common\env.c(12): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\common\env.c(3): * Copyright 2001 MontaVista Software Inc.

linux-3.10\arch\mips\loongson\common\env.c(6): * Copyright 2003 ICT CAS

linux-3.10\arch\mips\loongson\common\env.c(9): * Copyright (C) 2007 Lemote Inc. & Insititute of Computing Technology

linux-3.10\arch\mips\loongson\common\gpio.c(4): *Copyright (c) 2008 Richard Liu,STMicroelectronics <richard.liu@st.com>

linux-3.10\arch\mips\loongson\common\gpio.c(5): *Copyright (c) 2008-2010 Arnaud Patard <apatard@mandriva.com>

linux-3.10\arch\mips\loongson\common\init.c(2): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\common\irq.c(2): * Copyright (C) 2007 Lemote Inc. & Insititute of Computing Technology

linux-3.10\arch\mips\loongson\common\machtype.c(2): * Copyright (C) 2009 Lemote

legal(ME)

Inc.

linux-3.10\arch\mips\loongson\common\machtype.c(5): * Copyright (c) 2009 Zhang Le <r0bertz@gentoo.org>

linux-3.10\arch\mips\loongson\common\pci.c(2): * Copyright (C) 2007 Lemote, Inc. & Institute of Computing Technology

linux-3.10\arch\mips\loongson\common\platform.c(2): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\common\pm.c(4): *Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\common\reset.c(7): * Copyright (C) 2007 Lemote, Inc. & Institute of Computing Technology

linux-3.10\arch\mips\loongson\common\reset.c(9): * Copyright (C) 2009 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\rtc.c(4): *Copyright(c) 2010 Arnaud Patard <apatard@mandriva.com>

linux-3.10\arch\mips\loongson\common\serial.c(6): * Copyright (C) 2007 Ralf Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\loongson\common\serial.c(8): * Copyright (C) 2009 Lemote, Inc.

linux-3.10\arch\mips\loongson\common\setup.c(2): * Copyright (C) 2007 Lemote Inc. & Insititute of Computing Technology

linux-3.10\arch\mips\loongson\common\time.c(2): * Copyright (C) 2007 Lemote, Inc. & Institute of Computing Technology

linux-3.10\arch\mips\loongson\common\time.c(5): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\common\uart_base.c(2): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\fuloong-2e\irq.c(2): * Copyright (C) 2007 Lemote Inc. & Insititute of Computing Technology

linux-3.10\arch\mips\loongson\fuloong-2e\reset.c(2): * Copyright (c) 2009 Philippe Vachon <philippe@cowpig.ca>

linux-3.10\arch\mips\loongson\fuloong-2e\reset.c(4): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\lemote-2f\clock.c(2): * Copyright (C) 2006 - 2008 Lemote Inc. & Insititute of Computing Technology

linux-3.10\arch\mips\loongson\lemote-2f\ec_kb3310b.c(4): *Copyright (C) 2008 Lemote Inc.

linux-3.10\arch\mips\loongson\lemote-2f\ec_kb3310b.h(4): *Copyright (C) 2008 Lemote Inc.

linux-3.10\arch\mips\loongson\lemote-2f\irq.c(2): * Copyright (C) 2007 Lemote Inc.

linux-3.10\arch\mips\loongson\lemote-2f\machtype.c(2): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\lemote-2f\pm.c(4): *Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson\lemote-2f\reset.c(3): * Copyright (c) 2009 Philippe Vachon <philippe@cowpig.ca>

linux-3.10\arch\mips\loongson\lemote-2f\reset.c(5): * Copyright (C) 2009 Lemote Inc.

linux-3.10\arch\mips\loongson1\common\clock.c(2): * Copyright (c) 2011 Zhang, Keguang <keguang.zhang@gmail.com>

linux-3.10\arch\mips\loongson1\common\irq.c(2): * Copyright (c) 2011 Zhang, Keguang <keguang.zhang@gmail.com>

linux-3.10\arch\mips\loongson1\common\platform.c(2): * Copyright (c) 2011 Zhang, Keguang <keguang.zhang@gmail.com>

legal(ME)

linux-3.10\arch\mips\loongson1\common\prom.c(2): * Copyright (c) 2011 Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\loongson1\common\reset.c(2): * Copyright (c) 2011 Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\loongson1\common\setup.c(2): * Copyright (c) 2011 Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\loongson1\ls1b\board.c(2): * Copyright (c) 2011 Zhang, Keguang <keguang.zhang@gmail.com>
linux-3.10\arch\mips\Makefile(6):# Copyright (C) 1994, 95, 96, 2003 by Ralf Baechle
linux-3.10\arch\mips\Makefile(8):# Copyright (C) 2002, 2003, 2004Maciej W. Rozycki
linux-3.10\arch\mips\math-emu\cp1emu.c(5): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\cp1emu.c(8): * Copyright (C) 2000MIPS Technologies, Inc.
linux-3.10\arch\mips\math-emu\dp_add.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_cmp.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_div.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_fint.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_flong.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_frexp.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_fsp.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_logb.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_modf.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_mul.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_scalb.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_simple.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_sqrt.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_sub.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_tint.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\dp_tlong.c(6): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754.c(11): * Copyright (C) 1994-2000 Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754.h(22): *Copyright (C) 2000 MIPS Technologies, Inc. All rights reserved.

legal(ME)

linux-3.10\arch\mips\math-emu\ieee754.h(3): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754d.c(25): *Copyright (C) 2000 MIPS
Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\math-emu\ieee754d.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754dp.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754dp.h(7): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754int.h(7): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754m.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754sp.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754sp.h(7): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\ieee754xcpt.c(28): *Copyright (C) 2000 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\math-emu\ieee754xcpt.c(3): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\kernel_linkage.c(3): *Copyright (C) 2000 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\math-emu\sp_add.c(6): * Copyright (C) 1994-2000 Algorithmics
Ltd.
linux-3.10\arch\mips\math-emu\sp_cmp.c(6): * Copyright (C) 1994-2000 Algorithmics
Ltd.
linux-3.10\arch\mips\math-emu\sp_div.c(6): * Copyright (C) 1994-2000 Algorithmics
Ltd.
linux-3.10\arch\mips\math-emu\sp_fdp.c(6): * Copyright (C) 1994-2000 Algorithmics
Ltd.
linux-3.10\arch\mips\math-emu\sp_fint.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_flong.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_frexp.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_logb.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_modf.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_mul.c(6): * Copyright (C) 1994-2000 Algorithmics
Ltd.
linux-3.10\arch\mips\math-emu\sp_scalb.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_simple.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_sqrt.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_sub.c(6): * Copyright (C) 1994-2000 Algorithmics
Ltd.

legal(ME)

linux-3.10\arch\mips\math-emu\sp_tint.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\math-emu\sp_tlong.c(6): * Copyright (C) 1994-2000
Algorithmics Ltd.
linux-3.10\arch\mips\mm\cache.c(6): * Copyright (C) 1994 - 2003, 06, 07 by Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\mm\cache.c(7): * Copyright (C) 2007 MIPS Technologies, Inc.
linux-3.10\arch\mips\mm\cerr-sb1.c(2): * Copyright (C) 2001,2002,2003 Broadcom
Corporation
linux-3.10\arch\mips\mm\cex-gen.S(6): * Copyright (C) 1995 - 1999 Ralf Baechle
linux-3.10\arch\mips\mm\cex-gen.S(7): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\mm\cex-oct.S(6): * Copyright (C) 2006 Cavium Networks
linux-3.10\arch\mips\mm\cex-sb1.S(2): * Copyright (C) 2001,2002,2003 Broadcom
Corporation
linux-3.10\arch\mips\mm\c-octeon.c(6): * Copyright (C) 2005-2007 Cavium Networks
linux-3.10\arch\mips\mm\c-r3k.c(10): * Copyright (C) 2001, 2004, 2007 Maciej W.
Rozycki
linux-3.10\arch\mips\mm\c-r3k.c(4): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\mm\c-r3k.c(8): * Copyright (C) 1998, 1999, 2000 Harald
Koerfgen
linux-3.10\arch\mips\mm\c-r3k.c(9): * Copyright (C) 1998 Gleb Raiko & Vladimir
Roganov
linux-3.10\arch\mips\mm\c-r4k.c(6): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\mm\c-r4k.c(7): * Copyright (C) 1997, 1998, 1999, 2000, 2001,
2002 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\mm\c-r4k.c(8): * Copyright (C) 1999, 2000 Silicon Graphics,
Inc.
linux-3.10\arch\mips\mm\c-tx39.c(4): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\mm\c-tx39.c(8): * Copyright (C) 1998, 1999, 2000 Harald
Koerfgen
linux-3.10\arch\mips\mm\c-tx39.c(9): * Copyright (C) 1998 Gleb Raiko & Vladimir
Roganov
linux-3.10\arch\mips\mm\dma-default.c(6): * Copyright (C) 2000 Ani Joshi
<ajoshi@unixbox.com>
linux-3.10\arch\mips\mm\dma-default.c(7): * Copyright (C) 2000, 2001, 06 Ralf
Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\mm\extable.c(6): * Copyright (C) 1997, 99, 2001 - 2004 Ralf
Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\mm\fault.c(6): * Copyright (C) 1995 - 2000 by Ralf Baechle
linux-3.10\arch\mips\mm\gup.c(4): * Copyright (C) 2008 Nick Piggin
linux-3.10\arch\mips\mm\gup.c(5): * Copyright (C) 2008 Novell Inc.
linux-3.10\arch\mips\mm\gup.c(6): * Copyright (C) 2011 Ralf Baechle
linux-3.10\arch\mips\mm\hugetlbpage.c(11): * Copyright (C) 2008, 2009 Cavium
Networks, Inc.
linux-3.10\arch\mips\mm\hugetlbpage.c(8): * Copyright (C) 2002, Rohit Seth
<rohit.seth@intel.com>
linux-3.10\arch\mips\mm\hugetlbpage.c(9): * Copyright 2005, Embedded Alley
Solutions, Inc.
linux-3.10\arch\mips\mm\init.c(6): * Copyright (C) 1994 - 2000 Ralf Baechle

legal(ME)

linux-3.10\arch\mips\mm\init.c(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\mm\init.c(9): * Copyright (C) 2000 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mm\ioremap.c(6): * (C) Copyright 1995 1996 Linus Torvalds
linux-3.10\arch\mips\mm\ioremap.c(7): * (C) Copyright 2001, 2002 Ralf Baechle
linux-3.10\arch\mips\mm\mmap.c(6): * Copyright (C) 2011 Wind River Systems,
linux-3.10\arch\mips\mm\page.c(6): * Copyright (C) 2003, 04, 05 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\mm\page.c(7): * Copyright (C) 2007 Maciej W. Rozycki
linux-3.10\arch\mips\mm\page.c(8): * Copyright (C) 2008 Thiemo Seufer
linux-3.10\arch\mips\mm\page.c(9): * Copyright (C) 2012 MIPS Technologies, Inc.
linux-3.10\arch\mips\mm\page-funcs.S(8): * Copyright (C) 2012 MIPS Technologies, Inc.
linux-3.10\arch\mips\mm\page-funcs.S(9): * Copyright (C) 2012 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\mm\pgtable-32.c(6): * Copyright (C) 2003 by Ralf Baechle
linux-3.10\arch\mips\mm\pgtable-64.c(6): * Copyright (C) 1999, 2000 by Silicon Graphics
linux-3.10\arch\mips\mm\pgtable-64.c(7): * Copyright (C) 2003 by Ralf Baechle
linux-3.10\arch\mips\mm\sc-ip22.c(4): * Copyright (C) 1997, 2001 Ralf Baechle (ralf@gnu.org),
linux-3.10\arch\mips\mm\sc-mips.c(2): * Copyright (C) 2006 Chris Dearman (chris@mips.com),
linux-3.10\arch\mips\mm\sc-r5k.c(2): * Copyright (C) 1997, 2001 Ralf Baechle (ralf@gnu.org),
linux-3.10\arch\mips\mm\sc-rm7k.c(4): * Copyright (C) 1997, 2001, 2003, 2004 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\mm\tlbex.c(10): * Copyright (C) 2006 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\mm\tlbex.c(11): * Copyright (C) 2008, 2009 Cavium Networks, Inc.
linux-3.10\arch\mips\mm\tlbex.c(12): * Copyright (C) 2011 MIPS Technologies, Inc.
linux-3.10\arch\mips\mm\tlbex.c(8): * Copyright (C) 2004, 2005, 2006, 2008 Thiemo Seufer
linux-3.10\arch\mips\mm\tlbex.c(9): * Copyright (C) 2005, 2007, 2008, 2009 Maciej W. Rozycki
linux-3.10\arch\mips\mm\tlbex-fault.S(6): * Copyright (C) 1999 Ralf Baechle
linux-3.10\arch\mips\mm\tlbex-fault.S(7): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\mips\mm\tlb-r3k.c(10): * Copyright (C) 2002 Ralf Baechle
linux-3.10\arch\mips\mm\tlb-r3k.c(11): * Copyright (C) 2002 Maciej W. Rozycki
linux-3.10\arch\mips\mm\tlb-r3k.c(4): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\mm\tlb-r3k.c(8): * Copyright (C) 1998, 1999, 2000 Harald Koerfgen
linux-3.10\arch\mips\mm\tlb-r3k.c(9): * Copyright (C) 1998 Gleb Raiko & Vladimir Roganov
linux-3.10\arch\mips\mm\tlb-r4k.c(6): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\mm\tlb-r4k.c(7): * Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle ralf@gnu.org

legal(ME)

linux-3.10\arch\mips\mm\tlb-r4k.c(9): * Copyright (C) 2002 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mm\tlb-r8k.c(6): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\mips\mm\tlb-r8k.c(7): * Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle ralf@gnu.org
linux-3.10\arch\mips\mm\tlb-r8k.c(9): * Copyright (C) 2002 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mm\uasm.c(10): * Copyright (C) 2004, 2005, 2006, 2008 Thiemo Seufer
linux-3.10\arch\mips\mm\uasm.c(11): * Copyright (C) 2005, 2007 Maciej W. Rozycki
linux-3.10\arch\mips\mm\uasm.c(12): * Copyright (C) 2006 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\mm\uasm.c(13): * Copyright (C) 2012, 2013 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mm\uasm-micromips.c(10): * Copyright (C) 2004, 2005, 2006, 2008 Thiemo Seufer
linux-3.10\arch\mips\mm\uasm-micromips.c(11): * Copyright (C) 2005, 2007 Maciej W. Rozycki
linux-3.10\arch\mips\mm\uasm-micromips.c(12): * Copyright (C) 2006 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\mm\uasm-micromips.c(13): * Copyright (C) 2012, 2013 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mm\uasm-mips.c(10): * Copyright (C) 2004, 2005, 2006, 2008 Thiemo Seufer
linux-3.10\arch\mips\mm\uasm-mips.c(11): * Copyright (C) 2005, 2007 Maciej W. Rozycki
linux-3.10\arch\mips\mm\uasm-mips.c(12): * Copyright (C) 2006 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\mm\uasm-mips.c(13): * Copyright (C) 2012, 2013 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mti-malta\Makefile(3):# Copyright (C) 1999, 2000 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mti-malta\Makefile(5):# Copyright (C) 2008 Wind River Systems, Inc.
linux-3.10\arch\mips\mti-malta\malta-amon.c(2): * Copyright (C) 2007 MIPS Technologies, Inc.
linux-3.10\arch\mips\mti-malta\malta-console.c(3): * Copyright (C) 1999, 2000 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mti-malta\malta-display.c(8): * Copyright (C) 1999, 2000, 2012 MIPS Technologies, Inc.
linux-3.10\arch\mips\mti-malta\malta-init.c(8): * Copyright (C) 1999, 2000, 2004, 2005, 2012 MIPS Technologies, Inc.
linux-3.10\arch\mips\mti-malta\malta-int.c(3): * Copyright (C) 2000, 2001, 2004 MIPS Technologies, Inc.
linux-3.10\arch\mips\mti-malta\malta-int.c(4): * Copyright (C) 2001 Ralf Baechle
linux-3.10\arch\mips\mti-malta\malta-memory.c(9): * Copyright (C) 1999, 2000, 2012 MIPS Technologies, Inc.
linux-3.10\arch\mips\mti-malta\malta-pci.c(2): * Copyright (C) 1999, 2000, 2004, 2005 MIPS Technologies, Inc.
linux-3.10\arch\mips\mti-malta\malta-pci.c(7): * Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org)

legal(ME)

linux-3.10\arch\mips\mti-malta\malta-platform.c(10): * Copyright (C) 2008 Wind River Systems, Inc.
linux-3.10\arch\mips\mti-malta\malta-platform.c(6): * Copyright (C) 2006, 07 MIPS Technologies, Inc.
linux-3.10\arch\mips\mti-malta\malta-reset.c(3): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-malta\malta-setup.c(3): * Copyright (C) 2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-malta\malta-setup.c(4): * Copyright (C) 2008 Dmitri Vorobiev
linux-3.10\arch\mips\mti-malta\malta-time.c(3): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\leds-sead3.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\Makefile(3):# Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\Makefile(5):# Copyright (C) 2008 Wind River Systems, Inc.
linux-3.10\arch\mips\mti-sead3\Makefile(8):# Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-console.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-display.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-ehci.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-i2c.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-i2c-dev.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-i2c-drv.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-init.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-int.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-lcd.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-leds.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-mtd.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-net.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-pic32-bus.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-pic32-i2c-drv.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-platform.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-reset.c(6): * Copyright (C) 2012 MIPS Technologies, Inc.All rights reserved.

legal(ME)

linux-3.10\arch\mips\mti-sead3\sead3-serial.c(6): * Copyright (C) 2012 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-setup.c(6): * Copyright (C) 2012 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\mti-sead3\sead3-time.c(6): * Copyright (C) 2012 MIPS Technologies, Inc. All rights reserved.
linux-3.10\arch\mips\netlogic\common\earlycons.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\common\irq.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\common\smp.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\common\smpboot.S(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\common\time.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\xlp\nlm_hal.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\xlp\setup.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\xlp\usb-init.c(2): * Copyright (c) 2003-2012 Broadcom Corporation
linux-3.10\arch\mips\netlogic\xlp\wakeup.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\xlr\fmn.c(2): * Copyright (c) 2003-2012 Broadcom Corporation
linux-3.10\arch\mips\netlogic\xlr\fmn-config.c(2): * Copyright (c) 2003-2012 Broadcom Corporation
linux-3.10\arch\mips\netlogic\xlr\platform.c(2): * Copyright 2011, Netlogic Microsystems.
linux-3.10\arch\mips\netlogic\xlr\platform.c(3): * Copyright 2004, Matt Porter <mporter@kernel.crashing.org>
linux-3.10\arch\mips\netlogic\xlr\platform-flash.c(2): * Copyright 2011, Netlogic Microsystems.
linux-3.10\arch\mips\netlogic\xlr\platform-flash.c(3): * Copyright 2004, Matt Porter <mporter@kernel.crashing.org>
linux-3.10\arch\mips\netlogic\xlr\setup.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\netlogic\xlr\wakeup.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\oprofile\common.c(6): * Copyright (C) 2004, 2005 Ralf Baechle
linux-3.10\arch\mips\oprofile\common.c(7): * Copyright (C) 2005 MIPS Technologies, Inc.
linux-3.10\arch\mips\oprofile\op_impl.h(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\mips\oprofile\op_model_loongson2.c(4): * Copyright (C) 2009 Lemote Inc.
linux-3.10\arch\mips\oprofile\op_model_mipsxx.c(6): * Copyright (C) 2004, 05, 06 by Ralf Baechle
linux-3.10\arch\mips\oprofile\op_model_mipsxx.c(7): * Copyright (C) 2005 by MIPS Technologies, Inc.

legal(ME)

linux-3.10\arch\mips\pci\fixup-bcm63xx.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\pci\fixup-capcella.c(4): *Copyright (C) 2002,2004Yoichi
Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\pci\fixup-cobalt.c(8): * Copyright (C) 1995, 1996, 1997,
2002, 2003 by Ralf Baechle
linux-3.10\arch\mips\pci\fixup-cobalt.c(9): * Copyright (C) 2001, 2002, 2003 by
Liam Davies (ldavies@agile.tv)
linux-3.10\arch\mips\pci\fixup-emma2rh.c(2): *Copyright (C) NEC Electronics
Corporation 2004-2006
linux-3.10\arch\mips\pci\fixup-emma2rh.c(6): *Copyright 2001 MontaVista Software
Inc.
linux-3.10\arch\mips\pci\fixup-fuloong2e.c(2): * Copyright (C) 2004 ICT CAS
linux-3.10\arch\mips\pci\fixup-fuloong2e.c(6): * Copyright (C) 2007 Lemote, Inc.
& Institute of Computing Technology
linux-3.10\arch\mips\pci\fixup-jmr3927.c(6): * Copyright 2001 MontaVista Software
Inc.
linux-3.10\arch\mips\pci\fixup-lantiq.c(6): *Copyright (C) 2012 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\pci\fixup-lemote2f.c(2): * Copyright (C) 2008 Lemote
Technology
linux-3.10\arch\mips\pci\fixup-lemote2f.c(3): * Copyright (C) 2004 ICT CAS
linux-3.10\arch\mips\pci\fixup-lemote2f.c(6): * Copyright (C) 2007 Lemote, Inc.
linux-3.10\arch\mips\pci\fixup-mpc30x.c(4): *Copyright (C) 2002,2004Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\arch\mips\pci\fixup-pmcmsp.c(4): * Copyright 2001 MontaVista Software
Inc.
linux-3.10\arch\mips\pci\fixup-pmcmsp.c(5): * Copyright 2005-2007 PMC-Sierra, Inc
linux-3.10\arch\mips\pci\fixup-rbtx4927.c(10): * Copyright (C) 2000-2001 Toshiba
Corporation
linux-3.10\arch\mips\pci\fixup-rbtx4927.c(12): * Copyright (C) 2004 MontaVista
Software Inc.
linux-3.10\arch\mips\pci\fixup-rbtx4927.c(6): * Copyright 2001 MontaVista
Software Inc.
linux-3.10\arch\mips\pci\fixup-rbtx4938.c(3): * Copyright (C) 2000-2001 Toshiba
Corporation
linux-3.10\arch\mips\pci\fixup-rc32434.c(2): * Copyright 2001 MontaVista Software
Inc.
linux-3.10\arch\mips\pci\fixup-sb1250.c(2): *Copyright (C) 2004, 2006MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\pci\fixup-sni.c(8): * Copyright (C) 1997 - 2000, 2003, 04
Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\fixup-tb0219.c(4): *Copyright (C) 2003Megasolution Inc.
<matsu@megasolution.jp>
linux-3.10\arch\mips\pci\fixup-tb0219.c(5): *Copyright (C) 2004-2005Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\arch\mips\pci\fixup-tb0226.c(4): *Copyright (C) 2002-2005Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\arch\mips\pci\fixup-tb0287.c(4): *Copyright (C) 2005Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\arch\mips\pci\fixup-wrppmc.c(8): * Copyright (C) 2006, Wind River Inc.
Rongkai.zhan (rongkai.zhan@windriver.com)

legal(ME)

linux-3.10\arch\mips\pci\msi-octeon.c(6): * Copyright (C) 2005-2009, 2010 Cavium Networks
linux-3.10\arch\mips\pci\ops-bcm63xx.c(6): * Copyright (C) 2008 Maxime Bizon <mbizon@freebox.fr>
linux-3.10\arch\mips\pci\ops-bonito64.c(2): * Copyright (C) 1999, 2000, 2004MIPS Technologies, Inc.
linux-3.10\arch\mips\pci\ops-bridge.c(6): * Copyright (C) 1999, 2000, 04, 06 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\ops-bridge.c(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\pci\ops-emma2rh.c(2): *Copyright (C) NEC Electronics Corporation 2004-2006
linux-3.10\arch\mips\pci\ops-emma2rh.c(6): *Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\pci\ops-gt64xxx_pci0.c(2): * Copyright (C) 1999, 2000, 2004MIPS Technologies, Inc.
linux-3.10\arch\mips\pci\ops-lantiq.c(6): *Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\arch\mips\pci\ops-loongson2.c(2): * Copyright (C) 1999, 2000, 2004MIPS Technologies, Inc.
linux-3.10\arch\mips\pci\ops-loongson2.c(7): * Copyright (C) 2009 Lemote Inc.
linux-3.10\arch\mips\pci\ops-mace.c(6): * Copyright (C) 2000, 2001 Keith M Wesolowski
linux-3.10\arch\mips\pci\ops-msc.c(2): * Copyright (C) 1999, 2000, 2004, 2005 MIPS Technologies, Inc.
linux-3.10\arch\mips\pci\ops-msc.c(6): * Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\ops-pmcmsp.c(4): * Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\pci\ops-pmcmsp.c(5): * Copyright 2005-2007 PMC-Sierra, Inc
linux-3.10\arch\mips\pci\ops-rc32434.c(5): *Copyright 2004 IDT Inc. (rischelp@idt.com)
linux-3.10\arch\mips\pci\ops-rc32434.c(6): *Copyright 2006 Felix Fietkau <nbd@openwrt.org>
linux-3.10\arch\mips\pci\ops-sni.c(8): * Copyright (C) 1997 - 2000, 2003 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\pci\ops-tx3927.c(2): * Copyright 2001 MontaVista Software Inc.
linux-3.10\arch\mips\pci\ops-tx3927.c(6): * Copyright (C) 2000-2001 Toshiba Corporation
linux-3.10\arch\mips\pci\ops-tx3927.c(7): * Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\ops-tx4927.c(10): * Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\ops-tx4927.c(11): * (C) Copyright TOSHIBA CORPORATION 2000-2001, 2004-2007
linux-3.10\arch\mips\pci\ops-vr41xx.c(4): *Copyright (C) 2001-2003 MontaVista Software Inc.
linux-3.10\arch\mips\pci\ops-vr41xx.c(6): *Copyright (C) 2004-2005Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\pci\pci.c(7): * Copyright (C) 2003, 04, 11 Ralf Baechle (ralf@linux-mips.org)

legal(ME)

linux-3.10\arch\mips\pci\pci.c(8): * Copyright (C) 2011 Wind River Systems,
linux-3.10\arch\mips\pci\pci-alchemy.c(4): * Copyright 2001-2003, 2007-2008
MontaVista Software Inc.
linux-3.10\arch\mips\pci\pci-ar71xx.c(4): *Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\pci\pci-ar71xx.c(5): *Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\pci\pci-ar724x.c(4): *Copyright (C) 2011 Renṯ Bolldorf
<xsecute@googlemail.com>
linux-3.10\arch\mips\pci\pci-ar724x.c(5): *Copyright (C) 2009-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\pci\pci-bcm1480.c(2): * Copyright (C) 2001,2002,2005
Broadcom Corporation
linux-3.10\arch\mips\pci\pci-bcm1480.c(3): * Copyright (C) 2004 by Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-bcm1480ht.c(2): * Copyright (C) 2001,2002,2005
Broadcom Corporation
linux-3.10\arch\mips\pci\pci-bcm1480ht.c(3): * Copyright (C) 2004 by Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-bcm47xx.c(2): *Copyright (C) 2008 Aurelien Jarno
<aurelien@aurel32.net>
linux-3.10\arch\mips\pci\pci-bcm63xx.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\arch\mips\pci\pci-emma2rh.c(2): *Copyright (C) NEC Electronics
Corporation 2004-2006
linux-3.10\arch\mips\pci\pci-emma2rh.c(6): *Copyright 2001 MontaVista Software
Inc.
linux-3.10\arch\mips\pci\pcie-octeon.c(6): * Copyright (C) 2007, 2008, 2009,
2010, 2011 Cavium Networks
linux-3.10\arch\mips\pci\pci-ip27.c(6): * Copyright (C) 2003 Christoph Hellwig
(hch@lst.de)
linux-3.10\arch\mips\pci\pci-ip27.c(7): * Copyright (C) 1999, 2000, 04 Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-ip27.c(8): * Copyright (C) 1999, 2000 Silicon
Graphics, Inc.
linux-3.10\arch\mips\pci\pci-ip32.c(6): * Copyright (C) 2000, 2001 Keith M
Wesolowski
linux-3.10\arch\mips\pci\pci-ip32.c(7): * Copyright (C) 2004 by Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-lantiq.c(6): *Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\pci\pci-lantiq.h(6): *Copyright (C) 2010 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\pci\pci-lasat.c(6): * Copyright (C) 2000, 2001, 04 Keith M
Wesolowski
linux-3.10\arch\mips\pci\pci-octeon.c(6): * Copyright (C) 2005-2009 Cavium
Networks
linux-3.10\arch\mips\pci\pci-rc32434.c(5): *Copyright 2004 IDT Inc.
(rischelp@idt.com)
linux-3.10\arch\mips\pci\pci-sb1250.c(2): * Copyright (C) 2001,2002,2003 Broadcom
Corporation
linux-3.10\arch\mips\pci\pci-sb1250.c(3): * Copyright (C) 2004 by Ralf Baechle

legal(ME)

(ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-tx4927.c(5): * Copyright 2001, 2003-2005 MontaVista Software Inc.
linux-3.10\arch\mips\pci\pci-tx4927.c(6): * Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-tx4927.c(7): * (C) Copyright TOSHIBA CORPORATION 2000-2001, 2004-2007
linux-3.10\arch\mips\pci\pci-tx4938.c(5): * Copyright 2001, 2003-2005 MontaVista Software Inc.
linux-3.10\arch\mips\pci\pci-tx4938.c(6): * Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-tx4938.c(7): * (C) Copyright TOSHIBA CORPORATION 2000-2001, 2004-2007
linux-3.10\arch\mips\pci\pci-tx4939.c(5): * Copyright 2001, 2003-2005 MontaVista Software Inc.
linux-3.10\arch\mips\pci\pci-tx4939.c(6): * Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-tx4939.c(7): * (C) Copyright TOSHIBA CORPORATION 2000-2001, 2004-2007
linux-3.10\arch\mips\pci\pci-vr41xx.c(4): *Copyright (C) 2001-2003 MontaVista Software Inc.
linux-3.10\arch\mips\pci\pci-vr41xx.c(6): *Copyright (C) 2004-2008Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\pci\pci-vr41xx.c(7): *Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\pci\pci-vr41xx.h(4): *Copyright (C) 2002MontaVista Software Inc.
linux-3.10\arch\mips\pci\pci-vr41xx.h(6): *Copyright (C) 2004-2005Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\arch\mips\pci\pci-xlp.c(2): * Copyright (c) 2003-2012 Broadcom Corporation
linux-3.10\arch\mips\pci\pci-xlr.c(2): * Copyright 2003-2011 NetLogic Microsystems, Inc. (NetLogic). All rights reserved.
linux-3.10\arch\mips\pmcs-msp71xx\msp_elb.c(5): * Copyright 2005-2006 PMC-Sierra, Inc.
linux-3.10\arch\mips\pmcs-msp71xx\msp_eth.c(4): * Copyright 2010 PMC-Sierra, Inc.
linux-3.10\arch\mips\pmcs-msp71xx\msp_hwbutton.c(5): * Copyright 2005-2007 PMC-Sierra, Inc.
linux-3.10\arch\mips\pmcs-msp71xx\msp_irq.c(4): * Copyright (C) 1995, 1996, 1997, 2003 by Ralf Baechle
linux-3.10\arch\mips\pmcs-msp71xx\msp_irq_cic.c(2): * Copyright 2010 PMC-Sierra, Inc, derived from irq_cpu.c
linux-3.10\arch\mips\pmcs-msp71xx\msp_irq_per.c(2): * Copyright 2010 PMC-Sierra, Inc, derived from irq_cpu.c
linux-3.10\arch\mips\pmcs-msp71xx\msp_irq_slp.c(4): * Copyright 2005-2006 PMC-Sierra, Inc, derived from irq_cpu.c
linux-3.10\arch\mips\pmcs-msp71xx\msp_pci.c(4): * Copyright 2005-2006 PMC-Sierra, Inc.
linux-3.10\arch\mips\pmcs-msp71xx\msp_prom.c(14): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\pmcs-msp71xx\msp_prom.c(6): * Copyright 2000,2001 MontaVista Software Inc.

legal(ME)

linux-3.10\arch\mips\pmcs-msp71xx\msp_serial.c(4): * Copyright 2005 PMC-Sierra, Inc.
linux-3.10\arch\mips\pmcs-msp71xx\msp_setup.c(4): * Copyright 2005-2007 PMC-Sierra, Inc,
linux-3.10\arch\mips\pmcs-msp71xx\msp_smp.c(2): * Copyright (C) 2000, 2001, 2004 MIPS Technologies, Inc.
linux-3.10\arch\mips\pmcs-msp71xx\msp_smp.c(3): * Copyright (C) 2001 Ralf Baechle
linux-3.10\arch\mips\pmcs-msp71xx\msp_smp.c(4): * Copyright (C) 2010 PMC-Sierra, Inc.
linux-3.10\arch\mips\pmcs-msp71xx\msp_time.c(5): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\pmcs-msp71xx\msp_usb.c(4): * Copyright 2006 PMC-Sierra, Inc.
linux-3.10\arch\mips\pnx833x\common\interrupts.c(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\pnx833x\common\platform.c(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\pnx833x\common\prom.c(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\pnx833x\common\reset.c(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\pnx833x\common\setup.c(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\pnx833x\stb22x\board.c(4): *Copyright 2008 NXP Semiconductors
linux-3.10\arch\mips\power\cpu.c(6): * Copyright (C) 2009 Lemote Inc.
linux-3.10\arch\mips\power\hibernate.S(6): * Copyright (C) 2009 Lemote Inc.
linux-3.10\arch\mips\powertv\asic\asic_devices.c(5): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\asic_int.c(3): * Copyright (C) 2000, 2001, 2004 MIPS Technologies, Inc.
linux-3.10\arch\mips\powertv\asic\asic_int.c(4): * Copyright (C) 2001 Ralf Baechle
linux-3.10\arch\mips\powertv\asic\asic_int.c(5): * Portions copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\asic\asic-calliope.c(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\asic-cronus.c(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\asic-gaia.c(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\asic-zeus.c(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\irq_asic.c(2): * Portions copyright (C) 2005-2009 Scientific Atlanta
linux-3.10\arch\mips\powertv\asic\irq_asic.c(3): * Portions copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\asic\irq_asic.c(6): * Copyright (C) 2003 Ralf Baechle
linux-3.10\arch\mips\powertv\asic\Makefile(2):# Copyright (C) 2009Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\prealloc.h(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\prealloc-calliope.c(4): * Copyright (C)

legal(ME)

2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\prealloc-cronus.c(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\prealloc-cronuslite.c(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\prealloc-gaia.c(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\asic\prealloc-zeus.c(4): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\init.c(2): * Copyright (C) 1999, 2000, 2004, 2005 MIPS Technologies, Inc.
linux-3.10\arch\mips\powertv\init.c(6): * Portions copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\init.h(4): * Copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\ioremap.c(6): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\Makefile(3):# Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\powertv\Makefile(6):# Copyright (C) 2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\powertv\Makefile(7):# Portions copyright (C)2009 Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\memory.c(3): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\powertv\memory.c(4): * Portions copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\pci\Makefile(2):# Copyright (C) 2009Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\pci\powertv-pci.h(4): * Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\powertv_setup.c(3): * Copyright (C) 2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\powertv\powertv_setup.c(4): * Portions copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\powertv-clock.h(2): * Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\powertv-usb.c(6): * Copyright (C) 2005-2009 Scientific-Atlanta, Inc.
linux-3.10\arch\mips\powertv\powertv-usb.c(7): * Copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\reset.c(3): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\powertv\reset.c(4): * Portions copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\reset.h(4): * Copyright (C) 2009Cisco Systems, Inc.
linux-3.10\arch\mips\powertv\time.c(3): * Copyright (C) 1999,2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\powertv\time.c(4): * Portions copyright (C) 2009 Cisco Systems, Inc.
linux-3.10\arch\mips\ralink\clk.c(6): *Copyright (C) 2011 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\clk.c(7): *Copyright (C) 2013 John Crispin

legal(ME)

<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\common.h(6): * Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\early_printk.c(6): *Copyright (C) 2011-2012 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\irq.c(6): * Copyright (C) 2009 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\irq.c(7): * Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\Makefile(6):# Copyright (C) 2009-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\Makefile(7):# Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\mt7620.c(10): * Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\mt7620.c(8): * Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\mt7620.c(9): * Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ralink\of.c(6): * Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ralink\of.c(7): * Copyright (C) 2008-2009 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\of.c(8): * Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\prom.c(6): *Copyright (C) 2009 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\prom.c(7): *Copyright (C) 2010 Joonas Lahtinen
<joonas.lahtinen@gmail.com>
linux-3.10\arch\mips\ralink\prom.c(8): *Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\reset.c(6): * Copyright (C) 2008-2009 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\reset.c(7): * Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ralink\reset.c(8): * Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\rt288x.c(10): * Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\rt288x.c(8): * Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\rt288x.c(9): * Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ralink\rt305x.c(10): * Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\rt305x.c(8): * Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\ralink\rt305x.c(9): * Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\arch\mips\ralink\rt3883.c(10): * Copyright (C) 2013 John Crispin
<blogic@openwrt.org>
linux-3.10\arch\mips\ralink\rt3883.c(8): * Copyright (C) 2008 Imre Kaloz

legal(ME)

<kaloz@openwrt.org>
linux-3.10\arch\mips\ralink\rt3883.c(9): * Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\rb532\devices.c(4): *Copyright (C) 2006 Felix Fietkau
<nbd@openwrt.org>
linux-3.10\arch\mips\rb532\devices.c(5): *Copyright (C) 2007 Florian Fainelli
<florian@openwrt.org>
linux-3.10\arch\mips\rb532\gpio.c(4): *Copyright 2004 IDT Inc. (rischelp@idt.com)
linux-3.10\arch\mips\rb532\gpio.c(5): *Copyright 2006 Phil Sutter
<n0-1@freewrt.org>
linux-3.10\arch\mips\rb532\gpio.c(6): *Copyright 2007 Florian Fainelli
<florian@openwrt.org>
linux-3.10\arch\mips\rb532\irq.c(22): * Copyright 2002 MontaVista Software Inc.
linux-3.10\arch\mips\rb532\prom.c(4): *Copyright (C) 2003, Peter Sadik
<peter.sadik@idt.com>
linux-3.10\arch\mips\rb532\prom.c(5): *Copyright (C) 2005-2006, P.Christeas
<p_christ@hol.gr>
linux-3.10\arch\mips\rb532\prom.c(6): *Copyright (C) 2007, Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\arch\mips\rb532\serial.c(5): *Copyright 2004 IDT Inc.
(rischelp@idt.com)
linux-3.10\arch\mips\rb532\time.c(3): * Copyright (C) 1999,2000 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\sgi-ip22\ip22-berr.c(4): * Copyright (C) 2002, 2003 Ladislav
Michl (ladis@linux-mips.org)
linux-3.10\arch\mips\sgi-ip22\ip22-hpc.c(4): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\sgi-ip22\ip22-hpc.c(5): * Copyright (C) 1998 Ralf Baechle
linux-3.10\arch\mips\sgi-ip22\ip22-int.c(10): * Copyright (C) 2001, 2003 Ladislav
Michl (ladis@linux-mips.org)
linux-3.10\arch\mips\sgi-ip22\ip22-int.c(5): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\sgi-ip22\ip22-int.c(6): * Copyright (C) 1997, 1998 Ralf
Baechle (ralf@gnu.org)
linux-3.10\arch\mips\sgi-ip22\ip22-int.c(7): * Copyright (C) 1999 Andrew R. Baker
(andrewb@uab.edu)
linux-3.10\arch\mips\sgi-ip22\ip22-mc.c(4): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\mips\sgi-ip22\ip22-mc.c(5): * Copyright (C) 1999 Andrew R. Baker
(andrewb@uab.edu) - Indigo2 changes
linux-3.10\arch\mips\sgi-ip22\ip22-mc.c(6): * Copyright (C) 2003 Ladislav
Michl(ladis@linux-mips.org)
linux-3.10\arch\mips\sgi-ip22\ip22-mc.c(7): * Copyright (C) 2004 Peter
Fuerst(pf@net.alphadv.de) - IP28
linux-3.10\arch\mips\sgi-ip22\ip22-nvram.c(4): * Copyright (C) 2003 Ladislav
Michl (ladis@linux-mips.org)
linux-3.10\arch\mips\sgi-ip22\ip22-reset.c(6): * Copyright (C) 1997, 1998, 2001,
03, 05, 06 by Ralf Baechle
linux-3.10\arch\mips\sgi-ip22\ip22-setup.c(4): * Copyright (C) 1996 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\mips\sgi-ip22\ip22-setup.c(5): * Copyright (C) 1997, 1998 Ralf
Baechle (ralf@gnu.org)

legal(ME)

linux-3.10\arch\mips\sgi-ip22\ip22-time.c(10): * Copyright (C) 2003, 06 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\sgi-ip22\ip22-time.c(9): * Copyright (C) 2001 by Ladislav Michl
linux-3.10\arch\mips\sgi-ip22\ip28-berr.c(4): * Copyright (C) 2002, 2003 Ladislav Michl (ladis@linux-mips.org)
linux-3.10\arch\mips\sgi-ip22\ip28-berr.c(5): * Copyright (C) 2005 Peter Fuerst (pf@net.alphadv.de) - IP28
linux-3.10\arch\mips\sgi-ip27\ip27-berr.c(6): * Copyright (C) 1994, 1995, 1996, 1999, 2000 by Ralf Baechle
linux-3.10\arch\mips\sgi-ip27\ip27-berr.c(7): * Copyright (C) 1999, 2000 by Silicon Graphics
linux-3.10\arch\mips\sgi-ip27\ip27-berr.c(8): * Copyright (C) 2002 Maciej W. Rozycki
linux-3.10\arch\mips\sgi-ip27\ip27-console.c(6): * Copyright (C) 2001, 2002 Ralf Baechle
linux-3.10\arch\mips\sgi-ip27\ip27-hubio.c(2): * Copyright (C) 1992-1997, 2000-2003 Silicon Graphics, Inc.
linux-3.10\arch\mips\sgi-ip27\ip27-hubio.c(3): * Copyright (C) 2004 Christoph Hellwig.
linux-3.10\arch\mips\sgi-ip27\ip27-init.c(6): * Copyright (C) 2000 - 2001 by Kanoj Sarcar (kanoj@sgi.com)
linux-3.10\arch\mips\sgi-ip27\ip27-init.c(7): * Copyright (C) 2000 - 2001 by Silicon Graphics, Inc.
linux-3.10\arch\mips\sgi-ip27\ip27-irq.c(4): * Copyright (C) 1999, 2000 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\sgi-ip27\ip27-irq.c(5): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\sgi-ip27\ip27-irq.c(6): * Copyright (C) 1999 - 2001 Kanoj Sarcar
linux-3.10\arch\mips\sgi-ip27\ip27-klconfig.c(2): * Copyright (C) 1999, 2000 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\sgi-ip27\ip27-klconfig.c(3): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\sgi-ip27\ip27-klnuma.c(3): * Copyright 2000 - 2001 Silicon Graphics, Inc.
linux-3.10\arch\mips\sgi-ip27\ip27-klnuma.c(4): * Copyright 2000 - 2001 Kanoj Sarcar (kanoj@sgi.com)
linux-3.10\arch\mips\sgi-ip27\ip27-memory.c(6): * Copyright (C) 2000, 05 by Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\sgi-ip27\ip27-memory.c(7): * Copyright (C) 2000 by Silicon Graphics, Inc.
linux-3.10\arch\mips\sgi-ip27\ip27-memory.c(8): * Copyright (C) 2004 by Christoph Hellwig
linux-3.10\arch\mips\sgi-ip27\ip27-reset.c(8): * Copyright (C) 1997, 1998, 1999, 2000, 06 by Ralf Baechle
linux-3.10\arch\mips\sgi-ip27\ip27-reset.c(9): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\sgi-ip27\ip27-smp.c(6): * Copyright (C) 2000 - 2001 by Kanoj Sarcar (kanoj@sgi.com)
linux-3.10\arch\mips\sgi-ip27\ip27-smp.c(7): * Copyright (C) 2000 - 2001 by Silicon Graphics, Inc.

legal(ME)

linux-3.10\arch\mips\sgi-ip27\ip27-xtalk.c(2): * Copyright (C) 1999, 2000 Ralf Baechle (ralf@gnu.org)
linux-3.10\arch\mips\sgi-ip27\ip27-xtalk.c(3): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
linux-3.10\arch\mips\sgi-ip27\ip27-xtalk.c(4): * Copyright (C) 2004 Christoph Hellwig.
linux-3.10\arch\mips\sgi-ip32\crime.c(6): * Copyright (C) 2001, 2003 Keith M Wesolowski
linux-3.10\arch\mips\sgi-ip32\crime.c(7): * Copyright (C) 2005 Ilya A. Volynets <ilya@total-knowledge.com>
linux-3.10\arch\mips\sgi-ip32\ip32-berr.c(6): * Copyright (C) 1994, 1995, 1996, 1999, 2000 by Ralf Baechle
linux-3.10\arch\mips\sgi-ip32\ip32-berr.c(7): * Copyright (C) 1999, 2000 by Silicon Graphics
linux-3.10\arch\mips\sgi-ip32\ip32-berr.c(8): * Copyright (C) 2002 Maciej W. Rozycki
linux-3.10\arch\mips\sgi-ip32\ip32-irq.c(8): * Copyright (C) 2000 Harald Koerfgen
linux-3.10\arch\mips\sgi-ip32\ip32-irq.c(9): * Copyright (C) 2001 Keith M Wesolowski
linux-3.10\arch\mips\sgi-ip32\ip32-memory.c(6): * Copyright (C) 2003 Keith M Wesolowski
linux-3.10\arch\mips\sgi-ip32\ip32-memory.c(7): * Copyright (C) 2005 Ilya A. Volynets (Total Knowledge)
linux-3.10\arch\mips\sgi-ip32\ip32-platform.c(6): * Copyright (C) 2007 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\sgi-ip32\ip32-reset.c(6): * Copyright (C) 2001 Keith M Wesolowski
linux-3.10\arch\mips\sgi-ip32\ip32-reset.c(7): * Copyright (C) 2001 Paul Mundt
linux-3.10\arch\mips\sgi-ip32\ip32-reset.c(8): * Copyright (C) 2003 Guido Guenther <agx@sigxcpu.org>
linux-3.10\arch\mips\sgi-ip32\ip32-setup.c(10): * Copyright (C) 2006 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\sgi-ip32\ip32-setup.c(8): * Copyright (C) 2000 Harald Koerfgen
linux-3.10\arch\mips\sgi-ip32\ip32-setup.c(9): * Copyright (C) 2002, 2003, 2005 Ilya A. Volynets
linux-3.10\arch\mips\sibyte\bcm1480\irq.c(2): * Copyright (C) 2000, 2001, 2002, 2003, 2004 Broadcom Corporation
linux-3.10\arch\mips\sibyte\bcm1480\setup.c(2): * Copyright (C) 2000, 2001, 2002, 2003, 2004 Broadcom Corporation
linux-3.10\arch\mips\sibyte\bcm1480\smp.c(2): * Copyright (C) 2001, 2002, 2004 Broadcom Corporation
linux-3.10\arch\mips\sibyte\bcm1480\time.c(2): * Copyright (C) 2000, 2001, 2004 Broadcom Corporation
linux-3.10\arch\mips\sibyte\common\cfe.c(2): * Copyright (C) 2000, 2001, 2002, 2003 Broadcom Corporation
linux-3.10\arch\mips\sibyte\common\sbtbprof.c(16): * Copyright (C) 2001, 2002, 2003 Broadcom Corporation
linux-3.10\arch\mips\sibyte\common\sbtbprof.c(17): * Copyright (C) 2007 Ralf Baechle <ralf@linux-mips.org>
linux-3.10\arch\mips\sibyte\common\sbtbprof.c(18): * Copyright (C) 2007 MIPS Technologies, Inc.

legal(ME)

linux-3.10\arch\mips\sibyte\sb1250\bus_watcher.c(2): * Copyright (C) 2002,2003
Broadcom Corporation
linux-3.10\arch\mips\sibyte\sb1250\irq.c(2): * Copyright (C) 2000, 2001, 2002,
2003 Broadcom Corporation
linux-3.10\arch\mips\sibyte\sb1250\setup.c(2): * Copyright (C) 2000, 2001, 2002,
2003 Broadcom Corporation
linux-3.10\arch\mips\sibyte\sb1250\smp.c(2): * Copyright (C) 2001, 2002, 2003
Broadcom Corporation
linux-3.10\arch\mips\sibyte\sb1250\time.c(2): * Copyright (C) 2000, 2001 Broadcom
Corporation
linux-3.10\arch\mips\sibyte\swarm\rtc_m41t81.c(2): * Copyright (C) 2000, 2001
Broadcom Corporation
linux-3.10\arch\mips\sibyte\swarm\rtc_m41t81.c(4): * Copyright (C) 2002
MontaVista Software Inc.
linux-3.10\arch\mips\sibyte\swarm\rtc_xicor1241.c(2): * Copyright (C) 2000, 2001
Broadcom Corporation
linux-3.10\arch\mips\sibyte\swarm\rtc_xicor1241.c(4): * Copyright (C) 2002
MontaVista Software Inc.
linux-3.10\arch\mips\sibyte\swarm\setup.c(2): * Copyright (C) 2000, 2001, 2002,
2003, 2004 Broadcom Corporation
linux-3.10\arch\mips\sibyte\swarm\setup.c(3): * Copyright (C) 2004 by Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\sibyte\swarm\swarm-i2c.c(4): *Copyright (c) 2008Maciej W.
Rozycki
linux-3.10\arch\mips\sni\a20r.c(8): * Copyright (C) 2006 Thomas Bogendoerfer
(tsbogend@alpha.franken.de)
linux-3.10\arch\mips\sni\irq.c(6): * Copyright (C) 1992 Linus Torvalds
linux-3.10\arch\mips\sni\irq.c(7): * Copyright (C) 1994 - 2000 Ralf Baechle
linux-3.10\arch\mips\sni\irq.c(8): * Copyright (C) 2006 Thomas Bogendoerfer
linux-3.10\arch\mips\sni\pcimt.c(8): * Copyright (C) 1996, 97, 98, 2000, 03, 04,
06 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\sni\pcimt.c(9): * Copyright (C) 2006,2007 Thomas
Bogendoerfer (tsbogend@alpha.franken.de)
linux-3.10\arch\mips\sni\pcit.c(8): * Copyright (C) 2006 Thomas Bogendoerfer
(tsbogend@alpha.franken.de)
linux-3.10\arch\mips\sni\rm200.c(8): * Copyright (C) 2006,2007 Thomas
Bogendoerfer (tsbogend@alpha.franken.de)
linux-3.10\arch\mips\sni\setup.c(8): * Copyright (C) 1996, 97, 98, 2000, 03, 04,
06 Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\sni\setup.c(9): * Copyright (C) 2006,2007 Thomas
Bogendoerfer (tsbogend@alpha.franken.de)
linux-3.10\arch\mips\txx9\generic\7segled.c(9): * (C) Copyright TOSHIBA
CORPORATION 2005-2007
linux-3.10\arch\mips\txx9\generic\irq_tx3927.c(8): * Copyright 2001 MontaVista
Software Inc.
linux-3.10\arch\mips\txx9\generic\irq_tx3927.c(9): * Copyright (C) 2000-2001
Toshiba Corporation
linux-3.10\arch\mips\txx9\generic\irq_tx4938.c(5): * Copyright (C) 2000-2001
Toshiba Corporation
linux-3.10\arch\mips\txx9\generic\irq_tx4939.c(10): * Copyright (C)
2000-2001,2005-2007 Toshiba Corporation
linux-3.10\arch\mips\txx9\generic\irq_tx4939.c(6): * Copyright 2001, 2003-2005

legal(ME)

MontaVista Software Inc.
linux-3.10\arch\mips\txx9\generic\mem_tx4927.c(7): * Copyright 2001-2002
MontaVista Software Inc.
linux-3.10\arch\mips\txx9\generic\pci.c(10): * (C) Copyright TOSHIBA CORPORATION
2000-2001, 2004-2007
linux-3.10\arch\mips\txx9\generic\pci.c(8): * Copyright 2001-2005 MontaVista
Software Inc.
linux-3.10\arch\mips\txx9\generic\pci.c(9): * Copyright (C) 1996, 97, 2001,
04Ralf Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\txx9\generic\setup.c(6): * (C) Copyright TOSHIBA CORPORATION
2000-2001, 2004-2007
linux-3.10\arch\mips\txx9\generic\setup_tx3927.c(5): * Copyright 2001 MontaVista
Software Inc.
linux-3.10\arch\mips\txx9\generic\setup_tx3927.c(6): * Copyright (C) 2000-2001
Toshiba Corporation
linux-3.10\arch\mips\txx9\generic\setup_tx3927.c(7): * Copyright (C) 2007 Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\txx9\generic\setup_tx4927.c(7): * (C) Copyright TOSHIBA
CORPORATION 2000-2001, 2004-2007
linux-3.10\arch\mips\txx9\generic\setup_tx4938.c(7): * (C) Copyright TOSHIBA
CORPORATION 2000-2001, 2004-2007
linux-3.10\arch\mips\txx9\generic\setup_tx4939.c(7): * (C) Copyright TOSHIBA
CORPORATION 2000-2001, 2004-2007
linux-3.10\arch\mips\txx9\generic\smc_fdc37m81x.c(11): * Copyright 2004 (c)
MontaVista Software, Inc.
linux-3.10\arch\mips\txx9\generic\spi_eeprom.c(3): * Copyright (C) 2000-2001
Toshiba Corporation
linux-3.10\arch\mips\txx9\jmr3927\irq.c(10): * Copyright (C) 2000-2001 Toshiba
Corporation
linux-3.10\arch\mips\txx9\jmr3927\irq.c(2): * Copyright 2001 MontaVista Software
Inc.
linux-3.10\arch\mips\txx9\jmr3927\prom.c(16): * Copyright (C) 1999,2000 MIPS
Technologies, Inc.All rights reserved.
linux-3.10\arch\mips\txx9\jmr3927\prom.c(6): * Copyright 2001 MontaVista Software
Inc.
linux-3.10\arch\mips\txx9\jmr3927\setup.c(22): * Copyright 2001 MontaVista
Software Inc.
linux-3.10\arch\mips\txx9\jmr3927\setup.c(26): * Copyright (C) 2000-2001 Toshiba
Corporation
linux-3.10\arch\mips\txx9\jmr3927\setup.c(27): * Copyright (C) 2007 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\mips\txx9\rbtx4927\irq.c(7): * Copyright 2001-2002 MontaVista
Software Inc.
linux-3.10\arch\mips\txx9\rbtx4927\prom.c(7): * Copyright 2001-2002 MontaVista
Software Inc.
linux-3.10\arch\mips\txx9\rbtx4927\prom.c(9): * Copyright (C) 2004 MontaVista
Software Inc.
linux-3.10\arch\mips\txx9\rbtx4927\setup.c(10): * Copyright (C) 2000 RidgeRun,
Inc.
linux-3.10\arch\mips\txx9\rbtx4927\setup.c(14): * Copyright 2001 MontaVista
Software Inc.
linux-3.10\arch\mips\txx9\rbtx4927\setup.c(17): * Copyright 2002 MontaVista

legal(ME)

Software Inc.

linux-3.10\arch\mips\txx9\rbtx4927\setup.c(20): * Copyright (C) 2000-2001 Toshiba Corporation

linux-3.10\arch\mips\txx9\rbtx4927\setup.c(22): * Copyright (C) 2004 MontaVista Software Inc.

linux-3.10\arch\mips\txx9\rbtx4927\setup.c(7): * Copyright 2001-2002 MontaVista Software Inc.

linux-3.10\arch\mips\txx9\rbtx4927\setup.c(9): * Copyright (C) 1996, 97, 2001, 04Ralf Baechle (ralf@linux-mips.org)

linux-3.10\arch\mips\txx9\rbtx4938\irq.c(3): * Copyright (C) 2000-2001 Toshiba Corporation

linux-3.10\arch\mips\txx9\rbtx4938\prom.c(3): * Copyright (C) 2000-2001 Toshiba Corporation

linux-3.10\arch\mips\txx9\rbtx4938\setup.c(3): * Copyright (C) 2000-2001 Toshiba Corporation

linux-3.10\arch\mips\txx9\rbtx4939\irq.c(6): * Copyright (C) 2000-2001,2005-2006 Toshiba Corporation

linux-3.10\arch\mips\txx9\rbtx4939\setup.c(6): * Copyright (C) 2000-2001,2005-2007 Toshiba Corporation

linux-3.10\arch\mips\vr41xx\casio-e55\setup.c(4): *Copyright (C) 2002-2006Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\bcu.c(4): *Copyright (C) 2002MontaVista Software Inc.

linux-3.10\arch\mips\vr41xx\common\bcu.c(6): *Copyright (C) 2003-2005Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\cmu.c(4): *Copyright (C) 2001-2002MontaVista Software Inc.

linux-3.10\arch\mips\vr41xx\common\giu.c(4): *Copyright (C) 2007Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\icu.c(4): *Copyright (C) 2001-2002MontaVista Software Inc.

linux-3.10\arch\mips\vr41xx\common\icu.c(6): *Copyright (C) 2003-2006Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\init.c(4): *Copyright (C) 2003-2009Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\irq.c(4): *Copyright (C) 2005-2007Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\pmu.c(4): *Copyright (C) 2003-2007Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\rtc.c(4): *Copyright (C) 2007Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\siu.c(4): *Copyright (C) 2007-2008Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\common\type.c(4): *Copyright (C) 2005Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\vr41xx\ibm-workpad\setup.c(4): *Copyright (C) 2002-2006Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\arch\mips\wrppmc\irq.c(4): * Copyright (C) 2006, Wind River System Inc.

linux-3.10\arch\mips\wrppmc\Makefile(6):# Copyright 2006 Wind River System, Inc.

linux-3.10\arch\mips\wrppmc\pci.c(4): * Copyright (C) 2006, Wind River System Inc. Rongkai.Zhan <rongkai.zhan@windriver.com>

legal(ME)

linux-3.10\arch\mips\wrppmc\reset.c(6): * Copyright (C) 1997 Ralf Baechle
linux-3.10\arch\mips\wrppmc\serial.c(4): *Copyright (C) 2007Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\arch\mips\wrppmc\setup.c(8): * Copyright (C) 1996, 1997, 2004 by Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\wrppmc\setup.c(9): * Copyright (C) 2006, Wind River System
Inc. Rongkai.zhan <rongkai.zhan@windriver.com>
linux-3.10\arch\mips\wrppmc\time.c(10): * Copyright (C) 1996, 1997, 2004 by Ralf
Baechle (ralf@linux-mips.org)
linux-3.10\arch\mips\wrppmc\time.c(11): * Copyright (C) 2006, Wind River System
Inc.
linux-3.10\arch\mn10300\boot\compressed\head.S(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\boot\compressed\misc.c(3): * Copyright (C) 2007
Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\boot\compressed\misc.c(4): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\boot\compressed\misc.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\boot\install.sh(9):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\mn10300\boot\Makefile(3):# Copyright (C) 2007 Matsushita Electric
Industrial Co., Ltd.
linux-3.10\arch\mn10300\boot\Makefile(4):# Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\arch\mn10300\boot\tools\build.c(2): *Copyright (C) 1991, 1992Linus
Torvalds
linux-3.10\arch\mn10300\boot\tools\build.c(3): *Copyright (C) 1997 Martin Mares
linux-3.10\arch\mn10300\include\asm\atomic.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\barrier.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\bitops.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\bug.h(3): * Copyright (C) 2007 Red Hat, Inc.
All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\bugs.h(3): * Copyright (C) 2007 Red Hat, Inc.
All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\busctl-regs.h(3): * Copyright (C) 2002 Red
Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\cache.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\cacheflush.h(3): * Copyright (C) 2007 Red
Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\checksum.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\cmpxchg.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\cpu-regs.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\current.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\debugger.h(3): * Copyright (C) 2011 Red Hat,

legal(ME)

Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\delay.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\div64.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\dma.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\include\asm\dma.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\dmactl-regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\dma-mapping.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\elf.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\include\asm\elf.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\exceptions.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\fb.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\fpu.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\fpu.h(5): * Derived from

include/asm-i386/i387.h: Copyright (C) 1994 Linus Torvalds

linux-3.10\arch\mn10300\include\asm\frame.inc(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\gdb-stub.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\hardirq.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\include\asm\hardirq.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\highmem.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\hw_irq.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\intctl-regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\io.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\irq.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\include\asm\irq.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\irq_regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\irqflags.h(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\kdebug.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\kgdb.h(3): * Copyright (C) 2010 Red Hat, Inc.

legal(ME)

All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\kprobes.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\linkage.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\mmu.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\mmu_context.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\module.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\mutex.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\nmi.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\page.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\page_offset.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\pci.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\pgalloc.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\pgtable.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\pio-regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\processor.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\include\asm\processor.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\ptrace.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\reset-regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\rtc.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\include\asm\rtc.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\rtc-regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\rwlock.h(5): * spinlock.h Copyright 1996 Linus Torvalds.

linux-3.10\arch\mn10300\include\asm\rwlock.h(7): * Copyright 1999 Red Hat, Inc.

linux-3.10\arch\mn10300\include\asm\scatterlist.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\include\asm\scatterlist.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\serial.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\include\asm\serial-regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

legal(ME)

linux-3.10\arch\mn10300\include\asm\setup.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\signal.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\asm\signal.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\smp.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\spinlock.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\string.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\asm\string.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\switch_to.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\syscall.h(5): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\thread_info.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\timer-regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\timex.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\tlb.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\tlbflush.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\types.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\asm\types.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\uaccess.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\ucontext.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\asm\ucontext.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\unaligned.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\unistd.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\user.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\asm\user.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\asm\vga.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\uapi\asm\param.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\uapi\asm\param.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

legal(ME)

linux-3.10\arch\mn10300\include\uapi\asm\posix_types.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\uapi\asm\posix_types.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\uapi\asm\ptrace.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\uapi\asm\sigcontext.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\uapi\asm\signal.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\uapi\asm\signal.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\uapi\asm\swab.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\uapi\asm\types.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\include\uapi\asm\types.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\include\uapi\asm\unistd.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\cevt-mn10300.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\csrc-mn10300.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\entry.S(5):# Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.
linux-3.10\arch\mn10300\kernel\entry.S(6):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\fpu.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\fpu-low.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\fpu-nofpu.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\fpu-nofpu-low.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\gdb-io-serial.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\gdb-io-serial-low.S(5):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\gdb-io-ttysm.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\gdb-io-ttysm-low.S(5):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\gdb-low.S(5):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\gdb-stub.c(12): * Copyright (C) 1995 Andreas Busse
linux-3.10\arch\mn10300\kernel\gdb-stub.c(14): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\head.S(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\mn10300\kernel\internal.h(3): * Copyright (C) 2007 Red Hat, Inc.

legal(ME)

All Rights Reserved.

linux-3.10\arch\mn10300\kernel\io.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\irq.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\kgdb.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\kprobes.c(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\mn10300_ksyms.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\kernel\mn10300_ksyms.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\mn10300-debug.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\mn10300-serial.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\mn10300-serial.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\mn10300-serial-low.S(5):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\mn10300-watchdog.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\mn10300-watchdog-low.S(5):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\module.c(3): * Copyright (C) 2007, 2008, 2009 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\process.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\profile.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\profile-low.S(5):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\ptrace.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\kernel\ptrace.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\rtc.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\setup.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\sigframe.h(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\kernel\sigframe.h(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\signal.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\smp.c(3): * Copyright (C) 2006-2008 Panasonic Corporation

linux-3.10\arch\mn10300\kernel\smp-low.S(3): * Copyright (C) 2006-2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\kernel\switch_to.S(5):# Copyright (C) 2007 Red Hat, Inc.

legal(ME)

All Rights Reserved.

linux-3.10\arch\mn10300\kernel\sys_mn10300.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\kernel\sys_mn10300.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\time.c(3): * Copyright (C) 2007-2008 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\traps.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\kernel\traps.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\kernel\vmlinux.lds.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib__ashldi3.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib__ashrdi3.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib__lshrdi3.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib__ucmpdi2.S(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\ashrdi3.c(2):/* Copyright (C) 1989, 1992, 1993, 1994, 1995 Free Software Foundation, Inc.

linux-3.10\arch\mn10300\lib\bitops.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\checksum.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\lib\checksum.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\delay.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\do_csum.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\internal.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\lshrdi3.c(2):/* Copyright (C) 1989, 1992, 1993, 1994, 1995 Free Software Foundation, Inc.

linux-3.10\arch\mn10300\lib\memcpy.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\memmove.S(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\memset.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\lib\negdi2.c(3):/* Copyright (C) 1989, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

linux-3.10\arch\mn10300\lib\usercopy.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\lib\usercopy.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\Makefile(5):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache.c(3): * Copyright (C) 2007 Red Hat, Inc. All

legal(ME)

Rights Reserved.

linux-3.10\arch\mn10300\mm\cache.inc(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-dbg-flush-by-reg.S(3): * Copyright (C) 2011 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-dbg-flush-by-tag.S(3): * Copyright (C) 2011 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-dbg-inv.S(3): * Copyright (C) 2011 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-dbg-inv-by-reg.S(3): * Copyright (C) 2011 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-dbg-inv-by-tag.S(3): * Copyright (C) 2011 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-disabled.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-flush-by-reg.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-flush-by-tag.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-flush-icache.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-inv-by-reg.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-inv-by-tag.S(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-inv-icache.c(4): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-smp.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-smp.h(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-smp-flush.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\cache-smp-inv.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\dma-alloc.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\extable.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\mm\extable.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\fault.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\mm\fault.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\init.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\mm\init.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\misalignment.c(172): Copyright 1996, 1997, 1998, 1999, 2000 Free Software Foundation, Inc.

linux-3.10\arch\mn10300\mm\misalignment.c(3): * Copyright (C) 2007 Red Hat, Inc.

legal(ME)

All Rights Reserved.

linux-3.10\arch\mn10300\mm\mmu-context.c(3): * Copyright (C) 2007 Red Hat, Inc.

All Rights Reserved.

linux-3.10\arch\mn10300\mm\pgtable.c(3): * Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\mm\pgtable.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\tlb-mn10300.S(5):# Copyright (C) 2007 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\mm\tlb-mn10300.S(6):# Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\mm\tlb-smp.c(3): * Copyright (C) 2006-2008 Panasonic Corporation

linux-3.10\arch\mn10300\oprofile\op_model_null.c(3): * Copyright (C) 2003 Paul Mundt

linux-3.10\arch\mn10300\proc-mn103e010\include\proc\cache.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn103e010\include\proc\clock.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn103e010\include\proc\dmactl-regs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn103e010\include\proc\irq.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn103e010\include\proc\proc.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn103e010\proc-init.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn2ws0050\include\proc\cache.h(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn2ws0050\include\proc\clock.h(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn2ws0050\include\proc\dmactl-regs.h(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn2ws0050\include\proc\irq.h(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn2ws0050\include\proc\nand-regs.h(3): * Copyright (C) 2008-2009 Panasonic Corporation

linux-3.10\arch\mn10300\proc-mn2ws0050\include\proc\proc.h(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\proc-mn2ws0050\include\proc\smp-regs.h(3): * Copyright (C) 2006 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\proc-mn2ws0050\proc-init.c(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\flash.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\include\unit\clock.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\include\unit\leds.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\include\unit\serial.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\include\unit\smc91111.h(3): * Copyright (C)

legal(ME)

2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\include\unit\timex.h(3): * Copyright (C) 2007, 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\leds.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\smc91111.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2303\unit-init.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\include\unit\clock.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\include\unit\leds.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\include\unit\serial.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\include\unit\timex.h(3): * Copyright (C) 2007, 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\leds.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\pci.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\pci-asb2305.c(3): * Copyright (C) 2001 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\pci-asb2305.c(6): * - Copyright 1997--2000 Martin Mares <mj@suse.cz>

linux-3.10\arch\mn10300\unit-asb2305\pci-asb2305.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\pci-iomap.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\pci-irq.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2305\unit-init.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2364\include\unit\clock.h(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2364\include\unit\irq.h(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2364\include\unit\leds.h(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2364\include\unit\serial.h(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2364\include\unit\smc911x.h(3): * Copyright (C) 2006 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\unit-asb2364\include\unit\timex.h(3): * Copyright (C) 2002, 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2364\irq-fpga.c(3): * Copyright (C) 2010 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2364\leds.c(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\arch\mn10300\unit-asb2364\smc911x.c(3): * Copyright (C) 2006 Matsushita Electric Industrial Co., Ltd.

linux-3.10\arch\mn10300\unit-asb2364\unit-init.c(3): * Copyright (C) 2002 Red

legal(ME)

Hat, Inc. All Rights Reserved.

linux-3.10\arch\openrisc\include\asm\bitops.h(10): * Copyright (C) 2010-2011

Jonas Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\bitops.h(5): * others.All original
copyrights apply as per the original source

linux-3.10\arch\openrisc\include\asm\bitops.h(9): * Copyright (C) 2003 Matjaz

Breskvar <phoenix@bsemi.com>

linux-3.10\arch\openrisc\include\asm\bitops__ffs.h(4): * Copyright (C) 2010-2011

Jonas Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\bitops__fls.h(4): * Copyright (C) 2010-2011

Jonas Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\bitops\ffs.h(4): * Copyright (C) 2010-2011

Jonas Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\bitops\fls.h(4): * Copyright (C) 2010-2011

Jonas Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\cache.h(10): * Copyright (C) 2010-2011 Jonas

Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\cache.h(5): * others.All original copyrights
apply as per the original source

linux-3.10\arch\openrisc\include\asm\cache.h(9): * Copyright (C) 2003 Matjaz

Breskvar <phoenix@bsemi.com>

linux-3.10\arch\openrisc\include\asm\cpuinfo.h(10): * Copyright (C) 2010-2011

Jonas Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\cpuinfo.h(5): * others.All original
copyrights apply as per the original source

linux-3.10\arch\openrisc\include\asm\cpuinfo.h(9): * Copyright (C) 2003 Matjaz

Breskvar <phoenix@bsemi.com>

linux-3.10\arch\openrisc\include\asm\delay.h(5): * others.All original copyrights
apply as per the original source

linux-3.10\arch\openrisc\include\asm\delay.h(9): * Copyright (C) 2010-2011 Jonas

Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\dma-mapping.h(5): * others.All original
copyrights apply as per the original source

linux-3.10\arch\openrisc\include\asm\dma-mapping.h(9): * Copyright (C) 2010-2011

Jonas Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\elf.h(10): * Copyright (C) 2010-2011 Jonas

Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\elf.h(5): * others.All original copyrights
apply as per the original source

linux-3.10\arch\openrisc\include\asm\elf.h(9): * Copyright (C) 2003 Matjaz

Breskvar <phoenix@bsemi.com>

linux-3.10\arch\openrisc\include\asm\fixmap.h(10): * Copyright (C) 2010-2011

Jonas Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\fixmap.h(5): * others.All original
copyrights apply as per the original source

linux-3.10\arch\openrisc\include\asm\fixmap.h(9): * Copyright (C) 2003 Matjaz

Breskvar <phoenix@bsemi.com>

linux-3.10\arch\openrisc\include\asm\io.h(5): * others.All original copyrights
apply as per the original source

linux-3.10\arch\openrisc\include\asm\io.h(9): * Copyright (C) 2010-2011 Jonas

Bonn <jonas@southpole.se>

linux-3.10\arch\openrisc\include\asm\irq.h(10): * Copyright (C) 2010-2011 Jonas

legal(ME)

Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\irq.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\irq.h(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\irqflags.h(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\irqflags.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\irqflags.h(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\linkage.h(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\linkage.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\linkage.h(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\mmu.h(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\mmu.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\mmu.h(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\mmu_context.h(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\mmu_context.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\mmu_context.h(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\mutex.h(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\mutex.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\mutex.h(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\page.h(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\page.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\page.h(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\pgalloc.h(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\pgalloc.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\pgalloc.h(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\pgtable.h(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\pgtable.h(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\pgtable.h(9): * Copyright (C) 2003 Matjaz

legal(ME)

Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\processor.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\processor.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\processor.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\prom.h(5): * others.All original copyrights
apply as per the original source
linux-3.10\arch\openrisc\include\asm\prom.h(9): * Copyright (C) 2010-2011 Jonas
Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\ptrace.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\ptrace.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\ptrace.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\serial.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\serial.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\serial.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\spinlock.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\spinlock.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\spinlock.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\spr.h(5): * others.All original copyrights
apply as per the original source
linux-3.10\arch\openrisc\include\asm\spr.h(9): * Copyright (C) 2010-2011 Jonas
Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\spr_defs.h(6): * Copyright (C) 2000 Damjan
Lampret
linux-3.10\arch\openrisc\include\asm\spr_defs.h(7): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\spr_defs.h(8): * Copyright (C) 2008, 2010
Embecosm Limited
linux-3.10\arch\openrisc\include\asm\spr_defs.h(9): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\syscall.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\syscall.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\syscall.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\syscalls.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\syscalls.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\syscalls.h(9): * Copyright (C) 2003 Matjaz

legal(ME)

Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\thread_info.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\thread_info.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\thread_info.h(9): * Copyright (C) 2003
Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\timex.h(5): * others.All original copyrights
apply as per the original source
linux-3.10\arch\openrisc\include\asm\timex.h(9): * Copyright (C) 2010-2011 Jonas
Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\tlb.h(10): * Copyright (C) 2010-2011 Jonas
Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\tlb.h(5): * others.All original copyrights
apply as per the original source
linux-3.10\arch\openrisc\include\asm\tlb.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\tlbflush.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\tlbflush.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\tlbflush.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\uaccess.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\uaccess.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\uaccess.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\asm\unaligned.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\asm\unaligned.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\asm\unaligned.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\uapi\asm\elf.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\uapi\asm\elf.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\uapi\asm\elf.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\uapi\asm\param.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\uapi\asm\param.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\uapi\asm\param.h(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\uapi\asm\ptrace.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\uapi\asm\ptrace.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\uapi\asm\ptrace.h(9): * Copyright (C) 2003

legal(ME)

Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\uapi\asm\sigcontext.h(10): * Copyright (C)
2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\uapi\asm\sigcontext.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\uapi\asm\sigcontext.h(9): * Copyright (C) 2003
Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\include\uapi\asm\unistd.h(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\include\uapi\asm\unistd.h(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\include\uapi\asm\unistd.h(9): * Copyright (C) 2003
Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\asm-offsets.c(10): * Copyright (C) 2010-2011
Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\asm-offsets.c(5): * others.All original
copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\asm-offsets.c(9): * Copyright (C) 2003 Matjaz
Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\dma.c(10): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\dma.c(5): * others.All original copyrights apply
as per the original source
linux-3.10\arch\openrisc\kernel\dma.c(9): * Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\entry.S(10): * Copyright (C) 2005 Gyorgy Jeney
<nog@bsemi.com>
linux-3.10\arch\openrisc\kernel\entry.S(11): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\entry.S(5): * others.All original copyrights
apply as per the original source
linux-3.10\arch\openrisc\kernel\entry.S(9): * Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\head.S(10): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\head.S(5): * others.All original copyrights apply
as per the original source
linux-3.10\arch\openrisc\kernel\head.S(9): * Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\irq.c(5): * others.All original copyrights apply
as per the original source
linux-3.10\arch\openrisc\kernel\irq.c(9): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\module.c(5): * others.All original copyrights
apply as per the original source
linux-3.10\arch\openrisc\kernel\module.c(9): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\or32_ksyms.c(10): * Copyright (C) 2010-2011 Jonas
Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\or32_ksyms.c(5): * others.All original copyrights
apply as per the original source
linux-3.10\arch\openrisc\kernel\or32_ksyms.c(9): * Copyright (C) 2003 Matjaz

legal(ME)

Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\process.c(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\process.c(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\process.c(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\prom.c(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\prom.c(9): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\ptrace.c(10): * Copyright (C) 2005 Gyorgy Jeney <nog@bsemi.com>
linux-3.10\arch\openrisc\kernel\ptrace.c(11): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\ptrace.c(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\ptrace.c(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\setup.c(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\setup.c(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\setup.c(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\signal.c(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\signal.c(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\signal.c(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\sys_call_table.c(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\sys_call_table.c(9): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\time.c(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\time.c(9): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\traps.c(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\traps.c(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\traps.c(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\kernel\vmlinux.lds.S(10): * Copyright (C) 2010-2011 Jonas Bonn <jonas@southpole.se>
linux-3.10\arch\openrisc\kernel\vmlinux.lds.S(5): * others.All original copyrights apply as per the original source
linux-3.10\arch\openrisc\kernel\vmlinux.lds.S(9): * Copyright (C) 2003 Matjaz Breskvar <phoenix@bsemi.com>
linux-3.10\arch\openrisc\lib\delay.c(5): * others.All original copyrights apply

legal(ME)

as per the original source

linux-3.10\arch\openrisc\lib\delay.c(9): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>

linux-3.10\arch\openrisc\lib\string.S(10): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>

linux-3.10\arch\openrisc\lib\string.S(5): * others.All original copyrights apply
as per the original source

linux-3.10\arch\openrisc\lib\string.S(9): * Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>

linux-3.10\arch\openrisc\Makefile(12):# Copyright (C) 1994 by Linus Torvalds

linux-3.10\arch\openrisc\Makefile(14):# Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>

linux-3.10\arch\openrisc\Makefile(15):# Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>

linux-3.10\arch\openrisc\mm\fault.c(10): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>

linux-3.10\arch\openrisc\mm\fault.c(5): * others.All original copyrights apply as
per the original source

linux-3.10\arch\openrisc\mm\fault.c(9): * Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>

linux-3.10\arch\openrisc\mm\init.c(10): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>

linux-3.10\arch\openrisc\mm\init.c(5): * others.All original copyrights apply as
per the original source

linux-3.10\arch\openrisc\mm\init.c(9): * Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>

linux-3.10\arch\openrisc\mm\ioremap.c(10): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>

linux-3.10\arch\openrisc\mm\ioremap.c(5): * others.All original copyrights apply
as per the original source

linux-3.10\arch\openrisc\mm\ioremap.c(9): * Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>

linux-3.10\arch\openrisc\mm\tlb.c(10): * Copyright (C) 2010-2011 Julius Baxter
<julius.baxter@orsoc.se>

linux-3.10\arch\openrisc\mm\tlb.c(11): * Copyright (C) 2010-2011 Jonas Bonn
<jonas@southpole.se>

linux-3.10\arch\openrisc\mm\tlb.c(5): * others.All original copyrights apply as
per the original source

linux-3.10\arch\openrisc\mm\tlb.c(9): * Copyright (C) 2003 Matjaz Breskvar
<phoenix@bsemi.com>

linux-3.10\arch\parisc\hpux\entry_hpux.S(4): *Copyright (C) 1999 Matthew Wilcox
<willy at debian . org>

linux-3.10\arch\parisc\hpux\fs.c(4): *Copyright (C) 1999 Matthew Wilcox <willy
with parisc-linux.org>

linux-3.10\arch\parisc\hpux\fs.c(5): *Copyright (C) 2000 Michael Ang <mang with
subcarrier.org>

linux-3.10\arch\parisc\hpux\fs.c(6): *Copyright (C) 2000 John Marvin <jsm with
parisc-linux.org>

linux-3.10\arch\parisc\hpux\fs.c(7): *Copyright (C) 2000 Philipp Rumpf

linux-3.10\arch\parisc\hpux\gate.S(5): * System call entry code Copyright (c)
Matthew Wilcox 1999 <willy@bofh.ai>

linux-3.10\arch\parisc\hpux\ioctl.c(4): *Copyright (C) 1999-2002 Matthew Wilcox

legal(ME)

<willy with parisc-linux.org>
linux-3.10\arch\parisc\hpux\sys_hpx.c(4): *Copyright (C) 1999 Matthew Wilcox
<willy with parisc-linux.org>
linux-3.10\arch\parisc\hpux\sys_hpx.c(5): *Copyright (C) 2000 Philipp Rumpf
linux-3.10\arch\parisc\hpux\sys_hpx.c(6): *Copyright (C) 2000 John Marvin <jsm
with parisc-linux.org>
linux-3.10\arch\parisc\hpux\sys_hpx.c(7): *Copyright (C) 2000 Michael Ang <mang
with subcarrier.org>
linux-3.10\arch\parisc\hpux\sys_hpx.c(8): *Copyright (C) 2001 Nathan Neulinger
<nneul at umr.edu>
linux-3.10\arch\parisc\hpux\wrappers.S(6): * Copyright (C) 2000 Hewlett-Packard
(John Marvin)
linux-3.10\arch\parisc\include\asm\agp.h(6): * Copyright (c) 2006 Kyle McMartin
<kyle@parisc-linux.org>
linux-3.10\arch\parisc\include\asm\asmregs.h(2): * Copyright (C) 1999
Hewlett-Packard (Frank Rowand)
linux-3.10\arch\parisc\include\asm\assembly.h(2): * Copyright (C) 1999
Hewlett-Packard (Frank Rowand)
linux-3.10\arch\parisc\include\asm\assembly.h(3): * Copyright (C) 1999 Philipp
Rumpf <prumpf@tux.org>
linux-3.10\arch\parisc\include\asm\assembly.h(4): * Copyright (C) 1999 SuSE GmbH
linux-3.10\arch\parisc\include\asm\atomic.h(1):/* Copyright (C) 2000 Philipp
Rumpf <prumpf@tux.org>
linux-3.10\arch\parisc\include\asm\atomic.h(2): * Copyright (C) 2006 Kyle
McMartin <kyle@parisc-linux.org>
linux-3.10\arch\parisc\include\asm\bugs.h(4): *Copyright (C) 1999Mike Shaver
linux-3.10\arch\parisc\include\asm\cmpxchg.h(3): *Copyright (C) 2000 Philipp
Rumpf <prumpf@tux.org>
linux-3.10\arch\parisc\include\asm\cmpxchg.h(4): *Copyright (C) 2006 Kyle
McMartin <kyle@parisc-linux.org>
linux-3.10\arch\parisc\include\asm\delay.h(9): * Copyright (C) 1993 Linus
Torvalds
linux-3.10\arch\parisc\include\asm\dma.h(5): * (c) Copyright 2000, Grant Grundler
linux-3.10\arch\parisc\include\asm\eisa_bus.h(9): * Copyright (c) 2002 Daniel
Engstrom <5116@telia.com>
linux-3.10\arch\parisc\include\asm\eisa_eeprom.h(9): * Copyright (c) 2001, 2002
Daniel Engstrom <5116@telia.com>
linux-3.10\arch\parisc\include\asm\floppy.h(4): *Copyright (C) 2000 Matthew
Wilcox (willy a debian . org)
linux-3.10\arch\parisc\include\asm\floppy.h(5): *Copyright (C) 2000 Dave Kennedy
linux-3.10\arch\parisc\include\asm\grfioctl.h(5): *Copyright (C) 2001 Helge
Deller (deller a parisc-linux org)
linux-3.10\arch\parisc\include\asm\hardirq.h(3): * Copyright (C) 2001 Matthew
Wilcox <matthew@wil.cx>
linux-3.10\arch\parisc\include\asm\hardirq.h(4): * Copyright (C) 2013 Helge
Deller <deller@gmx.de>
linux-3.10\arch\parisc\include\asm\ide.h(4): *Copyright (C) 1994-1996Linus
Torvalds & authors
linux-3.10\arch\parisc\include\asm\irq.h(4): * Copyright 2005 Matthew Wilcox
<matthew@wil.cx>
linux-3.10\arch\parisc\include\asm\pdc_chassis.h(4): *Copyright (C) 2002 Laurent
Canet <canetl@esiee.fr>

legal(ME)

linux-3.10\arch\parisc\include\asm\pdc_chassis.h(5): *Copyright (C) 2002 Thibaut
Varene <varenet@parisc-linux.org>
linux-3.10\arch\parisc\include\asm\pdcpat.h(10): * Copyright 2000,2004 (c) Grant
Grundler <grundler()nahspam.parisc-linux.org>
linux-3.10\arch\parisc\include\asm\pdcpat.h(9): * Copyright 2000 (c) Hewlett
Packard (Paul Bame <bame()spam.parisc-linux.org>)
linux-3.10\arch\parisc\include\asm\processor.h(4): * Copyright (C) 1994 Linus
Torvalds
linux-3.10\arch\parisc\include\asm\processor.h(5): * Copyright (C) 2001 Grant
Grundler
linux-3.10\arch\parisc\include\asm\ptrace.h(1):/* written by Philipp Rumpf,
Copyright (C) 1999 SuSE GmbH Nuernberg
linux-3.10\arch\parisc\include\asm\ptrace.h(2):** Copyright (C) 2000 Grant
Grundler, Hewlett-Packard
linux-3.10\arch\parisc\include\asm\rtc.h(4): * Copyright 2002 Randolph CHung
<tausq@debian.org>
linux-3.10\arch\parisc\include\asm\rtc.h(58)://Copyright (C) 1991, 1993, 1997,
1998 Free Software Foundation, Inc.
linux-3.10\arch\parisc\include\api\asm\ioctl.h(3): *Copyright (C) 1999,2003
Matthew Wilcox <willy at debian . org >
linux-3.10\arch\parisc\include\api\asm\ptrace.h(1):/* written by Philipp Rumpf,
Copyright (C) 1999 SuSE GmbH Nuernberg
linux-3.10\arch\parisc\include\api\asm\ptrace.h(2):** Copyright (C) 2000 Grant
Grundler, Hewlett-Packard
linux-3.10\arch\parisc\install.sh(9):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\parisc\kernel\asm-offsets.c(10): *Copyright (C) 2001 Paul Bame
<bame at parisc-linux.org>
linux-3.10\arch\parisc\kernel\asm-offsets.c(11): *Copyright (C) 2001 Richard
Hirst <rhirst at parisc-linux.org>
linux-3.10\arch\parisc\kernel\asm-offsets.c(12): *Copyright (C) 2002 Randolph
Chung <tausq with parisc-linux.org>
linux-3.10\arch\parisc\kernel\asm-offsets.c(13): *Copyright (C) 2003 James
Bottomley <jejb at parisc-linux.org>
linux-3.10\arch\parisc\kernel\asm-offsets.c(6): *Copyright (C) 2000-2001 John
Marvin <jsm at parisc-linux.org>
linux-3.10\arch\parisc\kernel\asm-offsets.c(7): *Copyright (C) 2000 David
Huggins-Daines <dhd with pobox.org>
linux-3.10\arch\parisc\kernel\asm-offsets.c(8): *Copyright (C) 2000 Sam Creasey
<sammy@sammy.net>
linux-3.10\arch\parisc\kernel\asm-offsets.c(9): *Copyright (C) 2000 Grant
Grundler <grundler with parisc-linux.org>
linux-3.10\arch\parisc\kernel\binfmt_elf32.c(4): * Copyright (C) 2000 John Marvin
linux-3.10\arch\parisc\kernel\binfmt_elf32.c(5): * Copyright (C) 2000 Hewlett
Packard Co.
linux-3.10\arch\parisc\kernel\cache.c(6): * Copyright (C) 1999-2006 Helge Deller
<deller@gmx.de> (07-13-1999)
linux-3.10\arch\parisc\kernel\cache.c(7): * Copyright (C) 1999 SuSE GmbH
Nuernberg
linux-3.10\arch\parisc\kernel\cache.c(8): * Copyright (C) 2000 Philipp Rumpf
(prumpf@tux.org)
linux-3.10\arch\parisc\kernel\drivers.c(10): * Copyright (c) 2001 Matthew Wilcox
for Hewlett Packard

legal(ME)

linux-3.10\arch\parisc\kernel\drivers.c(11): * Copyright (c) 2001 Helge Deller
<deller@gmx.de>
linux-3.10\arch\parisc\kernel\drivers.c(12): * Copyright (c) 2001,2002 Ryan
Bradetich
linux-3.10\arch\parisc\kernel\drivers.c(13): * Copyright (c) 2004-2005 Thibaut
VARENE <varenet@parisc-linux.org>
linux-3.10\arch\parisc\kernel\drivers.c(9): * Copyright (c) 1999 The Puffin Group
linux-3.10\arch\parisc\kernel\entry.S(5): *Copyright (C) 1999,2000 Philipp Rumpf
linux-3.10\arch\parisc\kernel\entry.S(6): *Copyright (C) 1999 SuSE GmbH Nuernberg

linux-3.10\arch\parisc\kernel\entry.S(7): *Copyright (C) 2000 Hewlett-Packard
(John Marvin)
linux-3.10\arch\parisc\kernel\entry.S(8): *Copyright (C) 1999 Hewlett-Packard
(Frank Rowand)
linux-3.10\arch\parisc\kernel\firmware.c(10): * Copyright 1999 SuSE GmbH
Nuernberg (Philipp Rumpf, prumpf@tux.org)
linux-3.10\arch\parisc\kernel\firmware.c(11): * Copyright 1999 The Puffin Group,
(Alex deVries, David Kennedy)
linux-3.10\arch\parisc\kernel\firmware.c(12): * Copyright 2003 Grant Grundler
<grundler parisc-linux org>
linux-3.10\arch\parisc\kernel\firmware.c(13): * Copyright 2003,2004 Ryan
Bradetich <rbrad@parisc-linux.org>
linux-3.10\arch\parisc\kernel\firmware.c(14): * Copyright 2004,2006 Thibaut
VARENE <varenet@parisc-linux.org>
linux-3.10\arch\parisc\kernel\ftrace.c(3): * Copyright (C) 2009 Helge Deller
<deller@gmx.de>
linux-3.10\arch\parisc\kernel\ftrace.c(6): * Copyright (C) 2007-2008 Steven
Rostedt <srostedt@redhat.com>
linux-3.10\arch\parisc\kernel\hardware.c(10): *Copyright 1999 by Alex deVries
<alex@onefishtwo.ca>
linux-3.10\arch\parisc\kernel\hardware.c(11): *and copyright 1999 The Puffin
Group Inc.
linux-3.10\arch\parisc\kernel\head.S(10): * Copyright (C) 2004 Kyle McMartin
<kyle@debian.org>
linux-3.10\arch\parisc\kernel\head.S(5): * Copyright (C) 1999-2007 by Helge
Deller <deller@gmx.de>
linux-3.10\arch\parisc\kernel\head.S(6): * Copyright 1999 SuSE GmbH (Philipp
Rumpf)
linux-3.10\arch\parisc\kernel\head.S(7): * Copyright 1999 Philipp Rumpf
(prumpf@tux.org)
linux-3.10\arch\parisc\kernel\head.S(8): * Copyright 2000 Hewlett Packard (Paul
Bame, bame@puffin.external.hp.com)
linux-3.10\arch\parisc\kernel\head.S(9): * Copyright (C) 2001 Grant Grundler
(Hewlett Packard)
linux-3.10\arch\parisc\kernel\hpmc.S(4): * Copyright (C) 1999 Philipp Rumpf
<prumpf@tux.org>
linux-3.10\arch\parisc\kernel\hpmc.S(5): * Copyright (C) 1999 Hewlett-Packard
(Frank Rowand)
linux-3.10\arch\parisc\kernel\hpmc.S(6): * Copyright (C) 2000 Hewlett-Packard
(John Marvin)
linux-3.10\arch\parisc\kernel\inventory.c(10): * Copyright (c) 2001 Matthew
Wilcox for Hewlett-Packard

legal(ME)

linux-3.10\arch\parisc\kernel\inventory.c(9): * Copyright (c) 1999 The Puffin Group (David Kennedy and Alex deVries)
linux-3.10\arch\parisc\kernel\irq.c(4): * Copyright (C) 1992 Linus Torvalds
linux-3.10\arch\parisc\kernel\irq.c(5): * Copyright (C) 1994, 1995, 1996, 1997, 1998 Ralf Baechle
linux-3.10\arch\parisc\kernel\irq.c(6): * Copyright (C) 1999 SuSE GmbH (Philipp Rumpf, prumpf@tux.org)
linux-3.10\arch\parisc\kernel\irq.c(7): * Copyright (C) 1999-2000 Grant Grundler
linux-3.10\arch\parisc\kernel\irq.c(8): * Copyright (c) 2005 Matthew Wilcox
linux-3.10\arch\parisc\kernel\module.c(8): *Copyright (C) 2003 Randolph Chung <tausq at debian . org>
linux-3.10\arch\parisc\kernel\module.c(9): *Copyright (C) 2008 Helge Deller <deller@gmx.de>
linux-3.10\arch\parisc\kernel\pa73001c.c(5): * Copyright (C) 2000 Philipp Rumpf */
linux-3.10\arch\parisc\kernel\pacache.S(3): *Copyright (C) 2000-2001 Hewlett-Packard (John Marvin)
linux-3.10\arch\parisc\kernel\pacache.S(4): *Copyright (C) 2001 Matthew Wilcox (willy at parisc-linux.org)
linux-3.10\arch\parisc\kernel\pacache.S(5): *Copyright (C) 2002 Richard Hirst (rhirst with parisc-linux.org)
linux-3.10\arch\parisc\kernel\parisc_ksyms.c(10): *Copyright (C) 2002-2007 Helge Deller <deller with parisc-linux.org>
linux-3.10\arch\parisc\kernel\parisc_ksyms.c(4): *Copyright (C) 2000-2001 Richard Hirst <rhirst with parisc-linux.org>
linux-3.10\arch\parisc\kernel\parisc_ksyms.c(5): *Copyright (C) 2001 Dave Kennedy
linux-3.10\arch\parisc\kernel\parisc_ksyms.c(6): *Copyright (C) 2001 Paul Bame <bame at parisc-linux.org>
linux-3.10\arch\parisc\kernel\parisc_ksyms.c(7): *Copyright (C) 2001-2003 Grant Grundler <grundler with parisc-linux.org>
linux-3.10\arch\parisc\kernel\parisc_ksyms.c(8): *Copyright (C) 2002-2003 Matthew Wilcox <willy at parisc-linux.org>
linux-3.10\arch\parisc\kernel\parisc_ksyms.c(9): *Copyright (C) 2002 Randolph Chung <tausq at parisc-linux.org>
linux-3.10\arch\parisc\kernel\pci.c(6): * Copyright (C) 1997, 1998 Ralf Baechle
linux-3.10\arch\parisc\kernel\pci.c(7): * Copyright (C) 1999 SuSE GmbH
linux-3.10\arch\parisc\kernel\pci.c(8): * Copyright (C) 1999-2001 Hewlett-Packard Company
linux-3.10\arch\parisc\kernel\pci.c(9): * Copyright (C) 1999-2001 Grant Grundler
linux-3.10\arch\parisc\kernel\pci-dma.c(10):** (c) Copyright 2000 John Marvin
linux-3.10\arch\parisc\kernel\pci-dma.c(13):** (I assume it's from David Mosberger-Tang but there was no Copyright)
linux-3.10\arch\parisc\kernel\pci-dma.c(7):** (c) Copyright 1999,2000 Hewlett-Packard Company
linux-3.10\arch\parisc\kernel\pci-dma.c(8):** (c) Copyright 2000 Grant Grundler
linux-3.10\arch\parisc\kernel\pci-dma.c(9):** (c) Copyright 2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\arch\parisc\kernel\pdc_chassis.c(4): *Copyright (C) 2002 Laurent Canet <canetl@esiee.fr>
linux-3.10\arch\parisc\kernel\pdc_chassis.c(5): *Copyright (C) 2002-2006 Thibaut VARENE <varenet@parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(10): *Copyright (C) 2000 Grant Grundler

legal(ME)

<grundler with parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(11): *Copyright (C) 2001-2002 Ryan
Bradetich <rbrad at parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(12): *Copyright (C) 2001 Helge Deller
<deller at parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(13): *Copyright (C) 2001 Thomas
Bogendoerfer <tsbogend at parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(14): *Copyright (C) 2002 Randolph Chung
<tausq with parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(15): *Copyright (C) 2010 Guy Martin
<gmsoft at tuxicomman.be>
linux-3.10\arch\parisc\kernel\pdc_cons.c(4): *Copyright (C) 1999-2003 Matthew
Wilcox <willy at parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(5): *Copyright (C) 2000 Martin K
Petersen <mkp at mkp.net>
linux-3.10\arch\parisc\kernel\pdc_cons.c(6): *Copyright (C) 2000 John Marvin <jsm
at parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(7): *Copyright (C) 2000-2003 Paul Bame
<bame at parisc-linux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(8): *Copyright (C) 2000 Philipp Rumpf
<prumpf with tux.org>
linux-3.10\arch\parisc\kernel\pdc_cons.c(9): *Copyright (C) 2000 Michael Ang
<mang with subcarrier.org>
linux-3.10\arch\parisc\kernel\perf.c(3): *Copyright (C) 2001 Randolph Chung
<tausq@debian.org>
linux-3.10\arch\parisc\kernel\perf_asm.S(4): *Copyright (C) 2001 Randolph Chung
<tausq at parisc-linux.org>
linux-3.10\arch\parisc\kernel\perf_asm.S(5): *Copyright (C) 2001 Hewlett-Packard
(Grant Grundler)
linux-3.10\arch\parisc\kernel\perf_images.h(4): *Copyright (C) 2001 Randolph
Chung <tausq at parisc-linux.org>
linux-3.10\arch\parisc\kernel\perf_images.h(5): *Copyright (C) 2001
Hewlett-Packard (Grant Grundler)
linux-3.10\arch\parisc\kernel\process.c(10): *Copyright (C) 2000 Philipp Rumpf
<prumpf with tux.org>
linux-3.10\arch\parisc\kernel\process.c(11): *Copyright (C) 2000 David Kennedy
<dkennedy with linuxcare.com>
linux-3.10\arch\parisc\kernel\process.c(12): *Copyright (C) 2000 Richard Hirst
<rhirst with parisc-linux.org>
linux-3.10\arch\parisc\kernel\process.c(13): *Copyright (C) 2000 Grant Grundler
<grundler with parisc-linux.org>
linux-3.10\arch\parisc\kernel\process.c(14): *Copyright (C) 2001 Alan Modra
<amodra at parisc-linux.org>
linux-3.10\arch\parisc\kernel\process.c(15): *Copyright (C) 2001-2002 Ryan
Bradetich <rbrad at parisc-linux.org>
linux-3.10\arch\parisc\kernel\process.c(16): *Copyright (C) 2001-2007 Helge
Deller <deller at parisc-linux.org>
linux-3.10\arch\parisc\kernel\process.c(17): *Copyright (C) 2002 Randolph Chung
<tausq with parisc-linux.org>
linux-3.10\arch\parisc\kernel\process.c(5): *Copyright (C) 1999-2003 Matthew
Wilcox <willy at parisc-linux.org>
linux-3.10\arch\parisc\kernel\process.c(6): *Copyright (C) 2000 Martin K Petersen

legal(ME)

<mkp at mkp.net>
linux-3.10\arch\parisc\kernel\process.c(7): *Copyright (C) 2000 John Marvin <jsm at parisc-linux.org>
linux-3.10\arch\parisc\kernel\process.c(8): *Copyright (C) 2000 David Huggins-Daines <dhd with pobox.org>
linux-3.10\arch\parisc\kernel\process.c(9): *Copyright (C) 2000-2003 Paul Bame <bame at parisc-linux.org>
linux-3.10\arch\parisc\kernel\processor.c(4): *Copyright (C) 1991, 1992, 1995Linus Torvalds
linux-3.10\arch\parisc\kernel\processor.c(6): *Modifications copyright 1999 SuSE GmbH (Philipp Rumpf)
linux-3.10\arch\parisc\kernel\processor.c(7): *Modifications copyright 2000 Martin K. Petersen <mkp@mkp.net>
linux-3.10\arch\parisc\kernel\processor.c(8): *Modifications copyright 2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\arch\parisc\kernel\processor.c(9): *Modifications copyright 2001 Ryan Bradetich <rbradetich@uswest.net>
linux-3.10\arch\parisc\kernel\ptrace.c(4): * Copyright (C) 2000 Hewlett-Packard Co, Linuxcare Inc.
linux-3.10\arch\parisc\kernel\ptrace.c(5): * Copyright (C) 2000 Matthew Wilcox <matthew@wil.cx>
linux-3.10\arch\parisc\kernel\ptrace.c(6): * Copyright (C) 2000 David Huggins-Daines <dhd@debian.org>
linux-3.10\arch\parisc\kernel\ptrace.c(7): * Copyright (C) 2008 Helge Deller <deller@gmx.de>
linux-3.10\arch\parisc\kernel\real2.S(7): * Copyright (C) 2000 Hewlett Packard (Paul Bame bame@puffin.external.hp.com)
linux-3.10\arch\parisc\kernel\setup.c(4): *Copyright (C) 1991, 1992, 1995Linus Torvalds
linux-3.10\arch\parisc\kernel\setup.c(6): *Modifications copyright 1999 SuSE GmbH (Philipp Rumpf)
linux-3.10\arch\parisc\kernel\setup.c(7): *Modifications copyright 2000 Martin K. Petersen <mkp@mkp.net>
linux-3.10\arch\parisc\kernel\setup.c(8): *Modifications copyright 2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\arch\parisc\kernel\setup.c(9): *Modifications copyright 2001 Ryan Bradetich <rbradetich@uswest.net>
linux-3.10\arch\parisc\kernel\signal.c(5): *Copyright (C) 2000 David Huggins-Daines <dhd@debian.org>
linux-3.10\arch\parisc\kernel\signal.c(6): *Copyright (C) 2000 Linuxcare, Inc.
linux-3.10\arch\parisc\kernel\signal32.c(3): *Copyright (C) 2001 Matthew Wilcox <willy at parisc-linux.org>
linux-3.10\arch\parisc\kernel\signal32.c(4): *Copyright (C) 2006 Kyle McMartin <kyle at parisc-linux.org>
linux-3.10\arch\parisc\kernel\signal32.c(7): *See kernel/signal.c for additional Copyrights.
linux-3.10\arch\parisc\kernel\signal32.h(2): *Copyright (C) 2001 Matthew Wilcox <willy at parisc-linux.org>
linux-3.10\arch\parisc\kernel\signal32.h(3): *Copyright (C) 2003 Carlos O'Donell <carlos at parisc-linux.org>
linux-3.10\arch\parisc\kernel\smp.c(4):** Copyright (C) 1999 Walt Drummond <drummond@valinux.com>

legal(ME)

linux-3.10\arch\parisc\kernel\smp.c(5):** Copyright (C) 1999 David Mosberger-Tang
<davidm@hpl.hp.com>
linux-3.10\arch\parisc\kernel\smp.c(6):** Copyright (C) 2001,2004 Grant Grundler
<grundler@parisc-linux.org>
linux-3.10\arch\parisc\kernel\stacktrace.c(4): *Copyright (C) 2009 Helge Deller
<deller@gmx.de>
linux-3.10\arch\parisc\kernel\sys_parisc.c(5): *Copyright (C) 1999-2003 Matthew
Wilcox <willy at parisc-linux.org>
linux-3.10\arch\parisc\kernel\sys_parisc.c(6): *Copyright (C) 2000-2003 Paul Bame
<bame at parisc-linux.org>
linux-3.10\arch\parisc\kernel\sys_parisc.c(7): *Copyright (C) 2001 Thomas
Bogendoerfer <tsbogend at parisc-linux.org>
linux-3.10\arch\parisc\kernel\sys_parisc32.c(4): * Copyright (C) 2000-2001
Hewlett Packard Company
linux-3.10\arch\parisc\kernel\sys_parisc32.c(5): * Copyright (C) 2000 John Marvin
linux-3.10\arch\parisc\kernel\sys_parisc32.c(6): * Copyright (C) 2001 Matthew
Wilcox
linux-3.10\arch\parisc\kernel\sys32.h(2): *Copyright (C) 2002 Richard Hirst
<rhirst at parisc-linux.org>
linux-3.10\arch\parisc\kernel\sys32.h(3): *Copyright (C) 2003 James Bottomley
<jejb at parisc-linux.org>
linux-3.10\arch\parisc\kernel\sys32.h(4): *Copyright (C) 2003 Randolph Chung
<tausq with parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall.S(5): * Copyright (c) Matthew Wilcox 1999
<willy@bofh.ai>
linux-3.10\arch\parisc\kernel\syscall_table.S(10): *Copyright (C) 2000 Grant
Grundler <grundler at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(11): *Copyright (C) 2001 Richard
Hirst <rhirst with parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(12): *Copyright (C) 2001-2002 Ryan
Bradetich <rbrad at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(13): *Copyright (C) 2001-2007 Helge
Deller <deller at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(14): *Copyright (C) 2000-2001
Thomas Bogendoerfer <tsbogend at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(15): *Copyright (C) 2002 Randolph
Chung <tausq with parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(16): *Copyright (C) 2005-2006 Kyle
McMartin <kyle at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(3): *Copyright (C) 1999-2004
Matthew Wilcox <willy at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(4): *Copyright (C) 2000-2001 John
Marvin <jsm at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(5): *Copyright (C) 2000 Alan Modra
<amodra at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(6): *Copyright (C) 2000-2003 Paul
Bame <bame at parisc-linux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(7): *Copyright (C) 2000 Philipp
Rumpf <prumpf with tux.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(8): *Copyright (C) 2000 Michael Ang
<mang with subcarrier.org>
linux-3.10\arch\parisc\kernel\syscall_table.S(9): *Copyright (C) 2000 David

legal(ME)

Huggins-Daines <dhd with pobox.org>
linux-3.10\arch\parisc\kernel\time.c(4): *Copyright (C) 1991, 1992, 1995 Linus Torvalds
linux-3.10\arch\parisc\kernel\time.c(6): *Copyright (C) 1999 SuSE GmbH, (Philipp Rumpf, prumpf@tux.org)
linux-3.10\arch\parisc\kernel\traps.c(4): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\parisc\kernel\traps.c(5): *Copyright (C) 1999, 2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\arch\parisc\kernel\unaligned.c(4): *Copyright (C) 2001 Randolph Chung <tausq@debian.org>
linux-3.10\arch\parisc\kernel\vmlinux.lds.S(3): *Copyright (C) 1999-2003 Matthew Wilcox <willy at parisc-linux.org>
linux-3.10\arch\parisc\kernel\vmlinux.lds.S(4): *Copyright (C) 2000-2003 Paul Bame <bame at parisc-linux.org>
linux-3.10\arch\parisc\kernel\vmlinux.lds.S(5): *Copyright (C) 2000 John Marvin <jsm at parisc-linux.org>
linux-3.10\arch\parisc\kernel\vmlinux.lds.S(6): *Copyright (C) 2000 Michael Ang <mang with subcarrier.org>
linux-3.10\arch\parisc\kernel\vmlinux.lds.S(7): *Copyright (C) 2002 Randolph Chung <tausq with parisc-linux.org>
linux-3.10\arch\parisc\kernel\vmlinux.lds.S(8): *Copyright (C) 2003 James Bottomley <jejb with parisc-linux.org>
linux-3.10\arch\parisc\kernel\vmlinux.lds.S(9): *Copyright (C) 2006 Helge Deller <deller@gmx.de>
linux-3.10\arch\parisc\lib\bitops.c(5): * Copyright 1999 Philipp Rumpf (prumpf@tux.org)
linux-3.10\arch\parisc\lib\bitops.c(6): * Copyright 2000 Grant Grundler (grundler@cup.hp.com)
linux-3.10\arch\parisc\lib\fixup.S(4): *Copyright (C) 2004 Randolph Chung <tausq@debian.org>
linux-3.10\arch\parisc\lib\io.c(4): * Copyright (c) Matthew Wilcox 2001 for Hewlett-Packard
linux-3.10\arch\parisc\lib\io.c(5): * Copyright (c) Randolph Chung 2001 <tausq@debian.org>
linux-3.10\arch\parisc\lib\iomap.c(3): * Copyright (c) 2004 Matthew Wilcox
linux-3.10\arch\parisc\lib\lusercopy.S(4): *Copyright (C) 2000-2002 Hewlett-Packard (John Marvin)
linux-3.10\arch\parisc\lib\lusercopy.S(5): *Copyright (C) 2000 Richard Hirst <rhirst with parisc-linux.org>
linux-3.10\arch\parisc\lib\lusercopy.S(6): *Copyright (C) 2001 Matthieu Delahaye <delahaym at esiee.fr>
linux-3.10\arch\parisc\lib\lusercopy.S(7): *Copyright (C) 2003 Randolph Chung <tausq with parisc-linux.org>
linux-3.10\arch\parisc\lib\memcpy.c(22): *Copyright (C) 1991, 1997, 2003 Free Software Foundation, Inc.
linux-3.10\arch\parisc\lib\memcpy.c(4): *Copyright (C) 2004 Randolph Chung <tausq@debian.org>
linux-3.10\arch\parisc\lib\memcpy.c(5): *Copyright (C) 2013 Helge Deller <deller@gmx.de>
linux-3.10\arch\parisc\lib\memset.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
linux-3.10\arch\parisc\Makefile(13):# Copyright (C) 1994 by Linus Torvalds

legal(ME)

linux-3.10\arch\parisc\Makefile(14):# Portions Copyright (C) 1999 The Puffin Group
linux-3.10\arch\parisc\math-emu\cnv_float.h(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\dbl_float.h(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\decode_exc.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\denormal.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\dfadd.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\dfcmp.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\dfdiv.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\dfmpy.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\dfrem.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\dfsqrt.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\dfsub.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\driver.c(26): *Copyright (C) 1999, 2000Philipp Rumpf <prumpf@tux.org>
linux-3.10\arch\parisc\math-emu\driver.c(27): *Copyright (C) 2001Hewlett-Packard <bame@debian.org>
linux-3.10\arch\parisc\math-emu\driver.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fcnvff.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fcnvfu.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fcnvfut.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fcnvfx.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fcnvfxt.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fcnvuf.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fcnvxf.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\float.h(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fmppyfadd.c(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fpbits.h(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\fpu.h(5): *Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>

legal(ME)

linux-3.10\arch\parisc\math-emu\fpudispatch.c(5): *Copyright (C) 2001
Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\frnd.c(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\hppa.h(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\math-emu.h(5): *Copyright (C) 2001
Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\sfadd.c(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\sfcmp.c(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\sfdiv.c(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\sfmpy.c(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\sfrem.c(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\sfsqrt.c(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\sfsub.c(5): *Copyright (C) 2001 Hewlett-Packard
(Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\math-emu\sgl_float.h(5): *Copyright (C) 2001
Hewlett-Packard (Paul Bame) <bame@debian.org>
linux-3.10\arch\parisc\mm\fault.c(7): * Copyright (C) 1995, 1996, 1997, 1998 by
Ralf Baechle
linux-3.10\arch\parisc\mm\fault.c(8): * Copyright 1999 SuSE GmbH (Philipp Rumpf,
prumpf@tux.org)
linux-3.10\arch\parisc\mm\fault.c(9): * Copyright 1999 Hewlett Packard Co.
linux-3.10\arch\parisc\mm\init.c(4): *Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\parisc\mm\init.c(5): *Copyright 1999 SuSE GmbH
linux-3.10\arch\parisc\mm\init.c(7): *Copyright 1999 Philipp Rumpf
(prumpf@tux.org)
linux-3.10\arch\parisc\mm\init.c(8): *Copyright 2004 Randolph Chung
(tausq@debian.org)
linux-3.10\arch\parisc\mm\init.c(9): *Copyright 2006-2007 Helge Deller
(deller@gmx.de)
linux-3.10\arch\parisc\mm\ioremap.c(4): * (C) Copyright 1995 1996 Linus Torvalds
linux-3.10\arch\parisc\mm\ioremap.c(5): * (C) Copyright 2001-2006 Helge Deller
<deller@gmx.de>
linux-3.10\arch\parisc\mm\ioremap.c(6): * (C) Copyright 2005 Kyle McMartin
<kyle@parisc-linux.org>
linux-3.10\arch\parisc\oprofile\init.c(4): * @remark Copyright 2002 OProfile
authors
linux-3.10\arch\powerpc\boot\44x.h(4): * Copyright 2007 David Gibson, IBM
Corporation.
linux-3.10\arch\powerpc\boot\4xx.c(11): * Copyright (C) 2009 Wind River Systems,
Inc.
linux-3.10\arch\powerpc\boot\4xx.c(2): * Copyright 2007 David Gibson, IBM
Corporation.
linux-3.10\arch\powerpc\boot\4xx.c(6): * Copyright 2002-2005 MontaVista Software
Inc.

legal(ME)

linux-3.10\arch\powerpc\boot\4xx.c(9): * Copyright (c) 2003, 2004 Zultys Technologies
linux-3.10\arch\powerpc\boot\4xx.h(4): * Copyright 2007 IBM Corporation.
linux-3.10\arch\powerpc\boot\addnote.c(7): * Copyright 2000 Paul Mackerras.
linux-3.10\arch\powerpc\boot\bamboo.c(2): * Copyright IBM Corporation, 2007
linux-3.10\arch\powerpc\boot\bamboo.c(6): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\cpm-serial.c(4): * Copyright 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\crt0.S(2): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\crtsavres.S(4): * Copyright (C) 1995, 1996, 1998, 2000, 2001 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\boot\crtsavres.S(5): * Copyright 2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot.c(7): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\cuboot.c(8): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-52xx.c(6): * Copyright (c) 2007 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\boot\cuboot-52xx.c(7): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-824x.c(4): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-83xx.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-85xx.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-85xx-cpm2.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-8xx.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-acadia.c(6): * Copyright 2008 IBM Corporation
linux-3.10\arch\powerpc\boot\cuboot-amigaone.c(7): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-bamboo.c(6): * Copyright 2007 IBM Corporation
linux-3.10\arch\powerpc\boot\cuboot-ebony.c(6): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\cuboot-ebony.c(8): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-katmai.c(10): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-katmai.c(6): * Copyright 2007 Hugh Blemings, IBM Corporation.
linux-3.10\arch\powerpc\boot\cuboot-katmai.c(8): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\cuboot-kilauea.c(7): * Copyright (C) 2009 Wind River Systems, Inc.
linux-3.10\arch\powerpc\boot\cuboot-mpc7448hpc2.c(2): * Copyright (C) 2007 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\boot\cuboot-pq2.c(7): * Copyright (c) 2007 Freescale Semiconductor, Inc.

legal(ME)

linux-3.10\arch\powerpc\boot\cuboot-rainier.c(11): * Copyright IBM Corporation, 2007
linux-3.10\arch\powerpc\boot\cuboot-rainier.c(5): * Copyright 2007 MontaVista Software, Inc
linux-3.10\arch\powerpc\boot\cuboot-rainier.c(8): * Copyright IBM Corporation, 2007
linux-3.10\arch\powerpc\boot\cuboot-sam440ep.c(12): * Copyright 2008 Giuseppe Coviello <gicoviello@gmail.com>
linux-3.10\arch\powerpc\boot\cuboot-sam440ep.c(3): * original copyrights below
linux-3.10\arch\powerpc\boot\cuboot-sam440ep.c(7): * Copyright 2007 IBM Corporation
linux-3.10\arch\powerpc\boot\cuboot-sequoia.c(11): * Copyright IBM Corporation, 2007
linux-3.10\arch\powerpc\boot\cuboot-sequoia.c(5): * Copyright 2007 MontaVista Software, Inc
linux-3.10\arch\powerpc\boot\cuboot-sequoia.c(8): * Copyright IBM Corporation, 2007
linux-3.10\arch\powerpc\boot\cuboot-taishan.c(10): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\cuboot-taishan.c(6): * Copyright 2007 Hugh Blemings, IBM Corporation.
linux-3.10\arch\powerpc\boot\cuboot-taishan.c(8): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\cuboot-warp.c(2): * Copyright (c) 2008 PIKA Technologies
linux-3.10\arch\powerpc\boot\cuboot-yosemite.c(6): * Copyright 2008 IBM Corporation
linux-3.10\arch\powerpc\boot\devtree.c(3): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\devtree.c(4): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\div64.S(9): * Copyright (C) 2002 Paul Mackerras, IBM Corp.
linux-3.10\arch\powerpc\boot\dts\a3m071.dts(4): * Copyright 2012 Stefan Roeser <sr@denx.de>
linux-3.10\arch\powerpc\boot\dts\a3m071.dts(6): * Copyright (C) 2011 DENX Software Engineering GmbH
linux-3.10\arch\powerpc\boot\dts\a3m071.dts(9): * Copyright (C) 2007 Semihalf
linux-3.10\arch\powerpc\boot\dts\a4m072.dts(4): * Copyright (C) 2011 DENX Software Engineering GmbH
linux-3.10\arch\powerpc\boot\dts\a4m072.dts(7): * Copyright (C) 2007 Semihalf
linux-3.10\arch\powerpc\boot\dts\ac14xx.dts(4): * Copyright 2012 Anatolij Gustschin <agust@denx.de>
linux-3.10\arch\powerpc\boot\dts\acadia.dts(4): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\boot\dts\adder875-redboot.dts(4): * Copyright 2006 MontaVista Software, Inc.
linux-3.10\arch\powerpc\boot\dts\adder875-redboot.dts(5): * Copyright 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\dts\adder875-uboot.dts(4): * Copyright 2006 MontaVista Software, Inc.
linux-3.10\arch\powerpc\boot\dts\adder875-uboot.dts(5): * Copyright 2007 Freescale Semiconductor, Inc.

legal(ME)

linux-3.10\arch\powerpc\boot\dts\amigaone.dts(4): * Copyright 2008 Gerhard Pircher (gerhard_pircher@gmx.net)
linux-3.10\arch\powerpc\boot\dts\arches.dts(10): * Copyright 2008 DENX Software Engineering
linux-3.10\arch\powerpc\boot\dts\arches.dts(4): * (C) Copyright 2008 Applied Micro Circuits Corporation
linux-3.10\arch\powerpc\boot\dts\asp834x-redboot.dts(4): * Copyright 2008 Codehermit
linux-3.10\arch\powerpc\boot\dts\b4420qds.dts(4): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\dts\b4860qds.dts(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\b4qds.dts(4): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\dts\bamboo.dts(4): * Copyright (c) 2006, 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\bluestone.dts(4): * Copyright (c) 2010, Applied Micro Circuits Corporation
linux-3.10\arch\powerpc\boot\dts\bsc9131rdb.dts(4): * Copyright 2011-2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\bsc9131rdb.dtsi(4): * Copyright 2011-2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\canyonlands.dts(4): * Copyright 2008-2009 DENX Software Engineering, Stefan Roese <sr@denx.de>
linux-3.10\arch\powerpc\boot\dts\charon.dts(4): * Copyright (C) 2007 Semihalf
linux-3.10\arch\powerpc\boot\dts\charon.dts(7): * Copyright (C) 2010 DENX Software Engineering GmbH
linux-3.10\arch\powerpc\boot\dts\cm5200.dts(4): * Copyright (C) 2007 Semihalf
linux-3.10\arch\powerpc\boot\dts\currituck.dts(4): * Copyright 2011 Tony Breeds IBM Corporation
linux-3.10\arch\powerpc\boot\dts\digsy_mtc.dts(4): * Copyright (C) 2009 Semihalf
linux-3.10\arch\powerpc\boot\dts\ebony.dts(4): * Copyright (c) 2006, 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\eiger.dts(4): * Copyright 2009 AMCC (AppliedMicro) <ttnguyen@amcc.com>
linux-3.10\arch\powerpc\boot\dts\ep405.dts(4): * Copyright 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\ep8248e.dts(4): * Copyright 2007 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\ep88xc.dts(4): * Copyright 2006 MontaVista Software, Inc.
linux-3.10\arch\powerpc\boot\dts\ep88xc.dts(5): * Copyright 2007,2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\b4420si-post.dtsi(4): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\b4420si-pre.dtsi(4): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\b4860si-post.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\b4860si-pre.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\b4si-post.dtsi(4): * Copyright 2012 Freescale Semiconductor, Inc.

legal(ME)

linux-3.10\arch\powerpc\boot\dts\fsl\bsc9131si-post.dtsi(4): * Copyright 2011-2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\bsc9131si-pre.dtsi(4): * Copyright 2011-2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\e500mc_power_isa.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\e500v2_power_isa.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\e5500_power_isa.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\e6500_power_isa.dtsi(4): * Copyright 2013 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8536si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8536si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8544si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8544si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8548si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8548si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8568si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8568si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8569si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8569si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8572si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\mpc8572si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1010si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1010si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1020si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1020si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1021si-post.dtsi(4): * Copyright 2011-2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1021si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1022si-post.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1022si-pre.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.

legal(ME)

linux-3.10\arch\powerpc\boot\dts\fsl\p1023si-post.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p1023si-pre.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p2020si-post.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p2020si-pre.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p2041si-post.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p2041si-pre.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p3041si-post.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p3041si-pre.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p4080si-post.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p4080si-pre.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p5020si-post.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p5020si-pre.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p5040si-post.dtsi(4): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\p5040si-pre.dtsi(4): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-dma-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-dma-1.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-duart-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-esdhc-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-espi-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec1-0.dtsi(4): * Copyright 2011-2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec1-1.dtsi(4): * Copyright 2011-2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec1-2.dtsi(4): * Copyright 2011-2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec1-3.dtsi(4): * Copyright 2011-2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec1-timer-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec2-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec2-1.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.

legal(ME)

linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec2-2.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec2-grp2-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec2-grp2-1.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-etsec2-grp2-2.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-gpio-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-i2c-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-i2c-1.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-mpic.dtsi(4): * Copyright 2011 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-mpic-message-B.dtsi(4): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-mpic-timer-B.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-rmu-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-sata2-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-sata2-1.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-sec2.1-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-sec3.0-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-sec3.1-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-sec3.3-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-sec4.4-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-usb2-dr-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\pq3-usb2-dr-1.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qonverge-usb2-dr-0.dtsi(4): * Copyright 2013
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qoriq-dma-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qoriq-dma-1.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qoriq-duart-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qoriq-duart-1.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qoriq-esdhc-0.dtsi(4): * Copyright 2011
Freescale Semiconductor Inc.

legal(ME)

linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-espi-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-gpio-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-gpio-1.dtsi(4): * Copyright 2013 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-gpio-2.dtsi(4): * Copyright 2013 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-gpio-3.dtsi(4): * Copyright 2013 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-i2c-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-i2c-1.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-mpic.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-raid1.0-0.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-rmu-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-sata2-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-sata2-1.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-sec4.0-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-sec4.2-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-sec5.0-0.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-sec5.2-0.dtsi(4): * Copyright 2011-2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-sec5.3-0.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-usb2-dr-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\qorIQ-usb2-mpH-0.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\t4240si-post.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\fsl\t4240si-pre.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\gamecube.dts(5): * Copyright (C) 2007-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\boot\dts\gamecube.dts(6): * Copyright (C) 2007,2008,2009 Albert Herranz
linux-3.10\arch\powerpc\boot\dts\ge_imp3a.dts(12): * Copyright 2009 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\ge_imp3a.dts(4): * Copyright 2010-2011 GE Intelligent Platforms Embedded Systems, Inc.
linux-3.10\arch\powerpc\boot\dts\gef_ppc9a.dts(12): * Copyright 2007 SBS Technologies GmbH & Co. KG

legal(ME)

linux-3.10\arch\powerpc\boot\dts\gef_ppc9a.dts(14): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\gef_ppc9a.dts(4): * Copyright 2008 GE Intelligent Platforms Embedded Systems, Inc.
linux-3.10\arch\powerpc\boot\dts\gef_sbc310.dts(12): * Copyright 2007 SBS Technologies GmbH & Co. KG
linux-3.10\arch\powerpc\boot\dts\gef_sbc310.dts(14): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\gef_sbc310.dts(4): * Copyright 2008 GE Intelligent Platforms Embedded Systems, Inc.
linux-3.10\arch\powerpc\boot\dts\gef_sbc610.dts(12): * Copyright 2007 SBS Technologies GmbH & Co. KG
linux-3.10\arch\powerpc\boot\dts\gef_sbc610.dts(14): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\gef_sbc610.dts(4): * Copyright 2008 GE Intelligent Platforms Embedded Systems, Inc.
linux-3.10\arch\powerpc\boot\dts\glacier.dts(4): * Copyright 2008-2010 DENX Software Engineering, Stefan Roese <sr@denx.de>
linux-3.10\arch\powerpc\boot\dts\haleakala.dts(4): * Copyright 2008 DENX Software Engineering, Stefan Roese <sr@denx.de>
linux-3.10\arch\powerpc\boot\dts\holly.dts(3): * Copyright 2007, IBM Corporation
linux-3.10\arch\powerpc\boot\dts\hotfoot.dts(4): * Copyright 2009 AbsoluteValue Systems <solomon@linux-wlan.com>
linux-3.10\arch\powerpc\boot\dts\icon.dts(4): * Copyright 2010 DENX Software Engineering, Stefan Roese <sr@denx.de>
linux-3.10\arch\powerpc\boot\dts\iss4xx.dts(4): * Copyright 2010 Torez Smith, IBM Corporation.
linux-3.10\arch\powerpc\boot\dts\iss4xx.dts(7): *Copyright (c) 2006, 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\iss4xx-mpic.dts(4): * Copyright 2010 Torez Smith, IBM Corporation.
linux-3.10\arch\powerpc\boot\dts\iss4xx-mpic.dts(7): * Copyright (c) 2006, 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\katmai.dts(4): * Copyright (c) 2006, 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\katmai.dts(7): * Copyright (c) 2006, 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\kilauea.dts(4): * Copyright 2007-2009 DENX Software Engineering, Stefan Roese <sr@denx.de>
linux-3.10\arch\powerpc\boot\dts\klondike.dts(4): * Copyright (c) 2010, Applied Micro Circuits Corporation
linux-3.10\arch\powerpc\boot\dts\kuroboxHD.dts(10): * Copyright 2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\dts\kuroboxHG.dts(10): * Copyright 2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\dts\lite5200.dts(4): * Copyright 2006-2007 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\boot\dts\lite5200b.dts(4): * Copyright 2006-2007 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\boot\dts\makalu.dts(4): * Copyright 2007 DENX Software Engineering, Stefan Roese <sr@denx.de>
linux-3.10\arch\powerpc\boot\dts\media5200.dts(4): * Copyright 2009 Secret Lab

legal(ME)

Technologies Ltd.

linux-3.10\arch\powerpc\boot\dts\mgcoge.dts(4): * Copyright 2008 DENX Software Engineering GmbH

linux-3.10\arch\powerpc\boot\dts\motionpro.dts(4): * Copyright (C) 2007 Semihalf

linux-3.10\arch\powerpc\boot\dts\mpc5121.dtsi(4): * Copyright 2007-2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc5121ads.dts(4): * Copyright 2007-2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc5125twr.dts(4): * Copyright (C) 2009 Freescale Semiconductor Inc. All rights reserved.

linux-3.10\arch\powerpc\boot\dts\mpc5125twr.dts(7): * Copyright (C) 2013 Sirius Electronic Systems

linux-3.10\arch\powerpc\boot\dts\mpc5200b.dtsi(4): * Copyright (C) 2010 SecretLab

linux-3.10\arch\powerpc\boot\dts\mpc7448hpc2.dts(4): * Copyright 2006, 2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8272ads.dts(4): * Copyright 2005,2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8308_p1m.dts(4): * Copyright 2010 Ilya Yanok, Emcraft Systems, yanok@emcraft.com

linux-3.10\arch\powerpc\boot\dts\mpc8308rdb.dts(4): * Copyright 2009 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8308rdb.dts(5): * Copyright 2010 Ilya Yanok, Emcraft Systems, yanok@emcraft.com

linux-3.10\arch\powerpc\boot\dts\mpc8313erdb.dts(4): * Copyright 2005, 2006, 2007 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8315erdb.dts(4): * Copyright 2007 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc832x_mds.dts(4): * Copyright 2006 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc832x_rdb.dts(4): * Copyright 2007 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8349emitx.dts(4): * Copyright 2006 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8349emitxgp.dts(4): * Copyright 2007 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc834x_mds.dts(4): * Copyright 2005, 2006 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc836x_mds.dts(4): * Copyright 2006 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc836x_rdk.dts(4): * Copyright 2006 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc836x_rdk.dts(5): * Copyright 2007-2008 MontaVista Software, Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8377_mds.dts(4): * Copyright 2007 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8377_rdb.dts(4): * Copyright 2007, 2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8377_wlan.dts(4): * Copyright 2007-2009 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8377_wlan.dts(5): * Copyright 2009 MontaVista Software, Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8378_mds.dts(4): * Copyright 2007 Freescale

legal(ME)

Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8378_rdb.dts(4): * Copyright 2007, 2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8379_mds.dts(4): * Copyright 2007 Freescale
Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8379_rdb.dts(4): * Copyright 2007, 2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8536ds.dts(4): * Copyright 2008, 2011
Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8536ds.dtsi(4): * Copyright 2011 Freescale
Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8536ds_36b.dts(4): * Copyright 2008-2009,
2011 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8540ads.dts(4): * Copyright 2006, 2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8541cds.dts(4): * Copyright 2006, 2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8544ds.dts(4): * Copyright 2007, 2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8544ds.dtsi(4): * Copyright 2011 Freescale
Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8548cds.dtsi(4): * Copyright 2012 Freescale
Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8548cds_32b.dts(4): * Copyright 2006, 2008,
2011-2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8548cds_36b.dts(4): * Copyright 2012
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8555cds.dts(4): * Copyright 2006, 2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8560ads.dts(4): * Copyright 2006, 2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8568mds.dts(4): * Copyright 2007, 2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8569mds.dts(4): * Copyright (C) 2009
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8572ds.dts(4): * Copyright 2007-2009
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8572ds.dtsi(4): * Copyright 2011 Freescale
Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8572ds_36b.dts(4): * Copyright 2007-2009
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8572ds_camp_core0.dts(9): * Copyright
2007-2009 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8572ds_camp_core1.dts(10): * Copyright
2007-2009 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8610_hpcd.dts(4): * Copyright 2007-2008
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8641_hpcn.dts(4): * Copyright 2006 Freescale
Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc8641_hpcn_36b.dts(4): * Copyright 2008-2009
Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\mpc866ads.dts(4): * Copyright 2006 MontaVista

legal(ME)

Software, Inc.

linux-3.10\arch\powerpc\boot\dts\mpc866ads.dts(5): * Copyright 2008 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\boot\dts\mpc885ads.dts(4): * Copyright 2006 MontaVista Software, Inc.

linux-3.10\arch\powerpc\boot\dts\mpc885ads.dts(5): * Copyright 2007,2008 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\boot\dts\mucmc52.dts(4): * Copyright (C) 2009 DENX Software Engineering GmbH

linux-3.10\arch\powerpc\boot\dts\mucmc52.dts(6): * Copyright 2006-2007 Secret Lab Technologies Ltd.

linux-3.10\arch\powerpc\boot\dts\o2d.dts(4): * Copyright (C) 2012 DENX Software Engineering

linux-3.10\arch\powerpc\boot\dts\o2d.dtsi(4): * Copyright (C) 2012 DENX Software Engineering

linux-3.10\arch\powerpc\boot\dts\o2d300.dts(4): * Copyright (C) 2012 DENX Software Engineering

linux-3.10\arch\powerpc\boot\dts\o2dnt2.dts(4): * Copyright (C) 2012 DENX Software Engineering

linux-3.10\arch\powerpc\boot\dts\o2i.dts(4): * Copyright (C) 2012 DENX Software Engineering

linux-3.10\arch\powerpc\boot\dts\o2mnt.dts(4): * Copyright (C) 2012 DENX Software Engineering

linux-3.10\arch\powerpc\boot\dts\o3dnt.dts(4): * Copyright (C) 2012 DENX Software Engineering

linux-3.10\arch\powerpc\boot\dts\obs600.dts(4): * Copyright 2011 Ben Herrenschmidt, IBM Corp.

linux-3.10\arch\powerpc\boot\dts\obs600.dts(8): * Copyright 2007-2009 DENX Software Engineering, Stefan Roese <sr@denx.de>

linux-3.10\arch\powerpc\boot\dts\p1010rdb.dts(4): * Copyright 2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1010rdb.dtsi(4): * Copyright 2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1010rdb_36b.dts(4): * Copyright 2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020mbg-pc.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020mbg-pc_32b.dts(4): * Copyright 2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020mbg-pc_36b.dts(4): * Copyright 2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020rdb.dts(4): * Copyright 2009-2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020rdb.dtsi(4): * Copyright 2011-2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020rdb_36b.dts(4): * Copyright 2009-2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020rdb-pc.dtsi(4): * Copyright 2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020rdb-pc_32b.dts(4): * Copyright 2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p1020rdb-pc_36b.dts(4): * Copyright 2012 Freescale Semiconductor Inc.

legal(ME)

Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1020rdb-pc_camp_core0.dts(11): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1020rdb-pc_camp_core1.dts(10): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1020utm-pc.dtsi(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1020utm-pc_32b.dts(4): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1020utm-pc_36b.dts(4): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1021mds.dts(4): * Copyright 2010,2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1021rdb-pc.dtsi(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1021rdb-pc_32b.dts(4): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1021rdb-pc_36b.dts(4): * Copyright 2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1022ds.dtsi(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1022ds_32b.dts(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1022ds_36b.dts(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1022rdk.dts(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1023rds.dts(4): * Copyright 2010-2011 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1024rdb.dtsi(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1024rdb_32b.dts(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1024rdb_36b.dts(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1025rdb.dtsi(4): * Copyright 2011 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1025rdb_32b.dts(4): * Copyright 2011 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p1025rdb_36b.dts(4): * Copyright 2011 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p2020ds.dts(4): * Copyright 2009-2011 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p2020ds.dtsi(4): * Copyright 2011-2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p2020rdb.dts(4): * Copyright 2009-2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p2020rdb-pc.dtsi(4): * Copyright 2011 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p2020rdb-pc_32b.dts(4): * Copyright 2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\p2020rdb-pc_36b.dts(4): * Copyright 2011

legal(ME)

Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p2041rdb.dts(4): * Copyright 2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p3041ds.dts(4): * Copyright 2010-2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p4080ds.dts(4): * Copyright 2009-2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p5020ds.dts(4): * Copyright 2010-2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\p5040ds.dts(4): * Copyright 2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\pcm030.dts(4): * Copyright 2006 Pengutronix

linux-3.10\arch\powerpc\boot\dts\pcm030.dts(6): * Copyright 2007 Pengutronix

linux-3.10\arch\powerpc\boot\dts\pcm032.dts(4): * Copyright (C) 2006-2009

Pengutronix

linux-3.10\arch\powerpc\boot\dts\pdm360ng.dts(4): * Copyright 2009 - 2010 DENX Software Engineering.

linux-3.10\arch\powerpc\boot\dts\pdm360ng.dts(8): * Copyright 2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\ppa8548.dts(3): * Copyright 2013 Prodrive B.V.

linux-3.10\arch\powerpc\boot\dts\ppa8548.dts(7): * Copyright 2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\pq2fads.dts(4): * Copyright 2007,2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\boot\dts\ps3.dts(4): *Copyright (C) 2007 Sony Computer Entertainment Inc.

linux-3.10\arch\powerpc\boot\dts\ps3.dts(5): *Copyright 2007 Sony Corp.

linux-3.10\arch\powerpc\boot\dts\rainier.dts(5): * Copyright (c) 2007 MontaVista Software, Inc.

linux-3.10\arch\powerpc\boot\dts\redwood.dts(4): * Copyright 2008 AMCC <tmarri@amcc.com>

linux-3.10\arch\powerpc\boot\dts\sam440ep.dts(3): * original copyrights below

linux-3.10\arch\powerpc\boot\dts\sam440ep.dts(5): * Copyright (c) 2006, 2007 IBM Corp.

linux-3.10\arch\powerpc\boot\dts\sam440ep.dts(9): * Copyright 2008 Giuseppe Coviello <gicoviello@gmail.com>

linux-3.10\arch\powerpc\boot\dts\sbc8349.dts(4): * Copyright 2007 Wind River Inc.

linux-3.10\arch\powerpc\boot\dts\sbc8548.dts(4): * Copyright 2007 Wind River Systems Inc.

linux-3.10\arch\powerpc\boot\dts\sbc8548-altflash.dts(7): * Copyright 2013 Wind River Systems Inc.

linux-3.10\arch\powerpc\boot\dts\sbc8548-post.dtsi(4): * Copyright 2007 Wind River Systems Inc.

linux-3.10\arch\powerpc\boot\dts\sbc8548-pre.dtsi(4): * Copyright 2007 Wind River Systems Inc.

linux-3.10\arch\powerpc\boot\dts\sbc8641d.dts(4): * Copyright 2008 Wind River Systems Inc.

linux-3.10\arch\powerpc\boot\dts\sequoia.dts(5): * Copyright (c) 2006, 2007 IBM Corp.

linux-3.10\arch\powerpc\boot\dts\socrates.dts(4): * Copyright (c) 2008 Emcraft Systems.

linux-3.10\arch\powerpc\boot\dts\storcenter.dts(4): * Copyright 2007 Oyvind

legal(ME)

Repvik

linux-3.10\arch\powerpc\boot\dts\storcenter.dts(5): * Copyright 2007 Jon Loeliger
linux-3.10\arch\powerpc\boot\dts\stx_gp3_8560.dts(4): * Copyright 2008 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\stxssa8555.dts(4): * Copyright 2006, 2008
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\stxssa8555.dts(6): * Copyright 2010 Silicon
Turnkey Express LLC.
linux-3.10\arch\powerpc\boot\dts\t4240qds.dts(4): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\taishan.dts(4): * Copyright 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\tqm5200.dts(4): * Copyright (C) 2007 Semihalf
linux-3.10\arch\powerpc\boot\dts\tqm8540.dts(4): * Copyright 2008 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\tqm8541.dts(4): * Copyright 2008 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\tqm8548.dts(4): * Copyright 2006 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\tqm8548.dts(5): * Copyright 2008 Wolfgang
Grandegger <wg@denx.de>
linux-3.10\arch\powerpc\boot\dts\tqm8548-bigflash.dts(4): * Copyright 2006
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\tqm8548-bigflash.dts(5): * Copyright 2008
Wolfgang Grandegger <wg@denx.de>
linux-3.10\arch\powerpc\boot\dts\tqm8555.dts(4): * Copyright 2008 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\tqm8560.dts(4): * Copyright 2008 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\boot\dts\tqm8560.dts(5): * Copyright 2008 Wolfgang
Grandegger <wg@grandegger.com>
linux-3.10\arch\powerpc\boot\dts\uc101.dts(4): * Copyright (C) 2009 DENX Software
Engineering GmbH
linux-3.10\arch\powerpc\boot\dts\uc101.dts(6): * Copyright 2006-2007 Secret Lab
Technologies Ltd.
linux-3.10\arch\powerpc\boot\dts\virtex440-m1507.dts(5): * (C) Copyright 2008
Xilinx, Inc.
linux-3.10\arch\powerpc\boot\dts\virtex440-m1510.dts(9): * Copyright 2009,
Roderick Colenbrander
linux-3.10\arch\powerpc\boot\dts\walnut.dts(4): * Copyright 2007 IBM Corp.
linux-3.10\arch\powerpc\boot\dts\warp.dts(4): * Copyright (c) 2008-2009 PIKA
Technologies
linux-3.10\arch\powerpc\boot\dts\wii.dts(5): * Copyright (C) 2008-2009 The
GameCube Linux Team
linux-3.10\arch\powerpc\boot\dts\wii.dts(6): * Copyright (C) 2008,2009 Albert
Herranz
linux-3.10\arch\powerpc\boot\dts\xcalibur1501.dts(2): * Copyright (C) 2008
Extreme Engineering Solutions, Inc.
linux-3.10\arch\powerpc\boot\dts\xpedite5200.dts(2): * Copyright (C) 2009 Extreme
Engineering Solutions, Inc.
linux-3.10\arch\powerpc\boot\dts\xpedite5200_xmon.dts(2): * Copyright (C) 2009
Extreme Engineering Solutions, Inc.
linux-3.10\arch\powerpc\boot\dts\xpedite5301.dts(2): * Copyright (C) 2008 Extreme

legal(ME)

Engineering Solutions, Inc.
linux-3.10\arch\powerpc\boot\dts\xpedite5330.dts(2): * Copyright (C) 2008 Extreme Engineering Solutions, Inc.
linux-3.10\arch\powerpc\boot\dts\xpedite5370.dts(2): * Copyright (C) 2008 Extreme Engineering Solutions, Inc.
linux-3.10\arch\powerpc\boot\dts\yosemite.dts(4): * Copyright 2008 IBM Corp.
linux-3.10\arch\powerpc\boot\ebony.c(11): * Copyright (c) 2003, 2004 Zultys Technologies
linux-3.10\arch\powerpc\boot\ebony.c(2): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\ebony.c(5): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\ebony.c(8): * Copyright 2002-2005 MontaVista Software Inc.
linux-3.10\arch\powerpc\boot\elf_util.c(2): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\ep405.c(10): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\ep8248e.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\ep88xc.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\epapr.c(10): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\epapr.c(4): * Copyright 2010 David Gibson <david@gibson.dropbear.id.au>, IBM Corporation.
linux-3.10\arch\powerpc\boot\fs1-soc.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\gamecube.c(5): * Copyright (C) 2004-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\boot\gamecube.c(6): * Copyright (C) 2008,2009 Albert Herranz
linux-3.10\arch\powerpc\boot\gamecube-head.S(5): * Copyright (C) 2004-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\boot\gamecube-head.S(6): * Copyright (C) 2008,2009 Albert Herranz
linux-3.10\arch\powerpc\boot\gunzip_util.c(2): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\gunzip_util.c(3): * Based on earlier work, Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\gunzip_util.h(4): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\hack-coff.c(6): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\holly.c(2): * Copyright 2007 IBM Corporation
linux-3.10\arch\powerpc\boot\holly.c(8): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\install.sh(7):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\powerpc\boot\io.h(9): * Copied from
<file:arch/powerpc/include/asm/io.h> (which has no copyright)
linux-3.10\arch\powerpc\boot\libfdt-wrapper.c(6): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\main.c(2): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\mpc52xx-psc.c(6): * Copyright (c) 2007 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\boot\mpc52xx-psc.c(7): * Copyright (c) 2007 Freescale

legal(ME)

Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\mpc8xx.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\ns16550.c(5): * (which had no copyright)
linux-3.10\arch\powerpc\boot\of.c(2): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\ofconsole.c(4): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\oflib.c(2): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\page.h(4): * Copyright (C) 2001 PPC64 Team, IBM Corp
linux-3.10\arch\powerpc\boot\planetcore.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\ppc_asm.h(7): * Copyright (C) 1995-1999 Gary Thomas, Paul Mackerras, Cort Dougan.
linux-3.10\arch\powerpc\boot\ppcboot.h(7): * (C) Copyright 2000, 2001
linux-3.10\arch\powerpc\boot\ppcboot-hotfoot.h(19): * (C) Copyright 2000, 2001
linux-3.10\arch\powerpc\boot\pq2.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\ps3.c(4): *Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\boot\ps3.c(5): *Copyright 2007 Sony Corp.
linux-3.10\arch\powerpc\boot\ps3-head.S(4): *Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\boot\ps3-head.S(5): *Copyright 2007 Sony Corp.
linux-3.10\arch\powerpc\boot\ps3-hvcall.S(4): *Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\boot\ps3-hvcall.S(5): *Copyright 2007 Sony Corp.
linux-3.10\arch\powerpc\boot\redboot.h(6):// Copyright (c) 2002, 2003 Gary Thomas (<gary@mlbassoc.com>
linux-3.10\arch\powerpc\boot\redboot.h(7):// Copyright (c) 1997 Dan Malek (dmalek@j1lc.net)
linux-3.10\arch\powerpc\boot\redboot-83xx.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\redboot-83xx.c(7): * Copyright (c) 2008 Codehermit
linux-3.10\arch\powerpc\boot\redboot-8xx.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\reg.h(4): * Copyright 2007 Davud Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\rs6000.h(2): Copyright (C) 1990, 1991 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\boot\simpleboot.c(10): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\simpleboot.c(11): * Copyright (c) 2008 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\boot\stdio.c(2): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\stdlib.c(6): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\string.S(2): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\treeboot-bamboo.c(2): * Copyright IBM Corporation, 2007
linux-3.10\arch\powerpc\boot\treeboot-bamboo.c(6): * Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\treeboot-currituck.c(11): * Copyright (c) 2003, 2004 Zultys Technologies

legal(ME)

linux-3.10\arch\powerpc\boot\treeboot-currituck.c(13): *Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\treeboot-currituck.c(14): *Copyright 2010 Ben. Herrenschmidt, IBM Corporation.
linux-3.10\arch\powerpc\boot\treeboot-currituck.c(15): *Copyright ㄣ 2011 David Kleikamp IBM Corporation
linux-3.10\arch\powerpc\boot\treeboot-currituck.c(2): * Copyright ㄣ 2011 Tony Breeds IBM Corporation
linux-3.10\arch\powerpc\boot\treeboot-currituck.c(5): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\treeboot-currituck.c(8): * Copyright 2002-2005 MontaVista Software Inc.
linux-3.10\arch\powerpc\boot\treeboot-ebony.c(6): * Copyright 2007 David Gibson, IBM Corporatio.
linux-3.10\arch\powerpc\boot\treeboot-ebony.c(8): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\treeboot-iss4xx.c(11): * Copyright (c) 2003, 2004 Zultys Technologies
linux-3.10\arch\powerpc\boot\treeboot-iss4xx.c(13): *Copyright 2007 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\boot\treeboot-iss4xx.c(2): * Copyright 2010 Ben. Herrenschmidt, IBM Corporation.
linux-3.10\arch\powerpc\boot\treeboot-iss4xx.c(5): * Copyright (C) Paul Mackerras 1997.
linux-3.10\arch\powerpc\boot\treeboot-iss4xx.c(8): * Copyright 2002-2005 MontaVista Software Inc.
linux-3.10\arch\powerpc\boot\treeboot-walnut.c(6): * Copyright 2007 IBM Corporation
linux-3.10\arch\powerpc\boot\treeboot-walnut.c(8): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\boot\uartlite.c(4): * Copyright (C) 2007 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\boot\ugecon.c(5): * Copyright (C) 2008-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\boot\ugecon.c(6): * Copyright (C) 2008,2009 Albert Herranz
linux-3.10\arch\powerpc\boot\ugecon.h(5): * Copyright (C) 2008-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\boot\ugecon.h(6): * Copyright (C) 2008,2009 Albert Herranz
linux-3.10\arch\powerpc\boot\util.S(11): * Copyright (C) 2002-2003 Eric Biederman<ebiederm@xmission.com>
linux-3.10\arch\powerpc\boot\util.S(12): * GameCube/ppc32 port Copyright (C) 2004 Albert Herranz
linux-3.10\arch\powerpc\boot\util.S(5): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\boot\virtex.c(5): * (C) Copyright 2008 Xilinx, Inc.
linux-3.10\arch\powerpc\boot\wii.c(5): * Copyright (C) 2008-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\boot\wii.c(6): * Copyright (C) 2008,2009 Albert Herranz
linux-3.10\arch\powerpc\boot\wii-head.S(5): * Copyright (C) 2008-2009 The GameCube Linux Team

legal(ME)

linux-3.10\arch\powerpc\boot\wii-head.S(6): * Copyright (C) 2008,2009 Albert Herranz
linux-3.10\arch\powerpc\boot\wrapper(3):# Copyright (C) 2006 Paul Mackerras, IBM Corporation <paulus@samba.org>
linux-3.10\arch\powerpc\crypto\sha1.c(10): * Copyright (c) Alan Smithee.
linux-3.10\arch\powerpc\crypto\sha1.c(11): * Copyright (c) Andrew McDonald <andrew@mcdonald.org.uk>
linux-3.10\arch\powerpc\crypto\sha1.c(12): * Copyright (c) Jean-Francois Dive <jef@linuxbe.org>
linux-3.10\arch\powerpc\crypto\sha1-powerpc-asm.S(4): * Copyright (C) 2005 Paul Mackerras <paulus@samba.org>
linux-3.10\arch\powerpc\include\asm\8xx_immap.h(3): * Copyright (c) 1997 Dan Malek (dmalek@jlc.net)
linux-3.10\arch\powerpc\include\asm\async_tx.h(2): * Copyright (C) 2008-2009 DENX Software Engineering.
linux-3.10\arch\powerpc\include\asm\barrier.h(2): * Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\powerpc\include\asm\cell-pmu.h(4): * (C) Copyright IBM Corporation 2006
linux-3.10\arch\powerpc\include\asm\cell-regs.h(7): * (C) Copyright IBM Corporation 2001,2006
linux-3.10\arch\powerpc\include\asm\code-patching.h(5): * Copyright 2008, Michael Ellerman, IBM Corporation.
linux-3.10\arch\powerpc\include\asm\cpm1.h(3): * Copyright (c) 1997 Dan Malek (dmalek@jlc.net)
linux-3.10\arch\powerpc\include\asm\cputime.h(4): * Copyright (C) 2006 Paul Mackerras, IBM Corp.
linux-3.10\arch\powerpc\include\asm\dbdma.h(5): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\include\asm\dbell.h(2): * Copyright 2009 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\dcr.h(2): * (c) Copyright 2006 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\include\asm\dcr-generic.h(2): * (c) Copyright 2006 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\include\asm\dcr-mmio.h(2): * (c) Copyright 2006 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\include\asm\dcr-native.h(2): * (c) Copyright 2006 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\include\asm\dcr-regs.h(10): *Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu>
linux-3.10\arch\powerpc\include\asm\dcr-regs.h(5): *Copyright 2007 Benjamin Herrenschmidt, IBM Corp
linux-3.10\arch\powerpc\include\asm\debug.h(2): * Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\powerpc\include\asm\delay.h(8): * Copyright 1996, Paul Mackerras.
linux-3.10\arch\powerpc\include\asm\delay.h(9): * Copyright (C) 2009 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\include\asm\disassemble.h(15): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\include\asm\dma-mapping.h(2): * Copyright (C) 2004 IBM
linux-3.10\arch\powerpc\include\asm\eeh.h(2): * Copyright (C) 2001Dave Engebretsen & Todd Inglett IBM Corporation.

legal(ME)

linux-3.10\arch\powerpc\include\asm\eeh.h(3): * Copyright 2001-2012 IBM Corporation.
linux-3.10\arch\powerpc\include\asm\eeh_event.h(16): * Copyright (c) 2005 Linas Vepstas <linas@linas.org>
linux-3.10\arch\powerpc\include\asm\ehv_pic.h(4): * Copyright 2008-2010 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\emulated_ops.h(2): *Copyright 2007 Sony Corporation
linux-3.10\arch\powerpc\include\asm\epapr_hcalls.h(4): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\exception-64e.h(4): *Copyright (C) 2008 Ben. Herrenschildt (benh@kernel.crashing.org), IBM Corp.
linux-3.10\arch\powerpc\include\asm\exception-64s.h(10): *Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\powerpc\include\asm\exception-64s.h(14): *Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\include\asm\exception-64s.h(7): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\include\asm\exec.h(2): * Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\powerpc\include\asm\fadump.h(18): * Copyright 2011 IBM Corporation
linux-3.10\arch\powerpc\include\asm\firmware.h(2): *Copyright (C) 2001 Ben. Herrenschildt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\include\asm\firmware.h(5): *Copyright (C) 2003 Dave Engebretsen <engebret@us.ibm.com>
linux-3.10\arch\powerpc\include\asm\fixmap.h(10): * Copyright 2008 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\include\asm\fixmap.h(8): * Copyright (C) 1998 Ingo Molnar
linux-3.10\arch\powerpc\include\asm\floppy.h(8): * Copyright (C) 1995
linux-3.10\arch\powerpc\include\asm\fsl_85xx_cache_sram.h(2): * Copyright 2009 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\fsl_gtm.h(4): * Copyright 2006 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\fsl_gtm.h(7): * Copyright (c) MontaVista Software, Inc. 2008.
linux-3.10\arch\powerpc\include\asm\fsl_guts.h(7): * Copyright 2004,2007,2012 Freescale Semiconductor, Inc
linux-3.10\arch\powerpc\include\asm\fsl_hcalls.h(4): * Copyright 2008-2010 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\fsl_ifc.h(3): * Copyright 2011 Freescale Semiconductor, Inc
linux-3.10\arch\powerpc\include\asm\fsl_lbc.h(3): * Copyright ㄣ 2006-2007, 2010 Freescale Semiconductor
linux-3.10\arch\powerpc\include\asm\heathrow.h(9): * Copyright (C) 1997 Paul Mackerras.
linux-3.10\arch\powerpc\include\asm\highmem.h(17): * Copyright (C) 1999 Ingo Molnar <mingo@redhat.com>
linux-3.10\arch\powerpc\include\asm\highmem.h(9): * Copyright (C) 1999 Gerhard Wichert, Siemens AG
linux-3.10\arch\powerpc\include\asm\hvconsole.h(3): * Copyright (C) 2004 Ryan S Arnold, IBM Corporation

legal(ME)

linux-3.10\arch\powerpc\include\asm\hvcserver.h(3): * Copyright (C) 2004 Ryan S Arnold, IBM Corporation
linux-3.10\arch\powerpc\include\asm\hw_breakpoint.h(18): * Copyright 2010, IBM Corporation.
linux-3.10\arch\powerpc\include\asm\hw_irq.h(2): * Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\powerpc\include\asm\hydra.h(11): * Copyright 1995 Apple Computer, Inc. All rights reserved.
linux-3.10\arch\powerpc\include\asm\hydra.h(4): * Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\arch\powerpc\include\asm\ibmebus.h(4): * Copyright (c) 2005 IBM Corporation
linux-3.10\arch\powerpc\include\asm\ide.h(2): * Copyright (C) 1994-1996 Linus Torvalds & authors
linux-3.10\arch\powerpc\include\asm\immap_cpm2.h(3): * Copyright (c) 1999 Dan Malek (dmalek@jlc.net)
linux-3.10\arch\powerpc\include\asm\immap_qe.h(6): * Copyright (C) 2006. Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\include\asm\io_event_irq.h(2): * Copyright 2010, 2011 Mark Nelson and Tseng-Hui (Frank) Lin, IBM Corporation
linux-3.10\arch\powerpc\include\asm\iommu.h(2): * Copyright (C) 2001 Mike Corrigan & Dave Engebretsen, IBM Corporation
linux-3.10\arch\powerpc\include\asm\iommu.h(4): * Copyright (C) 2004 Olof Johansson <olof@lixom.net>, IBM Corporation
linux-3.10\arch\powerpc\include\asm\io-workarounds.h(4): * (C) Copyright 2007-2008 TOSHIBA CORPORATION
linux-3.10\arch\powerpc\include\asm\ipic.h(6): * Copyright 2005 Freescale Semiconductor, Inc
linux-3.10\arch\powerpc\include\asm\jump_label.h(5): * Copyright 2010 Michael Ellerman, IBM Corp.
linux-3.10\arch\powerpc\include\asm\kgdb.h(12): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\powerpc\include\asm\kgdb.h(4): * copyrights:
linux-3.10\arch\powerpc\include\asm\kprobes.h(21): * Copyright (C) IBM Corporation, 2002, 2004
linux-3.10\arch\powerpc\include\asm\kvm_44x.h(15): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\include\asm\kvm_asm.h(15): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\include\asm\kvm_book3s.h(15): * Copyright SUSE Linux Products GmbH 2009
linux-3.10\arch\powerpc\include\asm\kvm_book3s_32.h(15): * Copyright SUSE Linux Products GmbH 2010
linux-3.10\arch\powerpc\include\asm\kvm_book3s_64.h(15): * Copyright SUSE Linux Products GmbH 2010
linux-3.10\arch\powerpc\include\asm\kvm_book3s_asm.h(15): * Copyright SUSE Linux Products GmbH 2009
linux-3.10\arch\powerpc\include\asm\kvm_booke.h(15): * Copyright SUSE Linux Products GmbH 2010
linux-3.10\arch\powerpc\include\asm\kvm_booke_hv_asm.h(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\kvm_fpu.h(15): * Copyright Novell Inc. 2010
linux-3.10\arch\powerpc\include\asm\kvm_host.h(15): * Copyright IBM Corp. 2007
linux-3.10\arch\powerpc\include\asm\kvm_para.h(15): * Copyright IBM Corp. 2008

legal(ME)

linux-3.10\arch\powerpc\include\asm\kvm_ppc.h(15): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\include\asm\lppaca.h(3): * Copyright (C) 2001Mike
Corrigan IBM Corporation
linux-3.10\arch\powerpc\include\asm\lv1call.h(4): *Copyright (C) 2006 Sony
Computer Entertainment Inc.
linux-3.10\arch\powerpc\include\asm\lv1call.h(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\include\asm\lv1call.h(6): *Copyright 2003, 2004 (c)
MontaVista Software, Inc.
linux-3.10\arch\powerpc\include\asm\mediabay.h(5): * Copyright (C) 1997 Paul
Mackerras.
linux-3.10\arch\powerpc\include\asm\mmzone.h(5): * Copyright (C) 2002 Anton
Blanchard, IBM Corp.
linux-3.10\arch\powerpc\include\asm\mpc52xx.h(5): * Copyright (C) 2004-2005
Sylvain Munaut <tnt@246tNt.com>
linux-3.10\arch\powerpc\include\asm\mpc52xx.h(6): * Copyright (C) 2003
MontaVista, Software, Inc.
linux-3.10\arch\powerpc\include\asm\mpc52xx_psc.h(14): * Copyright (C) 2004
Sylvain Munaut <tnt@246tNt.com>
linux-3.10\arch\powerpc\include\asm\mpc52xx_psc.h(15): * Copyright (C) 2003
MontaVista, Software, Inc.
linux-3.10\arch\powerpc\include\asm\mpc5xxx.h(2): * Copyright (C) 2007 Freescale
Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\include\asm\mpic_msgr.h(2): * Copyright 2011-2012, Meador
Inge, Mentor Graphics Corporation.
linux-3.10\arch\powerpc\include\asm\msi_bitmap.h(5): * Copyright 2008, Michael
Ellerman, IBM Corporation.
linux-3.10\arch\powerpc\include\asm\ohare.h(7): * Copyright (C) 1997 Paul
Mackerras.
linux-3.10\arch\powerpc\include\asm\opal.h(4): * Copyright 2011 IBM Corp.
linux-3.10\arch\powerpc\include\asm\oprofile_impl.h(2): * Copyright (C) 2004
Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\include\asm\page.h(5): * Copyright (C) 2001,2005 IBM
Corporation.
linux-3.10\arch\powerpc\include\asm\page_64.h(5): * Copyright (C) 2001 PPC64
Team, IBM Corp
linux-3.10\arch\powerpc\include\asm\parport.h(4): * Copyright (C) 1999, 2000Tim
Waugh <tim@cyberelk.demon.co.uk>
linux-3.10\arch\powerpc\include\asm\pasemi_dma.h(2): * Copyright (C) 2006-2008 PA
Semi, Inc
linux-3.10\arch\powerpc\include\asm\perf_event.h(9): * Copyright 2010 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\perf_event_fsl_emb.h(4): * Copyright
2008-2009 Paul Mackerras, IBM Corporation.
linux-3.10\arch\powerpc\include\asm\perf_event_fsl_emb.h(5): * Copyright 2010
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\perf_event_server.h(4): * Copyright 2008-2009
Paul Mackerras, IBM Corporation.
linux-3.10\arch\powerpc\include\asm\pmac_feature.h(8): * Copyright (C) 1998 Paul
Mackerras &
linux-3.10\arch\powerpc\include\asm\pmac_low_i2c.h(4): *Copyright (C) 2003 Ben.
Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\include\asm\pmc.h(3): * Copyright (C) 2004David Gibson,

legal(ME)

IBM Corporation

linux-3.10\arch\powerpc\include\asm\pmi.h(11): * (C) Copyright IBM Deutschland Entwicklung GmbH 2005

linux-3.10\arch\powerpc\include\asm\ppc_asm.h(2): * Copyright (C) 1995-1999 Gary Thomas, Paul Mackerras, Cort Dougan.

linux-3.10\arch\powerpc\include\asm\ppc4xx.h(4): * Copyright 2008 DENX Software Engineering, Stefan Roeser <sr@denx.de>

linux-3.10\arch\powerpc\include\asm\ppc4xx_ocm.h(4): * (C) Copyright 2009, Applied Micro Circuits Corporation

linux-3.10\arch\powerpc\include\asm\ppc-opcode.h(2): * Copyright 2009 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\include\asm\probes.h(21): * Copyright IBM Corporation, 2012

linux-3.10\arch\powerpc\include\asm\processor.h(5): * Copyright (C) 2001 PPC 64 Team, IBM Corp

linux-3.10\arch\powerpc\include\asm\prom.h(10): * Copyright (C) 1996-2005 Paul Mackerras.

linux-3.10\arch\powerpc\include\asm\ps3.h(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.

linux-3.10\arch\powerpc\include\asm\ps3.h(5): *Copyright 2006 Sony Corp.

linux-3.10\arch\powerpc\include\asm\ps3av.h(4): *Copyright (C) 2007 Sony Computer Entertainment Inc.

linux-3.10\arch\powerpc\include\asm\ps3av.h(5): *Copyright 2007 Sony Corp.

linux-3.10\arch\powerpc\include\asm\ps3gpu.h(4): *Copyright 2009 Sony Corporation

linux-3.10\arch\powerpc\include\asm\ps3stor.h(4): * Copyright (C) 2007 Sony Computer Entertainment Inc.

linux-3.10\arch\powerpc\include\asm\ps3stor.h(5): * Copyright 2007 Sony Corp.

linux-3.10\arch\powerpc\include\asm\ptrace.h(2): * Copyright (C) 2001 PPC64 Team, IBM Corp

linux-3.10\arch\powerpc\include\asm\qe.h(2): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.

linux-3.10\arch\powerpc\include\asm\qe_ic.h(2): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.

linux-3.10\arch\powerpc\include\asm\reg_a2.h(4): *Copyright (C) 2008 Ben. Herrenschmidt (benh@kernel.crashing.org), IBM Corp.

linux-3.10\arch\powerpc\include\asm\reg_booke.h(12): * Copyright 2009-2010 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\include\asm\rrio.h(4): * Copyright 2005 MontaVista Software, Inc.

linux-3.10\arch\powerpc\include\asm\rtas.h(11): * Copyright (C) 2001 Peter Bergner

linux-3.10\arch\powerpc\include\asm\rtas.h(12): * Copyright (C) 2001 PPC 64 Team, IBM Corp

linux-3.10\arch\powerpc\include\asm\rtc.h(14): * Copyright Richard Zidlicky

linux-3.10\arch\powerpc\include\asm\rtc.h(19): * Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu)

linux-3.10\arch\powerpc\include\asm\runlatch.h(2): * Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>

linux-3.10\arch\powerpc\include\asm\scatterlist.h(4): * Copyright (C) 2001 PPC64 Team, IBM Corp

linux-3.10\arch\powerpc\include\asm\scom.h(2): * Copyright 2010 Benjamin Herrenschmidt, IBM Corp

legal(ME)

linux-3.10\arch\powerpc\include\asm\setjmp.h(2): * Copyright © 2008 Michael Neuling IBM Corporation
linux-3.10\arch\powerpc\include\asm\sfp-machine.h(2): Copyright (C) 1997 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\include\asm\smp.h(7): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\powerpc\include\asm\smp.h(8): * Copyright (C) 1996-2001 Cort Dougan <cort@fsmllabs.com>
linux-3.10\arch\powerpc\include\asm\spinlock.h(10): * Copyright (C) 2002 Dave Engebretsen <engebret@us.ibm.com>, IBM
linux-3.10\arch\powerpc\include\asm\spinlock.h(8): * Copyright (C) 2001-2004 Paul Mackerras <paulus@au.ibm.com>, IBM
linux-3.10\arch\powerpc\include\asm\spinlock.h(9): * Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\include\asm\spu.h(4): * (C) Copyright IBM Deutschland Entwicklung GmbH 2005
linux-3.10\arch\powerpc\include\asm\spu_csa.h(4): * (C) Copyright IBM 2005
linux-3.10\arch\powerpc\include\asm\spu_info.h(4): * (C) Copyright 2006 IBM Corp.
linux-3.10\arch\powerpc\include\asm\spu_priv1.h(4): * Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\include\asm\sstep.h(2): * Copyright (C) 2004 Paul Mackerras <paulus@au.ibm.com>, IBM
linux-3.10\arch\powerpc\include\asm\swiotlb.h(2): * Copyright (C) 2009 Becky Bruce, Freescale Semiconductor
linux-3.10\arch\powerpc\include\asm\switch_to.h(2): * Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\powerpc\include\asm\syscall.h(4): * Copyright (C) 2008 Red Hat, Inc. All rights reserved.
linux-3.10\arch\powerpc\include\asm\syscall.h(6): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\arch\powerpc\include\asm\tce.h(2): * Copyright (C) 2001 Mike Corrigan & Dave Engebretsen, IBM Corporation
linux-3.10\arch\powerpc\include\asm\tce.h(4): * Copyright (C) 2004 Olof Johansson <olof@lixom.net>, IBM Corporation
linux-3.10\arch\powerpc\include\asm\thread_info.h(4): * Copyright (C) 2002 David Howells (dhowells@redhat.com)
linux-3.10\arch\powerpc\include\asm\tlb.h(4): * Copyright (C) 2002 Anton Blanchard, IBM Corp.
linux-3.10\arch\powerpc\include\asm\tlb.h(5): * Copyright (C) 2002 Paul Mackerras, IBM Corp.
linux-3.10\arch\powerpc\include\asm\tm.h(5): * Copyright 2012 Matt Evans & Michael Neuling, IBM Corporation.
linux-3.10\arch\powerpc\include\asm\tsi108.h(8): * Copyright 2004-2006 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\asm\tsi108_irq.h(2): * (C) Copyright 2005 Tundra Semiconductor Corp.
linux-3.10\arch\powerpc\include\asm\tsi108_pci.h(2): * Copyright 2007 IBM Corp
linux-3.10\arch\powerpc\include\asm\ucc.h(2): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\include\asm\ucc_fast.h(4): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\include\asm\ucc_slow.h(2): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.

legal(ME)

linux-3.10\arch\powerpc\include\asm\uic.h(5): * Copyright 2007 IBM Corporation.
linux-3.10\arch\powerpc\include\asm\uprobes.h(20): * Copyright IBM Corporation,
2007-2012
linux-3.10\arch\powerpc\include\asm\vdso_datapage.h(6): * Copyright (C) 2002
Peter Bergner <bergner@vnet.ibm.com>, IBM
linux-3.10\arch\powerpc\include\asm\vdso_datapage.h(7): * Copyright (C) 2005
Benjamin Herrenschmidt <benh@kernel.crashing.org>,
linux-3.10\arch\powerpc\include\asm\vio.h(4): * Copyright (c) 2003 IBM Corp.
linux-3.10\arch\powerpc\include\asm\wsp.h(2): *Copyright 2011 Michael Ellerman,
IBM Corp.
linux-3.10\arch\powerpc\include\asm\xilinx_intc.h(4): * Copyright 2007 Secret Lab
Technologies Ltd.
linux-3.10\arch\powerpc\include\asm\xilinx_pci.h(4): * Copyright 2009 Roderick
Colenbrander
linux-3.10\arch\powerpc\include\asm\xilinx_pci.h(5): * Copyright 2009 Secret Lab
Technologies Ltd.
linux-3.10\arch\powerpc\include\uapi\asm\epapr_hcalls.h(4): * Copyright 2008-2011
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\include\uapi\asm\kvm.h(15): * Copyright IBM Corp. 2007
linux-3.10\arch\powerpc\include\uapi\asm\kvm_para.h(15): * Copyright IBM Corp.
2008
linux-3.10\arch\powerpc\include\uapi\asm\ps3fb.h(2): * Copyright (C) 2006 Sony
Computer Entertainment Inc.
linux-3.10\arch\powerpc\include\uapi\asm\ps3fb.h(3): * Copyright 2006, 2007 Sony
Corporation
linux-3.10\arch\powerpc\include\uapi\asm\ptrace.h(2): * Copyright (C) 2001 PPC64
Team, IBM Corp
linux-3.10\arch\powerpc\include\uapi\asm\spu_info.h(4): * (C) Copyright 2006 IBM
Corp.
linux-3.10\arch\powerpc\kernel\align.c(10): * Copyright (c) 2005 Benjamin
Herrenschmidt, IBM Corp
linux-3.10\arch\powerpc\kernel\align.c(3): * Copyright (c) 1996 Paul Mackerras
<paulus@cs.anu.edu.au>
linux-3.10\arch\powerpc\kernel\align.c(4): * Copyright (c) 1998-1999 TiVo, Inc.
linux-3.10\arch\powerpc\kernel\align.c(6): * Copyright (c) 1999 Grant Erickson
<grant@lcse.umn.edu>
linux-3.10\arch\powerpc\kernel\align.c(8): * Copyright (c) 2001-2002 PPC64 team,
IBM Corp
linux-3.10\arch\powerpc\kernel\cacheinfo.c(5): * Copyright 2008 IBM Corporation
linux-3.10\arch\powerpc\kernel\cpu_setup_6xx.S(3): *Copyright (C) 2003 Benjamin
Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\kernel\cpu_setup_a2.S(4): *Copyright 2009 Ben
Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\kernel\cpu_setup_fsl_booke.S(4): * Copyright 2009
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kernel\cpu_setup_pa6t.S(2): * Copyright (C) 2006-2007 PA
Semi, Inc
linux-3.10\arch\powerpc\kernel\cpu_setup_power.S(3): *Copyright (C) 2003 Benjamin
Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\kernel\cpu_setup_ppc970.S(3): *Copyright (C) 2003
Benjamin Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\kernel\cputable.c(2): *Copyright (C) 2001 Ben.

legal(ME)

Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\kernel\cputable.c(5): *Copyright (C) 2003 Dave
Engebretsen <engebret@us.ibm.com>
linux-3.10\arch\powerpc\kernel\crash.c(4): * Copyright (C) 2005, IBM Corp.
linux-3.10\arch\powerpc\kernel\crash_dump.c(4): * Copyright (C) 2005, IBM Corp.
linux-3.10\arch\powerpc\kernel\dbell.c(4): * Copyright 2009 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\kernel\dma.c(2): * Copyright (C) 2006 Benjamin
Herrenschmidt, IBM Corporation
linux-3.10\arch\powerpc\kernel\dma-iommu.c(2): * Copyright (C) 2006 Benjamin
Herrenschmidt, IBM Corporation
linux-3.10\arch\powerpc\kernel\dma-swiotlb.c(4): * Copyright (C) 2009-2010
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kernel\entry_32.S(10): *MPC8xx modifications Copyright
(C) 1997 Dan Malek (dmalek@jlc.net).
linux-3.10\arch\powerpc\kernel\entry_32.S(3): *Copyright (C) 1995-1996 Gary
Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\entry_32.S(5): *Copyright (C) 1996 Cort Dougan
<cort@fsmllabs.com>
linux-3.10\arch\powerpc\kernel\entry_32.S(9): *Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\kernel\entry_64.S(10): *MPC8xx modifications Copyright
(C) 1997 Dan Malek (dmalek@jlc.net).
linux-3.10\arch\powerpc\kernel\entry_64.S(3): *Copyright (C) 1995-1996 Gary
Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\entry_64.S(5): *Copyright (C) 1996 Cort Dougan
<cort@cs.nmt.edu>
linux-3.10\arch\powerpc\kernel\entry_64.S(9): *Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\kernel\epapr_hcalls.S(2): * Copyright (C) 2012 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\kernel\epapr_paravirt.c(17): * Copyright (C) 2012
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kernel\exceptions-64e.S(4): *Copyright (C) 2007 Ben.
Herrenschmidt (benh@kernel.crashing.org), IBM Corp.
linux-3.10\arch\powerpc\kernel\exceptions-64s.S(11): * copyright history.
linux-3.10\arch\powerpc\kernel\fadump.c(23): * Copyright 2011 IBM Corporation
linux-3.10\arch\powerpc\kernel\firmware.c(4): *Copyright (C) 2001 Ben.
Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\kernel\firmware.c(7): *Copyright (C) 2003 Dave
Engebretsen <engebret@us.ibm.com>
linux-3.10\arch\powerpc\kernel\firmware.c(8): *Copyright (C) 2005 Stephen
Rothwell, IBM Corporation
linux-3.10\arch\powerpc\kernel\fpu.S(5): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\fpu.S(6): *Copyright (C) 1996 Cort Dougan
<cort@cs.nmt.edu>
linux-3.10\arch\powerpc\kernel\fpu.S(7): *Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\kernel\fpu.S(8): *Copyright (C) 1997 Dan Malek
(dmalek@jlc.net).
linux-3.10\arch\powerpc\kernel\ftrace.c(4): * Copyright (C) 2007-2008 Steven
Rostedt <srostedt@redhat.com>
linux-3.10\arch\powerpc\kernel\head_32.S(10): *Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\kernel\head_32.S(11): *MPC8xx modifications Copyright (C)

legal(ME)

1997 Dan Malek (dmalek@jlc.net).

linux-3.10\arch\powerpc\kernel\head_32.S(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

linux-3.10\arch\powerpc\kernel\head_32.S(6): *Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu>

linux-3.10\arch\powerpc\kernel\head_40x.S(10): *Copyright (c) 1998-1999 TiVo, Inc.

linux-3.10\arch\powerpc\kernel\head_40x.S(12): *Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu>

linux-3.10\arch\powerpc\kernel\head_40x.S(14): *Copyright 2000 MontaVista Software Inc.

linux-3.10\arch\powerpc\kernel\head_40x.S(2): *Copyright (c) 1995-1996 Gary Thomas <gdt@linuxppc.org>

linux-3.10\arch\powerpc\kernel\head_40x.S(4): *Copyright (c) 1996 Cort Dougan <cort@cs.nmt.edu>

linux-3.10\arch\powerpc\kernel\head_40x.S(6): *Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au>

linux-3.10\arch\powerpc\kernel\head_40x.S(8): *Copyright (c) 1997 Dan Malek <dmalek@jlc.net>

linux-3.10\arch\powerpc\kernel\head_44x.S(10): *Copyright (c) 1997 Dan Malek <dmalek@jlc.net>

linux-3.10\arch\powerpc\kernel\head_44x.S(12): *Copyright (c) 1998-1999 TiVo, Inc.

linux-3.10\arch\powerpc\kernel\head_44x.S(14): *Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu>

linux-3.10\arch\powerpc\kernel\head_44x.S(16): *Copyright 2000 MontaVista Software Inc.

linux-3.10\arch\powerpc\kernel\head_44x.S(22): *Copyright 2002-2005 MontaVista Software, Inc.

linux-3.10\arch\powerpc\kernel\head_44x.S(4): *Copyright (c) 1995-1996 Gary Thomas <gdt@linuxppc.org>

linux-3.10\arch\powerpc\kernel\head_44x.S(6): *Copyright (c) 1996 Cort Dougan <cort@cs.nmt.edu>

linux-3.10\arch\powerpc\kernel\head_44x.S(8): *Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au>

linux-3.10\arch\powerpc\kernel\head_64.S(10): *Copyright (C) 1996 Paul Mackerras.

linux-3.10\arch\powerpc\kernel\head_64.S(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

linux-3.10\arch\powerpc\kernel\head_64.S(6): *Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu>

linux-3.10\arch\powerpc\kernel\head_8xx.S(10): *Copyright (C) 1997 Dan Malek (dmalek@jlc.net).

linux-3.10\arch\powerpc\kernel\head_8xx.S(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

linux-3.10\arch\powerpc\kernel\head_8xx.S(5): *Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu>

linux-3.10\arch\powerpc\kernel\head_8xx.S(8): *Copyright (C) 1996 Paul Mackerras.

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(10): *Copyright (c) 1997 Dan Malek <dmalek@jlc.net>

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(12): *Copyright (c) 1998-1999 TiVo, Inc.

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(14): *Copyright (c) 1999 Grant

legal(ME)

Erickson <grant@lcse.umn.edu>

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(16): *Copyright 2000 MontaVista Software Inc.

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(22): *Copyright 2002-2004 MontaVista Software, Inc.

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(24): *Copyright 2004 Freescale Semiconductor, Inc

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(4): *Copyright (c) 1995-1996 Gary Thomas <gdt@linuxppc.org>

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(6): *Copyright (c) 1996 Cort Dougan <cort@cs.nmt.edu>

linux-3.10\arch\powerpc\kernel\head_fsl_booke.S(8): *Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au>

linux-3.10\arch\powerpc\kernel\hw_breakpoint.c(20): * Copyright 2010 IBM Corporation

linux-3.10\arch\powerpc\kernel\ibmebus.c(4): * Copyright (c) 2005 IBM Corporation

linux-3.10\arch\powerpc\kernel\idle.c(12): *Copyright (c) 2003 Dave Engebretsen <engebret@us.ibm.com>

linux-3.10\arch\powerpc\kernel\idle_book3e.S(2): * Copyright 2010 IBM Corp, Benjamin Herrenschmidt <benh@kernel.crashing.org>

linux-3.10\arch\powerpc\kernel\idle_e500.S(2): * Copyright (C) 2008 Freescale Semiconductor, Inc. All rights reserved.

linux-3.10\arch\powerpc\kernel\io.c(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

linux-3.10\arch\powerpc\kernel\io.c(4): *Copyright (C) 2006 IBM Corporation

linux-3.10\arch\powerpc\kernel\iomap.c(4): * (C) Copyright 2004 Linus Torvalds

linux-3.10\arch\powerpc\kernel\iommu.c(2): * Copyright (C) 2001 Mike Corrigan & Dave Engebretsen, IBM Corporation

linux-3.10\arch\powerpc\kernel\iommu.c(5): * Copyright (C) 2004 Olof Johansson, IBM Corporation

linux-3.10\arch\powerpc\kernel\io-workarounds.c(4): *Copyright (C) 2006 Benjamin Herrenschmidt <benh@kernel.crashing.org>

linux-3.10\arch\powerpc\kernel\io-workarounds.c(6): *(C) Copyright 2007-2008 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\kernel\irq.c(3): *Copyright (C) 1992 Linus Torvalds

linux-3.10\arch\powerpc\kernel\irq.c(5): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

linux-3.10\arch\powerpc\kernel\irq.c(7): *Copyright (C) 1996-2001 Cort Dougan

linux-3.10\arch\powerpc\kernel\irq.c(9): *Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au)

linux-3.10\arch\powerpc\kernel\jump_label.c(2): * Copyright 2010 Michael Ellerman, IBM Corp.

linux-3.10\arch\powerpc\kernel\kgdb.c(10): * Copyright (C) 2007-2008 Wind River Systems, Inc.

linux-3.10\arch\powerpc\kernel\kgdb.c(5): * Copyright (C) 2003 Timesys Corporation.

linux-3.10\arch\powerpc\kernel\kgdb.c(6): * Copyright (C) 2004-2006 MontaVista Software, Inc.

linux-3.10\arch\powerpc\kernel\kprobes.c(18): * Copyright (C) IBM Corporation, 2002, 2004

linux-3.10\arch\powerpc\kernel\kvm.c(2): * Copyright (C) 2010 SUSE Linux Products GmbH. All rights reserved.

legal(ME)

linux-3.10\arch\powerpc\kernel\kvm.c(3): * Copyright 2010-2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kernel\kvm_emul.S(15): * Copyright SUSE Linux Products GmbH 2010
linux-3.10\arch\powerpc\kernel\kvm_emul.S(16): * Copyright 2010-2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kernel\l2cr_6xx.S(3): Copyright 1997-1998 by PowerLogix R & D, Inc.
linux-3.10\arch\powerpc\kernel\lparcfg.c(10): *Added lparcfg_write, Copyright (C) 2004 Nathan Lynch IBM Corporation.
linux-3.10\arch\powerpc\kernel\lparcfg.c(5): *Copyright (c) 2003 Dave Engebretsen
linux-3.10\arch\powerpc\kernel\lparcfg.c(7): *SPLPAR updates, Copyright (c) 2003 Will Schmidt IBM Corporation.
linux-3.10\arch\powerpc\kernel\lparcfg.c(8): *seq_file updates, Copyright (c) 2004 Will Schmidt IBM Corporation.
linux-3.10\arch\powerpc\kernel\machine_kexec.c(4): * Copyright (C) 2002-2003 Eric Biederman<ebiederm@xmission.com>
linux-3.10\arch\powerpc\kernel\machine_kexec.c(5): * GameCube/ppc32 port Copyright (C) 2004 Albert Herranz
linux-3.10\arch\powerpc\kernel\machine_kexec.c(6): * Copyright (C) 2005 IBM Corporation.
linux-3.10\arch\powerpc\kernel\machine_kexec_32.c(4): * Copyright (C) 2002-2003 Eric Biederman<ebiederm@xmission.com>
linux-3.10\arch\powerpc\kernel\machine_kexec_32.c(5): * GameCube/ppc32 port Copyright (C) 2004 Albert Herranz
linux-3.10\arch\powerpc\kernel\machine_kexec_32.c(6): * Copyright (C) 2005 IBM Corporation.
linux-3.10\arch\powerpc\kernel\machine_kexec_64.c(4): * Copyright (C) 2004-2005, IBM Corp.
linux-3.10\arch\powerpc\kernel\misc.S(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\misc_32.S(10): * GameCube/ppc32 port Copyright (C) 2004 Albert Herranz
linux-3.10\arch\powerpc\kernel\misc_32.S(11): * PPC44x port. Copyright (C) 2011, IBM Corporation
linux-3.10\arch\powerpc\kernel\misc_32.S(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\misc_32.S(9): * Copyright (C) 2002-2003 Eric Biederman<ebiederm@xmission.com>
linux-3.10\arch\powerpc\kernel\misc_64.S(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\module.c(2): Copyright (C) 2001, 2003 Rusty Russell IBM Corporation.
linux-3.10\arch\powerpc\kernel\module.c(3): Copyright (C) 2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kernel\module_32.c(2): Copyright (C) 2001 Rusty Russell.
linux-3.10\arch\powerpc\kernel\module_64.c(2): Copyright (C) 2001, 2003 Rusty Russell IBM Corporation.
linux-3.10\arch\powerpc\kernel\msi.c(2): * Copyright 2006-2007, Michael Ellerman, IBM Corporation.
linux-3.10\arch\powerpc\kernel\of_platform.c(2): *Copyright (C) 2006 Benjamin Herrenschmidt, IBM Corp.

legal(ME)

linux-3.10\arch\powerpc\kernel\pci_64.c(5): * Copyright (C) 2003 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\kernel\pci_dn.c(4): * Copyright (C) 2001 Todd Inglett, IBM Corporation
linux-3.10\arch\powerpc\kernel\pci_of_scan.c(10): * Copyright (c) 2009 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\kernel\pci_of_scan.c(8): * Copyright (C) 2003 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\kernel\pci-common.c(8): * Copyright (C) 2003 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\kernel\pmc.c(4): *Copyright (C) 2004 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\kernel\pmc.c(7): *Copyright (c) 2004 Freescale Semiconductor, Inc
linux-3.10\arch\powerpc\kernel\ppc_save_regs.S(2): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\kernel\proc_powerpc.c(2): * Copyright (C) 2001 Mike Corrigan & Dave Engebretsen IBM Corporation
linux-3.10\arch\powerpc\kernel\process.c(3): *Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\powerpc\kernel\process.c(9): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\prom.c(5): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\powerpc\kernel\prom_init.c(5): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\powerpc\kernel\prom_init_check.sh(3):# Copyright ㄣ 2008 IBM Corporation
linux-3.10\arch\powerpc\kernel\ptrace.c(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\ptrace.c(6): *Copyright (C) 1994 by Hamish Macdonald
linux-3.10\arch\powerpc\kernel\ptrace32.c(5): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\ptrace32.c(8): *Copyright (C) 1994 by Hamish Macdonald
linux-3.10\arch\powerpc\kernel\reloc_32.S(4): * Copyrights (C) IBM Corporation, 2011.
linux-3.10\arch\powerpc\kernel\reloc_64.S(4): * Copyright 2008 Paul Mackerras, IBM Corp.
linux-3.10\arch\powerpc\kernel\rtas.c(6): * Copyright (C) 2001 IBM.
linux-3.10\arch\powerpc\kernel\rtas_pci.c(2): * Copyright (C) 2001 Dave Engebretsen, IBM Corporation
linux-3.10\arch\powerpc\kernel\rtas_pci.c(3): * Copyright (C) 2003 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\kernel\rtasd.c(2): * Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\kernel\rtas-proc.c(2): * Copyright (C) 2000 Tilmann Bitterberg
linux-3.10\arch\powerpc\kernel\setup_64.c(5): * Copyright (C) 2001 PPC64 Team, IBM Corp
linux-3.10\arch\powerpc\kernel\setup-common.c(5): * Copyright (C) 2001 PPC64 Team, IBM Corp

legal(ME)

linux-3.10\arch\powerpc\kernel\signal.c(4): *Copyright (c) 2007 Benjamin Herrenschmidt, IBM Coproration
linux-3.10\arch\powerpc\kernel\signal.h(2): *Copyright (c) 2007 Benjamin Herrenschmidt, IBM Coproration
linux-3.10\arch\powerpc\kernel\signal_32.c(11): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\powerpc\kernel\signal_32.c(5): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\signal_32.c(6): * Copyright (C) 2001 IBM
linux-3.10\arch\powerpc\kernel\signal_32.c(7): * Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\powerpc\kernel\signal_32.c(8): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\powerpc\kernel\signal_64.c(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\signal_64.c(6): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\powerpc\kernel\smp.c(7): * Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>
linux-3.10\arch\powerpc\kernel\smp-tbsync.c(4): * Copyright (C) 2003 Samuel Rydh (samuel@ibrium.se)
linux-3.10\arch\powerpc\kernel\softemu8xx.c(4): * Copyright (C) 1998 Dan Malek (dmalek@j1c.net)
linux-3.10\arch\powerpc\kernel\stacktrace.c(4): * Copyright 2008 Christoph Hellwig, IBM Corp.
linux-3.10\arch\powerpc\kernel\suspend.c(6): * Copyright (c) 2002 Pavel Machek <pavel@ucw.cz>
linux-3.10\arch\powerpc\kernel\suspend.c(7): * Copyright (c) 2001 Patrick Mochel <mochel@osdl.org>
linux-3.10\arch\powerpc\kernel\swsusp.c(4): * Copyright 2007 Johannes Berg <johannes@sipsolutions.net>
linux-3.10\arch\powerpc\kernel\swsusp_64.c(4): * Copyright 2006 Johannes Berg <johannes@sipsolutions.net>
linux-3.10\arch\powerpc\kernel\swsusp_asm64.S(4): * Copyright 2006 Johannes Berg <johannes@sipsolutions.net>
linux-3.10\arch\powerpc\kernel\swsusp_booke.S(4): * Copyright (c) 2009-2010 MontaVista Software, LLC.
linux-3.10\arch\powerpc\kernel\sys_ppc32.c(4): * Copyright (C) 2001 IBM
linux-3.10\arch\powerpc\kernel\sys_ppc32.c(5): * Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\powerpc\kernel\sys_ppc32.c(6): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\powerpc\kernel\syscalls.c(4): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\systbl.S(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\kernel\systbl_chk.c(9): * Copyright ㄣ IBM Corporation
linux-3.10\arch\powerpc\kernel\systbl_chk.sh(6):# Copyright ㄣ 2008 IBM Corporation
linux-3.10\arch\powerpc\kernel\tm.S(5): * Copyright 2012 Matt Evans & Michael Neuling, IBM Corporation.
linux-3.10\arch\powerpc\kernel\traps.c(2): *Copyright (C) 1995-1996 Gary Thomas

legal(ME)

(gdt@linuxppc.org)

linux-3.10\arch\powerpc\kernel\traps.c(3): *Copyright 2007-2010 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\kernel\udbg_16550.c(4): * Copyright (C) 2001-2005 PPC 64 Team, IBM Corp

linux-3.10\arch\powerpc\kernel\uprobes.c(18): * Copyright IBM Corporation, 2007-2012

linux-3.10\arch\powerpc\kernel\vdso.c(3): *Copyright (C) 2004 Benjamin Herrenschildt, IBM Corp.

linux-3.10\arch\powerpc\kernel\vdso32\cacheflush.S(4): * Copyright (C) 2004 Benjamin Herrenschildt (benh@kernel.crashing.org),

linux-3.10\arch\powerpc\kernel\vdso32\datapage.S(4): * Copyright (C) 2004 Benjamin Herrenschildt (benh@kernel.crashing.org), IBM Corp.

linux-3.10\arch\powerpc\kernel\vdso32\getcpu.S(16): * Copyright (C) IBM Corporation, 2012

linux-3.10\arch\powerpc\kernel\vdso32\gettimeofday.S(5): * Copyright (C) 2004 Benjamin Herrenschildt (benh@kernel.crashing.org),

linux-3.10\arch\powerpc\kernel\vdso32\sigtramp.S(5): * Copyright (C) 2004 Benjamin Herrenschildt (benh@kernel.crashing.org), IBM Corp.

linux-3.10\arch\powerpc\kernel\vdso32\sigtramp.S(6): * Copyright (C) 2004 Alan Modra (amodra@au.ibm.com)), IBM Corp.

linux-3.10\arch\powerpc\kernel\vdso64\cacheflush.S(4): * Copyright (C) 2004 Benjamin Herrenschildt (benh@kernel.crashing.org),

linux-3.10\arch\powerpc\kernel\vdso64\datapage.S(4): * Copyright (C) 2004 Benjamin Herrenschildt (benh@kernel.crashing.org), IBM Corp.

linux-3.10\arch\powerpc\kernel\vdso64\getcpu.S(16): * Copyright (C) IBM Corporation, 2012

linux-3.10\arch\powerpc\kernel\vdso64\gettimeofday.S(5): * Copyright (C) 2004 Benjamin Herrenschildt (benh@kernel.crashing.org),

linux-3.10\arch\powerpc\kernel\vdso64\sigtramp.S(5): * Copyright (C) 2004 Benjamin Herrenschildt (benh@kernel.crashing.org), IBM Corp.

linux-3.10\arch\powerpc\kernel\vdso64\sigtramp.S(6): * Copyright (C) 2004 Alan Modra (amodra@au.ibm.com)), IBM Corp.

linux-3.10\arch\powerpc\kernel\vio.c(4): *Copyright (c) 2003,2008 IBM Corp.

linux-3.10\arch\powerpc\kvm\44x.c(15): * Copyright IBM Corp. 2008

linux-3.10\arch\powerpc\kvm\44x_emulate.c(15): * Copyright IBM Corp. 2008

linux-3.10\arch\powerpc\kvm\44x_tlb.c(15): * Copyright IBM Corp. 2007

linux-3.10\arch\powerpc\kvm\44x_tlb.h(15): * Copyright IBM Corp. 2007

linux-3.10\arch\powerpc\kvm\book3s.c(2): * Copyright (C) 2009. SUSE Linux Products GmbH. All rights reserved.

linux-3.10\arch\powerpc\kvm\book3s_32_mmu.c(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_32_mmu_host.c(2): * Copyright (C) 2010 SUSE Linux Products GmbH. All rights reserved.

linux-3.10\arch\powerpc\kvm\book3s_32_sr.S(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_64_mmu.c(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_64_mmu_host.c(2): * Copyright (C) 2009 SUSE Linux Products GmbH. All rights reserved.

linux-3.10\arch\powerpc\kvm\book3s_64_mmu_hv.c(15): * Copyright 2010 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

legal(ME)

linux-3.10\arch\powerpc\kvm\book3s_64_slb.S(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_64_vio.c(15): * Copyright 2010 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_64_vio.c(16): * Copyright 2011 David Gibson, IBM Corporation <dwg@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_64_vio_hv.c(15): * Copyright 2010 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_64_vio_hv.c(16): * Copyright 2011 David Gibson, IBM Corporation <dwg@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_emulate.c(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_exports.c(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_hv.c(2): * Copyright 2011 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_hv.c(3): * Copyright (C) 2009. SUSE Linux Products GmbH. All rights reserved.

linux-3.10\arch\powerpc\kvm\book3s_hv_builtin.c(2): * Copyright 2011 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_hv_interrupts.S(15): * Copyright 2011 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_hv_interrupts.S(18): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_hv_ras.c(6): * Copyright 2012 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_hv_rm_mmu.c(6): * Copyright 2010-2011 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_hv_rm_xics.c(2): * Copyright 2012 Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\kvm\book3s_hv_rm_xics.c(3): * Copyright 2012 Benjamin Herrenschmidt, IBM Corporation

linux-3.10\arch\powerpc\kvm\book3s_hv_rmhandlers.S(11): * Copyright 2011 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\arch\powerpc\kvm\book3s_hv_rmhandlers.S(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_interrupts.S(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_mmu_hpte.c(2): * Copyright (C) 2010 SUSE Linux Products GmbH. All rights reserved.

linux-3.10\arch\powerpc\kvm\book3s_paired_singles.c(15): * Copyright Novell Inc 2010

linux-3.10\arch\powerpc\kvm\book3s_pr.c(2): * Copyright (C) 2009. SUSE Linux Products GmbH. All rights reserved.

linux-3.10\arch\powerpc\kvm\book3s_pr_papr.c(2): * Copyright (C) 2011. Freescale Inc. All rights reserved.

linux-3.10\arch\powerpc\kvm\book3s_rmhandlers.S(15): * Copyright SUSE Linux Products GmbH 2009

linux-3.10\arch\powerpc\kvm\book3s_rtas.c(2): * Copyright 2012 Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\kvm\book3s_segment.S(15): * Copyright SUSE Linux Products GmbH 2010

legal(ME)

linux-3.10\arch\powerpc\kvm\book3s_xics.c(2): * Copyright 2012 Michael Ellerman, IBM Corporation.
linux-3.10\arch\powerpc\kvm\book3s_xics.c(3): * Copyright 2012 Benjamin Herrenschmidt, IBM Corporation.
linux-3.10\arch\powerpc\kvm\book3s_xics.h(2): * Copyright 2012 Michael Ellerman, IBM Corporation.
linux-3.10\arch\powerpc\kvm\book3s_xics.h(3): * Copyright 2012 Benjamin Herrenschmidt, IBM Corporation
linux-3.10\arch\powerpc\kvm\booke.c(15): * Copyright IBM Corp. 2007
linux-3.10\arch\powerpc\kvm\booke.c(16): * Copyright 2010-2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kvm\booke.h(15): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\kvm\booke_emulate.c(15): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\kvm\booke_emulate.c(16): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kvm\booke_interrupts.S(15): * Copyright IBM Corp. 2007
linux-3.10\arch\powerpc\kvm\booke_interrupts.S(16): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kvm\bookehv_interrupts.S(15): * Copyright (C) 2010-2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kvm\e500.c(2): * Copyright (C) 2008-2011 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\kvm\e500.h(12): * Copyright IBM Corp. 2007-2008
linux-3.10\arch\powerpc\kvm\e500.h(2): * Copyright (C) 2008-2011 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\kvm\e500_emulate.c(2): * Copyright (C) 2008-2011 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\kvm\e500_mmu.c(2): * Copyright (C) 2008-2013 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\kvm\e500_mmu_host.c(2): * Copyright (C) 2008-2013 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\kvm\e500_mmu_host.h(2): * Copyright (C) 2008-2013 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\kvm\e500mc.c(2): * Copyright (C) 2010,2012 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\kvm\emulate.c(15): * Copyright IBM Corp. 2007
linux-3.10\arch\powerpc\kvm\emulate.c(16): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\kvm\fpu.S(4): *Copyright (C) 2010 Alexander Graf (agraf@suse.de)
linux-3.10\arch\powerpc\kvm\mpic.c(4): * Copyright (c) 2004 Jocelyn Mayer
linux-3.10\arch\powerpc\kvm\powerpc.c(15): * Copyright IBM Corp. 2007
linux-3.10\arch\powerpc\kvm\timing.c(15): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\kvm\timing.h(15): * Copyright IBM Corp. 2008
linux-3.10\arch\powerpc\lib\checksum_32.S(5): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\lib\checksum_64.S(5): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\lib\checksum_wrappers_64.c(16): * Copyright (C) IBM Corporation, 2010
linux-3.10\arch\powerpc\lib\code-patching.c(2): *Copyright 2008 Michael Ellerman, IBM Corporation.

legal(ME)

linux-3.10\arch\powerpc\lib\copy_32.S(4): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\powerpc\lib\copypage_64.S(2): * Copyright (C) 2008 Mark Nelson, IBM Corp.
linux-3.10\arch\powerpc\lib\copypage_power7.S(16): * Copyright (C) IBM Corporation, 2012
linux-3.10\arch\powerpc\lib\copyuser_64.S(2): * Copyright (C) 2002 Paul Mackerras, IBM Corp.
linux-3.10\arch\powerpc\lib\copyuser_power7.S(16): * Copyright (C) IBM Corporation, 2011
linux-3.10\arch\powerpc\lib\crtsavres.S(4): * Copyright (C) 1995, 1996, 1998, 2000, 2001 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\lib\crtsavres.S(5): * Copyright 2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\lib\devres.c(2): * Copyright (C) 2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\lib\div64.S(9): * Copyright (C) 2002 Paul Mackerras, IBM Corp.
linux-3.10\arch\powerpc\lib\feature-fixups.c(2): *Copyright (C) 2001 Ben. Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\lib\feature-fixups.c(5): *Copyright (C) 2003 Dave Engebretsen <engebret@us.ibm.com>
linux-3.10\arch\powerpc\lib\feature-fixups.c(7): *Copyright 2008 Michael Ellerman, IBM Corporation.
linux-3.10\arch\powerpc\lib\feature-fixups-test.S(2): * Copyright 2008 Michael Ellerman, IBM Corporation.
linux-3.10\arch\powerpc\lib\hweight_64.S(16): * Copyright (C) IBM Corporation, 2010
linux-3.10\arch\powerpc\lib\ldstfp.S(5): * Copyright 2010 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>
linux-3.10\arch\powerpc\lib\locks.c(4): * Copyright (C) 2001-2004 Paul Mackerras <paulus@au.ibm.com>, IBM
linux-3.10\arch\powerpc\lib\locks.c(5): * Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\lib\locks.c(6): * Copyright (C) 2002 Dave Engebretsen <engebret@us.ibm.com>, IBM
linux-3.10\arch\powerpc\lib\mem_64.S(4): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\lib\memcpy_64.S(2): * Copyright (C) 2002 Paul Mackerras, IBM Corp.
linux-3.10\arch\powerpc\lib\memcpy_power7.S(16): * Copyright (C) IBM Corporation, 2012
linux-3.10\arch\powerpc\lib\sstep.c(4): * Copyright (C) 2004 Paul Mackerras <paulus@au.ibm.com>, IBM
linux-3.10\arch\powerpc\lib\string.S(4): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\arch\powerpc\lib\string_64.S(16): * Copyright (C) IBM Corporation, 2012
linux-3.10\arch\powerpc\lib\vmx-helper.c(16): * Copyright (C) IBM Corporation, 2011
linux-3.10\arch\powerpc\Makefile(10):# Copyright (C) 1994 by Linus Torvalds
linux-3.10\arch\powerpc\math-emu\math.c(2): * Copyright (C) 1999Eddie C. Dost(ecd@atecom.com)
linux-3.10\arch\powerpc\math-emu\math_efp.c(4): * Copyright (C) 2006-2008, 2010

legal(ME)

Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\mm\40x_mmu.c(11): *Copyright (C) 1996 Paul Mackerras

linux-3.10\arch\powerpc\mm\40x_mmu.c(14): *Copyright (C) 1991, 1992, 1993,
1994Linus Torvalds

linux-3.10\arch\powerpc\mm\40x_mmu.c(7): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)

linux-3.10\arch\powerpc\mm\44x_mmu.c(10): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)

linux-3.10\arch\powerpc\mm\44x_mmu.c(14): *Copyright (C) 1996 Paul Mackerras

linux-3.10\arch\powerpc\mm\44x_mmu.c(17): *Copyright (C) 1991, 1992, 1993,
1994Linus Torvalds

linux-3.10\arch\powerpc\mm\dma-noncoherent.c(3): *Copyright (C) 2001 Dan Malek
(dmalek@jlc.net)

linux-3.10\arch\powerpc\mm\dma-noncoherent.c(5): *Copyright (C) 2000 Russell King

linux-3.10\arch\powerpc\mm\fault.c(3): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)

linux-3.10\arch\powerpc\mm\fault.c(6): *Copyright (C) 1991, 1992, 1993, 1994Linus
Torvalds

linux-3.10\arch\powerpc\mm\fs1_booke_mmu.c(12): *Copyright (C) 1995-1996 Gary
Thomas (gdt@linuxppc.org)

linux-3.10\arch\powerpc\mm\fs1_booke_mmu.c(16): *Copyright (C) 1996 Paul
Mackerras

linux-3.10\arch\powerpc\mm\fs1_booke_mmu.c(19): *Copyright (C) 1991, 1992, 1993,
1994Linus Torvalds

linux-3.10\arch\powerpc\mm\fs1_booke_mmu.c(5): * Copyright 2004,2010 Freescale
Semiconductor, Inc.

linux-3.10\arch\powerpc\mm\gup.c(4): * Copyright (C) 2008 Nick Piggin

linux-3.10\arch\powerpc\mm\gup.c(5): * Copyright (C) 2008 Novell Inc.

linux-3.10\arch\powerpc\mm\hash_low_32.S(3): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)

linux-3.10\arch\powerpc\mm\hash_low_32.S(5): *Copyright (C) 1996 Cort Dougan
<cort@cs.nmt.edu>

linux-3.10\arch\powerpc\mm\hash_low_32.S(9): *Copyright (C) 1996 Paul Mackerras.

linux-3.10\arch\powerpc\mm\hash_low_64.S(4): * (c) Copyright IBM Corp. 2003, 2005

linux-3.10\arch\powerpc\mm\hash_native_64.c(5): *Copyright (C) 2001 Anton
Blanchard <anton@au.ibm.com>, IBM

linux-3.10\arch\powerpc\mm\hash_utils_64.c(5): *Copyright (c) 2000 Mike Corrigan
<mikejc@us.ibm.com>

linux-3.10\arch\powerpc\mm\hash_utils_64.c(8): *Copyright (C) 2001 Anton
Blanchard <anton@au.ibm.com>, IBM

linux-3.10\arch\powerpc\mm\highmem.c(17): * Copyright (C) 1999 Ingo Molnar
<mingo@redhat.com>

linux-3.10\arch\powerpc\mm\highmem.c(9): * Copyright (C) 1999 Gerhard Wichert,
Siemens AG

linux-3.10\arch\powerpc\mm\hugetlbpage.c(4): * Copyright (C) 2003 David Gibson,
IBM Corporation.

linux-3.10\arch\powerpc\mm\hugetlbpage.c(5): * Copyright (C) 2011 Becky Bruce,
Freescale Semiconductor

linux-3.10\arch\powerpc\mm\hugetlbpage.c(8): * Copyright (C) 2002, Rohit Seth
<rohit.seth@intel.com>

linux-3.10\arch\powerpc\mm\hugetlbpage-book3e.c(4): * Copyright (C) 2009 David
Gibson, IBM Corporation.

legal(ME)

linux-3.10\arch\powerpc\mm\hugetlbpage-book3e.c(5): * Copyright (C) 2011 Becky Bruce, Freescale Semiconductor
linux-3.10\arch\powerpc\mm\hugetlbpage-hash64.c(4): * Copyright (C) 2003 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\mm\hugetlbpage-hash64.c(7): * Copyright (C) 2002, Rohit Seth <rohit.seth@intel.com>
linux-3.10\arch\powerpc\mm\icswx.c(4): *Copyright (C) 2011 Anton Blanchard, IBM Corp. <anton@samba.org>
linux-3.10\arch\powerpc\mm\icswx.h(7): *Copyright (C) 2011 Anton Blanchard, IBM Corp. <anton@samba.org>
linux-3.10\arch\powerpc\mm\icswx_pid.c(4): *Copyright (C) 2011 Anton Blanchard, IBM Corp. <anton@samba.org>
linux-3.10\arch\powerpc\mm\init_32.c(11): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\init_32.c(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\init_32.c(7): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\init_64.c(10): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\init_64.c(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\init_64.c(7): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\mem.c(11): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\mem.c(3): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\mem.c(7): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\mmap_64.c(4): * Copyright 2003-2004 Red Hat Inc., Durham, North Carolina.
linux-3.10\arch\powerpc\mm\mmu_context_hash32.c(13): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\mmu_context_hash32.c(16): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\mmu_context_hash32.c(9): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\mmu_context_hash64.c(4): *Copyright (C) 2004 Anton Blanchard, IBM Corp. <anton@samba.org>
linux-3.10\arch\powerpc\mm\mmu_context_nohash.c(6): * Copyright 2008 Ben Herrens Schmidt <benh@kernel.crashing.org>
linux-3.10\arch\powerpc\mm\mmu_decl.h(10): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\mmu_decl.h(13): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\mmu_decl.h(6): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\numa.c(4): * Copyright (C) 2002 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\mm\pgtable.c(10): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\pgtable.c(13): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\pgtable.c(6): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\pgtable_32.c(10): *Copyright (C) 1996 Paul Mackerras

legal(ME)

linux-3.10\arch\powerpc\mm\pgtable_32.c(13): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\pgtable_32.c(6): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\pgtable_64.c(12): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\pgtable_64.c(5): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\pgtable_64.c(9): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\ppc_mmu_32.c(13): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\ppc_mmu_32.c(16): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\ppc_mmu_32.c(9): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\slb.c(4): * Copyright (C) 2004 David Gibson <dwg@au.ibm.com>, IBM
linux-3.10\arch\powerpc\mm\slb.c(7): *Copyright (c) 2001 Dave Engebretsen
linux-3.10\arch\powerpc\mm\slb.c(8): * Copyright (C) 2002 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\mm\slb_low.S(4): * Copyright (C) 2004 David Gibson <dwg@au.ibm.com>, IBM
linux-3.10\arch\powerpc\mm\slb_low.S(8): *Copyright (c) 2001 Dave Engebretsen
linux-3.10\arch\powerpc\mm\slb_low.S(9): * Copyright (C) 2002 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\mm\slice.c(4): * Copyright (C) 2007 Benjamin Herrenschmidt, IBM Corporation.
linux-3.10\arch\powerpc\mm\slice.c(8): * Copyright (C) 2003 David Gibson, IBM Corporation.
linux-3.10\arch\powerpc\mm\stab.c(5): *Copyright (c) 2001 Dave Engebretsen
linux-3.10\arch\powerpc\mm\stab.c(7): * Copyright (C) 2002 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\mm\subpage-prot.c(2): * Copyright 2007-2008 Paul Mackerras, IBM Corp.
linux-3.10\arch\powerpc\mm\tlb_hash32.c(13): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\tlb_hash32.c(16): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\tlb_hash32.c(9): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\tlb_hash64.c(10): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\tlb_hash64.c(13): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\tlb_hash64.c(6): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\tlb_low_64e.S(4): *Copyright (C) 2008-2009
linux-3.10\arch\powerpc\mm\tlb_nohash.c(10): * Copyright 2008,2009 Ben Herrenschmidt <benh@kernel.crashing.org>
linux-3.10\arch\powerpc\mm\tlb_nohash.c(14): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\arch\powerpc\mm\tlb_nohash.c(18): *Copyright (C) 1996 Paul Mackerras
linux-3.10\arch\powerpc\mm\tlb_nohash.c(21): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\arch\powerpc\mm\tlb_nohash_low.S(17): *Copyright (C) 1995-1996 Gary

legal(ME)

Thomas (gdt@linuxppc.org)

linux-3.10\arch\powerpc\net\bpj_jit.h(3): * Copyright 2011 Matt Evans

<matt@ozlabs.org>, IBM Corporation

linux-3.10\arch\powerpc\net\bpj_jit_64.S(4): * Copyright 2011 Matt Evans

<matt@ozlabs.org>, IBM Corporation

linux-3.10\arch\powerpc\net\bpj_jit_comp.c(3): * Copyright 2011 Matt Evans

<matt@ozlabs.org>, IBM Corporation

linux-3.10\arch\powerpc\oprofile\backtrace.c(2): * Copyright (C) 2005 Brian Rogan

<bcr6@cornell.edu>, IBM

linux-3.10\arch\powerpc\oprofile\cell\pr_util.h(4): * (C) Copyright IBM

Corporation 2006

linux-3.10\arch\powerpc\oprofile\cell\spu_profiler.c(4): * (C) Copyright IBM

Corporation 2006

linux-3.10\arch\powerpc\oprofile\cell\spu_task_sync.c(4): * (C) Copyright IBM

Corporation 2006

linux-3.10\arch\powerpc\oprofile\cell\vma_map.c(4): * (C) Copyright IBM

Corporation 2006

linux-3.10\arch\powerpc\oprofile\common.c(3): * Copyright (C) 2004 Anton

Blanchard <anton@au.ibm.com>, IBM

linux-3.10\arch\powerpc\oprofile\common.c(5): * Copyright (C) Freescale

Semiconductor, Inc 2004

linux-3.10\arch\powerpc\oprofile\op_model_7450.c(5): * Copyright (C) 2004 Anton

Blanchard <anton@au.ibm.com>, IBM

linux-3.10\arch\powerpc\oprofile\op_model_7450.c(7): * Copyright (c) 2004

Freescale Semiconductor, Inc

linux-3.10\arch\powerpc\oprofile\op_model_cell.c(4): * (C) Copyright IBM

Corporation 2006

linux-3.10\arch\powerpc\oprofile\op_model_fsl_emb.c(3): * Copyright (C) 2004

Anton Blanchard <anton@au.ibm.com>, IBM

linux-3.10\arch\powerpc\oprofile\op_model_fsl_emb.c(5): * Copyright (c) 2004,

2010 Freescale Semiconductor, Inc

linux-3.10\arch\powerpc\oprofile\op_model_pa6t.c(2): * Copyright (C) 2006-2007 PA

Semi, Inc

linux-3.10\arch\powerpc\oprofile\op_model_power4.c(2): * Copyright (C) 2004 Anton

Blanchard <anton@au.ibm.com>, IBM

linux-3.10\arch\powerpc\oprofile\op_model_power4.c(4): * Copyright (C) 2006-2007

Will Schmidt <willschm@us.ibm.com>, IBM

linux-3.10\arch\powerpc\oprofile\op_model_rs64.c(2): * Copyright (C) 2004 Anton

Blanchard <anton@au.ibm.com>, IBM

linux-3.10\arch\powerpc\perf\bhrb.S(4): * Copyright 2013 Anshuman Khandual, IBM

Corporation.

linux-3.10\arch\powerpc\perf\callchain.c(4): * Copyright 2009 Paul Mackerras,

IBM Corporation.

linux-3.10\arch\powerpc\perf\core-book3s.c(4): * Copyright 2008-2009 Paul

Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\core-fsl_emb.c(4): * Copyright 2008-2009 Paul

Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\core-fsl_emb.c(5): * Copyright 2010 Freescale

Semiconductor, Inc.

linux-3.10\arch\powerpc\perf\e500-pmu.c(4): * Copyright 2008-2009 Paul Mackerras,

IBM Corporation.

linux-3.10\arch\powerpc\perf\e500-pmu.c(5): * Copyright 2010 Freescale

legal(ME)

Semiconductor, Inc.

linux-3.10\arch\powerpc\perf\mpc7450-pmu.c(4): * Copyright 2008-2009 Paul Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\power4-pmu.c(4): * Copyright 2009 Paul Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\power5+-pmu.c(4): * Copyright 2009 Paul Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\power5-pmu.c(4): * Copyright 2009 Paul Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\power6-pmu.c(4): * Copyright 2008-2009 Paul Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\power7-pmu.c(4): * Copyright 2009 Paul Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\power8-pmu.c(4): * Copyright 2009 Paul Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\perf\power8-pmu.c(5): * Copyright 2013 Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\perf\ppc970-pmu.c(4): * Copyright 2008-2009 Paul Mackerras, IBM Corporation.

linux-3.10\arch\powerpc\platforms\40x\ep405.c(10): * Copyright 2007 IBM Corporation

linux-3.10\arch\powerpc\platforms\40x\ep405.c(7): * Copyright(c) 1999-2000 Grant Erickson <grant@lcse.umn.edu>

linux-3.10\arch\powerpc\platforms\40x\ppc40x_simple.c(4): * Copyright 2008 IBM Corporation

linux-3.10\arch\powerpc\platforms\40x\virtex.c(4): * Copyright 2007 Secret Lab Technologies Ltd.

linux-3.10\arch\powerpc\platforms\40x\walnut.c(10): * Copyright 2007 IBM Corporation

linux-3.10\arch\powerpc\platforms\40x\walnut.c(7): * Copyright(c) 1999-2000 Grant Erickson <grant@lcse.umn.edu>

linux-3.10\arch\powerpc\platforms\44x\canyonlands.c(5): * Copyright (c) 2010, Applied Micro Circuits Corporation

linux-3.10\arch\powerpc\platforms\44x\currituck.c(11): *Copyright (c) 2003-2005 Zultys Technologies

linux-3.10\arch\powerpc\platforms\44x\currituck.c(14): *Copyright 2007 David Gibson <dwg@au1.ibm.com>, IBM Corporation.

linux-3.10\arch\powerpc\platforms\44x\currituck.c(15): *Copyright ㄣ 2011 David Kliekamp IBM Corporation

linux-3.10\arch\powerpc\platforms\44x\currituck.c(4): * Copyright ㄣ 2011 Tony Breeds IBM Corporation

linux-3.10\arch\powerpc\platforms\44x\currituck.c(8): *Copyright 2002-2005 MontaVista Software Inc.

linux-3.10\arch\powerpc\platforms\44x\ebony.c(11): * Copyright 2007 David Gibson <dwg@au1.ibm.com>, IBM Corporation.

linux-3.10\arch\powerpc\platforms\44x\ebony.c(5): * Copyright 2002-2005 MontaVista Software Inc.

linux-3.10\arch\powerpc\platforms\44x\ebony.c(8): * Copyright (c) 2003-2005 Zultys Technologies

linux-3.10\arch\powerpc\platforms\44x\idle.c(2): * Copyright 2008 IBM Corp.

linux-3.10\arch\powerpc\platforms\44x\idle.c(5): * Copyright (C) 2006-2007 PA Semi, Inc

legal(ME)

linux-3.10\arch\powerpc\platforms\44x\iss4xx.c(11): *Copyright (c) 2003-2005
Zultys Technologies
linux-3.10\arch\powerpc\platforms\44x\iss4xx.c(14): *Copyright 2007 David Gibson
<dwg@au1.ibm.com>, IBM Corporation.
linux-3.10\arch\powerpc\platforms\44x\iss4xx.c(4): * Copyright 2010 Torez Smith,
IBM Corporation.
linux-3.10\arch\powerpc\platforms\44x\iss4xx.c(8): *Copyright 2002-2005
MontaVista Software Inc.
linux-3.10\arch\powerpc\platforms\44x\misc_44x.S(3): *Copyright 2007 David Gibson
<dwg@au1.ibm.com>, IBM Corporation.
linux-3.10\arch\powerpc\platforms\44x\ppc44x_simple.c(4): * Copyright 2008 IBM
Corporation
linux-3.10\arch\powerpc\platforms\44x\sam440ep.c(10): * Copyright 2007 IBM
Corporation
linux-3.10\arch\powerpc\platforms\44x\sam440ep.c(13): * Copyright 2008 Giuseppe
Coviello <gicoviello@gmail.com>
linux-3.10\arch\powerpc\platforms\44x\sam440ep.c(3): * original copyrights below
linux-3.10\arch\powerpc\platforms\44x\sam440ep.c(6): * Copyright 2004 MontaVista
Software Inc.
linux-3.10\arch\powerpc\platforms\44x\virtex.c(5): * Copyright 2007 Secret Lab
Technologies Ltd.
linux-3.10\arch\powerpc\platforms\44x\virtex.c(6): * Copyright 2008 Xilinx, Inc.
linux-3.10\arch\powerpc\platforms\44x\warp.c(4): * Copyright (c) 2008-2009 PIKA
Technologies
linux-3.10\arch\powerpc\platforms\512x\clock.c(10): *Copyright (C) 2004 ARM
Limited.
linux-3.10\arch\powerpc\platforms\512x\clock.c(2): * Copyright (C) 2007,2008
Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\512x\mpc5121_ads.c(2): * Copyright (C) 2007,
2008 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\512x\mpc5121_ads.h(2): * Copyright (C) 2008
Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\512x\mpc5121_ads_cp1d.c(2): * Copyright (C)
2008 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\512x\mpc512x.h(2): * Copyright (C) 2007
Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\512x\mpc512x_generic.c(2): * Copyright (C)
2007,2008 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\512x\mpc512x_shared.c(2): * Copyright (C)
2007,2008 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\512x\pdm360ng.c(2): * Copyright (C) 2010 DENX
Software Engineering
linux-3.10\arch\powerpc\platforms\52xx\efika.c(5): * Copyright (C) 2006 bplan
GmbH
linux-3.10\arch\powerpc\platforms\52xx\lite5200.c(6): * Copyright (C) Secret Lab
Technologies Ltd. 2006. All rights reserved.
linux-3.10\arch\powerpc\platforms\52xx\lite5200.c(7): * Copyright 2006 Freescale
Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\52xx\media5200.c(4): * Copyright (C) 2008
Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\platforms\52xx\mpc5200_simple.c(5): * Copyright (C) 2007
Semihalf

legal(ME)

linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_common.c(5): * Copyright (C) 2006
Sylvain Munaut <tnt@246tNt.com>
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_gpt.c(4): * Copyright (c) 2009
Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_gpt.c(5): * Copyright (c) 2008
Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_lpbfifo.c(4): * Copyright (C) 2009
Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_pci.c(4): * Copyright (C) 2006
Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_pci.c(6): * Copyright (C) 2004
Sylvain Munaut <tnt@246tNt.com>
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_pic.c(5): * Copyright (C) 2008
Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_pic.c(6): * Copyright (C) 2006
bplan GmbH
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_pic.c(7): * Copyright (C) 2004
Sylvain Munaut <tnt@246tNt.com>
linux-3.10\arch\powerpc\platforms\52xx\mpc52xx_pic.c(8): * Copyright (C) 2003
Montavista Software, Inc
linux-3.10\arch\powerpc\platforms\82xx\ep8248e.c(4): * Copyright 2007 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\82xx\km82xx.c(3): * Copyright 2008-2011 DENX
Software Engineering GmbH
linux-3.10\arch\powerpc\platforms\82xx\km82xx.c(7): * Copyright 2007 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\82xx\mpc8272_ads.c(4): * Copyright 2007
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\82xx\mpc8272_ads.c(8): * Copyright (c) 2006
MontaVista Software, Inc.
linux-3.10\arch\powerpc\platforms\82xx\pq2.c(5): * Copyright (c) 2007 Freescale
Semiconductor
linux-3.10\arch\powerpc\platforms\82xx\pq2.c(9): * Copyright (c) 2006 MontaVista
Software, Inc.
linux-3.10\arch\powerpc\platforms\82xx\pq2ads.h(12): * Copyright (c) 2001 Dan
Malek <dan@embeddedalley.com>
linux-3.10\arch\powerpc\platforms\82xx\pq2ads.h(13): * Copyright (c) 2006
MontaVista Software, Inc.
linux-3.10\arch\powerpc\platforms\82xx\pq2ads-pci-pic.c(4): * Copyright 2007
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\82xx\pq2ads-pci-pic.c(8): * Copyright (c) 2006
MontaVista Software, Inc.
linux-3.10\arch\powerpc\platforms\82xx\pq2fads.c(4): * Copyright 2007 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\82xx\pq2fads.c(8): * Copyright (c) 2006
MontaVista Software, Inc.
linux-3.10\arch\powerpc\platforms\83xx\asp834x.c(7): * Copyright 2008 Codehermit
linux-3.10\arch\powerpc\platforms\83xx\km83xx.c(2): * Copyright 2008-2011 DENX
Software Engineering GmbH
linux-3.10\arch\powerpc\platforms\83xx\mcu_mpc8349emitx.c(4): * Copyright (c)
2008MontaVista Software, Inc.
linux-3.10\arch\powerpc\platforms\83xx\mpc830x_rdb.c(7): * Copyright (C)

legal(ME)

Freescale Semiconductor, Inc. 2009. All rights reserved.
linux-3.10\arch\powerpc\platforms\83xx\mpc830x_rdb.c(8): * Copyright (C) 2010.
Ilya Yanok, Emcraft Systems, yanok@emcraft.com
linux-3.10\arch\powerpc\platforms\83xx\mpc831x_rdb.c(8): * Copyright (C)
Freescale Semiconductor, Inc. 2006. All rights reserved.
linux-3.10\arch\powerpc\platforms\83xx\mpc832x_mds.c(2): * Copyright 2006
Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\83xx\mpc832x_rdb.c(4): * Copyright (C)
Freescale Semiconductor, Inc. 2007. All rights reserved.
linux-3.10\arch\powerpc\platforms\83xx\mpc836x_mds.c(2): * Copyright 2006
Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\83xx\mpc836x_rdk.c(4): * Copyright (c)
2006Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\83xx\mpc836x_rdk.c(5): * Copyright (c)
2007-2008MontaVista Software, Inc.
linux-3.10\arch\powerpc\platforms\83xx\mpc837x_mds.c(4): * Copyright (C) 2007
Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\83xx\mpc837x_rdb.c(4): * Copyright (C) 2007
Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\platforms\83xx\suspend.c(6): * Copyright (c) 2006-2007
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\83xx\suspend-asm.S(4): * Copyright (c)
2006-2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\83xx\usb.c(4): * Copyright (C) 2007 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\85xx\b4_qds.c(6): * Copyright 2012 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\bsc913x_rdb.c(6): * Copyright 2011-2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\corenet_ds.c(6): * Copyright 2009-2011
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\corenet_ds.h(4): * Copyright 2009
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\ge_imp3a.c(14): * Copyright 2007 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\ge_imp3a.c(6): * Copyright 2010 GE
Intelligent Platforms Embedded Systems, Inc.
linux-3.10\arch\powerpc\platforms\85xx\mpc8536_ds.c(4): * Copyright 2008
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\85xx\mpc85xx_ads.c(6): * Copyright 2005
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\mpc85xx_cds.c(6): * Copyright 2005,
2011-2012 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\mpc85xx_ds.c(7): * Copyright 2007
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\mpc85xx_mds.c(2): * Copyright (C)
2006-2010, 2012 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\85xx\mpc85xx_rdb.c(4): * Copyright 2009,2012
Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\p1010rdb.c(4): * Copyright 2011 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\p1022_ds.c(8): * Copyright 2010 Freescale

legal(ME)

Semiconductor, Inc.

linux-3.10\arch\powerpc\platforms\85xx\p1022_rdk.c(4): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\platforms\85xx\p1023_rds.c(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\platforms\85xx\p2041_rdb.c(4): * Copyright 2011 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\p3041_ds.c(6): * Copyright 2009-2010 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\p4080_ds.c(6): * Copyright 2009 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\p5020_ds.c(6): * Copyright 2009-2010 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\p5040_ds.c(4): * Copyright 2009-2010 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\ppa8548.c(4): * Copyright 2009 Prodrive B.V..

linux-3.10\arch\powerpc\platforms\85xx\ppa8548.c(8): * Based on the SBC8548 support - Copyright 2007 Wind River Systems Inc.

linux-3.10\arch\powerpc\platforms\85xx\ppa8548.c(9): * Based on the MPC8548CDS support - Copyright 2005 Freescale Inc.

linux-3.10\arch\powerpc\platforms\85xx\qemu_e500.c(10): * Copyright 2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\sbc8548.c(4): * Copyright 2007 Wind River Systems Inc.

linux-3.10\arch\powerpc\platforms\85xx\sbc8548.c(8): * Based largely on the MPC8548CDS support - Copyright 2005 Freescale Inc.

linux-3.10\arch\powerpc\platforms\85xx\sgy_cts1000.c(6): * Copyright 2012 by Servergy, Inc.

linux-3.10\arch\powerpc\platforms\85xx\smp.c(5): * Copyright 2006-2008, 2011-2012 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\socrates.c(11): * Copyright (c) 2005-2006 DENX Software Engineering

linux-3.10\arch\powerpc\platforms\85xx\socrates.c(16): *Copyright 2004 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\socrates.c(2): * Copyright (c) 2008 Emcraft Systems

linux-3.10\arch\powerpc\platforms\85xx\socrates.c(9): * Copyright 2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\socrates_fpga_pic.c(2): *Copyright (C) 2008 Ilya Yanok, Emcraft Systems

linux-3.10\arch\powerpc\platforms\85xx\socrates_fpga_pic.h(2): *Copyright (C) 2008 Ilya Yanok, Emcraft Systems

linux-3.10\arch\powerpc\platforms\85xx\stx_gp3.c(12): * Copyright 2002, 2003 Motorola Inc.

linux-3.10\arch\powerpc\platforms\85xx\stx_gp3.c(15): * Copyright 2004-2005 MontaVista Software, Inc.

linux-3.10\arch\powerpc\platforms\85xx\stx_gp3.c(6): * Copyright 2008 Freescale Semiconductor Inc.

linux-3.10\arch\powerpc\platforms\85xx\stx_gp3.c(9): * Copyright 2004 Embedded Edge, LLC

linux-3.10\arch\powerpc\platforms\85xx\t4240_qds.c(6): * Copyright 2012 Freescale

legal(ME)

Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\tqm85xx.c(13): *Copyright 2004 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\tqm85xx.c(6): * Copyright 2008 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\85xx\tqm85xx.c(8): * Copyright (c) 2005-2006 DENX Software Engineering
linux-3.10\arch\powerpc\platforms\85xx\xes_mpc85xx.c(2): * Copyright (C) 2009 Extreme Engineering Solutions, Inc.
linux-3.10\arch\powerpc\platforms\86xx\gef_ppc9a.c(14): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\86xx\gef_ppc9a.c(6): * Copyright 2008 GE Intelligent Platforms Embedded Systems, Inc.
linux-3.10\arch\powerpc\platforms\86xx\gef_sbc310.c(14): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\86xx\gef_sbc310.c(6): * Copyright 2008 GE Intelligent Platforms Embedded Systems, Inc.
linux-3.10\arch\powerpc\platforms\86xx\gef_sbc610.c(14): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\86xx\gef_sbc610.c(6): * Copyright 2008 GE Intelligent Platforms Embedded Systems, Inc.
linux-3.10\arch\powerpc\platforms\86xx\mpc8610_hpcd.c(11): * Copyright 2008 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\86xx\mpc86xx.h(2): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\86xx\mpc86xx_hpcn.c(7): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\86xx\mpc86xx_smp.c(5): * Copyright 2006 Freescale Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\86xx\pic.c(2): * Copyright 2008 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\86xx\sbc8641d.c(4): * Copyright 2008 Wind River Systems Inc.
linux-3.10\arch\powerpc\platforms\8xx\adder875.c(5): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\8xx\ep88xc.c(5): * Copyright 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\8xx\m8xx_setup.c(2): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\powerpc\platforms\8xx\mpc86xads_setup.c(10): * Copyright 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\8xx\mpc86xads_setup.c(7): * Copyright 2005 MontaVista Software Inc.
linux-3.10\arch\powerpc\platforms\8xx\mpc885ads_setup.c(6): * Copyright 2005 MontaVista Software Inc.
linux-3.10\arch\powerpc\platforms\8xx\mpc885ads_setup.c(9): * Copyright 2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\8xx\mpc8xx.h(5): * Copyright (C) 2008 Jochen Friedrich <jochen@scram.de>
linux-3.10\arch\powerpc\platforms\8xx\tqm8xx_setup.c(10): * Copyright 2005 MontaVista Software Inc.
linux-3.10\arch\powerpc\platforms\8xx\tqm8xx_setup.c(13): * Copyright 2007

legal(ME)

Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\platforms\8xx\tqm8xx_setup.c(5): * Copyright 2010 DENX Software Engineering GmbH

linux-3.10\arch\powerpc\platforms\amigaone\setup.c(4): * Copyright 2008 Gerhard Pircher (gerhard_pircher@gmx.net)

linux-3.10\arch\powerpc\platforms\amigaone\setup.c(7): * Copyright 2003 by Hans-Joerg Frieden and Thomas Frieden

linux-3.10\arch\powerpc\platforms\cell\axon_msi.c(2): * Copyright 2007, Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\platforms\cell\beat.c(4): * (C) Copyright 2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat.h(4): * (C) Copyright 2006 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_htab.c(4): * (C) Copyright 2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_htab.c(7): *Copyright (C) 2001 Todd Inglett, IBM Corporation

linux-3.10\arch\powerpc\platforms\cell\beat_hvCall.S(4): * (C) Copyright 2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_interrupt.c(4): * (C) Copyright 2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_interrupt.h(4): * (C) Copyright 2006 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_iommu.c(4): * (C) Copyright 2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_spu_priv1.c(4): * (C) Copyright 2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_syscall.h(4): * (C) Copyright 2004-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_udbg.c(4): * (C) Copyright 2006 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\beat_wrapper.h(4): * (C) Copyright 2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\cbe_powerbutton.c(4): * (C) Copyright IBM Corp. 2005-2008

linux-3.10\arch\powerpc\platforms\cell\cbe_thermal.c(29): * (C) Copyright IBM Deutschland Entwicklung GmbH 2005

linux-3.10\arch\powerpc\platforms\cell\celleb_pci.c(4): * (C) Copyright 2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\celleb_pci.c(7): *Copyright (C) 2001 Dave Engbretsen, IBM Corporation

linux-3.10\arch\powerpc\platforms\cell\celleb_pci.c(8): *Copyright (C) 2003 Anton Blanchard <anton@au.ibm.com>, IBM

linux-3.10\arch\powerpc\platforms\cell\celleb_pci.h(4): * (C) Copyright 2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\celleb_scc.h(4): * (C) Copyright 2004-2006 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\celleb_scc_epci.c(4): * (C) Copyright 2004-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\celleb_scc_pciex.c(4): * (C) Copyright 2007-2008 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\celleb_scc_sio.c(4): * (C) Copyright

legal(ME)

2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\celleb_scc_uhc.c(4): * (C) Copyright

2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\celleb_setup.c(4): * (C) Copyright

2006-2007 TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\celleb_setup.c(7): *Copyright (C)

1995Linus Torvalds

linux-3.10\arch\powerpc\platforms\cell\cpufreq_spudemand.c(4): * ㄣ Copyright IBM Corporation 2006-2008

linux-3.10\arch\powerpc\platforms\cell\interrupt.c(4): * Copyright (C) 2006

Benjamin Herrenschmidt (benh@kernel.crashing.org)

linux-3.10\arch\powerpc\platforms\cell\interrupt.c(7): * (C) Copyright IBM

Deutschland Entwicklung GmbH 2005

linux-3.10\arch\powerpc\platforms\cell\iommu.c(4): * (C) Copyright IBM

Corporation 2006-2008

linux-3.10\arch\powerpc\platforms\cell\pervasive.c(4): * (C) Copyright IBM

Corporation 2005

linux-3.10\arch\powerpc\platforms\cell\pervasive.h(4): * (C) Copyright IBM

Corporation 2005

linux-3.10\arch\powerpc\platforms\cell\pmu.c(4): * (C) Copyright IBM Corporation

2001,2006

linux-3.10\arch\powerpc\platforms\cell\qpace_setup.c(4): *Copyright (C) 1995Linus

Torvalds

linux-3.10\arch\powerpc\platforms\cell\ras.c(2): * Copyright 2006-2008, IBM

Corporation.

linux-3.10\arch\powerpc\platforms\cell\setup.c(4): *Copyright (C) 1995Linus

Torvalds

linux-3.10\arch\powerpc\platforms\cell\spider-pci.c(4): * (C) Copyright 2006-2007

TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\spider-pic.c(4): * (C) Copyright IBM

Deutschland Entwicklung GmbH 2005

linux-3.10\arch\powerpc\platforms\cell\spu_base.c(4): * (C) Copyright IBM

Deutschland Entwicklung GmbH 2005

linux-3.10\arch\powerpc\platforms\cell\spu_fault.c(4): * (C) Copyright IBM

Deutschland Entwicklung GmbH 2007

linux-3.10\arch\powerpc\platforms\cell\spu_manage.c(4): * (C) Copyright IBM

Deutschland Entwicklung GmbH 2005

linux-3.10\arch\powerpc\platforms\cell\spu_manage.c(5): * Copyright 2006 Sony

Corp.

linux-3.10\arch\powerpc\platforms\cell\spu_manage.c(6): * (C) Copyright 2007

TOSHIBA CORPORATION

linux-3.10\arch\powerpc\platforms\cell\spu_notify.c(5): * Copyright (C) IBM 2005

linux-3.10\arch\powerpc\platforms\cell\spu_priv1_mmio.c(4): *(C) Copyright IBM

Deutschland Entwicklung GmbH 2005

linux-3.10\arch\powerpc\platforms\cell\spu_priv1_mmio.c(5): *Copyright 2006 Sony

Corp.

linux-3.10\arch\powerpc\platforms\cell\spu_priv1_mmio.h(4): *Copyright (C) 2006

Sony Computer Entertainment Inc.

linux-3.10\arch\powerpc\platforms\cell\spu_priv1_mmio.h(5): *Copyright 2006 Sony

Corp.

linux-3.10\arch\powerpc\platforms\cell\spu_syscalls.c(4): * (C) Copyright IBM

Deutschland Entwicklung GmbH 2005

legal(ME)

linux-3.10\arch\powerpc\platforms\cell\spu_syscalls.c(5): * (C) Copyright
2006-2007, IBM Corporation
linux-3.10\arch\powerpc\platforms\cell\spufs\backing_ops.c(3): * Copyright (C)
IBM 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\context.c(4): * (C) Copyright IBM
Deutschland Entwicklung GmbH 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\coredump.c(4): * (C) Copyright 2006
IBM Corp.
linux-3.10\arch\powerpc\platforms\cell\spufs\fault.c(4): * (C) Copyright IBM
Deutschland Entwicklung GmbH 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\file.c(4): * (C) Copyright IBM
Deutschland Entwicklung GmbH 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\gang.c(4): * (C) Copyright IBM
Deutschland Entwicklung GmbH 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\hw_ops.c(3): * Copyright (C) IBM
2005
linux-3.10\arch\powerpc\platforms\cell\spufs\inode.c(5): * (C) Copyright IBM
Deutschland Entwicklung GmbH 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\lscsa_alloc.c(4): * Copyright 2007
Benjamin Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\platforms\cell\spufs\Makefile(50):echo " * \$_dump.h:
Copyright (C) 2005 IBM." ; \
linux-3.10\arch\powerpc\platforms\cell\spufs\sched.c(3): * Copyright (C) IBM 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\spu_restore.c(4): * (C) Copyright
IBM Corp. 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\spu_restore_crt0.S(4): * Copyright
(C) 2005 IBM
linux-3.10\arch\powerpc\platforms\cell\spufs\spu_restore_dump.h_shipped(2): *
spu_restore_dump.h: Copyright (C) 2005 IBM.
linux-3.10\arch\powerpc\platforms\cell\spufs\spu_save.c(4): * (C) Copyright IBM
Corp. 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\spu_save_crt0.S(4): * Copyright (C)
2005 IBM
linux-3.10\arch\powerpc\platforms\cell\spufs\spu_save_dump.h_shipped(2): *
spu_save_dump.h: Copyright (C) 2005 IBM.
linux-3.10\arch\powerpc\platforms\cell\spufs\spu_utils.h(4): * (C) Copyright IBM
2005
linux-3.10\arch\powerpc\platforms\cell\spufs\spufs.h(4): * (C) Copyright IBM
Deutschland Entwicklung GmbH 2005
linux-3.10\arch\powerpc\platforms\cell\spufs\switch.c(4): * (C) Copyright IBM
Corp. 2005
linux-3.10\arch\powerpc\platforms\chrp\gg2.h(4): *Copyright (C) 1997 Geert
Uytterhoeven
linux-3.10\arch\powerpc\platforms\chrp\pegasos_eth.c(2): *Copyright (C) 2005 Sven
Luther <sl@bplan-gmbh.de>
linux-3.10\arch\powerpc\platforms\chrp\setup.c(2): *Copyright (C) 1995Linus
Torvalds
linux-3.10\arch\powerpc\platforms\chrp\smp.c(7): * Copyright (C) 1999 Cort Dougan
<cort@cs.nmt.edu>
linux-3.10\arch\powerpc\platforms\chrp\time.c(2): *Copyright (C) 1991, 1992,
1995Linus Torvalds
linux-3.10\arch\powerpc\platforms\embedded6xx\flipper-pic.c(5): * Copyright (C)

legal(ME)

2004-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\platforms\embedded6xx\flipper-pic.c(6): * Copyright (C)
2007,2008,2009 Albert Herranz
linux-3.10\arch\powerpc\platforms\embedded6xx\flipper-pic.h(5): * Copyright (C)
2004-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\platforms\embedded6xx\flipper-pic.h(6): * Copyright (C)
2007,2008,2009 Albert Herranz
linux-3.10\arch\powerpc\platforms\embedded6xx\gamecube.c(5): * Copyright (C)
2004-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\platforms\embedded6xx\gamecube.c(6): * Copyright (C)
2007,2008,2009 Albert Herranz
linux-3.10\arch\powerpc\platforms\embedded6xx\hlwd-pic.c(5): * Copyright (C) 2009
The GameCube Linux Team
linux-3.10\arch\powerpc\platforms\embedded6xx\hlwd-pic.c(6): * Copyright (C) 2009
Albert Herranz
linux-3.10\arch\powerpc\platforms\embedded6xx\hlwd-pic.h(5): * Copyright (C) 2009
The GameCube Linux Team
linux-3.10\arch\powerpc\platforms\embedded6xx\hlwd-pic.h(6): * Copyright (C) 2009
Albert Herranz
linux-3.10\arch\powerpc\platforms\embedded6xx\holly.c(4): * Copyright 2007 IBM
Corporation
linux-3.10\arch\powerpc\platforms\embedded6xx\linkstation.c(4): * Copyright (C)
2006 G. Liakhovetski (g.liakhovetski@gmx.de)
linux-3.10\arch\powerpc\platforms\embedded6xx\mpc7448_hpc2.c(13): * Copyright
2004-2006 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\platforms\embedded6xx\storcenter.c(4): * Copyright 2007
(C) Oyvind Repvik (nail@nslu2-linux.org)
linux-3.10\arch\powerpc\platforms\embedded6xx\storcenter.c(5): * Copyright 2007
Andy Wilcox, Jon Loeliger
linux-3.10\arch\powerpc\platforms\embedded6xx\usbgecko_udbg.c(5): * Copyright (C)
2008-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\platforms\embedded6xx\usbgecko_udbg.c(6): * Copyright (C)
2008,2009 Albert Herranz
linux-3.10\arch\powerpc\platforms\embedded6xx\usbgecko_udbg.h(5): * Copyright (C)
2008-2009 The GameCube Linux Team
linux-3.10\arch\powerpc\platforms\embedded6xx\usbgecko_udbg.h(6): * Copyright (C)
2008,2009 Albert Herranz
linux-3.10\arch\powerpc\platforms\embedded6xx\wii.c(5): * Copyright (C) 2008-2009
The GameCube Linux Team
linux-3.10\arch\powerpc\platforms\embedded6xx\wii.c(6): * Copyright (C) 2008,2009
Albert Herranz
linux-3.10\arch\powerpc\platforms\fs1_uli1575.c(4): * Copyright 2007 Freescale
Semiconductor Inc.
linux-3.10\arch\powerpc\platforms\maple\pci.c(2): * Copyright (C) 2004 Benjamin
Herrenschmidt (benh@kernel.crashing.org),
linux-3.10\arch\powerpc\platforms\maple\setup.c(4): *(c) Copyright 2004 Benjamin
Herrenschmidt (benh@kernel.crashing.org),
linux-3.10\arch\powerpc\platforms\maple\time.c(2): *(c) Copyright 2004 Benjamin
Herrenschmidt (benh@kernel.crashing.org),
linux-3.10\arch\powerpc\platforms\pasemi\cpufreq.c(10): * (C) Copyright IBM
Deutschland Entwicklung GmbH 2005
linux-3.10\arch\powerpc\platforms\pasemi\cpufreq.c(2): * Copyright (C) 2007 PA

legal(ME)

Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\dma_lib.c(2): * Copyright (C) 2006-2007 PA Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\gpio_mdio.c(2): * Copyright (C) 2006-2007 PA Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\idle.c(2): * Copyright (C) 2006-2007 PA Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\iommu.c(2): * Copyright (C) 2005-2008, PA Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\misc.c(2): * Copyright (C) 2007 PA Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\pci.c(2): * Copyright (C) 2006 PA Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\powersave.S(2): * Copyright (C) 2006-2007 PA Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\setup.c(2): * Copyright (C) 2006-2007 PA Semi, Inc

linux-3.10\arch\powerpc\platforms\pasemi\time.c(2): * Copyright (C) 2006 PA Semi, Inc

linux-3.10\arch\powerpc\platforms\powermac\backlight.c(5): * Copyright (C) 2000 Benjamin Herrenschmidt

linux-3.10\arch\powerpc\platforms\powermac\backlight.c(6): * Copyright (C) 2006 Michael Hanselmann <linux-kernel@hansmi.ch>

linux-3.10\arch\powerpc\platforms\powermac\bootx_init.c(4): *Copyright (C) 2005 Ben. Herrenschmidt (benh@kernel.crashing.org)

linux-3.10\arch\powerpc\platforms\powermac\cache.S(7): *Copyright (C) 2004 Paul Mackerras (paulus@samba.org) and

linux-3.10\arch\powerpc\platforms\powermac\cpufreq_32.c(2): *Copyright (C) 2002 - 2005 Benjamin Herrenschmidt <benh@kernel.crashing.org>

linux-3.10\arch\powerpc\platforms\powermac\cpufreq_32.c(3): *Copyright (C) 2004 John Steele Scott <toojays@toojays.net>

linux-3.10\arch\powerpc\platforms\powermac\cpufreq_64.c(2): *Copyright (C) 2002 - 2005 Benjamin Herrenschmidt <benh@kernel.crashing.org>

linux-3.10\arch\powerpc\platforms\powermac\feature.c(2): *Copyright (C) 1996-2001 Paul Mackerras (paulus@cs.anu.edu.au)

linux-3.10\arch\powerpc\platforms\powermac\low_i2c.c(4): *Copyright (C) 2003-2005 Ben. Herrenschmidt (benh@kernel.crashing.org)

linux-3.10\arch\powerpc\platforms\powermac\nvram.c(2): *Copyright (C) 2002 Benjamin Herrenschmidt (benh@kernel.crashing.org)

linux-3.10\arch\powerpc\platforms\powermac\pci.c(4): * Copyright (C) 2003-2005 Benjamin Herrenschmidt (benh@kernel.crashing.org)

linux-3.10\arch\powerpc\platforms\powermac\pci.c(5): * Copyright (C) 1997 Paul Mackerras (paulus@samba.org)

linux-3.10\arch\powerpc\platforms\powermac\pic.c(7): *Copyright (C) 1997 Paul Mackerras (paulus@samba.org)

linux-3.10\arch\powerpc\platforms\powermac\pic.c(8): *Copyright (C) 2005 Benjamin Herrenschmidt (benh@kernel.crashing.org)

linux-3.10\arch\powerpc\platforms\powermac\setup.c(11): *Copyright (C) 1995 Linus Torvalds

linux-3.10\arch\powerpc\platforms\powermac\setup.c(5): *Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

linux-3.10\arch\powerpc\platforms\powermac\setup.c(8): *Copyright (C) 1996 Paul

legal(ME)

Mackerras (paulus@samba.org)

linux-3.10\arch\powerpc\platforms\powermac\sleep.S(3): *Copyright (C) 1999

Benjamin Herrenschmidt (benh@kernel.crashing.org)

linux-3.10\arch\powerpc\platforms\powermac\smp.c(17): * Copyright (C) XLR8, Inc.
1994-2000

linux-3.10\arch\powerpc\platforms\powermac\time.c(8): * Copyright (C) 1996 Paul
Mackerras.

linux-3.10\arch\powerpc\platforms\powermac\time.c(9): * Copyright (C) 2003-2005
Benjamin Herrenschmidt.

linux-3.10\arch\powerpc\platforms\powermac\udbg_scc.c(4): * Copyright (C)
2001-2005 PPC 64 Team, IBM Corp

linux-3.10\arch\powerpc\platforms\powernv\opal.c(4): * Copyright 2011 IBM Corp.

linux-3.10\arch\powerpc\platforms\powernv\opal-nvram.c(4): * Copyright 2011 IBM
Corp.

linux-3.10\arch\powerpc\platforms\powernv\opal-rtc.c(4): * Copyright 2011 IBM
Corp.

linux-3.10\arch\powerpc\platforms\powernv\opal-takeover.S(4): * Copyright 2011
IBM Corp.

linux-3.10\arch\powerpc\platforms\powernv\opal-wrappers.S(4): * Copyright 2011
IBM Corp.

linux-3.10\arch\powerpc\platforms\powernv\pci.c(6): * Copyright 2011 Benjamin
Herrenschmidt, IBM Corp.

linux-3.10\arch\powerpc\platforms\powernv\pci-ioda.c(4): * Copyright 2011
Benjamin Herrenschmidt, IBM Corp.

linux-3.10\arch\powerpc\platforms\powernv\pci-p5ioc2.c(6): * Copyright 2011
Benjamin Herrenschmidt, IBM Corp.

linux-3.10\arch\powerpc\platforms\powernv\setup.c(4): * Copyright 2011 IBM Corp.

linux-3.10\arch\powerpc\platforms\powernv\smp.c(4): * Copyright 2011 IBM Corp.

linux-3.10\arch\powerpc\platforms\ps3\device-init.c(4): *Copyright (C) 2007 Sony
Computer Entertainment Inc.

linux-3.10\arch\powerpc\platforms\ps3\device-init.c(5): *Copyright 2007 Sony
Corp.

linux-3.10\arch\powerpc\platforms\ps3\exports.c(4): *Copyright (C) 2006 Sony
Computer Entertainment Inc.

linux-3.10\arch\powerpc\platforms\ps3\exports.c(5): *Copyright 2006 Sony Corp.

linux-3.10\arch\powerpc\platforms\ps3\gelic_udbg.c(4): * Copyright (C) 2007 Sony
Computer Entertainment Inc.

linux-3.10\arch\powerpc\platforms\ps3\gelic_udbg.c(5): * Copyright 2006, 2007
Sony Corporation

linux-3.10\arch\powerpc\platforms\ps3\gelic_udbg.c(6): * Copyright (C) 2010
Hector Martin <hector@marcansoft.com>

linux-3.10\arch\powerpc\platforms\ps3\gelic_udbg.c(7): * Copyright (C) 2011 Andre
Heider <a.heider@gmail.com>

linux-3.10\arch\powerpc\platforms\ps3\htab.c(4): *Copyright (C) 2006 Sony
Computer Entertainment Inc.

linux-3.10\arch\powerpc\platforms\ps3\htab.c(5): *Copyright 2006, 2007 Sony
Corporation

linux-3.10\arch\powerpc\platforms\ps3\hvcall.S(4): *Copyright (C) 2006 Sony
Computer Entertainment Inc.

linux-3.10\arch\powerpc\platforms\ps3\hvcall.S(5): *Copyright 2006 Sony Corp.

linux-3.10\arch\powerpc\platforms\ps3\hvcall.S(6): *Copyright 2003, 2004 (c)
MontaVista Software, Inc.

legal(ME)

linux-3.10\arch\powerpc\platforms\ps3\interrupt.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\interrupt.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\mm.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\mm.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\os-area.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\os-area.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\platform.h(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\platform.h(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\repository.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\repository.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\setup.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\setup.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\smp.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\smp.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\spu.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\spu.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\system-bus.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\system-bus.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\ps3\time.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.
linux-3.10\arch\powerpc\platforms\ps3\time.c(5): *Copyright 2006 Sony Corp.
linux-3.10\arch\powerpc\platforms\psseries\cmm.c(4): * Copyright (C) 2008 IBM Corporation
linux-3.10\arch\powerpc\platforms\psseries\dlpar.c(5): * Copyright (C) 2009 Nathan Fontenot
linux-3.10\arch\powerpc\platforms\psseries\dlpar.c(6): * Copyright (C) 2009 IBM Corporation
linux-3.10\arch\powerpc\platforms\psseries\dtl.c(4): * (C) Copyright IBM Corporation 2009
linux-3.10\arch\powerpc\platforms\psseries\eeh.c(2): * Copyright IBM Corporation 2001, 2005, 2006
linux-3.10\arch\powerpc\platforms\psseries\eeh.c(3): * Copyright Dave Engebretsen & Todd Inglett 2001
linux-3.10\arch\powerpc\platforms\psseries\eeh.c(4): * Copyright Linas Vepstas 2005, 2006
linux-3.10\arch\powerpc\platforms\psseries\eeh.c(5): * Copyright 2001-2012 IBM Corporation.
linux-3.10\arch\powerpc\platforms\psseries\eeh_cache.c(4): * Copyright IBM Corporation 2004
linux-3.10\arch\powerpc\platforms\psseries\eeh_cache.c(5): * Copyright Linas Vepstas <linas@austin.ibm.com> 2004
linux-3.10\arch\powerpc\platforms\psseries\eeh_dev.c(17): * Copyright Benjamin Herrenschildt & Gavin Shan, IBM Corporation 2012.

legal(ME)

linux-3.10\arch\powerpc\platforms\pseries\eeh_driver.c(3): * Copyright IBM Corp. 2004 2005
linux-3.10\arch\powerpc\platforms\pseries\eeh_driver.c(4): * Copyright Linas Vepstas <linas@linas.org> 2004, 2005
linux-3.10\arch\powerpc\platforms\pseries\eeh_event.c(16): * Copyright (c) 2005 Linas Vepstas <linas@linas.org>
linux-3.10\arch\powerpc\platforms\pseries\eeh_pe.c(8): * Copyright Benjamin Herrenschmidt & Gavin Shan, IBM Corporation 2012.
linux-3.10\arch\powerpc\platforms\pseries\eeh_pseries.c(10): * Copyright Dave Engebretsen & Todd Inglett 2001
linux-3.10\arch\powerpc\platforms\pseries\eeh_pseries.c(11): * Copyright Linas Vepstas 2005, 2006
linux-3.10\arch\powerpc\platforms\pseries\eeh_pseries.c(8): * Copyright Benjamin Herrenschmidt & Gavin Shan, IBM Corporation 2011.
linux-3.10\arch\powerpc\platforms\pseries\eeh_pseries.c(9): * Copyright IBM Corporation 2001, 2005, 2006
linux-3.10\arch\powerpc\platforms\pseries\eeh_sysfs.c(3): * Copyright IBM Corporation 2007
linux-3.10\arch\powerpc\platforms\pseries\eeh_sysfs.c(4): * Copyright Linas Vepstas <linas@austin.ibm.com> 2007
linux-3.10\arch\powerpc\platforms\pseries\event_sources.c(2): * Copyright (C) 2001 Dave Engebretsen IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\firmware.c(11): * Copyright (C) 2001 Ben. Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\platforms\pseries\firmware.c(13): *Copyright (C) 2003 Dave Engebretsen <engebret@us.ibm.com>
linux-3.10\arch\powerpc\platforms\pseries\firmware.c(14): *Copyright (C) 2005 Stephen Rothwell, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\firmware.c(16): *Copyright 2006 IBM Corporation.
linux-3.10\arch\powerpc\platforms\pseries\firmware.c(5): * Copyright (C) 1995Linus Torvalds
linux-3.10\arch\powerpc\platforms\pseries\hotplug-cpu.c(13): * Copyright (C) 2006 Michael Ellerman, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\hotplug-cpu.c(8): * Copyright (C) 2001 IBM.
linux-3.10\arch\powerpc\platforms\pseries\hotplug-memory.c(4): * Copyright (C) 2008 Badari Pulavarty, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\hvCall_inst.c(2): * Copyright (C) 2006 Mike Kravetz IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\hvconsole.c(3): * Copyright (C) 2004 Hollis Blanchard, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\hvconsole.c(4): * Copyright (C) 2004 IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\hvcserver.c(3): * Copyright (C) 2004 Ryan S Arnold, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\io_event_irq.c(2): * Copyright 2010 2011 Mark Nelson and Tseng-Hui (Frank) Lin, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\iommu.c(2): * Copyright (C) 2001 Mike Corrigan & Dave Engebretsen, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\iommu.c(6): * Copyright (C) 2004 Olof Johansson <olof@lixom.net>, IBM Corporation

legal(ME)

linux-3.10\arch\powerpc\platforms\pseries\iommu.c(7): * Copyright (C) 2006 Olof Johansson <olof@lixom.net>
linux-3.10\arch\powerpc\platforms\pseries\kexec.c(2): * Copyright 2006 Michael Ellerman, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\lpar.c(3): * Copyright (C) 2001 Todd Inglett, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\mobility.c(4): * Copyright (C) 2010 Nathan Fontenot
linux-3.10\arch\powerpc\platforms\pseries\mobility.c(5): * Copyright (C) 2010 IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\msi.c(2): * Copyright 2006 Jake Moilanen <moilanen@austin.ibm.com>, IBM Corp.
linux-3.10\arch\powerpc\platforms\pseries\msi.c(3): * Copyright 2006-2007 Michael Ellerman, IBM Corp.
linux-3.10\arch\powerpc\platforms\pseries\pci.c(2): * Copyright (C) 2001 Dave Engebretsen, IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\pci.c(3): * Copyright (C) 2003 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\arch\powerpc\platforms\pseries\pci_dtpar.c(4): * Copyright (C) 2003 Linda Xie <lxie@us.ibm.com>
linux-3.10\arch\powerpc\platforms\pseries\pci_dtpar.c(5): * Copyright (C) 2005 International Business Machines
linux-3.10\arch\powerpc\platforms\pseries\power.c(8): * Copyright (C) 2007 IBM Corporation.
linux-3.10\arch\powerpc\platforms\pseries\pseries.h(2): * Copyright 2006 IBM Corporation.
linux-3.10\arch\powerpc\platforms\pseries\pseries_energy.c(3): * Copyright (C) 2010 IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\ras.c(2): * Copyright (C) 2001 Dave Engebretsen IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\reconfig.c(5): * Copyright (C) 2005 Nathan Lynch
linux-3.10\arch\powerpc\platforms\pseries\reconfig.c(6): * Copyright (C) 2005 IBM Corporation
linux-3.10\arch\powerpc\platforms\pseries\setup.c(4): * Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\powerpc\platforms\pseries\suspend.c(2): * Copyright (C) 2010 Brian King IBM Corporation
linux-3.10\arch\powerpc\platforms\wsp\chroma.c(2): * Copyright 2008-2011, IBM Corporation
linux-3.10\arch\powerpc\platforms\wsp\h8.c(2): * Copyright 2008-2011, IBM Corporation
linux-3.10\arch\powerpc\platforms\wsp\ics.c(2): * Copyright 2008-2011 IBM Corporation.
linux-3.10\arch\powerpc\platforms\wsp\ics.h(2): * Copyright 2009 IBM Corporation.
linux-3.10\arch\powerpc\platforms\wsp\msi.c(2): * Copyright 2011 Michael Ellerman, IBM Corp.
linux-3.10\arch\powerpc\platforms\wsp\msi.h(2): * Copyright 2011 Michael Ellerman, IBM Corp.
linux-3.10\arch\powerpc\platforms\wsp\opb_pic.c(4): * Copyright 2010 Jack Miller, IBM Corporation.
linux-3.10\arch\powerpc\platforms\wsp\psr2.c(2): * Copyright 2008-2011, IBM

legal(ME)

Corporation

linux-3.10\arch\powerpc\platforms\wsp\scom_smp.c(4): * Copyright 2007-2011 Benjamin Herrenschmidt, David Gibson,
linux-3.10\arch\powerpc\platforms\wsp\scom_wsp.c(4): *Copyright 2010 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\platforms\wsp\setup.c(2): * Copyright 2010 Michael Ellerman, IBM Corporation
linux-3.10\arch\powerpc\platforms\wsp\smp.c(4): *Copyright 2007 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\platforms\wsp\wsp.c(2): * Copyright 2008-2011, IBM Corporation
linux-3.10\arch\powerpc\platforms\wsp\wsp_pci.c(2): * Copyright 2010 Ben Herrenschmidt, IBM Corporation
linux-3.10\arch\powerpc\platforms\wsp\wsp_pci.h(2): * Copyright 2010 Ben Herrenschmidt, IBM Corporation
linux-3.10\arch\powerpc\relocs_check.pl(3):# Copyright ㄣ 2009 IBM Corporation
linux-3.10\arch\powerpc\sysdev\6xx-suspend.S(7): * Copyright (c) 2006-2007 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\axonram.c(2): * (C) Copyright IBM Deutschland Entwicklung GmbH 2006
linux-3.10\arch\powerpc\sysdev\cpm_common.c(10): * Copyright (c) 1999-2001 Dan Malek <dan@embeddedalley.com>
linux-3.10\arch\powerpc\sysdev\cpm_common.c(11): * Copyright (c) 2000 MontaVista Software, Inc (source@mvista.com)
linux-3.10\arch\powerpc\sysdev\cpm_common.c(6): * Copyright 2007-2008,2010 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\cpm_common.c(9): * Copyright (c) 1997 Dan error_act (dmalek@jlc.net)
linux-3.10\arch\powerpc\sysdev\cpm1.c(4): * Copyright (c) 1997 Dan error_act (dmalek@jlc.net)
linux-3.10\arch\powerpc\sysdev\cpm2.c(4): * Copyright (c) 1999-2001 Dan Malek <dan@embeddedalley.com>
linux-3.10\arch\powerpc\sysdev\cpm2.c(5): * Copyright (c) 2000 MontaVista Software, Inc (source@mvista.com)
linux-3.10\arch\powerpc\sysdev\dart.h(2): * Copyright (C) 2004 Olof Johansson <olof@lixom.net>, IBM Corporation
linux-3.10\arch\powerpc\sysdev\dart_iommu.c(10): * Copyright (C) 2004 Olof Johansson <olof@lixom.net>, IBM Corporation
linux-3.10\arch\powerpc\sysdev\dart_iommu.c(4): * Copyright (C) 2004 Olof Johansson <olof@lixom.net>, IBM Corporation
linux-3.10\arch\powerpc\sysdev\dart_iommu.c(5): * Copyright (C) 2005 Benjamin Herrenschmidt <benh@kernel.crashing.org>,
linux-3.10\arch\powerpc\sysdev\dart_iommu.c(9): * Copyright (C) 2001 Mike Corrigan & Dave Engebretsen, IBM Corporation
linux-3.10\arch\powerpc\sysdev\dcr.c(2): * (c) Copyright 2006 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\arch\powerpc\sysdev\dcr-low.S(4): * Copyright (c) 2004 Eugene Surovegin <ebs@ebshome.net>
linux-3.10\arch\powerpc\sysdev\ehv_pic.c(4): *Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fs1_85xx_cache_ctlr.h(2): * Copyright 2009-2010, 2012 Freescale Semiconductor, Inc

legal(ME)

linux-3.10\arch\powerpc\sysdev\fsl_85xx_cache_sram.c(2): * Copyright 2009-2010
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_85xx_l2ctrl.c(2): * Copyright 2009-2010, 2012
Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_gtm.c(4): * Copyright (c) Freescale
Semiconductor, Inc. 2006.
linux-3.10\arch\powerpc\sysdev\fsl_gtm.c(7): * Copyright (c) MontaVista Software,
Inc. 2008.
linux-3.10\arch\powerpc\sysdev\fsl_ifc.c(2): * Copyright 2011 Freescale
Semiconductor, Inc
linux-3.10\arch\powerpc\sysdev\fsl_lbc.c(4): * Copyright 2007-2008 MontaVista
Software, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_lbc.c(5): * Copyright 2010 Freescale
Semiconductor
linux-3.10\arch\powerpc\sysdev\fsl_mpic_err.c(2): * Copyright (C) 2012 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_msi.c(2): * Copyright (C) 2007-2011 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_msi.h(2): * Copyright (C) 2007-2008 Freescale
Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\sysdev\fsl_pci.c(4): * Copyright 2007-2012 Freescale
Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_pci.c(5): * Copyright 2008-2009 MontaVista
Software, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_pci.h(4): * Copyright 2007,2011 Freescale
Semiconductor, Inc
linux-3.10\arch\powerpc\sysdev\fsl_pmc.c(4): * Copyright 2009 MontaVista Software,
Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rio.c(13): * Copyright (C) 2007, 2008, 2010,
2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rio.c(16): * Copyright 2005 MontaVista
Software, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rio.c(4): * Copyright 2009 Sysgo AG
linux-3.10\arch\powerpc\sysdev\fsl_rio.c(8): * Copyright 2009 Integrated Device
Technology, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rio.h(13): * Copyright (C) 2007, 2008, 2010,
2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rio.h(18): * Copyright 2005 MontaVista
Software, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rio.h(4): * Copyright 2009 Sysgo AG
linux-3.10\arch\powerpc\sysdev\fsl_rio.h(8): * Copyright 2009 Integrated Device
Technology, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rmu.c(13): * Copyright (C) 2007, 2008, 2010,
2011 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rmu.c(18): * Copyright 2005 MontaVista
Software, Inc.
linux-3.10\arch\powerpc\sysdev\fsl_rmu.c(4): * Copyright 2009 Sysgo AG
linux-3.10\arch\powerpc\sysdev\fsl_rmu.c(8): * Copyright 2009 Integrated Device
Technology, Inc.
linux-3.10\arch\powerpc\sysdev\grackle.c(5): * Copyright (C) 2003 Benjamin
Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\arch\powerpc\sysdev\grackle.c(6): * Copyright (C) 1997 Paul Mackerras

legal(ME)

(paulus@samba.org)

linux-3.10\arch\powerpc\sysdev\indirect_pci.c(4): * Copyright (C) 1998 Gabriel Paubert.

linux-3.10\arch\powerpc\sysdev\ipic.c(6): * Copyright 2005 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\sysdev\ipic.h(6): * Copyright 2005 Freescale Semiconductor, Inc

linux-3.10\arch\powerpc\sysdev\mmio_nvram.c(4): * (C) Copyright IBM Corp. 2005

linux-3.10\arch\powerpc\sysdev\mpic.c(8): *Copyright (C) 2004 Benjamin Herrenschildt, IBM Corp.

linux-3.10\arch\powerpc\sysdev\mpic.c(9): *Copyright 2010-2012 Freescale Semiconductor, Inc.

linux-3.10\arch\powerpc\sysdev\mpic.h(5): * Copyright 2006-2007, Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\sysdev\mpic_msgr.c(2): * Copyright 2011-2012, Meador Inge, Mentor Graphics Corporation.

linux-3.10\arch\powerpc\sysdev\mpic_msi.c(2): * Copyright 2006-2007, Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\sysdev\mpic_pasemi_msi.c(2): * Copyright 2007, Olof Johansson, PA Semi

linux-3.10\arch\powerpc\sysdev\mpic_pasemi_msi.c(6): * Copyright 2006, Segher Boessenkool, IBM Corporation.

linux-3.10\arch\powerpc\sysdev\mpic_pasemi_msi.c(7): * Copyright 2006-2007, Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\sysdev\mpic_u3msi.c(2): * Copyright 2006, Segher Boessenkool, IBM Corporation.

linux-3.10\arch\powerpc\sysdev\mpic_u3msi.c(3): * Copyright 2006-2007, Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\sysdev\msi_bitmap.c(2): * Copyright 2006-2008, Michael Ellerman, IBM Corporation.

linux-3.10\arch\powerpc\sysdev\of_rtc.c(4): * Copyright 2007 David Gibson <dwg@au1.ibm.com>, IBM Corporation.

linux-3.10\arch\powerpc\sysdev\pmi.c(4): * (C) Copyright IBM Deutschland Entwicklung GmbH 2005

linux-3.10\arch\powerpc\sysdev\ppc4xx_cpm.c(13): * Copyright 2009MontaVista Software, Inc.

linux-3.10\arch\powerpc\sysdev\ppc4xx_cpm.c(4): * Copyright (C) 2010, Applied Micro Circuits Corporation

linux-3.10\arch\powerpc\sysdev\ppc4xx_cpm.c(9): * Copyright 2008 IBM Corp.

linux-3.10\arch\powerpc\sysdev\ppc4xx_gpio.c(4): * Copyright (c) 2008 Harris Corporation

linux-3.10\arch\powerpc\sysdev\ppc4xx_gpio.c(5): * Copyright (c) 2008 Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix

linux-3.10\arch\powerpc\sysdev\ppc4xx_gpio.c(6): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\arch\powerpc\sysdev\ppc4xx_msi.c(4): * Copyright (c) 2010, Applied Micro Circuits Corporation

linux-3.10\arch\powerpc\sysdev\ppc4xx_ocm.c(4): * (C) Copyright 2009, Applied Micro Circuits Corporation

linux-3.10\arch\powerpc\sysdev\ppc4xx_pci.c(14): * Copyright (c) 2005 Cisco Systems.All rights reserved.

linux-3.10\arch\powerpc\sysdev\ppc4xx_pci.c(4): * Copyright 2007 Ben.

legal(ME)

Herrenschmidt <benh@kernel.crashing.org>, IBM Corp.
linux-3.10\arch\powerpc\sysdev\ppc4xx_pci.c(9): * Copyright 2007 DENX Software Engineering, Stefan Roeser <sr@denx.de>
linux-3.10\arch\powerpc\sysdev\ppc4xx_pci.h(10): * Copyright 2002-2005 MontaVista Software Inc.
linux-3.10\arch\powerpc\sysdev\ppc4xx_pci.h(4): * Copyright 2007 Ben. Herrenschmidt <benh@kernel.crashing.org>, IBM Corp.
linux-3.10\arch\powerpc\sysdev\ppc4xx_soc.c(4): * Copyright 2008 DENX Software Engineering, Stefan Roeser <sr@denx.de>
linux-3.10\arch\powerpc\sysdev\ppc4xx_soc.c(8): * Copyright (c) 2003 - 2006 Zultys Technologies
linux-3.10\arch\powerpc\sysdev\qe_lib\gpio.c(4): * Copyright (c) MontaVista Software, Inc. 2008.
linux-3.10\arch\powerpc\sysdev\qe_lib\qe.c(2): * Copyright (C) 2006-2010 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\sysdev\qe_lib\qe_ic.c(4): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\sysdev\qe_lib\qe_ic.h(6): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\sysdev\qe_lib\qe_io.c(6): * Copyright 2006 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\sysdev\qe_lib\ucc.c(6): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\sysdev\qe_lib\ucc_fast.c(2): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\sysdev\qe_lib\ucc_slow.c(2): * Copyright (C) 2006 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\arch\powerpc\sysdev\qe_lib\usb.c(4): * Copyright 2006 Freescale Semiconductor, Inc.
linux-3.10\arch\powerpc\sysdev\qe_lib\usb.c(7): * Copyright (c) MontaVista Software, Inc. 2008.
linux-3.10\arch\powerpc\sysdev\scom.c(2): * Copyright 2010 Benjamin Herrenschmidt, IBM Corp
linux-3.10\arch\powerpc\sysdev\simple_gpio.c(4): * Copyright (c) MontaVista Software, Inc. 2008.
linux-3.10\arch\powerpc\sysdev\udbg_memcons.c(12): * Copyright (C) 2003-2005 Anton Blanchard and Milton Miller, IBM Corp
linux-3.10\arch\powerpc\sysdev\udbg_memcons.c(13): * Copyright (C) 2013 Alistair Popple, IBM Corp
linux-3.10\arch\powerpc\sysdev\uic.c(6): * Copyright 2007 David Gibson <dwg@au1.ibm.com>, IBM Corporation.
linux-3.10\arch\powerpc\sysdev\xics\icp-hv.c(2): * Copyright 2011 IBM Corporation.
linux-3.10\arch\powerpc\sysdev\xics\icp-native.c(2): * Copyright 2011 IBM Corporation.
linux-3.10\arch\powerpc\sysdev\xics\ics-opal.c(4): * Copyright 2011 IBM Corp.
linux-3.10\arch\powerpc\sysdev\xics\xics-common.c(2): * Copyright 2011 IBM Corporation.
linux-3.10\arch\powerpc\sysdev\xilinx_intc.c(4): * Copyright (C) 2007 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\sysdev\xilinx_pci.c(10): * Copyright 2007 Ben. Herrenschmidt <benh@kernel.crashing.org>, IBM Corp.

legal(ME)

linux-3.10\arch\powerpc\sysdev\xilinx_pci.c(5): * Copyright 2009 Roderick Colenbrander
linux-3.10\arch\powerpc\sysdev\xilinx_pci.c(6): * Copyright 2009 Secret Lab Technologies Ltd.
linux-3.10\arch\powerpc\xmon\ansidecl.h(2): Copyright 1991, 1992 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\xmon\dis-asm.h(4): * Copyright (C) 2006 Michael Ellerman, IBM Corporation.
linux-3.10\arch\powerpc\xmon\nonstdio.c(2): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\powerpc\xmon\ppc.h(2): Copyright 1994, 1995, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006
linux-3.10\arch\powerpc\xmon\ppc-dis.c(2): Copyright 1994, 1995, 2000, 2001, 2002, 2003, 2004, 2005, 2006
linux-3.10\arch\powerpc\xmon\ppc-opc.c(2): Copyright 1994, 1995, 1996, 1997, 1998, 2000, 2001, 2002, 2003, 2004,
linux-3.10\arch\powerpc\xmon\spu.h(3): Copyright 2006 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\xmon\spu-dis.c(3): Copyright 2006 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\xmon\spu-insns.h(3): Copyright 2006 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\xmon\spu-opc.c(3): Copyright 2006 Free Software Foundation, Inc.
linux-3.10\arch\powerpc\xmon\xmon.c(4): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\powerpc\xmon\xmon.c(5): * Copyright (C) 2001 PPC64 Team, IBM Corp
linux-3.10\arch\s390\appldata\appldata.h(4): * Copyright IBM Corp. 2003, 2008
linux-3.10\arch\s390\appldata\appldata_base.c(6): * Copyright IBM Corp. 2003, 2009
linux-3.10\arch\s390\appldata\appldata_mem.c(5): * Copyright IBM Corp. 2003, 2006
linux-3.10\arch\s390\appldata\appldata_net_sum.c(6): * Copyright IBM Corp. 2003, 2006
linux-3.10\arch\s390\appldata\appldata_os.c(5): * Copyright IBM Corp. 2003, 2006
linux-3.10\arch\s390\boot\compressed\head31.S(4): * Copyright IBM Corp. 2010
linux-3.10\arch\s390\boot\compressed\head64.S(4): * Copyright IBM Corp. 2010
linux-3.10\arch\s390\boot\compressed\misc.c(4): * Copyright IBM Corp. 2010
linux-3.10\arch\s390\boot\install.sh(9):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\s390\crypto\aes_s390.c(7): * Copyright IBM Corp. 2005, 2007
linux-3.10\arch\s390\crypto\crypt_s390.h(6): * Copyright IBM Corp. 2003, 2007
linux-3.10\arch\s390\crypto\des_s390.c(6): * Copyright IBM Corp. 2003, 2011
linux-3.10\arch\s390\crypto\ghash_s390.c(6): * Copyright IBM Corp. 2011
linux-3.10\arch\s390\crypto\prng.c(2): * Copyright IBM Corp. 2006, 2007
linux-3.10\arch\s390\crypto\sha.h(6): * Copyright IBM Corp. 2007
linux-3.10\arch\s390\crypto\sha_common.c(6): * Copyright IBM Corp. 2007
linux-3.10\arch\s390\crypto\sha1_s390.c(11): * Copyright IBM Corp. 2003, 2007
linux-3.10\arch\s390\crypto\sha1_s390.c(16): * Copyright (c) Alan Smithee.
linux-3.10\arch\s390\crypto\sha1_s390.c(17): * Copyright (c) Andrew McDonald <andrew@mcdonald.org.uk>
linux-3.10\arch\s390\crypto\sha1_s390.c(18): * Copyright (c) Jean-Francois Dive <jef@linuxbe.org>
linux-3.10\arch\s390\crypto\sha256_s390.c(7): * Copyright IBM Corp. 2005, 2011
linux-3.10\arch\s390\crypto\sha512_s390.c(6): * Copyright IBM Corp. 2007

legal(ME)

linux-3.10\arch\s390\hypfs\hypfs.h(4): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\hypfs\hypfs_dbfs.c(4): * Copyright IBM Corp. 2010
linux-3.10\arch\s390\hypfs\hypfs_diag.c(5): *Copyright IBM Corp. 2006, 2008
linux-3.10\arch\s390\hypfs\hypfs_vm.c(4): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\hypfs\inode.c(4): *Copyright IBM Corp. 2006, 2008
linux-3.10\arch\s390\include\asm\airq.h(2): *Copyright IBM Corp. 2002, 2007
linux-3.10\arch\s390\include\asm\apldata.h(2): * Copyright IBM Corp. 2006
linux-3.10\arch\s390\include\asm\atomic.h(2): * Copyright IBM Corp. 1999, 2009
linux-3.10\arch\s390\include\asm\barrier.h(2): * Copyright IBM Corp. 1999, 2009
linux-3.10\arch\s390\include\asm\bitops.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\bitops.h(7): *Copyright (C) 1992, Linus Torvalds
linux-3.10\arch\s390\include\asm\bugs.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\bugs.h(7): *Copyright (C) 1994 Linus Torvalds
linux-3.10\arch\s390\include\asm\cache.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\cache.h(6): *Copyright (C) 1992, Linus Torvalds
linux-3.10\arch\s390\include\asm\ccwdev.h(2): * Copyright IBM Corp. 2002, 2009
linux-3.10\arch\s390\include\asm\checksum.h(5): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\chpid.h(2): *Copyright IBM Corp. 2007, 2012
linux-3.10\arch\s390\include\asm\cmpxchg.h(2): * Copyright IBM Corp. 1999, 2011
linux-3.10\arch\s390\include\asm\cpcmd.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\cpu.h(2): *Copyright IBM Corp. 2000, 2009
linux-3.10\arch\s390\include\asm\cpu_mf.h(4): *Copyright IBM Corp. 2012
linux-3.10\arch\s390\include\asm\cputime.h(2): *Copyright IBM Corp. 2004
linux-3.10\arch\s390\include\asm\crw.h(3): *Copyright IBM Corp. 2000, 2009
linux-3.10\arch\s390\include\asm\ctl_reg.h(2): * Copyright IBM Corp. 1999, 2009
linux-3.10\arch\s390\include\asm\current.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\debug.h(4): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\asm\delay.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\delay.h(7): *Copyright (C) 1993 Linus Torvalds
linux-3.10\arch\s390\include\asm\diag.h(4): * Copyright IBM Corp. 2007
linux-3.10\arch\s390\include\asm\ebcdic.h(5): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\etr.h(2): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\include\asm\exec.h(2): * Copyright IBM Corp. 1999, 2009
linux-3.10\arch\s390\include\asm\extmem.h(3): *Copyright IBM Corp. 2003
linux-3.10\arch\s390\include\asm\facility.h(2): * Copyright IBM Corp. 1999, 2009
linux-3.10\arch\s390\include\asm\fcx.h(4): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\include\asm\hardirq.h(3): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\asm\hugetlb.h(4): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\include\asm\idals.h(5): * Copyright IBM Corp. 2000
linux-3.10\arch\s390\include\asm\io.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\ipl.h(4): * Copyright IBM Corp. 2007
linux-3.10\arch\s390\include\asm\irqflags.h(2): *Copyright IBM Corp. 2006, 2010
linux-3.10\arch\s390\include\asm\itcw.h(4): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\include\asm\kexec.h(2): * Copyright IBM Corp. 2005
linux-3.10\arch\s390\include\asm\kprobes.h(20): * Copyright IBM Corp. 2002, 2006
linux-3.10\arch\s390\include\asm\kvm_host.h(4): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\include\asm\kvm_para.h(21): * Copyright IBM Corp. 2007,2008
linux-3.10\arch\s390\include\asm\kvm_para.h(4): * Copyright IBM Corp. 2008
linux-3.10\arch\s390\include\asm\lowcore.h(2): *Copyright IBM Corp. 1999, 2012
linux-3.10\arch\s390\include\asm\mathemu.h(5): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\nmi.h(4): *Copyright IBM Corp. 2000, 2009
linux-3.10\arch\s390\include\asm\os_info.h(4): * Copyright IBM Corp. 2012

legal(ME)

linux-3.10\arch\s390\include\asm\page.h(3): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\asm\perf_event.h(4): * Copyright IBM Corp. 2009,
2012
linux-3.10\arch\s390\include\asm\pgalloc.h(3): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\asm\pgalloc.h(8): *Copyright (C) 1994Linus Torvalds
linux-3.10\arch\s390\include\asm\pgtable.h(3): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\asm\processor.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\processor.h(8): *Copyright (C) 1994, Linus
Torvalds
linux-3.10\arch\s390\include\asm\ptrace.h(3): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\asm\qdio.h(2): * Copyright IBM Corp. 2000, 2008
linux-3.10\arch\s390\include\asm\reset.h(2): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\include\asm\rwsem.h(6): *Copyright IBM Corp. 2002
linux-3.10\arch\s390\include\asm\sclp.h(2): *Copyright IBM Corp. 2007
linux-3.10\arch\s390\include\asm\scsw.h(4): *Copyright IBM Corp. 2008, 2012
linux-3.10\arch\s390\include\asm\setup.h(3): *Copyright IBM Corp. 1999, 2010
linux-3.10\arch\s390\include\asm\sfp-machine.h(3): Copyright (C) 1997,1998,1999
Free Software Foundation, Inc.
linux-3.10\arch\s390\include\asm\smp.h(2): *Copyright IBM Corp. 1999, 2012
linux-3.10\arch\s390\include\asm\spinlock.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\string.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\switch_to.h(2): * Copyright IBM Corp. 1999, 2009
linux-3.10\arch\s390\include\asm\syscall.h(4): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\include\asm\sysinfo.h(4): * Copyright IBM Corp. 2001, 2008
linux-3.10\arch\s390\include\asm\thread_info.h(3): *Copyright IBM Corp. 2002,
2006
linux-3.10\arch\s390\include\asm\timex.h(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\asm\timex.h(6): *Copyright (C) 1992, Linus Torvalds
linux-3.10\arch\s390\include\asm\uaccess.h(3): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\asm\vtimer.h(2): *Copyright IBM Corp. 2003, 2012
linux-3.10\arch\s390\include\uapi\asm\chpid.h(2): *Copyright IBM Corp. 2007, 2012
linux-3.10\arch\s390\include\uapi\asm\chsc.h(4): * Copyright IBM Corp. 2008, 2012
linux-3.10\arch\s390\include\uapi\asm\dasd.h(4): * Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\uapi\asm\dasd.h(5): * EMC Symmetrix ioctl Copyright
EMC Corporation, 2008
linux-3.10\arch\s390\include\uapi\asm\debug.h(4): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\include\uapi\asm\kvm.h(6): * Copyright IBM Corp. 2008
linux-3.10\arch\s390\include\uapi\asm\kvm_para.h(4): * Copyright IBM Corp. 2008
linux-3.10\arch\s390\include\uapi\asm\kvm_virtio.h(4): * Copyright IBM Corp. 2008
linux-3.10\arch\s390\include\uapi\asm\monwriter.h(2): * Copyright IBM Corp. 2006
linux-3.10\arch\s390\include\uapi\asm\ptrace.h(3): *Copyright IBM Corp. 1999,
2000
linux-3.10\arch\s390\include\uapi\asm\qeth.h(4): * Copyright IBM Corp. 2004
linux-3.10\arch\s390\include\uapi\asm\setup.h(3): *Copyright IBM Corp. 1999, 2010
linux-3.10\arch\s390\include\uapi\asm\sigcontext.h(3): *Copyright IBM Corp. 1999,
2000
linux-3.10\arch\s390\include\uapi\asm\swab.h(6): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\include\uapi\asm\tape390.h(6): * Copyright IBM Corp. 2001,
2006
linux-3.10\arch\s390\include\uapi\asm\virtio-ccw.h(4): * Copyright IBM Corp. 2013
linux-3.10\arch\s390\include\uapi\asm\vtoc.h(4): * Copyright IBM Corp. 2005
linux-3.10\arch\s390\include\uapi\asm\zcrypt.h(6): *Copyright IBM Corp. 2001,

legal(ME)

2006

linux-3.10\arch\s390\kernel\base.S(4): *Copyright IBM Corp. 2006, 2007
linux-3.10\arch\s390\kernel\bitmap.c(5): *Copyright IBM Corp. 1999, 2009
linux-3.10\arch\s390\kernel\cache.c(4): *Copyright IBM Corp. 2012
linux-3.10\arch\s390\kernel\compat_exec_domain.c(4): * Copyright IBM Corp. 2000
linux-3.10\arch\s390\kernel\compat_linux.c(11): * Copyright (C) 1997,1998 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\s390\kernel\compat_linux.c(12): * Copyright (C) 1997 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\arch\s390\kernel\compat_linux.c(3): *Copyright IBM Corp. 2000
linux-3.10\arch\s390\kernel\compat_signal.c(2): *Copyright IBM Corp. 2000, 2006
linux-3.10\arch\s390\kernel\compat_signal.c(6): *Copyright (C) 1991, 1992Linus
Torvalds
linux-3.10\arch\s390\kernel\compat_wrapper.S(4):*Copyright IBM Corp. 2000, 2006
linux-3.10\arch\s390\kernel\cpcmd.c(3): *Copyright IBM Corp. 1999, 2007
linux-3.10\arch\s390\kernel\crash_dump.c(4): * Copyright IBM Corp. 2011
linux-3.10\arch\s390\kernel\debug.c(4): *Copyright IBM Corp. 1999, 2012
linux-3.10\arch\s390\kernel\diag.c(4): * Copyright IBM Corp. 2007
linux-3.10\arch\s390\kernel\dis.c(4): * Copyright IBM Corp. 2007
linux-3.10\arch\s390\kernel\dumpstack.c(4): *Copyright IBM Corp. 1999, 2013
linux-3.10\arch\s390\kernel\early.c(2): *Copyright IBM Corp. 2007, 2009
linux-3.10\arch\s390\kernel\ebcdic.c(6): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\kernel\entry.S(4): *Copyright IBM Corp. 1999, 2012
linux-3.10\arch\s390\kernel\entry64.S(4): *Copyright IBM Corp. 1999, 2012
linux-3.10\arch\s390\kernel\ftrace.c(4): * Copyright IBM Corp. 2009
linux-3.10\arch\s390\kernel\head.S(2): * Copyright IBM Corp. 1999, 2010
linux-3.10\arch\s390\kernel\head_kdump.S(4): * Copyright IBM Corp. 2011
linux-3.10\arch\s390\kernel\head31.S(2): * Copyright IBM Corp. 2005, 2010
linux-3.10\arch\s390\kernel\head64.S(2): * Copyright IBM Corp. 1999, 2010
linux-3.10\arch\s390\kernel\ipl.c(4): *Copyright IBM Corp. 2005, 2012
linux-3.10\arch\s390\kernel\irq.c(2): *Copyright IBM Corp. 2004, 2011
linux-3.10\arch\s390\kernel\jump_label.c(4): * Copyright IBM Corp. 2011
linux-3.10\arch\s390\kernel\kprobes.c(18): * Copyright IBM Corp. 2002, 2006
linux-3.10\arch\s390\kernel\lgr.c(4): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\kernel\machine_kexec.c(2): * Copyright IBM Corp. 2005, 2011
linux-3.10\arch\s390\kernel\mcount.S(2): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\kernel\mcount64.S(2): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\kernel\module.c(10): *Copyright (C) 2001 Rusty Russell.
linux-3.10\arch\s390\kernel\module.c(5): *Copyright IBM Corp. 2002, 2003
linux-3.10\arch\s390\kernel\nmi.c(4): *Copyright IBM Corp. 2000, 2009
linux-3.10\arch\s390\kernel\os_info.c(4): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\kernel\perf_cpum_cf.c(4): *Copyright IBM Corp. 2012
linux-3.10\arch\s390\kernel\perf_event.c(4): *Copyright IBM Corp. 2012
linux-3.10\arch\s390\kernel\pgm_check.S(4): *Copyright IBM Corp. 2012
linux-3.10\arch\s390\kernel\process.c(4): *Copyright IBM Corp. 1999, 2009
linux-3.10\arch\s390\kernel\processor.c(2): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\kernel\ptrace.c(4): *Copyright IBM Corp. 1999, 2010
linux-3.10\arch\s390\kernel\reipl.S(3): *Copyright IBM Corp. 2000
linux-3.10\arch\s390\kernel\reipl64.S(2): *Copyright IBM Corp 2000, 2011
linux-3.10\arch\s390\kernel\relocate_kernel.S(2): * Copyright IBM Corp. 2005
linux-3.10\arch\s390\kernel\relocate_kernel64.S(2): * Copyright IBM Corp. 2005
linux-3.10\arch\s390\kernel\runtime_instr.c(2): * Copyright IBM Corp. 2012

legal(ME)

linux-3.10\arch\s390\kernel\sclp.S(4): * Copyright IBM Corp. 2004, 2009
linux-3.10\arch\s390\kernel\setup.c(3): *Copyright IBM Corp. 1999, 2012
linux-3.10\arch\s390\kernel\setup.c(8): *Copyright (C) 1995, Linus Torvalds
linux-3.10\arch\s390\kernel\signal.c(2): *Copyright IBM Corp. 1999, 2006
linux-3.10\arch\s390\kernel\signal.c(7): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\s390\kernel\smp.c(4): *Copyright IBM Corp. 1999, 2012
linux-3.10\arch\s390\kernel\stacktrace.c(4): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\kernel\suspend.c(4): * Copyright IBM Corp. 2009
linux-3.10\arch\s390\kernel\swsusp_asm64.S(4): * Copyright IBM Corp. 2009
linux-3.10\arch\s390\kernel\sys_s390.c(3): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\kernel\sysinfo.c(2): *Copyright IBM Corp. 2001, 2009
linux-3.10\arch\s390\kernel\time.c(11): *Copyright (C) 1991, 1992, 1995Linus
Torvalds
linux-3.10\arch\s390\kernel\time.c(5): *Copyright IBM Corp. 1999, 2008
linux-3.10\arch\s390\kernel\topology.c(2): *Copyright IBM Corp. 2007, 2011
linux-3.10\arch\s390\kernel\traps.c(3): *Copyright IBM Corp. 1999, 2000
linux-3.10\arch\s390\kernel\traps.c(8): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\s390\kernel\vdso.c(4): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\kernel\vdso32\clock_getres.S(5): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\kernel\vdso32\clock_gettime.S(5): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\kernel\vdso32\gettimeofday.S(5): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\kernel\vdso64\clock_getres.S(5): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\kernel\vdso64\clock_gettime.S(5): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\kernel\vdso64\gettimeofday.S(5): *Copyright IBM Corp. 2008
linux-3.10\arch\s390\kernel\vttime.c(4): *Copyright IBM Corp. 2004, 2012
linux-3.10\arch\s390\kvm\diag.c(4): * Copyright IBM Corp. 2008, 2011
linux-3.10\arch\s390\kvm\gaccess.h(4): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\kvm\intercept.c(4): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\kvm\interrupt.c(4): * Copyright IBM Corp. 2008
linux-3.10\arch\s390\kvm\kvm-s390.c(4): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\kvm\kvm-s390.h(4): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\kvm\Makefile(3):# Copyright IBM Corp. 2008
linux-3.10\arch\s390\kvm\priv.c(4): * Copyright IBM Corp. 2008
linux-3.10\arch\s390\kvm\sigp.c(4): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\lib\delay.c(4): *Copyright IBM Corp. 1999, 2008
linux-3.10\arch\s390\lib\div64.c(4): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\lib\mem32.S(4): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\lib\mem64.S(4): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\lib\spinlock.c(4): *Copyright IBM Corp. 2004, 2006
linux-3.10\arch\s390\lib\string.c(5): *Copyright IBM Corp. 2004
linux-3.10\arch\s390\lib\uaccess.h(2): *Copyright IBM Corp. 2007
linux-3.10\arch\s390\lib\uaccess_mvcos.c(4): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\lib\uaccess_pt.c(5): *Copyright IBM Corp. 2006, 2012
linux-3.10\arch\s390\lib\uaccess_std.c(5): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\Makefile(13):# Copyright (C) 1994 by Linus Torvalds
linux-3.10\arch\s390\math-emu\math.c(3): *Copyright IBM Corp. 1999, 2001
linux-3.10\arch\s390\mm\cmm.c(4): *Copyright IBM Corp 2003, 2010
linux-3.10\arch\s390\mm\extmem.c(6): * Copyright IBM Corp. 2002, 2004
linux-3.10\arch\s390\mm\fault.c(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\mm\fault.c(8): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\s390\mm\gup.c(4): *Copyright IBM Corp. 2010
linux-3.10\arch\s390\mm\hugetlbpage.c(4): *Copyright IBM Corp. 2007

legal(ME)

linux-3.10\arch\s390\mm\init.c(3): *Copyright IBM Corp. 1999
linux-3.10\arch\s390\mm\init.c(7): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\s390\mm\maccess.c(4): * Copyright IBM Corp. 2009
linux-3.10\arch\s390\mm\mem_detect.c(2): * Copyright IBM Corp. 2008, 2009
linux-3.10\arch\s390\mm\mmap.c(4): * Copyright 2003-2004 Red Hat Inc., Durham,
North Carolina.
linux-3.10\arch\s390\mm\pageattr.c(2): * Copyright IBM Corp. 2011
linux-3.10\arch\s390\mm\page-states.c(2): * Copyright IBM Corp. 2008
linux-3.10\arch\s390\mm\pgtable.c(2): *Copyright IBM Corp. 2007, 2011
linux-3.10\arch\s390\mm\vmem.c(2): *Copyright IBM Corp. 2006
linux-3.10\arch\s390\net\bpf_jit.S(4): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\net\bpf_jit_comp.c(4): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\oprofile\backtrace.c(3): * Copyright IBM Corp. 2005
linux-3.10\arch\s390\oprofile\hwsampler.c(2): * Copyright IBM Corp. 2010
linux-3.10\arch\s390\oprofile\hwsampler.h(4): *Copyright IBM Corp. 2010
linux-3.10\arch\s390\oprofile\init.c(3): * Copyright IBM Corp. 2002, 2011
linux-3.10\arch\s390\oprofile\init.c(9): * @remark Copyright 2002-2011 OProfile
authors
linux-3.10\arch\s390\oprofile\op_counter.h(2): * Copyright IBM Corp. 2011
linux-3.10\arch\s390\oprofile\op_counter.h(5): * @remark Copyright 2011 OProfile
authors
linux-3.10\arch\s390\pci\pci.c(2): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\pci\pci_clp.c(2): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\pci\pci_debug.c(2): *Copyright IBM Corp. 2012
linux-3.10\arch\s390\pci\pci_dma.c(2): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\pci\pci_event.c(2): *Copyright IBM Corp. 2012
linux-3.10\arch\s390\pci\pci_insn.c(4): * Copyright IBM Corp. 2013
linux-3.10\arch\s390\pci\pci_msi.c(2): * Copyright IBM Corp. 2012
linux-3.10\arch\s390\pci\pci_sysfs.c(2): * Copyright IBM Corp. 2012
linux-3.10\arch\score\kernel\asm-offsets.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\entry.S(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\head.S(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\irq.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\module.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\process.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\ptrace.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\setup.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\signal.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\sys_score.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\time.c(6): * Copyright (C) 2009 Sunplus Core
Technology Co., Ltd.
linux-3.10\arch\score\kernel\traps.c(6): * Copyright (C) 2009 Sunplus Core

legal(ME)

Technology Co., Ltd.
linux-3.10\arch\score\kernel\vmlinux.lds.S(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\lib\checksum.S(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\lib\checksum_copy.c(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\lib\string.S(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\mm\cache.c(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\mm\extable.c(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\mm\fault.c(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\mm\init.c(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\mm\pgtable.c(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\mm\tlb-miss.S(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\score\mm\tlb-score.c(6): * Copyright (C) 2009 Sunplus Core Technology Co., Ltd.
linux-3.10\arch\sh\boards\board-aph4a3a.c(4): * Copyright (C) 2010 ALPHAPROJECT Co.,Ltd.
linux-3.10\arch\sh\boards\board-aph4a3a.c(5): * Copyright (C) 2008Yoshihiro Shimoda
linux-3.10\arch\sh\boards\board-aph4a3a.c(6): * Copyright (C) 2009Paul Mundt
linux-3.10\arch\sh\boards\board-aph4ad0a.c(4): * Copyright (C) 2010 ALPHAPROJECT Co.,Ltd.
linux-3.10\arch\sh\boards\board-aph4ad0a.c(5): * Copyright (C) 2010Matt Fleming
linux-3.10\arch\sh\boards\board-aph4ad0a.c(6): * Copyright (C) 2010Paul Mundt
linux-3.10\arch\sh\boards\board-edosk7705.c(4): * Copyright (C) 2000Kazumoto Kojima
linux-3.10\arch\sh\boards\board-edosk7760.c(4): * Copyright (C) 2008 SPES Societa' Progettazione Elettronica e Software Ltd.
linux-3.10\arch\sh\boards\board-espt.c(4): * Copyright (C) 2008, 2009 Renesas Solutions Corp.
linux-3.10\arch\sh\boards\board-espt.c(5): * Copyright (C) 2008, 2009 Nobuhiro Iwamatsu <iwamatsu.nobuhiro@renesas.com>
linux-3.10\arch\sh\boards\board-magicpanelr2.c(4): *Copyright (C) 2007Markus Brunner, Mark Jonas
linux-3.10\arch\sh\boards\board-secureedge5410.c(2): * Copyright (C) 2002David McCullough <davidm@snapgear.com>
linux-3.10\arch\sh\boards\board-secureedge5410.c(3): * Copyright (C) 2003Paul Mundt <lethal@linux-sh.org>
linux-3.10\arch\sh\boards\board-secureedge5410.c(7): * Copyright (C) 2000Kazumoto Kojima
linux-3.10\arch\sh\boards\board-sh2007.c(4): * Copyright (C) 2003, 2004SUGIOKA Toshinobu
linux-3.10\arch\sh\boards\board-sh2007.c(5): * Copyright (C) 2010Hitoshi Mitake <mitake@dcl.info.waseda.ac.jp>

legal(ME)

linux-3.10\arch\sh\boards\board-sh77571cr.c(4): * Copyright (C) 2009 -
2010Renesas Solutions Corp.
linux-3.10\arch\sh\boards\board-sh77851cr.c(4): * Copyright (C) 2008Yoshihiro
Shimoda
linux-3.10\arch\sh\boards\board-sh77851cr.c(5): * Copyright (C) 2009Paul Mundt
linux-3.10\arch\sh\boards\board-shmin.c(4): * Copyright (C) 2006 Takashi YOSHII
linux-3.10\arch\sh\boards\board-titan.c(4): *Copyright (C) 2006Jamie Lenehan
linux-3.10\arch\sh\boards\board-urquell.c(4): * Copyright (C) 2008Kuninori
Morimoto <morimoto.kuninori@renesas.com>
linux-3.10\arch\sh\boards\board-urquell.c(5): * Copyright (C) 2009, 2010Paul
Mundt
linux-3.10\arch\sh\boards\board-urquell.c(8): * Copyright (C) 2008Yoshihiro
Shimoda
linux-3.10\arch\sh\boards\mach-ap325rxa\sdr.am.S(4): *Copyright (C) 2009 Magnus
Damm
linux-3.10\arch\sh\boards\mach-ap325rxa\setup.c(5): * Copyright (C) 2008 Renesas
Solutions Corp.
linux-3.10\arch\sh\boards\mach-cayman\irq.c(6): * Copyright (C) 2002 Stuart
Menefy
linux-3.10\arch\sh\boards\mach-cayman\panic.c(2): * Copyright (C) 2003Richard
Curnow, SuperH UK Limited
linux-3.10\arch\sh\boards\mach-cayman\setup.c(6): * Copyright (C) 2002David J.
Mckay & Benedict Gaster
linux-3.10\arch\sh\boards\mach-cayman\setup.c(7): * Copyright (C) 2003 - 2007Paul
Mundt
linux-3.10\arch\sh\boards\mach-dreamcast\irq.c(6): * Copyright (c) 2001, 2002 M.
R. Brown <mrbrown@0xd6.org>
linux-3.10\arch\sh\boards\mach-dreamcast\rtc.c(6): * Copyright (c) 2001, 2002 M.
R. Brown <mrbrown@0xd6.org>
linux-3.10\arch\sh\boards\mach-dreamcast\rtc.c(7): * Copyright (c) 2002 Paul
Mundt <lethal@chaoticdreams.org>
linux-3.10\arch\sh\boards\mach-dreamcast\setup.c(6): * Copyright (c) 2001, 2002
M. R. Brown <mrbrown@linuxdc.org>
linux-3.10\arch\sh\boards\mach-dreamcast\setup.c(7): * Copyright (c) 2002, 2003,
2004 Paul Mundt <lethal@linux-sh.org>
linux-3.10\arch\sh\boards\mach-ecovec24\sdr.am.S(4): *Copyright (C) 2009 Magnus
Damm
linux-3.10\arch\sh\boards\mach-ecovec24\setup.c(2): * Copyright (C) 2009 Renesas
Solutions Corp.
linux-3.10\arch\sh\boards\mach-highlander\irq-r7780mp.c(4): * Copyright (C)
2002Atom Create Engineering Co., Ltd.
linux-3.10\arch\sh\boards\mach-highlander\irq-r7780mp.c(5): * Copyright (C)
2006Paul Mundt
linux-3.10\arch\sh\boards\mach-highlander\irq-r7780mp.c(6): * Copyright (C)
2007Magnus Damm
linux-3.10\arch\sh\boards\mach-highlander\irq-r7780rp.c(4): * Copyright (C)
2002Atom Create Engineering Co., Ltd.
linux-3.10\arch\sh\boards\mach-highlander\irq-r7780rp.c(5): * Copyright (C)
2006Paul Mundt
linux-3.10\arch\sh\boards\mach-highlander\irq-r7780rp.c(6): * Copyright (C)
2008Magnus Damm
linux-3.10\arch\sh\boards\mach-highlander\irq-r7785rp.c(4): * Copyright (C)

legal(ME)

2002Atom Create Engineering Co., Ltd.

linux-3.10\arch\sh\boards\mach-highlander\irq-r7785rp.c(5): * Copyright (C) 2006 - 2008Paul Mundt

linux-3.10\arch\sh\boards\mach-highlander\irq-r7785rp.c(6): * Copyright (C) 2007Magnus Damm

linux-3.10\arch\sh\boards\mach-highlander\pinmux-r7785rp.c(2): * Copyright (C) 2008 Paul Mundt

linux-3.10\arch\sh\boards\mach-highlander\psw.c(6): * Copyright (C) 2006Paul Mundt

linux-3.10\arch\sh\boards\mach-highlander\setup.c(6): * Copyright (C) 2002 Atom Create Engineering Co., Ltd.

linux-3.10\arch\sh\boards\mach-highlander\setup.c(7): * Copyright (C) 2005 - 2008 Paul Mundt

linux-3.10\arch\sh\boards\mach-hp6xx\hp6xx_apm.c(4): * Copyright 2005 (c) Andriy Skulysh <askulysh@gmail.com>

linux-3.10\arch\sh\boards\mach-hp6xx\hp6xx_apm.c(5): * Copyright 2008 (c) Kristoffer Ericson <kristoffer.ericson@gmail.com>

linux-3.10\arch\sh\boards\mach-hp6xx\pm.c(4): * Copyright (c) 2006 Andriy Skulysh <askulsyh@gmail.com>

linux-3.10\arch\sh\boards\mach-hp6xx\pm_wakeup.S(2): * Copyright (c) 2006 Andriy Skulysh <askulsyh@gmail.com>

linux-3.10\arch\sh\boards\mach-hp6xx\setup.c(4): * Copyright (C) 2002 Andriy Skulysh

linux-3.10\arch\sh\boards\mach-hp6xx\setup.c(5): * Copyright (C) 2007 Kristoffer Ericson <Kristoffer_e1@hotmail.com>

linux-3.10\arch\sh\boards\mach-kfr2r09\lcd_wqvga.c(4): * Copyright (C) 2009 Magnus Damm

linux-3.10\arch\sh\boards\mach-kfr2r09\lcd_wqvga.c(7): * Copyright (C) 2008 Lineo Solutions, Inc.

linux-3.10\arch\sh\boards\mach-kfr2r09\sdr.am.S(4): *Copyright (C) 2009 Magnus Damm

linux-3.10\arch\sh\boards\mach-kfr2r09\setup.c(4): * Copyright (C) 2009 Magnus Damm

linux-3.10\arch\sh\boards\mach-landisk\irq.c(6): * Copyright (C) 2005-2007 kogiidena

linux-3.10\arch\sh\boards\mach-landisk\irq.c(7): * Copyright (C) 2011 Nobuhiro Iwamatsu

linux-3.10\arch\sh\boards\mach-landisk\irq.c(9): * Copyright (C) 2001Ian da Silva, Jeremy Siegel

linux-3.10\arch\sh\boards\mach-landisk\psw.c(6): * Copyright (C) 2006-2007Paul Mundt

linux-3.10\arch\sh\boards\mach-landisk\psw.c(7): * Copyright (C) 2007kogiidena

linux-3.10\arch\sh\boards\mach-landisk\setup.c(6): * Copyright (C) 2000 Kazumoto Kojima

linux-3.10\arch\sh\boards\mach-landisk\setup.c(7): * Copyright (C) 2002 Paul Mundt

linux-3.10\arch\sh\boards\mach-landisk\setup.c(9): * Copyright (C) 2005-2007 kogiidena

linux-3.10\arch\sh\boards\mach-lboxre2\irq.c(4): * Copyright (C) 2007 Nobuhiro Iwamatsu

linux-3.10\arch\sh\boards\mach-lboxre2\Makefile(3):# Copyright (c) 2007 Nobuhiro Iwamatsu

legal(ME)

linux-3.10\arch\sh\boards\mach-lboxre2\setup.c(4): * Copyright (C) 2007 Nobuhiro Iwamatsu
linux-3.10\arch\sh\boards\mach-microdev\fdc37c93xapm.c(5): * Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com)
linux-3.10\arch\sh\boards\mach-microdev\fdc37c93xapm.c(6): * Copyright (C) 2003, 2004 SuperH, Inc.
linux-3.10\arch\sh\boards\mach-microdev\fdc37c93xapm.c(7): * Copyright (C) 2004, 2005 Paul Mundt
linux-3.10\arch\sh\boards\mach-microdev\io.c(4): * Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com)
linux-3.10\arch\sh\boards\mach-microdev\io.c(5): * Copyright (C) 2003, 2004 SuperH, Inc.
linux-3.10\arch\sh\boards\mach-microdev\io.c(6): * Copyright (C) 2004 Paul Mundt
linux-3.10\arch\sh\boards\mach-microdev\irq.c(4): * Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com)
linux-3.10\arch\sh\boards\mach-microdev\setup.c(4): * Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com)
linux-3.10\arch\sh\boards\mach-microdev\setup.c(5): * Copyright (C) 2003, 2004 SuperH, Inc.
linux-3.10\arch\sh\boards\mach-microdev\setup.c(6): * Copyright (C) 2004, 2005 Paul Mundt
linux-3.10\arch\sh\boards\mach-migor\lcd_qvga.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\arch\sh\boards\mach-migor\lcd_qvga.c(7): * Copyright (c) 2007 Ujjwal Pande <ujjwal@kenati.com>,
linux-3.10\arch\sh\boards\mach-migor\sdr.am.5(4): *Copyright (C) 2009 Magnus Damm
linux-3.10\arch\sh\boards\mach-migor\setup.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\arch\sh\boards\mach-r2d\irq.c(4): * Copyright (C) 2007Magnus Damm
linux-3.10\arch\sh\boards\mach-r2d\irq.c(5): * Copyright (C) 2000Kazumoto Kojima
linux-3.10\arch\sh\boards\mach-r2d\setup.c(4): * Copyright (C) 2002 - 2006 Atom Create Engineering Co., Ltd.
linux-3.10\arch\sh\boards\mach-r2d\setup.c(5): * Copyright (C) 2004 - 2007 Paul Mundt
linux-3.10\arch\sh\boards\mach-rsk\devices-rsk7203.c(4): * Copyright (C) 2008 - 2010Paul Mundt
linux-3.10\arch\sh\boards\mach-rsk\devices-rsk7264.c(4): * Copyright (C) 2012 Renesas Electronics Europe
linux-3.10\arch\sh\boards\mach-rsk\devices-rsk7269.c(4): * Copyright (C) 2012Renesas Electronics Europe Ltd
linux-3.10\arch\sh\boards\mach-rsk\devices-rsk7269.c(5): * Copyright (C) 2012Phil Edworthy
linux-3.10\arch\sh\boards\mach-rsk\setup.c(4): * Copyright (C) 2008 Paul Mundt
linux-3.10\arch\sh\boards\mach-rsk\setup.c(5): * Copyright (C) 2008 Peter Griffin <pgriffin@mpc-data.co.uk>
linux-3.10\arch\sh\boards\mach-sdk7780\irq.c(6): * Copyright (C) 2008Nicholas Beck <nbeck@mpc-data.co.uk>
linux-3.10\arch\sh\boards\mach-sdk7780\setup.c(5): * Copyright (C) 2008 Nicholas Beck <nbeck@mpc-data.co.uk>
linux-3.10\arch\sh\boards\mach-sdk7786\fpga.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\arch\sh\boards\mach-sdk7786\gpio.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\arch\sh\boards\mach-sdk7786\irq.c(4): * Copyright (C) 2010Matt Fleming
linux-3.10\arch\sh\boards\mach-sdk7786\irq.c(5): * Copyright (C) 2010Paul Mundt

legal(ME)

linux-3.10\arch\sh\boards\mach-sdk7786\nmi.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\arch\sh\boards\mach-sdk7786\setup.c(4): * Copyright (C) 2010Matt
Fleming
linux-3.10\arch\sh\boards\mach-sdk7786\setup.c(5): * Copyright (C) 2010Paul Mundt
linux-3.10\arch\sh\boards\mach-sdk7786\sram.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\arch\sh\boards\mach-se\7206\irq.c(4): * Copyright (C) 2005,2006
Yoshinori Sato
linux-3.10\arch\sh\boards\mach-se\7206\setup.c(5): * Copyright (C) 2006Yoshinori
Sato
linux-3.10\arch\sh\boards\mach-se\7206\setup.c(6): * Copyright (C) 2007 -
2008Paul Mundt
linux-3.10\arch\sh\boards\mach-se\7343\irq.c(4): * Copyright (C) 2008Yoshihiro
Shimoda
linux-3.10\arch\sh\boards\mach-se\7343\irq.c(5): * Copyright (C) 2012Paul Mundt
linux-3.10\arch\sh\boards\mach-se\7343\irq.c(8): * Copyright (C) 2007Nobuhiro
Iwamatsu
linux-3.10\arch\sh\boards\mach-se\770x\irq.c(4): * Copyright (C) 2000Kazumoto
Kojima
linux-3.10\arch\sh\boards\mach-se\770x\irq.c(5): * Copyright (C) 2006Nobuhiro
Iwamatsu
linux-3.10\arch\sh\boards\mach-se\770x\setup.c(4): * Copyright (C) 2000Kazumoto
Kojima
linux-3.10\arch\sh\boards\mach-se\7721\irq.c(4): * Copyright (C) 2008Renesas
Solutions Corp.
linux-3.10\arch\sh\boards\mach-se\7721\setup.c(4): * Copyright (C) 2008 Renesas
Solutions Corp.
linux-3.10\arch\sh\boards\mach-se\7722\irq.c(4): * Copyright (C) 2007Nobuhiro
Iwamatsu
linux-3.10\arch\sh\boards\mach-se\7722\irq.c(5): * Copyright (C) 2012Paul Mundt
linux-3.10\arch\sh\boards\mach-se\7722\setup.c(4): * Copyright (C) 2007 Nobuhiro
Iwamatsu
linux-3.10\arch\sh\boards\mach-se\7722\setup.c(5): * Copyright (C) 2012 Paul
Mundt
linux-3.10\arch\sh\boards\mach-se\7724\irq.c(4): * Copyright (C) 2009 Renesas
Solutions Corp.
linux-3.10\arch\sh\boards\mach-se\7724\irq.c(9): * Copyright (C) 2007Nobuhiro
Iwamatsu
linux-3.10\arch\sh\boards\mach-se\7724\sdram.S(4): *Copyright (C) 2009 Magnus
Damm
linux-3.10\arch\sh\boards\mach-se\7724\setup.c(4): * Copyright (C) 2009 Renesas
Solutions Corp.
linux-3.10\arch\sh\boards\mach-se\7751\irq.c(4): * Copyright (C) 2000Kazumoto
Kojima
linux-3.10\arch\sh\boards\mach-se\7751\setup.c(4): * Copyright (C) 2000Kazumoto
Kojima
linux-3.10\arch\sh\boards\mach-se\7780\irq.c(4): * Copyright (C)
2006,2007Nobuhiro Iwamatsu
linux-3.10\arch\sh\boards\mach-se\7780\setup.c(4): * Copyright (C)
2006,2007Nobuhiro Iwamatsu
linux-3.10\arch\sh\boards\mach-se\board-se7619.c(4): * Copyright (C) 2006
Yoshinori Sato
linux-3.10\arch\sh\boards\mach-sh03\rtc.c(4): *Copyright (C) 2004Saito.K &

legal(ME)

Jeanne(ksaito@interface.co.jp)
linux-3.10\arch\sh\boards\mach-sh03\setup.c(4): * Copyright (C) 2004Interface Co.,Ltd. Saito.K
linux-3.10\arch\sh\boards\mach-sh7763rdp\irq.c(6): * Copyright (C) 2008 Renesas Solutions Corp.
linux-3.10\arch\sh\boards\mach-sh7763rdp\irq.c(7): * Copyright (C) 2008Nobuhiro Iwamatsu <iwamatsu.nobuhiro@renesas.com>
linux-3.10\arch\sh\boards\mach-sh7763rdp\setup.c(6): * Copyright (C) 2008 Renesas Solutions Corp.
linux-3.10\arch\sh\boards\mach-sh7763rdp\setup.c(7): * Copyright (C) 2008 Nobuhiro Iwamatsu <iwamatsu.nobuhiro@renesas.com>
linux-3.10\arch\sh\boards\mach-x3proto\gpio.c(6): * Copyright (C) 2010 - 2012Paul Mundt
linux-3.10\arch\sh\boards\mach-x3proto\ilsel.c(6): * Copyright (C) 2007 - 2010Paul Mundt
linux-3.10\arch\sh\boards\mach-x3proto\setup.c(6): * Copyright (C) 2007 - 2010Paul Mundt
linux-3.10\arch\sh\boot\compressed\head_32.S(4): *Copyright (C) 1999 Stuart Menefy
linux-3.10\arch\sh\boot\compressed\head_32.S(5): *Copyright (C) 2003 SUGIOKA Toshinobu
linux-3.10\arch\sh\boot\compressed\head_64.S(10): * which carried the copyright:
linux-3.10\arch\sh\boot\compressed\head_64.S(11): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\boot\compressed\head_64.S(14): * Copyright (C) 2002 Stuart Menefy (stuart.menefy@st.com)
linux-3.10\arch\sh\boot\compressed\install.sh(9):# Copyright (C) 1995 by Linus Torvalds
linux-3.10\arch\sh\boot\Makefile(8):# Copyright (C) 1999 Stuart Menefy
linux-3.10\arch\sh\boot\romimage\mmcif-sh7724.c(4): * Copyright (C) 2010 Magnus Damm
linux-3.10\arch\sh\cchips\hd6446x\hd64461.c(2): *Copyright (C) 2000 YAEGASHI Takeshi
linux-3.10\arch\sh\drivers\dma\dma-api.c(6): * Copyright (C) 2003, 2004, 2005Paul Mundt
linux-3.10\arch\sh\drivers\dma\dma-g2.c(6): * Copyright (C) 2003 - 2006Paul Mundt
linux-3.10\arch\sh\drivers\dma\dma-pvr2.c(6): * Copyright (C) 2003, 2004Paul Mundt
linux-3.10\arch\sh\drivers\dma\dma-sh.c(6): * Copyright (C) 2000 Takashi YOSHII
linux-3.10\arch\sh\drivers\dma\dma-sh.c(7): * Copyright (C) 2003, 2004 Paul Mundt
linux-3.10\arch\sh\drivers\dma\dma-sh.c(8): * Copyright (C) 2005 Andriy Skulysh
linux-3.10\arch\sh\drivers\dma\dma-sysfs.c(6): * Copyright (C) 2004 - 2006Paul Mundt
linux-3.10\arch\sh\drivers\heartbeat.c(4): * Copyright (C) 2007 - 2010Paul Mundt
linux-3.10\arch\sh\drivers\pci\fixups-dreamcast.c(6): * Copyright (C) 2001, 2002M. R. Brown
linux-3.10\arch\sh\drivers\pci\fixups-dreamcast.c(7): * Copyright (C) 2002, 2003, 2006Paul Mundt
linux-3.10\arch\sh\drivers\pci\fixups-landisk.c(6): * Copyright (C) 2006 kogiidena
linux-3.10\arch\sh\drivers\pci\fixups-landisk.c(7): * Copyright (C) 2010 Nobuhiro Iwamatsu

legal(ME)

linux-3.10\arch\sh\drivers\pci\fixups-r7780rp.c(6): * Copyright (C) 2003Lineo
uSolutions, Inc.
linux-3.10\arch\sh\drivers\pci\fixups-r7780rp.c(7): * Copyright (C) 2004 -
2006Paul Mundt
linux-3.10\arch\sh\drivers\pci\fixups-rts7751r2d.c(6): * Copyright (C) 2003Lineo
uSolutions, Inc.
linux-3.10\arch\sh\drivers\pci\fixups-rts7751r2d.c(7): * Copyright (C) 2004Paul
Mundt
linux-3.10\arch\sh\drivers\pci\fixups-rts7751r2d.c(8): * Copyright (C)
2007Nobuhiro Iwamatsu
linux-3.10\arch\sh\drivers\pci\fixups-sdk7780.c(6): * Copyright (C) 2003Lineo
uSolutions, Inc.
linux-3.10\arch\sh\drivers\pci\fixups-sdk7780.c(7): * Copyright (C) 2004 -
2006Paul Mundt
linux-3.10\arch\sh\drivers\pci\fixups-sdk7780.c(8): * Copyright (C) 2006Nobuhiro
Iwamatsu
linux-3.10\arch\sh\drivers\pci\fixups-sdk7786.c(4): * Copyright (C) 2010Paul
Mundt
linux-3.10\arch\sh\drivers\pci\ops-dreamcast.c(4): * Copyright (C) 2001, 2002M.
R. Brown
linux-3.10\arch\sh\drivers\pci\ops-dreamcast.c(5): * Copyright (C) 2002, 2003Paul
Mundt
linux-3.10\arch\sh\drivers\pci\ops-sh4.c(4): * Copyright (C) 2002 - 2009Paul
Mundt
linux-3.10\arch\sh\drivers\pci\ops-sh5.c(4): * Copyright (C) 2001 David J. Mckay
(david.mckay@st.com)
linux-3.10\arch\sh\drivers\pci\ops-sh5.c(5): * Copyright (C) 2003, 2004 Paul
Mundt
linux-3.10\arch\sh\drivers\pci\ops-sh5.c(6): * Copyright (C) 2004 Richard Curnow
linux-3.10\arch\sh\drivers\pci\ops-sh7786.c(4): *Copyright (C) 2009 - 2010Paul
Mundt
linux-3.10\arch\sh\drivers\pci\pci.c(4): * Copyright (c) 2004 - 2009Paul Mundt
linux-3.10\arch\sh\drivers\pci\pci.c(5): * Copyright (c) 2002M. R. Brown
linux-3.10\arch\sh\drivers\pci\pci.c(8): *Copyright (C) 2003, 04 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\arch\sh\drivers\pci\pci-dreamcast.c(4): * Copyright (C) 2001, 2002M.
R. Brown
linux-3.10\arch\sh\drivers\pci\pci-dreamcast.c(5): * Copyright (C) 2002, 2003Paul
Mundt
linux-3.10\arch\sh\drivers\pci\pcie-sh7786.c(4): *Copyright (C) 2009 - 2011Paul
Mundt
linux-3.10\arch\sh\drivers\pci\pcie-sh7786.h(4): * Copyright (C) 2008, 2009
Renesas Technology Corp.
linux-3.10\arch\sh\drivers\pci\pci-sh5.c(2): * Copyright (C) 2001 David J. Mckay
(david.mckay@st.com)
linux-3.10\arch\sh\drivers\pci\pci-sh5.c(3): * Copyright (C) 2003, 2004 Paul
Mundt
linux-3.10\arch\sh\drivers\pci\pci-sh5.c(4): * Copyright (C) 2004 Richard Curnow
linux-3.10\arch\sh\drivers\pci\pci-sh5.h(2): * Copyright (C) 2001 David J. Mckay
(david.mckay@st.com)
linux-3.10\arch\sh\drivers\pci\pci-sh7751.c(4): *Copyright (C) 2003 - 2009Paul
Mundt

legal(ME)

linux-3.10\arch\sh\drivers\pci\pci-sh7751.c(5): *Copyright (C) 2001Dustin McIntire
linux-3.10\arch\sh\drivers\pci\pci-sh7780.c(4): *Copyright (C) 2005 - 2010Paul Mundt
linux-3.10\arch\sh\drivers\push-switch.c(4): * Copyright (C) 2006Paul Mundt
linux-3.10\arch\sh\drivers\superhyway\ops-sh4-202.c(6): * Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\include\asm\adc.h(5): * Copyright (C) 2004Andriy Skulysh
linux-3.10\arch\sh\include\asm\addrspace.h(6): * Copyright (C) 1999 by Kaz Kojima
linux-3.10\arch\sh\include\asm\barrier.h(2): * Copyright (C) 1999, 2000Niibe Yutaka&Kaz Kojima
linux-3.10\arch\sh\include\asm\barrier.h(3): * Copyright (C) 2002 Paul Mundt
linux-3.10\arch\sh\include\asm\bl_bit_64.h(2): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\asm\bl_bit_64.h(3): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\asm\bl_bit_64.h(4): * Copyright (C) 2004Richard Curnow
linux-3.10\arch\sh\include\asm\cache.h(5): * Copyright 1999 (C) Niibe Yutaka
linux-3.10\arch\sh\include\asm\cache.h(6): * Copyright 2002, 2003 (C) Paul Mundt
linux-3.10\arch\sh\include\asm\cache_insns_64.h(2): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\asm\cache_insns_64.h(3): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\asm\cache_insns_64.h(4): * Copyright (C) 2004Richard Curnow
linux-3.10\arch\sh\include\asm\checksum_32.h(9): * Copyright (C) 1999 by Kaz Kojima & Niibe Yutaka
linux-3.10\arch\sh\include\asm\clkdev.h(2): *Copyright (C) 2010 Paul Mundt <lethal@linux-sh.org>
linux-3.10\arch\sh\include\asm\dma.h(4): * Copyright (C) 2003, 2004Paul Mundt
linux-3.10\arch\sh\include\asm\dma-register.h(6): * Copyright (C) 2000Takashi YOSHII
linux-3.10\arch\sh\include\asm\dma-register.h(7): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\asm\dwarf.h(2): * Copyright (C) 2009 Matt Fleming <matt@console-pimps.org>
linux-3.10\arch\sh\include\asm\fixmap.h(8): * Copyright (C) 1998 Ingo Molnar
linux-3.10\arch\sh\include\asm\flat.h(6): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\asm\freq.h(4): * Copyright (C) 2002, 2003 Paul Mundt
linux-3.10\arch\sh\include\asm\gpio.h(6): * Copyright (c) 2008 Magnus Damm
linux-3.10\arch\sh\include\asm\hd64461.h(4): *Copyright (C) 2007 Kristoffer Ericson <Kristoffer.Ericson@gmail.com>
linux-3.10\arch\sh\include\asm\hd64461.h(5): *Copyright (C) 2004 Paul Mundt
linux-3.10\arch\sh\include\asm\hd64461.h(6): *Copyright (C) 2000 YAEGASHI Takeshi
linux-3.10\arch\sh\include\asm\machvec.h(4): * Copyright 2000 Stuart Menefy (stuart.menefy@st.com)
linux-3.10\arch\sh\include\asm\mmu_context.h(2): * Copyright (C) 1999 Niibe Yutaka
linux-3.10\arch\sh\include\asm\mmu_context.h(3): * Copyright (C) 2003 - 2007 Paul Mundt
linux-3.10\arch\sh\include\asm\mmu_context_64.h(7): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\asm\mmu_context_64.h(8): * Copyright (C) 2003 - 2007Paul Mundt

legal(ME)

linux-3.10\arch\sh\include\asm\page.h(5): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\include\asm\pgtable.h(5): * Copyright (C) 1999 Niibe Yutaka
linux-3.10\arch\sh\include\asm\pgtable.h(6): * Copyright (C) 2002 - 2007 Paul
Mundt
linux-3.10\arch\sh\include\asm\pgtable_64.h(10): * Copyright (C) 2000, 2001Paolo
Alberelli
linux-3.10\arch\sh\include\asm\pgtable_64.h(11): * Copyright (C) 2003, 2004Paul
Mundt
linux-3.10\arch\sh\include\asm\pgtable_64.h(12): * Copyright (C) 2003,
2004Richard Curnow
linux-3.10\arch\sh\include\asm\processor_32.h(4): * Copyright (C) 1999, 2000Niibe
Yutaka
linux-3.10\arch\sh\include\asm\processor_32.h(5): * Copyright (C) 2002, 2003Paul
Mundt
linux-3.10\arch\sh\include\asm\processor_64.h(7): * Copyright (C) 2000, 2001Paolo
Alberelli
linux-3.10\arch\sh\include\asm\processor_64.h(8): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\asm\processor_64.h(9): * Copyright (C) 2004Richard
Curnow
linux-3.10\arch\sh\include\asm\ptrace.h(2): * Copyright (C) 1999, 2000Niibe
Yutaka
linux-3.10\arch\sh\include\asm\sfp-machine.h(3): Copyright (C) 1997,1998,1999
Free Software Foundation, Inc.
linux-3.10\arch\sh\include\asm\sh_bios.h(7): * Copyright (C) 2000 Greg Banks,
Mitch Davis
linux-3.10\arch\sh\include\asm\shmparam.h(4): * Copyright (C) 1999 Niibe Yutaka
linux-3.10\arch\sh\include\asm\shmparam.h(5): * Copyright (C) 2006 Paul Mundt
linux-3.10\arch\sh\include\asm\siu.h(4): * Copyright (C) 2009-2010 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\arch\sh\include\asm\smc37c93x.h(7): * Copyright (C) 2000Kazumoto
Kojima
linux-3.10\arch\sh\include\asm\spinlock.h(4): * Copyright (C) 2002, 2003 Paul
Mundt
linux-3.10\arch\sh\include\asm\spinlock.h(5): * Copyright (C) 2006, 2007 Akio
Idehara
linux-3.10\arch\sh\include\asm\stacktrace.h(2): * Copyright (C) 2009Matt Fleming
linux-3.10\arch\sh\include\asm\string_32.h(7): * Copyright (C) 1999 Niibe Yutaka
linux-3.10\arch\sh\include\asm\switch_to.h(2): * Copyright (C) 2000, 2001Paolo
Alberelli
linux-3.10\arch\sh\include\asm\switch_to.h(3): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\asm\switch_to.h(4): * Copyright (C) 2004Richard Curnow
linux-3.10\arch\sh\include\asm\switch_to_64.h(2): * Copyright (C) 2000, 2001Paolo
Alberelli
linux-3.10\arch\sh\include\asm\switch_to_64.h(3): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\asm\switch_to_64.h(4): * Copyright (C) 2004Richard
Curnow
linux-3.10\arch\sh\include\asm\thread_info.h(5): * Copyright (C) 2002Niibe Yutaka
linux-3.10\arch\sh\include\asm\thread_info.h(7): * The copyright of original i386
version is:
linux-3.10\arch\sh\include\asm\thread_info.h(9): *Copyright (C) 2002David Howells
(dhowells@redhat.com)
linux-3.10\arch\sh\include\asm\tlb_64.h(4): * Copyright (C) 2003Paul Mundt

legal(ME)

linux-3.10\arch\sh\include\asm\traps_64.h(2): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\asm\traps_64.h(3): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\asm\traps_64.h(4): * Copyright (C) 2004Richard Curnow
linux-3.10\arch\sh\include\asm\uaccess_32.h(4): * Copyright (C) 1999, 2002Niibe Yutaka
linux-3.10\arch\sh\include\asm\uaccess_32.h(5): * Copyright (C) 2003 - 2008Paul Mundt
linux-3.10\arch\sh\include\asm\uaccess_32.h(9): *Copyright (C) 1996, 1997, 1998 by Ralf Baechle
linux-3.10\arch\sh\include\asm\uaccess_64.h(12): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\include\asm\uaccess_64.h(16): *Copyright (C) 1996, 1997, 1998 by Ralf Baechle
linux-3.10\arch\sh\include\asm\uaccess_64.h(7): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\asm\uaccess_64.h(8): * Copyright (C) 2003, 2004Paul Mundt
linux-3.10\arch\sh\include\asm\watchdog.h(4): * Copyright (C) 2002, 2003 Paul Mundt
linux-3.10\arch\sh\include\asm\watchdog.h(5): * Copyright (C) 2009 Siemens AG
linux-3.10\arch\sh\include\asm\watchdog.h(6): * Copyright (C) 2009 Valentin Sitdikov
linux-3.10\arch\sh\include\cpu-common\cpu\addrspace.h(4): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\cpu-common\cpu\mmu_context.h(4): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\include\cpu-common\cpu\pfc.h(4): * Copyright (C) 2012Renesas Solutions Corp.
linux-3.10\arch\sh\include\cpu-sh2\cpu\cache.h(4): * Copyright (C) 2003 Paul Mundt
linux-3.10\arch\sh\include\cpu-sh2\cpu\freq.h(4): * Copyright (C) 2006Yoshinori Sato
linux-3.10\arch\sh\include\cpu-sh2\cpu\watchdog.h(4): * Copyright (C) 2002, 2003 Paul Mundt
linux-3.10\arch\sh\include\cpu-sh2a\cpu\cache.h(4): * Copyright (C) 2004 Paul Mundt
linux-3.10\arch\sh\include\cpu-sh2a\cpu\freq.h(4): * Copyright (C) 2006Yoshinori Sato
linux-3.10\arch\sh\include\cpu-sh3\cpu\adc.h(5): * Copyright (C) 2004Andriy Skulysh
linux-3.10\arch\sh\include\cpu-sh3\cpu\cache.h(4): * Copyright (C) 1999 Niibe Yutaka
linux-3.10\arch\sh\include\cpu-sh3\cpu\dac.h(5): * Copyright (C) 2003Andriy Skulysh
linux-3.10\arch\sh\include\cpu-sh3\cpu\dma-register.h(4): * Copyright (C) 2010 Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\arch\sh\include\cpu-sh3\cpu\freq.h(4): * Copyright (C) 2002, 2003 Paul Mundt
linux-3.10\arch\sh\include\cpu-sh3\cpu\gpio.h(4): *Copyright (C) 2007Markus Brunner, Mark Jonas
linux-3.10\arch\sh\include\cpu-sh3\cpu\mmu_context.h(4): * Copyright (C) 1999 Niibe Yutaka

legal(ME)

linux-3.10\arch\sh\include\cpu-sh3\cpu\watchdog.h(4): * Copyright (C) 2002, 2003 Paul Mundt
linux-3.10\arch\sh\include\cpu-sh4\cpu\addrspace.h(6): * Copyright (C) 1999 by Kaz Kojima
linux-3.10\arch\sh\include\cpu-sh4\cpu\cache.h(4): * Copyright (C) 1999 Niibe Yutaka
linux-3.10\arch\sh\include\cpu-sh4\cpu\dma-register.h(4): * Copyright (C) 2010 Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\arch\sh\include\cpu-sh4\cpu\fpu.h(4): * Copyright (C) 2006 STMicroelectronics Limited
linux-3.10\arch\sh\include\cpu-sh4\cpu\freq.h(4): * Copyright (C) 2002, 2003 Paul Mundt
linux-3.10\arch\sh\include\cpu-sh4\cpu\mmu_context.h(4): * Copyright (C) 1999 Niibe Yutaka
linux-3.10\arch\sh\include\cpu-sh4\cpu\sh7786.h(4): * Copyright (C) 2008, 2009Renesas Solutions Corp.
linux-3.10\arch\sh\include\cpu-sh4\cpu\squ.h(4): * Copyright (C) 2001, 2002, 2003Paul Mundt
linux-3.10\arch\sh\include\cpu-sh4\cpu\squ.h(5): * Copyright (C) 2001, 2002M. R. Brown
linux-3.10\arch\sh\include\cpu-sh4\cpu\watchdog.h(4): * Copyright (C) 2002, 2003 Paul Mundt
linux-3.10\arch\sh\include\cpu-sh4\cpu\watchdog.h(5): * Copyright (C) 2009 Siemens AG
linux-3.10\arch\sh\include\cpu-sh4\cpu\watchdog.h(6): * Copyright (C) 2009 Sitdikov Valentin
linux-3.10\arch\sh\include\cpu-sh5\cpu\cache.h(7): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\cpu-sh5\cpu\cache.h(8): * Copyright (C) 2003, 2004Paul Mundt
linux-3.10\arch\sh\include\cpu-sh5\cpu\irq.h(7): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\cpu-sh5\cpu\registers.h(7): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\cpu-sh5\cpu\registers.h(8): * Copyright (C) 2004Richard Curnow
linux-3.10\arch\sh\include\mach-common\mach\hp6xx.h(5): * Copyright (C) 2003, 2004, 2005Andriy Skulysh
linux-3.10\arch\sh\include\mach-common\mach\lboxre2.h(5): * Copyright (C) 2007 Nobuhiro Iwamatsu
linux-3.10\arch\sh\include\mach-common\mach\magicpanelr2.h(4): *Copyright (C) 2007Markus Brunner, Mark Jonas
linux-3.10\arch\sh\include\mach-common\mach\mangle-port.h(8): * Copyright (C) 2003, 2004 Ralf Baechle
linux-3.10\arch\sh\include\mach-common\mach\microdev.h(4): * Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com)
linux-3.10\arch\sh\include\mach-common\mach\r2d.h(7): * Copyright (C) 2000Atom Create Engineering Co., Ltd.
linux-3.10\arch\sh\include\mach-common\mach\sdk7780.h(8): * Copyright (C) 2008 Nicholas Beck <nbeck@mpc-data.co.uk>
linux-3.10\arch\sh\include\mach-common\mach\sh7763rdp.h(7): * Copyright (C) 2008 Renesas Solutions

legal(ME)

linux-3.10\arch\sh\include\mach-common\mach\sh7763rdp.h(8): * Copyright (C) 2008 Nobuhiro Iwamatsu <iwamatsu.nobuhiro@renesas.com>
linux-3.10\arch\sh\include\mach-dreamcast\mach\dma.h(4): * Copyright (C) 2003 Paul Mundt
linux-3.10\arch\sh\include\mach-dreamcast\mach\pci.h(4): * Copyright (C) 2001, 2002M. R. Brown
linux-3.10\arch\sh\include\mach-dreamcast\mach\pci.h(5): * Copyright (C) 2002, 2003Paul Mundt
linux-3.10\arch\sh\include\mach-dreamcast\mach\sysasic.h(5): * Copyright (c) 2001 M. R. Brown <mrbrown@linuxdc.org>
linux-3.10\arch\sh\include\mach-dreamcast\mach\sysasic.h(6): * Copyright (C) 2003 Paul Mundt <lethal@linux-sh.org>
linux-3.10\arch\sh\include\mach-ecovec24\mach\partner-jet-setup.txt(2):LIST "(C) Copyright 2009 Renesas Solutions Corp"
linux-3.10\arch\sh\include\mach-landisk\mach\iodata_landisk.h(7): * Copyright (C) 2000Atom Create Engineering Co., Ltd.
linux-3.10\arch\sh\include\mach-se\mach\se.h(7): * Copyright (C) 2000Kazumoto Kojima
linux-3.10\arch\sh\include\mach-se\mach\se7343.h(7): * Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp>
linux-3.10\arch\sh\include\mach-se\mach\se7721.h(2): * Copyright (C) 2008 Renesas Solutions Corp.
linux-3.10\arch\sh\include\mach-se\mach\se7722.h(7): * Copyright (C) 2007Nobuhiro Iwamatsu
linux-3.10\arch\sh\include\mach-se\mach\se7724.h(14): * Copyright (C) 2007Nobuhiro Iwamatsu
linux-3.10\arch\sh\include\mach-se\mach\se7724.h(7): * Copyright (C) 2009 Renesas Solutions Corp.
linux-3.10\arch\sh\include\mach-se\mach\se7751.h(7): * Copyright (C) 2000Kazumoto Kojima
linux-3.10\arch\sh\include\mach-se\mach\se7780.h(7): * Copyright (C) 2006,2007Nobuhiro Iwamatsu
linux-3.10\arch\sh\include\mach-sh03\mach\io.h(4): * Copyright 2004 Interface Co.,Ltd. Saito.K
linux-3.10\arch\sh\include\mach-sh03\mach\sh03.h(7): * Copyright (C) 2004Interface Co., Ltd. Saito.K
linux-3.10\arch\sh\include\uapi\asm\ptrace.h(2): * Copyright (C) 1999, 2000Niibe Yutaka
linux-3.10\arch\sh\include\uapi\asm\swab.h(5): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\include\uapi\asm\swab.h(6): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\include\uapi\asm\unistd_32.h(5): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\include\uapi\asm\unistd_64.h(10): * Copyright (C) 2003 - 2007 Paul Mundt
linux-3.10\arch\sh\include\uapi\asm\unistd_64.h(11): * Copyright (C) 2004Sean McGoogan
linux-3.10\arch\sh\include\uapi\asm\unistd_64.h(9): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\kernel\cpu\adc.c(4): *Copyright (C) 2004Andriy Skulysh <askulysh@image.kiev.ua>
linux-3.10\arch\sh\kernel\cpu\clock.c(4): *Copyright (C) 2005 - 2009Paul Mundt

legal(ME)

linux-3.10\arch\sh\kernel\cpu\clock.c(8): *Copyright (C) 2004 - 2008 Nokia Corporation
linux-3.10\arch\sh\kernel\cpu\init.c(6): * Copyright (C) 2002 - 2009Paul Mundt
linux-3.10\arch\sh\kernel\cpu\init.c(7): * Copyright (C) 2003Richard Curnow
linux-3.10\arch\sh\kernel\cpu\irq\imask.c(4): * Copyright (C) 1999, 2000Niibe Yutaka
linux-3.10\arch\sh\kernel\cpu\irq\intc-sh5.c(6): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\kernel\cpu\irq\intc-sh5.c(7): * Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\kernel\cpu\irq\ipr.c(4): * Copyright (C) 1999Niibe Yutaka & Takeshi Yaegashi
linux-3.10\arch\sh\kernel\cpu\irq\ipr.c(5): * Copyright (C) 2000Kazumoto Kojima
linux-3.10\arch\sh\kernel\cpu\irq\ipr.c(6): * Copyright (C) 2003Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp>
linux-3.10\arch\sh\kernel\cpu\irq\ipr.c(7): * Copyright (C) 2006Paul Mundt
linux-3.10\arch\sh\kernel\cpu\pfc.c(4): * Copyright (C) 2012Renesas Solutions Corp.
linux-3.10\arch\sh\kernel\cpu\sh2\clock-sh7619.c(6): *Copyright (C) 2006Yoshinori Sato
linux-3.10\arch\sh\kernel\cpu\sh2\clock-sh7619.c(9): *Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh2\entry.S(6): * Copyright (C) 2005-2008 Yoshinori Sato
linux-3.10\arch\sh\kernel\cpu\sh2\entry.S(7): * Copyright (C) 2005AXE,Inc.
linux-3.10\arch\sh\kernel\cpu\sh2\ex.S(6): * Copyright (C) 2005 Yoshinori Sato
linux-3.10\arch\sh\kernel\cpu\sh2\probe.c(6): * Copyright (C) 2002 Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh2\setup-sh7619.c(4): *Copyright (C) 2006Yoshinori Sato
linux-3.10\arch\sh\kernel\cpu\sh2\setup-sh7619.c(5): *Copyright (C) 2009Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7201.c(6): *Copyright (C) 2008 Peter Griffin<pgriffin@mpc-data.co.uk>
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7201.c(9): *Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7203.c(12): *Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7203.c(6): *Copyright (C) 2007 Kieran Bingham (MPC-Data Ltd)
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7203.c(9): *Copyright (C) 2006Yoshinori Sato
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7206.c(6): *Copyright (C) 2006Yoshinori Sato
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7206.c(9): *Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7264.c(6): * Copyright (C) 2012Phil Edworthy
linux-3.10\arch\sh\kernel\cpu\sh2a\clock-sh7269.c(6): * Copyright (C) 2012Phil Edworthy
linux-3.10\arch\sh\kernel\cpu\sh2a\entry.S(6): * Copyright (C) 2008 Yoshinori Sato
linux-3.10\arch\sh\kernel\cpu\sh2a\ex.S(6): * Copyright (C) 2008 Yoshinori Sato
linux-3.10\arch\sh\kernel\cpu\sh2a\fp.c(4): * Copyright (C) 1999, 2000Kaz Kojima

legal(ME)

& Niibe Yutaka

linux-3.10\arch\sh\kernel\cpu\sh2a\opcode_helper.c(6): *Copyright (C) 2007Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh2a\pinmux-sh7203.c(4): *Copyright (C) 2008Magnus Damm

linux-3.10\arch\sh\kernel\cpu\sh2a\pinmux-sh7264.c(4): *Copyright (C) 2012Renesas Electronics Europe Ltd

linux-3.10\arch\sh\kernel\cpu\sh2a\pinmux-sh7269.c(4): * Copyright (C) 2012Renesas Electronics Europe Ltd

linux-3.10\arch\sh\kernel\cpu\sh2a\pinmux-sh7269.c(5): * Copyright (C) 2012Phil Edworthy

linux-3.10\arch\sh\kernel\cpu\sh2a\probe.c(6): * Copyright (C) 2004 - 2007Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-mxg.c(4): *Copyright (C) 2008, 2009Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-sh7201.c(4): *Copyright (C) 2008Peter Griffin pgriffin@mpc-data.co.uk

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-sh7201.c(5): *Copyright (C) 2009Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-sh7203.c(4): *Copyright (C) 2007 - 2009Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-sh7206.c(4): *Copyright (C) 2006Yoshinori Sato

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-sh7206.c(5): *Copyright (C) 2009Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-sh7264.c(4): * Copyright (C) 2012Renesas Electronics Europe Ltd

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-sh7269.c(4): * Copyright (C) 2012Renesas Electronics Europe Ltd

linux-3.10\arch\sh\kernel\cpu\sh2a\setup-sh7269.c(5): * Copyright (C) 2012Phil Edworthy

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh3.c(10): *Copyright (C) 1999Tetsuya Okada & Niibe Yutaka

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh3.c(11): *Copyright (C) 2000Philipp Rumpf <prumpf@tux.org>

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh3.c(12): *Copyright (C) 2002, 2003, 2004Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh3.c(13): *Copyright (C) 2002M. R. Brown<mrbrown@linux-sh.org>

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh3.c(6): *Copyright (C) 2005Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7705.c(10): *Copyright (C) 1999Tetsuya Okada & Niibe Yutaka

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7705.c(11): *Copyright (C) 2000Philipp Rumpf <prumpf@tux.org>

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7705.c(12): *Copyright (C) 2002, 2003, 2004Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7705.c(13): *Copyright (C) 2002M. R. Brown<mrbrown@linux-sh.org>

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7705.c(6): *Copyright (C) 2005Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7706.c(6): *Copyright (C) 2006Takashi YOSHII

legal(ME)

linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7706.c(9): *Copyright (C) 2005Andriy Skulysh
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7709.c(6): *Copyright (C) 2005Andriy Skulysh
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7709.c(9): *Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7710.c(10): *Copyright (C) 1999Tetsuya Okada & Niibe Yutaka
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7710.c(11): *Copyright (C) 2000Philipp Rumpf <prumpf@tux.org>
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7710.c(12): *Copyright (C) 2002, 2003, 2004Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7710.c(13): *Copyright (C) 2002M. R. Brown<mrbrown@linux-sh.org>
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7710.c(6): *Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7712.c(6): *Copyright (C) 2007Andrew Murray <amurray@mpc-data.co.uk>
linux-3.10\arch\sh\kernel\cpu\sh3\clock-sh7712.c(9): *Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\entry.S(4): *Copyright (C) 1999, 2000, 2002Niibe Yutaka
linux-3.10\arch\sh\kernel\cpu\sh3\entry.S(5): *Copyright (C) 2003 - 2012Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\ex.S(6): *Copyright (C) 1999, 2000, 2002Niibe Yutaka
linux-3.10\arch\sh\kernel\cpu\sh3\ex.S(7): *Copyright (C) 2003 - 2008Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\pinmux-sh7720.c(4): *Copyright (C) 2008Magnus Damm
linux-3.10\arch\sh\kernel\cpu\sh3\probe.c(6): * Copyright (C) 1999, 2000Niibe Yutaka
linux-3.10\arch\sh\kernel\cpu\sh3\probe.c(7): * Copyright (C) 2002Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh3.c(4): *Copyright (C) 2008Magnus Damm
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh7705.c(4): *Copyright (C) 2006 - 2009Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh7705.c(5): *Copyright (C) 2007Nobuhiro Iwamatsu
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh770x.c(4): *Copyright (C) 2007Magnus Damm
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh770x.c(5): *Copyright (C) 2009Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh770x.c(9): *Copyright (C) 2006Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh7710.c(4): *Copyright (C) 2006 - 2009Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh7710.c(5): *Copyright (C) 2007Nobuhiro Iwamatsu
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh7720.c(10): *Copyright (C) 2006Jamie Lenehan
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh7720.c(4): *Copyright (C) 2007Markus Brunner, Mark Jonas
linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh7720.c(5): *Copyright (C) 2009Paul

legal(ME)

Mundt

linux-3.10\arch\sh\kernel\cpu\sh3\setup-sh7720.c(9): *Copyright (C) 2006Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh3\swsusp.S(4): * Copyright (C) 2009 Magnus Damm

linux-3.10\arch\sh\kernel\cpu\sh4\clock-sh4.c(10): *Copyright (C) 1999Tetsuya

Okada & Niibe Yutaka

linux-3.10\arch\sh\kernel\cpu\sh4\clock-sh4.c(11): *Copyright (C) 2000Philipp

Rumpf <prumpf@tux.org>

linux-3.10\arch\sh\kernel\cpu\sh4\clock-sh4.c(12): *Copyright (C) 2002, 2003,

2004Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\clock-sh4.c(13): *Copyright (C) 2002M. R.

Brown<mrbrown@linux-sh.org>

linux-3.10\arch\sh\kernel\cpu\sh4\clock-sh4.c(6): *Copyright (C) 2005Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\clock-sh4-202.c(6): *Copyright (C) 2005Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\fpu.c(8): * Copyright (C) 1999, 2000Kaz Kojima

& Niibe Yutaka

linux-3.10\arch\sh\kernel\cpu\sh4\fpu.c(9): * Copyright (C) 2006ST

Microelectronics Ltd. (denorm support)

linux-3.10\arch\sh\kernel\cpu\sh4\perf_event.c(4): *Copyright (C) 2009Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\probe.c(6): * Copyright (C) 2001 - 2007Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\probe.c(7): * Copyright (C) 2003Richard Curnow

linux-3.10\arch\sh\kernel\cpu\sh4\setup-sh4-202.c(4): *Copyright (C) 2006Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\setup-sh4-202.c(5): *Copyright (C) 2009Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4\setup-sh7750.c(4): *Copyright (C) 2006Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\setup-sh7750.c(5): *Copyright (C) 2006Jamie

Lenehan

linux-3.10\arch\sh\kernel\cpu\sh4\setup-sh7760.c(4): *Copyright (C) 2006Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\sq.c(6): * Copyright (C) 2001 - 2006Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4\sq.c(7): * Copyright (C) 2001, 2002M. R. Brown

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7343.c(6): * Copyright (C) 2009 Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7366.c(6): * Copyright (C) 2009 Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7722.c(6): * Copyright (C) 2009 Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7723.c(6): * Copyright (C) 2009 Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7724.c(6): * Copyright (C) 2009 Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7734.c(6): * Copyright (C) 2011, 2012

Nobuhiro Iwamatsu <nobuhiro.iwamatsu.yj@renesas.com>

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7734.c(7): * Copyright (C) 2011, 2012

Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7757.c(6): *Copyright (C)

2009-2010Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7763.c(6): *Copyright (C) 2005Paul

legal(ME)

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7763.c(7): *Copyright (C)

2007Yoshihiro Shimoda

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7770.c(6): *Copyright (C) 2005Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7780.c(6): *Copyright (C) 2005Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7785.c(6): *Copyright (C) 2007 -

2010Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-sh7786.c(6): *Copyright (C) 2010Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-shx3.c(6): *Copyright (C)

2006-2007Renesas Technology Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-shx3.c(7): *Copyright (C)

2006-2007Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\clock-shx3.c(8): *Copyright (C) 2006-2010Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\intc-shx3.c(4): *Copyright (C) 2009 - 2010Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\perf_event.c(4): *Copyright (C) 2009, 2010Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7723.c(4): *Copyright (C) 2008Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7724.c(4): * Copyright (C) 2009

Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7724.c(9): *Copyright (C) 2008Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7734.c(4): * Copyright (C)

2012Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7734.c(5): * Copyright (C)

2012Nobuhiro Iwamatsu <nobuhiro.iwamatsu.yj@renesas.com>

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7757.c(4): *Copyright (C)

2009-2010Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7757.c(9): *Copyright (C) 2008Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7785.c(4): *Copyright (C) 2008Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7786.c(4): * Copyright (C) 2008,

2009Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-sh7786.c(9): *Copyright (C) 2008Magnus

Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\pinmux-shx3.c(4): * Copyright (C) 2010Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7343.c(4): *Copyright (C) 2006Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7366.c(4): *Copyright (C) 2008 Renesas
Solutions

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7722.c(4): *Copyright (C) 2006 -

2008Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7723.c(4): *Copyright (C) 2008Paul

Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7724.c(4): * Copyright (C) 2009

legal(ME)

Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7724.c(9): * Copyright (C) 2008Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7734.c(6): * Copyright (C) 2011,2012 Nobuhiro Iwamatsu <nobuhiro.iwamatsu.yj@renesas.com>

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7734.c(7): * Copyright (C) 2011,2012 Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7757.c(4): * Copyright (C) 2009, 2011Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7757.c(6): *based on setup-sh7785.c : Copyright (C) 2007Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7763.c(4): *Copyright (C) 2006Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7763.c(5): *Copyright (C) 2007Yoshihiro Shimoda

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7763.c(6): *Copyright (C) 2008, 2009Nobuhiro Iwamatsu

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7770.c(4): *Copyright (C) 2006 - 2008Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7780.c(4): *Copyright (C) 2006Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7785.c(4): *Copyright (C) 2007Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7786.c(10): *Copyright (C) 2007Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-sh7786.c(4): * Copyright (C) 2009 - 2011Renesas Solutions Corp.

linux-3.10\arch\sh\kernel\cpu\sh4a\setup-shx3.c(4): *Copyright (C) 2007 - 2010Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\smp-shx3.c(4): *Copyright (C) 2007 - 2010Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh4a\smp-shx3.c(5): *Copyright (C) 2007Magnus Damm

linux-3.10\arch\sh\kernel\cpu\sh4a\ubc.c(6): * Copyright (C) 2009 - 2010Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh5\clock-sh5.c(6): *Copyright (C) 2008Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh5\entry.S(4): * Copyright (C) 2000, 2001Paolo Alberelli

linux-3.10\arch\sh\kernel\cpu\sh5\entry.S(5): * Copyright (C) 2004 - 2008Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh5\entry.S(6): * Copyright (C) 2003, 2004Richard Curnow

linux-3.10\arch\sh\kernel\cpu\sh5\fpu.c(4): * Copyright (C) 2001Manuela Cirronis, Paolo Alberelli

linux-3.10\arch\sh\kernel\cpu\sh5\fpu.c(5): * Copyright (C) 2002STMicroelectronics Limited

linux-3.10\arch\sh\kernel\cpu\sh5\fpu.c(9): * Copyright (C) 1999, 2000Kaz Kojima & Niibe Yutaka

linux-3.10\arch\sh\kernel\cpu\sh5\probe.c(6): * Copyright (C) 2000, 2001Paolo Alberelli

linux-3.10\arch\sh\kernel\cpu\sh5\probe.c(7): * Copyright (C) 2003 - 2007Paul Mundt

linux-3.10\arch\sh\kernel\cpu\sh5\setup-sh5.c(4): *Copyright (C) 2009Paul Mundt

legal(ME)

linux-3.10\arch\sh\kernel\cpu\sh5\switchto.S(6): * Copyright (C) 2004Richard Curnow
linux-3.10\arch\sh\kernel\cpu\sh5\unwind.c(4): * Copyright (C) 2004Paul Mundt
linux-3.10\arch\sh\kernel\cpu\sh5\unwind.c(5): * Copyright (C) 2004Richard Curnow
linux-3.10\arch\sh\kernel\cpu\shmobile\cpuidle.c(6): *Copyright (C) 2009 Magnus Damm
linux-3.10\arch\sh\kernel\cpu\shmobile\pm.c(6): *Copyright (C) 2009 Magnus Damm
linux-3.10\arch\sh\kernel\cpu\shmobile\sleep.S(6): *Copyright (C) 2009 Magnus Damm
linux-3.10\arch\sh\kernel\crash_dump.c(5): *Copyright (C) IBM Corporation, 2004.
All rights reserved
linux-3.10\arch\sh\kernel\debugtraps.S(6): *Copyright (C) 2006 - 2008Paul Mundt
linux-3.10\arch\sh\kernel\disassemble.c(4): * Copyright (C) 1999 kaz Kojima
linux-3.10\arch\sh\kernel\disassemble.c(5): * Copyright (C) 2008 Paul Mundt
linux-3.10\arch\sh\kernel\dma-nommu.c(4): * Copyright (C) 2009Paul Mundt
linux-3.10\arch\sh\kernel\dumpstack.c(2): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\sh\kernel\dumpstack.c(3): *Copyright (C) 2000, 2001, 2002 Andi Kleen, SuSE Labs
linux-3.10\arch\sh\kernel\dumpstack.c(4): *Copyright (C) 2009Matt Fleming
linux-3.10\arch\sh\kernel\dumpstack.c(5): *Copyright (C) 2002 - 2012Paul Mundt
linux-3.10\arch\sh\kernel\dwarf.c(2): * Copyright (C) 2009 Matt Fleming
<matt@console-pimps.org>
linux-3.10\arch\sh\kernel\entry-common.S(2): *Copyright (C) 1999, 2000, 2002Niibe Yutaka
linux-3.10\arch\sh\kernel\entry-common.S(3): *Copyright (C) 2003 - 2008Paul Mundt
linux-3.10\arch\sh\kernel\ftrace.c(2): * Copyright (C) 2008 Matt Fleming
<matt@console-pimps.org>
linux-3.10\arch\sh\kernel\ftrace.c(3): * Copyright (C) 2008 Paul Mundt
<lethal@linux-sh.org>
linux-3.10\arch\sh\kernel\ftrace.c(7): * Copyright (C) 2007-2008 Steven Rostedt
<ststedt@redhat.com>
linux-3.10\arch\sh\kernel\head_32.S(5): *Copyright (C) 1999, 2000Niibe Yutaka & Kaz Kojima
linux-3.10\arch\sh\kernel\head_32.S(6): *Copyright (C) 2010Matt Fleming
linux-3.10\arch\sh\kernel\head_64.S(4): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\kernel\head_64.S(5): * Copyright (C) 2003, 2004Paul Mundt
linux-3.10\arch\sh\kernel\hw_breakpoint.c(6): * Copyright (C) 2009 - 2010Paul Mundt
linux-3.10\arch\sh\kernel\idle.c(4): *Copyright (C) 2002 - 2009Paul Mundt
linux-3.10\arch\sh\kernel\io.c(4): * Copyright (C) 2000 - 2009Stuart Menefy
linux-3.10\arch\sh\kernel\io.c(5): * Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\kernel\io_trapped.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\arch\sh\kernel\iomap.c(4): * Copyright (C) 2000Niibe Yutaka
linux-3.10\arch\sh\kernel\iomap.c(5): * Copyright (C) 2005 - 2007 Paul Mundt
linux-3.10\arch\sh\kernel\ioport.c(4): * Copyright (C) 2000Niibe Yutaka
linux-3.10\arch\sh\kernel\ioport.c(5): * Copyright (C) 2005 - 2007 Paul Mundt
linux-3.10\arch\sh\kernel\irq.c(4): *Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar
linux-3.10\arch\sh\kernel\irq.c(7): * SuperH version:Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\kernel\irq_32.c(4): * Copyright (C) 2006 - 2009 Paul Mundt
linux-3.10\arch\sh\kernel\irq_64.c(4): * Copyright (C) 2006 - 2009 Paul Mundt

legal(ME)

linux-3.10\arch\sh\kernel\kgdb.c(4): * Copyright (C) 2008 - 2012 Paul Mundt
linux-3.10\arch\sh\kernel\kprobes.c(4): * Copyright (C) 2007 Chris Smith
<chris.smith@st.com>
linux-3.10\arch\sh\kernel\kprobes.c(5): * Copyright (C) 2006 Lineo Solutions,
Inc.
linux-3.10\arch\sh\kernel\localtimer.c(10): * Copyright (C) 2002 ARM Ltd.
linux-3.10\arch\sh\kernel\localtimer.c(4): * Copyright (C) 2008 Paul Mundt
linux-3.10\arch\sh\kernel\machine_kexec.c(3): * Copyright (C) 2002-2003 Eric
Biederman <ebiederm@xmission.com>
linux-3.10\arch\sh\kernel\machine_kexec.c(5): * GameCube/ppc32 port Copyright (C)
2004 Albert Herranz
linux-3.10\arch\sh\kernel\machvec.c(6): * Copyright (C) 1999 Niibe Yutaka
linux-3.10\arch\sh\kernel\machvec.c(7): * Copyright (C) 2002 - 2007 Paul Mundt
linux-3.10\arch\sh\kernel\module.c(7): Copyright 2004 SuperH (UK) Ltd
linux-3.10\arch\sh\kernel\nmi_debug.c(2): * Copyright (C) 2007 Atmel Corporation
linux-3.10\arch\sh\kernel\perf_callchain.c(4): * Copyright (C) 2009 Paul Mundt
linux-3.10\arch\sh\kernel\perf_event.c(10): * Copyright (C) 2008-2009 Red Hat,
Inc., Ingo Molnar
linux-3.10\arch\sh\kernel\perf_event.c(11): * Copyright (C) 2009 Jaswinder Singh
Rajput
linux-3.10\arch\sh\kernel\perf_event.c(12): * Copyright (C) 2009 Advanced Micro
Devices, Inc., Robert Richter
linux-3.10\arch\sh\kernel\perf_event.c(13): * Copyright (C) 2008-2009 Red Hat,
Inc., Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\arch\sh\kernel\perf_event.c(14): * Copyright (C) 2009 Intel
Corporation, <markus.t.metzger@intel.com>
linux-3.10\arch\sh\kernel\perf_event.c(17): * Copyright 2008-2009 Paul Mackerras,
IBM Corporation.
linux-3.10\arch\sh\kernel\perf_event.c(4): * Copyright (C) 2009 Paul Mundt
linux-3.10\arch\sh\kernel\perf_event.c(9): * Copyright (C) 2008 Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\arch\sh\kernel\process_32.c(10): * Copyright (C) 2002 - 2008 Paul Mundt
linux-3.10\arch\sh\kernel\process_32.c(6): * Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\sh\kernel\process_32.c(8): * SuperH version: Copyright (C) 1999,
2000 Niibe Yutaka & Kaz Kojima
linux-3.10\arch\sh\kernel\process_32.c(9): * Copyright (C) 2006 Lineo Solutions
Inc. support SH4A UBC
linux-3.10\arch\sh\kernel\process_64.c(11): * Copyright (C) 1999, 2000 Niibe
Yutaka & Kaz Kojima
linux-3.10\arch\sh\kernel\process_64.c(14): * Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\sh\kernel\process_64.c(6): * Copyright (C) 2000, 2001 Paolo
Alberelli
linux-3.10\arch\sh\kernel\process_64.c(7): * Copyright (C) 2003 - 2007 Paul Mundt
linux-3.10\arch\sh\kernel\process_64.c(8): * Copyright (C) 2003, 2004 Richard
Curnow
linux-3.10\arch\sh\kernel\ptrace_32.c(4): * Copyright (C) 1999, 2000 Kaz Kojima &
Niibe Yutaka
linux-3.10\arch\sh\kernel\ptrace_32.c(5): * Copyright (C) 2002 - 2009 Paul Mundt
linux-3.10\arch\sh\kernel\ptrace_64.c(4): * Copyright (C) 2000, 2001 Paolo
Alberelli
linux-3.10\arch\sh\kernel\ptrace_64.c(5): * Copyright (C) 2003 - 2008 Paul Mundt
linux-3.10\arch\sh\kernel\ptrace_64.c(8): * SuperH version: Copyright (C) 1999,

legal(ME)

2000Kaz Kojima & Niibe Yutaka

linux-3.10\arch\sh\kernel\return_address.c(4): * Copyright (C) 2009Matt Fleming

linux-3.10\arch\sh\kernel\return_address.c(5): * Copyright (C) 2009Paul Mundt

linux-3.10\arch\sh\kernel\setup.c(6): *Copyright (C) 1999Niibe Yutaka

linux-3.10\arch\sh\kernel\setup.c(7): *Copyright (C) 2002 - 2010 Paul Mundt

linux-3.10\arch\sh\kernel\sh_bios.c(4): *Copyright (C) 2000 Greg Banks, Mitch Davis

linux-3.10\arch\sh\kernel\sh_bios.c(5): *Copyright (C) 1999, 2000Niibe Yutaka

linux-3.10\arch\sh\kernel\sh_bios.c(6): *Copyright (C) 2002M. R. Brown

linux-3.10\arch\sh\kernel\sh_bios.c(7): *Copyright (C) 2004 - 2010Paul Mundt

linux-3.10\arch\sh\kernel\sh_ksyms_64.c(4): * Copyright (C) 2000, 2001Paolo Alberelli

linux-3.10\arch\sh\kernel\signal_32.c(4): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\arch\sh\kernel\signal_32.c(8): *SuperH version:Copyright (C) 1999, 2000Niibe Yutaka & Kaz Kojima

linux-3.10\arch\sh\kernel\signal_64.c(4): * Copyright (C) 2000, 2001Paolo Alberelli

linux-3.10\arch\sh\kernel\signal_64.c(5): * Copyright (C) 2003 - 2008Paul Mundt

linux-3.10\arch\sh\kernel\signal_64.c(6): * Copyright (C) 2004Richard Curnow

linux-3.10\arch\sh\kernel\smp.c(6): * Copyright (C) 2002 - 2010 Paul Mundt

linux-3.10\arch\sh\kernel\smp.c(7): * Copyright (C) 2006 - 2007 Akio Idehara

linux-3.10\arch\sh\kernel\stacktrace.c(6): *Copyright (C) 2006 - 2008Paul Mundt

linux-3.10\arch\sh\kernel\swsusp.c(4): * Copyright (C) 2009 Magnus Damm

linux-3.10\arch\sh\kernel\syscalls_32.S(6): *Copyright (C) 1999, 2000, 2002Niibe Yutaka

linux-3.10\arch\sh\kernel\syscalls_32.S(7): *Copyright (C) 2003Paul Mundt

linux-3.10\arch\sh\kernel\syscalls_64.S(4): * Copyright (C) 2000, 2001Paolo Alberelli

linux-3.10\arch\sh\kernel\syscalls_64.S(5): * Copyright (C) 2004 - 2007Paul Mundt

linux-3.10\arch\sh\kernel\syscalls_64.S(6): * Copyright (C) 2003, 2004 Richard Curnow

linux-3.10\arch\sh\kernel\time.c(4): *Copyright (C) 1999Tetsuya Okada & Niibe Yutaka

linux-3.10\arch\sh\kernel\time.c(5): *Copyright (C) 2000Philipp Rumpf
<prumpf@tux.org>

linux-3.10\arch\sh\kernel\time.c(6): *Copyright (C) 2002 - 2009Paul Mundt

linux-3.10\arch\sh\kernel\time.c(7): *Copyright (C) 2002M. R.

Brown<mrbrown@linux-sh.org>

linux-3.10\arch\sh\kernel\topology.c(4): *Copyright (C) 2007Paul Mundt

linux-3.10\arch\sh\kernel\traps_32.c(5): *SuperH version: Copyright (C) 1999 Niibe Yutaka

linux-3.10\arch\sh\kernel\traps_32.c(6): *Copyright (C) 2000 Philipp Rumpf

linux-3.10\arch\sh\kernel\traps_32.c(7): *Copyright (C) 2000 David Howells

linux-3.10\arch\sh\kernel\traps_32.c(8): *Copyright (C) 2002 - 2010 Paul Mundt

linux-3.10\arch\sh\kernel\traps_64.c(4): * Copyright (C) 2000, 2001Paolo

Alberelli

linux-3.10\arch\sh\kernel\traps_64.c(5): * Copyright (C) 2003, 2004Paul Mundt

linux-3.10\arch\sh\kernel\traps_64.c(6): * Copyright (C) 2003, 2004Richard Curnow

linux-3.10\arch\sh\kernel\unwinder.c(2): * Copyright (C) 2009Matt Fleming

linux-3.10\arch\sh\kernel\vsyscall\vsyscall.c(4): *Copyright (C) 2006 Paul Mundt

linux-3.10\arch\sh\kernel\vsyscall\vsyscall.c(7): * Copyright(C) 2005-2006, Red Hat, Inc., Ingo Molnar

legal(ME)

linux-3.10\arch\sh\lib__clear_user.S(4): * Copyright (C) 2001Kaz Kojima
linux-3.10\arch\sh\lib__clear_user.S(5): * Copyright (C) 2001, 2002Niibe Yutaka
linux-3.10\arch\sh\lib__clear_user.S(6): * Copyright (C) 2006Paul Mundt
linux-3.10\arch\sh\lib\ashiftrt.S(1):/* Copyright (C) 1994, 1995, 1997, 1998,
1999, 2000, 2001, 2002, 2003,
linux-3.10\arch\sh\lib\ashlsi3.S(1):/* Copyright (C) 1994, 1995, 1997, 1998,
1999, 2000, 2001, 2002, 2003,
linux-3.10\arch\sh\lib\ashrsi3.S(1):/* Copyright (C) 1994, 1995, 1997, 1998,
1999, 2000, 2001, 2002, 2003,
linux-3.10\arch\sh\lib\checksum.S(23): * SuperH version:Copyright (C) 1999Niibe
Yutaka
linux-3.10\arch\sh\lib\copy_page.S(4): * Copyright (C) 2001Niibe Yutaka & Kaz
Kojima
linux-3.10\arch\sh\lib\copy_page.S(5): * Copyright (C) 2002Toshinobu Sugioka
linux-3.10\arch\sh\lib\copy_page.S(6): * Copyright (C) 2006Paul Mundt
linux-3.10\arch\sh\lib\delay.c(4): *Copyright (C) 1999 Niibe Yutaka & Kaz Kojima
linux-3.10\arch\sh\lib\io.c(4): * Copyright (C) 2000Stuart Menefy
linux-3.10\arch\sh\lib\io.c(5): * Copyright (C) 2005Paul Mundt
linux-3.10\arch\sh\lib\lshrsi3.S(1):/* Copyright (C) 1994, 1995, 1997, 1998,
1999, 2000, 2001, 2002, 2003,
linux-3.10\arch\sh\lib\mcount.S(4): *Copyright (C) 2008, 2009Paul Mundt
linux-3.10\arch\sh\lib\mcount.S(5): *Copyright (C) 2008, 2009Matt Fleming
linux-3.10\arch\sh\lib\memchr.S(5): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\lib\memcpy.S(5): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\lib\memcpy-sh4.S(4): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\lib\memcpy-sh4.S(5): * Copyright (c) 2002STMicroelectronics
Ltd
linux-3.10\arch\sh\lib\memmove.S(5): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\lib\memset.S(5): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\lib\memset-sh4.S(4): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\lib\memset-sh4.S(5): * Copyright (c) 2009STMicroelectronics
Limited
linux-3.10\arch\sh\lib\movmem.S(1):/* Copyright (C) 1994, 1995, 1997, 1998, 1999,
2000, 2001, 2002, 2003,
linux-3.10\arch\sh\lib\strlen.S(5): * Copyright (C) 1999Kaz Kojima
linux-3.10\arch\sh\lib\udiv_qrnn.S(1):/* Copyright (C) 1994, 1995, 1997, 1998,
1999, 2000, 2001, 2002, 2003,
linux-3.10\arch\sh\lib\udivsi3.S(1):/* Copyright (C) 1994, 1995, 1997, 1998,
1999, 2000, 2001, 2002, 2003,
linux-3.10\arch\sh\lib\udivsi3_i4i.S(1):/* Copyright (C) 1994, 1995, 1997, 1998,
1999, 2000, 2001, 2002, 2003,
linux-3.10\arch\sh\lib\udivsi3_i4i-0s.S(1):/* Copyright (C) 2006 Free Software
Foundation, Inc.
linux-3.10\arch\sh\lib64\copy_page.S(2): Copyright 2003 Richard Curnow, SuperH
(UK) Ltd.
linux-3.10\arch\sh\lib64\copy_user_memcpy.S(6):! SH5 code Copyright 2002 SuperH
Ltd.
linux-3.10\arch\sh\lib64\Makefile(4):# Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\lib64\Makefile(5):# Copyright (C) 2003 - 2008Paul Mundt
linux-3.10\arch\sh\lib64\memcpy.S(8):! SH5 code Copyright 2002 SuperH Ltd.
linux-3.10\arch\sh\lib64\memset.S(9):! Copyright 2002 SuperH Ltd.
linux-3.10\arch\sh\lib64\panic.c(2): * Copyright (C) 2003Richard Curnow, SuperH

legal(ME)

UK Limited

linux-3.10\arch\sh\lib64\strcpy.S(7):! SH5 code Copyright 2002 SuperH Ltd.
linux-3.10\arch\sh\lib64\strlen.S(4): * Copyright (C) 2003Paul Mundt
<lethal@linux-sh.org>
linux-3.10\arch\sh\lib64\udelay.c(6): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\lib64\udelay.c(7): * Copyright (C) 2003, 2004Paul Mundt
linux-3.10\arch\sh\Makefile(4):# Copyright (C) 1999Kaz Kojima
linux-3.10\arch\sh\Makefile(5):# Copyright (C) 2002 - 2008Paul Mundt
linux-3.10\arch\sh\Makefile(6):# Copyright (C) 2002M. R. Brown
linux-3.10\arch\sh\math-emu\math.c(4): * Copyright (C) 2006 Takashi YOSHII
<takasi-y@ops.dti.ne.jp>
linux-3.10\arch\sh\mm\alignment.c(4): * Copyright (C) 2009 ST Microelectronics
linux-3.10\arch\sh\mm\alignment.c(5): * Copyright (C) 2009 - 2010 Paul Mundt
linux-3.10\arch\sh\mm\asids-debugfs.c(4): *Copyright (C) 2000, 2001Paolo
Alberelli
linux-3.10\arch\sh\mm\asids-debugfs.c(5): *Copyright (C) 2003 - 2008Paul Mundt
linux-3.10\arch\sh\mm\asids-debugfs.c(6): *Copyright (C) 2003, 2004Richard Curnow
linux-3.10\arch\sh\mm\cache.c(4): * Copyright (C) 1999, 2000, 2002Niibe Yutaka
linux-3.10\arch\sh\mm\cache.c(5): * Copyright (C) 2002 - 2010Paul Mundt
linux-3.10\arch\sh\mm\cache-debugfs.c(4): *Copyright (C) 2006Paul Mundt
linux-3.10\arch\sh\mm\cache-sh2.c(4): * Copyright (C) 2002 Paul Mundt
linux-3.10\arch\sh\mm\cache-sh2.c(5): * Copyright (C) 2008 Yoshinori Sato
linux-3.10\arch\sh\mm\cache-sh2a.c(4): * Copyright (C) 2008 Yoshinori Sato
linux-3.10\arch\sh\mm\cache-sh3.c(4): * Copyright (C) 1999, 2000Niibe Yutaka
linux-3.10\arch\sh\mm\cache-sh3.c(5): * Copyright (C) 2002 Paul Mundt
linux-3.10\arch\sh\mm\cache-sh4.c(4): * Copyright (C) 1999, 2000, 2002Niibe
Yutaka
linux-3.10\arch\sh\mm\cache-sh4.c(5): * Copyright (C) 2001 - 2009Paul Mundt
linux-3.10\arch\sh\mm\cache-sh4.c(6): * Copyright (C) 2003Richard Curnow
linux-3.10\arch\sh\mm\cache-sh4.c(7): * Copyright (c) 2007 STMicroelectronics
(R&D) Ltd.
linux-3.10\arch\sh\mm\cache-sh5.c(4): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\mm\cache-sh5.c(5): * Copyright (C) 2002Benedict Gaster
linux-3.10\arch\sh\mm\cache-sh5.c(6): * Copyright (C) 2003Richard Curnow
linux-3.10\arch\sh\mm\cache-sh5.c(7): * Copyright (C) 2003 - 2008Paul Mundt
linux-3.10\arch\sh\mm\cache-sh7705.c(4): * Copyright (C) 1999, 2000Niibe Yutaka
linux-3.10\arch\sh\mm\cache-sh7705.c(5): * Copyright (C) 2004Alex Song
linux-3.10\arch\sh\mm\cache-shx3.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\arch\sh\mm\consistent.c(4): * Copyright (C) 2004 - 2007Paul Mundt
linux-3.10\arch\sh\mm\extable_64.c(4): * Copyright (C) 2003 Richard Curnow
linux-3.10\arch\sh\mm\extable_64.c(5): * Copyright (C) 2003, 2004Paul Mundt
linux-3.10\arch\sh\mm\fault.c(4): *Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\mm\fault.c(5): *Copyright (C) 2003 - 2012Paul Mundt
linux-3.10\arch\sh\mm\fault.c(8): * Copyright (C) 1995Linus Torvalds
linux-3.10\arch\sh\mm\gup.c(4): * Copyright (C) 2009 - 2010Paul Mundt
linux-3.10\arch\sh\mm\gup.c(8): *Copyright (C) 2008 Nick Piggin
linux-3.10\arch\sh\mm\gup.c(9): *Copyright (C) 2008 Novell Inc.
linux-3.10\arch\sh\mm\hugetlbpage.c(8): * Copyright (C) 2002, 2003 David S.
Miller (davem@redhat.com)
linux-3.10\arch\sh\mm\init.c(4): *Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\mm\init.c(5): *Copyright (C) 2002 - 2011Paul Mundt
linux-3.10\arch\sh\mm\init.c(8): * Copyright (C) 1995Linus Torvalds

legal(ME)

linux-3.10\arch\sh\mm\ioremap.c(4): * (C) Copyright 1995 1996 Linus Torvalds
linux-3.10\arch\sh\mm\ioremap.c(5): * (C) Copyright 2005 - 2010Paul Mundt
linux-3.10\arch\sh\mm\ioremap_fixed.c(8): * Copyright (C) 2009Matt Fleming
linux-3.10\arch\sh\mm\kmap.c(4): * Copyright (C) 1999, 2000, 2002Niibe Yutaka
linux-3.10\arch\sh\mm\kmap.c(5): * Copyright (C) 2002 - 2009Paul Mundt
linux-3.10\arch\sh\mm\mmap.c(4): * Copyright (C) 2008 - 2009Paul Mundt
linux-3.10\arch\sh\mm\nommu.c(6): * Copyright (C) 2002 - 2009 Paul Mundt
linux-3.10\arch\sh\mm\numa.c(4): *Copyright (C) 2007Paul Mundt
linux-3.10\arch\sh\mm\pmb.c(6): * Copyright (C) 2005 - 2011Paul Mundt
linux-3.10\arch\sh\mm\pmb.c(7): * Copyright (C) 2010Matt Fleming
linux-3.10\arch\sh\mm\sram.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\arch\sh\mm\tlb-debugfs.c(6): * Copyright (C) 2010Matt Fleming
linux-3.10\arch\sh\mm\tlbex_32.c(4): *Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\mm\tlbex_32.c(5): *Copyright (C) 2003 - 2012Paul Mundt
linux-3.10\arch\sh\mm\tlbex_64.c(5): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\mm\tlbex_64.c(8): * Copyright (C) 2003
Richard.Curnow@superh.com
linux-3.10\arch\sh\mm\tlbflush_32.c(4): *Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\mm\tlbflush_32.c(5): *Copyright (C) 2003Paul Mundt
linux-3.10\arch\sh\mm\tlbflush_64.c(4): * Copyright (C) 2000, 2001Paolo Alberelli
linux-3.10\arch\sh\mm\tlbflush_64.c(5): * Copyright (C) 2003Richard Curnow
(/proc/tlb, bug fixes)
linux-3.10\arch\sh\mm\tlbflush_64.c(6): * Copyright (C) 2003 - 2012 Paul Mundt
linux-3.10\arch\sh\mm\tlb-pteaix.c(6): * Copyright (C) 2009 Paul Mundt
linux-3.10\arch\sh\mm\tlb-sh3.c(6): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\mm\tlb-sh3.c(7): * Copyright (C) 2002Paul Mundt
linux-3.10\arch\sh\mm\tlb-sh4.c(6): * Copyright (C) 1999Niibe Yutaka
linux-3.10\arch\sh\mm\tlb-sh4.c(7): * Copyright (C) 2002 - 2007 Paul Mundt
linux-3.10\arch\sh\mm\tlb-sh5.c(4): * Copyright (C) 2003Paul Mundt
<lethal@linux-sh.org>
linux-3.10\arch\sh\mm\tlb-sh5.c(5): * Copyright (C) 2003Richard Curnow
<richard.curnow@superh.com>
linux-3.10\arch\sh\mm\tlb-urb.c(6): * Copyright (C) 2010Matt Fleming
linux-3.10\arch\sh\oprofile\backtrace.c(4): * Copyright 2007 STMicroelectronics
Ltd.
linux-3.10\arch\sh\oprofile\common.c(4): * Copyright (C) 2003 - 2010Paul Mundt
linux-3.10\arch\sh\oprofile\common.c(8): *Copyright (C) 2004, 2005 Ralf Baechle
linux-3.10\arch\sh\oprofile\common.c(9): *Copyright (C) 2005 MIPS Technologies,
Inc.
linux-3.10\arch\sh\tools\Makefile(4):# Copyright (C) 2003Paul Mundt
linux-3.10\arch\sparc\boot\Makefile(3):# Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\boot\Makefile(4):# Copyright (C) 1997,1998 Jakub Jelinek
(jj@ultra.linux.cz)
linux-3.10\arch\sparc\boot\piggyback.c(5): Copyright (C) 1996,1997 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\boot\piggyback.c(7): Copyright (C) 2011 Sam Ravnborg
<sam@ravnborg.org>
linux-3.10\arch\sparc\crypto\aes_glue.c(14): *Copyright (c) 2010, Intel
Corporation.
linux-3.10\arch\sparc\crypto\aes_glue.c(5): * Copyright (C) 2008, Intel Corp.
linux-3.10\arch\sparc\crypto\camellia_glue.c(3): * Copyright (C) 2012 David S.

legal(ME)

Miller <davem@davemloft.net>

linux-3.10\arch\sparc\crypto\crc32c_glue.c(5): * Copyright (C) 2008 Intel Corporation

linux-3.10\arch\sparc\crypto\des_glue.c(3): * Copyright (C) 2012 David S. Miller <davem@davemloft.net>

linux-3.10\arch\sparc\crypto\md5_glue.c(10): * Copyright (c) Cryptoapi developers.

linux-3.10\arch\sparc\crypto\md5_glue.c(11): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>

linux-3.10\arch\sparc\crypto\md5_glue.c(6): * Copyright (c) Alan Smithee.

linux-3.10\arch\sparc\crypto\md5_glue.c(7): * Copyright (c) Andrew McDonald <andrew@mcdonald.org.uk>

linux-3.10\arch\sparc\crypto\md5_glue.c(8): * Copyright (c) Jean-Francois Dive <jef@linuxbe.org>

linux-3.10\arch\sparc\crypto\md5_glue.c(9): * Copyright (c) Mathias Krause <minipli@googlegmail.com>

linux-3.10\arch\sparc\crypto\sha1_glue.c(5): * Copyright (c) Alan Smithee.

linux-3.10\arch\sparc\crypto\sha1_glue.c(6): * Copyright (c) Andrew McDonald <andrew@mcdonald.org.uk>

linux-3.10\arch\sparc\crypto\sha1_glue.c(7): * Copyright (c) Jean-Francois Dive <jef@linuxbe.org>

linux-3.10\arch\sparc\crypto\sha1_glue.c(8): * Copyright (c) Mathias Krause <minipli@googlegmail.com>

linux-3.10\arch\sparc\crypto\sha256_glue.c(5): * Copyright (c) Jean-Luc Cooke <jlcooke@certaintkey.com>

linux-3.10\arch\sparc\crypto\sha256_glue.c(6): * Copyright (c) Andrew McDonald <andrew@mcdonald.org.uk>

linux-3.10\arch\sparc\crypto\sha256_glue.c(7): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>

linux-3.10\arch\sparc\crypto\sha256_glue.c(8): * SHA224 Support Copyright 2007 Intel Corporation <jonathan.lynch@intel.com>

linux-3.10\arch\sparc\crypto\sha512_glue.c(5): * Copyright (c) Jean-Luc Cooke <jlcooke@certaintkey.com>

linux-3.10\arch\sparc\crypto\sha512_glue.c(6): * Copyright (c) Andrew McDonald <andrew@mcdonald.org.uk>

linux-3.10\arch\sparc\crypto\sha512_glue.c(7): * Copyright (c) 2003 Kyle McMartin <kyle@debian.org>

linux-3.10\arch\sparc\include\asm\apb.h(4): * Copyright (C) 1998 Eddie C. Dost(<ecd@skynet.be>)

linux-3.10\arch\sparc\include\asm\asmmacro.h(3): * Copyright (C) 1996 David S. Miller (<davem@caipfs.rutgers.edu>)

linux-3.10\arch\sparc\include\asm\atomic_32.h(3): * Copyright (C) 1996 David S. Miller (<davem@davemloft.net>)

linux-3.10\arch\sparc\include\asm\atomic_32.h(4): * Copyright (C) 2000 Anton Blanchard (<anton@linuxcare.com.au>)

linux-3.10\arch\sparc\include\asm\atomic_32.h(5): * Copyright (C) 2007 Kyle McMartin (<kyle@parisc-linux.org>)

linux-3.10\arch\sparc\include\asm\atomic_32.h(8): * on asm-parisc/atomic.h Copyright (C) 2000 Philipp Rumpf (<prumpf@tux.org>).

linux-3.10\arch\sparc\include\asm\atomic_64.h(4): * Copyright (C) 1996, 1997, 2000, 2012 David S. Miller (<davem@redhat.com>)

linux-3.10\arch\sparc\include\asm\auxio_32.h(4): * Copyright (C) 1995 David S.

legal(ME)

Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\auxio_64.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\bbc.h(5): * Copyright (C) 2000 David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\include\asm\bitext.h(4): * Copyright 2002 Pete Zaitcev <zaitcev@yahoo.com>
linux-3.10\arch\sparc\include\asm\bitops_32.h(4): * Copyright 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\bitops_32.h(5): * Copyright 1996 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\include\asm\bitops_32.h(6): * Copyright 2001 Anton Blanchard (anton@samba.org)
linux-3.10\arch\sparc\include\asm\bitops_64.h(4): * Copyright 1996, 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\bugs.h(3): * Copyright (C) 1996, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\cache.h(4): * Copyright (C) 1995, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\checksum_32.h(10): *Copyright(C) 1997 Jakub Jelinek
linux-3.10\arch\sparc\include\asm\checksum_32.h(6): *Copyright(C) 1995 Linus Torvalds
linux-3.10\arch\sparc\include\asm\checksum_32.h(7): *Copyright(C) 1995 Miguel de Icaza
linux-3.10\arch\sparc\include\asm\checksum_32.h(8): *Copyright(C) 1996 David S. Miller
linux-3.10\arch\sparc\include\asm\checksum_32.h(9): *Copyright(C) 1996 Eddie C. Dost
linux-3.10\arch\sparc\include\asm\checksum_64.h(10): *Copyright(C) 1997 Jakub Jelinek
linux-3.10\arch\sparc\include\asm\checksum_64.h(6): *Copyright(C) 1995 Linus Torvalds
linux-3.10\arch\sparc\include\asm\checksum_64.h(7): *Copyright(C) 1995 Miguel de Icaza
linux-3.10\arch\sparc\include\asm\checksum_64.h(8): *Copyright(C) 1996 David S. Miller
linux-3.10\arch\sparc\include\asm\checksum_64.h(9): *Copyright(C) 1996 Eddie C. Dost
linux-3.10\arch\sparc\include\asm\clock.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\cmpxchg_32.h(3): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\cmpxchg_32.h(4): * Copyright (C) 2000 Anton Blanchard (anton@linuxcare.com.au)
linux-3.10\arch\sparc\include\asm\cmpxchg_32.h(5): * Copyright (C) 2007 Kyle McMartin (kyle@parisc-linux.org)
linux-3.10\arch\sparc\include\asm\cmpxchg_32.h(8): * on asm-parisc/atomic.h Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>.
linux-3.10\arch\sparc\include\asm\cmpxchg_64.h(3): * Copyright (C) 1996, 1997, 2000 David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\include\asm\contregs.h(7): * Copyright (C) 1995 David S.

legal(ME)

Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\cpudata_32.h(3): * Copyright (C) 2004 Keith M
Wesolowski (wesolows@foobazco.org)
linux-3.10\arch\sparc\include\asm\cpudata_64.h(3): * Copyright (C) 2003, 2005,
2006 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\current.h(3): * Copyright (C) 1999 IBM
Deutschland Entwicklung GmbH, IBM Corporation
linux-3.10\arch\sparc\include\asm\current.h(4): * Copyright (C) 2002 Pete Zaitcev
(zaitcev@yahoo.com)
linux-3.10\arch\sparc\include\asm\current.h(5): * Copyright (C) 2007 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\delay_32.h(4): * Copyright (C) 1994 David S.
Miller (davem@caip.rutgers.edu).
linux-3.10\arch\sparc\include\asm\delay_64.h(3): * Copyright (C) 1996, 2004, 2007
David S. Miller (davem@davemloft.net).
linux-3.10\arch\sparc\include\asm\ecc.h(5): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\EEPROM.h(4): * Copyright (C) 1995 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\fhc.h(3): * Copyright (C) 1997, 1999 David S.
Miller (davem@redhat.com)
linux-3.10\arch\sparc\include\asm\floppy_32.h(3): * Copyright (C) 1995 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\floppy_64.h(3): * Copyright (C) 1996, 2007,
2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\floppy_64.h(4): * Copyright (C) 1997 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\fpumacro.h(3): * Copyright (C) 1997 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\fpumacro.h(4): * Copyright (C) 1997 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\hardirq_32.h(3): * Copyright (C) 1997 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\hardirq_32.h(4): * Copyright (C) 1998-2000
Anton Blanchard (anton@samba.org)
linux-3.10\arch\sparc\include\asm\hardirq_64.h(3): * Copyright (C) 1997, 1998,
2005 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\hibernate.h(4): * Copyright (C) 2013 Kirill V
Tkhai (tkhai@yandex.ru)
linux-3.10\arch\sparc\include\asm\highmem.h(15): * Copyright (C) 1999 Ingo Molnar
<mingo@redhat.com>
linux-3.10\arch\sparc\include\asm\highmem.h(7): * Copyright (C) 1999 Gerhard
Wichert, Siemens AG
linux-3.10\arch\sparc\include\asm\ide.h(3): * Copyright (C) 1997 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\ide.h(4): * Copyright (C) 1998 Eddie C. Dost
(ecd@skynet.be)
linux-3.10\arch\sparc\include\asm\idprom.h(4): * Copyright (C) 1995, 1996 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\iommu_32.h(3): * Copyright (C) 1996 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\iommu_64.h(3): * Copyright (C) 1996, 1999, 2007

legal(ME)

David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\io-unit.h(3): * Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\irq_32.h(3): * Copyright (C) 1995, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\irq_64.h(3): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\irq_64.h(4): * Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\include\asm\kdebug_32.h(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\leon.h(2): * Copyright (C) 2004 Konrad Eisele (eiselekd@web.de, konrad@gaisler.com) Gaisler Research
linux-3.10\arch\sparc\include\asm\leon.h(3): * Copyright (C) 2004 Stefan Holst (mail@s-holst.de) Uni-Stuttgart
linux-3.10\arch\sparc\include\asm\leon.h(4): * Copyright (C) 2009 Daniel Hellstrom (daniel@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\include\asm\leon.h(5): * Copyright (C) 2009 Konrad Eisele (konrad@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\include\asm\leon_amba.h(2):*Copyright (C) 2004 Konrad Eisele (eiselekd@web.de, konrad@gaisler.com), Gaisler Research
linux-3.10\arch\sparc\include\asm\leon_amba.h(3):*Copyright (C) 2004 Stefan Holst (mail@s-holst.de), Uni-Stuttgart
linux-3.10\arch\sparc\include\asm\leon_amba.h(4):*Copyright (C) 2009 Daniel Hellstrom (daniel@gaisler.com), Konrad Eisele (konrad@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\include\asm\leon_pci.h(4): * Copyright (C) 2011 Aeroflex Gaisler AB, Daniel Hellstrom
linux-3.10\arch\sparc\include\asm\machines.h(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\mbus.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\msi.h(4): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\msi.h(5): * Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\include\asm\mxcc.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\ns87303.h(4): * Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\include\asm\obio.h(4): * Copyright (C) 1997 Jakub Jelinek <jj@sunsite.mff.cuni.cz>
linux-3.10\arch\sparc\include\asm\openprom.h(7): * Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\oplib_32.h(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\oplib_64.h(4): * Copyright (C) 1995, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\oplib_64.h(5): * Copyright (C) 1996 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\page_32.h(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)

legal(ME)

linux-3.10\arch\sparc\include\asm\parport.h(3): * Copyright (C) 1999 Eddie C. Dost(ecd@skynet.be)
linux-3.10\arch\sparc\include\asm\pbm.h(9): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\pcic.h(4): * Copyright (C) 1998 V. Roganov and G. Raiko
linux-3.10\arch\sparc\include\asm\pgtable_32.h(7): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\pgtable_32.h(8): * Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\pgtable_64.h(4): * Copyright 1996,1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\pgtable_64.h(5): * Copyright 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\pgtsrmmu.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\processor_32.h(3): * Copyright (C) 1994 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\processor_64.h(4): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\prom.h(10): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\sparc\include\asm\psr.h(8): * Copyright (C) 1994 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\ross.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\sbi.h(4): * Copyright (C) 1997 Jakub Jelinek <jj@sunsite.mff.cuni.cz>
linux-3.10\arch\sparc\include\asm\sfp-machine_32.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\arch\sparc\include\asm\sfp-machine_64.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\arch\sparc\include\asm\smp_32.h(3): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\smp_64.h(3): * Copyright (C) 1996, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\spinlock_32.h(3): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\spinlock_64.h(3): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\spitfire.h(3): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\starfire.h(4): * Copyright (C) 2000 Anton Blanchard (anton@samba.org)
linux-3.10\arch\sparc\include\asm\string_32.h(5): * Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\string_32.h(6): * Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\string_64.h(5): * Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\string_64.h(6): * Copyright (C) 1996,1997,1999 Jakub Jelinek (jakub@redhat.com)

legal(ME)

linux-3.10\arch\sparc\include\asm\swift.h(4): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\thread_info_32.h(6): * Copyright (C) 2002David Howells (dhowells@redhat.com)
linux-3.10\arch\sparc\include\asm\thread_info_32.h(7): * Copyright (c) 2002Pete Zaitcev (zaitcev@yahoo.com)
linux-3.10\arch\sparc\include\asm\thread_info_64.h(3): * Copyright (C) 2002David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\include\asm\timer_32.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\timer_64.h(3): * Copyright (C) 1997, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\traps.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\tsunami.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\turbosparc.h(5): * Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\uaccess_32.h(4): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\uaccess_32.h(5): * Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\asm\unistd.h(12): * Copyright (C) 1995 Adrian M. Rodriguez (adrian@remus.rutgers.edu)
linux-3.10\arch\sparc\include\asm\unistd.h(8): * Copyright (C) 1995, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\asm\vaddrs.h(10): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\vaddrs.h(11): * Copyright (C) 2000 Anton Blanchard (anton@samba.org)
linux-3.10\arch\sparc\include\asm\viking.h(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\visasm.h(6): * Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\include\asm\winmacro.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\asm\xor_32.h(20): * Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\include\asm\xor_64.h(8): * Copyright (C) 1997, 1999 Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\include\asm\xor_64.h(9): * Copyright (C) 2006 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\include\uapi\asm\apc.h(5): * Copyright (c) 2001 Eric Brower (ebrower@usa.net)
linux-3.10\arch\sparc\include\uapi\asm\asi.h(6): * Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\uapi\asm\display7seg.h(6): * Copyright (c) 2000 Eric Brower <ebrower@usa.net>
linux-3.10\arch\sparc\include\uapi\asm\envctrl.h(6): * Copyright (C) 1998Eddie C. Dost(ecd@skynet.be)
linux-3.10\arch\sparc\include\uapi\asm\envctrl.h(7): * Copyright (C) 2000Vinh Truong(vinh.truong@eng.sun.com)

legal(ME)

linux-3.10\arch\sparc\include\uapi\asm\jsflash.h(4): * Copyright (C) 1999Pete Zaitcev
linux-3.10\arch\sparc\include\uapi\asm\psr.h(8): * Copyright (C) 1994 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\uapi\asm\resource.h(4): * Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\uapi\asm\traps.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\uapi\asm\uctx.h(4): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\include\uapi\asm\unistd.h(12): * Copyright (C) 1995 Adrian M. Rodriguez (adrian@remus.rutgers.edu)
linux-3.10\arch\sparc\include\uapi\asm\unistd.h(8): * Copyright (C) 1995, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\include\uapi\asm\utrap.h(4): * Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\include\uapi\asm\watchdog.h(6): * Copyright (c) 2000 Eric Brower <ebrower@usa.net>
linux-3.10\arch\sparc\kernel\apc.c(5): * Copyright (c) 2002 Eric Brower (ebrower@usa.net)
linux-3.10\arch\sparc\kernel\auxio_32.c(3): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\auxio_64.c(3): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\central.c(3): * Copyright (C) 1997, 1999, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\chmc.c(3): * Copyright (C) 2001, 2007, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\cpu.c(4): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\cpumap.c(3): * Copyright (C) 2009 Hong H. Pham <hong.pham@windriver.com>
linux-3.10\arch\sparc\kernel\devices.c(7): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\ds.c(3): * Copyright (C) 2007, 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\dtlb_prot.S(5): * Copyright (C) 1996,1998 David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\kernel\dtlb_prot.S(6): * Copyright (C) 1997,1998 Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\kernel\ebus.c(3): * Copyright (C) 1997Eddie C. Dost(ecd@skynet.be)
linux-3.10\arch\sparc\kernel\ebus.c(4): * Copyright (C) 1999David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\kernel\entry.S(3): * Copyright (C) 1995, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\entry.S(4): * Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\entry.S(5): * Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\entry.S(6): * Copyright (C) 1996-1999 Jakub Jelinek (jj@sunsite.mff.cuni.cz)

legal(ME)

linux-3.10\arch\sparc\kernel\entry.S(7): * Copyright (C) 1997 Anton Blanchard
(anton@progsoc.uts.edu.au)
linux-3.10\arch\sparc\kernel\etrap_32.S(5): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\etrap_64.S(4): * Copyright (C) 1996, 1997 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\etrap_64.S(5): * Copyright (C) 1997, 1998, 1999
Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\kernel\head_32.S(4): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\head_32.S(5): * Copyright (C) 1995,1999 Pete Zaitcev
(zaitcev@yahoo.com)
linux-3.10\arch\sparc\kernel\head_32.S(6): * Copyright (C) 1996 Miguel de Icaza
(miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\head_32.S(7): * Copyright (C) 1997 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\head_32.S(8): * Copyright (C) 1997 Michael A.
Griffith (grif@acm.org)
linux-3.10\arch\sparc\kernel\head_64.S(3): * Copyright (C) 1996, 1997, 2007 David
S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\head_64.S(4): * Copyright (C) 1996 David Sitsky
(David.Sitsky@anu.edu.au)
linux-3.10\arch\sparc\kernel\head_64.S(5): * Copyright (C) 1997, 1998 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\head_64.S(6): * Copyright (C) 1997 Miguel de Icaza
(miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\hvapi.c(3): * Copyright (C) 2007 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\kernel\hvtramp.S(3): * Copyright (C) 2007, 2008 David S.
Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\idprom.c(5): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\iommu.c(3): * Copyright (C) 1999, 2007, 2008 David
S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\iommu.c(4): * Copyright (C) 1999, 2000 Jakub Jelinek
(jakub@redhat.com)
linux-3.10\arch\sparc\kernel\iommu_common.h(3): * Copyright (C) 1999, 2008 David
S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\ioport.c(4): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\ioport.c(5): * Copyright (C) 1995 Miguel de Icaza
(miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\irq_32.c(10): *Copyright (C) 1996 Dave Redman
(djhr@tadpole.co.uk)
linux-3.10\arch\sparc\kernel\irq_32.c(11): *Copyright (C) 1998-2000 Anton
Blanchard (anton@samba.org)
linux-3.10\arch\sparc\kernel\irq_32.c(7): *Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\irq_32.c(8): *Copyright (C) 1995 Miguel de Icaza
(miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\irq_32.c(9): *Copyright (C) 1995,2002 Pete A.
Zaitcev (zaitcev@yahoo.com)

legal(ME)

linux-3.10\arch\sparc\kernel\irq_64.c(3): * Copyright (C) 1997, 2007, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\irq_64.c(4): * Copyright (C) 1998 Eddie C. Dost(ecd@skynet.be)
linux-3.10\arch\sparc\kernel\irq_64.c(5): * Copyright (C) 1998 Jakub Jelinek(jj@ultra.linux.cz)
linux-3.10\arch\sparc\kernel\kgdb_32.c(3): * Copyright (C) 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\kgdb_64.c(3): * Copyright (C) 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\kprobes.c(3): * Copyright (C) 2004 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\ktlb.S(3): * Copyright (C) 1995, 1997, 2005, 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\ktlb.S(4): * Copyright (C) 1996 Eddie C. Dost(ecd@brainaid.de)
linux-3.10\arch\sparc\kernel\ktlb.S(5): * Copyright (C) 1996 Miguel de Icaza(miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\ktlb.S(6): * Copyright (C) 1996,98,99 Jakub Jelinek(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\ldc.c(3): * Copyright (C) 2007, 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\leon_kernel.c(2): * Copyright (C) 2009 Daniel Hellstrom (daniel@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\kernel\leon_kernel.c(3): * Copyright (C) 2009 Konrad Eisele (konrad@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\kernel\leon_pci.c(4): * Copyright (C) 2011 Aeroflex Gaisler AB, Daniel Hellstrom
linux-3.10\arch\sparc\kernel\leon_pci_grpci1.c(4): * Copyright (C) 2013 Aeroflex Gaisler AB
linux-3.10\arch\sparc\kernel\leon_pci_grpci2.c(4): * Copyright (C) 2011 Aeroflex Gaisler AB, Daniel Hellstrom
linux-3.10\arch\sparc\kernel\leon_pmc.c(3): * Copyright (C) 2011 Daniel Hellstrom (daniel@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\kernel\leon_smp.c(4): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\leon_smp.c(5): * Copyright (C) 2009 Daniel Hellstrom (daniel@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\kernel\leon_smp.c(6): * Copyright (C) 2009 Konrad Eisele (konrad@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\kernel\mdesc.c(3): * Copyright (C) 2007, 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\module.c(3): * Copyright (C) 2001 Rusty Russell.
linux-3.10\arch\sparc\kernel\module.c(4): * Copyright (C) 2002 David S. Miller.
linux-3.10\arch\sparc\kernel\nmi.c(3): * Copyright (C) 2009 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\pci.c(3): * Copyright (C) 1997, 1998, 1999 David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\kernel\pci.c(4): * Copyright (C) 1998, 1999 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\pci.c(5): * Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz)

legal(ME)

linux-3.10\arch\sparc\kernel\pci_common.c(3): * Copyright (C) 1999, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_fire.c(3): * Copyright (C) 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_impl.h(3): * Copyright (C) 1999, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_msi.c(3): * Copyright (C) 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_pscho.c(3): * Copyright (C) 1997, 1998, 1999, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_pscho.c(4): * Copyright (C) 1998, 1999 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\pci_pscho.c(5): * Copyright (C) 1999 Jakub Jelinek (jakub@redhat.com)
linux-3.10\arch\sparc\kernel\pci_sabre.c(3): * Copyright (C) 1997, 1998, 1999, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_sabre.c(4): * Copyright (C) 1998, 1999 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\pci_sabre.c(5): * Copyright (C) 1999 Jakub Jelinek (jakub@redhat.com)
linux-3.10\arch\sparc\kernel\pci_schizo.c(3): * Copyright (C) 2001, 2002, 2003, 2007, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_sun4v.c(3): * Copyright (C) 2006, 2007, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_sun4v.h(3): * Copyright (C) 2006 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\pci_sun4v_asm.S(3): * Copyright (C) 2006, 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\pcic.c(4): * Copyright (C) 1998 V. Roganov and G. Raiko
linux-3.10\arch\sparc\kernel\pcc.c(3): * Copyright (C) 2009 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\perf_event.c(10): *Copyright (C) 2009 Jaswinder Singh Rajput
linux-3.10\arch\sparc\kernel\perf_event.c(11): *Copyright (C) 2009 Advanced Micro Devices, Inc., Robert Richter
linux-3.10\arch\sparc\kernel\perf_event.c(12): *Copyright (C) 2008-2009 Red Hat, Inc., Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\arch\sparc\kernel\perf_event.c(3): * Copyright (C) 2009, 2010 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\perf_event.c(8): *Copyright (C) 2008 Thomas Gleixner <tglx@linutronix.de>
linux-3.10\arch\sparc\kernel\perf_event.c(9): *Copyright (C) 2008-2009 Red Hat, Inc., Ingo Molnar
linux-3.10\arch\sparc\kernel\pmc.c(4): * Copyright (c) 2002 Eric Brower (ebrower@usa.net)
linux-3.10\arch\sparc\kernel\power.c(3): * Copyright (C) 1999, 2007, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\process_32.c(3): *Copyright (C) 1995, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\process_32.c(4): *Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)

legal(ME)

linux-3.10\arch\sparc\kernel\process_64.c(3): *Copyright (C) 1995, 1996, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\process_64.c(4): *Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\process_64.c(5): *Copyright (C) 1997, 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\prom_32.c(5): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\sparc\kernel\prom_64.c(5): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\sparc\kernel\prom_common.c(4): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\sparc\kernel\psycho_common.c(3): * Copyright (C) 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\ptrace_32.c(3): * Copyright (C) 1996, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\ptrace_64.c(3): * Copyright (C) 1996, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\ptrace_64.c(4): * Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\reboot.c(3): * Copyright (C) 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\rtrap_32.S(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\rtrap_64.S(4): * Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\rtrap_64.S(5): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\sbus.c(4): * Copyright (C) 1999 David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\kernel\setup_32.c(4): *Copyright (C) 1995David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\setup_32.c(5): *Copyright (C) 2000Anton Blanchard (anton@samba.org)
linux-3.10\arch\sparc\kernel\setup_64.c(4): *Copyright (C) 1995,1996David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\setup_64.c(5): *Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\signal_32.c(3): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\sparc\kernel\signal_32.c(4): *Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\signal_32.c(5): *Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\signal_32.c(6): *Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\signal_64.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\sparc\kernel\signal_64.c(5): *Copyright (C) 1995, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\signal_64.c(6): *Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx)

legal(ME)

linux-3.10\arch\sparc\kernel\signal_64.c(7): *Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\signal_64.c(8): *Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\signal32.c(3): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\sparc\kernel\signal32.c(4): *Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\signal32.c(5): *Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\signal32.c(6): *Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\signal32.c(7): *Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\smp_32.c(3): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\smp_32.c(4): * Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\smp_32.c(5): * Copyright (C) 2004 Keith M Wesolowski (wesolows@foobazco.org)
linux-3.10\arch\sparc\kernel\smp_64.c(3): * Copyright (C) 1997, 2007, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\sparc_ksyms_32.c(4): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\sparc_ksyms_32.c(5): * Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\sparc_ksyms_64.c(3): * Copyright (C) 1996, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\sparc_ksyms_64.c(4): * Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\sparc_ksyms_64.c(5): * Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\kernel\sstate.c(3): * Copyright (C) 2007, 2008 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\starfire.c(4): * Copyright (C) 1998 David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\kernel\starfire.c(5): * Copyright (C) 2000 Anton Blanchard (anton@samba.org)
linux-3.10\arch\sparc\kernel\sun4d_irq.c(4): *Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\sun4d_smp.c(3): * Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\sun4d_smp.c(6): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\sun4m_irq.c(6): *Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\sun4m_irq.c(7): *Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx)
linux-3.10\arch\sparc\kernel\sun4m_irq.c(8): *Copyright (C) 1995 Pete A. Zaitcev (zaitcev@yahoo.com)
linux-3.10\arch\sparc\kernel\sun4m_irq.c(9): *Copyright (C) 1996 Dave Redman (djhr@tadpole.co.uk)

legal(ME)

linux-3.10\arch\sparc\kernel\sun4m_smp.c(4): * Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\sun4v_ivec.S(3): * Copyright (C) 2006 <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\sun4v_tlb_miss.S(3): * Copyright (C) 2006 <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\sys_sparc32.c(3): * Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\sys_sparc32.c(4): * Copyright (C) 1997, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\sys32.S(5): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\sys32.S(6): * Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\kernel\sysfs.c(3): * Copyright (C) 2007 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\kernel\systbls_32.S(4): * Copyright (C) 1995, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\systbls_32.S(8): * Copyright (C) 1995 Adrian M. Rodriguez (adrian@remus.rutgers.edu)
linux-3.10\arch\sparc\kernel\systbls_64.S(4): * Copyright (C) 1995, 1996, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\systbls_64.S(5): * Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\systbls_64.S(9): * Copyright (C) 1995 Adrian M. Rodriguez (adrian@remus.rutgers.edu)
linux-3.10\arch\sparc\kernel\tadpole.c(3): * Copyright (C) 1996 David Redman (djhr@tadpole.co.uk)
linux-3.10\arch\sparc\kernel\time_32.c(3): * Copyright (C) 1995 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\time_32.c(4): * Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu)
linux-3.10\arch\sparc\kernel\time_64.c(3): * Copyright (C) 1997, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\time_64.c(4): * Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be)
linux-3.10\arch\sparc\kernel\time_64.c(8): * Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu)
linux-3.10\arch\sparc\kernel\trampoline_32.S(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\trampoline_32.S(5): * Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\trampoline_64.S(4): * Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\traps_32.c(4): * Copyright 1995, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\traps_32.c(5): * Copyright 2000 Jakub Jelinek (jakub@redhat.com)
linux-3.10\arch\sparc\kernel\traps_64.c(3): * Copyright (C) 1995,1997,2008,2009,2012 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\traps_64.c(4): * Copyright (C) 1997,1999,2000 Jakub Jelinek (jakub@redhat.com)

legal(ME)

linux-3.10\arch\sparc\kernel\tsb.S(3): * Copyright (C) 2006 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\kernel\ttable_64.S(3): * Copyright (C) 1996, 2001, 2006
David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\una_asm_32.S(3): * Copyright (C) 1996,2005,2008
David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\una_asm_32.S(4): * Copyright (C) 1996,1997 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\una_asm_64.S(3): * Copyright (C) 1996,2005 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\una_asm_64.S(4): * Copyright (C) 1996,1997 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\unaligned_32.c(5): * Copyright (C) 1996 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\unaligned_32.c(6): * Copyright (C) 1996 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\unaligned_64.c(5): * Copyright (C) 1996,2008 David
S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\unaligned_64.c(6): * Copyright (C) 1996,1997 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\kernel\vio.c(3): *Copyright (c) 2003-2005 IBM Corp.
linux-3.10\arch\sparc\kernel\viohs.c(3): * Copyright (C) 2007 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\kernel\visemul.c(3): * Copyright (C) 2006 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\kernel\windows.c(4): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\winfixup.S(3): * Copyright (C) 1997, 2006 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\kernel\wof.S(4): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\kernel\wuf.S(4): * Copyright (C) 1995 David S. Miller
linux-3.10\arch\sparc\lib\ashldi3.S(5): * Copyright (C) 1999 David S. Miller
(davem@redhat.com)
linux-3.10\arch\sparc\lib\ashrdi3.S(5): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\lib\atomic_64.S(3): * Copyright (C) 1999, 2007 2012 David
S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\atomic32.c(4): * Copyright (C) 2004 Keith M Wesolowski
linux-3.10\arch\sparc\lib\atomic32.c(5): * Copyright (C) 2007 Kyle McMartin
linux-3.10\arch\sparc\lib\atomic32.c(7): * Based on asm-parisc/atomic.h Copyright
(C) 2000 Philipp Rumpf
linux-3.10\arch\sparc\lib\bitext.c(4): * Copyright (C) 2002 Pete Zaitcev
<zaitcev@yahoo.com>
linux-3.10\arch\sparc\lib\bitops.S(3): * Copyright (C) 2000, 2007 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\blockops.S(4): * Copyright (C) 1996 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\lib\bzero.S(4): * Copyright (C) 2005 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\lib\checksum_32.S(3): *Copyright(C) 1995 Linus Torvalds
linux-3.10\arch\sparc\lib\checksum_32.S(4): *Copyright(C) 1995 Miguel de Icaza

legal(ME)

linux-3.10\arch\sparc\lib\checksum_32.S(5): *Copyright(C) 1996 David S. Miller
linux-3.10\arch\sparc\lib\checksum_32.S(6): *Copyright(C) 1997 Jakub Jelinek
linux-3.10\arch\sparc\lib\checksum_64.S(3): *Copyright(C) 1995 Linus Torvalds
linux-3.10\arch\sparc\lib\checksum_64.S(4): *Copyright(C) 1995 Miguel de Icaza
linux-3.10\arch\sparc\lib\checksum_64.S(5): *Copyright(C) 1996, 2000 David S.
Miller
linux-3.10\arch\sparc\lib\checksum_64.S(6): *Copyright(C) 1997 Jakub Jelinek
linux-3.10\arch\sparc\lib\clear_page.S(3): * Copyright (C) 1996, 1998, 1999,
2000, 2004 David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\clear_page.S(4): * Copyright (C) 1997 Jakub Jelinek
(jakub@redhat.com)
linux-3.10\arch\sparc\lib\copy_in_user.S(3): * Copyright (C) 1999, 2000, 2004
David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\copy_page.S(3): * Copyright (C) 1996, 1998, 1999, 2000,
2004 David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\copy_page.S(4): * Copyright (C) 1997 Jakub Jelinek
(jakub@redhat.com)
linux-3.10\arch\sparc\lib\copy_user.S(3): *Copyright(C) 1995 Linus Torvalds
linux-3.10\arch\sparc\lib\copy_user.S(4): *Copyright(C) 1996 David S. Miller
linux-3.10\arch\sparc\lib\copy_user.S(5): *Copyright(C) 1996 Eddie C. Dost
linux-3.10\arch\sparc\lib\copy_user.S(6): *Copyright(C) 1996,1998 Jakub Jelinek
linux-3.10\arch\sparc\lib\COPYING.LIB(4): Copyright (C) 1991 Free Software
Foundation, Inc.
linux-3.10\arch\sparc\lib\COPYING.LIB(408):copyrighted by the Free Software
Foundation, write to the Free
linux-3.10\arch\sparc\lib\COPYING.LIB(475):Yoyodyne, Inc., hereby disclaims all
copyright interest in the
linux-3.10\arch\sparc\lib\csum_copy.S(3): * Copyright (C) 2005 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\lib\csum_copy_from_user.S(3): * Copyright (C) 2005 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\csum_copy_to_user.S(3): * Copyright (C) 2005 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\divdi3.S(1):/* Copyright (C) 1989, 1992, 1993, 1994,
1995 Free Software Foundation, Inc.
linux-3.10\arch\sparc\lib\GENbzero.S(3): * Copyright (C) 2007 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\GENcopy_from_user.S(3): * Copyright (C) 2007 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\GENcopy_to_user.S(3): * Copyright (C) 2007 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\GENmemcpy.S(3): * Copyright (C) 2007 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\GENpage.S(3): * Copyright (C) 2007
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\GENpatch.S(3): * Copyright (C) 2007 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\lib\locks.S(4): * Copyright (C) 1996 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\lib\locks.S(5): * Copyright (C) 1998 Anton Blanchard
(anton@progsoc.uts.edu.au)
linux-3.10\arch\sparc\lib\locks.S(6): * Copyright (C) 1998 Jakub Jelinek

legal(ME)

(jj@ultra.linux.cz)
linux-3.10\arch\sparc\lib\mcount.S(2): * Copyright (C) 2000 Anton Blanchard
(anton@linuxcare.com)
linux-3.10\arch\sparc\lib\memcmp.S(3): * Copyright (C) 1997 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\lib\memcmp.S(4): * Copyright (C) 2000, 2008 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\memcpy.S(3): * Copyright (C) 1991,1996 Free Software
Foundation
linux-3.10\arch\sparc\lib\memcpy.S(4): * Copyright (C) 1995 Linus Torvalds
(Linus.Torvalds@helsinki.fi)
linux-3.10\arch\sparc\lib\memcpy.S(5): * Copyright (C) 1996 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\lib\memcpy.S(6): * Copyright (C) 1996 Eddie C. Dost
(ecd@skynet.be)
linux-3.10\arch\sparc\lib\memcpy.S(7): * Copyright (C) 1996 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\lib\memmove.S(3): * Copyright (C) 1997, 2004 David S.
Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\memmove.S(4): * Copyright (C) 1996, 1997, 1998, 1999
Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\lib\memscan_32.S(4): * Copyright (C) 1996 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\lib\memscan_64.S(4): * Copyright (C) 1997,1998 Jakub
Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\lib\memscan_64.S(5): * Copyright (C) 1998 David S. Miller
(davem@redhat.com)
linux-3.10\arch\sparc\lib\memset.S(2): * Copyright (C) 1991,1996 Free Software
Foundation
linux-3.10\arch\sparc\lib\memset.S(3): * Copyright (C) 1996,1997 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\lib\memset.S(4): * Copyright (C) 1996 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\lib\muldi3.S(1):/* Copyright (C) 1989, 1992, 1993, 1994,
1995 Free Software Foundation, Inc.
linux-3.10\arch\sparc\lib\NG2copy_from_user.S(3): * Copyright (C) 2007 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG2copy_to_user.S(3): * Copyright (C) 2007 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG2memcpy.S(3): * Copyright (C) 2007 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG2patch.S(3): * Copyright (C) 2007 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\lib\NG4clear_page.S(3): * Copyright (C) 2012
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG4copy_from_user.S(3): * Copyright (C) 2012 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG4copy_page.S(3): * Copyright (C) 2012
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG4copy_to_user.S(3): * Copyright (C) 2012 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG4memcpy.S(3): * Copyright (C) 2012 David S. Miller

legal(ME)

(davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG4memset.S(3): * Copyright (C) 2012 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\NG4patch.S(3): * Copyright (C) 2012 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\lib\NGbzero.S(3): * Copyright (C) 2006 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\NGcopy_from_user.S(3): * Copyright (C) 2006, 2007 David
S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\NGcopy_to_user.S(3): * Copyright (C) 2006, 2007 David
S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\NGmemcpy.S(3): * Copyright (C) 2006, 2007 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\lib\NGpage.S(3): * Copyright (C) 2006 (davem@davemloft.net)
linux-3.10\arch\sparc\lib\NGpatch.S(3): * Copyright (C) 2006 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\lib\PeeCeeI.c(4): * Copyright (C) 1997 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\lib\strlen.S(3): * Copyright (C) 1991,1996 Free Software
Foundation
linux-3.10\arch\sparc\lib\strlen.S(4): * Copyright (C) 1996,2008 David S. Miller
(davem@davemloft.net)
linux-3.10\arch\sparc\lib\strlen.S(5): * Copyright (C) 1996, 1997 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\lib\strncmp_64.S(4): * Copyright (C) 1997 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\lib\U1copy_from_user.S(3): * Copyright (C) 1999, 2000, 2004
David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\U1copy_to_user.S(3): * Copyright (C) 1999, 2000, 2004
David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\U1memcpy.S(3): * Copyright (C) 1997, 2004 David S.
Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\U1memcpy.S(4): * Copyright (C) 1996, 1997, 1998, 1999
Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\lib\U3copy_from_user.S(3): * Copyright (C) 1999, 2000, 2004
David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\U3copy_to_user.S(3): * Copyright (C) 1999, 2000, 2004
David S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\U3memcpy.S(3): * Copyright (C) 1999, 2000, 2004 David
S. Miller (davem@redhat.com)
linux-3.10\arch\sparc\lib\U3patch.S(3): * Copyright (C) 2004 David S. Miller
<davem@redhat.com>
linux-3.10\arch\sparc\lib\udivdi3.S(1):/* Copyright (C) 1989, 1992, 1993, 1994,
1995 Free Software Foundation, Inc.
linux-3.10\arch\sparc\lib\user_fixup.c(3): * Copyright (C) 2004 David S. Miller
<davem@redhat.com>
linux-3.10\arch\sparc\lib\VISsave.S(6): * Copyright (C) 1998 Jakub Jelinek
(jj@ultra.linux.cz)
linux-3.10\arch\sparc\lib\xor.S(7): * Copyright (C) 1997, 1999 Jakub Jelinek
(jj@ultra.linux.cz)
linux-3.10\arch\sparc\lib\xor.S(8): * Copyright (C) 2006 David S. Miller
<davem@davemloft.net>

legal(ME)

linux-3.10\arch\sparc\Makefile(7):# Copyright (C) 1994,1996,1998 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\Makefile(8):# Copyright (C) 1998 Jakub Jelinek
(jj@ultra.linux.cz)
linux-3.10\arch\sparc\math-emu\math_32.c(4): * Copyright (C) 1998 Peter Maydell
(pmaydell@chiark.greenend.org.uk)
linux-3.10\arch\sparc\math-emu\math_32.c(5): * Copyright (C) 1997, 1999 Jakub
Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\math-emu\math_32.c(53): * part of glibc and has appropriate
copyrights in it (allegedly).
linux-3.10\arch\sparc\math-emu\math_32.c(6): * Copyright (C) 1999 David S. Miller
(davem@redhat.com)
linux-3.10\arch\sparc\math-emu\math_64.c(4): * Copyright (C) 1997,1999 Jakub
Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\math-emu\math_64.c(5): * Copyright (C) 1999 David S. Miller
(davem@redhat.com)
linux-3.10\arch\sparc\math-emu\math_64.c(8): * of glibc and has appropriate
copyrights in it.
linux-3.10\arch\sparc\math-emu\sfp-util_64.h(4): * Copyright (C) 1999 Jakub
Jelinek (jj@ultra.linux.cz)
linux-3.10\arch\sparc\math-emu\sfp-util_64.h(5): * Copyright (C) 1999 David S.
Miller (davem@redhat.com)
linux-3.10\arch\sparc\mm\fault_32.c(4): * Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\mm\fault_32.c(5): * Copyright (C) 1996 Eddie C. Dost
(ecd@skynet.be)
linux-3.10\arch\sparc\mm\fault_32.c(6): * Copyright (C) 1997 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\mm\fault_64.c(4): * Copyright (C) 1996, 2008 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\mm\fault_64.c(5): * Copyright (C) 1997, 1999 Jakub Jelinek
(jj@ultra.linux.cz)
linux-3.10\arch\sparc\mm\gup.c(4): * Copyright (C) 2008 Nick Piggin
linux-3.10\arch\sparc\mm\gup.c(5): * Copyright (C) 2008 Novell Inc.
linux-3.10\arch\sparc\mm\hugetlbpage.c(4): * Copyright (C) 2002, 2003, 2006 David
S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\mm\hypersparc.S(4): * Copyright (C) 1997 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\mm\init_32.c(4): *Copyright (C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\mm\init_32.c(5): *Copyright (C) 1995 Eddie C. Dost
(ecd@skynet.be)
linux-3.10\arch\sparc\mm\init_32.c(6): *Copyright (C) 1998 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\mm\init_32.c(7): *Copyright (C) 2000 Anton Blanchard
(anton@samba.org)
linux-3.10\arch\sparc\mm\init_64.c(4): *Copyright (C) 1996-1999 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\mm\init_64.c(5): *Copyright (C) 1997-1999 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\mm\iommu.c(4): * Copyright (C) 1995 David S.
Miller(davem@caip.rutgers.edu)

legal(ME)

linux-3.10\arch\sparc\mm\iommu.c(5): * Copyright (C) 1995,2002 Pete Zaitcev
(zaitcev@yahoo.com)
linux-3.10\arch\sparc\mm\iommu.c(6): * Copyright (C) 1996 Eddie C.
Dost(ecd@skynet.be)
linux-3.10\arch\sparc\mm\iommu.c(7): * Copyright (C) 1997,1998 Jakub
Jelinek(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\mm\io-unit.c(4): * Copyright (C) 1997,1998 Jakub
Jelinek(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\mm\leon_mm.c(4): * Copyright (C) 2004 Konrad Eisele
(eiselekd@web.de, konrad@gaisler.com) Gaisler Research
linux-3.10\arch\sparc\mm\leon_mm.c(5): * Copyright (C) 2009 Daniel Hellstrom
(daniel@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\mm\leon_mm.c(6): * Copyright (C) 2009 Konrad Eisele
(konrad@gaisler.com) Aeroflex Gaisler AB
linux-3.10\arch\sparc\mm\srmmu.c(4): * Copyright (C) 1995 David S.
Miller(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\mm\srmmu.c(5): * Copyright (C) 1995,2002 Pete Zaitcev
(zaitcev@yahoo.com)
linux-3.10\arch\sparc\mm\srmmu.c(6): * Copyright (C) 1996 Eddie C.
Dost(ecd@skynet.be)
linux-3.10\arch\sparc\mm\srmmu.c(7): * Copyright (C) 1997,1998 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\mm\srmmu.c(8): * Copyright (C) 1999,2000 Anton Blanchard
(anton@samba.org)
linux-3.10\arch\sparc\mm\swift.S(4): * Copyright (C) 1999 David S. Miller
(davem@redhat.com)
linux-3.10\arch\sparc\mm\tlb.c(3): * Copyright (C) 2004 David S. Miller
<davem@redhat.com>
linux-3.10\arch\sparc\mm\tsb.c(3): * Copyright (C) 2006, 2008 David S. Miller
<davem@davemloft.net>
linux-3.10\arch\sparc\mm\tsunami.S(4): * Copyright (C) 1997 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\mm\ultra.S(4): * Copyright (C) 1997, 2000, 2008 David S.
Miller (davem@davemloft.net)
linux-3.10\arch\sparc\mm\viking.S(4): * Copyright (C) 1997Eddie C.
Dost(ecd@skynet.be)
linux-3.10\arch\sparc\mm\viking.S(5): * Copyright (C) 1997,1998,1999Jakub
Jelinek(jj@ultra.linux.cz)
linux-3.10\arch\sparc\mm\viking.S(6): * Copyright (C) 1999Pavel
Semerad(semerad@ss1000.ms.mff.cuni.cz)
linux-3.10\arch\sparc\oprofile\init.c(4): * @remark Copyright 2002 OProfile
authors
linux-3.10\arch\sparc\power\hibernate.c(4): * Copyright (C) 2013 Kirill V Tkhai
(tkhai@yandex.ru)
linux-3.10\arch\sparc\power\hibernate_asm.S(4): * Copyright (C) 2013 Kirill V
Tkhai (tkhai@yandex.ru)
linux-3.10\arch\sparc\prom\bootstr_32.c(4): * Copyright(C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\bootstr_64.c(4): * Copyright(C) 1995 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\bootstr_64.c(5): * Copyright(C) 1996,1998 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)

legal(ME)

linux-3.10\arch\sparc\prom\cif.S(3): * Copyright (C) 1996, 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\prom\cif.S(4): * Copyright (C) 2005, 2006 David S. Miller <davem@davemloft.net>
linux-3.10\arch\sparc\prom\console_32.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\console_32.c(6): * Copyright (C) 1998 Pete Zaitcev <zaitcev@yahoo.com>
linux-3.10\arch\sparc\prom\console_64.c(4): * Copyright (C) 1995 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\prom\console_64.c(5): * Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\prom\init_32.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\init_32.c(6): * Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\prom\init_64.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\init_64.c(6): * Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\prom\memory.c(4): * Copyright (C) 1995, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\arch\sparc\prom\memory.c(5): * Copyright (C) 1997 Michael A. Griffith (grif@acm.org)
linux-3.10\arch\sparc\prom\misc_32.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\misc_64.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\misc_64.c(6): * Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\prom\mp.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\p1275.c(4): * Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\prom\printf.c(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\printf.c(5): * Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\prom\printf.c(6): * Copyright (c) 2002 Pete Zaitcev (zaitcev@yahoo.com)
linux-3.10\arch\sparc\prom\ranges.c(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\ranges.c(5): * Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\sparc\prom\tree_32.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\tree_64.c(5): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\arch\sparc\prom\tree_64.c(6): * Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\arch\tile\gxio\dma_queue.c(2): * Copyright 2012 Tilera Corporation. All Rights Reserved.

legal(ME)

linux-3.10\arch\tile\gxio\iorpc_globals.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\gxio\iorpc_mpipe.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\gxio\iorpc_mpipe_info.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\gxio\iorpc_trio.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\gxio\iorpc_usb_host.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\gxio\kiorpc.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\gxio\mpipe.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\gxio\trio.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\gxio\usb_host.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\mpipe.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\mpipe_constants.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\mpipe_def.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\mpipe_shm.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\mpipe_shm_def.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\spr_def.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio_constants.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio_def.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio_pcie_intf.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio_pcie_intf_def.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio_pcie_rc.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio_pcie_rc_def.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio_shm.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\trio_shm_def.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\usb_host.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\arch\usb_host_def.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.

legal(ME)

linux-3.10\arch\tile\include\asm\atomic.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\atomic_32.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\atomic_64.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\backtrace.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\barrier.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\bitops.h(2): * Copyright 1992, Linus Torvalds.
linux-3.10\arch\tile\include\asm\bitops.h(3): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\bitops_32.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\bitops_64.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\cache.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\cacheflush.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\checksum.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\cmpxchg.h(2): * cmpxchg.h -- forked from asm/atomic.h with this copyright:
linux-3.10\arch\tile\include\asm\cmpxchg.h(4): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\compat.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\current.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\delay.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\device.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\dma.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\dma-mapping.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\edac.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\elf.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\fixmap.h(2): * Copyright (C) 1998 Ingo Molnar
linux-3.10\arch\tile\include\asm\fixmap.h(3): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\ftrace.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\futex.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\hardirq.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

legal(ME)

linux-3.10\arch\tile\include\asm\hardwall.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\highmem.h(2): * Copyright (C) 1999 Gerhard Wichert, Siemens AG
linux-3.10\arch\tile\include\asm\highmem.h(4): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\homecache.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\hugetlb.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\hv_driver.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\hw_irq.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\ide.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\io.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\irq.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\irqflags.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\kexec.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\kmap_types.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\linkage.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\mmu.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\mmu_context.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\mmzone.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\module.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\page.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\pci.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\percpu.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\pgalloc.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\pgtable.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\pgtable_32.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\pgtable_64.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\processor.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

legal(ME)

linux-3.10\arch\tile\include\asm\ptrace.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\sections.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\setup.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\sigframe.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\signal.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\smp.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\spinlock.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\spinlock_32.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\spinlock_64.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\spinlock_types.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\stack.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\string.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\switch_to.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\syscall.h(2): * Copyright (C) 2008-2009 Red Hat, Inc. All rights reserved.
linux-3.10\arch\tile\include\asm\syscall.h(3): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\syscalls.h(4): * Copyright (c) 2008 Jaswinder Singh Rajput
linux-3.10\arch\tile\include\asm\syscalls.h(5): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\thread_info.h(2): * Copyright (C) 2002 David Howells (dhowells@redhat.com)
linux-3.10\arch\tile\include\asm\thread_info.h(3): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\tile-desc.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\tile-desc_32.h(3): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\tile-desc_64.h(3): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\timex.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\tlb.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\tlbflush.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\topology.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

legal(ME)

linux-3.10\arch\tile\include\asm\traps.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\uaccess.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\unaligned.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\unistd.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\user.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\asm\vga.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\common.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\dma_queue.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\iorpc_globals.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\iorpc_mpipe.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\iorpc_mpipe_info.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\iorpc_trio.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\iorpc_usb_host.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\kiorpc.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\mpipe.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\trio.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\gxio\usb_host.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\drv_mpipe_intf.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\drv_mshim_intf.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\drv_pcie_rc_intf.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\drv_srom_intf.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\drv_trio_intf.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\drv_usb_host_intf.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\drv_xgbe_impl.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\drv_xgbe_intf.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\hypervisor.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

legal(ME)

linux-3.10\arch\tile\include\hv\iorpc.h(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\netio_errors.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\netio_intf.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\hv\syscall_public.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\abi.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\chip.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\chip_tile64.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\chip_tilegx.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\chip_tilepro.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\icache.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\interrupts.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\interrupts_32.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\interrupts_64.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\opcode.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\opcode_tilegx.h(3): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\opcode_tilepro.h(3): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\sim.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\sim_def.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\spr_def.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\spr_def_32.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\arch\spr_def_64.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\auxvec.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\bitsperlong.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\byteorder.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\cachectl.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\hardwall.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

legal(ME)

linux-3.10\arch\tile\include\uapi\asm\mman.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\ptrace.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\setup.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\sigcontext.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\siginfo.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\signal.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\swab.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\include\uapi\asm\unistd.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\asm-offsets.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\backtrace.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\compat.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\compat_signal.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\early_printk.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\entry.S(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\futex_64.S(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\hardwall.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\head_32.S(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\head_64.S(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\intvec_32.S(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\intvec_64.S(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\irq.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\machine_kexec.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\messaging.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\module.c(14): * Based on i386 version, copyright (C) 2001 Rusty Russell.
linux-3.10\arch\tile\kernel\module.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\pci.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

legal(ME)

linux-3.10\arch\tile\kernel\pci_gx.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\pci-dma.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\proc.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\process.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\ptrace.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\reboot.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\regs_32.S(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\regs_64.S(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\relocate_kernel_32.S(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\relocate_kernel_64.S(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\setup.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\signal.c(2): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\tile\kernel\signal.c(3): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\single_step.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\smp.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\smpboot.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\stack.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\sys.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\sysfs.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\tile-desc_32.c(3): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\tile-desc_64.c(3): * Copyright 2011 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\time.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\tlb.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\traps.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\kernel\usb.c(2): * Copyright 2012 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\lib\atomic_32.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.
linux-3.10\arch\tile\lib\atomic_asm_32.S(2): * Copyright 2010 Tiler Corporation.

legal(ME)

All Rights Reserved.

linux-3.10\arch\tile\lib\cacheflush.c(2): * Copyright 2010 Tiler Corporation.

All Rights Reserved.

linux-3.10\arch\tile\lib\checksum.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\cpumask.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\delay.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\exports.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memchr_32.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memchr_64.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memcpy_32.S(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memcpy_64.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memcpy_tile64.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memcpy_user_64.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memmove.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memset_32.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\memset_64.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\spinlock_32.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\spinlock_64.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\spinlock_common.h(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\strchr_32.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\strchr_64.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\string-endian.h(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\strlen_32.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\strlen_64.c(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\uaccess.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\usercopy_32.S(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\lib\usercopy_64.S(2): * Copyright 2011 Tiler Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\elf.c(2): * Copyright 2010 Tiler Corporation. All Rights Reserved.

legal(ME)

Reserved.

linux-3.10\arch\tile\mm\extable.c(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\fault.c(14): * From i386 code copyright (C) 1995 Linus Torvalds

linux-3.10\arch\tile\mm\fault.c(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\highmem.c(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\homecache.c(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\hugetlbpage.c(16): * Copyright (C) 2002, Rohit Seth <rohit.seth@intel.com>

linux-3.10\arch\tile\mm\hugetlbpage.c(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\init.c(2): * Copyright (C) 1995 Linus Torvalds

linux-3.10\arch\tile\mm\init.c(3): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\migrate.h(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\migrate_32.S(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\migrate_64.S(2): * Copyright 2011 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\mmap.c(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\tile\mm\pgtable.c(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.

linux-3.10\arch\um\drivers\chan.h(2): * Copyright (C) 2000, 2001 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\drivers\chan_kern.c(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{linux.intel,addtoit}.com)

linux-3.10\arch\um\drivers\chan_user.c(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{linux.intel,addtoit}.com)

linux-3.10\arch\um\drivers\chan_user.h(2): * Copyright (C) 2000, 2001 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\drivers\cow_user.c(2): * Copyright (C) 2007 Jeff Dike (jdike@{linux.intel,addtoit}.com)

linux-3.10\arch\um\drivers\daemon.h(2): * Copyright (C) 2001 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\drivers\daemon_kern.c(2): * Copyright (C) 2001 Lennert Buytenhek (buytenh@gnu.org) and

linux-3.10\arch\um\drivers\daemon_kern.c(4): * Copyright (C) 2001 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\drivers\daemon_kern.c(5): * Copyright (C) 2001 by various other people who didn't put their name here.

linux-3.10\arch\um\drivers\daemon_user.c(2): * Copyright (C) 2001 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\drivers\daemon_user.c(3): * Copyright (C) 2001 Lennert Buytenhek (buytenh@gnu.org) and

linux-3.10\arch\um\drivers\daemon_user.c(5): * Copyright (C) 2001 by various other people who didn't put their name here.

legal(ME)

linux-3.10\arch\um\drivers\fd.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{linux.intel,addtoit}.com)
linux-3.10\arch\um\drivers\harddog_kern.c(17): *(c) Copyright 1995Alan Cox
<alan@lxorguk.ukuu.org.uk>
linux-3.10\arch\um\drivers\harddog_kern.c(5): *(c) Copyright 1996 Alan Cox
<alan@redhat.com>, All Rights Reserved.
linux-3.10\arch\um\drivers\harddog_user.c(2): * Copyright (C) 2002 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\hostaudio_kern.c(2): * Copyright (C) 2002 Steve
Schmidtke
linux-3.10\arch\um\drivers\line.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\line.h(2): * Copyright (C) 2001, 2002 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\Makefile(2):# Copyright (C) 2000, 2002, 2003 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\mconsole.h(2): * Copyright (C) 2001 Lennert Buytenhek
(buytenh@gnu.org)
linux-3.10\arch\um\drivers\mconsole.h(3): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\mconsole_kern.c(2): * Copyright (C) 2001 Lennert
Buytenhek (buytenh@gnu.org)
linux-3.10\arch\um\drivers\mconsole_kern.c(3): * Copyright (C) 2001 - 2008 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\mconsole_kern.h(2): * Copyright (C) 2001, 2002 Jeff
Dike (jdike@karaya.com)
linux-3.10\arch\um\drivers\mconsole_user.c(2): * Copyright (C) 2001 Lennert
Buytenhek (buytenh@gnu.org)
linux-3.10\arch\um\drivers\mconsole_user.c(3): * Copyright (C) 2001 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\mmapper_kern.c(6): * Copyright (C) 2000 RidgeRun, Inc.
linux-3.10\arch\um\drivers\net_kern.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\net_kern.c(3): * Copyright (C) 2001 Lennert Buytenhek
(buytenh@gnu.org) and
linux-3.10\arch\um\drivers\net_kern.c(5): * Copyright (C) 2001 by various other
people who didn't put their name here.
linux-3.10\arch\um\drivers\net_user.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\null.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{linux.intel,addtoit}.com)
linux-3.10\arch\um\drivers\pcap_kern.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\pcap_user.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\pcap_user.h(2): * Copyright (C) 2002 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\port.h(2): * Copyright (C) 2001 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\port_kern.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{linux.intel,addtoit}.com)
linux-3.10\arch\um\drivers\port_user.c(2): * Copyright (C) 2001 - 2007 Jeff Dike

legal(ME)

(jdike@{linux.intel,addtoit}.com)
linux-3.10\arch\um\drivers\pty.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\random.c(1):/* Copyright (C) 2005 - 2008 Jeff Dike
<jdike@{linux.intel,addtoit}.com> */
linux-3.10\arch\um\drivers\random.c(4): * copyright.
linux-3.10\arch\um\drivers\slip_kern.c(2): * Copyright (C) 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\slip_user.c(2): * Copyright (C) 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\slirp_kern.c(2): * Copyright (C) 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\slirp_user.c(2): * Copyright (C) 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\ssl.c(2): * Copyright (C) 2000, 2002 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\ssl.h(2): * Copyright (C) 2000 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\stdio_console.c(2): * Copyright (C) 2000, 2001 Jeff
Dike (jdike@karaya.com)
linux-3.10\arch\um\drivers\stdio_console.h(2): * Copyright (C) 2000 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\tty.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{linux.intel,addtoit}.com)
linux-3.10\arch\um\drivers\ubd.h(2): * Copyright (C) 2000 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\ubd.h(3): * Copyright (C) 2001 RidgeRun, Inc
(glonnon@ridgerun.com)
linux-3.10\arch\um\drivers\ubd_kern.c(2): * Copyright (C) 2000 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\drivers\ubd_user.c(2): * Copyright (C) 2000, 2001, 2002 Jeff
Dike (jdike@karaya.com)
linux-3.10\arch\um\drivers\ubd_user.c(3): * Copyright (C) 2001 Ridgerun,Inc
(glonnon@ridgerun.com)
linux-3.10\arch\um\drivers\umcast.h(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\umcast_kern.c(3): * Copyright (C) 2001 by Harald Welte
<laforge@gnumonks.org>
linux-3.10\arch\um\drivers\umcast_kern.c(4): * Copyright (C) 2001 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\umcast_kern.c(7): * Copyright (C) 2001 Lennert
Buytenhek (buytenh@gnu.org) and
linux-3.10\arch\um\drivers\umcast_kern.c(9): * Copyright (C) 2001 by various
other people who didn't put their name here.
linux-3.10\arch\um\drivers\umcast_user.c(3): * Copyright (C) 2001 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\umcast_user.c(4): * Copyright (C) 2001 by Harald Welte
<laforge@gnumonks.org>
linux-3.10\arch\um\drivers\umcast_user.c(7): * Copyright (C) 2001 Lennert
Buytenhek (buytenh@gnu.org) and
linux-3.10\arch\um\drivers\umcast_user.c(9): * Copyright (C) 2001 by various
other people who didn't put their name here.

legal(ME)

linux-3.10\arch\um\drivers\vde.h(2): * Copyright (C) 2007 Luca Bigliardi (shammash@artha.org).
linux-3.10\arch\um\drivers\vde_kern.c(2): * Copyright (C) 2007 Luca Bigliardi (shammash@artha.org).
linux-3.10\arch\um\drivers\vde_user.c(2): * Copyright (C) 2007 Luca Bigliardi (shammash@artha.org).
linux-3.10\arch\um\drivers\xterm.c(2): * Copyright (C) 2001 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\drivers\xterm.h(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\drivers\xterm_kern.c(2): * Copyright (C) 2001 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\asm\a.out-core.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\arch\um\include\asm\kmap_types.h(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\include\asm\mmu.h(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\asm\mmu_context.h(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\asm\page.h(2): * Copyright (C) 2000 - 2003 Jeff Dike (jdike@addtoit.com)
linux-3.10\arch\um\include\asm\page.h(3): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\um\include\asm\pgalloc.h(2): * Copyright (C) 2000, 2001, 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\include\asm\pgalloc.h(3): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\um\include\asm\pgtable.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\asm\pgtable.h(3): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\um\include\asm\pgtable-2level.h(2): * Copyright (C) 2000, 2001, 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\include\asm\pgtable-2level.h(3): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\um\include\asm\pgtable-3level.h(2): * Copyright 2003 PathScale Inc
linux-3.10\arch\um\include\asm\processor-generic.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\asm\ptrace-generic.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\asm\thread_info.h(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\asm\tlbflush.h(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\asm\uaccess.h(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\include\shared\ aio.h(2): * Copyright (C) 2004 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\include\shared\ arch.h(2): * Copyright (C) 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\shared\ as-layout.h(2): * Copyright (C) 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\include\shared\ elf_user.h(2): * Copyright (C) 2004 Fujitsu

legal(ME)

Siemens Computers GmbH

linux-3.10\arch\um\include\shared\frame_kern.h(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\include\shared\irq_kern.h(2): * Copyright (C) 2001, 2002 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\include\shared\irq_user.h(2): * Copyright (C) 2001 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\kern.h(2): * Copyright (C) 2000 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\include\shared\kern_util.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\mem.h(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\mem_user.h(7): * Copyright (C) 2001 RidgeRun, Inc.

linux-3.10\arch\um\include\shared\net_kern.h(2): * Copyright (C) 2002 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\net_user.h(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\os.h(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\ptrace_user.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\registers.h(2): * Copyright (C) 2004 PathScale, Inc

linux-3.10\arch\um\include\shared\sigio.h(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\include\shared\skas_ptrace.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\skas\mm_id.h(2): * Copyright (C) 2005 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\include\shared\skas\proc_mm.h(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\include\shared\skas\skas.h(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\include\shared\skas\stub-data.h(2): * Copyright (C) 2005 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\include\shared\um_malloc.h(2): * Copyright (C) 2005 Paolo 'Blaisorblade' Giarrusso <blaisorblade@yahoo.it>

linux-3.10\arch\um\include\shared\user.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\kernel\config.c.in(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)

linux-3.10\arch\um\kernel\early_printk.c(2): * Copyright (C) 2011 Richard Weinberger <richrd@nod.at>

linux-3.10\arch\um\kernel\exec.c(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\kernel\exitcode.c(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\kernel\gmon_syms.c(2): * Copyright (C) 2001 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)

linux-3.10\arch\um\kernel\gprof_syms.c(2): * Copyright (C) 2001 - 2007 Jeff Dike

legal(ME)

(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\initrd.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\irq.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\irq.c(5): *Copyright (C) 1992, 1998 Linus Torvalds,
Ingo Molnar
linux-3.10\arch\um\kernel\ksyms.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\Makefile(2):# Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux,intel}.com)
linux-3.10\arch\um\kernel\mem.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\physmem.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\process.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\process.c(3): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\um\kernel\ptrace.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\reboot.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\sigio.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{linux.intel,addtoit}.com)
linux-3.10\arch\um\kernel\signal.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\skas\clone.c(2): * Copyright (C) 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\skas\Makefile(2):# Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\skas\mmu.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\skas\process.c(2): * Copyright (C) 2002 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\skas\syscall.c(2): * Copyright (C) 2002 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\skas\uaccess.c(2): * Copyright (C) 2002 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\smp.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\syscall.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\sysrq.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\time.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\tlb.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\trap.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\kernel\um_arch.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)

legal(ME)

linux-3.10\arch\um\kernel\umid.c(2): * Copyright (C) 2001 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\Makefile(5):# Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\Makefile-os-Linux(2):# Copyright (C) 2000 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\Makefile-skas(2):# Copyright (C) 2002 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\os-Linux\aiio.c(2): * Copyright (C) 2004 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\drivers\etap.h(2): * Copyright (C) 2001 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\drivers\ethertap_kern.c(2): * Copyright (C) 2001
Lennert Buytenhek (buytenh@gnu.org) and
linux-3.10\arch\um\os-Linux\drivers\ethertap_kern.c(4): * Copyright (C) 2001 -
2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\drivers\ethertap_kern.c(5): * Copyright (C) 2001 by
various other people who didn't put their name here.
linux-3.10\arch\um\os-Linux\drivers\ethertap_user.c(2): * Copyright (C) 2001 -
2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\drivers\ethertap_user.c(3): * Copyright (C) 2001
Lennert Buytenhek (buytenh@gnu.org) and
linux-3.10\arch\um\os-Linux\drivers\ethertap_user.c(5): * Copyright (C) 2001 by
various other people who didn't put their name here.
linux-3.10\arch\um\os-Linux\drivers\Makefile(2):# Copyright (C) 2000, 2002 Jeff
Dike (jdike@karaya.com)
linux-3.10\arch\um\os-Linux\drivers\tuntap.h(2): * Copyright (C) 2001 - 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\drivers\tuntap_kern.c(2): * Copyright (C) 2001 - 2007
Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\drivers\tuntap_user.c(2): * Copyright (C) 2001 - 2007
Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\elf_aux.c(7): *Copyright (C) 2004 Fujitsu Siemens
Computers GmbH
linux-3.10\arch\um\os-Linux\execvp.c(1):/* Copyright (C) 2006 by Paolo Giarrusso
- modified from glibc' execvp.c.
linux-3.10\arch\um\os-Linux\execvp.c(2): Original copyright notice follows:
linux-3.10\arch\um\os-Linux\execvp.c(4): Copyright (C) 1991,92,1995-99,2002,2004
Free Software Foundation, Inc.
linux-3.10\arch\um\os-Linux\file.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\helper.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\irq.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\main.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\Makefile(2):# Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\mem.c(2): * Copyright (C) 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\process.c(2): * Copyright (C) 2002 - 2007 Jeff Dike

legal(ME)

(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\registers.c(2): * Copyright (C) 2004 PathScale, Inc
linux-3.10\arch\um\os-Linux\registers.c(3): * Copyright (C) 2004 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\sigio.c(2): * Copyright (C) 2002 - 2008 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\signal.c(2): * Copyright (C) 2004 PathScale, Inc
linux-3.10\arch\um\os-Linux\signal.c(3): * Copyright (C) 2004 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\skas\Makefile(2):# Copyright (C) 2002 - 2007 Jeff
Dike (jdike@{linux.intel,addtoit}.com)
linux-3.10\arch\um\os-Linux\skas\mem.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\skas\process.c(2): * Copyright (C) 2002- 2007 Jeff
Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\start_up.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\time.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\tty.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\umid.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\os-Linux\util.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\um\sys-ia64\sysdep\ptrace.h(2): * Copyright (C) 2000 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\sys-ia64\sysdep\sigcontext.h(2): * Copyright (C) 2000 Jeff
Dike (jdike@karaya.com)
linux-3.10\arch\um\sys-ia64\sysdep\skas_ptrace.h(2): * Copyright (C) 2000, 2001,
2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\sys-ia64\sysdep\syscalls.h(2): * Copyright (C) 2000 Jeff Dike
(jdike@karaya.com)
linux-3.10\arch\um\sys-ppc\misc.S(3): *Copyright (C) 1995-1996 Gary Thomas
(gdt@linuxppc.org)
linux-3.10\arch\um\sys-ppc\shared\sysdep\sigcontext.h(2): * Copyright (C) 2000
Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\sys-ppc\shared\sysdep\skas_ptrace.h(2): * Copyright (C) 2000,
2001, 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\um\sys-ppc\shared\sysdep\syscalls.h(2): * Copyright (C) 2000 Jeff
Dike (jdike@karaya.com)
linux-3.10\arch\um\sys-ppc\sysrq.c(2): * Copyright (C) 2001 Chris Emerson
(cemerson@chiark.greenend.org.uk)
linux-3.10\arch\unicore32\boot\compressed\head.S(6): * Copyright (C) 2001-2010
GUAN Xue-tao
linux-3.10\arch\unicore32\boot\compressed\Makefile(10):# Copyright (C) 2001~2010
GUAN Xue-tao
linux-3.10\arch\unicore32\boot\compressed\misc.c(6): * Copyright (C) 2001-2010
GUAN Xue-tao
linux-3.10\arch\unicore32\boot\compressed\vmlinux.lds.in(6): * Copyright (C)
2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\boot\Makefile(11):# Copyright (C) 2001~2010 GUAN

legal(ME)

Xue-tao

linux-3.10\arch\unicore32\include\asm\assembler.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\barrier.h(4): * Copyright (C) 2001-2012

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\bitops.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\bug.h(4): * Copyright (C) 2001-2012 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\cache.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\cacheflush.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\checksum.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\cmpxchg.h(4): * Copyright (C) 2001-2012

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\cpu-single.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\cputype.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\delay.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\dma.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\dma-mapping.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\elf.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\fpstate.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\fpu-ucf64.h(7): *Copyright (C) 2001-2010

Guan Xuetao

linux-3.10\arch\unicore32\include\asm\gpio.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\hwcap.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\hwdef-copro.h(4): * Copyright (C) 2001-2012

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\io.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\irq.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\irqflags.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\linkage.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\memblock.h(6): * Copyright (C) 2001-2010

GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\memory.h(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\unicore32\include\asm\mmu.h(6): * Copyright (C) 2001-2010 GUAN

legal(ME)

Xue-tao

linux-3.10\arch\unicore32\include\asm\mmu_context.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\mutex.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\asm\page.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\asm\pci.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\asm\pgalloc.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\pgtable.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\pgtable-hwdef.h(6): * Copyright (C)
2001-2010 GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\processor.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\ptrace.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\asm\stacktrace.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\string.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\asm\suspend.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\switch_to.h(4): * Copyright (C) 2001-2012
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\thread_info.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\timex.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\asm\tlb.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\asm\tlbflush.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\asm\traps.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\asm\uaccess.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\mach\bitfield.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\mach\dma.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\mach\hardware.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\mach\map.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\mach\memory.h(6): * Copyright (C) 2001-2010
GUAN Xue-tao

linux-3.10\arch\unicore32\include\mach\ocd.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao

linux-3.10\arch\unicore32\include\mach\PKUnity.h(6): * Copyright (C) 2001-2010

legal(ME)

GUAN Xue-tao
linux-3.10\arch\unicore32\include\mach\pm.h(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\include\mach\uncompress.h(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\include\uapi\asm\byteorder.h(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\include\uapi\asm\ptrace.h(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\include\uapi\asm\sigcontext.h(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\include\uapi\asm\unistd.h(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\asm-offsets.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\clock.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\debug.S(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\debug-macro.S(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\dma.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\early_printk.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\elf.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\entry.S(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\fpu-ucf64.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\gpio.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\head.S(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\hibernate.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\hibernate_asm.S(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\irq.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\ksyms.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\module.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\pci.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\pm.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\process.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\ptrace.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\puv3-core.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\puv3-nb0916.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\setup.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao

legal(ME)

linux-3.10\arch\unicore32\kernel\setup.h(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\kernel\signal.c(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\kernel\sleep.S(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\stacktrace.c(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\kernel\sys.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\kernel\time.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\arch\unicore32\kernel\traps.c(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\kernel\vmlinux.lds.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\lib\backtrace.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\lib\clear_user.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\lib\copy_from_user.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\lib\copy_page.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\lib\copy_template.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\lib\copy_to_user.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\lib\delay.S(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\lib\findbit.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\lib\Makefile(4):# Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\lib\strncpy_from_user.S(6): * Copyright (C) 2001-2010
GUAN Xue-tao
linux-3.10\arch\unicore32\lib\strnlen_user.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\Makefile(11):# Copyright (C) 2002~2010 by Guan Xue-tao
linux-3.10\arch\unicore32\mm\alignment.c(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\mm\cache-ucv2.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\mm\dma-swiotlb.c(4): * Copyright (C) 2010 Guan Xuetao
linux-3.10\arch\unicore32\mm\extable.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\mm\fault.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\mm\flush.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\mm\init.c(4): *Copyright (C) 2010 GUAN Xue-tao
linux-3.10\arch\unicore32\mm\ioremap.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\mm\mm.h(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\mm\mmu.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\mm\pgd.c(6): * Copyright (C) 2001-2010 GUAN Xue-tao
linux-3.10\arch\unicore32\mm\proc-macros.S(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\mm\proc-syms.c(6): * Copyright (C) 2001-2010 GUAN
Xue-tao
linux-3.10\arch\unicore32\mm\proc-ucv2.S(6): * Copyright (C) 2001-2010 GUAN

legal(ME)

Xue-tao

linux-3.10\arch\unicore32\mm\tlb-ucv2.S(6): * Copyright (C) 2001-2010 GUAN

Xue-tao

linux-3.10\arch\x86\boot\a20.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\a20.c(4): * Copyright 2007-2008 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\a20.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\apm.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\apm.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\apm.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\bioscall.S(3): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\bitops.h(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\bitops.h(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\boot.h(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\boot.h(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\boot.h(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\cmdline.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\cmdline.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\compressed\eboot.c(3): * Copyright 2011 Intel Corporation; author Matt Fleming

linux-3.10\arch\x86\boot\compressed\head_32.S(4): *Copyright (C) 1991, 1992, 1993Linus Torvalds

linux-3.10\arch\x86\boot\compressed\head_64.S(4): *Copyright (C) 1991, 1992, 1993Linus Torvalds

linux-3.10\arch\x86\boot\compressed\mkpiggy.c(3): *Copyright (C) 2009 Intel Corporation. All rights reserved.

linux-3.10\arch\x86\boot\copy.S(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\copy.S(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\cpu.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\cpu.c(4): * Copyright 2007-2008 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\cpucheck.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\cpucheck.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\edd.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\edd.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\edd.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\header.S(4): *Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\install.sh(7):# Copyright (C) 1995 by Linus Torvalds

linux-3.10\arch\x86\boot\main.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\main.c(4): * Copyright 2007 rPath, Inc. - All Rights

legal(ME)

Reserved

linux-3.10\arch\x86\boot\main.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\Makefile(8):# Copyright (C) 1994 by Linus Torvalds

linux-3.10\arch\x86\boot\mca.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\mca.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\mca.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\memory.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\memory.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\memory.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\mkcpustr.c(3): * Copyright 2008 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\pm.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\pm.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\pmjump.S(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\pmjump.S(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\printf.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\printf.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\regs.c(3): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\string.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\string.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\tools\build.c(2): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\arch\x86\boot\tools\build.c(3): *Copyright (C) 1997 Martin Mares

linux-3.10\arch\x86\boot\tools\build.c(4): *Copyright (C) 2007 H. Peter Anvin

linux-3.10\arch\x86\boot\tty.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\tty.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\tty.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\version.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\version.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\vesa.h(3): * Copyright 1999-2007 H. Peter Anvin - All Rights Reserved

linux-3.10\arch\x86\boot\video.c(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\video.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

linux-3.10\arch\x86\boot\video.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin

linux-3.10\arch\x86\boot\video.h(3): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\boot\video.h(4): * Copyright 2007 rPath, Inc. - All Rights Reserved

legal(ME)

linux-3.10\arch\x86\boot\video-bios.c(3): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\x86\boot\video-bios.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved
linux-3.10\arch\x86\boot\video-bios.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin
linux-3.10\arch\x86\boot\video-mode.c(3): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\x86\boot\video-mode.c(4): * Copyright 2007-2008 rPath, Inc. - All Rights Reserved
linux-3.10\arch\x86\boot\video-vesa.c(3): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\x86\boot\video-vesa.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved
linux-3.10\arch\x86\boot\video-vesa.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin
linux-3.10\arch\x86\boot\video-vga.c(3): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\x86\boot\video-vga.c(4): * Copyright 2007 rPath, Inc. - All Rights Reserved
linux-3.10\arch\x86\boot\video-vga.c(5): * Copyright 2009 Intel Corporation; author H. Peter Anvin
linux-3.10\arch\x86\crypto\ablk_helper.c(4): * Copyright (c) 2012 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\ablk_helper.c(7): *Copyright (C) 2008, Intel Corp.
linux-3.10\arch\x86\crypto\aes-i586-asm_32.S(17):// 3. the copyright holder's name is not used to endorse products
linux-3.10\arch\x86\crypto\aes-i586-asm_32.S(2):// Copyright (c) 2001, Dr Brian Gladman < >, Worcester, UK.
linux-3.10\arch\x86\crypto\aes-i586-asm_32.S(25):// Copyright (c) 2004 Linus Torvalds <torvalds@osdl.org>
linux-3.10\arch\x86\crypto\aes-i586-asm_32.S(26):// Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com>
linux-3.10\arch\x86\crypto\aesni-intel_asm.S(21): *Copyright (c) 2010, Intel Corporation.
linux-3.10\arch\x86\crypto\aesni-intel_asm.S(7): * Copyright (C) 2008, Intel Corp.
linux-3.10\arch\x86\crypto\aesni-intel_glue.c(14): *Copyright (c) 2010, Intel Corporation.
linux-3.10\arch\x86\crypto\aesni-intel_glue.c(5): * Copyright (C) 2008, Intel Corp.
linux-3.10\arch\x86\crypto\aes-x86_64-asm_64.S(3): * Copyright (C) 2005 Andreas Steinmetz, <ast@domdv.de>
linux-3.10\arch\x86\crypto\blowfish_avx2_glue.c(4): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\blowfish_avx2_glue.c(7): * Copyright (c) 2006 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\arch\x86\crypto\blowfish_avx2_glue.c(9): * (C) Copyright IBM Corp. 2007 - Joy Latten <latten@us.ibm.com>
linux-3.10\arch\x86\crypto\blowfish_glue.c(4): * Copyright ㄣ 2011-2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\blowfish_glue.c(7): * Copyright (c) 2006 Herbert Xu

legal(ME)

<herbert@gondor.apana.org.au>
linux-3.10\arch\x86\crypto\blowfish_glue.c(9): * (C) Copyright IBM Corp. 2007 -
Joy Latten <latten@us.ibm.com>
linux-3.10\arch\x86\crypto\blowfish-avx2-asm_64.S(4): * Copyright ㄣ 2012-2013
Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\blowfish-x86_64-asm_64.S(4): * Copyright (C) 2011
Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\camellia_aesni_avx_glue.c(4): * Copyright ㄣ 2012-2013
Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\camellia_aesni_avx2_glue.c(4): * Copyright ㄣ 2013
Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\camellia_glue.c(4): * Copyright (c) 2012 Jussi
Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\camellia_glue.c(7): *Copyright (C) 2006 NTT (Nippon
Telegraph and Telephone Corporation)
linux-3.10\arch\x86\crypto\camellia_aesni_avx2-asm_64.S(4): * Copyright ㄣ 2013
Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\camellia_aesni_avx-asm_64.S(4): * Copyright ㄣ
2012-2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\camellia-x86_64-asm_64.S(4): * Copyright (C) 2012
Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\cast5_avx_glue.c(4): * Copyright (C) 2012 Johannes
Goetzfried
linux-3.10\arch\x86\crypto\cast5-avx-x86_64-asm_64.S(4): * Copyright (C) 2012
Johannes Goetzfried
linux-3.10\arch\x86\crypto\cast5-avx-x86_64-asm_64.S(7): * Copyright ㄣ 2012
Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\cast6_avx_glue.c(4): * Copyright (C) 2012 Johannes
Goetzfried
linux-3.10\arch\x86\crypto\cast6_avx_glue.c(7): * Copyright ㄣ 2013 Jussi
Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\cast6-avx-x86_64-asm_64.S(4): * Copyright (C) 2012
Johannes Goetzfried
linux-3.10\arch\x86\crypto\cast6-avx-x86_64-asm_64.S(7): * Copyright ㄣ 2012-2013
Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\crc32c-intel_glue.c(9): * Copyright (C) 2008 Intel
Corporation
linux-3.10\arch\x86\crypto\crc32c-pcl-intel-asm_64.S(9): * Copyright (C) 2012
Intel Corporation.
linux-3.10\arch\x86\crypto\crc32-pclmul_asm.S(25): * Copyright 2012 Xyratex
Technology Limited
linux-3.10\arch\x86\crypto\crc32-pclmul_asm.S(3): * DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS FILE HEADER.
linux-3.10\arch\x86\crypto\crc32-pclmul_glue.c(25): * Copyright 2012 Xyratex
Technology Limited
linux-3.10\arch\x86\crypto\crc32-pclmul_glue.c(3): * DO NOT ALTER OR REMOVE
COPYRIGHT NOTICES OR THIS FILE HEADER.
linux-3.10\arch\x86\crypto\fpu.c(4): * Copyright (c) Intel Corp.
linux-3.10\arch\x86\crypto\ghash-clmulni-intel_asm.S(8): * Copyright (c) 2009
Intel Corp.
linux-3.10\arch\x86\crypto\ghash-clmulni-intel_glue.c(5): * Copyright (c) 2009
Intel Corp.

legal(ME)

linux-3.10\arch\x86\crypto\glue_helper.c(4): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\glue_helper.c(7): * Copyright (c) 2006 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\arch\x86\crypto\glue_helper.c(9): * (C) Copyright IBM Corp. 2007 - Joy Latten <latten@us.ibm.com>
linux-3.10\arch\x86\crypto\glue_helper-asm-avx.S(4): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\glue_helper-asm-avx2.S(4): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\salsa20_glue.c(4): * Copyright (c) 2007 Tan Swee Heng <thesweeheng@gmail.com>
linux-3.10\arch\x86\crypto\serpent_avx_glue.c(4): * Copyright (C) 2012 Johannes Goetzfried
linux-3.10\arch\x86\crypto\serpent_avx_glue.c(7): * Copyright ㄣ 2011-2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\serpent_avx2_glue.c(4): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\serpent_sse2_glue.c(11): * Copyright (c) 2006 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\arch\x86\crypto\serpent_sse2_glue.c(13): * (C) Copyright IBM Corp. 2007 - Joy Latten <latten@us.ibm.com>
linux-3.10\arch\x86\crypto\serpent_sse2_glue.c(4): * Copyright (c) 2011 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\serpent_sse2_glue.c(7): *Copyright (C) 2008, Intel Corp.
linux-3.10\arch\x86\crypto\serpent-avx2-asm_64.S(4): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\serpent-avx2-asm_64.S(7): *Copyright ㄣ 2012 Johannes Goetzfried
linux-3.10\arch\x86\crypto\serpent-avx-x86_64-asm_64.S(4): * Copyright (C) 2012 Johannes Goetzfried
linux-3.10\arch\x86\crypto\serpent-avx-x86_64-asm_64.S(7): * Copyright ㄣ 2011-2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\arch\x86\crypto\serpent-sse2-i586-asm_32.S(4): * Copyright (C) 2011 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\serpent-sse2-i586-asm_32.S(7): *Copyright (C) 2002 Dag Arne Osvik <osvik@ii.uib.no>
linux-3.10\arch\x86\crypto\serpent-sse2-x86_64-asm_64.S(4): * Copyright (C) 2011 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
linux-3.10\arch\x86\crypto\serpent-sse2-x86_64-asm_64.S(7): *Copyright (C) 2002 Dag Arne Osvik <osvik@ii.uib.no>
linux-3.10\arch\x86\crypto\sha1_ssse3_asm.S(18): * Copyright (C) 2010, Intel Corp.
linux-3.10\arch\x86\crypto\sha1_ssse3_glue.c(10): * Copyright (c) Andrew McDonald <andrew@mcdonald.org.uk>
linux-3.10\arch\x86\crypto\sha1_ssse3_glue.c(11): * Copyright (c) Jean-Francois Dive <jef@linuxbe.org>
linux-3.10\arch\x86\crypto\sha1_ssse3_glue.c(12): * Copyright (c) Mathias Krause <minipli@googlemail.com>
linux-3.10\arch\x86\crypto\sha1_ssse3_glue.c(9): * Copyright (c) Alan Smithee.
linux-3.10\arch\x86\crypto\sha256_ssse3_glue.c(9): * Copyright (C) 2013 Intel

legal(ME)

Corporation.

linux-3.10\arch\x86\crypto\sha256-avx2-asm.S(4):# Copyright (C) 2013 Intel Corporation.

linux-3.10\arch\x86\crypto\sha256-avx-asm.S(4):# Copyright (C) 2013 Intel Corporation.

linux-3.10\arch\x86\crypto\sha256-ssse3-asm.S(4):# Copyright (C) 2013 Intel Corporation.

linux-3.10\arch\x86\crypto\sha512_ssse3_glue.c(9): * Copyright (C) 2013 Intel Corporation

linux-3.10\arch\x86\crypto\sha512-avx2-asm.S(4):# Copyright (C) 2013 Intel Corporation.

linux-3.10\arch\x86\crypto\sha512-avx-asm.S(4):# Copyright (C) 2013 Intel Corporation.

linux-3.10\arch\x86\crypto\sha512-ssse3-asm.S(4):# Copyright (C) 2013 Intel Corporation.

linux-3.10\arch\x86\crypto\twofish_avx_glue.c(4): * Copyright (C) 2012 Johannes Goetzfried

linux-3.10\arch\x86\crypto\twofish_avx_glue.c(7): * Copyright ㄣ 2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>

linux-3.10\arch\x86\crypto\twofish_avx2_glue.c(4): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>

linux-3.10\arch\x86\crypto\twofish_glue.c(11): * The original author has disclaimed all copyright interest in this

linux-3.10\arch\x86\crypto\twofish_glue_3way.c(4): * Copyright (c) 2011 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>

linux-3.10\arch\x86\crypto\twofish-avx2-asm_64.S(4): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>

linux-3.10\arch\x86\crypto\twofish-avx-x86_64-asm_64.S(4): * Copyright (C) 2012 Johannes Goetzfried

linux-3.10\arch\x86\crypto\twofish-avx-x86_64-asm_64.S(7): * Copyright ㄣ 2012-2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>

linux-3.10\arch\x86\crypto\twofish-i586-asm_32.S(2):* Copyright (C) 2006 by Joachim Fritschi, <jfritschi@freenet.de>*

linux-3.10\arch\x86\crypto\twofish-x86_64-asm_64.S(2):* Copyright (C) 2006 by Joachim Fritschi, <jfritschi@freenet.de>*

linux-3.10\arch\x86\crypto\twofish-x86_64-asm_64-3way.S(4): * Copyright (C) 2011 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>

linux-3.10\arch\x86\ia32\ia32_aout.c(4): *Copyright (C) 1991, 1992, 1996Linus Torvalds

linux-3.10\arch\x86\ia32\ia32_signal.c(4): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\arch\x86\ia32\ia32entry.S(4): * Copyright 2000-2002 Andi Kleen, SuSE Labs.

linux-3.10\arch\x86\ia32\sys_ia32.c(10): * Copyright (C) 2000Hewlett-Packard Co.

linux-3.10\arch\x86\ia32\sys_ia32.c(11): * Copyright (C) 2000David Mosberger-Tang <davidm@hpl.hp.com>

linux-3.10\arch\x86\ia32\sys_ia32.c(12): * Copyright (C) 2000,2001,2002Andi Kleen, SuSE Labs (x86-64 port)

linux-3.10\arch\x86\ia32\sys_ia32.c(5): * Copyright (C) 2000VA Linux Co

linux-3.10\arch\x86\ia32\sys_ia32.c(6): * Copyright (C) 2000Don Dugger <n0ano@valinux.com>

linux-3.10\arch\x86\ia32\sys_ia32.c(7): * Copyright (C) 1999Arun Sharma

legal(ME)

<arun.sharma@intel.com>
linux-3.10\arch\x86\ia32\sys_ia32.c(8): * Copyright (C) 1997,1998Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\arch\x86\ia32\sys_ia32.c(9): * Copyright (C) 1997David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\arch\x86\include\asm\a.out-core.h(3): * Copyright (C) 2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\arch\x86\include\asm\acpi.h(5): *Copyright (C) 2001 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\arch\x86\include\asm\acpi.h(6): *Copyright (C) 2001 Patrick Mochel
<mochel@osdl.org>
linux-3.10\arch\x86\include\asm\apb_timer.h(4): * (C) Copyright 2009 Intel
Corporation
linux-3.10\arch\x86\include\asm\apic.h(281): * Copyright 2004 James Cleverdon,
IBM.
linux-3.10\arch\x86\include\asm\archrandom.h(4): * Copyright (c) 2011, Intel
Corporation
linux-3.10\arch\x86\include\asm\bitops.h(5): * Copyright 1992, Linus Torvalds.
linux-3.10\arch\x86\include\asm\calgary.h(4): * Copyright IBM Corporation,
2006-2007
linux-3.10\arch\x86\include\asm\checksum_64.h(6): * Copyright 2002 by Andi Kleen,
SuSE Labs
linux-3.10\arch\x86\include\asm\fixmap.h(8): * Copyright (C) 1998 Ingo Molnar
linux-3.10\arch\x86\include\asm\floppy.h(8): * Copyright (C) 1995
linux-3.10\arch\x86\include\asm\fpu-internal.h(2): * Copyright (C) 1994 Linus
Torvalds
linux-3.10\arch\x86\include\asm\geode.h(3): * Copyright (C) 2006, Advanced Micro
Devices, Inc.
linux-3.10\arch\x86\include\asm\highmem.h(15): * Copyright (C) 1999 Ingo Molnar
<mingo@redhat.com>
linux-3.10\arch\x86\include\asm\highmem.h(7): * Copyright (C) 1999 Gerhard
Wichert, Siemens AG
linux-3.10\arch\x86\include\asm\hypervisor.h(2): * Copyright (C) 2008, VMware,
Inc.
linux-3.10\arch\x86\include\asm\i387.h(2): * Copyright (C) 1994 Linus Torvalds
linux-3.10\arch\x86\include\asm\insn.h(20): * Copyright (C) IBM Corporation, 2009
linux-3.10\arch\x86\include\asm\io_apic.h(12): * Copyright (C) 1997, 1998, 1999,
2000 Ingo Molnar
linux-3.10\arch\x86\include\asm\iomap.h(5): * Copyright ㄣ 2008 Ingo Molnar
linux-3.10\arch\x86\include\asm\ipi.h(15): * Copyrights from kernel/smp.c:
linux-3.10\arch\x86\include\asm\ipi.h(7): * Copyright 2004 James Cleverdon, IBM.
linux-3.10\arch\x86\include\asm\irq_remapping.h(2): * Copyright (C) 2012 Advanced
Micro Devices, Inc.
linux-3.10\arch\x86\include\asm\ist.h(3): * Copyright 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\arch\x86\include\asm\kgdb.h(5): * Copyright (C) 2001-2004 Amit S. Kale
linux-3.10\arch\x86\include\asm\kgdb.h(6): * Copyright (C) 2008 Wind River
Systems, Inc.
linux-3.10\arch\x86\include\asm\kprobes.h(20): * Copyright (C) IBM Corporation,
2002, 2004
linux-3.10\arch\x86\include\asm\kvm_emulate.h(6): * Copyright (c) 2005 Keir
Fraser

legal(ME)

linux-3.10\arch\x86\include\asm\mmzone_64.h(2):/* Copyright 2002,2003 by Andi Kleen, SuSE Labs */
linux-3.10\arch\x86\include\asm\mrst.h(4): * (C) Copyright 2009 Intel Corporation
linux-3.10\arch\x86\include\asm\mtrr.h(3):Copyright (C) 1997-1999Richard Gooch
linux-3.10\arch\x86\include\asm\mutex_32.h(7): *Copyright (C) 2004, 2005, 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\arch\x86\include\asm\mutex_64.h(7): *Copyright (C) 2004, 2005, 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\arch\x86\include\asm\numachip\numachip.h(8): * Copyright (C) 2012 Numascale AS. All rights reserved.
linux-3.10\arch\x86\include\asm\numachip\numachip_csr.h(8): * Copyright (C) 2011 Numascale AS. All rights reserved.
linux-3.10\arch\x86\include\asm\numaq.h(4): * Copyright (C) 2002, IBM Corp.
linux-3.10\arch\x86\include\asm\pgtable-3level.h(8): * Copyright (C) 1999 Ingo Molnar <mingo@redhat.com>
linux-3.10\arch\x86\include\asm\prom.h(5): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\arch\x86\include\asm\smap.h(4): * Copyright (C) 2012 Intel Corporation
linux-3.10\arch\x86\include\asm\stacktrace.h(2): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\x86\include\asm\stacktrace.h(3): *Copyright (C) 2000, 2001, 2002 Andi Kleen, SuSE Labs
linux-3.10\arch\x86\include\asm\suspend_32.h(2): * Copyright 2001-2002 Pavel Machek <pavel@suse.cz>
linux-3.10\arch\x86\include\asm\suspend_32.h(4): * Copyright 2001 Patrick Mochel <mochel@osdl.org>
linux-3.10\arch\x86\include\asm\suspend_64.h(2): * Copyright 2001-2003 Pavel Machek <pavel@suse.cz>
linux-3.10\arch\x86\include\asm\suspend_64.h(4): * Copyright 2001 Patrick Mochel <mochel@osdl.org>
linux-3.10\arch\x86\include\asm\sync_bitops.h(5): * Copyright 1992, Linus Torvalds.
linux-3.10\arch\x86\include\asm\sys_ia32.h(4): * Copyright (c) 2008 Jaswinder Singh Rajput
linux-3.10\arch\x86\include\asm\syscall.h(4): * Copyright (C) 2008-2009 Red Hat, Inc.All rights reserved.
linux-3.10\arch\x86\include\asm\syscall.h(6): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\arch\x86\include\asm\syscalls.h(4): * Copyright (c) 2008 Jaswinder Singh Rajput
linux-3.10\arch\x86\include\asm\tce.h(4): * Copyright (C) IBM Corporation, 2006
linux-3.10\arch\x86\include\asm\thread_info.h(3): * Copyright (C) 2002David Howells (dhowells@redhat.com)
linux-3.10\arch\x86\include\asm\topology.h(4): * Copyright (C) 2002, IBM Corp.
linux-3.10\arch\x86\include\asm\uprobes.h(20): * Copyright (C) IBM Corporation, 2008-2011
linux-3.10\arch\x86\include\asm\uv\bios.h(21): *Copyright (c) 2008-2009 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\arch\x86\include\asm\uv\bios.h(22): *Copyright (c) Russ Anderson <rja@sgi.com>
linux-3.10\arch\x86\include\asm\uv\uv_bau.h(8): * Copyright (C) 2008-2011 Silicon Graphics, Inc. All rights reserved.

legal(ME)

linux-3.10\arch\x86\include\asm\uv\uv_hub.h(8): * Copyright (C) 2007-2013 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\x86\include\asm\uv\uv_irq.h(8): * Copyright (C) 2008 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\x86\include\asm\uv\uv_mmrs.h(8): * Copyright (C) 2007-2013 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\x86\include\asm\virttext.h(10): * Contains code from KVM, Copyright (C) 2006 Qumranet, Inc.
linux-3.10\arch\x86\include\asm\virttext.h(8): * Copyright (C) 2008, Red Hat Inc.
linux-3.10\arch\x86\include\asm\vmx.h(19): * Copyright (C) 2006 Qumranet
linux-3.10\arch\x86\include\asm\vmx.h(3): * Copyright (c) 2004, Intel Corporation.
linux-3.10\arch\x86\include\asm\vvar.h(3): * Copyright (c) 2011 Andy Lutomirski
linux-3.10\arch\x86\include\asm\xcr.h(3): * Copyright 2008 rPath, Inc. - All Rights Reserved
linux-3.10\arch\x86\include\asm\xen\hypercall.h(6): * Copyright (c) 2002-2004, K A Fraser
linux-3.10\arch\x86\include\asm\xen\hypervisor.h(6): * Copyright (c) 2002-2004, K A Fraser
linux-3.10\arch\x86\include\asm\xen\interface.h(6): * Copyright (c) 2004, K A Fraser
linux-3.10\arch\x86\include\asm\xen\interface_32.h(6): * Copyright (c) 2004, K A Fraser
linux-3.10\arch\x86\include\asm\xor.h(22): * Copyright (C) 1999 Zach Brown (with obvious credit due Ingo)
linux-3.10\arch\x86\include\asm\xor.h(28): * Copyright (C) 1998 Ingo Molnar.
linux-3.10\arch\x86\include\asm\xor.h(33): * Copyright 2002 Andi Kleen, SuSE Labs.
linux-3.10\arch\x86\include\asm\xor_32.h(19): * Copyright (C) 1998 Ingo Molnar.
linux-3.10\arch\x86\include\asm\xor_avx.h(7): * Copyright (C) 2012 Intel Corporation
linux-3.10\arch\x86\include\api\asm\ist.h(3): * Copyright 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\arch\x86\include\api\asm\mtrr.h(3): Copyright (C) 1997-1999 Richard Gooch
linux-3.10\arch\x86\include\api\asm\vmx.h(19): * Copyright (C) 2006 Qumranet
linux-3.10\arch\x86\include\api\asm\vmx.h(3): * Copyright (c) 2004, Intel Corporation.
linux-3.10\arch\x86\kernel\acpi\boot.c(4): * Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\arch\x86\kernel\acpi\boot.c(5): * Copyright (C) 2001 Jun Nakajima <jun.nakajima@intel.com>
linux-3.10\arch\x86\kernel\acpi\cstate.c(2): * Copyright (C) 2005 Intel Corporation
linux-3.10\arch\x86\kernel\acpi\sleep.c(4): * Copyright (C) 2001-2003 Patrick Mochel
linux-3.10\arch\x86\kernel\acpi\sleep.c(5): * Copyright (C) 2001-2003 Pavel Machek <pavel@ucw.cz>
linux-3.10\arch\x86\kernel\amd_gart_64.c(10): * Copyright 2002 Andi Kleen, SuSE Labs.
linux-3.10\arch\x86\kernel\amd_nb.c(3): * Copyright 2006 Andi Kleen, SUSE Labs. Subject to GPLv2.

legal(ME)

linux-3.10\arch\x86\kernel\apb_timer.c(4): * (C) Copyright 2009 Intel Corporation
linux-3.10\arch\x86\kernel\aperture_64.c(11): * Copyright 2002 Andi Kleen, SuSE Labs.
linux-3.10\arch\x86\kernel\apic\apic_flat_64.c(2): * Copyright 2004 James Cleverdon, IBM.
linux-3.10\arch\x86\kernel\apic\apic_numachip.c(8): * Copyright (C) 2011 Numascale AS. All rights reserved.
linux-3.10\arch\x86\kernel\apic\es7000_32.c(8): * Copyright (c) 2003 Unisys Corporation.
linux-3.10\arch\x86\kernel\apic\es7000_32.c(9): * Copyright (C) 2009, Red Hat, Inc., Ingo Molnar
linux-3.10\arch\x86\kernel\apic\hw_nmi.c(4): *started by Don Zickus, Copyright (C) 2010 Red Hat, Inc.
linux-3.10\arch\x86\kernel\apic\io_apic.c(4): *Copyright (C) 1997, 1998, 1999, 2000, 2009 Ingo Molnar, Hajnalka Szabo
linux-3.10\arch\x86\kernel\apic\numaq_32.c(4): * Copyright (C) 2002, IBM Corp.
linux-3.10\arch\x86\kernel\apic\numaq_32.c(5): * Copyright (C) 2009, Red Hat, Inc., Ingo Molnar
linux-3.10\arch\x86\kernel\apic\probe_32.c(4): * Copyright 2003 Andi Kleen, SuSE Labs.
linux-3.10\arch\x86\kernel\apic\probe_64.c(2): * Copyright 2004 James Cleverdon, IBM.
linux-3.10\arch\x86\kernel\apic\summit_32.c(6): * Copyright (c) 2003 IBM Corp.
linux-3.10\arch\x86\kernel\apic\x2apic_uv_x.c(8): * Copyright (C) 2007-2013 Silicon Graphics, Inc. All rights reserved.
linux-3.10\arch\x86\kernel\apm_32.c(3): * Copyright 1994-2001 Stephen Rothwell (sfr@canb.auug.org.au)
linux-3.10\arch\x86\kernel\cpu\bugs.c(2): *Copyright (C) 1994Linus Torvalds
linux-3.10\arch\x86\kernel\cpu\bugs_64.c(2): *Copyright (C) 1994Linus Torvalds
linux-3.10\arch\x86\kernel\cpu\bugs_64.c(3): *Copyright (C) 2000SuSE
linux-3.10\arch\x86\kernel\cpu\hypervisor.c(4): * Copyright (C) 2008, VMware, Inc.
linux-3.10\arch\x86\kernel\cpu\mcheck\mce.c(4): * K8 parts Copyright 2002,2003 Andi Kleen, SuSE Labs.
linux-3.10\arch\x86\kernel\cpu\mcheck\mce.c(7): * Copyright 2008 Intel Corporation
linux-3.10\arch\x86\kernel\cpu\mcheck\mce_intel.c(3): * Copyright 2004 Zwane Mwaikambo <zwane@linuxpower.ca>
linux-3.10\arch\x86\kernel\cpu\mcheck\mce_intel.c(4): * Copyright (C) 2008, 2009 Intel Corporation
linux-3.10\arch\x86\kernel\cpu\mcheck\mce-apei.c(14): * Copyright 2010 Intel Corp.
linux-3.10\arch\x86\kernel\cpu\mcheck\mce-inject.c(3): * Copyright 2008 Intel Corporation.
linux-3.10\arch\x86\kernel\cpu\mcheck\mce-severity.c(3): * Copyright 2008, 2009 Intel Corporation.
linux-3.10\arch\x86\kernel\cpu\mcheck\p5.c(3): * (C) Copyright 2002 Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\arch\x86\kernel\cpu\mcheck\winchip.c(3): * (C) Copyright 2002 Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\arch\x86\kernel\cpu\mshyperv.c(4): * Copyright (C) 2010, Novell, Inc.
linux-3.10\arch\x86\kernel\cpu\mtrr\cleanup.c(4): *Copyright (C) 2009 Yinghai Lu

legal(ME)

linux-3.10\arch\x86\kernel\cpu\mtrr\main.c(3): Copyright (C) 1997-2000 Richard Gooch
linux-3.10\arch\x86\kernel\cpu\mtrr\main.c(4): Copyright (c) 2002 Patrick Mochel
linux-3.10\arch\x86\kernel\cpu\perf_event.c(10): *Copyright (C) 2009 Google, Inc., Stephane Eranian
linux-3.10\arch\x86\kernel\cpu\perf_event.c(4): *Copyright (C) 2008 Thomas Gleixner <tglx@linutronix.de>
linux-3.10\arch\x86\kernel\cpu\perf_event.c(5): *Copyright (C) 2008-2009 Red Hat, Inc., Ingo Molnar
linux-3.10\arch\x86\kernel\cpu\perf_event.c(6): *Copyright (C) 2009 Jaswinder Singh Rajput
linux-3.10\arch\x86\kernel\cpu\perf_event.c(7): *Copyright (C) 2009 Advanced Micro Devices, Inc., Robert Richter
linux-3.10\arch\x86\kernel\cpu\perf_event.c(8): *Copyright (C) 2008-2009 Red Hat, Inc., Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\arch\x86\kernel\cpu\perf_event.c(9): *Copyright (C) 2009 Intel Corporation, <markus.t.metzger@intel.com>
linux-3.10\arch\x86\kernel\cpu\perf_event.h(10): *Copyright (C) 2009 Google, Inc., Stephane Eranian
linux-3.10\arch\x86\kernel\cpu\perf_event.h(4): *Copyright (C) 2008 Thomas Gleixner <tglx@linutronix.de>
linux-3.10\arch\x86\kernel\cpu\perf_event.h(5): *Copyright (C) 2008-2009 Red Hat, Inc., Ingo Molnar
linux-3.10\arch\x86\kernel\cpu\perf_event.h(6): *Copyright (C) 2009 Jaswinder Singh Rajput
linux-3.10\arch\x86\kernel\cpu\perf_event.h(7): *Copyright (C) 2009 Advanced Micro Devices, Inc., Robert Richter
linux-3.10\arch\x86\kernel\cpu\perf_event.h(8): *Copyright (C) 2008-2009 Red Hat, Inc., Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\arch\x86\kernel\cpu\perf_event.h(9): *Copyright (C) 2009 Intel Corporation, <markus.t.metzger@intel.com>
linux-3.10\arch\x86\kernel\cpu\perf_event_amd_ibs.c(4): *Copyright (C) 2011 Advanced Micro Devices, Inc., Robert Richter
linux-3.10\arch\x86\kernel\cpu\perf_event_amd_uncore.c(2): * Copyright (C) 2013 Advanced Micro Devices, Inc.
linux-3.10\arch\x86\kernel\cpu\perf_event_p4.c(4): *Copyright (C) 2010 Parallels, Inc., Cyrill Gorcunov <gorcunov@openvz.org>
linux-3.10\arch\x86\kernel\cpu\perf_event_p4.c(5): *Copyright (C) 2010 Intel Corporation, Lin Ming <ming.m.lin@intel.com>
linux-3.10\arch\x86\kernel\cpu\rdrand.c(4): * Copyright (c) 2011, Intel Corporation
linux-3.10\arch\x86\kernel\cpu\vmware.c(4): * Copyright (C) 2008, VMware, Inc.
linux-3.10\arch\x86\kernel\cpuid.c(3): * Copyright 2000-2008 H. Peter Anvin - All Rights Reserved
linux-3.10\arch\x86\kernel\crash.c(6): * Copyright (C) IBM Corporation, 2004. All rights reserved.
linux-3.10\arch\x86\kernel\crash_dump_32.c(5): *Copyright (C) IBM Corporation, 2004. All rights reserved
linux-3.10\arch\x86\kernel\crash_dump_64.c(5): *Copyright (C) IBM Corporation, 2004. All rights reserved
linux-3.10\arch\x86\kernel\dumpstack.c(2): *Copyright (C) 1991, 1992 Linus Torvalds

legal(ME)

linux-3.10\arch\x86\kernel\dumpstack.c(3): *Copyright (C) 2000, 2001, 2002 Andi Kleen, SuSE Labs
linux-3.10\arch\x86\kernel\dumpstack_32.c(2): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\x86\kernel\dumpstack_32.c(3): *Copyright (C) 2000, 2001, 2002 Andi Kleen, SuSE Labs
linux-3.10\arch\x86\kernel\dumpstack_64.c(2): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\x86\kernel\dumpstack_64.c(3): *Copyright (C) 2000, 2001, 2002 Andi Kleen, SuSE Labs
linux-3.10\arch\x86\kernel\entry_32.S(3): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\x86\kernel\entry_64.S(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\x86\kernel\entry_64.S(5): *Copyright (C) 2000, 2001, 2002Andi Kleen SuSE Labs
linux-3.10\arch\x86\kernel\entry_64.S(6): *Copyright (C) 2000Pavel Machek <pavel@suse.cz>
linux-3.10\arch\x86\kernel\ftrace.c(4): * Copyright (C) 2007-2008 Steven Rostedt <ststedt@redhat.com>
linux-3.10\arch\x86\kernel\head_32.S(3): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\arch\x86\kernel\head_64.S(4): *Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE
linux-3.10\arch\x86\kernel\head_64.S(5): *Copyright (C) 2000 Pavel Machek <pavel@suse.cz>
linux-3.10\arch\x86\kernel\head_64.S(6): *Copyright (C) 2000 Karsten Keil <kkeil@suse.de>
linux-3.10\arch\x86\kernel\head_64.S(7): *Copyright (C) 2001,2002 Andi Kleen <ak@suse.de>
linux-3.10\arch\x86\kernel\head_64.S(8): *Copyright (C) 2005 Eric Biederman <ebiederm@xmission.com>
linux-3.10\arch\x86\kernel\head32.c(4): *Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE
linux-3.10\arch\x86\kernel\head32.c(5): *Copyright (C) 2007 Eric Biederman <ebiederm@xmission.com>
linux-3.10\arch\x86\kernel\head64.c(4): *Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE
linux-3.10\arch\x86\kernel\hw_breakpoint.c(16): * Copyright (C) 2007 Alan Stern
linux-3.10\arch\x86\kernel\hw_breakpoint.c(17): * Copyright (C) 2009 IBM Corporation
linux-3.10\arch\x86\kernel\hw_breakpoint.c(18): * Copyright (C) 2009 Frederic Weisbecker <fweisbec@gmail.com>
linux-3.10\arch\x86\kernel\i387.c(2): *Copyright (C) 1994 Linus Torvalds
linux-3.10\arch\x86\kernel\irq_32.c(2): *Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar
linux-3.10\arch\x86\kernel\irq_64.c(2): *Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar
linux-3.10\arch\x86\kernel\irq_work.c(4): * Copyright (C) 2010 Red Hat, Inc., Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\arch\x86\kernel\jump_label.c(4): * Copyright (C) 2009 Jason Baron <jbaron@redhat.com>
linux-3.10\arch\x86\kernel\kdebugfs.c(4): * Copyright (C) 2007, Intel Corp.
linux-3.10\arch\x86\kernel\kgdb.c(15): * Copyright (C) 2004 Amit S. Kale <amitkale@linsyssoft.com>

legal(ME)

linux-3.10\arch\x86\kernel\kgdb.c(16): * Copyright (C) 2000-2001 VERITAS Software Corporation.
linux-3.10\arch\x86\kernel\kgdb.c(17): * Copyright (C) 2002 Andi Kleen, SuSE Labs
linux-3.10\arch\x86\kernel\kgdb.c(18): * Copyright (C) 2004 LinSysSoft Technologies Pvt. Ltd.
linux-3.10\arch\x86\kernel\kgdb.c(19): * Copyright (C) 2007 MontaVista Software, Inc.
linux-3.10\arch\x86\kernel\kgdb.c(20): * Copyright (C) 2007-2008 Jason Wessel, Wind River Systems, Inc.
linux-3.10\arch\x86\kernel\kprobes\core.c(18): * Copyright (C) IBM Corporation, 2002, 2004
linux-3.10\arch\x86\kernel\kprobes\ftrace.c(18): * Copyright (C) Hitachi Ltd., 2012
linux-3.10\arch\x86\kernel\kprobes\opt.c(18): * Copyright (C) IBM Corporation, 2002, 2004
linux-3.10\arch\x86\kernel\kprobes\opt.c(19): * Copyright (C) Hitachi Ltd., 2012
linux-3.10\arch\x86\kernel\kvm.c(18): * Copyright (C) 2007, Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\arch\x86\kernel\kvm.c(19): * Copyright IBM Corporation, 2007
linux-3.10\arch\x86\kernel\kvmclock.c(2): Copyright (C) 2008 Glauber de Oliveira Costa, Red Hat Inc.
linux-3.10\arch\x86\kernel\ldt.c(2): * Copyright (C) 1992 Krishna Balasubramanian and Linus Torvalds
linux-3.10\arch\x86\kernel\ldt.c(3): * Copyright (C) 1999 Ingo Molnar <mingo@redhat.com>
linux-3.10\arch\x86\kernel\ldt.c(4): * Copyright (C) 2002 Andi Kleen
linux-3.10\arch\x86\kernel\machine_kexec_32.c(3): * Copyright (C) 2002-2005 Eric Biederman <ebiederm@xmission.com>
linux-3.10\arch\x86\kernel\machine_kexec_64.c(3): * Copyright (C) 2002-2005 Eric Biederman <ebiederm@xmission.com>
linux-3.10\arch\x86\kernel\microcode_amd.c(3): * Copyright (C) 2008-2011 Advanced Micro Devices Inc.
linux-3.10\arch\x86\kernel\microcode_core.c(4): * Copyright (C) 2000-2006 Tigran Aivazian <tigran@aivazian.fsnet.co.uk>
linux-3.10\arch\x86\kernel\microcode_core_early.c(4): * Copyright (C) 2012 Fenghua Yu <fenghua.yu@intel.com>
linux-3.10\arch\x86\kernel\microcode_intel.c(4): * Copyright (C) 2000-2006 Tigran Aivazian <tigran@aivazian.fsnet.co.uk>
linux-3.10\arch\x86\kernel\microcode_intel_early.c(4): * Copyright (C) 2012 Fenghua Yu <fenghua.yu@intel.com>
linux-3.10\arch\x86\kernel\microcode_intel_lib.c(4): * Copyright (C) 2012 Fenghua Yu <fenghua.yu@intel.com>
linux-3.10\arch\x86\kernel\module.c(2): Copyright (C) 2001 Rusty Russell.
linux-3.10\arch\x86\kernel\msr.c(3): * Copyright 2000-2008 H. Peter Anvin - All Rights Reserved
linux-3.10\arch\x86\kernel\msr.c(4): * Copyright 2009 Intel Corporation; author: H. Peter Anvin
linux-3.10\arch\x86\kernel\nmi.c(2): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\x86\kernel\nmi.c(3): * Copyright (C) 2000, 2001, 2002 Andi Kleen, SuSE Labs
linux-3.10\arch\x86\kernel\nmi.c(4): * Copyright (C) 2011 Don Zickus Red Hat, Inc.
linux-3.10\arch\x86\kernel\nmi_selftest.c(9): * Copyright (C) 2011 Red Hat, Inc.,

legal(ME)

Don Zickus <dzickus@redhat.com>

linux-3.10\arch\x86\kernel\paravirt.c(2): Copyright (C) 2006 Rusty Russell IBM Corporation

linux-3.10\arch\x86\kernel\pci-calgary_64.c(4): * Copyright IBM Corporation, 2006-2007

linux-3.10\arch\x86\kernel\pci-calgary_64.c(5): * Copyright (C) 2006 Jon Mason <jdmason@kudzu.us>

linux-3.10\arch\x86\kernel\process_32.c(2): * Copyright (C) 1995 Linus Torvalds

linux-3.10\arch\x86\kernel\process_64.c(2): * Copyright (C) 1995 Linus Torvalds

linux-3.10\arch\x86\kernel\relocate_kernel_32.S(3): * Copyright (C) 2002-2004 Eric Biederman <ebiederm@xmission.com>

linux-3.10\arch\x86\kernel\relocate_kernel_64.S(3): * Copyright (C) 2002-2005 Eric Biederman <ebiederm@xmission.com>

linux-3.10\arch\x86\kernel\setup.c(2): * Copyright (C) 1995 Linus Torvalds

linux-3.10\arch\x86\kernel\signal.c(2): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\kernel\signal.c(3): * Copyright (C) 2000, 2001, 2002 Andi Kleen SuSE Labs

linux-3.10\arch\x86\kernel\smpboot.c(6): * Copyright 2001 Andi Kleen, SuSE Labs.

linux-3.10\arch\x86\kernel\stacktrace.c(4): * Copyright (C) 2006-2009 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>

linux-3.10\arch\x86\kernel\tboot.c(5): * Copyright (c) 2006-2009, Intel Corporation

linux-3.10\arch\x86\kernel\tce_64.c(6): * Copyright (C) IBM Corporation, 2006

linux-3.10\arch\x86\kernel\test_nx.c(4): * (C) Copyright 2008 Intel Corporation

linux-3.10\arch\x86\kernel\test_rodata.c(4): * (C) Copyright 2008 Intel Corporation

linux-3.10\arch\x86\kernel\time.c(2): * Copyright (c) 1991, 1992, 1995 Linus Torvalds

linux-3.10\arch\x86\kernel\time.c(3): * Copyright (c) 1994 Alan Modra

linux-3.10\arch\x86\kernel\time.c(4): * Copyright (c) 1995 Markus Kuhn

linux-3.10\arch\x86\kernel\time.c(5): * Copyright (c) 1996 Ingo Molnar

linux-3.10\arch\x86\kernel\time.c(6): * Copyright (c) 1998 Andrea Arcangeli

linux-3.10\arch\x86\kernel\time.c(7): * Copyright (c) 2002, 2006 Vojtech Pavlik

linux-3.10\arch\x86\kernel\time.c(8): * Copyright (c) 2003 Andi Kleen

linux-3.10\arch\x86\kernel\tls.h(4): * Copyright (C) 2007 Red Hat, Inc. All rights reserved.

linux-3.10\arch\x86\kernel\tls.h(6): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\arch\x86\kernel\topology.c(7): * Copyright (C) 2002, IBM Corp.

linux-3.10\arch\x86\kernel\traps.c(2): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\arch\x86\kernel\traps.c(3): * Copyright (C) 2000, 2001, 2002 Andi Kleen, SuSE Labs

linux-3.10\arch\x86\kernel\tsc_sync.c(4): * Copyright (C) 2006, Red Hat, Inc., Ingo Molnar

linux-3.10\arch\x86\kernel\uprobes.c(18): * Copyright (C) IBM Corporation, 2008-2011

linux-3.10\arch\x86\kernel\verify_cpu.S(10): * Copyright (c) 2010 Kees Cook (kees.cook@canonical.com)

linux-3.10\arch\x86\kernel\verify_cpu.S(7): * Copyright (c) 2007 Andi Kleen (ak@suse.de)

linux-3.10\arch\x86\kernel\verify_cpu.S(8): * Copyright (c) 2007 Eric Biederman (ebiederm@xmission.com)

linux-3.10\arch\x86\kernel\verify_cpu.S(9): * Copyright (c) 2007 Vivek Goyal

legal(ME)

(vgoyal@in.ibm.com)

linux-3.10\arch\x86\kernel\vm86_32.c(2): *Copyright (C) 1994Linus Torvalds

linux-3.10\arch\x86\kernel\vmlinux.lds.S(7): * Copyright (C) 2007-2009Sam
Ravnborg <sam@ravnborg.org>

linux-3.10\arch\x86\kernel\vsmp_64.c(3): * Copyright (C) 2005 ScaleMP Inc.

linux-3.10\arch\x86\kernel\vsyscall_64.c(2): *Copyright (C) 2001 Andrea Arcangeli
<andrea@suse.de> SuSE

linux-3.10\arch\x86\kernel\vsyscall_64.c(3): *Copyright 2003 Andi Kleen, SuSE
Labs.

linux-3.10\arch\x86\kernel\vsyscall_emu_64.S(4): * Copyright (c) 2011 Andy
Lutomirski

linux-3.10\arch\x86\kernel\x86_init.c(2): * Copyright (C) 2009 Thomas Gleixner
<tglx@linutronix.de>

linux-3.10\arch\x86\kvm\cpuid.c(7): * Copyright 2011 Red Hat, Inc. and/or its
affiliates.

linux-3.10\arch\x86\kvm\cpuid.c(8): * Copyright IBM Corporation, 2008

linux-3.10\arch\x86\kvm\emulate.c(11): * Copyright (C) 2006 Qumranet

linux-3.10\arch\x86\kvm\emulate.c(12): * Copyright 2010 Red Hat, Inc. and/or its
affiliates.

linux-3.10\arch\x86\kvm\emulate.c(6): * Copyright (c) 2005 Keir Fraser

linux-3.10\arch\x86\kvm\i8254.c(4): * Copyright (c) 2003-2004 Fabrice Bellard

linux-3.10\arch\x86\kvm\i8254.c(5): * Copyright (c) 2006 Intel Corporation

linux-3.10\arch\x86\kvm\i8254.c(6): * Copyright (c) 2007 Keir Fraser, XenSource
Inc

linux-3.10\arch\x86\kvm\i8254.c(7): * Copyright (c) 2008 Intel Corporation

linux-3.10\arch\x86\kvm\i8254.c(8): * Copyright 2009 Red Hat, Inc. and/or its
affiliates.

linux-3.10\arch\x86\kvm\i8259.c(4): * Copyright (c) 2003-2004 Fabrice Bellard

linux-3.10\arch\x86\kvm\i8259.c(5): * Copyright (c) 2007 Intel Corporation

linux-3.10\arch\x86\kvm\i8259.c(6): * Copyright 2009 Red Hat, Inc. and/or its
affiliates.

linux-3.10\arch\x86\kvm\irq.c(3): * Copyright (c) 2007, Intel Corporation.

linux-3.10\arch\x86\kvm\irq.c(4): * Copyright 2009 Red Hat, Inc. and/or its
affiliates.

linux-3.10\arch\x86\kvm\irq.h(3): * Copyright (c) 2007, Intel Corporation.

linux-3.10\arch\x86\kvm\lapic.c(15): * Based on Xen 3.1 code, Copyright (c) 2004,
Intel Corporation.

linux-3.10\arch\x86\kvm\lapic.c(5): * Copyright (C) 2006 Qumranet, Inc.

linux-3.10\arch\x86\kvm\lapic.c(6): * Copyright (C) 2007 Novell

linux-3.10\arch\x86\kvm\lapic.c(7): * Copyright (C) 2007 Intel

linux-3.10\arch\x86\kvm\lapic.c(8): * Copyright 2009 Red Hat, Inc. and/or its
affiliates.

linux-3.10\arch\x86\kvm\mmu.c(10): * Copyright 2010 Red Hat, Inc. and/or its
affiliates.

linux-3.10\arch\x86\kvm\mmu.c(9): * Copyright (C) 2006 Qumranet, Inc.

linux-3.10\arch\x86\kvm\mmu_audit.c(6): * Copyright (C) 2006 Qumranet, Inc.

linux-3.10\arch\x86\kvm\mmu_audit.c(7): * Copyright 2010 Red Hat, Inc. and/or its
affiliates.

linux-3.10\arch\x86\kvm\paging_tmpl.h(10): * Copyright 2010 Red Hat, Inc. and/or
its affiliates.

linux-3.10\arch\x86\kvm\paging_tmpl.h(9): * Copyright (C) 2006 Qumranet, Inc.

linux-3.10\arch\x86\kvm\pmu.c(4): * Copyright 2011 Red Hat, Inc. and/or its

legal(ME)

affiliates.

linux-3.10\arch\x86\kvm\svm.c(6): * Copyright (C) 2006 Qumranet, Inc.

linux-3.10\arch\x86\kvm\svm.c(7): * Copyright 2010 Red Hat, Inc. and/or its affiliates.

linux-3.10\arch\x86\kvm\vmx.c(7): * Copyright (C) 2006 Qumranet, Inc.

linux-3.10\arch\x86\kvm\vmx.c(8): * Copyright 2010 Red Hat, Inc. and/or its affiliates.

linux-3.10\arch\x86\kvm\x86.c(6): * Copyright (C) 2006 Qumranet, Inc.

linux-3.10\arch\x86\kvm\x86.c(7): * Copyright (C) 2008 Qumranet, Inc.

linux-3.10\arch\x86\kvm\x86.c(8): * Copyright IBM Corporation, 2008

linux-3.10\arch\x86\kvm\x86.c(9): * Copyright 2010 Red Hat, Inc. and/or its affiliates.

linux-3.10\arch\x86\lguest\boot.c(29): * Copyright (C) 2006, Rusty Russell <rusty@rustcorp.com.au> IBM Corporation.

linux-3.10\arch\x86\lib\atomic64_386_32.S(4): * Copyright ㄣ 2010Luca Barbieri

linux-3.10\arch\x86\lib\atomic64_cx8_32.S(4): * Copyright ㄣ 2010Luca Barbieri

linux-3.10\arch\x86\lib\copy_user_64.S(2): * Copyright 2008 Vitaly Mayatskikh <vmayatsk@redhat.com>

linux-3.10\arch\x86\lib\copy_user_64.S(3): * Copyright 2002 Andi Kleen, SuSE Labs.

linux-3.10\arch\x86\lib\copy_user_nocache_64.S(2): * Copyright 2008 Vitaly Mayatskikh <vmayatsk@redhat.com>

linux-3.10\arch\x86\lib\copy_user_nocache_64.S(3): * Copyright 2002 Andi Kleen, SuSE Labs.

linux-3.10\arch\x86\lib\csum-copy_64.S(2): * Copyright 2002, 2003 Andi Kleen, SuSE Labs.

linux-3.10\arch\x86\lib\csum-wrappers_64.c(2): * Copyright 2002, 2003 Andi Kleen, SuSE Labs.

linux-3.10\arch\x86\lib\delay.c(4): *Copyright (C) 1993 Linus Torvalds

linux-3.10\arch\x86\lib\delay.c(5): *Copyright (C) 1997 Martin Mares

<mj@atrey.karlin.mff.cuni.cz>

linux-3.10\arch\x86\lib\delay.c(6): *Copyright (C) 2008 Jiri Hladky <hladky_dot_jiri_at_gmail_dot_com>

linux-3.10\arch\x86\lib\getuser.S(4): * (C) Copyright 1998 Linus Torvalds

linux-3.10\arch\x86\lib\getuser.S(5): * (C) Copyright 2005 Andi Kleen

linux-3.10\arch\x86\lib\getuser.S(6): * (C) Copyright 2008 Glauber Costa

linux-3.10\arch\x86\lib\insn.c(18): * Copyright (C) IBM Corporation, 2002, 2004, 2009

linux-3.10\arch\x86\lib\iomap_copy_64.S(2): * Copyright 2006 PathScale, Inc. All Rights Reserved.

linux-3.10\arch\x86\lib\memcpy_64.S(1):/* Copyright 2002 Andi Kleen */

linux-3.10\arch\x86\lib\memmove_64.S(6): *- Copyright 2011 Fenghua Yu <fenghua.yu@intel.com>

linux-3.10\arch\x86\lib\memset_64.S(1):/* Copyright 2002 Andi Kleen, SuSE Labs */

linux-3.10\arch\x86\lib\putuser.S(4): * (C) Copyright 2005 Linus Torvalds

linux-3.10\arch\x86\lib\putuser.S(5): * (C) Copyright 2005 Andi Kleen

linux-3.10\arch\x86\lib\putuser.S(6): * (C) Copyright 2008 Glauber Costa

linux-3.10\arch\x86\lib\rwsem.S(4): * (C) Copyright 1999 Linus Torvalds

linux-3.10\arch\x86\lib\rwsem.S(6): * Portions Copyright 1999 Red Hat, Inc.

linux-3.10\arch\x86\lib\thunk_32.S(3): * Copyright 2008 by Steven Rostedt, Red Hat, Inc

linux-3.10\arch\x86\lib\thunk_64.S(4): * Copyright 2001,2002 by Andi Kleen, SuSE

legal(ME)

Labs.

```
linux-3.10\arch\x86\lib\thunk_64.S(5): * Added trace_hardirqs callers - Copyright
2007 Steven Rostedt, Red Hat, Inc.
linux-3.10\arch\x86\lib\usercopy_32.c(5): * Copyright 1997 Andi Kleen <ak@muc.de>
linux-3.10\arch\x86\lib\usercopy_32.c(6): * Copyright 1997 Linus Torvalds
linux-3.10\arch\x86\lib\usercopy_64.c(4): * Copyright 1997 Andi Kleen <ak@muc.de>
linux-3.10\arch\x86\lib\usercopy_64.c(5): * Copyright 1997 Linus Torvalds
linux-3.10\arch\x86\lib\usercopy_64.c(6): * Copyright 2002 Andi Kleen
<ak@suse.de>
linux-3.10\arch\x86\math-emu\control_w.h(4): | Copyright (C) 1992,1993 |
linux-3.10\arch\x86\math-emu\div_small.S(7): | Copyright (C) 1992,1995 |
linux-3.10\arch\x86\math-emu\div_Xsig.S(7): | Copyright (C) 1994,1995 |
linux-3.10\arch\x86\math-emu\errors.c(6): | Copyright (C) 1992,1993,1994,1996 |
linux-3.10\arch\x86\math-emu\exception.h(4): | Copyright (C) 1992W. Metzenthen,
22 Parker St, Ormond, Vic 3163,|
linux-3.10\arch\x86\math-emu\fpu_arith.c(6): | Copyright (C) 1992,1993,1997|
linux-3.10\arch\x86\math-emu\fpu_asm.h(4): | Copyright (C) 1992,1995,1997|
linux-3.10\arch\x86\math-emu\fpu_aux.c(6): | Copyright (C) 1992,1993,1994,1997 |
linux-3.10\arch\x86\math-emu\fpu_emu.h(4): | Copyright (C) 1992,1993,1994,1997 |
linux-3.10\arch\x86\math-emu\fpu_entry.c(6): | Copyright (C)
1992,1993,1994,1996,1997|
linux-3.10\arch\x86\math-emu\fpu_etc.c(6): | Copyright (C) 1992,1993,1994,1997 |
linux-3.10\arch\x86\math-emu\fpu_system.h(4): | Copyright (C) 1992,1994,1997|
linux-3.10\arch\x86\math-emu\fpu_tags.c(6): | Copyright (C) 1997|
linux-3.10\arch\x86\math-emu\fpu_trig.c(6): | Copyright (C)
1992,1993,1994,1997,1999|
linux-3.10\arch\x86\math-emu\get_address.c(6): | Copyright (C)
1992,1993,1994,1997 |
linux-3.10\arch\x86\math-emu\load_store.c(7): | Copyright (C) 1992,1993,1994,1997
|
linux-3.10\arch\x86\math-emu\mul_Xsig.S(6): | Copyright (C) 1992,1994,1995|
linux-3.10\arch\x86\math-emu\poly.h(6): | Copyright (C) 1994,1999 |
linux-3.10\arch\x86\math-emu\poly_2xm1.c(6): | Copyright (C) 1992,1993,1994,1997
|
linux-3.10\arch\x86\math-emu\poly_atan.c(6): | Copyright (C) 1992,1993,1994,1997
|
linux-3.10\arch\x86\math-emu\poly_l2.c(6): | Copyright (C) 1992,1993,1994,1997 |
linux-3.10\arch\x86\math-emu\poly_sin.c(7): | Copyright (C)
1992,1993,1994,1997,1999|
linux-3.10\arch\x86\math-emu\poly_tan.c(6): | Copyright (C)
1992,1993,1994,1997,1999|
linux-3.10\arch\x86\math-emu\polynom_Xsig.S(6): | Copyright (C)
1992,1993,1994,1995 |
linux-3.10\arch\x86\math-emu\README(4): | Copyright (C)
1992,1993,1994,1995,1996,1997,1999|
linux-3.10\arch\x86\math-emu\reg_add_sub.c(6): | Copyright (C) 1992,1993,1997|
linux-3.10\arch\x86\math-emu\reg_compare.c(6): | Copyright (C)
1992,1993,1994,1997 |
linux-3.10\arch\x86\math-emu\reg_constant.c(6): | Copyright (C)
1992,1993,1994,1997 |
linux-3.10\arch\x86\math-emu\reg_constant.h(4): | Copyright (C) 1992W.
Metzenthen, 22 Parker St, Ormond, Vic 3163,|
```

legal(ME)

linux-3.10\arch\x86\math-emu\reg_convert.c(6): | Copyright (C)
1992,1993,1994,1996,1997|
linux-3.10\arch\x86\math-emu\reg_divide.c(6): | Copyright (C) 1996|
linux-3.10\arch\x86\math-emu\reg_ld_str.c(6): | Copyright (C)
1992,1993,1994,1996,1997|
linux-3.10\arch\x86\math-emu\reg_mul.c(6): | Copyright (C) 1992,1993,1997|
linux-3.10\arch\x86\math-emu\reg_norm.S(4): | Copyright (C)
1992,1993,1994,1995,1997|
linux-3.10\arch\x86\math-emu\reg_round.S(7): | Copyright (C) 1993,1995,1997|
linux-3.10\arch\x86\math-emu\reg_u_add.S(8): | Copyright (C) 1992,1993,1995,1997
|
linux-3.10\arch\x86\math-emu\reg_u_div.S(7): | Copyright (C) 1992,1993,1995,1997
|
linux-3.10\arch\x86\math-emu\reg_u_mul.S(7): | Copyright (C) 1992,1993,1995,1997
|
linux-3.10\arch\x86\math-emu\reg_u_sub.S(7): | Copyright (C) 1992,1993,1995,1997
|
linux-3.10\arch\x86\math-emu\round_Xsig.S(4): | Copyright (C) 1992,1993,1994,1995
|
linux-3.10\arch\x86\math-emu\shr_Xsig.S(7): | Copyright (C) 1992,1994,1995|
linux-3.10\arch\x86\math-emu\status_w.h(4): | Copyright (C) 1992,1993 |
linux-3.10\arch\x86\math-emu\version.h(5): | Copyright (C)
1992,1993,1994,1996,1997,1999 |
linux-3.10\arch\x86\math-emu\wm_shrx.S(7): | Copyright (C) 1992,1995 |
linux-3.10\arch\x86\math-emu\wm_sqrt.S(7): | Copyright (C) 1992,1993,1995,1997 |
linux-3.10\arch\x86\mm\amdtopology.c(7): * Copyright 2002,2003 Andi Kleen, SuSE
Labs.
linux-3.10\arch\x86\mm\dump_pagetables.c(5): * (C) Copyright 2008 Intel
Corporation
linux-3.10\arch\x86\mm\fault.c(2): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\x86\mm\fault.c(3): *Copyright (C) 2001, 2002 Andi Kleen, SuSE
Labs.
linux-3.10\arch\x86\mm\fault.c(4): *Copyright (C) 2008-2009, Red Hat Inc., Ingo
Molnar
linux-3.10\arch\x86\mm\gup.c(4): * Copyright (C) 2008 Nick Piggin
linux-3.10\arch\x86\mm\gup.c(5): * Copyright (C) 2008 Novell Inc.
linux-3.10\arch\x86\mm\hugetlbpage.c(4): * Copyright (C) 2002, Rohit Seth
<rohit.seth@intel.com>
linux-3.10\arch\x86\mm\init_32.c(3): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\x86\mm\init_64.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\arch\x86\mm\init_64.c(5): *Copyright (C) 2000Pavel Machek
<pavel@ucw.cz>
linux-3.10\arch\x86\mm\init_64.c(6): *Copyright (C) 2002,2003 Andi Kleen
<ak@suse.de>
linux-3.10\arch\x86\mm\iomap_32.c(2): * Copyright ㄣ 2008 Ingo Molnar
linux-3.10\arch\x86\mm\ioremap.c(6): * (C) Copyright 1995 1996 Linus Torvalds
linux-3.10\arch\x86\mm\kmemcheck\kmemcheck.c(3): * Copyright (C) 2007, 2008Vegard
Nossum <vegardno@ifi.uio.no>
linux-3.10\arch\x86\mm\mmap.c(10): * Copyright 2007 Jiri Kosina, SUSE Labs.
linux-3.10\arch\x86\mm\mmap.c(4): * Based on code by Ingo Molnar and Andi Kleen,
copyrighted
linux-3.10\arch\x86\mm\mmap.c(7): * Copyright 2003-2009 Red Hat Inc.

legal(ME)

linux-3.10\arch\x86\mm\mmap.c(9): * Copyright 2005 Andi Kleen, SUSE Labs.
linux-3.10\arch\x86\mm\mmio-mod.c(16): * Copyright (C) IBM Corporation, 2005
linux-3.10\arch\x86\mm\numa_32.c(5): * Copyright (C) 2002, IBM Corp.
linux-3.10\arch\x86\mm\numa_64.c(3): * Copyright 2002,2003 Andi Kleen, SuSE Labs.
linux-3.10\arch\x86\mm\pageattr.c(2): * Copyright 2002 Andi Kleen, SuSE Labs.
linux-3.10\arch\x86\mm\pf_in.c(23): *Copyright by Intel Crop., 2002
linux-3.10\arch\x86\mm\pf_in.c(3): *Copyright (C) Intel Crop.
linux-3.10\arch\x86\mm\pf_in.h(3): *Copyright (C) Intel Crop.
linux-3.10\arch\x86\mm\srat.c(3): * Copyright 2004 Andi Kleen, SuSE Labs.
linux-3.10\arch\x86\net\bpf_jit.S(3): * Copyright (C) 2011 Eric Dumazet
(eric.dumazet@gmail.com)
linux-3.10\arch\x86\net\bpf_jit_comp.c(3): * Copyright (C) 2011-2013 Eric Dumazet
(eric.dumazet@gmail.com)
linux-3.10\arch\x86\oprofile\backtrace.c(4): * @remark Copyright 2002 OProfile
authors
linux-3.10\arch\x86\oprofile\init.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\arch\x86\oprofile\nmi_int.c(4): * @remark Copyright 2002-2009 OProfile
authors
linux-3.10\arch\x86\oprofile\op_counter.h(4): * @remark Copyright 2002 OProfile
authors
linux-3.10\arch\x86\oprofile\op_model_amd.c(5): * @remark Copyright 2002-2009
OProfile authors
linux-3.10\arch\x86\oprofile\op_model_p4.c(5): * @remark Copyright 2002 OProfile
authors
linux-3.10\arch\x86\oprofile\op_model_ppro.c(5): * @remark Copyright 2002
OProfile authors
linux-3.10\arch\x86\oprofile\op_model_ppro.c(6): * @remark Copyright 2008 Intel
Corporation
linux-3.10\arch\x86\oprofile\op_x86_model.h(5): * @remark Copyright 2002 OProfile
authors
linux-3.10\arch\x86\pci\broadcom_bus.c(4): * Copyright (c) 2010 Ira W. Snyder
<iws@ovro.caltech.edu>
linux-3.10\arch\x86\pci\ce4100.c(4): *Copyright(c) 2010 Intel Corporation. All
rights reserved.
linux-3.10\arch\x86\pci\i386.c(15): * Copyright 1997--2000 Martin Mares
<mj@ucw.cz>
linux-3.10\arch\x86\pci\i386.c(4): * Copyright 1993, 1994 Drew Eckhardt
linux-3.10\arch\x86\pci\mmconfig_32.c(2): * Copyright (C) 2004 Matthew Wilcox
<matthew@wil.cx>
linux-3.10\arch\x86\pci\mmconfig_32.c(3): * Copyright (C) 2004 Intel Corp.
linux-3.10\arch\x86\pci\mrst.c(3): * Copyright (c) 2008 Intel Corporation
linux-3.10\arch\x86\pci\numachip.c(8): * Copyright (C) 2012 Numascale AS. All
rights reserved.
linux-3.10\arch\x86\pci\olpc.c(5): * Copyright ㄣ 2006Advanced Micro Devices,
Inc.
linux-3.10\arch\x86\pci\sta2x11-fixup.c(8): * Copyright (c) 2010-2011 Wind River
Systems, Inc.
linux-3.10\arch\x86\platform\ce4100\ce4100.c(4): * (C) Copyright 2010 Intel
Corporation
linux-3.10\arch\x86\platform\ce4100\falconfalls.dts(4): * (c) Copyright 2010
Intel Corporation
linux-3.10\arch\x86\platform\efi\efi.c(10): * Copyright (C) 2005-2008 Intel Co.

legal(ME)

linux-3.10\arch\x86\platform\efi\efi.c(5): * Copyright (C) 1999 VA Linux Systems
linux-3.10\arch\x86\platform\efi\efi.c(6): * Copyright (C) 1999 Walt Drummond
<drummond@valinux.com>
linux-3.10\arch\x86\platform\efi\efi.c(7): * Copyright (C) 1999-2002
Hewlett-Packard Co.
linux-3.10\arch\x86\platform\efi\efi_32.c(6): * Copyright (C) 1999 VA Linux
Systems
linux-3.10\arch\x86\platform\efi\efi_32.c(7): * Copyright (C) 1999 Walt Drummond
<drummond@valinux.com>
linux-3.10\arch\x86\platform\efi\efi_32.c(8): * Copyright (C) 1999-2002
Hewlett-Packard Co.
linux-3.10\arch\x86\platform\efi\efi_64.c(5): * Copyright (C) 2005-2008 Intel Co.
linux-3.10\arch\x86\platform\efi\efi_stub_64.S(4): * Copyright (C) 2007 Intel
Corp
linux-3.10\arch\x86\platform\efi\efi-bgrt.c(2): * Copyright 2012 Intel
Corporation
linux-3.10\arch\x86\platform\efi\efi-bgrt.c(6): * Copyright 2012 Red Hat, Inc
<mjg@redhat.com>
linux-3.10\arch\x86\platform\geode\alix.c(7): * Copyright (C) 2008 Constantin
Baranov <const@mimas.ru>
linux-3.10\arch\x86\platform\geode\alix.c(8): * Copyright (C) 2011 Ed Wildgoose
<kernel@wildgooses.com>
linux-3.10\arch\x86\platform\geode\geos.c(5): * Copyright (C) 2008 Constantin
Baranov <const@mimas.ru>
linux-3.10\arch\x86\platform\geode\geos.c(6): * Copyright (C) 2011 Ed Wildgoose
<kernel@wildgooses.com>
linux-3.10\arch\x86\platform\geode\net5501.c(10): * Copyright (C) 2008 Constantin
Baranov <const@mimas.ru>
linux-3.10\arch\x86\platform\geode\net5501.c(11): * Copyright (C) 2011 Ed
Wildgoose <kernel@wildgooses.com>
linux-3.10\arch\x86\platform\geode\net5501.c(7): * Copyright (C) 2008-2009 Tower
Technologies
linux-3.10\arch\x86\platform\goldfish\goldfish.c(2): * Copyright (C) 2007 Google,
Inc.
linux-3.10\arch\x86\platform\goldfish\goldfish.c(3): * Copyright (C) 2011 Intel,
Inc.
linux-3.10\arch\x86\platform\goldfish\goldfish.c(4): * Copyright (C) 2013 Intel,
Inc.
linux-3.10\arch\x86\platform\iris\iris.c(7): *Copyright (C) Sh7rab
<Sebastien.Hinderer@ens-lyon.org>
linux-3.10\arch\x86\platform\mrst\early_printk_mrst.c(4): * Copyright (c)
2008-2010, Intel Corporation
linux-3.10\arch\x86\platform\mrst\mrst.c(4): * (C) Copyright 2008 Intel
Corporation
linux-3.10\arch\x86\platform\mrst\vrtc.c(4): * (C) Copyright 2009 Intel
Corporation
linux-3.10\arch\x86\platform\olpc\olpc.c(4): * Copyright ㄣ 2006Advanced Micro
Devices, Inc.
linux-3.10\arch\x86\platform\olpc\olpc.c(5): * Copyright ㄣ 2007-2008Andres
Salomon <dilinger@debian.org>
linux-3.10\arch\x86\platform\olpc\olpc_dt.c(5): * Copyright (C) 1996-2005 Paul
Mackerras.

legal(ME)

linux-3.10\arch\x86\platform\olpc\olpc-xo15-sci.c(4): * Copyright (C) 2009-2010
One Laptop per Child
linux-3.10\arch\x86\platform\olpc\olpc-xo1-pm.c(4): * Copyright (C) 2010 Andres
Salomon <dilinger@queued.net>
linux-3.10\arch\x86\platform\olpc\olpc-xo1-pm.c(5): * Copyright (C) 2010 One
Laptop per Child
linux-3.10\arch\x86\platform\olpc\olpc-xo1-pm.c(6): * Copyright (C) 2006 Red Hat,
Inc.
linux-3.10\arch\x86\platform\olpc\olpc-xo1-pm.c(7): * Copyright (C) 2006 Advanced
Micro Devices, Inc.
linux-3.10\arch\x86\platform\olpc\olpc-xo1-rtc.c(4): * Copyright (C) 2011 One
Laptop per Child
linux-3.10\arch\x86\platform\olpc\olpc-xo1-sci.c(4): * Copyright (C) 2010 One
Laptop per Child
linux-3.10\arch\x86\platform\olpc\olpc-xo1-sci.c(5): * Copyright (C) 2006 Red
Hat, Inc.
linux-3.10\arch\x86\platform\olpc\olpc-xo1-sci.c(6): * Copyright (C) 2006
Advanced Micro Devices, Inc.
linux-3.10\arch\x86\platform\scx200\scx200_32.c(2): *Copyright (c) 2001,2002
Christer Weinigel <wingel@nano-system.com>
linux-3.10\arch\x86\platform\sfi\sfi.c(4): * Copyright (c) 2009, Intel
Corporation.
linux-3.10\arch\x86\platform\ts5500\ts5500.c(4): * Copyright (C) 2013
Savoir-faire Linux Inc.
linux-3.10\arch\x86\platform\uv\bios_uv.c(18): *Copyright (c) 2008-2009 Silicon
Graphics, Inc.All Rights Reserved.
linux-3.10\arch\x86\platform\uv\bios_uv.c(19): *Copyright (c) Russ Anderson
<rja@sgi.com>
linux-3.10\arch\x86\platform\uv\uv_inq.c(8): * Copyright (C) 2008 Silicon
Graphics, Inc. All rights reserved.
linux-3.10\arch\x86\platform\uv\uv_sysfs.c(18): *Copyright (c) 2008 Silicon
Graphics, Inc.All Rights Reserved.
linux-3.10\arch\x86\platform\uv\uv_sysfs.c(19): *Copyright (c) Russ Anderson
linux-3.10\arch\x86\platform\uv\uv_time.c(18): *Copyright (c) 2009-2013 Silicon
Graphics, Inc.All Rights Reserved.
linux-3.10\arch\x86\platform\uv\uv_time.c(19): *Copyright (c) Dimitri Sivanich
linux-3.10\arch\x86\platform\visws\visws_quirks.c(6): *Copyright (C) 1999 Bent
Hagemark, Ingo Molnar
linux-3.10\arch\x86\power\cpu.c(6): * Copyright (c) 2007 Rafael J. Wysocki
<rjw@sisk.pl>
linux-3.10\arch\x86\power\cpu.c(7): * Copyright (c) 2002 Pavel Machek
<pavel@ucw.cz>
linux-3.10\arch\x86\power\cpu.c(8): * Copyright (c) 2001 Patrick Mochel
<mochel@osdl.org>
linux-3.10\arch\x86\power\hibernate_32.c(6): * Copyright (c) 2006 Rafael J.
Wysocki <rjw@sisk.pl>
linux-3.10\arch\x86\power\hibernate_64.c(6): * Copyright (c) 2007 Rafael J.
Wysocki <rjw@sisk.pl>
linux-3.10\arch\x86\power\hibernate_64.c(7): * Copyright (c) 2002 Pavel Machek
<pavel@ucw.cz>
linux-3.10\arch\x86\power\hibernate_64.c(8): * Copyright (c) 2001 Patrick Mochel
<mochel@osdl.org>

legal(ME)

linux-3.10\arch\x86\power\hibernate_asm_64.S(6): * Copyright 2007 Rafael J. Wysocki <rjw@sisk.pl>
linux-3.10\arch\x86\power\hibernate_asm_64.S(7): * Copyright 2005 Andi Kleen <ak@suse.de>
linux-3.10\arch\x86\power\hibernate_asm_64.S(8): * Copyright 2004 Pavel Machek <pavel@suse.cz>
linux-3.10\arch\x86\tools\insn_sanity.c(18): * Copyright (C) IBM Corporation, 2009
linux-3.10\arch\x86\tools\insn_sanity.c(19): * Copyright (C) Hitachi, Ltd., 2011
linux-3.10\arch\x86\tools\test_get_len.c(16): * Copyright (C) IBM Corporation, 2009
linux-3.10\arch\x86\um\asm\archparam.h(2): * Copyright (C) 2000 - 2003 Jeff Dike (jdike@addtoit.com)
linux-3.10\arch\x86\um\asm\archparam.h(3): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\x86\um\asm\elf.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\asm\irq_vectors.h(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\x86\um\asm\mm_context.h(2): * Copyright (C) 2004 Fujitsu Siemens Computers GmbH
linux-3.10\arch\x86\um\asm\processor_32.h(2): * Copyright (C) 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\x86\um\asm\processor_64.h(2): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\x86\um\asm\vm-flags.h(2): * Copyright (C) 2004 Jeff Dike (jdike@addtoit.com)
linux-3.10\arch\x86\um\asm\vm-flags.h(3): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\x86\um\bug.c(2): * Copyright (C) 2006 Jeff Dike (jdike@addtoit.com)
linux-3.10\arch\x86\um\bugs_32.c(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\bugs_64.c(2): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\x86\um\delay.c(2): * Copyright (C) 2011 Richard Weinberger <richrd@nod.at>
linux-3.10\arch\x86\um\fault.c(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\ldt.c(2): * Copyright (C) 2001 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\Makefile(2):# Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\mem_32.c(2): * Copyright (C) 2011 Richard Weinberger <richrd@nod.at>
linux-3.10\arch\x86\um\os-Linux\Makefile(2):# Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\os-Linux\prctl.c(2): * Copyright (C) 2007 Jeff Dike (jdike@{addtoit.com,linux.intel}.com)
linux-3.10\arch\x86\um\os-Linux\registers.c(2): * Copyright (C) 2004 PathScale, Inc
linux-3.10\arch\x86\um\os-Linux\registers.c(3): * Copyright (C) 2004 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\ptrace_32.c(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\ptrace_64.c(2): * Copyright 2003 PathScale, Inc.

legal(ME)

linux-3.10\arch\x86\um\ptrace_64.c(3): * Copyright (C) 2003 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\ptrace_user.c(2): * Copyright (C) 2002 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\shared\sysdep\faultinfo_32.h(2): * Copyright (C) 2004 Fujitsu Siemens Computers GmbH
linux-3.10\arch\x86\um\shared\sysdep\faultinfo_64.h(2): * Copyright (C) 2004 Fujitsu Siemens Computers GmbH
linux-3.10\arch\x86\um\shared\sysdep\mcontext.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\shared\sysdep\ptrace_32.h(2): * Copyright (C) 2000 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\shared\sysdep\ptrace_64.h(2): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\x86\um\shared\sysdep\ptrace_64.h(3): * Copyright (C) 2003 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\shared\sysdep\skas_ptrace.h(2): * Copyright (C) 2000, 2001, 2002 Jeff Dike (jdike@karaya.com)
linux-3.10\arch\x86\um\shared\sysdep\stub_32.h(2): * Copyright (C) 2004 Jeff Dike (jdike@addtoit.com)
linux-3.10\arch\x86\um\shared\sysdep\stub_64.h(2): * Copyright (C) 2004 Jeff Dike (jdike@addtoit.com)
linux-3.10\arch\x86\um\shared\sysdep\syscalls_32.h(2): * Copyright (C) 2000 - 2008 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\shared\sysdep\syscalls_64.h(2): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\x86\um\signal.c(2): * Copyright (C) 2003 PathScale, Inc.
linux-3.10\arch\x86\um\signal.c(3): * Copyright (C) 2003 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\stub_segv.c(2): * Copyright (C) 2004 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\syscalls_64.c(2): * Copyright (C) 2003 - 2007 Jeff Dike (jdike@{addtoit,linux.intel}.com)
linux-3.10\arch\x86\um\syscalls_64.c(3): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\x86\um\sysrq_32.c(2): * Copyright (C) 2001 - 2003 Jeff Dike (jdike@addtoit.com)
linux-3.10\arch\x86\um\sysrq_64.c(2): * Copyright 2003 PathScale, Inc.
linux-3.10\arch\x86\um\tls_32.c(2): * Copyright (C) 2005 Paolo 'Blaisorblade' Giarrusso <blaisorblade@yahoo.it>
linux-3.10\arch\x86\um\vdso\um_vdso.c(2): * Copyright (C) 2011 Richard Weinberger <richrd@nod.at>
linux-3.10\arch\x86\um\vdso\vma.c(2): * Copyright (C) 2011 Richard Weinberger <richrd@nod.at>
linux-3.10\arch\x86\vdso\vclock_gettime.c(2): * Copyright 2006 Andi Kleen, SUSE Labs.
linux-3.10\arch\x86\vdso\vdso32-setup.c(2): * (C) Copyright 2002 Linus Torvalds
linux-3.10\arch\x86\vdso\vdso32-setup.c(4): * Copyright(C) 2005-2006, Red Hat, Inc., Ingo Molnar
linux-3.10\arch\x86\vdso\vgetcpu.c(2): * Copyright 2006 Andi Kleen, SUSE Labs.
linux-3.10\arch\x86\vdso\vma.c(3): * Copyright 2007 Andi Kleen, SUSE Labs.
linux-3.10\arch\x86\video\fbdev.c(2): * Copyright (C) 2007 Antonino Daplas <adaplas@gmail.com>

legal(ME)

linux-3.10\arch\x86\xen\grant-table.c(7): * Copyright (c) 2005-2006, Christopher Clark
linux-3.10\arch\x86\xen\grant-table.c(8): * Copyright (c) 2004-2005, K A Fraser
linux-3.10\arch\x86\xen\grant-table.c(9): * Copyright (c) 2008 Isaku Yamahata
<yamahata at valinux co jp>
linux-3.10\arch\x86\xen\platform-pci-unplug.c(5): * Copyright (c) 2010, Citrix
linux-3.10\arch\xtensa\boot\boot-elf\boot.lds.S(4): *Copyright (C) 2008 - 2013 by
Tensilica Inc.
linux-3.10\arch\xtensa\boot\boot-elf\bootstrap.S(10): * Copyright (C) 2004 - 2013
by Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\asmmacro.h(8): * Copyright (C) 2005 Tensilica
Inc.
linux-3.10\arch\xtensa\include\asm\atomic.h(10): * Copyright (C) 2001 - 2008
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\barrier.h(6): * Copyright (C) 2001 - 2012
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\bitops.h(10): * Copyright (C) 2001 - 2007
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\bootparam.h(10): * Copyright (C) 2001 -
2005Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\cacheasm.h(8): * Copyright (C) 2006 Tensilica
Inc.
linux-3.10\arch\xtensa\include\asm\checksum.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\cmpxchg.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\coprocessor.h(8): * Copyright (C) 2003 - 2007
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\current.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\delay.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\dma.h(8): * Copyright (C) 2003 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\dma-mapping.h(8): * Copyright (C) 2003 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\elf.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\ftrace.h(8): * Copyright (C) 2013 Tensilica
Inc.
linux-3.10\arch\xtensa\include\asm\highmem.h(8): * Copyright (C) 2003 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\hw_irq.h(8): * Copyright (C) 2002 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\initialize_mmu.h(17): * Copyright (C) 2008 -
2012 Tensilica, Inc.
linux-3.10\arch\xtensa\include\asm\io.h(8): * Copyright (C) 2001 - 2005 Tensilica
Inc.
linux-3.10\arch\xtensa\include\asm\irq.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\irqflags.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.

legal(ME)

linux-3.10\arch\xtensa\include\asm\mmu.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\mmu_context.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\module.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\page.h(8): * Copyright (C) 2001 - 2007
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\param.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\pci.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\pci-bridge.h(8): * Copyright (C) 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\pgalloc.h(8): * Copyright (C) 2001-2007
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\phtable.h(8): * Copyright (C) 2001 - 2007
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\platform.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\processor.h(8): * Copyright (C) 2001 - 2008
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\ptrace.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\regs.h(2): * Copyright (c) 2006 Tensilica,
Inc.All Rights Reserved.
linux-3.10\arch\xtensa\include\asm\rwsem.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\segment.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\serial.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\signal.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\smp.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\spinlock.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\stacktrace.h(8): * Copyright (C) 2001 - 2013
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\string.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\switch_to.h(6): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\syscall.h(8): * Copyright (C) 2001 - 2007
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\thread_info.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\timex.h(8): * Copyright (C) 2001 - 2008
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\tlb.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.

legal(ME)

linux-3.10\arch\xtensa\include\asm\tlbflush.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\traps.h(8): * Copyright (C) 2012 Tensilica
Inc.
linux-3.10\arch\xtensa\include\asm\types.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\uaccess.h(13): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\ucontext.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\unaligned.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\user.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\vectors.h(12): * Copyright (C) 2008 - 2012
Tensilica Inc.
linux-3.10\arch\xtensa\include\asm\vga.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\ioctl.h(8): * Copyright (C) 2003 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\ipcbuf.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\mman.h(10): * Copyright (C) 1995 by Ralf
Baechle
linux-3.10\arch\xtensa\include\uapi\asm\mman.h(11): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\param.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\poll.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\posix_types.h(10): * Copyright (C) 2001 -
2005 Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\ptrace.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\sembuf.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\setup.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\shmbuf.h(16): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\sigcontext.h(8): * Copyright (C) 2001 -
2007 Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\signal.h(10): * Copyright (C) 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\sockios.h(10): * Copyright (C) 1995 by
Ralf Baechle
linux-3.10\arch\xtensa\include\uapi\asm\sockios.h(11): * Copyright (C) 2001
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\stat.h(8): * Copyright (C) 2001 - 2007
Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\swab.h(8): * Copyright (C) 2001 - 2005
Tensilica Inc.

legal(ME)

linux-3.10\arch\xtensa\include\uapi\asm\termbits.h(10): * Copyright (C) 2001 - 2005 Tensilica Inc.
linux-3.10\arch\xtensa\include\uapi\asm\types.h(8): * Copyright (C) 2001 - 2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\align.S(10): * Copyright (C) 2001 - 2005 Tensilica, Inc.
linux-3.10\arch\xtensa\kernel\asm-offsets.c(10): * Copyright (C) 2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\coprocessor.S(11): * Copyright (C) 2003 - 2007 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\entry.S(10): * Copyright (C) 2004 - 2008 by Tensilica Inc.
linux-3.10\arch\xtensa\kernel\head.S(10): * Copyright (C) 2001 - 2008 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\irq.c(7): * Copyright (C) 2002 - 2006 Tensilica, Inc.
linux-3.10\arch\xtensa\kernel\irq.c(8): * Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar
linux-3.10\arch\xtensa\kernel\module.c(10): * Copyright (C) 2001 - 2006 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\pci.c(11): * Copyright (C) 2001-2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\pci-dma.c(11): * Copyright (C) 2002 - 2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\platform.c(10): * Copyright (C) 2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\process.c(10): * Copyright (C) 2001 - 2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\ptrace.c(7): * Copyright (C) 2001 - 2007 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\setup.c(8): * Copyright (C) 1995 Linus Torvalds
linux-3.10\arch\xtensa\kernel\setup.c(9): * Copyright (C) 2001 - 2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\signal.c(10): * Copyright (C) 2005, 2006 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\signal.c(11): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\arch\xtensa\kernel\stacktrace.c(8): * Copyright (C) 2001 - 2013 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\syscall.c(10): * Copyright (C) 1995 - 2000 by Ralf Baechle
linux-3.10\arch\xtensa\kernel\syscall.c(8): * Copyright (C) 2001 - 2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\syscall.c(9): * Copyright (C) 2000 Silicon Graphics, Inc.
linux-3.10\arch\xtensa\kernel\time.c(10): * Copyright (C) 2005 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\traps.c(10): * Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\arch\xtensa\kernel\traps.c(14): * Copyright (C) 2001 - 2013 Tensilica Inc.
linux-3.10\arch\xtensa\kernel\traps.c(7): * Copyright (C) 1994 - 1999 by Ralf Baechle
linux-3.10\arch\xtensa\kernel\vectors.S(13): * Copyright (C) 2005 - 2008 Tensilica, Inc.

legal(ME)

linux-3.10\arch\xtensa\kernel\vmlinux.lds.S(10): * Copyright (C) 2001 - 2008
Tensilica Inc.
linux-3.10\arch\xtensa\kernel\xtensa_ksyms.c(10): * Copyright (C) 2001 -
2005Tensilica Inc.
linux-3.10\arch\xtensa\lib\checksum.S(8): * Xtensa version:Copyright (C) 2001
Tensilica, Inc. by Kevin Chea
linux-3.10\arch\xtensa\lib\memcpy.S(9): * Copyright (C) 2002 - 2012 Tensilica
Inc.
linux-3.10\arch\xtensa\lib\memset.S(11): *Copyright (C) 2002 Tensilica Inc.
linux-3.10\arch\xtensa\lib\pci-auto.c(6): * Copyright (C) 2001 - 2005 Tensilica
Inc.
linux-3.10\arch\xtensa\lib\strncpy_user.S(11): *Copyright (C) 2002 Tensilica Inc.
linux-3.10\arch\xtensa\lib\strlen_user.S(11): *Copyright (C) 2002 Tensilica Inc.
linux-3.10\arch\xtensa\lib\usercopy.S(19): *Copyright (C) 2002 Tensilica Inc.
linux-3.10\arch\xtensa\Makefile(6):# Copyright (C) 2001 - 2005Tensilica Inc.
linux-3.10\arch\xtensa\mm\cache.c(8): * Copyright (C) 2001-2006 Tensilica Inc.
linux-3.10\arch\xtensa\mm\fault.c(9): * Copyright (C) 2001 - 2010 Tensilica Inc.
linux-3.10\arch\xtensa\mm\init.c(10): * Copyright (C) 2001 - 2005 Tensilica Inc.
linux-3.10\arch\xtensa\mm\misc.S(10): * Copyright (C) 2001 - 2007 Tensilica Inc.
linux-3.10\arch\xtensa\mm\tlb.c(10): * Copyright (C) 2001 - 2003 Tensilica Inc.
linux-3.10\arch\xtensa\oprofile\backtrace.c(4): * @remark Copyright 2008
Tensilica Inc.
linux-3.10\arch\xtensa\oprofile\init.c(4): * @remark Copyright 2008 Tensilica
Inc.
linux-3.10\arch\xtensa\platforms\iss\console.c(8): * Copyright (C) 2001-2005
Tensilica Inc.
linux-3.10\arch\xtensa\platforms\iss\include\platform\hardware.h(8): * Copyright
(C) 2001 Tensilica Inc.
linux-3.10\arch\xtensa\platforms\iss\include\platform\serial.h(6): * Copyright
(C) 2012 Tensilica Inc.
linux-3.10\arch\xtensa\platforms\iss\include\platform\simcall.h(8): * Copyright
(C) 2001 Tensilica Inc.
linux-3.10\arch\xtensa\platforms\iss\network.c(10): * Copyright 2005 Tensilica
Inc.
linux-3.10\arch\xtensa\platforms\iss\setup.c(10): * Copyright 2001 - 2005
Tensilica Inc.
linux-3.10\arch\xtensa\platforms\iss\simdisk.c(8): * Copyright (C) 2001-2013
Tensilica Inc.
linux-3.10\arch\xtensa\platforms\s6105\device.c(4): * Copyright (c) 2009 emlix
GmbH
linux-3.10\arch\xtensa\platforms\s6105\setup.c(4): * Copyright (c) 2009 emlix
GmbH
linux-3.10\arch\xtensa\platforms\s6105\setup.c(56):Copyright (C) 2009 emlix GmbH
<info@emlix.com>\n);
linux-3.10\arch\xtensa\platforms\xt2000\include\platform\hardware.h(8): *
Copyright (C) 2001 Tensilica Inc.
linux-3.10\arch\xtensa\platforms\xt2000\include\platform\serial.h(8): * Copyright
(C) 2001 Tensilica Inc.
linux-3.10\arch\xtensa\platforms\xt2000\setup.c(9): * Copyright 2001 - 2004
Tensilica Inc.
linux-3.10\arch\xtensa\platforms\xtfpga\include\platform\hardware.h(8): *
Copyright (C) 2006 Tensilica Inc.

legal(ME)

linux-3.10\arch\xtensa\platforms\xtfpga\include\platform\lcd.h(8): * Copyright (C) 2001, 2006 Tensilica Inc.
linux-3.10\arch\xtensa\platforms\xtfpga\include\platform\serial.h(8): * Copyright (C) 2001, 2006 Tensilica Inc.
linux-3.10\arch\xtensa\platforms\xtfpga\lcd.c(8): * Copyright (C) 2001, 2006 Tensilica Inc.
linux-3.10\arch\xtensa\platforms\xtfpga\setup.c(10): * Copyright 2001 - 2006 Tensilica Inc.
linux-3.10\arch\xtensa\variants\dc232b\include\variant\core.h(8): * Copyright (c) 1999-2007 Tensilica Inc.
linux-3.10\arch\xtensa\variants\dc232b\include\variant\tie.h(10): * Copyright (C) 1999-2007 Tensilica Inc.
linux-3.10\arch\xtensa\variants\dc232b\include\variant\tie-asm.h(10): * Copyright (C) 1999-2007 Tensilica Inc.
linux-3.10\arch\xtensa\variants\dc233c\include\variant\core.h(10): Copyright (c) 1999-2010 Tensilica Inc.
linux-3.10\arch\xtensa\variants\dc233c\include\variant\tie.h(11): Copyright (c) 1999-2010 Tensilica Inc.
linux-3.10\arch\xtensa\variants\dc233c\include\variant\tie-asm.h(11): Copyright (c) 1999-2010 Tensilica Inc.
linux-3.10\arch\xtensa\variants\fsf\include\variant\core.h(8): * Copyright (C) 1999-2006 Tensilica Inc.
linux-3.10\arch\xtensa\variants\fsf\include\variant\tie.h(10): * Copyright (C) 1999-2007 Tensilica Inc.
linux-3.10\arch\xtensa\variants\fsf\include\variant\tie-asm.h(10): * Copyright (C) 1999-2008 Tensilica Inc.
linux-3.10\arch\xtensa\variants\s6000\gpio.c(4): * Copyright (c) 2009 emlix GmbH
linux-3.10\arch\xtensa\variants\s6000\include\variant\core.h(8): * Copyright (c) 1999-2008 Tensilica Inc.
linux-3.10\arch\xtensa\variants\s6000\include\variant\dmac.h(8): * Copyright (C) 2006 Tensilica Inc.
linux-3.10\arch\xtensa\variants\s6000\include\variant\dmac.h(9): * Copyright (C) 2008 Emlix GmbH <info@emlix.com>
linux-3.10\arch\xtensa\variants\s6000\include\variant\tie.h(10): * Copyright (C) 1999-2008 Tensilica Inc.
linux-3.10\arch\xtensa\variants\s6000\include\variant\tie-asm.h(10): * Copyright (C) 1999-2008 Tensilica Inc.
linux-3.10\arch\xtensa\variants\s6000\irq.c(4): * Copyright (c) 2009 emlix GmbH
linux-3.10\block\blk-cgroup.c(10): * Copyright (C) 2009 Vivek Goyal <vgoyal@redhat.com>
linux-3.10\block\blk-cgroup.c(5): * Copyright (C) 2003 Jens Axboe <axboe@kernel.dk>
linux-3.10\block\blk-cgroup.c(7): * Copyright (C) 2008 Fabio Checconi <fabio@gandalf.sssup.it>
linux-3.10\block\blk-cgroup.h(12): * Copyright (C) 2009 Vivek Goyal <vgoyal@redhat.com>
linux-3.10\block\blk-cgroup.h(7): * Copyright (C) 2003 Jens Axboe <axboe@kernel.dk>
linux-3.10\block\blk-cgroup.h(9): * Copyright (C) 2008 Fabio Checconi <fabio@gandalf.sssup.it>
linux-3.10\block\blk-core.c(2): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\block\blk-core.c(3): * Copyright (C) 1994, Karl Keyte: Added support

legal(ME)

for disk statistics

linux-3.10\block\blk-flush.c(4): * Copyright (C) 2011Max Planck Institute for Gravitational Physics

linux-3.10\block\blk-flush.c(5): * Copyright (C) 2011Tejun Heo <tj@kernel.org>

linux-3.10\block\blk-integrity.c(4): * Copyright (C) 2007, 2008 Oracle Corporation

linux-3.10\block\blk-throttle.c(4): * Copyright (C) 2010 Vivek Goyal <vgoyal@redhat.com>

linux-3.10\block\bsg.c(4): * Copyright (C) 2004 Jens Axboe <axboe@suse.de> SUSE Labs

linux-3.10\block\bsg.c(5): * Copyright (C) 2004 Peter M. Jones <pjones@redhat.com>

linux-3.10\block\bsg-lib.c(4): *Copyright (C) 2008 James Smart, Emulex Corporation

linux-3.10\block\bsg-lib.c(5): *Copyright (C) 2011 Red Hat, Inc.All rights reserved.

linux-3.10\block\bsg-lib.c(6): *Copyright (C) 2011 Mike Christie

linux-3.10\block\cfq-iosched.c(7): *Copyright (C) 2003 Jens Axboe <axboe@kernel.dk>

linux-3.10\block\deadline-iosched.c(4): *Copyright (C) 2002 Jens Axboe <axboe@kernel.dk>

linux-3.10\block\elevator.c(4): *Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE

linux-3.10\block\ioctl.c(246): * on the previous export.Sheer idiocy, since it wasn't copyrightable

linux-3.10\block\partition-generic.c(3): *Copyright (C) 1991-1998Linus Torvalds

linux-3.10\block\partitions\acorn.c(4): *Copyright (c) 1996-2000 Russell King.

linux-3.10\block\partitions\acorn.h(4): * Copyright (C) 1996-2001 Russell King.

linux-3.10\block\partitions\amiga.c(6): *Copyright (C) 1991-1998Linus Torvalds

linux-3.10\block\partitions\atari.c(6): *Copyright (C) 1991-1998Linus Torvalds

linux-3.10\block\partitions\check.c(5): *Copyright (C) 1991-1998Linus Torvalds

linux-3.10\block\partitions\efi.c(8): * Copyright 2000,2001,2002,2004 Dell Inc.

linux-3.10\block\partitions\efi.h(7): * Copyright 2000,2001 Dell Inc.

linux-3.10\block\partitions\ibm.c(5): * Copyright IBM Corp. 1999, 2012

linux-3.10\block\partitions\karma.c(5): *Copyright (C) 2006 Bob Copeland (me@bobcopeland.com)

linux-3.10\block\partitions\ldm.c(4): * Copyright (C) 2001,2002 Richard Russon <ldm@flatcap.org>

linux-3.10\block\partitions\ldm.c(5): * Copyright (c) 2001-2012 Anton Altaparmakov

linux-3.10\block\partitions\ldm.c(6): * Copyright (C) 2001,2002 Jakob Kemi <jakob.kemi@telia.com>

linux-3.10\block\partitions\ldm.h(4): * Copyright (C) 2001,2002 Richard Russon <ldm@flatcap.org>

linux-3.10\block\partitions\ldm.h(5): * Copyright (c) 2001-2007 Anton Altaparmakov

linux-3.10\block\partitions\ldm.h(6): * Copyright (C) 2001,2002 Jakob Kemi <jakob.kemi@telia.com>

linux-3.10\block\partitions\mac.c(5): *Copyright (C) 1991-1998Linus Torvalds

linux-3.10\block\partitions\msdos.c(5): *Copyright (C) 1991-1998Linus Torvalds

linux-3.10\block\partitions\osf.c(6): *Copyright (C) 1991-1998Linus Torvalds

linux-3.10\block\partitions\sun.c(6): *Copyright (C) 1991-1998Linus Torvalds

legal(ME)

linux-3.10\block\partitions\sysv68.c(4): *Copyright (C) 2007 Philippe De Muyter
<phdm@macqel.be>
linux-3.10\block\scsi_ioctl.c(2): * Copyright (C) 2001 Jens Axboe <axboe@suse.de>
linux-3.10\COPYING(2): NOTE! This copyright does *not* cover user programs that
use kernel
linux-3.10\COPYING(20): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
linux-3.10\COPYING(332):Gnomovision version 69, Copyright (C) year name of author
linux-3.10\COPYING(346):Yoyodyne, Inc., hereby disclaims all copyright interest
in the program
linux-3.10\COPYING(5): Also note that the GPL below is copyrighted by the Free
Software
linux-3.10\COPYING(7): kernel) is copyrighted by me and others who actually wrote
it.
linux-3.10\crypto\842.c(18): * Copyright (C) IBM Corporation, 2011
linux-3.10\crypto\ablkcipher.c(7): * Copyright (c) 2006 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\aead.c(6): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\aes_generic.c(20): * Copyright (c) 2002, Dr Brian Gladman
<brg@gladman.me.uk>, Worcester, UK.
linux-3.10\crypto\aes_generic.c(35): * 3. the copyright holder's name is not used
to endorse products
linux-3.10\crypto\af_alg.c(6): * Copyright (c) 2010 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\ahash.c(7): * Copyright (c) 2008 Loc Ho <lho@amcc.com>
linux-3.10\crypto\algapi.c(4): * Copyright (c) 2006 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\algboss.c(4): * Copyright (c) 2006 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\algif_hash.c(6): * Copyright (c) 2010 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\algif_skcipher.c(6): * Copyright (c) 2010 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\anubis.c(19): * The original authors have disclaimed all
copyright interest in this
linux-3.10\crypto\api.c(4): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\crypto\api.c(5): * Copyright (c) 2002 David S. Miller
(davem@redhat.com)
linux-3.10\crypto\api.c(6): * Copyright (c) 2005 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\asymmetric_keys\asymmetric_keys.h(3): * Copyright (C) 2012 Red
Hat, Inc. All Rights Reserved.
linux-3.10\crypto\asymmetric_keys\asymmetric_type.c(5): * Copyright (C) 2012 Red
Hat, Inc. All Rights Reserved.
linux-3.10\crypto\asymmetric_keys\public_key.c(5): * Copyright (C) 2012 Red Hat,
Inc. All Rights Reserved.
linux-3.10\crypto\asymmetric_keys\public_key.h(5): * Copyright (C) 2012 Red Hat,
Inc. All Rights Reserved.
linux-3.10\crypto\asymmetric_keys\rsa.c(3): * Copyright (C) 2012 Red Hat, Inc.
All Rights Reserved.
linux-3.10\crypto\asymmetric_keys\signature.c(5): * Copyright (C) 2012 Red Hat,

legal(ME)

Inc. All Rights Reserved.

linux-3.10\crypto\asymmetric_keys\x509_cert_parser.c(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.

linux-3.10\crypto\asymmetric_keys\x509_parser.h(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.

linux-3.10\crypto\asymmetric_keys\x509_public_key.c(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.

linux-3.10\crypto\async_tx\async_memcpy.c(4): * Copyright ʘ 2006, Intel Corporation.

linux-3.10\crypto\async_tx\async_memset.c(4): * Copyright ʘ 2006, Intel Corporation.

linux-3.10\crypto\async_tx\async_pq.c(2): * Copyright(c) 2007 Yuri Tikhonov <yur@emcraft.com>

linux-3.10\crypto\async_tx\async_pq.c(3): * Copyright(c) 2009 Intel Corporation

linux-3.10\crypto\async_tx\async RAID6_recov.c(3): * Copyright(c) 2009 Intel Corporation

linux-3.10\crypto\async_tx\async RAID6_recov.c(6): * Copyright 2002 H. Peter Anvin

linux-3.10\crypto\async_tx\async_tx.c(4): * Copyright ʘ 2006, Intel Corporation.

linux-3.10\crypto\async_tx\async_xor.c(4): * Copyright ʘ 2006, Intel Corporation.

linux-3.10\crypto\async_tx\raid6test.c(3): * Copyright (c) 2009, Intel Corporation.

linux-3.10\crypto\async_tx\raid6test.c(6): * Copyright 2002-2007 H. Peter Anvin

linux-3.10\crypto\authenc.c(4): * Copyright (c) 2007 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\authencesn.c(5): * Copyright (C) 2010 secunet Security Networks AG

linux-3.10\crypto\authencesn.c(6): * Copyright (C) 2010 Steffen Klassert <steffen.klassert@secunet.com>

linux-3.10\crypto\blkcipher.c(8): * Copyright (c) 2006 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\blowfish_common.c(12): * Copyright (c) Herbert Valerio Riedel <hvr@hvrlab.org>

linux-3.10\crypto\blowfish_common.c(13): * Copyright (c) Kyle McMartin <kyle@debian.org>

linux-3.10\crypto\blowfish_common.c(14): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>

linux-3.10\crypto\blowfish_generic.c(10): * Copyright (c) Kyle McMartin <kyle@debian.org>

linux-3.10\crypto\blowfish_generic.c(11): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>

linux-3.10\crypto\blowfish_generic.c(9): * Copyright (c) Herbert Valerio Riedel <hvr@hvrlab.org>

linux-3.10\crypto\camellia_generic.c(2): * Copyright (C) 2006

linux-3.10\crypto\cast_common.c(4): * Copyright ʘ 1998, 1999, 2000, 2001 Free Software Foundation, Inc.

linux-3.10\crypto\cast_common.c(5): * Copyright ʘ 2003 Kartikey Mahendra Bhatt <kartik_me@hotmail.com>

linux-3.10\crypto\cast_common.c(6): * Copyright ʘ 2012 Jussi Kivilinna <jussi.kivilinna@mbnet.fi>

linux-3.10\crypto\cast5_generic.c(10): * Copyright (C) 1998, 1999, 2000, 2001 Free

legal(ME)

Software Foundation, Inc.

linux-3.10\crypto\cast5_generic.c(11): * Copyright (C) 2003 Kartikey Mahendra Bhatt <kartik_me@hotmail.com>.

linux-3.10\crypto\cast6_generic.c(8): * Copyright (C) 2003 Kartikey Mahendra Bhatt <kartik_me@hotmail.com>.

linux-3.10\crypto\cbc.c(4): * Copyright (c) 2006 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\ccm.c(4): * (C) Copyright IBM Corp. 2007 - Joy Latten <latten@us.ibm.com>

linux-3.10\crypto\chainiv.c(7): * Copyright (c) 2007 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\cipher.c(6): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>

linux-3.10\crypto\cipher.c(7): * Copyright (c) 2005 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\cmac.c(4): * Copyright ㄣ 2013 Jussi Kivilinna <jussi.kivilinna@iki.fi>

linux-3.10\crypto\cmac.c(7): *Copyright ㄣ 2013 Tom St Denis <tstdenis@elliptictech.com>

linux-3.10\crypto\cmac.c(9): *Copyright ㄣ 2006 USAGI/WIDE Project,

linux-3.10\crypto\compress.c(6): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>

linux-3.10\crypto\crc32.c(25): * Copyright 2012 Xyratex Technology Limited

linux-3.10\crypto\crc32.c(3): * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

linux-3.10\crypto\crc32c.c(28): * Copyright (c) 2004 Cisco Systems, Inc.

linux-3.10\crypto\crc32c.c(29): * Copyright (c) 2008 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\cryptd.c(11): *Copyright (c) 2010, Intel Corporation.

linux-3.10\crypto\cryptd.c(4): * Copyright (c) 2006 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\crypto_null.c(11): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>

linux-3.10\crypto\crypto_user.c(4): * Copyright (C) 2011 secunet Security Networks AG

linux-3.10\crypto\crypto_user.c(5): * Copyright (C) 2011 Steffen Klassert <steffen.klassert@secunet.com>

linux-3.10\crypto\crypto_wq.c(4): * Copyright (c) 2009 Intel Corp.

linux-3.10\crypto\ctr.c(4): * (C) Copyright IBM Corp. 2007 - Joy Latten <latten@us.ibm.com>

linux-3.10\crypto\cts.c(34): *Copyright (c) 2006 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\cts.c(4): * COPYRIGHT (c) 2008

linux-3.10\crypto\deflate.c(7): * Copyright (c) 2003 James Morris <jmorris@intercode.com.au>

linux-3.10\crypto\des_generic.c(6): * Copyright (c) 2005 Dag Arne Osvik <da@osvik.no>

linux-3.10\crypto\ecb.c(4): * Copyright (c) 2006 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\eseqiv.c(9): * Copyright (c) 2007 Herbert Xu <herbert@gondor.apana.org.au>

linux-3.10\crypto\fcrypt.c(13): * Copyright (c) 1995 - 2000 Kungliga Tekniska

legal(ME)

Hjagskolan

linux-3.10\crypto\fcrypt.c(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.

linux-3.10\crypto\fips.c(4): * Copyright (c) 2008 Neil Horman
<nhorman@tuxdriver.com>

linux-3.10\crypto\gcm.c(4): * Copyright (c) 2007 Nokia Siemens Networks - Mikko Herranen <mh1@iki.fi>

linux-3.10\crypto\gf128mul.c(18): Copyright (c) 2003, Dr Brian Gladman, Worcester, UK. All rights reserved.

linux-3.10\crypto\gf128mul.c(3): * Copyright (c) 2003, Dr Brian Gladman, Worcester, UK.

linux-3.10\crypto\gf128mul.c(32): 3. the copyright holder's name is not used to endorse products

linux-3.10\crypto\gf128mul.c(4): * Copyright (c) 2006, Rik Snel
<rsnel@cube.dyndns.org>

linux-3.10\crypto\ghash-generic.c(4): * Copyright (c) 2007 Nokia Siemens Networks - Mikko Herranen <mh1@iki.fi>

linux-3.10\crypto\ghash-generic.c(5): * Copyright (c) 2009 Intel Corp.

linux-3.10\crypto\hmac.c(10): * Copyright (c) 2002 Kazunori Miyazawa
<miyazawa@linux-ipv6.org> / USAGI

linux-3.10\crypto\hmac.c(6): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>

linux-3.10\crypto\hmac.c(7): * Copyright (c) 2006 Herbert Xu
<herbert@gondor.apana.org.au>

linux-3.10\crypto\internal.h(4): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>

linux-3.10\crypto\internal.h(5): * Copyright (c) 2005 Herbert Xu
<herbert@gondor.apana.org.au>

linux-3.10\crypto\khazad.c(9): * The original authors have disclaimed all copyright interest in this

linux-3.10\crypto\krng.c(4): * Copyright (c) 2008 Herbert Xu
<herbert@gondor.apana.org.au>

linux-3.10\crypto\lrw.c(4): * Copyright (c) 2006 Rik Snel <rsnel@cube.dyndns.org>

linux-3.10\crypto\lrw.c(7): * Copyright (c) 2006 Herbert Xu
<herbert@gondor.apana.org.au>

linux-3.10\crypto\md4.c(11): * Copyright (c) Andrew Tridgell 1997-1998.

linux-3.10\crypto\md4.c(13): * Copyright (c) Cryptoapi developers.

linux-3.10\crypto\md4.c(14): * Copyright (c) 2002 David S. Miller
(davem@redhat.com)

linux-3.10\crypto\md4.c(15): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>

linux-3.10\crypto\md5.c(10): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>

linux-3.10\crypto\md5.c(9): * Copyright (c) Cryptoapi developers.

linux-3.10\crypto\michael_mic.c(6): * Copyright (c) 2004 Jouni Malinen <j@w1.fi>

linux-3.10\crypto\pcbc.c(4): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.

linux-3.10\crypto\pcbc.c(8): * - Copyright (c) 2006 Herbert Xu
<herbert@gondor.apana.org.au>

linux-3.10\crypto\pcompress.c(6): * Copyright 2008 Sony Corporation

linux-3.10\crypto\pcrypt.c(4): * Copyright (C) 2009 secunet Security Networks AG

linux-3.10\crypto\pcrypt.c(5): * Copyright (C) 2009 Steffen Klassert

legal(ME)

<steffen.klassert@secunet.com>
linux-3.10\crypto\proc.c(6): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\crypto\proc.c(7): * Copyright (c) 2005 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\rmd128.c(8): * Copyright (c) 2008 Adrian-Ken Rueegsegger
<ken@codelabs.ch>
linux-3.10\crypto\rmd160.c(8): * Copyright (c) 2008 Adrian-Ken Rueegsegger
<ken@codelabs.ch>
linux-3.10\crypto\rmd256.c(8): * Copyright (c) 2008 Adrian-Ken Rueegsegger
<ken@codelabs.ch>
linux-3.10\crypto\rmd320.c(8): * Copyright (c) 2008 Adrian-Ken Rueegsegger
<ken@codelabs.ch>
linux-3.10\crypto\rng.c(6): * Copyright (c) 2008 Neil Horman
<nhorman@tuxdriver.com>
linux-3.10\crypto\salsa20_generic.c(4): * Copyright (c) 2007 Tan Swee Heng
<thesweeheng@gmail.com>
linux-3.10\crypto\scatterwalk.c(6): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\crypto\seed.c(12): * Copyright (C) 2007 Korea Information Security
Agency (KISA).
linux-3.10\crypto\seqiv.c(7): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\serpent_generic.c(6): * Copyright (C) 2002 Dag Arne Osvik
<osvik@ii.uib.no>
linux-3.10\crypto\sha1_generic.c(10): * Copyright (c) Andrew McDonald
<andrew@mcdonald.org.uk>
linux-3.10\crypto\sha1_generic.c(11): * Copyright (c) Jean-Francois Dive
<jef@linuxbe.org>
linux-3.10\crypto\sha1_generic.c(9): * Copyright (c) Alan Smithee.
linux-3.10\crypto\sha256_generic.c(10): * Copyright (c) Andrew McDonald
<andrew@mcdonald.org.uk>
linux-3.10\crypto\sha256_generic.c(11): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\crypto\sha256_generic.c(12): * SHA224 Support Copyright 2007 Intel
Corporation <jonathan.lynch@intel.com>
linux-3.10\crypto\sha256_generic.c(9): * Copyright (c) Jean-Luc Cooke
<jlcooke@certainkey.com>
linux-3.10\crypto\sha512_generic.c(3): * Copyright (c) Jean-Luc Cooke
<jlcooke@certainkey.com>
linux-3.10\crypto\sha512_generic.c(4): * Copyright (c) Andrew McDonald
<andrew@mcdonald.org.uk>
linux-3.10\crypto\sha512_generic.c(5): * Copyright (c) 2003 Kyle McMartin
<kyle@debian.org>
linux-3.10\crypto\shash.c(4): * Copyright (c) 2008 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\tcrypt.c(16): * Copyright (c) 2010, Intel Corporation.
linux-3.10\crypto\tcrypt.c(7): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\crypto\tcrypt.c(8): * Copyright (c) 2002 Jean-Francois Dive
<jef@linuxbe.org>
linux-3.10\crypto\tcrypt.c(9): * Copyright (c) 2007 Nokia Siemens Networks

legal(ME)

linux-3.10\crypto\tcrypt.h(7): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\crypto\tcrypt.h(8): * Copyright (c) 2002 Jean-Francois Dive
<jef@linuxbe.org>
linux-3.10\crypto\tcrypt.h(9): * Copyright (c) 2007 Nokia Siemens Networks
linux-3.10\crypto\tea.c(13): * Copyright (c) 2004 Aaron Grothe ajgrothe@yahoo.com
linux-3.10\crypto\testmgr.c(14): * Copyright (c) 2010, Intel Corporation.
linux-3.10\crypto\testmgr.c(4): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\crypto\testmgr.c(5): * Copyright (c) 2002 Jean-Francois Dive
<jef@linuxbe.org>
linux-3.10\crypto\testmgr.c(6): * Copyright (c) 2007 Nokia Siemens Networks
linux-3.10\crypto\testmgr.c(7): * Copyright (c) 2008 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\testmgr.h(16): * Copyright (c) 2010, Intel Corporation.
linux-3.10\crypto\testmgr.h(4): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\crypto\testmgr.h(5): * Copyright (c) 2002 Jean-Francois Dive
<jef@linuxbe.org>
linux-3.10\crypto\testmgr.h(6): * Copyright (c) 2007 Nokia Siemens Networks
linux-3.10\crypto\testmgr.h(7): * Copyright (c) 2008 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\tgr192.c(6): * Copyright (C) 1998 Free Software Foundation, Inc.
linux-3.10\crypto\twofish_common.c(12): * The original author has disclaimed all
copyright interest in this
linux-3.10\crypto\twofish_generic.c(11): * The original author has disclaimed all
copyright interest in this
linux-3.10\crypto\vmac.c(3): * Copyright (c) 2009, Intel Corporation.
linux-3.10\crypto\wp512.c(10): * The original authors have disclaimed all
copyright interest in this
linux-3.10\crypto\xcbc.c(2): * Copyright (C)2006 USAGI/WIDE Project
linux-3.10\crypto\xor.c(4): * Copyright (C) 1996, 1997, 1998, 1999, 2000,
linux-3.10\crypto\xts.c(6): * Copyright (c) 2007 Rik Snel <rsnel@cube.dyndns.org>
linux-3.10\crypto\xts.c(9): * Copyright (c) 2006 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\crypto\zlib.c(6): * Copyright 2008 Sony Corporation
linux-3.10\crypto\zlib.c(9): * Copyright (c) 2003 James Morris
<jmorris@intercode.com.au>
linux-3.10\Documentation\accounting\getdelays.c(6): * Copyright (C) Shailabh
Nagar, IBM Corp. 2005
linux-3.10\Documentation\accounting\getdelays.c(7): * Copyright (C) Balbir Singh,
IBM Corp. 2006
linux-3.10\Documentation\accounting\getdelays.c(8): * Copyright (c) Jay Lan, SGI.
2006
linux-3.10\Documentation\acpi\scan_handlers.txt(3):Copyright (C) 2012, Intel
Corporation
linux-3.10\Documentation\arm\cluster-pm-race-avoidance.txt(496):Copyright (C)
2012-2013Linaro Limited
linux-3.10\Documentation\arm\Samsung\clksrc-change-registers.awk(3):# Copyright
2010 Ben Dooks <ben-linux@fluff.org>
linux-3.10\Documentation\arm\Samsung\Overview.txt(97):Copyright 2009-2010 Ben
Dooks <ben-linux@fluff.org>

legal(ME)

linux-3.10\Documentation\arm\Samsung-S3C24XX\CPUfreq.txt(74):Ben Dooks, Copyright 2009 Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\DMA.txt(45):Copyright (c) 2007 Ben Dooks, Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\EB2410ITX.txt(58):Copyright 2004 Ben Dooks, Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\GPIO.txt(182):Copyright 2004 Ben Dooks, Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\NAND.txt(29):Ben Dooks, Copyright 2007 Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\Overview.txt(318):Ben Dooks, Copyright 2004-2006 Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\S3C2412.txt(120):Ben Dooks, Copyright 2006 Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\S3C2413.txt(21):Ben Dooks, Copyright 2006 Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\Suspend.txt(136):Ben Dooks, Copyright 2004 Simtec Electronics
linux-3.10\Documentation\arm\Samsung-S3C24XX\USB-Host.txt(93):Ben Dooks, Copyright 2005 Simtec Electronics
linux-3.10\Documentation\arm\SH-Mobile\vr14.c(4): * Copyright (C) 2010 Simon Horman
linux-3.10\Documentation\arm\vlocks.txt(198):Copyright (C) 2012-2013Linaro Limited
linux-3.10\Documentation\auxdisplay\cfag12864b-example.c(7): *Author: Copyright (C) Miguel Ojeda Sandonis
linux-3.10\Documentation\blackfin\bfin-gpio-notes.txt(13): * Copyright 2004-2008 Analog Devices Inc.
linux-3.10\Documentation\blackfin\gptimers-example.c(5): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\Documentation\blockdev\README.DAC960(14): Copyright 1998-2001 by Leonard N. Zubkoff <lnz@dandelion.com>
linux-3.10\Documentation\blockdev\README.DAC960(303):Copyright 1998-1999 by Leonard N. Zubkoff <lnz@dandelion.com>
linux-3.10\Documentation\blockdev\README.DAC960(425):Copyright 1998-1999 by Leonard N. Zubkoff <lnz@dandelion.com>
linux-3.10\Documentation\blockdev\README.DAC960(597):Copyright 1998-1999 by Leonard N. Zubkoff <lnz@dandelion.com>
linux-3.10\Documentation\blockdev\README.DAC960(699):Copyright 1998-1999 by Leonard N. Zubkoff <lnz@dandelion.com>
linux-3.10\Documentation\cdrom\cdrom-standard.tex(524):of copyrights of artists. Moreover, I think that if audio-tracks are
linux-3.10\Documentation\cgroups\cgroups.txt(8):Portions Copyright (C) 2004 BULL SA.
linux-3.10\Documentation\cgroups\cgroups.txt(9):Portions Copyright (c) 2004-2006 Silicon Graphics, Inc.
linux-3.10\Documentation\cgroups\cpusets.txt(4):Copyright (C) 2004 BULL SA.
linux-3.10\Documentation\cgroups\cpusets.txt(7):Portions Copyright (c) 2004-2006 Silicon Graphics, Inc.
linux-3.10\Documentation\coccinelle.txt(1):Copyright 2010 Nicolas Palix <npalix@diku.dk>
linux-3.10\Documentation\coccinelle.txt(2):Copyright 2010 Julia Lawall

legal(ME)

<julia@diku.dk>
linux-3.10\Documentation\coccinelle.txt(3):Copyright 2010 Gilles Muller
<Gilles.Muller@lip6.fr>
linux-3.10\Documentation\connector\cn_test.c(4): * 2004+ Copyright (c) Evgeniy Polyakov <zbr@ioremap.net>
linux-3.10\Documentation\connector\ucon.c(4): * Copyright (c) 2004+ Evgeniy Polyakov <zbr@ioremap.net>
linux-3.10\Documentation\cpu-freq\pcc-cpufreq.txt(4): *Copyright (C) 2009 Red Hat, Matthew Garrett <mjg@redhat.com>
linux-3.10\Documentation\cpu-freq\pcc-cpufreq.txt(5): *Copyright (C) 2009 Hewlett-Packard Development Company, L.P.
linux-3.10\Documentation\crypto\api-intro.txt(219):Kartikey Mahendra Bhatt (original developers unknown, FSF copyright).
linux-3.10\Documentation\crypto\descore-readme.txt(5):Copyright (C) 1992Dana L. How
linux-3.10\Documentation\devicetree\bindings\crypto\fs1-sec4.txt(3):Copyright (C) 2008-2011 Freescale Semiconductor Inc.
linux-3.10\Documentation\devicetree\bindings\powerpc\fs1\cpus.txt(3):Copyright 2013 Freescale Semiconductor Inc.
linux-3.10\Documentation\devicetree\bindings\powerpc\fs1\dcsr.txt(3):Copyright 2011 Freescale Semiconductor Inc.
linux-3.10\Documentation\devicetree\bindings\powerpc\fs1\ecm.txt(3):Copyright (C) 2009 Freescale Semiconductor Inc.
linux-3.10\Documentation\devicetree\bindings\powerpc\fs1\mcm.txt(3):Copyright (C) 2009 Freescale Semiconductor Inc.
linux-3.10\Documentation\devicetree\bindings\powerpc\fs1\mpic.txt(3):Copyright (C) 2010,2011 Freescale Semiconductor Inc.
linux-3.10\Documentation\DocBook\media\v4l\keytable.c.xml(4): Copyright (C) 2006-2009 Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\Documentation\DocBook\media\v4l\v4l2grab.c.xml(3): Copyright (C) 2009 Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\Documentation\DocBook\writing-an-alsa-driver.tmpl(33):Copyright (c) 2002-2005Takashi Iwai <email>tiwai@suse.de</email>
linux-3.10\Documentation\EDID\1024x768.S(4): Copyright (C) 2011 Carsten Emde <C.Emde@osadl.org>
linux-3.10\Documentation\EDID\1280x1024.S(4): Copyright (C) 2011 Carsten Emde <C.Emde@osadl.org>
linux-3.10\Documentation\EDID\1600x1200.S(4): Copyright (C) 2013 Carsten Emde <C.Emde@osadl.org>
linux-3.10\Documentation\EDID\1680x1050.S(4): Copyright (C) 2012 Carsten Emde <C.Emde@osadl.org>
linux-3.10\Documentation\EDID\1920x1080.S(4): Copyright (C) 2012 Carsten Emde <C.Emde@osadl.org>
linux-3.10\Documentation\EDID\edid.S(4): Copyright (C) 2012 Carsten Emde <C.Emde@osadl.org>
linux-3.10\Documentation\extcon\porting-android-switch-class(4):(c) Copyright 2012 Samsung Electronics
linux-3.10\Documentation\fb\cirrusfb.txt(3):Copyright 1999 Jeff Garzik <jgarzik@pobox.com>
linux-3.10\Documentation\filesystems\configfs\configfs.txt(8):Copyright (c) 2005 Oracle Corporation,
linux-3.10\Documentation\filesystems\configfs\configfs_example_explicit.c(25): *

legal(ME)

sysfs is Copyright (C) 2001, 2002, 2003 Patrick Mochel
linux-3.10\Documentation\filesystems\configfs\configfs_example_explicit.c(27): *
configfs Copyright (C) 2005 Oracle.All rights reserved.
linux-3.10\Documentation\filesystems\configfs\configfs_example_macros.c(24): *
sysfs is Copyright (C) 2001, 2002, 2003 Patrick Mochel
linux-3.10\Documentation\filesystems\configfs\configfs_example_macros.c(26): *
configfs Copyright (C) 2005 Oracle.All rights reserved.
linux-3.10\Documentation\filesystems\debugfs.txt(1):Copyright 2009 Jonathan
Corbet <corbet@lwn.net>
linux-3.10\Documentation\filesystems\dlimfs.txt(12):All code copyright 2005 Oracle
except when otherwise noted.
linux-3.10\Documentation\filesystems\dlimfs.txt(17):Some code taken from ramfs
which is Copyright (C) 2000 Linus Torvalds
linux-3.10\Documentation\filesystems\exofs.txt(183):version 2.6.10).All files
include the original copyrights, and the license
linux-3.10\Documentation\filesystems\ocfs2.txt(15):All code copyright 2005 Oracle
except when otherwise noted.
linux-3.10\Documentation\filesystems\ramfs-rootfs-initramfs.txt(183):# Copyright
2006 Rob Landley <rob@landley.net> and TimeSys Corporation.
linux-3.10\Documentation\filesystems\seq_file.txt(3):Copyright 2003 Jonathan
Corbet <corbet@lwn.net>
linux-3.10\Documentation\filesystems\vfs.txt(8):Copyright (C) 1999 Richard Gooch
linux-3.10\Documentation\filesystems\vfs.txt(9):Copyright (C) 2005 Pekka Enberg
linux-3.10\Documentation\firmware_class\README(4):Copyright (C) 2003 Manuel
Estrada Sainz
linux-3.10\Documentation\frv\gdbstub.txt(87):Copyright 2003 Free Software
Foundation, Inc.
linux-3.10\Documentation\hw_random.txt(48):Copyright 2000,2001 Jeff Garzik
<jgarzik@pobox.com>
linux-3.10\Documentation\hw_random.txt(49):Copyright 2000,2001 Philipp Rumpf
<prumpf@mandrakesoft.com>
linux-3.10\Documentation\hw_random.txt(87):Copyright (c) 2000 Matt Sottek
<msottek@quiknet.com>
linux-3.10\Documentation\i2o\README(2):Linux I2O Support(c) Copyright 1999 Red
Hat Software
linux-3.10\Documentation\ia64\aliasing-test.c(4): * (c) Copyright 2007
Hewlett-Packard Development Company, L.P.
linux-3.10\Documentation\ia64\err_inject.txt(84): * Copyright (C) 2006 Intel Co
linux-3.10\Documentation\input\appletouch.txt(3):Copyright (C) 2005 Stelian Pop
<stelian@popies.net>
linux-3.10\Documentation\input\bcm5974.txt(10):Copyright (C) 2001-2004Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\Documentation\input\bcm5974.txt(11):Copyright (C) 2005Johannes Berg
(johannes@sipsolutions.net)
linux-3.10\Documentation\input\bcm5974.txt(12):Copyright (C) 2005Stelian Pop
(stelian@popies.net)
linux-3.10\Documentation\input\bcm5974.txt(13):Copyright (C) 2005Frank Arnold
(frank@scirocco-5v-turbo.de)
linux-3.10\Documentation\input\bcm5974.txt(14):Copyright (C) 2005Peter Osterlund
(petero2@telia.com)
linux-3.10\Documentation\input\bcm5974.txt(15):Copyright (C) 2005Michael
Hanselmann (linux-kernel@hansmi.ch)

legal(ME)

linux-3.10\Documentation\input\bcm5974.txt(16):Copyright (C) 2006Nicolas Boichat
(nicolas@boichat.ch)
linux-3.10\Documentation\input\bcm5974.txt(3):Copyright (C) 2008-2009Henrik
Rydberg <rydberg@euromail.se>
linux-3.10\Documentation\input\bcm5974.txt(7):Copyright (C) 2008Scott Shawcroft
(scott.shawcroft@gmail.com)
linux-3.10\Documentation\input\elantech.txt(4):Copyright (C) 2007-2008 Arjan
Opmeer <arjan@opmeer.net>
linux-3.10\Documentation\input\multi-touch-protocol.txt(3):Copyright (C)
2009-2010Henrik Rydberg <rydberg@euromail.se>
linux-3.10\Documentation\input\ntrig.txt(3):Copyright (c) 2008-2010 Rafi Rubin
<rafi@seas.upenn.edu>
linux-3.10\Documentation\input\ntrig.txt(4):Copyright (c) 2009-2010 Stephane
Chatty
linux-3.10\Documentation\input\sentelic.txt(1):Copyright (C) 2002-2011 Sentelic
Corporation.
linux-3.10\Documentation\java.txt(156): * Copyright (C) 1999 Colin J. Watson
<cjw44@cam.ac.uk>.
linux-3.10\Documentation\laptops\hpfall.c(3): * Copyright 2008 Eric Piel
linux-3.10\Documentation\laptops\hpfall.c(4): * Copyright 2009 Pavel Machek
<pavel@ucw.cz>
linux-3.10\Documentation\laptops\sony-laptop.txt(3):Copyright (C) 2004- 2005
Stelian Pop <stelian@popies.net>
linux-3.10\Documentation\laptops\sony-laptop.txt(4):Copyright (C) 2007 Mattia
Dongili <malattia@linux.it>
linux-3.10\Documentation\laptops\sonypi.txt(3):Copyright (C) 2001-2004 Stelian
Pop <stelian@popies.net>
linux-3.10\Documentation\laptops\sonypi.txt(4):Copyright (C) 2001-2002 AlcīIve
<www.alcove.com>
linux-3.10\Documentation\laptops\sonypi.txt(5):Copyright (C) 2001 Michael Ashley
<m.ashley@unsw.edu.au>
linux-3.10\Documentation\laptops\sonypi.txt(6):Copyright (C) 2001 Junichi Morita
<jun1m@mars.dti.ne.jp>
linux-3.10\Documentation\laptops\sonypi.txt(7):Copyright (C) 2000 Takaya Kinjo
<t-kinjo@tc4.so-net.ne.jp>
linux-3.10\Documentation\laptops\sonypi.txt(8):Copyright (C) 2000 Andrew Tridgell
<tridge@samba.org>
linux-3.10\Documentation\misc\AU1xxx_IDE.README(16):Copyright (c) 2003-2005 AMD,
Personal Connectivity Solutions
linux-3.10\Documentation\misc-devices\c2port.txt(4):(C) Copyright 2007 Rodolfo
Giometti <giometti@enneenne.com>
linux-3.10\Documentation\misc-devices\mei\mei-amt-version.c(10): * Copyright(c)
2012 Intel Corporation. All rights reserved.
linux-3.10\Documentation\misc-devices\mei\mei-amt-version.c(36): * Copyright(c)
2003 - 2012 Intel Corporation. All rights reserved.
linux-3.10\Documentation\mtd\nand_ecc.txt(714):Copyright (C) 2008 Koninklijke
Philips Electronics NV.
linux-3.10\Documentation\networking\6pack.txt(58):the file is 6pack.bin. This
file is copyrighted and maintained by the FlexNet
linux-3.10\Documentation\networking\caif\Linux-CAIF.txt(3):copyright (C)
ST-Ericsson AB 2010
linux-3.10\Documentation\networking\caif\README(1):Copyright (C) ST-Ericsson AB

legal(ME)

2010

linux-3.10\Documentation\networking\caif\spi_porting.txt(93): *Copyright (C) ST-Ericsson AB 2010
linux-3.10\Documentation\networking\cxacru-cf.py(2):# Copyright 2009 Simon Arlott
linux-3.10\Documentation\networking\cxgb.txt(350): Copyright (c) 2003-2005 Chelsio Communications. All rights reserved.
linux-3.10\Documentation\networking\dm9000.txt(4):Copyright 2008 Simtec Electronics,
linux-3.10\Documentation\networking\e1000.txt(5):Copyright(c) 1999 - 2010 Intel Corporation.
linux-3.10\Documentation\networking\e1000e.txt(5):Copyright(c) 1999 - 2010 Intel Corporation.
linux-3.10\Documentation\networking\fore200e.txt(20):Firmware Copyright Notice
linux-3.10\Documentation\networking\ifenslave.c(8): *Copyright 1994-1996 Donald Becker
linux-3.10\Documentation\networking\igb.txt(5):Copyright(c) 1999 - 2010 Intel Corporation.
linux-3.10\Documentation\networking\igbvf.txt(5):Copyright(c) 1999 - 2010 Intel Corporation.
linux-3.10\Documentation\networking\ixgbe.txt(5):Copyright(c) 1999 - 2010 Intel Corporation.
linux-3.10\Documentation\networking\ixgbev.txt(5):Copyright(c) 1999 - 2010 Intel Corporation.
linux-3.10\Documentation\networking\ixgbev.txt(5):Copyright(c) 1999 - 2010 Intel Corporation.
linux-3.10\Documentation\networking\LICENSE.qla3xxx(1):Copyright (c)2003-2006 QLogic Corporation
linux-3.10\Documentation\networking\LICENSE.qlcnic(1):Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\Documentation\networking\LICENSE.qlcnic(14): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
linux-3.10\Documentation\networking\LICENSE.qlge(1):Copyright (c) 2003-2011 QLogic Corporation
linux-3.10\Documentation\networking\LICENSE.qlge(14): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
linux-3.10\Documentation\networking\mac80211_hwsim\README(2):Copyright (c) 2008, Jouni Malinen <j@w1.fi>
linux-3.10\Documentation\networking\phonet.txt(214):Copyright (C) 2008 Nokia Corporation.
linux-3.10\Documentation\networking\ray_cs.txt(3):Copyright (c) 1998Corey Thomas (corey@world.std.com)
linux-3.10\Documentation\networking\README.ipw2100(272):Copyright(c) 2003 - 2006 Intel Corporation. All rights reserved.
linux-3.10\Documentation\networking\README.ipw2100(6):Copyright (C) 2003-2006, Intel Corporation
linux-3.10\Documentation\networking\README.ipw2200(13):Copyright (C) 2004-2006, Intel Corporation
linux-3.10\Documentation\networking\README.ipw2200(451):Copyright(c) 2003 - 2006 Intel Corporation. All rights reserved.
linux-3.10\Documentation\networking\skfp.txt(1):(C)Copyright 1998-2000 SysKonnnect,
linux-3.10\Documentation\networking\smc9.txt(5):Copyright 1996Erik Stahlman
linux-3.10\Documentation\networking\stmmac.txt(3):Copyright (C) 2007-2013STMicroelectronics Ltd

legal(ME)

linux-3.10\Documentation\networking\timestamping\timestamping.c(15): * Copyright (C) 2009 Intel Corporation.
linux-3.10\Documentation\networking\tuntap.txt(2):Copyright (C) 1999-2000 Maxim Krasnyansky <max_mk@yahoo.com>
linux-3.10\Documentation\networking\tuntap.txt(5):Copyright (C) 1999-2000 Maxim Krasnyansky <max_mk@yahoo.com>
linux-3.10\Documentation\networking\tuntap.txt(8):Copyright (c) 1999-2000 Maksim Yevmenkin <m_evmenkin@yahoo.com>
linux-3.10\Documentation\PCI\MSI-HOWTO.txt(8):Copyright 2003, 2008 Intel Corporation
linux-3.10\Documentation\PCI\pcieaer-howto.txt(16):1.2 Copyright (C) Intel Corporation 2006.
linux-3.10\Documentation\PCI\PCIEBUS-HOWTO.txt(11):2. Copyright 2004 Intel Corporation
linux-3.10\Documentation\PCI\pci-iov-howto.txt(2):Copyright (C) 2009 Intel Corporation
linux-3.10\Documentation\power\devices.txt(3):Copyright (c) 2010-2011 Rafael J. Wysocki <rjw@sisk.pl>, Novell Inc.
linux-3.10\Documentation\power\devices.txt(4):Copyright (c) 2010 Alan Stern <stern@rowland.harvard.edu>
linux-3.10\Documentation\power\pci.txt(3):Copyright (c) 2010 Rafael J. Wysocki <rjw@sisk.pl>, Novell Inc.
linux-3.10\Documentation\powerpc\bootwrapper.txt(3):Copyright (C) Secret Lab Technologies Ltd.
linux-3.10\Documentation\powerpc\hvcs.txt(5):Copyright (C) 2004 IBM Corporation
linux-3.10\Documentation\pps\pps.txt(5):(C) Copyright 2007 Rodolfo Giometti <giometti@enneenne.com>
linux-3.10\Documentation\ptp\testptp.c(4): * Copyright (C) 2010 OMICRON electronics GmbH
linux-3.10\Documentation\ptp\testptp.mk(3):# Copyright (C) 2010 OMICRON electronics GmbH
linux-3.10\Documentation\rapidio\tsi721.txt(35):Copyright(c) 2011 Integrated Device Technology, Inc. All rights reserved.
linux-3.10\Documentation\rtc.txt(217): *Copyright (C) 1996, Paul Gortmaker.
linux-3.10\Documentation\rt-mutex-design.txt(2):# Copyright (c) 2006 Steven Rostedt
linux-3.10\Documentation\s390\cds.txt(9):Copyright, IBM Corp. 1999-2002
linux-3.10\Documentation\s390\Debugging390.txt(2188):Copyright 1998 Free Software Foundation, Inc.
linux-3.10\Documentation\s390\Debugging390.txt(5):Copyright (C) 2000-2001 IBM Deutschland Entwicklung GmbH, IBM Corporation
linux-3.10\Documentation\scsi\aha152x.txt(4):Copyright 1993-1999 Jürgen Fischer <fischer@norbit.de>
linux-3.10\Documentation\scsi\aic79xx.txt(469): * Copyright (c) 2003 Adaptec Inc. 691 S. Milpitas Blvd., Milpitas CA 95035 USA.
linux-3.10\Documentation\scsi\aic7xxx.txt(366): * Copyright (c) 2003 Adaptec Inc. 691 S. Milpitas Blvd., Milpitas CA 95035 USA.
linux-3.10\Documentation\scsi\BusLogic.txt(14): Copyright 1995-1998 by Leonard N. Zubkoff <lnz@dandelion.com>
linux-3.10\Documentation\scsi\hptiop.txt(176):Copyright (C) 2006-2012 HighPoint Technologies, Inc. All Rights Reserved.
linux-3.10\Documentation\scsi\LICENSE.FlashPoint(37):Copyright 1995-1996 by Mylex

legal(ME)

Corporation.All Rights Reserved

linux-3.10\Documentation\scsi\LICENSE.FlashPoint(4): Copyright 1995-1996 by Mylex Corporation

linux-3.10\Documentation\scsi\LICENSE.q1a2xxx(1):Copyright (c) 2003-2013 QLogic Corporation

linux-3.10\Documentation\scsi\LICENSE.q1a2xxx(16): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

linux-3.10\Documentation\scsi\LICENSE.q1a4xxx(1):Copyright (c) 2003-2012 QLogic Corporation

linux-3.10\Documentation\scsi\LICENSE.q1a4xxx(15): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

linux-3.10\Documentation\serial\digiepca.txt(88):supporting the original public domain DigiBoard driver Copyright (C)

linux-3.10\Documentation\serial\moxa-smartio(4): Copyright (C) 2008, Moxa Inc.

linux-3.10\Documentation\serial\specialix.txt(6):Copyright (C) 1997Roger Wolff (R.E.Wolff@BitWizard.nl)

linux-3.10\Documentation\serial\stallion.txt(10):Copyright (C) 1994-1999,Stallion Technologies.

linux-3.10\Documentation\serial\sx.txt(6):Copyright (C) 1997Roger Wolff (R.E.Wolff@BitWizard.nl)

linux-3.10\Documentation\SM501.txt(4):Copyright 2006, 2007 Simtec Electronics

linux-3.10\Documentation\sound\alsa\MIXART.txt(99):Copyright (c) 2003 Digigram SA <alsa@digigram.com>

linux-3.10\Documentation\sound\alsa\seq_oss.html(18):<P>Copyright (c) 1998,1999 by Takashi Iwai

linux-3.10\Documentation\sound\oss\MultiSound(1069):X * Copyright (C) 1998 Andrew Veliath

linux-3.10\Documentation\sound\oss\MultiSound(455):X * Copyright (C) 1998 Andrew Veliath

linux-3.10\Documentation\sound\oss\MultiSound(561):X * Copyright (C) 1998 Andrew Veliath

linux-3.10\Documentation\sound\oss\vwsnd(4):Copyright 1999 Silicon Graphics, Inc.All rights reserved.

linux-3.10\Documentation\sparse.txt(1):Copyright 2004 Linus Torvalds

linux-3.10\Documentation\sparse.txt(2):Copyright 2004 Pavel Machek <pavel@ucw.cz>

linux-3.10\Documentation\sparse.txt(3):Copyright 2006 Bob Copeland <me@bobcopeland.com>

linux-3.10\Documentation\spi\spidev_test.c(4): * Copyright (c) 2007MontaVista Software, Inc.

linux-3.10\Documentation\spi\spidev_test.c(5): * Copyright (c) 2007Anton Vorontsov <avorontsov@ru.mvista.com>

linux-3.10\Documentation\target\tcm_mod_builder.py(4):# Copyright (c) 2010 Rising Tide Systems

linux-3.10\Documentation\target\tcm_mod_builder.py(5):# Copyright (c) 2010 Linux-iSCSI.org

linux-3.10\Documentation\thermal\cpu-cooling-api.txt(8):Copyright (c)2012 Samsung Electronics Co., Ltd(<http://www.samsung.com>)

linux-3.10\Documentation\thermal\exynos_thermal_emulation(4):Copyright (C) 2012 Samsung Electronics

linux-3.10\Documentation\thermal\sysfs-api.txt(8):Copyright (c)2008 Intel Corporation

linux-3.10\Documentation\trace\ftrace.txt(4):Copyright 2008 Red Hat Inc.

legal(ME)

linux-3.10\Documentation\trace\postprocess\trace-pagealloc-postprocess.pl(13):#
Copyright (c) IBM Corporation 2009
linux-3.10\Documentation\trace\postprocess\trace-vmscan-postprocess.pl(11):#
Copyright (c) IBM Corporation 2009
linux-3.10\Documentation\trace\ring-buffer-design.txt(4):Copyright 2009 Red Hat
Inc.
linux-3.10\Documentation\usb\gadget_printer.txt(5):Copyright (C) 2007 Craig W.
Nadler <craig@nadler.us>
linux-3.10\Documentation\usb\gadget_serial.txt(25):Copyright (C) 2004 by Al
Borchers (alborchers@steinerpoint.com).
linux-3.10\Documentation\usb\linux.inf(4):; Copyright (c) Microsoft Corporation
linux-3.10\Documentation\usb\linux-cdc-acm.inf(4):; Copyright (c) 2000 Microsoft
Corporation
linux-3.10\Documentation\usb\linux-cdc-acm.inf(5):; Copyright (c) 2007 Microchip
Technology Inc.
linux-3.10\Documentation\usb\ohci.txt(6):contributions from many others (read its
copyright/licencing header).
linux-3.10\Documentation\usb\rio.txt(1):Copyright (C) 1999, 2000 Bruce Tenison
linux-3.10\Documentation\usb\rio.txt(2):Portions Copyright (C) 1999, 2000 David
Nelson
linux-3.10\Documentation\vDSO\vdso_test.c(3): * Copyright (c) 2011 Andy
Lutomirski
linux-3.10\Documentation\video4linux\CQcam.txt(3):Copyright (C) 1999Dave
Forrest<drf5n@virginia.edu>
linux-3.10\Documentation\video4linux\extract_xc3028.pl(3):# Copyright (c) Mauro
Carvalho Chehab <mchehab@infradead.org>
linux-3.10\Documentation\video4linux\fimc.txt(3):Copyright (C) 2012 Samsung
Electronics Co., Ltd.
linux-3.10\Documentation\video4linux\meye.txt(3):Copyright (C) 2001-2004 Stelian
Pop <stelian@popies.net>
linux-3.10\Documentation\video4linux\meye.txt(4):Copyright (C) 2001-2002 Alcove
<www.alcove.com>
linux-3.10\Documentation\video4linux\meye.txt(5):Copyright (C) 2000 Andrew
Tridgell <tridge@samba.org>
linux-3.10\Documentation\video4linux\omap3isp.txt(3):Copyright (C) 2010 Nokia
Corporation
linux-3.10\Documentation\video4linux\omap3isp.txt(4):Copyright (C) 2009 Texas
Instruments, Inc.
linux-3.10\Documentation\video4linux\si470x.txt(3):Copyright (c) 2009 Tobias
Lorenz <tobias.lorenz@gmx.net>
linux-3.10\Documentation\video4linux\si4713.txt(3):Copyright (c) 2009 Nokia
Corporation
linux-3.10\Documentation\video4linux\si476x.txt(3):Copyright (C) 2013 Andrey
Smirnov <andrew.smirnov@gmail.com>
linux-3.10\Documentation\video4linux\sn9c102.txt(28):Copyright (C) 2004-2007 by
Luca Risolia <luca.risolia@studio.unibo.it>
linux-3.10\Documentation\virtual\kvm\timekeeping.txt(5):Copyright (c) 2010, Red
Hat.All rights reserved.
linux-3.10\Documentation\virtual\uml\UserModeLinux-HOWTO.txt(2655): Copyright
2001 Free Software Foundation, Inc.
linux-3.10\Documentation\virtual\uml\UserModeLinux-HOWTO.txt(3013): Copyright
1998 Free Software Foundation, Inc.

legal(ME)

linux-3.10\Documentation\virtual\uml\UserModeLinux-HOWTO.txt(3493):Copyright 1998 Free Software Foundation, Inc.
linux-3.10\Documentation\watchdog\watchdog-api.txt(6):Copyright 2002 Christer Weingel <wingel@nano-system.com>
linux-3.10\Documentation\watchdog\watchdog-api.txt(9):driver which is (c) Copyright 2000 Jakob Oestergaard <jakob@ostenfeld.dk>
linux-3.10\Documentation\x86\mtrr.txt(108):Copyright (C) 1997-1998Richard Gooch
linux-3.10\Documentation\x86\mtrr.txt(204):Copyright (C) 1997-1998Richard Gooch
linux-3.10\Documentation\zh_CN\sparse.txt(24):Copyright 2004 Linus Torvalds
linux-3.10\Documentation\zh_CN\sparse.txt(25):Copyright 2004 Pavel Machek <pavel@ucw.cz>
linux-3.10\Documentation\zh_CN\sparse.txt(26):Copyright 2006 Bob Copeland <me@bobcopeland.com>
linux-3.10\Documentation\zh_CN\video4linux\omap3isp.txt(31):Copyright (C) 2010 Nokia Corporation
linux-3.10\Documentation\zh_CN\video4linux\omap3isp.txt(32):Copyright (C) 2009 Texas Instruments, Inc.
linux-3.10\drivers\accessibility\braille\braille_console.c(7): *Copyright (C) Samuel Thibault <samuel.thibault@ens-lyon.org>
linux-3.10\drivers\acpi\ac.c(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\drivers\acpi\ac.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\acpi_cmos_rtc.c(4): * Copyright (C) 2013, Intel Corporation
linux-3.10\drivers\acpi\acpi_i2c.c(4): * Copyright (C) 2012, Intel Corporation
linux-3.10\drivers\acpi\acpi_ipmi.c(4): *Copyright (C) 2010 Intel Corporation
linux-3.10\drivers\acpi\acpi_ipmi.c(5): *Copyright (C) 2010 Zhao Yakui <yakui.zhao@intel.com>
linux-3.10\drivers\acpi\acpi_lpss.c(4): * Copyright (C) 2013, Intel Corporation
linux-3.10\drivers\acpi\acpi_memhotplug.c(2): * Copyright (C) 2004, 2013 Intel Corporation
linux-3.10\drivers\acpi\acpi_pad.c(4): * Copyright (c) 2009, Intel Corporation.
linux-3.10\drivers\acpi\acpi_platform.c(4): * Copyright (C) 2012, Intel Corporation
linux-3.10\drivers\acpi\acpica\accommon.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\drivers\acpi\acpica\acdebug.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\drivers\acpi\acpica\acdispat.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\drivers\acpi\acpica\acevents.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\drivers\acpi\acpica\acglobal.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\drivers\acpi\acpica\achware.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\drivers\acpi\acpica\acinterp.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\drivers\acpi\acpica\aclocal.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\drivers\acpi\acpica\acmacros.h(8): * Copyright (C) 2000 - 2013, Intel

legal(ME)

Corp.

linux-3.10\drivers\acpi\acpica\acnamesp.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\acobject.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\acopcode.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\acparser.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\acpredef.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\acresrc.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\acstruct.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\actables.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\acutils.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\amlcode.h(10): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\amlresrc.h(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dsargs.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dscontrol.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dsfield.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dsinit.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dsmethod.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dsmthdat.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dsobject.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dsopcode.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dsutils.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dswwexec.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dswwload.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dswwload2.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dswwscope.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\dswwstate.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evevent.c(8): * Copyright (C) 2000 - 2013, Intel

legal(ME)

Corp.

linux-3.10\drivers\acpi\acpica\evglock.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evgpe.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evgpeblk.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evgpeinit.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evgpeutil.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evhandler.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evmisc.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evregion.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evrgnini.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evsci.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evxface.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evxfevnt.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evxfge.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\evxfregn.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exconfig.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exconvrt.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\excreate.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exdebug.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exdump.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exfield.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exfldio.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exmisc.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exmutex.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exnames.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exoparg1.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exoparg2.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

legal(ME)

Corp.

linux-3.10\drivers\acpi\acpica\exoparg3.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exoparg6.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exprep.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exregion.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exresnte.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exresolv.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exresop.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exstore.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exstoren.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exstorob.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exsystem.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\exutils.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwacpi.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwesleep.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwgpe.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwpci.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwregs.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwsleep.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwtimer.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwvalid.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwxface.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\hwxfsleep.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsaccess.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsalloc.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsconvert.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsdump.c(8): * Copyright (C) 2000 - 2013, Intel

legal(ME)

Corp.

linux-3.10\drivers\acpi\acpica\nsdumpdv.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nseval.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsinit.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsload.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsnames.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsobject.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsparse.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nspredef.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsprepkg.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsrepair.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsrepair2.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nssearch.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsutils.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nswalk.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsxfeval.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsxfname.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\nsxfobj.c(9): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psargs.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psloop.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psobject.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psopcode.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psopinfo.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psparse.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psscope.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\pstree.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psutils.c(8): * Copyright (C) 2000 - 2013, Intel

legal(ME)

Corp.

linux-3.10\drivers\acpi\acpica\pswalk.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\psxface.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsaddr.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rscal.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rscrc.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsdump.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsdumpinfo.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsinfo.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsio.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsirq.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rslist.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsmemory.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsmisc.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsserial.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsutils.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\rsxface.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\tbfadt.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\tbfind.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\tbinstal.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\tbutils.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\tbxface.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\tbxload.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\tbxfoot.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utaddress.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utalloc.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utcache.c(8): * Copyright (C) 2000 - 2013, Intel

legal(ME)

Corp.

linux-3.10\drivers\acpi\acpica\utcopy.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utdebug.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utdecode.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utdelete.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\uteval.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utexcep.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utglobal.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utids.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utinit.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utlock.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utmath.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utmisc.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utmutex.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utobject.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utosi.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utownerid.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utpredef.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utresrc.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utstate.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utstring.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\uttrack.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utxface.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utxferror.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utxfinit.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\acpica\utxfmutex.c(8): * Copyright (C) 2000 - 2013, Intel Corp.

linux-3.10\drivers\acpi\apei\apei-base.c(16): * Copyright (C) 2009, Intel Corp.

legal(ME)

linux-3.10\drivers\acpi\apei\cper.c(4): * Copyright (C) 2010, Intel Corp.
linux-3.10\drivers\acpi\apei\ejournal.c(10): * Copyright 2009-2010 Intel Corp.
linux-3.10\drivers\acpi\apei\erst.c(10): * Copyright 2010 Intel Corp.
linux-3.10\drivers\acpi\apei\erst-dbg.c(9): * Copyright 2010 Intel Corp.
linux-3.10\drivers\acpi\apei\ghes.c(15): * Copyright 2010,2011 Intel Corp.
linux-3.10\drivers\acpi\apei\hest.c(13): * Copyright 2009 Intel Corp.
linux-3.10\drivers\acpi\battery.c(4): *Copyright (C) 2007 Alexey Starikovskiy
<astarikovskiy@suse.de>
linux-3.10\drivers\acpi\battery.c(5): *Copyright (C) 2004-2007 Vladimir Lebedev
<vladimir.p.lebedev@intel.com>
linux-3.10\drivers\acpi\battery.c(6): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\battery.c(7): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\bgrt.c(2): * Copyright 2012 Red Hat, Inc <mjg@redhat.com>
linux-3.10\drivers\acpi\bgrt.c(3): * Copyright 2012 Intel Corporation
linux-3.10\drivers\acpi\blacklist.c(8): *Copyright (C) 2004 Len Brown
<len.brown@intel.com>
linux-3.10\drivers\acpi\blacklist.c(9): *Copyright (C) 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\bus.c(4): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\button.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\button.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\container.c(4): * Copyright (C) 2004 Anil S Keshavamurthy
(anil.s.keshavamurthy@intel.com)
linux-3.10\drivers\acpi\container.c(5): * Copyright (C) 2004 Keiichiro Tokunaga
(tokunaga.keiich@jp.fujitsu.com)
linux-3.10\drivers\acpi\container.c(6): * Copyright (C) 2004 Motoyuki Ito
(motoyuki@soft.fujitsu.com)
linux-3.10\drivers\acpi\container.c(7): * Copyright (C) 2004 FUJITSU LIMITED
linux-3.10\drivers\acpi\container.c(8): * Copyright (C) 2004, 2013 Intel Corp.
linux-3.10\drivers\acpi\device_pm.c(4): * Copyright (C) 2012, Intel Corp.
linux-3.10\drivers\acpi\dock.c(4): *Copyright (C) 2006 Kristen Carlson Accardi
<kristen.c.accardi@intel.com>
linux-3.10\drivers\acpi\ec.c(4): *Copyright (C) 2006-2008 Alexey Starikovskiy
<astarikovskiy@suse.de>
linux-3.10\drivers\acpi\ec.c(5): *Copyright (C) 2006 Denis Sadykov
<denis.m.sadykov@intel.com>
linux-3.10\drivers\acpi\ec.c(6): *Copyright (C) 2004 Luming Yu
<luming.yu@intel.com>
linux-3.10\drivers\acpi\ec.c(7): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\ec.c(8): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\ec_sys.c(4): * Copyright (C) 2010 SUSE Products
GmbH/Novell
linux-3.10\drivers\acpi\event.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\event.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh

legal(ME)

<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\fan.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\fan.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\glue.c(4): * Copyright (c) 2005 David Shaohua Li
<shaohua.li@intel.com>
linux-3.10\drivers\acpi\glue.c(5): * Copyright (c) 2005 Intel Corp.
linux-3.10\drivers\acpi\hed.c(4): * Copyright (C) 2010, Intel Corp.
linux-3.10\drivers\acpi\internal.h(5): * Copyright (c) 2009, Intel Corporation.
linux-3.10\drivers\acpi\numa.c(4): *Copyright (C) 2002 Takayoshi Kochi
<t-kochi@bq.jp.nec.com>
linux-3.10\drivers\acpi\nvs.c(4): * Copyright (C) 2008-2011 Rafael J. Wysocki
<rjw@sisk.pl>, Novell Inc.
linux-3.10\drivers\acpi\osl.c(4): *Copyright (C) 2000 Andrew Henroid
linux-3.10\drivers\acpi\osl.c(5): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\osl.c(6): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\osl.c(7): *Copyright (c) 2008 Intel Corporation
linux-3.10\drivers\acpi\pci_irq.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\pci_irq.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\pci_irq.c(6): *Copyright (C) 2002 Dominik Brodowski
<devel@brodo.de>
linux-3.10\drivers\acpi\pci_irq.c(7): *(c) Copyright 2008 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\acpi\pci_link.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\pci_link.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\pci_link.c(6): *Copyright (C) 2002 Dominik Brodowski
<devel@brodo.de>
linux-3.10\drivers\acpi\pci_root.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\pci_root.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\pci_slot.c(12): *Copyright (C) 2013 Huawei Tech. Co.,
Ltd.
linux-3.10\drivers\acpi\pci_slot.c(9): *Copyright (C) 2007-2008 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\acpi\power.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\power.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\processor_core.c(2): * Copyright (C) 2005 Intel
Corporation
linux-3.10\drivers\acpi\processor_core.c(3): * Copyright (C) 2009 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\acpi\processor_driver.c(4): *Copyright (C) 2001, 2002 Andy
Grover <andrew.grover@intel.com>

legal(ME)

linux-3.10\drivers\acpi\processor_driver.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\processor_driver.c(6): *Copyright (C) 2004 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\acpi\processor_driver.c(7): *Copyright (C) 2004Anil S Keshavamurthy <anil.s.keshavamurthy@intel.com>
linux-3.10\drivers\acpi\processor_idle.c(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\drivers\acpi\processor_idle.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\processor_idle.c(6): *Copyright (C) 2004, 2005 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\acpi\processor_idle.c(7): *Copyright (C) 2004Anil S Keshavamurthy <anil.s.keshavamurthy@intel.com>
linux-3.10\drivers\acpi\processor_idle.c(9): *Copyright (C) 2005Venkatesh Pallipadi <venkatesh.pallipadi@intel.com>
linux-3.10\drivers\acpi\processor_perflib.c(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\drivers\acpi\processor_perflib.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\processor_perflib.c(6): *Copyright (C) 2004 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\acpi\processor_perflib.c(7): *Copyright (C) 2004Anil S Keshavamurthy <anil.s.keshavamurthy@intel.com>
linux-3.10\drivers\acpi\processor_thermal.c(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\drivers\acpi\processor_thermal.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\processor_thermal.c(6): *Copyright (C) 2004 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\acpi\processor_thermal.c(7): *Copyright (C) 2004Anil S Keshavamurthy <anil.s.keshavamurthy@intel.com>
linux-3.10\drivers\acpi\processor_throttling.c(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\drivers\acpi\processor_throttling.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\processor_throttling.c(6): *Copyright (C) 2004 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\acpi\processor_throttling.c(7): *Copyright (C) 2004Anil S Keshavamurthy <anil.s.keshavamurthy@intel.com>
linux-3.10\drivers\acpi\resource.c(4): * Copyright (C) 2012, Intel Corp.
linux-3.10\drivers\acpi\sbs.c(4): *Copyright (c) 2007 Alexey Starikovskiy <astarikovskiy@suse.de>
linux-3.10\drivers\acpi\sbs.c(5): *Copyright (c) 2005-2007 Vladimir Lebedev <vladimir.p.lebedev@intel.com>
linux-3.10\drivers\acpi\sbs.c(6): *Copyright (c) 2005 Rich Townsend <rhdt@bartol.udel.edu>
linux-3.10\drivers\acpi\sbshc.c(4): * Copyright (c) 2007 Alexey Starikovskiy
linux-3.10\drivers\acpi\sleep.c(4): * Copyright (c) 2005 Alexey Starikovskiy <alexey.y.starikovskiy@intel.com>
linux-3.10\drivers\acpi\sleep.c(5): * Copyright (c) 2004 David Shaohua Li <shaohua.li@intel.com>

legal(ME)

linux-3.10\drivers\acpi\sleep.c(6): * Copyright (c) 2000-2003 Patrick Mochel
linux-3.10\drivers\acpi\sleep.c(7): * Copyright (c) 2003 Open Source Development
Lab
linux-3.10\drivers\acpi\tables.c(4): *Copyright (C) 2001 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\thermal.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\thermal.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\utils.c(4): *Copyright (C) 2001, 2002 Andy Grover
<andrew.grover@intel.com>
linux-3.10\drivers\acpi\utils.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh
<paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\acpi\video.c(4): *Copyright (C) 2004 Luming Yu
<luming.yu@intel.com>
linux-3.10\drivers\acpi\video.c(5): *Copyright (C) 2004 Bruno Ducrot
<ducrot@poupinou.org>
linux-3.10\drivers\acpi\video.c(6): *Copyright (C) 2006 Thomas Tuttle
<linux-kernel@ttuttle.net>
linux-3.10\drivers\acpi\video_detect.c(2): *Copyright (C) 2008 SuSE Linux
Products GmbH
linux-3.10\drivers\acpi\wakeup.c(3): * Copyright (C) 2004 Li Shaohua
<shaohua.li@intel.com>
linux-3.10\drivers\amba\bus.c(4): *Copyright (C) 2003 Deep Blue Solutions Ltd,
All Rights Reserved.
linux-3.10\drivers\amba\tegra-ahb.c(2): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\amba\tegra-ahb.c(3): * Copyright (C) 2011 Google, Inc.
linux-3.10\drivers\ata\acard-ahci.c(9): *Copyright 2010 Red Hat, Inc.
linux-3.10\drivers\ata\ahci.c(8): *Copyright 2004-2005 Red Hat, Inc.
linux-3.10\drivers\ata\ahci.h(8): *Copyright 2004-2005 Red Hat, Inc.
linux-3.10\drivers\ata\ahci_platform.c(4): * Copyright 2004-2005Red Hat, Inc.
linux-3.10\drivers\ata\ahci_platform.c(6): * Copyright 2010MontaVista Software,
LLC.
linux-3.10\drivers\ata\ata_generic.c(3): *Copyright 2005 Red Hat Inc, all rights
reserved.
linux-3.10\drivers\ata\ata_generic.c(6): *Copyright (C) 2001-2002Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ata\ata_generic.c(7): *Portions (C) Copyright 2002Red Hat Inc
<alan@redhat.com>
linux-3.10\drivers\ata\ata_piix.c(10): *Copyright 2003-2005 Jeff Garzik
linux-3.10\drivers\ata\ata_piix.c(13): *Copyright header from piix.c:
linux-3.10\drivers\ata\ata_piix.c(15): *Copyright (C) 1998-1999 Andrzej
Krzysztofowicz, Author and Maintainer
linux-3.10\drivers\ata\ata_piix.c(16): *Copyright (C) 1998-2000 Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ata\ata_piix.c(17): *Copyright (C) 2003 Red Hat Inc
linux-3.10\drivers\ata\ata_piix.c(9): *Copyright 2003-2005 Red Hat Inc
linux-3.10\drivers\ata\libahci.c(8): *Copyright 2004-2005 Red Hat, Inc.
linux-3.10\drivers\ata\libata.h(4): *Copyright 2003-2004 Red Hat, Inc.All rights
reserved.
linux-3.10\drivers\ata\libata.h(5): *Copyright 2003-2004 Jeff Garzik

legal(ME)

linux-3.10\drivers\ata\libata-acpi.c(5): * Copyright (C) 2006 Intel Corp.
linux-3.10\drivers\ata\libata-acpi.c(6): * Copyright (C) 2006 Randy Dunlap
linux-3.10\drivers\ata\libata-core.c(8): *Copyright 2003-2004 Red Hat, Inc.All
rights reserved.
linux-3.10\drivers\ata\libata-core.c(9): *Copyright 2003-2004 Jeff Garzik
linux-3.10\drivers\ata\libata-eh.c(8): *Copyright 2006 Tejun Heo
<htejun@gmail.com>
linux-3.10\drivers\ata\libata-pmp.c(4): * Copyright (c) 2007SUSE Linux Products
GmbH
linux-3.10\drivers\ata\libata-pmp.c(5): * Copyright (c) 2007Tejun Heo
<teheo@suse.de>
linux-3.10\drivers\ata\libata-scsi.c(8): *Copyright 2003-2004 Red Hat, Inc.All
rights reserved.
linux-3.10\drivers\ata\libata-scsi.c(9): *Copyright 2003-2004 Jeff Garzik
linux-3.10\drivers\ata\libata-sff.c(8): *Copyright 2003-2006 Red Hat, Inc.All
rights reserved.
linux-3.10\drivers\ata\libata-sff.c(9): *Copyright 2003-2006 Jeff Garzik
linux-3.10\drivers\ata\libata-transport.c(2): *Copyright 2008 ioogle, Inc.All
rights reserved.
linux-3.10\drivers\ata\pata_ali.c(10): *Copyright (C) 1999-2000 CJ,
cjtsai@ali.com.tw, Maintainer
linux-3.10\drivers\ata\pata_ali.c(12): *Copyright (C) 1998-2000 Andre Hedrick
(andre@linux-ide.org)
linux-3.10\drivers\ata\pata_ali.c(14): *Copyright (C) 2002 Alan Cox
<alan@redhat.com>
linux-3.10\drivers\ata\pata_ali.c(8): *Copyright (C) 1998-2000 Michel Aubry,
Maintainer
linux-3.10\drivers\ata\pata_ali.c(9): *Copyright (C) 1998-2000 Andrzej
Krzysztofowicz, Maintainer
linux-3.10\drivers\ata\pata_aranan_cf.c(6): * Copyright (C) 2011 ST
Microelectronics
linux-3.10\drivers\ata\pata_artop.c(8): *Copyright (C) 1999-2002Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ata\pata_at32.c(4): * Copyright (C) 2007 Atmel Norway
linux-3.10\drivers\ata\pata_at91.c(5): * Copyright (C) 2009 Matyukevich Sergey
linux-3.10\drivers\ata\pata_atiixp.c(10): *Copyright (C) 2003 ATI Inc.
<hyu@ati.com>
linux-3.10\drivers\ata\pata_atiixp.c(11): *Copyright (C) 2004 Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ata\pata_bf54x.c(9): * Copyright 2007 Analog Devices Inc.
linux-3.10\drivers\ata\pata_cmd640.c(8): *Copyright (C) 1995-1996Linus Torvalds &
authors (see driver)
linux-3.10\drivers\ata\pata_cmd64x.c(17): * Copyright (C) 1998Eddie C.
Dost(ecd@skynet.be)
linux-3.10\drivers\ata\pata_cmd64x.c(18): * Copyright (C) 1998David S. Miller
(davem@redhat.com)
linux-3.10\drivers\ata\pata_cmd64x.c(20): * Copyright (C) 1999-2002Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ata\pata_cs5520.c(19): *(c) Copyright Red Hat Inc 2002
linux-3.10\drivers\ata\pata_ep93xx.c(13): * Original copyrights:
linux-3.10\drivers\ata\pata_ep93xx.c(18): * Copyright (c) 2009, Bartlomiej
Zolnierkiewicz

legal(ME)

linux-3.10\drivers\ata\pata_ep93xx.c(22): * Copyright (c) 2009, Joao Ramos
<joao.ramos@inov.pt>
linux-3.10\drivers\ata\pata_ep93xx.c(26): * Copyright (C) 2007 Lennert Buytenhek
<buytenh@wantstofly.org>
linux-3.10\drivers\ata\pata_ep93xx.c(31): * Copyright (C) 2006 Tower Technologies
linux-3.10\drivers\ata\pata_ep93xx.c(4): * Copyright (c) 2012, Metasoft s.c.
linux-3.10\drivers\ata\pata_hpt366.c(10): * Portions Copyright (C) 2003Red Hat
Inc
linux-3.10\drivers\ata\pata_hpt366.c(8): * Copyright (C) 1999-2003Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ata\pata_hpt366.c(9): * Portions Copyright (C) 2001Sun
Microsystems, Inc.
linux-3.10\drivers\ata\pata_hpt37x.c(10): * Portions Copyright (C) 2003Red Hat
Inc
linux-3.10\drivers\ata\pata_hpt37x.c(11): * Portions Copyright (C)
2005-2010MontaVista Software, Inc.
linux-3.10\drivers\ata\pata_hpt37x.c(8): * Copyright (C) 1999-2003Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ata\pata_hpt37x.c(9): * Portions Copyright (C) 2001Sun
Microsystems, Inc.
linux-3.10\drivers\ata\pata_hpt3x2n.c(10): * Portions Copyright (C) 2003Red Hat
Inc
linux-3.10\drivers\ata\pata_hpt3x2n.c(11): * Portions Copyright (C)
2005-2010MontaVista Software, Inc.
linux-3.10\drivers\ata\pata_hpt3x2n.c(8): * Copyright (C) 1999-2003Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ata\pata_hpt3x2n.c(9): * Portions Copyright (C) 2001Sun
Microsystems, Inc.
linux-3.10\drivers\ata\pata_hpt3x3.c(10): *Copyright (C) 1998-2000Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ata\pata_hpt3x3.c(3): *(c) Copyright 2005-2006 Red Hat
linux-3.10\drivers\ata\pata_imx.c(4): * Copyright (C) 2011 Arnaud Patard
<arnaud.patard@rtp-net.org>
linux-3.10\drivers\ata\pata_imx.c(6): * Based on pata_platform - Copyright (C)
2006 - 2007Paul Mundt
linux-3.10\drivers\ata\pata_isapnp.c(4): * Copyright 2005/2006 Red Hat Inc, all
rights reserved.
linux-3.10\drivers\ata\pata_it821x.c(13): * Copyright (C) 2004Red Hat
linux-3.10\drivers\ata\pata_ixp4xx_cf.c(3): * Copyright (C) 2006-07 Tower
Technologies
linux-3.10\drivers\ata\pata_legacy.c(3): * Copyright 2005/2006 Red Hat, all
rights reserved.
linux-3.10\drivers\ata\pata_macio.c(4): * Copyright 2008/2009 Benjamin
Herrenschmidt, IBM Corp
linux-3.10\drivers\ata\pata_mpc52xx.c(6): * Copyright (C) 2006 Sylvain Munaut
<tnt@246tNt.com>
linux-3.10\drivers\ata\pata_mpc52xx.c(7): * Copyright (C) 2003 Mipsys - Benjamin
Herrenschmidt
linux-3.10\drivers\ata\pata_octeon_cf.c(8): * Copyright (C) 2005 - 2012 Cavium
Inc.
linux-3.10\drivers\ata\pata_octeon_cf.c(9): * Copyright (C) 2008 Wind River
Systems

legal(ME)

linux-3.10\drivers\ata\pata_of_platform.c(4): * Copyright (c) 2007MontaVista Software, Inc.
linux-3.10\drivers\ata\pata_opti.c(8): *Copyright (C) 1996-1998Linus Torvalds & authors (see below)
linux-3.10\drivers\ata\pata_palmld.c(14): * Copyright (C) 2006-07 Tower Technologies
linux-3.10\drivers\ata\pata_pcmcia.c(24): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\ata\pata_pcmcia.c(3): * Copyright 2005-2006 Red Hat Inc, all rights reserved.
linux-3.10\drivers\ata\pata_pcmcia.c(4): * PCMCIA ident update Copyright 2006 Marcin Juszkievicz
linux-3.10\drivers\ata\pata_pdc2027x.c(12): *Copyright (C) 1998-2002Andre Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ata\pata_pdc2027x.c(13): *Portions Copyright (C) 1999 Promise Technology, Inc.
linux-3.10\drivers\ata\pata_piccolo.c(10): *Copyright (C) 2001-2002Andre Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ata\pata_piccolo.c(11): *Portions (C) Copyright 2002Red Hat Inc <alan@redhat.com>
linux-3.10\drivers\ata\pata_piccolo.c(7): *Copyright 2005 Red Hat Inc, all rights reserved.
linux-3.10\drivers\ata\pata_platform.c(4): * Copyright (C) 2006 - 2007Paul Mundt
linux-3.10\drivers\ata\pata_platform.c(8): * Copyright 2005-2006 Red Hat Inc, all rights reserved.
linux-3.10\drivers\ata\pata_pxa.c(4): * Copyright (C) 2010 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\ata\pata_rb532_cf.c(5): *Copyright (C) 2007 Gabor Juhos <juhosg at openwrt.org>
linux-3.10\drivers\ata\pata_rb532_cf.c(6): *Copyright (C) 2008 Florian Fainelli <florian@openwrt.org>
linux-3.10\drivers\ata\pata_rb532_cf.c(9): *Copyright (C) 2006-07 Tower Technologies
linux-3.10\drivers\ata\pata_rz1000.c(5): *Copyright (C) 1995-1998Linus Torvalds & author (see below)
linux-3.10\drivers\ata\pata_samsung_cf.c(2): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\drivers\ata\pata_sc1200.c(11): * Copyright (C) 2000-2002Mark Lord <mlord@pobox.com>
linux-3.10\drivers\ata\pata_scc.c(10): *Copyright (C) 1998-2000 Andre Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ata\pata_scc.c(11): *Copyright (C) 2003 Red Hat Inc
linux-3.10\drivers\ata\pata_scc.c(14): *Copyright 2004-2005 Red Hat, Inc.
linux-3.10\drivers\ata\pata_scc.c(17): *Copyright 2003-2004 Red Hat, Inc.All rights reserved.
linux-3.10\drivers\ata\pata_scc.c(18): *Copyright 2003-2004 Jeff Garzik
linux-3.10\drivers\ata\pata_scc.c(4): * (C) Copyright 2006 TOSHIBA CORPORATION
linux-3.10\drivers\ata\pata_scc.c(7): *Copyright 2003-2005 Red Hat Inc
linux-3.10\drivers\ata\pata_scc.c(8): *Copyright 2003-2005 Jeff Garzik
linux-3.10\drivers\ata\pata_scc.c(9): *Copyright (C) 1998-1999 Andrzej Krzysztofowicz, Author and Maintainer
linux-3.10\drivers\ata\pata_sch.c(4): *Copyright (c) 2008 Alek Du

legal(ME)

<alek.du@intel.com>
linux-3.10\drivers\ata\pata_serverworks.c(10): * Copyright (C) 1998-2000 Michel Aubry
linux-3.10\drivers\ata\pata_serverworks.c(11): * Copyright (C) 1998-2000 Andrzej Krzysztofowicz
linux-3.10\drivers\ata\pata_serverworks.c(12): * Copyright (C) 1998-2000 Andre Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ata\pata_serverworks.c(13): * Portions copyright (c) 2001 Sun Microsystems
linux-3.10\drivers\ata\pata_sil680.c(10): * Copyright (C) 2003Red Hat <alan@redhat.com>
linux-3.10\drivers\ata\pata_sil680.c(9): * Copyright (C) 2001-2002Andre Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ata\pata_sis.c(10): * Copyright (C) 2003Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\ata\pata_sis.c(8): * Copyright (C) 1999-2000Andre Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ata\pata_sis.c(9): * Copyright (C) 2002Lionel Bouton <Lionel.Bouton@inet6.fr>, Maintainer
linux-3.10\drivers\ata\pata_triflex.c(14): * Copyright (C) 2002 Hewlett-Packard Development Group, L.P.
linux-3.10\drivers\ata\pata_via.c(46): * Copyright (c) 2000-2002 Vojtech Pavlik
linux-3.10\drivers\ata\pdc_adma.c(6): *Copyright 2005 Mark Lord
linux-3.10\drivers\ata\sata_dwc_460ex.c(12): *Copyright 2006 Applied Micro Circuits Corporation
linux-3.10\drivers\ata\sata_dwc_460ex.c(13): *COPYRIGHT (C) 2005SYNOPSIS, INC.ALL RIGHTS RESERVED
linux-3.10\drivers\ata\sata_dwc_460ex.c(9): * Copyright 2008 DENX Software Engineering
linux-3.10\drivers\ata\sata_fsl.c(9): * Copyright (c) 2006-2007, 2011-2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\ata\sata_highbank.c(3): * Copyright 2012 Calxeda, Inc.
linux-3.10\drivers\ata\sata_inic162x.c(4): * Copyright 2006SUSE Linux Products GmbH
linux-3.10\drivers\ata\sata_inic162x.c(5): * Copyright 2006Tejun Heo <teheo@novell.com>
linux-3.10\drivers\ata\sata_mv.c(4): * Copyright 2008-2009: Marvell Corporation, all rights reserved.
linux-3.10\drivers\ata\sata_mv.c(5): * Copyright 2005: EMC Corporation, all rights reserved.
linux-3.10\drivers\ata\sata_mv.c(6): * Copyright 2005 Red Hat, Inc.All rights reserved.
linux-3.10\drivers\ata\sata_nv.c(4): *Copyright 2004 NVIDIA Corp.All rights reserved.
linux-3.10\drivers\ata\sata_nv.c(5): *Copyright 2004 Andrew Chew
linux-3.10\drivers\ata\sata_promise.c(9): *Copyright 2003-2004 Red Hat, Inc.
linux-3.10\drivers\ata\sata_promise.h(4): *Copyright 2003-2004 Red Hat, Inc.
linux-3.10\drivers\ata\sata_qstor.c(6): *Copyright 2005 Pacific Digital Corporation.
linux-3.10\drivers\ata\sata_rcar.c(5): * Copyright (C) 2013 Cogent Embedded, Inc.
linux-3.10\drivers\ata\sata_rcar.c(6): * Copyright (C) 2013 Renesas Solutions Corp.

legal(ME)

```
linux-3.10\drivers\ata\sata_sil.c(8): *Copyright 2003-2005 Red Hat, Inc.
linux-3.10\drivers\ata\sata_sil.c(9): *Copyright 2003 Benjamin Herrenschmidt
linux-3.10\drivers\ata\sata_sil24.c(4): * Copyright 2005Tejun Heo
linux-3.10\drivers\ata\sata_sis.c(8): *Copyright 2004 Uwe Koziol
linux-3.10\drivers\ata\sata_svw.c(11): *Bits from Jeff Garzik, Copyright RedHat,
Inc.
linux-3.10\drivers\ata\sata_svw.c(9): *Copyright 2003 Benjamin Herrenschmidt
<benh@kernel.crashing.org>
linux-3.10\drivers\ata\sata_sx4.c(8): *Copyright 2003-2004 Red Hat, Inc.
linux-3.10\drivers\ata\sata_via.c(8): *Copyright 2003-2004 Red Hat, Inc.All
rights reserved.
linux-3.10\drivers\ata\sata_via.c(9): *Copyright 2003-2004 Jeff Garzik
linux-3.10\drivers\ata\sata_vsc.c(10): *Bits from Jeff Garzik, Copyright RedHat,
Inc.
linux-3.10\drivers\ata\sata_vsc.c(8): *Copyright 2004 SGI
linux-3.10\drivers\atm\ambassador.c(19):The GNU GPL is contained in
/usr/doc/copyright/GPL on a Debian
linux-3.10\drivers\atm\ambassador.c(3):Copyright (C) 1995-1999Madge Networks Ltd.
linux-3.10\drivers\atm\ambassador.h(19):The GNU GPL is contained in
/usr/doc/copyright/GPL on a Debian
linux-3.10\drivers\atm\ambassador.h(3):Copyright (C) 1995-1999Madge Networks Ltd.
linux-3.10\drivers\atm\firestream.c(26):The GNU GPL is contained in
/usr/doc/copyright/GPL on a Debian
linux-3.10\drivers\atm\firestream.c(8): * and ambassador.c Copyright (C)
1995-1999Madge Networks Ltd
linux-3.10\drivers\atm\firestream.h(25):The GNU GPL is contained in
/usr/doc/copyright/GPL on a Debian
linux-3.10\drivers\atm\firestream.h(7): * and ambassador.c Copyright (C)
1995-1999Madge Networks Ltd
linux-3.10\drivers\atm\he.c(29):Copyright (C) 1999-2001Naval Research Laboratory
linux-3.10\drivers\atm\he.c(6):Copyright (C) 1999-2001Naval Research Laboratory
linux-3.10\drivers\atm\he.h(29):Copyright (C) 1999-2000Naval Research Laboratory
linux-3.10\drivers\atm\he.h(6):Copyright (C) 1999-2001Naval Research Laboratory
linux-3.10\drivers\atm\horizon.c(19):The GNU GPL is contained in
/usr/doc/copyright/GPL on a Debian
linux-3.10\drivers\atm\horizon.c(3):Copyright (C) 1995-1999Madge Networks Ltd.
linux-3.10\drivers\atm\horizon.h(19):The GNU GPL is contained in
/usr/doc/copyright/GPL on a Debian
linux-3.10\drivers\atm\horizon.h(3):Copyright (C) 1995-1999Madge Networks Ltd.
linux-3.10\drivers\atm\idt77252.c(3): * Copyright (c) 2000 ATecoM GmbH
linux-3.10\drivers\atm\idt77252.h(3): * Copyright (c) 2000 ATecoM GmbH
linux-3.10\drivers\atm\iphase.c(12):the authorship (implicit copyright) notice.
linux-3.10\drivers\atm\iphase.h(12):the authorship (implicit copyright) notice.
linux-3.10\drivers\atm\lanai.c(1):/* lanai.c -- Copyright 1999-2003 by Mitchell
Blank Jr <mitch@sfgoth.com>
linux-3.10\drivers\atm\lanai.c(847):#define EEPROM_COPYRIGHT0
linux-3.10\drivers\atm\lanai.c(848):#define EEPROM_COPYRIGHT_LEN-44
linux-3.10\drivers\atm\lanai.c(962):/* First, see if we can get an ASCIIZ string
out of the copyright */
linux-3.10\drivers\atm\lanai.c(963):for (i = EEPROM_COPYRIGHT;
linux-3.10\drivers\atm\lanai.c(964):i < (EEPROM_COPYRIGHT +
EEPROM_COPYRIGHT_LEN); i++)
```

legal(ME)

```
linux-3.10\drivers\atm\lanai.c(967):if ( i != EEPROM_COPYRIGHT &&
linux-3.10\drivers\atm\lanai.c(968):i != EEPROM_COPYRIGHT + EEPROM_COPYRIGHT_LEN
&& e[i] == '\0')
linux-3.10\drivers\atm\nicstar.c(8): *As the file doesn't have a copyright
notice, in the file
linux-3.10\drivers\atm\nicstar.c(9): *nicstarmac.copyright I put the copyright
notice from the
linux-3.10\drivers\atm\nicstarmac.copyright(42): * Copyright (c) 1996 University
of Cambridge Computer Laboratory
linux-3.10\drivers\atm\solos-pci.c(7): * Copyright ㄣ 2008 Traverse Technologies
linux-3.10\drivers\atm\solos-pci.c(8): * Copyright ㄣ 2008 Intel Corporation
linux-3.10\drivers\auxdisplay\cfag12864b.c(8): *Author: Copyright (C) Miguel
Ojeda Sandonis
linux-3.10\drivers\auxdisplay\cfag12864bfb.c(8): *Author: Copyright (C) Miguel
Ojeda Sandonis
linux-3.10\drivers\auxdisplay\ks0108.c(8): *Author: Copyright (C) Miguel Ojeda
Sandonis
linux-3.10\drivers\base\attribute_container.c(4): * Copyright (c) 2005 - James
Bottomley <James.Bottomley@steeleye.com>
linux-3.10\drivers\base\bus.c(4): * Copyright (c) 2002-3 Patrick Mochel
linux-3.10\drivers\base\bus.c(5): * Copyright (c) 2002-3 Open Source Development
Labs
linux-3.10\drivers\base\bus.c(6): * Copyright (c) 2007 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\base\bus.c(7): * Copyright (c) 2007 Novell Inc.
linux-3.10\drivers\base\class.c(4): * Copyright (c) 2002-3 Patrick Mochel
linux-3.10\drivers\base\class.c(5): * Copyright (c) 2002-3 Open Source
Development Labs
linux-3.10\drivers\base\class.c(6): * Copyright (c) 2003-2004 Greg Kroah-Hartman
linux-3.10\drivers\base\class.c(7): * Copyright (c) 2003-2004 IBM Corp.
linux-3.10\drivers\base\core.c(4): * Copyright (c) 2002-3 Patrick Mochel
linux-3.10\drivers\base\core.c(5): * Copyright (c) 2002-3 Open Source Development
Labs
linux-3.10\drivers\base\core.c(6): * Copyright (c) 2006 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\base\core.c(7): * Copyright (c) 2006 Novell, Inc.
linux-3.10\drivers\base\dd.c(12): * Copyright (c) 2002-5 Patrick Mochel
linux-3.10\drivers\base\dd.c(13): * Copyright (c) 2002-3 Open Source Development
Labs
linux-3.10\drivers\base\dd.c(14): * Copyright (c) 2007-2009 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\base\dd.c(15): * Copyright (c) 2007-2009 Novell Inc.
linux-3.10\drivers\base\devres.c(4): * Copyright (c) 2006SUSE Linux Products GmbH
linux-3.10\drivers\base\devres.c(5): * Copyright (c) 2006Tejun Heo
<teheo@suse.de>
linux-3.10\drivers\base\devtmpfs.c(4): * Copyright (C) 2009, Kay Sievers
<kay.sievers@vrfy.org>
linux-3.10\drivers\base\dma-buf.c(4): * Copyright(C) 2011 Linaro Limited. All
rights reserved.
linux-3.10\drivers\base\dma-contiguous.c(3): * Copyright (c) 2010-2011 by Samsung
Electronics.
linux-3.10\drivers\base\dma-mapping.c(4): * Copyright (c) 2006SUSE Linux Products
```

legal(ME)

GmbH

linux-3.10\drivers\base\dma-mapping.c(5): * Copyright (c) 2006Tejun Heo
<teheo@suse.de>
linux-3.10\drivers\base\driver.c(4): * Copyright (c) 2002-3 Patrick Mochel
linux-3.10\drivers\base\driver.c(5): * Copyright (c) 2002-3 Open Source
Development Labs
linux-3.10\drivers\base\driver.c(6): * Copyright (c) 2007 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\base\driver.c(7): * Copyright (c) 2007 Novell Inc.
linux-3.10\drivers\base\firmware.c(4): * Copyright (c) 2002-3 Patrick Mochel
linux-3.10\drivers\base\firmware.c(5): * Copyright (c) 2002-3 Open Source
Development Labs
linux-3.10\drivers\base\firmware.c(6): * Copyright (c) 2007 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\base\firmware.c(7): * Copyright (c) 2007 Novell Inc.
linux-3.10\drivers\base\firmware_class.c(4): * Copyright (c) 2003 Manuel Estrada
Sainz
linux-3.10\drivers\base\hypervisor.c(4): * Copyright (C) IBM Corp. 2006
linux-3.10\drivers\base\hypervisor.c(5): * Copyright (C) 2007 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\base\hypervisor.c(6): * Copyright (C) 2007 Novell Inc.
linux-3.10\drivers\base\init.c(2): * Copyright (c) 2002-3 Patrick Mochel
linux-3.10\drivers\base\init.c(3): * Copyright (c) 2002-3 Open Source Development
Labs
linux-3.10\drivers\base\map.c(4): * (C) Copyright Al Viro 2002,2003
linux-3.10\drivers\base\pinctrl.c(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\drivers\base\platform.c(4): * Copyright (c) 2002-3 Patrick Mochel
linux-3.10\drivers\base\platform.c(5): * Copyright (c) 2002-3 Open Source
Development Labs
linux-3.10\drivers\base\power\clock_ops.c(4): * Copyright (c) 2011 Rafael J.
Wysocki <rjw@sisk.pl>, Renesas Electronics Corp.
linux-3.10\drivers\base\power\common.c(4): * Copyright (C) 2011 Rafael J. Wysocki
<rjw@sisk.pl>, Renesas Electronics Corp.
linux-3.10\drivers\base\power\domain.c(4): * Copyright (C) 2011 Rafael J. Wysocki
<rjw@sisk.pl>, Renesas Electronics Corp.
linux-3.10\drivers\base\power\domain_governor.c(4): * Copyright (C) 2011 Rafael
J. Wysocki <rjw@sisk.pl>, Renesas Electronics Corp.
linux-3.10\drivers\base\power\generic_ops.c(4): * Copyright (c) 2010 Rafael J.
Wysocki <rjw@sisk.pl>, Novell Inc.
linux-3.10\drivers\base\power\main.c(4): * Copyright (c) 2003 Patrick Mochel
linux-3.10\drivers\base\power\main.c(5): * Copyright (c) 2003 Open Source
Development Lab
linux-3.10\drivers\base\power\opp.c(4): * Copyright (C) 2009-2010 Texas
Instruments Incorporated.
linux-3.10\drivers\base\power\qos.c(4): * Copyright (C) 2011 Texas Instruments,
Inc.
linux-3.10\drivers\base\power\runtime.c(4): * Copyright (c) 2009 Rafael J.
Wysocki <rjw@sisk.pl>, Novell Inc.
linux-3.10\drivers\base\power\runtime.c(5): * Copyright (C) 2010 Alan Stern
<stern@rowland.harvard.edu>
linux-3.10\drivers\base\power\trace.c(4): * Copyright (C) 2006 Linus Torvalds
linux-3.10\drivers\base\power\wakeupp.c(4): * Copyright (c) 2010 Rafael J. Wysocki

legal(ME)

<rjw@sisk.pl>, Novell Inc.
linux-3.10\drivers\base\regmap\internal.h(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regcache.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regcache-flat.c(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regcache-lzo.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regcache-rbtree.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regmap.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regmap-debugfs.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regmap-i2c.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regmap-irq.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\regmap\regmap-mmio.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\base\regmap\regmap-spi.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\drivers\base\soc.c(2): * Copyright (C) ST-Ericsson SA 2011
linux-3.10\drivers\base\syscore.c(4): *Copyright (C) 2011 Rafael J. Wysocki
<rjw@sisk.pl>, Novell Inc.
linux-3.10\drivers\base\topology.c(6): * Copyright (C) 2006, Intel Corp.
linux-3.10\drivers\base\transport_class.c(5): * Copyright (c) 2005 - James
Bottomley <James.Bottomley@steeleye.com>
linux-3.10\drivers\bcma\driver_chipcommon.c(5): * Copyright 2005, Broadcom
Corporation
linux-3.10\drivers\bcma\driver_chipcommon.c(6): * Copyright 2006, 2007, Michael
Buesch <m@bues.ch>
linux-3.10\drivers\bcma\driver_chipcommon.c(7): * Copyright 2012, Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\drivers\bcma\driver_chipcommon_pmu.c(5): * Copyright 2009, Michael
Buesch <m@bues.ch>
linux-3.10\drivers\bcma\driver_chipcommon_pmu.c(6): * Copyright 2007, 2011,
Broadcom Corporation
linux-3.10\drivers\bcma\driver_chipcommon_pmu.c(7): * Copyright 2011, 2012, Hauke
Mehrtens <hauke@hauke-m.de>
linux-3.10\drivers\bcma\driver_gpio.c(5): * Copyright 2011, Broadcom Corporation
linux-3.10\drivers\bcma\driver_gpio.c(6): * Copyright 2012, Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\drivers\bcma\driver_mips.c(5): * Copyright 2009, Broadcom Corporation
linux-3.10\drivers\bcma\driver_mips.c(6): * Copyright 2006, 2007, Michael Buesch
<mb@bu3sch.de>
linux-3.10\drivers\bcma\driver_mips.c(7): * Copyright 2010, Bernhard Loos
<bernhardloos@googlemail.com>
linux-3.10\drivers\bcma\driver_mips.c(8): * Copyright 2011, Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\drivers\bcma\driver_pci.c(5): * Copyright 2005, 2011, Broadcom

legal(ME)

Corporation

linux-3.10\drivers\bcma\driver_pci.c(6): * Copyright 2006, 2007, Michael Buesch
<m@bues.ch>

linux-3.10\drivers\bcma\driver_pci.c(7): * Copyright 2011, 2012, Hauke Mehrtens
<hauke@hauke-m.de>

linux-3.10\drivers\bcma\driver_pci_host.c(5): * Copyright 2005 - 2011, Broadcom
Corporation

linux-3.10\drivers\bcma\driver_pci_host.c(6): * Copyright 2006, 2007, Michael
Buesch <m@bues.ch>

linux-3.10\drivers\bcma\driver_pci_host.c(7): * Copyright 2011, 2012, Hauke
Mehrtens <hauke@hauke-m.de>

linux-3.10\drivers\bcma\sprom.c(5): * Copyright 2011, 2012, Hauke Mehrtens
<hauke@hauke-m.de>

linux-3.10\drivers\block\amiflop.c(4): *Copyright (C) 1993Greg Harp

linux-3.10\drivers\block\aoe\aoe.h(1):/* Copyright (c) 2012 Coraid, Inc.See
COPYING for GPL terms. */

linux-3.10\drivers\block\aoe\aoeblk.c(1):/* Copyright (c) 2012 Coraid, Inc.See
COPYING for GPL terms. */

linux-3.10\drivers\block\aoe\aoechr.c(1):/* Copyright (c) 2012 Coraid, Inc.See
COPYING for GPL terms. */

linux-3.10\drivers\block\aoe\aoecmd.c(1):/* Copyright (c) 2012 Coraid, Inc.See
COPYING for GPL terms. */

linux-3.10\drivers\block\aoe\aoedev.c(1):/* Copyright (c) 2012 Coraid, Inc.See
COPYING for GPL terms. */

linux-3.10\drivers\block\aoe\aoemain.c(1):/* Copyright (c) 2012 Coraid, Inc.See
COPYING for GPL terms. */

linux-3.10\drivers\block\aoe\aoenet.c(1):/* Copyright (c) 2012 Coraid, Inc.See
COPYING for GPL terms. */

linux-3.10\drivers\block\ataflop.c(4): *Copyright (C) 1993Greg Harp

linux-3.10\drivers\block\brd.c(4): * Copyright (C) 2007 Nick Piggin

linux-3.10\drivers\block\brd.c(5): * Copyright (C) 2007 Novell Inc.

linux-3.10\drivers\block\brd.c(7): * Parts derived from drivers/block/rd.c, and
drivers/block/loop.c, copyright

linux-3.10\drivers\block\cciss.c(3): *(C) Copyright 2000, 2007 Hewlett-Packard
Development Company, L.P.

linux-3.10\drivers\block\cciss_scsi.c(3): *(C) Copyright 2001, 2007
Hewlett-Packard Development Company, L.P.

linux-3.10\drivers\block\cciss_scsi.h(3): *(C) Copyright 2001, 2007
Hewlett-Packard Development Company, L.P.

linux-3.10\drivers\block\cpqarray.c(3): *Copyright 1998 Compaq Computer
Corporation

linux-3.10\drivers\block\cpqarray.h(3): *Copyright 1998 Compaq Computer
Corporation

linux-3.10\drivers\block\cryptoloop.c(4): Copyright (C)2002 Herbert Valerio
Riedel <hvr@gnu.org>

linux-3.10\drivers\block\cryptoloop.c(5): Copyright (C)2003 Fruhwirth Clemens
<clemens@endorphin.org>

linux-3.10\drivers\block\DAC960.c(174):Copyright Notice, and Electronic Mail
Address.

linux-3.10\drivers\block\DAC960.c(182):DAC960_Announce("Copyright 1998-2001 by
Leonard N. Zubkoff "

linux-3.10\drivers\block\DAC960.c(5):Copyright 1998-2001 by Leonard N. Zubkoff

legal(ME)

<lnz@dandelion.com>

linux-3.10\drivers\block\DAC960.c(6):Portions Copyright 2002 by Mylex (An IBM Business Unit)

linux-3.10\drivers\block\DAC960.h(5):Copyright 1998-2001 by Leonard N. Zubkoff
<lnz@dandelion.com>

linux-3.10\drivers\block\drbd\drbd_actlog.c(6): Copyright (C) 2003-2008, LINBIT Information Technologies GmbH.

linux-3.10\drivers\block\drbd\drbd_actlog.c(7): Copyright (C) 2003-2008, Philipp Reisner <philipp.reisner@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_actlog.c(8): Copyright (C) 2003-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_bitmap.c(6): Copyright (C) 2004-2008, LINBIT Information Technologies GmbH.

linux-3.10\drivers\block\drbd\drbd_bitmap.c(7): Copyright (C) 2004-2008, Philipp Reisner <philipp.reisner@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_bitmap.c(8): Copyright (C) 2004-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_int.h(6):Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.

linux-3.10\drivers\block\drbd\drbd_int.h(7):Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_int.h(8):Copyright (C) 2002-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_main.c(6): Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.

linux-3.10\drivers\block\drbd\drbd_main.c(7): Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_main.c(8): Copyright (C) 2002-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_nl.c(6): Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.

linux-3.10\drivers\block\drbd\drbd_nl.c(7): Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_nl.c(8): Copyright (C) 2002-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_proc.c(6): Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.

linux-3.10\drivers\block\drbd\drbd_proc.c(7): Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_proc.c(8): Copyright (C) 2002-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_receiver.c(6): Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.

linux-3.10\drivers\block\drbd\drbd_receiver.c(7): Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_receiver.c(8): Copyright (C) 2002-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_req.c(6): Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.

linux-3.10\drivers\block\drbd\drbd_req.c(7): Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.

linux-3.10\drivers\block\drbd\drbd_req.c(8): Copyright (C) 2002-2008, Lars

legal(ME)

Ellenberg <lars.ellenberg@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_req.h(6): Copyright (C) 2006-2008, LINBIT Information Technologies GmbH.
linux-3.10\drivers\block\drbd\drbd_req.h(7): Copyright (C) 2006-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_req.h(8): Copyright (C) 2006-2008, Philipp Reisner <philipp.reisner@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_state.c(6): Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.
linux-3.10\drivers\block\drbd\drbd_state.c(7): Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_state.c(8): Copyright (C) 2002-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_strings.c(6): Copyright (C) 2003-2008, LINBIT Information Technologies GmbH.
linux-3.10\drivers\block\drbd\drbd_strings.c(7): Copyright (C) 2003-2008, Philipp Reisner <philipp.reisner@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_strings.c(8): Copyright (C) 2003-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_vli.h(6): Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.
linux-3.10\drivers\block\drbd\drbd_vli.h(7): Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_vli.h(8): Copyright (C) 2002-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_worker.c(6): Copyright (C) 2001-2008, LINBIT Information Technologies GmbH.
linux-3.10\drivers\block\drbd\drbd_worker.c(7): Copyright (C) 1999-2008, Philipp Reisner <philipp.reisner@linbit.com>.
linux-3.10\drivers\block\drbd\drbd_worker.c(8): Copyright (C) 2002-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.
linux-3.10\drivers\block\floppy.c(4): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\drivers\block\floppy.c(5): *Copyright (C) 1993, 1994 Alain Knaff
linux-3.10\drivers\block\floppy.c(6): *Copyright (C) 1998 Alan Cox
linux-3.10\drivers\block\hd.c(2): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\drivers\block\ida_cmd.h(3): *Copyright 1998 Compaq Computer Corporation
linux-3.10\drivers\block\ida_ioctl.h(3): *Copyright 1998 Compaq Computer Corporation
linux-3.10\drivers\block\mtip32xx\mtip32xx.c(3): * Copyright (C) 2011 Micron Technology, Inc.
linux-3.10\drivers\block\mtip32xx\mtip32xx.c(7): *Copyright (C) 2009 Integrated Device Technology, Inc.
linux-3.10\drivers\block\mtip32xx\mtip32xx.h(3): * Copyright (C) 2011 Micron Technology, Inc.
linux-3.10\drivers\block\mtip32xx\mtip32xx.h(7): *Copyright (C) 2009 Integrated Device Technology, Inc.
linux-3.10\drivers\block\nbd.c(7): * Copyright 1997-2000, 2008 Pavel Machek <pavel@ucw.cz>
linux-3.10\drivers\block\nbd.c(8): * Parts copyright 2001 Steven Whitehouse <steve@chygwyn.com>
linux-3.10\drivers\block\nvme-core.c(3): * Copyright (c) 2011, Intel Corporation.

legal(ME)

linux-3.10\drivers\block\nvme-scsi.c(3): * Copyright (c) 2011, Intel Corporation.
linux-3.10\drivers\block\osdblkc.c(6): Copyright 2009 Red Hat, Inc.
linux-3.10\drivers\block\paride\bpck6.c(204): printk("%s: Copyright 2001 by Micro Solutions, Inc., DeKalb IL.\n", pi->device);
linux-3.10\drivers\block\paride\bpck6.c(251): printk(KERN_INFO "bpck6: Copyright 2001 by Micro Solutions, Inc., DeKalb IL. USA\n");
linux-3.10\drivers\block\pktcdvd.c(2): * Copyright (C) 2000 Jens Axboe
<axboe@suse.de>
linux-3.10\drivers\block\pktcdvd.c(3): * Copyright (C) 2001-2004 Peter Osterlund
<petero2@telia.com>
linux-3.10\drivers\block\pktcdvd.c(4): * Copyright (C) 2006 Thomas Maier
<balagi@justmail.de>
linux-3.10\drivers\block\ps3disk.c(4): * Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\drivers\block\ps3disk.c(5): * Copyright 2007 Sony Corp.
linux-3.10\drivers\block\ps3vram.c(4): * Copyright 2009 Sony Corporation
linux-3.10\drivers\block\ps3vram.c(7): * Copyright (c) 2007-2008 Jim Paris
<jim@jtan.com>
linux-3.10\drivers\block\rbd.c(8): Copyright 2009 Red Hat, Inc.
linux-3.10\drivers\block\rbd_types.h(4): * Copyright (C) 2004-2010 Sage Weil
<sage@newdream.net>
linux-3.10\drivers\block\rsxx\config.c(8): * (C) Copyright 2013 IBM Corporation
linux-3.10\drivers\block\rsxx\core.c(8): * (C) Copyright 2013 IBM Corporation
linux-3.10\drivers\block\rsxx\cregs.c(8): * (C) Copyright 2013 IBM Corporation
linux-3.10\drivers\block\rsxx\dev.c(8): * (C) Copyright 2013 IBM Corporation
linux-3.10\drivers\block\rsxx\dma.c(8): * (C) Copyright 2013 IBM Corporation
linux-3.10\drivers\block\rsxx\rsxx.h(8): * (C) Copyright 2013 IBM Corporation
linux-3.10\drivers\block\rsxx\rsxx_cfg.h(8): * (C) Copyright 2013 IBM Corporation
linux-3.10\drivers\block\rsxx\rsxx_priv.h(8): * (C) Copyright 2013 IBM Corporation
linux-3.10\drivers\block\smart1,2.h(3): * Copyright 1998 Compaq Computer Corporation
linux-3.10\drivers\block\sunvdc.c(3): * Copyright (C) 2007, 2008 David S. Miller
<davem@davemloft.net>
linux-3.10\drivers\block\swim.c(4): * Copyright (C) 2004,2008 Laurent Vivier
<Laurent@lvivier.info>
linux-3.10\drivers\block\swim_asm.S(7): * Copyright (C) 2004,2008 Laurent Vivier
<Laurent@lvivier.info>
linux-3.10\drivers\block\swim3.c(5): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\block\sx8.c(4): * Copyright 2004-2005 Red Hat, Inc.
linux-3.10\drivers\block\umem.c(9): * is Copyright Micro Memory Inc 2001-2002. All rights reserved.
linux-3.10\drivers\block\umem.h(7): * Copyright Micro Memory INC 2001. All rights reserved.
linux-3.10\drivers\block\xen-blkback\blkback.c(10): * Copyright (c) 2005, Christopher Clark
linux-3.10\drivers\block\xen-blkback\blkback.c(9): * Copyright (c) 2003-2004, Keir Fraser & Steve Hand
linux-3.10\drivers\block\xen-blkback\xenbus.c(2): Copyright (C) 2005 Rusty Russell
<rusty@rustcorp.com.au>
linux-3.10\drivers\block\xen-blkback\xenbus.c(3): Copyright (C) 2005 XenSource Ltd
linux-3.10\drivers\block\xen-blkfront.c(10): * Copyright (c) 2005, Christopher Clark

legal(ME)

linux-3.10\drivers\block\xen-blkfront.c(11): * Copyright (c) 2005, XenSource Ltd
linux-3.10\drivers\block\xen-blkfront.c(6): * Copyright (c) 2003-2004, Keir
Fraser & Steve Hand
linux-3.10\drivers\block\xen-blkfront.c(8): * Copyright (c) 2004, Christian
Limpach
linux-3.10\drivers\block\xen-blkfront.c(9): * Copyright (c) 2004, Andrew Warfield
linux-3.10\drivers\block\xsysace.c(4): * Copyright 2007 Secret Lab Technologies
Ltd.
linux-3.10\drivers\block\z2ram.c(5):** Copyright (C) 1994 by Ingo Wilken
(Ingo.Wilken@informatik.uni-oldenburg.de)
linux-3.10\drivers\bluetooth\ath3k.c(2): * Copyright (c) 2008-2009 Atheros
Communications Inc.
linux-3.10\drivers\bluetooth\bcm203x.c(5): *Copyright (C) 2003Maxim Krasnyansky
<maxk@qualcomm.com>
linux-3.10\drivers\bluetooth\bcm203x.c(6): *Copyright (C) 2003Marcel Holtmann
<marcel@holtmann.org>
linux-3.10\drivers\bluetooth\bfusb.c(5): *Copyright (C) 2003-2006Marcel Holtmann
<marcel@holtmann.org>
linux-3.10\drivers\bluetooth\bluecard_cs.c(19): *are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\bluetooth\bluecard_cs.c(5): *Copyright (C) 2001-2002Marcel
Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bluetooth\bpa10x.c(5): *Copyright (C) 2004-2007Marcel Holtmann
<marcel@holtmann.org>
linux-3.10\drivers\bluetooth\bt3c_cs.c(20): *are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\bluetooth\bt3c_cs.c(5): *Copyright (C) 2001-2002Marcel
Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bluetooth\btmrvl_debugfs.c(4): * Copyright (C) 2009, Marvell
International Ltd.
linux-3.10\drivers\bluetooth\btmrvl_drv.h(4): * Copyright (C) 2009, Marvell
International Ltd.
linux-3.10\drivers\bluetooth\btmrvl_main.c(4): * Copyright (C) 2009, Marvell
International Ltd.
linux-3.10\drivers\bluetooth\btmrvl_sdio.c(4): * Copyright (C) 2009, Marvell
International Ltd.
linux-3.10\drivers\bluetooth\btmrvl_sdio.h(4): * Copyright (C) 2009, Marvell
International Ltd.
linux-3.10\drivers\bluetooth\btsdio.c(5): *Copyright (C) 2007Cambridge Silicon
Radio Ltd.
linux-3.10\drivers\bluetooth\btsdio.c(6): *Copyright (C) 2007Marcel Holtmann
<marcel@holtmann.org>
linux-3.10\drivers\bluetooth\btuart_cs.c(19): *are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\bluetooth\btuart_cs.c(5): *Copyright (C) 2001-2002Marcel
Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bluetooth\btusb.c(5): *Copyright (C) 2005-2008Marcel Holtmann
<marcel@holtmann.org>
linux-3.10\drivers\bluetooth\btwilink.c(7): *Copyright (C) 2009-2010 Texas
Instruments
linux-3.10\drivers\bluetooth\dtl1_cs.c(19): *are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.

legal(ME)

linux-3.10\drivers\bluetooth\dtl1_cs.c(5): *Copyright (C) 2001-2002 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bluetooth\hci_ath.c(7): *Copyright (c) 2009-2010 Atheros Communications Inc.
linux-3.10\drivers\bluetooth\hci_bccsp.c(5): *Copyright (C) 2002-2003 Fabrizio Gennari <fabrizio.gennari@philips.com>
linux-3.10\drivers\bluetooth\hci_bccsp.c(6): *Copyright (C) 2004-2005 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bluetooth\hci_h4.c(5): *Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\drivers\bluetooth\hci_h4.c(6): *Copyright (C) 2002-2003 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\drivers\bluetooth\hci_h4.c(7): *Copyright (C) 2004-2005 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bluetooth\hci_h5.c(5): *Copyright (C) 2012 Intel Corporation
linux-3.10\drivers\bluetooth\hci_ldisc.c(5): *Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\drivers\bluetooth\hci_ldisc.c(6): *Copyright (C) 2002-2003 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\drivers\bluetooth\hci_ldisc.c(7): *Copyright (C) 2004-2005 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bluetooth\hci_ll.c(7): *Copyright (C) 2007 Texas Instruments, Inc.
linux-3.10\drivers\bluetooth\hci_uart.h(5): *Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\drivers\bluetooth\hci_uart.h(6): *Copyright (C) 2002-2003 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\drivers\bluetooth\hci_uart.h(7): *Copyright (C) 2004-2005 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bluetooth\hci_vhci.c(5): *Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\drivers\bluetooth\hci_vhci.c(6): *Copyright (C) 2002-2003 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\drivers\bluetooth\hci_vhci.c(7): *Copyright (C) 2004-2006 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\drivers\bus\omap_l3_noc.c(4): * Copyright (C) 2011 Texas Corporation
linux-3.10\drivers\bus\omap_l3_noc.h(4): * Copyright (C) 2011 Texas Corporation
linux-3.10\drivers\bus\omap_l3_smx.c(4): * Copyright (C) 2011 Texas Corporation
linux-3.10\drivers\bus\omap_l3_smx.h(4): * Copyright (C) 2011 Texas Corporation
linux-3.10\drivers\bus\omap-ocp2scp.c(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\cdrom\cdrom.c(1820):static int dvd_read_copyright(struct cdrom_device_info *cdi, dvd_struct *s,
linux-3.10\drivers\cdrom\cdrom.c(1829):cgc->cmd[6] = s->copyright.layer_num;
linux-3.10\drivers\cdrom\cdrom.c(1838):s->copyright.cpst = buf[4];
linux-3.10\drivers\cdrom\cdrom.c(1839):s->copyright.rmi = buf[5];
linux-3.10\drivers\cdrom\cdrom.c(1955):case DVD_STRUCT_COPYRIGHT:
linux-3.10\drivers\cdrom\cdrom.c(2): Copyright (c) 1996, 1997 David A. van Leeuwen.
linux-3.10\drivers\cdrom\cdrom.c(3): Copyright (c) 1997, 1998 Erik Andersen <andersee@debian.org>
linux-3.10\drivers\cdrom\cdrom.c(4): Copyright (c) 1998, 1999 Jens Axboe

legal(ME)

<axboe@image.dk>

linux-3.10\drivers\cdrom\gdrom.c(2): * copyright Adrian McMenamin, 2007
linux-3.10\drivers\char\agp\agp.h(3): * Copyright (C) 2004 Silicon Graphics, Inc.
linux-3.10\drivers\char\agp\agp.h(4): * Copyright (C) 2002-2004 Dave Jones
linux-3.10\drivers\char\agp\agp.h(5): * Copyright (C) 1999 Jeff Hartmann
linux-3.10\drivers\char\agp\agp.h(6): * Copyright (C) 1999 Precision Insight,
Inc.
linux-3.10\drivers\char\agp\agp.h(7): * Copyright (C) 1999 Xi Graphics, Inc.
linux-3.10\drivers\char\agp\amd64-agp.c(2): * Copyright 2001-2003 SuSE Labs.
linux-3.10\drivers\char\agp\backend.c(3): * Copyright (C) 2004 Silicon Graphics,
Inc.
linux-3.10\drivers\char\agp\backend.c(4): * Copyright (C) 2002-2003 Dave Jones.
linux-3.10\drivers\char\agp\backend.c(5): * Copyright (C) 1999 Jeff Hartmann.
linux-3.10\drivers\char\agp\backend.c(6): * Copyright (C) 1999 Precision Insight,
Inc.
linux-3.10\drivers\char\agp\backend.c(7): * Copyright (C) 1999 Xi Graphics, Inc.
linux-3.10\drivers\char\agp\compat_ioctl.c(3): * Copyright (C) 2004 Silicon
Graphics, Inc.
linux-3.10\drivers\char\agp\compat_ioctl.c(4): * Copyright (C) 2002-2003 Dave
Jones
linux-3.10\drivers\char\agp\compat_ioctl.c(5): * Copyright (C) 1999 Jeff Hartmann
linux-3.10\drivers\char\agp\compat_ioctl.c(6): * Copyright (C) 1999 Precision
Insight, Inc.
linux-3.10\drivers\char\agp\compat_ioctl.c(7): * Copyright (C) 1999 Xi Graphics,
Inc.
linux-3.10\drivers\char\agp\compat_ioctl.h(2): * Copyright (C) 1999 Jeff Hartmann
linux-3.10\drivers\char\agp\compat_ioctl.h(3): * Copyright (C) 1999 Precision
Insight, Inc.
linux-3.10\drivers\char\agp\compat_ioctl.h(4): * Copyright (C) 1999 Xi Graphics,
Inc.
linux-3.10\drivers\char\agp\frontend.c(3): * Copyright (C) 2004 Silicon Graphics,
Inc.
linux-3.10\drivers\char\agp\frontend.c(4): * Copyright (C) 2002-2003 Dave Jones
linux-3.10\drivers\char\agp\frontend.c(5): * Copyright (C) 1999 Jeff Hartmann
linux-3.10\drivers\char\agp\frontend.c(6): * Copyright (C) 1999 Precision
Insight, Inc.
linux-3.10\drivers\char\agp\frontend.c(7): * Copyright (C) 1999 Xi Graphics, Inc.
linux-3.10\drivers\char\agp\generic.c(3): * Copyright (C) 2004 Silicon Graphics,
Inc.
linux-3.10\drivers\char\agp\generic.c(4): * Copyright (C) 2002-2005 Dave Jones.
linux-3.10\drivers\char\agp\generic.c(5): * Copyright (C) 1999 Jeff Hartmann.
linux-3.10\drivers\char\agp\generic.c(6): * Copyright (C) 1999 Precision Insight,
Inc.
linux-3.10\drivers\char\agp\generic.c(7): * Copyright (C) 1999 Xi Graphics, Inc.
linux-3.10\drivers\char\agp\hp-agp.c(4): * (c) Copyright 2002, 2003
Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\char\agp\parisc-agp.c(4): * Copyright (c) 2006, Kyle McMartin
<kyle@parisc-linux.org>
linux-3.10\drivers\char\agp\parisc-agp.c(7): * (c) Copyright 2002, 2003
Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\char\agp\sgi-agp.c(6): * Copyright (C) 2003-2005 Silicon
Graphics, Inc. All Rights Reserved.

legal(ME)

linux-3.10\drivers\char\bfin-otp.c(4): * Copyright 2007-2009 Analog Devices Inc.
linux-3.10\drivers\char\bsr.c(3): * Copyright IBM Corporation 2008
linux-3.10\drivers\char\ds1302.c(11):*! (C) Copyright 1999, 2000, 2001Axis
Communications AB, LUND, SWEDEN
linux-3.10\drivers\char\dsp56k.c(19): * Copyright (C) 1996,1997 Fredrik Noring,
lars brinkhoff & Tomas Berndtsson
linux-3.10\drivers\char\efirtc.c(4): * Copyright (C) 1999 Hewlett-Packard Co
linux-3.10\drivers\char\efirtc.c(5): * Copyright (C) 1999 Stephane Eranian
<eranian@hpl.hp.com>
linux-3.10\drivers\char\genrtc.c(8): *Copyright (C) 1999 Richard Zidlicky
linux-3.10\drivers\char\hangcheck-timer.c(6): * Copyright (C) 2002, 2003
Oracle.All rights reserved.
linux-3.10\drivers\char\hpet.c(4): * Copyright (C) 2003 Intel Corporation
linux-3.10\drivers\char\hpet.c(6): * (c) Copyright 2004 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\char\hw_random\amd-rng.c(14): * (c) Copyright 2001 Red Hat Inc
linux-3.10\drivers\char\hw_random\amd-rng.c(19): * Copyright 2000,2001 Jeff
Garzik <jgarzik@pobox.com>
linux-3.10\drivers\char\hw_random\amd-rng.c(20): * Copyright 2000,2001 Philipp
Rumpf <prumpf@mandrakesoft.com>
linux-3.10\drivers\char\hw_random\amd-rng.c(4): * Copyright 2005 (c) MontaVista
Software, Inc.
linux-3.10\drivers\char\hw_random\amd-rng.c(9): * (c) Copyright 2003 Red Hat Inc
<jgarzik@redhat.com>
linux-3.10\drivers\char\hw_random\atmel-rng.c(2): * Copyright (c) 2011 Peter
Korsgaard <jacmet@sunsite.dk>
linux-3.10\drivers\char\hw_random\bcm2835-rng.c(2): * Copyright (c) 2010-2012
Broadcom. All rights reserved.
linux-3.10\drivers\char\hw_random\bcm2835-rng.c(3): * Copyright (c) 2013 Lubomir
Rintel
linux-3.10\drivers\char\hw_random\bcm63xx-rng.c(4): * Copyright (C) 2011, Florian
Fainelli <florian@openwrt.org>
linux-3.10\drivers\char\hw_random\bcm63xx-rng.c(5): * Copyright (C) 2009,
Broadcom Corporation
linux-3.10\drivers\char\hw_random\core.c(13):(c) Copyright 2001 Red Hat Inc
<alan@redhat.com>
linux-3.10\drivers\char\hw_random\core.c(18):Copyright 2000,2001 Jeff Garzik
<jgarzik@pobox.com>
linux-3.10\drivers\char\hw_random\core.c(19):Copyright 2000,2001 Philipp Rumpf
<prumpf@mandrakesoft.com>
linux-3.10\drivers\char\hw_random\core.c(22):Copyright 2006 Michael Buesch
<m@bues.ch>
linux-3.10\drivers\char\hw_random\core.c(23):Copyright 2005 (c) MontaVista
Software, Inc.
linux-3.10\drivers\char\hw_random\core.c(3):(c) Copyright 2004-2005 Advanced
Micro Devices, Inc.
linux-3.10\drivers\char\hw_random\core.c(8):(c) Copyright 2003 Red Hat Inc
<jgarzik@redhat.com>
linux-3.10\drivers\char\hw_random\exynos-rng.c(4): * Copyright (C) 2012 Samsung
Electronics
linux-3.10\drivers\char\hw_random\geode-rng.c(14): * (c) Copyright 2001 Red Hat
Inc

legal(ME)

linux-3.10\drivers\char\hw_random\geode-rng.c(19): * Copyright 2000,2001 Jeff Garzik <jgarzik@pobox.com>
linux-3.10\drivers\char\hw_random\geode-rng.c(20): * Copyright 2000,2001 Philipp Rumpf <prumpf@mandrakesoft.com>
linux-3.10\drivers\char\hw_random\geode-rng.c(4): * Copyright 2005 (c) MontaVista Software, Inc.
linux-3.10\drivers\char\hw_random\geode-rng.c(9): * (c) Copyright 2003 Red Hat Inc <jgarzik@redhat.com>
linux-3.10\drivers\char\hw_random\intel-rng.c(14): * (c) Copyright 2001 Red Hat Inc
linux-3.10\drivers\char\hw_random\intel-rng.c(19): * Copyright 2000,2001 Jeff Garzik <jgarzik@pobox.com>
linux-3.10\drivers\char\hw_random\intel-rng.c(20): * Copyright 2000,2001 Philipp Rumpf <prumpf@mandrakesoft.com>
linux-3.10\drivers\char\hw_random\intel-rng.c(4): * Copyright 2005 (c) MontaVista Software, Inc.
linux-3.10\drivers\char\hw_random\intel-rng.c(9): * (c) Copyright 2003 Red Hat Inc <jgarzik@redhat.com>
linux-3.10\drivers\char\hw_random\ixp4xx-rng.c(8): * Copyright 2005 (c) MontaVista Software, Inc.
linux-3.10\drivers\char\hw_random\mxc-rnga.c(4): * Copyright 2008-2009 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\char\hw_random\n2-asm.S(3): * Copyright (C) 2008 David S. Miller <davem@davemloft.net>
linux-3.10\drivers\char\hw_random\n2-drv.c(3): * Copyright (C) 2008, 2011 David S. Miller <davem@davemloft.net>
linux-3.10\drivers\char\hw_random\n2rng.h(3): * Copyright (C) 2008 David S. Miller <davem@davemloft.net>
linux-3.10\drivers\char\hw_random\nomadik-rng.c(3): *Copyright 2009 Alessandro Rubini
linux-3.10\drivers\char\hw_random\octeon-rng.c(9): * Copyright (C) 2009 Cavium Networks
linux-3.10\drivers\char\hw_random\omap-rng.c(10): * Copyright (C) 2005 Nokia Corporation
linux-3.10\drivers\char\hw_random\omap-rng.c(6): * Copyright 2005 (c) MontaVista Software, Inc.
linux-3.10\drivers\char\hw_random\pasemi-rng.c(2): * Copyright (C) 2006-2007 PA Semi, Inc
linux-3.10\drivers\char\hw_random\picoccell-rng.c(2): * Copyright (c) 2010-2011 Picochip Ltd., Jamie Iles
linux-3.10\drivers\char\hw_random\ppc4xx-rng.c(4): * Copyright 2011 IBM Corporation
linux-3.10\drivers\char\hw_random\pseries-rng.c(2): * Copyright (C) 2010 Michael Neuling IBM Corporation
linux-3.10\drivers\char\hw_random\timeriomem-rng.c(4): * Copyright (C) 2009 Alexander Clouter <alex@digriz.org.uk>
linux-3.10\drivers\char\hw_random\timeriomem-rng.c(7): * Copyright 2005 (c) MontaVista Software, Inc.
linux-3.10\drivers\char\hw_random\tpm-rng.c(2): * Copyright (C) 2012 Kent Yoder IBM Corporation
linux-3.10\drivers\char\hw_random\tx4939-rng.c(4): * Copyright (C) 2009 Atsushi Nemoto <anemo@mba.ocn.ne.jp>

legal(ME)

linux-3.10\drivers\char\hw_random\via-rng.c(14): * (c) Copyright 2001 Red Hat Inc
linux-3.10\drivers\char\hw_random\via-rng.c(19): * Copyright 2000,2001 Jeff
Garzik <jgarzik@pobox.com>
linux-3.10\drivers\char\hw_random\via-rng.c(20): * Copyright 2000,2001 Philipp
Rumpf <prumpf@mandrakesoft.com>
linux-3.10\drivers\char\hw_random\via-rng.c(4): * Copyright 2005 (c) MontaVista
Software, Inc.
linux-3.10\drivers\char\hw_random\via-rng.c(9): * (c) Copyright 2003 Red Hat Inc
<jgarzik@redhat.com>
linux-3.10\drivers\char\hw_random\virtio-rng.c(3): *Copyright (C) 2007, 2008
Rusty Russell IBM Corporation
linux-3.10\drivers\char\i8k.c(6): * Copyright (C) 2001Massimo Dal Zotto
<dz@debian.org>
linux-3.10\drivers\char\i8k.c(9): * Copyright (C) 2011Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\char\ipmi\ipmi_devintf.c(10): * Copyright 2002 MontaVista
Software Inc.
linux-3.10\drivers\char\ipmi\ipmi_kcs_sm.c(10): * Copyright 2002 MontaVista
Software Inc.
linux-3.10\drivers\char\ipmi\ipmi_msghandler.c(10): * Copyright 2002 MontaVista
Software Inc.
linux-3.10\drivers\char\ipmi\ipmi_poweroff.c(11): * Copyright 2002,2004
MontaVista Software Inc.
linux-3.10\drivers\char\ipmi\ipmi_poweroff.c(695):printk(KERN_INFO "Copyright (C)
2004 MontaVista Software -"
linux-3.10\drivers\char\ipmi\ipmi_si_intf.c(11): * Copyright 2002 MontaVista
Software Inc.
linux-3.10\drivers\char\ipmi\ipmi_si_intf.c(12): * Copyright 2006 IBM Corp.,
Christian Krafft <krafft@de.ibm.com>
linux-3.10\drivers\char\ipmi\ipmi_si_sm.h(13): * Copyright 2002 MontaVista
Software Inc.
linux-3.10\drivers\char\ipmi\ipmi_smic_sm.c(14): * copyright notice:
linux-3.10\drivers\char\ipmi\ipmi_smic_sm.c(15): * Copyright 2002 MontaVista
Software Inc.
linux-3.10\drivers\char\ipmi\ipmi_smic_sm.c(18): * copyright notice:
linux-3.10\drivers\char\ipmi\ipmi_smic_sm.c(19): * (c) Copyright 2001 Grant
Grundler (c) Copyright
linux-3.10\drivers\char\ipmi\ipmi_watchdog.c(10): * Copyright 2002 MontaVista
Software Inc.
linux-3.10\drivers\char\lp.c(111): * Copyright (C) 2000 by Tim Waugh (added
LPSETTIMEOUT ioctl)
linux-3.10\drivers\char\lp.c(4): * Copyright (C) 1992 by Jim Weigand and Linus
Torvalds
linux-3.10\drivers\char\lp.c(5): * Copyright (C) 1992,1993 by Michael K. Johnson
linux-3.10\drivers\char\lp.c(8): * Copyright (C) 1993 by Nigel Gamble (added
interrupt code)
linux-3.10\drivers\char\lp.c(9): * Copyright (C) 1994 by Alan Cox (Modularised
it)
linux-3.10\drivers\char\mbcs.c(6): * Copyright (c) 2005 Silicon Graphics, Inc.All
rights reserved.
linux-3.10\drivers\char\mbcs.h(6): * Copyright (c) 2005 Silicon Graphics, Inc.All
rights reserved.

legal(ME)

linux-3.10\drivers\char\mem.c(4): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\drivers\char\mmtimer.c(8): * Copyright (c) 2001-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\drivers\char\msm_smd_pkt.c(1):/* Copyright (c) 2008-2010, Code Aurora Forum. All rights reserved.
linux-3.10\drivers\char\mspec.c(2): * Copyright (C) 2001-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\drivers\char\mwave\3780i.c(8):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\mwave\3780i.h(8):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\mwave\mwavedd.c(8):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\mwave\mwavedd.h(8):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\mwave\mwavedpub.h(9):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\mwave\smapi.c(8):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\mwave\smapi.h(8):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\mwave\tp3780i.c(8):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\mwave\tp3780i.h(8):* Copyright (C) 1999 IBM Corporation
linux-3.10\drivers\char\nsc_gpio.c(6): Copyright (c) 2001,2002 Christer Weinigel <wingel@nano-system.com>
linux-3.10\drivers\char\nsc_gpio.c(7): Copyright (c) 2005 Jim Cromie <jim.cromie@gmail.com>
linux-3.10\drivers\char\nvram.c(4): * Copyright (C) 1997 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
linux-3.10\drivers\char\nvram.c(6): * Portions copyright (c) 2001,2002 Sun Microsystems (thockin@sun.com)
linux-3.10\drivers\char\nwbutton.c(3): *Copyright (C) Alex Holden <alex@linuxhacker.org> 1998, 1999.
linux-3.10\drivers\char\nwbutton.h(6): *Copyright (C) Alex Holden <alex@linuxhacker.org> 1998, 1999.
linux-3.10\drivers\char\pc8736x_gpio.c(6): Copyright (c) 2005,2006 Jim Cromie <jim.cromie@gmail.com>
linux-3.10\drivers\char\pc8736x_gpio.c(9): Copyright (c) 2001,2002 Christer Weinigel <wingel@nano-system.com>,
linux-3.10\drivers\char\ppdev.c(7): * Copyright (C) 1998-2000, 2002 Tim Waugh <tim@cyberelk.net>
linux-3.10\drivers\char\ps3flash.c(4): * Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\drivers\char\ps3flash.c(5): * Copyright 2007 Sony Corp.
linux-3.10\drivers\char\random.c(26): * the restrictions contained in a BSD-style copyright.)
linux-3.10\drivers\char\random.c(4): * Copyright Matt Mackall <mpm@selenic.com>, 2003, 2004, 2005
linux-3.10\drivers\char\random.c(6): * Copyright Theodore Ts'o, 1994, 1995, 1996, 1997, 1998, 1999. All
linux-3.10\drivers\char\rtc.c(4): *Copyright (C) 1996 Paul Gortmaker
linux-3.10\drivers\char\scx200_gpio.c(6): Copyright (c) 2001,2002 Christer Weinigel <wingel@nano-system.com> */
linux-3.10\drivers\char\sns.c(8): * Copyright (C) 2004, 2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\drivers\char\sns.h(8): * Copyright (C) 2004-2006 Silicon Graphics, Inc. All rights reserved.
linux-3.10\drivers\char\sns_event.c(8): * Copyright (C) 2004-2006 Silicon Graphics, Inc. All rights reserved.

legal(ME)

linux-3.10\drivers\char\sonypi.c(10): * Copyright (C) 2001-2002 Alcove
<www.alcove.com>
linux-3.10\drivers\char\sonypi.c(12): * Copyright (C) 2001 Michael Ashley
<m.ashley@unsw.edu.au>
linux-3.10\drivers\char\sonypi.c(14): * Copyright (C) 2001 Junichi Morita
<jun1m@mars.dti.ne.jp>
linux-3.10\drivers\char\sonypi.c(16): * Copyright (C) 2000 Takaya Kinjo
<t-kinjo@tc4.so-net.ne.jp>
linux-3.10\drivers\char\sonypi.c(18): * Copyright (C) 2000 Andrew Tridgell
<tridge@valinux.com>
linux-3.10\drivers\char\sonypi.c(4): * Copyright (C) 2007 Mattia Dongili
<malattia@linux.it>
linux-3.10\drivers\char\sonypi.c(6): * Copyright (C) 2001-2005 Stelian Pop
<stelian@popies.net>
linux-3.10\drivers\char\sonypi.c(8): * Copyright (C) 2005 Narayanan R S
<nars@kadamba.org>
linux-3.10\drivers\char\tb0219.c(4): * Copyright (C) 2005 Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\drivers\char\tile-srom.c(2): * Copyright 2011 Tilera Corporation. All
Rights Reserved.
linux-3.10\drivers\char\tlclk.c(4): * Copyright (C) 2005 Kontron Canada
linux-3.10\drivers\char\toshiba.c(3): * Copyright (c) 1996-2001 Jonathan A.
Buzzard (jonathan@buzzard.org.uk)
linux-3.10\drivers\char\toshiba.c(52): * the Copyright (Computer Programs)
Regulations 1992 (S.I. 1992 No.3233).
linux-3.10\drivers\char\tpm\tpm.c(2): * Copyright (C) 2004 IBM Corporation
linux-3.10\drivers\char\tpm\tpm.h(2): * Copyright (C) 2004 IBM Corporation
linux-3.10\drivers\char\tpm\tpm_acpi.c(2): * Copyright (C) 2005 IBM Corporation
linux-3.10\drivers\char\tpm\tpm_atmel.c(2): * Copyright (C) 2004 IBM Corporation
linux-3.10\drivers\char\tpm\tpm_atmel.h(2): * Copyright (C) 2005 IBM Corporation
linux-3.10\drivers\char\tpm\tpm_eventlog.c(2): * Copyright (C) 2005, 2012 IBM
Corporation
linux-3.10\drivers\char\tpm\tpm_i2c_infineon.c(2): * Copyright (C) 2012, 2013
Infineon Technologies
linux-3.10\drivers\char\tpm\tpm_i2c_stm_st33.c(19): * STMicroelectronics version
1.2.0, Copyright (C) 2010
linux-3.10\drivers\char\tpm\tpm_i2c_stm_st33.c(3): * Copyright (C) 2009,
2010 STMicroelectronics
linux-3.10\drivers\char\tpm\tpm_i2c_stm_st33.h(19): * STMicroelectronics version
1.2.0, Copyright (C) 2010
linux-3.10\drivers\char\tpm\tpm_i2c_stm_st33.h(3): * Copyright (C) 2009,
2010 STMicroelectronics
linux-3.10\drivers\char\tpm\tpm_ibmvtpm.c(2): * Copyright (C) 2012 IBM
Corporation
linux-3.10\drivers\char\tpm\tpm_ibmvtpm.h(2): * Copyright (C) 2012 IBM
Corporation
linux-3.10\drivers\char\tpm\tpm_infineon.c(7): * Copyright (C) 2005, Marcel
Selhorst <tpmdd@selhorst.net>
linux-3.10\drivers\char\tpm\tpm_nsc.c(2): * Copyright (C) 2004 IBM Corporation
linux-3.10\drivers\char\tpm\tpm_of.c(2): * Copyright 2012 IBM Corporation
linux-3.10\drivers\char\tpm\tpm_tis.c(2): * Copyright (C) 2005, 2006 IBM
Corporation

legal(ME)

linux-3.10\drivers\char\ttyprintk.c(4): *Copyright (C) 2010 Samo Pogacnik
linux-3.10\drivers\char\uv_mmtimer.c(8): * Copyright (c) 2009 Silicon Graphics,
Inc. All rights reserved.
linux-3.10\drivers\char\virtio_console.c(2): * Copyright (C) 2006, 2007, 2009
Rusty Russell, IBM Corporation
linux-3.10\drivers\char\virtio_console.c(3): * Copyright (C) 2009, 2010, 2011 Red
Hat, Inc.
linux-3.10\drivers\char\virtio_console.c(4): * Copyright (C) 2009, 2010, 2011
Amit Shah <amit.shah@redhat.com>
linux-3.10\drivers\char\xilinx_hwicap\buffer_icap.c(24): * (c) Copyright
2003-2008 Xilinx Inc.
linux-3.10\drivers\char\xilinx_hwicap\buffer_icap.h(24): * (c) Copyright
2003-2008 Xilinx Inc.
linux-3.10\drivers\char\xilinx_hwicap\fifo_icap.c(24): * (c) Copyright 2007-2008
Xilinx Inc.
linux-3.10\drivers\char\xilinx_hwicap\fifo_icap.h(24): * (c) Copyright 2007-2008
Xilinx Inc.
linux-3.10\drivers\char\xilinx_hwicap\xilinx_hwicap.c(24): * (c) Copyright 2002
Xilinx Inc., Systems Engineering Group
linux-3.10\drivers\char\xilinx_hwicap\xilinx_hwicap.c(25): * (c) Copyright 2004
Xilinx Inc., Systems Engineering Group
linux-3.10\drivers\char\xilinx_hwicap\xilinx_hwicap.c(26): * (c) Copyright
2007-2008 Xilinx Inc.
linux-3.10\drivers\char\xilinx_hwicap\xilinx_hwicap.h(24): * (c) Copyright
2003-2007 Xilinx Inc.
linux-3.10\drivers\clk\clk.c(2): * Copyright (C) 2010-2011 Canonical Ltd
<jeremy.kerr@canonical.com>
linux-3.10\drivers\clk\clk.c(3): * Copyright (C) 2011-2012 Linaro Ltd
<mturquette@linaro.org>
linux-3.10\drivers\clk\clk-axi-clkgen.c(4): * Copyright 2012-2013 Analog Devices
Inc.
linux-3.10\drivers\clk\clk-bcm2835.c(2): * Copyright (C) 2010 Broadcom
linux-3.10\drivers\clk\clk-bcm2835.c(3): * Copyright (C) 2012 Stephen Warren
linux-3.10\drivers\clk\clk-composite.c(2): * Copyright (c) 2013 NVIDIA
CORPORATION. All rights reserved.
linux-3.10\drivers\clk\clkdev.c(4): *Copyright (C) 2008 Russell King.
linux-3.10\drivers\clk\clk-divider.c(2): * Copyright (C) 2011 Sascha Hauer,
Pengutronix <s.hauer@pengutronix.de>
linux-3.10\drivers\clk\clk-divider.c(3): * Copyright (C) 2011 Richard Zhao,
Linaro <richard.zhao@linaro.org>
linux-3.10\drivers\clk\clk-divider.c(4): * Copyright (C) 2011-2012 Mike
Turquette, Linaro Ltd <mturquette@linaro.org>
linux-3.10\drivers\clk\clk-fixed-factor.c(2): * Copyright (C) 2011 Sascha Hauer,
Pengutronix <s.hauer@pengutronix.de>
linux-3.10\drivers\clk\clk-fixed-rate.c(2): * Copyright (C) 2010-2011 Canonical
Ltd <jeremy.kerr@canonical.com>
linux-3.10\drivers\clk\clk-fixed-rate.c(3): * Copyright (C) 2011-2012 Mike
Turquette, Linaro Ltd <mturquette@linaro.org>
linux-3.10\drivers\clk\clk-gate.c(2): * Copyright (C) 2010-2011 Canonical Ltd
<jeremy.kerr@canonical.com>
linux-3.10\drivers\clk\clk-gate.c(3): * Copyright (C) 2011-2012 Mike Turquette,
Linaro Ltd <mturquette@linaro.org>

legal(ME)

linux-3.10\drivers\clk\clk-highbank.c(2): * Copyright 2011-2012 Calxeda, Inc.
linux-3.10\drivers\clk\clk-ls1x.c(2): * Copyright (c) 2012 Zhang, Keguang
<keguang.zhang@gmail.com>
linux-3.10\drivers\clk\clk-max77686.c(4): * Copyright (C) 2012 Samsung
Electronics
linux-3.10\drivers\clk\clk-mux.c(2): * Copyright (C) 2011 Sascha Hauer,
Pengutronix <s.hauer@pengutronix.de>
linux-3.10\drivers\clk\clk-mux.c(3): * Copyright (C) 2011 Richard Zhao, Linaro
<richard.zhao@linaro.org>
linux-3.10\drivers\clk\clk-mux.c(4): * Copyright (C) 2011-2012 Mike Turquette,
Linaro Ltd <mturquette@linaro.org>
linux-3.10\drivers\clk\clk-prima2.c(4): * Copyright (c) 2011 Cambridge Silicon
Radio Limited, a CSR plc group company.
linux-3.10\drivers\clk\clk-twl6040.c(4): * Copyright (C) 2012 Texas Instruments
Inc.
linux-3.10\drivers\clk\clk-u300.c(3): * Copyright (C) 2007-2012 ST-Ericsson AB
linux-3.10\drivers\clk\clk-vt8500.c(3): * Copyright (C) 2012 Tony Prisk
<linux@prisktech.co.nz>
linux-3.10\drivers\clk\clk-wm831x.c(4): * Copyright 2011-2 Wolfson
Microelectronics PLC.
linux-3.10\drivers\clk\clk-zynq.c(2): * Copyright (c) 2012 National Instruments
linux-3.10\drivers\clk\mmp\clk-apbc.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mmp\clk-apmu.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mmp\clk-frac.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mmp\clk-mmp2.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mmp\clk-pxa168.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mmp\clk-pxa910.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mvebu\clk.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mvebu\clk-core.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mvebu\clk-core.h(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mvebu\clk-cpu.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mvebu\clk-gating-ctrl.h(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\clk\mxs\clk.c(2): * Copyright 2012 Freescale Semiconductor,
Inc.
linux-3.10\drivers\clk\mxs\clk.h(2): * Copyright 2012 Freescale Semiconductor,
Inc.
linux-3.10\drivers\clk\mxs\clk-div.c(2): * Copyright 2012 Freescale
Semiconductor, Inc.
linux-3.10\drivers\clk\mxs\clk-frac.c(2): * Copyright 2012 Freescale
Semiconductor, Inc.
linux-3.10\drivers\clk\mxs\clk-imx23.c(2): * Copyright 2012 Freescale
Semiconductor, Inc.
linux-3.10\drivers\clk\mxs\clk-imx28.c(2): * Copyright 2012 Freescale
Semiconductor, Inc.
linux-3.10\drivers\clk\mxs\clk-pll.c(2): * Copyright 2012 Freescale
Semiconductor, Inc.
linux-3.10\drivers\clk\mxs\clk-ref.c(2): * Copyright 2012 Freescale
Semiconductor, Inc.
linux-3.10\drivers\clk\mxs\clk-ssp.c(2): * Copyright 2012 DENX Software
Engineering, GmbH
linux-3.10\drivers\clk\mxs\clk-ssp.c(5): * Portions copyright (C) 2003 Russell
King, PXA MMCI Driver

legal(ME)

linux-3.10\drivers\clk\mxs\clk-ssp.c(6): * Portions copyright (C) 2004-2005
Pierre Ossman, W83L51xD SD/MMC driver
linux-3.10\drivers\clk\mxs\clk-ssp.c(8): * Copyright 2008 Embedded Alley
Solutions, Inc.
linux-3.10\drivers\clk\mxs\clk-ssp.c(9): * Copyright 2009-2011 Freescale
Semiconductor, Inc.
linux-3.10\drivers\clk\samsung\clk.c(2): * Copyright (c) 2013 Samsung Electronics
Co., Ltd.
linux-3.10\drivers\clk\samsung\clk.c(3): * Copyright (c) 2013 Linaro Ltd.
linux-3.10\drivers\clk\samsung\clk.h(2): * Copyright (c) 2013 Samsung Electronics
Co., Ltd.
linux-3.10\drivers\clk\samsung\clk.h(3): * Copyright (c) 2013 Linaro Ltd.
linux-3.10\drivers\clk\samsung\clk-exynos4.c(2): * Copyright (c) 2013 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\clk\samsung\clk-exynos4.c(3): * Copyright (c) 2013 Linaro Ltd.
linux-3.10\drivers\clk\samsung\clk-exynos5250.c(2): * Copyright (c) 2013 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\clk\samsung\clk-exynos5250.c(3): * Copyright (c) 2013 Linaro
Ltd.
linux-3.10\drivers\clk\samsung\clk-exynos5440.c(2): * Copyright (c) 2013 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\clk\samsung\clk-pll.c(2): * Copyright (c) 2013 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\clk\samsung\clk-pll.c(3): * Copyright (c) 2013 Linaro Ltd.
linux-3.10\drivers\clk\samsung\clk-pll.h(2): * Copyright (c) 2013 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\clk\samsung\clk-pll.h(3): * Copyright (c) 2013 Linaro Ltd.
linux-3.10\drivers\clk\socfpga\clk.c(2): *Copyright 2011-2012 Calxeda, Inc.
linux-3.10\drivers\clk\socfpga\clk.c(3): *Copyright (C) 2012-2013 Altera
Corporation <www.altera.com>
linux-3.10\drivers\clk\spear\clk.c(2): * Copyright (C) 2012 ST Microelectronics
linux-3.10\drivers\clk\spear\clk.h(4): * Copyright (C) 2012 ST Microelectronics
linux-3.10\drivers\clk\spear\clk-aux-synth.c(2): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\clk\spear\clk-frac-synth.c(2): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\clk\spear\clk-gpt-synth.c(2): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\clk\spear\clk-vco-pll.c(2): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\clk\spear\spear1310_clock.c(6): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\clk\spear\spear1340_clock.c(6): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\clk\spear\spear3xx_clock.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\clk\spear\spear6xx_clock.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\clk\sunxi\clk-factors.c(2): * Copyright (C) 2013 Emilio
López <emilio@elopez.com.ar>
linux-3.10\drivers\clk\sunxi\clk-sunxi.c(2): * Copyright 2013 Emilio López
linux-3.10\drivers\clk\tegra\clk.c(2): * Copyright (c) 2012, NVIDIA

legal(ME)

CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk.h(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-audio-sync.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-divider.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-periph.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-periph-gate.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-pll.c(2): * Copyright (c) 2012, 2013, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-pll-out.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-super.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-tegra114.c(2): * Copyright (c) 2012, 2013, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-tegra20.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\tegra\clk-tegra30.c(2): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\clk\ux500\abx500-clk.c(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\drivers\clk\ux500\clk.h(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\drivers\clk\ux500\clk-prcc.c(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\drivers\clk\ux500\clk-prcmu.c(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\drivers\clk\ux500\clk-sysctrl.c(4): * Copyright (C) 2013 ST-Ericsson SA
linux-3.10\drivers\clk\ux500\u8500_clk.c(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\drivers\clk\ux500\u8540_clk.c(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\drivers\clk\ux500\u9540_clk.c(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\drivers\clk\versatile\clk-icst.c(6): * Copyright (C) 2012 Linus Walleij
linux-3.10\drivers\clk\versatile\clk-impd1.c(3): * Copyright (C) 2012 Linus Walleij
linux-3.10\drivers\clk\versatile\clk-integrator.c(3): * Copyright (C) 2012 Linus Walleij
linux-3.10\drivers\clk\versatile\clk-realview.c(3): * Copyright (C) 2012 Linus Walleij
linux-3.10\drivers\clk\versatile\clk-sp810.c(11): * Copyright (C) 2013 ARM Limited
linux-3.10\drivers\clk\versatile\clk-vexpress.c(11): * Copyright (C) 2012 ARM Limited
linux-3.10\drivers\clk\versatile\clk-vexpress-osc.c(11): * Copyright (C) 2012 ARM Limited
linux-3.10\drivers\clk\x86\clk-lpt.c(4): * Copyright (C) 2013, Intel Corporation
linux-3.10\drivers\clocksource\arm_arch_timer.c(4): *Copyright (C) 2011 ARM Ltd.
linux-3.10\drivers\clocksource\bcm_kona_timer.c(2): * Copyright (C) 2012 Broadcom Corporation
linux-3.10\drivers\clocksource\bcm2835_timer.c(2): * Copyright 2012 Simon Arlott
linux-3.10\drivers\clocksource\cadence_ttc_timer.c(4): *Copyright (C) 2011-2013

legal(ME)

Xilinx

linux-3.10\drivers\clocksource\clksrc-dbx500-prcmu.c(2): * Copyright (C)
ST-Ericsson SA 2011

linux-3.10\drivers\clocksource\clksrc-of.c(2): * Copyright (c) 2012, NVIDIA
CORPORATION. All rights reserved.

linux-3.10\drivers\clocksource\cs5535-clokev.c(4): * Copyright (C) 2006,
Advanced Micro Devices, Inc.

linux-3.10\drivers\clocksource\cs5535-clokev.c(5): * Copyright (C) 2007 Andres
Salomon <dilinger@debian.org>

linux-3.10\drivers\clocksource\cs5535-clokev.c(6): * Copyright (C) 2009 Andres
Salomon <dilinger@collabora.co.uk>

linux-3.10\drivers\clocksource\dw_apb_timer.c(2): * (C) Copyright 2009 Intel
Corporation

linux-3.10\drivers\clocksource\dw_apb_timer_of.c(2): * Copyright (C) 2012 Altera
Corporation

linux-3.10\drivers\clocksource\dw_apb_timer_of.c(3): * Copyright (c) 2011
Picochip Ltd., Jamie Iles

linux-3.10\drivers\clocksource\em_sti.c(4): * Copyright (C) 2012 Magnus Damm

linux-3.10\drivers\clocksource\exynos_mct.c(3): * Copyright (c) 2011 Samsung
Electronics Co., Ltd.

linux-3.10\drivers\clocksource\metag_generic.c(2): * Copyright (C) 2005-2013
Imagination Technologies Ltd.

linux-3.10\drivers\clocksource\mxs_timer.c(2): * Copyright (C) 2000-2001 Deep Blue
Solutions

linux-3.10\drivers\clocksource\mxs_timer.c(3): * Copyright (C) 2002 Shane Nay
(shane@minirl.com)

linux-3.10\drivers\clocksource\mxs_timer.c(4): * Copyright (C) 2006-2007 Pavel
Pisa (ppisa@pikron.com)

linux-3.10\drivers\clocksource\mxs_timer.c(5): * Copyright (C) 2008 Juergen
Beisert (kernel@pengutronix.de)

linux-3.10\drivers\clocksource\mxs_timer.c(6): * Copyright (C) 2010 Freescale
Semiconductor, Inc. All Rights Reserved.

linux-3.10\drivers\clocksource\nomadik-mtu.c(2): * Copyright (C) 2008
STMicroelectronics

linux-3.10\drivers\clocksource\nomadik-mtu.c(3): * Copyright (C) 2010 Alessandro
Rubini

linux-3.10\drivers\clocksource\nomadik-mtu.c(4): * Copyright (C) 2010 Linus
Walleij for ST-Ericsson

linux-3.10\drivers\clocksource\samsung_pwm_timer.c(2): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\clocksource\scx200_hrt.c(2): * Copyright (C) 2006 Jim Cromie

linux-3.10\drivers\clocksource\sh_cmt.c(4): * Copyright (C) 2008 Magnus Damm

linux-3.10\drivers\clocksource\sh_mtu2.c(4): * Copyright (C) 2009 Magnus Damm

linux-3.10\drivers\clocksource\sh_tmu.c(4): * Copyright (C) 2009 Magnus Damm

linux-3.10\drivers\clocksource\sun4i_timer.c(4): * Copyright (C) 2012 Maxime
Ripard

linux-3.10\drivers\clocksource\tegra20_timer.c(2): * Copyright (C) 2010 Google,
Inc.

linux-3.10\drivers\clocksource\time-armada-370-xp.c(4): * Copyright (C) 2012
Marvell

linux-3.10\drivers\clocksource\timer-marco.c(4): * Copyright (c) 2011 Cambridge
Silicon Radio Limited, a CSR plc group company.

legal(ME)

linux-3.10\drivers\clocksource\timer-prima2.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\drivers\clocksource\vt8500_timer.c(4): *Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\drivers\clocksource\vt8500_timer.c(5): *Copyright (C) 2010 Alexey Charkov <alchark@gmail.com>
linux-3.10\drivers\connector\cn_proc.c(4): * Copyright (C) Matt Helsley, IBM Corp. 2005
linux-3.10\drivers\connector\cn_proc.c(6): * Original copyright notice follows:
linux-3.10\drivers\connector\cn_proc.c(7): * Copyright (C) 2005 BULL SA.
linux-3.10\drivers\connector\cn_queue.c(4): * 2004+ Copyright (c) Evgeniy Polyakov <zbr@ioremap.net>
linux-3.10\drivers\connector\connector.c(4): * 2004+ Copyright (c) Evgeniy Polyakov <zbr@ioremap.net>
linux-3.10\drivers\cpufreq\acpi-cpufreq.c(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\drivers\cpufreq\acpi-cpufreq.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\cpufreq\acpi-cpufreq.c(6): *Copyright (C) 2002 - 2004 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\cpufreq\acpi-cpufreq.c(7): *Copyright (C) 2006 Denis Sadykov <denis.m.sadykov@intel.com>
linux-3.10\drivers\cpufreq\amd_freq_sensitivity.c(5): * Copyright (C) 2013 Advanced Micro Devices, Inc.
linux-3.10\drivers\cpufreq\arm_big_little.c(4): * Copyright (C) 2013 ARM Ltd.
linux-3.10\drivers\cpufreq\arm_big_little.c(7): * Copyright (C) 2013 Linaro.
linux-3.10\drivers\cpufreq\arm_big_little.h(4): * Copyright (C) 2013 ARM Ltd.
linux-3.10\drivers\cpufreq\arm_big_little.h(7): * Copyright (C) 2013 Linaro.
linux-3.10\drivers\cpufreq\arm_big_little_dt.c(7): * Copyright (C) 2013 Linaro.
linux-3.10\drivers\cpufreq\at32ap-cpufreq.c(2): * Copyright (C) 2004-2007 Atmel Corporation
linux-3.10\drivers\cpufreq\at32ap-cpufreq.c(5): * Copyright 2001 MontaVista Software Inc.
linux-3.10\drivers\cpufreq\blackfin-cpufreq.c(4): * Copyright 2008-2011 Analog Devices Inc.
linux-3.10\drivers\cpufreq\cpufreq.c(4): *Copyright (C) 2001 Russell King
linux-3.10\drivers\cpufreq\cpufreq_conservative.c(4): *Copyright (C)2001 Russell King
linux-3.10\drivers\cpufreq\cpufreq_governor.c(6): * Copyright(C) 2001 Russell King
linux-3.10\drivers\cpufreq\cpufreq_governor.h(6): * Copyright(C) 2001 Russell King
linux-3.10\drivers\cpufreq\cpufreq_ondemand.c(4): *Copyright (C)2001 Russell King
linux-3.10\drivers\cpufreq\cpufreq_performance.c(4): *Copyright (C) 2002 - 2003 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\cpufreq\cpufreq_powersave.c(4): *Copyright (C) 2002 - 2003 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\cpufreq\cpufreq_stats.c(4): *Copyright (C) 2003-2004 Venkatesh Pallipadi <venkatesh.pallipadi@intel.com>.
linux-3.10\drivers\cpufreq\cpufreq_userspace.c(5): *Copyright (C)2001 Russell King
linux-3.10\drivers\cpufreq\cpufreq-cpu0.c(2): * Copyright (C) 2012 Freescale

legal(ME)

Semiconductor, Inc.

linux-3.10\drivers\cpufreq\davinci-cpufreq.c(11): *Based on cpu-sa1110.c,
Copyright (C) 2001 Russell King

linux-3.10\drivers\cpufreq\davinci-cpufreq.c(13): * Copyright (C) 2007-2008 Texas
Instruments, Inc.

linux-3.10\drivers\cpufreq\davinci-cpufreq.c(4): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\drivers\cpufreq\davinci-cpufreq.c(6): * Based on
linux/arch/arm/plat-omap/cpu-omap.c. Original Copyright follows:

linux-3.10\drivers\cpufreq\davinci-cpufreq.c(8): *Copyright (C) 2005 Nokia
Corporation

linux-3.10\drivers\cpufreq\dbx500-cpufreq.c(2): * Copyright (C)
STMicroelectronics 2009

linux-3.10\drivers\cpufreq\dbx500-cpufreq.c(3): * Copyright (C) ST-Ericsson SA
2010-2012

linux-3.10\drivers\cpufreq\elanfreq.c(4): *(c) Copyright 2002 Robert Schwebel
<r.schwebel@pengutronix.de>

linux-3.10\drivers\cpufreq\exynos4210-cpufreq.c(2): * Copyright (c) 2010-2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\cpufreq\exynos4x12-cpufreq.c(2): * Copyright (c) 2010-2012
Samsung Electronics Co., Ltd.

linux-3.10\drivers\cpufreq\exynos5250-cpufreq.c(2): * Copyright (c)
2010-2012 Samsung Electronics Co., Ltd.

linux-3.10\drivers\cpufreq\exynos5440-cpufreq.c(2): * Copyright (c) 2013 Samsung
Electronics Co., Ltd.

linux-3.10\drivers\cpufreq\exynos-cpufreq.c(2): * Copyright (c) 2010-2011 Samsung
Electronics Co., Ltd.

linux-3.10\drivers\cpufreq\exynos-cpufreq.h(2): * Copyright (c) 2010 Samsung
Electronics Co., Ltd.

linux-3.10\drivers\cpufreq\freq_table.c(4): * Copyright (C) 2002 - 2003 Dominik
Brodowski

linux-3.10\drivers\cpufreq\highbank-cpufreq.c(2): * Copyright (C) 2012 Calxeda,
Inc.

linux-3.10\drivers\cpufreq\ia64-acpi-cpufreq.c(7): * Copyright (C) 2005 Intel
Corp

linux-3.10\drivers\cpufreq\imx6q-cpufreq.c(2): * Copyright (C) 2013 Freescale
Semiconductor, Inc.

linux-3.10\drivers\cpufreq\integrator-cpufreq.c(2): *Copyright (C) 2001-2002 Deep
Blue Solutions Ltd.

linux-3.10\drivers\cpufreq\intel_pstate.c(4): * (C) Copyright 2012 Intel
Corporation

linux-3.10\drivers\cpufreq\kirkwood-cpufreq.c(4): *Copyright (C) 2013 Andrew Lunn
<andrew@lunn.ch>

linux-3.10\drivers\cpufreq\loongson2_cpufreq.c(6): * Copyright (C) 2006 - 2008
Lemote Inc. & Insititute of Computing Technology

linux-3.10\drivers\cpufreq\maple-cpufreq.c(2): *Copyright (C) 2011 Dmitry
Eremin-Solenikov

linux-3.10\drivers\cpufreq\maple-cpufreq.c(3): *Copyright (C) 2002 - 2005
Benjamin Herrenschmidt <benh@kernel.crashing.org>

linux-3.10\drivers\cpufreq\omap-cpufreq.c(4): *Copyright (C) 2005 Nokia
Corporation

linux-3.10\drivers\cpufreq\omap-cpufreq.c(7): *Based on cpu-sa1110.c, Copyright

legal(ME)

(C) 2001 Russell King
linux-3.10\drivers\cpufreq\omap-cpufreq.c(9): * Copyright (C) 2007-2011 Texas Instruments, Inc.
linux-3.10\drivers\cpufreq\pcc-cpufreq.c(4): *Copyright (C) 2009 Red Hat, Matthew Garrett <mjg@redhat.com>
linux-3.10\drivers\cpufreq\pcc-cpufreq.c(5): *Copyright (C) 2009 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\cpufreq\ppc_cbe_cpufreq.c(4): * (C) Copyright IBM Deutschland Entwicklung GmbH 2005-2007
linux-3.10\drivers\cpufreq\ppc_cbe_cpufreq.h(6): * (C) Copyright IBM Deutschland Entwicklung GmbH 2005-2007
linux-3.10\drivers\cpufreq\ppc_cbe_cpufreq_pervasive.c(7): * (C) Copyright IBM Deutschland Entwicklung GmbH 2005-2007
linux-3.10\drivers\cpufreq\ppc_cbe_cpufreq_pmi.c(4): * (C) Copyright IBM Deutschland Entwicklung GmbH 2005-2007
linux-3.10\drivers\cpufreq\pxa2xx-cpufreq.c(2): *Copyright (C) 2002,2003 Intrinsic Software
linux-3.10\drivers\cpufreq\pxa3xx-cpufreq.c(2): * Copyright (C) 2008 Marvell International Ltd.
linux-3.10\drivers\cpufreq\s3c2416-cpufreq.c(4): * Copyright 2011 Heiko Stuebner <heiko@sntech.de>
linux-3.10\drivers\cpufreq\s3c2416-cpufreq.c(8): * Copyright 2009 Wolfson Microelectronics plc
linux-3.10\drivers\cpufreq\s3c64xx-cpufreq.c(2): * Copyright 2009 Wolfson Microelectronics plc
linux-3.10\drivers\cpufreq\s5pv210-cpufreq.c(2): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\drivers\cpufreq\sa1100-cpufreq.c(4): * Copyright (C) 2000 2001, The Delft University of Technology
linux-3.10\drivers\cpufreq\sa1110-cpufreq.c(4): *Copyright (C) 2001 Russell King
linux-3.10\drivers\cpufreq\sc520_freq.c(4): *Copyright (C) 2005 Sean Young <sean@mess.org>
linux-3.10\drivers\cpufreq\sh-cpufreq.c(4): * Copyright (C) 2002 - 2012 Paul Mundt
linux-3.10\drivers\cpufreq\sh-cpufreq.c(5): * Copyright (C) 2002 M. R. Brown
linux-3.10\drivers\cpufreq\sh-cpufreq.c(9): * Copyright (C) 2004-2007 Atmel Corporation
linux-3.10\drivers\cpufreq\sparc-us2e-cpufreq.c(3): * Copyright (C) 2003 David S. Miller (davem@redhat.com)
linux-3.10\drivers\cpufreq\sparc-us3-cpufreq.c(3): * Copyright (C) 2003 David S. Miller (davem@redhat.com)
linux-3.10\drivers\cpufreq\spear-cpufreq.c(6): * Copyright (C) 2012 ST Microelectronics
linux-3.10\drivers\cpufreq\speedstep-centrino.c(13): * Copyright (C) 2003 Jeremy Fitzhardinge <jeremy@goop.org>
linux-3.10\drivers\cpufreq\speedstep-smi.c(66):unsigned char magic_data[] = "Copyright (c) 1999 Intel Corporation";
linux-3.10\drivers\cpufreq\tegra-cpufreq.c(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\cpufreq\unicore2-cpufreq.c(7): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\drivers\cpuidle\coupled.c(4): * Copyright (c) 2011 Google, Inc.
linux-3.10\drivers\cpuidle\cpuidle-calxeda.c(2): * Copyright 2012 Calxeda, Inc.

legal(ME)

linux-3.10\drivers\cpuidle\cpuidle-calxeda.c(5): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\cpuidle\cpuidle-calxeda.c(6): * Copyright 2012 Linaro Ltd.
linux-3.10\drivers\cpuidle\governors\ladder.c(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\drivers\cpuidle\governors\ladder.c(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\drivers\cpuidle\governors\ladder.c(6): *Copyright (C) 2004, 2005 Dominik Brodowski <linux@brodo.de>
linux-3.10\drivers\cpuidle\governors\menu.c(4): * Copyright (C) 2006-2007 Adam Belay <abelay@novell.com>
linux-3.10\drivers\cpuidle\governors\menu.c(5): * Copyright (C) 2009 Intel Corporation
linux-3.10\drivers\crypto\amcc\crypto4xx_alg.c(4): * Copyright (c) 2008 Applied Micro Circuits Corporation.
linux-3.10\drivers\crypto\amcc\crypto4xx_core.c(4): * Copyright (c) 2008 Applied Micro Circuits Corporation.
linux-3.10\drivers\crypto\amcc\crypto4xx_core.h(4): * Copyright (c) 2008 Applied Micro Circuits Corporation.
linux-3.10\drivers\crypto\amcc\crypto4xx_reg_def.h(4): * Copyright (c) 2008 Applied Micro Circuits Corporation.
linux-3.10\drivers\crypto\amcc\crypto4xx_sa.c(4): * Copyright (c) 2008 Applied Micro Circuits Corporation.
linux-3.10\drivers\crypto\amcc\crypto4xx_sa.h(4): * Copyright (c) 2008 Applied Micro Circuits Corporation.
linux-3.10\drivers\crypto\atmel-aes.c(6): * Copyright (c) 2012 Eukrṭṭa Electromatique - ATMEL
linux-3.10\drivers\crypto\atmel-sha.c(6): * Copyright (c) 2012 Eukrṭṭa Electromatique - ATMEL
linux-3.10\drivers\crypto\atmel-tdes.c(6): * Copyright (c) 2012 Eukrṭṭa Electromatique - ATMEL
linux-3.10\drivers\crypto\bfin_crc.c(6): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\crypto\caam\caamalg.c(4): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\caamhash.c(4): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\caamrng.c(4): * Copyright 2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\compat.h(2): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\ctrl.c(5): * Copyright 2008-2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\ctrl.h(4): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\desc.h(5): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\desc_constr.h(4): * Copyright 2008-2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\error.c(4): * Copyright 2009-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\error.h(4): * Copyright 2009-2011 Freescale Semiconductor, Inc.

legal(ME)

linux-3.10\drivers\crypto\caam\intern.h(5): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\jr.c(5): * Copyright 2008-2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\jr.h(4): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\key_gen.c(4): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\key_gen.h(4): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\pdb.h(4): * Copyright 2008-2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\regs.h(4): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\caam\sg_sw_sec4.h(4): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\geode-aes.c(1): /* Copyright (C) 2004-2006, Advanced Micro Devices, Inc.
linux-3.10\drivers\crypto\geode-aes.h(1):/* Copyright (C) 2003-2006, Advanced Micro Devices, Inc.
linux-3.10\drivers\crypto\hifn_795x.c(2): * 2007+ Copyright (c) Evgeniy Polyakov <johnpol@2ka.mipt.ru>
linux-3.10\drivers\crypto\ixp4xx_crypto.c(4): * Copyright (C) 2008 Christian Hohnstaedt <chohnstaedt@innominate.com>
linux-3.10\drivers\crypto\n2_asm.S(3): * Copyright (C) 2009 David S. Miller <davem@davemloft.net>
linux-3.10\drivers\crypto\n2_core.c(3): * Copyright (C) 2010, 2011 David S. Miller <davem@davemloft.net>
linux-3.10\drivers\crypto\nx\nx.c(4): * Copyright (C) 2011-2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx_debugfs.c(4): * Copyright (C) 2011-2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx-842.c(18): * Copyright (C) IBM Corporation, 2012
linux-3.10\drivers\crypto\nx\nx-aes-cbc.c(4): * Copyright (C) 2011-2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx-aes-ccm.c(4): * Copyright (C) 2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx-aes-ctr.c(4): * Copyright (C) 2011-2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx-aes-ecb.c(4): * Copyright (C) 2011-2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx-aes-gcm.c(4): * Copyright (C) 2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx-aes-xcbc.c(4): * Copyright (C) 2011-2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx-sha256.c(4): * Copyright (C) 2011-2012 International Business Machines Inc.
linux-3.10\drivers\crypto\nx\nx-sha512.c(4): * Copyright (C) 2011-2012 International Business Machines Inc.
linux-3.10\drivers\crypto\omap-aes.c(6): * Copyright (c) 2010 Nokia Corporation
linux-3.10\drivers\crypto\omap-aes.c(8): * Copyright (c) 2011 Texas Instruments Incorporated

legal(ME)

linux-3.10\drivers\crypto\omap-sham.c(6): * Copyright (c) 2010 Nokia Corporation
linux-3.10\drivers\crypto\omap-sham.c(8): * Copyright (c) 2011 Texas Instruments Incorporated
linux-3.10\drivers\crypto\padlock-aes.c(6): * Copyright (c) 2004Michal Ludvig <michal@logix.cz>
linux-3.10\drivers\crypto\padlock-sha.c(6): * Copyright (c) 2006Michal Ludvig <michal@logix.cz>
linux-3.10\drivers\crypto\picoccell_crypto.c(2): * Copyright (c) 2010-2011 Picochip Ltd., Jamie Iles
linux-3.10\drivers\crypto\picoccell_crypto_regs.h(2): * Copyright (c) 2010 Picochip Ltd., Jamie Iles
linux-3.10\drivers\crypto\s5p-sss.c(6): * Copyright (C) 2011 NetUP Inc. All rights reserved.
linux-3.10\drivers\crypto\sahara.c(6): * Copyright (c) 2013 Vista Silicon S.L.
linux-3.10\drivers\crypto\talitos.c(10): * 2007+ Copyright (c) Evgeniy Polyakov <johnpol@2ka.mipt.ru>
linux-3.10\drivers\crypto\talitos.c(4): * Copyright (c) 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\talitos.c(7): * Copyright (c) 2006-2007 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\drivers\crypto\talitos.h(4): * Copyright (c) 2006-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\crypto\tegra-aes.c(13): * Copyright (c) 2010, NVIDIA Corporation.
linux-3.10\drivers\crypto\tegra-aes.h(2): * Copyright (c) 2010, NVIDIA Corporation.
linux-3.10\drivers\crypto\ux500\cryp\cryp.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\cryp\cryp.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\cryp\cryp_core.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\cryp\cryp_irq.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\cryp\cryp_irq.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\cryp\cryp_irqp.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\cryp\cryp_p.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\cryp\Makefile(2):# * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\hash\hash_alg.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\hash\hash_core.c(5): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\hash\Makefile(2):# Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\Kconfig(2):# Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\crypto\ux500\Makefile(2):# Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\dca\dca-core.c(2): * Copyright(c) 2007 - 2009 Intel Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\dca\dca-sysfs.c(2): * Copyright(c) 2007 - 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\devfreq\devfreq.c(5): * Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\devfreq\exynos4_bus.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\devfreq\governor.h(4): * Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\devfreq\governor_performance.c(4): *Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\devfreq\governor_powersave.c(4): *Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\devfreq\governor_simpleondemand.c(4): *Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\devfreq\governor_userspace.c(4): *Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\dio\dio.c(2): * Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk>
linux-3.10\drivers\dio\dio.c(3): * Copyright (C) 2004 Jochen Friedrich <jochen@scram.de>
linux-3.10\drivers\dio\dio-driver.c(4): *Copyright (C) 2004 Jochen Friedrich
linux-3.10\drivers\dio\dio-sysfs.c(4): *Copyright (C) 2004 Jochen Friedrich
linux-3.10\drivers\dma\acpi-dma.c(6): * Copyright (C) 2013, Intel Corporation
linux-3.10\drivers\dma\amba-pl08x.c(2): * Copyright (c) 2006 ARM Ltd.
linux-3.10\drivers\dma\amba-pl08x.c(3): * Copyright (c) 2010 ST-Ericsson SA
linux-3.10\drivers\dma\at_hdmac.c(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\drivers\dma\at_hdmac_regs.h(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\drivers\dma\bestcomm\ata.c(8): * Copyright (C) 2006-2007 Sylvain Munaut <tnt@246tNt.com>
linux-3.10\drivers\dma\bestcomm\ata.c(9): * Copyright (C) 2006Freescale - John Rigby
linux-3.10\drivers\dma\bestcomm\bcom_ata_task.c(4): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\dma\bestcomm\bcom_fec_rx_task.c(4): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\dma\bestcomm\bcom_fec_tx_task.c(4): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\dma\bestcomm\bcom_gen_bd_rx_task.c(4): * Copyright (C) 2006 AppSpec Computer Technologies Corp.
linux-3.10\drivers\dma\bestcomm\bcom_gen_bd_rx_task.c(6): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\dma\bestcomm\bcom_gen_bd_tx_task.c(4): * Copyright (C) 2006 AppSpec Computer Technologies Corp.
linux-3.10\drivers\dma\bestcomm\bcom_gen_bd_tx_task.c(6): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\dma\bestcomm\bestcomm.c(5): * Copyright (C) 2006-2007 Sylvain Munaut <tnt@246tNt.com>
linux-3.10\drivers\dma\bestcomm\bestcomm.c(6): * Copyright (C) 2005Varma Electronics Oy,
linux-3.10\drivers\dma\bestcomm\bestcomm.c(8): * Copyright (C) 2003-2004 MontaVista, Software, Inc.
linux-3.10\drivers\dma\bestcomm\fec.c(5): * Copyright (C) 2006-2007 Sylvain Munaut <tnt@246tNt.com>

legal(ME)

linux-3.10\drivers\dma\bestcomm\fec.c(6): * Copyright (C) 2003-2004 MontaVista, Software, Inc.
linux-3.10\drivers\dma\bestcomm\gen_bd.c(4): * Copyright (C) 2007 Sylvain Munaut <tnt@246tNt.com>
linux-3.10\drivers\dma\bestcomm\gen_bd.c(5): * Copyright (C) 2006 AppSpec Computer Technologies Corp.
linux-3.10\drivers\dma\bestcomm\sram.c(7): * Copyright (C) 2005 Sylvain Munaut <tnt@246tNt.com>
linux-3.10\drivers\dma\coh901318.c(4): * Copyright (C) 2007-2009 ST-Ericsson
linux-3.10\drivers\dma\coh901318.h(2): * Copyright (C) 2007-2013 ST-Ericsson
linux-3.10\drivers\dma\coh901318_lll.c(4): * Copyright (C) 2007-2009 ST-Ericsson
linux-3.10\drivers\dma\dmaengine.c(2): * Copyright(c) 2004 - 2006 Intel Corporation. All rights reserved.
linux-3.10\drivers\dma\dmatest.c(4): * Copyright (C) 2007 Atmel Corporation
linux-3.10\drivers\dma\dmatest.c(5): * Copyright (C) 2013 Intel Corporation
linux-3.10\drivers\dma\dw_dmac.c(4): * Copyright (C) 2007-2008 Atmel Corporation
linux-3.10\drivers\dma\dw_dmac.c(5): * Copyright (C) 2010-2011 ST Microelectronics
linux-3.10\drivers\dma\dw_dmac_regs.h(4): * Copyright (C) 2005-2007 Atmel Corporation
linux-3.10\drivers\dma\dw_dmac_regs.h(5): * Copyright (C) 2010-2011 ST Microelectronics
linux-3.10\drivers\dma\edma.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\dma\ep93xx_dma.c(10): * Copyright (C) 2006 Applied Data Systems
linux-3.10\drivers\dma\ep93xx_dma.c(11): * Copyright (C) 2009 Ryan Mallon <rmallon@gmail.com>
linux-3.10\drivers\dma\ep93xx_dma.c(4): * Copyright (C) 2011 Mika Westerberg
linux-3.10\drivers\dma\ep93xx_dma.c(9): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\drivers\dma\fsldma.c(4): * Copyright (C) 2007-2010 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\dma\fsldma.h(2): * Copyright (C) 2007-2010 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\dma\imx-dma.c(7): * Copyright 2010 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
linux-3.10\drivers\dma\imx-dma.c(8): * Copyright 2012 Javier Martin, Vista Silicon <javier.martin@vista-silicon.com>
linux-3.10\drivers\dma\imx-sdma.c(10): * Copyright 2004-2009 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\dma\imx-sdma.c(6): * Copyright 2010 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
linux-3.10\drivers\dma\intel_mid_dma.c(4): *Copyright (C) 2008-10 Intel Corp
linux-3.10\drivers\dma\intel_mid_dma_regs.h(4): *Copyright (C) 2008-10 Intel Corp
linux-3.10\drivers\dma\ioat\dca.c(3): * Copyright(c) 2007 - 2009 Intel Corporation.
linux-3.10\drivers\dma\ioat\dma.c(3): * Copyright(c) 2004 - 2009 Intel Corporation.
linux-3.10\drivers\dma\ioat\dma.h(2): * Copyright(c) 2004 - 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\dma\ioat\dma_v2.c(3): * Copyright(c) 2004 - 2009 Intel Corporation.

legal(ME)

linux-3.10\drivers\dma\ioat\dma_v2.h(2): * Copyright(c) 2004 - 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\dma\ioat\dma_v3.c(27): * Copyright(c) 2004-2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\dma\ioat\dma_v3.c(7): * Copyright(c) 2004 - 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\dma\ioat\hw.h(2): * Copyright(c) 2004 - 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\dma\ioat\pci.c(3): * Copyright(c) 2007 - 2009 Intel Corporation.
linux-3.10\drivers\dma\ioat\registers.h(2): * Copyright(c) 2004 - 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\dma\iop-adma.c(3): * Copyright ㄣ 2006, Intel Corporation.
linux-3.10\drivers\dma\iovlock.c(2): * Copyright(c) 2004 - 2006 Intel Corporation. All rights reserved.
linux-3.10\drivers\dma\iovlock.c(3): * Portions based on net/core/datagram.c and copyrighted by their authors.
linux-3.10\drivers\dma\ipu\ipu_idmac.c(2): * Copyright (C) 2008
linux-3.10\drivers\dma\ipu\ipu_idmac.c(5): * Copyright (C) 2005-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\dma\ipu\ipu_intern.h(2): * Copyright (C) 2008
linux-3.10\drivers\dma\ipu\ipu_intern.h(5): * Copyright (C) 2005-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\dma\ipu\ipu_irq.c(2): * Copyright (C) 2008
linux-3.10\drivers\dma\mmp_pdma.c(2): * Copyright 2012 Marvell International Ltd.
linux-3.10\drivers\dma\mmp_tdma.c(4): * Copyright: Marvell International Ltd.
linux-3.10\drivers\dma\mpc512x_dma.c(2): * Copyright (C) Freescale Semicondutor, Inc. 2007, 2008.
linux-3.10\drivers\dma\mpc512x_dma.c(3): * Copyright (C) Semihalf 2009
linux-3.10\drivers\dma\mpc512x_dma.c(4): * Copyright (C) Ilya Yanok, Emcraft Systems 2010
linux-3.10\drivers\dma\mv_xor.c(3): * Copyright (C) 2007, 2008, Marvell International Ltd.
linux-3.10\drivers\dma\mv_xor.h(2): * Copyright (C) 2007, 2008, Marvell International Ltd.
linux-3.10\drivers\dma\mxs-dma.c(2): * Copyright 2011 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\dma\of-dma.c(6): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\dma\pch_dma.c(3): * Copyright (c) 2010 Intel Corporation
linux-3.10\drivers\dma\pch_dma.c(4): * Copyright (C) 2011 LAPIS Semiconductor Co., Ltd.
linux-3.10\drivers\dma\pl330.c(2): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\dma\pl330.c(5): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\drivers\dma\ppc4xx\adma.c(2): * Copyright (C) 2006-2009 DENX Software Engineering.
linux-3.10\drivers\dma\sa11x0-dma.c(4): * Copyright (C) 2012 Russell King
linux-3.10\drivers\dma\sa11x0-dma.c(6): * Copyright (C) 2000, 2001 by Nicolas Pitre
linux-3.10\drivers\dma\sh\shdma.c(6): * Copyright (C) 2011-2012 Guennadi

legal(ME)

Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\dma\sh\shdma.c(7): * Copyright (C) 2009 Nobuhiro Iwamatsu
<iwamatsu.nobuhiro@renesas.com>
linux-3.10\drivers\dma\sh\shdma.c(8): * Copyright (C) 2009 Renesas Solutions,
Inc. All rights reserved.
linux-3.10\drivers\dma\sh\shdma.c(9): * Copyright (C) 2007 Freescale
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\dma\sh\shdma.h(4): * Copyright (C) 2009 Nobuhiro Iwamatsu
<iwamatsu.nobuhiro@renesas.com>
linux-3.10\drivers\dma\sh\shdma.h(5): * Copyright (C) 2009 Renesas Solutions,
Inc. All rights reserved.
linux-3.10\drivers\dma\sh\shdma-base.c(6): * Copyright (C) 2011-2012 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\dma\sh\shdma-base.c(7): * Copyright (C) 2009 Nobuhiro Iwamatsu
<iwamatsu.nobuhiro@renesas.com>
linux-3.10\drivers\dma\sh\shdma-base.c(8): * Copyright (C) 2009 Renesas
Solutions, Inc. All rights reserved.
linux-3.10\drivers\dma\sh\shdma-base.c(9): * Copyright (C) 2007 Freescale
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\dma\sh\sudmac.c(10): * Copyright (C) 2007 Freescale
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\dma\sh\sudmac.c(4): * Copyright (C) 2013 Renesas Solutions
Corp.
linux-3.10\drivers\dma\sh\sudmac.c(7): * Copyright (C) 2011-2012 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\dma\sh\sudmac.c(8): * Copyright (C) 2009 Nobuhiro Iwamatsu
<iwamatsu.nobuhiro@renesas.com>
linux-3.10\drivers\dma\sh\sudmac.c(9): * Copyright (C) 2009 Renesas Solutions,
Inc. All rights reserved.
linux-3.10\drivers\dma\sirf-dma.c(4): * Copyright (c) 2011 Cambridge Silicon
Radio Limited, a CSR plc group company.
linux-3.10\drivers\dma\ste_dma40.c(2): * Copyright (C) Ericsson AB 2007-2008
linux-3.10\drivers\dma\ste_dma40.c(3): * Copyright (C) ST-Ericsson SA 2008-2010
linux-3.10\drivers\dma\ste_dma40_ll.c(2): * Copyright (C) ST-Ericsson SA
2007-2010
linux-3.10\drivers\dma\ste_dma40_ll.h(2): * Copyright (C) ST-Ericsson SA
2007-2010
linux-3.10\drivers\dma\tegra20-apb-dma.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION. All rights reserved.
linux-3.10\drivers\dma\timb_dma.c(3): * Copyright (c) 2010 Intel Corporation
linux-3.10\drivers\dma\txx9dmac.c(4): * Copyright (C) 2009 Atsushi Nemoto
linux-3.10\drivers\dma\txx9dmac.h(4): * Copyright (C) 2009 Atsushi Nemoto
linux-3.10\drivers\dma\virt-dma.c(4): * Copyright (C) 2012 Russell King
linux-3.10\drivers\dma\virt-dma.h(4): * Copyright (C) 2012 Russell King
linux-3.10\drivers\edac\amd64_edac.h(4): * Copyright (c) 2009 SoftwareBitMaker.
linux-3.10\drivers\edac\amd64_edac.h(5): * Copyright (c) 2009 Advanced Micro
Devices, Inc.
linux-3.10\drivers\edac\amd8111_edac.c(4): * Copyright (c) 2008 Wind River
Systems, Inc.
linux-3.10\drivers\edac\amd8111_edac.h(4): * Copyright (c) 2008 Wind River
Systems, Inc.
linux-3.10\drivers\edac\amd8131_edac.c(4): * Copyright (c) 2008 Wind River

legal(ME)

Systems, Inc.
linux-3.10\drivers\edac\amd8131_edac.h(4): * Copyright (c) 2008 Wind River Systems, Inc.
linux-3.10\drivers\edac\cell_edac.c(4): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\edac\cpc925_edac.c(4): * Copyright (c) 2008 Wind River Systems, Inc.
linux-3.10\drivers\edac\ghes_edac.c(7): * Copyright (c) 2013 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\edac\highbank_l2_edac.c(2): * Copyright 2011-2012 Calxeda, Inc.
linux-3.10\drivers\edac\highbank_mc_edac.c(2): * Copyright 2011-2012 Calxeda, Inc.
linux-3.10\drivers\edac\i3000_edac.c(3): * Copyright (C) 2007 Akamai Technologies, Inc.
linux-3.10\drivers\edac\i3200_edac.c(3): * Copyright (C) 2008-2009 Akamai Technologies, Inc.
linux-3.10\drivers\edac\i5400_edac.c(7): * Copyright (c) 2008 by:
linux-3.10\drivers\edac\i7300_edac.c(7): * Copyright (c) 2010 by:
linux-3.10\drivers\edac\i7core_edac.c(11): * Copyright (c) 2009-2010 by:
linux-3.10\drivers\edac\Kconfig(3):#Copyright (c) 2008 Doug Thompson
www.softwarebitmaker.com
linux-3.10\drivers\edac\Makefile(4):# Copyright 02 Jul 2003, Linux Networx (<http://lnxi.com>)
linux-3.10\drivers\edac\mce_amd_inj.c(9): * Copyright (c) 2010:Borislav Petkov <bp@alien8.de>
linux-3.10\drivers\edac\octeon_edac-l2c.c(6): * Copyright (C) 2012 Cavium, Inc.
linux-3.10\drivers\edac\octeon_edac-l2c.c(8): * Copyright (C) 2009 Wind River Systems,
linux-3.10\drivers\edac\octeon_edac-lmc.c(6): * Copyright (C) 2009 Wind River Systems,
linux-3.10\drivers\edac\octeon_edac-pc.c(6): * Copyright (C) 2012 Cavium, Inc.
linux-3.10\drivers\edac\octeon_edac-pc.c(8): * Copyright (C) 2009 Wind River Systems,
linux-3.10\drivers\edac\octeon_edac-pci.c(6): * Copyright (C) 2012 Cavium, Inc.
linux-3.10\drivers\edac\octeon_edac-pci.c(7): * Copyright (C) 2009 Wind River Systems,
linux-3.10\drivers\edac\pasemi_edac.c(2): * Copyright (C) 2006-2007 PA Semi, Inc
linux-3.10\drivers\edac\ppc4xx_edac.c(2): * Copyright (c) 2008 Nuovation System Designs, LLC
linux-3.10\drivers\edac\ppc4xx_edac.h(2): * Copyright (c) 2008 Nuovation System Designs, LLC
linux-3.10\drivers\edac\sb_edac.c(9): * Copyright (c) 2011 by:
linux-3.10\drivers\edac\tile_edac.c(19): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\edac\tile_edac.c(2): * Copyright 2011 Tilera Corporation. All Rights Reserved.
linux-3.10\drivers\edac\x38_edac.c(3): * Copyright (C) 2008 Cluster Computing, Inc.
linux-3.10\drivers\extcon\extcon-adc-jack.c(6): * Copyright (C) 2012 Samsung Electronics
linux-3.10\drivers\extcon\extcon-arizona.c(4): *Copyright (C) 2012 Wolfson

legal(ME)

Microelectronics plc

linux-3.10\drivers\extcon\extcon-class.c(11): * Copyright (C) 2008 Google, Inc.

linux-3.10\drivers\extcon\extcon-class.c(6): * Copyright (C) 2012 Samsung Electronics

linux-3.10\drivers\extcon\extcon-gpio.c(6): * Copyright (C) 2008 Google, Inc.

linux-3.10\drivers\extcon\extcon-max77693.c(4): * Copyright (C) 2012 Samsung Electronics

linux-3.10\drivers\extcon\extcon-max8997.c(4): * Copyright (C) 2012 Samsung Electronics

linux-3.10\drivers\firewire\core-card.c(2): * Copyright (C) 2005-2007 Kristian Hoegsberg <krh@bitplanet.net>

linux-3.10\drivers\firewire\core-cdev.c(4): * Copyright (C) 2005-2007 Kristian Hoegsberg <krh@bitplanet.net>

linux-3.10\drivers\firewire\core-device.c(4): * Copyright (C) 2005-2006 Kristian Hoegsberg <krh@bitplanet.net>

linux-3.10\drivers\firewire\core-iso.c(6): * Copyright (C) 2006 Kristian Hoegsberg <krh@bitplanet.net>

linux-3.10\drivers\firewire\core-topology.c(4): * Copyright (C) 2004-2006 Kristian Hoegsberg <krh@bitplanet.net>

linux-3.10\drivers\firewire\core-transaction.c(4): * Copyright (C) 2004-2006 Kristian Hoegsberg <krh@bitplanet.net>

linux-3.10\drivers\firewire\init_ohci1394_dma.c(4): * Copyright (C) 2006-2007 Bernhard Kaindl <bk@suse.de>

linux-3.10\drivers\firewire\net.c(5): * Copyright (C) 2009 Jay Fenlason <fenlason@redhat.com>

linux-3.10\drivers\firewire\nosy.c(3): * Copyright (C) 2002-2007 Kristian Hoegsberg

linux-3.10\drivers\firewire\ohci.c(4): * Copyright (C) 2003-2006 Kristian Hoegsberg <krh@bitplanet.net>

linux-3.10\drivers\firewire\sbp2.c(4): * Copyright (C) 2005-2007 Kristian Hoegsberg <krh@bitplanet.net>

linux-3.10\drivers\firmware\dcdbas.c(11): * Copyright (C) 1995-2006 Dell Inc.

linux-3.10\drivers\firmware\dcdbas.h(4): * Copyright (C) 1995-2005 Dell Inc.

linux-3.10\drivers\firmware\dell_rbu.c(7): * Copyright (C) 2005 Dell Inc.

linux-3.10\drivers\firmware\dmi-id.c(4): * Copyright 2007, Lennart Poettering

linux-3.10\drivers\firmware\dmi-sysfs.c(15): * Copyright 2011 Google, Inc.

linux-3.10\drivers\firmware\edd.c(3): * Copyright (C) 2002, 2003, 2004 Dell Inc.

linux-3.10\drivers\firmware\efi\efi.c(4): * Copyright (C) 2001, 2003, 2004 Dell <Matt_Domsch@dell.com>

linux-3.10\drivers\firmware\efi\efi.c(5): * Copyright (C) 2004 Intel Corporation <matthew.e.tolentino@intel.com>

linux-3.10\drivers\firmware\efi\efi.c(6): * Copyright (C) 2013 Tom Gundersen <teg@jklm.no>

linux-3.10\drivers\firmware\efi\efivars.c(4): * Copyright (C) 2001, 2003, 2004 Dell <Matt_Domsch@dell.com>

linux-3.10\drivers\firmware\efi\efivars.c(5): * Copyright (C) 2004 Intel Corporation <matthew.e.tolentino@intel.com>

linux-3.10\drivers\firmware\efi\vars.c(4): * Copyright (C) 2001, 2003, 2004 Dell <Matt_Domsch@dell.com>

linux-3.10\drivers\firmware\efi\vars.c(5): * Copyright (C) 2004 Intel Corporation <matthew.e.tolentino@intel.com>

linux-3.10\drivers\firmware\google\gsmi.c(2): * Copyright 2010 Google Inc. All

legal(ME)

Rights Reserved.

linux-3.10\drivers\firmware\google\memconsole.c(7): * Copyright 2010 Google Inc.
All rights reserved.

linux-3.10\drivers\firmware\iscsi_ibft.c(2): *Copyright 2007-2010 Red Hat, Inc.
linux-3.10\drivers\firmware\iscsi_ibft.c(26): *Updated comments and copyrights.
(v0.4.9)

linux-3.10\drivers\firmware\iscsi_ibft.c(4): *Copyright 2008 IBM, Inc.

linux-3.10\drivers\firmware\iscsi_ibft.c(6): *Copyright 2008

linux-3.10\drivers\firmware\iscsi_ibft_find.c(2): *Copyright 2007-2010 Red Hat,
Inc.

linux-3.10\drivers\firmware\iscsi_ibft_find.c(4): *Copyright 2007 IBM, Inc.

linux-3.10\drivers\firmware\iscsi_ibft_find.c(6): *Copyright 2008

linux-3.10\drivers\firmware\memmap.c(3): *Copyright (C) 2008 SUSE LINUX Products
GmbH

linux-3.10\drivers\firmware\pcdp.c(4): * (c) Copyright 2002, 2003, 2004
Hewlett-Packard Development Company, L.P.

linux-3.10\drivers\firmware\pcdp.h(7): * (c) Copyright 2002, 2004 Hewlett-Packard
Development Company, L.P.

linux-3.10\drivers\gpio\devres.c(14): * Copyright (c) 2011 John Crispin
<blogic@openwrt.org>

linux-3.10\drivers\gpio\gpio-74x164.c(4): *Copyright (C) 2010 Gabor Juhas
<juhosg@openwrt.org>

linux-3.10\drivers\gpio\gpio-74x164.c(5): *Copyright (C) 2010 Miguel Gaio
<miguel.gaio@efixo.com>

linux-3.10\drivers\gpio\gpio-adnp.c(2): * Copyright (C) 2011-2012 Avionic Design
GmbH

linux-3.10\drivers\gpio\gpio-adp5520.c(4): * Copyright 2009 Analog Devices Inc.

linux-3.10\drivers\gpio\gpio-adp5588.c(5): * Copyright 2009-2010 Analog Devices
Inc.

linux-3.10\drivers\gpio\gpio-amd8111.c(11): * (c) Copyright 2003 Red Hat Inc
<jgarzik@redhat.com>

linux-3.10\drivers\gpio\gpio-amd8111.c(16): * (c) Copyright 2001 Red Hat Inc

linux-3.10\drivers\gpio\gpio-amd8111.c(21): * Copyright 2000,2001 Jeff Garzik
<jgarzik@pobox.com>

linux-3.10\drivers\gpio\gpio-amd8111.c(22): * Copyright 2000,2001 Philipp Rumpf
<prumpf@mandrakesoft.com>

linux-3.10\drivers\gpio\gpio-amd8111.c(4): * Copyright (c) 2012 Dmitry
Eremin-Solenikov

linux-3.10\drivers\gpio\gpio-amd8111.c(7): * Copyright 2005 (c) MontaVista
Software, Inc.

linux-3.10\drivers\gpio\gpio-arizona.c(4): * Copyright 2012 Wolfson
Microelectronics PLC.

linux-3.10\drivers\gpio\gpio-bt8xx.c(14):Copyright (C) 1996,97,98 RalphMetzler

linux-3.10\drivers\gpio\gpio-bt8xx.c(28):Copyright (C) 2005, 2006 Michael H.
Schimek

linux-3.10\drivers\gpio\gpio-bt8xx.c(5):Copyright (C) 2008 Michael Buesch
<m@bues.ch>

linux-3.10\drivers\gpio\gpio-clps711x.c(4): *Copyright (C) 2012 Alexander Shiyan
<shc_work@mail.ru>

linux-3.10\drivers\gpio\gpio-cs5535.c(3): * Copyright (C) 2006Advanced Micro
Devices, Inc.

linux-3.10\drivers\gpio\gpio-cs5535.c(4): * Copyright (C) 2007-2009Andres Salomon

legal(ME)

<dilinger@collabora.co.uk>

linux-3.10\drivers\gpio\gpio-da9052.c(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.

linux-3.10\drivers\gpio\gpio-da9055.c(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.

linux-3.10\drivers\gpio\gpio-davinci.c(4): * Copyright (c) 2006-2007 David Brownell

linux-3.10\drivers\gpio\gpio-davinci.c(5): * Copyright (c) 2007, MontaVista Software, Inc. <source@mvista.com>

linux-3.10\drivers\gpio\gpio-em.c(4): *Copyright (C) 2012 Magnus Damm

linux-3.10\drivers\gpio\gpio-ep93xx.c(4): * Copyright (c) 2008 Ryan Mallon

linux-3.10\drivers\gpio\gpio-ep93xx.c(5): * Copyright (c) 2011 H Hartley Sweeten <hsweeten@visionengravers.com>

linux-3.10\drivers\gpio\gpio-generic.c(4): * Copyright 2008 MontaVista Software, Inc.

linux-3.10\drivers\gpio\gpio-generic.c(5): * Copyright 2008,2010 Anton Vorontsov <cbouatmailru@gmail.com>

linux-3.10\drivers\gpio\gpio-ich.c(4): * Copyright (C) 2010 Extreme Engineering Solutions.

linux-3.10\drivers\gpio\gpio-janz-ttl.c(4): * Copyright (c) 2010 Ira W. Snyder <iws@ovro.caltech.edu>

linux-3.10\drivers\gpio\gpio-ks8695.c(4): * Copyright (C) 2006 Andrew Victor

linux-3.10\drivers\gpio\gpio-ks8695.c(5): * Updated to GPIOLIB, Copyright 2008 Simtec Electronics

linux-3.10\drivers\gpio\gpio-langwell.c(4): * Copyright (c) 2008 - 2009, Intel Corporation.

linux-3.10\drivers\gpio\gpiolib-acpi.c(4): * Copyright (C) 2012, Intel Corporation

linux-3.10\drivers\gpio\gpiolib-of.c(4): * Copyright (c) 2007-2008 MontaVista Software, Inc.

linux-3.10\drivers\gpio\gpio-lpc32xx.c(6): * Copyright (C) 2010 NXP Semiconductors

linux-3.10\drivers\gpio\gpio-lynxpoint.c(3): * Copyright (c) 2012, Intel Corporation.

linux-3.10\drivers\gpio\gpio-max7300.c(2): * Copyright (C) 2009 Wolfram Sang, Pengutronix

linux-3.10\drivers\gpio\gpio-max7301.c(2): * Copyright (C) 2006 Juergen Beisert, Pengutronix

linux-3.10\drivers\gpio\gpio-max7301.c(3): * Copyright (C) 2008 Guennadi Liakhovetski, Pengutronix

linux-3.10\drivers\gpio\gpio-max7301.c(4): * Copyright (C) 2009 Wolfram Sang, Pengutronix

linux-3.10\drivers\gpio\gpio-max730x.c(2): * Copyright (C) 2006 Juergen Beisert, Pengutronix

linux-3.10\drivers\gpio\gpio-max730x.c(3): * Copyright (C) 2008 Guennadi Liakhovetski, Pengutronix

linux-3.10\drivers\gpio\gpio-max730x.c(4): * Copyright (C) 2009 Wolfram Sang, Pengutronix

linux-3.10\drivers\gpio\gpio-max732x.c(4): *Copyright (C) 2007 Marvell International Ltd.

linux-3.10\drivers\gpio\gpio-max732x.c(5): *Copyright (C) 2008 Jack Ren <jack.ren@marvell.com>

legal(ME)

linux-3.10\drivers\gpio\gpio-max732x.c(6): *Copyright (C) 2008 Eric Miao
<eric.miao@marvell.com>
linux-3.10\drivers\gpio\gpio-mc33880.c(3): * Copyright (c) 2009 Intel Corporation
linux-3.10\drivers\gpio\gpio-mc9s08dz60.c(2): * Copyright 2009-2012 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\gpio\gpio-ml-ioh.c(2): * Copyright (C) 2010 OKI SEMICONDUCTOR
Co., LTD.
linux-3.10\drivers\gpio\gpio-mm-lantiq.c(6): *Copyright (C) 2012 John Crispin
<blogic@openwrt.org>
linux-3.10\drivers\gpio\gpio-mpc5200.c(4): * Copyright (c) 2008 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\drivers\gpio\gpio-mpc8xxx.c(4): * Copyright (C) 2008 Peter Korsgaard
<jacmet@sunsite.dk>
linux-3.10\drivers\gpio\gpio-msic.c(3): * Copyright (c) 2011, Intel Corporation.
linux-3.10\drivers\gpio\gpio-msm-v1.c(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\gpio\gpio-msm-v1.c(3): * Copyright (c) 2009-2012, The Linux
Foundation. All rights reserved.
linux-3.10\drivers\gpio\gpio-msm-v2.c(1):/* Copyright (c) 2010-2011, Code Aurora
Forum. All rights reserved.
linux-3.10\drivers\gpio\gpio-mvebu.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\gpio\gpio-mxc.c(3): * Copyright 2008 Juergen Beisert,
kernel@pengutronix.de
linux-3.10\drivers\gpio\gpio-mxc.c(6): * Copyright (C) 2004-2010 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\gpio\gpio-mxs.c(3): * Copyright 2008 Juergen Beisert,
kernel@pengutronix.de
linux-3.10\drivers\gpio\gpio-mxs.c(6): * Copyright (C) 2004-2010 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\gpio\gpio-omap.c(4): * Copyright (C) 2003-2005 Nokia
Corporation
linux-3.10\drivers\gpio\gpio-omap.c(7): * Copyright (C) 2009 Texas Instruments
linux-3.10\drivers\gpio\gpio-palmas.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\gpio\gpio-pca953x.c(4): *Copyright (C) 2005 Ben Gardner
<bgardner@wabtec.com>
linux-3.10\drivers\gpio\gpio-pca953x.c(5): *Copyright (C) 2007 Marvell
International Ltd.
linux-3.10\drivers\gpio\gpio-pcf857x.c(4): * Copyright (C) 2007 David Brownell
linux-3.10\drivers\gpio\gpio-pch.c(2): * Copyright (C) 2011 LAPIS Semiconductor
Co., Ltd.
linux-3.10\drivers\gpio\gpio-pl061.c(2): * Copyright (C) 2008, 2009 Provigent
Ltd.
linux-3.10\drivers\gpio\gpio-pxa.c(8): *Copyright:MontaVista Software Inc.
linux-3.10\drivers\gpio\gpio-rc5t583.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\gpio\gpio-rc5t583.c(8): *Copyright (C) 2011 RICOH COMPANY,LTD
linux-3.10\drivers\gpio\gpio-rcar.c(4): *Copyright (C) 2013 Magnus Damm
linux-3.10\drivers\gpio\gpio-rdc321x.c(4): * Copyright (C) 2008, Volker Weiss
<dev@tintuc.de>
linux-3.10\drivers\gpio\gpio-rdc321x.c(5): * Copyright (C) 2007-2010 Florian
Fainelli <florian@openwrt.org>
linux-3.10\drivers\gpio\gpio-samsung.c(2): * Copyright (c) 2009-2011 Samsung

legal(ME)

Electronics Co., Ltd.

linux-3.10\drivers\gpio\gpio-samsung.c(5): * Copyright 2008 Openmoko, Inc.

linux-3.10\drivers\gpio\gpio-samsung.c(6): * Copyright 2008 Simtec Electronics

linux-3.10\drivers\gpio\gpio-sch.c(4): *Copyright (c) 2010 CompuLab Ltd

linux-3.10\drivers\gpio\gpio-sodaville.c(4): *Copyright (c) 2010, 2011 Intel Corporation

linux-3.10\drivers\gpio\gpio-spear-spics.c(4): * Copyright (C) 2012 ST Microelectronics

linux-3.10\drivers\gpio\gpio-sta2x11.c(4): * Copyright 2012 ST Microelectronics (Alessandro Rubini)

linux-3.10\drivers\gpio\gpio-sta2x11.c(5): * Based on gpio-ml-ioh.c, Copyright 2010 OKI Semiconductors Ltd.

linux-3.10\drivers\gpio\gpio-sta2x11.c(6): * Also based on previous sta2x11 work, Copyright 2011 Wind River Systems, Inc.

linux-3.10\drivers\gpio\gpio-stmpe.c(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\drivers\gpio\gpio-stp-xway.c(6): *Copyright (C) 2012 John Crispin <blogic@openwrt.org>

linux-3.10\drivers\gpio\gpio-sx150x.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.

linux-3.10\drivers\gpio\gpio-tc3589x.c(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\drivers\gpio\gpio-tegra.c(4): * Copyright (c) 2010 Google, Inc

linux-3.10\drivers\gpio\gpio-timberdale.c(3): * Copyright (c) 2009 Intel Corporation

linux-3.10\drivers\gpio\gpio-tnetv107x.c(4): * Copyright (C) 2010 Texas Instruments

linux-3.10\drivers\gpio\gpio-tps6586x.c(4): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.

linux-3.10\drivers\gpio\gpio-tps6586x.c(8): * Copyright (c) 2010 CompuLab Ltd.

linux-3.10\drivers\gpio\gpio-tps65910.c(4): * Copyright 2010 Texas Instruments Inc.

linux-3.10\drivers\gpio\gpio-tps65912.c(2): * Copyright 2011 Texas Instruments Inc.

linux-3.10\drivers\gpio\gpio-ts5500.c(4): * Copyright (c) 2012 Savoir-faire Linux Inc.

linux-3.10\drivers\gpio\gpio-tw14030.c(4): * Copyright (C) 2006-2007 Texas Instruments, Inc.

linux-3.10\drivers\gpio\gpio-tw14030.c(5): * Copyright (C) 2006 MontaVista Software, Inc.

linux-3.10\drivers\gpio\gpio-tw16040.c(4): * Copyright (C) 2012 Texas Instruments, Inc.

linux-3.10\drivers\gpio\gpio-vr41xx.c(4): *Copyright (C) 2002 MontaVista Software Inc.

linux-3.10\drivers\gpio\gpio-vr41xx.c(6): *Copyright (C) 2003-2009Yoichi Yuasa <yuasa@linux-mips.org>

linux-3.10\drivers\gpio\gpio-vx855.c(4): * Copyright (C) 2009 VIA Technologies, Inc.

linux-3.10\drivers\gpio\gpio-vx855.c(5): * Copyright (C) 2010 One Laptop per Child

linux-3.10\drivers\gpio\gpio-wm831x.c(4): * Copyright 2009 Wolfson Microelectronics PLC.

linux-3.10\drivers\gpio\gpio-wm8350.c(4): * Copyright 2009 Wolfson Microelectronics PLC.

legal(ME)

linux-3.10\drivers\gpio\gpio-wm8994.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\gpio\gpio-xilinx.c(4): * Copyright 2008 Xilinx, Inc.
linux-3.10\drivers\gpu\drm\ast\ast_drv.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\ast\ast_drv.h(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\ast\ast_fb.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\ast\ast_main.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\ast\ast_mode.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\ast\ast_mode.c(4): * Copyright (c) 2005 ASPEED
Technology Inc.
linux-3.10\drivers\gpu\drm\ast\ast_post.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\ast\ast_tables.h(2): * Copyright (c) 2005 ASPEED
Technology Inc.
linux-3.10\drivers\gpu\drm\ast\ast_ttm.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\ati_pcigart.c(11): * Copyright 2000 VA Linux Systems,
Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\cirrus\cirrus_drv.c(2): * Copyright 2012 Red Hat
<mjg@redhat.com>
linux-3.10\drivers\gpu\drm\cirrus\cirrus_drv.h(2): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\cirrus\cirrus_fbdev.c(2): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\cirrus\cirrus_main.c(2): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\cirrus\cirrus_mode.c(15): * Copyright 1999-2001 Jeff
Garzik <jgarzik@pobox.com>
linux-3.10\drivers\gpu\drm\cirrus\cirrus_mode.c(3): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\cirrus\cirrus_ttm.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\drm_agpsupport.c(10): * Copyright 1999 Precision
Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_agpsupport.c(11): * Copyright 2000 VA Linux
Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_auth.c(12): * Copyright 1999 Precision Insight,
Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_auth.c(13): * Copyright 2000 VA Linux Systems,
Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_buffer.c(3): * Copyright 2010 Pauli Nieminen.
linux-3.10\drivers\gpu\drm\drm_bufs.c(12): * Copyright 1999, 2000 Precision
Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_bufs.c(13): * Copyright 2000 VA Linux Systems,
Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_cache.c(3): * Copyright (c) 2006-2007 Tungsten
Graphics, Inc., Cedar Park, TX., USA
linux-3.10\drivers\gpu\drm\drm_context.c(12): * Copyright 1999, 2000 Precision
Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_context.c(13): * Copyright 2000 VA Linux Systems,
Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_crtc.c(12): * that the name of the copyright
holders not be used in advertising or
linux-3.10\drivers\gpu\drm\drm_crtc.c(2): * Copyright (c) 2006-2008 Intel
Corporation
linux-3.10\drivers\gpu\drm\drm_crtc.c(3): * Copyright (c) 2007 Dave Airlie
<airlied@linux.ie>
linux-3.10\drivers\gpu\drm\drm_crtc.c(4): * Copyright (c) 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\drm_crtc_helper.c(11): * that the name of the

legal(ME)

copyright holders not be used in advertising or
linux-3.10\drivers\gpu\drm\drm_crtc_helper.c(2): * Copyright (c) 2006-2008 Intel Corporation
linux-3.10\drivers\gpu\drm\drm_crtc_helper.c(3): * Copyright (c) 2007 Dave Airlie <airlied@linux.ie>
linux-3.10\drivers\gpu\drm\drm_debugfs.c(11): * Copyright 2008 Ben Gamari <bgamari@gmail.com>
linux-3.10\drivers\gpu\drm\drm_dma.c(12): * Copyright 1999, 2000 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_dma.c(13): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_dp_helper.c(2): * Copyright ㄣ 2009 Keith Packard
linux-3.10\drivers\gpu\drm\drm_dp_helper.c(8): * that the name of the copyright holders not be used in advertising or
linux-3.10\drivers\gpu\drm\drm_drv.c(25): * Copyright 1999, 2000 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_drv.c(26): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_edid.c(2): * Copyright (c) 2006 Luc Verhaegen (quirks list)
linux-3.10\drivers\gpu\drm\drm_edid.c(3): * Copyright (c) 2007-2008 Intel Corporation
linux-3.10\drivers\gpu\drm\drm_edid.c(5): * Copyright 2010 Red Hat, Inc.
linux-3.10\drivers\gpu\drm\drm_edid.c(9): * Copyright (C) 2006 Dennis Munsie <dmunsie@cecropia.com>
linux-3.10\drivers\gpu\drm\drm_edid_load.c(5): Copyright (C) 2012 Carsten Emde <C.Emde@osadl.org>
linux-3.10\drivers\gpu\drm\drm_encoder_slave.c(2): * Copyright (C) 2009 Francisco Jerez.
linux-3.10\drivers\gpu\drm\drm_fb_cma_helper.c(4): * Copyright (C) 2012 Analog Device Inc.
linux-3.10\drivers\gpu\drm\drm_fb_cma_helper.c(8): *Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\drm_fb_helper.c(12): * that the name of the copyright holders not be used in advertising or
linux-3.10\drivers\gpu\drm\drm_fb_helper.c(2): * Copyright (c) 2006-2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\drm_fb_helper.c(3): * Copyright (c) 2006-2008 Intel Corporation
linux-3.10\drivers\gpu\drm\drm_fb_helper.c(4): * Copyright (c) 2007 Dave Airlie <airlied@linux.ie>
linux-3.10\drivers\gpu\drm\drm_fops.c(13): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_fops.c(14): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_gem.c(2): * Copyright ㄣ 2008 Intel Corporation
linux-3.10\drivers\gpu\drm\drm_gem_cma_helper.c(4): * Copyright (C) 2012 Sascha Hauer, Pengutronix
linux-3.10\drivers\gpu\drm\drm_gem_cma_helper.c(8): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\drm_global.c(3): * Copyright 2008-2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\drm_hashtab.c(3): * Copyright 2006 Tungsten Graphics,

legal(ME)

Inc., Bismarck, ND. USA.
linux-3.10\drivers\gpu\drm\drm_info.c(11): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_info.c(12): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_info.c(13): * Copyright 2008 Ben Gamari <bgamari@gmail.com>
linux-3.10\drivers\gpu\drm\drm_ioc32.c(8): * Copyright (C) Paul Mackerras 2005.
linux-3.10\drivers\gpu\drm\drm_ioctl.c(12): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_ioctl.c(13): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_irq.c(12): * Copyright 1999, 2000 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_irq.c(13): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_lock.c(12): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_lock.c(13): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_memory.c(12): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_memory.c(13): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_mm.c(3): * Copyright 2006 Tungsten Graphics, Inc., Bismarck, ND., USA.
linux-3.10\drivers\gpu\drm\drm_modes.c(2): * Copyright 1997-2003 by The XFree86 Project, Inc.
linux-3.10\drivers\gpu\drm\drm_modes.c(27): * Except as contained in this notice, the name of the copyright holder(s)
linux-3.10\drivers\gpu\drm\drm_modes.c(3): * Copyright 2007 Dave Airlie
linux-3.10\drivers\gpu\drm\drm_modes.c(30): * authorization from the copyright holder(s) and author(s).
linux-3.10\drivers\gpu\drm\drm_modes.c(4): * Copyright 2007-2008 Intel Corporation
linux-3.10\drivers\gpu\drm\drm_modes.c(6): * Copyright 2005-2006 Luc Verhaegen
linux-3.10\drivers\gpu\drm\drm_modes.c(7): * Copyright (c) 2001, Andy Ritgeraritger@nvidia.com
linux-3.10\drivers\gpu\drm\drm_pci.c(16): * Copyright 2003 Jos7 Fonseca.
linux-3.10\drivers\gpu\drm\drm_pci.c(17): * Copyright 2003 Leif Delgass.
linux-3.10\drivers\gpu\drm\drm_platform.c(4): * Copyright 2003 Jos7 Fonseca.
linux-3.10\drivers\gpu\drm\drm_platform.c(5): * Copyright 2003 Leif Delgass.
linux-3.10\drivers\gpu\drm\drm_platform.c(6): * Copyright (c) 2009, Code Aurora Forum.
linux-3.10\drivers\gpu\drm\drm_prime.c(2): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\drm_proc.c(16): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\drm_proc.c(17): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_scatter.c(11): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\drm_stub.c(11): * Copyright 2001 VA Linux Systems,

legal(ME)

Inc., Sunnyvale, California.

linux-3.10\drivers\gpu\drm\drm_sysfs.c(7): * Copyright (c) 2004 Jon Smirl
<jonsmirl@gmail.com>

linux-3.10\drivers\gpu\drm\drm_sysfs.c(8): * Copyright (c) 2003-2004 Greg
Kroah-Hartman <greg@kroah.com>

linux-3.10\drivers\gpu\drm\drm_sysfs.c(9): * Copyright (c) 2003-2004 IBM Corp.

linux-3.10\drivers\gpu\drm\drm_vm.c(12): * Copyright 1999 Precision Insight,
Inc., Cedar Park, Texas.

linux-3.10\drivers\gpu\drm\drm_vm.c(13): * Copyright 2000 VA Linux Systems, Inc.,
Sunnyvale, California.

linux-3.10\drivers\gpu\drm\exynos\exynos_ddc.c(2): * Copyright (C) 2011 Samsung
Electronics Co.Ltd

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_buf.c(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_buf.h(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_connector.c(2): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_connector.h(2): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_core.c(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_crtc.c(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_crtc.h(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_dmabuf.c(3): * Copyright (c) 2012
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_dmabuf.h(3): * Copyright (c) 2012
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_drv.c(2): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_drv.h(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_encoder.c(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_encoder.h(2): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_fb.c(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_fb.h(2): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_fbdev.c(3): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_fbdev.h(2): * Copyright (c) 2011
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_fimc.c(2): * Copyright (C) 2012
Samsung Electronics Co.Ltd

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_fimc.h(2): * Copyright (c) 2012
Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_fimd.c(3): * Copyright (C) 2011
Samsung Electronics Co.Ltd

legal(ME)

linux-3.10\drivers\gpu\drm\exynos\exynos_drm_g2d.c(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_g2d.h(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_gem.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_gem.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_gsc.c(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_gsc.h(2): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_hdmi.c(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_hdmi.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_iommu.c(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_iommu.h(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_ipp.c(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_ipp.h(2): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_plane.c(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_plane.h(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_rotator.c(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_rotator.h(2): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_vidi.c(3): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_drm_vidi.h(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_hdmi.c(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_hdmi.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\exynos_hdmiphy.c(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\exynos_mixer.c(2): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\drivers\gpu\drm\exynos\regs-fimc.h(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\regs-gsc.h(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\regs-hdmi.h(5): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\regs-mixer.h(5): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.

legal(ME)

linux-3.10\drivers\gpu\drm\exynos\regs-rotator.h(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\exynos\regs-vp.h(5): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\gpu\drm\gma500\accel_2d.c(2): * Copyright (c) 2007-2011, Intel Corporation.
linux-3.10\drivers\gpu\drm\gma500\backlight.c(4): * Copyright (c) 2009-2011, Intel Corporation.
linux-3.10\drivers\gpu\drm\gma500\cdv_device.c(2): * Copyright (c) 2011, Intel Corporation.
linux-3.10\drivers\gpu\drm\gma500\cdv_device.h(2): * Copyright ㄣ 2011 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\cdv_intel.crt.c(2): * Copyright ㄣ 2006-2007 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\cdv_intel_display.c(2): * Copyright ㄣ 2006-2011 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\cdv_intel_dp.c(2): * Copyright ㄣ 2012 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\cdv_intel_hdmi.c(2): * Copyright ㄣ 2006-2011 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\cdv_intel_lvds.c(2): * Copyright ㄣ 2006-2011 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\framebuffer.c(2): * Copyright (c) 2007-2011, Intel Corporation.
linux-3.10\drivers\gpu\drm\gma500\framebuffer.h(2): * Copyright (c) 2008-2011, Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\gem.c(4): * Copyright (c) 2011, Intel Corporation.
linux-3.10\drivers\gpu\drm\gma500\gtt.c(2): * Copyright (c) 2007, Intel Corporation.
linux-3.10\drivers\gpu\drm\gma500\gtt.h(2): * Copyright (c) 2007-2008, Intel Corporation.
linux-3.10\drivers\gpu\drm\gma500\intel_bios.c(2): * Copyright (c) 2006 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\intel_bios.h(2): * Copyright (c) 2006 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\intel_bios.h(57):u8 copyright[61];
linux-3.10\drivers\gpu\drm\gma500\intel_gmbus.c(2): * Copyright (c) 2006 Dave Airlie <airlied@linux.ie>
linux-3.10\drivers\gpu\drm\gma500\intel_gmbus.c(3): * Copyright ㄣ 2006-2008,2010 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\intel_i2c.c(2): * Copyright ㄣ 2006-2007 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\mdfld_device.c(2): * Copyright (c) 2011, Intel Corporation.
linux-3.10\drivers\gpu\drm\gma500\mdfld_dsi_dpi.c(2): * Copyright ㄣ 2010 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\mdfld_dsi_dpi.h(2): * Copyright ㄣ 2010 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\mdfld_dsi_output.c(2): * Copyright ㄣ 2010 Intel Corporation
linux-3.10\drivers\gpu\drm\gma500\mdfld_dsi_output.h(2): * Copyright ㄣ 2010

legal(ME)

Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\mdfld_dsi_pkg_sender.c(2): * Copyright ㄣ 2010
Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\mdfld_dsi_pkg_sender.h(2): * Copyright ㄣ 2010
Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\mdfld_intel_display.c(2): * Copyright ㄣ
2006-2007 Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\mdfld_output.c(2): * Copyright (c)2010 Intel
Corporation

linux-3.10\drivers\gpu\drm\gma500\mdfld_output.h(2): * Copyright (c)2010 Intel
Corporation

linux-3.10\drivers\gpu\drm\gma500\mdfld_tmd_vid.c(2): * Copyright ㄣ 2010 Intel
Corporation

linux-3.10\drivers\gpu\drm\gma500\mdfld_tpo_vid.c(2): * Copyright ㄣ 2010 Intel
Corporation

linux-3.10\drivers\gpu\drm\gma500\mid_bios.c(2): * Copyright (c) 2011, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\mid_bios.h(2): * Copyright (c) 2011, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\mmu.c(2): * Copyright (c) 2007, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\oaktrail.h(2): * Copyright (c) 2007-2011, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\oaktrail_crtc.c(2): * Copyright ㄣ 2009 Intel
Corporation

linux-3.10\drivers\gpu\drm\gma500\oaktrail_device.c(2): * Copyright (c) 2011,
Intel Corporation.

linux-3.10\drivers\gpu\drm\gma500\oaktrail_hdmi.c(2): * Copyright ㄣ 2010 Intel
Corporation

linux-3.10\drivers\gpu\drm\gma500\oaktrail_hdmi_i2c.c(2): * Copyright ㄣ 2010
Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\oaktrail_lvds.c(2): * Copyright ㄣ 2006-2009
Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\opregion.c(2): * Copyright 2011 Intel
Corporation

linux-3.10\drivers\gpu\drm\gma500\opregion.h(2): * Copyright 2012 Intel
Corporation

linux-3.10\drivers\gpu\drm\gma500\power.c(2): * Copyright (c) 2009-2011, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\power.h(2): * Copyright (c) 2009-2011, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_device.c(2): * Copyright (c) 2011, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_drv.c(2): * Copyright (c) 2007-2011, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_drv.c(4): * Copyright (c) 2008, Tungsten
Graphics, Inc. Cedar Park, TX., USA.

linux-3.10\drivers\gpu\drm\gma500\psb_drv.h(2): * Copyright (c) 2007-2011, Intel
Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_intel_display.c(2): * Copyright ㄣ
2006-2011 Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\psb_intel_display.h(1):/* copyright (c) 2008,

legal(ME)

Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\psb_intel_drv.h(2): * Copyright (c) 2009-2011, Intel Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_intel_lvds.c(2): * Copyright ㄣ 2006-2007 Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\psb_intel_modes.c(2): * Copyright (c) 2007 Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\psb_intel_reg.h(2): * Copyright (c) 2009, Intel Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_intel_sdvo.c(2): * Copyright 2006 Dave Airlie <airlied@linux.ie>

linux-3.10\drivers\gpu\drm\gma500\psb_intel_sdvo.c(3): * Copyright ㄣ 2006-2007 Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\psb_intel_sdvo_regs.h(2): * Copyright ? 2006-2007 Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\psb_irq.c(2): * Copyright (c) 2007, Intel Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_irq.h(2): * Copyright (c) 2009-2011, Intel Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_lid.c(2): * Copyright (c) 2007, Intel Corporation.

linux-3.10\drivers\gpu\drm\gma500\psb_reg.h(3): * Copyright (c) (2005-2007) Imagination Technologies Limited.

linux-3.10\drivers\gpu\drm\gma500\psb_reg.h(4): * Copyright (c) 2007, Intel Corporation.

linux-3.10\drivers\gpu\drm\gma500\tc35876x-dsi-lvds.c(2): * Copyright ㄣ 2011 Intel Corporation

linux-3.10\drivers\gpu\drm\gma500\tc35876x-dsi-lvds.h(2): * Copyright ㄣ 2011 Intel Corporation

linux-3.10\drivers\gpu\drm\i2c\ch7006_drv.c(2): * Copyright (C) 2009 Francisco Jerez.

linux-3.10\drivers\gpu\drm\i2c\ch7006_mode.c(2): * Copyright (C) 2009 Francisco Jerez.

linux-3.10\drivers\gpu\drm\i2c\ch7006_priv.h(2): * Copyright (C) 2009 Francisco Jerez.

linux-3.10\drivers\gpu\drm\i2c\sil164_drv.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\i2c\tda998x_drv.c(2): * Copyright (C) 2012 Texas Instruments

linux-3.10\drivers\gpu\drm\i810\i810_dma.c(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.

linux-3.10\drivers\gpu\drm\i810\i810_dma.c(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.

linux-3.10\drivers\gpu\drm\i810\i810_drv.c(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.

linux-3.10\drivers\gpu\drm\i810\i810_drv.c(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.

linux-3.10\drivers\gpu\drm\i810\i810_drv.h(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.

linux-3.10\drivers\gpu\drm\i810\i810_drv.h(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.

linux-3.10\drivers\gpu\drm\i915\dvo.h(2): * Copyright ㄣ 2006 Eric Anholt

legal(ME)

linux-3.10\drivers\gpu\drm\i915\dvo.h(8): * that the name of the copyright holders not be used in advertising or
linux-3.10\drivers\gpu\drm\i915\dvo_ch7017.c(2): * Copyright ㄣ 2006 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\dvo_ch7xxx.c(3): Copyright ㄣ 2006 Dave Airlie
linux-3.10\drivers\gpu\drm\i915\dvo_ivch.c(2): * Copyright ㄣ 2006 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\dvo_ns2501.c(3): * Copyright (c) 2012 Gilles Dartiguelongue, Thomas Richter
linux-3.10\drivers\gpu\drm\i915\dvo_sil164.c(3): Copyright ㄣ 2006 Dave Airlie
linux-3.10\drivers\gpu\drm\i915\dvo_tfp410.c(2): * Copyright ㄣ 2007 Dave Mueller
linux-3.10\drivers\gpu\drm\i915\i915_debugfs.c(2): * Copyright ㄣ 2008 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_dma.c(4): * Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\i915\i915_drv.c(5): * Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\i915\i915_drv.h(5): * Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\i915\i915_gem.c(2): * Copyright ㄣ 2008 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_gem_context.c(2): * Copyright ㄣ 2011-2012 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_gem_debug.c(2): * Copyright ㄣ 2008 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_gem_dmabuf.c(2): * Copyright 2012 Red Hat Inc
linux-3.10\drivers\gpu\drm\i915\i915_gem_evict.c(2): * Copyright ㄣ 2008-2010 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_gem_execbuffer.c(2): * Copyright ㄣ 2008,2010 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_gem_gtt.c(2): * Copyright ㄣ 2010 Daniel Vetter
linux-3.10\drivers\gpu\drm\i915\i915_gem_stolen.c(2): * Copyright ㄣ 2008-2012 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_gem_tiling.c(2): * Copyright ㄣ 2008 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_ioc32.c(10): * Copyright (C) Alan Hourihane 2005
linux-3.10\drivers\gpu\drm\i915\i915_ioc32.c(9): * Copyright (C) Paul Mackerras 2005
linux-3.10\drivers\gpu\drm\i915\i915_irq.c(4): * Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\i915\i915_reg.h(1):/* Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\i915\i915_suspend.c(3): * Copyright 2008 (c) Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_sysfs.c(2): * Copyright ㄣ 2012 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_trace_points.c(2): * Copyright ㄣ 2009 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\i915_ums.c(3): * Copyright 2008 (c) Intel

legal(ME)

Corporation

linux-3.10\drivers\gpu\drm\i915\i915_ums.c(5): * Copyright 2013 (c) Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_bios.c(2): * Copyright ㄣ 2006 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_bios.h(2): * Copyright ㄣ 2006 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_bios.h(61):u8 copyright[61];

linux-3.10\drivers\gpu\drm\i915\intel.crt.c(2): * Copyright ㄣ 2006-2007 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_ddi.c(2): * Copyright ㄣ 2012 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_display.c(2): * Copyright ㄣ 2006-2007 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_dp.c(2): * Copyright ㄣ 2008 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_drv.h(2): * Copyright (c) 2006 Dave Airlie <airlied@linux.ie>

linux-3.10\drivers\gpu\drm\i915\intel_drv.h(3): * Copyright (c) 2007-2008 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_dvo.c(2): * Copyright 2006 Dave Airlie <airlied@linux.ie>

linux-3.10\drivers\gpu\drm\i915\intel_dvo.c(3): * Copyright ㄣ 2006-2007 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_fb.c(2): * Copyright ㄣ 2007 David Airlie

linux-3.10\drivers\gpu\drm\i915\intel_hdmi.c(2): * Copyright 2006 Dave Airlie <airlied@linux.ie>

linux-3.10\drivers\gpu\drm\i915\intel_hdmi.c(3): * Copyright ㄣ 2006-2009 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_i2c.c(2): * Copyright (c) 2006 Dave Airlie <airlied@linux.ie>

linux-3.10\drivers\gpu\drm\i915\intel_i2c.c(3): * Copyright ㄣ 2006-2008,2010 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_lvds.c(2): * Copyright ㄣ 2006-2007 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_lvds.c(3): * Copyright (c) 2006 Dave Airlie <airlied@linux.ie>

linux-3.10\drivers\gpu\drm\i915\intel_modes.c(2): * Copyright (c) 2007 Dave Airlie <airlied@linux.ie>

linux-3.10\drivers\gpu\drm\i915\intel_modes.c(3): * Copyright (c) 2007, 2010 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_opregion.c(2): * Copyright 2008 Intel Corporation <hong.liu@intel.com>

linux-3.10\drivers\gpu\drm\i915\intel_opregion.c(3): * Copyright 2008 Red Hat <mjg@redhat.com>

linux-3.10\drivers\gpu\drm\i915\intel_overlay.c(2): * Copyright ㄣ 2009

linux-3.10\drivers\gpu\drm\i915\intel_panel.c(2): * Copyright ㄣ 2006-2010 Intel Corporation

linux-3.10\drivers\gpu\drm\i915\intel_panel.c(3): * Copyright (c) 2006 Dave Airlie <airlied@linux.ie>

linux-3.10\drivers\gpu\drm\i915\intel_pm.c(2): * Copyright ㄣ 2012 Intel Corporation

legal(ME)

linux-3.10\drivers\gpu\drm\i915\intel_ringbuffer.c(2): * Copyright ㄣ 2008-2010 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\intel_sdvo.c(2): * Copyright 2006 Dave Airlie <airlied@linux.ie>
linux-3.10\drivers\gpu\drm\i915\intel_sdvo.c(3): * Copyright ㄣ 2006-2007 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\intel_sdvo_regs.h(2): * Copyright ㄣ 2006-2007 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\intel_sprite.c(2): * Copyright ㄣ 2011 Intel Corporation
linux-3.10\drivers\gpu\drm\i915\intel_tv.c(2): * Copyright ㄣ 2006-2008 Intel Corporation
linux-3.10\drivers\gpu\drm\mga\mga_dma.c(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\mga\mga_dma.c(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\mga\mga_drv.c(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\mga\mga_drv.c(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\mga\mga_drv.h(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\mga\mga_drv.h(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\mga\mga_ioc32.c(10): * Copyright (C) Egbert Eich 2003,2004
linux-3.10\drivers\gpu\drm\mga\mga_ioc32.c(11): * Copyright (C) Dave Airlie 2005
linux-3.10\drivers\gpu\drm\mga\mga_ioc32.c(9): * Copyright (C) Paul Mackerras 2005
linux-3.10\drivers\gpu\drm\mga\mga_irq.c(4): * Copyright (C) The Weather Channel, Inc.2002.All Rights Reserved.
linux-3.10\drivers\gpu\drm\mga\mga_state.c(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\mga\mga_state.c(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\mga\mga_warp.c(4): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\mgag200\mgag200_drv.c(2): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\mgag200\mgag200_drv.h(2): * Copyright 2010 Matt Turner.
linux-3.10\drivers\gpu\drm\mgag200\mgag200_drv.h(3): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\mgag200\mgag200_fb.c(2): * Copyright 2010 Matt Turner.
linux-3.10\drivers\gpu\drm\mgag200\mgag200_fb.c(3): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\mgag200\mgag200_i2c.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\mgag200\mgag200_main.c(2): * Copyright 2010 Matt Turner.
linux-3.10\drivers\gpu\drm\mgag200\mgag200_main.c(3): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\mgag200\mgag200_mode.c(2): * Copyright 2010 Matt Turner.
linux-3.10\drivers\gpu\drm\mgag200\mgag200_mode.c(3): * Copyright 2012 Red Hat
linux-3.10\drivers\gpu\drm\mgag200\mgag200_reg.h(5): * Copyright 1996 The XFree86

legal(ME)

Project, Inc.

linux-3.10\drivers\gpu\drm\mgag200\mgag200_ttm.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\client.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\engctx.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\engine.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\enum.c(2): * Copyright (C) 2010 Nouveau Project

linux-3.10\drivers\gpu\drm\nouveau\core\core\event.c(2): * Copyright 2013 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\falcon.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\gpuobj.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\handle.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\mm.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\namedb.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\object.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\option.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\parent.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\printk.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\ramht.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\core\subdev.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\engine\bsp\nv84.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\engine\bsp\nvc0.c(2): * Copyright 2012 Maarten Lankhorst

linux-3.10\drivers\gpu\drm\nouveau\core\engine\bsp\nve0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\engine\copy\fuc\nva3.fuc(3): * Copyright 2011 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\engine\copy\nva3.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\engine\copy\nvc0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\engine\copy\nve0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\engine\crypt\fuc\nv98.fuc(3): *Copyright (C) 2010 Marcin Kofalski

linux-3.10\drivers\gpu\drm\nouveau\core\engine\crypt\nv84.c(2): * Copyright 2012

legal(ME)

Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\crypt\nv98.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\base.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\nv04.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\nv10.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\nv20.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\nv30.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\nv40.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\nv50.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\nvc0.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\device\nve0.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\base.c(2): * Copyright 2013
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\dacnv50.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\dport.c(2): * Copyright 2013
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\hdanva3.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\hdanvd0.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\hdmnv84.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\hdmnva3.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\hdmnvd0.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nv04.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nv50.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nv84.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nv94.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nva0.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nva3.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nvd0.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nve0.c(2): * Copyright 2012

legal(ME)

Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\nvf0.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\piornv50.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\sornv50.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\sornv94.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\sornvd0.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\disp\vga.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\dmaobj\base.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\dmaobj\nv04.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\dmaobj\nv50.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\dmaobj\nvc0.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\dmaobj\nvd0.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\base.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\nv04.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\nv10.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\nv17.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\nv40.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\nv50.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\nv84.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\nvc0.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\fifo\nve0.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\ctxnv40.c(2): * Copyright 2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\ctxnv50.c(2): * Copyright 2009 Marcin Kofcinski
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\ctxnvc0.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\ctxnve0.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\fuc\gpcnvc0.fuc(3): * Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\fuc\gpcnve0.fuc(3): *

legal(ME)

Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\fuc\hubnvc0.fuc(3): *
Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\fuc\hubnve0.fuc(3): *
Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\fuc\nvc0.fuc(3): * Copyright
2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\fuc\nve0.fuc(3): * Copyright
2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\nv04.c(2): * Copyright 2007
Stephane Marchesin
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\nv10.c(2): * Copyright 2007
Matthieu CASTET <castet.matthieu@free.fr>
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\nv40.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\nv50.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\nvc0.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\nvc0.h(2): * Copyright 2010
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\graph\nve0.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\mpeg\nv31.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\mpeg\nv40.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\mpeg\nv50.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\mpeg\nv84.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\ppp\nv98.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\ppp\nvc0.c(2): * Copyright 2012
Maarten Lankhorst
linux-3.10\drivers\gpu\drm\nouveau\core\engine\software\nv04.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\software\nv10.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\software\nv50.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\software\nvc0.c(2): * Copyright
2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\vp\nv84.c(2): * Copyright 2012 Red
Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\engine\vp\nvc0.c(2): * Copyright 2012
Maarten Lankhorst
linux-3.10\drivers\gpu\drm\nouveau\core\engine\vp\nve0.c(2): * Copyright 2012 Red
Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\include\subdev\vm.h(2): * Copyright 2010
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bar\base.c(2): * Copyright 2012

legal(ME)

Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bar\nv50.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bar\nvc0.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\base.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\bit.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\conn.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\dcb.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\disp.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\dp.c(2): * Copyright 2012 Red
Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\extdev.c(2): * Copyright 2012
Nouveau Community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\gpio.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\i2c.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\mxm.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\perf.c(2): * Copyright 2012
Nouveau Community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\pll.c(2): * Copyright
2005-2006 Erik Waling
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\pll.c(3): * Copyright 2006
Stephane Marchesin
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\pll.c(4): * Copyright
2007-2009 Stuart Bennett
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\therm.c(2): * Copyright 2012
Nouveau Community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bios\xpio.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bus\nv04.c(2): * Copyright 2012
Nouveau Community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bus\nv31.c(2): * Copyright 2012
Nouveau Community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bus\nv50.c(2): * Copyright 2012
Nouveau Community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\bus\nvc0.c(2): * Copyright 2012
Nouveau Community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\clock\nv04.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\clock\nv40.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\clock\nv50.c(2): * Copyright 2012
Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\clock\nva3.c(2): * Copyright 2012

legal(ME)

Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\clock\nvc0.c(2): * Copyright 2012

Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\clock\pllrv04.c(2): * Copyright

1993-2003 NVIDIA, Corporation

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\clock\pllrv04.c(3): * Copyright

2007-2009 Stuart Bennett

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\clock\pllrv3.c(2): * Copyright

2010 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\devinit\base.c(2): * Copyright

2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\devinit\fbmem.h(2): * Copyright

(C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\devinit\nv04.c(2): * Copyright (C)

2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\devinit\nv05.c(2): * Copyright (C)

2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\devinit\nv10.c(2): * Copyright (C)

2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\devinit\nv1a.c(2): * Copyright

2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\devinit\nv20.c(2): * Copyright (C)

2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\devinit\nv50.c(2): * Copyright

2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\base.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv04.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv10.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv1a.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv20.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv25.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv30.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv35.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv36.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv40.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv41.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv44.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv46.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv47.c(2): * Copyright (C) 2010

legal(ME)

Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv49.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv4e.c(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nv50.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\fb\nvc0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\gpio\base.c(2): * Copyright 2011 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\gpio\nv10.c(2): * Copyright (C) 2009 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\gpio\nv50.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\gpio\nvd0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\gpio\nve0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c_aux.c(2): * Copyright 2009 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c\anx9805.c(2): * Copyright 2013 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c\base.c(2): * Copyright 2013 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c\bit.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c\nv04.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c\nv4e.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c\nv50.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c\nv94.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\i2c\nvd0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\ibus\nvc0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\ibus\nve0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\instmem\base.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\instmem\nv04.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\instmem\nv40.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\instmem\nv50.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\ltcg\nvc0.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mc\base.c(2): * Copyright 2012 Red

legal(ME)

Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mc\nv04.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mc\nv44.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mc\nv50.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mc\nv98.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mc\nvc0.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mxm\base.c(2): * Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mxm\mxms.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\mxm\nv50.c(2): * Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\base.c(2): * Copyright 2012 The Nouveau community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\fan.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\fannil.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\fanpwm.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\fantog.c(2): * Copyright 2012 The Nouveau community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\ic.c(2): * Copyright 2012 Nouveau community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\nv40.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\nv50.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\nv84.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\nva3.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\nvd0.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\priv.h(5): * Copyright 2012 The Nouveau community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\therm\temp.c(2): * Copyright 2012 The Nouveau community
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\timer\base.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\timer\nv04.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\vm\base.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\vm\nv04.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\core\subdev\vm\nv41.c(2): * Copyright 2012 Red

legal(ME)

Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\vm\nv44.c(2): * Copyright 2012 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\vm\nv50.c(2): * Copyright 2010 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\core\subdev\vm\nvc0.c(2): * Copyright 2010 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\arb.c(2): * Copyright 1993-2003 NVIDIA, Corporation

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\arb.c(3): * Copyright 2007-2009 Stuart Bennett

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\crtc.c(2): * Copyright 1993-2003 NVIDIA, Corporation

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\crtc.c(3): * Copyright 2006 Dave Airlie

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\crtc.c(4): * Copyright 2007 Maarten Maathuis

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\dac.c(2): * Copyright 2003 NVIDIA, Corporation

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\dac.c(3): * Copyright 2006 Dave Airlie

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\dac.c(4): * Copyright 2007 Maarten Maathuis

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\dac.c(5): * Copyright 2007-2009 Stuart Bennett

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\dfp.c(2): * Copyright 2003 NVIDIA, Corporation

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\dfp.c(3): * Copyright 2006 Dave Airlie

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\dfp.c(4): * Copyright 2007 Maarten Maathuis

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\dfp.c(5): * Copyright 2007-2009 Stuart Bennett

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\disp.c(2): * Copyright 2009 Red Hat Inc.

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\hw.c(2): * Copyright 2006 Dave Airlie

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\hw.c(3): * Copyright 2007 Maarten Maathuis

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\hw.c(4): * Copyright 2007-2009 Stuart Bennett

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\hw.h(2): * Copyright 2008 Stuart Bennett

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\nvreg.h(3): * Copyright 1996-1997 David J. McKay

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\tvmodesnv17.c(2): * Copyright (C) 2009 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\tvnv04.c(2): * Copyright (C) 2009 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\tvnv17.c(2): * Copyright (C) 2009 Francisco Jerez.

linux-3.10\drivers\gpu\drm\nouveau\dispnv04\tvnv17.h(2): * Copyright (C) 2009 Francisco Jerez.

legal(ME)

linux-3.10\drivers\gpu\drm\nouveau\nouveau_abi16.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_backlight.c(2): * Copyright (C) 2009 Red Hat <mjg@redhat.com>
linux-3.10\drivers\gpu\drm\nouveau\nouveau_bios.c(2): * Copyright 2005-2006 Erik Waling
linux-3.10\drivers\gpu\drm\nouveau\nouveau_bios.c(3): * Copyright 2006 Stephane Marchesin
linux-3.10\drivers\gpu\drm\nouveau\nouveau_bios.c(4): * Copyright 2007-2009 Stuart Bennett
linux-3.10\drivers\gpu\drm\nouveau\nouveau_bios.h(2): * Copyright 2007-2008 Nouveau Project
linux-3.10\drivers\gpu\drm\nouveau\nouveau_bo.c(2): * Copyright 2007 Dave Airlie
linux-3.10\drivers\gpu\drm\nouveau\nouveau_chan.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_connector.c(2): * Copyright (C) 2008 Maarten Maathuis.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_connector.h(2): * Copyright (C) 2008 Maarten Maathuis.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_crtc.h(2): * Copyright (C) 2008 Maarten Maathuis.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_debugfs.c(2): * Copyright (C) 2009 Red Hat <bskeggs@redhat.com>
linux-3.10\drivers\gpu\drm\nouveau\nouveau_display.c(2): * Copyright (C) 2008 Maarten Maathuis.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_dma.c(2): * Copyright (C) 2007 Ben Skeggs.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_dma.h(2): * Copyright (C) 2007 Ben Skeggs.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_dp.c(2): * Copyright 2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_drm.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_encoder.h(2): * Copyright (C) 2008 Maarten Maathuis.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_fbcon.c(2): * Copyright 2007 David Airlie
linux-3.10\drivers\gpu\drm\nouveau\nouveau_fbcon.h(2): * Copyright (C) 2008 Maarten Maathuis.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_fence.c(2): * Copyright (C) 2007 Ben Skeggs.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_gem.c(2): * Copyright (C) 2008 Ben Skeggs.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_hwsq.h(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_ioc32.c(10): * Copyright (C) Egbert Eich 2003,2004
linux-3.10\drivers\gpu\drm\nouveau\nouveau_ioc32.c(11): * Copyright (C) Dave Airlie 2005
linux-3.10\drivers\gpu\drm\nouveau\nouveau_ioc32.c(9): * Copyright (C) Paul Mackerras 2005
linux-3.10\drivers\gpu\drm\nouveau\nouveau_mem.c(2): * Copyright (C) The Weather Channel, Inc.2002.All Rights Reserved.

legal(ME)

linux-3.10\drivers\gpu\drm\nouveau\nouveau_mem.c(3): * Copyright 2005 Stephane Marchesin
linux-3.10\drivers\gpu\drm\nouveau\nouveau_perf.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_pm.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_pm.h(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_prime.c(2): * Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nouveau_ttm.c(2): * Copyright (c) 2007-2008 Tungsten Graphics, Inc., Cedar Park, TX., USA,
linux-3.10\drivers\gpu\drm\nouveau\nouveau_ttm.c(4): * Copyright (c) 2009 VMware, Inc., Palo Alto, CA., USA,
linux-3.10\drivers\gpu\drm\nouveau\nouveau_volt.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv04_fbcon.c(2): * Copyright 2009 Ben Skeggs
linux-3.10\drivers\gpu\drm\nouveau\nv04_fbcon.c(3): * Copyright 2008 Stuart Bennett
linux-3.10\drivers\gpu\drm\nouveau\nv04_fence.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv04_pm.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv10_fence.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv17_fence.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv40_pm.c(2): * Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv50_display.c(2): * Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv50_display.h(2): * Copyright (C) 2008 Maarten Maathuis.
linux-3.10\drivers\gpu\drm\nouveau\nv50_fbcon.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv50_fence.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv50_pm.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nv84_fence.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nva3_pm.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nvc0_fbcon.c(2): * Copyright 2010 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nvc0_fence.c(2): * Copyright 2012 Red Hat Inc.
linux-3.10\drivers\gpu\drm\nouveau\nvc0_pm.c(2): * Copyright 2011 Red Hat Inc.
linux-3.10\drivers\gpu\drm\omapdrm\omap_connector.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_crtc.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_debugfs.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_dmm_priv.h(3): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\gpu\drm\omapdrm\omap_dmm_tiler.c(7): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\gpu\drm\omapdrm\omap_dmm_tiler.h(3): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\gpu\drm\omapdrm\omap_drv.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_drv.h(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_encoder.c(4): * Copyright (C) 2011 Texas Instruments

legal(ME)

linux-3.10\drivers\gpu\drm\omapdrm\omap_fb.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_fbdev.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_gem.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_gem_dmabuf.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_gem_helpers.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_irq.c(4): * Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\omap_plane.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\gpu\drm\omapdrm\tcm-sita.c(9): * Copyright (C) 2009-2010 Texas Instruments, Inc.
linux-3.10\drivers\gpu\drm\omapdrm\tcm-sita.h(8): * Copyright (C) 2009-2011 Texas Instruments, Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_cmd.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_debugfs.c(2): * Copyright (C) 2009 Red Hat <bskeggs@redhat.com>
linux-3.10\drivers\gpu\drm\qxl\qxl_dev.h(14): * Neither the name of the copyright holder nor the names of its
linux-3.10\drivers\gpu\drm\qxl\qxl_dev.h(18): THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS
linux-3.10\drivers\gpu\drm\qxl\qxl_dev.h(2): Copyright (C) 2009 Red Hat, Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_display.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_draw.c(2): * Copyright 2011 Red Hat, Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_drv.c(4): * Copyright 2011 Red Hat, Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_drv.h(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_dumb.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_fb.c(2): * Copyright 2013 Red Hat
linux-3.10\drivers\gpu\drm\qxl\qxl_fence.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_gem.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_image.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_ioctl.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_irq.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_kms.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_object.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_object.h(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_release.c(2): * Copyright 2011 Red Hat, Inc.
linux-3.10\drivers\gpu\drm\qxl\qxl_ttm.c(2): * Copyright 2013 Red Hat Inc.
linux-3.10\drivers\gpu\drm\r128\r128_cce.c(5): * Copyright 2000 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\r128\r128_cce.c(6): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\r128\r128_drv.c(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\r128\r128_drv.c(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\r128\r128_drv.h(5): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.

legal(ME)

linux-3.10\drivers\gpu\drm\r128\r128_drv.h(6): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\r128\r128_ioc32.c(10): * Copyright (C) Dave Airlie 2005
linux-3.10\drivers\gpu\drm\r128\r128_ioc32.c(8): * Copyright (C) Paul Mackerras 2005
linux-3.10\drivers\gpu\drm\r128\r128_ioc32.c(9): * Copyright (C) Egbert Eich 2003,2004
linux-3.10\drivers\gpu\drm\r128\r128_irq.c(3): * Copyright (C) The Weather Channel, Inc.2002.All Rights Reserved.
linux-3.10\drivers\gpu\drm\r128\r128_state.c(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\radeon\atom.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atom.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atombios.h(2): * Copyright 2006-2007 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atombios_crtc.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atombios_crtc.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\atombios_dp.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atombios_dp.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\atombios_encoders.c(2): * Copyright 2007-11 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atombios_encoders.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\atombios_i2c.c(2): * Copyright 2011 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atom-bits.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atom-names.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\atom-types.h(2): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\avivod.h(2): * Copyright 2009 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\avivod.h(3): * Copyright 2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\cayman_blit_shaders.c(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\cayman_blit_shaders.h(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen.c(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen_blit_kms.c(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen_blit_shaders.c(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen_blit_shaders.h(2): * Copyright 2009 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen_cs.c(2): * Copyright 2010 Advanced

legal(ME)

Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen_cs.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen_cs.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\evergreen_hdmi.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen_hdmi.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreen_hdmi.c(4): * Copyright 2009 Christian K nig.
linux-3.10\drivers\gpu\drm\radeon\evergreen_reg.h(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\evergreend.h(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\mkregtable.c(4): * Copyright 2009 Jerome Glisse
linux-3.10\drivers\gpu\drm\radeon\mkregtable.c(5): * Copyright 2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\ni.c(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\ni_reg.h(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\nid.h(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\ObjectID.h(2): * Copyright 2006-2007 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r100.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r100.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r100.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r100d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r100d.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r100d.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r200.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r200.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r200.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r300.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r300.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r300.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r300_cmdbuf.c(3): * Copyright (C) The Weather Channel, Inc.2002.
linux-3.10\drivers\gpu\drm\radeon\r300_cmdbuf.c(4): * Copyright (C) 2004 Nicolai Haehnle.
linux-3.10\drivers\gpu\drm\radeon\r300_reg.h(2): * Copyright 2005 Nicolai Haehnle et al.
linux-3.10\drivers\gpu\drm\radeon\r300_reg.h(3): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r300_reg.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r300d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.

legal(ME)

linux-3.10\drivers\gpu\drm\radeon\r300d.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r300d.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r420.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r420.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r420.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r420d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r420d.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r420d.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r500_reg.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r500_reg.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r500_reg.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r520.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r520.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r520.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r520d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r520d.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r520d.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r600.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r600.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r600_audio.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_audio.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_audio.c(4): * Copyright 2009 Christian K rnig.
linux-3.10\drivers\gpu\drm\radeon\r600_blit.c(2): * Copyright 2009 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_blit_kms.c(2): * Copyright 2009 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_blit_kms.c(3): * Copyright 2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_blit_shaders.c(2): * Copyright 2009 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_blit_shaders.h(2): * Copyright 2009 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_blit_shaders.h(3): * Copyright 2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_cp.c(2): * Copyright 2008-2009 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_cp.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_cs.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_cs.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_cs.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r600_hdmi.c(2): * Copyright 2008 Advanced Micro Devices, Inc.

legal(ME)

linux-3.10\drivers\gpu\drm\radeon\r600_hdmi.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_hdmi.c(380):if (audio.status_bits &
AUDIO_STATUS_COPYRIGHT)
linux-3.10\drivers\gpu\drm\radeon\r600_hdmi.c(4): * Copyright 2009 Christian
König.
linux-3.10\drivers\gpu\drm\radeon\r600_hdmi.c(51):AUDIO_STATUS_COPYRIGHT= 0x10,
linux-3.10\drivers\gpu\drm\radeon\r600_reg.h(2): * Copyright 2008 Advanced Micro
Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_reg.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\r600_reg.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\r600d.h(2): * Copyright 2009 Advanced Micro
Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\r600d.h(3): * Copyright 2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon.h(2): * Copyright 2008 Advanced Micro
Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_acpi.c(2): * Copyright 2012 Advanced
Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_acpi.h(2): * Copyright 2012 Advanced
Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_agp.c(2): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_agp.c(3): * Copyright 2009 Jerome
Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_asic.c(2): * Copyright 2008 Advanced
Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_asic.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_asic.c(4): * Copyright 2009 Jerome
Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_asic.h(2): * Copyright 2008 Advanced
Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_asic.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_asic.h(4): * Copyright 2009 Jerome
Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_atombios.c(2): * Copyright 2007-8
Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_atombios.c(3): * Copyright 2008 Red Hat
Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_atpx_handler.c(2): * Copyright (c) 2010
Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_benchmark.c(2): * Copyright 2009 Jerome
Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_bios.c(2): * Copyright 2008 Advanced
Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_bios.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_bios.c(4): * Copyright 2009 Jerome
Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_blit_common.h(2): * Copyright 2009
Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_blit_common.h(3): * Copyright 2009 Red
Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_blit_common.h(4): * Copyright 2012

legal(ME)

Alcatel-Lucent, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_clocks.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_clocks.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_clocks.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_combios.c(2): * Copyright 2004 ATI Technologies Inc., Markham, Ontario
linux-3.10\drivers\gpu\drm\radeon\radeon_combios.c(3): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_combios.c(4): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_connectors.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_connectors.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_cp.c(3): * Copyright 2000 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\radeon\radeon_cp.c(4): * Copyright 2000 VA Linux Systems, Inc., Fremont, California.
linux-3.10\drivers\gpu\drm\radeon\radeon_cp.c(5): * Copyright 2007 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_cs.c(2): * Copyright 2008 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_cursor.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_cursor.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_device.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_device.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_device.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_display.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_display.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_drv.c(9): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\radeon\radeon_drv.h(3): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\radeon\radeon_drv.h(4): * Copyright 2000 VA Linux Systems, Inc., Fremont, California.
linux-3.10\drivers\gpu\drm\radeon\radeon_encoders.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_encoders.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_family.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_family.h(3): * Copyright 2008 Red Hat Inc.

legal(ME)

linux-3.10\drivers\gpu\drm\radeon\radeon_family.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_fb.c(2): * Copyright 2007 David Airlie
linux-3.10\drivers\gpu\drm\radeon\radeon_fence.c(2): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_gart.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_gart.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_gart.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_gem.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_gem.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_gem.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_i2c.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_i2c.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_ioc32.c(8): * Copyright (C) Paul Mackerras 2005
linux-3.10\drivers\gpu\drm\radeon\radeon_irq.c(3): * Copyright (C) The Weather Channel, Inc.2002.All Rights Reserved.
linux-3.10\drivers\gpu\drm\radeon\radeon_irq_kms.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_irq_kms.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_irq_kms.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_kms.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_kms.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_kms.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_legacy_crtc.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_legacy_crtc.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_legacy_encoders.c(2): * Copyright 2007-8 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_legacy_encoders.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_mem.c(3): * Copyright (C) The Weather Channel, Inc.2002.All Rights Reserved.
linux-3.10\drivers\gpu\drm\radeon\radeon_mode.h(2): * Copyright 2000 ATI Technologies Inc., Markham, Ontario, and
linux-3.10\drivers\gpu\drm\radeon\radeon_mode.h(4): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_object.c(2): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\radeon_object.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\radeon_object.h(3): * Copyright 2008 Red Hat

legal(ME)

Inc.

linux-3.10\drivers\gpu\drm\radeon\radeon_object.h(4): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\radeon_prime.c(2): * Copyright 2012 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\radeon_reg.h(2): * Copyright 2000 ATI Technologies Inc., Markham, Ontario, and

linux-3.10\drivers\gpu\drm\radeon\radeon_ring.c(2): * Copyright 2008 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\radeon_ring.c(3): * Copyright 2008 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\radeon_ring.c(4): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\radeon_sa.c(2): * Copyright 2011 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\radeon_semaphore.c(2): * Copyright 2011 Christian K rnig.

linux-3.10\drivers\gpu\drm\radeon\radeon_state.c(3): * Copyright 2000 VA Linux Systems, Inc., Fremont, California.

linux-3.10\drivers\gpu\drm\radeon\radeon_test.c(2): * Copyright 2009 VMware, Inc.

linux-3.10\drivers\gpu\drm\radeon\radeon_trace_points.c(1):/* Copyright Red Hat Inc 2010.

linux-3.10\drivers\gpu\drm\radeon\radeon_ttm.c(2): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\radeon_uvd.c(2): * Copyright 2011 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\rs100d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\rs100d.h(3): * Copyright 2008 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\rs100d.h(4): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\rs400.c(2): * Copyright 2008 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\rs400.c(3): * Copyright 2008 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\rs400.c(4): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\rs400d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\rs400d.h(3): * Copyright 2008 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\rs400d.h(4): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\rs600.c(2): * Copyright 2008 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\rs600.c(3): * Copyright 2008 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\rs600.c(4): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\rs600d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\rs600d.h(3): * Copyright 2008 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\rs600d.h(4): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\rs690.c(2): * Copyright 2008 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\rs690.c(3): * Copyright 2008 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\rs690.c(4): * Copyright 2009 Jerome Glisse.

linux-3.10\drivers\gpu\drm\radeon\rs690d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.

linux-3.10\drivers\gpu\drm\radeon\rs690d.h(3): * Copyright 2008 Red Hat Inc.

linux-3.10\drivers\gpu\drm\radeon\rs690d.h(4): * Copyright 2009 Jerome Glisse.

legal(ME)

linux-3.10\drivers\gpu\drm\radeon\rv200d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\rv200d.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\rv200d.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\rv250d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\rv250d.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\rv250d.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\rv350d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\rv350d.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\rv350d.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\rv515.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\rv515.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\rv515.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\rv515d.h(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\rv515d.h(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\rv515d.h(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\rv770.c(2): * Copyright 2008 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\rv770.c(3): * Copyright 2008 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\rv770.c(4): * Copyright 2009 Jerome Glisse.
linux-3.10\drivers\gpu\drm\radeon\rv770d.h(2): * Copyright 2009 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\rv770d.h(3): * Copyright 2009 Red Hat Inc.
linux-3.10\drivers\gpu\drm\radeon\si.c(2): * Copyright 2011 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\si_blit_shaders.c(2): * Copyright 2011 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\si_blit_shaders.h(2): * Copyright 2011 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\si_reg.h(2): * Copyright 2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\radeon\sid.h(2): * Copyright 2011 Advanced Micro Devices, Inc.
linux-3.10\drivers\gpu\drm\savage\savage_bci.c(3): * Copyright 2004Felix Kuehling
linux-3.10\drivers\gpu\drm\savage\savage_drv.c(3): * Copyright 2004Felix Kuehling
linux-3.10\drivers\gpu\drm\savage\savage_drv.h(3): * Copyright 2004Felix Kuehling
linux-3.10\drivers\gpu\drm\savage\savage_state.c(3): * Copyright 2004Felix Kuehling
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_backlight.c(4): * Copyright (C) 2012 Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_backlight.h(4): * Copyright (C) 2012 Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_crtc.c(4): * Copyright (C) 2012 Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_crtc.h(4): * Copyright (C) 2012 Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_drv.c(4): * Copyright (C) 2012 Renesas Corporation

legal(ME)

linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_drv.h(4): * Copyright (C) 2012
Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_kms.c(4): * Copyright (C) 2012
Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_kms.h(4): * Copyright (C) 2012
Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_plane.c(4): * Copyright (C) 2012
Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_plane.h(4): * Copyright (C) 2012
Renesas Corporation
linux-3.10\drivers\gpu\drm\shmobile\shmob_drm_regs.h(4): * Copyright (C) 2012
Renesas Corporation
linux-3.10\drivers\gpu\drm\sis\sis_drv.c(3): * Copyright 1999 Precision Insight,
Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\sis\sis_drv.c(4): * Copyright 2000 VA Linux Systems,
Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\sis\sis_drv.h(3): * Copyright 1999 Precision Insight,
Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\sis\sis_drv.h(4): * Copyright 2000 VA Linux Systems,
Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\sis\sis_mm.c(3): * Copyright 2006 Tungsten Graphics,
Inc., Bismarck, ND., USA.
linux-3.10\drivers\gpu\drm\tdfx\tdfx_drv.c(4): * Copyright 1999 Precision
Insight, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\tdfx\tdfx_drv.c(5): * Copyright 2000 VA Linux Systems,
Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\tdfx\tdfx_drv.h(5): * Copyright 2000 VA Linux Systems,
Inc., Sunnyvale, California.
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_crtc.c(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_drv.c(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_drv.h(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_panel.c(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_panel.h(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_regs.h(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_slave.c(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_slave.h(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_tfp410.c(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\tilcdc\tilcdc_tfp410.h(2): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\gpu\drm\ttm\ttm_agp_backend.c(3): * Copyright (c) 2006-2009
VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_bo.c(3): * Copyright (c) 2006-2009 VMware,
Inc., Palo Alto, CA., USA

legal(ME)

linux-3.10\drivers\gpu\drm\ttm\ttm_bo_manager.c(3): * Copyright (c) 2007-2010 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_bo_util.c(3): * Copyright (c) 2007-2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_bo_vm.c(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_execbuf_util.c(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_lock.c(3): * Copyright (c) 2007-2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_memory.c(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_module.c(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_object.c(3): * Copyright (c) 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\ttm\ttm_page_alloc.c(2): * Copyright (c) Red Hat Inc.
linux-3.10\drivers\gpu\drm\ttm\ttm_page_alloc_dma.c(2): * Copyright 2011 (c) Oracle Corp.
linux-3.10\drivers\gpu\drm\ttm\ttm_tt.c(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\udl\udl_connector.c(2): * Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\udl\udl_connector.c(4): * Copyright (C) 2009 Roberto De Ioris <roberto@unbit.it>
linux-3.10\drivers\gpu\drm\udl\udl_connector.c(5): * Copyright (C) 2009 Jaya Kumar <jayakumar.lkml@gmail.com>
linux-3.10\drivers\gpu\drm\udl\udl_connector.c(6): * Copyright (C) 2009 Bernie Thompson <bernie@plugable.com>
linux-3.10\drivers\gpu\drm\udl\udl_drv.c(2): * Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\udl\udl_drv.h(2): * Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\udl\udl_drv.h(5): * Copyright (C) 2009 Roberto De Ioris <roberto@unbit.it>
linux-3.10\drivers\gpu\drm\udl\udl_drv.h(6): * Copyright (C) 2009 Jaya Kumar <jayakumar.lkml@gmail.com>
linux-3.10\drivers\gpu\drm\udl\udl_drv.h(7): * Copyright (C) 2009 Bernie Thompson <bernie@plugable.com>
linux-3.10\drivers\gpu\drm\udl\udl_encoder.c(2): * Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\udl\udl_encoder.c(4): * Copyright (C) 2009 Roberto De Ioris <roberto@unbit.it>
linux-3.10\drivers\gpu\drm\udl\udl_encoder.c(5): * Copyright (C) 2009 Jaya Kumar <jayakumar.lkml@gmail.com>
linux-3.10\drivers\gpu\drm\udl\udl_encoder.c(6): * Copyright (C) 2009 Bernie Thompson <bernie@plugable.com>
linux-3.10\drivers\gpu\drm\udl\udl_fb.c(2): * Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\udl\udl_fb.c(5): * Copyright (C) 2009 Roberto De Ioris <roberto@unbit.it>
linux-3.10\drivers\gpu\drm\udl\udl_fb.c(6): * Copyright (C) 2009 Jaya Kumar <jayakumar.lkml@gmail.com>
linux-3.10\drivers\gpu\drm\udl\udl_fb.c(7): * Copyright (C) 2009 Bernie Thompson <bernie@plugable.com>
linux-3.10\drivers\gpu\drm\udl\udl_gem.c(2): * Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\udl\udl_main.c(2): * Copyright (C) 2012 Red Hat

legal(ME)

linux-3.10\drivers\gpu\drm\udl\udl_main.c(5): * Copyright (C) 2009 Roberto De Ioris <roberto@unbit.it>
linux-3.10\drivers\gpu\drm\udl\udl_main.c(6): * Copyright (C) 2009 Jaya Kumar <jayakumar.lkml@gmail.com>
linux-3.10\drivers\gpu\drm\udl\udl_main.c(7): * Copyright (C) 2009 Bernie Thompson <bernie@plugable.com>
linux-3.10\drivers\gpu\drm\udl\udl_modeset.c(2): * Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\udl\udl_modeset.c(5): * Copyright (C) 2009 Roberto De Ioris <roberto@unbit.it>
linux-3.10\drivers\gpu\drm\udl\udl_modeset.c(6): * Copyright (C) 2009 Jaya Kumar <jayakumar.lkml@gmail.com>
linux-3.10\drivers\gpu\drm\udl\udl_modeset.c(7): * Copyright (C) 2009 Bernie Thompson <bernie@plugable.com>
linux-3.10\drivers\gpu\drm\udl\udl_transfer.c(2): * Copyright (C) 2012 Red Hat
linux-3.10\drivers\gpu\drm\udl\udl_transfer.c(4): * Copyright (C) 2009 Roberto De Ioris <roberto@unbit.it>
linux-3.10\drivers\gpu\drm\udl\udl_transfer.c(5): * Copyright (C) 2009 Jaya Kumar <jayakumar.lkml@gmail.com>
linux-3.10\drivers\gpu\drm\udl\udl_transfer.c(6): * Copyright (C) 2009 Bernie Thompson <bernie@plugable.com>
linux-3.10\drivers\gpu\drm\via\via_3d_reg.h(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_3d_reg.h(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_dma.c(3): * Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas.
linux-3.10\drivers\gpu\drm\via\via_dma.c(6): * Copyright 2004 Digeo, Inc., Palo Alto, CA, U.S.A.
linux-3.10\drivers\gpu\drm\via\via_dma.c(9): * Copyright 2004 The Unichrome project.
linux-3.10\drivers\gpu\drm\via\via_dmablit.c(3): * Copyright (C) 2005 Thomas Hellstrom, All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_dmablit.h(3): * Copyright 2005 Thomas Hellstrom.
linux-3.10\drivers\gpu\drm\via\via_drv.c(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_drv.c(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_drv.h(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_drv.h(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_irq.c(3): * Copyright 2004 BEAM Ltd.
linux-3.10\drivers\gpu\drm\via\via_irq.c(4): * Copyright 2002 Tungsten Graphics, Inc.
linux-3.10\drivers\gpu\drm\via\via_irq.c(5): * Copyright 2005 Thomas Hellstrom.
linux-3.10\drivers\gpu\drm\via\via_map.c(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_map.c(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_mm.c(2): * Copyright 2006 Tungsten Graphics Inc., Bismarck, ND., USA.

legal(ME)

linux-3.10\drivers\gpu\drm\via\via_verifier.c(2): * Copyright 2004 The Unichrome Project. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_verifier.c(3): * Copyright 2005 Thomas Hellstrom. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_verifier.h(2): * Copyright 2004 The Unichrome Project. All Rights Reserved.
linux-3.10\drivers\gpu\drm\via\via_video.c(2): * Copyright 2005 Thomas Hellstrom. All Rights Reserved.
linux-3.10\drivers\gpu\drm\vmwgfx\svga_escape.h(2): * Copyright 2007-2009 VMware, Inc. All rights reserved.
linux-3.10\drivers\gpu\drm\vmwgfx\svga_overlay.h(2): * Copyright 2007-2009 VMware, Inc. All rights reserved.
linux-3.10\drivers\gpu\drm\vmwgfx\svga_reg.h(2): * Copyright 1998-2009 VMware, Inc. All rights reserved.
linux-3.10\drivers\gpu\drm\vmwgfx\svga_types.h(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\svga3d_reg.h(2): * Copyright 1998-2009 VMware, Inc. All rights reserved.
linux-3.10\drivers\gpu\drm\vmwgfx\svga3d_surfacedefs.h(3): * Copyright ㄣ 2008-2012 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_buffer.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_context.c(3): * Copyright ㄣ 2009-2012 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_dmabuf.c(3): * Copyright ㄣ 2011 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_drv.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_drv.h(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_execbuf.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_fb.c(3): * Copyright ㄣ 2007 David Airlie
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_fb.c(4): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_fence.c(3): * Copyright ㄣ 2011 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_fence.h(3): * Copyright ㄣ 2011 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_fifo.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_gmr.c(3): * Copyright ㄣ 2009-2011 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_gmrid_manager.c(3): * Copyright (c) 2007-2010 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_ioctl.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_irq.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_kms.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA

legal(ME)

linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_kms.h(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_ldu.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_marker.c(3): * Copyright (C) 2010 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_overlay.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_reg.h(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_resource.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_resource_priv.h(3): * Copyright ㄣ 2012 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_scrn.c(3): * Copyright ㄣ 2011 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_surface.c(3): * Copyright ㄣ 2009-2012 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\drm\vmwgfx\vmwgfx_ttm_glue.c(3): * Copyright ㄣ 2009 VMware, Inc., Palo Alto, CA., USA
linux-3.10\drivers\gpu\host1x\cdma.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\cdma.h(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\channel.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\channel.h(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\debug.c(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\gpu\host1x\debug.c(5): * Copyright (C) 2011-2013 NVIDIA Corporation
linux-3.10\drivers\gpu\host1x\debug.h(4): * Copyright (c) 2011-2013 NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\dev.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\dev.h(2): * Copyright (c) 2012-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\drm\dc.c(2): * Copyright (C) 2012 Avionic Design GmbH
linux-3.10\drivers\gpu\host1x\drm\dc.c(3): * Copyright (C) 2012 NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\gpu\host1x\drm\dc.h(2): * Copyright (C) 2012 Avionic Design GmbH
linux-3.10\drivers\gpu\host1x\drm\dc.h(3): * Copyright (C) 2012 NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\gpu\host1x\drm\drm.c(2): * Copyright (C) 2012 Avionic Design GmbH
linux-3.10\drivers\gpu\host1x\drm\drm.c(3): * Copyright (C) 2012-2013 NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\gpu\host1x\drm\drm.h(2): * Copyright (C) 2012 Avionic Design GmbH
linux-3.10\drivers\gpu\host1x\drm\drm.h(3): * Copyright (C) 2012-2013 NVIDIA

legal(ME)

CORPORATION.All rights reserved.

linux-3.10\drivers\gpu\host1x\drm\fb.c(2): * Copyright (C) 2012-2013 Avionic Design GmbH

linux-3.10\drivers\gpu\host1x\drm\fb.c(3): * Copyright (C) 2012 NVIDIA CORPORATION.All rights reserved.

linux-3.10\drivers\gpu\host1x\drm\fb.c(6): * Copyright (C) 2012 Analog Device Inc.

linux-3.10\drivers\gpu\host1x\drm\gem.c(4): * Copyright (C) 2012 Sascha Hauer, Pengutronix

linux-3.10\drivers\gpu\host1x\drm\gem.c(5): * Copyright (C) 2013 NVIDIA CORPORATION, All rights reserved.

linux-3.10\drivers\gpu\host1x\drm\gem.c(9): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

linux-3.10\drivers\gpu\host1x\drm\gem.h(4): * Copyright (c) 2012-2013, NVIDIA Corporation.

linux-3.10\drivers\gpu\host1x\drm\gr2d.c(6): * Copyright (c) 2012-2013, NVIDIA Corporation.

linux-3.10\drivers\gpu\host1x\drm\hdmi.c(2): * Copyright (C) 2012 Avionic Design GmbH

linux-3.10\drivers\gpu\host1x\drm\hdmi.c(3): * Copyright (C) 2012 NVIDIA CORPORATION.All rights reserved.

linux-3.10\drivers\gpu\host1x\drm\hdmi.h(2): * Copyright (C) 2012 Avionic Design GmbH

linux-3.10\drivers\gpu\host1x\drm\hdmi.h(3): * Copyright (C) 2012 NVIDIA CORPORATION.All rights reserved.

linux-3.10\drivers\gpu\host1x\drm\output.c(2): * Copyright (C) 2012 Avionic Design GmbH

linux-3.10\drivers\gpu\host1x\drm\output.c(3): * Copyright (C) 2012 NVIDIA CORPORATION.All rights reserved.

linux-3.10\drivers\gpu\host1x\drm\rgb.c(2): * Copyright (C) 2012 Avionic Design GmbH

linux-3.10\drivers\gpu\host1x\drm\rgb.c(3): * Copyright (C) 2012 NVIDIA CORPORATION.All rights reserved.

linux-3.10\drivers\gpu\host1x\host1x.h(4): * Copyright (c) 2009-2013, NVIDIA Corporation. All rights reserved.

linux-3.10\drivers\gpu\host1x\host1x_bo.h(4): * Copyright (c) 2012-2013, NVIDIA Corporation.

linux-3.10\drivers\gpu\host1x\host1x_client.h(2): * Copyright (c) 2013, NVIDIA Corporation.

linux-3.10\drivers\gpu\host1x\hw\cdma_hw.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.

linux-3.10\drivers\gpu\host1x\hw\channel_hw.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.

linux-3.10\drivers\gpu\host1x\hw\debug_hw.c(2): * Copyright (C) 2010 Google, Inc.

linux-3.10\drivers\gpu\host1x\hw\debug_hw.c(5): * Copyright (C) 2011-2013 NVIDIA Corporation

linux-3.10\drivers\gpu\host1x\hw\host1x01.c(4): * Copyright (c) 2011-2013, NVIDIA Corporation.

linux-3.10\drivers\gpu\host1x\hw\host1x01.h(4): * Copyright (c) 2011-2013, NVIDIA Corporation.

linux-3.10\drivers\gpu\host1x\hw\host1x01_hardware.h(4): * Copyright (c) 2010-2013 NVIDIA Corporation.

legal(ME)

linux-3.10\drivers\gpu\host1x\hw\hw_host1x01_channel.h(2): * Copyright (c) 2012-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\hw\hw_host1x01_sync.h(2): * Copyright (c) 2012-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\hw\hw_host1x01_uclass.h(2): * Copyright (c) 2012-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\hw\intr_hw.c(4): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\gpu\host1x\hw\intr_hw.c(5): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\hw\syncpt_hw.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\intr.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\intr.h(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\job.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\job.h(4): * Copyright (c) 2011-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\syncpt.c(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\host1x\syncpt.h(4): * Copyright (c) 2010-2013, NVIDIA Corporation.
linux-3.10\drivers\gpu\vga\vga_switcheroo.c(2): * Copyright (c) 2010 Red Hat Inc.
linux-3.10\drivers\gpu\vga\vgaarb.c(6): * (C) Copyright 2005 Benjamin Herrenschmidt <benh@kernel.crashing.org>
linux-3.10\drivers\gpu\vga\vgaarb.c(7): * (C) Copyright 2007 Paulo R. Zanoni <przanoni@gmail.com>
linux-3.10\drivers\gpu\vga\vgaarb.c(8): * (C) Copyright 2007, 2009 Tiago Vignatti <vignatti@freedesktop.org>
linux-3.10\drivers\hid\hid-a4tech.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-a4tech.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-a4tech.c(6): *Copyright (c) 2005 Michael Haboustak <mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-a4tech.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-a4tech.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-apple.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-apple.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-apple.c(6): *Copyright (c) 2005 Michael Haboustak <mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-apple.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-apple.c(8): *Copyright (c) 2008 Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\hid\hid-appleir.c(10): * Copyright (C) 2008 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\hid\hid-appleir.c(11): * Copyright (C) 2008 Novell Inc.
linux-3.10\drivers\hid\hid-appleir.c(12): * Copyright (C) 2010, 2012 Bastien Nocera <hadess@hadess.net>
linux-3.10\drivers\hid\hid-appleir.c(13): * Copyright (C) 2013 Benjamin Tissoires <benjamin.tissoires@gmail.com>

legal(ME)

linux-3.10\drivers\hid\hid-appleir.c(14): * Copyright (C) 2013 Red Hat Inc. All Rights Reserved
linux-3.10\drivers\hid\hid-appleir.c(9): * Copyright (C) 2006 James McKenzie
linux-3.10\drivers\hid\hid-aureal.c(10): *Copyright (c) 2005 Michael Haboustak <mike@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-aureal.c(11): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-aureal.c(12): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-aureal.c(4): *Copyright (c) 2010 Franco Catrin <fcatrin@gmail.com>
linux-3.10\drivers\hid\hid-aureal.c(5): *Copyright (c) 2010 Ben Cropley <bcropley@internode.on.net>
linux-3.10\drivers\hid\hid-aureal.c(8): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-aureal.c(9): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-axff.c(11): * Copyright (c) 2010 Sergei Kolzun <x0r@dv-life.ru>
linux-3.10\drivers\hid\hid-belkin.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-belkin.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-belkin.c(6): *Copyright (c) 2005 Michael Haboustak <mike@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-belkin.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-belkin.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-cherry.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-cherry.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-cherry.c(6): *Copyright (c) 2005 Michael Haboustak <mike@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-cherry.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-cherry.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-chicony.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-chicony.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-chicony.c(6): *Copyright (c) 2005 Michael Haboustak <mike@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-chicony.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-chicony.c(8): *Copyright (c) 2007 Paul Walmsley
linux-3.10\drivers\hid\hid-chicony.c(9): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-core.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-core.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-core.c(6): *Copyright (c) 2005 Michael Haboustak <mike@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-core.c(7): *Copyright (c) 2006-2012 Jiri Kosina
linux-3.10\drivers\hid\hid-cypress.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-cypress.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-cypress.c(6): *Copyright (c) 2005 Michael Haboustak <mike@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-cypress.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-cypress.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-dr.c(11): * Copyright (c) 2009 Richard Walmsley

legal(ME)

<richwalm@gmail.com>
linux-3.10\drivers\hid\hid-elecom.c(7): *Copyright (c) 2010 Richard Nauber
<Richard.Nauber@gmail.com>
linux-3.10\drivers\hid\hid-emsff.c(4): *Copyright (c) 2010 Ignaz Forster
<ignaz.forster@gmx.de>
linux-3.10\drivers\hid\hid-ezkey.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-ezkey.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-ezkey.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-ezkey.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-ezkey.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-gaff.c(11): *Copyright (c) 2008 Lukasz Lubojanski
<lukasz@lubojanski.info>
linux-3.10\drivers\hid\hid-generic.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-generic.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-generic.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-generic.c(7): *Copyright (c) 2007-2008 Oliver Neukum
linux-3.10\drivers\hid\hid-generic.c(8): *Copyright (c) 2006-2012 Jiri Kosina
linux-3.10\drivers\hid\hid-generic.c(9): *Copyright (c) 2012 Henrik Rydberg
linux-3.10\drivers\hid\hid-gyration.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-gyration.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-gyration.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-gyration.c(7): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-gyration.c(8): *Copyright (c) 2006-2008 Jiri Kosina
linux-3.10\drivers\hid\hid-holtekff.c(7): *Copyright (c) 2011 Anssi Hannula
<anssi.hannula@iki.fi>
linux-3.10\drivers\hid\hid-holtek-kbd.c(3): * Copyright (c) 2012 Tom Harwood
linux-3.10\drivers\hid\hid-hyperv.c(2): *Copyright (c) 2009, Citrix Systems, Inc.
linux-3.10\drivers\hid\hid-hyperv.c(3): *Copyright (c) 2010, Microsoft
Corporation.
linux-3.10\drivers\hid\hid-hyperv.c(4): *Copyright (c) 2011, Novell Inc.
linux-3.10\drivers\hid\hid-icade.c(4): *Copyright (c) 2012 Bastien Nocera
<hadess@hadess.net>
linux-3.10\drivers\hid\hid-icade.c(5): *Copyright (c) 2012 Benjamin Tissoires
<benjamin.tissoires@gmail.com>
linux-3.10\drivers\hid\hid-ids.h(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-ids.h(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-ids.h(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-ids.h(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-input.c(2): *Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\drivers\hid\hid-input.c(3): *Copyright (c) 2006-2010 Jiri Kosina
linux-3.10\drivers\hid\hid-kensington.c(4): *Copyright (c) 2009 Jiri Kosina
linux-3.10\drivers\hid\hid-keytouch.c(4): *Copyright (c) 2011 Jiri Kosina
linux-3.10\drivers\hid\hid-kye.c(4): *Copyright (c) 2009 Jiri Kosina
linux-3.10\drivers\hid\hid-kye.c(5): *Copyright (c) 2009 Tomas Hanak

legal(ME)

linux-3.10\drivers\hid\hid-kye.c(6): *Copyright (c) 2012 Nikolai Kondrashov
linux-3.10\drivers\hid\hid-lcpower.c(4): *Copyright (c) 2011 Chris Schlund
linux-3.10\drivers\hid\hid-lenovo-tpkbd.c(4): *Copyright (c) 2012 Bernhard
Seibold
linux-3.10\drivers\hid\hid-lg.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-lg.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-lg.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-lg.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-lg.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-lg.c(9): *Copyright (c) 2010 Hendrik Iben
linux-3.10\drivers\hid\hid-lg2ff.c(4): *Copyright (c) 2008 Anssi Hannula
<anssi.hannula@gmail.com>
linux-3.10\drivers\hid\hid-lg3ff.c(4): *Copyright (c) 2009 Gary Stein
<LordCnidarian@gmail.com>
linux-3.10\drivers\hid\hid-lg4ff.c(7): *Copyright (c) 2010 Simon Wood
<simon@mungewell.org>
linux-3.10\drivers\hid\hid-lgff.c(7): *Copyright (c) 2002-2004 Johann Deneux
linux-3.10\drivers\hid\hid-lgff.c(8): *Copyright (c) 2006 Anssi Hannula
<anssi.hannula@gmail.com>
linux-3.10\drivers\hid\hid-logitech-dj.c(4): *Copyright (c) 2011 Logitech
linux-3.10\drivers\hid\hid-logitech-dj.h(7): *Copyright (c) 2011 Logitech
linux-3.10\drivers\hid\hid-magicmouse.c(4): * Copyright (c) 2010 Michael Poole
<mdpoole@troilus.org>
linux-3.10\drivers\hid\hid-magicmouse.c(5): * Copyright (c) 2010 Chase Douglas
<chase.douglas@canonical.com>
linux-3.10\drivers\hid\hid-microsoft.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-microsoft.c(5): *Copyright (c) 2000-2005 Vojtech
Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\hid-microsoft.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-microsoft.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-microsoft.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-monterey.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-monterey.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-monterey.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-monterey.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-monterey.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-multitouch.c(11): *Copyright (c) 2010 Stephane Chatty
<chatty@enac.fr>
linux-3.10\drivers\hid\hid-multitouch.c(12): *Copyright (c) 2010 Henrik Rydberg
<rydberg@euromail.se>
linux-3.10\drivers\hid\hid-multitouch.c(13): *Copyright (c) 2010 Canonical, Ltd.
linux-3.10\drivers\hid\hid-multitouch.c(17): *Copyright (c) 2009-2010 Stephane
Chatty <chatty@enac.fr>
linux-3.10\drivers\hid\hid-multitouch.c(18): *Copyright (c) 2010Henrik Rydberg
<rydberg@euromail.se>
linux-3.10\drivers\hid\hid-multitouch.c(19): *Copyright (c) 2010Canonical, Ltd.
linux-3.10\drivers\hid\hid-multitouch.c(4): *Copyright (c) 2010-2012 Stephane

legal(ME)

Chatty <chatty@enac.fr>

linux-3.10\drivers\hid\hid-multitouch.c(5): *Copyright (c) 2010-2013 Benjamin Tissoires <benjamin.tissoires@gmail.com>

linux-3.10\drivers\hid\hid-multitouch.c(6): *Copyright (c) 2010-2012 Ecole Nationale de l'Aviation Civile, France

linux-3.10\drivers\hid\hid-multitouch.c(7): *Copyright (c) 2012-2013 Red Hat, Inc

linux-3.10\drivers\hid\hid-ntrig.c(4): *Copyright (c) 2008-2010 Rafi Rubin

linux-3.10\drivers\hid\hid-ntrig.c(5): *Copyright (c) 2009-2010 Stephane Chatty

linux-3.10\drivers\hid\hid-ortek.c(10): *Copyright (c) 2010 Johnathon Harris <jmharris@gmail.com>

linux-3.10\drivers\hid\hid-ortek.c(11): *Copyright (c) 2011 Jiri Kosina

linux-3.10\drivers\hid\hid-petalynx.c(4): *Copyright (c) 1999 Andreas Gal

linux-3.10\drivers\hid\hid-petalynx.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik <vojtech@suse.cz>

linux-3.10\drivers\hid\hid-petalynx.c(6): *Copyright (c) 2005 Michael Haboustak <mike-@cinci.rr.com> for Concept2, Inc

linux-3.10\drivers\hid\hid-petalynx.c(7): *Copyright (c) 2006-2007 Jiri Kosina

linux-3.10\drivers\hid\hid-petalynx.c(8): *Copyright (c) 2008 Jiri Slaby

linux-3.10\drivers\hid\hid-picolcd.h(2): * Copyright (C) 2010-2012 by Bruno Prěmont <bonbons@linux-vserver.org>*

linux-3.10\drivers\hid\hid-picolcd.h(5): * Copyright (C) 2009 by Rick L. Vinyard, Jr. <rvinyard@cs.nmsu.edu> *

linux-3.10\drivers\hid\hid-picolcd_backlight.c(2): * Copyright (C) 2010-2012 by Bruno Prěmont <bonbons@linux-vserver.org>*

linux-3.10\drivers\hid\hid-picolcd_backlight.c(5): * Copyright (C) 2009 by Rick L. Vinyard, Jr. <rvinyard@cs.nmsu.edu> *

linux-3.10\drivers\hid\hid-picolcd_cir.c(2): * Copyright (C) 2010-2012 by Bruno Prěmont <bonbons@linux-vserver.org>*

linux-3.10\drivers\hid\hid-picolcd_cir.c(5): * Copyright (C) 2009 by Rick L. Vinyard, Jr. <rvinyard@cs.nmsu.edu> *

linux-3.10\drivers\hid\hid-picolcd_core.c(2): * Copyright (C) 2010-2012 by Bruno Prěmont <bonbons@linux-vserver.org>*

linux-3.10\drivers\hid\hid-picolcd_core.c(5): * Copyright (C) 2009 by Rick L. Vinyard, Jr. <rvinyard@cs.nmsu.edu> *

linux-3.10\drivers\hid\hid-picolcd_debugfs.c(2): * Copyright (C) 2010-2012 by Bruno Prěmont <bonbons@linux-vserver.org>*

linux-3.10\drivers\hid\hid-picolcd_debugfs.c(5): * Copyright (C) 2009 by Rick L. Vinyard, Jr. <rvinyard@cs.nmsu.edu> *

linux-3.10\drivers\hid\hid-picolcd_fb.c(2): * Copyright (C) 2010-2012 by Bruno Prěmont <bonbons@linux-vserver.org>*

linux-3.10\drivers\hid\hid-picolcd_fb.c(5): * Copyright (C) 2009 by Rick L. Vinyard, Jr. <rvinyard@cs.nmsu.edu> *

linux-3.10\drivers\hid\hid-picolcd_lcd.c(2): * Copyright (C) 2010-2012 by Bruno Prěmont <bonbons@linux-vserver.org>*

linux-3.10\drivers\hid\hid-picolcd_lcd.c(5): * Copyright (C) 2009 by Rick L. Vinyard, Jr. <rvinyard@cs.nmsu.edu> *

linux-3.10\drivers\hid\hid-picolcd_leds.c(2): * Copyright (C) 2010-2012 by Bruno Prěmont <bonbons@linux-vserver.org>*

linux-3.10\drivers\hid\hid-picolcd_leds.c(5): * Copyright (C) 2009 by Rick L. Vinyard, Jr. <rvinyard@cs.nmsu.edu> *

linux-3.10\drivers\hid\hid-pl.c(19): *Copyright (c) 2007, 2009 Anssi Hannula <anssi.hannula@gmail.com>

legal(ME)

linux-3.10\drivers\hid\hid-primax.c(4): * Copyright 2011 Google Inc. All Rights Reserved
linux-3.10\drivers\hid\hid-prodikeys.c(5): *Copyright (c) 2009 Don Prince
<dhprince.devel@yahoo.co.uk>
linux-3.10\drivers\hid\hid-ps3remote.c(4): * Copyright (c) 2012 David Dillow
<dave@thedillows.org>
linux-3.10\drivers\hid\hidraw.c(9): *Copyright (c) 2007 Jiri Kosina
linux-3.10\drivers\hid\hid-roccat.c(4): * Copyright (c) 2010 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-arvo.c(4): * Copyright (c) 2011 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-arvo.h(5): * Copyright (c) 2011 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-common.c(4): * Copyright (c) 2011 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-common.h(5): * Copyright (c) 2011 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-isku.c(4): * Copyright (c) 2011 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-isku.h(5): * Copyright (c) 2011 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-kone.c(4): * Copyright (c) 2010 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-kone.h(5): * Copyright (c) 2010 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-koneplus.c(4): * Copyright (c) 2010 Stefan
Achatz <erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-koneplus.h(5): * Copyright (c) 2010 Stefan
Achatz <erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-konepure.c(4): * Copyright (c) 2012 Stefan
Achatz <erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-konepure.h(5): * Copyright (c) 2012 Stefan
Achatz <erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-kovaplust.c(4): * Copyright (c) 2011 Stefan
Achatz <erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-kovaplust.h(5): * Copyright (c) 2010 Stefan
Achatz <erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-lua.c(4): * Copyright (c) 2012 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-lua.h(5): * Copyright (c) 2012 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-pyra.c(4): * Copyright (c) 2010 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-pyra.h(5): * Copyright (c) 2010 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-savu.c(4): * Copyright (c) 2012 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-roccat-savu.h(5): * Copyright (c) 2012 Stefan Achatz
<erazor_de@users.sourceforge.net>
linux-3.10\drivers\hid\hid-saitek.c(7): *Copyright (c) 2012 Andreas H̄rbner
linux-3.10\drivers\hid\hid-samsung.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-samsung.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik

legal(ME)

<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-samsung.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-samsung.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-samsung.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-samsung.c(9): *Copyright (c) 2010 Don Prince
<dhprince.devel@yahoo.co.uk>
linux-3.10\drivers\hid\hid-sensor-hub.c(3): * Copyright (c) 2012, Intel
Corporation.
linux-3.10\drivers\hid\hid-sjoy.c(4): *Copyright (c) 2009 Jussi Kivilinna
<jussi.kivilinna@mbnet.fi>
linux-3.10\drivers\hid\hid-sjoy.c(7): * Copyright (c) 2007, 2009 Anssi Hannula
<anssi.hannula@gmail.com>
linux-3.10\drivers\hid\hid-sjoy.c(8): * Copyright (c) 2008 Lukasz Lubojanski
<lukasz@lubojanski.info>
linux-3.10\drivers\hid\hid-sony.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-sony.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-sony.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-sony.c(7): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-sony.c(8): *Copyright (c) 2006-2008 Jiri Kosina
linux-3.10\drivers\hid\hid-speedlink.c(6): *Copyright (c) 2011 Stefan Kriwanek
<mail@stefankriwanek.de>
linux-3.10\drivers\hid\hid-steelseries.c(4): *Copyright (c) 2013 Simon Wood
linux-3.10\drivers\hid\hid-sunplus.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-sunplus.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-sunplus.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-sunplus.c(7): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\drivers\hid\hid-sunplus.c(8): *Copyright (c) 2008 Jiri Slaby
linux-3.10\drivers\hid\hid-thingm.c(4): * Copyright 2013 Savoir-faire Linux Inc.
linux-3.10\drivers\hid\hid-tivo.c(4): *Copyright (c) 2011 Jarod Wilson
<jarod@redhat.com>
linux-3.10\drivers\hid\hid-tmff.c(10): *Copyright (c) 2003 Zinx Verituse
<zinx@epicsol.org>
linux-3.10\drivers\hid\hid-tmff.c(11): *Copyright (c) 2002 Johann Deneux
linux-3.10\drivers\hid\hid-topseed.c(4): *Copyright (c) 2008 Lev Babiev
linux-3.10\drivers\hid\hid-twinhan.c(6): * Copyright (c) 2009 Bruno Pr \acute{e} mont
<bonbons@linux-vserver.org>
linux-3.10\drivers\hid\hid-uclogic.c(4): *Copyright (c) 2010 Nikolai Kondrashov
linux-3.10\drivers\hid\hid-wacom.c(10): *Copyright (c) 2009 Bastien Nocera
<hadess@hadess.net>
linux-3.10\drivers\hid\hid-wacom.c(11): *Copyright (c) 2011 Przemysław Firszt
<przemo@firszt.eu>
linux-3.10\drivers\hid\hid-wacom.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\hid-wacom.c(5): *Copyright (c) 2000-2005 Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\hid\hid-wacom.c(6): *Copyright (c) 2005 Michael Haboustak
<mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\hid-wacom.c(7): *Copyright (c) 2006-2007 Jiri Kosina

legal(ME)

linux-3.10\drivers\hid\hid-wacom.c(8): *Copyright (c) 2008 Jiri Slaby
<jirislaby@gmail.com>
linux-3.10\drivers\hid\hid-wacom.c(9): *Copyright (c) 2006 Andrew Zabolotny
<zap@homelink.ru>
linux-3.10\drivers\hid\hid-waltop.c(4): *Copyright (c) 2010 Nikolai Kondrashov
linux-3.10\drivers\hid\hid-wiimote.h(6): * Copyright (c) 2011 David Herrmann
linux-3.10\drivers\hid\hid-wiimote-core.c(3): * Copyright (c) 2011 David Herrmann
linux-3.10\drivers\hid\hid-wiimote-debug.c(3): * Copyright (c) 2011 David
Herrmann
linux-3.10\drivers\hid\hid-wiimote-ext.c(3): * Copyright (c) 2011 David Herrmann
linux-3.10\drivers\hid\hid-zpff.c(4): *Copyright (c) 2005, 2006 Anssi Hannula
<anssi.hannula@gmail.com>
linux-3.10\drivers\hid\hid-zydacron.c(4):*Copyright (c) 2010 Don Prince
<dhprince.devel@yahoo.co.uk>
linux-3.10\drivers\hid\i2c-hid\i2c-hid.c(10): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\i2c-hid\i2c-hid.c(11): *Copyright (c) 2000-2005 Vojtech
Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\i2c-hid\i2c-hid.c(12): *Copyright (c) 2005 Michael
Haboustak <mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\i2c-hid\i2c-hid.c(13): *Copyright (c) 2007-2008 Oliver
Neukum
linux-3.10\drivers\hid\i2c-hid\i2c-hid.c(14): *Copyright (c) 2006-2010 Jiri
Kosina
linux-3.10\drivers\hid\i2c-hid\i2c-hid.c(4): * Copyright (c) 2012 Benjamin
Tissoires <benjamin.tissoires@gmail.com>
linux-3.10\drivers\hid\i2c-hid\i2c-hid.c(5): * Copyright (c) 2012 Ecole Nationale
de l'Aviation Civile, France
linux-3.10\drivers\hid\i2c-hid\i2c-hid.c(6): * Copyright (c) 2012 Red Hat, Inc
linux-3.10\drivers\hid\uhid.c(3): * Copyright (c) 2012 David Herrmann
linux-3.10\drivers\hid\usbhid\hid-core.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\usbhid\hid-core.c(5): *Copyright (c) 2000-2005 Vojtech
Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\usbhid\hid-core.c(6): *Copyright (c) 2005 Michael
Haboustak <mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\usbhid\hid-core.c(7): *Copyright (c) 2007-2008 Oliver
Neukum
linux-3.10\drivers\hid\usbhid\hid-core.c(8): *Copyright (c) 2006-2010 Jiri Kosina
linux-3.10\drivers\hid\usbhid\hiddev.c(2): *Copyright (c) 2001 Paul Stewart
linux-3.10\drivers\hid\usbhid\hiddev.c(3): *Copyright (c) 2001 Vojtech Pavlik
linux-3.10\drivers\hid\usbhid\hid-pidff.c(4): *Copyright (c) 2005, 2006 Anssi
Hannula <anssi.hannula@gmail.com>
linux-3.10\drivers\hid\usbhid\hid-quirks.c(4): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\usbhid\hid-quirks.c(5): *Copyright (c) 2000-2005 Vojtech
Pavlik <vojtech@suse.cz>
linux-3.10\drivers\hid\usbhid\hid-quirks.c(6): *Copyright (c) 2005 Michael
Haboustak <mike-@cinci.rr.com> for Concept2, Inc
linux-3.10\drivers\hid\usbhid\hid-quirks.c(7): *Copyright (c) 2006-2007 Jiri
Kosina
linux-3.10\drivers\hid\usbhid\hid-quirks.c(8): *Copyright (c) 2007 Paul Walmsley
linux-3.10\drivers\hid\usbhid\usbhid.h(5): *Copyright (c) 1999 Andreas Gal
linux-3.10\drivers\hid\usbhid\usbhid.h(6): *Copyright (c) 2000-2001 Vojtech
Pavlik

legal(ME)

linux-3.10\drivers\hid\usbhid\usbhid.h(7): *Copyright (c) 2006 Jiri Kosina
linux-3.10\drivers\hid\usbhid\usbkbd.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\hid\usbhid\usbmouse.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\hsi\clients\hsi_char.c(5): * Copyright (C) 2010 Nokia Corporation. All rights reserved.
linux-3.10\drivers\hsi\hsi.c(4): * Copyright (C) 2010 Nokia Corporation. All rights reserved.
linux-3.10\drivers\hsi\hsi_boardinfo.c(4): * Copyright (C) 2010 Nokia Corporation. All rights reserved.
linux-3.10\drivers\hsi\hsi_core.h(4): * Copyright (C) 2010 Nokia Corporation. All rights reserved.
linux-3.10\drivers\hv\channel.c(2): * Copyright (c) 2009, Microsoft Corporation.
linux-3.10\drivers\hv\channel_mgmt.c(2): * Copyright (c) 2009, Microsoft Corporation.
linux-3.10\drivers\hv\connection.c(3): * Copyright (c) 2009, Microsoft Corporation.
linux-3.10\drivers\hv\hv.c(2): * Copyright (c) 2009, Microsoft Corporation.
linux-3.10\drivers\hv\hv_balloon.c(2): * Copyright (c) 2012, Microsoft Corporation.
linux-3.10\drivers\hv\hv_kvp.c(5): * Copyright (C) 2010, Novell, Inc.
linux-3.10\drivers\hv\hv_snapshot.c(5): * Copyright (C) 2013, Microsoft, Inc.
linux-3.10\drivers\hv\hv_util.c(2): * Copyright (c) 2010, Microsoft Corporation.
linux-3.10\drivers\hv\hyperv_vmbus.h(3): * Copyright (c) 2011, Microsoft Corporation.
linux-3.10\drivers\hv\ring_buffer.c(3): * Copyright (c) 2009, Microsoft Corporation.
linux-3.10\drivers\hv\vmbus_drv.c(2): * Copyright (c) 2009, Microsoft Corporation.
linux-3.10\drivers\hwmon\ab8500.c(2): * Copyright (C) ST-Ericsson 2010 - 2013
linux-3.10\drivers\hwmon\abituguru.c(2): * abituguru.c Copyright (c) 2005-2006 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\hwmon\abituguru3.c(4): * Copyright (c) 2006-2008 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\hwmon\abituguru3.c(5): * Copyright (c) 2008 Alistair John Strachan <alistair@devzero.co.uk>
linux-3.10\drivers\hwmon\abx500.c(2): * Copyright (C) ST-Ericsson 2010 - 2013
linux-3.10\drivers\hwmon\abx500.h(2): * Copyright (C) ST-Ericsson 2010 - 2013
linux-3.10\drivers\hwmon\acpi_power_meter.c(3): * Copyright (C) 2009 IBM
linux-3.10\drivers\hwmon\ad7314.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\hwmon\ad7414.c(14): * Copyright 2006 Tower Technologies, Alessandro Zummo <a.zummo at towertech.it>
linux-3.10\drivers\hwmon\ad7414.c(4): * Copyright 2006 Stefan Roese <sr at denx.de>, DENX Software Engineering
linux-3.10\drivers\hwmon\ad7414.c(6): * Copyright (c) 2008 PIKA Technologies
linux-3.10\drivers\hwmon\ad7414.c(9): * Copyright (c) 2008 Spansion Inc.
linux-3.10\drivers\hwmon\ad7418.c(3): * Copyright (C) 2006-07 Tower Technologies
linux-3.10\drivers\hwmon\ad7418.c(8): * Copyright (C) 1998-99 Frodo Looijaard <frodol@dds.nl>
linux-3.10\drivers\hwmon\adcxx.c(6): * Copyright (c) 2008 Marc Pignat <marc.pignat@hevs.ch>

legal(ME)

linux-3.10\drivers\hwmon\adm1021.c(4): * Copyright (c) 1998, 1999Frodo Looijaard
<frodol@dds.nl> and
linux-3.10\drivers\hwmon\adm1025.c(4): * Copyright (C) 2000 Chen-Yuan Wu
<gwu@esoft.com>
linux-3.10\drivers\hwmon\adm1025.c(5): * Copyright (C) 2003-2009Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\adm1026.c(4): * Copyright (C) 2002, 2003Philip Pokorny
<ppokorny@penguincomputing.com>
linux-3.10\drivers\hwmon\adm1026.c(5): * Copyright (C) 2004 Justin Thiessen
<jthiessen@penguincomputing.com>
linux-3.10\drivers\hwmon\adm1029.c(4): * Copyright (C) 2006 Corentin LABBE
<corentin.labbe@geomatys.fr>
linux-3.10\drivers\hwmon\adm1031.c(6): * Copyright (C) 2004 Alexandre d'Alton
<alex@alexdalton.org>
linux-3.10\drivers\hwmon\adm9240.c(5): * Copyright (C) 1999Frodo Looijaard
<frodol@dds.nl>
linux-3.10\drivers\hwmon\adm9240.c(7): * Copyright (C) 2003Michiel Rook
<michiel@grendelproject.nl>
linux-3.10\drivers\hwmon\adm9240.c(8): * Copyright (C) 2005Grant Coady
<gcoady.lk@gmail.com> with valuable
linux-3.10\drivers\hwmon\ads1015.c(3): * (C) Copyright 2010
linux-3.10\drivers\hwmon\ads7871.c(4): *Copyright (c) 2010 Paul Thomas
<pthomas8589@gmail.com>
linux-3.10\drivers\hwmon\adt7310.c(4): * Copyright 2012-2013 Analog Devices Inc.
linux-3.10\drivers\hwmon\adt7410.c(4): * Copyright 2012-2013 Analog Devices Inc.
linux-3.10\drivers\hwmon\adt7411.c(4): *Copyright (C) 2008, 2010 Pengutronix
linux-3.10\drivers\hwmon\adt7462.c(3): * Copyright (C) 2008 IBM
linux-3.10\drivers\hwmon\adt7470.c(3): * Copyright (C) 2007 IBM
linux-3.10\drivers\hwmon\adt7475.c(3): * Copyright (C) 2007-2008, Advanced Micro
Devices, Inc.
linux-3.10\drivers\hwmon\adt7475.c(4): * Copyright (C) 2008 Jordan Crouse
<jordan@cosmicpenguin.net>
linux-3.10\drivers\hwmon\adt7475.c(5): * Copyright (C) 2008 Hans de Goede
<hdegoede@redhat.com>
linux-3.10\drivers\hwmon\adt7475.c(6): * Copyright (C) 2009 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\amc6821.c(4): * Copyright (C) 2009 T. Mertelj
<tomaz.mertelj@guest.arnes.si>
linux-3.10\drivers\hwmon\amc6821.c(7): * Copyright (C) 2007 Hans J. Koch
<hjk@hansjkoch.de>
linux-3.10\drivers\hwmon\applesmc.c(10): * Copyright (C) 2005 Robert Love
<rml@novell.com>
linux-3.10\drivers\hwmon\applesmc.c(11): * Copyright (C) 2005 Jesper Juhl
<jj@chaosbits.net>
linux-3.10\drivers\hwmon\applesmc.c(14): * Copyright (C) 2006 Hendrik Holtmann
<holtmann@mac.com>
linux-3.10\drivers\hwmon\applesmc.c(6): * Copyright (C) 2007 Nicolas Boichat
<nicolas@boichat.ch>
linux-3.10\drivers\hwmon\applesmc.c(7): * Copyright (C) 2010 Henrik Rydberg
<rydberg@euromail.se>
linux-3.10\drivers\hwmon\asb100.c(5): * Copyright (C) 2004 Mark M. Hoffman
<mhoffman@lightlink.com>

legal(ME)

linux-3.10\drivers\hwmon\asb100.c(9): * Copyright (C) 1998 - 2003 Frodo Looijaard
<frodol@dds.nl>,
linux-3.10\drivers\hwmon\asc7621.c(3): * Copyright (c) 2007, 2010 George
Joseph<george.joseph@fairview5.com>
linux-3.10\drivers\hwmon\asus_atk0110.c(2): * Copyright (C) 2007-2009 Luca
Tettamanti <kronos.it@gmail.com>
linux-3.10\drivers\hwmon\coretemp.c(4): * Copyright (C) 2007 Rudolf Marek
<r.marek@assembler.cz>
linux-3.10\drivers\hwmon\da9052-hwmon.c(4): * Copyright(c) 2012 Dialog
Semiconductor Ltd.
linux-3.10\drivers\hwmon\da9055-hwmon.c(4): * Copyright(c) 2012 Dialog
Semiconductor Ltd.
linux-3.10\drivers\hwmon\dme1737.c(5): * Copyright (c) 2007, 2008, 2009, 2010
Juerg Haefliger <juergh@gmail.com>
linux-3.10\drivers\hwmon\ds620.c(4): * Copyright (C) 2010, 2011 Roland Stigge
<stigge@antcom.de>
linux-3.10\drivers\hwmon\emc1403.c(4): * Copyright (C) 2008 Intel Corp
linux-3.10\drivers\hwmon\emc2103.c(3): * Copyright (c) 2010 SMSC
linux-3.10\drivers\hwmon\emc6w201.c(3): * Copyright (C) 2011 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\f71805f.c(4): * Copyright (C) 2005-2006 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\f71882fg.c(2): * Copyright (C) 2006 by Hans Edgington
<hans@edgington.nl> *
linux-3.10\drivers\hwmon\f71882fg.c(3): * Copyright (C) 2007-2011 Hans de Goede
<hdegoede@redhat.com> *
linux-3.10\drivers\hwmon\f75375s.c(4): * Copyright (C) 2006-2007 Riku Voipio
linux-3.10\drivers\hwmon\fam15h_power.c(4): * Copyright (c) 2011 Advanced Micro
Devices, Inc.
linux-3.10\drivers\hwmon\fschmd.c(27): * Copyright (C) 2006 Thilo Cestonaro
linux-3.10\drivers\hwmon\fschmd.c(29): * Copyright (C) 2004, 2005 Stefan Ott
<stefan@desire.ch>
linux-3.10\drivers\hwmon\fschmd.c(30): * Copyright (C) 2003, 2004 Reinhard Nissl
<rnissl@gmx.de>
linux-3.10\drivers\hwmon\fschmd.c(31): * Copyright (c) 2001 Martin Knoblauch
<mkni@teraport.de, knobi@knobisoft.de>
linux-3.10\drivers\hwmon\fschmd.c(32): * Copyright (C) 2000 Hermann Jung
<hej@odn.de>
linux-3.10\drivers\hwmon\fschmd.c(4): * Copyright (C) 2007 - 2009 Hans de Goede
<hdegoede@redhat.com>
linux-3.10\drivers\hwmon\g760a.c(5): * Copyright (C) 2007 Herbert Valerio Riedel
<hvr@gnu.org>
linux-3.10\drivers\hwmon\gl518sm.c(4): * Copyright (C) 1998, 1999 Frodo Looijaard
<frodol@dds.nl> and
linux-3.10\drivers\hwmon\gl518sm.c(6): * Copyright (C) 2004 Hong-Gunn Chew
<hglinux@gunnet.org> and
linux-3.10\drivers\hwmon\gl520sm.c(4): * Copyright (c) 1998, 1999 Frodo Looijaard
<frodol@dds.nl>,
linux-3.10\drivers\hwmon\gl520sm.c(6): * Copyright (c) 2005 Maarten Deprez
<maartendeprez@users.sourceforge.net>
linux-3.10\drivers\hwmon\gpio-fan.c(4): * Copyright (C) 2010 LaCie
linux-3.10\drivers\hwmon\hih6130.c(3): * Copyright (C) 2012 Iain Paton

legal(ME)

<ipaton0@gmail.com>
linux-3.10\drivers\hwmon\hih6130.c(6): * Copyright (C) 2010 Urs Fleisch
<urs.fleisch@sensirion.com>
linux-3.10\drivers\hwmon\hwmon.c(6): * Copyright (C) 2005 Mark M. Hoffman
<mhoffman@lightlink.com>
linux-3.10\drivers\hwmon\hwmon-vid.c(4): * Copyright (c) 2004 Rudolf Marek
<r.marek@assembler.cz>
linux-3.10\drivers\hwmon\hwmon-vid.c(7): * Copyright (c) 2002 Mark D. Stuebaker
<mdsxyz123@yahoo.com>
linux-3.10\drivers\hwmon\i5k_amb.c(4): * Copyright (C) 2007 IBM
linux-3.10\drivers\hwmon\ibmaem.c(4): * Copyright (C) 2008 IBM
linux-3.10\drivers\hwmon\ibmpex.c(3): * Copyright (C) 2007 IBM
linux-3.10\drivers\hwmon\iio_hwmon.c(3): * Copyright (c) 2011 Jonathan Cameron
linux-3.10\drivers\hwmon\ina209.c(12): *Copyright (C) 2012 Lothar Felten
<l-felten@ti.com>
linux-3.10\drivers\hwmon\ina209.c(5): * Copyright (C) 2012 Guenter Roeck
<linux@roeck-us.net>
linux-3.10\drivers\hwmon\ina209.c(8): *Copyright (C) 2008 Paul Hays
<Paul.Hays@cattail.ca>
linux-3.10\drivers\hwmon\ina209.c(9): *Copyright (C) 2008-2009 Ira W. Snyder
<iws@ovro.caltech.edu>
linux-3.10\drivers\hwmon\ina2xx.c(20): * Copyright (C) 2012 Lothar Felten
<l-felten@ti.com>
linux-3.10\drivers\hwmon\it87.c(28): *Copyright (C) 2001 Chris Gauthron
linux-3.10\drivers\hwmon\it87.c(29): *Copyright (C) 2005-2010 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\jc42.c(4): * Copyright (c) 2010Ericsson AB.
linux-3.10\drivers\hwmon\jz4740-hwmon.c(2): * Copyright (C) 2009-2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\drivers\hwmon\k10temp.c(4): * Copyright (c) 2009 Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\drivers\hwmon\k8temp.c(4): * Copyright (C) 2006 Rudolf Marek
<r.marek@assembler.cz>
linux-3.10\drivers\hwmon\lineage-pem.c(4): * Copyright (C) 2010, 2011 Ericsson
AB.
linux-3.10\drivers\hwmon\lm63.c(4): * Copyright (C) 2004-2008Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\lm70.c(5): * Copyright (C) 2006 Kaiwan N Billimoria
<kaiwan@designergraphix.com>
linux-3.10\drivers\hwmon\lm73.c(5): * Copyright (C) 2007, CenoSYS
(www.cenosys.com).
linux-3.10\drivers\hwmon\lm73.c(6): * Copyright (C) 2009, Bollore telecom
(www.bolloretelecom.eu).
linux-3.10\drivers\hwmon\lm75.c(4): * Copyright (c) 1998, 1999Frodo Looijaard
<frodol@dds.nl>
linux-3.10\drivers\hwmon\lm75.h(4):Copyright (c) 2003 Mark M. Hoffman
<mhoffman@lightlink.com>
linux-3.10\drivers\hwmon\lm77.c(5): * Copyright (c) 2004Andras BALI
<drewie@freemail.hu>
linux-3.10\drivers\hwmon\lm78.c(4): * Copyright (c) 1998, 1999Frodo Looijaard
<frodol@dds.nl>
linux-3.10\drivers\hwmon\lm78.c(5): * Copyright (c) 2007, 2011Jean Delvare

legal(ME)

<khali@linux-fr.org>
linux-3.10\drivers\hwmon\lm80.c(4): * Copyright (C) 1998, 1999Frodo Looijaard
<frodol@dds.nl>
linux-3.10\drivers\hwmon\lm83.c(4): * Copyright (C) 2003-2009Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\lm85.c(4): * Copyright (c) 1998, 1999Frodo Looijaard
<frodol@dds.nl>
linux-3.10\drivers\hwmon\lm85.c(5): * Copyright (c) 2002, 2003Philip Pokorny
<ppokorny@penguincomputing.com>
linux-3.10\drivers\hwmon\lm85.c(6): * Copyright (c) 2003Margit Schubert-While
<margitsw@t-online.de>
linux-3.10\drivers\hwmon\lm85.c(7): * Copyright (c) 2004Justin Thiessen
<jthiessen@penguincomputing.com>
linux-3.10\drivers\hwmon\lm85.c(8): * Copyright (C) 2007--2009Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\lm87.c(4): * Copyright (C) 2000 Frodo Looijaard
<frodol@dds.nl>
linux-3.10\drivers\hwmon\lm87.c(8): * Copyright (C) 2004-2008Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\lm90.c(4): * Copyright (C) 2003-2010Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\lm92.c(3): * Copyright (C) 2005-2008Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\lm93.c(11): *Copyright (c) 2002, 2003 Philip Pokorny
<ppokorny@penguincomputing.com>
linux-3.10\drivers\hwmon\lm93.c(12): *Copyright (c) 2003 Margit Schubert-While
<margitsw@t-online.de>
linux-3.10\drivers\hwmon\lm93.c(15): *Copyright (c) 2003-2004 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\lm93.c(18): *Copyright (c) 2005 Aspen Systems, Inc.
linux-3.10\drivers\hwmon\lm93.c(21): *Copyright (c) 2006 Carsten Emde, Open
Source Automation Development Lab
linux-3.10\drivers\hwmon\lm93.c(24): *Copyright (c) 2007 Hans J. Koch, Linutronix
GmbH
linux-3.10\drivers\hwmon\lm93.c(5): *Copyright (c) 2004 Utilitek Systems, Inc.
linux-3.10\drivers\hwmon\lm93.c(8): *Copyright (c) 1998, 1999Frodo Looijaard
<frodol@dds.nl>
linux-3.10\drivers\hwmon\lm95234.c(4): * Copyright (c) 2013 Guenter Roeck
<linux@roeck-us.net>
linux-3.10\drivers\hwmon\lm95234.c(7): * Copyright (C) 2008, 2010 Davide Rizzo
<elpa.rizzo@gmail.com>
linux-3.10\drivers\hwmon\lm95241.c(2): * Copyright (C) 2008, 2010 Davide Rizzo
<elpa.rizzo@gmail.com>
linux-3.10\drivers\hwmon\lm95245.c(2): * Copyright (C) 2011 Alexander Stein
<alexander.stein@systemec-electronic.com>
linux-3.10\drivers\hwmon\ltc4151.c(11): *Copyright (C) 2010 Ericsson AB.
linux-3.10\drivers\hwmon\ltc4151.c(5): * Copyright (C) 2011 AppearTV AS
linux-3.10\drivers\hwmon\ltc4215.c(4): * Copyright (C) 2009 Ira W. Snyder
<iws@ovro.caltech.edu>
linux-3.10\drivers\hwmon\ltc4245.c(4): * Copyright (C) 2008 Ira W. Snyder
<iws@ovro.caltech.edu>
linux-3.10\drivers\hwmon\ltc4261.c(4): * Copyright (C) 2010 Ericsson AB.

legal(ME)

linux-3.10\drivers\hwmon\ltc4261.c(9): *Copyright (C) 2008 Ira W. Snyder
<iws@ovro.caltech.edu>
linux-3.10\drivers\hwmon\max1111.c(6): * Copyright (C) 2004-2005 Richard Purdie
linux-3.10\drivers\hwmon\max1111.c(8): * Copyright (C) 2008 Marvell International
Ltd.
linux-3.10\drivers\hwmon\max16065.c(10): * Copyright (C) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\max1619.c(4): * Copyright (C) 2003-2004 Oleksij Rempel
<bug-track@fisher-privat.net>
linux-3.10\drivers\hwmon\max1668.c(2): * Copyright (c) 2011 David George
<david.george@ska.ac.za>
linux-3.10\drivers\hwmon\max197.c(4): * Copyright (c) 2012 Savoir-faire Linux
Inc.
linux-3.10\drivers\hwmon\max6639.c(6): * Copyright (C) 2010, 2011 Roland Stigge
<stigge@antcom.de>
linux-3.10\drivers\hwmon\max6642.c(10): *Copyright (C) 2003-2004 Oleksij Rempel
<bug-track@fisher-privat.net>
linux-3.10\drivers\hwmon\max6642.c(5): * Copyright (C) 2011 AppearTV AS
linux-3.10\drivers\hwmon\max6650.c(8): * Copyright (c) 2003 Spirent
Communications
linux-3.10\drivers\hwmon\max6697.c(2): * Copyright (c) 2012 Guenter Roeck
<linux@roeck-us.net>
linux-3.10\drivers\hwmon\max6697.c(5): * Copyright (c) 2011 David George
<david.george@ska.ac.za>
linux-3.10\drivers\hwmon\mc13783-adc.c(4): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\hwmon\mc13783-adc.c(5): * Copyright (C) 2009 Sascha Hauer,
Pengutronix
linux-3.10\drivers\hwmon\mcp3021.c(4): * Copyright (C) 2008-2009, 2012 Freescale
Semiconductor, Inc.
linux-3.10\drivers\hwmon\nct6775.c(13): * Copyright (C) 2010Sheng-Yuan Huang
(Nuvoton) (PS00)
linux-3.10\drivers\hwmon\nct6775.c(16): * Copyright (C) 2003Mark Stuebaker
linux-3.10\drivers\hwmon\nct6775.c(5): * Copyright (C) 2012Guenter Roeck
<linux@roeck-us.net>
linux-3.10\drivers\hwmon\nct6775.c(8): * Copyright (C) 2005-2012Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\nct6775.c(9): * Copyright (C) 2006Yuan Mu (Winbond),
linux-3.10\drivers\hwmon\ntc_thermistor.c(4): *Copyright (C) 2010 Samsung
Electronics
linux-3.10\drivers\hwmon\pc87360.c(4): *Copyright (C) 2004, 2007 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\pc87360.c(7): *Copyright (C) 2002 Mark D. Stuebaker
<mdsxyz123@yahoo.com>
linux-3.10\drivers\hwmon\pc87427.c(4): *Copyright (C) 2006, 2008, 2010Jean
Delvare <khali@linux-fr.org>
linux-3.10\drivers\hwmon\pcf8591.c(2): * Copyright (C) 2001-2004 Aurelien Jarno
<aurelien@aurel32.net>
linux-3.10\drivers\hwmon\pmbus\adm1275.c(5): * Copyright (c) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\lm25066.c(4): * Copyright (c) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\lm25066.c(5): * Copyright (c) 2013 Guenter Roeck
linux-3.10\drivers\hwmon\pmbus\ltc2978.c(4): * Copyright (c) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\ltc2978.c(5): * Copyright (c) 2013 Guenter Roeck

legal(ME)

linux-3.10\drivers\hwmon\pmbus\max16064.c(4): * Copyright (c) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\max34440.c(4): * Copyright (c) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\max34440.c(5): * Copyright (c) 2012 Guenter Roeck
linux-3.10\drivers\hwmon\pmbus\max8688.c(4): * Copyright (c) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\pmbus.c(4): * Copyright (c) 2010, 2011 Ericsson
AB.
linux-3.10\drivers\hwmon\pmbus\pmbus.h(4): * Copyright (c) 2010, 2011 Ericsson
AB.
linux-3.10\drivers\hwmon\pmbus\pmbus.h(5): * Copyright (c) 2012 Guenter Roeck
linux-3.10\drivers\hwmon\pmbus\pmbus_core.c(4): * Copyright (c) 2010, 2011
Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\pmbus_core.c(5): * Copyright (c) 2012 Guenter
Roeck
linux-3.10\drivers\hwmon\pmbus\ucd9000.c(5): * Copyright (C) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\ucd9200.c(4): * Copyright (C) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\zl6100.c(4): * Copyright (c) 2011 Ericsson AB.
linux-3.10\drivers\hwmon\pmbus\zl6100.c(5): * Copyright (c) 2012 Guenter Roeck
linux-3.10\drivers\hwmon\s3c-hwmon.c(3): * Copyright (C) 2005, 2008, 2009 Simtec
Electronics
linux-3.10\drivers\hwmon\sch5627.c(2): * Copyright (C) 2010-2012 Hans de Goede
<hdegoede@redhat.com> *
linux-3.10\drivers\hwmon\sch5636.c(2): * Copyright (C) 2011-2012 Hans de Goede
<hdegoede@redhat.com> *
linux-3.10\drivers\hwmon\sch56xx-common.c(2): * Copyright (C) 2010-2012 Hans de
Goede <hdegoede@redhat.com> *
linux-3.10\drivers\hwmon\sch56xx-common.h(2): * Copyright (C) 2010-2012 Hans de
Goede <hdegoede@redhat.com> *
linux-3.10\drivers\hwmon\sht15.c(10): * Copyright (c) 2007 Wouter Horre
linux-3.10\drivers\hwmon\sht15.c(4): * Portions Copyright (c) 2010-2012
Savoir-faire Linux Inc.
linux-3.10\drivers\hwmon\sht15.c(8): * Copyright (c) 2009 Jonathan Cameron
linux-3.10\drivers\hwmon\sht21.c(3): * Copyright (C) 2010 Urs Fleisch
<urs.fleisch@sensirion.com>
linux-3.10\drivers\hwmon\sis5595.c(5): * Copyright (C) 1998 - 2001 Frodo
Looijaard <frodol@dds.nl>,
linux-3.10\drivers\hwmon\smm665.c(4): * Copyright (C) 2010 Ericsson AB.
linux-3.10\drivers\hwmon\smc47b397.c(11): * Copyright (C) 2002 Mark D.
Stuebaker <mdsxyz123@yahoo.com>
linux-3.10\drivers\hwmon\smc47b397.c(12): * Copyright (C) 2004 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\smc47b397.c(8): * Copyright (C) 2004 Utilitek Systems,
Inc.
linux-3.10\drivers\hwmon\smc47m1.c(10): * Copyright (C) 2004-2007 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\smc47m1.c(9): * Copyright (C) 2002 Mark D. Stuebaker
<mdsxyz123@yahoo.com>
linux-3.10\drivers\hwmon\smc47m192.c(5): * Copyright (C) 2006Hartmut Rick
<linux@rick.claranet.de>
linux-3.10\drivers\hwmon\thmc50.c(4): * Copyright (C) 2007 Krzysztof Helt
<krzysztof.h1@wp.pl>
linux-3.10\drivers\hwmon\tmp102.c(3): * Copyright (C) 2010 Steven King
<sfking@fdwdc.com>

legal(ME)

linux-3.10\drivers\hwmon\tmp401.c(3): * Copyright (C) 2007,2008 Hans de Goede
<hdegoede@redhat.com>
linux-3.10\drivers\hwmon\tmp401.c(6): * Copyright (C) 2009 Andre Prendel
<andre.prendel@gmx.de>
linux-3.10\drivers\hwmon\tmp401.c(9): * Copyright (c) 2013 Guenter Roeck
<linux@roeck-us.net>
linux-3.10\drivers\hwmon\tmp421.c(3): * Copyright (C) 2009 Andre Prendel
<andre.prendel@gmx.de>
linux-3.10\drivers\hwmon\twl4030-madc-hwmon.c(8): * Copyright (C) 2011 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\hwmon\ultra45_env.c(4): * Copyright (C) 2008 David S. Miller
<davem@davemloft.net>
linux-3.10\drivers\hwmon\vexpress.c(11): * Copyright (C) 2012 ARM Limited
linux-3.10\drivers\hwmon\via686a.c(115): * From HWMon.cpp (Copyright 1998-2000
Jonathan Teh Soon Yew):
linux-3.10\drivers\hwmon\via686a.c(184): * linear fits from HWMon.cpp (Copyright
1998-2000 Jonathan Teh Soon Yew)
linux-3.10\drivers\hwmon\via686a.c(5): * Copyright (c) 1998 - 2002Frodo Looijaard
<frodol@dds.nl>,
linux-3.10\drivers\hwmon\via-cputemp.c(3): * Copyright (C) 2009 VIA Technologies,
Inc.
linux-3.10\drivers\hwmon\via-cputemp.c(7): * Copyright (C) 2007 Rudolf Marek
<r.marek@assembler.cz>
linux-3.10\drivers\hwmon\vt1211.c(4): * Copyright (C) 2006 Juerg Haefliger
<juergh@gmail.com>
linux-3.10\drivers\hwmon\vt8231.c(5): * Copyright (c) 2005 Roger Lucas
<vt8231@hiddenengine.co.uk>
linux-3.10\drivers\hwmon\vt8231.c(6): * Copyright (c) 2002 Mark D. Stuebaker
<mdsxyz123@yahoo.com>
linux-3.10\drivers\hwmon\w83627ehf.c(12): *Copyright (C) 2003Mark Stuebaker
linux-3.10\drivers\hwmon\w83627ehf.c(4): *Copyright (C) 2005-2012Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\w83627ehf.c(5): *Copyright (C) 2006Yuan Mu (Winbond),
linux-3.10\drivers\hwmon\w83627ehf.c(9): *Copyright (C) 2010Sheng-Yuan Huang
(Nuvoton) (PS00)
linux-3.10\drivers\hwmon\w83627hf.c(4): * Copyright (c) 1998 - 2003Frodo
Looijaard <frodol@dds.nl>,
linux-3.10\drivers\hwmon\w83627hf.c(8): * Copyright (c) 2007 - 1012Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\w83781d.c(4): * Copyright (c) 1998 - 2001Frodo Looijaard
<frodol@dds.nl>,
linux-3.10\drivers\hwmon\w83781d.c(7): * Copyright (c) 2007 - 2008Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\hwmon\w83791d.c(5): * Copyright (C) 2006-2007 Charles Spirakis
<bezaur@gmail.com>
linux-3.10\drivers\hwmon\w83792d.c(4): * Copyright (C) 2004, 2005 Winbond
Electronics Corp.
linux-3.10\drivers\hwmon\w83793.c(3): * Copyright (C) 2006 Winbond Electronics
Corp.
linux-3.10\drivers\hwmon\w83793.c(6): * Copyright (C) 2009-2010 Sven Anders
<anders@anduras.de>, ANDURAS AG.
linux-3.10\drivers\hwmon\w83793.c(9): * Copyright 2007-2008 by Hans de Goede)

legal(ME)

linux-3.10\drivers\hwmon\w83795.c(3): *Copyright (C) 2008 Nuvoton Technology Corp.
linux-3.10\drivers\hwmon\w83795.c(5): *Copyright (C) 2010 Jean Delvare <khali@linux-fr.org>
linux-3.10\drivers\hwmon\w831785ts.c(4): * Copyright (C) 2003-2009 Jean Delvare <khali@linux-fr.org>
linux-3.10\drivers\hwmon\w831786ng.c(3): * Copyright (c) 2007 Kevin Lo <kevlo@kevlo.org>
linux-3.10\drivers\hwmon\wm831x-hwmon.c(5): * Copyright (C) 2009 Wolfson Microelectronics plc
linux-3.10\drivers\hwmon\wm8350-hwmon.c(5): * Copyright (C) 2009 Wolfson Microelectronics plc
linux-3.10\drivers\hwspinlock\hwspinlock_core.c(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\hwspinlock\hwspinlock_internal.h(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\hwspinlock\omap_hwspinlock.c(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\hwspinlock\u8500_hsem.c(4): * Copyright (C) 2010-2011 ST-Ericsson
linux-3.10\drivers\i2c\algos\i2c-algo-bit.c(4): * Copyright (C) 1995-2000 Simon G. Vogl
linux-3.10\drivers\i2c\algos\i2c-algo-pca.c(3): *Copyright (C) 2004 Arcom Control Systems
linux-3.10\drivers\i2c\algos\i2c-algo-pca.c(4): *Copyright (C) 2008 Pengutronix
linux-3.10\drivers\i2c\algos\i2c-algo-pcf.c(4): * Copyright (C) 1995-1997 Simon G. Vogl
linux-3.10\drivers\i2c\algos\i2c-algo-pcf.h(4):/* Copyright (C) 1996 Simon G. Vogl
linux-3.10\drivers\i2c\busses\i2c-acorn.c(4): *Copyright (C) 2000 Russell King
linux-3.10\drivers\i2c\busses\i2c-ali1535.c(2): * Copyright (c) 2000 Frodo Looijaard <frodol@dds.nl>,
linux-3.10\drivers\i2c\busses\i2c-ali1563.c(4): *Copyright (C) 2004 Patrick Mochel
linux-3.10\drivers\i2c\busses\i2c-ali15x3.c(2):Copyright (c) 1999 Frodo Looijaard <frodol@dds.nl> and
linux-3.10\drivers\i2c\busses\i2c-amd756.c(2):Copyright (c) 1999-2002 Merlin Hughes <merlin@merlin.org>
linux-3.10\drivers\i2c\busses\i2c-amd756.c(6):Copyright (c) 1998, 1999 Frodo Looijaard <frodol@dds.nl> and
linux-3.10\drivers\i2c\busses\i2c-amd756-s4882.c(4): * Copyright (C) 2004, 2008 Jean Delvare <khali@linux-fr.org>
linux-3.10\drivers\i2c\busses\i2c-amd8111.c(4): * Copyright (c) 2002 Vojtech Pavlik
linux-3.10\drivers\i2c\busses\i2c-at91.c(12): *Copyright (C) 2000 Philip Edelbrock <phil@stimpynet.roedge.com>
linux-3.10\drivers\i2c\busses\i2c-at91.c(4): *Copyright (C) 2011 Weinmann Medical GmbH
linux-3.10\drivers\i2c\busses\i2c-at91.c(8): *Copyright (C) 2004 Rick Bronson
linux-3.10\drivers\i2c\busses\i2c-au1550.c(3): * Copyright (C) 2004 Embedded Edge, LLC <dan@embeddededge.com>
linux-3.10\drivers\i2c\busses\i2c-bfin-twi.c(4): * Copyright 2005-2007 Analog

legal(ME)

Devices Inc.

linux-3.10\drivers\i2c\busses\i2c-cbus-gpio.c(4): * Copyright (C) 2004-2010 Nokia Corporation

linux-3.10\drivers\i2c\busses\i2c-cpm.c(3): * Copyright (c) 1999 Dan Malek (dmalek@jlc.net).

linux-3.10\drivers\i2c\busses\i2c-davinci.c(4): * Copyright (C) 2006 Texas Instruments.

linux-3.10\drivers\i2c\busses\i2c-davinci.c(5): * Copyright (C) 2007 MontaVista Software Inc.

linux-3.10\drivers\i2c\busses\i2c-designware-core.c(6): * Copyright (C) 2006 Texas Instruments.

linux-3.10\drivers\i2c\busses\i2c-designware-core.c(7): * Copyright (C) 2007 MontaVista Software Inc.

linux-3.10\drivers\i2c\busses\i2c-designware-core.c(8): * Copyright (C) 2009 Provigent Ltd.

linux-3.10\drivers\i2c\busses\i2c-designware-core.h(6): * Copyright (C) 2006 Texas Instruments.

linux-3.10\drivers\i2c\busses\i2c-designware-core.h(7): * Copyright (C) 2007 MontaVista Software Inc.

linux-3.10\drivers\i2c\busses\i2c-designware-core.h(8): * Copyright (C) 2009 Provigent Ltd.

linux-3.10\drivers\i2c\busses\i2c-designware-pcidrv.c(6): * Copyright (C) 2006 Texas Instruments.

linux-3.10\drivers\i2c\busses\i2c-designware-pcidrv.c(7): * Copyright (C) 2007 MontaVista Software Inc.

linux-3.10\drivers\i2c\busses\i2c-designware-pcidrv.c(8): * Copyright (C) 2009 Provigent Ltd.

linux-3.10\drivers\i2c\busses\i2c-designware-pcidrv.c(9): * Copyright (C) 2011 Intel corporation.

linux-3.10\drivers\i2c\busses\i2c-designware-platdrv.c(6): * Copyright (C) 2006 Texas Instruments.

linux-3.10\drivers\i2c\busses\i2c-designware-platdrv.c(7): * Copyright (C) 2007 MontaVista Software Inc.

linux-3.10\drivers\i2c\busses\i2c-designware-platdrv.c(8): * Copyright (C) 2009 Provigent Ltd.

linux-3.10\drivers\i2c\busses\i2c-diolan-u2c.c(4): * Copyright (c) 2010-2011 Ericsson AB

linux-3.10\drivers\i2c\busses\i2c-diolan-u2c.c(8): *Copyright (C) 2006-2007 Till Harbaum (Till@Harbaum.org)

linux-3.10\drivers\i2c\busses\i2c-eg20t.c(2): * Copyright (C) 2011 LAPIS Semiconductor Co., Ltd.

linux-3.10\drivers\i2c\busses\i2c-elektor.c(4):/* Copyright (C) 1995-97 Simon G. Vogl

linux-3.10\drivers\i2c\busses\i2c-gpio.c(4): * Copyright (C) 2007 Atmel Corporation

linux-3.10\drivers\i2c\busses\i2c-highlander.c(6): * Copyright (C) 2008Paul Mundt

linux-3.10\drivers\i2c\busses\i2c-highlander.c(7): * Copyright (C) 2008Renesas Solutions Corp.

linux-3.10\drivers\i2c\busses\i2c-highlander.c(8): * Copyright (C) 2008Atom Create Engineering Co., Ltd.

linux-3.10\drivers\i2c\busses\i2c-hydra.c(4):Copyright (c) 1999-2004 Geert Ytterhoeven <geert@linux-m68k.org>

legal(ME)

linux-3.10\drivers\i2c\busses\i2c-hydra.c(7):Copyright (c) 1998, 1999 Kyōka
M̄, lkki <kmalkki@cc.hut.fi>
linux-3.10\drivers\i2c\busses\i2c-i801.c(2):Copyright (c) 1998 - 2002Frodo
Looijaard <frodol@dds.nl>,
linux-3.10\drivers\i2c\busses\i2c-i801.c(5):Copyright (C) 2007 - 2012Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\i2c\busses\i2c-i801.c(6):Copyright (C) 2010 Intel Corporation,
linux-3.10\drivers\i2c\busses\i2c-ibm_iic.c(17): *Copyright 2000-2003 MontaVista
Software Inc.
linux-3.10\drivers\i2c\busses\i2c-ibm_iic.c(21): * Copyright 1995-97 Simon G.
Vogl
linux-3.10\drivers\i2c\busses\i2c-ibm_iic.c(6): * Copyright (c) 2003, 2004 Zultys
Technologies.
linux-3.10\drivers\i2c\busses\i2c-ibm_iic.c(9): * Copyright (c) 2008 PIKA
Technologies
linux-3.10\drivers\i2c\busses\i2c-ibm_iic.h(14): *Copyright 2000-2003 MontaVista
Software Inc.
linux-3.10\drivers\i2c\busses\i2c-ibm_iic.h(6): * Copyright (c) 2003 Zultys
Technologies.
linux-3.10\drivers\i2c\busses\i2c-imx.c(2): *Copyright (C) 2002 Motorola
GSG-China
linux-3.10\drivers\i2c\busses\i2c-imx.c(28): *Copyright (C) 2005 Torsten
Koschorrek <koschorrek at synertronixx.de
linux-3.10\drivers\i2c\busses\i2c-imx.c(29): *Copyright (C) 2005 Matthias
Blaschke <blaschke at synertronixx.de
linux-3.10\drivers\i2c\busses\i2c-imx.c(30): *Copyright (C) 2007 RightHand
Technologies, Inc.
linux-3.10\drivers\i2c\busses\i2c-imx.c(31): *Copyright (C) 2008 Darius Augulis
<darius.augulis at teltonika.lt>
linux-3.10\drivers\i2c\busses\i2c-intel-mid.c(4): * Copyright (c) 2009 Intel
Corporation.
linux-3.10\drivers\i2c\busses\i2c-intel-mid.c(5): * Copyright (c) 2009 Synopsys.
Inc.
linux-3.10\drivers\i2c\busses\i2c-iop3xx.c(12): * Copyright (C) 1995-1997 Simon
G. Vogl, 1998-2000 Hans Berglund
linux-3.10\drivers\i2c\busses\i2c-iop3xx.c(4):/* Copyright (C) 2003 Peter Milne,
D-TACQ Solutions Ltd
linux-3.10\drivers\i2c\busses\i2c-iop3xx.h(4):/* Copyright (C) 2003 Peter Milne,
D-TACQ Solutions Ltd
linux-3.10\drivers\i2c\busses\i2c-isch.c(4):Copyright (c) 1998 - 2002 Frodo
Looijaard <frodol@dds.nl> and
linux-3.10\drivers\i2c\busses\i2c-isch.c(7):Copyright (c) 2007 - 2008 Jacob Jun
Pan <jacob.jun.pan@intel.com>
linux-3.10\drivers\i2c\busses\i2c-ismt.c(5): * Copyright(c) 2012 Intel
Corporation. All rights reserved.
linux-3.10\drivers\i2c\busses\i2c-mpc.c(2): * (C) Copyright 2003-2004
linux-3.10\drivers\i2c\busses\i2c-mxs.c(4): * Copyright (C) 2011-2012 Wolfram
Sang, Pengutronix e.K.
linux-3.10\drivers\i2c\busses\i2c-mxs.c(8): * Copyright (C) 2009-2010 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\i2c\busses\i2c-nforce2.c(6):Copyright (c) 2003Hans-Frieder
Vogt <hfvogt@arcor.de>,

legal(ME)

linux-3.10\drivers\i2c\busses\i2c-nforce2.c(9): Copyright (c) 2002 Vojtech Pavlik
linux-3.10\drivers\i2c\busses\i2c-nforce2-s4985.c(4): * Copyright (C) 2008 Jean Delvare <khali@linux-fr.org>
linux-3.10\drivers\i2c\busses\i2c-nomadik.c(2): * Copyright (C) 2009 ST-Ericsson SA
linux-3.10\drivers\i2c\busses\i2c-nomadik.c(3): * Copyright (C) 2009 STMicroelectronics
linux-3.10\drivers\i2c\busses\i2c-nuc900.c(4): * Copyright (c) 2010 Nuvoton technology corporation.
linux-3.10\drivers\i2c\busses\i2c-octeon.c(2): * (C) Copyright 2009-2010
linux-3.10\drivers\i2c\busses\i2c-octeon.c(5): * Portions Copyright (C) 2010, 2011 Cavium Networks, Inc.
linux-3.10\drivers\i2c\busses\i2c-omap.c(4): * Copyright (C) 2003 MontaVista Software, Inc.
linux-3.10\drivers\i2c\busses\i2c-omap.c(5): * Copyright (C) 2005 Nokia Corporation
linux-3.10\drivers\i2c\busses\i2c-omap.c(6): * Copyright (C) 2004 - 2007 Texas Instruments.
linux-3.10\drivers\i2c\busses\i2c-parport.c(4): Copyright (C) 2003-2011 Jean Delvare <khali@linux-fr.org>
linux-3.10\drivers\i2c\busses\i2c-parport.c(7): Copyright (C) 1995-2000 Simon G. Vogl
linux-3.10\drivers\i2c\busses\i2c-parport.h(4): Copyright (C) 2003-2010 Jean Delvare <khali@linux-fr.org>
linux-3.10\drivers\i2c\busses\i2c-parport-light.c(4): Copyright (C) 2003-2010 Jean Delvare <khali@linux-fr.org>
linux-3.10\drivers\i2c\busses\i2c-parport-light.c(7): Copyright (C) 1995-2000 Simon G. Vogl
linux-3.10\drivers\i2c\busses\i2c-pasemi.c(2): * Copyright (C) 2006-2007 PA Semi, Inc
linux-3.10\drivers\i2c\busses\i2c-pca-isa.c(3): *Copyright (C) 2004 Arcom Control Systems
linux-3.10\drivers\i2c\busses\i2c-pca-isa.c(4): *Copyright (C) 2008 Pengutronix
linux-3.10\drivers\i2c\busses\i2c-pca-platform.c(6): *Copyright (C) 2008 Pengutronix
linux-3.10\drivers\i2c\busses\i2c-piix4.c(2): Copyright (c) 1998 - 2002 Frodo Looijaard <frodol@dds.nl> and
linux-3.10\drivers\i2c\busses\i2c-pmcmsp.c(4): * Copyright 2005-2007 PMC-Sierra, Inc.
linux-3.10\drivers\i2c\busses\i2c-powermac.c(4): Copyright (c) 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\i2c\busses\i2c-puv3.c(6): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\drivers\i2c\busses\i2c-pxa.c(6): *Copyright (C) 2002 Intrinsic Software Inc.
linux-3.10\drivers\i2c\busses\i2c-pxa.c(7): *Copyright (C) 2004-2005 Deep Blue Solutions Ltd.
linux-3.10\drivers\i2c\busses\i2c-rcar.c(11): * Copyright (C) 2011-2012 Renesas Electronics Corporation
linux-3.10\drivers\i2c\busses\i2c-rcar.c(4): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\drivers\i2c\busses\i2c-s3c2410.c(3): * Copyright (C) 2004,2005,2009 Simtec Electronics

legal(ME)

linux-3.10\drivers\i2c\busses\i2c-s6000.c(5): * Copyright (c) 2008 emlix GmbH
linux-3.10\drivers\i2c\busses\i2c-s6000.c(9): * Copyright (c) 2005-2007 Analog
Devices, Inc.
linux-3.10\drivers\i2c\busses\i2c-s6000.h(8): * Copyright (C) 2008 Emlix GmbH
<info@emlix.com>
linux-3.10\drivers\i2c\busses\i2c-scmi.c(4): * Copyright (C) 2009 Crane Cai
<crane.cai@amd.com>
linux-3.10\drivers\i2c\busses\i2c-sh_mobile.c(4): * Copyright (C) 2008 Magnus
Damm
linux-3.10\drivers\i2c\busses\i2c-sh_mobile.c(7): * Copyright (c) 2006 Carlos
Munoz <carlos@kenati.com>
linux-3.10\drivers\i2c\busses\i2c-sibyte.c(2): * Copyright (C) 2004 Steven J.
Hill
linux-3.10\drivers\i2c\busses\i2c-sibyte.c(3): * Copyright (C) 2001,2002,2003
Broadcom Corporation
linux-3.10\drivers\i2c\busses\i2c-sibyte.c(4): * Copyright (C) 1995-2000 Simon G.
Vogl
linux-3.10\drivers\i2c\busses\i2c-simtec.c(2): * Copyright (C) 2005 Simtec
Electronics
linux-3.10\drivers\i2c\busses\i2c-sirf.c(4): * Copyright (c) 2011 Cambridge
Silicon Radio Limited, a CSR plc group company.
linux-3.10\drivers\i2c\busses\i2c-sis5595.c(2):Copyright (c) 1998, 1999Frodo
Looijaard <frodol@dds.nl> and
linux-3.10\drivers\i2c\busses\i2c-sis630.c(2):Copyright (c) 2002,2003 Alexander
Malysh <amalysh@web.de>
linux-3.10\drivers\i2c\busses\i2c-sis96x.c(2):Copyright (c) 2003 Mark M. Hoffman
<mhoffman@lightlink.com>
linux-3.10\drivers\i2c\busses\i2c-stu300.c(2): * Copyright (C) 2007-2012
ST-Ericsson AB
linux-3.10\drivers\i2c\busses\i2c-taos-evm.c(6): * Copyright (C) 2007 Jean
Delvare <khali@linux-fr.org>
linux-3.10\drivers\i2c\busses\i2c-tegra.c(4): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\i2c\busses\i2c-tiny-usb.c(5): * Copyright (C) 2006-2007 Till
Harbaum (Till@Harbaum.org)
linux-3.10\drivers\i2c\busses\i2c-versatile.c(4): *Copyright (C) 2006 ARM Ltd.
linux-3.10\drivers\i2c\busses\i2c-via.c(4):Copyright (c) 1998, 1999 Kyōsti
Mälkki <kmalkki@cc.hut.fi>
linux-3.10\drivers\i2c\busses\i2c-viapro.c(2):Copyright (c) 1998 - 2002Frodo
Looijaard <frodol@dds.nl>,
linux-3.10\drivers\i2c\busses\i2c-viapro.c(5):Copyright (C) 2005 - 2008Jean
Delvare <khali@linux-fr.org>
linux-3.10\drivers\i2c\busses\i2c-xiic.c(21): * to the automotive development
board Russellville. The copyright holder
linux-3.10\drivers\i2c\busses\i2c-xiic.c(3): * Copyright (c) 2002-2007 Xilinx
Inc.
linux-3.10\drivers\i2c\busses\i2c-xiic.c(4): * Copyright (c) 2009-2010 Intel
Corporation
linux-3.10\drivers\i2c\busses\i2c-xlr.c(2): * Copyright 2011, Netlogic
Microsystems Inc.
linux-3.10\drivers\i2c\busses\i2c-xlr.c(3): * Copyright 2004, Matt Porter
<mporter@kernel.crashing.org>
linux-3.10\drivers\i2c\busses\scx200_acb.c(2):Copyright (c) 2001,2002 Christer

legal(ME)

Weinigel <wingel@nano-system.com>
linux-3.10\drivers\i2c\busses\scx200_acb.c(8):Copyright (c) 2001 Benjamin
Herrenschmidt <benh@kernel.crashing.org>
linux-3.10\drivers\i2c\busses\scx200_acb.c(9):Copyright (c) 2000 Philip Edelbrock
<phil@stimpynet.roedge.com>
linux-3.10\drivers\i2c\busses\scx200_i2c.c(3): Copyright (c) 2001,2002 Christer
Weinigel <wingel@nano-system.com>
linux-3.10\drivers\i2c\busses\scx200_i2c.c(7): Based on i2c-velleman.c Copyright
(C) 1995-96, 2000 Simon G. Vogl
linux-3.10\drivers\i2c\i2c-core.c(3):/* Copyright (C) 1995-99 Simon G. Vogl
linux-3.10\drivers\i2c\i2c-dev.c(4):Copyright (C) 1995-97 Simon G. Vogl
linux-3.10\drivers\i2c\i2c-dev.c(5):Copyright (C) 1998-99 Frodo Looijaard
<frodol@dds.nl>
linux-3.10\drivers\i2c\i2c-dev.c(6):Copyright (C) 2003 Greg Kroah-Hartman
<greg@kroah.com>
linux-3.10\drivers\i2c\i2c-mux.c(14): *i2c-virtual.c from Ken Harrenstien,
Copyright (c) 2004 Google, Inc.
linux-3.10\drivers\i2c\i2c-mux.c(4): * Copyright (c) 2008-2009 Rodolfo Giometti
<giometti@linux.it>
linux-3.10\drivers\i2c\i2c-mux.c(5): * Copyright (c) 2008-2009 Eurotech S.p.A.
<info@eurotech.it>
linux-3.10\drivers\i2c\i2c-mux.c(6): * Copyright (c) 2009-2010 NSN GmbH & Co KG
<michael.lawnick.ext@nsn.com>
linux-3.10\drivers\i2c\i2c-smbus.c(4): * Copyright (C) 2008 David Brownell
linux-3.10\drivers\i2c\i2c-smbus.c(5): * Copyright (C) 2010 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\i2c\i2c-stub.c(4):Copyright (c) 2004 Mark M. Hoffman
<mhoffman@lightlink.com>
linux-3.10\drivers\i2c\i2c-stub.c(5):Copyright (C) 2007, 2012 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\i2c\muxes\i2c-arb-gpio-challenge.c(4): * Copyright (C) 2012
Google, Inc
linux-3.10\drivers\i2c\muxes\i2c-mux-pca9541.c(11): *Copyright (c) 2008-2009
Rodolfo Giometti <giometti@linux.it>
linux-3.10\drivers\i2c\muxes\i2c-mux-pca9541.c(12): *Copyright (c) 2008-2009
Eurotech S.p.A. <info@eurotech.it>
linux-3.10\drivers\i2c\muxes\i2c-mux-pca9541.c(4): * Copyright (c) 2010 Ericsson
AB.
linux-3.10\drivers\i2c\muxes\i2c-mux-pca954x.c(22): * Copyright (C) 2006
linux-3.10\drivers\i2c\muxes\i2c-mux-pca954x.c(26): * Copyright (C) 2004 Google,
Inc. (Ken Harrenstien)
linux-3.10\drivers\i2c\muxes\i2c-mux-pca954x.c(4): * Copyright (c) 2008-2009
Rodolfo Giometti <giometti@linux.it>
linux-3.10\drivers\i2c\muxes\i2c-mux-pca954x.c(5): * Copyright (c) 2008-2009
Eurotech S.p.A. <info@eurotech.it>
linux-3.10\drivers\i2c\muxes\i2c-mux-pinctrl.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\ide\aec62xx.c(2): * Copyright (C) 1999-2002Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\aec62xx.c(3): * Copyright (C) 2007MontaVista Software,
Inc. <source@mvista.com>
linux-3.10\drivers\ide\ali14xx.c(2): *Copyright (C) 1996Linus Torvalds & author

legal(ME)

(see below)

linux-3.10\drivers\ide\alim15x3.c(10): *Copyright (C) 2007 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\ide\alim15x3.c(11): *Copyright (C) 2007-2010 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\alim15x3.c(2): *Copyright (C) 1998-2000 Michel Aubry, Maintainer
linux-3.10\drivers\ide\alim15x3.c(3): *Copyright (C) 1998-2000 Andrzej Krzysztofowicz, Maintainer
linux-3.10\drivers\ide\alim15x3.c(4): *Copyright (C) 1999-2000 CJ, cjtsai@ali.com.tw, Maintainer
linux-3.10\drivers\ide\alim15x3.c(6): *Copyright (C) 1998-2000 Andre Hedrick (andre@linux-ide.org)
linux-3.10\drivers\ide\alim15x3.c(8): *Copyright (C) 2002 Alan Cox
linux-3.10\drivers\ide\amd74xx.c(5): * Copyright (c) 2000-2002 Vojtech Pavlik
linux-3.10\drivers\ide\amd74xx.c(6): * Copyright (c) 2007-2010 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\atiixp.c(2): *Copyright (C) 2003 ATI Inc. <hyu@ati.com>
linux-3.10\drivers\ide\atiixp.c(3): *Copyright (C) 2004,2007 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\au1xxx-ide.c(5): * Copyright (c) 2003-2005 AMD, Personal Connectivity Solutions
linux-3.10\drivers\ide\buddha.c(4): *Copyright (C) 1997, 2001 by Geert Uytterhoeven and others
linux-3.10\drivers\ide\cmd640.c(2): *Copyright (C) 1995-1996 Linus Torvalds & authors (see below)
linux-3.10\drivers\ide\cmd64x.c(10): * Copyright (C) 2007-2010 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\cmd64x.c(11): * Copyright (C) 2007,2009 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\ide\cmd64x.c(6): * Copyright (C) 1998 Eddie C. Dost(ecd@skynet.be)
linux-3.10\drivers\ide\cmd64x.c(7): * Copyright (C) 1998 David S. Miller (davem@redhat.com)
linux-3.10\drivers\ide\cmd64x.c(9): * Copyright (C) 1999-2002 Andre Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ide\cs5520.c(15): *(c) Copyright Red Hat Inc 2002
linux-3.10\drivers\ide\cs5530.c(2): * Copyright (C) 2000 Andre Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ide\cs5530.c(3): * Copyright (C) 2000 Mark Lord <mlord@pobox.com>
linux-3.10\drivers\ide\cs5530.c(4): * Copyright (C) 2007 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\cs5535.c(2): * Copyright (C) 2004-2005 Advanced Micro Devices, Inc.
linux-3.10\drivers\ide\cs5535.c(3): * Copyright (C) 2007 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\cy82c693.c(2): *Copyright (C) 1998-2000 Andreas S. Krebs (akrebs@altavista.net), Maintainer
linux-3.10\drivers\ide\cy82c693.c(3): *Copyright (C) 1998-2002 Andre Hedrick <andre@linux-ide.org>, Integrator
linux-3.10\drivers\ide\cy82c693.c(4): *Copyright (C) 2007-2011 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\dtc2278.c(2): *Copyright (C) 1996 Linus Torvalds & author

legal(ME)

(see below)

linux-3.10\drivers\ide\hpt366.c(2): * Copyright (C) 1999-2003Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\hpt366.c(3): * Portions Copyright (C) 2001Sun
Microsystems, Inc.
linux-3.10\drivers\ide\hpt366.c(4): * Portions Copyright (C) 2003Red Hat Inc
linux-3.10\drivers\ide\hpt366.c(5): * Portions Copyright (C) 2007Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\hpt366.c(6): * Portions Copyright (C) 2005-2009MontaVista
Software, Inc.
linux-3.10\drivers\ide\ht6560b.c(2): *Copyright (C) 1995-2000Linus Torvalds &
author (see below)
linux-3.10\drivers\ide\icside.c(2): * Copyright (c) 1996-2004 Russell King.
linux-3.10\drivers\ide\ide.c(2): *Copyright (C) 1994-1998Linus Torvalds & authors
(see below)
linux-3.10\drivers\ide\ide.c(3): *Copyright (C) 2003-2005, 2007 Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\ide_platform.c(4): * Copyright (C) 2007 MontaVista
Software
linux-3.10\drivers\ide\ide-acpi.c(4): * Copyright (C) 2005 Intel Corp.
linux-3.10\drivers\ide\ide-acpi.c(5): * Copyright (C) 2005 Randy Dunlap
linux-3.10\drivers\ide\ide-acpi.c(6): * Copyright (C) 2006 SUSE Linux Products
GmbH
linux-3.10\drivers\ide\ide-acpi.c(7): * Copyright (C) 2006 Hannes Reinecke
linux-3.10\drivers\ide\ide-cd.c(4): * Copyright (C) 1994-1996 Scott Snyder
<snyder@fnald0.fnal.gov>
linux-3.10\drivers\ide\ide-cd.c(5): * Copyright (C) 1996-1998 Erik Andersen
<andersee@debian.org>
linux-3.10\drivers\ide\ide-cd.c(6): * Copyright (C) 1998-2000 Jens Axboe
<axboe@suse.de>
linux-3.10\drivers\ide\ide-cd.c(7): * Copyright (C) 2005, 2007-2009Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\ide-cd.h(2): *Copyright (C) 1996-98Erik Andersen
linux-3.10\drivers\ide\ide-cd.h(3): *Copyright (C) 1998-2000 Jens Axboe
linux-3.10\drivers\ide\ide-cd_ioctl.c(4): * Copyright (C) 1994-1996Scott Snyder
<snyder@fnald0.fnal.gov>
linux-3.10\drivers\ide\ide-cd_ioctl.c(5): * Copyright (C) 1996-1998Erik Andersen
<andersee@debian.org>
linux-3.10\drivers\ide\ide-cd_ioctl.c(6): * Copyright (C) 1998-2000Jens Axboe
<axboe@suse.de>
linux-3.10\drivers\ide\ide-cd_verbose.c(4): * Copyright (C) 1994-1996Scott Snyder
<snyder@fnald0.fnal.gov>
linux-3.10\drivers\ide\ide-cd_verbose.c(5): * Copyright (C) 1996-1998Erik
Andersen <andersee@debian.org>
linux-3.10\drivers\ide\ide-cd_verbose.c(6): * Copyright (C) 1998-2000Jens Axboe
<axboe@suse.de>
linux-3.10\drivers\ide\ide-cs.c(17):are Copyright (C) 1999 David A. Hinds.All
Rights Reserved.
linux-3.10\drivers\ide\ide-disk.c(2): *Copyright (C) 1994-1998 Linus Torvalds &
authors (see below)
linux-3.10\drivers\ide\ide-disk.c(3): *Copyright (C) 1998-2002 Linux ATA
Development

legal(ME)

linux-3.10\drivers\ide\ide-disk.c(5): *Copyright (C) 2003 Red Hat
linux-3.10\drivers\ide\ide-disk.c(6): *Copyright (C) 2003-2005, 2007Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\ide-dma.c(4): *Copyright (C) 1995-1998 Mark Lord
linux-3.10\drivers\ide\ide-dma.c(5): *Copyright (C) 1999-2000 Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\ide-dma.c(6): *Copyright (C) 2004, 2007Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\ide-floppy.c(4): * Copyright (C) 1996-1999Gadi Oxman
<gadio@netvision.net.il>
linux-3.10\drivers\ide\ide-floppy.c(5): * Copyright (C) 2000-2002Paul Bristow
<paul@paulbristow.net>
linux-3.10\drivers\ide\ide-floppy.c(6): * Copyright (C) 2005 Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\ide-generic.c(4): * Copyright (C) 2004, 2008-2009
Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\ide-generic.c(5): * This code was split off from ide.c. See
it for original copyrights.
linux-3.10\drivers\ide\ide-io.c(7): * copyrights.
linux-3.10\drivers\ide\ide-iops.c(2): *Copyright (C) 2000-2002Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\ide-iops.c(3): *Copyright (C) 2003Red Hat
linux-3.10\drivers\ide\ide-pci-generic.c(2): *Copyright (C) 2001-2002Andre
Hedrick <andre@linux-ide.org>
linux-3.10\drivers\ide\ide-pci-generic.c(3): *Portions (C) Copyright 2002Red Hat
Inc
linux-3.10\drivers\ide\ide-pnp.c(5): * Copyright (C) 2000 Andrey Panin
<pazke@donpac.ru>
linux-3.10\drivers\ide\ide-probe.c(2): *Copyright (C) 1994-1998 Linus Torvalds &
authors (see below)
linux-3.10\drivers\ide\ide-probe.c(3): *Copyright (C) 2005, 2007Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\ide-proc.c(2): *Copyright (C) 1997-1998Mark Lord
linux-3.10\drivers\ide\ide-proc.c(3): *Copyright (C) 2003Red Hat
linux-3.10\drivers\ide\ide-proc.c(5): *Some code was moved here from ide.c, see
it for original copyrights.
linux-3.10\drivers\ide\ide-scan-pci.c(4): * Copyright (c) 1998-2000Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\ide-scan-pci.c(5): * Copyright (c) 1995-1998Mark Lord
linux-3.10\drivers\ide\ide-tape.c(4): * Copyright (C) 1995-1999Gadi Oxman
<gadio@netvision.net.il>
linux-3.10\drivers\ide\ide-tape.c(5): * Copyright (C) 2003-2005Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\ide-taskfile.c(2): *Copyright (C) 2000-2002 Michael
Cornwell <cornwell@acm.org>
linux-3.10\drivers\ide\ide-taskfile.c(3): *Copyright (C) 2000-2002 Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\ide-taskfile.c(4): *Copyright (C) 2001-2002 Klaus Smolin
linux-3.10\drivers\ide\ide-taskfile.c(6): *Copyright (C) 2003-2004,
2007Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\ide-timings.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\ide\ide-timings.c(3): *Copyright (c) 2007-2008 Bartlomiej

legal(ME)

Zolnierkiewicz

linux-3.10\drivers\ide\it8172.c(6): * Copyright (C) 2000 MontaVista Software Inc.
linux-3.10\drivers\ide\it8172.c(7): * Copyright (C) 2008 Shane McDonald
linux-3.10\drivers\ide\it8213.c(4): * Copyright (C) 2006 Jack Lee
linux-3.10\drivers\ide\it8213.c(5): * Copyright (C) 2006 Alan Cox
linux-3.10\drivers\ide\it8213.c(6): * Copyright (C) 2007 Bartlomiej

Zolnierkiewicz

linux-3.10\drivers\ide\it821x.c(2): * Copyright (C) 2004Red Hat
linux-3.10\drivers\ide\it821x.c(3): * Copyright (C) 2007Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\jmicron.c(3): * Copyright (C) 2006Red Hat
linux-3.10\drivers\ide\macide.c(4): * Copyright (C) 1998 by Michael Schmitz
linux-3.10\drivers\ide\ns87415.c(2): * Copyright (C) 1997-1998Mark Lord

<mlord@pobox.com>

linux-3.10\drivers\ide\ns87415.c(3): * Copyright (C) 1998Eddie C. Dost

<ecd@skynet.be>

linux-3.10\drivers\ide\ns87415.c(4): * Copyright (C) 1999-2000Andre Hedrick

<andre@linux-ide.org>

linux-3.10\drivers\ide\ns87415.c(5): * Copyright (C) 2004Grant Grundler <grundler
at parisc-linux.org>

linux-3.10\drivers\ide\opti621.c(2): *Copyright (C) 1996-1998Linus Torvalds &
authors (see below)

linux-3.10\drivers\ide\palm_bk3710.c(4): * Copyright (C) 2006 Texas Instruments.

linux-3.10\drivers\ide\palm_bk3710.c(5): * Copyright (C) 2007 MontaVista

Software, Inc., <source@mvista.com>

linux-3.10\drivers\ide\pdc202xx_new.c(11): *Copyright (C) 1998-2002Andre Hedrick

<andre@linux-ide.org>

linux-3.10\drivers\ide\pdc202xx_new.c(12): *Copyright (C) 2005-2007MontaVista

Software, Inc.

linux-3.10\drivers\ide\pdc202xx_new.c(13): *Portions Copyright (C) 1999 Promise
Technology, Inc.

linux-3.10\drivers\ide\pdc202xx_old.c(2): *Copyright (C) 1998-2002Andre Hedrick

<andre@linux-ide.org>

linux-3.10\drivers\ide\pdc202xx_old.c(3): *Copyright (C) 2006-2007,

2009MontaVista Software, Inc.

linux-3.10\drivers\ide\pdc202xx_old.c(4): *Copyright (C) 2007-2010Bartlomiej

Zolnierkiewicz

linux-3.10\drivers\ide\pdc202xx_old.c(6): *Portions Copyright (C) 1999 Promise
Technology, Inc.

linux-3.10\drivers\ide\piix.c(2): *Copyright (C) 1998-1999 Andrzej

Krzysztofowicz, Author and Maintainer

linux-3.10\drivers\ide\piix.c(3): *Copyright (C) 1998-2000 Andre Hedrick

<andre@linux-ide.org>

linux-3.10\drivers\ide\piix.c(4): *Copyright (C) 2003 Red Hat

linux-3.10\drivers\ide\piix.c(5): *Copyright (C) 2006-2007 MontaVista Software,
Inc. <source@mvista.com>

linux-3.10\drivers\ide\pmac.c(17): *Copyright (c) 1995-1998Mark Lord

linux-3.10\drivers\ide\pmac.c(7): *Copyright (C) 1998-2003 Paul Mackerras & Ben.

Herrenschmidt

linux-3.10\drivers\ide\pmac.c(8): *Copyright (C) 2007-2008 Bartlomiej

Zolnierkiewicz

linux-3.10\drivers\ide\qd65xx.c(2): *Copyright (C) 1996-2001Linus Torvalds &
author (see below)

```

legal(ME)
linux-3.10\drivers\ide\qd65xx.h(2): * Copyright (c) 2000Linus Torvalds & authors
linux-3.10\drivers\ide\rapide.c(2): * Copyright (c) 1996-2002 Russell King.
linux-3.10\drivers\ide\rz1000.c(2): *Copyright (C) 1995-1998Linus Torvalds &
author (see below)
linux-3.10\drivers\ide\sc1200.c(2): * Copyright (C) 2000-2002Mark Lord
<mlord@pobox.com>
linux-3.10\drivers\ide\sc1200.c(3): * Copyright (C)2007Bartlomiej Zolnierkiewicz
linux-3.10\drivers\ide\scc_pata.c(4): * (C) Copyright 2006 TOSHIBA CORPORATION
linux-3.10\drivers\ide\scc_pata.c(7): * Copyright (C) 2001-2002Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\scc_pata.c(8): * Copyright (C) 2003Red Hat
linux-3.10\drivers\ide\serverworks.c(2): * Copyright (C) 1998-2000 Michel Aubry
linux-3.10\drivers\ide\serverworks.c(3): * Copyright (C) 1998-2000 Andrzej
Krzysztofowicz
linux-3.10\drivers\ide\serverworks.c(4): * Copyright (C) 1998-2000 Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\serverworks.c(5): * Copyright (C) 2007-2010 Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\serverworks.c(6): * Portions copyright (c) 2001 Sun
Microsystems
linux-3.10\drivers\ide\setup-pci.c(2): *Copyright (C) 1998-2000Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\setup-pci.c(3): *Copyright (C) 1995-1998Mark Lord
linux-3.10\drivers\ide\setup-pci.c(4): *Copyright (C) 2007-2009Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\sgiioc4.c(2): * Copyright (c) 2003-2006 Silicon Graphics,
Inc.All Rights Reserved.
linux-3.10\drivers\ide\sgiioc4.c(3): * Copyright (C) 2008-2009 MontaVista
Software, Inc.
linux-3.10\drivers\ide\siimage.c(2): * Copyright (C) 2001-2002Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\siimage.c(3): * Copyright (C) 2003Red Hat
linux-3.10\drivers\ide\siimage.c(4): * Copyright (C) 2007-2008MontaVista
Software, Inc.
linux-3.10\drivers\ide\siimage.c(5): * Copyright (C) 2007-2008Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\sis5513.c(2): * Copyright (C) 1999-2000Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\sis5513.c(3): * Copyright (C) 2002Lionel Bouton
<Lionel.Bouton@inet6.fr>, Maintainer
linux-3.10\drivers\ide\sis5513.c(4): * Copyright (C) 2003Vojtech Pavlik
<vojtech@suse.cz>
linux-3.10\drivers\ide\sis5513.c(5): * Copyright (C) 2007-2009Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\sl82c105.c(13): * Copyright (C) 2006-2007,2009 MontaVista
Software, Inc. <source@mvista.com>
linux-3.10\drivers\ide\sl82c105.c(14): * Copyright (C)2007 Bartlomiej
Zolnierkiewicz
linux-3.10\drivers\ide\slc90e66.c(2): *Copyright (C) 2000-2002 Andre Hedrick
<andre@linux-ide.org>
linux-3.10\drivers\ide\slc90e66.c(3): *Copyright (C) 2006-2007 MontaVista
Software, Inc. <source@mvista.com>

```

legal(ME)

linux-3.10\drivers\ide\tc86c001.c(2): * Copyright (C) 2002 Toshiba Corporation
linux-3.10\drivers\ide\tc86c001.c(3): * Copyright (C) 2005-2006 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\ide\triflex.c(6): * Copyright (C) 2002 Hewlett-Packard Development Group, L.P.
linux-3.10\drivers\ide\trm290.c(2): *Copyright (c) 1997-1998Mark Lord
linux-3.10\drivers\ide\trm290.c(3): *Copyright (c) 2007 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\ide\tx4938ide.c(9): * (C) Copyright TOSHIBA CORPORATION 2005-2007
linux-3.10\drivers\ide\tx4939ide.c(9): * (C) Copyright TOSHIBA CORPORATION 2005-2007
linux-3.10\drivers\ide\umc8672.c(2): *Copyright (C) 1995-1996Linus Torvalds & author (see below)
linux-3.10\drivers\ide\via82cxxx.c(8): * Copyright (c) 2000-2002 Vojtech Pavlik
linux-3.10\drivers\ide\via82cxxx.c(9): * Copyright (c) 2007-2010 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\idle\i7300_idle.c(2): * (C) Copyright 2008 Intel Corporation
linux-3.10\drivers\idle\intel_idle.c(4): * Copyright (c) 2010, Intel Corporation.
linux-3.10\drivers\iio\accel\hid-sensor-accel-3d.c(3): * Copyright (c) 2012, Intel Corporation.
linux-3.10\drivers\iio\accel\kxsd9.c(5): * Copyright (c) 2008-2009 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\iio\accel\st_accel.h(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\accel\st_accel_buffer.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\accel\st_accel_core.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\accel\st_accel_i2c.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\accel\st_accel_spi.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\adc\ad_sigma_delta.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\adc\ad7266.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\adc\ad7298.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\adc\ad7476.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\iio\adc\ad7791.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\adc\ad7793.c(4): * Copyright 2011-2012 Analog Devices Inc.
linux-3.10\drivers\iio\adc\ad7887.c(4): * Copyright 2010-2011 Analog Devices Inc.
linux-3.10\drivers\iio\adc\ad7923.c(4): * Copyright 2011 Analog Devices Inc (from AD7923 Driver)
linux-3.10\drivers\iio\adc\ad7923.c(5): * Copyright 2012 CS Systemes d'Information
linux-3.10\drivers\iio\adc\at91_adc.c(4): * Copyright 2011 Free Electrons
linux-3.10\drivers\iio\adc\exynos_adc.c(6): *Copyright (C) 2013 Naveen Krishna Chatradhi <ch.naveen@samsung.com>
linux-3.10\drivers\iio\adc\lp8788_adc.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\iio\adc\max1363.c(3):* Copyright (C) 2008-2010 Jonathan Cameron
linux-3.10\drivers\iio\adc\max1363.c(6):* Copyright (C) 2002-2004 Stefan

legal(ME)

Eletzhofer

linux-3.10\drivers\iio\adc\max1363.c(9): * Copyright (C) 2000 Russell King
linux-3.10\drivers\iio\adc\ti_am335x_adc.c(4): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\iio\adc\ti-adc081c.c(2): * Copyright (C) 2012 Avionic Design
GmbH
linux-3.10\drivers\iio\amplifiers\ad8366.c(4): * Copyright 2012 Analog Devices
Inc.
linux-3.10\drivers\iio\common\hid-sensors\hid-sensor-attributes.c(3): * Copyright
(c) 2012, Intel Corporation.
linux-3.10\drivers\iio\common\hid-sensors\hid-sensor-trigger.c(3): * Copyright
(c) 2012, Intel Corporation.
linux-3.10\drivers\iio\common\hid-sensors\hid-sensor-trigger.h(3): * Copyright
(c) 2012, Intel Corporation.
linux-3.10\drivers\iio\common\st_sensors\st_sensors_buffer.c(4): * Copyright
2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\common\st_sensors\st_sensors_core.c(4): * Copyright
2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\common\st_sensors\st_sensors_i2c.c(4): * Copyright
2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\common\st_sensors\st_sensors_spi.c(4): * Copyright
2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\common\st_sensors\st_sensors_trigger.c(4): * Copyright
2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\dac\ad5064.c(5): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5360.c(5): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5380.c(5): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5421.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5446.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5449.c(5): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5504.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5624r.h(4): * Copyright 2010-2011 Analog Devices
Inc.
linux-3.10\drivers\iio\dac\ad5624r_spi.c(4): * Copyright 2010-2011 Analog Devices
Inc.
linux-3.10\drivers\iio\dac\ad5686.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5755.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5764.c(5): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\dac\ad5791.c(5): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\dac\max517.c(4): * Copyright (C) 2010, 2011 Roland Stigge
<stigge@antcom.de>
linux-3.10\drivers\iio\dac\mcp4725.c(4): * Copyright (C) 2012 Peter Meerwald
<pmeerw@pmeerw.net>
linux-3.10\drivers\iio\frequency\ad9523.c(4): * Copyright 2012 Analog Devices
Inc.
linux-3.10\drivers\iio\frequency\adf4350.c(4): * Copyright 2012 Analog Devices
Inc.
linux-3.10\drivers\iio\gyro\adis16080.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\iio\gyro\adis16136.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\gyro\adxrs450.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\iio\gyro\hid-sensor-gyro-3d.c(3): * Copyright (c) 2012, Intel
Corporation.

legal(ME)

linux-3.10\drivers\iio\gyro\itg3200_buffer.c(5): * Copyright (c) 2011 Christian Strobel <christian.strobel@iis.fraunhofer.de>
linux-3.10\drivers\iio\gyro\itg3200_buffer.c(6): * Copyright (c) 2011 Manuel Stahl <manuel.stahl@iis.fraunhofer.de>
linux-3.10\drivers\iio\gyro\itg3200_buffer.c(7): * Copyright (c) 2012 Thorsten Nowak <thorsten.nowak@iis.fraunhofer.de>
linux-3.10\drivers\iio\gyro\itg3200_core.c(5): * Copyright (c) 2011 Christian Strobel <christian.strobel@iis.fraunhofer.de>
linux-3.10\drivers\iio\gyro\itg3200_core.c(6): * Copyright (c) 2011 Manuel Stahl <manuel.stahl@iis.fraunhofer.de>
linux-3.10\drivers\iio\gyro\itg3200_core.c(7): * Copyright (c) 2012 Thorsten Nowak <thorsten.nowak@iis.fraunhofer.de>
linux-3.10\drivers\iio\gyro\st_gyro.h(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\gyro\st_gyro_buffer.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\gyro\st_gyro_core.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\gyro\st_gyro_i2c.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\gyro\st_gyro_spi.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\iio_core.h(3): * Copyright (c) 2008 Jonathan Cameron
linux-3.10\drivers\iio\iio_core_trigger.h(4): * Copyright (c) 2008 Jonathan Cameron
linux-3.10\drivers\iio\imu\adis.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\imu\adis_buffer.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\imu\adis_trigger.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\imu\adis16400.h(7): * Copyright (c) 2009 Manuel Stahl <manuel.stahl@iis.fraunhofer.de>
linux-3.10\drivers\iio\imu\adis16400.h(8): * Copyright (c) 2007 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\iio\imu\adis16400_core.c(7): * Copyright (c) 2009 Manuel Stahl <manuel.stahl@iis.fraunhofer.de>
linux-3.10\drivers\iio\imu\adis16400_core.c(8): * Copyright (c) 2007 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\iio\imu\adis16400_core.c(9): * Copyright (c) 2011 Analog Devices Inc.
linux-3.10\drivers\iio\imu\adis16480.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\iio\imu\inv_mpu6050\inv_mpu_core.c(2):* Copyright (C) 2012 Invensense, Inc.
linux-3.10\drivers\iio\imu\inv_mpu6050\inv_mpu_iio.h(2):* Copyright (C) 2012 Invensense, Inc.
linux-3.10\drivers\iio\imu\inv_mpu6050\inv_mpu_ring.c(2):* Copyright (C) 2012 Invensense, Inc.
linux-3.10\drivers\iio\imu\inv_mpu6050\inv_mpu_trigger.c(2):* Copyright (C) 2012 Invensense, Inc.
linux-3.10\drivers\iio\industrialio-buffer.c(3): * Copyright (c) 2008 Jonathan Cameron
linux-3.10\drivers\iio\industrialio-core.c(3): * Copyright (c) 2008 Jonathan Cameron

legal(ME)

linux-3.10\drivers\iio\industrialio-event.c(3): * Copyright (c) 2008 Jonathan Cameron
linux-3.10\drivers\iio\industrialio-trigger.c(3): * Copyright (c) 2008 Jonathan Cameron
linux-3.10\drivers\iio\industrialio-triggered-buffer.c(2): * Copyright (c) 2012 Analog Devices, Inc.
linux-3.10\drivers\iio\inkern.c(3): * Copyright (c) 2011 Jonathan Cameron
linux-3.10\drivers\iio\light\adjd_s311.c(4): * Copyright (C) 2012 Peter Meerwald <pmeerw@pmeerw.net>
linux-3.10\drivers\iio\light\hid-sensor-als.c(3): * Copyright (c) 2012, Intel Corporation.
linux-3.10\drivers\iio\light\lm3533-als.c(4): * Copyright (C) 2011-2012 Texas Instruments
linux-3.10\drivers\iio\light\tsl2563.c(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\iio\light\vcnl4000.c(5): * Copyright 2012 Peter Meerwald <pmeerw@pmeerw.net>
linux-3.10\drivers\iio\magnetometer\ak8975.c(6): * Copyright (c) 2010, NVIDIA Corporation.
linux-3.10\drivers\iio\magnetometer\hid-sensor-magn-3d.c(3): * Copyright (c) 2012, Intel Corporation.
linux-3.10\drivers\iio\magnetometer\st_magn.h(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\magnetometer\st_magn_buffer.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\magnetometer\st_magn_core.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\magnetometer\st_magn_i2c.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\iio\magnetometer\st_magn_spi.c(4): * Copyright 2012-2013 STMicroelectronics Inc.
linux-3.10\drivers\infiniband\core\addr.c(2): * Copyright (c) 2005 Voltaire Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\addr.c(3): * Copyright (c) 2002-2005, Network Appliance, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\addr.c(4): * Copyright (c) 1999-2005, Mellanox Technologies, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\addr.c(5): * Copyright (c) 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.c(2): * Copyright (c) 2004, 2005 Mellanox Technologies Ltd. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.c(3): * Copyright (c) 2004, 2005 Infinicon Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.c(4): * Copyright (c) 2004, 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.c(5): * Copyright (c) 2004, 2005 Topspin Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.c(6): * Copyright (c) 2004-2007 Voltaire Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.c(7): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.h(2): * Copyright (c) 2004 Mellanox Technologies Ltd. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\core\agent.h(3): * Copyright (c) 2004 Infinicon Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.h(4): * Copyright (c) 2004 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.h(5): * Copyright (c) 2004 Topspin Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\agent.h(6): * Copyright (c) 2004 Voltaire Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\cache.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\cache.c(3): * Copyright (c) 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\cache.c(4): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\cache.c(5): * Copyright (c) 2005 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\cm.c(2): * Copyright (c) 2004-2007 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\cm.c(3): * Copyright (c) 2004 Topspin Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\cm.c(4): * Copyright (c) 2004, 2005 Voltaire Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\cm.c(5): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\cm_msgs.h(2): * Copyright (c) 2004, 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\cm_msgs.h(3): * Copyright (c) 2004 Topspin Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\cm_msgs.h(4): * Copyright (c) 2004 Voltaire Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\cma.c(2): * Copyright (c) 2005 Voltaire Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\cma.c(3): * Copyright (c) 2002-2005, Network Appliance, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\cma.c(4): * Copyright (c) 1999-2005, Mellanox Technologies, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\cma.c(5): * Copyright (c) 2005-2006 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\core_priv.h(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\device.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\device.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\fmr_pool.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\fmr_pool.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\iwcm.c(2): * Copyright (c) 2004, 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\iwcm.c(3): * Copyright (c) 2004 Topspin Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\core\iwcm.c(4): * Copyright (c) 2004, 2005 Voltaire Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\iwcm.c(5): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\iwcm.c(6): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\iwcm.c(7): * Copyright (c) 2005 Network Appliance, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\iwcm.h(2): * Copyright (c) 2005 Network Appliance, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\iwcm.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\mad.c(2): * Copyright (c) 2004-2007 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\mad.c(3): * Copyright (c) 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\mad.c(4): * Copyright (c) 2005 Mellanox Technologies Ltd. All rights reserved.
linux-3.10\drivers\infiniband\core\mad.c(5): * Copyright (c) 2009 HNR Consulting. All rights reserved.
linux-3.10\drivers\infiniband\core\mad_priv.h(2): * Copyright (c) 2004, 2005, Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\mad_priv.h(3): * Copyright (c) 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\mad_priv.h(4): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\mad_priv.h(5): * Copyright (c) 2009 HNR Consulting. All rights reserved.
linux-3.10\drivers\infiniband\core\mad_rmpp.c(2): * Copyright (c) 2005 Intel Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\mad_rmpp.c(3): * Copyright (c) 2005-2006 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\mad_rmpp.h(2): * Copyright (c) 2005 Intel Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\multicast.c(2): * Copyright (c) 2006 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\netlink.c(2): * Copyright (c) 2010 Voltaire Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\packer.c(2): * Copyright (c) 2004 Topspin Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\packer.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\sa.h(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\sa.h(3): * Copyright (c) 2005 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\sa.h(4): * Copyright (c) 2006 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\sa_query.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\sa_query.c(3): * Copyright (c) 2005 Voltaire, Inc. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\core\sa_query.c(4): * Copyright (c) 2006 Intel Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.c(2): * Copyright (c) 2004, 2005 Mellanox Technologies Ltd.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.c(3): * Copyright (c) 2004, 2005 Infinicon Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.c(4): * Copyright (c) 2004, 2005 Intel Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.c(5): * Copyright (c) 2004, 2005 Topspin Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.c(6): * Copyright (c) 2004-2007 Voltaire Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.c(7): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\smi.h(2): * Copyright (c) 2004 Mellanox Technologies Ltd.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.h(3): * Copyright (c) 2004 Infinicon Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.h(4): * Copyright (c) 2004 Intel Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.h(5): * Copyright (c) 2004 Topspin Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\smi.h(6): * Copyright (c) 2004-2007 Voltaire Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\sysfs.c(2): * Copyright (c) 2004, 2005 Topspin Communications.All rights reserved.
linux-3.10\drivers\infiniband\core\sysfs.c(3): * Copyright (c) 2005 Mellanox Technologies Ltd.All rights reserved.
linux-3.10\drivers\infiniband\core\sysfs.c(4): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\ucm.c(2): * Copyright (c) 2005 Topspin Communications.All rights reserved.
linux-3.10\drivers\infiniband\core\ucm.c(3): * Copyright (c) 2005 Intel Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\ucma.c(2): * Copyright (c) 2005-2006 Intel Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\ud_header.c(2): * Copyright (c) 2004 Topspin Corporation.All rights reserved.
linux-3.10\drivers\infiniband\core\ud_header.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\umem.c(2): * Copyright (c) 2005 Topspin Communications.All rights reserved.
linux-3.10\drivers\infiniband\core\umem.c(3): * Copyright (c) 2005 Cisco Systems.All rights reserved.
linux-3.10\drivers\infiniband\core\umem.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\core\user_mad.c(2): * Copyright (c) 2004 Topspin Communications.All rights reserved.
linux-3.10\drivers\infiniband\core\user_mad.c(3): * Copyright (c) 2005 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\user_mad.c(4): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\core\user_mad.c(5): * Copyright (c) 2008 Cisco. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs.h(2): * Copyright (c) 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs.h(3): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs.h(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs.h(5): * Copyright (c) 2005 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs.h(6): * Copyright (c) 2005 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_cmd.c(2): * Copyright (c) 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_cmd.c(3): * Copyright (c) 2005, 2006, 2007 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_cmd.c(4): * Copyright (c) 2005 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_cmd.c(5): * Copyright (c) 2006 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_main.c(2): * Copyright (c) 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_main.c(3): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_main.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_main.c(5): * Copyright (c) 2005 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_main.c(6): * Copyright (c) 2005 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\uverbs_marshall.c(2): * Copyright (c) 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\verbs.c(2): * Copyright (c) 2004 Mellanox Technologies Ltd. All rights reserved.
linux-3.10\drivers\infiniband\core\verbs.c(3): * Copyright (c) 2004 Infinicon Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\verbs.c(4): * Copyright (c) 2004 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\verbs.c(5): * Copyright (c) 2004 Topspin Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\verbs.c(6): * Copyright (c) 2004 Voltaire Corporation. All rights reserved.
linux-3.10\drivers\infiniband\core\verbs.c(7): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\core\verbs.c(8): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2.h(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\amso1100\c2.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_ae.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_ae.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_ae.h(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_ae.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_alloc.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_alloc.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_cm.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_cm.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_cq.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_cq.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_cq.c(4): * Copyright (c) 2005 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_cq.c(5): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_cq.c(6): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_cq.c(7): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_intr.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_intr.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_mm.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_mm.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_mq.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_mq.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_mq.h(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_mq.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_pd.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_pd.c(3): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_pd.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\amso1100\c2_pd.c(5): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_provider.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_provider.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_provider.h(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_provider.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_qp.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_qp.c(3): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_qp.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_qp.c(5): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_qp.c(6): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_rnic.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_rnic.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_status.h(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_status.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_user.h(2): * Copyright (c) 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_user.h(3): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_user.h(4): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_vq.c(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_vq.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_vq.h(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_vq.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_wr.h(2): * Copyright (c) 2005 Ammasso, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\amso1100\c2_wr.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\cxio_dbg.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\cxio_hal.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\cxio_hal.h(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\cxgb3\cxio_resource.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\cxio_resource.h(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\cxio_wr.h(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch.h(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_cm.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_cm.h(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_cq.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_ev.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_mem.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_provider.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_provider.h(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_qp.c(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\iwch_user.h(2): * Copyright (c) 2006 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb3\tcb.h(2): * Copyright (c) 2007 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\cm.c(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\cq.c(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\device.c(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\ev.c(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\id_table.c(2): * Copyright (c) 2011 Chelsio Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\iw_cxgb4.h(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\mem.c(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\provider.c(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\qp.c(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\resource.c(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\t4.h(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\cxgb4\t4fw_ri_api.h(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\cxgb4\user.h(2): * Copyright (c) 2009-2010 Chelsio, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ehca\ehca_av.c(11): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_classes.h(10): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_classes_pSeries.h(9): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_cq.c(13): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_eq.c(13): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_hca.c(9): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_irq.c(11): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_irq.h(9): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_iverbs.h(9): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_main.c(10): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_mcast.c(12): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_mrmw.c(10): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_mrmw.h(9): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_pd.c(8): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_qes.h(10): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_qp.c(13): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_reqs.c(11): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_sq.c(9): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_tools.h(12): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ehca_uverbs.c(10): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\hcp_if.c(12): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\hcp_if.h(11): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\hcp_phyp.c(9): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\hcp_phyp.h(11): *Copyright (c) 2005 IBM Corporation

legal(ME)

linux-3.10\drivers\infiniband\hw\ehca\hipz_fns.h(9): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\hipz_fns_core.h(11): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\hipz_hw.h(10): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ipz_pt_fn.c(10): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\ipz_pt_fn.h(10): *Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ehca\Makefile(5):#Copyright (c) 2005 IBM Corporation
linux-3.10\drivers\infiniband\hw\ipath\ipath_common.h(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_common.h(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_cq.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_cq.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_debug.h(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_debug.h(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_diag.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_diag.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_dma.c(2): * Copyright (c) 2006 QLogic, Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_driver.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_driver.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_eeprom.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_eeprom.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_file_ops.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_file_ops.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_fs.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_fs.c(3): * Copyright (c) 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_iba6110.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_iba6110.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_init_chip.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\ipath\ipath_init_chip.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_intr.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_intr.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_kernel.h(4): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_kernel.h(5): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_keys.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_keys.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_mad.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_mad.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_mmap.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_mr.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_mr.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_qp.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_qp.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_rc.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_rc.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_registers.h(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_registers.h(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_ruc.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_ruc.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_sdma.c(2): * Copyright (c) 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_srq.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_srq.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_stats.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_stats.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_sysfs.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\ipath\ipath_sysfs.c(3): * Copyright (c) 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_uc.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_uc.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_ud.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_ud.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_user_pages.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_user_pages.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_user_sdma.c(2): * Copyright (c) 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_user_sdma.h(2): * Copyright (c) 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_verbs.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_verbs.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_verbs.h(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_verbs.h(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_verbs_mcast.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_verbs_mcast.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_wc_ppc64.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_wc_x86_64.c(2): * Copyright (c) 2006, 2007 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\ipath\ipath_wc_x86_64.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\ah.c(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\alias_GUID.c(2): * Copyright (c) 2012 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\cm.c(2): * Copyright (c) 2012 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\cq.c(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\cq.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\doorbell.c(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\mad.c(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\main.c(2): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\mlx4\main.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\mcg.c(2): * Copyright (c) 2012 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\mlx4_ib.h(2): * Copyright (c) 2006, 2007 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\mlx4_ib.h(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\mr.c(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\mr.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\qp.c(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\qp.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\srq.c(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\srq.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\sysfs.c(2): * Copyright (c) 2012 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\user.h(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mlx4\user.h(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_allocator.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_av.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_av.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_catas.c(2): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cmd.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cmd.c(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cmd.c(4): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cmd.h(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cmd.h(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cmd.h(4): * Copyright (c) 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_config_reg.h(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_config_reg.h(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cq.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\mthca\mthca_cq.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cq.c(4): * Copyright (c) 2005, 2006 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cq.c(5): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_cq.c(6): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_dev.h(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_dev.h(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_dev.h(4): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_dev.h(5): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_dev.h(6): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_doorbell.h(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_doorbell.h(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_doorbell.h(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_eq.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_eq.c(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_mad.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_mad.c(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_mad.c(4): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_main.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_main.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_main.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_mcg.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_memfree.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_memfree.c(3): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_memfree.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_memfree.h(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_memfree.h(3): * Copyright (c) 2005 Cisco Systems. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\mthca\mthca_memfree.h(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_mr.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_mr.c(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_pd.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_pd.c(3): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_pd.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_profile.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_profile.c(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_profile.h(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_profile.h(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_provider.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_provider.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_provider.c(4): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_provider.c(5): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_provider.c(6): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_provider.h(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_provider.h(3): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_provider.h(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_qp.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_qp.c(3): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_qp.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_qp.c(5): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_reset.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_srq.c(2): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_uar.c(2): * Copyright (c) 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_user.h(2): * Copyright (c) 2005 Topspin Communications. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\mthca\mthca_user.h(3): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\mthca\mthca_wqe.h(2): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes.c(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes.c(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes.h(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_cm.c(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_cm.h(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_context.h(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_hw.c(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_hw.h(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_mgt.c(2): * Copyright (c) 2006 - 2011 Intel-NE, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_mgt.h(2): * Copyright (c) 2006 - 2011 Intel-NE, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_nic.c(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_user.h(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_user.h(3): * Copyright (c) 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_user.h(4): * Copyright (c) 2005 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_user.h(5): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_utils.c(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_verbs.c(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_verbs.h(2): * Copyright (c) 2006 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\nes\nes_verbs.h(3): * Copyright (c) 2005 Open Grid Computing, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma.h(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_abi.h(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_ah.c(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_ah.h(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*

legal(ME)

linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_hw.c(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_hw.h(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_main.c(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_sli.h(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_verbs.c(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\ocrdma\ocrdma_verbs.h(4): * Copyright (C) 2008-2012 Emulex. All rights reserved.*
linux-3.10\drivers\infiniband\hw\qib\qib.h(4): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib.h(5): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib.h(6): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_6120_regs.h(2): * Copyright (c) 2008, 2009, 2010 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_7220.h(4): * Copyright (c) 2007, 2009, 2010 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_7220_regs.h(2): * Copyright (c) 2008, 2009, 2010 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_7322_regs.h(2): * Copyright (c) 2008, 2009, 2010 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_common.h(2): * Copyright (c) 2006, 2007, 2008, 2009, 2010 QLogic Corporation.
linux-3.10\drivers\infiniband\hw\qib\qib_common.h(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_cq.c(2): * Copyright (c) 2006, 2007, 2008, 2010 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_cq.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_diag.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_diag.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_diag.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_dma.c(2): * Copyright (c) 2006, 2009, 2010 QLogic, Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_driver.c(2): * Copyright (c) 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_driver.c(3): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_driver.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_eeprom.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_eeprom.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\qib\qib_eeprom.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_file_ops.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_file_ops.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_file_ops.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_fs.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_fs.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_fs.c(4): * Copyright (c) 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_iba6120.c(2): * Copyright (c) 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_iba6120.c(3): * Copyright (c) 2006, 2007, 2008, 2009, 2010 QLogic Corporation.
linux-3.10\drivers\infiniband\hw\qib\qib_iba6120.c(5): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_iba7220.c(2): * Copyright (c) 2006, 2007, 2008, 2009, 2010 QLogic Corporation.
linux-3.10\drivers\infiniband\hw\qib\qib_iba7220.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_iba7322.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_iba7322.c(3): * Copyright (c) 2008 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_init.c(2): * Copyright (c) 2012, 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_init.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_init.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_intr.c(2): * Copyright (c) 2006, 2007, 2008, 2009, 2010 QLogic Corporation.
linux-3.10\drivers\infiniband\hw\qib\qib_intr.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_keys.c(2): * Copyright (c) 2006, 2007, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_keys.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_mad.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_mad.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_mad.c(4): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_mad.h(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_mad.h(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\qib\qib_mad.h(4): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_mmap.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_mr.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_mr.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_pcie.c(2): * Copyright (c) 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_pio_copy.c(2): * Copyright (c) 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_qp.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_qp.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation.* All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_qp.c(4): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_qsfp.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_qsfp.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_qsfp.h(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_qsfp.h(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_rc.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_rc.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_ruc.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_ruc.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_sd7220.c(2): * Copyright (c) 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_sd7220.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_sd7220.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_sdma.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_sdma.c(3): * Copyright (c) 2007 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_srq.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_srq.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_sysfs.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_sysfs.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\hw\qib\qib_sysfs.c(4): * Copyright (c) 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_tws.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_tws.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_tws.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_tx.c(2): * Copyright (c) 2008, 2009, 2010 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_uc.c(2): * Copyright (c) 2006, 2007, 2008, 2009, 2010 QLogic Corporation.
linux-3.10\drivers\infiniband\hw\qib\qib_uc.c(4): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_ud.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_ud.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_user_pages.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_user_pages.c(3): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_user_sdma.c(2): * Copyright (c) 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_user_sdma.h(2): * Copyright (c) 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_verbs.c(2): * Copyright (c) 2012, 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_verbs.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_verbs.c(4): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_verbs.h(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_verbs.h(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_verbs.h(4): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_verbs_mcast.c(2): * Copyright (c) 2006, 2007, 2008, 2009 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_verbs_mcast.c(3): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_wc_ppc64.c(2): * Copyright (c) 2006, 2007, 2008 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_wc_x86_64.c(2): * Copyright (c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_wc_x86_64.c(3): * Copyright (c) 2006 - 2012 QLogic Corporation. All rights reserved.
linux-3.10\drivers\infiniband\hw\qib\qib_wc_x86_64.c(4): * Copyright (c) 2003, 2004, 2005, 2006 PathScale, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib.h(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\ulp\ipoib\ipoib.h(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib.h(4): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_cm.c(2): * Copyright (c) 2006 Mellanox Technologies. All rights reserved
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_ethtool.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_fs.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_ib.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_ib.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_ib.c(4): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_ib.c(5): * Copyright (c) 2004, 2005 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_main.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_main.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_main.c(4): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_multicast.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_multicast.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_multicast.c(4): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_netlink.c(2): * Copyright (c) 2012 Mellanox Technologies. -All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_verbs.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_verbs.c(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\ulp\ipoib\ipoib_vlan.c(2): * Copyright (c) 2004 Topspin Communications. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.c(4): * Copyright (C) 2004 Dmitry Yusupov
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.c(5): * Copyright (C) 2004 Alex Aizman
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.c(6): * Copyright (C) 2005 Mike Christie
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.c(7): * Copyright (c) 2005, 2006 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.c(8): * Copyright (c) 2013 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.h(10): * Copyright (c) 2005, 2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.h(11): * Copyright (c) 2013 Mellanox Technologies. All rights reserved.

legal(ME)

linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.h(4): * Copyright (C) 2004
Dmitry Yusupov
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.h(5): * Copyright (C) 2004 Alex
Aizman
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.h(6): * Copyright (C) 2005 Mike
Christie
linux-3.10\drivers\infiniband\ulp\iser\iscsi_iser.h(9): * Copyright (c) 2004,
2005, 2006 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iser_initiator.c(2): * Copyright (c) 2004,
2005, 2006 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iser_initiator.c(3): * Copyright (c) 2013
Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iser_memory.c(2): * Copyright (c) 2004,
2005, 2006 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iser_memory.c(3): * Copyright (c) 2013
Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iser_verbs.c(2): * Copyright (c) 2004,
2005, 2006 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iser_verbs.c(3): * Copyright (c) 2005,
2006 Cisco Systems. All rights reserved.
linux-3.10\drivers\infiniband\ulp\iser\iser_verbs.c(4): * Copyright (c) 2013
Mellanox Technologies. All rights reserved.
linux-3.10\drivers\infiniband\ulp\isert\ib_isert.c(4): * (c) Copyright 2013
RisingTide Systems LLC.
linux-3.10\drivers\infiniband\ulp\srp\ib_srp.c(2): * Copyright (c) 2005 Cisco
Systems. All rights reserved.
linux-3.10\drivers\infiniband\ulp\srp\ib_srp.h(2): * Copyright (c) 2005 Cisco
Systems. All rights reserved.
linux-3.10\drivers\infiniband\ulp\srpt\ib_dm_mad.h(2): * Copyright (c) 2006 -
2009 Mellanox Technology Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\srpt\ib_srpt.c(2): * Copyright (c) 2006 - 2009
Mellanox Technology Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\srpt\ib_srpt.c(3): * Copyright (C) 2008 - 2011
Bart Van Assche <bvanassche@acm.org>.
linux-3.10\drivers\infiniband\ulp\srpt\ib_srpt.h(2): * Copyright (c) 2006 - 2009
Mellanox Technology Inc. All rights reserved.
linux-3.10\drivers\infiniband\ulp\srpt\ib_srpt.h(3): * Copyright (C) 2009 - 2010
Bart Van Assche <bvanassche@acm.org>.
linux-3.10\drivers\input\apm-power.c(4): *Copyright (c) 2007 Richard Purdie
linux-3.10\drivers\input\evbug.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\input\evdev.c(4): * Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\drivers\input\ff-core.c(4): *Copyright (c) 2006 Anssi Hannula
<anssi.hannula@gmail.com>
linux-3.10\drivers\input\ff-core.c(5): *Copyright (c) 2006 Dmitry Torokhov
<dtor@mail.ru>
linux-3.10\drivers\input\ff-memless.c(4): *Copyright (c) 2006 Anssi Hannula
<anssi.hannula@gmail.com>
linux-3.10\drivers\input\ff-memless.c(5): *Copyright (c) 2006 Dmitry Torokhov
<dtor@mail.ru>
linux-3.10\drivers\input\gameport\emu10k1-gp.c(2): *Copyright (c) 2001 Vojtech
Pavlik
linux-3.10\drivers\input\gameport\fm801-gp.c(4): *Copyright (c) by Takashi Iwai

legal(ME)

<tiwai@suse.de>

linux-3.10\drivers\input\gameport\gameport.c(4): * Copyright (c) 1999-2002
Vojtech Pavlik

linux-3.10\drivers\input\gameport\gameport.c(5): * Copyright (c) 2005 Dmitry
Torokhov

linux-3.10\drivers\input\gameport\lightning.c(2): *Copyright (c) 1998-2001
Vojtech Pavlik

linux-3.10\drivers\input\gameport\ns558.c(2): *Copyright (c) 1999-2001 Vojtech
Pavlik

linux-3.10\drivers\input\gameport\ns558.c(3): *Copyright (c) 1999 Brian Gerst

linux-3.10\drivers\input\input.c(4): * Copyright (c) 1999-2002 Vojtech Pavlik

linux-3.10\drivers\input\input-compat.c(4): * Very heavily based on evdev.c -
Copyright (c) 1999-2002 Vojtech Pavlik

linux-3.10\drivers\input\input-compat.h(7): * Very heavily based on evdev.c -
Copyright (c) 1999-2002 Vojtech Pavlik

linux-3.10\drivers\input\input-mt.c(4): * Copyright (c) 2008-2010 Henrik Rydberg

linux-3.10\drivers\input\input-polldev.c(4): * Copyright (c) 2007 Dmitry Torokhov

linux-3.10\drivers\input\joydev.c(4): * Copyright (c) 1999-2002 Vojtech Pavlik

linux-3.10\drivers\input\joydev.c(5): * Copyright (c) 1999 Colin Van Dyke

linux-3.10\drivers\input\joystick\3d.c(2): *Copyright (c) 1998-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\adi.c(2): *Copyright (c) 1998-2005 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\amijoy.c(2): *Copyright (c) 1998-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\analog.c(2): *Copyright (c) 1996-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\as5011.c(2): * Copyright (c) 2010, 2011 Fabien
Marteau <fabien.marteau@armadeus.com>

linux-3.10\drivers\input\joystick\cobra.c(2): *Copyright (c) 1999-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\db9.c(2): *Copyright (c) 1999-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\gamecon.c(4): *Copyright (c) 1999-2004Vojtech
Pavlik <vojtech@suse.cz>

linux-3.10\drivers\input\joystick\gamecon.c(5): *Copyright (c) 2004Peter Nelson
<rufus-kernel@hackish.org>

linux-3.10\drivers\input\joystick\gf2k.c(2): *Copyright (c) 1998-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\grip.c(2): *Copyright (c) 1998-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\grip_mp.c(8): *Copyright (c)2002 Brian
Bonnlander, Bill Soudan

linux-3.10\drivers\input\joystick\grip_mp.c(9): *Copyright (c) 1998-2000 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\guillemot.c(2): *Copyright (c) 2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\iforce\iforce.h(2): *Copyright (c) 2000-2002
Vojtech Pavlik <vojtech@ucw.cz>

linux-3.10\drivers\input\joystick\iforce\iforce.h(3): *Copyright (c) 2001-2002,
2007 Johann Deneux <johann.deneux@gmail.com>

linux-3.10\drivers\input\joystick\iforce\iforce-ff.c(2): *Copyright (c) 2000-2002

legal(ME)

Vojtech Pavlik <vojtech@ucw.cz>

linux-3.10\drivers\input\joystick\iforce\iforce-ff.c(3): *Copyright (c)
2001-2002, 2007 Johann Deneux <johann.deneux@gmail.com>

linux-3.10\drivers\input\joystick\iforce\iforce-main.c(2): *Copyright (c)
2000-2002 Vojtech Pavlik <vojtech@ucw.cz>

linux-3.10\drivers\input\joystick\iforce\iforce-main.c(3): *Copyright (c)
2001-2002, 2007 Johann Deneux <johann.deneux@gmail.com>

linux-3.10\drivers\input\joystick\iforce\iforce-packets.c(2): *Copyright (c)
2000-2002 Vojtech Pavlik <vojtech@ucw.cz>

linux-3.10\drivers\input\joystick\iforce\iforce-packets.c(3): *Copyright (c)
2001-2002, 2007 Johann Deneux <johann.deneux@gmail.com>

linux-3.10\drivers\input\joystick\iforce\iforce-serio.c(2): *Copyright (c)
2000-2001 Vojtech Pavlik <vojtech@ucw.cz>

linux-3.10\drivers\input\joystick\iforce\iforce-serio.c(3): *Copyright (c) 2001,
2007 Johann Deneux <johann.deneux@gmail.com>

linux-3.10\drivers\input\joystick\iforce\iforce-usb.c(2): *Copyright (c)
2000-2002 Vojtech Pavlik <vojtech@ucw.cz>

linux-3.10\drivers\input\joystick\iforce\iforce-usb.c(3): *Copyright (c)
2001-2002, 2007 Johann Deneux <johann.deneux@gmail.com>

linux-3.10\drivers\input\joystick\interact.c(2): *Copyright (c) 2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\joydump.c(2): *Copyright (c) 1996-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\magellan.c(2): *Copyright (c) 1999-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\maplecontrol.c(5): *Copyright Yaegashi Takeshi,
2001

linux-3.10\drivers\input\joystick\sidewinder.c(2): *Copyright (c) 1998-2005
Vojtech Pavlik

linux-3.10\drivers\input\joystick\spaceball.c(2): *Copyright (c) 1999-2001
Vojtech Pavlik

linux-3.10\drivers\input\joystick\spaceorb.c(2): *Copyright (c) 1999-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\stinger.c(2): *Copyright (c) 2000-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\stinger.c(3): *Copyright (c) 2000 Mark Fletcher

linux-3.10\drivers\input\joystick\tmdc.c(2): *Copyright (c) 1998-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\turbografx.c(2): *Copyright (c) 1998-2001
Vojtech Pavlik

linux-3.10\drivers\input\joystick\twidjoy.c(2): *Copyright (c) 2001 Arndt
Schoenewald

linux-3.10\drivers\input\joystick\twidjoy.c(3): *Copyright (c) 2000-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\twidjoy.c(4): *Copyright (c) 2000 Mark Fletcher

linux-3.10\drivers\input\joystick\walkera0701.c(4): *Copyright (c) 2008 Peter
Popovec

linux-3.10\drivers\input\joystick\warrior.c(2): *Copyright (c) 1999-2001 Vojtech
Pavlik

linux-3.10\drivers\input\joystick\xpad.c(4): * Copyright (c) 2002 Marko
Friedemann <mfr@bmx-chemnitz.de>

linux-3.10\drivers\input\joystick\zhenhua.c(4): *Copyright (c) 2008 Martin Kebert

legal(ME)

linux-3.10\drivers\input\joystick\zhenhua.c(5): *Copyright (c) 2001 Arndt Schoenewald
linux-3.10\drivers\input\joystick\zhenhua.c(6): *Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\drivers\input\joystick\zhenhua.c(7): *Copyright (c) 2000 Mark Fletcher
linux-3.10\drivers\input\keyboard\adp5520-keys.c(4): * Copyright 2009 Analog Devices Inc.
linux-3.10\drivers\input\keyboard\adp5588-keys.c(7): * Copyright (C) 2008-2010 Analog Devices Inc.
linux-3.10\drivers\input\keyboard\adp5589-keys.c(6): * Copyright (C) 2010-2011 Analog Devices Inc.
linux-3.10\drivers\input\keyboard\amikbd.c(2): *Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\drivers\input\keyboard\atakbd.c(4): *Copyright (c) 2005 Michael Schmitz
linux-3.10\drivers\input\keyboard\atakbd.c(8): *Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\drivers\input\keyboard\atkbd.c(4): * Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\drivers\input\keyboard\bf54x-keys.c(11): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\drivers\input\keyboard\cros_ec_keyb.c(4): * Copyright (C) 2012 Google, Inc
linux-3.10\drivers\input\keyboard\davinci_keyscan.c(4): * Copyright (C) 2009 Texas Instruments, Inc
linux-3.10\drivers\input\keyboard\ep93xx_keypad.c(4): * Copyright (c) 2008 H Hartley Sweeten <hsweeten@visionengravers.com>
linux-3.10\drivers\input\keyboard\goldfish_events.c(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\input\keyboard\goldfish_events.c(3): * Copyright (C) 2012 Intel, Inc.
linux-3.10\drivers\input\keyboard\gpio_keys.c(4): * Copyright 2005 Phil Blundell
linux-3.10\drivers\input\keyboard\gpio_keys.c(5): * Copyright 2010, 2011 David Jander <david@protonic.nl>
linux-3.10\drivers\input\keyboard\gpio_keys_polled.c(11): *Copyright 2005 Phil Blundell
linux-3.10\drivers\input\keyboard\gpio_keys_polled.c(4): *Copyright (C) 2007-2010 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\drivers\input\keyboard\gpio_keys_polled.c(5): *Copyright (C) 2010 Nuno Goncalves <nunojpg@gmail.com>
linux-3.10\drivers\input\keyboard\gpio_keys_polled.c(8): *Copyright (C) 2007 Yoichi Yuasa <yoichi_yuasa@tripeaks.co.jp>
linux-3.10\drivers\input\keyboard\hil_kbd.c(4): * Copyright (c) 2001 Brian S. Julin
linux-3.10\drivers\input\keyboard\hilkbd.c(4): *Copyright (C) 1998 Philip Blundell <philb@gnu.org>
linux-3.10\drivers\input\keyboard\hilkbd.c(5): *Copyright (C) 1999 Matthew Wilcox <willy@bofh.ai>
linux-3.10\drivers\input\keyboard\hilkbd.c(6): *Copyright (C) 1999-2007 Helge Deller <deller@gmx.de>
linux-3.10\drivers\input\keyboard\hpps2atkbd.h(4): * Copyright (c) 2004 Helge Deller <deller@gmx.de>

legal(ME)

linux-3.10\drivers\input\keyboard\hpps2atkkbd.h(5): * Copyright (c) 2002 Laurent Canet <canetl@esiee.fr>
linux-3.10\drivers\input\keyboard\hpps2atkkbd.h(6): * Copyright (c) 2002 Thibaut Varene <varenet@parisc-linux.org>
linux-3.10\drivers\input\keyboard\hpps2atkkbd.h(7): * Copyright (c) 2000 Xavier Debacker <debackex@esiee.fr>
linux-3.10\drivers\input\keyboard\imx_keypad.c(3): * Copyright (C) 2009 Alberto Panizzo <maramaopercheseimorto@gmail.com>
linux-3.10\drivers\input\keyboard\jornada680_kbd.c(11): *Copyright (C) 2000 Yaegashi Takeshi (hp6xx kbd scan routine and translation table)
linux-3.10\drivers\input\keyboard\jornada680_kbd.c(12): *Copyright (C) 2000 Niibe Yutaka (HP620 Keyb translation table)
linux-3.10\drivers\input\keyboard\jornada680_kbd.c(5): *Copyright (C) 2007Kristoffer Ericson <Kristoffer.Ericson@gmail.com>
linux-3.10\drivers\input\keyboard\jornada680_kbd.c(8): *Copyright (C) 2006 Paul Mundt
linux-3.10\drivers\input\keyboard\jornada680_kbd.c(9): *Copyright (C) 2005 Andriy Skulysh
linux-3.10\drivers\input\keyboard\jornada720_kbd.c(6): * Copyright (C) 2006/2007 Kristoffer Ericson <Kristoffer.Ericson@Gmail.com>
linux-3.10\drivers\input\keyboard\jornada720_kbd.c(8): *Copyright (C) 2006 jornada 720 kbd driver by
linux-3.10\drivers\input\keyboard\lkkbd.c(2): *Copyright (C) 2004 by Jan-Benedict Glaw <jbglaw@lug-owl.de>
linux-3.10\drivers\input\keyboard\lm8323.c(4): * Copyright (C) 2007-2009 Nokia Corporation
linux-3.10\drivers\input\keyboard\lm8333.c(3): * Copyright (C) 2012 Wolfram Sang, Pengutronix <w.sang@pengutronix.de>
linux-3.10\drivers\input\keyboard\locomokbd.c(6): * Copyright (c) 2005 John Lenz
linux-3.10\drivers\input\keyboard\lpc32xx-keys.c(8): * Copyright (C) 2010 NXP Semiconductors
linux-3.10\drivers\input\keyboard\lpc32xx-keys.c(9): * Copyright (C) 2012 Roland Stigge
linux-3.10\drivers\input\keyboard\maple_keyb.c(4): * Copyright (c) YAEGASHI Takeshi, 2001
linux-3.10\drivers\input\keyboard\maple_keyb.c(5): * Porting to 2.6 Copyright (c) Adrian McMenamin, 2007 - 2009
linux-3.10\drivers\input\keyboard\matrix_keypad.c(4): *Copyright (c) 2008 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\input\keyboard\max7359_keypad.c(4): * Copyright (C) 2009 Samsung Electronics
linux-3.10\drivers\input\keyboard\mcs_touchkey.c(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd
linux-3.10\drivers\input\keyboard\mpr121_touchkey.c(4): * Copyright (C) 2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\input\keyboard\newtonkbd.c(2): *Copyright (c) 2000 Justin Cormack
linux-3.10\drivers\input\keyboard\nomadik-ske-keypad.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\input\keyboard\omap4-keypad.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\input\keyboard\omap-keypad.c(10): * Copyright (C) 2004 Texas

legal(ME)

Instruments

linux-3.10\drivers\input\keyboard\omap-keypad.c(6): * Copyright (C) 2003 Nokia Corporation
linux-3.10\drivers\input\keyboard\opencores-kbd.c(5): * Copyright 2007-2009 HV Sistemas S.L.
linux-3.10\drivers\input\keyboard\pmic8xxx-keypad.c(1):/* Copyright (c) 2009-2011, Code Aurora Forum. All rights reserved.
linux-3.10\drivers\input\keyboard\qt1070.c(10): *Copyright (C) 2009
linux-3.10\drivers\input\keyboard\qt1070.c(4): *Copyright (C) 2011 Atmel
linux-3.10\drivers\input\keyboard\qt2160.c(4): *Copyright (C) 2009 Raphael Derosso Pereira <raphaelpereira@gmail.com>
linux-3.10\drivers\input\keyboard\samsung-keypad.c(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd
linux-3.10\drivers\input\keyboard\sh_keysc.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\input\keyboard\sh_keysc.c(6): * Based on gpio_keys.c, Copyright 2005 Phil Blundell
linux-3.10\drivers\input\keyboard\spear-keyboard.c(5): * Copyright (C) 2010 ST Microelectronics
linux-3.10\drivers\input\keyboard\stmpe-keypad.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\input\keyboard\stowaway.c(6): *Copyright (c) 2006 Marek Vasut
linux-3.10\drivers\input\keyboard\sunkbd.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\input\keyboard\tc3589x-keypad.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\input\keyboard\tca6416-keypad.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\input\keyboard\tca8418_keypad.c(4): * Copyright (C) 2011 Fuel7, Inc.All rights reserved.
linux-3.10\drivers\input\keyboard\tegra-kbc.c(5): * Copyright (c) 2009-2011, NVIDIA Corporation.
linux-3.10\drivers\input\keyboard\tnetv107x-keypad.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\input\keyboard\twl4030_keypad.c(4): * Copyright (C) 2007 Texas Instruments, Inc.
linux-3.10\drivers\input\keyboard\twl4030_keypad.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\input\keyboard\w90p910_keypad.c(2): * Copyright (c) 2008-2009 Nuvoton technology corporation.
linux-3.10\drivers\input\keyboard\xtkbd.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\input\matrix-keymap.c(4): * Copyright (C) 2012 Google, Inc
linux-3.10\drivers\input\misc\88pm80x_onkey.c(4): * Copyright (C) 2012 Marvell International Ltd.
linux-3.10\drivers\input\misc\88pm860x_onkey.c(4): * Copyright (C) 2009-2010 Marvell International Ltd.
linux-3.10\drivers\input\misc\ab8500-ponkey.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\input\misc\ad714x.c(4): * Copyright 2009-2011 Analog Devices Inc.
linux-3.10\drivers\input\misc\ad714x.h(4): * Copyright 2009-2011 Analog Devices Inc.

legal(ME)

linux-3.10\drivers\input\misc\ad714x-i2c.c(4): * Copyright 2009-2011 Analog Devices Inc.
linux-3.10\drivers\input\misc\ad714x-spi.c(4): * Copyright 2009-2011 Analog Devices Inc.
linux-3.10\drivers\input\misc\adx134x.c(6): * Copyright (C) 2009 Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\misc\adx134x.h(6): * Copyright (C) 2009 Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\misc\adx134x-i2c.c(6): * Copyright (C) 2009 Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\misc\adx134x-spi.c(6): * Copyright (C) 2009 Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\misc\apanel.c(4): *Copyright (C) 2007 Stephen Hemminger <shemminger@linux-foundation.org>
linux-3.10\drivers\input\misc\apanel.c(5): *Copyright (C) 2001-2003 Jochen Eisinger <jochen@penguin-breeder.org>
linux-3.10\drivers\input\misc\arizona-haptics.c(4): * Copyright 2012 Wolfson Microelectronics plc
linux-3.10\drivers\input\misc\ati_remote2.c(4): * Copyright (C) 2005-2008 Ville Syrjala <syrjala@sci.fi>
linux-3.10\drivers\input\misc\ati_remote2.c(5): * Copyright (C) 2007-2008 Peter Stokes <linux@dadeos.co.uk>
linux-3.10\drivers\input\misc\atlas_btns.c(4): *Copyright (C) 2006 Jaya Kumar
linux-3.10\drivers\input\misc\bfin_rotary.c(4): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\drivers\input\misc\bma150.c(2): * Copyright (c) 2011 Bosch Sensortec GmbH
linux-3.10\drivers\input\misc\bma150.c(3): * Copyright (c) 2011 Unixphere
linux-3.10\drivers\input\misc\cm109.c(4): * Copyright (C) 2007 - 2008 Alfred E. Heggstad <aeh@db.org>
linux-3.10\drivers\input\misc\cma3000_d0x.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\input\misc\cma3000_d0x.h(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\input\misc\cma3000_d0x_i2c.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\input\misc\cobalt_btns.c(4): *Copyright (C) 2007-2008Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\drivers\input\misc\da9052_onkey.c(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\drivers\input\misc\da9055_onkey.c(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\drivers\input\misc\dm355evm_keys.c(4): * Copyright (c) 2008 by David Brownell
linux-3.10\drivers\input\misc\gp2ap002a00f.c(2): * Copyright (C) 2011 Sony Ericsson Mobile Communications Inc.
linux-3.10\drivers\input\misc\gpio_tilt_polled.c(10): *Copyright (C) 2010 Nuno Goncalves <nunojpg@gmail.com>
linux-3.10\drivers\input\misc\gpio_tilt_polled.c(5): *Copyright (C) 2011 Heiko Stuebner <heiko@sntech.de>
linux-3.10\drivers\input\misc\gpio_tilt_polled.c(9): *Copyright (C) 2007-2010 Gabor Juhos <juhosg@openwrt.org>

legal(ME)

linux-3.10\drivers\input\misc\hp_sdc_rtc.c(4): * Copyright (c) 2001 Brian S. Julin
linux-3.10\drivers\input\misc\ims-pcu.c(4): * Copyright (C) 2013 The IMS Company
linux-3.10\drivers\input\misc\ixp4xx-beeper.c(4): * Copyright (C) 2005 Tower Technologies
linux-3.10\drivers\input\misc\ixp4xx-beeper.c(7): *Copyright (C) 2004 Karen Spearel
linux-3.10\drivers\input\misc\keyspan_remote.c(4): * Copyright (C) 2005 Zymeta Corporation - Michael Downey (downey@zymeta.com)
linux-3.10\drivers\input\misc\kxtj9.c(2): * Copyright (C) 2011 Kionix, Inc.
linux-3.10\drivers\input\misc\m68kspkr.c(4): *Copyright (c) 2002 Richard Zidlicky
linux-3.10\drivers\input\misc\m68kspkr.c(5): *Copyright (c) 2002 Vojtech Pavlik
linux-3.10\drivers\input\misc\m68kspkr.c(6): *Copyright (c) 1992 Orest Zborowski
linux-3.10\drivers\input\misc\max8925_onkey.c(4): * Copyright (C) 2009 Marvell International Ltd.
linux-3.10\drivers\input\misc\max8997_haptic.c(4): * Copyright (C) 2012 Samsung Electronics
linux-3.10\drivers\input\misc\mc13783-pwrbutton.c(2): * Copyright (C) 2011 Philippe R⁷tornaz
linux-3.10\drivers\input\misc\mma8450.c(4): *Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\input\misc\mpu3050.c(4): * Copyright (C) 2011 Wistron Co.Ltd
linux-3.10\drivers\input\misc\pcap_keys.c(6): *Copyright (c) 2008,2009 Ilya Petrov <ilya.muromec@gmail.com>
linux-3.10\drivers\input\misc\pcf8574_keypad.c(4): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\drivers\input\misc\pcspkr.c(4): *Copyright (c) 2002 Vojtech Pavlik
linux-3.10\drivers\input\misc\pcspkr.c(5): *Copyright (c) 1992 Orest Zborowski
linux-3.10\drivers\input\misc\pm8xxx-vibrator.c(1):/* Copyright (c) 2010-2011, Code Aurora Forum. All rights reserved.
linux-3.10\drivers\input\misc\pmic8xxx-pwrkey.c(1):/* Copyright (c) 2010-2011, Code Aurora Forum. All rights reserved.
linux-3.10\drivers\input\misc\pwm-beeper.c(2): *Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\drivers\input\misc\rb532_button.c(4): * Copyright (C) 2009Phil Sutter <n0-1@freewrt.org>
linux-3.10\drivers\input\misc\retu-pwrbutton.c(4): * Copyright (C) 2004-2010 Nokia Corporation
linux-3.10\drivers\input\misc\rotary_encoder.c(5): * Copyright (C) 2011 Johan Hovold <jhovold@gmail.com>
linux-3.10\drivers\input\misc\sgi_btns.c(4): *Copyright (C) 2008Thomas Bogendoerfer <tsbogend@alpha.franken.de>
linux-3.10\drivers\input\misc\sparcspkr.c(4): *Copyright (c) 2002 Vojtech Pavlik
linux-3.10\drivers\input\misc\sparcspkr.c(5): *Copyright (c) 2002, 2006, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\input\misc\twl4030-pwrbutton.c(4): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\drivers\input\misc\twl4030-vibra.c(4): * Copyright (C) 2008-2010 Nokia Corporation
linux-3.10\drivers\input\misc\twl6040-vibra.c(7): * Copyright: (C) 2011 Texas Instruments, Inc.
linux-3.10\drivers\input\misc\wistron_btns.c(3): * Copyright (C) 2005 Miloslav

legal(ME)

Trmac <mitr@volny.cz>
linux-3.10\drivers\input\misc\wistron_btnc.c(4): * Copyright (C) 2005 Bernhard Rosenkraenzer <bero@arklinux.org>
linux-3.10\drivers\input\misc\wistron_btnc.c(5): * Copyright (C) 2005 Dmitry Torokhov <dtor@mail.ru>
linux-3.10\drivers\input\misc\wm831x-on.c(4): * Copyright (C) 2009 Wolfson Microelectronics plc
linux-3.10\drivers\input\misc\xen-kbdfnt.c(4): * Copyright (C) 2005 Anthony Liguori <aliguori@us.ibm.com>
linux-3.10\drivers\input\misc\xen-kbdfnt.c(5): * Copyright (C) 2006-2008 Red Hat, Inc., Markus Armbruster <armbru@redhat.com>
linux-3.10\drivers\input\misc\yealink.c(4): * Copyright (c) 2005 Henk Vergonet <Henk.Vergonet@gmail.com>
linux-3.10\drivers\input\misc\yealink.h(4): * Copyright (c) 2005 Henk Vergonet <Henk.Vergonet@gmail.com>
linux-3.10\drivers\input\mouse\alps.c(4): * Copyright (c) 2003 Neil Brown <neilb@cse.unsw.edu.au>
linux-3.10\drivers\input\mouse\alps.c(5): * Copyright (c) 2003-2005 Peter Osterlund <petero2@telia.com>
linux-3.10\drivers\input\mouse\alps.c(6): * Copyright (c) 2004 Dmitry Torokhov <dtor@mail.ru>
linux-3.10\drivers\input\mouse\alps.c(7): * Copyright (c) 2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\input\mouse\alps.c(8): * Copyright (c) 2009 Sebastian Kapfer <sebastian_kapfer@gmx.net>
linux-3.10\drivers\input\mouse\alps.h(4): * Copyright (c) 2003 Peter Osterlund <petero2@telia.com>
linux-3.10\drivers\input\mouse\alps.h(5): * Copyright (c) 2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\input\mouse\amimouse.c(4): *Copyright (c) 2000-2002 Vojtech Pavlik
linux-3.10\drivers\input\mouse\appletouch.c(10): * Copyright (C) 2006Nicolas Boichat (nicolas@boichat.ch)
linux-3.10\drivers\input\mouse\appletouch.c(11): * Copyright (C) 2007-2008 Sven Anders (anders@anduras.de)
linux-3.10\drivers\input\mouse\appletouch.c(4): * Copyright (C) 2001-2004 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\input\mouse\appletouch.c(5): * Copyright (C) 2005-2008 Johannes Berg (johannes@sipsolutions.net)
linux-3.10\drivers\input\mouse\appletouch.c(6): * Copyright (C) 2005-2008 Stelian Pop (stelian@popies.net)
linux-3.10\drivers\input\mouse\appletouch.c(7): * Copyright (C) 2005Frank Arnold (frank@scirocco-5v-turbo.de)
linux-3.10\drivers\input\mouse\appletouch.c(8): * Copyright (C) 2005Peter Osterlund (petero2@telia.com)
linux-3.10\drivers\input\mouse\appletouch.c(9): * Copyright (C) 2005Michael Hanselmann (linux-kernel@hansmi.ch)
linux-3.10\drivers\input\mouse\atarimouse.c(4): *Copyright (c) 2005 Michael Schmitz
linux-3.10\drivers\input\mouse\atarimouse.c(9): *Copyright (c) 2000-2002 Vojtech Pavlik
linux-3.10\drivers\input\mouse\bcm5974.c(11): * Copyright (C) 2001-2004 Greg

legal(ME)

Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\input\mouse\bcm5974.c(12): * Copyright (C) 2005 Johannes Berg (johannes@sipsolutions.net)
linux-3.10\drivers\input\mouse\bcm5974.c(13): * Copyright (C) 2005 Stelian Pop (stelian@popies.net)
linux-3.10\drivers\input\mouse\bcm5974.c(14): * Copyright (C) 2005 Frank Arnold (frank@scirocco-5v-turbo.de)
linux-3.10\drivers\input\mouse\bcm5974.c(15): * Copyright (C) 2005 Peter Osterlund (petero2@telia.com)
linux-3.10\drivers\input\mouse\bcm5974.c(16): * Copyright (C) 2005 Michael Hanselmann (linux-kernel@hansmi.ch)
linux-3.10\drivers\input\mouse\bcm5974.c(17): * Copyright (C) 2006 Nicolas Boichat (nicolas@boichat.ch)
linux-3.10\drivers\input\mouse\bcm5974.c(4): * Copyright (C) 2008 Henrik Rydberg (rydberg@euromail.se)
linux-3.10\drivers\input\mouse\bcm5974.c(8): * Copyright (C) 2008 Scott Shawcroft (scott.shawcroft@gmail.com)
linux-3.10\drivers\input\mouse\cyapa.c(10): * Copyright (C) 2011-2012 Google, Inc.
linux-3.10\drivers\input\mouse\cyapa.c(9): * Copyright (C) 2011-2012 Cypress Semiconductor, Inc.
linux-3.10\drivers\input\mouse\cypress_ps2.c(4): * Copyright (c) 2012 Cypress Semiconductor Corporation.
linux-3.10\drivers\input\mouse\elantech.c(4): * Copyright (C) 2007-2009 Arjan Opmeer <arjan@opmeer.net>
linux-3.10\drivers\input\mouse\elantech.h(4): * Copyright (C) 2007-2009 Arjan Opmeer <arjan@opmeer.net>
linux-3.10\drivers\input\mouse\gpio_mouse.c(4): * Copyright (C) 2007 Atmel Corporation
linux-3.10\drivers\input\mouse\hgpk.c(11): * Copyright (c) 2003 Neil Brown <neilb@cse.unsw.edu.au>
linux-3.10\drivers\input\mouse\hgpk.c(12): * Copyright (c) 2003-2005 Peter Osterlund <petero2@telia.com>
linux-3.10\drivers\input\mouse\hgpk.c(13): * Copyright (c) 2004 Dmitry Torokhov <dtor@mail.ru>
linux-3.10\drivers\input\mouse\hgpk.c(14): * Copyright (c) 2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\input\mouse\hgpk.c(4): * Copyright (c) 2006-2008 One Laptop Per Child
linux-3.10\drivers\input\mouse\inport.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\input\mouse\lifebook.c(4): * Copyright (c) 2005 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\input\mouse\lifebook.c(5): * Copyright (c) 2005 Kenan Esau <kenan.esau@conan.de>
linux-3.10\drivers\input\mouse\lifebook.h(4): * Copyright (c) 2005 Vojtech Pavlik
linux-3.10\drivers\input\mouse\logibm.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\input\mouse\logips2pp.c(4): * Copyright (c) 1999-2003 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\input\mouse\logips2pp.c(5): * Copyright (c) 2003 Eric Wong <eric@yhbt.net>

legal(ME)

linux-3.10\drivers\input\mouse\logips2pp.h(4): * Copyright (c) 2003 Vojtech Pavlik <vojtech@suse.cz>
linux-3.10\drivers\input\mouse\maplemouse.c(5): *Copyright (c) Yaegashi Takeshi, 2001
linux-3.10\drivers\input\mouse\maplemouse.c(6): *Copyright (c) Adrian McMenamin, 2008 - 2009
linux-3.10\drivers\input\mouse\navpoint.c(4): * Copyright (C) 2012 Paul Parsons <lost.distance@yahoo.com>
linux-3.10\drivers\input\mouse\pc110pad.c(2): *Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\drivers\input\mouse\psmouse-base.c(4): * Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\drivers\input\mouse\psmouse-base.c(5): * Copyright (c) 2003-2004 Dmitry Torokhov
linux-3.10\drivers\input\mouse\pxa930_trkball.c(4): * Copyright (C) 2007 Marvell International Ltd.
linux-3.10\drivers\input\mouse\rpcmouse.c(4): *Copyright (c) 2000-2002 Vojtech Pavlik
linux-3.10\drivers\input\mouse\rpcmouse.c(5): *Copyright (C) 1996-2002 Russell King
linux-3.10\drivers\input\mouse\sentelic.c(4): * Copyright (C) 2005-2007 Asia Vital Components Co., Ltd.
linux-3.10\drivers\input\mouse\sentelic.c(5): * Copyright (C) 2005-2012 Tai-hwa Liang, Sentelic Corporation.
linux-3.10\drivers\input\mouse\sentelic.h(4): * Copyright (C) 2005-2007 Asia Vital Components Co., Ltd.
linux-3.10\drivers\input\mouse\sentelic.h(5): * Copyright (C) 2005-2012 Tai-hwa Liang, Sentelic Corporation.
linux-3.10\drivers\input\mouse\sermouse.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\input\mouse\synaptics.c(11): * Copyright (C) 2001 Stefan Gmeiner <riddlebox@freesurf.ch>
linux-3.10\drivers\input\mouse\synaptics.c(15): * Copyright (c) 1997 C. Scott Ananian <cananian@alumni.priceton.edu>
linux-3.10\drivers\input\mouse\synaptics.c(16): * Copyright (c) 1998-2000 Bruce Kalk <kall@compass.com>
linux-3.10\drivers\input\mouse\synaptics_i2c.c(4): * Copyright (C) 2009 Compulab, Ltd.
linux-3.10\drivers\input\mouse\synaptics_usb.c(4): *Copyright (c) 2002 Rob Miller (rob@inpharmatica . co . uk)
linux-3.10\drivers\input\mouse\synaptics_usb.c(5): *Copyright (c) 2003 Ron Lee (ron@debian.org)
linux-3.10\drivers\input\mouse\synaptics_usb.c(8): *Copyright (c) 2004 Jan Steinhoff (cpad@jan-steinhoff . de)
linux-3.10\drivers\input\mouse\synaptics_usb.c(9): *Copyright (c) 2004 Ron Lee (ron@debian.org)
linux-3.10\drivers\input\mouse\touchkit_ps2.c(4): * Copyright (C) 2005 by Stefan Lucke
linux-3.10\drivers\input\mouse\touchkit_ps2.c(5): * Copyright (C) 2004 by Daniel Ritz
linux-3.10\drivers\input\mouse\touchkit_ps2.c(6): * Copyright (C) by Todd E. Johnson (mtouchusb.c)

legal(ME)

linux-3.10\drivers\input\mouse\touchkit_ps2.h(4): * Copyright (C) 2005 by Stefan Lucke
linux-3.10\drivers\input\mouse\touchkit_ps2.h(5): * Copyright (c) 2005 Vojtech Pavlik
linux-3.10\drivers\input\mouse\vsxxaa.c(6): * Copyright (C) 2003-2004 by Jan-Benedict Glaw <jbglaw@lug-owl.de>
linux-3.10\drivers\input\mousedev.c(4): * Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\drivers\input\mousedev.c(5): * Copyright (c) 2004 Dmitry Torokhov
linux-3.10\drivers\input\serio\altera_ps2.c(4): * Copyright (C) 2008 Thomas Chou <thomas@wytron.com.tw>
linux-3.10\drivers\input\serio\altera_ps2.c(7): * Copyright (C) 2002 Russell King
linux-3.10\drivers\input\serio\ambakmi.c(4): *Copyright (C) 2000-2003 Deep Blue Solutions Ltd.
linux-3.10\drivers\input\serio\ambakmi.c(5): *Copyright (C) 2002 Russell King.
linux-3.10\drivers\input\serio\ams_delta_serio.c(4): *Copyright (c) 2006 Matt Callow
linux-3.10\drivers\input\serio\ams_delta_serio.c(5): *Copyright (c) 2010 Janusz Krzysztofik
linux-3.10\drivers\input\serio\apbps2.c(2): * Copyright (C) 2013 Aeroflex Gaisler
linux-3.10\drivers\input\serio\arc_ps2.c(2): * Copyright (C) 2004, 2007-2010, 2011-2012 Synopsys, Inc. (www.synopsys.com)
linux-3.10\drivers\input\serio\at32psif.c(2): * Copyright (C) 2007 Atmel Corporation
linux-3.10\drivers\input\serio\ct82c710.c(2): *Copyright (c) 1999-2001 Vojtech Pavlik
linux-3.10\drivers\input\serio\gscps2.c(10): *Copyright (c) 1999-2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\drivers\input\serio\gscps2.c(11): *Copyright (c) 2000 Xavier Debacker <debackex@esiee.fr>
linux-3.10\drivers\input\serio\gscps2.c(12): *Copyright (c) 2000-2001 Thomas Marteau <marteaut@esiee.fr>
linux-3.10\drivers\input\serio\gscps2.c(4): * Copyright (c) 2004-2006 Helge Deller <deller@gmx.de>
linux-3.10\drivers\input\serio\gscps2.c(5): * Copyright (c) 2002 Laurent Canet <canetl@esiee.fr>
linux-3.10\drivers\input\serio\gscps2.c(6): * Copyright (c) 2002 Thibaut Varene <varenet@parisc-linux.org>
linux-3.10\drivers\input\serio\gscps2.c(9): *Copyright (c) 1999 Alex deVries <alex@onefishtwo.ca>
linux-3.10\drivers\input\serio\hil_mlc.c(4): * Copyright (c) 2001 Brian S. Julin
linux-3.10\drivers\input\serio\hp_sdc.c(4): * Copyright (c) 2001 Brian S. Julin
linux-3.10\drivers\input\serio\hp_sdc_mlc.c(4): * Copyright (c) 2001 Brian S. Julin
linux-3.10\drivers\input\serio\i8042.c(4): *Copyright (c) 1999-2004 Vojtech Pavlik
linux-3.10\drivers\input\serio\i8042.h(6): *Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\drivers\input\serio\i8042-unicore32io.h(5): *Copyright (C) 2001-2011 Guan Xuetao
linux-3.10\drivers\input\serio\libps2.c(4): * Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\drivers\input\serio\libps2.c(5): * Copyright (c) 2004 Dmitry Torokhov

legal(ME)

linux-3.10\drivers\input\serio\maceps2.c(4): * Copyright (C) 2002 Vivien Chappelier
linux-3.10\drivers\input\serio\parkbd.c(4): *Copyright (c) 1999-2004 Vojtech Pavlik
linux-3.10\drivers\input\serio\pcips2.c(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\drivers\input\serio\ps2mult.c(4): * Copyright (C) 2010 Dmitry Eremin-Solenikov
linux-3.10\drivers\input\serio\q40kbd.c(2): *Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\drivers\input\serio\rpckbd.c(2): *Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\drivers\input\serio\rpckbd.c(3): *Copyright (c) 2002 Russell King
linux-3.10\drivers\input\serio\sall11ps2.c(4): *Copyright (C) 2002 Russell King
linux-3.10\drivers\input\serio\serio.c(4): *Copyright (c) 1999-2004 Vojtech Pavlik
linux-3.10\drivers\input\serio\serio.c(5): *Copyright (c) 2004 Dmitry Torokhov
linux-3.10\drivers\input\serio\serio.c(6): *Copyright (c) 2003 Daniele Bellucci
linux-3.10\drivers\input\serio\serio_raw.c(5): * Copyright (c) 2004 Dmitry Torokhov
linux-3.10\drivers\input\serio\serport.c(4): * Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\drivers\input\sparse-keymap.c(4): * Copyright (c) 2009 Dmitry Torokhov
linux-3.10\drivers\input\sparse-keymap.c(7): * Copyright (C) 2005 Miloslav Trmac <mitr@volny.cz>
linux-3.10\drivers\input\sparse-keymap.c(8): * Copyright (C) 2005 Bernhard Rosenkraenzer <bero@arklinux.org>
linux-3.10\drivers\input\sparse-keymap.c(9): * Copyright (C) 2005 Dmitry Torokhov <dtor@mail.ru>
linux-3.10\drivers\input\tablet\acecad.c(2): *Copyright (c) 2001-2005 Edouard TISSERANT <edouard.tisserant@wanadoo.fr>
linux-3.10\drivers\input\tablet\acecad.c(3): *Copyright (c) 2004-2005 Stephane VOLTZ<svoltz@numericable.fr>
linux-3.10\drivers\input\tablet\aiptek.c(5): *Copyright (c) 2001Chris Atenasio <chris@crud.net>
linux-3.10\drivers\input\tablet\aiptek.c(6): *Copyright (c) 2002-2004 Bryan W. Headley <bwheadley@earthlink.net>
linux-3.10\drivers\input\tablet\gtco.c(7):Copyright (C) 2006GTCO CalComp
linux-3.10\drivers\input\tablet\hanwang.c(4): *Copyright (c) 2010 Xing Wei <weixing@hanwang.com.cn>
linux-3.10\drivers\input\tablet\wacom.h(10): *Copyright (c) 2000 James E. Blair<corvus@gnu.org>
linux-3.10\drivers\input\tablet\wacom.h(11): *Copyright (c) 2000 Daniel Egger<egger@suse.de>
linux-3.10\drivers\input\tablet\wacom.h(12): *Copyright (c) 2001 Frederic Lepied<flepiet@mandrakesoft.com>
linux-3.10\drivers\input\tablet\wacom.h(13): *Copyright (c) 2004 Panagiotis Issaris<panagiotis.issaris@mech.kuleuven.ac.be>
linux-3.10\drivers\input\tablet\wacom.h(14): *Copyright (c) 2002-2011 Ping Cheng<pingc@wacom.com>
linux-3.10\drivers\input\tablet\wacom.h(6): *Copyright (c) 2000-2004 Vojtech Pavlik<vojtech@ucw.cz>

legal(ME)

linux-3.10\drivers\input\tablet\wacom.h(7): *Copyright (c) 2000 Andreas Bach
Aaen<abach@stofanet.dk>
linux-3.10\drivers\input\tablet\wacom.h(8): *Copyright (c) 2000 Clifford
Wolf<clifford@clifford.at>
linux-3.10\drivers\input\tablet\wacom.h(9): *Copyright (c) 2000 Sam
Mosel<sam.mosel@computer.org>
linux-3.10\drivers\input\touchscreen\88pm860x-ts.c(4): * Copyright (C) 2009
Marvell International Ltd.
linux-3.10\drivers\input\touchscreen\ad7877.c(2): * Copyright (C) 2006-2008
Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\touchscreen\ad7877.c(25): * Copyright (c) 2005 David
Brownell
linux-3.10\drivers\input\touchscreen\ad7877.c(26): * Copyright (c) 2006 Nokia
Corporation
linux-3.10\drivers\input\touchscreen\ad7877.c(31): *Copyright (C) 2004-2005
Richard Purdie
linux-3.10\drivers\input\touchscreen\ad7877.c(33): *Copyright (C) 2002 MontaVista
Software
linux-3.10\drivers\input\touchscreen\ad7877.c(34): *Copyright (C) 2004 Texas
Instruments
linux-3.10\drivers\input\touchscreen\ad7877.c(35): *Copyright (C) 2005 Dirk Behme
linux-3.10\drivers\input\touchscreen\ad7879.c(10): * Copyright (c) 2006 Nokia
Corporation
linux-3.10\drivers\input\touchscreen\ad7879.c(15): *Copyright (C) 2004-2005
Richard Purdie
linux-3.10\drivers\input\touchscreen\ad7879.c(17): *Copyright (C) 2002 MontaVista
Software
linux-3.10\drivers\input\touchscreen\ad7879.c(18): *Copyright (C) 2004 Texas
Instruments
linux-3.10\drivers\input\touchscreen\ad7879.c(19): *Copyright (C) 2005 Dirk Behme
linux-3.10\drivers\input\touchscreen\ad7879.c(21): *Copyright (C) 2006-2008
Analog Devices Inc.
linux-3.10\drivers\input\touchscreen\ad7879.c(4): * Copyright (C) 2008-2010
Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\touchscreen\ad7879.c(9): * Copyright (c) 2005 David
Brownell
linux-3.10\drivers\input\touchscreen\ad7879.h(4): * Copyright (C) 2008-2010
Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\touchscreen\ad7879-i2c.c(4): * Copyright (C) 2008-2010
Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\touchscreen\ad7879-spi.c(4): * Copyright (C) 2008-2010
Michael Hennerich, Analog Devices Inc.
linux-3.10\drivers\input\touchscreen\ads7846.c(10): *Copyright (C) 2004-2005
Richard Purdie
linux-3.10\drivers\input\touchscreen\ads7846.c(12): *Copyright (C) 2002
MontaVista Software
linux-3.10\drivers\input\touchscreen\ads7846.c(13): *Copyright (C) 2004 Texas
Instruments
linux-3.10\drivers\input\touchscreen\ads7846.c(14): *Copyright (C) 2005 Dirk
Behme
linux-3.10\drivers\input\touchscreen\ads7846.c(4): * Copyright (c) 2005 David
Brownell

legal(ME)

linux-3.10\drivers\input\touchscreen\ads7846.c(5): * Copyright (c) 2006 Nokia Corporation
linux-3.10\drivers\input\touchscreen\atmel_mxt_ts.c(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd
linux-3.10\drivers\input\touchscreen\atmel_tsadcc.c(4): *Copyright (c) 2008 ATMEL
linux-3.10\drivers\input\touchscreen\atmel_tsadcc.c(5): *Copyright (c) 2008 Dan Liang
linux-3.10\drivers\input\touchscreen\atmel_tsadcc.c(6): *Copyright (c) 2008 TimeSys Corporation
linux-3.10\drivers\input\touchscreen\atmel_tsadcc.c(7): *Copyright (c) 2008 Justin Waters
linux-3.10\drivers\input\touchscreen\atmel-wm97xx.c(5): * Copyright (C) 2008 - 2009 Atmel Corporation
linux-3.10\drivers\input\touchscreen\auo-pixcir-ts.c(4): * Copyright (c) 2011 Heiko Stuebner <heiko@sntech.de>
linux-3.10\drivers\input\touchscreen\auo-pixcir-ts.c(8): * Copyright (c) 2008 QUALCOMM Incorporated.
linux-3.10\drivers\input\touchscreen\auo-pixcir-ts.c(9): * Copyright (c) 2008 QUALCOMM USA, INC.
linux-3.10\drivers\input\touchscreen\bu21013_ts.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\input\touchscreen\cy8ctmg110_ts.c(4): * Copyright (c) 2009 Aava Mobile
linux-3.10\drivers\input\touchscreen\cyttsp_core.c(10): * Copyright (C) 2012 Javier Martinez Canillas <javier@dowhile0.org>
linux-3.10\drivers\input\touchscreen\cyttsp_core.c(9): * Copyright (C) 2009, 2010, 2011 Cypress Semiconductor, Inc.
linux-3.10\drivers\input\touchscreen\cyttsp_core.h(10): * Copyright (C) 2012 Javier Martinez Canillas <javier@dowhile0.org>
linux-3.10\drivers\input\touchscreen\cyttsp_core.h(9): * Copyright (C) 2009, 2010, 2011 Cypress Semiconductor, Inc.
linux-3.10\drivers\input\touchscreen\cyttsp_i2c.c(10): * Copyright (C) 2012 Javier Martinez Canillas <javier@dowhile0.org>
linux-3.10\drivers\input\touchscreen\cyttsp_i2c.c(9): * Copyright (C) 2009, 2010, 2011 Cypress Semiconductor, Inc.
linux-3.10\drivers\input\touchscreen\cyttsp_spi.c(10): * Copyright (C) 2012 Javier Martinez Canillas <javier@dowhile0.org>
linux-3.10\drivers\input\touchscreen\cyttsp_spi.c(9): * Copyright (C) 2009, 2010, 2011 Cypress Semiconductor, Inc.
linux-3.10\drivers\input\touchscreen\da9034-ts.c(4): * Copyright (C) 2006-2008 Marvell International Ltd.
linux-3.10\drivers\input\touchscreen\da9052_tsi.c(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\drivers\input\touchscreen\dynapro.c(4): * Copyright (c) 2009 Tias Guns
linux-3.10\drivers\input\touchscreen\edt-ft5x06.c(2): * Copyright (C) 2012 Simon Budig, <simon.budig@kernelconcepts.de>
linux-3.10\drivers\input\touchscreen\eeti_ts.c(10): * Copyright (c) 2007 Ujjwal Pande <ujjwal@kenati.com>
linux-3.10\drivers\input\touchscreen\eeti_ts.c(3): * Copyright (c) 2009 Daniel Mack <daniel@caiaq.de>
linux-3.10\drivers\input\touchscreen\eeti_ts.c(9): * Copyright (c) 2008 Magnus Damm

legal(ME)

linux-3.10\drivers\input\touchscreen\egalax_ts.c(4): * Copyright (C) 2011
Freescale Semiconductor, Inc.
linux-3.10\drivers\input\touchscreen\elo.c(4): * Copyright (c) 2004 Vojtech
Pavlik
linux-3.10\drivers\input\touchscreen\fujitsu_ts.c(4): * Copyright (c) Dmitry
Torokhov <dtor@mail.ru>
linux-3.10\drivers\input\touchscreen\gunze.c(2): *Copyright (c) 2000-2001 Vojtech
Pavlik
linux-3.10\drivers\input\touchscreen\hampshire.c(4): * Copyright (c) 2010 Adam
Bennett
linux-3.10\drivers\input\touchscreen\htcpen.c(4): * Copyright (C) 2008 Pau Oliva
Fora <pof@eslack.org>
linux-3.10\drivers\input\touchscreen\inexio.c(4): * Copyright (c) 2008 Richard
Lemon
linux-3.10\drivers\input\touchscreen\intel-mid-touch.c(4): * Copyright (C) 2008
Intel Corp
linux-3.10\drivers\input\touchscreen\jornada720_ts.c(4): * Copyright (C) 2007
Kristoffer Ericson <Kristoffer.Ericson@gmail.com>
linux-3.10\drivers\input\touchscreen\jornada720_ts.c(6): *Copyright (C) 2006
Filip Zyzniewski <filip.zyzniewski@tefnet.pl>
linux-3.10\drivers\input\touchscreen\lpc32xx_ts.c(4): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\drivers\input\touchscreen\mainstone-wm97xx.c(5): * Copyright 2004,
2007 Wolfson Microelectronics PLC.
linux-3.10\drivers\input\touchscreen\mainstone-wm97xx.c(7): * Parts Copyright :
Ian Molton <spyro@f2s.com>
linux-3.10\drivers\input\touchscreen\max11801_ts.c(5): * Copyright (C) 2011
Freescale Semiconductor, Inc.
linux-3.10\drivers\input\touchscreen\mc13783_ts.c(4): * Copyright 2004-2007
Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\input\touchscreen\mc13783_ts.c(5): * Copyright (C) 2009 Sascha
Hauer, Pengutronix
linux-3.10\drivers\input\touchscreen\mcs5000_ts.c(4): * Copyright (C) 2009
Samsung Electronics Co.Ltd
linux-3.10\drivers\input\touchscreen\migor_ts.c(4): * Copyright (c) 2008 Magnus
Damm
linux-3.10\drivers\input\touchscreen\migor_ts.c(5): * Copyright (c) 2007 Ujjwal
Pande <ujjwal@kenati.com>,
linux-3.10\drivers\input\touchscreen\mk712.c(4): * Copyright (c) 1999-2002
Transmeta Corporation
linux-3.10\drivers\input\touchscreen\mk712.c(5): * Copyright (c) 2005 Rick Koch
<n1gp@hotmail.com>
linux-3.10\drivers\input\touchscreen\mk712.c(6): * Copyright (c) 2005 Vojtech
Pavlik <vojtech@suse.cz>
linux-3.10\drivers\input\touchscreen\mms114.c(2): * Copyright (C) 2012 Samsung
Electronics Co.Ltd
linux-3.10\drivers\input\touchscreen\mtouch.c(4): * Copyright (c) 2004 Vojtech
Pavlik
linux-3.10\drivers\input\touchscreen\pcap_ts.c(4): *Copyright (C) 2006 Harald
Welte <laforge@openezx.org>
linux-3.10\drivers\input\touchscreen\pcap_ts.c(5): *Copyright (C) 2009 Daniel
Ribeiro <drwyr@gmail.com>

legal(ME)

linux-3.10\drivers\input\touchscreen\penmount.c(4): * Copyright (c) 2006 Rick Koch <n1gp@hotmail.com>
linux-3.10\drivers\input\touchscreen\penmount.c(5): * Copyright (c) 2011 John Sung <penmount.touch@gmail.com>
linux-3.10\drivers\input\touchscreen\penmount.c(8): * Copyright (c) 2004 Vojtech Pavlik
linux-3.10\drivers\input\touchscreen\pixcir_i2c_ts.c(4): * Copyright (C) 2010-2011 Pixcir, Inc.
linux-3.10\drivers\input\touchscreen\s3c2410_ts.c(18): * Copyright 2004 Arnaud Patard <arnaud.patard@rtp-net.org>
linux-3.10\drivers\input\touchscreen\s3c2410_ts.c(19): * Copyright 2008 Ben Dooks <ben-linux@fluff.org>
linux-3.10\drivers\input\touchscreen\s3c2410_ts.c(20): * Copyright 2009 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\drivers\input\touchscreen\st1232.c(4): * Copyright (C) 2010 Renesas Solutions Corp.
linux-3.10\drivers\input\touchscreen\st1232.c(9): *Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\input\touchscreen\ti_am335x_tsc.c(4): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\input\touchscreen\tnetv107x-ts.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\input\touchscreen\touchit213.c(4): * Copyright (c) 2007-2008 Claudio Nieder <private@claudio.ch>
linux-3.10\drivers\input\touchscreen\touchit213.c(7): * Copyright (c) 2006 Rick Koch <n1gp@hotmail.com>
linux-3.10\drivers\input\touchscreen\touchit213.c(8): * Copyright (c) 2004 Vojtech Pavlik
linux-3.10\drivers\input\touchscreen\touchright.c(4): * Copyright (c) 2006 Rick Koch <n1gp@hotmail.com>
linux-3.10\drivers\input\touchscreen\touchright.c(7): * Copyright (c) 2004 Vojtech Pavlik
linux-3.10\drivers\input\touchscreen\touchwin.c(4): * Copyright (c) 2006 Rick Koch <n1gp@hotmail.com>
linux-3.10\drivers\input\touchscreen\touchwin.c(7): * Copyright (c) 2004 Vojtech Pavlik
linux-3.10\drivers\input\touchscreen\tps6507x-ts.c(4): * Copyright (c) 2009 RidgeRun (todd.fischer@ridgerun.com)
linux-3.10\drivers\input\touchscreen\tsc2005.c(4): * Copyright (C) 2006-2010 Nokia Corporation
linux-3.10\drivers\input\touchscreen\tsc2007.c(10): *Copyright (c) 2006 Nokia Corporation
linux-3.10\drivers\input\touchscreen\tsc2007.c(12): *Copyright (C) 2004-2005 Richard Purdie
linux-3.10\drivers\input\touchscreen\tsc2007.c(14): *Copyright (C) 2002 MontaVista Software
linux-3.10\drivers\input\touchscreen\tsc2007.c(15): *Copyright (C) 2004 Texas Instruments
linux-3.10\drivers\input\touchscreen\tsc2007.c(16): *Copyright (C) 2005 Dirk Behme
linux-3.10\drivers\input\touchscreen\tsc2007.c(4): * Copyright (c) 2008 MtekVision Co., Ltd.

legal(ME)

linux-3.10\drivers\input\touchscreen\tsc2007.c(9): *Copyright (c) 2005 David Brownell
linux-3.10\drivers\input\touchscreen\ucb1400_ts.c(16): * This code is heavily based on ucb1x00-*.c copyrighted by Russell King
linux-3.10\drivers\input\touchscreen\ucb1400_ts.c(6): *Copyright:MontaVista Software, Inc.
linux-3.10\drivers\input\touchscreen\usbtouchscreen.c(22): * Copyright (C) 2004-2007 by Daniel Ritz <daniel.ritz@gmx.ch>
linux-3.10\drivers\input\touchscreen\usbtouchscreen.c(23): * Copyright (C) by Todd E. Johnson (mtouchusb.c)
linux-3.10\drivers\input\touchscreen\w90p910_ts.c(2): * Copyright (c) 2008 Nuvoton technology corporation.
linux-3.10\drivers\input\touchscreen\wacom_i2c.c(4): * Copyright (c) 2011 Tatsunosuke Tobita, Wacom.
linux-3.10\drivers\input\touchscreen\wacom_w8001.c(4): * Copyright (c) 2008 Jaya Kumar
linux-3.10\drivers\input\touchscreen\wacom_w8001.c(5): * Copyright (c) 2010 Red Hat, Inc.
linux-3.10\drivers\input\touchscreen\wacom_w8001.c(6): * Copyright (c) 2010 - 2011 Ping Cheng, Wacom. <pingc@wacom.com>
linux-3.10\drivers\input\touchscreen\wm831x-ts.c(4): * Copyright 2011 Wolfson Microelectronics plc.
linux-3.10\drivers\input\touchscreen\wm9705.c(4): * Copyright 2003, 2004, 2005, 2006, 2007 Wolfson Microelectronics PLC.
linux-3.10\drivers\input\touchscreen\wm9705.c(6): * Parts Copyright : Ian Molton <spyro@f2s.com>
linux-3.10\drivers\input\touchscreen\wm9712.c(4): * Copyright 2003, 2004, 2005, 2006, 2007 Wolfson Microelectronics PLC.
linux-3.10\drivers\input\touchscreen\wm9712.c(6): * Parts Copyright : Ian Molton <spyro@f2s.com>
linux-3.10\drivers\input\touchscreen\wm9713.c(4): * Copyright 2003, 2004, 2005, 2006, 2007, 2008 Wolfson Microelectronics PLC.
linux-3.10\drivers\input\touchscreen\wm9713.c(6): * Parts Copyright : Ian Molton <spyro@f2s.com>
linux-3.10\drivers\input\touchscreen\wm97xx-core.c(5): * Copyright 2003, 2004, 2005, 2006, 2007, 2008 Wolfson Microelectronics PLC.
linux-3.10\drivers\input\touchscreen\wm97xx-core.c(7): * Parts Copyright : Ian Molton <spyro@f2s.com>
linux-3.10\drivers\input\touchscreen\zylonite-wm97xx.c(4): * Copyright 2004, 2007, 2008 Wolfson Microelectronics PLC.
linux-3.10\drivers\input\touchscreen\zylonite-wm97xx.c(6): * Parts Copyright : Ian Molton <spyro@f2s.com>
linux-3.10\drivers\iommu\amd_iommu.c(2): * Copyright (C) 2007-2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\iommu\amd_iommu_init.c(2): * Copyright (C) 2007-2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\iommu\amd_iommu_proto.h(2): * Copyright (C) 2009-2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\iommu\amd_iommu_types.h(2): * Copyright (C) 2007-2010 Advanced Micro Devices, Inc.
linux-3.10\drivers\iommu\amd_iommu_v2.c(2): * Copyright (C) 2010-2012 Advanced Micro Devices, Inc.

legal(ME)

linux-3.10\drivers\iommu\dmr.c(17): * Copyright (C) 2006-2008 Intel Corporation
linux-3.10\drivers\iommu\dmr.c(2): * Copyright (c) 2006, Intel Corporation.
linux-3.10\drivers\iommu\exynos-iommu.c(3): * Copyright (c) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\iommu\intel-iommu.c(17): * Copyright (C) 2006-2008 Intel
Corporation
linux-3.10\drivers\iommu\intel-iommu.c(2): * Copyright (c) 2006, Intel
Corporation.
linux-3.10\drivers\iommu\iommu.c(2): * Copyright (C) 2007-2008 Advanced Micro
Devices, Inc.
linux-3.10\drivers\iommu\iova.c(2): * Copyright 2006-2009, Intel Corporation.
linux-3.10\drivers\iommu\irq_remapping.h(2): * Copyright (C) 2012 Advanced Micro
Devices, Inc.
linux-3.10\drivers\iommu\msm_iommu.c(1):/* Copyright (c) 2010-2011, Code Aurora
Forum. All rights reserved.
linux-3.10\drivers\iommu\msm_iommu_dev.c(1):/* Copyright (c) 2010-2011, Code
Aurora Forum. All rights reserved.
linux-3.10\drivers\iommu\of_iommu.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\iommu\omap-iommu.c(4): * Copyright (C) 2008-2010 Nokia
Corporation
linux-3.10\drivers\iommu\omap-iommu.h(4): * Copyright (C) 2008-2009 Nokia
Corporation
linux-3.10\drivers\iommu\omap-iommu2.c(4): * Copyright (C) 2008-2009 Nokia
Corporation
linux-3.10\drivers\iommu\omap-iommu-debug.c(4): * Copyright (C) 2008-2009 Nokia
Corporation
linux-3.10\drivers\iommu\omap-iopgtable.h(4): * Copyright (C) 2008-2010 Nokia
Corporation
linux-3.10\drivers\iommu\omap-iovmm.c(4): * Copyright (C) 2008-2009 Nokia
Corporation
linux-3.10\drivers\iommu\pci.h(15): * Copyright (C) 2013 Red Hat, Inc.
linux-3.10\drivers\iommu\pci.h(16): * Copyright (C) 2013 Freescale Semiconductor,
Inc.
linux-3.10\drivers\iommu\shmobile-iommu.c(3): * Copyright (C) 2012Hideki EIRAKU
linux-3.10\drivers\iommu\shmobile-ipmmu.c(3): * Copyright (C) 2012Hideki EIRAKU
linux-3.10\drivers\iommu\shmobile-ipmmu.h(3): * Copyright (C) 2012Hideki EIRAKU
linux-3.10\drivers\iommu\tegra-gart.c(4): * Copyright (c) 2010-2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\iommu\tegra-smmu.c(4): * Copyright (c) 2011-2013, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\ipack\carriers\tpci200.c(6): * Copyright (C) 2009-2012 CERN
(www.cern.ch)
linux-3.10\drivers\ipack\carriers\tpci200.h(6): * Copyright (C) 2009-2012 CERN
(www.cern.ch)
linux-3.10\drivers\ipack\devices\ipoctal.c(6): * Copyright (C) 2009-2012 CERN
(www.cern.ch)
linux-3.10\drivers\ipack\devices\ipoctal.h(6): * Copyright (C) 2009-2012 CERN
(www.cern.ch)
linux-3.10\drivers\ipack\devices\scc2698.h(6): * Copyright (C) 2009-2012 CERN
(www.cern.ch)
linux-3.10\drivers\ipack\ipack.c(4): * Copyright (C) 2011-2012 CERN (www.cern.ch)

legal(ME)

linux-3.10\drivers\irqchip\exynos-combiner.c(2): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\irqchip\irq-armada-370-xp.c(4): * Copyright (C) 2012 Marvell
linux-3.10\drivers\irqchip\irq-bcm2835.c(2): * Copyright 2010 Broadcom
linux-3.10\drivers\irqchip\irq-bcm2835.c(3): * Copyright 2012 Simon Arlott, Chris Boot, Stephen Warren
linux-3.10\drivers\irqchip\irqchip.c(2): * Copyright (C) 2012 Thomas Petazzoni
linux-3.10\drivers\irqchip\irqchip.h(2): * Copyright (C) 2012 Thomas Petazzoni
linux-3.10\drivers\irqchip\irq-gic.c(4): *Copyright (C) 2002 ARM Limited, All Rights Reserved.
linux-3.10\drivers\irqchip\irq-metag.c(4): * Copyright (C) 2011-2012 Imagination Technologies Ltd.
linux-3.10\drivers\irqchip\irq-metag-ext.c(4): * Copyright (C) 2005-2012 Imagination Technologies Ltd.
linux-3.10\drivers\irqchip\irq-mxs.c(2): * Copyright (C) 2009-2010 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\irqchip\irq-renesas-intc-irqpin.c(4): *Copyright (C) 2013 Magnus Damm
linux-3.10\drivers\irqchip\irq-renesas-irqc.c(4): *Copyright (C) 2013 Magnus Damm
linux-3.10\drivers\irqchip\irq-s3c24xx.c(4): * Copyright (c) 2003-2004 Simtec Electronics
linux-3.10\drivers\irqchip\irq-s3c24xx.c(6): * Copyright (c) 2012 Heiko Stuebner <heiko@sntech.de>
linux-3.10\drivers\irqchip\irq-sirfsoc.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\drivers\irqchip\irq-sun4i.c(4): * Copyright (C) 2012 Maxime Ripard
linux-3.10\drivers\irqchip\irq-vic.c(4): *Copyright (C) 1999 - 2003 ARM Limited
linux-3.10\drivers\irqchip\irq-vic.c(5): *Copyright (C) 2000 Deep Blue Solutions Ltd
linux-3.10\drivers\irqchip\irq-vt8500.c(4): *Copyright (C) 2012 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\drivers\irqchip\irq-vt8500.c(5): *Copyright (C) 2010 Alexey Charkov <alchark@gmail.com>
linux-3.10\drivers\irqchip\spear-shirq.c(4): * Copyright (C) 2009-2012 ST Microelectronics
linux-3.10\drivers\irqchip\spear-shirq.c(7): * Copyright (C) 2012 ST Microelectronics
linux-3.10\drivers\isdn\act2000\act2000.h(6): * Copyrightby Fritz Elfert<fritz@isdn4linux.de>
linux-3.10\drivers\isdn\act2000\act2000_isa.c(6): * Copyrightby Fritz Elfert<fritz@isdn4linux.de>
linux-3.10\drivers\isdn\act2000\act2000_isa.h(6): * Copyrightby Fritz Elfert<fritz@isdn4linux.de>
linux-3.10\drivers\isdn\act2000\capi.c(7): * Copyrightby Fritz Elfert<fritz@isdn4linux.de>
linux-3.10\drivers\isdn\act2000\capi.h(6): * Copyrightby Fritz Elfert<fritz@isdn4linux.de>
linux-3.10\drivers\isdn\act2000\module.c(6): * Copyrightby Fritz Elfert<fritz@isdn4linux.de>
linux-3.10\drivers\isdn\capi\capi.c(5): * Copyright 1996 by Carsten Paeth <calle@calle.de>
linux-3.10\drivers\isdn\capi\capidrv.c(5): * Copyright 1997 by Carsten Paeth

legal(ME)

<calle@calle.de>
linux-3.10\drivers\isdn\capi\capidrv.h(5): * Copyright 1997 by Carsten Paeth
<calle@calle.de>
linux-3.10\drivers\isdn\capi\kcapi.c(5): * Copyright 1999 by Carsten Paeth
<calle@calle.de>
linux-3.10\drivers\isdn\capi\kcapi.c(6): * Copyright 2002 by Kai Gernaschewski
<kai@germaschewski.name>
linux-3.10\drivers\isdn\capi\kcapi.h(4): * Copyright 1999 by Carsten Paeth
<calle@calle.de>
linux-3.10\drivers\isdn\capi\kcapi.h(5): * Copyright 2002 by Kai Gernaschewski
<kai@germaschewski.name>
linux-3.10\drivers\isdn\capi\kcapi_proc.c(4): * Copyright 1999 by Carsten Paeth
<calle@calle.de>
linux-3.10\drivers\isdn\capi\kcapi_proc.c(5): * Copyright 2002 by Kai
Gernaschewski <kai@germaschewski.name>
linux-3.10\drivers\isdn\divert\divert_init.c(5): * Copyright 1999 by Werner
Cornelius (werner@isdn4linux.de)
linux-3.10\drivers\isdn\divert\divert_procfs.c(5): * Copyright 1998 by Werner
Cornelius (werner@isdn4linux.de)
linux-3.10\drivers\isdn\divert\isdn_divert.c(5): * Copyright 1999 by Werner
Cornelius (werner@isdn4linux.de)
linux-3.10\drivers\isdn\divert\isdn_divert.h(5): * Copyright 1998 by Werner
Cornelius (werner@ikt.de)
linux-3.10\drivers\isdn\gigaset\asynccdata.c(4): * Copyright (c) 2005 by Tilman
Schmidt <tilman@imap.cc>,
linux-3.10\drivers\isdn\gigaset\bas-gigaset.c(4): * Copyright (c) 2001 by
Hansjoerg Lipp <hjlipp@web.de>,
linux-3.10\drivers\isdn\gigaset\capi.c(4): * Copyright (c) 2009 by Tilman Schmidt
<tilman@imap.cc>.
linux-3.10\drivers\isdn\gigaset\common.c(4): * Copyright (c) 2001 by Stefan
Eilers,
linux-3.10\drivers\isdn\gigaset\dummyll.c(4): * Copyright (c) 2009 by Tilman
Schmidt <tilman@imap.cc>.
linux-3.10\drivers\isdn\gigaset\ev-layer.c(4): * Copyright (c) 2001 by Stefan
Eilers,
linux-3.10\drivers\isdn\gigaset\i4l.c(4): * Copyright (c) 2001 by Stefan Eilers,
linux-3.10\drivers\isdn\gigaset\interface.c(4): * Copyright (c) 2004 by Hansjoerg
Lipp <hjlipp@web.de>
linux-3.10\drivers\isdn\gigaset\isocdata.c(4): * Copyright (c) 2005 by Tilman
Schmidt <tilman@imap.cc>,
linux-3.10\drivers\isdn\gigaset\proc.c(4): * Copyright (c) 2001 by Stefan Eilers,
linux-3.10\drivers\isdn\gigaset\usb-gigaset.c(4): * Copyright (c) 2001 by Stefan
Eilers
linux-3.10\drivers\isdn\hardware\avm\avm_cs.c(5): * Copyright 1999 by Carsten
Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\avmcard.h(3): * Copyright 1999 by Carsten
Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\b1.c(5): * Copyright 1999 by Carsten Paeth
<calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\b1dma.c(5): * Copyright 2000 by Carsten
Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\b1isa.c(5): * Copyright 1999 by Carsten

legal(ME)

Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\b1pci.c(5): * Copyright 1999 by Carsten Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\b1pcmcia.c(5): * Copyright 1999 by Carsten Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\c4.c(5): * Copyright 1999 by Carsten Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\t1lisa.c(5): * Copyright 1999 by Carsten Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\avm\t1pci.c(5): * Copyright 1999 by Carsten Paeth <calle@calle.de>
linux-3.10\drivers\isdn\hardware\eicon\capi20.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\capidtmf.c(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\capidtmf.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\capifunc.c(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\capifunc.c(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\capifunc.h(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\capifunc.h(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\capimain.c(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\capimain.c(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\cardtype.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\cp_vers.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\dadapter.c(3): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\dadapter.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\debug_if.h(3): Copyright (c) Eicon Technology Corporation, 2000.
linux-3.10\drivers\isdn\hardware\eicon\debuglib.c(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\debuglib.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\dfifo.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\di.c(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\di.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\di_dbg.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\di_defs.h(4): Copyright (c) Eicon

legal(ME)

Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\did_vers.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\diddfunc.c(7): * Copyright 2002-2003 by Armin Schindler (mac@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\diddfunc.c(8): * Copyright 2002-2003 Cytronics & Melware (info@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\diva_didd.c(7): * Copyright 2002-2003 by Armin Schindler (mac@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\diva_didd.c(8): * Copyright 2002-2003 Cytronics & Melware (info@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\diva_dma.c(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\diva_dma.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\divacapi.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\divamnt.c(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divamnt.c(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasfunc.c(5): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasfunc.c(6): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasi.c(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasi.c(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasmain.c(5): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasmain.c(6): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasproc.c(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasproc.c(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\divasync.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\dqueue.c(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\dqueue.c(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)

linux-3.10\drivers\isdn\hardware\eicon\dsp_defs.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\dspdids.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\dsrv_bri.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\dsrv_pri.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\dsrv4bri.h(4): Copyright (c) Eicon

legal(ME)

Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\helpers.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\idifunc.c(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\idifunc.c(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\io.c(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\io.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\istream.c(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\kst_ifc.h(3): Copyright (c) Eicon Networks, 2000.
linux-3.10\drivers\isdn\hardware\eicon\maintidi.c(3): Copyright (c) Eicon Networks, 2000.
linux-3.10\drivers\isdn\hardware\eicon\maintidi.h(3): Copyright (c) Eicon Networks, 2000.
linux-3.10\drivers\isdn\hardware\eicon\man_defs.h(3): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\mdm_msg.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\message.c(3): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\mi_pc.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\mntfunc.c(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\mntfunc.c(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\os_capi.h(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\os_capi.h(7): * Copyright 2000-2003 Cytronics & Melware (info@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\pc.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\pc_init.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\pc_maint.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\pkmaint.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\platform.h(6): * Copyright 2000-2003 by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\hardware\eicon\platform.h(7): * Copyright 2000 Eicon Networks
linux-3.10\drivers\isdn\hardware\eicon\pr_pc.h(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\s_4bri.c(4): Copyright (c) Eicon Networks, 2002.
linux-3.10\drivers\isdn\hardware\eicon\s_bri.c(4): Copyright (c) Eicon Networks,

legal(ME)

2002.

linux-3.10\drivers\isdn\hardware\eicon\s_pri.c(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\sdp_hdr.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\eicon\xdi_vers.h(4): Copyright (c) Eicon Networks, 2002.

linux-3.10\drivers\isdn\hardware\mISDN\avmfritz.c(7): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\hfc_pci.h(6): * Copyright 1999by Werner Cornelius (werner@isdn4linux.de)

linux-3.10\drivers\isdn\hardware\mISDN\hfcmulti.c(10): * Copyright 2008by Karsten Keil (kkeil@suse.de)

linux-3.10\drivers\isdn\hardware\mISDN\hfcmulti.c(11): * Copyright 2008by Andreas Eversberg (jolly@eversberg.eu)

linux-3.10\drivers\isdn\hardware\mISDN\hfcmulti.c(9): * Copyright 1999by Werner Cornelius (werner@isdn-development.de)

linux-3.10\drivers\isdn\hardware\mISDN\hfcpci.c(10): * Copyright 2008by Karsten Keil <kkeil@novell.com>

linux-3.10\drivers\isdn\hardware\mISDN\hfcpci.c(9): * Copyright 1999by Werner Cornelius (werner@isdn-development.de)

linux-3.10\drivers\isdn\hardware\mISDN\hfcsusb.c(4): * Copyright 2001 by Peter Sprenger (sprenger@moving-bytes.de)

linux-3.10\drivers\isdn\hardware\mISDN\hfcsusb.c(5): * Copyright 2008 by Martin Bachem (info@bachem-it.com)

linux-3.10\drivers\isdn\hardware\mISDN\iohelper.h(9): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\ipac.h(8): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\isar.h(7): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\mISDNinfineon.c(24): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\mISDNipac.c(6): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\mISDNisar.c(6): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\netjet.c(6): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\netjet.h(8): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\speedfax.c(8): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\w6692.c(7): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hardware\mISDN\w6692.h(7): * Copyright 2009by Karsten Keil <keil@isdn4linux.de>

linux-3.10\drivers\isdn\hisax\arcofi.c(6): * Copyrightby Karsten Keil<keil@isdn4linux.de>

linux-3.10\drivers\isdn\hisax\arcofi.h(6): * Copyrightby Karsten Keil<keil@isdn4linux.de>

linux-3.10\drivers\isdn\hisax\asuscom.c(6): * Copyrightby Karsten

legal(ME)

```
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\avm_a1.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\avm_a1p.c(9): * Copyrightby Carsten Paeth
<calle@calle.de>
linux-3.10\drivers\isdn\hisax\avm_pci.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\avma1_cs.c(5): * Copyright1998-2001 by Carsten
Paeth <calle@calle.in-berlin.de>
linux-3.10\drivers\isdn\hisax\bkm_a4t.c(6): * Copyrightby Roland Klabunde
<R.Klabunde@Berkom.de>
linux-3.10\drivers\isdn\hisax\bkm_a8.c(6): * Copyrightby Roland Klabunde
<R.Klabunde@Berkom.de>
linux-3.10\drivers\isdn\hisax\bkm_ax.h(6): * Copyrightby Roland Klabunde
<R.Klabunde@Berkom.de>
linux-3.10\drivers\isdn\hisax\callc.c(4): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\config.c(4): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\diva.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\elsa.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\elsa_cs.c(20):are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\isdn\hisax\elsa_cs.c(22):Modifications from dummy_cs.c are
Copyright (C) 1999-2001 Klaus
linux-3.10\drivers\isdn\hisax\fsm.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\fsm.h(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\gazel.c(7): * Copyrightby BeWan Systems
linux-3.10\drivers\isdn\hisax\hfc_2bds0.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hfc_2bds0.h(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hfc_2bs0.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hfc_2bs0.h(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hfc_pci.c(7): * Copyrightby Werner
Cornelius<werner@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hfc_pci.h(6): * Copyrightby Werner
Cornelius<werner@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hfc_sx.c(7): * Copyrightby Werner
Cornelius<werner@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hfc_sx.h(7): * Copyrightby Werner
Cornelius<werner@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hfcscard.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hisax_debug.h(5): * Copyright2001 by Frode
Isaksen<fisaksen@bewan.com>
```


legal(ME)

linux-3.10\drivers\isdn\hisax\hisax_fcpcipnp.c(5): * Copyright2001 by Kai
Germaschewski<kai.germaschewski@gmx.de>
linux-3.10\drivers\isdn\hisax\hisax_if.h(6): * Copyright2001 by Kai
Germaschewski<kai.germaschewski@gmx.de>
linux-3.10\drivers\isdn\hisax\hisax_isac.c(6): * Copyright2001 by Kai
Germaschewski<kai.germaschewski@gmx.de>
linux-3.10\drivers\isdn\hisax\hscx.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hscx.h(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\hscx_irq.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\icc.c(6): * Copyrightby Traverse Technologies Pty
Ltd, www.travers.com.au
linux-3.10\drivers\isdn\hisax\icc.h(6): * Copyrightby Traverse Technologies Pty
Ltd, www.travers.com.au
linux-3.10\drivers\isdn\hisax\ipac.h(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\isac.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\isac.h(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\isar.h(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\isdn11.c(7): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\isdn12.c(5): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\isdn13.c(5): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\isurf.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\ix1_micro.c(7): * Copyrightby Klaus-Peter Nischke,
ITK AG
linux-3.10\drivers\isdn\hisax\jade.c(6): * Copyrightby Roland Klabunde
<R.Klabunde@Berkom.de>
linux-3.10\drivers\isdn\hisax\jade.h(6): * Copyrightby Roland Klabunde
<R.Klabunde@Berkom.de>
linux-3.10\drivers\isdn\hisax\jade_irq.c(6): * Copyrightby Roland Klabunde
<R.Klabunde@Berkom.de>
linux-3.10\drivers\isdn\hisax\l3_1tr6.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\l3dss1.c(9): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\l3ni1.c(6): * Copyrightby Traverse Technologies Pty
Ltd, www.travers.com.au
linux-3.10\drivers\isdn\hisax\l3ni1.h(6): * Copyrightby Traverse Technologies Pty
Ltd, www.travers.com.au
linux-3.10\drivers\isdn\hisax\lmgr.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\mic.c(6): * Copyrightby Stephan von Krawczynski
<skraw@ithnet.com>

legal(ME)

linux-3.10\drivers\isdn\hisax\netjet.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\netjet.h(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\niccy.c(7): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\q931.c(6): * Copyrightby Jan den Ouden
linux-3.10\drivers\isdn\hisax\s0box.c(6): * Copyrightby Enrik Berkhan
<enrik@starfleet.inka.de>
linux-3.10\drivers\isdn\hisax\saphir.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\sedlbauer.c(11): * Copyrightby Marcus
Niemann<niemann@www-bib.fh-bielefeld.de>
linux-3.10\drivers\isdn\hisax\sedlbauer_cs.c(20):are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\isdn\hisax\sedlbauer_cs.c(22):Modifications from dummy_cs.c
are Copyright (C) 1999-2001 Marcus Niemann
linux-3.10\drivers\isdn\hisax\sportster.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\st5481.h(5): * Copyright2001 by Frode
Isaksen<fisaksen@bewan.com>
linux-3.10\drivers\isdn\hisax\st5481_b.c(5): * Copyright2001 by Frode
Isaksen<fisaksen@bewan.com>
linux-3.10\drivers\isdn\hisax\st5481_d.c(5): * Copyright2001 by Frode
Isaksen<fisaksen@bewan.com>
linux-3.10\drivers\isdn\hisax\st5481_init.c(5): * Copyright2001 by Frode
Isaksen<fisaksen@bewan.com>
linux-3.10\drivers\isdn\hisax\st5481_usb.c(5): * Copyright2001 by Frode
Isaksen<fisaksen@bewan.com>
linux-3.10\drivers\isdn\hisax\tei.c(5): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\teleint.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\teles0.c(7): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\teles3.c(6): * Copyrightby Karsten
Keil<keil@isdn4linux.de>
linux-3.10\drivers\isdn\hisax\telespci.c(7): * Copyrightby Ton van Rosmalen
linux-3.10\drivers\isdn\hisax\w6692.c(6): * Copyrightby Petr
Novak<petr.novak@i.cz>
linux-3.10\drivers\isdn\hisax\w6692.h(6): * Copyrightby Petr
Novak<petr.novak@i.cz>
linux-3.10\drivers\isdn\hysdn\boardengo.c(6): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\boardengo.h(6): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\hycapi.c(6): * Copyright 2000 by Hypercope GmbH
linux-3.10\drivers\isdn\hysdn\hysdn_boot.c(7): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\hysdn_defs.h(7): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\hysdn_init.c(6): * Copyright 1999 by Werner

legal(ME)

Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\hysdn_net.c(6): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\hysdn_pof.h(6): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\hysdn_proconf.c(7): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\hysdn_proclog.c(6): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\hysdn_sched.c(7): * Copyright 1999 by Werner
Cornelius (werner@titro.de)
linux-3.10\drivers\isdn\hysdn\ince1pc.h(8): * Copyright 1999 by M. Steinkopf
linux-3.10\drivers\isdn\i4l\isdn_audio.c(5): * Copyright 1994-1999 by Fritz
Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\i4l\isdn_audio.h(5): * Copyright 1994-1999 by Fritz
Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\i4l\isdn_bsdcomp.c(10): * Update: The Berkeley copyright
was changed, and the change
linux-3.10\drivers\isdn\i4l\isdn_bsdcomp.c(13): * the same license). The new
copyright doesn't clash with the
linux-3.10\drivers\isdn\i4l\isdn_bsdcomp.c(18): * Original copyright notice:
linux-3.10\drivers\isdn\i4l\isdn_bsdcomp.c(20): * Copyright (c) 1985, 1986 The
Regents of the University of California.
linux-3.10\drivers\isdn\i4l\isdn_common.c(5): * Copyright 1994-1999 by Fritz
Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\i4l\isdn_common.c(6): * Copyright 1995,96 Thinking Objects
Software GmbH Wuerzburg
linux-3.10\drivers\isdn\i4l\isdn_common.c(7): * Copyright 1995,96 by Michael Hipp
(Michael.Hipp@student.uni-tuebingen.de)
linux-3.10\drivers\isdn\i4l\isdn_common.h(6): * Copyright 1994-1999 by Fritz
Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\i4l\isdn_common.h(7): * Copyright 1995,96 by Thinking
Objects Software GmbH Wuerzburg
linux-3.10\drivers\isdn\i4l\isdn_common.h(8): * Copyright 1995,96 by Michael Hipp
(Michael.Hipp@student.uni-tuebingen.de)
linux-3.10\drivers\isdn\i4l\isdn_net.c(5): * Copyright 1994-1998 by Fritz Elfert
(fritz@isdn4linux.de)
linux-3.10\drivers\isdn\i4l\isdn_net.c(6): * Copyright 1995,96 by Thinking Objects
Software GmbH Wuerzburg
linux-3.10\drivers\isdn\i4l\isdn_net.c(7): * Copyright 1995,96 by Michael Hipp
(Michael.Hipp@student.uni-tuebingen.de)
linux-3.10\drivers\isdn\i4l\isdn_net.h(5): * Copyright 1994-1999 by Fritz Elfert
(fritz@isdn4linux.de)
linux-3.10\drivers\isdn\i4l\isdn_net.h(6): * Copyright 1995,96 by Thinking Objects
Software GmbH Wuerzburg
linux-3.10\drivers\isdn\i4l\isdn_net.h(7): * Copyright 1995,96 by Michael Hipp
(Michael.Hipp@student.uni-tuebingen.de)
linux-3.10\drivers\isdn\i4l\isdn_ppp.c(5): * Copyright 1995,96 by Michael Hipp
(Michael.Hipp@student.uni-tuebingen.de)
linux-3.10\drivers\isdn\i4l\isdn_ppp.h(5): * Copyright 1995,96 by Michael Hipp
(Michael.Hipp@student.uni-tuebingen.de)
linux-3.10\drivers\isdn\i4l\isdn_tty.c(4): * Copyright 1994-1999 by Fritz Elfert

legal(ME)

(fritz@isdn4linux.de)
linux-3.10\drivers\isdn\i4l\isdn_tty.c(5): * Copyright 1995,96by Thinking Objects Software GmbH Wuerzburg
linux-3.10\drivers\isdn\i4l\isdn_tty.h(5): * Copyright 1994-1999by Fritz Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\i4l\isdn_tty.h(6): * Copyright 1995,96by Thinking Objects Software GmbH Wuerzburg
linux-3.10\drivers\isdn\i4l\isdn_ttyfax.c(5): * Copyright 1999by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\i4l\isdn_ttyfax.c(6): * Copyright 1999by Ralf Spachmann (mel@melware.de)
linux-3.10\drivers\isdn\i4l\isdn_ttyfax.c(7): * Copyright 1999by Cytronics & Melware
linux-3.10\drivers\isdn\i4l\isdn_ttyfax.h(5): * Copyright 1999 by Armin Schindler (mac@melware.de)
linux-3.10\drivers\isdn\i4l\isdn_ttyfax.h(6): * Copyright 1999 by Ralf Spachmann (mel@melware.de)
linux-3.10\drivers\isdn\i4l\isdn_ttyfax.h(7): * Copyright 1999 by Cytronics & Melware
linux-3.10\drivers\isdn\i4l\isdn_v110.c(5): * Copyright by Thomas Pfeiffer (pfeiffer@pds.de)
linux-3.10\drivers\isdn\i4l\isdn_v110.h(5): * Copyright by Thomas Pfeiffer (pfeiffer@pds.de)
linux-3.10\drivers\isdn\i4l\isdnhdlc.c(4): * Copyright (C)
linux-3.10\drivers\isdn\icn\icn.c(5): * Copyright 1994,95,96 by Fritz Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\icn\icn.h(5): * Copyright 1994 by Fritz Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\isdnloop\isdnloop.c(5): * Copyright 1997 by Fritz Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\isdnloop\isdnloop.h(5): * Copyright 1997 by Fritz Elfert (fritz@isdn4linux.de)
linux-3.10\drivers\isdn\mISDN\clock.c(2): * Copyright 2008by Andreas Eversberg <andreas@eversberg.eu>
linux-3.10\drivers\isdn\mISDN\core.c(2): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\core.h(2): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\dsp.h(4): * Copyright 2002/2003 by Andreas Eversberg (jolly@eversberg.eu)
linux-3.10\drivers\isdn\mISDN\dsp_audio.c(4): * Copyright 2002/2003 by Andreas Eversberg (jolly@eversberg.eu)
linux-3.10\drivers\isdn\mISDN\dsp_biquad.h(9): * Copyright (C) 2001 Steve Underwood
linux-3.10\drivers\isdn\mISDN\dsp_blowfish.c(4): * Copyright Andreas Eversberg (jolly@eversberg.eu)
linux-3.10\drivers\isdn\mISDN\dsp_cmx.c(4): * Copyright 2002 by Andreas Eversberg (jolly@eversberg.eu)
linux-3.10\drivers\isdn\mISDN\dsp_dtmf.c(4): * Copyrightby Andreas Eversberg (jolly@eversberg.eu)
linux-3.10\drivers\isdn\mISDN\dsp_ecdis.h(10): * Copyright (C) 2001 Steve Underwood

legal(ME)

linux-3.10\drivers\isdn\mISDN\dsp_hwec.c(5): * Copyright (C) 2007, Nadi Sarrar
linux-3.10\drivers\isdn\mISDN\dsp_pipeline.c(4): * Copyright (C) 2007, Nadi Sarrar
linux-3.10\drivers\isdn\mISDN\dsp_tones.c(4): * Copyright Andreas Eversberg (jolly@eversberg.eu)
linux-3.10\drivers\isdn\mISDN\fsm.c(8): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\fsm.h(7): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\hwchannel.c(5): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\layer1.c(5): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\layer1.h(5): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\layer2.c(5): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\layer2.h(4): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\socket.c(5): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\stack.c(5): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\tei.c(5): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\mISDN\timerdev.c(7): * Copyright 2008by Karsten Keil <kkeil@novell.com>
linux-3.10\drivers\isdn\pcbit\callbacks.c(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\callbacks.h(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\capi.c(5): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\capi.h(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\drv.c(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\edss1.c(5): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\edss1.h(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\layer2.c(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\layer2.h(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\module.c(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\pcbit\module.c(42): "Copyright (C) 1996 Universidade de Lisboa\n");
linux-3.10\drivers\isdn\pcbit\pcbit.h(4): * Copyright (C) 1996 Universidade de Lisboa
linux-3.10\drivers\isdn\sc\card.h(5): * Copyright (C) 1996SpellCaster

legal(ME)

Telecommunications Inc.
linux-3.10\drivers\isdn\sc\command.c(3): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\isdn\sc\event.c(3): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\isdn\sc\init.c(63):pr_info("Copyright (C) 1996 SpellCaster
Telecommunications Inc.\n");
linux-3.10\drivers\isdn\sc\interrupt.c(3): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\isdn\sc\ioctl.c(2): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\isdn\sc\message.c(5): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\isdn\sc\message.h(3): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\isdn\sc\packet.c(3): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\isdn\sc\shmem.c(3): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\isdn\sc\timer.c(3): * Copyright (C) 1996SpellCaster
Telecommunications Inc.
linux-3.10\drivers\leds\dell-led.c(4): * Copyright (C) 2010 Dell Inc.
linux-3.10\drivers\leds\led-class.c(4): * Copyright (C) 2005 John Lenz
<lenz@cs.wisc.edu>
linux-3.10\drivers\leds\led-class.c(5): * Copyright (C) 2005-2007 Richard Purdie
<rpurdie@openedhand.com>
linux-3.10\drivers\leds\led-core.c(4): * Copyright 2005-2006 Openedhand Ltd.
linux-3.10\drivers\leds\leds.h(4): * Copyright 2005 Openedhand Ltd.
linux-3.10\drivers\leds\leds-88pm860x.c(4): * Copyright (C) 2009 Marvell
International Ltd.
linux-3.10\drivers\leds\leds-adp5520.c(10): * Copyright (C) 2006-2008 Marvell
International Ltd.
linux-3.10\drivers\leds\leds-adp5520.c(4): * Copyright 2009 Analog Devices Inc.
linux-3.10\drivers\leds\leds-adp5520.c(7): * Copyright (C) 2008 Compulab, Ltd.
linux-3.10\drivers\leds\leds-asic3.c(2): *Copyright (C) 2011 Paul Parsons
<lost.distance@yahoo.com>
linux-3.10\drivers\leds\leds-bd2802.c(4): * Copyright (C) 2009 Samsung
Electronics
linux-3.10\drivers\leds\leds-cobalt-qube.c(2): * Copyright 2006 - Florian
Fainelli <florian@openwrt.org>
linux-3.10\drivers\leds\leds-cobalt-raq.c(4): *Copyright (C) 2007Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\drivers\leds\leds-da903x.c(4): * Copyright (C) 2008 Compulab, Ltd.
linux-3.10\drivers\leds\leds-da903x.c(7): * Copyright (C) 2006-2008 Marvell
International Ltd.
linux-3.10\drivers\leds\leds-da9052.c(4): * Copyright(c) 2012 Dialog
Semiconductor Ltd.
linux-3.10\drivers\leds\leds-dac124s085.c(2): * Copyright 2008
linux-3.10\drivers\leds\leds-fsg.c(4): * Copyright (c) 2008 Rod Whitby
<rod@whitby.id.au>
linux-3.10\drivers\leds\leds-fsg.c(9): * Copyright 2005-2006 Openedhand Ltd.
linux-3.10\drivers\leds\leds-gpio.c(4): * Copyright (C) 2007 8D Technologies inc.

legal(ME)

linux-3.10\drivers\leds\leds-gpio.c(6): * Copyright (C) 2008 Freescale Semiconductor, Inc.
linux-3.10\drivers\leds\leds-gpio-register.c(2): * Copyright (C) 2011 Pengutronix
linux-3.10\drivers\leds\leds-hp6xx.c(5): * Copyright 2008 Kristoffer Ericson <kristoffer.ericson@gmail.com>
linux-3.10\drivers\leds\leds-lm3530.c(2): * Copyright (C) 2011 ST-Ericsson SA.
linux-3.10\drivers\leds\leds-lm3530.c(3): * Copyright (C) 2009 Motorola, Inc.
linux-3.10\drivers\leds\leds-lm3533.c(4): * Copyright (C) 2011-2012 Texas Instruments
linux-3.10\drivers\leds\leds-lm355x.c(3): * Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\leds\leds-lm3642.c(3): * Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\leds\leds-locomo.c(4): * Copyright (C) 2005 John Lenz <lenz@cs.wisc.edu>
linux-3.10\drivers\leds\leds-lp3944.c(4): * Copyright (C) 2009 Antonio Ospite <ospite@studenti.unina.it>
linux-3.10\drivers\leds\leds-lp5521.c(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\drivers\leds\leds-lp5521.c(5): * Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\leds\leds-lp5523.c(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\drivers\leds\leds-lp5523.c(5): * Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\leds\leds-lp5562.c(4): * Copyright (C) 2013 Texas Instruments
linux-3.10\drivers\leds\leds-lp55xx-common.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\leds\leds-lp55xx-common.h(4): * Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\leds\leds-lp8788.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\leds\leds-lt3593.c(10): * Copyright (C) 2007 8D Technologies inc.
linux-3.10\drivers\leds\leds-lt3593.c(12): * Copyright (C) 2008 Freescale Semiconductor, Inc.
linux-3.10\drivers\leds\leds-lt3593.c(6): * Copyright (c) 2009 Daniel Mack <daniel@caiaq.de>
linux-3.10\drivers\leds\leds-max8997.c(4): * Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\leds\leds-mc13783.c(10): * Copyright (C) 2006-2008 Marvell International Ltd.
linux-3.10\drivers\leds\leds-mc13783.c(4): * Copyright (C) 2010 Philippe R777tornaz
linux-3.10\drivers\leds\leds-mc13783.c(7): * Copyright (C) 2008 Compulab, Ltd.
linux-3.10\drivers\leds\leds-net48xx.c(4): * Copyright (C) 2006 Chris Boot <bootc@bootc.net>
linux-3.10\drivers\leds\leds-netxbig.c(4): * Copyright (C) 2010 LaCie
linux-3.10\drivers\leds\leds-ns2.c(4): * Copyright (C) 2010 LaCie
linux-3.10\drivers\leds\leds-pca9532.c(4): * Copyright (C) 2011 Jan Weitzel
linux-3.10\drivers\leds\leds-pca9532.c(5): * Copyright (C) 2008 Riku Voipio
linux-3.10\drivers\leds\leds-pca955x.c(2): * Copyright 2007-2008 Extreme Engineering Solutions, Inc.
linux-3.10\drivers\leds\leds-pca9633.c(2): * Copyright 2011 bct electronic GmbH
linux-3.10\drivers\leds\leds-pwm.c(6): * Copyright 2009 Luotao Fu @ Pengutronix (l.fu@pengutronix.de)
linux-3.10\drivers\leds\leds-rb532.c(4): * Copyright (C) 2009 Phil Sutter <n0-1@freewrt.org>
linux-3.10\drivers\leds\leds-regulator.c(4): * Copyright (C) 2009 Antonio Ospite

legal(ME)

<ospite@studenti.unina.it>
linux-3.10\drivers\leds\leds-renesas-tpu.c(4): *Copyright (C) 2011 Magnus Damm
linux-3.10\drivers\leds\leds-ss4200.c(3): * Copyright (c) 2009, Intel Corporation.
linux-3.10\drivers\leds\leds-ss4200.c(4): * Copyright IBM Corporation, 2009
linux-3.10\drivers\leds\leds-sunfire.c(3): * Copyright (C) 2008 David S. Miller <davem@davemloft.net>
linux-3.10\drivers\leds\leds-wm831x-status.c(4): * Copyright(C) 2009 Wolfson Microelectronics PLC.
linux-3.10\drivers\leds\leds-wm8350.c(4): * Copyright(C) 2007, 2008 Wolfson Microelectronics PLC.
linux-3.10\drivers\leds\leds-wrap.c(4): * Copyright (C) 2006 Kristian Kielhofner <kris@krisk.org>
linux-3.10\drivers\leds\led-triggers.c(4): * Copyright 2005-2007 Openedhand Ltd.
linux-3.10\drivers\leds\trigger\ledtrig-backlight.c(4): * Copyright 2008 (C) Rodolfo Giometti <giometti@linux.it>
linux-3.10\drivers\leds\trigger\ledtrig-backlight.c(5): * Copyright 2008 (C) Eurotech S.p.A. <info@eurotech.it>
linux-3.10\drivers\leds\trigger\ledtrig-camera.c(6): * Copyright 2013 Texas Instruments
linux-3.10\drivers\leds\trigger\ledtrig-cpu.c(13): * Copyright 2011 Linus Walleij <linus.walleij@linaro.org>
linux-3.10\drivers\leds\trigger\ledtrig-cpu.c(14): * Copyright 2011 - 2012 Bryan Wu <bryan.wu@canonical.com>
linux-3.10\drivers\leds\trigger\ledtrig-default-on.c(4): * Copyright 2008 Nick Forbes <nick.forbes@incepta.com>
linux-3.10\drivers\leds\trigger\ledtrig-gpio.c(4): * Copyright 2009 Felipe Balbi <me@felipebalbi.com>
linux-3.10\drivers\leds\trigger\ledtrig-heartbeat.c(4): * Copyright (C) 2006 Atsushi Nemoto <anemo@mba.ocn.ne.jp>
linux-3.10\drivers\leds\trigger\ledtrig-ide-disk.c(4): * Copyright 2006 Openedhand Ltd.
linux-3.10\drivers\leds\trigger\ledtrig-oneshot.c(4): * Copyright 2012, Fabio Baltieri <fabio.baltieri@gmail.com>
linux-3.10\drivers\leds\trigger\ledtrig-timer.c(4): * Copyright 2005-2006 Openedhand Ltd.
linux-3.10\drivers\leds\trigger\ledtrig-transient.c(4): * Copyright (C) 2012 Shuah Khan <shuahkhan@gmail.com>
linux-3.10\drivers\lguest\hypercalls.c(9):/*Copyright (C) 2006 Rusty Russell IBM Corporation
linux-3.10\drivers\lguest\page_tables.c(10):/* Copyright (C) Rusty Russell IBM Corporation 2013.
linux-3.10\drivers\lguest\x86\core.c(2): * Copyright (C) 2006, Rusty Russell <rusty@rustcorp.com.au> IBM Corporation.
linux-3.10\drivers\lguest\x86\core.c(3): * Copyright (C) 2007, Jes Sorensen <jes@sgi.com> SGI.
linux-3.10\drivers\macintosh\adb.c(5): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\macintosh\adbid.c(10): * Copyright (C) 2000 Franz Sirl.
linux-3.10\drivers\macintosh\adbid.c(7): * drivers/macintosh/mac_keyb.c was Copyright (C) 1996 Paul Mackerras
linux-3.10\drivers\macintosh\ams\ams-core.c(4): * Copyright (C) 2005 Stelian Pop (stelian@popies.net)

legal(ME)

linux-3.10\drivers\macintosh\ams\ams-core.c(5): * Copyright (C) 2006 Michael Hanselmann (linux-kernel@hansmi.ch)
linux-3.10\drivers\macintosh\ams\ams-i2c.c(4): * Copyright (C) 2005 Stelian Pop (stelian@popies.net)
linux-3.10\drivers\macintosh\ams\ams-i2c.c(5): * Copyright (C) 2006 Michael Hanselmann (linux-kernel@hansmi.ch)
linux-3.10\drivers\macintosh\ams\ams-input.c(4): * Copyright (C) 2005 Stelian Pop (stelian@popies.net)
linux-3.10\drivers\macintosh\ams\ams-input.c(5): * Copyright (C) 2006 Michael Hanselmann (linux-kernel@hansmi.ch)
linux-3.10\drivers\macintosh\ams\ams-pmu.c(4): * Copyright (C) 2006 Michael Hanselmann (linux-kernel@hansmi.ch)
linux-3.10\drivers\macintosh\apm_emu.c(4): * Copyright 2001 Benjamin Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\drivers\macintosh\mac_hid.c(6): * Copyright (C) 2000 Franz Sirl.
linux-3.10\drivers\macintosh\macio_asic.c(6): * Copyright (C) 2005 Ben. Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\drivers\macintosh\mediabay.c(4): * Copyright (C) 1998 Paul Mackerras.
linux-3.10\drivers\macintosh\rack-meter.c(4): * (c) Copyright 2006 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\smu.c(4): * Copyright 2004 J. Mayer <l_indien@magic.fr>
linux-3.10\drivers\macintosh\smu.c(5): * Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\therm_adt746x.c(4): * Copyright (C) 2003, 2004 Colin Leroy, Rasmus Rohde, Benjamin Herrenschmidt
linux-3.10\drivers\macintosh\therm_pm72.c(5): * (c) Copyright IBM Corp. 2003-2004
linux-3.10\drivers\macintosh\therm_windtunnel.c(20): * Copyright (C) 2003, 2004 Samuel Rydh (samuel@ibrium.se)
linux-3.10\drivers\macintosh\via-cuda.c(9): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\macintosh\via-macii.c(4): * Based on the original ADB keyboard handler Copyright (c) 1997 Alan Cox
linux-3.10\drivers\macintosh\via-macii.c(5): * Also derived from code Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\macintosh\via-pmu.c(11): * Copyright (C) 1998 Paul Mackerras and Fabio Riccardi.
linux-3.10\drivers\macintosh\via-pmu.c(12): * Copyright (C) 2001-2002 Benjamin Herrenschmidt
linux-3.10\drivers\macintosh\via-pmu.c(13): * Copyright (C) 2006-2007 Johannes Berg
linux-3.10\drivers\macintosh\via-pmu-backlight.c(4): * Copyright (C) 1998 Paul Mackerras and Fabio Riccardi.
linux-3.10\drivers\macintosh\via-pmu-backlight.c(5): * Copyright (C) 2001-2002 Benjamin Herrenschmidt
linux-3.10\drivers\macintosh\via-pmu-backlight.c(6): * Copyright (C) 2006 Michael Hanselmann <linux-kernel@hansmi.ch>
linux-3.10\drivers\macintosh\via-pmu-event.c(4): * Copyright 2006 Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\macintosh\via-pmu-led.c(4): * Copyright 2006 Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\macintosh\windfarm.h(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.

legal(ME)

linux-3.10\drivers\macintosh\windfarm_ad7417_sensor.c(4): * Copyright 2012 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_core.c(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_fcu_controls.c(4): * Copyright 2012 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_lm75_sensor.c(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_lm87_sensor.c(4): * Copyright 2012 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_max6690_sensor.c(4): * Copyright (C) 2005 Paul Mackerras, IBM Corp. <paulus@samba.org>
linux-3.10\drivers\macintosh\windfarm_mpu.h(4): * Copyright 2012 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_pid.c(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_pid.h(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_pm112.c(5): * Copyright (C) 2005 Paul Mackerras, IBM Corp. <paulus@samba.org>
linux-3.10\drivers\macintosh\windfarm_pm112.c(6): * Copyright (C) 2006 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_pm121.c(4): * (c) Copyright 2007 苳液ienne Bersac <bersace@gmail.com>
linux-3.10\drivers\macintosh\windfarm_pm121.c(6): * Bits & pieces from windfarm_pm81.c by (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_pm72.c(5): * Copyright (C) 2012 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_pm81.c(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_pm91.c(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_rm31.c(5): * Copyright (C) 2012 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_smu_controls.c(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\macintosh\windfarm_smu_sat.c(4): * Copyright (C) 2005 Paul Mackerras, IBM Corp. <paulus@samba.org>
linux-3.10\drivers\macintosh\windfarm_smu_sensors.c(4): * (c) Copyright 2005 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\mailbox\pl320-ipc.c(2): * Copyright 2012 Calxeda, Inc.
linux-3.10\drivers\md\bcache\alloc.c(4): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\bset.c(5): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\btree.c(2): * Copyright (C) 2010 Kent Overstreet <kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\closure.c(4): * Copyright 2010, 2011 Kent Overstreet <kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\closure.c(5): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\debug.c(4): * Copyright 2010, 2011 Kent Overstreet <kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\debug.c(5): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\io.c(4): * Copyright 2010, 2011 Kent Overstreet

legal(ME)

<kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\io.c(5): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\journal.c(4): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\movinggc.c(4): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\request.c(5): * Copyright 2010, 2011 Kent Overstreet
<kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\request.c(6): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\stats.c(4): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\super.c(5): * Copyright 2010, 2011 Kent Overstreet
<kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\super.c(6): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\sysfs.c(4): * Copyright 2010, 2011 Kent Overstreet
<kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\sysfs.c(5): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\util.c(249): * Portions Copyright (c) 1996-2001,
PostgreSQL Global Development Group (Any
linux-3.10\drivers\md\bcache\util.c(4): * Copyright 2010, 2011 Kent Overstreet
<kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\util.c(5): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bcache\writeback.c(5): * Copyright 2010, 2011 Kent
Overstreet <kent.overstreet@gmail.com>
linux-3.10\drivers\md\bcache\writeback.c(6): * Copyright 2012 Google, Inc.
linux-3.10\drivers\md\bitmap.c(7): * additions, Copyright (C) 2003-2004, Paul
Clements, SteelEye Technology, Inc.:
linux-3.10\drivers\md\bitmap.h(2): * bitmap.h: Copyright (C) Peter T. Breuer
(ptb@ot.uc3m.es) 2003
linux-3.10\drivers\md\bitmap.h(4): * additions: Copyright (C) 2003-2004, Paul
Clements, SteelEye Technology, Inc.
linux-3.10\drivers\md\dm.c(2): * Copyright (C) 2001, 2002 Sistina Software (UK)
Limited.
linux-3.10\drivers\md\dm.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All rights
reserved.
linux-3.10\drivers\md\dm.h(4): * Copyright (C) 2001, 2002 Sistina Software
linux-3.10\drivers\md\dm.h(5): * Copyright (C) 2004-2006 Red Hat, Inc. All rights
reserved.
linux-3.10\drivers\md\dm-bio-prison.c(2): * Copyright (C) 2012 Red Hat, Inc.
linux-3.10\drivers\md\dm-bio-prison.h(2): * Copyright (C) 2011-2012 Red Hat, Inc.
linux-3.10\drivers\md\dm-bio-record.h(2): * Copyright (C) 2004-2005 Red Hat, Inc.
All rights reserved.
linux-3.10\drivers\md\dm-bufio.c(2): * Copyright (C) 2009-2011 Red Hat, Inc.
linux-3.10\drivers\md\dm-bufio.h(2): * Copyright (C) 2009-2011 Red Hat, Inc.
linux-3.10\drivers\md\dm-cache-block-types.h(2): * Copyright (C) 2012 Red Hat,
Inc.
linux-3.10\drivers\md\dm-cache-metadata.c(2): * Copyright (C) 2012 Red Hat, Inc.
linux-3.10\drivers\md\dm-cache-metadata.h(2): * Copyright (C) 2012 Red Hat, Inc.
linux-3.10\drivers\md\dm-cache-policy.c(2): * Copyright (C) 2012 Red Hat. All
rights reserved.
linux-3.10\drivers\md\dm-cache-policy.h(2): * Copyright (C) 2012 Red Hat. All
rights reserved.
linux-3.10\drivers\md\dm-cache-policy-cleaner.c(2): * Copyright (C) 2012 Red Hat.
All rights reserved.
linux-3.10\drivers\md\dm-cache-policy-internal.h(2): * Copyright (C) 2012 Red

legal(ME)

Hat. All rights reserved.

linux-3.10\drivers\md\dm-cache-policy-mq.c(2): * Copyright (C) 2012 Red Hat. All rights reserved.

linux-3.10\drivers\md\dm-cache-target.c(2): * Copyright (C) 2012 Red Hat. All rights reserved.

linux-3.10\drivers\md\dm-crypt.c(2): * Copyright (C) 2003 Christophe Saout <christophe@saout.de>

linux-3.10\drivers\md\dm-crypt.c(3): * Copyright (C) 2004 Clemens Fruhwirth <clemens@endorphin.org>

linux-3.10\drivers\md\dm-crypt.c(4): * Copyright (C) 2006-2009 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\md\dm-delay.c(2): * Copyright (C) 2005-2007 Red Hat GmbH

linux-3.10\drivers\md\dm-exception-store.c(2): * Copyright (C) 2001-2002 Sistina Software (UK) Limited.

linux-3.10\drivers\md\dm-exception-store.c(3): * Copyright (C) 2006-2008 Red Hat GmbH

linux-3.10\drivers\md\dm-exception-store.h(2): * Copyright (C) 2001-2002 Sistina Software (UK) Limited.

linux-3.10\drivers\md\dm-exception-store.h(3): * Copyright (C) 2008 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\md\dm-flakey.c(2): * Copyright (C) 2003 Sistina Software (UK) Limited.

linux-3.10\drivers\md\dm-flakey.c(3): * Copyright (C) 2004, 2010-2011 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\md\dm-io.c(2): * Copyright (C) 2003 Sistina Software

linux-3.10\drivers\md\dm-io.c(3): * Copyright (C) 2006 Red Hat GmbH

linux-3.10\drivers\md\dm-ioctl.c(2): * Copyright (C) 2001, 2002 Sistina Software (UK) Limited.

linux-3.10\drivers\md\dm-ioctl.c(3): * Copyright (C) 2004 - 2006 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\md\dm-kcopyd.c(2): * Copyright (C) 2002 Sistina Software (UK) Limited.

linux-3.10\drivers\md\dm-kcopyd.c(3): * Copyright (C) 2006 Red Hat GmbH

linux-3.10\drivers\md\dm-linear.c(2): * Copyright (C) 2001-2003 Sistina Software (UK) Limited.

linux-3.10\drivers\md\dm-log.c(2): * Copyright (C) 2003 Sistina Software

linux-3.10\drivers\md\dm-log.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\md\dm-log-userspace-base.c(2): * Copyright (C) 2006-2009 Red Hat, Inc.

linux-3.10\drivers\md\dm-log-userspace-transfer.c(2): * Copyright (C) 2006-2009 Red Hat, Inc.

linux-3.10\drivers\md\dm-log-userspace-transfer.h(2): * Copyright (C) 2006-2009 Red Hat, Inc.

linux-3.10\drivers\md\dm-mpath.c(2): * Copyright (C) 2003 Sistina Software Limited.

linux-3.10\drivers\md\dm-mpath.c(3): * Copyright (C) 2004-2005 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\md\dm-mpath.h(2): * Copyright (C) 2004 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\md\dm-path-selector.c(2): * Copyright (C) 2003 Sistina Software.

legal(ME)

linux-3.10\drivers\md\dm-path-selector.c(3): * Copyright (C) 2004 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\md\dm-path-selector.h(2): * Copyright (C) 2003 Sistina Software.
linux-3.10\drivers\md\dm-path-selector.h(3): * Copyright (C) 2004 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\md\dm-queue-length.c(2): * Copyright (C) 2004-2005 IBM Corp. All Rights Reserved.
linux-3.10\drivers\md\dm-queue-length.c(261):(C) Copyright IBM Corp. 2004,2005 All Rights Reserved.\n
linux-3.10\drivers\md\dm-queue-length.c(3): * Copyright (C) 2006-2009 NEC Corporation.
linux-3.10\drivers\md\dm-raid.c(2): * Copyright (C) 2010-2011 Neil Brown
linux-3.10\drivers\md\dm-raid.c(3): * Copyright (C) 2010-2011 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\md\dm-raid1.c(2): * Copyright (C) 2003 Sistina Software Limited.
linux-3.10\drivers\md\dm-raid1.c(3): * Copyright (C) 2005-2008 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\md\dm-region-hash.c(2): * Copyright (C) 2003 Sistina Software Limited.
linux-3.10\drivers\md\dm-region-hash.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\md\dm-round-robin.c(2): * Copyright (C) 2003 Sistina Software.
linux-3.10\drivers\md\dm-round-robin.c(3): * Copyright (C) 2004-2005 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\md\dm-service-time.c(2): * Copyright (C) 2007-2009 NEC Corporation. All Rights Reserved.
linux-3.10\drivers\md\dm-snap.c(4): * Copyright (C) 2001-2002 Sistina Software (UK) Limited.
linux-3.10\drivers\md\dm-snap-persistent.c(2): * Copyright (C) 2001-2002 Sistina Software (UK) Limited.
linux-3.10\drivers\md\dm-snap-persistent.c(3): * Copyright (C) 2006-2008 Red Hat GmbH
linux-3.10\drivers\md\dm-snap-transient.c(2): * Copyright (C) 2001-2002 Sistina Software (UK) Limited.
linux-3.10\drivers\md\dm-snap-transient.c(3): * Copyright (C) 2006-2008 Red Hat GmbH
linux-3.10\drivers\md\dm-stripe.c(2): * Copyright (C) 2001-2003 Sistina Software (UK) Limited.
linux-3.10\drivers\md\dm-sysfs.c(2): * Copyright (C) 2008 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\md\dm-table.c(2): * Copyright (C) 2001 Sistina Software (UK) Limited.
linux-3.10\drivers\md\dm-table.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\md\dm-target.c(2): * Copyright (C) 2001 Sistina Software (UK) Limited
linux-3.10\drivers\md\dm-thin.c(2): * Copyright (C) 2011-2012 Red Hat UK.
linux-3.10\drivers\md\dm-thin-metadata.c(2): * Copyright (C) 2011-2012 Red Hat, Inc.
linux-3.10\drivers\md\dm-thin-metadata.h(2): * Copyright (C) 2010-2011 Red Hat,

legal(ME)

Inc.

linux-3.10\drivers\md\dm-uevent.c(18): * Copyright IBM Corporation, 2007
linux-3.10\drivers\md\dm-uevent.h(18): * Copyright IBM Corporation, 2007
linux-3.10\drivers\md\dm-verity.c(2): * Copyright (C) 2012 Red Hat, Inc.
linux-3.10\drivers\md\dm-zero.c(2): * Copyright (C) 2003 Christophe Saout
<christophe@saout.de>
linux-3.10\drivers\md\faulty.c(4): * Copyright (C) 2004 Neil Brown
linux-3.10\drivers\md\linear.c(3): Copyright (C) 1994-96 Marc ZYNGIER
linux-3.10\drivers\md\md.c(23): Copyright (C) 2003-2004, Paul Clements, SteelEye
Technology, Inc.
linux-3.10\drivers\md\md.c(3): Copyright (C) 1998, 1999, 2000 Ingo Molnar
linux-3.10\drivers\md\md.h(3): Copyright (C) 1996-98 Ingo Molnar, Gadi Oxman
linux-3.10\drivers\md\multipath.c(4): * Copyright (C) 1999, 2000, 2001 Ingo
Molnar, Red Hat
linux-3.10\drivers\md\multipath.c(6): * Copyright (C) 1996, 1997, 1998 Ingo
Molnar, Miguel de Icaza, Gadi Oxman
linux-3.10\drivers\md\persistent-data\dm-array.c(2): * Copyright (C) 2012 Red
Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-array.h(2): * Copyright (C) 2012 Red
Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-bitset.c(2): * Copyright (C) 2012 Red
Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-bitset.h(2): * Copyright (C) 2012 Red
Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-block-manager.c(2): * Copyright (C) 2011
Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-block-manager.h(2): * Copyright (C) 2011
Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-btree.c(2): * Copyright (C) 2011 Red
Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-btree.h(2): * Copyright (C) 2011 Red
Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-btree-internal.h(2): * Copyright (C)
2011 Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-btree-remove.c(2): * Copyright (C) 2011
Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-btree-spine.c(2): * Copyright (C) 2011
Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-persistent-data-internal.h(2): *
Copyright (C) 2011 Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-space-map.h(2): * Copyright (C) 2011 Red
Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-space-map-common.c(2): * Copyright (C)
2011 Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-space-map-common.h(2): * Copyright (C)
2011 Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-space-map-disk.c(2): * Copyright (C)
2011 Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-space-map-disk.h(2): * Copyright (C)
2011 Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-space-map-metadata.c(2): * Copyright (C)
2011 Red Hat, Inc.

legal(ME)

linux-3.10\drivers\md\persistent-data\dm-space-map-metadata.h(2): * Copyright (C) 2011 Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-transaction-manager.c(2): * Copyright (C) 2011 Red Hat, Inc.
linux-3.10\drivers\md\persistent-data\dm-transaction-manager.h(2): * Copyright (C) 2011 Red Hat, Inc.
linux-3.10\drivers\md\raid0.c(3): Copyright (C) 1994-96 Marc ZYNGIER
linux-3.10\drivers\md\raid0.c(6): Copyright (C) 1999, 2000 Ingo Molnar, Red Hat
linux-3.10\drivers\md\raid1.c(4): * Copyright (C) 1999, 2000, 2001 Ingo Molnar, Red Hat
linux-3.10\drivers\md\raid1.c(6): * Copyright (C) 1996, 1997, 1998 Ingo Molnar, Miguel de Icaza, Gadi Oxman
linux-3.10\drivers\md\raid10.c(4): * Copyright (C) 2000-2004 Neil Brown
linux-3.10\drivers\md\raid10.c(8): * Base on code in raid1.c. See raid1.c for further copyright information.
linux-3.10\drivers\md\raid5.c(3): * Copyright (C) 1996, 1997 Ingo Molnar, Miguel de Icaza, Gadi Oxman
linux-3.10\drivers\md\raid5.c(4): * Copyright (C) 1999, 2000 Ingo Molnar
linux-3.10\drivers\md\raid5.c(5): * Copyright (C) 2002, 2003 H. Peter Anvin
linux-3.10\drivers\media\common\b2c2\flexcop.c(4): * Copyright (C) 2004-9 Patrick Boettcher <patrick.boettcher@desy.de>
linux-3.10\drivers\media\common\b2c2\flexcop.c(5): * based on skystar2-driver Copyright (C) 2003 Vadim Catana, skystar@moldova.cc
linux-3.10\drivers\media\common\b2c2\flexcop.h(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop_ibi_value_be.h(3): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop_ibi_value_le.h(3): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop-common.h(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop-eprom.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop-fe-tuner.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop-hw-filter.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop-i2c.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop-misc.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop-reg.h(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\b2c2\flexcop-sram.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\common\cx2341x.c(4): * Copyright (C) 2006 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\common\cypress_firmware.c(3): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\common\cypress_firmware.c(4): * see dvb-usb-init.c for copyright information.
linux-3.10\drivers\media\common\cypress_firmware.h(2): * Copyright (C) 2004-6

legal(ME)

Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\common\cypress_firmware.h(3): * see dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\common\saa7146\saa7146_core.c(4): Copyright (C) 1998-2003 Michael Hunold <michael@mihu.de>

linux-3.10\drivers\media\common\siano\sms-cards.c(4): * Copyright (c) 2008 Michael Krufky <mkrufky@linuxtv.org>

linux-3.10\drivers\media\common\siano\sms-cards.h(4): * Copyright (c) 2008 Michael Krufky <mkrufky@linuxtv.org>

linux-3.10\drivers\media\common\siano\smscoreapi.c(8): * Copyright (c), 2005-2008 Siano Mobile Silicon, Inc.

linux-3.10\drivers\media\common\siano\smscoreapi.h(5): Copyright (C) 2006-2008, Uri Shkolnik, Anatoly Greenblat

linux-3.10\drivers\media\common\siano\smsdvb-debugfs.c(3): * Copyright(c) 2013 Mauro Carvalho Chehab <mchehab@redhat.com>

linux-3.10\drivers\media\common\siano\smsdvb-main.c(5): Copyright (C) 2006-2008, Uri Shkolnik

linux-3.10\drivers\media\common\siano\smsendian.c(5): Copyright (C) 2006-2009, Uri Shkolnik

linux-3.10\drivers\media\common\siano\smsendian.h(5): Copyright (C) 2006-2009, Uri Shkolnik

linux-3.10\drivers\media\common\siano\smsir.c(5): Copyright (C) 2006-2009, Uri Shkolnik

linux-3.10\drivers\media\common\siano\smsir.c(7): Copyright (c) 2010 - Mauro Carvalho Chehab

linux-3.10\drivers\media\common\siano\smsir.h(5): Copyright (C) 2006-2009, Uri Shkolnik

linux-3.10\drivers\media\common\siano\smsir.h(7): Copyright (c) 2010 - Mauro Carvalho Chehab

linux-3.10\drivers\media\common\tveeprom.c(14): Copyright (C) 2003 John Klar <linpvr at projectplasma.com>

linux-3.10\drivers\media\common\tveeprom.c(8): Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de)

linux-3.10\drivers\media\dvb-core\demux.h(4): * Copyright (c) 2002 Convergence GmbH

linux-3.10\drivers\media\dvb-core\demux.h(7): * Copyright (c) 2000 Nokia Research Center

linux-3.10\drivers\media\dvb-core\dmxdev.c(4): * Copyright (C) 2000 Ralph Metzler & Marcus Metzler

linux-3.10\drivers\media\dvb-core\dmxdev.h(4): * Copyright (C) 2000 Ralph Metzler & Marcus Metzler

linux-3.10\drivers\media\dvb-core\dvb_ca_en50221.c(12): * Copyright (C) 1999-2002 Ralph Metzler

linux-3.10\drivers\media\dvb-core\dvb_ca_en50221.c(4): * Copyright (C) 2004 Andrew de Quincey

linux-3.10\drivers\media\dvb-core\dvb_ca_en50221.c(8): * Copyright (C) 2003 Ralph Metzler <rjkm@metzlerbros.de>

linux-3.10\drivers\media\dvb-core\dvb_ca_en50221.h(4): * Copyright (C) 2004 Andrew de Quincey

linux-3.10\drivers\media\dvb-core\dvb_demux.c(4): * Copyright (C) 2000-2001 Ralph Metzler <ralph@convergence.de>

linux-3.10\drivers\media\dvb-core\dvb_demux.h(4): * Copyright (C) 2000-2001

legal(ME)

Marcus Metzler & Ralph Metzler

linux-3.10\drivers\media\dvb-core\dvb_filter.h(4): * Copyright (C) 2003

Convergence GmbH

linux-3.10\drivers\media\dvb-core\dvb_frontend.c(10): * Copyright (C) 2004 Andrew de Quincey (tuning thread cleanup)

linux-3.10\drivers\media\dvb-core\dvb_frontend.c(5): * Copyright (C) 1999-2001

RalphMetzler

linux-3.10\drivers\media\dvb-core\dvb_frontend.h(4): * Copyright (C) 2001

convergence integrated media GmbH

linux-3.10\drivers\media\dvb-core\dvb_frontend.h(5): * Copyright (C) 2004

convergence GmbH

linux-3.10\drivers\media\dvb-core\dvb_math.c(5): * Copyright (C) 2006 Christoph

Pfister (christophpfister@gmail.com)

linux-3.10\drivers\media\dvb-core\dvb_math.h(5): * Copyright (C) 2006 Christoph

Pfister (christophpfister@gmail.com)

linux-3.10\drivers\media\dvb-core\dvb_net.c(4): * Copyright (C) 2001 Convergence integrated media GmbH

linux-3.10\drivers\media\dvb-core\dvb_net.c(6): * Copyright (C) 2002 Ralph

Metzler <rjkm@metzlerbros.de>

linux-3.10\drivers\media\dvb-core\dvb_net.c(9): * Copyright (C) 2003, 2004 gcs - Global Communication & Services GmbH.

linux-3.10\drivers\media\dvb-core\dvb_net.h(4): * Copyright (C) 2001 Ralph

Metzler for convergence integrated media GmbH

linux-3.10\drivers\media\dvb-core\dvb_ringbuffer.c(5): * Copyright (C) 2003

Oliver Endriss

linux-3.10\drivers\media\dvb-core\dvb_ringbuffer.c(6): * Copyright (C) 2004

Andrew de Quincey

linux-3.10\drivers\media\dvb-core\dvb_ringbuffer.c(9): * Copyright (C) 1999-2003

RalphMetzler

linux-3.10\drivers\media\dvb-core\dvb_ringbuffer.h(5): * Copyright (C) 2003

Oliver Endriss

linux-3.10\drivers\media\dvb-core\dvb_ringbuffer.h(6): * Copyright (C) 2004

Andrew de Quincey

linux-3.10\drivers\media\dvb-core\dvb_ringbuffer.h(9): * Copyright (C) 1999-2003

Ralph Metzler & Marcus Metzler

linux-3.10\drivers\media\dvb-core\dvbdev.c(4): * Copyright (C) 2000 RalphMetzler <ralph@convergence.de>

linux-3.10\drivers\media\dvb-core\dvbdev.h(4): * Copyright (C) 2000 Ralph Metzler & Marcus Metzler

linux-3.10\drivers\media\dvb-core\dvb-usb-ids.h(3): * Copyright (C) 2004-5

Patrick Boettcher (patrick.boettcher@desy.de) see

linux-3.10\drivers\media\dvb-core\dvb-usb-ids.h(4): * dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\dvb-frontends\af9013.c(4): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\af9013.h(4): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\af9013.c(4): * Copyright (C) 2007 Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\af9013.c(5): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\af9013.h(4): * Copyright (C) 2007 Antti

legal(ME)

Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9013.h(5): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9013_priv.h(4): * Copyright (C) 2007 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9013_priv.h(5): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9033.c(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9033.c(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9033.h(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9033.h(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9033_priv.h(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\af9033_priv.h(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\atbm8830.c(5): *Copyright (C) 2009 David T.L. Wong <davidtlwong@gmail.com>
linux-3.10\drivers\media\dvb-frontends\atbm8830.h(5): *Copyright (C) 2009 David T.L. Wong <davidtlwong@gmail.com>
linux-3.10\drivers\media\dvb-frontends\atbm8830_priv.h(5): *Copyright (C) 2009 David T.L. Wong <davidtlwong@gmail.com>
linux-3.10\drivers\media\dvb-frontends\au8522.h(4):Copyright (C) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\au8522_common.c(4):Copyright (C) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\au8522_common.c(5):Copyright (C) 2008 Devin Heitmueller <dheitmueller@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\au8522_common.c(6):Copyright (C) 2005-2008 Auvitek International, Ltd.
linux-3.10\drivers\media\dvb-frontends\au8522_common.c(7):Copyright (C) 2012 Michael Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\au8522_decoder.c(4): * Copyright (C) 2009 Devin Heitmueller <dheitmueller@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\au8522_decoder.c(5): * Copyright (C) 2005-2008 Auvitek International, Ltd.
linux-3.10\drivers\media\dvb-frontends\au8522_dig.c(4):Copyright (C) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\au8522_priv.h(4):Copyright (C) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\au8522_priv.h(5):Copyright (C) 2008 Devin Heitmueller <dheitmueller@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\au8522_priv.h(6):Copyright (C) 2005-2008 Auvitek International, Ltd.
linux-3.10\drivers\media\dvb-frontends\bcm3510.c(4): *Copyright (C) 2001-5, B2C2 inc.
linux-3.10\drivers\media\dvb-frontends\bcm3510.h(4): *Copyright (C) 2001-5, B2C2 inc.
linux-3.10\drivers\media\dvb-frontends\bcm3510_priv.h(4): *Copyright (C) 2001-5,

legal(ME)

B2C2 inc.

linux-3.10\drivers\media\dvb-frontends\bsbe1-d01a.h(4): * Copyright (C) 2011
Oliver Endriss <o.endriss@gmx.de>

linux-3.10\drivers\media\dvb-frontends\cx22700.c(4):Copyright (C) 2001-2002
Convergence Integrated Media GmbH

linux-3.10\drivers\media\dvb-frontends\cx22700.h(4):Copyright (C) 2001-2002
Convergence Integrated Media GmbH

linux-3.10\drivers\media\dvb-frontends\cx22702.c(10):Copyright (C) 2004 Steven
Toth <stoth@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\cx22702.c(7):Copyright (C) 2001-2002
Convergence Integrated Media GmbH

linux-3.10\drivers\media\dvb-frontends\cx22702.h(10):Copyright (C) 2004 Steven
Toth <stoth@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\cx22702.h(7):Copyright (C) 2001-2002
Convergence Integrated Media GmbH

linux-3.10\drivers\media\dvb-frontends\cx24110.c(4):Copyright (C) 2002 Peter
Hettkamp <peter.hettkamp@htp-tel.de> based on

linux-3.10\drivers\media\dvb-frontends\cx24110.c(6):Copyright (C) 1999
Convergence Integrated Media GmbH <ralph@convergence.de>

linux-3.10\drivers\media\dvb-frontends\cx24110.h(4):Copyright (C) 2002 Peter
Hettkamp <peter.hettkamp@htp-tel.de> based on

linux-3.10\drivers\media\dvb-frontends\cx24110.h(6):Copyright (C) 1999
Convergence Integrated Media GmbH <ralph@convergence.de>

linux-3.10\drivers\media\dvb-frontends\cx24113.c(4): *Copyright (C) 2007-8
Patrick Boettcher <pb@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\cx24113.h(4): *Copyright (C) 2007-8
Patrick Boettcher <pb@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\cx24116.c(14):Copyright (C) 2008 Igor
Liplianin

linux-3.10\drivers\media\dvb-frontends\cx24116.c(4):Copyright (C) 2006-2008
Steven Toth <stoth@hauppauge.com>

linux-3.10\drivers\media\dvb-frontends\cx24116.c(5):Copyright (C) 2006-2007 Georg
Acher

linux-3.10\drivers\media\dvb-frontends\cx24116.c(6):Copyright (C) 2007-2008
Darron Broad

linux-3.10\drivers\media\dvb-frontends\cx24116.h(4):Copyright (C) 2006 Steven
Toth <stoth@linuxtv.com>

linux-3.10\drivers\media\dvb-frontends\cx24123.c(4): * Copyright (C) 2005 Steven
Toth <stoth@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\cx24123.h(4):Copyright (C) 2005 Steven
Toth <stoth@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\cx24123r.h(4): * Copyright (C) 2010 Antti
Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\cx24123r_c.c(4): * Copyright (C) 2010
Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\cx24123r_core.c(4): * Copyright (C) 2010
Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\cx24123r_priv.h(4): * Copyright (C) 2010
Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\cx24123r_t.c(4): * Copyright (C) 2010
Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\cx24123r_t2.c(4): * Copyright (C) 2010

legal(ME)

Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\dib0070.c(4): * Copyright (C) 2005-9
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib0070.h(4): * Copyright (C) 2005-7
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib0090.c(4): * Copyright (C) 2005-9
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib0090.h(4): * Copyright (C) 2005-7
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib3000.h(5): * Copyright (C) 2004-5
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\dvb-frontends\dib3000.h(9): * Copyright (C) 2004 Amaury
Demol for DiBcom (ademol@dibcom.fr)
linux-3.10\drivers\media\dvb-frontends\dib3000mb.c(5): * Copyright (C) 2004-5
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\dvb-frontends\dib3000mb.c(9): * Copyright (C) 2004
Amaury Demol for DiBcom (ademol@dibcom.fr)
linux-3.10\drivers\media\dvb-frontends\dib3000mb_priv.h(4): * Copyright (C) 2004
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\dvb-frontends\dib3000mc.c(4): * Copyright (C) 2004-7
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib3000mc.c(5): * Copyright (C) 2004-5
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\dvb-frontends\dib3000mc.h(4): * Copyright (C) 2004-6
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib3000mc.h(5): * Copyright (C) 2004-5
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\dvb-frontends\dib7000m.c(5): * Copyright (C) 2005-7
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib7000p.c(4): * Copyright (C) 2005-7
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib8000.c(4): * Copyright (C) 2009 DiBcom
(<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\dib9000.c(4): * Copyright (C) 2005-10
DiBcom (<http://www.dibcom.fr/>)
linux-3.10\drivers\media\dvb-frontends\drxd.h(4): * Copyright (C) 2005-2007
Micronas
linux-3.10\drivers\media\dvb-frontends\drxd_firm.c(4): * Copyright (C) 2006-2007
Micronas
linux-3.10\drivers\media\dvb-frontends\drxd_firm.h(4): * Copyright (C) 2006-2007
Micronas
linux-3.10\drivers\media\dvb-frontends\drxd_hard.c(4): * Copyright (C) 2003-2007
Micronas
linux-3.10\drivers\media\dvb-frontends\drxd_map_firm.h(4): * Copyright (C)
2006-2007 Micronas
linux-3.10\drivers\media\dvb-frontends\drxk_hard.c(4): * Copyright (C) 2010-2011
Digital Devices GmbH
linux-3.10\drivers\media\dvb-frontends\ds3000.c(3): Copyright (C) 2009-2012
Konstantin Dimitrov <kosio.dimitrov@gmail.com>
linux-3.10\drivers\media\dvb-frontends\ds3000.c(5): Copyright (C) 2009-2012
TurboSight.com
linux-3.10\drivers\media\dvb-frontends\ds3000.h(3): Copyright (C) 2009-2012

legal(ME)

Konstantin Dimitrov <kosio.dimitrov@gmail.com>
linux-3.10\drivers\media\dvb-frontends\ds3000.h(5):Copyright (C) 2009-2012
TurboSight.com
linux-3.10\drivers\media\dvb-frontends\ec100.c(4): * Copyright (C) 2009 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\ec100.h(4): * Copyright (C) 2009 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\eds1547.h(3):* Copyright (C) 2008 Igor M.
Liplianin (liplianin@me.by)
linux-3.10\drivers\media\dvb-frontends\hd2912.c(4): * Copyright (C) 2011
Metropolia University of Applied Sciences, Electria R&D
linux-3.10\drivers\media\dvb-frontends\hd2912.h(4): * Copyright (C) 2011
Metropolia University of Applied Sciences, Electria R&D
linux-3.10\drivers\media\dvb-frontends\hd2912_priv.h(4): * Copyright (C) 2011
Metropolia University of Applied Sciences, Electria R&D
linux-3.10\drivers\media\dvb-frontends\isl6405.c(4): * Copyright (C) 2008 Hartmut
Hackmann
linux-3.10\drivers\media\dvb-frontends\isl6405.c(5): * Copyright (C) 2006 Oliver
Endriss
linux-3.10\drivers\media\dvb-frontends\isl6405.h(4): * Copyright (C) 2008 Hartmut
Hackmann
linux-3.10\drivers\media\dvb-frontends\isl6405.h(5): * Copyright (C) 2006 Oliver
Endriss
linux-3.10\drivers\media\dvb-frontends\isl6421.c(4): * Copyright (C) 2006 Andrew
de Quincey
linux-3.10\drivers\media\dvb-frontends\isl6421.c(5): * Copyright (C) 2006 Oliver
Endriss
linux-3.10\drivers\media\dvb-frontends\isl6421.h(4): * Copyright (C) 2006 Andrew
de Quincey
linux-3.10\drivers\media\dvb-frontends\isl6421.h(5): * Copyright (C) 2006 Oliver
Endriss
linux-3.10\drivers\media\dvb-frontends\isl6423.c(4):Copyright (C) Manu Abraham
<abraham.manu@gmail.com>
linux-3.10\drivers\media\dvb-frontends\isl6423.h(4):Copyright (C) Manu Abraham
<abraham.manu@gmail.com>
linux-3.10\drivers\media\dvb-frontends\it913x-fe.c(6): *Copyright (C) 2011
Malcolm Priestley (tvboxspy@gmail.com)
linux-3.10\drivers\media\dvb-frontends\it913x-fe.c(7): *IT9137 Copyright (C) ITE
Tech Inc.
linux-3.10\drivers\media\dvb-frontends\itd1000.c(4): *Copyright (c) 2007-8
Patrick Boettcher <pb@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\itd1000.h(4): *Copyright (c) 2007 Patrick
Boettcher <pb@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\itd1000_priv.h(4): *Copyright (c) 2007
Patrick Boettcher <pb@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\ix2505v.c(4): * Copyright (C) 2010 Malcolm
Priestley
linux-3.10\drivers\media\dvb-frontends\ix2505v.h(4): * Copyright (C) 2010 Malcolm
Priestley
linux-3.10\drivers\media\dvb-frontends\l64781.c(4):Copyright (C) 2001 Holger
Waechtler for Convergence Integrated Media GmbH
linux-3.10\drivers\media\dvb-frontends\l64781.h(4):Copyright (C) 2001 Holger

legal(ME)

Waechtler for Convergence Integrated Media GmbH

linux-3.10\drivers\media\dvb-frontends\lg2160.c(4): *Copyright (C) 2010 Michael Krufky <mkrufky@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\lg2160.h(4): *Copyright (C) 2010 Michael Krufky <mkrufky@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\lgdt3305.c(4): *Copyright (C) 2008, 2009, 2010 Michael Krufky <mkrufky@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\lgdt3305.h(4): *Copyright (C) 2008, 2009, 2010 Michael Krufky <mkrufky@linuxtv.org>

linux-3.10\drivers\media\dvb-frontends\lgdt330x.c(4): *Copyright (C) 2005 Wilson Michaels <wilsonmichaels@earthlink.net>

linux-3.10\drivers\media\dvb-frontends\lgdt330x.h(4): *Copyright (C) 2005 Wilson Michaels <wilsonmichaels@earthlink.net>

linux-3.10\drivers\media\dvb-frontends\lgdt330x_priv.h(4): *Copyright (C) 2005 Wilson Michaels <wilsonmichaels@earthlink.net>

linux-3.10\drivers\media\dvb-frontends\lgs8gl5.c(4): Copyright (C) 2008 Sirius International (Hong Kong) Limited

linux-3.10\drivers\media\dvb-frontends\lgs8gl5.h(4): Copyright (C) 2008 Sirius International (Hong Kong) Limited

linux-3.10\drivers\media\dvb-frontends\lgs8gxx.c(6): *Copyright (C) 2007-2009 David T.L. Wong <davidtlwong@gmail.com>

linux-3.10\drivers\media\dvb-frontends\lgs8gxx.c(7): *Copyright (C) 2008 Sirius International (Hong Kong) Limited

linux-3.10\drivers\media\dvb-frontends\lgs8gxx.h(6): *Copyright (C) 2007-2009 David T.L. Wong <davidtlwong@gmail.com>

linux-3.10\drivers\media\dvb-frontends\lgs8gxx.h(7): *Copyright (C) 2008 Sirius International (Hong Kong) Limited

linux-3.10\drivers\media\dvb-frontends\lgs8gxx_priv.h(6): *Copyright (C) 2007-2009 David T.L. Wong <davidtlwong@gmail.com>

linux-3.10\drivers\media\dvb-frontends\lgs8gxx_priv.h(7): *Copyright (C) 2008 Sirius International (Hong Kong) Limited

linux-3.10\drivers\media\dvb-frontends\lnbh24.h(4): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\dvb-frontends\lnbh24.h(5): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\lnbp21.c(4): * Copyright (C) 2006, 2009 Oliver Endriss <o.endriss@gmx.de>

linux-3.10\drivers\media\dvb-frontends\lnbp21.c(5): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\lnbp21.h(4): * Copyright (C) 2006 Oliver Endriss

linux-3.10\drivers\media\dvb-frontends\lnbp22.c(4): * Copyright (C) 2006 Dominik Kuhlen

linux-3.10\drivers\media\dvb-frontends\lnbp22.h(4): * Copyright (C) 2006 Dominik Kuhlen

linux-3.10\drivers\media\dvb-frontends\m88rs2000.c(4): Copyright (C) 2012 Malcolm Priestley (tvboxspy@gmail.com)

linux-3.10\drivers\media\dvb-frontends\m88rs2000.c(8): Copyright (C) 2009 Konstantin Dimitrov.

linux-3.10\drivers\media\dvb-frontends\mb86a16.c(4): Copyright (C) Manu Abraham (abraham.manu@gmail.com)

linux-3.10\drivers\media\dvb-frontends\mb86a16.h(4): Copyright (C) Manu Abraham

legal(ME)

(abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\mb86a16_priv.h(4):Copyright (C) Manu Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\mb86a20s.c(4): * Copyright (C) 2010-2013 Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\dvb-frontends\mb86a20s.c(5): * Copyright (C) 2009-2010 Douglas Landgraf <dougsland@redhat.com>
linux-3.10\drivers\media\dvb-frontends\mb86a20s.h(4): * Copyright (C) 2010 Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\dvb-frontends\mt312.c(4):Copyright (C) 2003 Andreas Oberritter <obi@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\mt312.c(5):Copyright (C) 2008 Matthias Schwarzott <zzam@gentoo.org>
linux-3.10\drivers\media\dvb-frontends\mt312.h(4):Copyright (C) 2003 Andreas Oberritter <obi@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\mt312_priv.h(4):Copyright (C) 2003 Andreas Oberritter <obi@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\mt352.c(11): *Copyright (C) 2004 Antonio Mancuso <antonio.mancuso@digitaltelevision.it>
linux-3.10\drivers\media\dvb-frontends\mt352.h(11): *Copyright (C) 2004 Antonio Mancuso <antonio.mancuso@digitaltelevision.it>
linux-3.10\drivers\media\dvb-frontends\mt352_priv.h(11): *Copyright (C) 2004 Antonio Mancuso <antonio.mancuso@digitaltelevision.it>
linux-3.10\drivers\media\dvb-frontends\nxt200x.c(4): *Copyright (C) 2005 Kirk Lapray <kirk.lapray@gmail.com>
linux-3.10\drivers\media\dvb-frontends\nxt200x.c(5): *Copyright (C) 2006 Michael Krufky <mkrufky@m1k.net>
linux-3.10\drivers\media\dvb-frontends\nxt200x.h(4): *Copyright (C) 2005 Kirk Lapray (kirk.lapray@gmail.com)
linux-3.10\drivers\media\dvb-frontends\nxt6000.c(4):Copyright (C) 2002-2003 Florian Schirmer <jolt@tuxbox.org>
linux-3.10\drivers\media\dvb-frontends\nxt6000.c(5):Copyright (C) 2003 Paul Andreassen <paul@andreassen.com.au>
linux-3.10\drivers\media\dvb-frontends\nxt6000.h(4):Copyright (C) 2002-2003 Florian Schirmer <jolt@tuxbox.org>
linux-3.10\drivers\media\dvb-frontends\nxt6000.h(5):Copyright (C) 2003 Paul Andreassen <paul@andreassen.com.au>
linux-3.10\drivers\media\dvb-frontends\nxt6000_priv.h(5): * Copyright (C) 2001 NxtWave Communications, Inc.
linux-3.10\drivers\media\dvb-frontends\or51132.c(10): * Copyright (C) 2002 & pCHDTV, inc.
linux-3.10\drivers\media\dvb-frontends\or51132.c(5): *Copyright (C) 2007 Trent Piepho <xyzyzy@speakeasy.org>
linux-3.10\drivers\media\dvb-frontends\or51132.c(7): *Copyright (C) 2005 Kirk Lapray <kirk_lapray@bigfoot.com>
linux-3.10\drivers\media\dvb-frontends\or51132.h(4): *Copyright (C) 2005 Kirk Lapray <kirk_lapray@bigfoot.com>
linux-3.10\drivers\media\dvb-frontends\or51211.c(4): *Copyright (C) 2005 Kirk Lapray <kirk_lapray@bigfoot.com>
linux-3.10\drivers\media\dvb-frontends\or51211.c(7): * Copyright (C) 2002 & pCHDTV, inc.
linux-3.10\drivers\media\dvb-frontends\or51211.h(4): *Copyright (C) 2005 Kirk

legal(ME)

Lapray <kirk_lapray@bigfoot.com>
linux-3.10\drivers\media\dvb-frontends\rtl2830.c(4): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\rtl2830.h(4): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\rtl2830_priv.h(4): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\dvb-frontends\rtl2832.c(4): * Copyright (C) 2012 Thomas Mair <thomas.mair86@gmail.com>
linux-3.10\drivers\media\dvb-frontends\rtl2832.h(4): * Copyright (C) 2012 Thomas Mair <thomas.mair86@gmail.com>
linux-3.10\drivers\media\dvb-frontends\rtl2832_priv.h(4): * Copyright (C) 2012 Thomas Mair <thomas.mair86@gmail.com>
linux-3.10\drivers\media\dvb-frontends\s5h1409.c(4): Copyright (C) 2006 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\s5h1409.h(4): Copyright (C) 2006 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\s5h1411.c(4): Copyright (C) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\s5h1411.h(4): Copyright (C) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\s5h1420.c(6): * Copyright (C) 2005 Andrew de Quincey <adq_dvb@lidskialf.net>
linux-3.10\drivers\media\dvb-frontends\s5h1420.c(7): * Copyright (C) 2005-8 Patrick Boettcher <pb@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\s5h1420.h(6): * Copyright (C) 2005 Andrew de Quincey <adq_dvb@lidskialf.net>
linux-3.10\drivers\media\dvb-frontends\s5h1420.h(7): * Copyright (C) 2005-8 Patrick Boettcher <pb@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\s5h1420_priv.h(6): * Copyright (C) 2005 Andrew de Quincey <adq_dvb@lidskialf.net>
linux-3.10\drivers\media\dvb-frontends\s5h1420_priv.h(7): * Copyright (C) 2005 Patrick Boettcher <pb@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\s5h1432.c(4): * Copyright (C) 2009 Bill Liu <Bill.Liu@Conexant.com>
linux-3.10\drivers\media\dvb-frontends\s5h1432.h(4): * Copyright (C) 2009 Bill Liu <Bill.Liu@Conexant.com>
linux-3.10\drivers\media\dvb-frontends\s921.c(5): * Copyright (C) 2009-2010 Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\dvb-frontends\s921.c(6): * Copyright (C) 2009-2010 Douglas Landgraf <douglasland@redhat.com>
linux-3.10\drivers\media\dvb-frontends\s921.h(4): * Copyright (C) 2009 Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\dvb-frontends\s921.h(5): * Copyright (C) 2009 Douglas Landgraf <douglasland@redhat.com>
linux-3.10\drivers\media\dvb-frontends\si21xx.c(3): * Copyright (C) 2008 Igor M. Liplianin (liplianin@me.by)
linux-3.10\drivers\media\dvb-frontends\sp8870.c(4): Copyright (C) 1999 Juergen Peitz
linux-3.10\drivers\media\dvb-frontends\sp8870.h(4): Copyright (C) 1999 Juergen Peitz
linux-3.10\drivers\media\dvb-frontends\stb0899_algo.c(3): Copyright (C) Manu

legal(ME)

Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb0899_algo.c(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb0899_cfg.h(3):Copyright (C) Manu
Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb0899_cfg.h(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb0899_drv.c(3):Copyright (C) Manu
Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb0899_drv.c(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb0899_drv.h(3):Copyright (C) Manu
Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb0899_drv.h(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb0899_priv.h(3):Copyright (C) Manu
Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb0899_priv.h(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb0899_reg.h(3):Copyright (C) Manu
Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb0899_reg.h(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb6000.c(4): Copyright (C) 2008 Igor M.
Liplianin (liplianin@me.by)
linux-3.10\drivers\media\dvb-frontends\stb6000.h(4): Copyright (C) 2008 Igor M.
Liplianin (liplianin@me.by)
linux-3.10\drivers\media\dvb-frontends\stb6100.c(3):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb6100.c(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb6100.h(3):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb6100.h(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb6100_cfg.h(3):Copyright (C) Manu
Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\stb6100_cfg.h(5):Copyright (C) ST
Microelectronics
linux-3.10\drivers\media\dvb-frontends\stb6100_proc.h(3):Copyright (C)2009 Igor
M. Liplianin (liplianin@me.by)
linux-3.10\drivers\media\dvb-frontends\stv0288.c(3):Copyright (C) 2006 Georg
Acher, BayCom GmbH, acher (at) baycom (dot) de
linux-3.10\drivers\media\dvb-frontends\stv0288.c(5):Copyright (C) 2008
TurboSight.com, Bob Liu <bob@turbosight.com>
linux-3.10\drivers\media\dvb-frontends\stv0288.c(6):Copyright (C) 2008 Igor M.
Liplianin <liplianin@me.by>
linux-3.10\drivers\media\dvb-frontends\stv0288.h(4):Copyright (C) 2006 Georg
Acher, BayCom GmbH, acher (at) baycom (dot) de
linux-3.10\drivers\media\dvb-frontends\stv0288.h(6):Copyright (C) 2008
TurboSight.com, <bob@turbosight.com>
linux-3.10\drivers\media\dvb-frontends\stv0288.h(7):Copyright (C) 2008 Igor M.

legal(ME)

Liplianin <liplianin@me.by>
linux-3.10\drivers\media\dvb-frontends\stv0297.c(4):Copyright (C) 2004 Andrew de Quincey <adq_dvb@lidskialf.net>
linux-3.10\drivers\media\dvb-frontends\stv0297.c(5):Copyright (C) 2003-2004 Dennis Noermann <dennis.noermann@noernet.de>
linux-3.10\drivers\media\dvb-frontends\stv0297.h(4):Copyright (C) 2003-2004 Dennis Noermann <dennis.noermann@noernet.de>
linux-3.10\drivers\media\dvb-frontends\stv0299.c(12):Copyright (C) 2002 by Peter Schildmann <peter.schildmann@web.de>
linux-3.10\drivers\media\dvb-frontends\stv0299.c(17):Copyright (C) 2002 Felix Domke <tmbinc@elitedvb.net>
linux-3.10\drivers\media\dvb-frontends\stv0299.c(23):Copyright (C) 2003 Vadim Catana <skystar@moldova.cc>:
linux-3.10\drivers\media\dvb-frontends\stv0299.c(27):Copyright (C) 2004 Andrew de Quincey <adq_dvb@lidskialf.net>
linux-3.10\drivers\media\dvb-frontends\stv0299.c(4):Copyright (C) 2001-2002 Convergence Integrated Media GmbH
linux-3.10\drivers\media\dvb-frontends\stv0299.h(12):Copyright (C) 2002 by Peter Schildmann <peter.schildmann@web.de>
linux-3.10\drivers\media\dvb-frontends\stv0299.h(17):Copyright (C) 2002 Felix Domke <tmbinc@elitedvb.net>
linux-3.10\drivers\media\dvb-frontends\stv0299.h(23):Copyright (C) 2003 Vadim Catana <skystar@moldova.cc>:
linux-3.10\drivers\media\dvb-frontends\stv0299.h(27):Copyright (C) 2004 Andrew de Quincey <adq_dvb@lidskialf.net>
linux-3.10\drivers\media\dvb-frontends\stv0299.h(4):Copyright (C) 2001-2002 Convergence Integrated Media GmbH
linux-3.10\drivers\media\dvb-frontends\stv0367.c(6): * Copyright (C) ST Microelectronics.
linux-3.10\drivers\media\dvb-frontends\stv0367.c(7): * Copyright (C) 2010,2011 NetUP Inc.
linux-3.10\drivers\media\dvb-frontends\stv0367.c(8): * Copyright (C) 2010,2011 Igor M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\media\dvb-frontends\stv0367.h(6): * Copyright (C) ST Microelectronics.
linux-3.10\drivers\media\dvb-frontends\stv0367.h(7): * Copyright (C) 2010,2011 NetUP Inc.
linux-3.10\drivers\media\dvb-frontends\stv0367.h(8): * Copyright (C) 2010,2011 Igor M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\media\dvb-frontends\stv0367_priv.h(6): * Copyright (C) ST Microelectronics.
linux-3.10\drivers\media\dvb-frontends\stv0367_priv.h(7): * Copyright (C) 2010,2011 NetUP Inc.
linux-3.10\drivers\media\dvb-frontends\stv0367_priv.h(8): * Copyright (C) 2010,2011 Igor M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\media\dvb-frontends\stv0367_regs.h(6): * Copyright (C) ST Microelectronics.
linux-3.10\drivers\media\dvb-frontends\stv0367_regs.h(7): * Copyright (C) 2010,2011 NetUP Inc.
linux-3.10\drivers\media\dvb-frontends\stv0367_regs.h(8): * Copyright (C) 2010,2011 Igor M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\media\dvb-frontends\stv0900.h(6): * Copyright (C) ST

legal(ME)

Microelectronics.

linux-3.10\drivers\media\dvb-frontends\stv0900.h(7): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\dvb-frontends\stv0900.h(8): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\stv0900_core.c(6): * Copyright (C) ST Microelectronics.

linux-3.10\drivers\media\dvb-frontends\stv0900_core.c(7): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\dvb-frontends\stv0900_core.c(8): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\stv0900_init.h(6): * Copyright (C) ST Microelectronics.

linux-3.10\drivers\media\dvb-frontends\stv0900_init.h(7): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\dvb-frontends\stv0900_init.h(8): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\stv0900_priv.h(6): * Copyright (C) ST Microelectronics.

linux-3.10\drivers\media\dvb-frontends\stv0900_priv.h(7): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\dvb-frontends\stv0900_priv.h(8): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\stv0900_reg.h(6): * Copyright (C) ST Microelectronics.

linux-3.10\drivers\media\dvb-frontends\stv0900_reg.h(7): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\dvb-frontends\stv0900_reg.h(8): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\stv0900_sw.c(6): * Copyright (C) ST Microelectronics.

linux-3.10\drivers\media\dvb-frontends\stv0900_sw.c(7): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\dvb-frontends\stv0900_sw.c(8): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\stv090x.c(3): Copyright (C) Manu Abraham <abraham.manu@gmail.com>

linux-3.10\drivers\media\dvb-frontends\stv090x.c(5): Copyright (C) ST Microelectronics

linux-3.10\drivers\media\dvb-frontends\stv090x.h(3): Copyright (C) Manu Abraham <abraham.manu@gmail.com>

linux-3.10\drivers\media\dvb-frontends\stv090x.h(5): Copyright (C) ST Microelectronics

linux-3.10\drivers\media\dvb-frontends\stv090x_priv.h(3): Copyright (C) Manu Abraham <abraham.manu@gmail.com>

linux-3.10\drivers\media\dvb-frontends\stv090x_priv.h(5): Copyright (C) ST Microelectronics

linux-3.10\drivers\media\dvb-frontends\stv090x_reg.h(3): Copyright (C) Manu Abraham <abraham.manu@gmail.com>

linux-3.10\drivers\media\dvb-frontends\stv090x_reg.h(5): Copyright (C) ST Microelectronics

linux-3.10\drivers\media\dvb-frontends\stv6110.c(6): * Copyright (C) 2009 NetUP

legal(ME)

Inc.

linux-3.10\drivers\media\dvb-frontends\stv6110.c(7): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\stv6110.h(6): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\dvb-frontends\stv6110.h(7): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\dvb-frontends\stv6110x.c(4): Copyright (C) Manu Abraham <abraham.manu@gmail.com>

linux-3.10\drivers\media\dvb-frontends\stv6110x.c(6): Copyright (C) ST Microelectronics

linux-3.10\drivers\media\dvb-frontends\stv6110x.h(4): Copyright (C) Manu Abraham <abraham.manu@gmail.com>

linux-3.10\drivers\media\dvb-frontends\stv6110x.h(6): Copyright (C) ST Microelectronics

linux-3.10\drivers\media\dvb-frontends\stv6110x_priv.h(4): Copyright (C) Manu Abraham <abraham.manu@gmail.com>

linux-3.10\drivers\media\dvb-frontends\stv6110x_priv.h(6): Copyright (C) ST Microelectronics

linux-3.10\drivers\media\dvb-frontends\stv6110x_reg.h(4): Copyright (C) Manu Abraham <abraham.manu@gmail.com>

linux-3.10\drivers\media\dvb-frontends\stv6110x_reg.h(6): Copyright (C) ST Microelectronics

linux-3.10\drivers\media\dvb-frontends\tda10021.c(5): Copyright (C) 1999 Convergence Integrated Media GmbH <ralph@convergence.de>

linux-3.10\drivers\media\dvb-frontends\tda10021.c(6): Copyright (C) 2004 Markus Schulz <msc@antzsystem.de>

linux-3.10\drivers\media\dvb-frontends\tda10023.c(10): Copyright (C) 2004 Markus Schulz <msc@antzsystem.de>

linux-3.10\drivers\media\dvb-frontends\tda10023.c(5): Copyright (C) 2005 Georg Acher, BayCom GmbH (acher at baycom dot de)

linux-3.10\drivers\media\dvb-frontends\tda10023.c(6): Copyright (c) 2006 Hartmut Birr (e9hack at gmail dot com)

linux-3.10\drivers\media\dvb-frontends\tda10023.c(9): Copyright (C) 1999 Convergence Integrated Media GmbH <ralph@convergence.de>

linux-3.10\drivers\media\dvb-frontends\tda1002x.h(5): Copyright (C) 1999 Convergence Integrated Media GmbH <ralph@convergence.de>

linux-3.10\drivers\media\dvb-frontends\tda1002x.h(6): Copyright (C) 2004 Markus Schulz <msc@antzsystem.de>

linux-3.10\drivers\media\dvb-frontends\tda10048.c(4): Copyright (C) 2009 Steven Toth <stoth@kernellabs.com>

linux-3.10\drivers\media\dvb-frontends\tda10048.h(4): Copyright (C) 2009 Steven Toth <stoth@kernellabs.com>

linux-3.10\drivers\media\dvb-frontends\tda10071.c(4): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\tda10071.h(4): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\tda10071_priv.h(4): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>

linux-3.10\drivers\media\dvb-frontends\tda18271c2dd.c(4): * Copyright (C) 2010 Digital Devices GmbH

linux-3.10\drivers\media\dvb-frontends\tda665x.c(3): Copyright (C) Manu Abraham

legal(ME)

(abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\tda665x.h(3):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\tda8083.c(4):Copyright (C) 2001
Convergence Integrated Media GmbH
linux-3.10\drivers\media\dvb-frontends\tda8083.h(4):Copyright (C) 2001
Convergence Integrated Media GmbH
linux-3.10\drivers\media\dvb-frontends\tda8261.c(3):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\tda8261.h(3):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\tda8261_cfg.h(3):Copyright (C) Manu
Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\dvb-frontends\tdhd1.h(4): * Copyright (C) 2008 Oliver
Endriss <o.endriss@gmx.de>
linux-3.10\drivers\media\dvb-frontends\ts2020.c(3):Copyright (C) 2009-2012
Konstantin Dimitrov <kosio.dimitrov@gmail.com>
linux-3.10\drivers\media\dvb-frontends\ts2020.c(5):Copyright (C) 2009-2012
TurboSight.com
linux-3.10\drivers\media\dvb-frontends\ts2020.h(3):Copyright (C) 2009-2012
Konstantin Dimitrov <kosio.dimitrov@gmail.com>
linux-3.10\drivers\media\dvb-frontends\ts2020.h(5):Copyright (C) 2009-2012
TurboSight.com
linux-3.10\drivers\media\dvb-frontends\tua6100.c(12): * Copyright (C) 2002 Ralph
Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\dvb-frontends\tua6100.c(14): * Copyright (C) 1999-2002
RalphMetzler
linux-3.10\drivers\media\dvb-frontends\tua6100.h(12): * Copyright (C) 2002 Ralph
Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\dvb-frontends\tua6100.h(14): * Copyright (C) 1999-2002
RalphMetzler
linux-3.10\drivers\media\dvb-frontends\ves1820.c(4):Copyright (C) 1999
Convergence Integrated Media GmbH <ralph@convergence.de>
linux-3.10\drivers\media\dvb-frontends\ves1820.h(4):Copyright (C) 1999
Convergence Integrated Media GmbH <ralph@convergence.de>
linux-3.10\drivers\media\dvb-frontends\ves1x93.c(4):Copyright (C) 1999
Convergence Integrated Media GmbH <ralph@convergence.de>
linux-3.10\drivers\media\dvb-frontends\ves1x93.c(5):Copyright (C) 2001 Ronny
Strutz <3des@elitedvb.de>
linux-3.10\drivers\media\dvb-frontends\ves1x93.c(6):Copyright (C) 2002 Dennis
Noermann <dennis.noermann@noernet.de>
linux-3.10\drivers\media\dvb-frontends\ves1x93.c(7):Copyright (C) 2002-2003
Andreas Oberritter <obi@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\ves1x93.h(4):Copyright (C) 1999
Convergence Integrated Media GmbH <ralph@convergence.de>
linux-3.10\drivers\media\dvb-frontends\ves1x93.h(5):Copyright (C) 2001 Ronny
Strutz <3des@elitedvb.de>
linux-3.10\drivers\media\dvb-frontends\ves1x93.h(6):Copyright (C) 2002 Dennis
Noermann <dennis.noermann@noernet.de>
linux-3.10\drivers\media\dvb-frontends\ves1x93.h(7):Copyright (C) 2002-2003
Andreas Oberritter <obi@linuxtv.org>
linux-3.10\drivers\media\dvb-frontends\z0194a.h(3):* Copyright (C) 2008 Igor M.

legal(ME)

Liplianin (liplianin@me.by)

linux-3.10\drivers\media\dvb-frontends\zl10036.c(4): * Copyright (C) 2006 Tino Reichardt

linux-3.10\drivers\media\dvb-frontends\zl10036.c(5): * Copyright (C) 2007-2009 Matthias Schwarzott <zzam@gentoo.de>

linux-3.10\drivers\media\dvb-frontends\zl10036.h(4): * Copyright (C) 2006 Tino Reichardt

linux-3.10\drivers\media\dvb-frontends\zl10036.h(5): * Copyright (C) 2007-2009 Matthias Schwarzott <zzam@gentoo.de>

linux-3.10\drivers\media\dvb-frontends\zl10039.c(4): *Copyright 2007 Jan D. Louw <jd.louw@mweb.co.za>

linux-3.10\drivers\media\dvb-frontends\zl10039.h(4):Copyright (C) 2007 Jan D. Louw <jd.louw@mweb.co.za>

linux-3.10\drivers\media\dvb-frontends\zl10353.c(4): * Copyright (C) 2006, 2007 Christopher Pascoe <c.pascoe@itee.uq.edu.au>

linux-3.10\drivers\media\dvb-frontends\zl10353.h(4): *Copyright (C) 2006, 2007 Christopher Pascoe <c.pascoe@itee.uq.edu.au>

linux-3.10\drivers\media\dvb-frontends\zl10353_priv.h(4): *Copyright (C) 2006, 2007 Christopher Pascoe <c.pascoe@itee.uq.edu.au>

linux-3.10\drivers\media\firewire\iredtv.h(4): * Copyright (C) 2004 Andreas Monitzer <andy@monitzer.com>

linux-3.10\drivers\media\firewire\iredtv.h(5): * Copyright (C) 2008 Henrik Kurelid <henrik@kurelid.se>

linux-3.10\drivers\media\firewire\iredtv-avc.c(4): * Copyright (C) 2004 Andreas Monitzer <andy@monitzer.com>

linux-3.10\drivers\media\firewire\iredtv-avc.c(5): * Copyright (C) 2008 Ben Backx <ben@bbackx.com>

linux-3.10\drivers\media\firewire\iredtv-avc.c(6): * Copyright (C) 2008 Henrik Kurelid <henrik@kurelid.se>

linux-3.10\drivers\media\firewire\iredtv-ci.c(4): * Copyright (C) 2004 Andreas Monitzer <andy@monitzer.com>

linux-3.10\drivers\media\firewire\iredtv-ci.c(5): * Copyright (C) 2008 Henrik Kurelid <henrik@kurelid.se>

linux-3.10\drivers\media\firewire\iredtv-dvb.c(4): * Copyright (C) 2004 Andreas Monitzer <andy@monitzer.com>

linux-3.10\drivers\media\firewire\iredtv-dvb.c(5): * Copyright (C) 2008 Henrik Kurelid <henrik@kurelid.se>

linux-3.10\drivers\media\firewire\iredtv-fe.c(4): * Copyright (C) 2004 Andreas Monitzer <andy@monitzer.com>

linux-3.10\drivers\media\firewire\iredtv-fe.c(5): * Copyright (C) 2008 Henrik Kurelid <henrik@kurelid.se>

linux-3.10\drivers\media\firewire\iredtv-rc.c(4): * Copyright (C) 2004 Andreas Monitzer <andy@monitzer.com>

linux-3.10\drivers\media\i2c\ad9389b.c(4): * Copyright 2012 Cisco Systems, Inc. and/or its affiliates. All rights reserved.

linux-3.10\drivers\media\i2c\adp1653.c(4): * Copyright (C) 2008--2011 Nokia Corporation

linux-3.10\drivers\media\i2c\adv7170.c(10): * Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx>

linux-3.10\drivers\media\i2c\adv7170.c(4): * Copyright (C) 2002 Maxim Yevtyushkin <max@linuxmedialabs.com>

linux-3.10\drivers\media\i2c\adv7170.c(8): * Copyright (C) 1998 Dave Perks

legal(ME)

<dperks@ibm.net>
linux-3.10\drivers\media\i2c\adv7170.c(9): * Copyright (C) 1999 Wolfgang Scherr
<scherr@net4you.net>
linux-3.10\drivers\media\i2c\adv7175.c(4): * Copyright (C) 1998 Dave Perks
<dperks@ibm.net>
linux-3.10\drivers\media\i2c\adv7175.c(5): * Copyright (C) 1999 Wolfgang Scherr
<scherr@net4you.net>
linux-3.10\drivers\media\i2c\adv7175.c(6): * Copyright (C) 2000 Serguei Miridonov
<mirsev@cicese.mx>
linux-3.10\drivers\media\i2c\adv7180.c(3): * Copyright (c) 2009 Intel Corporation
linux-3.10\drivers\media\i2c\adv7183.c(4): * Copyright (c) 2011 Analog Devices
Inc.
linux-3.10\drivers\media\i2c\adv7183_regs.h(4): * Copyright (c) 2011 Analog
Devices Inc.
linux-3.10\drivers\media\i2c\adv7343.c(6): * Copyright (C) 2009 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\i2c\adv7343_regs.h(4): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\i2c\adv7393.c(11): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\i2c\adv7393.c(6): * Copyright (C) 2010-2012 ADVANSEE -
<http://www.advantsee.com/>
linux-3.10\drivers\media\i2c\adv7393_regs.h(4): * Copyright (C) 2010-2012
ADVANSEE - <http://www.advantsee.com/>
linux-3.10\drivers\media\i2c\adv7393_regs.h(9): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\i2c\adv7604.c(4): * Copyright 2012 Cisco Systems, Inc.
and/or its affiliates. All rights reserved.
linux-3.10\drivers\media\i2c\ak881x.c(4): * Copyright (C) 2010, Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\media\i2c\aptina-p11.c(4): * Copyright (C) 2012 Laurent
Pinchart <laurent.pinchart@ideasonboard.com>
linux-3.10\drivers\media\i2c\aptina-p11.h(4): * Copyright (C) 2012 Laurent
Pinchart <laurent.pinchart@ideasonboard.com>
linux-3.10\drivers\media\i2c\as3645a.c(4): * Copyright (C) 2008-2011 Nokia
Corporation
linux-3.10\drivers\media\i2c\as3645a.c(5): * Copyright (c) 2011, Intel
Corporation.
linux-3.10\drivers\media\i2c\bt819.c(4): * Copyright (C) 1999 Mike Bernson
<mike@mlb.org>
linux-3.10\drivers\media\i2c\bt819.c(5): * Copyright (C) 1998 Dave Perks
<dperks@ibm.net>
linux-3.10\drivers\media\i2c\bt819.c(8): * Copyright (C) 2000 Serguei Miridonov
<mirsev@cicese.mx>
linux-3.10\drivers\media\i2c\bt856.c(4): * Copyright (C) 1999 Mike Bernson
<mike@mlb.org>
linux-3.10\drivers\media\i2c\bt856.c(5): * Copyright (C) 1998 Dave Perks
<dperks@ibm.net>
linux-3.10\drivers\media\i2c\bt856.c(8): * Copyright (C) 2000 Serguei Miridonov
<mirsev@cicese.mx>
linux-3.10\drivers\media\i2c\bt866.c(4): Copyright (C) 1999 Mike Bernson
<mike@mlb.org>

legal(ME)

linux-3.10\drivers\media\i2c\bt866.c(5):Copyright (C) 1998 Dave Perks
<dperks@ibm.net>
linux-3.10\drivers\media\i2c\bt866.c(8):Copyright (C) 2000 Serguei Miridonov
<mirsev@cicese.mx>
linux-3.10\drivers\media\i2c\cs5345.c(3): * Copyright (C) 2007 Hans Verkuil
linux-3.10\drivers\media\i2c\cs53132a.c(3): * Copyright (C) 2005Martin Vaughan
linux-3.10\drivers\media\i2c\cx25840\cx25840-core.c(19): * Copyright (C) 2010
Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\i2c\cx25840\cx25840-core.c(22): * Copyright (C) 2011
Steven Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\i2c\cx25840\cx25840-core.c(3): * Copyright (C) 2004 Ulf
Eklund
linux-3.10\drivers\media\i2c\cx25840\cx25840-core.h(3): * Copyright (C) 2003-2004
Chris Kennedy
linux-3.10\drivers\media\i2c\cx25840\cx25840-ir.c(6): *Copyright (C) 2010Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\i2c\ir-kbd-i2c.c(5): * Copyright (c) 2000-2003 Gerd
Knorr <kraxel@bytesex.org>
linux-3.10\drivers\media\i2c\ks0127.c(7): * Copyright (C) 1999Ryan Drake
<stiletto@mediaone.net>
linux-3.10\drivers\media\i2c\ks0127.h(7): * Copyright (C) 1999Ryan Drake
<stiletto@mediaone.net>
linux-3.10\drivers\media\i2c\m52790.c(3): * Copyright (C) 2007Hans Verkuil
linux-3.10\drivers\media\i2c\m5mols\m5mols.h(4): * Copyright (C) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols.h(7): * Copyright (C) 2009 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols_capture.c(5): * Copyright (C) 2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols_capture.c(8): * Copyright (C) 2009
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols_controls.c(4): * Copyright (C) 2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols_controls.c(7): * Copyright (C) 2009
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols_core.c(4): * Copyright (C) 2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols_core.c(7): * Copyright (C) 2009
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols_reg.h(4): * Copyright (C) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\m5mols\m5mols_reg.h(7): * Copyright (C) 2009 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\mt9m032.c(4): * Copyright (C) 2010-2011 Lund
Engineering
linux-3.10\drivers\media\i2c\mt9p031.c(4): * Copyright (C) 2011, Laurent Pinchart
<laurent.pinchart@ideasonboard.com>
linux-3.10\drivers\media\i2c\mt9p031.c(5): * Copyright (C) 2011, Javier Martin
<javier.martin@vista-silicon.com>
linux-3.10\drivers\media\i2c\mt9p031.c(6): * Copyright (C) 2011, Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\media\i2c\mt9t001.c(4): * Copyright (C) 2010-2011, Laurent

legal(ME)

Pinchart <laurent.pinchart@ideasonboard.com>
linux-3.10\drivers\media\i2c\mt9t001.c(8): * Copyright (C) 2008, Guennadi
Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\mt9v011.c(4): * Copyright (c) 2009 Mauro Carvalho
Chehab (mchehab@redhat.com)
linux-3.10\drivers\media\i2c\mt9v032.c(4): * Copyright (C) 2010, Laurent Pinchart
<laurent.pinchart@ideasonboard.com>
linux-3.10\drivers\media\i2c\mt9v032.c(8): * Copyright (C) 2008, Guennadi
Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\noon010pc30.c(4): * Copyright (C) 2010 - 2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\ov7640.c(2): * Copyright (C) 2005-2006 Micronas USA
Inc.
linux-3.10\drivers\media\i2c\ov7670.c(4): * Copyright 2006 One Laptop Per Child
Association, Inc. Written
linux-3.10\drivers\media\i2c\ov7670.c(8): * Copyright 2006-7 Jonathan Corbet
<corbet@lwn.net>
linux-3.10\drivers\media\i2c\ov9650.c(4): * Copyright (C) 2013, Sylwester
Nawrocki <sylvester.nawrocki@gmail.com>
linux-3.10\drivers\media\i2c\ov9650.c(8): * Copyright (c) 2010, Vladimir Fonov
linux-3.10\drivers\media\i2c\s5c73m3\s5c73m3.h(4): * Copyright (C) 2012, Samsung
Electronics, Co., Ltd.
linux-3.10\drivers\media\i2c\s5c73m3\s5c73m3-core.c(4): * Copyright (C) 2012,
Samsung Electronics, Co., Ltd.
linux-3.10\drivers\media\i2c\s5c73m3\s5c73m3-ctrls.c(4): * Copyright (C) 2012,
Samsung Electronics, Co., Ltd.
linux-3.10\drivers\media\i2c\s5c73m3\s5c73m3-spi.c(4): * Copyright (C) 2012,
Samsung Electronics, Co., Ltd.
linux-3.10\drivers\media\i2c\s5k4ecgx.c(5): * Copyright (C) 2012, Linaro,
Sangwook Lee <sangwook.lee@linaro.org>
linux-3.10\drivers\media\i2c\s5k4ecgx.c(6): * Copyright (C) 2012, Insignal Co.,
Ltd, Homin Lee <suapapa@insignal.co.kr>
linux-3.10\drivers\media\i2c\s5k4ecgx.c(9): * Copyright (C) 2011, Samsung
Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\s5k6aa.c(5): * Copyright (C) 2011, Samsung
Electronics Co., Ltd.
linux-3.10\drivers\media\i2c\s5k6aa.c(9): * Copyright (C) 2009, Dongsoo Nathaniel
Kim <dongsoo45.kim@samsung.com>
linux-3.10\drivers\media\i2c\saa7110.c(4): * Copyright (C) 1998 Pauline Middelink
<middelink@polyware.nl>
linux-3.10\drivers\media\i2c\saa7110.c(6): * Copyright (C) 1999 Wolfgang Scherr
<scherr@net4you.net>
linux-3.10\drivers\media\i2c\saa7110.c(7): * Copyright (C) 2000 Serguei Miridonov
<mirsev@cicese.mx>
linux-3.10\drivers\media\i2c\saa7115.c(22): * Copyright (c) 2005-2006 Mauro
Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\i2c\saa7115.c(8): * Copyright (C) 1998 Dave Perks
<dperks@ibm.net>
linux-3.10\drivers\media\i2c\saa7115.c(9): * Copyright (C) 2002 Maxim Yevtyushkin
<max@linuxmedialabs.com>
linux-3.10\drivers\media\i2c\saa711x_regs.h(3): * Copyright (c) 2006 Mauro
Carvalho Chehab <mchehab@infradead.org>

legal(ME)

linux-3.10\drivers\media\i2c\saa7127.c(13): * Copyright (C) 1999 Nathan Laredo
<laredo@gnu.org>
linux-3.10\drivers\media\i2c\saa7127.c(18): * Copyright (C) 2003 Kevin Thayer
<nufan_wfk@yahoo.com>
linux-3.10\drivers\media\i2c\saa7127.c(21): * Copyright (C) 2004 Eric Varsanyi
linux-3.10\drivers\media\i2c\saa7127.c(24): * Copyright (C) 2004Chris Kennedy
<c@groovy.org>
linux-3.10\drivers\media\i2c\saa7127.c(27): * Copyright (C) 2004, 2005 Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\i2c\saa7127.c(4): * Copyright (C) 2003 Roy Bulter
<rbulter@hetnet.nl>
linux-3.10\drivers\media\i2c\saa7127.c(8): * Copyright (C) 2000-2001 Gillem
<htoa@gmx.net>
linux-3.10\drivers\media\i2c\saa7127.c(9): * Copyright (C) 2002 Andreas
Oberritter <obi@software.de>
linux-3.10\drivers\media\i2c\saa7185.c(4): * Copyright (C) 1998 Dave Perks
<dperks@ibm.net>
linux-3.10\drivers\media\i2c\saa7191.c(4): *Copyright (C) 2003 Ladislav Michl
<ladis@linux-mips.org>
linux-3.10\drivers\media\i2c\saa7191.c(5): *Copyright (C) 2004,2005 Mikael
Nousiainen <tmnousia@cc.hut.fi>
linux-3.10\drivers\media\i2c\saa7191.h(4): *Copyright (C) 2003 Ladislav Michl
<ladis@linux-mips.org>
linux-3.10\drivers\media\i2c\saa7191.h(5): *Copyright (C) 2004,2005 Mikael
Nousiainen <tmnousia@cc.hut.fi>
linux-3.10\drivers\media\i2c\smiapp\smiapp.h(6): * Copyright (C) 2010--2012 Nokia
Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-core.c(6): * Copyright (C) 2010--2012
Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-limits.c(6): * Copyright (C)
2011--2012 Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-limits.h(6): * Copyright (C)
2011--2012 Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-quirk.c(6): * Copyright (C) 2011--2012
Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-quirk.h(6): * Copyright (C) 2011--2012
Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-reg.h(6): * Copyright (C) 2011--2012
Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-reg-defs.h(6): * Copyright (C)
2011--2012 Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-regs.c(6): * Copyright (C) 2011--2012
Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp\smiapp-regs.h(6): * Copyright (C) 2011--2012
Nokia Corporation
linux-3.10\drivers\media\i2c\smiapp-p11.c(6): * Copyright (C) 2011--2012 Nokia
Corporation
linux-3.10\drivers\media\i2c\smiapp-p11.h(6): * Copyright (C) 2012 Nokia
Corporation
linux-3.10\drivers\media\i2c\soc_camera\imx074.c(4): * Copyright (C) 2010,
Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\media\i2c\soc_camera\mt9m001.c(4): * Copyright (C) 2008,

legal(ME)

Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\soc_camera\mt9m111.c(4): * Copyright (C) 2008,
Robert Jarzmik <robert.jarzmik@free.fr>
linux-3.10\drivers\media\i2c\soc_camera\mt9t031.c(4): * Copyright (C) 2008,
Guennadi Liakhovetski, DENX Software Engineering <lg@denx.de>
linux-3.10\drivers\media\i2c\soc_camera\mt9t112.c(10): * Copyright (C) 2008,
Robert Jarzmik <robert.jarzmik@free.fr>
linux-3.10\drivers\media\i2c\soc_camera\mt9t112.c(11): * Copyright 2006-7
Jonathan Corbet <corbet@lwn.net>
linux-3.10\drivers\media\i2c\soc_camera\mt9t112.c(12): * Copyright (C) 2008
Magnus Damm
linux-3.10\drivers\media\i2c\soc_camera\mt9t112.c(13): * Copyright (C) 2008,
Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\soc_camera\mt9t112.c(4): * Copyright (C) 2009
Renesas Solutions Corp.
linux-3.10\drivers\media\i2c\soc_camera\mt9t112.c(9): * Copyright (C) 2008
Kuninori Morimoto <morimoto.kuninori@renesas.com>
linux-3.10\drivers\media\i2c\soc_camera\mt9v022.c(4): * Copyright (C) 2008,
Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\soc_camera\ov2640.c(4): * Copyright (C) 2010 Alberto
Panizzo <maramaopercheseimorto@gmail.com>
linux-3.10\drivers\media\i2c\soc_camera\ov2640.c(8): * Copyright 2005-2009
Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\media\i2c\soc_camera\ov2640.c(9): * Copyright (C) 2006,
OmniVision
linux-3.10\drivers\media\i2c\soc_camera\ov5642.c(10): * Copyright (C) 2006-7
Jonathan Corbet <corbet@lwn.net>
linux-3.10\drivers\media\i2c\soc_camera\ov5642.c(4): * Copyright (C) 2011,
Bastian Hecht <hechtb@gmail.com>
linux-3.10\drivers\media\i2c\soc_camera\ov5642.c(7): * Copyright (C) 2010,
Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\media\i2c\soc_camera\ov6650.c(10): * Copyright (C) 2008
Renesas Solutions Corp.
linux-3.10\drivers\media\i2c\soc_camera\ov6650.c(14): * Copyright 2006-7 Jonathan
Corbet <corbet@lwn.net>
linux-3.10\drivers\media\i2c\soc_camera\ov6650.c(15): * Copyright (C) 2008 Magnus
Damm
linux-3.10\drivers\media\i2c\soc_camera\ov6650.c(16): * Copyright (C) 2008,
Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\soc_camera\ov6650.c(20): * Copyright (C) 2006 Matt
Callow
linux-3.10\drivers\media\i2c\soc_camera\ov6650.c(4): * Copyright (C) 2010 Janusz
Krzysztofik <jkrzysztof@tis.icnet.pl>
linux-3.10\drivers\media\i2c\soc_camera\ov6650.c(7): * Copyright (C) 2009 Marek
Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\media\i2c\soc_camera\ov772x.c(10): * Copyright (C) 2008 Magnus
Damm
linux-3.10\drivers\media\i2c\soc_camera\ov772x.c(11): * Copyright (C) 2008,
Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\soc_camera\ov772x.c(4): * Copyright (C) 2008 Renesas
Solutions Corp.
linux-3.10\drivers\media\i2c\soc_camera\ov772x.c(9): * Copyright 2006-7 Jonathan

legal(ME)

Corbet <corbet@lwn.net>
linux-3.10\drivers\media\i2c\soc_camera\ov9640.c(13): * Copyright 2006-7 Jonathan Corbet <corbet@lwn.net>
linux-3.10\drivers\media\i2c\soc_camera\ov9640.c(14): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\media\i2c\soc_camera\ov9640.c(15): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\soc_camera\ov9640.c(4): * Copyright (C) 2009 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\media\i2c\soc_camera\ov9640.c(8): * Copyright (C) 2008 Renesas Solutions Corp.
linux-3.10\drivers\media\i2c\soc_camera\ov9640.h(4): * Copyright (C) 2009 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\media\i2c\soc_camera\ov9740.c(4): * Copyright (C) 2011 NVIDIA Corporation
linux-3.10\drivers\media\i2c\soc_camera\rj54n1cb0c.c(4): * Copyright (C) 2009, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\media\i2c\soc_camera\tw9910.c(10): * Copyright 2006-7 Jonathan Corbet <corbet@lwn.net>
linux-3.10\drivers\media\i2c\soc_camera\tw9910.c(11): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\media\i2c\soc_camera\tw9910.c(12): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\i2c\soc_camera\tw9910.c(4): * Copyright (C) 2008 Renesas Solutions Corp.
linux-3.10\drivers\media\i2c\soc_camera\tw9910.c(9): * Copyright (C) 2008 Kuninori Morimoto <morimoto.kuninori@renesas.com>
linux-3.10\drivers\media\i2c\sony-btf-mpx.c(2): * Copyright (C) 2005-2006 Micronas USA Inc.
linux-3.10\drivers\media\i2c\sr030pc30.c(11): * Copyright (c) 2009 Mauro Carvalho Chehab (mchehab@redhat.com)
linux-3.10\drivers\media\i2c\sr030pc30.c(4): * Copyright (C) 2010 Samsung Electronics Co., Ltd
linux-3.10\drivers\media\i2c\tcm825x.c(6): * Copyright (C) 2007 Nokia Corporation.
linux-3.10\drivers\media\i2c\tda7432.c(10): * Copyright (c) 2000 Eric Sandeen <eric_sandeen@bigfoot.com>
linux-3.10\drivers\media\i2c\tda7432.c(11): * Copyright (c) 2006 Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\i2c\tda9840.c(4):Copyright (C) 1998-2003 Michael Hunold <michael@mihu.de>
linux-3.10\drivers\media\i2c\tda9840.c(5):Copyright (C) 2008 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\i2c\tea6415c.c(4):Copyright (C) 1998-2003 Michael Hunold <michael@mihu.de>
linux-3.10\drivers\media\i2c\tea6415c.c(5):Copyright (C) 2008 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\i2c\tea6420.c(4):Copyright (C) 1998-2003 Michael Hunold <michael@mihu.de>
linux-3.10\drivers\media\i2c\tea6420.c(5):Copyright (C) 2008 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\i2c\ths7303.c(4): * Copyright (C) 2009 Texas Instruments

legal(ME)

Incorporated - <http://www.ti.com/>

linux-3.10\drivers\media\i2c\ths7303.c(5): * Copyright 2013 Cisco Systems, Inc. and/or its affiliates.
linux-3.10\drivers\media\i2c\tlv320aic23b.c(4): * Copyright (C) 2006 Scott Alfter <salfter@ssai.us>
linux-3.10\drivers\media\i2c\tlv320aic23b.c(8): * Copyright (C) 2004 Ulf Eklund <ivtv at eklund.to>
linux-3.10\drivers\media\i2c\tlv320aic23b.c(9): * Copyright (C) 2005 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\i2c\tvaudio.c(11): * Copyright (c) 2000 Guillaume Delvit based on Gerd Knorr source
linux-3.10\drivers\media\i2c\tvaudio.c(14): * Copyright(c) 2005-2008 Mauro Carvalho Chehab
linux-3.10\drivers\media\i2c\tvaudio.c(4): * Copyright (c) 2000 Gerd Knorr
linux-3.10\drivers\media\i2c\tpv514x.c(6): * Copyright (C) 2008 Texas Instruments Inc
linux-3.10\drivers\media\i2c\tpv514x_regs.h(4): * Copyright (C) 2008 Texas Instruments Inc
linux-3.10\drivers\media\i2c\tpv5150.c(4): * Copyright (c) 2005,2006 Mauro Carvalho Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\i2c\tpv5150_reg.h(4): * Copyright (c) 2005,2006 Mauro Carvalho Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\i2c\tpv7002.c(4): * Copyright (C) 2009 Texas Instruments Inc
linux-3.10\drivers\media\i2c\tpv7002_reg.h(4): * Copyright (C) 2009 Texas Instruments Inc
linux-3.10\drivers\media\i2c\tw2804.c(2): * Copyright (C) 2005-2006 Micronas USA Inc.
linux-3.10\drivers\media\i2c\tw9903.c(2): * Copyright (C) 2005-2006 Micronas USA Inc.
linux-3.10\drivers\media\i2c\tw9906.c(2): * Copyright (C) 2005-2006 Micronas USA Inc.
linux-3.10\drivers\media\i2c\uda1342.c(2): * Copyright (C) 2005-2006 Micronas USA Inc.
linux-3.10\drivers\media\i2c\vp27smpx.c(4): * Copyright (C) 2007 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\i2c\vp3220.c(4): * Copyright (C) 2001 Laurent Pinchart <lpinchart@freegates.be>
linux-3.10\drivers\media\i2c\vs6624.c(4): * Copyright (c) 2011 Analog Devices Inc.
linux-3.10\drivers\media\i2c\vs6624_regs.h(4): * Copyright (c) 2011 Analog Devices Inc.
linux-3.10\drivers\media\i2c\wm8739.c(4): * Copyright (C) 2005 T. Adachi <tadachi@tadachi-net.com>
linux-3.10\drivers\media\i2c\wm8739.c(6): * Copyright (C) 2005 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\i2c\wm8775.c(4): * Copyright (C) 2004 Ulf Eklund <ivtv at eklund.to>
linux-3.10\drivers\media\i2c\wm8775.c(8): * Copyright (C) 2005 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\media-device.c(4): * Copyright (C) 2010 Nokia Corporation

legal(ME)

linux-3.10\drivers\media\media-devnode.c(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\drivers\media\media-entity.c(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\drivers\media\mmc\siano\smssdio.c(361):printk(KERN_INFO "smssdio: Copyright Pierre Ossman\n");
linux-3.10\drivers\media\mmc\siano\smssdio.c(4): *Copyright 2008 Pierre Ossman
linux-3.10\drivers\media\mmc\siano\smssdio.c(7): * Copyright (C) 2006-2008, Uri Shkolnik
linux-3.10\drivers\media\parport\bw-qcam.c(42):Copyright (C) 1996 by Scott Laird
linux-3.10\drivers\media\parport\c-qcam.c(3): *Copyright 1997-2000 Philip Blundell <philb@gnu.org>
linux-3.10\drivers\media\parport\w9966.c(6):Copyright (C) 2001 Jakob Kemi <jakob.kemi@post.utfors.se>
linux-3.10\drivers\media\pci\b2c2\flexcop-dma.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\pci\b2c2\flexcop-pci.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\pci\bt8xx\bt848.h(4):Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de)
linux-3.10\drivers\media\pci\bt8xx\bt878.c(4): * Copyright (C) 2002 Peter Hettkamp <peter.hettkamp@htp-tel.de>
linux-3.10\drivers\media\pci\bt8xx\bt878.c(7): * Copyright (C) 1996,97,98 RalphMetzler (rjkm@metzlerbros.de)
linux-3.10\drivers\media\pci\bt8xx\bt878.h(4):Copyright (C) 2002 Peter Hettkamp <peter.hettkamp@htp-tel.de>
linux-3.10\drivers\media\pci\bt8xx\bttv.h(9): *Copyright (C) 1996,97 Ralph Metzler (rjkm@thp.uni-koeln.de)
linux-3.10\drivers\media\pci\bt8xx\bttv-audio-hook.c(4): * Copyright (c) 2006 Mauro Carvalho Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\pci\bt8xx\bttv-audio-hook.h(4): * Copyright (c) 2006 Mauro Carvalho Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\pci\bt8xx\bttv-cards.c(4135): * Copyright (c) 1999 Csaba Halasz <qgehal@uni-miskolc.hu>
linux-3.10\drivers\media\pci\bt8xx\bttv-cards.c(8):Copyright (C) 1996,97,98 RalphMetzler (rjkm@thp.uni-koeln.de)
linux-3.10\drivers\media\pci\bt8xx\bttv-driver.c(19):Copyright (C) 2005, 2006 Michael H. Schimek <mschimek@gmx.at>
linux-3.10\drivers\media\pci\bt8xx\bttv-driver.c(5):Copyright (C) 1996,97,98 RalphMetzler <rjkm@thp.uni-koeln.de>
linux-3.10\drivers\media\pci\bt8xx\bttv-gpio.c(9):Copyright (C) 1996,97,98 RalphMetzler (rjkm@thp.uni-koeln.de)
linux-3.10\drivers\media\pci\bt8xx\bttv-i2c.c(7):Copyright (C) 1996,97,98 RalphMetzler (rjkm@thp.uni-koeln.de)
linux-3.10\drivers\media\pci\bt8xx\bttv-if.c(9):Copyright (C) 1996,97,98 RalphMetzler (rjkm@thp.uni-koeln.de)
linux-3.10\drivers\media\pci\bt8xx\bttv-input.c(3): * Copyright (c) 2003 Gerd Knorr
linux-3.10\drivers\media\pci\bt8xx\bttv-input.c(4): * Copyright (c) 2003 Pavel Machek
linux-3.10\drivers\media\pci\bt8xx\bttv-vbi.c(8):Copyright (C) 2005, 2006 Michael H. Schimek <mschimek@gmx.at>

legal(ME)

linux-3.10\drivers\media\pci\bt8xx\dst.c(3):Copyright (C) 2003 Jamie Honan
linux-3.10\drivers\media\pci\bt8xx\dst.c(4):Copyright (C) 2004, 2005 Manu Abraham
(manu@kromtek.com)
linux-3.10\drivers\media\pci\bt8xx\dst_ca.c(4):Copyright (C) 2004, 2005 Manu
Abraham (manu@kromtek.com)
linux-3.10\drivers\media\pci\bt8xx\dst_ca.h(4):Copyright (C) 2004, 2005 Manu
Abraham (manu@kromtek.com)
linux-3.10\drivers\media\pci\bt8xx\dst_common.h(4):Copyright (C) 2003 Jamie Honan
linux-3.10\drivers\media\pci\bt8xx\dst_common.h(5):Copyright (C) 2004, 2005 Manu
Abraham (manu@kromtek.com)
linux-3.10\drivers\media\pci\bt8xx\dst_priv.h(4): * Copyright (C) 2003 Jamie
Honan
linux-3.10\drivers\media\pci\bt8xx\dvb-bt8xx.c(4): * Copyright (C) 2002,2003
Florian Schirmer <jolt@tuxbox.org>
linux-3.10\drivers\media\pci\bt8xx\dvb-bt8xx.h(4): * Copyright (C) 2002,2003
Florian Schirmer <jolt@tuxbox.org>
linux-3.10\drivers\media\pci\bt8xx\dvb-bt8xx.h(5): * Copyright (C) 2002 Peter
Hettkamp <peter.hettkamp@htp-tel.de>
linux-3.10\drivers\media\pci\bt8xx\dvb-bt8xx.h(6): * Copyright (C) 1999-2001
RalphMetzler & Marcus Metzler for convergence integrated media GmbH
linux-3.10\drivers\media\pci\bt8xx\dvb-bt8xx.h(7): * Copyright (C) 1998,1999
Christian Theiss <mistert@rz.fh-augsburg.de>
linux-3.10\drivers\media\pci\cx18\cx18-alsa.h(4): *Copyright (C) 2009Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-alsa-main.c(4): *Copyright (C) 2009Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-alsa-main.c(5): *Copyright (C) 2009Devin
Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\media\pci\cx18\cx18-alsa-mixer.c(5): *Copyright (C) 2009Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-alsa-mixer.h(5): *Copyright (C) 2009Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-alsa-pcm.c(5): *Copyright (C) 2009Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-alsa-pcm.c(6): *Copyright (C) 2009Devin
Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\media\pci\cx18\cx18-alsa-pcm.h(5): *Copyright (C) 2009Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-audio.c(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-audio.h(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-av-audio.c(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-av-audio.c(7): *Copyright (C) 2008Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-av-core.c(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-av-core.c(7): *Copyright (C) 2008Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-av-core.h(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>

legal(ME)

linux-3.10\drivers\media\pci\cx18\cx18-av-core.h(7): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-av-firmware.c(4): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-av-firmware.c(5): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-av-vbi.c(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-cards.c(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-cards.c(7): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-cards.h(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-cards.h(7): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-controls.c(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-controls.h(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-driver.c(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-driver.c(7): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-driver.h(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-driver.h(7): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-dvb.c(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx18\cx18-dvb.c(5): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-dvb.h(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx18\cx18-fileops.c(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-fileops.c(7): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-fileops.h(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-firmware.c(4): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-firmware.c(5): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-firmware.h(4): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-gpio.c(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-gpio.c(7): *Copyright (C) 2008Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-gpio.h(6): *Copyright (C) 2007Hans Verkuil <hverkuil@xs4all.nl>

legal(ME)

linux-3.10\drivers\media\pci\cx18\cx18-gpio.h(7): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-i2c.c(6): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-i2c.c(7): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-i2c.h(6): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-io.c(4): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-io.c(5): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-io.h(4): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-io.h(5): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-ioctl.c(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-ioctl.c(7): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-ioctl.h(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-ioctl.h(7): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-irq.c(4): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-irq.c(5): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-irq.h(4): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-irq.h(5): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-mailbox.c(4): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-mailbox.c(5): *Copyright (C) 2008Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-mailbox.c(73):API_ENTRY(CPU,
CX18_CPU_SET_COPYRIGHT,0),
linux-3.10\drivers\media\pci\cx18\cx18-mailbox.h(4): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-mailbox.h(5): *Copyright (C) 2008Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-queue.c(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-queue.c(7): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-queue.h(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-queue.h(7): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-scb.c(4): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>

legal(ME)

linux-3.10\drivers\media\pci\cx18\cx18-scb.c(5): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-scb.h(4): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-scb.h(5): *Copyright (C) 2008Andy Walls
<awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-streams.c(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-streams.c(7): *Copyright (C) 2008Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-streams.h(6): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-streams.h(7): *Copyright (C) 2008Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx18\cx18-vbi.c(6): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-vbi.h(6): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-version.h(4): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-video.c(4): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx18-video.h(4): *Copyright (C) 2007Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx18\cx23418.h(258):/* Description: Set copyright
linux-3.10\drivers\media\pci\cx18\cx23418.h(260): IN[1] - copyright
linux-3.10\drivers\media\pci\cx18\cx23418.h(4): *Copyright (C) 2007Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\cx23885\altera-ci.c(6): * Copyright (C) 2010,2011
NetUP Inc.
linux-3.10\drivers\media\pci\cx23885\altera-ci.c(7): * Copyright (C) 2010,2011
Igor M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\media\pci\cx23885\altera-ci.h(6): * Copyright (C) 2010 NetUP
Inc.
linux-3.10\drivers\media\pci\cx23885\altera-ci.h(7): * Copyright (C) 2010 Igor M.
Liplianin <liplianin@netup.ru>
linux-3.10\drivers\media\pci\cx23885\cimax2.c(6): * Copyright (C) 2009 NetUP Inc.
linux-3.10\drivers\media\pci\cx23885\cimax2.c(7): * Copyright (C) 2009 Igor M.
Liplianin <liplianin@netup.ru>
linux-3.10\drivers\media\pci\cx23885\cimax2.c(8): * Copyright (C) 2009 Abylay
Ospan <aospan@netup.ru>
linux-3.10\drivers\media\pci\cx23885\cimax2.h(6): * Copyright (C) 2009 NetUP Inc.
linux-3.10\drivers\media\pci\cx23885\cimax2.h(7): * Copyright (C) 2009 Igor M.
Liplianin <liplianin@netup.ru>
linux-3.10\drivers\media\pci\cx23885\cimax2.h(8): * Copyright (C) 2009 Abylay
Ospan <aospan@netup.ru>
linux-3.10\drivers\media\pci\cx23885\cx23885.h(4): *Copyright (c) 2006 Steven
Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx23885\cx23885-417.c(164):enum cx23885_copyright {
linux-3.10\drivers\media\pci\cx23885\cx23885-417.c(165):CX23885_COPYRIGHT_OFF,
linux-3.10\drivers\media\pci\cx23885\cx23885-417.c(166):CX23885_COPYRIGHT_ON,
linux-3.10\drivers\media\pci\cx23885\cx23885-417.c(739):case

legal(ME)

CX2341X_ENC_SET_COPYRIGHT:

linux-3.10\drivers\media\pci\cx23885\cx23885-av.c(6): *Copyright (C) 2010Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23885-av.h(6): *Copyright (C) 2010Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23885-cards.c(4): *Copyright (c) 2006 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx23885\cx23885-core.c(4): *Copyright (c) 2006 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx23885\cx23885-dvb.c(4): *Copyright (c) 2006 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx23885\cx23885-f300.c(13): * Copyright (C) 2009 Igor M. Liplianin <liplianin@me.by>
linux-3.10\drivers\media\pci\cx23885\cx23885-i2c.c(4): *Copyright (c) 2006 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx23885\cx23885-input.c(13): *Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\pci\cx23885\cx23885-input.c(14): *Copyright (C) 2005 Ludovico Cavedon <cavedon@sss.it>
linux-3.10\drivers\media\pci\cx23885\cx23885-input.c(18): *Copyright (C) 2004, 2005 Chris Pascoe
linux-3.10\drivers\media\pci\cx23885\cx23885-input.c(19): *Copyright (C) 2003, 2004 Gerd Knorr
linux-3.10\drivers\media\pci\cx23885\cx23885-input.c(20): *Copyright (C) 2003 Pavel Machek
linux-3.10\drivers\media\pci\cx23885\cx23885-input.c(8): *Copyright (C) 2009Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23885-input.h(6): *Copyright (C) 2009Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23885-ioctl.c(6): *Copyright (c) 2009 Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23885-ioctl.h(6): *Copyright (c) 2009 Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23885-ir.c(6): *Copyright (C) 2009Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23885-ir.h(6): *Copyright (C) 2009Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23885-reg.h(4): *Copyright (c) 2006 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx23885\cx23885-vbi.c(4): *Copyright (c) 2007 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx23885\cx23885-video.c(4): *Copyright (c) 2007 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\pci\cx23885\cx23888-ir.c(6): *Copyright (C) 2009Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\cx23888-ir.h(6): *Copyright (C) 2009Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\pci\cx23885\netup-EEPROM.c(7): * Copyright (C) 2009 NetUP Inc.
linux-3.10\drivers\media\pci\cx23885\netup-EEPROM.c(8): * Copyright (C) 2009 Abylay Ospan <aospan@netup.ru>
linux-3.10\drivers\media\pci\cx23885\netup-EEPROM.h(6): * Copyright (C) 2009

legal(ME)

NetUP Inc.

linux-3.10\drivers\media\pci\cx23885\netup-eeeprom.h(7): * Copyright (C) 2009

Abylay Ospan <aospan@netup.ru>

linux-3.10\drivers\media\pci\cx23885\netup-init.c(6): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\pci\cx23885\netup-init.c(7): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\pci\cx23885\netup-init.c(8): * Copyright (C) 2009 Abylay Ospan <aospan@netup.ru>

linux-3.10\drivers\media\pci\cx23885\netup-init.h(6): * Copyright (C) 2009 NetUP Inc.

linux-3.10\drivers\media\pci\cx23885\netup-init.h(7): * Copyright (C) 2009 Igor M. Liplianin <liplianin@netup.ru>

linux-3.10\drivers\media\pci\cx23885\netup-init.h(8): * Copyright (C) 2009 Abylay Ospan <aospan@netup.ru>

linux-3.10\drivers\media\pci\cx25821\cx25821.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-alsa.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-audio.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-audio-upstream.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-audio-upstream.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-biffuncs.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-cards.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-core.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-gpio.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-i2c.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-medusa-defines.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-medusa-reg.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-medusa-video.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-medusa-video.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-reg.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-sram.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-video.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-video.c(8): *Copyright (C) 2009 Eduardo Moscoso Rubino <moscoso@TopoLogica.com>

linux-3.10\drivers\media\pci\cx25821\cx25821-video.h(4): *Copyright (C) 2009

legal(ME)

Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-video-upstream.c(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx25821\cx25821-video-upstream.h(4): *Copyright (C) 2009 Conexant Systems Inc.

linux-3.10\drivers\media\pci\cx88\cx88-blackbird.c(132):enum blackbird_copyright {

linux-3.10\drivers\media\pci\cx88\cx88-blackbird.c(133):BLACKBIRD_COPYRIGHT_OFF,

linux-3.10\drivers\media\pci\cx88\cx88-blackbird.c(134):BLACKBIRD_COPYRIGHT_ON,

linux-3.10\drivers\media\pci\cx88\cx88-dsp.c(5): *Copyright (c) 2009 Marton Balint <cus@fazekas.hu>

linux-3.10\drivers\media\pci\cx88\cx88-i2c.c(6):Copyright (C) 1996,97,98

RalphMetzler (rjkm@thp.uni-koeln.de)

linux-3.10\drivers\media\pci\cx88\cx88-input.c(6): * Copyright (c) 2003 Pavel Machek

linux-3.10\drivers\media\pci\cx88\cx88-input.c(7): * Copyright (c) 2004 Gerd Knorr

linux-3.10\drivers\media\pci\cx88\cx88-input.c(8): * Copyright (c) 2004, 2005 Chris Pascoe

linux-3.10\drivers\media\pci\cx88\cx88-reg.h(5):Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de)

linux-3.10\drivers\media\pci\ddbridge\ddbridge.h(4): * Copyright (C) 2010-2011 Digital Devices GmbH

linux-3.10\drivers\media\pci\ddbridge\ddbridge-core.c(1706): "Copyright (C) 2010-11 Digital Devices GmbH\n");

linux-3.10\drivers\media\pci\ddbridge\ddbridge-core.c(4): * Copyright (C) 2010-2011 Digital Devices GmbH

linux-3.10\drivers\media\pci\ddbridge\ddbridge-regs.h(4): * Copyright (C) 2010-2011 Digital Devices GmbH

linux-3.10\drivers\media\pci\dm1105\dm1105.c(4): * Copyright (C) 2008 Igor M. Liplianin <liplianin@me.by>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa.h(4): *Copyright (C) 2009,2012Andy Walls <awalls@md.metrocast.net>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa.h(5): *Copyright (C) 2009Devin Heitmueller <dheitmueller@kernellabs.com>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa-main.c(4): *Copyright (C) 2009,2012Andy Walls <awalls@md.metrocast.net>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa-main.c(5): *Copyright (C) 2009Devin Heitmueller <dheitmueller@kernellabs.com>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa-mixer.c(5): *Copyright (C) 2009,2012Andy Walls <awalls@md.metrocast.net>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa-mixer.h(5): *Copyright (C) 2009,2012Andy Walls <awalls@md.metrocast.net>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa-pcm.c(5): *Copyright (C) 2009,2012Andy Walls <awalls@md.metrocast.net>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa-pcm.c(6): *Copyright (C) 2009Devin Heitmueller <dheitmueller@kernellabs.com>

linux-3.10\drivers\media\pci\ivtv\ivtv-alsa-pcm.h(5): *Copyright (C) 2009,2012Andy Walls <awalls@md.metrocast.net>

linux-3.10\drivers\media\pci\ivtv\ivtv-cards.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>

linux-3.10\drivers\media\pci\ivtv\ivtv-cards.c(4):Copyright (C) 2005-2007Hans

legal(ME)

Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-cards.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-cards.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-controls.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-controls.c(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-controls.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-controls.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-driver.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-driver.c(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-driver.c(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-driver.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-driver.h(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-driver.h(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtvfb.c(14):Copyright (c) 2003 Matt T. Yourst <yourst@yourst.com>
linux-3.10\drivers\media\pci\ivtv\ivtvfb.c(20):Copyright (C) 2004 Matthias Badaire
linux-3.10\drivers\media\pci\ivtv\ivtvfb.c(22):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtvfb.c(24):Copyright (C) 2006Ian Armstrong <ian@iarmst.demon.co.uk>
linux-3.10\drivers\media\pci\ivtv\ivtv-fileops.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-fileops.c(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-fileops.c(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-fileops.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-fileops.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-firmware.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-firmware.c(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-firmware.c(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-firmware.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-firmware.h(4):Copyright (C) 2004Chris

legal(ME)

Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-firmware.h(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-gpio.c(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-gpio.c(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-gpio.h(3):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-gpio.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-i2c.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-i2c.c(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-i2c.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-i2c.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-ioctl.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-ioctl.c(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-ioctl.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-ioctl.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-irq.c(2):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-irq.c(3):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-irq.c(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-irq.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-irq.h(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-irq.h(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-mailbox.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-mailbox.c(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-mailbox.c(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-mailbox.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-mailbox.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-queue.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-queue.c(4):Copyright (C) 2004Chris Kennedy

legal(ME)

<c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-queue.c(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-queue.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-queue.h(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-queue.h(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-routing.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-routing.c(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-routing.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-routing.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-streams.c(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-streams.c(4):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-streams.c(5):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-streams.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-streams.h(4):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-udma.c(4):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-udma.c(5):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-udma.c(6):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-udma.h(2):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>
linux-3.10\drivers\media\pci\ivtv\ivtv-udma.h(3):Copyright (C) 2004Chris Kennedy <c@groovy.org>
linux-3.10\drivers\media\pci\ivtv\ivtv-udma.h(4):Copyright (C) 2006-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-vbi.c(3):Copyright (C) 2004-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-vbi.h(3):Copyright (C) 2004-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-version.h(3):Copyright (C) 2005-2007Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\ivtv\ivtv-yuv.c(4):Copyright (C) 2007Ian Armstrong <ian@iarmst.demon.co.uk>
linux-3.10\drivers\media\pci\ivtv\ivtv-yuv.h(4):Copyright (C) 2007Ian Armstrong <ian@iarmst.demon.co.uk>
linux-3.10\drivers\media\pci\mantis\hopper_cards.c(4):Copyright (C) Manu Abraham (abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\hopper_vp3028.c(4):Copyright (C) Manu Abraham

legal(ME)

(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\hopper_vp3028.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_ca.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_ca.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_cards.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_common.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_core.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_core.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_dma.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_dma.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_dvb.c(3):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_dvb.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_evm.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_hif.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_hif.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_i2c.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_i2c.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_input.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_ioc.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_ioc.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_link.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_pci.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_pci.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_pcmcia.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_reg.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_uart.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_uart.h(4):Copyright (C) Manu Abraham

legal(ME)

(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp1033.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp1033.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp1034.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp1034.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp1041.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp1041.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp2033.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp2033.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp2040.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp2040.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp3028.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp3028.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp3030.c(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\mantis\mantis_vp3030.h(4):Copyright (C) Manu Abraham
(abraham.manu@gmail.com)
linux-3.10\drivers\media\pci\meye\meye.c(4): * Copyright (C) 2001-2004 Stelian
Pop <stelian@popies.net>
linux-3.10\drivers\media\pci\meye\meye.c(6): * Copyright (C) 2001-2002 Alcīve
<www.alcove.com>
linux-3.10\drivers\media\pci\meye\meye.c(8): * Copyright (C) 2000 Andrew Tridgell
<tridge@valinux.com>
linux-3.10\drivers\media\pci\meye\meye.h(4): * Copyright (C) 2001-2004 Stelian
Pop <stelian@popies.net>
linux-3.10\drivers\media\pci\meye\meye.h(6): * Copyright (C) 2001-2002 Alcīve
<www.alcove.com>
linux-3.10\drivers\media\pci\meye\meye.h(8): * Copyright (C) 2000 Andrew Tridgell
<tridge@valinux.com>
linux-3.10\drivers\media\pci\ngene\ngene.h(4): * Copyright (C) 2005-2007 Micronas
linux-3.10\drivers\media\pci\ngene\ngene-cards.c(4): * Copyright (C) 2005-2007
Micronas
linux-3.10\drivers\media\pci\ngene\ngene-cards.c(6): * Copyright (C) 2008-2009
Ralph Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\pci\ngene\ngene-cards.c(820): "nGene PCIE bridge driver,
Copyright (C) 2005-2007 Micronas\n");
linux-3.10\drivers\media\pci\ngene\ngene-core.c(4): * Copyright (C) 2005-2007
Micronas
linux-3.10\drivers\media\pci\ngene\ngene-core.c(6): * Copyright (C) 2008-2009
Ralph Metzler <rjkm@metzlerbros.de>

legal(ME)

linux-3.10\drivers\media\pci\ngene\ngene-dvb.c(4): * Copyright (C) 2005-2007
Micronas
linux-3.10\drivers\media\pci\ngene\ngene-dvb.c(6): * Copyright (C) 2008-2009
Ralph Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\pci\ngene\ngene-i2c.c(4): * Copyright (C) 2005-2007
Micronas
linux-3.10\drivers\media\pci\ngene\ngene-i2c.c(6): * Copyright (C) 2008-2009
Ralph Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\pci\pluto2\pluto2.c(4): * Copyright (C) 2005 Andreas
Oberitter <obi@linuxtv.org>
linux-3.10\drivers\media\pci\pluto2\pluto2.c(8): *Copyright (c) 2004 TDF
linux-3.10\drivers\media\pci\pt1\pt1.c(4): * Copyright (C) 2009 HIRANO Takahito
<hiranotaka@zng.info>
linux-3.10\drivers\media\pci\pt1\va1j5jf8007s.c(4): * Copyright (C) 2009 HIRANO
Takahito <hiranotaka@zng.info>
linux-3.10\drivers\media\pci\pt1\va1j5jf8007s.h(4): * Copyright (C) 2009 HIRANO
Takahito <hiranotaka@zng.info>
linux-3.10\drivers\media\pci\pt1\va1j5jf8007t.c(4): * Copyright (C) 2009 HIRANO
Takahito <hiranotaka@zng.info>
linux-3.10\drivers\media\pci\pt1\va1j5jf8007t.h(4): * Copyright (C) 2009 HIRANO
Takahito <hiranotaka@zng.info>
linux-3.10\drivers\media\pci\saa7134\saa6752hs.c(4):Copyright (C) 2004 Andrew de
Quincey
linux-3.10\drivers\media\pci\saa7134\saa6752hs.c(8):Copyright (C) 2008 Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\pci\saa7146\hexium_gemini.c(7):Copyright (C) 2003
Michael Hunold <michael@mihu.de>
linux-3.10\drivers\media\pci\saa7146\hexium_orion.c(7):Copyright (C) 2003 Michael
Hunold <michael@mihu.de>
linux-3.10\drivers\media\pci\saa7146\mxh.c(4):Copyright (C) 1998-2006 Michael
Hunold <michael@mihu.de>
linux-3.10\drivers\media\pci\saa7164\saa7164.h(4): *Copyright (c) 2010 Steven
Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-api.c(4): *Copyright (c) 2010 Steven
Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-buffer.c(4): *Copyright (c) 2010
Steven Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-bus.c(4): *Copyright (c) 2010 Steven
Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-cards.c(4): *Copyright (c) 2010
Steven Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-cmd.c(4): *Copyright (c) 2010 Steven
Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-core.c(4): *Copyright (c) 2010
Steven Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-dvb.c(4): *Copyright (c) 2010 Steven
Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-encoder.c(4): *Copyright (c) 2010
Steven Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-fw.c(4): *Copyright (c) 2010 Steven
Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-i2c.c(4): *Copyright (c) 2010 Steven

legal(ME)

Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-reg.h(4): *Copyright (c) 2010 Steven Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-types.h(4): *Copyright (c) 2010 Steven Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\saa7164\saa7164-vbi.c(4): *Copyright (c) 2010 Steven Toth <stoth@kernellabs.com>
linux-3.10\drivers\media\pci\sta2x11\sta2x11_vip.c(4): * Copyright (C) 2012 ST Microelectronics
linux-3.10\drivers\media\pci\sta2x11\sta2x11_vip.c(6): * Copyright (C) 2010 WindRiver Systems, Inc.
linux-3.10\drivers\media\pci\sta2x11\sta2x11_vip.h(2): * Copyright (c) 2011 Wind River Systems, Inc.
linux-3.10\drivers\media\pci\ttpci\av7110.c(5): * Copyright (C) 1999-2002 RalphMetzler
linux-3.10\drivers\media\pci\ttpci\av7110.c(9): * Copyright (C) 1998,1999 Christian Theiss <mistert@rz.fh-augsburg.de>
linux-3.10\drivers\media\pci\ttpci\av7110_av.c(4): * Copyright (C) 1999-2002 RalphMetzler
linux-3.10\drivers\media\pci\ttpci\av7110_av.c(8): * Copyright (C) 1998,1999 Christian Theiss <mistert@rz.fh-augsburg.de>
linux-3.10\drivers\media\pci\ttpci\av7110_ca.c(4): * Copyright (C) 1999-2002 RalphMetzler
linux-3.10\drivers\media\pci\ttpci\av7110_ca.c(8): * Copyright (C) 1998,1999 Christian Theiss <mistert@rz.fh-augsburg.de>
linux-3.10\drivers\media\pci\ttpci\av7110_hw.c(4): * Copyright (C) 1999-2002 RalphMetzler
linux-3.10\drivers\media\pci\ttpci\av7110_hw.c(8): * Copyright (C) 1998,1999 Christian Theiss <mistert@rz.fh-augsburg.de>
linux-3.10\drivers\media\pci\ttpci\av7110_ir.c(4): * Copyright (C) 1999-2003 Holger Waechtler <holger@convergence.de>
linux-3.10\drivers\media\pci\ttpci\av7110_ir.c(5): * Copyright (C) 2003-2007 Oliver Endriss <o.endriss@gmx.de>
linux-3.10\drivers\media\pci\ttpci\av7110_v4l.c(4): * Copyright (C) 1999-2002 RalphMetzler
linux-3.10\drivers\media\pci\ttpci\av7110_v4l.c(8): * Copyright (C) 1998,1999 Christian Theiss <mistert@rz.fh-augsburg.de>
linux-3.10\drivers\media\pci\ttpci\budget.c(6): * Copyright (C) 2002 Ralph Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\pci\ttpci\budget.c(8): * Copyright (C) 1999-2002 RalphMetzler
linux-3.10\drivers\media\pci\ttpci\budget-av.c(10): * Copyright (C) 2002 Ralph Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\pci\ttpci\budget-av.c(12): * Copyright (C) 1999-2002 RalphMetzler
linux-3.10\drivers\media\pci\ttpci\budget-core.c(6): * Copyright (C) 2002 Ralph Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\pci\ttpci\budget-core.c(8): * Copyright (C) 1999-2002 RalphMetzler
linux-3.10\drivers\media\pci\ttpci\ttpci-eprom.c(15): Copyright (C) 2002-2003 Ralph Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\pci\zoran\zoran.h(13): * Copyright (C) 1996,97,98

legal(ME)

RalphMetzler (rjkm@thp.uni-koeln.de)
linux-3.10\drivers\media\pci\zoran\zoran.h(4): * Copyright (C) 1999 Rainer
Johanni <Rainer@Johanni.de>
linux-3.10\drivers\media\pci\zoran\zoran.h(8): * zoran.0.0.3 Copyright (C) 1998
Dave Perks <dperks@ibm.net>
linux-3.10\drivers\media\pci\zoran\zoran_card.c(8): * Copyright (C) 2000 Serguei
Miridonov <mirsev@cicese.mx>
linux-3.10\drivers\media\pci\zoran\zoran_card.h(8): * Copyright (C) 2000 Serguei
Miridonov <mirsev@cicese.mx>
linux-3.10\drivers\media\pci\zoran\zoran_device.c(8): * Copyright (C) 2000
Serguei Miridonov <mirsev@cicese.mx>
linux-3.10\drivers\media\pci\zoran\zoran_device.h(8): * Copyright (C) 2000
Serguei Miridonov <mirsev@cicese.mx>
linux-3.10\drivers\media\pci\zoran\zoran_driver.c(19): * Copyright (C) 1999
Wolfgang Scherr <scherr@net4you.net>
linux-3.10\drivers\media\pci\zoran\zoran_driver.c(22): * Copyright (C) 1999
Rainer Johanni <Rainer@Johanni.de>
linux-3.10\drivers\media\pci\zoran\zoran_driver.c(25): * Copyright (C) 1998 Dave
Perks <dperks@ibm.net>
linux-3.10\drivers\media\pci\zoran\zoran_driver.c(28): * Copyright (C) 1996,97,98
RalphMetzler (rjkm@thp.uni-koeln.de)
linux-3.10\drivers\media\pci\zoran\zoran_driver.c(6): * Copyright (C) 2000
Serguei Miridonov <mirsev@cicese.mx>
linux-3.10\drivers\media\pci\zoran\zoran_procfs.c(8): * Copyright (C) 2000
Serguei Miridonov <mirsev@cicese.mx>
linux-3.10\drivers\media\pci\zoran\zoran_procfs.h(8): * Copyright (C) 2000
Serguei Miridonov <mirsev@cicese.mx>
linux-3.10\drivers\media\pci\zoran\zr36016.c(4): * Copyright (C) 2001 Wolfgang
Scherr <scherr@net4you.at>
linux-3.10\drivers\media\pci\zoran\zr36016.h(4): * Copyright (C) 2001 Wolfgang
Scherr <scherr@net4you.at>
linux-3.10\drivers\media\pci\zoran\zr36050.c(4): * Copyright (C) 2001 Wolfgang
Scherr <scherr@net4you.at>
linux-3.10\drivers\media\pci\zoran\zr36050.h(4): * Copyright (C) 2001 Wolfgang
Scherr <scherr@net4you.at>
linux-3.10\drivers\media\pci\zoran\zr36057.h(4): * Copyright (C) 1998 Dave Perks
<dperks@ibm.net>
linux-3.10\drivers\media\pci\zoran\zr36060.c(4): * Copyright (C) 2002 Laurent
Pinchart <laurent.pinchart@skynet.be>
linux-3.10\drivers\media\pci\zoran\zr36060.h(4): * Copyright (C) 2002 Laurent
Pinchart <laurent.pinchart@skynet.be>
linux-3.10\drivers\media\platform\arv.c(14): * Copyright (c) 2003 RENESAS
TECHNOROGY CORPORATION
linux-3.10\drivers\media\platform\arv.c(4): * Copyright (C) 2003Takeo Takahashi
<takahashi.takeo@renesas.com>
linux-3.10\drivers\media\platform\blackfin\bfin_capture.c(4): * Copyright (c)
2011 Analog Devices Inc.
linux-3.10\drivers\media\platform\blackfin\ppi.c(4): * Copyright (c) 2011 Analog
Devices Inc.
linux-3.10\drivers\media\platform\coda.c(4): * Copyright (C) 2012 Vista Silicon
S.L.
linux-3.10\drivers\media\platform\coda.h(4): * Copyright (C) 2012 Vista Silicon

legal(ME)

SL

linux-3.10\drivers\media\platform\davinci\ccdc_hw_device.h(2): * Copyright (C)
2008-2009 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\dm355_ccdc.c(2): * Copyright (C)
2005-2009 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\dm355_ccdc_regs.h(2): * Copyright (C)
2005-2009 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\dm644x_ccdc.c(2): * Copyright (C)
2006-2009 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\dm644x_ccdc_regs.h(2): * Copyright (C)
2006-2009 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\isif.c(2): * Copyright (C) 2008-2009
Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\isif_regs.h(2): * Copyright (C)
2008-2009 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpbe.c(2): * Copyright (C) 2010 Texas
Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpbe_display.c(2): * Copyright (C) 2010
Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\platform\davinci\vpbe_osd.c(2): * Copyright (C)
2007-2010 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpbe_osd.c(3): * Copyright (C) 2007
MontaVista Software, Inc.
linux-3.10\drivers\media\platform\davinci\vpbe_osd_regs.h(2): * Copyright (C)
2006-2010 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpbe_venc.c(2): * Copyright (C) 2010
Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpbe_venc_regs.h(2): * Copyright (C)
2006-2010 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpfe_capture.c(2): * Copyright (C)
2008-2009 Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpif.c(8): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\platform\davinci\vpif.h(4): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\platform\davinci\vpif_capture.c(2): * Copyright (C) 2009
Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpif_capture.h(2): * Copyright (C) 2009
Texas Instruments Inc
linux-3.10\drivers\media\platform\davinci\vpif_display.c(5): * Copyright (C) 2009
Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\platform\davinci\vpif_display.h(4): * Copyright (C) 2009
Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\media\platform\davinci\vpss.c(2): * Copyright (C) 2009 Texas
Instruments.
linux-3.10\drivers\media\platform\exynos4-is\fimc-capture.c(4): * Copyright (C)
2010 - 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-core.c(4): * Copyright (C)
2010-2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-core.h(2): * Copyright (C) 2010
- 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is.c(4): * Copyright (C) 2013

legal(ME)

Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is.h(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-command.h(6): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-errno.c(6): * Copyright (C) 2011 - 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-errno.h(6): * Copyright (C) 2011 - 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-i2c.c(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-i2c.h(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-isp.c(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-isp.h(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-param.c(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-param.h(4): * Copyright (C) 2011 - 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-regs.c(4): * Copyright (C) 2012 - 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-regs.h(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-sensor.c(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-is-sensor.h(4): * Copyright (C) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-lite.c(4): * Copyright (C) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-lite.h(2): * Copyright (C) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-lite-reg.c(4): * Copyright (C) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-lite-reg.h(2): * Copyright (C) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-m2m.c(4): * Copyright (C) 2012 - 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-reg.c(4): * Copyright (C) 2010 - 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\fimc-reg.h(4): * Copyright (C) 2010 - 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\media-dev.c(4): * Copyright (C) 2011 - 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\media-dev.h(2): * Copyright (C) 2011 - 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\mipi-csis.c(4): * Copyright (C) 2011 - 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos4-is\mipi-csis.h(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos-gsc\gsc-core.c(2): * Copyright (c) 2011

legal(ME)

- 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos-gsc\gsc-core.h(2): * Copyright (c) 2011
- 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos-gsc\gsc-m2m.c(2): * Copyright (c) 2011 -
2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos-gsc\gsc-regs.c(2): * Copyright (c) 2011
- 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\exynos-gsc\gsc-regs.h(2): * Copyright (c) 2011
- 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\fs1-viu.c(2): * Copyright 2008-2010 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\media\platform\indycam.c(4): *Copyright (C) 2003 Ladislav
Michl <ladis@linux-mips.org>
linux-3.10\drivers\media\platform\indycam.c(5): *Copyright (C) 2004,2005 Mikael
Nousiainen <tmnousia@cc.hut.fi>
linux-3.10\drivers\media\platform\indycam.h(4): *Copyright (C) 2003 Ladislav
Michl <ladis@linux-mips.org>
linux-3.10\drivers\media\platform\indycam.h(5): *Copyright (C) 2004,2005 Mikael
Nousiainen <tmnousia@cc.hut.fi>
linux-3.10\drivers\media\platform\m2m-deinterlace.c(4): * Copyright (c) 2012
Vista Silicon S.L.
linux-3.10\drivers\media\platform\marvell-ccic\cafe-driver.c(10): * Copyright
2006-11 Jonathan Corbet <corbet@lwn.net>
linux-3.10\drivers\media\platform\marvell-ccic\cafe-driver.c(15): * Copyright (C)
2009 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\platform\marvell-ccic\cafe-driver.c(9): * Copyright
2006-11 One Laptop Per Child Association, Inc.
linux-3.10\drivers\media\platform\marvell-ccic\mcam-core.c(5): * Copyright 2011
Jonathan Corbet corbet@lwn.net
linux-3.10\drivers\media\platform\marvell-ccic\mcam-core.h(4): * Copyright 2011
Jonathan Corbet corbet@lwn.net
linux-3.10\drivers\media\platform\marvell-ccic\mmp-driver.c(5): * Copyright 2011
Jonathan Corbet <corbet@lwn.net>
linux-3.10\drivers\media\platform\mem2mem_testdev.c(10): * Copyright (c)
2009-2010 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\mx2_emmaprp.c(11): * Copyright (c) 2011 Vista
Silicon S.L.
linux-3.10\drivers\media\platform\omap\omap_vout.c(16): * Copyright (C) 2004
MontaVista Software, Inc.
linux-3.10\drivers\media\platform\omap\omap_vout.c(17): * Copyright (C) 2010
Texas Instruments.
linux-3.10\drivers\media\platform\omap\omap_vout.c(4): * Copyright (C) 2005-2010
Texas Instruments.
linux-3.10\drivers\media\platform\omap\omap_vout_vrfb.c(4): * Copyright (C) 2010
Texas Instruments.
linux-3.10\drivers\media\platform\omap\omap_vout_vrfb.h(4): * Copyright (C) 2010
Texas Instruments.
linux-3.10\drivers\media\platform\omap\omap_voutdef.h(4): * Copyright (C) 2010
Texas Instruments.
linux-3.10\drivers\media\platform\omap\omap_voutlib.c(16): * Copyright (C) 2004
MontaVista Software, Inc.
linux-3.10\drivers\media\platform\omap\omap_voutlib.c(17): * Copyright (C) 2010

legal(ME)

Texas Instruments.
linux-3.10\drivers\media\platform\omap\omap_voutlib.c(4): * Copyright (C)
2005-2010 Texas Instruments.
linux-3.10\drivers\media\platform\omap\omap_voutlib.h(4): * Copyright (C) 2010
Texas Instruments.
linux-3.10\drivers\media\platform\omap24xxcam.c(6): * Copyright (C) 2004
MontaVista Software, Inc.
linux-3.10\drivers\media\platform\omap24xxcam.c(7): * Copyright (C) 2004 Texas
Instruments.
linux-3.10\drivers\media\platform\omap24xxcam.c(8): * Copyright (C) 2007-2008
Nokia Corporation.
linux-3.10\drivers\media\platform\omap24xxcam.h(4): * Copyright (C) 2004
MontaVista Software, Inc.
linux-3.10\drivers\media\platform\omap24xxcam.h(5): * Copyright (C) 2004 Texas
Instruments.
linux-3.10\drivers\media\platform\omap24xxcam.h(6): * Copyright (C) 2007 Nokia
Corporation.
linux-3.10\drivers\media\platform\omap24xxcam-dma.c(4): * Copyright (C) 2004
MontaVista Software, Inc.
linux-3.10\drivers\media\platform\omap24xxcam-dma.c(5): * Copyright (C) 2004
Texas Instruments.
linux-3.10\drivers\media\platform\omap24xxcam-dma.c(6): * Copyright (C) 2007
Nokia Corporation.
linux-3.10\drivers\media\platform\omap3isp\cfa_coef_table.h(6): * Copyright (C)
2009-2010 Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\gamma_table.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\gamma_table.h(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isp.c(6): * Copyright (C) 2006-2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isp.c(7): * Copyright (C) 2007-2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isp.h(6): * Copyright (C) 2009-2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isp.h(7): * Copyright (C) 2009 Texas
Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispccdc.c(6): * Copyright (C)
2009-2010 Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispccdc.c(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispccdc.h(6): * Copyright (C)
2009-2010 Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispccdc.h(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispccp2.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispccp2.c(7): * Copyright (C) 2010
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispccp2.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispccp2.h(7): * Copyright (C) 2010

legal(ME)

Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispcsi2.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispcsi2.c(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispcsi2.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispcsi2.h(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispcsiphy.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispcsiphy.c(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispcsiphy.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispcsiphy.h(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isph3a.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isph3a.h(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isph3a_aewb.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isph3a_aewb.c(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isph3a_af.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isph3a_af.c(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isphist.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isphist.c(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isphist.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isphist.h(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isppreview.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isppreview.c(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\isppreview.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\isppreview.h(7): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\ispqueue.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispqueue.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispreg.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispreg.h(7): * Copyright (C) 2009

legal(ME)

Texas Instruments, Inc
linux-3.10\drivers\media\platform\omap3isp\ispresizer.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispresizer.c(7): * Copyright (C) 2009
Texas Instruments, Inc
linux-3.10\drivers\media\platform\omap3isp\ispresizer.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispresizer.h(7): * Copyright (C) 2009
Texas Instruments, Inc
linux-3.10\drivers\media\platform\omap3isp\ispstat.c(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispstat.c(7): * Copyright (C) 2009
Texas Instruments, Inc
linux-3.10\drivers\media\platform\omap3isp\ispstat.h(6): * Copyright (C) 2010
Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispstat.h(7): * Copyright (C) 2009
Texas Instruments, Inc
linux-3.10\drivers\media\platform\omap3isp\ispvideo.c(6): * Copyright (C)
2009-2010 Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\ispvideo.h(6): * Copyright (C)
2009-2010 Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\luma_enhance_table.h(6): * Copyright
(C) 2010 Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\luma_enhance_table.h(7): * Copyright
(C) 2009 Texas Instruments, Inc.
linux-3.10\drivers\media\platform\omap3isp\noise_filter_table.h(6): * Copyright
(C) 2010 Nokia Corporation
linux-3.10\drivers\media\platform\omap3isp\noise_filter_table.h(7): * Copyright
(C) 2009 Texas Instruments, Inc.
linux-3.10\drivers\media\platform\s3c-camif\camif-capture.c(4): * Copyright (C)
2012 Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-capture.c(5): * Copyright (C)
2012 Tomasz Figa <tomasz.figa@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-capture.c(8): * Copyright (C)
2010 - 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s3c-camif\camif-core.c(4): * Copyright (C) 2012
Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-core.c(5): * Copyright (C) 2012
Tomasz Figa <tomasz.figa@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-core.h(4): * Copyright (C) 2012
Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-core.h(5): * Copyright (C) 2012
Tomasz Figa <tomasz.figa@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-regs.c(4): * Copyright (C) 2012
Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-regs.c(5): * Copyright (C) 2012
Tomasz Figa <tomasz.figa@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-regs.h(4): * Copyright (C) 2012
Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\drivers\media\platform\s3c-camif\camif-regs.h(5): * Copyright (C) 2012
Tomasz Figa <tomasz.figa@gmail.com>
linux-3.10\drivers\media\platform\s5p-g2d\g2d.c(4): * Copyright (c) 2011 Samsung

legal(ME)

Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-g2d\g2d.h(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-g2d\g2d-hw.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-g2d\g2d-regs.h(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-jpeg\jpeg-core.c(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-jpeg\jpeg-core.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-jpeg\jpeg-hw.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-jpeg\jpeg-regs.h(5): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\regs-mfc.h(4): * Kamil Debski, Copyright (c) 2010 Samsung Electronics
linux-3.10\drivers\media\platform\s5p-mfc\regs-mfc-v6.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_cmd.c(4): * Copyright (C) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_cmd.h(4): * Copyright (C) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_cmd_v5.c(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_cmd_v5.h(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_cmd_v6.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_cmd_v6.h(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_common.h(7): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_ctrl.c(4): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_ctrl.h(4): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_debug.h(7): * Kamil Debski, Copyright (c) 2011 Samsung Electronics
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_dec.c(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_dec.h(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_enc.c(4): * Copyright (c) 2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_enc.h(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_intr.c(7): * Kamil Debski, Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_intr.h(7): * Kamil Debski,

legal(ME)

Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_opr.c(7): * Kamil Debski,
Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_opr.h(7): * Kamil Debski,
Copyright (C) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_opr_v5.c(7): * Kamil Debski,
Copyright (c) 2011 Samsung Electronics
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_opr_v5.h(7): * Kamil Debski,
Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_opr_v6.c(7): * Copyright (c)
2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_opr_v6.h(7): * Copyright (c)
2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_pm.c(4): * Copyright (c) 2010
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-mfc\s5p_mfc_pm.h(4): * Copyright (C) 2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\hdm_i_drv.c(4): * Copyright (c) 2010-2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\hdmiphy_drv.c(4): * Copyright (C)
2010-2011 Samsung Electronics Co.Ltd
linux-3.10\drivers\media\platform\s5p-tv\Kconfig(3):# Copyright (c) 2010-2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\Makefile(3):# Copyright (c) 2010-2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\mixer.h(4): * Copyright (c) 2010-2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\mixer_drv.c(4): * Copyright (c)
2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\mixer_grp_layer.c(4): * Copyright (c)
2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\mixer_reg.c(4): * Copyright (c)
2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\mixer_video.c(4): * Copyright (c)
2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\mixer_vp_layer.c(4): * Copyright (c)
2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\regs-hdmi.h(3): * Copyright (c)
2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\regs-mixer.h(2): * Copyright (c)
2010-2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\regs-sdo.h(3): * Copyright (c) 2010-2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\regs-vp.h(2): * Copyright (c) 2010-2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\sdo_drv.c(4): * Copyright (c) 2010-2011
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\platform\s5p-tv\sii9234_drv.c(4): * Copyright (C) 2011
Samsung Electronics Co.Ltd
linux-3.10\drivers\media\platform\sh_veu.c(4): * Copyright (C) 2012 Renesas
Electronics Corporation
linux-3.10\drivers\media\platform\sh_veu.c(6): * Copyright (C) 2008 Magnus Damm

legal(ME)

linux-3.10\drivers\media\platform\sh_vou.c(4): * Copyright (C) 2010, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\media\platform\soc_camera\atmel-isi.c(2): * Copyright (c) 2011 Atmel Corporation
linux-3.10\drivers\media\platform\soc_camera\atmel-isi.c(7): * Based on the bttv driver for Bt848 with respective copyright holders
linux-3.10\drivers\media\platform\soc_camera\mx1_camera.c(4): * Copyright (C) 2008, Paulius Zaleckas <paulius.zaleckas@teltonika.lt>
linux-3.10\drivers\media\platform\soc_camera\mx1_camera.c(5): * Copyright (C) 2009, Darius Augulis <augulis.darius@gmail.com>
linux-3.10\drivers\media\platform\soc_camera\mx1_camera.c(8): * Copyright (C) 2006, Sascha Hauer, Pengutronix
linux-3.10\drivers\media\platform\soc_camera\mx1_camera.c(9): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\platform\soc_camera\mx2_camera.c(4): * Copyright (C) 2008, Sascha Hauer, Pengutronix
linux-3.10\drivers\media\platform\soc_camera\mx2_camera.c(5): * Copyright (C) 2010, Baruch Siach, Orex Computed Radiography
linux-3.10\drivers\media\platform\soc_camera\mx2_camera.c(6): * Copyright (C) 2012, Javier Martin, Vista Silicon S.L.
linux-3.10\drivers\media\platform\soc_camera\mx3_camera.c(4): * Copyright (C) 2008
linux-3.10\drivers\media\platform\soc_camera\omap1_camera.c(11): * Copyright (C) 2006, Sascha Hauer, Pengutronix
linux-3.10\drivers\media\platform\soc_camera\omap1_camera.c(12): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\platform\soc_camera\omap1_camera.c(16): * Copyright (C) 2006 Matt Callow
linux-3.10\drivers\media\platform\soc_camera\omap1_camera.c(4): * Copyright (C) 2010, Janusz Krzysztofik <jkrzysztof@tis.icnet.pl>
linux-3.10\drivers\media\platform\soc_camera\omap1_camera.c(7): * Copyright (C) 2008, Paulius Zaleckas <paulius.zaleckas@teltonika.lt>
linux-3.10\drivers\media\platform\soc_camera\omap1_camera.c(8): * Copyright (C) 2009, Darius Augulis <augulis.darius@gmail.com>
linux-3.10\drivers\media\platform\soc_camera\pxa_camera.c(4): * Copyright (C) 2006, Sascha Hauer, Pengutronix
linux-3.10\drivers\media\platform\soc_camera\pxa_camera.c(5): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\platform\soc_camera\sh_mobile_ceu_camera.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\media\platform\soc_camera\sh_mobile_ceu_camera.c(8): * Copyright (C) 2006, Sascha Hauer, Pengutronix
linux-3.10\drivers\media\platform\soc_camera\sh_mobile_ceu_camera.c(9): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\platform\soc_camera\sh_mobile_csi2.c(4): * Copyright (C) 2010, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\media\platform\soc_camera\soc_camera.c(4): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\drivers\media\platform\soc_camera\soc_camera_platform.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\media\platform\soc_camera\soc_camera_platform.c(6): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>

legal(ME)

linux-3.10\drivers\media\platform\soc_camera\soc_mediabus.c(4): * Copyright (C) 2009, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\media\platform\timblogiw.c(3): * Copyright (c) 2009-2010 Intel Corporation
linux-3.10\drivers\media\platform\via-camera.c(4): * Copyright 2009,2010 Jonathan Corbet <corbet@lwn.net>
linux-3.10\drivers\media\platform\vino.c(10): * Copyright (C) 2003 Ladislav Michl <ladis@linux-mips.org>
linux-3.10\drivers\media\platform\vino.c(13): * Copyright (C) 2009 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\platform\vino.c(7): * Copyright (C) 2004,2005 Mikael Nousiainen <tmnousia@cc.hut.fi>
linux-3.10\drivers\media\platform\vino.h(7): * Copyright (C) 1999 Ulf Karlsson <ulfc@bun.falkenberg.se>
linux-3.10\drivers\media\platform\vino.h(8): * Copyright (C) 2003 Ladislav Michl <ladis@linux-mips.org>
linux-3.10\drivers\media\platform\vivi.c(11): *Copyright (c) 2010 Samsung Electronics
linux-3.10\drivers\media\platform\vivi.c(4): * Copyright (c) 2006 by:
linux-3.10\drivers\media\radio\dsbr100.c(20): * Copyright (c) 2000 Markus Demleitner <msdemlei@cl.uni-heidelberg.de>
linux-3.10\drivers\media\radio\lm7000.h(6): * Copyright 2012 Ondrej Zary <linux@rainbow-software.org>
linux-3.10\drivers\media\radio\radio-aimslab.c(4): * Copyright 1997 M. Kirkwood
linux-3.10\drivers\media\radio\radio-gemtek.c(4): * Copyright 1998 Jonas Munsin <jmunsin@iki.fi>
linux-3.10\drivers\media\radio\radio-isa.c(6): * Copyright (C) 2012 Hans Verkuil <hans.verkuil@cisco.com>
linux-3.10\drivers\media\radio\radio-isa.h(6): * Copyright (C) 2012 Hans Verkuil <hans.verkuil@cisco.com>
linux-3.10\drivers\media\radio\radio-keene.c(2): * Copyright (c) 2012 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\radio\radio-ma901.c(6): * Copyright (c) 2012 Alexey Klimov <klimov.linux@gmail.com>
linux-3.10\drivers\media\radio\radio-mr800.c(7): * Copyright (c) 2008 Alexey Klimov <klimov.linux@gmail.com>
linux-3.10\drivers\media\radio\radio-rtrack2.c(3): * Copyright 1998 Ben Pfaff
linux-3.10\drivers\media\radio\radio-sf16fmr2.c(2): * Copyright (c) 2011 Ondrej Zary
linux-3.10\drivers\media\radio\radio-shark.c(11): * Copyright (c) 2012 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\radio\radio-shark2.c(11): * Copyright (c) 2012 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\radio\radio-si4713.c(6): * Copyright (c) 2008 Instituto Nokia de Tecnologia - INdT
linux-3.10\drivers\media\radio\radio-si476x.c(4): * Copyright (C) 2012 Innovative Converged Devices(ICD)
linux-3.10\drivers\media\radio\radio-si476x.c(5): * Copyright (C) 2013 Andrey Smirnov
linux-3.10\drivers\media\radio\radio-tea5764.c(10): *Copyright (c) 2008 Fabio Belavenuto <belavenuto@gmail.com>
linux-3.10\drivers\media\radio\radio-tea5764.c(8): * Based in radio-tea5761.c

legal(ME)

Copyright (C) 2005 Nokia Corporation

linux-3.10\drivers\media\radio\radio-tea5777.c(4): *Copyright (c) 2012 Hans de Goede <hdegoede@redhat.com>

linux-3.10\drivers\media\radio\radio-tea5777.c(8): *Copyright (c) 2004 Jaroslav Kysela <perex@perex.cz>

linux-3.10\drivers\media\radio\radio-tea5777.h(11): *Copyright (c) 2004 Jaroslav Kysela <perex@perex.cz>

linux-3.10\drivers\media\radio\radio-tea5777.h(12): *Copyright (c) 2012 Hans de Goede <hdegoede@redhat.com>

linux-3.10\drivers\media\radio\radio-tea5777.h(7): *Copyright (c) 2012 Hans de Goede <hdegoede@redhat.com>

linux-3.10\drivers\media\radio\radio-timb.c(3): * Copyright (c) 2009 Intel Corporation

linux-3.10\drivers\media\radio\radio-wl1273.c(4): * Copyright (C) 2011 Nokia Corporation

linux-3.10\drivers\media\radio\radio-zoltrix.c(3): * Copyright 1998 C. van Schaik <carl@leg.uct.ac.za>

linux-3.10\drivers\media\radio\saa7706h.c(3): * Copyright (c) 2009 Intel Corporation

linux-3.10\drivers\media\radio\si470x\radio-si470x.h(6): *Copyright (c) 2009 Tobias Lorenz <tobias.lorenz@gmx.net>

linux-3.10\drivers\media\radio\si470x\radio-si470x-common.c(6): *Copyright (c) 2009 Tobias Lorenz <tobias.lorenz@gmx.net>

linux-3.10\drivers\media\radio\si470x\radio-si470x-common.c(7): *Copyright (c) 2012 Hans de Goede <hdegoede@redhat.com>

linux-3.10\drivers\media\radio\si470x\radio-si470x-i2c.c(6): * Copyright (c) 2009 Samsung Electronics Co.Ltd

linux-3.10\drivers\media\radio\si470x\radio-si470x-usb.c(6): *Copyright (c) 2009 Tobias Lorenz <tobias.lorenz@gmx.net>

linux-3.10\drivers\media\radio\si4713-i2c.c(6): * Copyright (c) 2009 Nokia Corporation

linux-3.10\drivers\media\radio\si4713-i2c.h(6): * Copyright (c) 2008 Instituto Nokia de Tecnologia - INdT

linux-3.10\drivers\media\radio\tef6862.c(3): * Copyright (c) 2009 Intel Corporation

linux-3.10\drivers\media\radio\wl128x\fmdrv.h(6): *Copyright (C) 2011 Texas Instruments

linux-3.10\drivers\media\radio\wl128x\fmdrv_common.c(16): *Copyright (C) 2011 Texas Instruments

linux-3.10\drivers\media\radio\wl128x\fmdrv_common.h(5): *Copyright (C) 2011 Texas Instruments

linux-3.10\drivers\media\radio\wl128x\fmdrv_rx.c(5): *Copyright (C) 2011 Texas Instruments

linux-3.10\drivers\media\radio\wl128x\fmdrv_rx.h(5): *Copyright (C) 2011 Texas Instruments

linux-3.10\drivers\media\radio\wl128x\fmdrv_tx.c(5): *Copyright (C) 2011 Texas Instruments

linux-3.10\drivers\media\radio\wl128x\fmdrv_tx.h(5): *Copyright (C) 2011 Texas Instruments

linux-3.10\drivers\media\radio\wl128x\fmdrv_v4l2.c(12): *Copyright (C) 2011 Texas Instruments

linux-3.10\drivers\media\radio\wl128x\fmdrv_v4l2.h(6): *Copyright (C) 2011 Texas

legal(ME)

Instruments

linux-3.10\drivers\media\rc\ati_remote.c(4): *Copyright (c) 2011, 2012 Anssi Hannula <anssi.hannula@iki.fi>
linux-3.10\drivers\media\rc\ati_remote.c(5): *Version 2.2.0 Copyright (c) 2004 Torrey Hoffman <thoffman@arnor.net>
linux-3.10\drivers\media\rc\ati_remote.c(6): *Version 2.1.1 Copyright (c) 2002 Vladimir Dergachev
linux-3.10\drivers\media\rc\ene_ir.c(4): * Copyright (C) 2010 Maxim Levitsky <maximlevitsky@gmail.com>
linux-3.10\drivers\media\rc\ene_ir.h(4): * Copyright (C) 2010 Maxim Levitsky <maximlevitsky@gmail.com>
linux-3.10\drivers\media\rc\fintek-cir.c(4): * Copyright (C) 2011 Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\fintek-cir.h(4): * Copyright (C) 2011 Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\gpio-ir-recv.c(1):/* Copyright (c) 2012, Code Aurora Forum. All rights reserved.
linux-3.10\drivers\media\rc\iguanair.c(4): * Copyright (C) 2012 Sean Young <sean@mess.org>
linux-3.10\drivers\media\rc\imon.c(4): * Copyright(C) 2010Jarod Wilson <jarod@wilsonet.com>
linux-3.10\drivers\media\rc\imon.c(6): *Copyright(C) 2004Venky Raju(dev@venky.ws)
linux-3.10\drivers\media\rc\ir-jvc-decoder.c(3): * Copyright (C) 2010 by David Hrdeman <david@hardeman.nu>
linux-3.10\drivers\media\rc\ir-lirc-codec.c(3): * Copyright (C) 2010 by Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\ir-mce_kbd-decoder.c(6): * Copyright (C) 2011 by Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\ir-nec-decoder.c(3): * Copyright (C) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\ir-raw.c(3): * Copyright (C) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\ir-rc5-decoder.c(3): * Copyright (C) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\ir-rc5-sz-decoder.c(3): * Copyright (C) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\ir-rc5-sz-decoder.c(4): * Copyright (C) 2010 by Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\ir-rc6-decoder.c(3): * Copyright (C) 2010 by David Hrdeman <david@hardeman.nu>
linux-3.10\drivers\media\rc\ir-rx51.c(2): *Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\media\rc\ir-sanyo-decoder.c(3): * Copyright (C) 2011 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\ir-sony-decoder.c(3): * Copyright (C) 2010 by David Hrdeman <david@hardeman.nu>
linux-3.10\drivers\media\rc\ite-cir.c(4): * Copyright (C) 2010 Juan Jes̃s Garc̃a de Soria <skandalfo@gmail.com>
linux-3.10\drivers\media\rc\ite-cir.h(4): * Copyright (C) 2010 Juan Jes̃s Garc̃a de Soria <skandalfo@gmail.com>
linux-3.10\drivers\media\rc\keymaps\rc-adstech-dvb-t-pci.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-alink-dtu-m.c(4): * Copyright (C) 2010

legal(ME)

Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-anysee.c(4): * Copyright (C) 2010 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-apac-viewcomp.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-asus-pc39.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-asus-ps3-100.c(3): * Copyright (c) 2012 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-ati-tv-wonder-hd-600.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-ati-x10.c(4): * Copyright (C) 2011 Anssi Hannula <anssi.hannula@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-ati-x10.c(8): * Copyright (c) 2004 Torrey Hoffman <thoffman@arnor.net>
linux-3.10\drivers\media\rc\keymaps\rc-ati-x10.c(9): * Copyright (c) 2002 Vladimir Dergachev
linux-3.10\drivers\media\rc\keymaps\rc-avermedia.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-avermedia-a16d.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-avermedia-cardbus.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-avermedia-dvbt.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-avermedia-m135a.c(3): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-avermedia-m135a.c(4): * Copyright (c) 2010 by Herton Ronaldo Krzesinski <herton@mandriva.com.br>
linux-3.10\drivers\media\rc\keymaps\rc-avermedia-m733a-rm-k6.c(3): * Copyright (c) 2010 by Herton Ronaldo Krzesinski <herton@mandriva.com.br>
linux-3.10\drivers\media\rc\keymaps\rc-avermedia-rm-ks.c(4): * Copyright (C) 2010 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-avertv-303.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-azurewave-ad-tu700.c(4): * Copyright (C) 2010 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-behold.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-behold-columbus.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-budget-ci-old.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-cinergy.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-cinergy-1400.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-dib0700-nec.c(3): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-dib0700-rc5.c(3): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-digitalnow-tinytwin.c(4): * Copyright (C)

legal(ME)

2010 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-digittrade.c(4): * Copyright (C) 2010
Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-dm1105-nec.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-dntv-live-dvb-t.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-dntv-live-dvbt-pro.c(5): * Copyright (c)
2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-em-terratec.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-encore-enlvtv.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-encore-enlvtv2.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-encore-enlvtv-fm53.c(5): * Copyright (c)
2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-evga-indtube.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-ezstv.c(5): * Copyright (c) 2010 by Mauro
Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-flydvb.c(5): * Copyright (c) 2010 by Mauro
Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-flyvideo.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-fusionhdtv-mce.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-gadmei-rm008z.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-genius-tvgo-a11mce.c(5): * Copyright (c)
2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-gotview7135.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-hauppage.c(11): * Copyright (c) 2010-2011
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-imon-mce.c(4): * Copyright (c) 2010 by
Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-imon-pad.c(4): * Copyright (c) 2010 by
Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-iodata-bctv7e.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-it913x-v1.c(3): * Copyright (C) 2012
Malcolm Priestley (tvboxspy@gmail.com)
linux-3.10\drivers\media\rc\keymaps\rc-it913x-v2.c(3): * Copyright (C) 2012
Malcolm Priestley (tvboxspy@gmail.com)
linux-3.10\drivers\media\rc\keymaps\rc-kaiomv.c(5): * Copyright (c) 2010 by Mauro
Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-kworld-315u.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-kworld-pc150u.c(5): * Copyright (c) 2010
by Kyle Strickland
linux-3.10\drivers\media\rc\keymaps\rc-kworld-plus-tv-analog.c(5): * Copyright

legal(ME)

(c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-leadtek-y04g0051.c(4): * Copyright (C)
2010 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-lirc.c(4): * Copyright (c) 2010 by Jarod
Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-lme2510.c(4): * Copyright (C) 2010 Malcolm
Priestley (tvboxspy@gmail.com)
linux-3.10\drivers\media\rc\keymaps\rc-manli.c(5): * Copyright (c) 2010 by Mauro
Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-medion-x10.c(4): * Copyright (C) 2011
Anssi Hannula <anssi.hannula@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-medion-x10-digitainer.c(4): * Copyright
(C) 2012 Anssi Hannula <anssi.hannula@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-medion-x10-or2x.c(4): * Copyright (C) 2012
Anssi Hannula <anssi.hannula@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-msi-digivox-ii.c(4): * Copyright (C) 2010
Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-msi-digivox-iii.c(4): * Copyright (C) 2010
Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-msi-tvanywhere.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-msi-tvanywhere-plus.c(5): * Copyright (c)
2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-nebula.c(5): * Copyright (c) 2010 by Mauro
Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-nec-terratec-cinergy-xs.c(5): * Copyright
(c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-norwood.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-npgtech.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pctv-sedna.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pinnacle-color.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pinnacle-grey.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pinnacle-pctv-hd.c(5): * Copyright (c)
2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pixelview.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pixelview-002t.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pixelview-mk12.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pixelview-new.c(5): * Copyright (c) 2010
by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-powercolor-real-angel.c(5): * Copyright
(c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-proteus-2309.c(5): * Copyright (c) 2010 by
Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-purpletv.c(5): * Copyright (c) 2010 by

legal(ME)

Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-pv951.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-rc6-mce.c(4): * Copyright (c) 2010 by Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-real-audio-220-32-keys.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-reddo.c(4): * Copyright (C) 2013 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-snapstream-firefly.c(4): * Copyright (C) 2011 Anssi Hannula <anssi.hannula@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-streamzap.c(4): * Copyright (c) 2010 by Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-tbs-nec.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-technisat-usb2.c(20): * THIS PROGRAM IS PROVIDED "AS IS" AND BOTH THE COPYRIGHT HOLDER AND
linux-3.10\drivers\media\rc\keymaps\rc-technisat-usb2.c(3): * Copyright (C) 2010 Patrick Boettcher,
linux-3.10\drivers\media\rc\keymaps\rc-terratec-cinergy-xs.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-terratec-slim.c(4): * Copyright (C) 2010 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-terratec-slim-2.c(4): * Copyright (C) 2011 Martin Groszhauser <mgroszhauser@gmail.com>
linux-3.10\drivers\media\rc\keymaps\rc-terratec-slim-2.c(5): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-tevii-nec.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-tivo.c(3): * Copyright (c) 2011 by Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-total-media-in-hand.c(4): * Copyright (C) 2010 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-total-media-in-hand-02.c(4): * Copyright (C) 2012 Alfredo J. Delaiti <alfredodelaiti@netscape.net>
linux-3.10\drivers\media\rc\keymaps\rc-trekstor.c(4): * Copyright (C) 2010 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\rc\keymaps\rc-tt-1500.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-videomate-m1f.c(5): * Copyright (c) 2010 by Pavel Osnova <pvosnova@gmail.com>
linux-3.10\drivers\media\rc\keymaps\rc-videomate-s350.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-videomate-tv-pvr.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-winfast.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\keymaps\rc-winfast-usbii-deluxe.c(5): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\mceusb.c(4): * Copyright (c) 2010-2011, Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\nuvoton-cir.c(4): * Copyright (C) 2010 Jarod Wilson

legal(ME)

<jarod@redhat.com>
linux-3.10\drivers\media\rc\nuvoton-cir.c(5): * Copyright (C) 2009 Nuvoton PS Team
linux-3.10\drivers\media\rc\nuvoton-cir.h(4): * Copyright (C) 2010 Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\nuvoton-cir.h(5): * Copyright (C) 2009 Nuvoton PS Team
linux-3.10\drivers\media\rc\rc-core-priv.h(4): * Copyright (C) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\rc-loopback.c(4): * Copyright (c) 2010 David H \bar{r} .rdeman <david@hardeman.nu>
linux-3.10\drivers\media\rc\rc-main.c(3): * Copyright (C) 2009-2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\rc\redrat3.c(4): * Copyright (c) 2011 by Jarod Wilson <jarod@redhat.com>
linux-3.10\drivers\media\rc\streamzap.c(17): * kernel; copyright (C) 2001-2003 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\media\rc\streamzap.c(4): * Copyright (c) 2005 Christoph Bartelmus <lirc@bartelmus.de>
linux-3.10\drivers\media\rc\streamzap.c(5): * Copyright (c) 2010 Jarod Wilson <jarod@wilsonet.com>
linux-3.10\drivers\media\rc\ttusbir.c(4): * Copyright (C) 2012 Sean Young <sean@mess.org>
linux-3.10\drivers\media\rc\winbond-cir.c(10): * Copyright (C) 2012 Sean Young <sean@mess.org>
linux-3.10\drivers\media\rc\winbond-cir.c(11): * Copyright (C) 2009 - 2011 David H \bar{r} .rdeman <david@hardeman.nu>
linux-3.10\drivers\media\tuners\fc000.c(4): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\fc000.h(4): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\fc000_priv.h(4): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\fc0011.c(4): * Copyright (C) 2012 Michael Buesch <m@bues.ch>
linux-3.10\drivers\media\tuners\fc0011.c(7): * Copyright (C) 2012 Hans-Frieder Vogt <hfvogt@gmx.net>
linux-3.10\drivers\media\tuners\fc0012.c(4): * Copyright (C) 2012 Hans-Frieder Vogt <hfvogt@gmx.net>
linux-3.10\drivers\media\tuners\fc0012.h(4): * Copyright (C) 2012 Hans-Frieder Vogt <hfvogt@gmx.net>
linux-3.10\drivers\media\tuners\fc0012_priv.h(4): * Copyright (C) 2012 Hans-Frieder Vogt <hfvogt@gmx.net>
linux-3.10\drivers\media\tuners\fc0013.c(4): * Copyright (C) 2012 Hans-Frieder Vogt <hfvogt@gmx.net>
linux-3.10\drivers\media\tuners\fc0013.c(6): * Copyright (C) 2010 Fitipower Integrated Technology Inc
linux-3.10\drivers\media\tuners\fc0013.h(4): * Copyright (C) 2012 Hans-Frieder Vogt <hfvogt@gmx.net>
linux-3.10\drivers\media\tuners\fc0013_priv.h(4): * Copyright (C) 2012 Hans-Frieder Vogt <hfvogt@gmx.net>
linux-3.10\drivers\media\tuners\fc001x-common.h(4): * Copyright (C) 2012

legal(ME)

Hans-Frieder Vogt <hfvogt@gmx.net>
linux-3.10\drivers\media\tuners\fc2580.c(4): * Copyright (C) 2012 Antti Palosaari
<crope@iki.fi>
linux-3.10\drivers\media\tuners\fc2580.h(4): * Copyright (C) 2012 Antti Palosaari
<crope@iki.fi>
linux-3.10\drivers\media\tuners\fc2580_priv.h(4): * Copyright (C) 2012 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\max2165.c(4): *Copyright (c) 2009 David T. L.
Wong <davidtlwong@gmail.com>
linux-3.10\drivers\media\tuners\max2165.h(4): *Copyright (c) 2009 David T. L.
Wong <davidtlwong@gmail.com>
linux-3.10\drivers\media\tuners\max2165_priv.h(4): *Copyright (c) 2009 David T.
L. Wong <davidtlwong@gmail.com>
linux-3.10\drivers\media\tuners\mc44s803.c(4): *Copyright (c) 2009 Jochen
Friedrich <jochen@scram.de>
linux-3.10\drivers\media\tuners\mc44s803.h(4): *Copyright (c) 2009 Jochen
Friedrich <jochen@scram.de>
linux-3.10\drivers\media\tuners\mc44s803_priv.h(4): *Copyright (c) 2009 Jochen
Friedrich <jochen@scram.de>
linux-3.10\drivers\media\tuners\mt2060.c(4): *Copyright (c) 2006 Olivier DANET
<odanet@caramail.com>
linux-3.10\drivers\media\tuners\mt2060.h(4): *Copyright (c) 2006 Olivier DANET
<odanet@caramail.com>
linux-3.10\drivers\media\tuners\mt2060_priv.h(4): *Copyright (c) 2006 Olivier
DANET <odanet@caramail.com>
linux-3.10\drivers\media\tuners\mt2063.c(4): * Copyright (c) 2011 Mauro Carvalho
Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\tuners\mt2131.c(4): *Copyright (c) 2006 Steven Toth
<stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\mt2131.h(4): *Copyright (c) 2006 Steven Toth
<stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\mt2131_priv.h(4): *Copyright (c) 2006 Steven Toth
<stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\mt2266.c(4): *Copyright (c) 2007 Olivier DANET
<odanet@caramail.com>
linux-3.10\drivers\media\tuners\mt2266.h(4): *Copyright (c) 2007 Olivier DANET
<odanet@caramail.com>
linux-3.10\drivers\media\tuners\mx15005s.c(19):Copyright (C) 2008 Realtek
linux-3.10\drivers\media\tuners\mx15005s.c(20):Copyright (C) 2008 Jan Hoogenraad
linux-3.10\drivers\media\tuners\mx15005s.c(327): * Copyright (C) 2008 Realtek
linux-3.10\drivers\media\tuners\mx15005s.c(328): * Copyright (C) 2008 Jan
Hoogenraad
linux-3.10\drivers\media\tuners\mx15005s.c(3838): * is copyright MaxLinear */
linux-3.10\drivers\media\tuners\mx15005s.c(3843): * Copyright (C) 2008 Steven
Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\mx15005s.c(4):Copyright (C) 2008 MaxLinear
linux-3.10\drivers\media\tuners\mx15005s.c(400): * Copyright (C) 2008 MaxLinear
linux-3.10\drivers\media\tuners\mx15005s.c(5):Copyright (C) 2006 Steven Toth
<stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\mx15005s.c(57):sections of the code and retained
the copyright of the
linux-3.10\drivers\media\tuners\mx15005s.h(4):Copyright (C) 2008 MaxLinear

legal(ME)

linux-3.10\drivers\media\tuners\mxl5005s.h(5):Copyright (C) 2008 Steven Toth
<stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\mxl5007t.c(4): *Copyright (C) 2008, 2009 Michael
Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\tuners\mxl5007t.h(4): *Copyright (C) 2008 Michael Krufky
<mkrufky@linuxtv.org>
linux-3.10\drivers\media\tuners\qt1010.c(4): *Copyright (C) 2006 Antti Palosaari
<crope@iki.fi>
linux-3.10\drivers\media\tuners\qt1010.h(4): *Copyright (C) 2006 Antti Palosaari
<crope@iki.fi>
linux-3.10\drivers\media\tuners\qt1010_priv.h(4): *Copyright (C) 2006 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\r820t.c(4): * Copyright (C) 2013 Mauro Carvalho
Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\tuners\r820t.h(4): * Copyright (C) 2012 Antti Palosaari
<crope@iki.fi>
linux-3.10\drivers\media\tuners\tda18212.c(4): * Copyright (C) 2011 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\tda18212.h(4): * Copyright (C) 2011 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\tda18218.c(4): * Copyright (C) 2010 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\tda18218.h(4): * Copyright (C) 2010 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\tda18218_priv.h(4): * Copyright (C) 2010 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\tda18271.h(4):Copyright (C) 2007, 2008 Michael
Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\tuners\tda18271-common.c(4):Copyright (C) 2007, 2008
Michael Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\tuners\tda18271-fe.c(4):Copyright (C) 2007, 2008 Michael
Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\tuners\tda18271-maps.c(4):Copyright (C) 2007, 2008
Michael Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\tuners\tda18271-priv.h(4):Copyright (C) 2007, 2008
Michael Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\tuners\tea5761.c(5): * Copyright (c) 2005-2007 Mauro
Carvalho Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\tuners\tea5767.c(6): * Copyright (c) 2005 Mauro Carvalho
Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\tuners\tua9001.c(4): * Copyright (C) 2009 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\tua9001.h(4): * Copyright (C) 2009 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\tua9001_priv.h(4): * Copyright (C) 2009 Antti
Palosaari <crope@iki.fi>
linux-3.10\drivers\media\tuners\tuner_it913x.c(4): *Copyright (C) 2011 Malcolm
Priestley (tvboxspy@gmail.com)
linux-3.10\drivers\media\tuners\tuner_it913x.c(5): *IT9137 Copyright (C) ITE Tech
Inc.
linux-3.10\drivers\media\tuners\tuner_it913x.h(4): *Copyright (C) 2011 Malcolm
Priestley (tvboxspy@gmail.com)

legal(ME)

linux-3.10\drivers\media\tuners\tuner_it913x.h(5): *IT9137 Copyright (C) ITE Tech Inc.
linux-3.10\drivers\media\tuners\tuner_it913x_priv.h(4): *Copyright (C) 2011 Malcolm Priestley (tvboxspy@gmail.com)
linux-3.10\drivers\media\tuners\tuner_it913x_priv.h(5): *IT9137 Copyright (C) ITE Tech Inc.
linux-3.10\drivers\media\tuners\tuner-i2c.h(4):Copyright (C) 2007 Michael Krufky (mkrufky@linuxtv.org)
linux-3.10\drivers\media\tuners\tuner-xc2028.c(3): * Copyright (c) 2007-2008 Mauro Carvalho Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\tuners\tuner-xc2028.c(5): * Copyright (c) 2007 Michel Ludwig (michel.ludwig@gmail.com)
linux-3.10\drivers\media\tuners\tuner-xc2028.h(3): * Copyright (c) 2007-2008 Mauro Carvalho Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\tuners\tuner-xc2028-types.h(6): * Copyright (c) 2007-2008 Mauro Carvalho Chehab (mchehab@infradead.org)
linux-3.10\drivers\media\tuners\xc4000.c(4): *Copyright (c) 2007 Xceive Corporation
linux-3.10\drivers\media\tuners\xc4000.c(5): *Copyright (c) 2007 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\xc4000.c(6): *Copyright (c) 2009 Devin Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\media\tuners\xc4000.c(7): *Copyright (c) 2009 Davide Ferri <d.ferri@zero11.it>
linux-3.10\drivers\media\tuners\xc4000.c(8): *Copyright (c) 2010 Istvan Varga <istvan_v@mailbox.hu>
linux-3.10\drivers\media\tuners\xc4000.h(4): *Copyright (c) 2007 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\xc5000.c(4): *Copyright (c) 2007 Xceive Corporation
linux-3.10\drivers\media\tuners\xc5000.c(5): *Copyright (c) 2007 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\tuners\xc5000.c(6): *Copyright (c) 2009 Devin Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\media\tuners\xc5000.h(4): *Copyright (c) 2007 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828.h(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828-cards.c(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828-cards.h(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828-core.c(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828-dvb.c(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828-i2c.c(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828-reg.h(4): *Copyright (c) 2008 Steven Toth <stoth@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828-vbi.c(4): Copyright (C) 2010 Devin Heitmueller <dheitmueller@kernellabs.com>

legal(ME)

linux-3.10\drivers\media\usb\au0828\au0828-video.c(4): * Copyright (C) 2009 Devin Heitmueller <dheitmueller@linuxtv.org>
linux-3.10\drivers\media\usb\au0828\au0828-video.c(5): * Copyright (C) 2005-2008 Auvitek International, Ltd.
linux-3.10\drivers\media\usb\b2c2\flexcop-usb.c(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\usb\b2c2\flexcop-usb.h(4): * see flexcop.c for copyright information
linux-3.10\drivers\media\usb\cpia2\cpia2.h(5): *Copyright 2001, STMicroelectronics, Inc.
linux-3.10\drivers\media\usb\cpia2\cpia2_core.c(5): *Copyright 2001, STMicroelectronics, Inc.
linux-3.10\drivers\media\usb\cpia2\cpia2_registers.h(5): *Copyright 2001, STMicroelectronics, Inc.
linux-3.10\drivers\media\usb\cpia2\cpia2_usb.c(5): *Copyright 2001, STMicroelectronics, Inc.
linux-3.10\drivers\media\usb\cpia2\cpia2_v4l.c(5): *Copyright 2001, STMicroelectronics, Inc.
linux-3.10\drivers\media\usb\cpia2\cpia2_v4l.c(7): *Copyright 2001,2005, Scott J. Bertin <scottbertin@yahoo.com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx.h(4): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-417.c(210):enum cx231xx_copyright {
linux-3.10\drivers\media\usb\cx231xx\cx231xx-417.c(211):CX231xx_COPYRIGHT_OFF,
linux-3.10\drivers\media\usb\cx231xx\cx231xx-417.c(212):CX231xx_COPYRIGHT_ON,
linux-3.10\drivers\media\usb\cx231xx\cx231xx-417.c(712):case
CX2341X_ENC_SET_COPYRIGHT:
linux-3.10\drivers\media\usb\cx231xx\cx231xx-audio.c(4): *Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-avcore.c(5): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-cards.c(5): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-conf-reg.h(5): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-core.c(5): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-dif.h(4): *Copyright {C} 2009 <Bill.Liu@conexant.com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-dvb.c(4): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-i2c.c(4): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-input.c(4): * Copyright (C) 2010 Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-pcb-cfg.c(5): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-pcb-cfg.h(5): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-reg.h(5): Copyright (C) 2008 <srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-vbi.c(4): Copyright (C) 2008

legal(ME)

<srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-vbi.h(4): Copyright (C) 2008
<srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\cx231xx\cx231xx-video.c(5): Copyright (C) 2008
<srinivasa.deevi at conexant dot com>
linux-3.10\drivers\media\usb\dvb-usb\af9005.c(4): * Copyright (C) 2005 Patrick
Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\af9005.c(4): * Copyright (C) 2007 Luca
Olivetti (luca@ventoso.org)
linux-3.10\drivers\media\usb\dvb-usb\af9005.h(4): * Copyright (C) 2007 Luca
Olivetti (luca@ventoso.org)
linux-3.10\drivers\media\usb\dvb-usb\af9005-fe.c(4): * Copyright (C) 2007 Luca
Olivetti (luca@ventoso.org)
linux-3.10\drivers\media\usb\dvb-usb\af9005-remote.c(6): * Copyright (C) 2007
Luca Olivetti (luca@ventoso.org)
linux-3.10\drivers\media\usb\dvb-usb\az6027.c(4): * Copyright (C) 2009 Adams.Xu
<adams.xu@azwave.com.cn>
linux-3.10\drivers\media\usb\dvb-usb\cinergyT2.h(4): * Copyright (C) 2007 Tomi
Orava (tomimo@ncircle.nullnet.fi)
linux-3.10\drivers\media\usb\dvb-usb\cinergyT2.h(9): * Copyright (C) 2004 Daniel
Mack <daniel@qanu.de> and
linux-3.10\drivers\media\usb\dvb-usb\cinergyT2-core.c(4): * Copyright (C) 2007
Tomi Orava (tomimo@ncircle.nullnet.fi)
linux-3.10\drivers\media\usb\dvb-usb\cinergyT2-core.c(9): * Copyright (C) 2004
Daniel Mack <daniel@qanu.de> and
linux-3.10\drivers\media\usb\dvb-usb\cinergyT2-fe.c(4): * Copyright (C) 2007 Tomi
Orava (tomimo@ncircle.nullnet.fi)
linux-3.10\drivers\media\usb\dvb-usb\cinergyT2-fe.c(9): * Copyright (C) 2004
Daniel Mack <daniel@qanu.de> and
linux-3.10\drivers\media\usb\dvb-usb\cxusb.c(16): * Copyright (C) 2005 Patrick
Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\cxusb.c(17): * Copyright (C) 2006 Michael
Krufky (mkrufky@linuxtv.org)
linux-3.10\drivers\media\usb\dvb-usb\cxusb.c(18): * Copyright (C) 2006, 2007
Chris Pascoe (c.pascoe@itee.uq.edu.au)
linux-3.10\drivers\media\usb\dvb-usb\dib0700.h(7): *Copyright (C) 2005-6 DiBcom,
SA
linux-3.10\drivers\media\usb\dvb-usb\dib0700_core.c(7): *Copyright (C) 2005-6
DiBcom, SA
linux-3.10\drivers\media\usb\dvb-usb\dib0700_devices.c(7): *Copyright (C) 2005-9
DiBcom, SA et al
linux-3.10\drivers\media\usb\dvb-usb\dibusb.h(3): * Copyright (C) 2004-5 Patrick
Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\dibusb-common.c(3): * Copyright (C) 2004-5
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\dibusb-mb.c(4): * Copyright (C) 2004-5
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\dibusb-mb.c(7): * Copyright (C) 2004 Amaury
Demol for DiBcom (ademol@dibcom.fr)
linux-3.10\drivers\media\usb\dvb-usb\dibusb-mc.c(4): * Copyright (C) 2004-5
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\dibusb-mc.c(7): * Copyright (C) 2004 Amaury

legal(ME)

Demol for DiBcom (ademol@dibcom.fr)

linux-3.10\drivers\media\usb\dvb-usb\digitv.c(4): * Copyright (C) 2005 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dtv200u.c(4): * Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dtv200u.h(4): * Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dtv200u-fe.c(4): * Copyright (C) 2005 Patrick Boettcher <patrick.boettcher@desy.de>

linux-3.10\drivers\media\usb\dvb-usb\dtv5100.c(4): * Copyright (C) 2008 Antoine Jacquet <royale@zerezo.com>

linux-3.10\drivers\media\usb\dvb-usb\dtv5100.h(4): * Copyright (C) 2008 Antoine Jacquet <royale@zerezo.com>

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb.h(3): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb.h(4): * see dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-common.h(3): * Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-common.h(4): * see dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-dvb.c(3): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-dvb.c(4): * see dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-firmware.c(3): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-firmware.c(4): * see dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-i2c.c(3): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-i2c.c(4): * see dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-init.c(6): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-remote.c(3): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-remote.c(4): * see dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-urb.c(3): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)

linux-3.10\drivers\media\usb\dvb-usb\dvb-usb-urb.c(4): * see dvb-usb-init.c for copyright information.

linux-3.10\drivers\media\usb\dvb-usb\dw2102.c(6): * Copyright (C) 2008-2012 Igor M. Liplianin (liplianin@me.by)

linux-3.10\drivers\media\usb\dvb-usb\friio.c(3): * Copyright (C) 2009 Akihiro Tsukada <tskd2@yahoo.co.jp>

linux-3.10\drivers\media\usb\dvb-usb\friio.h(3): * Copyright (C) 2009 Akihiro Tsukada <tskd2@yahoo.co.jp>

linux-3.10\drivers\media\usb\dvb-usb\friio-fe.c(3): * Copyright (C) 2009 Akihiro Tsukada <tskd2@yahoo.co.jp>

linux-3.10\drivers\media\usb\dvb-usb\gp8psk.c(4): * Copyright (C) 2006,2007 Alan

legal(ME)

Nisota (alannisota@gmail.com)
linux-3.10\drivers\media\usb\dvb-usb\gp8psk.c(5): * Copyright (C) 2006,2007
Genpix Electronics (genpix@genpix-electronics.com)
linux-3.10\drivers\media\usb\dvb-usb\gp8psk.h(4): * Copyright (C) 2006 Alan
Nisota (alannisota@gmail.com)
linux-3.10\drivers\media\usb\dvb-usb\gp8psk.h(5): * Copyright (C) 2006,2007 Alan
Nisota (alannisota@gmail.com)
linux-3.10\drivers\media\usb\dvb-usb\gp8psk-fe.c(4): * Copyright (C) 2006,2007
Alan Nisota (alannisota@gmail.com)
linux-3.10\drivers\media\usb\dvb-usb\gp8psk-fe.c(5): * Copyright (C) 2006,2007
Genpix Electronics (genpix@genpix-electronics.com)
linux-3.10\drivers\media\usb\dvb-usb\m920x.c(3): * Copyright (C) 2006 Aapo
Tahkola (aet@rasterburn.org)
linux-3.10\drivers\media\usb\dvb-usb\nova-t-usb2.c(4): * Copyright (C) 2004-5
Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\opera1.c(3):* Copyright (C) 2006 Mario
Hlawitschka (dh1pa@amsat.org)
linux-3.10\drivers\media\usb\dvb-usb\opera1.c(4):* Copyright (C) 2006 Marco
Gittler (g.marco@freenet.de)
linux-3.10\drivers\media\usb\dvb-usb\pctv452e.c(4): * Copyright (c) 2006-2008
Dominik Kuhlen <dkuhlen@gmx.net>
linux-3.10\drivers\media\usb\dvb-usb\pctv452e.c(7): * Copyright (C) 2008 Michael
H. Schimek <mschimek@gmx.at>
linux-3.10\drivers\media\usb\dvb-usb\technisat-usb2.c(21): * THIS PROGRAM IS
PROVIDED "AS IS" AND BOTH THE COPYRIGHT HOLDER AND
linux-3.10\drivers\media\usb\dvb-usb\technisat-usb2.c(4): * Copyright (C) 2010
Patrick Boettcher,
linux-3.10\drivers\media\usb\dvb-usb\ttusb2.c(15): * Copyright (c) 2002 Holger
Waechtler <holger@convergence.de>
linux-3.10\drivers\media\usb\dvb-usb\ttusb2.c(16): * Copyright (c) 2003 Felix
Domke <tmbinc@elitedvb.net>
linux-3.10\drivers\media\usb\dvb-usb\ttusb2.c(17): * Copyright (C) 2005-6 Patrick
Boettcher <pb@linuxtv.org>
linux-3.10\drivers\media\usb\dvb-usb\ttusb2.h(4): * Copyright (c) 2002 Holger
Waechtler <holger@convergence.de>
linux-3.10\drivers\media\usb\dvb-usb\ttusb2.h(5): * Copyright (c) 2003 Felix
Domke <tmbinc@elitedvb.net>
linux-3.10\drivers\media\usb\dvb-usb\ttusb2.h(6): * Copyright (C) 2005-6 Patrick
Boettcher <pb@linuxtv.de>
linux-3.10\drivers\media\usb\dvb-usb\umt-010.c(4): * Copyright (C) 2004-5 Patrick
Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\usb-urb.c(3): * Copyright (C) 2004-6 Patrick
Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\usb-urb.c(4): * see dvb-usb-init.c for
copyright information.
linux-3.10\drivers\media\usb\dvb-usb\vp702x.c(4): * Copyright (C) 2005 Ralph
Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\usb\dvb-usb\vp702x.c(7): * Copyright (C) 2005 Patrick
Boettcher <patrick.boettcher@desy.de>
linux-3.10\drivers\media\usb\dvb-usb\vp702x-fe.c(4): * Copyright (C) 2005 Ralph
Metzler <rjkm@metzlerbros.de>
linux-3.10\drivers\media\usb\dvb-usb\vp702x-fe.c(7): * Copyright (C) 2005 Patrick

legal(ME)

Boettcher <patrick.boettcher@desy.de>
linux-3.10\drivers\media\usb\dvb-usb\vp7045.c(5): * Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\vp7045.h(4): * Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb\vp7045-fe.c(4): * Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb-v2\af9015.c(4): * Copyright (C) 2007 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\af9015.h(4): * Copyright (C) 2007 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\af9035.c(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\af9035.c(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\af9035.h(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\af9035.h(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\anysee.c(4): * Copyright (C) 2007 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\anysee.h(4): * Copyright (C) 2007 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\au6610.c(4): * Copyright (C) 2006 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\au6610.h(4): * Copyright (C) 2006 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\az6007.c(10): * Copyright (c) 2010-2012 Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\az6007.c(4): * Copyright (c) Henry Wang <Henry.wang@AzureWave.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\ce6230.c(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\ce6230.h(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\dvb_usb.h(4): * Copyright (C) 2004-6 Patrick Boettcher <patrick.boettcher@desy.de>
linux-3.10\drivers\media\usb\dvb-usb-v2\dvb_usb.h(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\dvb_usb_common.h(4): * Copyright (C) 2004-6 Patrick Boettcher <patrick.boettcher@desy.de>
linux-3.10\drivers\media\usb\dvb-usb-v2\dvb_usb_common.h(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\dvb_usb_core.c(4): * Copyright (C) 2004-6 Patrick Boettcher <patrick.boettcher@desy.de>
linux-3.10\drivers\media\usb\dvb-usb-v2\dvb_usb_core.c(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\dvb_usb_urb.c(4): * Copyright (C) 2004-6 Patrick Boettcher <patrick.boettcher@desy.de>
linux-3.10\drivers\media\usb\dvb-usb-v2\dvb_usb_urb.c(5): * Copyright (C) 2012 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\ec168.c(4): * Copyright (C) 2009 Antti

legal(ME)

Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\ec168.h(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\it913x.c(4): * Copyright (C) 2011 Malcolm Priestley (tvboxspy@gmail.com)
linux-3.10\drivers\media\usb\dvb-usb-v2\lmedm04.c(39): * Copyright (C) 2010 Malcolm Priestley (tvboxspy@gmail.com)
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf.c(2): * Copyright (C) 2010 Michael Krufky (mkrufky@kernellabs.com)
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf.h(2): * Copyright (C) 2010 Michael Krufky (mkrufky@kernellabs.com)
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-demod.c(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-demod.h(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-gpio.c(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-gpio.h(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-i2c.c(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-i2c.h(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-phy.c(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-phy.h(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-reg.h(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-tuner.c(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\mxl111sf-tuner.h(4): *Copyright (C) 2010 Michael Krufky <mkrufky@kernellabs.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\rtl28xxu.c(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\rtl28xxu.c(5): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\rtl28xxu.c(6): * Copyright (C) 2012 Thomas Mair <thomas.mair86@googlemail.com>
linux-3.10\drivers\media\usb\dvb-usb-v2\rtl28xxu.h(4): * Copyright (C) 2009 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\rtl28xxu.h(5): * Copyright (C) 2011 Antti Palosaari <crope@iki.fi>
linux-3.10\drivers\media\usb\dvb-usb-v2\usb_urb.c(3): * Copyright (C) 2004-6 Patrick Boettcher (patrick.boettcher@desy.de)
linux-3.10\drivers\media\usb\dvb-usb-v2\usb_urb.c(4): * see dvb-usb-init.c for copyright information.
linux-3.10\drivers\media\usb\em28xx\em28xx.h(4): Copyright (C) 2005 Markus Rechberger <mrechberger@gmail.com>
linux-3.10\drivers\media\usb\em28xx\em28xx.h(7): Copyright (C) 2012 Frank Sch̄,fer <fschaefer.oss@googlemail.com>
linux-3.10\drivers\media\usb\em28xx\em28xx-audio.c(11): *and inherits all the

legal(ME)

copyrights

linux-3.10\drivers\media\usb\em28xx\em28xx-audio.c(4): *Copyright (C) 2006 Markus Rechberger <mrechberger@gmail.com>
linux-3.10\drivers\media\usb\em28xx\em28xx-audio.c(6): *Copyright (C) 2007-2011 Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\usb\em28xx\em28xx-audio.c(653):printk(KERN_INFO "em28xx-audio.c: Copyright (C) 2006 Markus "
linux-3.10\drivers\media\usb\em28xx\em28xx-audio.c(655):printk(KERN_INFO "em28xx-audio.c: Copyright (C) 2007-2011 Mauro Carvalho Chehab\n");
linux-3.10\drivers\media\usb\em28xx\em28xx-camera.c(4): Copyright (C) 2009 Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\usb\em28xx\em28xx-camera.c(5): Copyright (C) 2013 Frank Sch̄,fer <fschaefer.oss@googlemail.com>
linux-3.10\drivers\media\usb\em28xx\em28xx-cards.c(5): Copyright (C) 2005 Ludovico Cavedon <cavedon@sssup.it>
linux-3.10\drivers\media\usb\em28xx\em28xx-cards.c(9): Copyright (C) 2012 Frank Sch̄,fer <fschaefer.oss@googlemail.com>
linux-3.10\drivers\media\usb\em28xx\em28xx-core.c(4): Copyright (C) 2005 Ludovico Cavedon <cavedon@sssup.it>
linux-3.10\drivers\media\usb\em28xx\em28xx-core.c(8): Copyright (C) 2012 Frank Sch̄,fer <fschaefer.oss@googlemail.com>
linux-3.10\drivers\media\usb\em28xx\em28xx-i2c.c(4): Copyright (C) 2005 Ludovico Cavedon <cavedon@sssup.it>
linux-3.10\drivers\media\usb\em28xx\em28xx-i2c.c(8): Copyright (C) 2013 Frank Sch̄,fer <fschaefer.oss@googlemail.com>
linux-3.10\drivers\media\usb\em28xx\em28xx-input.c(4): Copyright (C) 2005 Ludovico Cavedon <cavedon@sssup.it>
linux-3.10\drivers\media\usb\em28xx\em28xx-vbi.c(4): Copyright (C) 2009 Devin Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\media\usb\em28xx\em28xx-video.c(5): Copyright (C) 2005 Ludovico Cavedon <cavedon@sssup.it>
linux-3.10\drivers\media\usb\em28xx\em28xx-video.c(9): Copyright (C) 2012 Frank Sch̄,fer <fschaefer.oss@googlemail.com>
linux-3.10\drivers\media\usb\gspca\autogain_functions.c(4): * Copyright (C) 2010-2012 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\benq.c(4): * Copyright (C) 2009 Jean-Francois Moine (<http://moinejf.free.fr>)
linux-3.10\drivers\media\usb\gspca\conex.c(3): *Copyright (C) 2004 Michel Xhaard mxhaard@magic.fr
linux-3.10\drivers\media\usb\gspca\cpia1.c(10): * (C) Copyright 1999-2000 Johannes Erdfelt <johannes@erdfelt.com>
linux-3.10\drivers\media\usb\gspca\cpia1.c(11): * (C) Copyright 2000 STMicroelectronics
linux-3.10\drivers\media\usb\gspca\cpia1.c(4): * Copyright (C) 2010-2011 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\cpia1.c(8): * (C) Copyright 1999-2000 Peter Pregler
linux-3.10\drivers\media\usb\gspca\cpia1.c(9): * (C) Copyright 1999-2000 Scott J. Bertin
linux-3.10\drivers\media\usb\gspca\finepix.c(4): * Copyright (C) 2008 Frank Zago
linux-3.10\drivers\media\usb\gspca\gspca.c(4): * Copyright (C) 2008-2011 Jean-Fran̄ois Moine <<http://moinejf.free.fr>>

legal(ME)

linux-3.10\drivers\media\usb\gspca\gspca.c(7): * Copyright (C) 2009-2010 M̄rtin N̄řm̄eth <nm127@freemail.hu>
linux-3.10\drivers\media\usb\gspca\jeilinj.c(10): * Copyright (C) 2011 Patrice Chotard
linux-3.10\drivers\media\usb\gspca\jeilinj.c(7): * Copyright (C) 2009 Theodore Kilgore
linux-3.10\drivers\media\usb\gspca\jl2005bcd.c(4): * Copyright (C) 2011 Theodore Kilgore <kilgota@auburn.edu>
linux-3.10\drivers\media\usb\gspca\jpeg.h(9): * Copyright (C) Jean-Francois Moine (<http://moinejf.free.fr>)
linux-3.10\drivers\media\usb\gspca\kinect.c(4): * Copyright (C) 2011Antonio Ospite <ospite@studenti.unina.it>
linux-3.10\drivers\media\usb\gspca\konica.c(14): * Copyright (C) 2009 Jean-Francois Moine (<http://moinejf.free.fr>)
linux-3.10\drivers\media\usb\gspca\konica.c(5): * Copyright (C) 2010 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\konica.c(9): * Copyright (C) 2002 Simon Evans <spse@secret.org.uk>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_bridge.h(4): * Copyright (C) 2008 Erik Andr̄řn
linux-3.10\drivers\media\usb\gspca\m5602\m5602_bridge.h(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_bridge.h(6): * Copyright (C) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_bridge.h(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_core.c(4): * Copyright (C) 2008 Erik Andr̄řn
linux-3.10\drivers\media\usb\gspca\m5602\m5602_core.c(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_core.c(6): * Copyright (C) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_core.c(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.c(4): * Copyright (C) 2008 Erik Andr̄řn
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.c(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.c(6): * Copyright (C) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.c(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.h(14): * Copyright (C) 2008, Robert Jarzmik <robert.jarzmik@free.fr>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.h(4): * Copyright (C) 2008 Erik Andr̄řn
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.h(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.h(6): * Copyright (C) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_mt9m111.h(9): * Copyright (c) 2006 Willem Duinker

legal(ME)

linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov7660.c(4): * Copyright (C) 2009 Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov7660.c(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov7660.c(6): * Copyright (C) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov7660.c(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov7660.h(4): * Copyright (C) 2009 Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov7660.h(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov7660.h(6): * Copyright (C) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov7660.h(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov9650.c(4): * Copyright (C) 2008 Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov9650.c(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov9650.c(6): * Copyright (C) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov9650.c(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov9650.h(4): * Copyright (C) 2008 Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov9650.h(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov9650.h(6): * Copyright (C) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_ov9650.h(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_po1030.c(4): * Copyright (c) 2008 Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_po1030.c(5): * Copyright (c) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_po1030.c(6): * Copyright (c) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_po1030.c(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_po1030.h(4): * Copyright (c) 2008 Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_po1030.h(5): * Copyright (c) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_po1030.h(6): * Copyright (c) 2005 m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_po1030.h(9): * Copyright (c) 2006 Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k4aa.c(4): * Copyright (C) 2008 Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k4aa.c(5): * Copyright (C) 2007 Ilyes Gouta. Based on the m5603x Linux Driver Project.

legal(ME)

linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k4aa.c(6): * Copyright (C) 2005
m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k4aa.c(9): * Copyright (c) 2006
Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k4aa.h(4): * Copyright (C) 2008
Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k4aa.h(5): * Copyright (C) 2007
Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k4aa.h(6): * Copyright (C) 2005
m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k4aa.h(9): * Copyright (c) 2006
Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k83a.c(4): * Copyright (C) 2008
Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k83a.c(5): * Copyright (C) 2007
Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k83a.c(6): * Copyright (C) 2005
m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k83a.c(9): * Copyright (c) 2006
Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k83a.h(4): * Copyright (C) 2008
Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k83a.h(5): * Copyright (C) 2007
Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k83a.h(6): * Copyright (C) 2005
m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_s5k83a.h(9): * Copyright (c) 2006
Willem Duinker
linux-3.10\drivers\media\usb\gspca\m5602\m5602_sensor.h(4): * Copyright (C) 2008
Erik Andr  n
linux-3.10\drivers\media\usb\gspca\m5602\m5602_sensor.h(5): * Copyright (C) 2007
Ilyes Gouta. Based on the m5603x Linux Driver Project.
linux-3.10\drivers\media\usb\gspca\m5602\m5602_sensor.h(6): * Copyright (C) 2005
m5603x Linux Driver Project <m5602@x3ng.com.br>
linux-3.10\drivers\media\usb\gspca\m5602\m5602_sensor.h(9): * Copyright (c) 2006
Willem Duinker
linux-3.10\drivers\media\usb\gspca\mars.c(3): *Copyright (C) 2005
<bradlch@hotmail.com>
linux-3.10\drivers\media\usb\gspca\mr97310a.c(12): * Copyright (C) 2009 Hans de
Goede <hdegoede@redhat.com> and
linux-3.10\drivers\media\usb\gspca\mr97310a.c(16): * Copyright (C) 2009 Theodore
Kilgore <kilgota@auburn.edu>
linux-3.10\drivers\media\usb\gspca\mr97310a.c(5): * Copyright (C) 2009 Kyle Guinn
<elyk03@gmail.com>
linux-3.10\drivers\media\usb\gspca\mr97310a.c(9): * is Copyright (C) 2009
Theodore Kilgore <kilgota@auburn.edu>
linux-3.10\drivers\media\usb\gspca\nw80x.c(4): * Copyright (C) 2011
Jean-Fran  ois Moine (<http://moinejf.free.fr>)
linux-3.10\drivers\media\usb\gspca\nw80x.c(5): * Copyright (C) 2003 Sylvain
Munaut <tnt@246tNt.com>
linux-3.10\drivers\media\usb\gspca\ov519.c(10): * Original copyright for the
ov511 driver is:

legal(ME)

linux-3.10\drivers\media\usb\gspca\ov519.c(12): * Copyright (c) 1999-2006 Mark W. McClelland
linux-3.10\drivers\media\usb\gspca\ov519.c(13): * Support for OV519, OV8610
Copyright (c) 2003 Joerg Heckenbach
linux-3.10\drivers\media\usb\gspca\ov519.c(19): * ov51x-jpeg original copyright
is:
linux-3.10\drivers\media\usb\gspca\ov519.c(21): * Copyright (c) 2004-2007 Romain
Beauxis <toots@rastageeks.org>
linux-3.10\drivers\media\usb\gspca\ov519.c(4): * Copyright (C) 2008-2011
Jean-François Moine <moinejf@free.fr>
linux-3.10\drivers\media\usb\gspca\ov519.c(5): * Copyright (C) 2009 Hans de Goede
<hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\ov534.c(4): * Copyright (C) 2008 Antonio
Ospite <ospite@studenti.unina.it>
linux-3.10\drivers\media\usb\gspca\ov534.c(5): * Copyright (C) 2008 Jim Paris
<jim@jtan.com>
linux-3.10\drivers\media\usb\gspca\ov534.c(6): * Copyright (C) 2009 Jean-Francois
Moine http://moinejf.free.fr
linux-3.10\drivers\media\usb\gspca\ov534_9.c(4): * Copyright (C) 2009-2011
Jean-Francois Moine http://moinejf.free.fr
linux-3.10\drivers\media\usb\gspca\ov534_9.c(5): * Copyright (C) 2008 Antonio
Ospite <ospite@studenti.unina.it>
linux-3.10\drivers\media\usb\gspca\ov534_9.c(6): * Copyright (C) 2008 Jim Paris
<jim@jtan.com>
linux-3.10\drivers\media\usb\gspca\pac_common.h(4): * Copyright (C) 2008 Hans de
Goede <j.w.r.degoede@hhs.nl>
linux-3.10\drivers\media\usb\gspca\pac_common.h(5): * Copyright (C) 2005 Thomas
Kaiser thomas@kaiser-linux.li
linux-3.10\drivers\media\usb\gspca\pac207.c(4): * Copyright (C) 2008 Hans de
Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\pac207.c(5): * Copyright (C) 2005 Thomas
Kaiser thomas@kaiser-linux.li
linux-3.10\drivers\media\usb\gspca\pac7302.c(4): * Copyright (C) 2008-2012
Jean-Francois Moine <http://moinejf.free.fr>
linux-3.10\drivers\media\usb\gspca\pac7302.c(5): * Copyright (C) 2005 Thomas
Kaiser thomas@kaiser-linux.li
linux-3.10\drivers\media\usb\gspca\pac7302.c(9): * Copyright (C) 2009-2010
M̄rt̄on N̄r̄meth <nm127@freemail.hu>
linux-3.10\drivers\media\usb\gspca\pac7311.c(3): * Copyright (C) 2005 Thomas
Kaiser thomas@kaiser-linux.li
linux-3.10\drivers\media\usb\gspca\se401.c(4): * Copyright (C) 2011 Hans de Goede
<hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\se401.c(8): * Copyright (c) 2000 Jeroen B.
Vreeken (pe1rxq@amsat.org)
linux-3.10\drivers\media\usb\gspca\se401.h(4): * Copyright (C) 2011 Hans de Goede
<hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\se401.h(8): * Copyright (c) 2000 Jeroen B.
Vreeken (pe1rxq@amsat.org)
linux-3.10\drivers\media\usb\gspca\sn9c2028.c(4): * Copyright (C) 2009 Theodore
Kilgore <kilgota@auburn.edu>
linux-3.10\drivers\media\usb\gspca\sn9c2028.h(4): * Copyright (C) 2009 Theodore
Kilgore <kilgota@auburn.edu>

legal(ME)

linux-3.10\drivers\media\usb\gspca\sn9c20x.c(4): * Copyright (C) 2012
Jean-Francois Moine <<http://moinejf.free.fr>>
linux-3.10\drivers\media\usb\gspca\sn9c20x.c(5): *Copyright (C) 2008-2009
microdia project <microdia@googlegroups.com>
linux-3.10\drivers\media\usb\gspca\sn9c20x.c(6): *Copyright (C) 2009 Brian
Johnson <brijohn@gmail.com>
linux-3.10\drivers\media\usb\gspca\sonixb.c(4): * Copyright (C) 2009-2011
Jean-François Moine <<http://moinejf.free.fr>>
linux-3.10\drivers\media\usb\gspca\sonixb.c(5): * Copyright (C) 2003 2004 Michel
Xhaard mxhaard@magic.fr
linux-3.10\drivers\media\usb\gspca\sonixj.c(4): * Copyright (C) 2009-2011
Jean-François Moine <<http://moinejf.free.fr>>
linux-3.10\drivers\media\usb\gspca\sonixj.c(5): * Copyright (C) 2005 Michel
Xhaard mxhaard@magic.fr
linux-3.10\drivers\media\usb\gspca\spca1528.c(4): * Copyright (C) 2010-2011
Jean-Francois Moine (<http://moinejf.free.fr>)
linux-3.10\drivers\media\usb\gspca\spca508.c(4): * Copyright (C) 2009
Jean-Francois Moine <<http://moinejf.free.fr>>
linux-3.10\drivers\media\usb\gspca\spca561.c(4): * Copyright (C) 2004 Michel
Xhaard mxhaard@magic.fr
linux-3.10\drivers\media\usb\gspca\sq905.c(4): * Copyright (C) 2008, 2009 Adam
Baker and Theodore Kilgore
linux-3.10\drivers\media\usb\gspca\sq905c.c(24): * libgphoto2/camlibs/digigr8,
Copyright (C) Theodore Kilgore.
linux-3.10\drivers\media\usb\gspca\sq905c.c(4): * Copyright (C) 2009 Theodore
Kilgore
linux-3.10\drivers\media\usb\gspca\sq930x.c(4): * Copyright (C) 2010
Jean-François Moine <<http://moinejf.free.fr>>
linux-3.10\drivers\media\usb\gspca\sq930x.c(5): * Copyright (C) 2006 -2008 Gerard
Klaver <gerard at gkall dot hobby dot nl>
linux-3.10\drivers\media\usb\gspca\sq930x.c(6): * Copyright (C) 2007 Sam Revitch
<samr7@cs.washington.edu>
linux-3.10\drivers\media\usb\gspca\stk014.c(4): * Copyright (C) 2008
Jean-Francois Moine (<http://moinejf.free.fr>)
linux-3.10\drivers\media\usb\gspca\stv0680.c(4): * Copyright (C) 2009 Hans de
Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx.c(2): * Copyright (c) 2001
Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx.c(4): * Copyright (c) 2002,
2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx.c(5): * Copyright (c) 2008
Erik Andr  n
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx.h(2): * Copyright (c) 2001
Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx.h(4): * Copyright (c) 2002,
2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx.h(5): * Copyright (c) 2008
Erik Andr  n
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_hdcs.c(2): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_hdcs.c(4): * Copyright (c)
2002, 2003 Tuukka Toivonen

legal(ME)

linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_hdcs.c(5): * Copyright (c)
2008 Erik Andr̄wn
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_hdcs.c(6): * Copyright (c)
2008 Chia-I Wu
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_hdcs.h(2): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_hdcs.h(4): * Copyright (c)
2002, 2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_hdcs.h(5): * Copyright (c)
2008 Erik Andr̄wn
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_hdcs.h(6): * Copyright (c)
2008 Chia-I Wu
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_pb0100.c(2): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_pb0100.c(4): * Copyright (c)
2002, 2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_pb0100.c(5): * Copyright (c)
2008 Erik Andr̄wn
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_pb0100.h(2): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_pb0100.h(4): * Copyright (c)
2002, 2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_pb0100.h(5): * Copyright (c)
2008 Erik Andr̄wn
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_sensor.h(2): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_sensor.h(4): * Copyright (c)
2002, 2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_sensor.h(5): * Copyright (c)
2008 Erik Andr̄wn
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_st6422.c(11): * Copyright (c)
2002, 2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_st6422.c(6): * Copyright (c)
2009 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_st6422.c(9): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_st6422.h(11): * Copyright (c)
2002, 2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_st6422.h(6): * Copyright (c)
2009 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_st6422.h(9): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_vv6410.c(2): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_vv6410.c(4): * Copyright (c)
2002, 2003 Tuukka Toivonen
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_vv6410.c(5): * Copyright (c)
2008 Erik Andr̄wn
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_vv6410.h(2): * Copyright (c)
2001 Jean-Fredric Clere, Nikolas Zimmermann, Georg Acher
linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_vv6410.h(4): * Copyright (c)
2002, 2003 Tuukka Toivonen

legal(ME)

linux-3.10\drivers\media\usb\gspca\stv06xx\stv06xx_vv6410.h(5): * Copyright (c) 2008 Erik Andrzejewski
linux-3.10\drivers\media\usb\gspca\sunplus.c(3): *Copyright (C) 2005 Michel Xhaard mxhaard@magic.fr
linux-3.10\drivers\media\usb\gspca\t613.c(4): * Copyright (C) 2010 Jean-Francois Moine (http://moinejf.free.fr)
linux-3.10\drivers\media\usb\gspca\topro.c(4): * Copyright (C) 2011 Jean-François Moine (http://moinejf.free.fr)
linux-3.10\drivers\media\usb\gspca\topro.c(5): * Copyright (C) 2009 Anders Blomdell (anders.blomdell@control.lth.se)
linux-3.10\drivers\media\usb\gspca\topro.c(6): * Copyright (C) 2008 Thomas Champagne (lafeuil@gmail.com)
linux-3.10\drivers\media\usb\gspca\vc032x.c(4): * Copyright (C) 2009-2010 Jean-François Moine <http://moinejf.free.fr>
linux-3.10\drivers\media\usb\gspca\vc032x.c(5): * Copyright (C) 2006 Koninski Artur takeshi87@o2.pl
linux-3.10\drivers\media\usb\gspca\vc032x.c(6): * Copyright (C) 2006 Michel Xhaard
linux-3.10\drivers\media\usb\gspca\vicam.c(4): * Copyright (C) 2011 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\vicam.c(8): * Copyright (c) 2002 Joe Burks (jburks@wavicle.org),
linux-3.10\drivers\media\usb\gspca\w996Xcf.c(5): * Copyright (C) 2009 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\w996Xcf.c(9): * Copyright (C) 2002-2004 by Luca Risolia <luca.risolia@studio.unibo.it>
linux-3.10\drivers\media\usb\gspca\xirlink_cit.c(11): * (C) Copyright 1999 Johannes Erdfelt
linux-3.10\drivers\media\usb\gspca\xirlink_cit.c(12): * (C) Copyright 1999 Randy Dunlap
linux-3.10\drivers\media\usb\gspca\xirlink_cit.c(7): * Copyright (C) 2010 Hans de Goede <hdegoede@redhat.com>
linux-3.10\drivers\media\usb\gspca\zc3xx.c(4): * Copyright (C) 2009-2012 Jean-Francois Moine <http://moinejf.free.fr>
linux-3.10\drivers\media\usb\gspca\zc3xx.c(5): * Copyright (C) 2004 2005 2006 Michel Xhaard mxhaard@magic.fr
linux-3.10\drivers\media\usb\gspca\zc3xx-reg.h(4): * Copyright (c) 2008 Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\usb\hdpvr\hdpvr.h(4): * Copyright (C) 2008Janne Grunau (j@jannau.net)
linux-3.10\drivers\media\usb\hdpvr\hdpvr-control.c(4): * Copyright (C) 2008Janne Grunau (j@jannau.net)
linux-3.10\drivers\media\usb\hdpvr\hdpvr-core.c(4): * Copyright (C) 2001-2004 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\media\usb\hdpvr\hdpvr-core.c(5): * Copyright (C) 2008Janne Grunau (j@jannau.net)
linux-3.10\drivers\media\usb\hdpvr\hdpvr-core.c(6): * Copyright (C) 2008John Poet
linux-3.10\drivers\media\usb\hdpvr\hdpvr-i2c.c(5): * Copyright (C) 2008Janne Grunau (j@jannau.net)
linux-3.10\drivers\media\usb\hdpvr\hdpvr-i2c.c(8): * Copyright (C) 2010Andy Walls <awalls@md.metrocast.net>
linux-3.10\drivers\media\usb\hdpvr\hdpvr-video.c(4): * Copyright (C) 2008Janne

legal(ME)

Grunau (j@jannau.net)
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2.h(4): *Copyright (C) 2005 Mike Isely
<isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2.h(5): *Copyright (C) 2004 Aurelien
Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-audio.c(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-audio.c(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-audio.h(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-audio.h(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-context.c(3): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-context.h(3): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-cs53l32a.c(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-cs53l32a.c(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-cs53l32a.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-cs53l32a.h(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-ctrl.c(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-ctrl.h(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-cx2584x-v4l.c(4): *Copyright (C)
2005 Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-cx2584x-v4l.c(5): *Copyright (C)
2004 Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-cx2584x-v4l.h(4): *Copyright (C)
2005 Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-cx2584x-v4l.h(5): *Copyright (C)
2004 Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-debug.h(3): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-debugifc.c(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-debugifc.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-devattr.c(4): *Copyright (C) 2007
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-devattr.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-dvb.c(4): *Copyright (C) 2007, 2008
Michael Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-EEPROM.c(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-EEPROM.c(5): *Copyright (C) 2004

legal(ME)

Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-EEPROM.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-EEPROM.h(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-encoder.c(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-encoder.c(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-encoder.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-encoder.h(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-fx2-cmd.h(4): *Copyright (C) 2007
Michael Krufky <mkrufky@linuxtv.org>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-hdw.c(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-hdw.h(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-hdw-internal.h(4): *Copyright (C)
2005 Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-i2c-core.c(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-i2c-core.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-io.c(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-io.h(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-IOREAD.c(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-IOREAD.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-main.c(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-main.c(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-std.c(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-std.h(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-sysfs.c(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-sysfs.h(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-util.h(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-v4l2.c(4): *Copyright (C) 2005 Mike
Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-v4l2.c(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-v4l2.h(4): *Copyright (C) 2005 Mike

legal(ME)

Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-video-v4l.c(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-video-v4l.c(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-video-v4l.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-video-v4l.h(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-wm8775.c(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-wm8775.c(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-wm8775.h(4): *Copyright (C) 2005
Mike Isely <isely@pobox.com>
linux-3.10\drivers\media\usb\pvrusb2\pvrusb2-wm8775.h(5): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\media\usb\s2255\s2255drv.c(4): * Copyright (C) 2007-2010 by
Sensoray Company Inc.
linux-3.10\drivers\media\usb\s2255\s2255drv.c(628): *Copyright (c) 2006 by
linux-3.10\drivers\media\usb\siano\smsusb.c(5): Copyright (C) 2005-2009, Uri
Shkolnik, Anatoly Greenblat
linux-3.10\drivers\media\usb\sn9c102\sn9c102.h(4): * Copyright (C) 2004-2006 by
Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_config.h(4): * Copyright (C) 2007 by
Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_core.c(4): * Copyright (C) 2004-2007
by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_devtable.h(4): * Copyright (C) 2007
by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_hv7131d.c(5): * Copyright (C)
2004-2007 by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_hv7131r.c(5): * Copyright (C) 2007
by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_mi0343.c(5): * Copyright (C)
2004-2007 by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_mi0360.c(5): * Copyright (C) 2007 by
Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_mt9v111.c(5): * Copyright (C) 2007
by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_ov7630.c(5): * Copyright (C)
2006-2007 by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_ov7660.c(5): * Copyright (C) 2007 by
Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_pas106b.c(5): * Copyright (C)
2004-2007 by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_pas202bcb.c(5): * Copyright (C) 2004
by Carlos Eduardo Medaglia Dyonisio *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_sensor.h(4): * Copyright (C)
2004-2007 by Luca Risolia <luca.risolia@studio.unibo.it> *
linux-3.10\drivers\media\usb\sn9c102\sn9c102_tas5110c1b.c(5): * Copyright (C)
2004-2007 by Luca Risolia <luca.risolia@studio.unibo.it> *

legal(ME)

linux-3.10\drivers\media\usb\sn9c102\sn9c102_tas5110d.c(5): * Copyright (C) 2007 by Luca Risolia <luca.risolia@studio.unibo.it> *

linux-3.10\drivers\media\usb\sn9c102\sn9c102_tas5130d1b.c(5): * Copyright (C) 2004-2007 by Luca Risolia <luca.risolia@studio.unibo.it>*

linux-3.10\drivers\media\usb\stk1160\stk1160.h(4): * Copyright (C) 2012 Ezequiel Garcia

linux-3.10\drivers\media\usb\stk1160\stk1160.h(8): *Copyright (C) 2010 R.M. Thomas

linux-3.10\drivers\media\usb\stk1160\stk1160-ac97.c(4): * Copyright (C) 2012 Ezequiel Garcia

linux-3.10\drivers\media\usb\stk1160\stk1160-ac97.c(8): *Copyright (C) 2010 R.M. Thomas

linux-3.10\drivers\media\usb\stk1160\stk1160-core.c(4): * Copyright (C) 2012 Ezequiel Garcia

linux-3.10\drivers\media\usb\stk1160\stk1160-core.c(8): *Copyright (C) 2010 R.M. Thomas

linux-3.10\drivers\media\usb\stk1160\stk1160-i2c.c(4): * Copyright (C) 2012 Ezequiel Garcia

linux-3.10\drivers\media\usb\stk1160\stk1160-i2c.c(8): *Copyright (C) 2010 R.M. Thomas

linux-3.10\drivers\media\usb\stk1160\stk1160-reg.h(4): * Copyright (C) 2012 Ezequiel Garcia

linux-3.10\drivers\media\usb\stk1160\stk1160-reg.h(8): *Copyright (C) 2010 R.M. Thomas

linux-3.10\drivers\media\usb\stk1160\stk1160-v4l.c(4): * Copyright (C) 2012 Ezequiel Garcia

linux-3.10\drivers\media\usb\stk1160\stk1160-v4l.c(8): *Copyright (C) 2010 R.M. Thomas

linux-3.10\drivers\media\usb\stk1160\stk1160-video.c(4): * Copyright (C) 2012 Ezequiel Garcia

linux-3.10\drivers\media\usb\stk1160\stk1160-video.c(8): *Copyright (C) 2010 R.M. Thomas

linux-3.10\drivers\media\usb\stkwebcam\stk-sensor.c(10): * Copyright 2006-7 Jonathan Corbet <corbet@lwn.net>

linux-3.10\drivers\media\usb\stkwebcam\stk-sensor.c(3): * Copyright 2007-2008 Jaime Velasco Juan <jsagarribay@gmail.com>

linux-3.10\drivers\media\usb\stkwebcam\stk-sensor.c(6): * Copyright 2006 One Laptop Per Child Association, Inc.Written

linux-3.10\drivers\media\usb\stkwebcam\stk-webcam.c(4): * Copyright (C) 2006 Nicolas VIVIEN

linux-3.10\drivers\media\usb\stkwebcam\stk-webcam.c(5): * Copyright 2007-2008 Jaime Velasco Juan <jsagarribay@gmail.com>

linux-3.10\drivers\media\usb\stkwebcam\stk-webcam.c(8): * Copyright 2006-2007 Jonathan Corbet

linux-3.10\drivers\media\usb\stkwebcam\stk-webcam.h(4): * Copyright (C) 2006 Nicolas VIVIEN

linux-3.10\drivers\media\usb\stkwebcam\stk-webcam.h(5): * Copyright 2007-2008 Jaime Velasco Juan <jsagarribay@gmail.com>

linux-3.10\drivers\media\usb\tm6000\tm6000.h(4): *Copyright (C) 2006-2007 Mauro Carvalho Chehab <mchehab@infradead.org>

linux-3.10\drivers\media\usb\tm6000\tm6000.h(6): *Copyright (C) 2007 Michel Ludwig <michel.ludwig@gmail.com>

legal(ME)

linux-3.10\drivers\media\usb\tm6000\tm6000-cards.c(4): *Copyright (C) 2006-2007
Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\usb\tm6000\tm6000-core.c(4): *Copyright (C) 2006-2007
Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\usb\tm6000\tm6000-core.c(6): *Copyright (C) 2007 Michel
Ludwig <michel.ludwig@gmail.com>
linux-3.10\drivers\media\usb\tm6000\tm6000-dvb.c(4): *Copyright (C) 2007 Michel
Ludwig <michel.ludwig@gmail.com>
linux-3.10\drivers\media\usb\tm6000\tm6000-i2c.c(4): *Copyright (C) 2006-2007
Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\usb\tm6000\tm6000-i2c.c(6): *Copyright (C) 2007 Michel
Ludwig <michel.ludwig@gmail.com>
linux-3.10\drivers\media\usb\tm6000\tm6000-input.c(4): *Copyright (C) 2010 Stefan
Ringel <stefan.ringel@arcor.de>
linux-3.10\drivers\media\usb\tm6000\tm6000-regs.h(4): *Copyright (C) 2006-2007
Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\usb\tm6000\tm6000-stds.c(4): *Copyright (C) 2007 Mauro
Carvalho Chehab <mchehab@redhat.com>
linux-3.10\drivers\media\usb\tm6000\tm6000-usb-isoc.h(4): *Copyright (C)
2006-2007 Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\usb\tm6000\tm6000-video.c(4): *Copyright (C) 2006-2007
Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\drivers\media\usb\tm6000\tm6000-video.c(6): *Copyright (C) 2007 Michel
Ludwig <michel.ludwig@gmail.com>
linux-3.10\drivers\media\usb\ttusb-budget\dvb-ttusb-budget.c(4): * Copyright (c)
2002 Holger Waechter <holger@convergence.de>
linux-3.10\drivers\media\usb\ttusb-budget\dvb-ttusb-budget.c(5): * Copyright (c)
2003 Felix Domke <tmbinc@elitedvb.net>
linux-3.10\drivers\media\usb\ttusb-dec\ttusb_dec.c(4): * Copyright (C) 2003-2004
Alex Woods <linux-dvb@giblets.org>
linux-3.10\drivers\media\usb\ttusb-dec\ttusbdecfe.c(4): * Copyright (C) 2003-2004
Alex Woods <linux-dvb@giblets.org>
linux-3.10\drivers\media\usb\ttusb-dec\ttusbdecfe.h(4): * Copyright (C) 2003-2004
Alex Woods <linux-dvb@giblets.org>
linux-3.10\drivers\media\usb\usbvision\usbvision.h(5): * Copyright (c) 1999-2005
Joerg Heckenbach <joerg@heckenbach-aw.de>
linux-3.10\drivers\media\usb\usbvision\usbvision-cards.c(5): * Copyright (c)
1999-2005 Joerg Heckenbach <joerg@heckenbach-aw.de>
linux-3.10\drivers\media\usb\usbvision\usbvision-core.c(5): * Copyright (c)
1999-2005 Joerg Heckenbach <joerg@heckenbach-aw.de>
linux-3.10\drivers\media\usb\usbvision\usbvision-i2c.c(5): * Copyright (c)
1999-2007 Joerg Heckenbach <joerg@heckenbach-aw.de>
linux-3.10\drivers\media\usb\usbvision\usbvision-video.c(6): * Copyright (c)
1999-2005 Joerg Heckenbach <joerg@heckenbach-aw.de>
linux-3.10\drivers\media\usb\uvc\uvc_ctrl.c(4): *Copyright (C) 2005-2010
linux-3.10\drivers\media\usb\uvc\uvc_debugfs.c(4): *Copyright (C) 2011
linux-3.10\drivers\media\usb\uvc\uvc_driver.c(4): *Copyright (C) 2005-2010
linux-3.10\drivers\media\usb\uvc\uvc_entity.c(4): *Copyright (C) 2005-2011
linux-3.10\drivers\media\usb\uvc\uvc_isight.c(4): *Copyright (C) 2006-2007
linux-3.10\drivers\media\usb\uvc\uvc_isight.c(6): *Copyright (C) 2008-2009
linux-3.10\drivers\media\usb\uvc\uvc_queue.c(4): *Copyright (C) 2005-2010
linux-3.10\drivers\media\usb\uvc\uvc_status.c(4): *Copyright (C) 2005-2009

legal(ME)

linux-3.10\drivers\media\usb\uvc\uvc_v4l2.c(4): *Copyright (C) 2005-2010
linux-3.10\drivers\media\usb\uvc\uvc_video.c(4): *Copyright (C) 2005-2010
linux-3.10\drivers\media\usb\zr364xx\zr364xx.c(492): *Copyright (c) 2006 by
linux-3.10\drivers\media\usb\zr364xx\zr364xx.c(7): * Copyright (C) 2004Antoine
Jacquet <royale@zerezo.com>
linux-3.10\drivers\media\v4l2-core\tuner-core.c(5): * Copyright(c) by Ralph
Metzler, Gerd Knorr, Gunther Mayer
linux-3.10\drivers\media\v4l2-core\tuner-core.c(7): * Copyright(c) 2005-2011 by
Mauro Carvalho Chehab
linux-3.10\drivers\media\v4l2-core\v4l2-compat-ioctl32.c(10): * Copyright (C)
2008 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\v4l2-core\v4l2-compat-ioctl32.c(5): * Copyright (C)
1997-2000Jakub Jelinek(jakub@redhat.com)
linux-3.10\drivers\media\v4l2-core\v4l2-compat-ioctl32.c(6): * Copyright (C)
1998Eddie C. Dost(ecd@skynet.be)
linux-3.10\drivers\media\v4l2-core\v4l2-compat-ioctl32.c(7): * Copyright (C)
2001,2002Andi Kleen, SuSE Labs
linux-3.10\drivers\media\v4l2-core\v4l2-compat-ioctl32.c(8): * Copyright (C) 2003
Pavel Machek (pavel@ucw.cz)
linux-3.10\drivers\media\v4l2-core\v4l2-compat-ioctl32.c(9): * Copyright (C) 2005
Philippe De Muyter (phdm@macqel.be)
linux-3.10\drivers\media\v4l2-core\v4l2-ctrls.c(4):Copyright (C) 2010Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\drivers\media\v4l2-core\v4l2-device.c(4):Copyright (C) 2008Hans
Verkuil <hverkuil@xs4all.nl>
linux-3.10\drivers\media\v4l2-core\v4l2-event.c(6): * Copyright (C) 2009--2010
Nokia Corporation.
linux-3.10\drivers\media\v4l2-core\v4l2-fh.c(6): * Copyright (C) 2009--2010 Nokia
Corporation.
linux-3.10\drivers\media\v4l2-core\v4l2-int-device.c(6): * Copyright (C) 2007
Nokia Corporation.
linux-3.10\drivers\media\v4l2-core\v4l2-mem2mem.c(7): * Copyright (c) 2009-2010
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\v4l2-core\v4l2-of.c(4): * Copyright (C) 2012 - 2013
Samsung Electronics Co., Ltd.
linux-3.10\drivers\media\v4l2-core\v4l2-of.c(7): * Copyright (C) 2012 Renesas
Electronics Corp.
linux-3.10\drivers\media\v4l2-core\v4l2-subdev.c(4): * Copyright (C) 2010 Nokia
Corporation
linux-3.10\drivers\media\v4l2-core\videobuf2-core.c(4): * Copyright (C) 2010
Samsung Electronics
linux-3.10\drivers\media\v4l2-core\videobuf2-dma-contig.c(4): * Copyright (C)
2010 Samsung Electronics
linux-3.10\drivers\media\v4l2-core\videobuf2-dma-sg.c(4): * Copyright (C) 2010
Samsung Electronics
linux-3.10\drivers\media\v4l2-core\videobuf2-memops.c(4): * Copyright (C) 2010
Samsung Electronics
linux-3.10\drivers\media\v4l2-core\videobuf2-vmalloc.c(4): * Copyright (C) 2010
Samsung Electronics
linux-3.10\drivers\media\v4l2-core\videobuf-dma-contig.c(7): * Copyright (c) 2008
Magnus Damm
linux-3.10\drivers\memory\emif.c(4): * Copyright (C) 2012 Texas Instruments, Inc.

legal(ME)

linux-3.10\drivers\memory\emif.h(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\drivers\memory\of_memory.c(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\drivers\memory\of_memory.h(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\drivers\memory\tegra20-mc.c(4): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\memory\tegra30-mc.c(4): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\memstick\core\memstick.c(4): *Copyright (C) 2007 Alex Dubov <oakad@yahoo.com>
linux-3.10\drivers\memstick\core\mspro_block.c(4): *Copyright (C) 2007 Alex Dubov <oakad@yahoo.com>
linux-3.10\drivers\memstick\host\jmb38x_ms.c(4): *Copyright (C) 2008 Alex Dubov <oakad@yahoo.com>
linux-3.10\drivers\memstick\host\r592.c(2): * Copyright (C) 2010 - Maxim Levitsky
linux-3.10\drivers\memstick\host\r592.h(2): * Copyright (C) 2010 - Maxim Levitsky
linux-3.10\drivers\memstick\host\rtsx_pci_ms.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\memstick\host\tifm_ms.c(4): *Copyright (C) 2007 Alex Dubov <oakad@yahoo.com>
linux-3.10\drivers\message\fusion\lsi\mpi.h(2): *Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_cnfg.h(2): *Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_fc.h(2): *Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_history.txt(6): Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_init.h(2): *Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_ioc.h(2): *Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_lan.h(2): *Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_log_fc.h(2): *Copyright (c) 2000-2008 LSI Corporation. All rights reserved.
linux-3.10\drivers\message\fusion\lsi\mpi_log_sas.h(3): *Copyright (c) 2000-2008 LSI Corporation.All rights reserved. *
linux-3.10\drivers\message\fusion\lsi\mpi_raid.h(2): *Copyright (c) 2001-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_sas.h(2): *Copyright (c) 2004-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_targ.h(2): *Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_tool.h(2): *Copyright (c) 2001-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\lsi\mpi_type.h(2): *Copyright (c) 2000-2008 LSI Corporation.
linux-3.10\drivers\message\fusion\mptbase.c(8): *Copyright (c) 1999-2008 LSI Corporation
linux-3.10\drivers\message\fusion\mptbase.c(8525):printk(KERN_INFO COPYRIGHT

legal(ME)

"\n");

linux-3.10\drivers\message\fusion\mptbase.h(75):#ifndef COPYRIGHT

linux-3.10\drivers\message\fusion\mptbase.h(76):#define COPYRIGHTCopyright (c)
1999-2008MODULEAUTHOR

linux-3.10\drivers\message\fusion\mptbase.h(8): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptctl.c(69):#define COPYRIGHTCopyright (c)
1999-2008 LSI Corporation

linux-3.10\drivers\message\fusion\mptctl.c(7): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptctl.h(8): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptdebug.h(6): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptfc.c(6): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptlan.c(7): *Copyright (c) 2000-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptlan.h(7): *Copyright (c) 2000-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptsas.c(6): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptsas.h(8): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptscsih.c(6): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptscsih.h(8): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\fusion\mptspi.c(6): *Copyright (c) 1999-2008 LSI
Corporation

linux-3.10\drivers\message\i2o\bus-osm.c(4): *Copyright (C) 2005Markus Lidel
<Markus.Lidel@shadowconnect.com>

linux-3.10\drivers\message\i2o\config-osm.c(4): *Copyright (C) 2005Markus Lidel
<Markus.Lidel@shadowconnect.com>

linux-3.10\drivers\message\i2o\core.h(4): *Copyright (C) 2005Markus Lidel
<Markus.Lidel@shadowconnect.com>

linux-3.10\drivers\message\i2o\device.c(4): *Copyright (C) 2004Markus Lidel
<Markus.Lidel@shadowconnect.com>

linux-3.10\drivers\message\i2o\driver.c(4): *Copyright (C) 2004Markus Lidel
<Markus.Lidel@shadowconnect.com>

linux-3.10\drivers\message\i2o\exec-osm.c(4): * Copyright (C) 1999-2002Red Hat
Software

linux-3.10\drivers\message\i2o\i2o_block.c(4): * Copyright (C) 1999-2002Red Hat
Software

linux-3.10\drivers\message\i2o\i2o_block.h(4): * Copyright (C) 1999-2002Red Hat
Software

linux-3.10\drivers\message\i2o\i2o_config.c(4): * (C) Copyright 1999-2002Red Hat

linux-3.10\drivers\message\i2o\i2o_proc.c(4): *(c) Copyright 1999Deepak Saxena

linux-3.10\drivers\message\i2o\iop.c(4): *Copyright (C) 1999-2002Red Hat Software

linux-3.10\drivers\message\i2o\pci.c(4): * Copyright (C) 1999-2002Red Hat
Software

linux-3.10\drivers\message\i2o\README(2):Linux I2O Support(c) Copyright 1999 Red

legal(ME)

Hat Software

linux-3.10\drivers\mfd\88pm800.c(4): * Copyright (C) 2012 Marvell International Ltd.

linux-3.10\drivers\mfd\88pm805.c(4): * Copyright (C) 2012 Marvell International Ltd.

linux-3.10\drivers\mfd\88pm80x.c(4): * Copyright (C) 2012 Marvell International Ltd.

linux-3.10\drivers\mfd\88pm860x-core.c(4): * Copyright (C) 2009 Marvell International Ltd.

linux-3.10\drivers\mfd\88pm860x-i2c.c(4): * Copyright (C) 2009 Marvell International Ltd.

linux-3.10\drivers\mfd\aat2870-core.c(4): * Copyright (c) 2011, NVIDIA Corporation.

linux-3.10\drivers\mfd\ab3100-core.c(2): * Copyright (C) 2007-2010 ST-Ericsson

linux-3.10\drivers\mfd\ab3100-otp.c(4): * Copyright (C) 2007-2009 ST-Ericsson AB

linux-3.10\drivers\mfd\ab8500-core.c(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\drivers\mfd\ab8500-debugfs.c(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\drivers\mfd\ab8500-gpadc.c(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\drivers\mfd\ab8500-sysctrl.c(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\drivers\mfd\abx500-core.c(2): * Copyright (C) 2007-2010 ST-Ericsson

linux-3.10\drivers\mfd\adp5520.c(11): * Copyright (C) 2008 Compulab, Ltd.

linux-3.10\drivers\mfd\adp5520.c(14): * Copyright (C) 2006-2008 Marvell

International Ltd.

linux-3.10\drivers\mfd\adp5520.c(8): * Copyright 2009 Analog Devices Inc.

linux-3.10\drivers\mfd\arizona.h(4): * Copyright 2012 Wolfson Microelectronics plc

linux-3.10\drivers\mfd\arizona-core.c(4): * Copyright 2012 Wolfson Microelectronics plc

linux-3.10\drivers\mfd\arizona-i2c.c(4): * Copyright 2012 Wolfson Microelectronics plc

linux-3.10\drivers\mfd\arizona-irq.c(4): * Copyright 2012 Wolfson Microelectronics plc

linux-3.10\drivers\mfd\arizona-spi.c(4): * Copyright 2012 Wolfson Microelectronics plc

linux-3.10\drivers\mfd\as3711.c(4): * Copyright (C) 2012 Renesas Electronics Corporation

linux-3.10\drivers\mfd\asic3.c(10): * Copyright 2001 Compaq Computer Corporation.

linux-3.10\drivers\mfd\asic3.c(11): * Copyright 2004-2005 Phil Blundell

linux-3.10\drivers\mfd\asic3.c(12): * Copyright 2007-2008 OpenedHand Ltd.

linux-3.10\drivers\mfd\cros_ec.c(4): * Copyright (C) 2012 Google, Inc

linux-3.10\drivers\mfd\cros_ec_i2c.c(4): * Copyright (C) 2012 Google, Inc

linux-3.10\drivers\mfd\cros_ec_spi.c(4): * Copyright (C) 2012 Google, Inc

linux-3.10\drivers\mfd\cs5535-mfd.c(9): * Copyright (c) 2010 Andres Salomon

<dilinger@queued.net>

linux-3.10\drivers\mfd\da903x.c(4): * Copyright (C) 2008 Compulab, Ltd.

linux-3.10\drivers\mfd\da903x.c(7): * Copyright (C) 2006-2008 Marvell

International Ltd.

linux-3.10\drivers\mfd\da9052-core.c(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.

linux-3.10\drivers\mfd\da9052-i2c.c(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.

linux-3.10\drivers\mfd\da9052-irq.c(7): * Copyright 2012 Wolfson Microelectronics

legal(ME)

plc

linux-3.10\drivers\mfd\da9052-spi.c(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.
linux-3.10\drivers\mfd\da9055-core.c(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\drivers\mfd\da9055-i2c.c(3): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\drivers\mfd\davinci_voicecodec.c(4): * Copyright (C) 2010 Texas Instruments, Inc
linux-3.10\drivers\mfd\db8500-prcmu.c(2): * Copyright (C) STMicroelectronics 2009
linux-3.10\drivers\mfd\db8500-prcmu.c(3): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\mfd\dbx500-prcmu-regs.h(2): * Copyright (C) STMicroelectronics 2009
linux-3.10\drivers\mfd\dbx500-prcmu-regs.h(3): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\mfd\dm355evm_msp.c(4): * Copyright (C) 2008 David Brownell
linux-3.10\drivers\mfd\ezx-pcap.c(4): * Copyright (C) 2006 Harald Welte
<laforge@openezx.org>
linux-3.10\drivers\mfd\ezx-pcap.c(5): * Copyright (C) 2009 Daniel Ribeiro
<drwyr@gmail.com>
linux-3.10\drivers\mfd\htc-egpio.c(5): * Copyright (c) 2007 Kevin O'Connor
<kevin@koconnor.net>
linux-3.10\drivers\mfd\htc-egpio.c(6): * Copyright (c) 2007 Philipp Zabel
<philipp.zabel@gmail.com>
linux-3.10\drivers\mfd\htc-i2cpld.c(11): *Copyright (C) 2008-2009 Angelo Arrifano
<miknix@gmail.com>
linux-3.10\drivers\mfd\htc-i2cpld.c(8): *Copyright (C) 2009 Cory Maccarrone
<darkstar6262@gmail.com>
linux-3.10\drivers\mfd\htc-pasic3.c(4): * Copyright (C) 2006 Philipp Zabel
<philipp.zabel@gmail.com>
linux-3.10\drivers\mfd\intel_msic.c(4): * Copyright (C) 2011, Intel Corporation
linux-3.10\drivers\mfd\janz-cmodio.c(4): * Copyright (c) 2010 Ira W. Snyder
<iws@ovro.caltech.edu>
linux-3.10\drivers\mfd\jz4740-adc.c(2): * Copyright (C) 2009-2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\drivers\mfd\lm3533-core.c(4): * Copyright (C) 2011-2012 Texas Instruments
linux-3.10\drivers\mfd\lm3533-ctrlbank.c(4): * Copyright (C) 2011-2012 Texas Instruments
linux-3.10\drivers\mfd\lp8788.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\mfd\lp8788-irq.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\mfd\lpc_ich.c(11): *Copyright (c) 2011 Extreme Engineering Solution, Inc.
linux-3.10\drivers\mfd\lpc_sch.c(9): *Copyright (c) 2010 CompuLab Ltd
linux-3.10\drivers\mfd\max77686.c(4): * Copyright (C) 2012 Samsung Electronics
linux-3.10\drivers\mfd\max77686-irq.c(4): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\drivers\mfd\max77693.c(4): * Copyright (C) 2012 Samsung Electronics
linux-3.10\drivers\mfd\max77693-irq.c(4): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\drivers\mfd\max8907.c(4): * Copyright (C) 2010 Gyungoh Yoo
<jack.yoo@maxim-ic.com>

legal(ME)

linux-3.10\drivers\mfd\max8907.c(5): * Copyright (C) 2010-2012, NVIDIA CORPORATION. All rights reserved.
linux-3.10\drivers\mfd\max8925-core.c(4): * Copyright (C) 2009-2010 Marvell International Ltd.
linux-3.10\drivers\mfd\max8925-i2c.c(4): * Copyright (C) 2009 Marvell International Ltd.
linux-3.10\drivers\mfd\max8997.c(4): * Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\mfd\max8997-irq.c(4): * Copyright (C) 2011 Samsung Electronics Co.Ltd
linux-3.10\drivers\mfd\max8998.c(4): * Copyright (C) 2009-2010 Samsung Electronics
linux-3.10\drivers\mfd\max8998-irq.c(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd
linux-3.10\drivers\mfd\mc13xxx.h(2): * Copyright 2012 Creative Product Design
linux-3.10\drivers\mfd\mc13xxx-core.c(2): * Copyright 2009-2010 Pengutronix
linux-3.10\drivers\mfd\mc13xxx-core.c(6): * Copyright 2009 Pengutronix, Sascha Hauer <s.hauer@pengutronix.de>
linux-3.10\drivers\mfd\mc13xxx-i2c.c(2): * Copyright 2009-2010 Creative Product Design
linux-3.10\drivers\mfd\mc13xxx-spi.c(2): * Copyright 2009-2010 Pengutronix
linux-3.10\drivers\mfd\mc13xxx-spi.c(6): * Copyright 2009 Pengutronix, Sascha Hauer <s.hauer@pengutronix.de>
linux-3.10\drivers\mfd\mcp-core.c(4): * Copyright (C) 2001 Russell King
linux-3.10\drivers\mfd\mcp-sa11x0.c(4): * Copyright (C) 2001-2005 Russell King
linux-3.10\drivers\mfd\menelaus.c(17): * Copyright (C) 2005, 2006 Nokia Corporation
linux-3.10\drivers\mfd\menelaus.c(2): * Copyright (C) 2004 Texas Instruments, Inc.
linux-3.10\drivers\mfd\menelaus.c(5): * Copyright (C) 2004 Texas Instruments and
linux-3.10\drivers\mfd\menelaus.c(6): * Copyright (C) 2004-2005 David Brownell
linux-3.10\drivers\mfd\menelaus.c(9): * Copyright (C) by Kai Svahn <kai.svahn@nokia.com>
linux-3.10\drivers\mfd\mfd-core.c(5): * Copyright (c) 2006 Ian Molton
linux-3.10\drivers\mfd\mfd-core.c(6): * Copyright (c) 2007,2008 Dmitry Baryshkov
linux-3.10\drivers\mfd\omap-usb-host.c(4): * Copyright (C) 2011-2013 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\mfd\omap-usb-tll.c(4): * Copyright (C) 2012-2013 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\mfd\palmas.c(4): * Copyright 2011-2012 Texas Instruments Inc.
linux-3.10\drivers\mfd\pm8921-core.c(2): * Copyright (c) 2011, Code Aurora Forum. All rights reserved.
linux-3.10\drivers\mfd\pm8xxx-irq.c(2): * Copyright (c) 2011, Code Aurora Forum. All rights reserved.
linux-3.10\drivers\mfd\rc5t583.c(4): * Copyright (c) 2011-2012, NVIDIA CORPORATION. All rights reserved.
linux-3.10\drivers\mfd\rc5t583.c(8): * Copyright (C) 2011 RICOH COMPANY, LTD
linux-3.10\drivers\mfd\rc5t583-irq.c(4): * Copyright (c) 2011-2012, NVIDIA CORPORATION. All rights reserved.
linux-3.10\drivers\mfd\rc5t583-irq.c(8): * Copyright (C) 2011 RICOH COMPANY, LTD
linux-3.10\drivers\mfd\rdc321x-southbridge.c(4): * Copyright (C) 2007-2010 Florian Fainelli <florian@openwrt.org>
linux-3.10\drivers\mfd\rdc321x-southbridge.c(5): * Copyright (C) 2010 Bernhard Loos <bernhardloos@googlemail.com>

legal(ME)

linux-3.10\drivers\mfd\retu-mfd.c(4): * Copyright (C) 2004, 2005 Nokia Corporation
linux-3.10\drivers\mfd\rtl8411.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\mfd\rts5209.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\mfd\rts5227.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\mfd\rts5229.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\mfd\rts5249.c(3): * Copyright(c) 2009-2013 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\mfd\rtsx_pcr.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\mfd\rtsx_pcr.h(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\mfd\sec-core.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd
linux-3.10\drivers\mfd\sec-irq.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd
linux-3.10\drivers\mfd\si476x-cmd.c(5): * Copyright (C) 2012 Innovative Converged Devices(ICD)
linux-3.10\drivers\mfd\si476x-cmd.c(6): * Copyright (C) 2013 Andrey Smirnov
linux-3.10\drivers\mfd\si476x-i2c.c(5): * Copyright (C) 2012 Innovative Converged Devices(ICD)
linux-3.10\drivers\mfd\si476x-i2c.c(6): * Copyright (C) 2013 Andrey Smirnov
linux-3.10\drivers\mfd\si476x-prop.c(5): * Copyright (C) 2012 Innovative Converged Devices(ICD)
linux-3.10\drivers\mfd\si476x-prop.c(6): * Copyright (C) 2013 Andrey Smirnov
linux-3.10\drivers\mfd\sm501.c(3): * Copyright (C) 2006 Simtec Electronics
linux-3.10\drivers\mfd\sm501.c(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\mfd\sta2x11-mfd.c(2): * Copyright (c) 2009-2011 Wind River Systems, Inc.
linux-3.10\drivers\mfd\sta2x11-mfd.c(3): * Copyright (c) 2011 ST Microelectronics (Alessandro Rubini, Davide Ciminaghi)
linux-3.10\drivers\mfd\stmpe.c(4): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\mfd\stmpe.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\mfd\stmpe-i2c.c(4): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\mfd\stmpe-i2c.c(5): * Copyright (C) ST Microelectronics SA 2011
linux-3.10\drivers\mfd\stmpe-spi.c(4): * Copyright (C) ST Microelectronics SA 2011
linux-3.10\drivers\mfd\syscon.c(4): * Copyright (C) 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\mfd\syscon.c(5): * Copyright (C) 2012 Linaro Ltd.
linux-3.10\drivers\mfd\t7166xb.c(5): * Copyright (c) 2005, 2007, 2008 Ian Molton
linux-3.10\drivers\mfd\t7166xb.c(6): * Copyright (c) 2008 Dmitry Baryshkov
linux-3.10\drivers\mfd\tc3589x.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\mfd\tc6387xb.c(3): * Copyright (c) 2005 Ian Molton
linux-3.10\drivers\mfd\tc6393xb.c(4): * Copyright(c) 2005-2006 Chris Humbert
linux-3.10\drivers\mfd\tc6393xb.c(5): * Copyright(c) 2005 Dirk Opfer

legal(ME)

linux-3.10\drivers\mfd\tc6393xb.c(6): * Copyright(c) 2005 Ian Molton
<spyro@f2s.com>
linux-3.10\drivers\mfd\tc6393xb.c(7): * Copyright(c) 2007 Dmitry Baryshkov
linux-3.10\drivers\mfd\ti_am335x_tscadc.c(4): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\mfd\timberdale.c(3): * Copyright (c) 2009 Intel Corporation
linux-3.10\drivers\mfd\timberdale.h(3): * Copyright (c) 2009 Intel Corporation
linux-3.10\drivers\mfd\ti-ssp.c(4): * Copyright (C) 2010 Texas Instruments Inc
linux-3.10\drivers\mfd\tmio_core.c(2): * Copyright(c) 2009 Ian Molton
<spyro@f2s.com>
linux-3.10\drivers\mfd\tps6105x.c(8): * Copyright (C) 2011 ST-Ericsson SA
linux-3.10\drivers\mfd\tps65010.c(4): * Copyright (C) 2004 Texas Instruments
linux-3.10\drivers\mfd\tps65010.c(5): * Copyright (C) 2004-2005 David Brownell
linux-3.10\drivers\mfd\tps6507x.c(4): *Copyright (c) 2010 RidgeRun
(todd.fischer@ridgerun.com)
linux-3.10\drivers\mfd\tps65090.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\mfd\tps65217.c(6): * Copyright (C) 2011 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\drivers\mfd\tps6586x.c(10): * Copyright (C) 2006-2008 Marvell
International Ltd.
linux-3.10\drivers\mfd\tps6586x.c(4): * Copyright (c) 2010 CompuLab Ltd.
linux-3.10\drivers\mfd\tps6586x.c(8): * Copyright (C) 2008 CompuLab, Ltd.
linux-3.10\drivers\mfd\tps65910.c(4): * Copyright 2010 Texas Instruments Inc.
linux-3.10\drivers\mfd\tps65911-comparator.c(4): * Copyright 2010 Texas
Instruments Inc.
linux-3.10\drivers\mfd\tps65912-core.c(4): * Copyright 2011 Texas Instruments
Inc.
linux-3.10\drivers\mfd\tps65912-i2c.c(4): * Copyright 2011 Texas Instruments Inc.
linux-3.10\drivers\mfd\tps65912-irq.c(4): * Copyright 2011 Texas Instruments Inc.
linux-3.10\drivers\mfd\tps65912-spi.c(4): * Copyright 2011 Texas Instruments Inc.
linux-3.10\drivers\mfd\tps80031.c(7): * Copyright (c) 2012, NVIDIA Corporation.
linux-3.10\drivers\mfd\twl4030-audio.c(7): * Copyright: (C) 2009 Nokia
Corporation
linux-3.10\drivers\mfd\twl4030-irq.c(10): * Copyright (c) by Kai Svahn
<kai.svahn@nokia.com>
linux-3.10\drivers\mfd\twl4030-irq.c(4): * Copyright (C) 2005-2006 Texas
Instruments, Inc.
linux-3.10\drivers\mfd\twl4030-irq.c(7): * Copyright (C) 2006 MontaVista
Software, Inc.
linux-3.10\drivers\mfd\twl4030-madc.c(11): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\mfd\twl4030-madc.c(7): * Copyright (C) 2011 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\drivers\mfd\twl4030-power.c(6): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\mfd\twl4030-power.c(7): * Copyright (C) 2006 Texas
Instruments, Inc
linux-3.10\drivers\mfd\twl6030-irq.c(10): * Copyright (c) by Kai Svahn
<kai.svahn@nokia.com>
linux-3.10\drivers\mfd\twl6030-irq.c(4): * Copyright (C) 2005-2009 Texas
Instruments, Inc.
linux-3.10\drivers\mfd\twl6030-irq.c(7): * Copyright (C) 2006 MontaVista
Software, Inc.

legal(ME)

linux-3.10\drivers\mfd\twl6040.c(8): * Copyright:(C) 2011 Texas Instruments, Inc.
linux-3.10\drivers\mfd\twl-core.c(11): * Copyright (c) by Kai Svahn
<kai.svahn@nokia.com>
linux-3.10\drivers\mfd\twl-core.c(5): * Copyright (C) 2005-2006 Texas
Instruments, Inc.
linux-3.10\drivers\mfd\twl-core.c(8): * Copyright (C) 2006 MontaVista Software,
Inc.
linux-3.10\drivers\mfd\ucb1400_core.c(18): * This code is heavily based on
ucb1x00-*.c copyrighted by Russell King
linux-3.10\drivers\mfd\ucb1400_core.c(8): *Copyright:MontaVista Software, Inc.
linux-3.10\drivers\mfd\ucb1x00-assabet.c(4): *Copyright (C) 2001-2003 Russell
King, All Rights Reserved.
linux-3.10\drivers\mfd\ucb1x00-core.c(4): *Copyright (C) 2001 Russell King, All
Rights Reserved.
linux-3.10\drivers\mfd\ucb1x00-ts.c(4): *Copyright (C) 2001 Russell King, All
Rights Reserved.
linux-3.10\drivers\mfd\ucb1x00-ts.c(5): *Copyright (C) 2005 Pavel Machek
linux-3.10\drivers\mfd\vxpress-config.c(11): * Copyright (C) 2012 ARM Limited
linux-3.10\drivers\mfd\vxpress-sysreg.c(11): * Copyright (C) 2012 ARM Limited
linux-3.10\drivers\mfd\vx855.c(5): * Copyright (C) 2009 VIA Technologies, Inc.
linux-3.10\drivers\mfd\vx855.c(6): * Copyright (C) 2010 One Laptop per Child
linux-3.10\drivers\mfd\wl1273-core.c(4): * Copyright (C) 2011 Nokia Corporation
linux-3.10\drivers\mfd\wm5102-tables.c(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\drivers\mfd\wm5110-tables.c(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\drivers\mfd\wm831x-auxadc.c(4): * Copyright 2009-2011 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm831x-core.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm831x-i2c.c(4): * Copyright 2009,2010 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm831x-irq.c(4): * Copyright 2009 Wolfson Microelectronics
PLC.
linux-3.10\drivers\mfd\wm831x-otp.c(4): * Copyright 2009 Wolfson Microelectronics
PLC.
linux-3.10\drivers\mfd\wm831x-spi.c(4): * Copyright 2009,2010 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm8350-core.c(4): * Copyright 2007, 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm8350-gpio.c(4): * Copyright 2007, 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm8350-i2c.c(4): * Copyright 2007, 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm8350-irq.c(4): * Copyright 2007, 2008, 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm8350-regmap.c(7): * Copyright 2007, 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm8400-core.c(4): * Copyright 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm8994.h(4): * Copyright 2011 Wolfson Microelectronics
PLC.

legal(ME)

linux-3.10\drivers\mfd\wm8994-core.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\mfd\wm8994-irq.c(4): * Copyright 2010 Wolfson Microelectronics
PLC.
linux-3.10\drivers\mfd\wm8994-regmap.c(4): * Copyright 2011 Wolfson
Microelectronics PLC.
linux-3.10\drivers\misc\ad525x_dpot.c(3): * Copyright (c) 2009-2010 Analog
Devices, Inc.
linux-3.10\drivers\misc\ad525x_dpot.c(63): * Copyright (c) 2009 Cyber Switching,
Inc.
linux-3.10\drivers\misc\ad525x_dpot.c(67): * Copyright (c) 2006-2011 Michael
Hennerich <hennerich@blackfin.uclinux.org>
linux-3.10\drivers\misc\ad525x_dpot.h(4): * Copyright (C) 2010 Michael Hennerich,
Analog Devices Inc.
linux-3.10\drivers\misc\ad525x_dpot-i2c.c(4): * Copyright (C) 2010-2011 Michael
Hennerich, Analog Devices Inc.
linux-3.10\drivers\misc\ad525x_dpot-spi.c(4): * Copyright (C) 2010-2011 Michael
Hennerich, Analog Devices Inc.
linux-3.10\drivers\misc\altera-stapl\altera.c(6): * Copyright (C) Altera
Corporation 1998-2001
linux-3.10\drivers\misc\altera-stapl\altera.c(7): * Copyright (C) 2010,2011 NetUP
Inc.
linux-3.10\drivers\misc\altera-stapl\altera.c(8): * Copyright (C) 2010,2011 Igor
M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\misc\altera-stapl\altera-comp.c(6): * Copyright (C) Altera
Corporation 1998-2001
linux-3.10\drivers\misc\altera-stapl\altera-comp.c(7): * Copyright (C) 2010 NetUP
Inc.
linux-3.10\drivers\misc\altera-stapl\altera-comp.c(8): * Copyright (C) 2010 Igor
M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\misc\altera-stapl\altera-expert.h(6): * Copyright (C) Altera
Corporation 1998-2001
linux-3.10\drivers\misc\altera-stapl\altera-expert.h(7): * Copyright (C) 2010
NetUP Inc.
linux-3.10\drivers\misc\altera-stapl\altera-expert.h(8): * Copyright (C) 2010 Igor
M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\misc\altera-stapl\altera-jtag.c(6): * Copyright (C) Altera
Corporation 1998-2001
linux-3.10\drivers\misc\altera-stapl\altera-jtag.c(7): * Copyright (C) 2010 NetUP
Inc.
linux-3.10\drivers\misc\altera-stapl\altera-jtag.c(8): * Copyright (C) 2010 Igor
M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\misc\altera-stapl\altera-jtag.h(6): * Copyright (C) Altera
Corporation 1998-2001
linux-3.10\drivers\misc\altera-stapl\altera-jtag.h(7): * Copyright (C) 2010 NetUP
Inc.
linux-3.10\drivers\misc\altera-stapl\altera-jtag.h(8): * Copyright (C) 2010 Igor
M. Liplianin <liplianin@netup.ru>
linux-3.10\drivers\misc\altera-stapl\altera-lpt.c(6): * Copyright (C) Altera
Corporation 1998-2001
linux-3.10\drivers\misc\altera-stapl\altera-lpt.c(7): * Copyright (C) 2010 NetUP
Inc.

legal(ME)

linux-3.10\drivers\misc\altera-stapl\altera-lpt.c(8): * Copyright (C) 2010 Abylay Ospan <aospan@netup.ru>
linux-3.10\drivers\misc\apds9802als.c(4): * Copyright (C) 2009 Intel Corp
linux-3.10\drivers\misc\apds990x.c(5): * Copyright (C) 2010 Nokia Corporation and/or its subsidiary(-ies).
linux-3.10\drivers\misc\atmel-ssc.c(4): * Copyright (C) 2007 Atmel Corporation
linux-3.10\drivers\misc\bh1770glc.c(5): * Copyright (C) 2010 Nokia Corporation and/or its subsidiary(-ies).
linux-3.10\drivers\misc\bh1780gli.c(5): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\misc\bmp085.c(1):/*Copyright (c) 2010Christoph Mair <christoph.mair@gmail.com>
linux-3.10\drivers\misc\bmp085.c(2): *Copyright (c) 2012Bosch Sensortec GmbH
linux-3.10\drivers\misc\bmp085.c(3): *Copyright (c) 2012Unixphere AB
linux-3.10\drivers\misc\bmp085.h(2): * Copyright (c) 2012Bosch Sensortec GmbH
linux-3.10\drivers\misc\bmp085.h(3): * Copyright (c) 2012Unixphere AB
linux-3.10\drivers\misc\bmp085-i2c.c(2): * Copyright (c) 2012Bosch Sensortec GmbH
linux-3.10\drivers\misc\bmp085-i2c.c(3): * Copyright (c) 2012Unixphere AB
linux-3.10\drivers\misc\bmp085-spi.c(2): * Copyright (c) 2012Bosch Sensortec GmbH
linux-3.10\drivers\misc\bmp085-spi.c(3): * Copyright (c) 2012Unixphere AB
linux-3.10\drivers\misc\c2port\c2port-duramar2150.c(4): *Copyright (c) 2008 Rodolfo Giometti <giometti@linux.it>
linux-3.10\drivers\misc\c2port\c2port-duramar2150.c(5): *Copyright (c) 2008 Eurotech S.p.A. <info@eurotech.it>
linux-3.10\drivers\misc\c2port\core.c(4): *Copyright (c) 2007 Rodolfo Giometti <giometti@linux.it>
linux-3.10\drivers\misc\c2port\core.c(5): *Copyright (c) 2007 Eurotech S.p.A. <info@eurotech.it>
linux-3.10\drivers\misc\carma\carma-fpga.c(4): * Copyright (c) 2009-2011 Ira W. Snyder <iws@ovro.caltech.edu>
linux-3.10\drivers\misc\carma\carma-fpga-program.c(4): * Copyright (c) 2009-2011 Ira W. Snyder <iws@ovro.caltech.edu>
linux-3.10\drivers\misc\cb710\core.c(4): *Copyright by Michał Mirosław, 2008-2009
linux-3.10\drivers\misc\cb710\debug.c(4): *Copyright by Michał Mirosław, 2008-2009
linux-3.10\drivers\misc\cb710\sgbuf2.c(4): *Copyright by Michał Mirosław, 2008-2009
linux-3.10\drivers\misc\cs5535-mfgpt.c(4): * Copyright (C) 2006, Advanced Micro Devices, Inc.
linux-3.10\drivers\misc\cs5535-mfgpt.c(5): * Copyright (C) 2007Andres Salomon <dilinger@debian.org>
linux-3.10\drivers\misc\cs5535-mfgpt.c(6): * Copyright (C) 2009Andres Salomon <dilinger@collabora.co.uk>
linux-3.10\drivers\misc\ds1682.c(6): * Copyright (C) 2007 Secret Lab Technologies Ltd.
linux-3.10\drivers\misc\dummy-irq.c(10): * Copyright (C) 2013 Jiri Kosina
linux-3.10\drivers\misc\eeeprom\at24.c(4): * Copyright (C) 2005-2007 David Brownell
linux-3.10\drivers\misc\eeeprom\at24.c(5): * Copyright (C) 2008 Wolfram Sang, Pengutronix
linux-3.10\drivers\misc\eeeprom\at25.c(4): * Copyright (C) 2006 David Brownell
linux-3.10\drivers\misc\eeeprom\eeeprom.c(2): * Copyright (C) 1998, 1999Frodo

legal(ME)

Looijaard <frodol@dds.nl> and
linux-3.10\drivers\misc\eeeprom\eeeprom.c(4): * Copyright (C) 2003 Greg
Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\misc\eeeprom\eeeprom.c(5): * Copyright (C) 2003 IBM Corp.
linux-3.10\drivers\misc\eeeprom\eeeprom.c(6): * Copyright (C) 2004 Jean Delvare
<khali@linux-fr.org>
linux-3.10\drivers\misc\eeeprom\eeeprom_93cx6.c(2): * Copyright (C) 2004 - 2006
rt2x00 SourceForge Project
linux-3.10\drivers\misc\eeeprom\max6875.c(4): * Copyright (C) 2005 Ben Gardner
<bgardner@wabtec.com>
linux-3.10\drivers\misc\enclosure.c(4): * Copyright (C) 2008 James Bottomley
<James.Bottomley@HansenPartnership.com>
linux-3.10\drivers\misc\ep93xx_pwm.c(4): *(c) Copyright 2009Matthieu Crapet
<mcrapet@gmail.com>
linux-3.10\drivers\misc\ep93xx_pwm.c(5): *(c) Copyright 2009H Hartley Sweeten
<hsweeten@visionengravers.com>
linux-3.10\drivers\misc\fsa9480.c(4): * Copyright (C) 2010 Samsung Electronics
linux-3.10\drivers\misc\hmc6352.c(4): * Copyright (C) 2009 Intel Corp
linux-3.10\drivers\misc\hpilo.c(4): * Copyright (C) 2008 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\misc\hpilo.h(4): * Copyright (C) 2008 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\misc\ibmasm\command.c(19): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\dot_command.c(18): * Copyright (C) IBM
Corporation, 2004
linux-3.10\drivers\misc\ibmasm\dot_command.h(18): * Copyright (C) IBM
Corporation, 2004
linux-3.10\drivers\misc\ibmasm\event.c(19): * Copyright (C) IBM Corporation, 2004
linux-3.10\drivers\misc\ibmasm\heartbeat.c(19): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\i2o.h(18): * Copyright (C) IBM Corporation, 2004
linux-3.10\drivers\misc\ibmasm\ibmasm.h(19): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\ibmasmfs.c(18): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\lowlevel.c(18): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\lowlevel.h(18): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\module.c(19): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\r_heartbeat.c(17): * Copyright (C) IBM
Corporation, 2004
linux-3.10\drivers\misc\ibmasm\remote.c(18): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\remote.h(19): * Copyright (C) IBM Corporation,
2004
linux-3.10\drivers\misc\ibmasm\uart.c(19): * Copyright (C) IBM Corporation, 2004
linux-3.10\drivers\misc\ics932s401.c(3): * Copyright (C) 2008 IBM
linux-3.10\drivers\misc\ioc4.c(6): * Copyright (C) 2005-2006 Silicon Graphics,
Inc.All Rights Reserved.

legal(ME)

linux-3.10\drivers\misc\isl29003.c(7): *Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\drivers\misc\isl29020.c(4): * Copyright (C) 2008 Intel Corp
linux-3.10\drivers\misc\kgdbts.c(8): * Copyright (c) 2008 Wind River Systems,
Inc.
linux-3.10\drivers\misc\lattice-ecp3-config.c(2): * Copyright (C) 2012 Stefan
Roese <sr@denx.de>
linux-3.10\drivers\misc\lis3lv02d\lis3lv02d.c(4): *Copyright (C) 2007-2008 Yan
Burman
linux-3.10\drivers\misc\lis3lv02d\lis3lv02d.c(5): *Copyright (C) 2008 Eric Piel
linux-3.10\drivers\misc\lis3lv02d\lis3lv02d.c(6): *Copyright (C) 2008-2009 Pavel
Machek
linux-3.10\drivers\misc\lis3lv02d\lis3lv02d.h(4): *Copyright (C) 2007-2008 Yan
Burman
linux-3.10\drivers\misc\lis3lv02d\lis3lv02d.h(5): *Copyright (C) 2008-2009 Eric
Piel
linux-3.10\drivers\misc\lis3lv02d\lis3lv02d_i2c.c(8): * Copyright (C) 2009 Nokia
Corporation and/or its subsidiary(-ies).
linux-3.10\drivers\misc\lis3lv02d\lis3lv02d_spi.c(4): * Copyright (c) 2009 Daniel
Mack <daniel@caiaq.de>
linux-3.10\drivers\misc\lkdtm.c(18): * Copyright (C) IBM Corporation, 2006
linux-3.10\drivers\misc\mei\amthif.c(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\bus.c(3): * Copyright (c) 2012-2013, Intel
Corporation.
linux-3.10\drivers\misc\mei\client.c(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\client.h(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\debugfs.c(4): * Copyright (c) 2012-2013, Intel
Corporation.
linux-3.10\drivers\misc\mei\hbm.c(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\hbm.h(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\hw.h(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\hw-me.c(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\hw-me.h(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\hw-me-regs.h(10): * Copyright(c) 2003 - 2012 Intel
Corporation. All rights reserved.
linux-3.10\drivers\misc\mei\hw-me-regs.h(36): * Copyright(c) 2003 - 2012 Intel
Corporation. All rights reserved.
linux-3.10\drivers\misc\mei\init.c(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\interrupt.c(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\main.c(4): * Copyright (c) 2003-2012, Intel
Corporation.
linux-3.10\drivers\misc\mei\Makefile(3):# Copyright (c) 2010-2011, Intel

legal(ME)

Corporation.

linux-3.10\drivers\misc\mei\mei_dev.h(4): * Copyright (c) 2003-2012, Intel Corporation.

linux-3.10\drivers\misc\mei\nfc.c(4): * Copyright (c) 2003-2013, Intel Corporation.

linux-3.10\drivers\misc\mei\pci-me.c(4): * Copyright (c) 2003-2012, Intel Corporation.

linux-3.10\drivers\misc\mei\wd.c(4): * Copyright (c) 2003-2012, Intel Corporation.

linux-3.10\drivers\misc\pch_phub.c(2): * Copyright (C) 2011 LAPIS Semiconductor Co., Ltd.

linux-3.10\drivers\misc\phantom.c(2): *Copyright (C) 2005-2007 Jiri Slaby <jirislaby@gmail.com>

linux-3.10\drivers\misc\pti.c(4): *Copyright (C) Intel 2010

linux-3.10\drivers\misc\sgi-gru\gru.h(2): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\gru_instructions.h(2): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grufault.c(10): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grufile.c(9): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\gruhandles.c(4): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\gruhandles.h(6): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grukdump.c(6): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grukservices.c(6): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grukservices.h(3): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grulib.h(2): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grumain.c(6): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\gruprocfs.c(8): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grutables.h(6): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-gru\grutlbpurge.c(11): *Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-xp\xp.h(6): * Copyright (C) 2004-2008 Silicon Graphics, Inc. All rights reserved.

linux-3.10\drivers\misc\sgi-xp\xp_main.c(6): * Copyright (c) 2004-2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-xp\xp_nofault.S(6): * Copyright (c) 2004-2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-xp\xp_sn2.c(6): * Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\drivers\misc\sgi-xp\xp_uv.c(6): * Copyright (c) 2008 Silicon Graphics, Inc.All Rights Reserved.

legal(ME)

linux-3.10\drivers\misc\sgi-xp\xpc.h(6): * Copyright (c) 2004-2009 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\misc\sgi-xp\xpc_channel.c(6): * Copyright (c) 2004-2009 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\misc\sgi-xp\xpc_main.c(6): * Copyright (c) 2004-2009 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\misc\sgi-xp\xpc_partition.c(6): * Copyright (c) 2004-2008 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\misc\sgi-xp\xpc_sn2.c(6): * Copyright (c) 2008-2009 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\misc\sgi-xp\xpc_uv.c(6): * Copyright (c) 2008-2009 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\drivers\misc\sgi-xp\xpnet.c(6): * Copyright (C) 1999-2009 Silicon Graphics, Inc. All rights reserved.
linux-3.10\drivers\misc\spear13xx_pcie_gadget.c(4): * Copyright (C) 2010 ST Microelectronics
linux-3.10\drivers\misc\sram.c(4): * Copyright (C) 2012 Philipp Zabel, Pengutronix
linux-3.10\drivers\misc\ti_dac7512.c(5): *Copyright (c) 2009 Daniel Mack <daniel@caiaq.de>
linux-3.10\drivers\misc\tifm_7xx1.c(4): *Copyright (C) 2006 Alex Dubov <oakad@yahoo.com>
linux-3.10\drivers\misc\tifm_core.c(4): *Copyright (C) 2006 Alex Dubov <oakad@yahoo.com>
linux-3.10\drivers\misc\ti-st\st_core.c(4): *Copyright (C) 2009-2010 Texas Instruments
linux-3.10\drivers\misc\ti-st\st_kim.c(5): *Copyright (C) 2009-2010 Texas Instruments
linux-3.10\drivers\misc\ti-st\st_ll.c(4): *Copyright (C) 2009-2010 Texas Instruments
linux-3.10\drivers\misc\tsl2550.c(4): *Copyright (C) 2007 Rodolfo Giometti <giometti@linux.it>
linux-3.10\drivers\misc\tsl2550.c(5): *Copyright (C) 2007 Eurotech S.p.A. <info@eurotech.it>
linux-3.10\drivers\misc\vmw_balloon.c(4): * Copyright (C) 2000-2010, VMware, Inc. All Rights Reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_context.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_context.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_datagram.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_datagram.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_doorbell.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_doorbell.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_driver.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_driver.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.

legal(ME)

linux-3.10\drivers\misc\vmw_vmci\vmci_event.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_event.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_guest.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_handle_array.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_handle_array.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_host.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_queue_pair.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_queue_pair.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_resource.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_resource.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_route.c(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\misc\vmw_vmci\vmci_route.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.
linux-3.10\drivers\mmc\card\block.c(4): * Copyright 2002 Hewlett-Packard Company
linux-3.10\drivers\mmc\card\block.c(5): * Copyright 2005-2008 Pierre Ossman
linux-3.10\drivers\mmc\card\mmc_test.c(4): *Copyright 2007-2008 Pierre Ossman
linux-3.10\drivers\mmc\card\queue.c(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\card\queue.c(5): *Copyright 2006-2007 Pierre Ossman
linux-3.10\drivers\mmc\card\sdio_uart.c(9): * Copyright:MontaVista Software, Inc.
linux-3.10\drivers\mmc\core\bus.c(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\core\bus.c(5): *Copyright (C) 2007 Pierre Ossman
linux-3.10\drivers\mmc\core\bus.h(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\core\bus.h(5): *Copyright 2007 Pierre Ossman
linux-3.10\drivers\mmc\core\core.c(4): *Copyright (C) 2003-2004 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\core\core.c(5): *SD support Copyright (C) 2004 Ian Molton, All Rights Reserved.
linux-3.10\drivers\mmc\core\core.c(6): *Copyright (C) 2005-2008 Pierre Ossman, All Rights Reserved.
linux-3.10\drivers\mmc\core\core.c(7): *MMCV4 support Copyright (C) 2006 Philip Langdale, All Rights Reserved.
linux-3.10\drivers\mmc\core\core.h(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\core\core.h(5): *Copyright 2007 Pierre Ossman
linux-3.10\drivers\mmc\core\debugfs.c(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\drivers\mmc\core\host.c(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\core\host.c(5): *Copyright (C) 2007-2008 Pierre Ossman

legal(ME)

linux-3.10\drivers\mmc\core\host.c(6): *Copyright (C) 2010 Linus Walleij
linux-3.10\drivers\mmc\core\host.h(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\core\host.h(5): *Copyright 2007 Pierre Ossman
linux-3.10\drivers\mmc\core\mmc.c(4): *Copyright (C) 2003-2004 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\core\mmc.c(5): *Copyright (C) 2005-2007 Pierre Ossman, All Rights Reserved.
linux-3.10\drivers\mmc\core\mmc.c(6): *MMCV4 support Copyright (C) 2006 Philip Langdale, All Rights Reserved.
linux-3.10\drivers\mmc\core\mmc_ops.c(4): *Copyright 2006-2007 Pierre Ossman
linux-3.10\drivers\mmc\core\mmc_ops.h(4): *Copyright 2006-2007 Pierre Ossman
linux-3.10\drivers\mmc\core\quirks.c(5): *Copyright (c) 2011 Andrei Warkentin <andreiw@motorola.com>
linux-3.10\drivers\mmc\core\quirks.c(6): *Copyright (c) 2011 Pierre Tardy <tardyp@gmail.com>
linux-3.10\drivers\mmc\core\quirks.c(8): *Copyright (c) 1999 Martin Mares <mj@ucw.cz>
linux-3.10\drivers\mmc\core\sd.c(4): *Copyright (C) 2003-2004 Russell King, All Rights Reserved.
linux-3.10\drivers\mmc\core\sd.c(5): *SD support Copyright (C) 2004 Ian Molton, All Rights Reserved.
linux-3.10\drivers\mmc\core\sd.c(6): *Copyright (C) 2005-2007 Pierre Ossman, All Rights Reserved.
linux-3.10\drivers\mmc\core\sd_ops.c(4): *Copyright 2006-2007 Pierre Ossman
linux-3.10\drivers\mmc\core\sd_ops.h(4): *Copyright 2006-2007 Pierre Ossman
linux-3.10\drivers\mmc\core\sdio.c(4): *Copyright 2006-2007 Pierre Ossman
linux-3.10\drivers\mmc\core\sdio_bus.c(4): *Copyright 2007 Pierre Ossman
linux-3.10\drivers\mmc\core\sdio_bus.h(4): *Copyright 2007 Pierre Ossman
linux-3.10\drivers\mmc\core\sdio_cis.c(6): * Copyright:MontaVista Software Inc.
linux-3.10\drivers\mmc\core\sdio_cis.c(8): * Copyright 2007 Pierre Ossman
linux-3.10\drivers\mmc\core\sdio_cis.h(6): * Copyright:MontaVista Software Inc.
linux-3.10\drivers\mmc\core\sdio_io.c(4): *Copyright 2007-2008 Pierre Ossman
linux-3.10\drivers\mmc\core\sdio_irq.c(6): * Copyright: MontaVista Software Inc.
linux-3.10\drivers\mmc\core\sdio_irq.c(8): * Copyright 2008 Pierre Ossman
linux-3.10\drivers\mmc\core\sdio_ops.c(4): *Copyright 2006-2007 Pierre Ossman
linux-3.10\drivers\mmc\core\sdio_ops.h(4): *Copyright 2006-2007 Pierre Ossman
linux-3.10\drivers\mmc\core\slot-gpio.c(4): * Copyright (C) 2011, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\mmc\host\android-goldfish.c(2): *Copyright 2007, Google Inc.
linux-3.10\drivers\mmc\host\android-goldfish.c(3): *Copyright 2012, Intel Inc.
linux-3.10\drivers\mmc\host\android-goldfish.c(6): *Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\mmc\host\atmel-mci.c(4): * Copyright (C) 2004-2008 Atmel Corporation
linux-3.10\drivers\mmc\host\atmel-mci-regs.h(4): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\drivers\mmc\host\au1xmmc.c(10): * Copyright 2002 Hewlett-Packard Company
linux-3.10\drivers\mmc\host\au1xmmc.c(13): * (drivers/mmc/wbsd.c) Copyright (C) 2004-2005 Pierre Ossman,
linux-3.10\drivers\mmc\host\au1xmmc.c(15): * (drivers/mmc/pxa.c) Copyright (C)

legal(ME)

2003 Russell King,

linux-3.10\drivers\mmc\host\au1xmmc.c(4): *Copyright (c) 2005, Advanced Micro Devices, Inc.

linux-3.10\drivers\mmc\host\au1xmmc.c(8): * Copyright (c) 2003-2004 Embedded Edge, LLC.

linux-3.10\drivers\mmc\host\au1xmmc.c(9): * Portions Copyright (C) 2002 Embedix, Inc

linux-3.10\drivers\mmc\host\bfin_sdh.c(4): * Copyright (C) 2007-2009 Analog Device Inc.

linux-3.10\drivers\mmc\host\cb710-mmc.c(4): *Copyright by Michał Mirosław, 2008-2009

linux-3.10\drivers\mmc\host\cb710-mmc.h(4): *Copyright by Michał Mirosław, 2008-2009

linux-3.10\drivers\mmc\host\davinci_mmc.c(4): * Copyright (C) 2006 Texas Instruments.

linux-3.10\drivers\mmc\host\davinci_mmc.c(6): * Copyright (C) 2009 David Brownell

linux-3.10\drivers\mmc\host\dw_mmc.c(5): * Copyright (C) 2009 NXP Semiconductors

linux-3.10\drivers\mmc\host\dw_mmc.c(6): * Copyright (C) 2009, 2010 Imagination Technologies Ltd.

linux-3.10\drivers\mmc\host\dw_mmc.h(5): * Copyright (C) 2009 NXP Semiconductors

linux-3.10\drivers\mmc\host\dw_mmc.h(6): * Copyright (C) 2009, 2010 Imagination Technologies Ltd.

linux-3.10\drivers\mmc\host\dw_mmc-exynos.c(4): * Copyright (C) 2012, Samsung Electronics Co., Ltd.

linux-3.10\drivers\mmc\host\dw_mmc-pci.c(4): * Copyright (C) 2012 Vayavya Labs Pvt. Ltd.

linux-3.10\drivers\mmc\host\dw_mmc-pltfm.c(4): * Copyright (C) 2009 NXP Semiconductors

linux-3.10\drivers\mmc\host\dw_mmc-pltfm.c(5): * Copyright (C) 2009, 2010 Imagination Technologies Ltd.

linux-3.10\drivers\mmc\host\dw_mmc-pltfm.h(4): * Copyright (C) 2012, Samsung Electronics Co., Ltd.

linux-3.10\drivers\mmc\host\jz4740_mmc.c(2): *Copyright (C) 2009-2010, Lars-Peter Clausen <lars@metafoo.de>

linux-3.10\drivers\mmc\host\mmc_spi.c(4): * (C) Copyright 2005, Intec Automation,

linux-3.10\drivers\mmc\host\mmc_spi.c(6): * (C) Copyright 2006-2007, David Brownell

linux-3.10\drivers\mmc\host\mmc_spi.c(7): * (C) Copyright 2007, Axis Communications,

linux-3.10\drivers\mmc\host\mmc_spi.c(9): * (C) Copyright 2007, ATRON electronic GmbH,

linux-3.10\drivers\mmc\host\mmci.c(4): *Copyright (C) 2003 Deep Blue Solutions, Ltd, All Rights Reserved.

linux-3.10\drivers\mmc\host\mmci.c(5): *Copyright (C) 2010 ST-Ericsson SA

linux-3.10\drivers\mmc\host\mmci.h(4): *Copyright (C) 2003 Deep Blue Solutions, Ltd, All Rights Reserved.

linux-3.10\drivers\mmc\host\msm_sdcc.c(4): *Copyright (C) 2007 Google Inc,

linux-3.10\drivers\mmc\host\msm_sdcc.c(5): *Copyright (C) 2003 Deep Blue Solutions, Ltd, All Rights Reserved.

linux-3.10\drivers\mmc\host\msm_sdcc.c(6): *Copyright (C) 2009, Code Aurora Forum. All Rights Reserved.

linux-3.10\drivers\mmc\host\msm_sdcc.h(4): *Copyright (C) 2008 Google, All Rights

legal(ME)

Reserved.

linux-3.10\drivers\mmc\host\mvsdio.c(5): * Copyright (C) 2008-2009 Marvell Ltd.

linux-3.10\drivers\mmc\host\mvsdio.h(2): *Copyright (C) 2008 Marvell

Semiconductors, All Rights Reserved.

linux-3.10\drivers\mmc\host\mxcmmc.c(10): *Copyright (C) 2006 Pavel Pisa, PiKRON
<ppisa@pikron.com>

linux-3.10\drivers\mmc\host\mxcmmc.c(9): *Copyright (C) 2008 Sascha Hauer,
Pengutronix <s.hauer@pengutronix.de>

linux-3.10\drivers\mmc\host\mxs-mmc.c(2): * Portions copyright (C) 2003 Russell
King, PXA MMCI Driver

linux-3.10\drivers\mmc\host\mxs-mmc.c(3): * Portions copyright (C) 2004-2005
Pierre Ossman, W83L51xD SD/MMC driver

linux-3.10\drivers\mmc\host\mxs-mmc.c(5): * Copyright 2008 Embedded Alley
Solutions, Inc.

linux-3.10\drivers\mmc\host\mxs-mmc.c(6): * Copyright 2009-2011 Freescale
Semiconductor, Inc.

linux-3.10\drivers\mmc\host\of_mmc_spi.c(4): * Copyright (c) MontaVista Software,
Inc. 2008.

linux-3.10\drivers\mmc\host\omap.c(4): *Copyright (C) 2004 Nokia Corporation

linux-3.10\drivers\mmc\host\omap_hsmmc.c(6): * Copyright (C) 2007 Texas
Instruments.

linux-3.10\drivers\mmc\host\pxamci.c(4): *Copyright (C) 2003 Russell King, All
Rights Reserved.

linux-3.10\drivers\mmc\host\rtsx_pci_sdmmc.c(3): * Copyright(c) 2009 Realtek
Semiconductor Corp. All rights reserved.

linux-3.10\drivers\mmc\host\s3cmci.c(4): *Copyright (C) 2004-2006 maintech GmbH,
Thomas Kleffel <tk@maintech.de>

linux-3.10\drivers\mmc\host\s3cmci.c(7): *Copyright (C) 2008 Simtec Electronics
<ben-linux@fluff.org>

linux-3.10\drivers\mmc\host\s3cmci.h(4): *Copyright (C) 2004-2006 Thomas Kleffel,
All Rights Reserved.

linux-3.10\drivers\mmc\host\sdhci.c(3310):pr_info(DRIVER_NAME ": Copyright(c)
Pierre Ossman\n");

linux-3.10\drivers\mmc\host\sdhci.c(4): *Copyright (C) 2005-2008 Pierre Ossman,
All Rights Reserved.

linux-3.10\drivers\mmc\host\sdhci.h(6): *Copyright (C) 2005-2008 Pierre Ossman,
All Rights Reserved.

linux-3.10\drivers\mmc\host\sdhci-acpi.c(4): * Copyright (c) 2012, Intel
Corporation.

linux-3.10\drivers\mmc\host\sdhci-bcm2835.c(3): * Copyright (C) 2012 Stephen
Warren

linux-3.10\drivers\mmc\host\sdhci-cns3xxx.c(4): * Copyright 2008 Cavium Networks

linux-3.10\drivers\mmc\host\sdhci-cns3xxx.c(5): * Copyright 2010 MontaVista
Software, LLC.

linux-3.10\drivers\mmc\host\sdhci-esdhc.h(4): * Copyright (c) 2007 Freescale
Semiconductor, Inc.

linux-3.10\drivers\mmc\host\sdhci-esdhc.h(5): * Copyright (c) 2009 MontaVista
Software, Inc.

linux-3.10\drivers\mmc\host\sdhci-esdhc.h(6): * Copyright (c) 2010 Pengutronix
e.K.

linux-3.10\drivers\mmc\host\sdhci-esdhc-imx.c(6): * Copyright (c) 2010
Pengutronix e.K.

legal(ME)

linux-3.10\drivers\mmc\host\sdhci-of-esdhc.c(4): * Copyright (c) 2007, 2010, 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\mmc\host\sdhci-of-esdhc.c(5): * Copyright (c) 2009 MontaVista Software, Inc.
linux-3.10\drivers\mmc\host\sdhci-of-hlwd.c(10): * Copyright (c) 2007 Freescale Semiconductor, Inc.
linux-3.10\drivers\mmc\host\sdhci-of-hlwd.c(11): * Copyright (c) 2009 MontaVista Software, Inc.
linux-3.10\drivers\mmc\host\sdhci-of-hlwd.c(5): * Copyright (C) 2009 The GameCube Linux Team
linux-3.10\drivers\mmc\host\sdhci-of-hlwd.c(6): * Copyright (C) 2009 Albert Herranz
linux-3.10\drivers\mmc\host\sdhci-pci.c(3): *Copyright (C) 2005-2008 Pierre Ossman, All Rights Reserved.
linux-3.10\drivers\mmc\host\sdhci-pltfm.c(3): * Copyright (c) 2009 Intel Corporation
linux-3.10\drivers\mmc\host\sdhci-pltfm.c(5): * Copyright (c) 2007, 2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\mmc\host\sdhci-pltfm.c(6): * Copyright (c) 2009 MontaVista Software, Inc.
linux-3.10\drivers\mmc\host\sdhci-pltfm.h(2): * Copyright 2010 MontaVista Software, LLC.
linux-3.10\drivers\mmc\host\sdhci-pxav2.c(2): * Copyright (C) 2010 Marvell International Ltd.
linux-3.10\drivers\mmc\host\sdhci-pxav3.c(2): * Copyright (C) 2010 Marvell International Ltd.
linux-3.10\drivers\mmc\host\sdhci-s3c.c(3): * Copyright 2008 Openmoko Inc.
linux-3.10\drivers\mmc\host\sdhci-s3c.c(4): * Copyright 2008 Simtec Electronics
linux-3.10\drivers\mmc\host\sdhci-s3c-regs.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\drivers\mmc\host\sdhci-s3c-regs.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\drivers\mmc\host\sdhci-sirf.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\drivers\mmc\host\sdhci-spear.c(6): * Copyright (C) 2010 ST Microelectronics
linux-3.10\drivers\mmc\host\sdhci-tegra.c(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\mmc\host\sdricoh_cs.c(5): *Copyright (C) 2006 - 2008 Sascha Sommer <saschasommer@freenet.de>
linux-3.10\drivers\mmc\host\sh_mmcif.c(4): * Copyright (C) 2010 Renesas Solutions Corp.
linux-3.10\drivers\mmc\host\sh_mobile_sdhi.c(12): * Copyright 2001 Compaq Computer Corporation.
linux-3.10\drivers\mmc\host\sh_mobile_sdhi.c(13): * Copyright 2004-2005 Phil Blundell
linux-3.10\drivers\mmc\host\sh_mobile_sdhi.c(14): * Copyright 2007-2008 OpenedHand Ltd.
linux-3.10\drivers\mmc\host\sh_mobile_sdhi.c(4): * Copyright (C) 2009 Magnus Damm
linux-3.10\drivers\mmc\host\tifm_sd.c(4): *Copyright (C) 2006 Alex Dubov <oakad@yahoo.com>
linux-3.10\drivers\mmc\host\tmio_mmc.c(4): * Copyright (C) 2007 Ian Molton
linux-3.10\drivers\mmc\host\tmio_mmc.c(5): * Copyright (C) 2004 Ian Molton
linux-3.10\drivers\mmc\host\tmio_mmc.h(4): * Copyright (C) 2007 Ian Molton

legal(ME)

linux-3.10\drivers\mmc\host\tmio_mmc.h(5): * Copyright (C) 2004 Ian Molton
linux-3.10\drivers\mmc\host\tmio_mmc_dma.c(4): * Copyright (C) 2010-2011 Guennadi
Liakhovetski
linux-3.10\drivers\mmc\host\tmio_mmc_pio.c(4): * Copyright (C) 2011 Guennadi
Liakhovetski
linux-3.10\drivers\mmc\host\tmio_mmc_pio.c(5): * Copyright (C) 2007 Ian Molton
linux-3.10\drivers\mmc\host\tmio_mmc_pio.c(6): * Copyright (C) 2004 Ian Molton
linux-3.10\drivers\mmc\host\ushc.c(4): * Copyright (C) 2010 Cambridge Silicon
Radio Ltd.
linux-3.10\drivers\mmc\host\via-sdmmc.c(3): *Copyright (c) 2008, VIA Technologies
Inc. All Rights Reserved.
linux-3.10\drivers\mmc\host\vub300.c(4): * Copyright (C) 2010 Elan Digital
Systems Limited
linux-3.10\drivers\mmc\host\vub300.c(8): * Copyright (C) 2001-2004 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\mmc\host\wbsd.c(1978):pr_info(DRIVER_NAME ": Copyright(c)
Pierre Ossman\n");
linux-3.10\drivers\mmc\host\wbsd.c(4): *Copyright (C) 2004-2007 Pierre Ossman,
All Rights Reserved.
linux-3.10\drivers\mmc\host\wbsd.h(4): *Copyright (C) 2004-2007 Pierre Ossman,
All Rights Reserved.
linux-3.10\drivers\mmc\host\wmt-sdmmc.c(4): *Copyright (C) 2010 Tony Prisk
linux-3.10\drivers\mmc\host\wmt-sdmmc.c(5): *Copyright (C) 2008 WonderMedia
Technologies, Inc.
linux-3.10\drivers\mtd\afs.c(5):Copyright    2000 ARM Limited
linux-3.10\drivers\mtd\ar7part.c(2): * Copyright    2007 Eugene Konev
<ejka@openwrt.org>
linux-3.10\drivers\mtd\bcm47xxpart.c(4): * Copyright    2012 Rafa   Mi  Fcki
<zajec5@gmail.com>
linux-3.10\drivers\mtd\bcm63xxpart.c(4): * Copyright    2006-2008Florian Fainelli
<florian@openwrt.org>
linux-3.10\drivers\mtd\bcm63xxpart.c(6): * Copyright    2009-2010Daniel Dickinson
<openwrt@cshore.neomailbox.net>
linux-3.10\drivers\mtd\bcm63xxpart.c(7): * Copyright    2011-2012Jonas Gorski
<jonas.gorski@gmail.com>
linux-3.10\drivers\mtd\chips\cfi_cmdset_0002.c(5): * Copyright (C) 2000 Crossnet
Co. <info@crossnet.co.jp>
linux-3.10\drivers\mtd\chips\cfi_cmdset_0002.c(6): * Copyright (C) 2004 Arcom
Control Systems Ltd <linux@arcom.com>
linux-3.10\drivers\mtd\chips\cfi_cmdset_0002.c(7): * Copyright (C) 2005
MontaVista Software Inc. <source@mvista.com>
linux-3.10\drivers\mtd\chips\cfi_util.c(5): * Copyright (C) 2002 Red Hat
linux-3.10\drivers\mtd\chips\cfi_util.c(6): * Copyright (C) 2003
STMicroelectronics Limited
linux-3.10\drivers\mtd\chips\map_absent.c(3): * Copyright 2001 Resilience
Corporation <ebrower@resilience.com>
linux-3.10\drivers\mtd\cmdlinepart.c(4): * Copyright    2002SYSGO Real-Time
Solutions GmbH
linux-3.10\drivers\mtd\cmdlinepart.c(5): * Copyright    2002-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\devices\block2mtd.c(4): * Copyright (C) 2001,2002Simon
Evans <spse@secret.org.uk>

legal(ME)

linux-3.10\drivers\mtd\devices\block2mtd.c(5): * Copyright (C) 2004-2006 Joern Engel <joern@wh.fh-wedel.de>
linux-3.10\drivers\mtd\devices\docg3.c(4): * Copyright (C) 2011 Robert Jarzmik
linux-3.10\drivers\mtd\devices\docg3.h(4): * Copyright (C) 2011 Robert Jarzmik
linux-3.10\drivers\mtd\devices\elm.c(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\mtd\devices\lart.c(7): * Copyright (c) 2001, 2d3D, Inc.
linux-3.10\drivers\mtd\devices\m25p80.c(6): * Copyright (c) 2005, Intec Automation Inc.
linux-3.10\drivers\mtd\devices\ms02-nv.c(2): * Copyright (c) 2001 Maciej W. Rozycki
linux-3.10\drivers\mtd\devices\ms02-nv.h(2): * Copyright (c) 2001, 2003 Maciej W. Rozycki
linux-3.10\drivers\mtd\devices\mtd_dataflash.c(5): * Copyright (C) 2003-2005 SAN People (Pty) Ltd
linux-3.10\drivers\mtd\devices\mtdram.c(5): * Copyright (c) 1999 Alexander Larsson <alex@ceudio.se>
linux-3.10\drivers\mtd\devices\mtdram.c(6): * Copyright (c) 2005 Joern Engel <joern@wh.fh-wedel.de>
linux-3.10\drivers\mtd\devices\phram.c(2): * Copyright (c) ????? Jochen Schöuble <psionic@psionic.de>
linux-3.10\drivers\mtd\devices\phram.c(3): * Copyright (c) 2003-2004 Joern Engel <joern@wh.fh-wedel.de>
linux-3.10\drivers\mtd\devices\pmc551.c(6): * Copyright 1999, 2000 Nortel Networks
linux-3.10\drivers\mtd\devices\spear_smi.c(7): * Copyright 2010 STMicroelectronics.
linux-3.10\drivers\mtd\devices\sst25l.c(6): * Copyright 2009 Bluewater Systems Ltd
linux-3.10\drivers\mtd\ftl.c(29): are Copyright 2010 David A. Hinds. All Rights Reserved.
linux-3.10\drivers\mtd\inftlcore.c(4): * Copyright 2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\drivers\mtd\inftlcore.c(7): * Copyright 2010 Machine Vision Holdings, Inc.
linux-3.10\drivers\mtd\inftlcore.c(8): * Copyright 2010 David Woodhouse <dwmw2@infradead.org>
linux-3.10\drivers\mtd\inftlmount.c(5): * Copyright 2002-2003, Greg Ungerer (gerg@snapgear.com)
linux-3.10\drivers\mtd\inftlmount.c(9): * Copyright 2000 Netgem S.A.
linux-3.10\drivers\mtd\maps\bfin-async-flash.c(10): * Copyright 2005-2008 Analog Devices Inc.
linux-3.10\drivers\mtd\maps\bfin-async-flash.c(9): * Copyright 2000 Nicolas Pitre <nico@fluxnic.net>
linux-3.10\drivers\mtd\maps\cfi_flagadm.c(2): * Copyright 2001 Flaga hf. Medical Devices, Kári Davíðsson <kd@flaga.is>
linux-3.10\drivers\mtd\maps\gpio-addr-flash.c(8): * Copyright 2000 Nicolas Pitre <nico@cam.org>
linux-3.10\drivers\mtd\maps\gpio-addr-flash.c(9): * Copyright 2005-2009 Analog Devices Inc.
linux-3.10\drivers\mtd\maps\impa7.c(4): * Copyright 2002 SYSGO Real-Time Solutions GmbH
linux-3.10\drivers\mtd\maps\ixp4xx.c(11): * Copyright (C) 2002 Intel Corporation

legal(ME)

linux-3.10\drivers\mtd\maps\ixp4xx.c(12): * Copyright (C) 2003-2004 MontaVista Software, Inc.
linux-3.10\drivers\mtd\maps\lantiq-flash.c(6): *Copyright (C) 2004 Liu Peng Infineon IFAP DC COM CPE
linux-3.10\drivers\mtd\maps\lantiq-flash.c(7): *Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\drivers\mtd\maps\latch-addr-flash.c(4): * Copyright ㄣ 2000 Nicolas Pitre <nico@cam.org>
linux-3.10\drivers\mtd\maps\latch-addr-flash.c(5): * Copyright ㄣ 2005-2008 Analog Devices Inc.
linux-3.10\drivers\mtd\maps\latch-addr-flash.c(6): * Copyright ㄣ 2008 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\mtd\maps\netsc520.c(3): * Copyright (C) 2001 Mark Langsdorf (mark.langsdorf@amd.com)
linux-3.10\drivers\mtd\maps\nettel.c(6): *(C) Copyright 2000-2001, Greg Ungerer (gerg@snapgear.com)
linux-3.10\drivers\mtd\maps\nettel.c(7): *(C) Copyright 2001-2002, SnapGear (www.snapgear.com)
linux-3.10\drivers\mtd\maps\pci.c(4): *Copyright (C) 2001 Russell King, All rights reserved.
linux-3.10\drivers\mtd\maps\pcmciamtd.c(6): * Copyright (C) 2002 Simon Evans
linux-3.10\drivers\mtd\maps\physmap.c(4): * Copyright (C) 2003 MontaVista Software Inc.
linux-3.10\drivers\mtd\maps\physmap_of.c(4): * Copyright (C) 2006 MontaVista Software Inc.
linux-3.10\drivers\mtd\maps\physmap_of.c(8): * Copyright (C) 2007 David Gibson, IBM Corporation.
linux-3.10\drivers\mtd\maps\pmcmisp-flash.c(8): * Copyright 2005-2007 PMC-Sierra, Inc.
linux-3.10\drivers\mtd\maps\pxa2xx-flash.c(5): * Copyright:(C) 2001 MontaVista Software Inc.
linux-3.10\drivers\mtd\maps\rbtx4939-flash.c(10): * Copyright (C) 2009 Atsushi Nemoto <anemo@mba.ocn.ne.jp>
linux-3.10\drivers\mtd\maps\sbc_gxx.c(4): Copyright (C) 2001 Arcom Control System Ltd
linux-3.10\drivers\mtd\maps\sc520cdp.c(3): * Copyright (C) 2001 Sysgo Real-Time Solutions GmbH
linux-3.10\drivers\mtd\maps\scb2_flash.c(3): * Copyright (C) 2002 Sun Microsystems, Inc.
linux-3.10\drivers\mtd\maps\scx200_docflash.c(3): Copyright (c) 2001,2002 Christer Weingel <wingel@nano-system.com>
linux-3.10\drivers\mtd\maps\sun_uflash.c(7): * Copyright (c) 2001 Eric Brower (ebrower@usa.net)
linux-3.10\drivers\mtd\maps\ts5500_flash.c(4): * Copyright (C) 2004 Sean Young <sean@mess.org>
linux-3.10\drivers\mtd\maps\uclinux.c(6): *(C) Copyright 2002, Greg Ungerer (gerg@snapgear.com)
linux-3.10\drivers\mtd\maps\vmu-flash.c(4): * Copyright (c) Adrian McMenamin 2002 - 2009
linux-3.10\drivers\mtd\maps\vmu-flash.c(5): * Copyright (c) Paul Mundt 2001
linux-3.10\drivers\mtd\mtd_blkdevs.c(4): * Copyright ㄣ 2003-2010 David Woodhouse <dwmw2@infradead.org>

legal(ME)

linux-3.10\drivers\mtd\mtdblock.c(4): * Copyright 1999-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\mtdblock.c(5): * Copyright 2000-2003 Nicolas Pitre
<nico@fluxnic.net>
linux-3.10\drivers\mtd\mtdblock_ro.c(4): * Copyright 2001-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\mtdchar.c(2): * Copyright 1999-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\mtdconcat.c(4): * Copyright 2002 Robert Kaiser
<rkaiser@sysgo.de>
linux-3.10\drivers\mtd\mtdconcat.c(5): * Copyright 2002-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\mtdcore.c(5): * Copyright 1999-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\mtdcore.c(6): * Copyright 2006 Red Hat UK Limited
linux-3.10\drivers\mtd\mtdoops.c(4): * Copyright 2007 Nokia Corporation. All
rights reserved.
linux-3.10\drivers\mtd\mtdpart.c(4): * Copyright 2000 Nicolas Pitre
<nico@fluxnic.net>
linux-3.10\drivers\mtd\mtdpart.c(5): * Copyright 2002 Thomas Gleixner
<gleixner@linutronix.de>
linux-3.10\drivers\mtd\mtdpart.c(6): * Copyright 2000-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\mtdsuper.c(3): * Copyright 2001-2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\drivers\mtd\mtdsuper.c(4): * Copyright 2001-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\mtdswap.c(5): * Copyright 2007,2011 Nokia Corporation.
All rights reserved.
linux-3.10\drivers\mtd\nand\alauda.c(4): * Copyright (C) 2007 Joern Engel
<joern@logfs.org>
linux-3.10\drivers\mtd\nand\alauda.c(7): * Copyright (C) 2001-2004 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\mtd\nand\ams-delta.c(4): * Copyright (C) 2006 Jonathan McDowell
<noodles@earth.li>
linux-3.10\drivers\mtd\nand\atmel_nand.c(12): * Richard Genoud
(richard.genoud@gmail.com), Adeneo Copyright 2007
linux-3.10\drivers\mtd\nand\atmel_nand.c(16): * Copyright 2006 ATMEL Rousset,
Lacressonniere Nicolas
linux-3.10\drivers\mtd\nand\atmel_nand.c(19): * Copyright 2012 ATMEL, Hong Xu
linux-3.10\drivers\mtd\nand\atmel_nand.c(2): * Copyright 2003 Rick Bronson
linux-3.10\drivers\mtd\nand\atmel_nand.c(5): * Copyright 2001 Thomas Gleixner
(gleixner@autronix.de)
linux-3.10\drivers\mtd\nand\atmel_nand.c(8): * Copyright 2000 Steven J. Hill
(sjhill@cotw.com)
linux-3.10\drivers\mtd\nand\atmel_nand_ecc.h(5): * Copyright (C) 2007 Andrew
Victor
linux-3.10\drivers\mtd\nand\atmel_nand_ecc.h(6): * Copyright (C) 2007 - 2012
Atmel Corporation.
linux-3.10\drivers\mtd\nand\au1550nd.c(4): * Copyright (C) 2004 Embedded Edge, LLC
linux-3.10\drivers\mtd\nand\bcm47xxnflash\main.c(4): * Copyright (C) 2012 Rafał
Miłajki <zajec5@gmail.com>

legal(ME)

linux-3.10\drivers\mtd\nand\bcm47xxnflash\ops_bcm4706.c(4): * Copyright (C) 2012 Rafał Mićka <zajec5@gmail.com>
linux-3.10\drivers\mtd\nand\bf5xx_nand.c(10): * Copyright (c) 2007 Ben Dooks <ben@simtec.co.uk>
linux-3.10\drivers\mtd\nand\bf5xx_nand.c(13): * Copyright 2006 Red Hat, Inc.
linux-3.10\drivers\mtd\nand\bf5xx_nand.c(14): * Copyright 2006 David Woodhouse <dwmw2@infradead.org>
linux-3.10\drivers\mtd\nand\bf5xx_nand.c(3): * Copyright 2006-2008 Analog Devices Inc.
linux-3.10\drivers\mtd\nand\cafe_nand.c(7): * Copyright 2006 Red Hat, Inc.
linux-3.10\drivers\mtd\nand\cafe_nand.c(8): * Copyright 2006 David Woodhouse <dwmw2@infradead.org>
linux-3.10\drivers\mtd\nand\cmx270_nand.c(4): * Copyright (C) 2006 Compulab, Ltd.
linux-3.10\drivers\mtd\nand\cmx270_nand.c(8): * Copyright (C) 2002 Marius Gröbner (mag@sysgo.de)
linux-3.10\drivers\mtd\nand\cmx270_nand.c(9): * Copyright (c) 2001 Thomas Gleixner (gleixner@autronix.de)
linux-3.10\drivers\mtd\nand\davinci_nand.c(4): * Copyright 2006 Texas Instruments.
linux-3.10\drivers\mtd\nand\davinci_nand.c(6): * Port to 2.6.23 Copyright 2008 by:
linux-3.10\drivers\mtd\nand\denali.c(3): * Copyright 2009-2010, Intel Corporation and its suppliers.
linux-3.10\drivers\mtd\nand\denali.h(3): * Copyright (c) 2009 - 2010, Intel Corporation and its suppliers.
linux-3.10\drivers\mtd\nand\denali.h(406): * Copyright (c) 2009, Intel Corporation and its suppliers.
linux-3.10\drivers\mtd\nand\denali_dt.c(4): * Copyright 2011, Picochip.
linux-3.10\drivers\mtd\nand\denali_pci.c(3): * Copyright 2009-2010, Intel Corporation and its suppliers.
linux-3.10\drivers\mtd\nand\diskonchip.c(14): * Copyright (C) 2000 Netgem S.A.
linux-3.10\drivers\mtd\nand\docg4.c(2): * Copyright 2012 Mike Dunn <mikedunn@newsguy.com>
linux-3.10\drivers\mtd\nand\fsl_elbc_nand.c(3): * Copyright 2006-2007, 2010 Freescale Semiconductor
linux-3.10\drivers\mtd\nand\fsl_ifc_nand.c(4): * Copyright 2011-2012 Freescale Semiconductor, Inc
linux-3.10\drivers\mtd\nand\fsl_upm.c(4): * Copyright 2007-2008 MontaVista Software, Inc.
linux-3.10\drivers\mtd\nand\fsmc_nand.c(8): * Copyright 2010 ST Microelectronics
linux-3.10\drivers\mtd\nand\gpmi-nand\bch-regs.h(4): * Copyright 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\bch-regs.h(5): * Copyright 2008 Embedded Alley Solutions, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\gpmi-lib.c(4): * Copyright (C) 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\gpmi-lib.c(5): * Copyright (C) 2008 Embedded Alley Solutions, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\gpmi-nand.c(4): * Copyright (C) 2010-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\gpmi-nand.c(5): * Copyright (C) 2008

legal(ME)

Embedded Alley Solutions, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\gpmi-nand.h(4): * Copyright (C) 2010-2011
Freescale Semiconductor, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\gpmi-nand.h(5): * Copyright (C) 2008
Embedded Alley Solutions, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\gpmi-regs.h(4): * Copyright 2008-2011
Freescale Semiconductor, Inc.
linux-3.10\drivers\mtd\nand\gpmi-nand\gpmi-regs.h(5): * Copyright 2008 Embedded
Alley Solutions, Inc.
linux-3.10\drivers\mtd\nand\jz4740_nand.c(2): *Copyright (C) 2009-2010,
Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\drivers\mtd\nand\lpc32xx_mlc.c(6): * Copyright ㄣ 2011 WORK Microwave
GmbH
linux-3.10\drivers\mtd\nand\lpc32xx_mlc.c(7): * Copyright ㄣ 2011, 2012 Roland
Stigge
linux-3.10\drivers\mtd\nand\lpc32xx_slc.c(8): * Copyright ㄣ 2011 NXP
Semiconductors
linux-3.10\drivers\mtd\nand\lpc32xx_slc.c(9): * Copyright ㄣ 2012 Roland Stigge
linux-3.10\drivers\mtd\nand\mpc5121_nfc.c(2): * Copyright 2004-2008 Freescale
Semiconductor, Inc.
linux-3.10\drivers\mtd\nand\mpc5121_nfc.c(3): * Copyright 2009 Semihalf.
linux-3.10\drivers\mtd\nand\mxnand.c(2): * Copyright 2004-2007 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\mtd\nand\mxnand.c(3): * Copyright 2008 Sascha Hauer,
kernel@pengutronix.de
linux-3.10\drivers\mtd\nand\nand_base.c(11): *Copyright (C) 2000 Steven J. Hill
(sjhill@realitydiluted.com)
linux-3.10\drivers\mtd\nand\nand_bbt.c(7): *Copyright ㄣ 2004 Thomas Gleixner
(tglx@linutronix.de)
linux-3.10\drivers\mtd\nand\nand_bch.c(5): * Copyright ㄣ 2011 Ivan Djelic
<ivan.djelic@parrot.com>
linux-3.10\drivers\mtd\nand\nand_ecc.c(7): * Copyright ㄣ 2008 Koninklijke
Philips Electronics NV.
linux-3.10\drivers\mtd\nand\nand_ids.c(4): *Copyright (C) 2002 Thomas Gleixner
(tglx@linutronix.de)
linux-3.10\drivers\mtd\nand\nandsim.c(6): * Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\mtd\nand\ndfc.c(16): *Copyright 2006 IBM
linux-3.10\drivers\mtd\nand\ndfc.c(17): *Copyright 2008 PIKA Technologies
linux-3.10\drivers\mtd\nand\nuc900_nand.c(2): * Copyright ㄣ 2009 Nuvoton
technology corporation.
linux-3.10\drivers\mtd\nand\omap2.c(2): * Copyright ㄣ 2004 Texas Instruments,
Jian Zhang <jzhang@ti.com>
linux-3.10\drivers\mtd\nand\omap2.c(3): * Copyright ㄣ 2004 Micron Technology
Inc.
linux-3.10\drivers\mtd\nand\omap2.c(4): * Copyright ㄣ 2004 David Brownell
linux-3.10\drivers\mtd\nand\pasemi_nand.c(2): * Copyright (C) 2006-2007 PA Semi,
Inc
linux-3.10\drivers\mtd\nand\pxa3xx_nand.c(4): * Copyright ㄣ 2005 Intel
Corporation
linux-3.10\drivers\mtd\nand\pxa3xx_nand.c(5): * Copyright ㄣ 2006 Marvell
International Ltd.
linux-3.10\drivers\mtd\nand\r852.c(2): * Copyright ㄣ 2009 - Maxim Levitsky

legal(ME)

linux-3.10\drivers\mtd\nand\r852.h(2): * Copyright ʘ 2009 - Maxim Levitsky
linux-3.10\drivers\mtd\nand\s3c2410.c(3): * Copyright ʘ 2004-2008 Simtec
Electronics
linux-3.10\drivers\mtd\nand\sh_flctl.c(4): * Copyright (c) 2008 Renesas Solutions
Corp.
linux-3.10\drivers\mtd\nand\sh_flctl.c(5): * Copyright (c) 2008 Atom Create
Engineering Co., Ltd.
linux-3.10\drivers\mtd\nand\sh_flctl.c(7): * Based on fsl_elbc_nand.c, Copyright
(c) 2006-2007 Freescale Semiconductor
linux-3.10\drivers\mtd\nand\sharpsl.c(4): *Copyright (C) 2004 Richard Purdie
linux-3.10\drivers\mtd\nand\sharpsl.c(5): *Copyright (C) 2008 Dmitry Baryshkov
linux-3.10\drivers\mtd\nand\sm_common.c(2): * Copyright ʘ 2009 - Maxim Levitsky
linux-3.10\drivers\mtd\nand\sm_common.h(2): * Copyright ʘ 2009 - Maxim Levitsky
linux-3.10\drivers\mtd\nand\socrates_nand.c(4): *Copyright ʘ 2008 Ilya Yanok,
Emcraft Systems
linux-3.10\drivers\mtd\nand\tmio_nand.c(12): * Copyright (c) Chris Humbert 2005
linux-3.10\drivers\mtd\nand\tmio_nand.c(13): * Copyright (c) Dmitry Baryshkov
2008
linux-3.10\drivers\mtd\nand\tmio_nand.c(16): * Parts copyright Sebastian Carlier
linux-3.10\drivers\mtd\nand\tmio_nand.c(6): * Copyright (c) Ian Molton 2004,
2005, 2008
linux-3.10\drivers\mtd\nand\tmio_nand.c(9): * Copyright (c) Dirk Opfer 2005.
linux-3.10\drivers\mtd\nand\txx9ndfmc.c(9): * (C) Copyright TOSHIBA CORPORATION
2004-2007
linux-3.10\drivers\mtd\nand\xway_nand.c(6): *Copyright ʘ 2012 John Crispin
<blogic@openwrt.org>
linux-3.10\drivers\mtd\nftlcore.c(4): * Copyright ʘ 1999 Machine Vision
Holdings, Inc.
linux-3.10\drivers\mtd\nftlcore.c(5): * Copyright ʘ 1999-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\nftlmount.c(5): * Copyright ʘ 2000 Netgem S.A.
linux-3.10\drivers\mtd\nftlmount.c(6): * Copyright ʘ 1999-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\mtd\ofpart.c(4): * Copyright ʘ 2006 MontaVista Software Inc.
linux-3.10\drivers\mtd\ofpart.c(8): * Copyright ʘ 2007 David Gibson, IBM
Corporation.
linux-3.10\drivers\mtd\onenand\generic.c(4): *Copyright (c) 2005 Samsung
Electronics
linux-3.10\drivers\mtd\onenand\omap2.c(6): *Copyright ʘ 2005-2006 Nokia
Corporation
linux-3.10\drivers\mtd\onenand\onenand_base.c(4): *Copyright ʘ 2005-2009 Samsung
Electronics
linux-3.10\drivers\mtd\onenand\onenand_base.c(5): *Copyright ʘ 2007 Nokia
Corporation
linux-3.10\drivers\mtd\onenand\onenand_bbt.c(6): *Copyright(c) 2005 Samsung
Electronics
linux-3.10\drivers\mtd\onenand\samsung.c(4): *Copyright ʘ 2008-2010 Samsung
Electronics
linux-3.10\drivers\mtd\onenand\samsung.h(4): *Copyright (C) 2008-2010 Samsung
Electronics
linux-3.10\drivers\mtd\redboot.c(5): * Copyright ʘ 2001Red Hat UK Limited
linux-3.10\drivers\mtd\redboot.c(6): * Copyright ʘ 2001-2010 David Woodhouse

legal(ME)

<dwmw2@infradead.org>
linux-3.10\drivers\mtd\rfd_ftl.c(4): * Copyright ㄣ 2005Sean Young
<sean@mess.org>
linux-3.10\drivers\mtd\sm_ftl.c(2): * Copyright ㄣ 2009 - Maxim Levitsky
linux-3.10\drivers\mtd\sm_ftl.h(2): * Copyright ㄣ 2009 - Maxim Levitsky
linux-3.10\drivers\mtd\tests\mtd_nandbiterrs.c(2): * Copyright ㄣ 2012
NetCommWireless
linux-3.10\drivers\mtd\tests\mtd_oobtest.c(2): * Copyright (C) 2006-2008 Nokia
Corporation
linux-3.10\drivers\mtd\tests\mtd_pagetest.c(2): * Copyright (C) 2006-2008 Nokia
Corporation
linux-3.10\drivers\mtd\tests\mtd_readtest.c(2): * Copyright (C) 2006-2008 Nokia
Corporation
linux-3.10\drivers\mtd\tests\mtd_speedtest.c(2): * Copyright (C) 2007 Nokia
Corporation
linux-3.10\drivers\mtd\tests\mtd_stresstest.c(2): * Copyright (C) 2006-2008 Nokia
Corporation
linux-3.10\drivers\mtd\tests\mtd_subpagetest.c(2): * Copyright (C) 2006-2007
Nokia Corporation
linux-3.10\drivers\mtd\tests\mtd_torturetest.c(2): * Copyright (C) 2006-2008
Artem Bityutskiy
linux-3.10\drivers\mtd\tests\mtd_torturetest.c(3): * Copyright (C) 2006-2008
Jarkko Lavinen
linux-3.10\drivers\mtd\tests\mtd_torturetest.c(4): * Copyright (C) 2006-2008
Adrian Hunter
linux-3.10\drivers\mtd\ubi\attach.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\build.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\build.c(3): * Copyright (c) Nokia Corporation, 2007
linux-3.10\drivers\mtd\ubi\cdev.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\debug.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\debug.h(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\eba.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\fastmap.c(2): * Copyright (c) 2012 Linutronix GmbH
linux-3.10\drivers\mtd\ubi\gluebi.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\io.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\io.c(3): * Copyright (c) Nokia Corporation, 2006, 2007
linux-3.10\drivers\mtd\ubi\kapi.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\misc.c(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\ubi.h(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\ubi.h(3): * Copyright (c) Nokia Corporation, 2006,
2007

legal(ME)

linux-3.10\drivers\mtd\ubi\ubi-media.h(2): * Copyright (c) International Business Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\upd.c(2): * Copyright (c) International Business Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\upd.c(3): * Copyright (c) Nokia Corporation, 2006
linux-3.10\drivers\mtd\ubi\vmt.c(2): * Copyright (c) International Business Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\vtbl.c(2): * Copyright (c) International Business Machines Corp., 2006
linux-3.10\drivers\mtd\ubi\vtbl.c(3): * Copyright (c) Nokia Corporation, 2006, 2007
linux-3.10\drivers\mtd\ubi\wl.c(2): * Copyright (c) International Business Machines Corp., 2006
linux-3.10\drivers\net\appletalk\cops.c(15): *Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\appletalk\ipddp.c(19): *Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\appletalk\ltpc.c(3): *Copyright (c) 1995,1996 Bradford W. Johnson <johns393@maroon.tc.umn.edu>
linux-3.10\drivers\net\arcnet\arcnet.c(14): * The original copyright was as follows:
linux-3.10\drivers\net\arcnet\arcnet.c(17): * Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\arcnet\arc-rawmode.c(12): * The original copyright of skeleton.c was as follows:
linux-3.10\drivers\net\arcnet\arc-rawmode.c(15): * Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\arcnet\arc-rimi.c(13): * The original copyright of skeleton.c was as follows:
linux-3.10\drivers\net\arcnet\arc-rimi.c(16): * Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\arcnet\capmode.c(14): * The original copyright of skeleton.c was as follows:
linux-3.10\drivers\net\arcnet\capmode.c(17): * Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\arcnet\com20020.c(14): * The original copyright of skeleton.c was as follows:
linux-3.10\drivers\net\arcnet\com20020.c(17): * Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\arcnet\com20020_cs.c(15): * The original copyright of skeleton.c was as follows:
linux-3.10\drivers\net\arcnet\com20020_cs.c(18): * Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\arcnet\com20020-isa.c(14): * The original copyright of skeleton.c was as follows:
linux-3.10\drivers\net\arcnet\com20020-isa.c(17): * Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\arcnet\com20020-pci.c(15): * The original copyright of skeleton.c was as follows:
linux-3.10\drivers\net\arcnet\com20020-pci.c(18): * Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\arcnet\com90io.c(14): * The original copyright of

legal(ME)

skeleton.c was as follows:

linux-3.10\drivers\net\arcnet\com90io.c(17): * Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\arcnet\com90xx.c(13): * The original copyright of skeleton.c was as follows:

linux-3.10\drivers\net\arcnet\com90xx.c(16): * Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\arcnet\rfc1051.c(12): * The original copyright of skeleton.c was as follows:

linux-3.10\drivers\net\arcnet\rfc1051.c(15): * Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\arcnet\rfc1201.c(12): * The original copyright of skeleton.c was as follows:

linux-3.10\drivers\net\arcnet\rfc1201.c(15): * Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\bonding\bond_3ad.c(2): * Copyright(c) 1999 - 2004 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\bonding\bond_3ad.h(2): * Copyright(c) 1999 - 2004 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\bonding\bond_alb.c(2): * Copyright(c) 1999 - 2004 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\bonding\bond_alb.h(2): * Copyright(c) 1999 - 2004 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\bonding\bond_main.c(4): * Copyright 1999, Thomas Davis, tadavis@lbl.gov.

linux-3.10\drivers\net\bonding\bond_sysfs.c(2): * Copyright(c) 2004-2005 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\bonding\bonding.h(4): * Portions are (c) Copyright 1995 Simon "Guru Aleph-Null" Janes

linux-3.10\drivers\net\bonding\bonding.h(8): * (c) Copyright 1999, Thomas Davis, tadavis@lbl.gov

linux-3.10\drivers\net\caif\caif_hsi.c(2): * Copyright (C) ST-Ericsson AB 2010

linux-3.10\drivers\net\caif\caif_serial.c(2): * Copyright (C) ST-Ericsson AB 2010

linux-3.10\drivers\net\caif\caif_spi.c(2): * Copyright (C) ST-Ericsson AB 2010

linux-3.10\drivers\net\caif\caif_spi_slave.c(2): * Copyright (C) ST-Ericsson AB 2010

linux-3.10\drivers\net\caif\caif_virtio.c(2): * Copyright (C) ST-Ericsson AB 2013

linux-3.10\drivers\net\can\bfin_can.c(4): * Copyright 2004-2009 Analog Devices Inc.

linux-3.10\drivers\net\can\c_can\c_can.c(14): * Copyright

linux-3.10\drivers\net\can\c_can\c_can.c(4): * Copyright (C) 2010 ST Microelectronics

linux-3.10\drivers\net\can\c_can\c_can.c(8): * Copyright (C) 2007

linux-3.10\drivers\net\can\c_can\c_can.h(4): * Copyright (C) 2010 ST Microelectronics

linux-3.10\drivers\net\can\c_can\c_can.h(8): * Copyright (C) 2007

linux-3.10\drivers\net\can\c_can\c_can_pci.c(4): * Copyright (C) 2012 Federico Vaga <federico.vaga@gmail.com>

linux-3.10\drivers\net\can\c_can\c_can_platform.c(4): * Copyright (C) 2010 ST Microelectronics

linux-3.10\drivers\net\can\c_can\c_can_platform.c(8): * Copyright (C) 2007

linux-3.10\drivers\net\can\cc770\cc770.c(4): * Copyright (C) 2009, 2011 Wolfgang

legal(ME)

Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\cc770\cc770.h(4): * Copyright (C) 2009, 2011 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\cc770\cc770_isa.c(4): * Copyright (C) 2009, 2011 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\cc770\cc770_platform.c(4): * Copyright (C) 2009, 2011 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\dev.c(2): * Copyright (C) 2005 Marc Kleine-Budde, Pengutronix
linux-3.10\drivers\net\can\dev.c(3): * Copyright (C) 2006 Andrey Volkov, Varma Electronics
linux-3.10\drivers\net\can\dev.c(4): * Copyright (C) 2008-2009 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\dev.c(78): * Copyright 2004-2006 Pavel Pisa - DCE FELK CVUT cz
linux-3.10\drivers\net\can\dev.c(79): * Copyright 2005Stanislav Marek
linux-3.10\drivers\net\can\flexcan.c(4): * Copyright (c) 2005-2006 Varma Electronics Oy
linux-3.10\drivers\net\can\flexcan.c(5): * Copyright (c) 2009 Sascha Hauer, Pengutronix
linux-3.10\drivers\net\can\flexcan.c(6): * Copyright (c) 2010 Marc Kleine-Budde, Pengutronix
linux-3.10\drivers\net\can\janz-ican3.c(4): * Copyright (c) 2010 Ira W. Snyder <iws@ovro.caltech.edu>
linux-3.10\drivers\net\can\led.c(2): * Copyright 2012, Fabio Baltieri <fabio.baltieri@gmail.com>
linux-3.10\drivers\net\can\led.c(3): * Copyright 2012, Kurt Van Dijck <kurt.van.dijck@eia.be>
linux-3.10\drivers\net\can\mcp251x.c(14): * David Vrabel, Copyright 2006 Arcom Control Systems Ltd.
linux-3.10\drivers\net\can\mcp251x.c(19): * Copyright 2007
linux-3.10\drivers\net\can\mcp251x.c(7): * Copyright 2009 Christian Pellegrin EVOL S.r.l.
linux-3.10\drivers\net\can\mcp251x.c(9): * Copyright 2007 Raymarine UK, Ltd. All Rights Reserved.
linux-3.10\drivers\net\can\mscan\mpc5xxx_can.c(4): * Copyright (C) 2004-2005 Andrey Volkov <avolkov@varma-el.com>,
linux-3.10\drivers\net\can\mscan\mpc5xxx_can.c(6): * Copyright (C) 2008-2009 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\mscan\mpc5xxx_can.c(7): * Copyright (C) 2009 Wolfram Sang, Pengutronix <w.sang@pengutronix.de>
linux-3.10\drivers\net\can\mscan\mscan.c(4): * Copyright (C) 2005-2006 Andrey Volkov <avolkov@varma-el.com>,
linux-3.10\drivers\net\can\mscan\mscan.c(6): * Copyright (C) 2008-2009 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\mscan\mscan.c(7): * Copyright (C) 2008-2009 Pengutronix <kernel@pengutronix.de>
linux-3.10\drivers\net\can\mscan\mscan.h(4): * Copyright (C) 2005-2006 Andrey Volkov <avolkov@varma-el.com>,
linux-3.10\drivers\net\can\pch_can.c(2): * Copyright (C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\can\pch_can.c(3): * Copyright (C) 2010 LAPIS SEMICONDUCTOR

legal(ME)

CO., LTD.

linux-3.10\drivers\net\can\sja1000\ems_pci.c(2): * Copyright (C) 2007 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\sja1000\ems_pci.c(3): * Copyright (C) 2008 Markus Plessing <plessing@ems-wuensche.com>
linux-3.10\drivers\net\can\sja1000\ems_pci.c(4): * Copyright (C) 2008 Sebastian Haas <haas@ems-wuensche.com>
linux-3.10\drivers\net\can\sja1000\ems_pcmcia.c(2): * Copyright (C) 2008 Sebastian Haas (initial chardev implementation)
linux-3.10\drivers\net\can\sja1000\ems_pcmcia.c(3): * Copyright (C) 2010 Markus Plessing <plessing@ems-wuensche.com>
linux-3.10\drivers\net\can\sja1000\kvaser_pci.c(10): * Copyright (C) 2004 Pavel Pisa
linux-3.10\drivers\net\can\sja1000\kvaser_pci.c(11): * Copyright (C) 2001 Arnaud Westenberg
linux-3.10\drivers\net\can\sja1000\kvaser_pci.c(14): * Copyright (C) 2007 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\sja1000\kvaser_pci.c(15): * Copyright (c) 2002-2007 Volkswagen Group Electronic Research
linux-3.10\drivers\net\can\sja1000\kvaser_pci.c(16): * Copyright (c) 2003 Matthias Brukner, Trajet GmbH, Rebenring 33,
linux-3.10\drivers\net\can\sja1000\kvaser_pci.c(2): * Copyright (C) 2008 Per Dalen <per.dalen@cnw.se>
linux-3.10\drivers\net\can\sja1000\kvaser_pci.c(7): * Copyright (C) 2002-2007 KVASER AB
linux-3.10\drivers\net\can\sja1000\peak_pci.c(2): * Copyright (C) 2007, 2011 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\sja1000\peak_pci.c(3): * Copyright (C) 2012 Stephane Grosjean <s.grosjean@peak-system.com>
linux-3.10\drivers\net\can\sja1000\peak_pci.c(7): * Copyright (C) 2001-2006 PEAK System-Technik GmbH
linux-3.10\drivers\net\can\sja1000\peak_pcmcia.c(2): * Copyright (C) 2010-2012 Stephane Grosjean <s.grosjean@peak-system.com>
linux-3.10\drivers\net\can\sja1000\peak_pcmcia.c(6): * Copyright (C) 2006-2010 PEAK System-Technik GmbH
linux-3.10\drivers\net\can\sja1000\plx_pci.c(2): * Copyright (C) 2008-2010 Pavel Cheblakov <P.B.Cheblakov@inp.nsk.su>
linux-3.10\drivers\net\can\sja1000\plx_pci.c(5): * Copyright (C) 2007 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\sja1000\plx_pci.c(6): * Copyright (C) 2008 Markus Plessing <plessing@ems-wuensche.com>
linux-3.10\drivers\net\can\sja1000\plx_pci.c(7): * Copyright (C) 2008 Sebastian Haas <haas@ems-wuensche.com>
linux-3.10\drivers\net\can\sja1000\sja1000.c(4): * Copyright (c) 2003 Matthias Brukner, Trajet GmbH, Rebenring 33,
linux-3.10\drivers\net\can\sja1000\sja1000.c(7): * Copyright (c) 2002-2007 Volkswagen Group Electronic Research
linux-3.10\drivers\net\can\sja1000\sja1000.h(4): * Copyright (c) 2003 Matthias Brukner, Trajet GmbH, Rebenring 33,
linux-3.10\drivers\net\can\sja1000\sja1000.h(7): * Copyright (c) 2002-2007 Volkswagen Group Electronic Research
linux-3.10\drivers\net\can\sja1000\sja1000_isa.c(2): * Copyright (C) 2009

legal(ME)

Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\sja1000\sja1000_of_platform.c(4): * Copyright (C) 2008-2009 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\sja1000\sja1000_platform.c(2): * Copyright (C) 2005 Sascha Hauer, Pengutronix
linux-3.10\drivers\net\can\sja1000\sja1000_platform.c(3): * Copyright (C) 2007 Wolfgang Grandegger <wg@grandegger.com>
linux-3.10\drivers\net\can\sja1000\tscan1.c(4): * Copyright 2010 Andre B. Oliveira
linux-3.10\drivers\net\can\softing\softing_cs.c(2): * Copyright (C) 2008-2010
linux-3.10\drivers\net\can\softing\softing_fw.c(2): * Copyright (C) 2008-2010
linux-3.10\drivers\net\can\softing\softing_main.c(2): * Copyright (C) 2008-2010
linux-3.10\drivers\net\can\ti_hecc.c(7): * Copyright (C) 2009 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\net\can\usb\ems_usb.c(4): * Copyright (C) 2004-2009 EMS Dr. Thomas Wuensche
linux-3.10\drivers\net\can\usb\esd_usb2.c(4): * Copyright (C) 2010-2012 Matthias Fuchs <matthias.fuchs@esd.eu>, esd gmbh
linux-3.10\drivers\net\can\usb\kvaser_usb.c(10): * Copyright (C) 2002-2006 KVASER AB, Sweden. All rights reserved.
linux-3.10\drivers\net\can\usb\kvaser_usb.c(11): * Copyright (C) 2010 Matthias Fuchs <matthias.fuchs@esd.eu>, esd gmbh
linux-3.10\drivers\net\can\usb\kvaser_usb.c(12): * Copyright (C) 2012 Olivier Sobrie <olivier@sobrie.be>
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb.c(5): * Copyright (C) 2003-2010 PEAK System-Technik GmbH
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb.c(6): * Copyright (C) 2011-2012 Stephane Grosjean <s.grosjean@peak-system.com>
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb_core.c(5): * Copyright (C) 2003-2010 PEAK System-Technik GmbH
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb_core.c(6): * Copyright (C) 2010-2012 Stephane Grosjean <s.grosjean@peak-system.com>
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb_core.h(5): * Copyright (C) 2003-2010 PEAK System-Technik GmbH
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb_core.h(6): * Copyright (C) 2010-2012 Stephane Grosjean <s.grosjean@peak-system.com>
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb_pro.c(5): * Copyright (C) 2003-2011 PEAK System-Technik GmbH
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb_pro.c(6): * Copyright (C) 2011-2012 Stephane Grosjean <s.grosjean@peak-system.com>
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb_pro.h(5): * Copyright (C) 2003-2011 PEAK System-Technik GmbH
linux-3.10\drivers\net\can\usb\peak_usb\pcan_usb_pro.h(6): * Copyright (C) 2011-2012 Stephane Grosjean <s.grosjean@peak-system.com>
linux-3.10\drivers\net\can\usb\usb_8dev.c(4): * Copyright (C) 2012 Bernd Krumboeck (krumboeck@universalnet.at)
linux-3.10\drivers\net\can\vcan.c(4): * Copyright (c) 2002-2007 Volkswagen Group Electronic Research
linux-3.10\drivers\net\cris\eth_v10.c(4): * Copyright (c) 1998-2002 Axis Communications AB.
linux-3.10\drivers\net\dsa\mv88e6060.c(3): * Copyright (c) 2008-2009 Marvell Semiconductor

legal(ME)

linux-3.10\drivers\net\dsa\mv88e6123_61_65.c(3): * Copyright (c) 2008-2009
Marvell Semiconductor
linux-3.10\drivers\net\dsa\mv88e6131.c(3): * Copyright (c) 2008-2009 Marvell
Semiconductor
linux-3.10\drivers\net\dsa\mv88e6xxx.c(3): * Copyright (c) 2008 Marvell
Semiconductor
linux-3.10\drivers\net\dsa\mv88e6xxx.h(3): * Copyright (c) 2008 Marvell
Semiconductor
linux-3.10\drivers\net\eq1.c(4): * (c) Copyright 1995 Simon "Guru Aleph-Null"
Janes
linux-3.10\drivers\net\eq1.c(7): * (c) Copyright 2002 David S. Miller
(davem@redhat.com)
linux-3.10\drivers\net\ethernet\3com\3c509.c(5):Copyright 1994-2000 by Donald
Becker.
linux-3.10\drivers\net\ethernet\3com\3c509.c(6):Copyright 1993 United States
Government as represented by the
linux-3.10\drivers\net\ethernet\3com\3c574_cs.c(13):Copyright 1993 United States
Government as represented by the
linux-3.10\drivers\net\ethernet\3com\3c574_cs.c(6):Locking fixes (C) Copyright
2003 Red Hat Inc
linux-3.10\drivers\net\ethernet\3com\3c589_cs.c(12):Copyright 1993 United States
Government as represented by the
linux-3.10\drivers\net\ethernet\3com\3c589_cs.c(5):Copyright (C) 1999 David A.
Hinds -- dahinds@users.sourceforge.net
linux-3.10\drivers\net\ethernet\3com\typhoon.c(10):retain the authorship,
copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\3com\typhoon.h(8):retain the authorship,
copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\8390\apne.c(4): * (C) Copyright 1997 Alain Malek
linux-3.10\drivers\net\ethernet\8390\ax88796.c(3): * Copyright 2005,2007 Simtec
Electronics
linux-3.10\drivers\net\ethernet\8390\ax88796.c(62):static unsigned char version[]
= "ax88796.c: Copyright 2005,2007 Simtec Electronics\n";
linux-3.10\drivers\net\ethernet\8390\axnet_cs.c(12):Copyright (C) 2001 David A.
Hinds -- dahinds@users.sourceforge.net
linux-3.10\drivers\net\ethernet\8390\axnet_cs.c(19):Copyright 1993 United States
Government as represented by the
linux-3.10\drivers\net\ethernet\8390\axnet_cs.c(739):Copyright 1993 United States
Government as represented by the
linux-3.10\drivers\net\ethernet\8390\etherh.c(4): *Copyright (C) 2000-2002
Russell King
linux-3.10\drivers\net\ethernet\8390\lib8390.c(5):Copyright 1993 United States
Government as represented by the
linux-3.10\drivers\net\ethernet\8390\mcf8390.c(6): *(C) Copyright 2012,Greg
Ungerer <gerg@uclinux.org>
linux-3.10\drivers\net\ethernet\8390\ne.c(5):Copyright 1993 United States
Government as represented by the
linux-3.10\drivers\net\ethernet\8390\ne2k-pci.c(14):retain the authorship,
copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\8390\ne2k-pci.c(5):Authors and other copyright
holders:
linux-3.10\drivers\net\ethernet\8390\ne2k-pci.c(8):Copyright 1993 assigned to the

legal(ME)

United States Government as represented

linux-3.10\drivers\net\ethernet\8390\ne-h8300.c(6):Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\ethernet\8390\pcnet_cs.c(12):Copyright (C) 1999 David A. Hinds -- dahinds@users.sourceforge.net

linux-3.10\drivers\net\ethernet\8390\pcnet_cs.c(19):Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\ethernet\8390\smc-ultra.c(7):Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\ethernet\8390\stnic.c(7): * Copyright (C) 1999 kaz Kojima

linux-3.10\drivers\net\ethernet\8390\wd.c(5):Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\ethernet\8390\zorro8390.c(4): *(C) Copyright 1998-2000 by some Elitist 680x0 Users(TM)

linux-3.10\drivers\net\ethernet\adaptec\starfire.c(12):retain the authorship, copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\adi\bfin_mac.c(4): * Copyright 2004-2010 Analog Devices Inc.

linux-3.10\drivers\net\ethernet\adi\bfin_mac.h(4): * Copyright 2004-2007 Analog Devices Inc.

linux-3.10\drivers\net\ethernet\alteon\acenic.c(5): * Copyright 1998-2002 by Jes Sorensen, <jes@trained-monkey.org>.

linux-3.10\drivers\net\ethernet\amd\7990.c(7): * Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk>

linux-3.10\drivers\net\ethernet\amd\7990.h(7): * Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk>

linux-3.10\drivers\net\ethernet\amd\2065.c(16): *(C) Copyright 1995 by Geert Uytterhoeven,

linux-3.10\drivers\net\ethernet\amd\2065.c(4): * (C) Copyright 1995-2003 by Geert Uytterhoeven <geert@linux-m68k.org>

linux-3.10\drivers\net\ethernet\amd\2065.h(11): *(C) Copyright 1995 by Geert Uytterhoeven,

linux-3.10\drivers\net\ethernet\amd\2065.h(4): * (C) Copyright 1995 by Geert Uytterhoeven <geert@linux-m68k.org>

linux-3.10\drivers\net\ethernet\amd\amd8111e.c(10): * Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\ethernet\amd\amd8111e.c(13): * Copyright (C) 2000 MIPS Technologies, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\amd\amd8111e.c(3): * Copyright (C) 2004 Advanced Micro Devices

linux-3.10\drivers\net\ethernet\amd\amd8111e.c(6): * Copyright 2001,2002 Jeff Garzik <jgarzik@mandrakesoft.com> [8139cp.c,tg3.c]

linux-3.10\drivers\net\ethernet\amd\amd8111e.c(7): * Copyright (C) 2001, 2002 David S. Miller (davem@redhat.com)[tg3.c]

linux-3.10\drivers\net\ethernet\amd\amd8111e.c(8): * Copyright 1996-1999 Thomas Bogendoerfer [pcnet32.c]

linux-3.10\drivers\net\ethernet\amd\amd8111e.h(3): * Copyright (C) 2003 Advanced Micro Devices

linux-3.10\drivers\net\ethernet\amd\ariadne.c(4): * Copyright 1995-2003 by Geert Uytterhoeven (geert@linux-m68k.org)

linux-3.10\drivers\net\ethernet\amd\ariadne.h(4): * Copyright 1995 by Geert Uytterhoeven (geert@linux-m68k.org)

legal(ME)

linux-3.10\drivers\net\ethernet\amd\au1000_eth.c(12): * Copyright 2006 Herbert Valerio Riedel <hvr@gnu.org>
linux-3.10\drivers\net\ethernet\amd\au1000_eth.c(5): * Copyright 2001-2003, 2006 MontaVista Software Inc.
linux-3.10\drivers\net\ethernet\amd\au1000_eth.c(6): * Copyright 2002 TimeSys Corp.
linux-3.10\drivers\net\ethernet\amd\au1000_eth.c(8): * Copyright 2004 Matt Porter <mporter@kernel.crashing.org>
linux-3.10\drivers\net\ethernet\amd\au1000_eth.h(7): * Copyright 2001 MontaVista Software Inc.
linux-3.10\drivers\net\ethernet\amd\declance.c(8): *Copyright (C) 2002, 2003, 2005, 2006Maciej W. Rozycki
linux-3.10\drivers\net\ethernet\amd\hplance.c(3): * Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk>
linux-3.10\drivers\net\ethernet\amd\hplance.h(2): * Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk>
linux-3.10\drivers\net\ethernet\amd\lance.c(3):Written/copyright 1993-1998 by Donald Becker.
linux-3.10\drivers\net\ethernet\amd\lance.c(5):Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\ethernet\amd\mvme147.c(3): * Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk>
linux-3.10\drivers\net\ethernet\amd\ni65.c(4): * copyrights (c) 1994,1995,1996 by M.Hipp
linux-3.10\drivers\net\ethernet\amd\nmclan_cs.c(10):Copyright 1995 Roger C. Pao
linux-3.10\drivers\net\ethernet\amd\nmclan_cs.c(11):Linux 2.5 cleanups Copyright Red Hat 2003
linux-3.10\drivers\net\ethernet\amd\pcnet32.c(20): *Copyright (C) 2000 MIPS Technologies, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\amd\pcnet32.c(3): *Copyright 1996-1999 Thomas Bogendoerfer
linux-3.10\drivers\net\ethernet\amd\pcnet32.c(7): *Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\ethernet\apple\bmac.c(5): * Copyright (C) 1998 Randy Gobbel.
linux-3.10\drivers\net\ethernet\apple\bmac.h(5): * Copyright (C) 1998 Randy Gobbel.
linux-3.10\drivers\net\ethernet\apple\mace.c(5): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\net\ethernet\apple\mace.h(5): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\net\ethernet\apple\macmace.c(11): *Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\net\ethernet\apple\macmace.c(12): *Copyright (C) 1998 Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\net\ethernet\apple\macmace.c(16): *Copyright (C) 2007 Finn Thain
linux-3.10\drivers\net\ethernet\atheros\alx\alx.h(2): * Copyright (c) 2013 Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\ethernet\atheros\alx\alx.h(20): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\ethernet\atheros\alx\ethtool.c(2): * Copyright (c) 2013

legal(ME)

Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\ethernet\atheros\alx\ethtool.c(20): * Copyright (c) 2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\ethernet\atheros\alx\hw.c(2): * Copyright (c) 2013
Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\ethernet\atheros\alx\hw.c(20): * Copyright (c) 2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\ethernet\atheros\alx\hw.h(2): * Copyright (c) 2013
Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\ethernet\atheros\alx\hw.h(20): * Copyright (c) 2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\ethernet\atheros\alx\main.c(2): * Copyright (c) 2013
Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\ethernet\atheros\alx\main.c(20): * Copyright (c) 2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\ethernet\atheros\alx\reg.h(2): * Copyright (c) 2013
Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\ethernet\atheros\alx\reg.h(20): * Copyright (c) 2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c.h(2): * Copyright(c) 2008 -
2009 Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c.h(5): * Copyright(c) 1999 -
2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c_ethtool.c(2): * Copyright(c)
2009 - 2009 Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c_ethtool.c(5): * Copyright(c)
1999 - 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c_hw.c(2): * Copyright(c) 2007
Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c_hw.c(5): * Copyright(c) 1999
- 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c_hw.h(2): * Copyright(c) 2008
- 2009 Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c_hw.h(5): * Copyright(c) 1999
- 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c_main.c(2): * Copyright(c)
2008 - 2009 Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1c\atl1c_main.c(5): * Copyright(c)
1999 - 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e.h(2): * Copyright(c) 2007
Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e.h(3): * Copyright(c) 2007
xiong huang <xiong.huang@atheros.com>
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e.h(6): * Copyright(c) 1999 -
2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_ethtool.c(2): * Copyright(c)
2007 Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_ethtool.c(5): * Copyright(c)
1999 - 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_hw.c(2): * Copyright(c) 2007
Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_hw.c(5): * Copyright(c) 1999

legal(ME)

- 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_hw.h(2): * Copyright(c) 2007
Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_hw.h(5): * Copyright(c) 1999
- 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_main.c(2): * Copyright(c)
2007 Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_main.c(5): * Copyright(c)
1999 - 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_param.c(2): * Copyright(c)
2007 Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atl1e\atl1e_param.c(5): * Copyright(c)
1999 - 2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atl1.c(2): * Copyright(c) 2005 -
2006 Attansic Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atl1.c(3): * Copyright(c) 2006 -
2007 Chris Snook <csnook@redhat.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atl1.c(4): * Copyright(c) 2006 -
2008 Jay Cliburn <jcliburn@gmail.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atl1.c(7): * Copyright(c) 1999 -
2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atl1.h(2): * Copyright(c) 2005 -
2006 Attansic Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atl1.h(3): * Copyright(c) 2006 -
2007 Chris Snook <csnook@redhat.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atl1.h(4): * Copyright(c) 2006 -
2008 Jay Cliburn <jcliburn@gmail.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atl1.h(7): * Copyright(c) 1999 -
2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.c(1716): printk(KERN_INFO
"%s\n", atl2_copyright);
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.c(2): * Copyright(c) 2006 -
2007 Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.c(3): * Copyright(c) 2007 -
2008 Chris Snook <csnook@redhat.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.c(56): static const char
atl2_copyright[] = "Copyright (c) 2007 Atheros Corporation.";
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.c(6): * Copyright(c) 1999 -
2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.h(3): * Copyright(c) 2007
Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.h(4): * Copyright(c) 2006 xiong
huang <xiong.huang@atheros.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.h(5): * Copyright(c) 2007 Chris
Snook <csnook@redhat.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atl2.h(8): * Copyright(c) 1999 -
2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.c(3): * Copyright(c) 2005 -
2006 Attansic Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.c(4): * Copyright(c) 2006 -
2007 Chris Snook <csnook@redhat.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.c(5): * Copyright(c) 2006 -

legal(ME)

2008 Jay Cliburn <jcliburn@gmail.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.c(6): * Copyright(c) 2007
Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.c(9): * Copyright(c) 1999 -
2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.h(3): * Copyright(c) 2005 -
2006 Attansic Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.h(4): * Copyright(c) 2006 -
2007 Chris Snook <csnook@redhat.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.h(5): * Copyright(c) 2006 -
2008 Jay Cliburn <jcliburn@gmail.com>
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.h(6): * Copyright(c) 2007
Atheros Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\atheros\atlx\atlx.h(9): * Copyright(c) 1999 -
2005 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\ethernet\broadcom\b44.c(3): * Copyright (C) 2002 David S.
Miller (davem@redhat.com)
linux-3.10\drivers\net\ethernet\broadcom\b44.c(4): * Copyright (C) 2004 Pekka
Pietikainen (pp@ee.oulu.fi)
linux-3.10\drivers\net\ethernet\broadcom\b44.c(5): * Copyright (C) 2004 Florian
Schirmer (jolt@tuxbox.org)
linux-3.10\drivers\net\ethernet\broadcom\b44.c(6): * Copyright (C) 2006 Felix
Fietkau (nbd@openwrt.org)
linux-3.10\drivers\net\ethernet\broadcom\b44.c(7): * Copyright (C) 2006 Broadcom
Corporation.
linux-3.10\drivers\net\ethernet\broadcom\b44.c(8): * Copyright (C) 2007 Michael
Buesch <m@bues.ch>
linux-3.10\drivers\net\ethernet\broadcom\bcm63xx_enet.c(4): * Copyright (C) 2008
Maxime Bizon <mbizon@freebox.fr>
linux-3.10\drivers\net\ethernet\broadcom\bghmac.c(4): * Copyright (C) 2012 Rafał
MiłFcki <zajec5@gmail.com>
linux-3.10\drivers\net\ethernet\broadcom\bnx2.c(3): * Copyright (c) 2004-2011
Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2.h(3): * Copyright (c) 2004-2011
Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2_fw.h(3): * Copyright (c) 2004,
2005, 2006, 2007 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x.h(3): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_cmn.c(3): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_cmn.h(3): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_dcb.c(3): * Copyright
2009-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_dcb.h(3): * Copyright
2009-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_dump.h(3): * Copyright (c)
2012-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_ethtool.c(3): * Copyright
(c) 2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_fw_defs.h(3): * Copyright

legal(ME)

(c) 2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_fw_file_hdr.h(3): *
Copyright (c) 2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_hsi.h(3): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_init.h(4): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_init_ops.h(5): * Copyright
(c) 2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_link.c(1):/* Copyright
2008-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_link.h(1):/* Copyright
2008-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_main.c(3): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_mfw_req.h(3): * Copyright
(c) 2012-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_reg.h(3): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_sp.c(3): * Copyright (c)
2011-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_sp.h(3): * Copyright (c)
2011-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_sriov.c(3): * Copyright
2009-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_sriov.h(3): * Copyright
2009-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_stats.c(3): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_stats.h(3): * Copyright (c)
2007-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_vfcpf.c(3): * Copyright
2009-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\bnx2x\bnx2x_vfcpf.h(3): * Copyright (c)
2011-2013 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\cnic.c(3): * Copyright (c) 2006-2012
Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\cnic.h(3): * Copyright (c) 2006-2011
Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\cnic_defs.h(4): * Copyright (c)
2006-2012 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\cnic_if.h(3): * Copyright (c) 2006-2012
Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\sb1250-mac.c(2): * Copyright (C)
2001,2002,2003,2004 Broadcom Corporation
linux-3.10\drivers\net\ethernet\broadcom\sb1250-mac.c(3): * Copyright (c) 2006,
2007Maciej W. Rozycki
linux-3.10\drivers\net\ethernet\broadcom\tg3.c(11): *Copyright (C) 2000-2003
Broadcom Corporation.
linux-3.10\drivers\net\ethernet\broadcom\tg3.c(4): * Copyright (C) 2001, 2002,
2003, 2004 David S. Miller (davem@redhat.com)
linux-3.10\drivers\net\ethernet\broadcom\tg3.c(5): * Copyright (C) 2001, 2002,

legal(ME)

2003 Jeff Garzik (jgarzik@pobox.com)

linux-3.10\drivers\net\ethernet\broadcom\tg3.c(6): * Copyright (C) 2004 Sun Microsystems Inc.

linux-3.10\drivers\net\ethernet\broadcom\tg3.c(7): * Copyright (C) 2005-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(4): * Copyright (C) 2001, 2002, 2003, 2004 David S. Miller (davem@redhat.com)

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(5): * Copyright (C) 2001 Jeff Garzik (jgarzik@pobox.com)

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(6): * Copyright (C) 2004 Sun Microsystems Inc.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(7): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(8): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(9): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(10): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(11): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(12): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(13): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(14): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(15): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(16): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(17): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(18): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(19): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(20): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(21): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(22): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(23): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(24): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(25): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(26): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(27): * Copyright (C) 2007-2013 Broadcom Corporation.

linux-3.10\drivers\net\ethernet\broadcom\tg3.h(28): * Copyright (C) 2007-2013 Broadcom Corporation.

legal(ME)

2005-2011 Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\brocade\bna\bna_types.h(14): * Copyright (c)
2005-2010 Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\brocade\bna\bna.c(14): * Copyright (c) 2005-2010
Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\brocade\bna\bna.h(14): * Copyright (c) 2005-2010
Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\brocade\bna\bna_debugfs.c(14): * Copyright (c)
2005-2011 Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\brocade\bna\bna_ethtool.c(14): * Copyright (c)
2005-2010 Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\brocade\bna\bna.cna.h(14): * Copyright (c) 2006-2010
Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\brocade\bna\bna_fwimg.c(14): * Copyright (c)
2005-2010 Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\brocade\bna\Makefile(2):# Copyright (c) 2005-2010
Brocade Communications Systems, Inc.
linux-3.10\drivers\net\ethernet\cadence\at91_ether.c(4): *Copyright (C) 2003 SAN
People (Pty) Ltd
linux-3.10\drivers\net\ethernet\cadence\macb.c(4): * Copyright (C) 2004-2006
Atmel Corporation
linux-3.10\drivers\net\ethernet\cadence\macb.h(4): * Copyright (C) 2004-2006
Atmel Corporation
linux-3.10\drivers\net\ethernet\calxeda\xgmac.c(2): * Copyright 2010-2011
Calxeda, Inc.
linux-3.10\drivers\net\ethernet\chelsio\cxgb\common.h(23): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\cphy.h(23): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\cpl5_cmd.h(23): * Copyright (c) 2003
- 2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\cxgb2.c(23): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\elmer0.h(23): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\espi.c(24): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\espi.h(23): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\gmac.h(24): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\mv88x201x.c(24): * Copyright (c)
2003 - 2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\pm3393.c(24): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\regs.h(23): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\sge.c(24): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\sge.h(23): * Copyright (c) 2003 -
2005 Chelsio Communications, Inc.*
linux-3.10\drivers\net\ethernet\chelsio\cxgb\subr.c(24): * Copyright (c) 2003 -

legal(ME)

2005 Chelsio Communications, Inc.*

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\adapter.h(2): * Copyright (c)
2003-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\ael1002.c(2): * Copyright (c)
2005-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\aq100x.c(2): * Copyright (c)
2005-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\common.h(2): * Copyright (c)
2005-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\cxgb3_ctl_defs.h(2): * Copyright
(c) 2003-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\cxgb3_defs.h(2): * Copyright (c)
2006-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\cxgb3_ioctl.h(2): * Copyright (c)
2003-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\cxgb3_main.c(2): * Copyright (c)
2003-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\cxgb3_offload.c(2): * Copyright (c)
2006-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\cxgb3_offload.h(2): * Copyright (c)
2006-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\firmware_exports.h(2): * Copyright
(c) 2004-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\l2t.c(2): * Copyright (c) 2003-2008
Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\l2t.h(2): * Copyright (c) 2003-2008
Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\mc5.c(2): * Copyright (c) 2003-2008
Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\sge.c(2): * Copyright (c) 2005-2008
Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\t3_cpl.h(2): * Copyright (c)
2004-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\t3_hw.c(2): * Copyright (c)
2003-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\t3cdev.h(2): * Copyright (C)
2006-2008 Chelsio Communications. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\version.h(2): * Copyright (c)
2003-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\vsc8211.c(2): * Copyright (c)
2005-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb3\xgmac.c(2): * Copyright (c)
2005-2008 Chelsio, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb4\cxgb4.h(4): * Copyright (c)
2003-2010 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb4\cxgb4_main.c(4): * Copyright (c)
2003-2010 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb4\cxgb4_uld.h(4): * Copyright (c)
2003-2010 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb4\l2t.c(4): * Copyright (c) 2003-2010
Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\chelsio\cxgb4\l2t.h(4): * Copyright (c) 2003-2010

legal(ME)

Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4\sge.c(4): * Copyright (c) 2003-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4\t4_hw.c(4): * Copyright (c) 2003-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4\t4_hw.h(4): * Copyright (c) 2003-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4\t4_msg.h(4): * Copyright (c) 2003-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4\t4_regs.h(4): * Copyright (c) 2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4\t4fw_api.h(4): * Copyright (c) 2009-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4vf\adapter.h(5): * Copyright (c) 2009-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4vf\cxgb4vf_main.c(5): * Copyright (c) 2009-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4vf\sge.c(5): * Copyright (c) 2009-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4vf\t4vf_common.h(5): * Copyright (c) 2009-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4vf\t4vf_defs.h(5): * Copyright (c) 2009-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\chelsio\cxgb4vf\t4vf_hw.c(5): * Copyright (c) 2009-2010 Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\cirrus\cs89x0.h(1):/*Copyright, 1988-1992, Russell Nelson, Crynwr Software
linux-3.10\drivers\net\ethernet\cirrus\ep93xx_eth.c(3): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\drivers\net\ethernet\cisco\enic\cq_desc.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\cq_desc.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\cq_enet_desc.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\cq_enet_desc.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic.h(36):#define DRV_COPYRIGHTCopyright 2008-2011 Cisco Systems, Inc
linux-3.10\drivers\net\ethernet\cisco\enic\enic_dev.c(2): * Copyright 2011 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_dev.h(2): * Copyright 2011 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_main.c(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_main.c(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_pp.c(2): * Copyright 2011 Cisco

legal(ME)

Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_pp.h(2): * Copyright 2011 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_res.c(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_res.c(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_res.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\enic_res.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\rq_enet_desc.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\rq_enet_desc.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_cq.c(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_cq.c(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_cq.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_cq.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_dev.c(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_dev.c(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_dev.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_dev.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_devcmd.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_devcmd.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_enet.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_enet.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_intr.c(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_intr.c(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_intr.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_intr.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_nic.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_nic.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.
linux-3.10\drivers\net\ethernet\cisco\enic\vnic_resource.h(2): * Copyright

legal(ME)

2008-2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_resource.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_rq.c(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_rq.c(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_rq.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_rq.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_rss.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_rss.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_stats.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_stats.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_vic.c(2): * Copyright 2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_vic.h(2): * Copyright 2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_wq.c(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_wq.c(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_wq.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\vnic_wq.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\wq_enet_desc.h(2): * Copyright 2008-2010 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\cisco\enic\wq_enet_desc.h(3): * Copyright 2007 Nuova Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\davicom\dm9000.c(15): * (C) Copyright 1997-1998 DAVICOM Semiconductor, Inc. All Rights Reserved.

linux-3.10\drivers\net\ethernet\davicom\dm9000.c(17): * Additional updates, Copyright:

linux-3.10\drivers\net\ethernet\davicom\dm9000.c(3): * Copyright (C) 1997Sten Wang

linux-3.10\drivers\net\ethernet\dec\tulip\21142.c(4):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\21142.c(5):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\de2104x.c(11):retain the authorship, copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\dec\tulip\de2104x.c(3):Copyright 2001,2003 Jeff Garzik <jgarzik@pobox.com>

linux-3.10\drivers\net\ethernet\dec\tulip\de2104x.c(6):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\de4x5.c(4):Copyright 1994, 1995 Digital

legal(ME)

Equipment Corporation.

linux-3.10\drivers\net\ethernet\dec\tulip\de4x5.h(2):Copyright 1994 Digital Equipment Corporation.

linux-3.10\drivers\net\ethernet\dec\tulip\dmfe.c(21):(C)Copyright 1997-1998 DAVICOM Semiconductor, Inc. All Rights Reserved.

linux-3.10\drivers\net\ethernet\dec\tulip\dmfe.c(4):Copyright (C) 1997Sten Wang

linux-3.10\drivers\net\ethernet\dec\tulip\EEPROM.c(4):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\EEPROM.c(5):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\interrupt.c(4):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\interrupt.c(5):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\media.c(4):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\media.c(5):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\pn1c.c(4):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\pn1c.c(5):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\pn2c.c(4):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\pn2c.c(5):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\timer.c(4):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\timer.c(5):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\tulip.h(4):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\tulip.h(5):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\tulip_core.c(3):Copyright 2000,2001The Linux Kernel Team

linux-3.10\drivers\net\ethernet\dec\tulip\tulip_core.c(4):Written/copyright 1994-2001 by Donald Becker.

linux-3.10\drivers\net\ethernet\dec\tulip\winbond-840.c(20):Do not remove the copyright information.

linux-3.10\drivers\net\ethernet\dec\tulip\winbond-840.c(34):Copyright (C) 2000 Manfred Spraul

linux-3.10\drivers\net\ethernet\dec\tulip\winbond-840.c(38):Copyright (C) 2001 Manfred Spraul

linux-3.10\drivers\net\ethernet\dec\tulip\winbond-840.c(8):retain the authorship, copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\dlink\d12k.c(3):Copyright (c) 2001, 2002 by D-Link Corporation

linux-3.10\drivers\net\ethernet\dlink\d12k.h(3):Copyright (c) 2001, 2002 by D-Link Corporation

linux-3.10\drivers\net\ethernet\dlink\sundance.c(8):retain the authorship, copyright and license notice.This file is not

legal(ME)

linux-3.10\drivers\net\ethernet\dnet.c(4): * Copyright (C) 2008 Dave S.r.l.
<www.dave.eu>
linux-3.10\drivers\net\ethernet\dnet.c(5): * Copyright (C) 2009 Ilya Yanok,
Emcraft Systems Ltd, <yanok@emcraft.com>
linux-3.10\drivers\net\ethernet\dnet.h(4): * Copyright (C) 2008 Dave S.r.l.
<www.dave.eu>
linux-3.10\drivers\net\ethernet\emulex\benet\be.h(2): * Copyright (C) 2005 - 2013
Emulex
linux-3.10\drivers\net\ethernet\emulex\benet\be_cmds.c(2): * Copyright (C) 2005 -
2013 Emulex
linux-3.10\drivers\net\ethernet\emulex\benet\be_cmds.h(2): * Copyright (C) 2005 -
2013 Emulex
linux-3.10\drivers\net\ethernet\emulex\benet\be_ethtool.c(2): * Copyright (C)
2005 - 2013 Emulex
linux-3.10\drivers\net\ethernet\emulex\benet\be_hw.h(2): * Copyright (C) 2005 -
2013 Emulex
linux-3.10\drivers\net\ethernet\emulex\benet\be_main.c(2): * Copyright (C) 2005 -
2013 Emulex
linux-3.10\drivers\net\ethernet\emulex\benet\be_roce.c(2): * Copyright (C) 2005 -
2013 Emulex
linux-3.10\drivers\net\ethernet\emulex\benet\be_roce.h(2): * Copyright (C) 2005 -
2013 Emulex
linux-3.10\drivers\net\ethernet\ethoc.c(4): * Copyright (C) 2007-2008 Avionic
Design Development GmbH
linux-3.10\drivers\net\ethernet\ethoc.c(5): * Copyright (C) 2008-2009 Avionic
Design GmbH
linux-3.10\drivers\net\ethernet\faraday\ftgmac100.c(4): * (C) Copyright 2009-2011
Faraday Technology
linux-3.10\drivers\net\ethernet\faraday\ftgmac100.h(4): * (C) Copyright 2009-2011
Faraday Technology
linux-3.10\drivers\net\ethernet\faraday\ftmac100.c(4): * (C) Copyright 2009-2011
Faraday Technology
linux-3.10\drivers\net\ethernet\faraday\ftmac100.h(4): * (C) Copyright 2009-2011
Faraday Technology
linux-3.10\drivers\net\ethernet\fealnx.c(7):retain the authorship, copyright and
license notice.This file is not
linux-3.10\drivers\net\ethernet\freescale\fec.h(120): *Copyright (c) 1997 Dan
Malek (dmalek@jlc.net).
linux-3.10\drivers\net\ethernet\freescale\fec.h(7): *(C) Copyright 2000-2005,
Greg Ungerer (gerg@snapgear.com)
linux-3.10\drivers\net\ethernet\freescale\fec.h(8): *(C) Copyright 2000-2001,
Lineo (www.lineo.com)
linux-3.10\drivers\net\ethernet\freescale\fec_main.c(13): * Copyright (c) 2000
Ericsson Radio Systems AB.
linux-3.10\drivers\net\ethernet\freescale\fec_main.c(16): * Copyright (c)
2001-2005 Greg Ungerer (gerg@snapgear.com)
linux-3.10\drivers\net\ethernet\freescale\fec_main.c(19): * Copyright (c)
2004-2006 Macq Electronique SA.
linux-3.10\drivers\net\ethernet\freescale\fec_main.c(21): * Copyright (C)
2010-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ethernet\freescale\fec_main.c(3): * Copyright (c) 1997 Dan
Malek (dmalek@jlc.net)

legal(ME)

linux-3.10\drivers\net\ethernet\freescale\fec_mpc52xx.c(7): * Copyright (C) 2007Domen Puncer, Telargo, Inc.
linux-3.10\drivers\net\ethernet\freescale\fec_mpc52xx.c(8): * Copyright (C) 2007Sylvain Munaut <tnt@246tNt.com>
linux-3.10\drivers\net\ethernet\freescale\fec_mpc52xx.c(9): * Copyright (C) 2003-2004MontaVista, Software, Inc.
linux-3.10\drivers\net\ethernet\freescale\fec_mpc52xx_phy.c(4): * Copyright (C) 2007Domen Puncer, Telargo, Inc.
linux-3.10\drivers\net\ethernet\freescale\fec_mpc52xx_phy.c(5): * Copyright (C) 2008Wolfram Sang, Pengutronix
linux-3.10\drivers\net\ethernet\freescale\fec_ptp.c(4): * Copyright (C) 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ethernet\freescale\fs_enet\fs_enet-main.c(4): * Copyright (c) 2003 Intracom S.A.
linux-3.10\drivers\net\ethernet\freescale\fs_enet\mac-fcc.c(4): * Copyright (c) 2003 Intracom S.A.
linux-3.10\drivers\net\ethernet\freescale\fs_enet\mac-fec.c(4): * Copyright (c) 2005 Intracom S.A.
linux-3.10\drivers\net\ethernet\freescale\fs_enet\mac-scc.c(4): * Copyright (c) 2003 Intracom S.A.
linux-3.10\drivers\net\ethernet\freescale\fs_enet\mii-bitbang.c(4): * Copyright (c) 2003 Intracom S.A.
linux-3.10\drivers\net\ethernet\freescale\fs_enet\mii-fec.c(4): * Copyright (c) 2003 Intracom S.A.
linux-3.10\drivers\net\ethernet\freescale\fs1_pq_mdio.c(8): * Copyright 2002-2004, 2008-2009 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ethernet\freescale\gianfar.c(12): * Copyright 2002-2009, 2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ethernet\freescale\gianfar.c(13): * Copyright 2007 MontaVista Software, Inc.
linux-3.10\drivers\net\ethernet\freescale\gianfar.h(12): * Copyright 2002-2009, 2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ethernet\freescale\gianfar_ethtool.c(12): *Copyright 2003-2006, 2008-2009, 2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ethernet\freescale\gianfar_ptp.c(4): * Copyright (C) 2010 OMICRON electronics GmbH
linux-3.10\drivers\net\ethernet\freescale\gianfar_sysfs.c(13): * Copyright 2002-2009 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ethernet\freescale\ucc_geth.c(2): * Copyright (C) 2006-2009 Freescale Semicondutor, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\freescale\ucc_geth.h(2): * Copyright (C) Freescale Semicondutor, Inc. 2006-2009. All rights reserved.
linux-3.10\drivers\net\ethernet\freescale\ucc_geth_ethtool.c(2): * Copyright (c) 2007 Freescale Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\freescale\xgmac_mdio.c(4): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ethernet\fujitsu\fmvj18x_cs.c(18):Copyright 1993 United States Government as represented by the
linux-3.10\drivers\net\ethernet\i825xx\82596.c(33): Copyright 1993 United States Government as represented by the Director,
linux-3.10\drivers\net\ethernet\i825xx\ether1.c(4): *Copyright (C) 1996-2000 Russell King

legal(ME)

linux-3.10\drivers\net\ethernet\i825xx\ether1.h(4): *Copyright (C) 1996 Russell King
linux-3.10\drivers\net\ethernet\i825xx\lasi_82596.c(61): Copyright 1993 United States Government as represented by the Director,
linux-3.10\drivers\net\ethernet\i825xx\lib82596.c(61): Copyright 1993 United States Government as represented by the Director,
linux-3.10\drivers\net\ethernet\i825xx\sun3_82586.c(15): * Copyrights (c) 1994,1995,1996 by M.Hipp (hippm@informatik.uni-tuebingen.de)
linux-3.10\drivers\net\ethernet\i825xx\sun3_82586.c(6): * Original copyright follows:
linux-3.10\drivers\net\ethernet\i825xx\sun3_82586.h(15): * Cloned from ni52.h, copyright as above.
linux-3.10\drivers\net\ethernet\i825xx\sun3_82586.h(7): * copyrights (c) 1994 by Michael Hipp (hippm@informatik.uni-tuebingen.de)
linux-3.10\drivers\net\ethernet\ibm\eha\eha.h(6): *(C) Copyright IBM Corp. 2006
linux-3.10\drivers\net\ethernet\ibm\eha\eha_ethtool.c(6): *(C) Copyright IBM Corp. 2006
linux-3.10\drivers\net\ethernet\ibm\eha\eha_hw.h(6): *(C) Copyright IBM Corp. 2006
linux-3.10\drivers\net\ethernet\ibm\eha\eha_main.c(6): *(C) Copyright IBM Corp. 2006
linux-3.10\drivers\net\ethernet\ibm\eha\eha_phyp.c(6): *(C) Copyright IBM Corp. 2006
linux-3.10\drivers\net\ethernet\ibm\eha\eha_phyp.h(6): *(C) Copyright IBM Corp. 2006
linux-3.10\drivers\net\ethernet\ibm\eha\eha_qmr.c(6): *(C) Copyright IBM Corp. 2006
linux-3.10\drivers\net\ethernet\ibm\eha\eha_qmr.h(6): *(C) Copyright IBM Corp. 2006
linux-3.10\drivers\net\ethernet\ibm\emac\core.c(11): * Copyright (c) 2004, 2005 Zultys Technologies.
linux-3.10\drivers\net\ethernet\ibm\emac\core.c(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\net\ethernet\ibm\emac\core.h(11): * Copyright (c) 2004, 2005 Zultys Technologies.
linux-3.10\drivers\net\ethernet\ibm\emac\core.h(17): *Copyright 2000, 2001 MontaVista Software Inc.
linux-3.10\drivers\net\ethernet\ibm\emac\core.h(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\net\ethernet\ibm\emac\debug.c(11): * Copyright (c) 2004, 2005 Zultys Technologies
linux-3.10\drivers\net\ethernet\ibm\emac\debug.c(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\net\ethernet\ibm\emac\debug.h(11): * Copyright (c) 2004, 2005 Zultys Technologies
linux-3.10\drivers\net\ethernet\ibm\emac\debug.h(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\net\ethernet\ibm\emac\emac.h(11): * Copyright (c) 2004, 2005 Zultys Technologies.
linux-3.10\drivers\net\ethernet\ibm\emac\emac.h(17): * Copyright 2002-2004 MontaVista Software Inc.
linux-3.10\drivers\net\ethernet\ibm\emac\emac.h(6): * Copyright 2007 Benjamin

legal(ME)

Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\mal.c(11): * Copyright (c) 2004, 2005 Zultys Technologies.

linux-3.10\drivers\net\ethernet\ibm\emac\mal.c(19): * Copyright 2002 MontaVista Software Inc.

linux-3.10\drivers\net\ethernet\ibm\emac\mal.c(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\mal.h(11): * Copyright (c) 2004, 2005 Zultys Technologies.

linux-3.10\drivers\net\ethernet\ibm\emac\mal.h(16): * Copyright 2002 MontaVista Software Inc.

linux-3.10\drivers\net\ethernet\ibm\emac\mal.h(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\phy.c(11): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\phy.h(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\rgmii.c(11): * Copyright (c) 2004, 2005 Zultys Technologies.

linux-3.10\drivers\net\ethernet\ibm\emac\rgmii.c(16): * Copyright 2004 MontaVista Software, Inc.

linux-3.10\drivers\net\ethernet\ibm\emac\rgmii.c(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\rgmii.h(14): * Copyright 2004 MontaVista Software, Inc.

linux-3.10\drivers\net\ethernet\ibm\emac\rgmii.h(17): * Copyright (c) 2004, 2005 Zultys Technologies.

linux-3.10\drivers\net\ethernet\ibm\emac\rgmii.h(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\tah.c(11): * Copyright 2004 MontaVista Software, Inc.

linux-3.10\drivers\net\ethernet\ibm\emac\tah.c(14): * Copyright (c) 2005 Eugene Surovegin <ebs@ebshome.net>

linux-3.10\drivers\net\ethernet\ibm\emac\tah.c(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\tah.h(11): * Copyright 2004 MontaVista Software, Inc.

linux-3.10\drivers\net\ethernet\ibm\emac\tah.h(14): * Copyright (c) 2005 Eugene Surovegin <ebs@ebshome.net>

linux-3.10\drivers\net\ethernet\ibm\emac\tah.h(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\zmii.c(11): * Copyright (c) 2004, 2005 Zultys Technologies.

linux-3.10\drivers\net\ethernet\ibm\emac\zmii.c(16): * Copyright 2001 MontaVista Software Inc.

linux-3.10\drivers\net\ethernet\ibm\emac\zmii.c(6): * Copyright 2007 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\emac\zmii.h(11): * Copyright (c) 2004, 2005 Zultys Technologies.

linux-3.10\drivers\net\ethernet\ibm\emac\zmii.h(16): * Copyright 2001 MontaVista Software Inc.

linux-3.10\drivers\net\ethernet\ibm\emac\zmii.h(6): * Copyright 2007 Benjamin

legal(ME)

Herrenschmidt, IBM Corp.

linux-3.10\drivers\net\ethernet\ibm\ibmveth.c(18): * Copyright (C) IBM Corporation, 2003, 2010

linux-3.10\drivers\net\ethernet\ibm\ibmveth.h(18): * Copyright (C) IBM Corporation, 2003, 2010

linux-3.10\drivers\net\ethernet\icplus\ipg.c(4): * Copyright (C) 2003, 2007 IC Plus Corp

linux-3.10\drivers\net\ethernet\intel\e100.c(181):#define

DRV_COPYRIGHTCopyright(c) 1999-2006 Intel Corporation

linux-3.10\drivers\net\ethernet\intel\e100.c(191):MODULE_AUTHOR(DRV_COPYRIGHT);

linux-3.10\drivers\net\ethernet\intel\e100.c(4):Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000\e1000.h(4):Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000\e1000_ethtool.c(4):Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000\e1000_hw.c(4):Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000\e1000_hw.h(4):Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000\e1000_main.c(249):pr_info("%s\n", e1000_copyright);

linux-3.10\drivers\net\ethernet\intel\e1000\e1000_main.c(4):Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000\e1000_main.c(40):static const char e1000_copyright[] = "Copyright (c) 1999-2006 Intel Corporation.";

linux-3.10\drivers\net\ethernet\intel\e1000\e1000_osdep.h(4):Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000\e1000_param.c(4):Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000\Makefile(4):# Copyright(c) 1999 - 2006 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\80003es2lan.c(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\80003es2lan.h(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\82571.c(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\82571.h(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\defines.h(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\e1000.h(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\ethtool.c(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\hw.h(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\ich8lan.c(4):Copyright(c) 1999 - 2013 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\e1000e\ich8lan.h(4):Copyright(c) 1999 - 2013 Intel Corporation.

legal(ME)

linux-3.10\drivers\net\ethernet\intel\igb\mac.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\mac.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\Makefile(4):# Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\manage.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\manage.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\netdev.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\netdev.c(7018):pr_info("Copyright(c) 1999 - 2013 Intel Corporation.\n");
linux-3.10\drivers\net\ethernet\intel\igb\nvm.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\nvm.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\param.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\phy.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\phy.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\ptp.c(31): * Copyright (C) 2011 Richard Cochran <richardcochran@gmail.com>
linux-3.10\drivers\net\ethernet\intel\igb\ptp.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\regs.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_82575.c(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_82575.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_defines.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_hw.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_i210.c(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_i210.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_mac.c(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_mac.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_mbx.c(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_mbx.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_nvmm.c(4):Copyright(c) 2007-2013 Intel Corporation.

legal(ME)

linux-3.10\drivers\net\ethernet\intel\igb\e1000_nvm.h(4):Copyright(c) 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\e1000_phy.c(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\e1000_phy.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\e1000_regs.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb.h(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_ethtool.c(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_hwmon.c(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_main.c(4):Copyright(c) 2007-2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igb\igb_main.c(685):pr_info("%s\n", igb_copyright);
linux-3.10\drivers\net\ethernet\intel\igb\igb_main.c(72):static const char igb_copyright[] =
linux-3.10\drivers\net\ethernet\intel\igb\igb_main.c(73):Copyright (c) 2007-2013 Intel Corporation.;
linux-3.10\drivers\net\ethernet\intel\igb\igb_ptp.c(3): * Copyright (C) 2011 Richard Cochran <richardcochran@gmail.com>
linux-3.10\drivers\net\ethernet\intel\igb\Makefile(4):# Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\defines.h(4):Copyright(c) 1999 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\ethtool.c(4):Copyright(c) 2009 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\igbvf.h(4):Copyright(c) 2009 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\Makefile(4):# Copyright(c) 2009 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\mbx.c(4):Copyright(c) 2009 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\mbx.h(4):Copyright(c) 1999 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\netdev.c(2896):pr_info("%s\n", igbvf_copyright);
linux-3.10\drivers\net\ethernet\intel\igbvf\netdev.c(4):Copyright(c) 2009 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\netdev.c(55):static const char igbvf_copyright[] =
linux-3.10\drivers\net\ethernet\intel\igbvf\netdev.c(56):"Copyright (c) 2009 - 2012 Intel Corporation.";
linux-3.10\drivers\net\ethernet\intel\igbvf\regs.h(4):Copyright(c) 2009 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\vf.c(4):Copyright(c) 2009 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\igbvf\vf.h(4):Copyright(c) 2009 - 2012 Intel Corporation.

legal(ME)

linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb.h(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_ee.c(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_ee.h(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_ethtool.c(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_hw.c(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_hw.h(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_ids.h(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_main.c(155):pr_info("%s\n", ixgb_copyright);
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_main.c(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_main.c(40):static const char ixgb_copyright[] = "Copyright (c) 1999-2008 Intel Corporation."
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_osdep.h(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\ixgb_param.c(4):Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgb\Makefile(4):# Copyright(c) 1999 - 2008 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_82598.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_82599.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_common.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_common.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_dcb.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_dcb.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_dcb_82598.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_dcb_82598.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_dcb_82599.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_dcb_82599.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_dcb_nl.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_debugfs.c(4):Copyright(c) 1999 - 2013 Intel Corporation.

legal(ME)

linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_ethtool.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_fcoe.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_fcoe.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_lib.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_main.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_main.c(68):static const char ixgbe_copyright[] =
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_main.c(69):Copyright (c) 1999-2013 Intel Corporation.;
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_main.c(7956):pr_info("%s\n", ixgbe_copyright);
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_mbx.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_mbx.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_phy.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_phy.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_ptp.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_sriov.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_sriov.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_sysfs.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_type.h(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\ixgbe_x540.c(4):Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbe\Makefile(4):# Copyright(c) 1999 - 2013 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbevf\defines.h(4):Copyright(c) 1999 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbevf\ethtool.c(4):Copyright(c) 1999 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbevf\ixgbevf.h(4):Copyright(c) 1999 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbevf\ixgbevf_main.c(30): Copyright (c)2006 - 2007 Myricom, Inc. for some LRO specific code
linux-3.10\drivers\net\ethernet\intel\ixgbevf\ixgbevf_main.c(3621):pr_info("%s\n", ixgbevf_copyright);
linux-3.10\drivers\net\ethernet\intel\ixgbevf\ixgbevf_main.c(4):Copyright(c) 1999 - 2012 Intel Corporation.
linux-3.10\drivers\net\ethernet\intel\ixgbevf\ixgbevf_main.c(63):static char ixgbevf_copyright[] =

legal(ME)

linux-3.10\drivers\net\ethernet\intel\ixgbevf\ixgbevf_main.c(64):Copyright (c) 2009 - 2012 Intel Corporation.;

linux-3.10\drivers\net\ethernet\intel\ixgbevf\Makefile(4):# Copyright(c) 1999 - 2012 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\ixgbevf\mbx.c(4):Copyright(c) 1999 - 2012 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\ixgbevf\mbx.h(4):Copyright(c) 1999 - 2012 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\ixgbevf\regs.h(4):Copyright(c) 1999 - 2012 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\ixgbevf\vf.c(4):Copyright(c) 1999 - 2012 Intel Corporation.

linux-3.10\drivers\net\ethernet\intel\ixgbevf\vf.h(4):Copyright(c) 1999 - 2012 Intel Corporation.

linux-3.10\drivers\net\ethernet\jme.c(4): * Copyright 2008 JMicron Technology Corporation

linux-3.10\drivers\net\ethernet\jme.c(6): * Copyright (c) 2009 - 2010 Guo-Fu Tseng <cooldavid@cooldavid.org>

linux-3.10\drivers\net\ethernet\jme.h(4): * Copyright 2008 JMicron Technology Corporation

linux-3.10\drivers\net\ethernet\jme.h(6): * Copyright (c) 2009 - 2010 Guo-Fu Tseng <cooldavid@cooldavid.org>

linux-3.10\drivers\net\ethernet\korina.c(4): *Copyright 2004 IDT Inc. (rischelp@idt.com)

linux-3.10\drivers\net\ethernet\korina.c(5): *Copyright 2006 Felix Fietkau <nbd@openwrt.org>

linux-3.10\drivers\net\ethernet\korina.c(6): *Copyright 2008 Florian Fainelli <florian@openwrt.org>

linux-3.10\drivers\net\ethernet\lantiq_etop.c(15): * Copyright (C) 2011 John Crispin <blogic@openwrt.org>

linux-3.10\drivers\net\ethernet\marvell\mv643xx_eth.c(12): * Copyright (C) 2003 Ralf Baechle <ralf@linux-mips.org>

linux-3.10\drivers\net\ethernet\marvell\mv643xx_eth.c(14): * Copyright (C) 2004-2006 MontaVista Software, Inc.

linux-3.10\drivers\net\ethernet\marvell\mv643xx_eth.c(17): * Copyright (C) 2004 Steven J. Hill <sjhill1@rockwellcollins.com>

linux-3.10\drivers\net\ethernet\marvell\mv643xx_eth.c(20): * Copyright (C) 2007-2008 Marvell Semiconductor

linux-3.10\drivers\net\ethernet\marvell\mv643xx_eth.c(23): * Copyright (C) 2013 Michael Stapelberg <michael@stapelberg.de>

linux-3.10\drivers\net\ethernet\marvell\mv643xx_eth.c(3): * Copyright (C) 2002 Matthew Dharm <mdharm@momenco.com>

linux-3.10\drivers\net\ethernet\marvell\mv643xx_eth.c(6): * Copyright (C) 2002 Rabeeh Khoury <rabeeh@galileo.co.il>

linux-3.10\drivers\net\ethernet\marvell\mv643xx_eth.c(9): * Copyright (C) 2003 PMC-Sierra, Inc.,

linux-3.10\drivers\net\ethernet\marvell\mvmdio.c(13): * Copyright (C) 2012 Marvell

linux-3.10\drivers\net\ethernet\marvell\mvneta.c(4): * Copyright (C) 2012 Marvell

linux-3.10\drivers\net\ethernet\marvell\pxa168_eth.c(5): * Copyright (C) 2010 Marvell International Ltd.

linux-3.10\drivers\net\ethernet\marvell\skge.c(10): * Copyright (C) 2004, 2005

legal(ME)

Stephen Hemminger <shemminger@osdl.org>
linux-3.10\drivers\net\ethernet\marvell\sky2.c(9): * Copyright (C) 2005 Stephen Hemminger <shemminger@osdl.org>
linux-3.10\drivers\net\ethernet\mellanox\mlx4\alloc.c(2): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\alloc.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\catas.c(2): * Copyright (c) 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\catas.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\cmd.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\cmd.c(3): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\cmd.c(4): * Copyright (c) 2005, 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\cq.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\cq.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\cq.c(4): * Copyright (c) 2005, 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\cq.c(5): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\cq.c(6): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_clock.c(2): * Copyright (c) 2012 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_cq.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_dcb_nl.c(2): * Copyright (c) 2011 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_ethtool.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_main.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_netdev.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_port.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_port.h(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_resources.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_rx.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_selftest.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\en_tx.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\eq.c(2): * Copyright (c) 2005,

legal(ME)

2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\eq.c(3): * Copyright (c) 2005, 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\fw.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\fw.c(3): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\fw.c(4): * Copyright (c) 2005, 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\fw.h(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\fw.h(3): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\fw.h(4): * Copyright (c) 2006, 2007 Cisco Systems. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\icm.c(2): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\icm.c(3): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\icm.h(2): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\icm.h(3): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\intf.c(2): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\intf.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\main.c(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\main.c(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\main.c(4): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\main.c(5): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mcg.c(2): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mcg.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mlx4.h(2): * Copyright (c) 2004, 2005 Topspin Communications. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mlx4.h(3): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mlx4.h(4): * Copyright (c) 2005, 2006, 2007 Cisco Systems. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mlx4.h(5): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mlx4.h(6): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mlx4_en.h(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.
linux-3.10\drivers\net\ethernet\mellanox\mlx4\mr.c(2): * Copyright (c) 2004

legal(ME)

Topspin Communications.All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\mr.c(3): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\mr.c(4): * Copyright (c) 2006, 2007 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\pd.c(2): * Copyright (c) 2006, 2007 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\pd.c(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\port.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\profile.c(2): * Copyright (c) 2004, 2005 Topspin Communications.All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\profile.c(3): * Copyright (c) 2005 Mellanox Technologies. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\profile.c(4): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\qp.c(2): * Copyright (c) 2004 Topspin Communications.All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\qp.c(3): * Copyright (c) 2005, 2006, 2007 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\qp.c(4): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\qp.c(5): * Copyright (c) 2004 Voltaire, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\reset.c(2): * Copyright (c) 2006, 2007 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\reset.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\resource_tracker.c(2): * Copyright (c) 2004, 2005 Topspin Communications.All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\resource_tracker.c(3): * Copyright (c) 2005, 2006, 2007, 2008 Mellanox Technologies.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\resource_tracker.c(5): * Copyright (c) 2005, 2006, 2007 Cisco Systems, Inc.All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\sense.c(2): * Copyright (c) 2007 Mellanox Technologies. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\srq.c(2): * Copyright (c) 2006, 2007 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\net\ethernet\mellanox\mlx4\srq.c(3): * Copyright (c) 2007, 2008 Mellanox Technologies. All rights reserved.

linux-3.10\drivers\net\ethernet\micrel\ks8695net.c(14): * Copyright 2008 Simtec Electronics

linux-3.10\drivers\net\ethernet\micrel\ks8695net.h(4): * Copyright 2008 Simtec Electronics

linux-3.10\drivers\net\ethernet\micrel\ks8842.c(3): * Copyright (c) 2009 Intel Corporation

linux-3.10\drivers\net\ethernet\micrel\ks8851.c(3): * Copyright 2009 Simtec Electronics

linux-3.10\drivers\net\ethernet\micrel\ks8851.h(3): * Copyright 2009 Simtec Electronics

linux-3.10\drivers\net\ethernet\micrel\ks8851_mll.c(3): * Copyright (c) 2009

legal(ME)

Micrel Inc.

linux-3.10\drivers\net\ethernet\micrel\ks2884x.c(4): * Copyright (c) 2009-2010
Micrel, Inc.

linux-3.10\drivers\net\ethernet\microchip\enc28j60.c(4): * Copyright (C) 2007
Eurek srl

linux-3.10\drivers\net\ethernet\myricom\myri10ge\myri10ge.c(4): * Copyright (C)
2005 - 2011 Myricom, Inc.

linux-3.10\drivers\net\ethernet\natsemi\natsemi.c(11):retain the authorship,
copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\natsemi\natsemi.c(3):Written/copyright 1999-2001
by Donald Becker.

linux-3.10\drivers\net\ethernet\natsemi\natsemi.c(4):Portions copyright (c)
2001,2002 Sun Microsystems (thockin@sun.com)

linux-3.10\drivers\net\ethernet\natsemi\natsemi.c(5):Portions copyright 2001,2002
Manfred Spraul (manfred@colorfullife.com)

linux-3.10\drivers\net\ethernet\natsemi\natsemi.c(6):Portions copyright 2004
Harald Welte <laforge@gnumonks.org>

linux-3.10\drivers\net\ethernet\natsemi\ns83820.c(8): * Copyright 2001 Benjamin
LaHaise.

linux-3.10\drivers\net\ethernet\natsemi\ns83820.c(9): * Copyright 2001, 2002 Red
Hat.

linux-3.10\drivers\net\ethernet\neterion\s2io.c(3): * Copyright(c) 2002-2010 Exar
Corp.

linux-3.10\drivers\net\ethernet\neterion\s2io.c(8): * retain the authorship,
copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\neterion\s2io.c(8078):DBG_PRINT(ERR_DBG,
"Copyright(c) 2002-2010 Exar Corp.\n");

linux-3.10\drivers\net\ethernet\neterion\s2io.h(3): * Copyright(c) 2002-2010 Exar
Corp.

linux-3.10\drivers\net\ethernet\neterion\s2io.h(8): * retain the authorship,
copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\neterion\s2io-regs.h(3): * Copyright(c) 2002-2010
Exar Corp.

linux-3.10\drivers\net\ethernet\neterion\s2io-regs.h(8): * retain the authorship,
copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-config.c(12): * Copyright(c)
2002-2010 Exar Corp.

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-config.c(5): * retain the
authorship, copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-config.h(12): * Copyright(c)
2002-2010 Exar Corp.

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-config.h(5): * retain the
authorship, copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-ethtool.c(12): * Copyright(c)
2002-2010 Exar Corp.

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-ethtool.c(5): * retain the
authorship, copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-ethtool.h(12): * Copyright(c)
2002-2010 Exar Corp.

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-ethtool.h(5): * retain the
authorship, copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-main.c(12):* Copyright(c)

legal(ME)

2002-2010 Exar Corp.
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-main.c(4823):pr_info("Copyright(c) 2002-2010 Exar Corp.\n");
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-main.c(5):* retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-main.h(12): * Copyright(c) 2002-2010 Exar Corp.
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-main.h(5): * retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-reg.h(12): * Copyright(c) 2002-2010 Exar Corp.
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-reg.h(5): * retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-traffic.c(12): * Copyright(c) 2002-2010 Exar Corp.
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-traffic.c(5): * retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-traffic.h(12): * Copyright(c) 2002-2010 Exar Corp.
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-traffic.h(5): * retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-version.h(12): * Copyright(c) 2002-2010 Exar Corp.
linux-3.10\drivers\net\ethernet\neterion\vxge\vxge-version.h(5): * retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\netx-eth.c(4): * Copyright (c) 2005 Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\drivers\net\ethernet\nuvoton\w90p910_ether.c(2): * Copyright (c) 2008-2009 Nuvoton technology corporation.
linux-3.10\drivers\net\ethernet\nvidia\forcedeth.c(12): * Copyright (C) 2003,4,5 Manfred Spraul
linux-3.10\drivers\net\ethernet\nvidia\forcedeth.c(13): * Copyright (C) 2004 Andrew de Quincey (wol support)
linux-3.10\drivers\net\ethernet\nvidia\forcedeth.c(14): * Copyright (C) 2004 Carl-Daniel Hailfinger (invalid MAC handling, insane
linux-3.10\drivers\net\ethernet\nvidia\forcedeth.c(16): * Copyright (c) 2004,2005,2006,2007,2008,2009 NVIDIA Corporation
linux-3.10\drivers\net\ethernet\nxp\lpc_eth.c(6): * Copyright (C) 2010 NXP Semiconductors
linux-3.10\drivers\net\ethernet\nxp\lpc_eth.c(7): * Copyright (C) 2012 Roland Stigge <stigge@antcom.de>
linux-3.10\drivers\net\ethernet\octeon\octeon_mgmt.c(6): * Copyright (C) 2009-2012 Cavium, Inc
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe.h(2): * Copyright (C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe.h(3): * Copyright (C) 2010 OKI SEMICONDUCTOR Co., LTD.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_api.c(2): * Copyright (C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_api.c(3): * Copyright (C) 2010 OKI SEMICONDUCTOR Co., LTD.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_api.h(2): * Copyright

legal(ME)

(C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_api.h(3): * Copyright
(C) 2010 OKI SEMICONDUCTOR Co., LTD.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_ethtool.c(2): *
Copyright (C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_ethtool.c(3): *
Copyright (C) 2010 OKI SEMICONDUCTOR Co., LTD.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_main.c(2): * Copyright
(C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_main.c(3): * Copyright
(C) 2010 - 2012 LAPIS SEMICONDUCTOR CO., LTD.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_param.c(2): * Copyright
(C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_param.c(3): * Copyright
(C) 2010 OKI SEMICONDUCTOR Co., LTD.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_phy.c(2): * Copyright
(C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_phy.c(3): * Copyright
(C) 2010 OKI SEMICONDUCTOR Co., LTD.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_phy.h(2): * Copyright
(C) 1999 - 2010 Intel Corporation.
linux-3.10\drivers\net\ethernet\oki-semi\pch_gbe\pch_gbe_phy.h(3): * Copyright
(C) 2010 OKI SEMICONDUCTOR Co., LTD.
linux-3.10\drivers\net\ethernet\packetengines\hamachi.c(9):retain the authorship,
copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\packetengines\yellowfin.c(8):retain the
authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\pasemi\pasemi_mac.c(2): * Copyright (C) 2006-2007
PA Semi, Inc
linux-3.10\drivers\net\ethernet\pasemi\pasemi_mac.h(2): * Copyright (C) 2006 PA
Semi, Inc
linux-3.10\drivers\net\ethernet\pasemi\pasemi_mac_ethtool.c(2): * Copyright (C)
2006-2008 PA Semi, Inc
linux-3.10\drivers\net\ethernet\qlogic\netxen\Makefile(1):# Copyright (C) 2003 -
2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\Makefile(2):# Copyright (C) 2009 -
QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic.h(2): * Copyright (C)
2003 - 2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic.h(3): * Copyright (C)
2009 - QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_ctx.c(2): * Copyright
(C) 2003 - 2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_ctx.c(3): * Copyright
(C) 2009 - QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_ethtool.c(2): *
Copyright (C) 2003 - 2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_ethtool.c(3): *
Copyright (C) 2009 - QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_hdr.h(2): * Copyright
(C) 2003 - 2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_hdr.h(3): * Copyright

legal(ME)

(C) 2009 - QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_hw.c(2): * Copyright (C) 2003 - 2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_hw.c(3): * Copyright (C) 2009 - QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_hw.h(2): * Copyright (C) 2003 - 2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_hw.h(3): * Copyright (C) 2009 - QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_init.c(2): * Copyright (C) 2003 - 2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_init.c(3): * Copyright (C) 2009 - QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_main.c(2): * Copyright (C) 2003 - 2009 NetXen, Inc.
linux-3.10\drivers\net\ethernet\qlogic\netxen\netxen_nic_main.c(3): * Copyright (C) 2009 - QLogic Corporation.
linux-3.10\drivers\net\ethernet\qlogic\qla3xxx.c(3): * Copyright (c)2003-2006 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qla3xxx.c(5): * See LICENSE.qla3xxx for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qla3xxx.h(3): * Copyright (c)2003-2006 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qla3xxx.h(5): * See LICENSE.qla3xxx for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic.h(3): * Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic.h(5): * See LICENSE.qlcnic for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_83xx_hw.c(3): * Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_83xx_hw.c(5): * See LICENSE.qlcnic for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_83xx_hw.h(3): * Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_83xx_hw.h(5): * See LICENSE.qlcnic for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_83xx_init.c(3): * Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_83xx_init.c(5): * See LICENSE.qlcnic for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_83xx_vnic.c(3): * Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_83xx_vnic.c(5): * See LICENSE.qlcnic for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_ctx.c(3): * Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_ctx.c(5): * See LICENSE.qlcnic for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_ethtool.c(3): * Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnic\qlcnic_ethtool.c(5): * See

legal(ME)

LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_hdr.h(3): * Copyright (c)
2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_hdr.h(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_hw.c(3): * Copyright (c)
2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_hw.c(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_hw.h(3): * Copyright (c)
2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_hw.h(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_init.c(3): * Copyright (c)
2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_init.c(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_io.c(3): * Copyright (c)
2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_io.c(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_main.c(3): * Copyright (c)
2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_main.c(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_minidump.c(3): * Copyright
(c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_minidump.c(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_sriov.h(3): * Copyright (c)
2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_sriov.h(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_sriov_common.c(3): *
Copyright (c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_sriov_common.c(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_sriov_pf.c(3): * Copyright
(c) 2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_sriov_pf.c(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_sysfs.c(3): * Copyright (c)
2009-2013 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlcnlc\qlcnlc_sysfs.c(5): * See
LICENSE.qlcnlc for copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlge\qlge.h(3): * Copyright (c)2003-2006
QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlge\qlge.h(5): * See LICENSE.qlge for
copyright and licensing details.
linux-3.10\drivers\net\ethernet\qlogic\qlge\qlge_main.c(3): * Copyright
(c)2003-2008 QLogic Corporation
linux-3.10\drivers\net\ethernet\qlogic\qlge\qlge_main.c(4): * See LICENSE.qlge

legal(ME)

for copyright and licensing details.

linux-3.10\drivers\net\ethernet\rdc\r6040.c(4): * Copyright (C) 2004 Sten Wang
<sten.wang@rdc.com.tw>

linux-3.10\drivers\net\ethernet\rdc\r6040.c(5): * Copyright (C) 2007

linux-3.10\drivers\net\ethernet\rdc\r6040.c(7): * Copyright (C) 2007-2012 Florian
Fainelli <florian@openwrt.org>

linux-3.10\drivers\net\ethernet\realtek\8139cp.c(10):Copyright 1998-2001 by Jes
Sorensen, <jes@trained-monkey.org>. [acenic.c]

linux-3.10\drivers\net\ethernet\realtek\8139cp.c(15):retain the authorship,
copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\realtek\8139cp.c(3):Copyright 2001-2004 Jeff
Garzik <jgarzik@pobox.com>

linux-3.10\drivers\net\ethernet\realtek\8139cp.c(5):Copyright (C) 2001, 2002
David S. Miller (davem@redhat.com) [tg3.c]

linux-3.10\drivers\net\ethernet\realtek\8139cp.c(6):Copyright (C) 2000, 2001
David S. Miller (davem@redhat.com) [sungem.c]

linux-3.10\drivers\net\ethernet\realtek\8139cp.c(7):Copyright 2001 Manfred Spraul

linux-3.10\drivers\net\ethernet\realtek\8139cp.c(8):Copyright 1999-2001 by Donald
Becker.

linux-3.10\drivers\net\ethernet\realtek\8139too.c(19):copyright and license
notice.This file is not a complete

linux-3.10\drivers\net\ethernet\realtek\8139too.c(6):Copyright 2000-2002 Jeff
Garzik

linux-3.10\drivers\net\ethernet\realtek\atp.c(11):retain the authorship,
copyright and license notice.This file is not

linux-3.10\drivers\net\ethernet\realtek\atp.c(15):Copyright 1993 United States
Government as represented by the Director,

linux-3.10\drivers\net\ethernet\realtek\atp.c(16):National Security
Agency.Copyright 1994-2000 retained by the original

linux-3.10\drivers\net\ethernet\realtek\r8169.c(4): * Copyright (c) 2002 ShuChen
<shuchen@realtek.com.tw>

linux-3.10\drivers\net\ethernet\realtek\r8169.c(5): * Copyright (c) 2003 - 2007
Francois Romieu <romieu@fr.zoreil.com>

linux-3.10\drivers\net\ethernet\renesas\sh_eth.c(4): *Copyright (C) 2006-2012
Nobuhiro Iwamatsu

linux-3.10\drivers\net\ethernet\renesas\sh_eth.c(5): *Copyright (C) 2008-2013
Renesas Solutions Corp.

linux-3.10\drivers\net\ethernet\renesas\sh_eth.c(6): *Copyright (C) 2013 Cogent
Embedded, Inc.

linux-3.10\drivers\net\ethernet\renesas\sh_eth.h(4): *Copyright (C) 2006-2012
Nobuhiro Iwamatsu

linux-3.10\drivers\net\ethernet\renesas\sh_eth.h(5): *Copyright (C) 2008-2012
Renesas Solutions Corp.

linux-3.10\drivers\net\ethernet\seeq\ether3.c(4): *Copyright (C) 1995-2000
Russell King

linux-3.10\drivers\net\ethernet\seeq\ether3.h(4): *Copyright (C) 1995-2000
Russell King

linux-3.10\drivers\net\ethernet\seeq\sgiseeq.c(4): * Copyright (C) 1996 David S.
Miller (davem@davemloft.net)

linux-3.10\drivers\net\ethernet\seeq\sgiseeq.h(4): * Copyright (C) 1996 David S.
Miller (davem@davemloft.net)

linux-3.10\drivers\net\ethernet\sfc\bitfield.h(3): * Copyright 2005-2006 Fen

legal(ME)

Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\bitfield.h(4): * Copyright 2006-2009

Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\efx.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\efx.c(4): * Copyright 2005-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\efx.h(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\efx.h(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\enum.h(3): * Copyright 2007-2009 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\ethtool.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\ethtool.c(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\falcon.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\falcon.c(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\falcon_boards.c(3): * Copyright 2007-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\falcon_xmac.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\falcon_xmac.c(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\filter.c(3): * Copyright 2005-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\filter.h(3): * Copyright 2005-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\io.h(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\io.h(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mcidi.c(3): * Copyright 2008-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mcidi.h(3): * Copyright 2008-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mcidi_mac.c(3): * Copyright 2009-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mcidi_mon.c(3): * Copyright 2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mcidi_pcol.h(3): * Copyright 2009-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mcidi_phy.c(3): * Copyright 2009-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mdio_10g.c(3): * Copyright 2006-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mdio_10g.h(3): * Copyright 2006-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\mtd.c(3): * Copyright 2005-2006 Fen Systems

legal(ME)

Ltd.

linux-3.10\drivers\net\ethernet\sfc\mtd.c(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\net_driver.h(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\net_driver.h(4): * Copyright 2005-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\nic.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\nic.c(4): * Copyright 2006-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\nic.h(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\nic.h(4): * Copyright 2006-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\phy.h(3): * Copyright 2007-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\ptp.c(3): * Copyright 2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\qt202x_phy.c(3): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\regs.h(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\regs.h(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\rx.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\rx.c(4): * Copyright 2005-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\selftest.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\selftest.c(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\selftest.h(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\selftest.h(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\siena.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\siena.c(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\siena_sriov.c(3): * Copyright 2010-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\spi.h(3): * Copyright 2005 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\spi.h(4): * Copyright 2006-2010 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\tenxpress.c(3): * Copyright 2007-2011 Solarflare Communications Inc.

linux-3.10\drivers\net\ethernet\sfc\tx.c(3): * Copyright 2005-2006 Fen Systems Ltd.

linux-3.10\drivers\net\ethernet\sfc\tx.c(4): * Copyright 2005-2010 Solarflare Communications Inc.

legal(ME)

linux-3.10\drivers\net\ethernet\sfc\txc43128_phy.c(3): * Copyright 2006-2011 Solarflare Communications Inc.
linux-3.10\drivers\net\ethernet\sfc\vfdi.h(3): * Copyright 2010-2012 Solarflare Communications Inc.
linux-3.10\drivers\net\ethernet\sfc\workarounds.h(3): * Copyright 2006-2010 Solarflare Communications Inc.
linux-3.10\drivers\net\ethernet\sgi\ioc3-eth.c(8): * Copyright (C) 1999, 2000, 01, 03, 06 Ralf Baechle
linux-3.10\drivers\net\ethernet\sgi\ioc3-eth.c(9): * Copyright (C) 1995, 1999, 2000, 2001 by Silicon Graphics, Inc.
linux-3.10\drivers\net\ethernet\sgi\meth.c(4): * Copyright (C) 2001-2003 Ilya Volynets
linux-3.10\drivers\net\ethernet\sgi\meth.h(5): * Copyright (C) 2001 Alessandro Rubini and Jonathan Corbet
linux-3.10\drivers\net\ethernet\sgi\meth.h(6): * Copyright (C) 2001 O'Reilly & Associates
linux-3.10\drivers\net\ethernet\sis\sis190.c(14): retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\sis\sis190.c(4): Copyright (c) 2003 K.M. Liu <kmliu@sis.com>
linux-3.10\drivers\net\ethernet\sis\sis190.c(5): Copyright (c) 2003, 2004 Jeff Garzik <jgarzik@pobox.com>
linux-3.10\drivers\net\ethernet\sis\sis190.c(6): Copyright (c) 2003, 2004, 2005 Francois Romieu <romieu@fr.zoreil.com>
linux-3.10\drivers\net\ethernet\sis\sis900.c(10): the authorship (implicit copyright) notice.
linux-3.10\drivers\net\ethernet\sis\sis900.c(2): Copyright 1999 Silicon Integrated System Corporation
linux-3.10\drivers\net\ethernet\sis\sis900.h(2): * Copyright 1999 Silicon Integrated System Corporation
linux-3.10\drivers\net\ethernet\smc\epic100.c(3):Written/copyright 1997-2001 by Donald Becker.
linux-3.10\drivers\net\ethernet\smc\epic100.c(8):retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\smc\smc911x.c(5): * Copyright (C) 2005 Sensoria Corp
linux-3.10\drivers\net\ethernet\smc\smc911x.h(4): . Copyright (C) 2005 Sensoria Corp.
linux-3.10\drivers\net\ethernet\smc\smc9194.c(5): . Copyright (C) 1996 by Erik Stahlman
linux-3.10\drivers\net\ethernet\smc\smc9194.h(3): . Copyright (C) 1996 by Erik Stahlman
linux-3.10\drivers\net\ethernet\smc\smc91c92_cs.c(9):Copyright (C) 1999 David A. Hinds -- dahinds@users.sourceforge.net
linux-3.10\drivers\net\ethernet\smc\smc91x.c(5): * Copyright (C) 1996 by Erik Stahlman
linux-3.10\drivers\net\ethernet\smc\smc91x.c(6): * Copyright (C) 2001 Standard Microsystems Corporation
linux-3.10\drivers\net\ethernet\smc\smc91x.c(8): * Copyright (C) 2003 Monta Vista Software, Inc.
linux-3.10\drivers\net\ethernet\smc\smc91x.h(4): . Copyright (C) 1996 by Erik Stahlman

legal(ME)

linux-3.10\drivers\net\ethernet\smc\smc91x.h(5): . Copyright (C) 2001 Standard Microsystems Corporation
linux-3.10\drivers\net\ethernet\smc\smc91x.h(7): . Copyright (C) 2003 Monta Vista Software, Inc.
linux-3.10\drivers\net\ethernet\smc\smc911x.c(3): * Copyright (C) 2004-2008 SMSC
linux-3.10\drivers\net\ethernet\smc\smc911x.c(4): * Copyright (C) 2005-2008 ARM
linux-3.10\drivers\net\ethernet\smc\smc911x.h(3): * Copyright (C) 2004-2008 SMSC
linux-3.10\drivers\net\ethernet\smc\smc911x.h(4): * Copyright (C) 2005-2008 ARM
linux-3.10\drivers\net\ethernet\smc\smc9420.c(3): * Copyright (C) 2007,2008SMSC
linux-3.10\drivers\net\ethernet\smc\smc9420.h(3): * Copyright (C) 2007,2008SMSC
linux-3.10\drivers\net\ethernet\stmicro\stmmac\chain_mode.c(4):Copyright(C)
2011STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\common.h(4):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\descs_com.h(5):Copyright(C)
2011STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\dwmac_dma.h(4):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\dwmac_lib.c(2):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\dwmac100.h(4):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\dwmac100_core.c(10):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\dwmac100_dma.c(10):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\dwmac1000.h(2):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\dwmac1000_core.c(8):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\dwmac1000_dma.c(8):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\enh_desc.c(4):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\mmc.h(4):Copyright (C)
2011STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\mmc_core.c(4):Copyright (C)
2011STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\norm_desc.c(4):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\ring_mode.c(4):Copyright(C)
2011STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac.h(2):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac_ethtool.c(4):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac_hwtstamp.c(2):Copyright (C)
2013Vayavya Labs Pvt Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac_main.c(5):Copyright(C)
2007-2011 STMicroelectronics Ltd

legal(ME)

linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac_mdio.c(5):Copyright (C)
2007-2009STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac_pci.c(4):Copyright (C)
2011-2012Vayavya Labs Pvt Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac_platform.c(4):Copyright (C)
2007-2011STMicroelectronics Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac_ptp.c(4):Copyright (C)
2013Vayavya Labs Pvt Ltd
linux-3.10\drivers\net\ethernet\stmicro\stmmac\stmmac_ptp.h(4):Copyright (C)
2013Vayavya Labs Pvt Ltd
linux-3.10\drivers\net\ethernet\sun\cassini.c(3): * Copyright (C) 2004 Sun
Microsystems Inc.
linux-3.10\drivers\net\ethernet\sun\cassini.c(4): * Copyright (C) 2003 Adrian Sun
(asun@darksunrising.com)
linux-3.10\drivers\net\ethernet\sun\cassini.h(4): * Copyright (C) 2004 Sun
Microsystems Inc.
linux-3.10\drivers\net\ethernet\sun\cassini.h(5): * Copyright (c) 2003 Adrian Sun
(asun@darksunrising.com)
linux-3.10\drivers\net\ethernet\sun\niu.c(3): * Copyright (C) 2007, 2008 David S.
Miller (davem@davemloft.net)
linux-3.10\drivers\net\ethernet\sun\niu.h(3): * Copyright (C) 2007 David S.
Miller (davem@davemloft.net)
linux-3.10\drivers\net\ethernet\sun\sunbmac.c(3): * Copyright (C) 1997, 1998,
1999, 2003, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\net\ethernet\sun\sunbmac.h(4): * Copyright (C) 1997 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\drivers\net\ethernet\sun\sungem.c(4): * Copyright (C) 2000, 2001,
2002, 2003 David S. Miller (davem@redhat.com)
linux-3.10\drivers\net\ethernet\sun\sungem.h(4): * Copyright (C) 2000 David S.
Miller (davem@redhat.com)
linux-3.10\drivers\net\ethernet\sun\sunhme.c(5): * Copyright (C) 1996, 1998,
1999, 2002, 2003,
linux-3.10\drivers\net\ethernet\sun\sunhme.h(5): * Copyright (C) 1996, 1999 David
S. Miller (davem@redhat.com)
linux-3.10\drivers\net\ethernet\sun\sunqe.c(6): * Copyright (C) 1996, 1999, 2003,
2006, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\net\ethernet\sun\sunqe.h(4): * Copyright (C) 1996 David S.
Miller (davem@caip.rutgers.edu)
linux-3.10\drivers\net\ethernet\sun\sunvnet.c(3): * Copyright (C) 2007, 2008
David S. Miller <davem@davemloft.net>
linux-3.10\drivers\net\ethernet\tehuti\tehuti.c(4): * Copyright (C) 2007 Tehuti
Networks Ltd. All rights reserved
linux-3.10\drivers\net\ethernet\tehuti\tehuti.h(3): * Copyright (C) 2007 Tehuti
Networks Ltd. All rights reserved
linux-3.10\drivers\net\ethernet\ti\cpmac.c(2): * Copyright (C) 2006, 2007 Eugene
Konev
linux-3.10\drivers\net\ethernet\ti\cpsw.c(4): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\net\ethernet\ti\cpsw_ale.c(4): * Copyright (C) 2012 Texas
Instruments
linux-3.10\drivers\net\ethernet\ti\cpsw_ale.h(4): * Copyright (C) 2012 Texas
Instruments

legal(ME)

linux-3.10\drivers\net\ethernet\ti\cps.c(4): * Copyright (C) 2012 Richard Cochran <richardcochran@gmail.com>
linux-3.10\drivers\net\ethernet\ti\cps.h(4): * Copyright (C) 2012 Richard Cochran <richardcochran@gmail.com>
linux-3.10\drivers\net\ethernet\ti\davinci_cpdma.c(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\net\ethernet\ti\davinci_cpdma.h(4): * Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\net\ethernet\ti\davinci_emac.c(6): * Copyright (C) 2009 Texas Instruments.
linux-3.10\drivers\net\ethernet\ti\davinci_mdio.c(4): * Copyright (C) 2010 Texas Instruments.
linux-3.10\drivers\net\ethernet\ti\davinci_mdio.c(6): * Shamelessly ripped out of davinci_emac.c, original copyrights follow:
linux-3.10\drivers\net\ethernet\ti\davinci_mdio.c(8): * Copyright (C) 2009 Texas Instruments.
linux-3.10\drivers\net\ethernet\tile\tilegx.c(2): * Copyright 2012 Tilera Corporation. All Rights Reserved.
linux-3.10\drivers\net\ethernet\tile\tilepro.c(2): * Copyright 2011 Tilera Corporation. All Rights Reserved.
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_net.c(4): * Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_net.c(5): * Copyright 2006, 2007 Sony Corporation
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_net.c(9): * (C) Copyright IBM Corp. 2005
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_net.h(4): * Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_net.h(5): * Copyright 2006, 2007 Sony Corporation.
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_net.h(9): * (C) Copyright IBM Corp. 2005
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_wireless.c(4): * Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_wireless.c(5): * Copyright 2007 Sony Corporation
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_wireless.h(4): * Copyright (C) 2007 Sony Computer Entertainment Inc.
linux-3.10\drivers\net\ethernet\toshiba\ps3_gelic_wireless.h(5): * Copyright 2007 Sony Corporation
linux-3.10\drivers\net\ethernet\toshiba\spider_net.c(4): * (C) Copyright IBM Corp. 2005
linux-3.10\drivers\net\ethernet\toshiba\spider_net.c(5): * (C) Copyright 2006 TOSHIBA CORPORATION
linux-3.10\drivers\net\ethernet\toshiba\spider_net.h(4): * (C) Copyright IBM Corp. 2005
linux-3.10\drivers\net\ethernet\toshiba\spider_net.h(5): * (C) Copyright 2006 TOSHIBA CORPORATION
linux-3.10\drivers\net\ethernet\toshiba\spider_net_ethtool.c(4): * (C) Copyright IBM Corp. 2005
linux-3.10\drivers\net\ethernet\toshiba\tc35815.c(12): *Copyright (C) 2000-2001 Toshiba Corporation

legal(ME)

linux-3.10\drivers\net\ethernet\toshiba\tc35815.c(21): * (C) Copyright TOSHIBA CORPORATION 2004-2005
linux-3.10\drivers\net\ethernet\toshiba\tc35815.c(9): *Copyright 2001 MontaVista Software Inc.
linux-3.10\drivers\net\ethernet\tundra\tsi108_eth.c(23): * scott.wood@timesys.com* Copyright (C) 2003 TimeSys Corporation
linux-3.10\drivers\net\ethernet\tundra\tsi108_eth.c(3):Copyright(c) 2006 Tundra Semiconductor Corporation.
linux-3.10\drivers\net\ethernet\tundra\tsi108_eth.h(2): * (C) Copyright 2005 Tundra Semiconductor Corp.
linux-3.10\drivers\net\ethernet\via\via-rhine.c(10):retain the authorship, copyright and license notice.This file is not
linux-3.10\drivers\net\ethernet\via\via-velocity.c(14): * The changes are (c) Copyright 2004, Red Hat Inc. <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\net\ethernet\via\via-velocity.c(2): * This code is derived from the VIA reference driver (copyright message
linux-3.10\drivers\net\ethernet\via\via-velocity.c(24): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.
linux-3.10\drivers\net\ethernet\via\via-velocity.c(2751):printk(KERN_INFO "Copyright (c) 2002, 2003 VIA Networking Technologies, Inc.\n");
linux-3.10\drivers\net\ethernet\via\via-velocity.c(2752):printk(KERN_INFO "Copyright (c) 2004 Red Hat Inc.\n");
linux-3.10\drivers\net\ethernet\via\via-velocity.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.
linux-3.10\drivers\net\ethernet\wiznet\w5100.c(4): * Copyright (C) 2006-2008 WIZnet Co.,Ltd.
linux-3.10\drivers\net\ethernet\wiznet\w5100.c(5): * Copyright (C) 2012 Mike Sinkovsky <msink@permonline.ru>
linux-3.10\drivers\net\ethernet\wiznet\w5300.c(4): * Copyright (C) 2008-2009 WIZnet Co.,Ltd.
linux-3.10\drivers\net\ethernet\wiznet\w5300.c(5): * Copyright (C) 2011 Taehun Kim <kth3321 <at> gmail.com>
linux-3.10\drivers\net\ethernet\wiznet\w5300.c(6): * Copyright (C) 2012 Mike Sinkovsky <msink@permonline.ru>
linux-3.10\drivers\net\ethernet\xilinx\ll_temac_main.c(4): * Copyright (c) 2008 Nissin Systems Co., Ltd.,Yoshio Kashiwagi
linux-3.10\drivers\net\ethernet\xilinx\ll_temac_main.c(5): * Copyright (c) 2005-2008 DLA Systems,David H. Lynch Jr. <dhlii@dlasys.net>
linux-3.10\drivers\net\ethernet\xilinx\ll_temac_main.c(6): * Copyright (c) 2008-2009 Secret Lab Technologies Ltd.
linux-3.10\drivers\net\ethernet\xilinx\ll_temac_mdio.c(4): * Copyright (c) 2009 Secret Lab Technologies, Ltd.
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet.h(4): * Copyright (c) 2009 Secret Lab Technologies, Ltd.
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet.h(5): * Copyright (c) 2010 - 2012 Xilinx, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_main.c(4): * Copyright (c) 2008 Nissin Systems Co., Ltd.,Yoshio Kashiwagi
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_main.c(5): * Copyright (c) 2005-2008 DLA Systems,David H. Lynch Jr. <dhlii@dlasys.net>
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_main.c(6): * Copyright (c) 2008-2009 Secret Lab Technologies Ltd.

legal(ME)

linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_main.c(7): * Copyright (c) 2010 - 2011 Michal Simek <monstr@monstr.eu>
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_main.c(8): * Copyright (c) 2010 - 2011 PetaLogix
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_main.c(9): * Copyright (c) 2010 - 2012 Xilinx, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_mdio.c(4): * Copyright (c) 2009 Secret Lab Technologies, Ltd.
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_mdio.c(5): * Copyright (c) 2010 - 2011 Michal Simek <monstr@monstr.eu>
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_mdio.c(6): * Copyright (c) 2010 - 2011 PetaLogix
linux-3.10\drivers\net\ethernet\xilinx\xilinx_axienet_mdio.c(7): * Copyright (c) 2010 - 2012 Xilinx, Inc. All rights reserved.
linux-3.10\drivers\net\ethernet\xircom\xirc2ps_cs.c(17): * Copyright (c) 1997,1998 Werner Koch (dd9jn)
linux-3.10\drivers\net\ethernet\xircom\xirc2ps_cs.c(38): * the restrictions contained in a BSD-style copyright.)
linux-3.10\drivers\net\ethernet\xscale\ixp4xx_eth.c(4): * Copyright (C) 2007 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\fddi\defxx.c(5): * Copyright Information:
linux-3.10\drivers\net\fddi\defxx.c(6): * Copyright Digital Equipment Corporation 1996.
linux-3.10\drivers\net\fddi\defxx.h(5): * Copyright Information:
linux-3.10\drivers\net\fddi\defxx.h(6): * Copyright Digital Equipment Corporation 1996.
linux-3.10\drivers\net\fddi\skfp\cfm.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\drvfb.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\ecm.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\ess.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\fplustm.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\cmtdef.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\fddi.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\fddimib.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\fplustm.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\hwmtm.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\mbuf.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\osdef1st.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\sba.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\sba_def.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\skfbi.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\skfbiinc.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\smc.h(3): *(C)Copyright 1998,1999 SysKonnect,

legal(ME)

linux-3.10\drivers\net\fddi\skfp\h\smt.h(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\smt_p.h(3): *(C)Copyright 1998,1999
SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\smtstate.h(3): *(C)Copyright 1998,1999
SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\supern_2.h(3): *(C)Copyright 1998,1999
SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\targethw.h(3): *(C)Copyright 1998,1999
SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\targetos.h(3): *(C)Copyright 1998,1999
SysKonnect,
linux-3.10\drivers\net\fddi\skfp\h\types.h(3): *(C)Copyright 1998,1999
SysKonnect,
linux-3.10\drivers\net\fddi\skfp\hwmtm.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\hwt.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\pcmplc.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\pmf.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\queue.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\rmt.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\skfddi.c(5): * Copyright Information:
linux-3.10\drivers\net\fddi\skfp\skfddi.c(6): * Copyright SysKonnect 1998,1999.
linux-3.10\drivers\net\fddi\skfp\smt.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\smtdef.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\fddi\skfp\smtinit.c(3): *(C)Copyright 1998,1999
SysKonnect,
linux-3.10\drivers\net\fddi\skfp\smttimer.c(3): *(C)Copyright 1998,1999
SysKonnect,
linux-3.10\drivers\net\fddi\skfp\srf.c(3): *(C)Copyright 1998,1999 SysKonnect,
linux-3.10\drivers\net\hamradio\baycom_egg.c(6): *Copyright (C) 1998-2000
linux-3.10\drivers\net\hamradio\baycom_par.c(6): *Copyright (C) 1996-2000Thomas
Sailer (sailer@ife.ee.ethz.ch)
linux-3.10\drivers\net\hamradio\baycom_ser_fdx.c(6): *Copyright (C)
1996-2000Thomas Sailer (sailer@ife.ee.ethz.ch)
linux-3.10\drivers\net\hamradio\baycom_ser_hdx.c(6): *Copyright (C)
1996-2000Thomas Sailer (sailer@ife.ee.ethz.ch)
linux-3.10\drivers\net\hamradio\dmasc.c(3): * Copyright (C) 1997-2000 Klaus
Kudielka
linux-3.10\drivers\net\hamradio\hdlcdrv.c(6): *Copyright (C) 1996-2000Thomas
Sailer (sailer@ife.ee.ethz.ch)
linux-3.10\drivers\net\hamradio\mkiss.c(15): * Copyright (C) Hans Ablas PE1AYX
<hans@esrac.ele.tue.nl>
linux-3.10\drivers\net\hamradio\mkiss.c(16): * Copyright (C) 2004, 05 Ralf
Baechle DL5RB <ralf@linux-mips.org>
linux-3.10\drivers\net\hamradio\mkiss.c(17): * Copyright (C) 2004, 05 Thomas
Osterried DL9SAU <thomas@x-berg.in-berlin.de>
linux-3.10\drivers\net\hamradio\scc.c(21):Copyright (c) 1993, 2000 Joerg Reuter
DL1BKE
linux-3.10\drivers\net\hamradio\scc.c(71): 1995-01-31changed copyright notice to
GPL without limitations.
linux-3.10\drivers\net\hamradio\yam.c(6): *Copyright (C) 1998 Frederic Rible
F10AT (frible@teaser.fr)
linux-3.10\drivers\net\hippi\rrunner.c(4): * Copyright (C) 1998-2002 by Jes

legal(ME)

Sorensen, <jes@wildopensource.com>.

linux-3.10\drivers\net\hyperv\hyperv_net.h(3): * Copyright (c) 2011, Microsoft Corporation.

linux-3.10\drivers\net\hyperv\netvsc.c(2): * Copyright (c) 2009, Microsoft Corporation.

linux-3.10\drivers\net\hyperv\netvsc_drv.c(2): * Copyright (c) 2009, Microsoft Corporation.

linux-3.10\drivers\net\hyperv\rndis_filter.c(2): * Copyright (c) 2009, Microsoft Corporation.

linux-3.10\drivers\net\ieee802154\at86rf230.c(4): * Copyright (C) 2009-2012 Siemens AG

linux-3.10\drivers\net\ieee802154\fakehard.c(4): * Copyright (C) 2009 Siemens AG

linux-3.10\drivers\net\ieee802154\fake1b.c(4): * Copyright 2007-2012 Siemens AG

linux-3.10\drivers\net\ieee802154\mrf24j40.c(4): * Copyright (C) 2012 Alan Ott <alan@signal11.us>

linux-3.10\drivers\net\irda\act2001-sir.c(12): * Copyright (c) 2001 SHIMIZU Takuya, All Rights Reserved.

linux-3.10\drivers\net\irda\actisys-sir.c(15): * Copyright (c) 1998-1999 Dag Brattli, All Rights Reserved.

linux-3.10\drivers\net\irda\actisys-sir.c(16): * Copyright (c) 1999 Jean Tourrilhes

linux-3.10\drivers\net\irda\actisys-sir.c(17): * Copyright (c) 2002 Martin Diehl

linux-3.10\drivers\net\irda\ali-ircc.c(14): * Copyright (c) 2000 Benjamin Kong <benjamin_kong@ali.com.tw>

linux-3.10\drivers\net\irda\ali-ircc.h(12): * Copyright (c) 2000 Benjamin Kong <benjamin_kong@ali.com.tw>

linux-3.10\drivers\net\irda\au1k_ir.c(4): * Copyright 2001 MontaVista Software Inc.

linux-3.10\drivers\net\irda\bfin_sir.c(4): * Copyright 2006-2009 Analog Devices Inc.

linux-3.10\drivers\net\irda\bfin_sir.h(4): * Copyright 2006-2009 Analog Devices Inc.

linux-3.10\drivers\net\irda\donauboe.c(32): * Copyright (c) 1999 James McKenzie, All Rights Reserved.

linux-3.10\drivers\net\irda\donauboe.h(17): * Copyright (c) 1999 James McKenzie, All Rights Reserved.

linux-3.10\drivers\net\irda\ep7211-sir.c(4): * Copyright 2001, Blue Mug Inc. All rights reserved.

linux-3.10\drivers\net\irda\ep7211-sir.c(5): * Copyright 2007, Samuel Ortiz <samuel@sortiz.org>

linux-3.10\drivers\net\irda\esi-sir.c(12): * Copyright (c) 1999 Dag Brattli, <dagb@cs.uit.no>,

linux-3.10\drivers\net\irda\esi-sir.c(13): * Copyright (c) 1998 Thomas Davis, <ratbert@radiks.net>,

linux-3.10\drivers\net\irda\esi-sir.c(14): * Copyright (c) 2002 Martin Diehl, <mad@mdiehl.de>,

linux-3.10\drivers\net\irda\girbil-sir.c(12): * Copyright (c) 1999 Dag Brattli, All Rights Reserved.

linux-3.10\drivers\net\irda\irda-usb.c(10): *Copyright (C) 2001, Dag Brattli <dag@brattli.net>

linux-3.10\drivers\net\irda\irda-usb.c(11): *Copyright (C) 2001, Jean Tourrilhes <jt@hpl.hp.com>

legal(ME)

linux-3.10\drivers\net\irda\irda-usb.c(12): *Copyright (C) 2004, SigmaTel, Inc.
<irquality@sigmatel.com>
linux-3.10\drivers\net\irda\irda-usb.c(13): *Copyright (C) 2005, Milan Beno
<beno@pobox.sk>
linux-3.10\drivers\net\irda\irda-usb.c(14): *Copyright (C) 2006, Nick Fedchik
<nick@fedchik.org.ua>
linux-3.10\drivers\net\irda\irda-usb.c(9): *Copyright (C) 2000, Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\net\irda\irda-usb.h(10): *Copyright (C) 2000, Dag Brattli
<dag@brattli.net>
linux-3.10\drivers\net\irda\irda-usb.h(11): *Copyright (C) 2001, Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\drivers\net\irda\irda-usb.h(12): *Copyright (C) 2004, SigmaTel, Inc.
<irquality@sigmatel.com>
linux-3.10\drivers\net\irda\irda-usb.h(13): *Copyright (C) 2005, Milan Beno
<beno@pobox.sk>
linux-3.10\drivers\net\irda\irda-usb.h(14): *Copyright (C) 2006, Nick FEDchik
<nick@fedchik.org.ua>
linux-3.10\drivers\net\irda\irda-usb.h(9): *Copyright (C) 2001, Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\net\irda\irtty-sir.c(14): * Copyright (c) 1998-2000 Dag
Brattli,
linux-3.10\drivers\net\irda\irtty-sir.c(15): * Copyright (c) 2002 Martin Diehl,
linux-3.10\drivers\net\irda\irtty-sir.h(5): *Copyright (c) 2002 Martin Diehl
linux-3.10\drivers\net\irda\litelink-sir.c(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\drivers\net\irda\ma600-sir.c(15): * Copyright (c) 2000 Leung, All
Rights Reserved.
linux-3.10\drivers\net\irda\mcp2120-sir.c(12): * Copyright (c) 2002 Felix Tang,
All Rights Reserved.
linux-3.10\drivers\net\irda\mcs7780.c(13):* Copyright (C) 2000, Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\net\irda\mcs7780.c(14):* Copyright (C) 2001, Dag Brattli
<dag@brattli.net>
linux-3.10\drivers\net\irda\mcs7780.c(15):* Copyright (C) 2001, Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\drivers\net\irda\mcs7780.c(16):* Copyright (C) 2004, Stephen Hemminger
<shemminger@osdl.org>
linux-3.10\drivers\net\irda\mcs7780.c(17):* Copyright (C) 2005, Lukasz Stelmach
<stlman@poczta.fm>
linux-3.10\drivers\net\irda\mcs7780.c(18):* Copyright (C) 2005, Brian Pugh
<bpugh@cs.pdx.edu>
linux-3.10\drivers\net\irda\mcs7780.c(19):* Copyright (C) 2005, Judy Fischbach
<jfisch@cs.pdx.edu>
linux-3.10\drivers\net\irda\mcs7780.h(10):* Copyright (C) 2005, Lukasz Stelmach
<stlman@poczta.fm>
linux-3.10\drivers\net\irda\mcs7780.h(11):* Copyright (C) 2005, Brian Pugh
<bpugh@cs.pdx.edu>
linux-3.10\drivers\net\irda\nsc-ircc.c(12): * Copyright (c) 1998-2000 Dag Brattli
<dagb@cs.uit.no>
linux-3.10\drivers\net\irda\nsc-ircc.c(13): * Copyright (c) 1998 Lichen Wang,
<lwang@actisys.com>

legal(ME)

linux-3.10\drivers\net\irda\nsc-ircc.c(14): * Copyright (c) 1998 Actisys Corp.,
www.actisys.com
linux-3.10\drivers\net\irda\nsc-ircc.c(15): * Copyright (c) 2000-2004 Jean
Tourrilhes <jt@hpl.hp.com>
linux-3.10\drivers\net\irda\nsc-ircc.h(12): * Copyright (c) 1998-2000 Dag Brattli
<dagb@cs.uit.no>
linux-3.10\drivers\net\irda\nsc-ircc.h(13): * Copyright (c) 1998 Lichen Wang,
<lwang@actisys.com>
linux-3.10\drivers\net\irda\nsc-ircc.h(14): * Copyright (c) 1998 Actisys Corp.,
www.actisys.com
linux-3.10\drivers\net\irda\old_belkin-sir.c(12): * Copyright (c) 1999 Jean
Tourrilhes, All Rights Reserved.
linux-3.10\drivers\net\irda\pxaficp_ir.c(6): * Changes copyright (C) 2003-2005
MontaVista Software, Inc.
linux-3.10\drivers\net\irda\sa1100_ir.c(4): *Copyright (C) 2000-2001 Russell King
linux-3.10\drivers\net\irda\sh_irda.c(4): * Copyright (C) 2010 Renesas Solutions
Corp.
linux-3.10\drivers\net\irda\sh_irda.c(8): * Copyright (C) 2009 Renesas Solutions
Corp.
linux-3.10\drivers\net\irda\sh_irda.c(9): * Copyright 2006-2009 Analog Devices
Inc.
linux-3.10\drivers\net\irda\sh_sir.c(4): * Copyright (C) 2009 Renesas Solutions
Corp.
linux-3.10\drivers\net\irda\sh_sir.c(8): * Copyright 2006-2009 Analog Devices
Inc.
linux-3.10\drivers\net\irda\sir_dev.c(5): *Copyright (c) 2002 Martin Diehl
linux-3.10\drivers\net\irda\sir_dongle.c(5): *Copyright (c) 2002 Martin Diehl
linux-3.10\drivers\net\irda\sir-dev.h(5): *Copyright (c) 2002 Martin Diehl
linux-3.10\drivers\net\irda\smc-ircc2.c(11): * Copyright (c) 2002Jean Tourrilhes
linux-3.10\drivers\net\irda\smc-ircc2.c(12): * Copyright (c) 2006Linus Walleij
linux-3.10\drivers\net\irda\smc-ircc2.c(17): * Copyright (c) 2001Stefani Seibold
linux-3.10\drivers\net\irda\smc-ircc2.c(18): * Copyright (c) 1999-2001 Dag
Brattli
linux-3.10\drivers\net\irda\smc-ircc2.c(19): * Copyright (c) 1998-1999 Thomas
Davis,
linux-3.10\drivers\net\irda\smc-ircc2.c(23): * Copyright (c) 1997, 1998,
1999-2000 Dag Brattli, All Rights Reserved.
linux-3.10\drivers\net\irda\smc-ircc2.c(9): * Copyright (c) 2002Daniele Peri
linux-3.10\drivers\net\irda\smc-ircc2.h(12): * Copyright (c) 1999-2000, Dag
Brattli <dagb@cs.uit.no>
linux-3.10\drivers\net\irda\smc-ircc2.h(13): * Copyright (c) 1998-1999, Thomas
Davis (tadavis@jps.net)
linux-3.10\drivers\net\irda\smc-ircc2.h(7): * Copyright (c) 2002Daniele Peri
linux-3.10\drivers\net\irda\stir4200.c(11):*Copyright (C) 2000, Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\net\irda\stir4200.c(12):*Copyright (C) 2001, Dag Brattli
<dag@brattli.net>
linux-3.10\drivers\net\irda\stir4200.c(13):*Copyright (C) 2001, Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\drivers\net\irda\stir4200.c(14):*Copyright (C) 2004, Stephen Hemminger
<shemminger@osdl.org>
linux-3.10\drivers\net\irda\tekram-sir.c(12): * Copyright (c) 1998-1999 Dag

legal(ME)

Brattli,
linux-3.10\drivers\net\irda\tekram-sir.c(13): * Copyright (c) 2002 Martin Diehl,
linux-3.10\drivers\net\irda\toim3232-sir.c(16): * Copyright (c) 2006 David
Basden.
linux-3.10\drivers\net\irda\toim3232-sir.c(17): * Copyright (c) 1998-1999 Dag
Brattli,
linux-3.10\drivers\net\irda\toim3232-sir.c(18): * Copyright (c) 2002 Martin
Diehl,
linux-3.10\drivers\net\irda\via-ircc.c(8):Copyright (c) 1998-2003 VIA
Technologies, Inc.
linux-3.10\drivers\net\irda\via-ircc.h(9):Copyright (c) 1998-2003 VIA
Technologies, Inc.
linux-3.10\drivers\net\irda\vlsi_ir.c(5): *Copyright (c) 2001-2003 Martin Diehl
linux-3.10\drivers\net\irda\vlsi_ir.h(8): *Copyright (c) 2001-2003 Martin Diehl
linux-3.10\drivers\net\irda\w83977af_ir.c(12): * Copyright (c) 1998-2000 Dag
Brattli <dagb@cs.uit.no>
linux-3.10\drivers\net\irda\w83977af_ir.c(13): * Copyright (c) 1998-1999
Rebel.com
linux-3.10\drivers\net\irda\w83977af_ir.h(12): * Copyright (c) 1998-2000 Dag
Brattli, All Rights Reserved.
linux-3.10\drivers\net\LICENSE.SRC(4):Copyright 1993 United States Government as
represented by the
linux-3.10\drivers\net\macvlan.c(11): * (C) Copyright 2001-2006
linux-3.10\drivers\net\macvlan.c(2): * Copyright (c) 2007 Patrick McHardy
<kaber@trash.net>
linux-3.10\drivers\net\mdio.c(18):MODULE_AUTHOR("Copyright 2006-2009 Solarflare
Communications Inc.");
linux-3.10\drivers\net\mdio.c(3): * Copyright 2006-2009 Solarflare Communications
Inc.
linux-3.10\drivers\net\mii.c(6):Copyright 2001,2002 Jeff Garzik
linux-3.10\drivers\net\mii.c(9):Donald Becker.Copyright:
linux-3.10\drivers\net\netconsole.c(4): *Copyright (C) 2001Ingo Molnar
<mingo@redhat.com>
linux-3.10\drivers\net\ntb_netdev.c(15): * Copyright(c) 2012 Intel Corporation.
All rights reserved.
linux-3.10\drivers\net\ntb_netdev.c(7): * Copyright(c) 2012 Intel Corporation.
All rights reserved.
linux-3.10\drivers\net\phy\amd.c(6): * Copyright (c) 2011 DENX Software
Engineering GmbH
linux-3.10\drivers\net\phy\bcm87xx.c(6): * Copyright (C) 2011 - 2012 Cavium, Inc.
linux-3.10\drivers\net\phy\broadcom.c(7): *Copyright (c) 2006Maciej W. Rozycki
linux-3.10\drivers\net\phy\cicada.c(8): * Copyright (c) 2004 Freescale
Semiconductor, Inc.
linux-3.10\drivers\net\phy\davicom.c(8): * Copyright (c) 2004 Freescale
Semiconductor, Inc.
linux-3.10\drivers\net\phy\dp83640.c(4): * Copyright (C) 2010 OMICRON electronics
GmbH
linux-3.10\drivers\net\phy\et1011c.c(8): * Copyright (c) 2008 Texas Instruments
linux-3.10\drivers\net\phy\fixed.c(7): * Copyright (c) 2006-2007 MontaVista
Software, Inc.
linux-3.10\drivers\net\phy\icplus.c(4): * Copyright (c) 2007 Freescale
Semiconductor, Inc.

legal(ME)

linux-3.10\drivers\net\phy\lxt.c(8): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\phy\marvell.c(10): * Copyright (c) 2013 Michael Stapelberg <michael@stapelberg.de>
linux-3.10\drivers\net\phy\marvell.c(8): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\phy\mdio_bus.c(8): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\phy\mdio-bitbang.c(5): * Copyright (c) 2007 Freescale Semiconductor
linux-3.10\drivers\net\phy\mdio-bitbang.c(9): * Copyright (c) 2003 Intracom S.A.
linux-3.10\drivers\net\phy\mdio-gpio.c(12): * Copyright (c) 2003 Intracom S.A.
linux-3.10\drivers\net\phy\mdio-gpio.c(5): * Copyright (c) 2008 CSE Semaphore Belgium.
linux-3.10\drivers\net\phy\mdio-gpio.c(8): * Copyright (C) 2008, Paulius Zaleckas <paulius.zaleckas@teltonika.lt>
linux-3.10\drivers\net\phy\mdio-mux.c(6): * Copyright (C) 2011, 2012 Cavium, Inc.
linux-3.10\drivers\net\phy\mdio-mux-gpio.c(6): * Copyright (C) 2011, 2012 Cavium, Inc.
linux-3.10\drivers\net\phy\mdio-mux-mmio.c(6): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\phy\mdio-octeon.c(6): * Copyright (C) 2009-2012 Cavium, Inc.
linux-3.10\drivers\net\phy\micrel.c(8): * Copyright (c) 2010-2013 Micrel, Inc.
linux-3.10\drivers\net\phy\national.c(9): * Copyright (c) 2008 STMicroelectronics Limited
linux-3.10\drivers\net\phy\phy.c(10): * Copyright (c) 2006, 2007 Maciej W. Rozycki
linux-3.10\drivers\net\phy\phy.c(9): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\phy\phy_device.c(9): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\phy\qsemi.c(8): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\phy\realtek.c(8): * Copyright (c) 2004 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\phy\smc.c(8): * Copyright (c) 2006 Herbert Valerio Riedel <hvr@gnu.org>
linux-3.10\drivers\net\phy\spi_ks8995.c(4): * Copyright (C) 2008 Gabor Juhos <juhosg at openwrt.org>
linux-3.10\drivers\net\phy\spi_ks8995.c(7): * Copyright (C) 2006 David Brownell
linux-3.10\drivers\net\phy\ste10Xp.c(8): * Copyright (c) 2008 STMicroelectronics Limited
linux-3.10\drivers\net\phy\vitesse.c(6): * Copyright (c) 2005, 2009 Freescale Semiconductor, Inc.
linux-3.10\drivers\net\ppp\bsd_comp.c(11): * Copyright (c) 1985, 1986 The Regents of the University of California.
linux-3.10\drivers\net\ppp\bsd_comp.c(2): * Update: The Berkeley copyright was changed, and the change
linux-3.10\drivers\net\ppp\bsd_comp.c(5): * the same license). The new copyright doesn't clash with the
linux-3.10\drivers\net\ppp\ppp_async.c(4): * Copyright 1999 Paul Mackerras.
linux-3.10\drivers\net\ppp\ppp_deflate.c(5): * Copyright 1994-1998 Paul

legal(ME)

Mackerras.

linux-3.10\drivers\net\ppp\ppp_generic.c(4): * Copyright 1999-2002 Paul Mackerras.

linux-3.10\drivers\net\ppp\ppp_mppe.c(6): * Copyright (c) 2002,2003,2004 Google, Inc.

linux-3.10\drivers\net\ppp\ppp_synctty.c(14): * Copyright 1999 Paul Mackerras.

linux-3.10\drivers\net\rionet.c(4): * Copyright 2005 MontaVista Software, Inc.

linux-3.10\drivers\net\sbl1000.c(5): Copyright 1998 by Franco Venturi.

linux-3.10\drivers\net\sbl1000.c(6): Copyright 1994,1995 by Donald Becker.

linux-3.10\drivers\net\sbl1000.c(7): Copyright 1993 United States Government as represented by the

linux-3.10\drivers\net\slip\slhc.c(5): * Copyright (c) 1989 Regents of the University of California.

linux-3.10\drivers\net\slip\slip.c(1290): printk(KERN_INFO "CSLIP: code copyright 1989 Regents of the University of California.\n");

linux-3.10\drivers\net\team\team.c(3): * Copyright (c) 2011 Jiri Pirko <jpirko@redhat.com>

linux-3.10\drivers\net\team\team_mode_activebackup.c(3): * Copyright (c) 2011 Jiri Pirko <jpirko@redhat.com>

linux-3.10\drivers\net\team\team_mode_broadcast.c(3): * Copyright (c) 2012 Jiri Pirko <jpirko@redhat.com>

linux-3.10\drivers\net\team\team_mode_loadbalance.c(3): * Copyright (c) 2012 Jiri Pirko <jpirko@redhat.com>

linux-3.10\drivers\net\team\team_mode_random.c(3): * Copyright (c) 2013 Jiri Pirko <jiri@resnulli.us>

linux-3.10\drivers\net\team\team_mode_roundrobin.c(3): * Copyright (c) 2011 Jiri Pirko <jpirko@redhat.com>

linux-3.10\drivers\net\tun.c(2270): pr_info("%s\n", DRV_COPYRIGHT);

linux-3.10\drivers\net\tun.c(2315): MODULE_AUTHOR(DRV_COPYRIGHT);

linux-3.10\drivers\net\tun.c(3): * Copyright (C) 1999-2002 Maxim Krasnyansky <maxk@qualcomm.com>

linux-3.10\drivers\net\tun.c(42): #define DRV_COPYRIGHT(C) 1999-2004 Max Krasnyansky <maxk@qualcomm.com>

linux-3.10\drivers\net\usb\asix.h(3): * Copyright (C) 2003-2006 David Hollis <dhollis@davehollis.com>

linux-3.10\drivers\net\usb\asix.h(4): * Copyright (C) 2005 Phil Chang <pchang23@sbcglobal.net>

linux-3.10\drivers\net\usb\asix.h(5): * Copyright (C) 2006 James Painter <jamie.painter@iname.com>

linux-3.10\drivers\net\usb\asix.h(6): * Copyright (c) 2002-2003 TiVo Inc.

linux-3.10\drivers\net\usb\asix_common.c(3): * Copyright (C) 2003-2006 David Hollis <dhollis@davehollis.com>

linux-3.10\drivers\net\usb\asix_common.c(4): * Copyright (C) 2005 Phil Chang <pchang23@sbcglobal.net>

linux-3.10\drivers\net\usb\asix_common.c(5): * Copyright (C) 2006 James Painter <jamie.painter@iname.com>

linux-3.10\drivers\net\usb\asix_common.c(6): * Copyright (c) 2002-2003 TiVo Inc.

linux-3.10\drivers\net\usb\asix_devices.c(3): * Copyright (C) 2003-2006 David Hollis <dhollis@davehollis.com>

linux-3.10\drivers\net\usb\asix_devices.c(4): * Copyright (C) 2005 Phil Chang <pchang23@sbcglobal.net>

linux-3.10\drivers\net\usb\asix_devices.c(5): * Copyright (C) 2006 James Painter

legal(ME)

<jamie.painter@iname.com>
linux-3.10\drivers\net\usb\asix_devices.c(6): * Copyright (c) 2002-2003 TiVo Inc.
linux-3.10\drivers\net\usb\ax88172a.c(10): * Copyright (C) 2006 James Painter
<jamie.painter@iname.com>
linux-3.10\drivers\net\usb\ax88172a.c(11): * Copyright (c) 2002-2003 TiVo Inc.
linux-3.10\drivers\net\usb\ax88172a.c(3): * Copyright (C) 2012 OMICRON
electronics GmbH
linux-3.10\drivers\net\usb\ax88172a.c(6): * AX88772. Original copyrights follow:
linux-3.10\drivers\net\usb\ax88172a.c(8): * Copyright (C) 2003-2006 David Hollis
<dhollis@davehollis.com>
linux-3.10\drivers\net\usb\ax88172a.c(9): * Copyright (C) 2005 Phil Chang
<pchang23@sbcglobal.net>
linux-3.10\drivers\net\usb\ax88179_178a.c(4): * Copyright (C) 2011-2013 ASIX
linux-3.10\drivers\net\usb\catc.c(2): *Copyright (c) 2001 Vojtech Pavlik
linux-3.10\drivers\net\usb\cdc_eem.c(3): * Copyright (C) 2009 Oberthur
Technologies
linux-3.10\drivers\net\usb\cdc_ether.c(3): * Copyright (C) 2003-2005 by David
Brownell
linux-3.10\drivers\net\usb\cdc_ether.c(4): * Copyright (C) 2006 by Ole Andre
Vadla Ravnas (ActiveSync)
linux-3.10\drivers\net\usb\cdc_mbim.c(2): * Copyright (c) 2012Smith Micro
Software, Inc.
linux-3.10\drivers\net\usb\cdc_mbim.c(3): * Copyright (c) 2012Bjørn Mork
<bjorn@mork.no>
linux-3.10\drivers\net\usb\cdc_mbim.c(6): * Copyright (C) ST-Ericsson 2010-2012
linux-3.10\drivers\net\usb\cdc_ncm.c(4): * Copyright (C) ST-Ericsson 2010-2012
linux-3.10\drivers\net\usb\cdc_subset.c(3): * Copyright (C) 2000-2005 by David
Brownell
linux-3.10\drivers\net\usb\cdc-phonet.c(4): * Copyright (C) 2008-2009 Nokia
Corporation. All rights reserved.
linux-3.10\drivers\net\usb\cx82310_eth.c(3): * Copyright (C) 2010 by Ondrej Zary
linux-3.10\drivers\net\usb\gl620a.c(3): * Copyright (C) 2001 by Jiun-Jie Huang
<huangjj@genesyslogic.com.tw>
linux-3.10\drivers\net\usb\gl620a.c(4): * Copyright (C) 2001 by Stanislav Brabec
<utx@penguin.cz>
linux-3.10\drivers\net\usb\hso.c(11): *Copyright (C) 2008 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\net\usb\hso.c(12): *Copyright (C) 2008 Novell, Inc.
linux-3.10\drivers\net\usb\hso.c(5): *Copyright (C) 2008 Option International
linux-3.10\drivers\net\usb\hso.c(9): *Copyright (C) 2007 Andrew Bird (Sphere
Systems Ltd)
linux-3.10\drivers\net\usb\int51x1.c(2): * Copyright (c) 2009 Peter Holik
linux-3.10\drivers\net\usb\ipheth.c(4): * Copyright (c) 2009 Diego Giagio
<diego@giagio.com>
linux-3.10\drivers\net\usb\kalmia.c(5): * Copyright (C) 2011 Marius Bjoernstad
Kotsbak <marius@kotsbak.com>
linux-3.10\drivers\net\usb\lg-vl600.c(4): * Copyright (C) 2011 Intel Corporation
linux-3.10\drivers\net\usb\mcs7830.c(10): * Copyright (c) 2002-2003 TiVo Inc.
linux-3.10\drivers\net\usb\mcs7830.c(6): * Copyright (C) 2010 Andreas Mohr
<andi@lissas.de>
linux-3.10\drivers\net\usb\mcs7830.c(7): * Copyright (C) 2006 Arnd Bergmann
<arnd@arndb.de>

legal(ME)

linux-3.10\drivers\net\usb\mcs7830.c(8): * Copyright (C) 2003-2005 David Hollis
<dholllis@davehollis.com>
linux-3.10\drivers\net\usb\mcs7830.c(9): * Copyright (C) 2005 Phil Chang
<pchang23@sbcglobal.net>
linux-3.10\drivers\net\usb\net1080.c(3): * Copyright (C) 2000-2005 by David
Brownell
linux-3.10\drivers\net\usb\pegasus.c(2): *Copyright (c) 1999-2013 Petko Manolov
(petkan@nucleusys.com)
linux-3.10\drivers\net\usb\pegasus.h(2): * Copyright (c) 1999-2013 Petko Manolov
(petkan@nucleusys.com)
linux-3.10\drivers\net\usb\plusb.c(3): * Copyright (C) 2000-2005 by David
Brownell
linux-3.10\drivers\net\usb\qmi_wwan.c(2): * Copyright (c) 2012 Bjørn Mork
<bjorn@mork.no>
linux-3.10\drivers\net\usb\qmi_wwan.c(5): * Copyright (C) 2003-2005 by David
Brownell
linux-3.10\drivers\net\usb\qmi_wwan.c(6): * Copyright (C) 2006 by Ole Andre Vadla
Ravnas (ActiveSync)
linux-3.10\drivers\net\usb\r8152.c(2): *Copyright (c) 2013 Realtek Semiconductor
Corp. All rights reserved.
linux-3.10\drivers\net\usb\rndis_host.c(3): * Copyright (C) 2005 by David
Brownell
linux-3.10\drivers\net\usb\rtl8150.c(2): *Copyright (c) 2002 Petko Manolov
(petkan@users.sourceforge.net)
linux-3.10\drivers\net\usb\sierra_net.c(4): * Copyright (C) 2008, 2009, 2010
Paxton Smith, Matthew Safar, Rory Filer
linux-3.10\drivers\net\usb\smc75xx.c(3): * Copyright (C) 2007-2010 SMSC
linux-3.10\drivers\net\usb\smc75xx.h(3): * Copyright (C) 2007-2010 SMSC
linux-3.10\drivers\net\usb\smc95xx.c(3): * Copyright (C) 2007-2008 SMSC
linux-3.10\drivers\net\usb\smc95xx.h(3): * Copyright (C) 2007-2008 SMSC
linux-3.10\drivers\net\usb\usbnet.c(3): * Copyright (C) 2000-2005 by David
Brownell
linux-3.10\drivers\net\usb\usbnet.c(4): * Copyright (C) 2003-2005 David Hollis
<dholllis@davehollis.com>
linux-3.10\drivers\net\usb\zaurus.c(2): * Copyright (C) 2002 Pavel Machek
<pavel@ucw.cz>
linux-3.10\drivers\net\usb\zaurus.c(3): * Copyright (C) 2002-2005 by David
Brownell
linux-3.10\drivers\net\veth.c(4): *Copyright (C) 2007 OpenVZ <http://openvz.org>,
SWsoft Inc
linux-3.10\drivers\net\virtio_net.c(3): * Copyright 2007 Rusty Russell
<rusty@rustcorp.com.au> IBM Corporation
linux-3.10\drivers\net\vmxnet3\Makefile(5):# Copyright (C) 2007-2009, VMware,
Inc. All Rights Reserved.
linux-3.10\drivers\net\vmxnet3\upt1_defs.h(4): * Copyright (C) 2008-2009, VMware,
Inc. All Rights Reserved.
linux-3.10\drivers\net\vmxnet3\vmxnet3_defs.h(4): * Copyright (C) 2008-2009,
VMware, Inc. All Rights Reserved.
linux-3.10\drivers\net\vmxnet3\vmxnet3_drv.c(4): * Copyright (C) 2008-2009,
VMware, Inc. All Rights Reserved.
linux-3.10\drivers\net\vmxnet3\vmxnet3_ethtool.c(4): * Copyright (C) 2008-2009,
VMware, Inc. All Rights Reserved.

legal(ME)

linux-3.10\drivers\net\vmxnet3\vmxnet3_int.h(4): * Copyright (C) 2008-2009, VMware, Inc. All Rights Reserved.
linux-3.10\drivers\net\vxlan.c(4): * Copyright (c) 2012-2013 Vyatta Inc.
linux-3.10\drivers\net\wan\c101.c(4): * Copyright (C) 2000-2003 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\cosa.c(4): *Copyright (C) 1995-1997Jan "Yenya" Kasprzak <kas@fi.muni.cz>
linux-3.10\drivers\net\wan\cosa.c(5): *Generic HDLC port Copyright (C) 2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\cosa.h(4): *Copyright (C) 1995-1997Jan "Yenya" Kasprzak <kas@fi.muni.cz>
linux-3.10\drivers\net\wan\farsync.c(6): *Copyright (C) 2001-2004 FarSite Communications Ltd.
linux-3.10\drivers\net\wan\farsync.h(6): *Copyright (C) 2001 FarSite Communications Ltd.
linux-3.10\drivers\net\wan\hd64570.c(4): * Copyright (C) 1998-2003 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hd64572.c(4): * Copyright (C) 1998-2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hd64572.h(7): * Copyright: (c) 2000-2001 Cyclades Corp.
linux-3.10\drivers\net\wan\hdlc.c(4): * Copyright (C) 1999 - 2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hdlc_cisco.c(5): * Copyright (C) 2000 - 2006 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hdlc_fr.c(5): * Copyright (C) 1999 - 2006 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hdlc_ppp.c(5): * Copyright (C) 1999 - 2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hdlc_raw.c(5): * Copyright (C) 1999 - 2006 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hdlc_raw_eth.c(5): * Copyright (C) 2002-2006 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hdlc_x25.c(5): * Copyright (C) 1999 - 2006 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\hostess_sv11.c(20): *Generic HDLC port Copyright (C) 2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\ixp4xx_hss.c(4): * Copyright (C) 2007-2008 Krzysztof Hałasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\lmc\lmc_ioctl.h(6):* Copyright (c) 1997-2000 LAN Media Corporation (LMC)
linux-3.10\drivers\net\wan\lmc\lmc_main.c(2):* Copyright (c) 1997-2000 LAN Media Corporation (LMC)
linux-3.10\drivers\net\wan\lmc\lmc_main.c(4):* Generic HDLC port Copyright (C) 2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\lmc\lmc_media.c(32):* Copyright (c) 1997-2000 LAN Media Corporation (LMC)
linux-3.10\drivers\net\wan\lmc\lmc_proto.c(2):* Copyright (c) 1997-2000 LAN Media Corporation (LMC)
linux-3.10\drivers\net\wan\lmc\lmc_var.h(5):* Copyright (c) 1997-2000 LAN Media Corporation (LMC)
linux-3.10\drivers\net\wan\n2.c(4): * Copyright (C) 1998-2003 Krzysztof Halasa

legal(ME)

<khc@pm.waw.pl>
linux-3.10\drivers\net\wan\pc300too.c(4): * Copyright (C) 2000-2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\pci200syn.c(4): * Copyright (C) 2002-2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\sealevel.c(10): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\net\wan\sealevel.c(11): *Generic HDLC port Copyright (C) 2008 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\sealevel.c(9): *(c) Copyright 1999, 2001 Alan Cox
linux-3.10\drivers\net\wan\wanxl.c(5): * Copyright (C) 2003 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\wanxl.h(5): * Copyright (C) 2003 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\wanxlfw.S(6):Copyright (C) 2003 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\net\wan\wanxlfw.S(877):.asciz "Copyright (C) 2003 Krzysztof Halasa <khc@pm.waw.pl>\n"
linux-3.10\drivers\net\wan\z85230.c(7): *(c) Copyright 1998 Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\net\wan\z85230.c(8): *(c) Copyright 2000, 2001 Red Hat Inc
linux-3.10\drivers\net\wan\z85230.h(4): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\drivers\net\wan\z85230.h(5): * Copyright (C) 1998 Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\net\wimax\i2400m\control.c(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\debugfs.c(6): * Copyright (C) 2007 Intel Corporation <linux-wimax@intel.com>
linux-3.10\drivers\net\wimax\i2400m\debug-levels.h(6): * Copyright (C) 2007-2008 Intel Corporation <linux-wimax@intel.com>
linux-3.10\drivers\net\wimax\i2400m\driver.c(6): * Copyright (C) 2007-2008 Intel Corporation <linux-wimax@intel.com>
linux-3.10\drivers\net\wimax\i2400m\fw.c(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\i2400m.h(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\i2400m-usb.h(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\netdev.c(6): * Copyright (C) 2007 Intel Corporation <linux-wimax@intel.com>
linux-3.10\drivers\net\wimax\i2400m\op-rfkill.c(6): * Copyright (C) 2007-2008 Intel Corporation <linux-wimax@intel.com>
linux-3.10\drivers\net\wimax\i2400m\rx.c(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\sysfs.c(6): * Copyright (C) 2007 Intel Corporation <linux-wimax@intel.com>
linux-3.10\drivers\net\wimax\i2400m\tx.c(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\usb.c(6): * Copyright (C) 2007-2008 Intel Corporation <linux-wimax@intel.com>
linux-3.10\drivers\net\wimax\i2400m\usb-debug-levels.h(6): * Copyright (C) 2007-2008 Intel Corporation <linux-wimax@intel.com>

legal(ME)

linux-3.10\drivers\net\wimax\i2400m\usb-fw.c(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\usb-notif.c(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\usb-rx.c(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wimax\i2400m\usb-tx.c(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\adm8211.c(5): * Copyright (c) 2003, Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\adm8211.c(6): * Copyright (c) 2004-2007, Michael Wu <flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\adm8211.c(7): * Some parts copyright (c) 2003 by David Young <dyoung@pobox.com>
linux-3.10\drivers\net\wireless\airo_cs.c(19):are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\net\wireless\at76c50x-usb.c(10): * Copyright (c) 2010 Sebastian Smolorz <sesmo@gmx.net>
linux-3.10\drivers\net\wireless\at76c50x-usb.c(4): * Copyright (c) 2002 - 2003 Oliver Kurth
linux-3.10\drivers\net\wireless\at76c50x-usb.c(5): * Copyright (c) 2004 Joerg Albert <joerg.albert@gmx.de>
linux-3.10\drivers\net\wireless\at76c50x-usb.c(6): * Copyright (c) 2004 Nick Jones
linux-3.10\drivers\net\wireless\at76c50x-usb.c(7): * Copyright (c) 2004 Balint Seeber <n0_5p4m_p13453@hotmail.com>
linux-3.10\drivers\net\wireless\at76c50x-usb.c(8): * Copyright (c) 2007 Guido Guenther <agx@sigxcpu.org>
linux-3.10\drivers\net\wireless\at76c50x-usb.c(9): * Copyright (c) 2007 Kalle Valo <kalle.valo@iki.fi>
linux-3.10\drivers\net\wireless\at76c50x-usb.h(2): * Copyright (c) 2002,2003 Oliver Kurth
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.c(2): * Copyright (c) 2006 Damien Bergamini <dami.bergamini@free.fr>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.c(3): * Copyright (c) 2006 Sam Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.c(4): * Copyright (c) 2007 Christoph Hellwig <hch@lst.de>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.c(5): * Copyright (c) 2008-2009 Weongyo Jeong <weongyo@freebsd.org>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.c(6): * Copyright (c) 2012 Pontus Fuchs <pontus.fuchs@gmail.com>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.h(2): * Copyright (c) 2006 Damien Bergamini <dami.bergamini@free.fr>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.h(3): * Copyright (c) 2006 Sam Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.h(4): * Copyright (c) 2007 Christoph Hellwig <hch@lst.de>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.h(5): * Copyright (c) 2008-2009 Weongyo Jeong <weongyo@freebsd.org>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523.h(6): * Copyright (c) 2012 Pontus Fuchs <pontus.fuchs@gmail.com>

legal(ME)

linux-3.10\drivers\net\wireless\ath\ar5523\ar5523_hw.h(2): * Copyright (c) 2006
Damien Bergamini <damien.bergamini@free.fr>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523_hw.h(3): * Copyright (c) 2006
Sam Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523_hw.h(4): * Copyright (c) 2007
Christoph Hellwig <hch@lst.de>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523_hw.h(5): * Copyright (c)
2008-2009 Weongyo Jeong <weongyo@freebsd.org>
linux-3.10\drivers\net\wireless\ath\ar5523\ar5523_hw.h(6): * Copyright (c) 2012
Pontus Fuchs <pontus.fuchs@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath.h(2): * Copyright (c) 2008-2009 Atheros
Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\ahb.c(2): * Copyright (c) 2008-2009
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\ahb.c(3): * Copyright (c) 2009 Gabor
Juhos <juhosg@openwrt.org>
linux-3.10\drivers\net\wireless\ath\ath5k\ahb.c(4): * Copyright (c) 2009 Imre
Kaloz <kaloz@openwrt.org>
linux-3.10\drivers\net\wireless\ath\ath5k\ani.c(2): * Copyright (C) 2010 Bruno
Randolf <br1@einfach.org>
linux-3.10\drivers\net\wireless\ath\ath5k\ani.h(2): * Copyright (C) 2010 Bruno
Randolf <br1@einfach.org>
linux-3.10\drivers\net\wireless\ath\ath5k\ath5k.h(2): * Copyright (c) 2004-2007
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\ath5k.h(3): * Copyright (c) 2006-2007
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\attach.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\attach.c(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\base.c(2): * Copyright (c) 2002-2005
Sam Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ath5k\base.c(3): * Copyright (c) 2004-2005
Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\base.c(4): * Copyright (c) 2006
Devicescape Software, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\base.c(5): * Copyright (c) 2007 Jiri
Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\base.c(6): * Copyright (c) 2007 Luis R.
Rodriguez <mcgrof@winlab.rutgers.edu>
linux-3.10\drivers\net\wireless\ath\ath5k\base.h(2): * Copyright (c) 2002-2007
Sam Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ath5k\caps.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\caps.c(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\caps.c(4): * Copyright (c) 2007-2008
Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\debug.c(2): * Copyright (c) 2007-2008
Bruno Randolf <bruno@thinktube.com>
linux-3.10\drivers\net\wireless\ath\ath5k\debug.c(21): * Copyright (c) 2002-2005
Sam Leffler, Errno Consulting

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath5k\debug.c(22): * Copyright (c) 2004-2005
Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\debug.c(23): * Copyright (c) 2006
Devicescape Software, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\debug.c(24): * Copyright (c) 2007 Jiri
Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\debug.c(25): * Copyright (c) 2007 Luis
R. Rodriguez <mcgrof@winlab.rutgers.edu>
linux-3.10\drivers\net\wireless\ath\ath5k\debug.h(2): * Copyright (c) 2007 Bruno
Randolf <bruno@thinktube.com>
linux-3.10\drivers\net\wireless\ath\ath5k\debug.h(21): * Copyright (c) 2002-2005
Sam Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ath5k\debug.h(22): * Copyright (c) 2004-2005
Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\debug.h(23): * Copyright (c) 2006
Devicescape Software, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\debug.h(24): * Copyright (c) 2007 Jiri
Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\debug.h(25): * Copyright (c) 2007 Luis
R. Rodriguez <mcgrof@winlab.rutgers.edu>
linux-3.10\drivers\net\wireless\ath\ath5k\desc.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\desc.c(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\desc.c(4): * Copyright (c) 2007-2008
Pavel Roskin <proski@gnu.org>
linux-3.10\drivers\net\wireless\ath\ath5k\desc.h(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\desc.h(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\dma.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\dma.c(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\eeeprom.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\eeeprom.c(3): * Copyright (c) 2006-2009
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\eeeprom.c(4): * Copyright (c) 2008-2009
Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\ath\ath5k\eeeprom.h(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\eeeprom.h(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\gpio.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\gpio.c(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\initvals.c(4): * Copyright (c)
2004-2007 Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\initvals.c(5): * Copyright (c)
2006-2009 Nick Kossifidis <mickflemm@gmail.com>

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath5k\initvals.c(6): * Copyright (c)
2007-2008 Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\led.c(2): * Copyright (c) 2002-2005 Sam
Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ath5k\led.c(3): * Copyright (c) 2004-2005
Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\led.c(4): * Copyright (c) 2007 Jiri
Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\led.c(5): * Copyright (c) 2009 Bob
Copeland <me@bobcopeland.com>
linux-3.10\drivers\net\wireless\ath\ath5k\mac80211-ops.c(2): * Copyright (c)
2002-2005 Sam Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ath5k\mac80211-ops.c(3): * Copyright (c)
2004-2005 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\mac80211-ops.c(4): * Copyright (c) 2006
Devicescape Software, Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\mac80211-ops.c(5): * Copyright (c) 2007
Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\mac80211-ops.c(6): * Copyright (c) 2007
Luis R. Rodriguez <mcgrof@winlab.rutgers.edu>
linux-3.10\drivers\net\wireless\ath\ath5k\mac80211-ops.c(7): * Copyright (c) 2010
Bruno Randolf <br1@einfach.org>
linux-3.10\drivers\net\wireless\ath\ath5k\pci.c(2): * Copyright (c) 2008-2009
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath5k\pcu.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\pcu.c(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\pcu.c(4): * Copyright (c) 2007-2008
Matthew W. S. Bell <mentor@madwifi.org>
linux-3.10\drivers\net\wireless\ath\ath5k\pcu.c(5): * Copyright (c) 2007-2008
Luis Rodriguez <mcgrof@winlab.rutgers.edu>
linux-3.10\drivers\net\wireless\ath\ath5k\pcu.c(6): * Copyright (c) 2007-2008
Pavel Roskin <proski@gnu.org>
linux-3.10\drivers\net\wireless\ath\ath5k\pcu.c(7): * Copyright (c) 2007-2008
Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\phy.c(2): * Copyright (c) 2004-2007
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\phy.c(3): * Copyright (c) 2006-2009
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\phy.c(4): * Copyright (c) 2007-2008
Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\phy.c(5): * Copyright (c) 2008-2009
Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\ath\ath5k\qcu.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\qcu.c(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\reg.h(2): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\reg.h(3): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath5k\reg.h(4): * Copyright (c) 2007-2008
Michael Taylor <mike.taylor@apprion.com>
linux-3.10\drivers\net\wireless\ath\ath5k\reset.c(2): * Copyright (c) 2004-2008
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\reset.c(3): * Copyright (c) 2006-2008
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\reset.c(4): * Copyright (c) 2007-2008
Luis Rodriguez <mcgrof@winlab.rutgers.edu>
linux-3.10\drivers\net\wireless\ath\ath5k\reset.c(5): * Copyright (c) 2007-2008
Pavel Roskin <proski@gnu.org>
linux-3.10\drivers\net\wireless\ath\ath5k\reset.c(6): * Copyright (c) 2007-2008
Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\rfbuffer.h(4): * Copyright (c) 2009
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\rfgain.h(4): * Copyright (c) 2004-2009
Reyk Floeter <reyk@openbsd.org>
linux-3.10\drivers\net\wireless\ath\ath5k\rfgain.h(5): * Copyright (c) 2006-2009
Nick Kossifidis <mickflemm@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath5k\rfkill.c(4): * Copyright (c) 2009
Tobias Doerffel <tobias.doerffel@gmail.com>
linux-3.10\drivers\net\wireless\ath\ath6k1\bmi.c(2): * Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\bmi.c(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\bmi.h(2): * Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\bmi.h(3): * Copyright (c) 2011
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\cfg80211.c(2): * Copyright (c)
2004-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\cfg80211.c(3): * Copyright (c)
2011-2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\cfg80211.h(2): * Copyright (c) 2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\cfg80211.h(3): * Copyright (c)
2011-2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\common.h(2): * Copyright (c) 2010-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\common.h(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\core.c(2): * Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\core.c(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\core.h(2): * Copyright (c) 2010-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\core.h(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\debug.c(2): * Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6k1\debug.c(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath6kl\debug.h(2): * Copyright (c) 2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\debug.h(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\hif.c(2): * Copyright (c) 2007-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\hif.c(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\hif.h(2): * Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\hif.h(3): * Copyright (c) 2011
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\hif-ops.h(2): * Copyright (c)
2004-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\hif-ops.h(3): * Copyright (c) 2011
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\htc.h(2): * Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\htc.h(3): * Copyright (c) 2011
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\htc_mbox.c(2): * Copyright (c)
2007-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\htc_mbox.c(3): * Copyright (c)
2011-2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\htc_pipe.c(2): * Copyright (c)
2007-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\htc-ops.h(2): * Copyright (c)
2004-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\init.c(3): * Copyright (c) 2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\init.c(4): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\main.c(2): * Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\main.c(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\Makefile(2):# Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\Makefile(3):# Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\recovery.c(2): * Copyright (c) 2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\sdio.c(2): * Copyright (c) 2004-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\sdio.c(3): * Copyright (c) 2011-2012
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\target.h(2): * Copyright (c) 2004-2010
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\target.h(3): * Copyright (c) 2011
Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\testmode.c(2): * Copyright (c)
2010-2011 Atheros Communications Inc.

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath6kl\testmode.c(3): * Copyright (c) 2011 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\testmode.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\testmode.h(3): * Copyright (c) 2011 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\trace.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\txrx.c(2): * Copyright (c) 2004-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\txrx.c(3): * Copyright (c) 2011-2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\usb.c(2): * Copyright (c) 2007-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\usb.c(3): * Copyright (c) 2011-2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\wmi.c(2): * Copyright (c) 2004-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\wmi.c(3): * Copyright (c) 2011-2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\wmi.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath6kl\wmi.h(3): * Copyright (c) 2011-2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ahb.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ahb.c(3): * Copyright (c) 2009 Gabor Juhos <juhosg@openwrt.org>
linux-3.10\drivers\net\wireless\ath\ath9k\ahb.c(4): * Copyright (c) 2009 Imre Kaloz <kaloz@openwrt.org>
linux-3.10\drivers\net\wireless\ath\ath9k\ani.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ani.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\antenna.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar5008_initvals.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar5008_phy.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9001_initvals.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9002_calib.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9002_hw.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9002_initvals.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9002_mac.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9002_phy.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath9k\ar9002_phy.h(2): * Copyright (c)
2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_2p2_initvals.h(2): * Copyright
(c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_2p2_initvals.h(3): * Copyright
(c) 2011-2012 Qualcomm Atheros Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_calib.c(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_eeprom.c(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_eeprom.h(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_hw.c(2): * Copyright (c)
2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_mac.c(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_mac.h(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_mci.c(2): * Copyright (c)
2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_mci.h(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_paprd.c(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_phy.c(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_phy.h(2): * Copyright (c)
2010-2011 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_rtt.c(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9003_rtt.h(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9330_1p1_initvals.h(2): * Copyright
(c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9330_1p1_initvals.h(3): * Copyright
(c) 2011-2012 Qualcomm Atheros Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9330_1p2_initvals.h(2): * Copyright
(c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9330_1p2_initvals.h(3): * Copyright
(c) 2011-2012 Qualcomm Atheros Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9340_initvals.h(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9340_initvals.h(3): * Copyright (c)
2011-2012 Qualcomm Atheros Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9462_2p0_initvals.h(2): * Copyright
(c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9462_2p0_initvals.h(3): * Copyright
(c) 2011-2012 Qualcomm Atheros Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9485_initvals.h(2): * Copyright (c)
2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9485_initvals.h(3): * Copyright (c)
2011-2012 Qualcomm Atheros Inc.

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath9k\ar955x_1p0_initvals.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar955x_1p0_initvals.h(3): * Copyright (c) 2011-2012 Qualcomm Atheros Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9565_1p0_initvals.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9565_1p0_initvals.h(3): * Copyright (c) 2011-2012 Qualcomm Atheros Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9580_1p0_initvals.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ar9580_1p0_initvals.h(3): * Copyright (c) 2011-2012 Qualcomm Atheros Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\ath9k.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\beacon.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\btcoex.c(2): * Copyright (c) 2009-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\btcoex.h(2): * Copyright (c) 2009-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\calib.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\calib.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\common.c(2): * Copyright (c) 2009-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\common.h(2): * Copyright (c) 2009-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\debug.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\debug.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\dfs.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\dfs.c(3): * Copyright (c) 2011 Neratec Solutions AG
linux-3.10\drivers\net\wireless\ath\ath9k\dfs.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\dfs.h(3): * Copyright (c) 2011 Neratec Solutions AG
linux-3.10\drivers\net\wireless\ath\ath9k\dfs_debug.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\dfs_debug.c(3): * Copyright (c) 2011 Neratec Solutions AG
linux-3.10\drivers\net\wireless\ath\ath9k\dfs_debug.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\dfs_debug.h(3): * Copyright (c) 2011 Neratec Solutions AG
linux-3.10\drivers\net\wireless\ath\ath9k\dfs_pattern_detector.c(2): * Copyright (c) 2012 Neratec Solutions AG
linux-3.10\drivers\net\wireless\ath\ath9k\dfs_pattern_detector.h(2): * Copyright (c) 2012 Neratec Solutions AG

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath9k\dfs_pri_detector.c(2): * Copyright (c) 2012 Neratec Solutions AG
linux-3.10\drivers\net\wireless\ath\ath9k\dfs_pri_detector.h(2): * Copyright (c) 2012 Neratec Solutions AG
linux-3.10\drivers\net\wireless\ath\ath9k\eeeprom.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\eeeprom.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\eeeprom_4k.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\eeeprom_9287.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\eeeprom_def.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\gpio.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\hif_usb.c(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\hif_usb.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc_drv_beacon.c(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc_drv_debug.c(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc_drv_gpio.c(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc_drv_init.c(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc_drv_main.c(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc_drv_txrx.c(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc_hst.c(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\htc_hst.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\hw.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\hw.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\hw-ops.h(2): * Copyright (c) 2010-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\init.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\link.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\mac.c(2): * Copyright (c) 2008-2011 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\mac.h(2): * Copyright (c) 2008-2011 Atheros Communications Inc.

legal(ME)

linux-3.10\drivers\net\wireless\ath\ath9k\main.c(2): * Copyright (c) 2008-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\mci.c(2): * Copyright (c) 2010-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\mci.h(2): * Copyright (c) 2010-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\pci.c(2): * Copyright (c) 2008-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\phy.h(2): * Copyright (c) 2008-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\rc.c(2): * Copyright (c) 2004 Video54
Technologies, Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\rc.c(3): * Copyright (c) 2004-2011
Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\rc.h(2): * Copyright (c) 2004 Sam
Leffler, Errno Consulting
linux-3.10\drivers\net\wireless\ath\ath9k\rc.h(3): * Copyright (c) 2004 Video54
Technologies, Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\rc.h(4): * Copyright (c) 2008-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\recv.c(2): * Copyright (c) 2008-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\reg.h(2): * Copyright (c) 2008-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\wmi.c(2): * Copyright (c) 2010-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\wmi.h(2): * Copyright (c) 2010-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\wow.c(2): * Copyright (c) 2012 Qualcomm
Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\ath9k\xmit.c(2): * Copyright (c) 2008-2011
Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\carl9170.h(25): *Copyright (c)
2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\carl9170.h(6): * Copyright 2008,
Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\carl9170.h(7): * Copyright 2009,
2010, Christian Lamparter <chunkey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\cmd.c(24): *Copyright (c) 2007-2008
Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\cmd.c(6): * Copyright 2008, Johannes
Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\cmd.h(25): *Copyright (c) 2007-2008
Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\cmd.h(6): * Copyright 2008, Johannes
Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\cmd.h(7): * Copyright 2010,
Christian Lamparter <chunkey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\debug.c(25): *Copyright (c)
2008-2009 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\debug.c(6): * Copyright 2008,
Johannes Berg <johannes@sipsolutions.net>

legal(ME)

linux-3.10\drivers\net\wireless\ath\carl9170\debug.c(7): * Copyright 2009, 2010, Christian Lamparter <chunkeey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\debug.h(24): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\debug.h(6): * Copyright 2010, Christian Lamparter <chunkeey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\EEPROM.h(24): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\EEPROM.h(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\fw.c(6): * Copyright 2009, 2010, Christian Lamparter <chunkeey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\fwcmd.h(24): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\fwcmd.h(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\fwcmd.h(7): * Copyright 2009-2011 Christian Lamparter <chunkeey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\fwdesc.h(6): * Copyright 2009-2011 Christian Lamparter <chunkeey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\hw.h(24): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\hw.h(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\hw.h(7): * Copyright 2009-2011 Christian Lamparter <chunkeey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\led.c(25): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\led.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\led.c(7): * Copyright 2009, 2010, Christian Lamparter <chunkeey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\mac.c(24): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\mac.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\main.c(25): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\main.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\main.c(7): * Copyright 2009, 2010, Christian Lamparter <chunkeey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\phy.c(24): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\phy.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\phy.h(6): * Copyright (c) 2008-2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\rx.c(25): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\rx.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>

legal(ME)

linux-3.10\drivers\net\wireless\ath\carl9170\rx.c(7): * Copyright 2009, 2010, Christian Lamparter <chunkey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\tx.c(25): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\tx.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\tx.c(7): * Copyright 2009, 2010, Christian Lamparter <chunkey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\usb.c(25): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\usb.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\usb.c(7): * Copyright 2009, 2010, Christian Lamparter <chunkey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\carl9170\wlan.h(24): *Copyright (c) 2007-2008 Atheros Communications, Inc.
linux-3.10\drivers\net\wireless\ath\carl9170\wlan.h(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\ath\carl9170\wlan.h(7): * Copyright 2009-2011 Christian Lamparter <chunkey@googlemail.com>
linux-3.10\drivers\net\wireless\ath\debug.c(2): * Copyright (c) 2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\hw.c(2): * Copyright (c) 2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\key.c(2): * Copyright (c) 2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\key.c(3): * Copyright (c) 2010 Bruno Randolf <br1@einfach.org>
linux-3.10\drivers\net\wireless\ath\main.c(2): * Copyright (c) 2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\reg.h(2): * Copyright (c) 2008-2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\regd.c(2): * Copyright (c) 2008-2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\regd.h(2): * Copyright (c) 2008-2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\regd_common.h(2): * Copyright (c) 2008-2009 Atheros Communications Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\cfg80211.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\debugfs.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\interrupt.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\main.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\netdev.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\pcie_bus.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\txrx.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.

legal(ME)

linux-3.10\drivers\net\wireless\ath\wil6210\txrx.h(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\wil6210.h(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\wmi.c(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\wmi.h(2): * Copyright (c) 2012 Qualcomm Atheros, Inc.
linux-3.10\drivers\net\wireless\ath\wil6210\wmi.h(3): * Copyright (c) 2006-2012 Wilocity .
linux-3.10\drivers\net\wireless\atmel.c(15):net.russotto.AtmelMACFW, written by Matthew T. Russotto and copyright
linux-3.10\drivers\net\wireless\atmel.c(396): For copyright information and source see the end of this file. */
linux-3.10\drivers\net\wireless\atmel.c(4264):/* Copyright 2003 Matthew T. Russotto*/
linux-3.10\drivers\net\wireless\atmel.c(5):Copyright 2000-2001 ATMEL Corporation.
linux-3.10\drivers\net\wireless\atmel.c(6):Copyright 2003-2004 Simon Kelley.
linux-3.10\drivers\net\wireless\atmel.h(5): Copyright 2005 Dan Williams and Red Hat, Inc.
linux-3.10\drivers\net\wireless\atmel_cs.c(5):Copyright 2000-2001 ATMEL Corporation.
linux-3.10\drivers\net\wireless\atmel_cs.c(6):Copyright 2003 Simon Kelley.
linux-3.10\drivers\net\wireless\atmel_pci.c(5): Copyright 2004 Simon Kelley.
linux-3.10\drivers\net\wireless\b43\bus.c(6):Copyright (c) 2011 Rafał Miłajki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\debugfs.c(7):Copyright (c) 2005-2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\dma.c(10):Copyright (C) 2002 David S. Miller
linux-3.10\drivers\net\wireless\b43\dma.c(11):Copyright (C) Pekka Pietikainen
linux-3.10\drivers\net\wireless\b43\dma.c(7):Copyright (c) 2005, 2006 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\leds.c(10):Copyright (c) 2005 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43\leds.c(6):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43\leds.c(7):Copyright (c) 2005 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\leds.c(8):Copyright (c) 2005-2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\leds.c(9):Copyright (c) 2005 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43\lo.c(10):Copyright (c) 2005, 2006 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43\lo.c(11):Copyright (c) 2005, 2006 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43\lo.c(7):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43\lo.c(8):Copyright (c) 2005, 2006 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\lo.c(9):Copyright (c) 2005-2007 Michael Buesch <m@bues.ch>

legal(ME)

linux-3.10\drivers\net\wireless\b43\main.c(10):Copyright (c) 2010-2011 Rafał Miłajki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\main.c(13):Copyright (c) 2009 Albert Herranz <albert_herranz@yahoo.es>
linux-3.10\drivers\net\wireless\b43\main.c(16):driverCopyright(c) 2003 - 2004 Intel Corporation.
linux-3.10\drivers\net\wireless\b43\main.c(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>
linux-3.10\drivers\net\wireless\b43\main.c(6):Copyright (c) 2005 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\main.c(7):Copyright (c) 2005-2009 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\main.c(8):Copyright (c) 2005 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43\main.c(9):Copyright (c) 2005 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43\main.h(12):driverCopyright(c) 2003 - 2004 Intel Corporation.
linux-3.10\drivers\net\wireless\b43\main.h(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43\pcmcia.c(5):Copyright (c) 2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\phy_a.c(10):Copyright (c) 2005, 2006 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43\phy_a.c(6):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43\phy_a.c(7):Copyright (c) 2005-2007 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\phy_a.c(8):Copyright (c) 2005-2008 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\phy_a.c(9):Copyright (c) 2005, 2006 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43\phy_common.c(10):Copyright (c) 2005, 2006 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43\phy_common.c(6):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43\phy_common.c(7):Copyright (c) 2005-2007 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\phy_common.c(8):Copyright (c) 2005-2008 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\phy_common.c(9):Copyright (c) 2005, 2006 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43\phy_g.c(10):Copyright (c) 2005, 2006 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43\phy_g.c(6):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43\phy_g.c(7):Copyright (c) 2005-2007 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\phy_g.c(8):Copyright (c) 2005-2008 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\phy_g.c(9):Copyright (c) 2005, 2006 Danny van Dyk <kugelfang@gentoo.org>

legal(ME)

linux-3.10\drivers\net\wireless\b43\phy_ht.c(6):Copyright (c) 2011 Rafał Miłfcki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\phy_lcn.c(26):Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\b43\phy_lcn.c(6):Copyright (c) 2011 Rafał Miłfcki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\phy_lp.c(6):Copyright (c) 2008-2009 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\phy_lp.c(7):Copyright (c) 2009 Gōbor Stefanik <netrolller.3d@gmail.com>
linux-3.10\drivers\net\wireless\b43\phy_n.c(6):Copyright (c) 2008 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\phy_n.c(7):Copyright (c) 2010-2011 Rafał Miłfcki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\pio.c(7):Copyright (c) 2005-2008 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\radio_2055.c(6):Copyright (c) 2008 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\radio_2055.c(7):Copyright (c) 2010 Rafał Miłfcki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\radio_2056.c(6):Copyright (c) 2010 Rafał Miłfcki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\radio_2057.c(6):Copyright (c) 2010 Rafał Miłfcki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\radio_2059.c(6):Copyright (c) 2011 Rafał Miłfcki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\rfskill.c(6):Copyright (c) 2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\sdio.c(6): * Copyright (C) 2009 Albert Herranz
linux-3.10\drivers\net\wireless\b43\sdio.c(7): * Copyright (C) 2009 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\sysfs.c(7):Copyright (c) 2006 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\tables.c(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43\tables.c(6):Copyright (c) 2005-2007 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\tables.c(7):Copyright (c) 2006, 2006 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\tables.c(8):Copyright (c) 2005 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43\tables.c(9):Copyright (c) 2005 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43\tables_lpphy.c(6):Copyright (c) 2009 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\tables_lpphy.c(7):Copyright (c) 2009 Gōbor Stefanik <netrolller.3d@gmail.com>
linux-3.10\drivers\net\wireless\b43\tables_nphy.c(6):Copyright (c) 2008 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\tables_nphy.c(7):Copyright (c) 2010 Rafał Miłfcki <zajec5@gmail.com>

legal(ME)

linux-3.10\drivers\net\wireless\b43\tables_phy_ht.c(6):Copyright (c) 2011 Rafał Miłajki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\tables_phy_lcn.c(6):Copyright (c) 2011 Rafał Miłajki <zajec5@gmail.com>
linux-3.10\drivers\net\wireless\b43\wa.c(7):Copyright (c) 2005-2007 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\wa.c(8):Copyright (c) 2005-2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43\xmit.c(10):Copyright (C) 2005 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43\xmit.c(11):Copyright (C) 2005 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43\xmit.c(7):Copyright (C) 2005 Martin Langer <martin-langer@gmx.de>
linux-3.10\drivers\net\wireless\b43\xmit.c(8):Copyright (C) 2005 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43\xmit.c(9):Copyright (C) 2005, 2006 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\debugfs.c(7):Copyright (c) 2005-2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\dma.c(10):Copyright (C) 2002 David S. Miller
linux-3.10\drivers\net\wireless\b43legacy\dma.c(11):Copyright (C) Pekka Pietikainen
linux-3.10\drivers\net\wireless\b43legacy\dma.c(7):Copyright (c) 2005, 2006 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\ilt.c(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43legacy\leds.c(10):Copyright (c) 2005 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43legacy\leds.c(6):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43legacy\leds.c(7):Copyright (c) 2005 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43legacy\leds.c(8):Copyright (c) 2005-2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\leds.c(9):Copyright (c) 2005 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43legacy\main.c(10): *Copyright (c) 2007 Larry Finger <Larry.Finger@lwfinger.net>
linux-3.10\drivers\net\wireless\b43legacy\main.c(13): *driverCopyright(c) 2003 - 2004 Intel Corporation.
linux-3.10\drivers\net\wireless\b43legacy\main.c(5): *Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>
linux-3.10\drivers\net\wireless\b43legacy\main.c(6): *Copyright (c) 2005-2008 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43legacy\main.c(7): *Copyright (c) 2005, 2006 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\main.c(8): *Copyright (c) 2005 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43legacy\main.c(9): *Copyright (c) 2005 Andreas Jaggi <andreas.jaggi@waterwave.ch>

legal(ME)

linux-3.10\drivers\net\wireless\b43legacy\main.h(10):Copyright (c) 2007Larry Finger <Larry.Finger@lwfinger.net>
linux-3.10\drivers\net\wireless\b43legacy\main.h(13):driverCopyright(c) 2003 - 2004 Intel Corporation.
linux-3.10\drivers\net\wireless\b43legacy\main.h(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43legacy\main.h(6):Copyright (c) 2005 Stefano Brivio <stefano.brivio@polimi.it>
linux-3.10\drivers\net\wireless\b43legacy\main.h(7):Copyright (c) 2005, 2006 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\main.h(8):Copyright (c) 2005Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43legacy\main.h(9):Copyright (c) 2005Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43legacy\phy.c(10):Copyright (c) 2007 Larry Finger <Larry.Finger@lwfinger.net>
linux-3.10\drivers\net\wireless\b43legacy\phy.c(13):driverCopyright(c) 2003 - 2004 Intel Corporation.
linux-3.10\drivers\net\wireless\b43legacy\phy.c(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43legacy\phy.h(10):Copyright (c) 2007 Larry Finger <Larry.Finger@lwfinger.net>
linux-3.10\drivers\net\wireless\b43legacy\phy.h(13):driverCopyright(c) 2003 - 2004 Intel Corporation.
linux-3.10\drivers\net\wireless\b43legacy\phy.h(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43legacy\pio.c(7):Copyright (c) 2005 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\radio.c(10):Copyright (c) 2007 Larry Finger <Larry.Finger@lwfinger.net>
linux-3.10\drivers\net\wireless\b43legacy\radio.c(13):driverCopyright(c) 2003 - 2004 Intel Corporation.
linux-3.10\drivers\net\wireless\b43legacy\radio.c(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43legacy\radio.h(12):driverCopyright(c) 2003 - 2004 Intel Corporation.
linux-3.10\drivers\net\wireless\b43legacy\radio.h(5):Copyright (c) 2005 Martin Langer <martin-langer@gmx.de>,
linux-3.10\drivers\net\wireless\b43legacy\rfkill.c(6):Copyright (c) 2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\sysfs.c(7):Copyright (c) 2006 Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\b43legacy\xmit.c(10):Copyright (C) 2005 Danny van Dyk <kugelfang@gentoo.org>
linux-3.10\drivers\net\wireless\b43legacy\xmit.c(11):Copyright (C) 2005 Andreas Jaggi <andreas.jaggi@waterwave.ch>
linux-3.10\drivers\net\wireless\b43legacy\xmit.c(12):Copyright (C) 2007 Larry Finger <Larry.Finger@lwfinger.net>
linux-3.10\drivers\net\wireless\b43legacy\xmit.c(7):Copyright (C) 2005 Martin Langer <martin-langer@gmx.de>
linux-3.10\drivers\net\wireless\b43legacy\xmit.c(8):Copyright (C) 2005 Stefano Brivio <stefano.brivio@polimi.it>

legal(ME)

linux-3.10\drivers\net\wireless\b43legacy\xmit.c(9): Copyright (C) 2005, 2006
Michael Buesch <m@bues.ch>
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\bcmsdh.c(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\bcmsdh_sdmmc.c(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\btcoex.c(2): * Copyright (c)
2013 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\btcoex.h(2): * Copyright (c)
2013 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd.h(2): * Copyright (c) 2010
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd_bus.h(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd_cdc.c(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd_common.c(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd_dbg.c(2): * Copyright (c)
2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd_dbg.h(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd_linux.c(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd_proto.h(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\dhd_sdio.c(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\fweh.c(2): * Copyright (c)
2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\fweh.h(2): * Copyright (c)
2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\fwil.c(2): * Copyright (c)
2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\fwil.h(2): * Copyright (c)
2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\fwil_types.h(2): * Copyright
(c) 2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\fwsignal.c(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\fwsignal.h(2): * Copyright (c)
2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\Makefile(4):# Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\p2p.c(2): * Copyright (c) 2012
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\p2p.h(2): * Copyright (c) 2012
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\sdio_chip.c(2): * Copyright
(c) 2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\sdio_chip.h(2): * Copyright
(c) 2011 Broadcom Corporation

legal(ME)

linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\sdio_host.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\tracepoint.c(2): * Copyright (c) 2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\tracepoint.h(2): * Copyright (c) 2013 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\usb.c(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\usb.h(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\usb_rdl.h(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\wl_cfg80211.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmfmac\wl_cfg80211.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\aiutils.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\aiutils.h(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\ampdu.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\ampdu.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\antsel.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\antsel.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\brcms_trace_events.c(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\brcms_trace_events.h(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\channel.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\channel.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\d11.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\debug.c(2): * Copyright (c) 2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\debug.c(3): * Copyright (c) 2012 Canonical Ltd.
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\debug.h(2): * Copyright (c) 2012 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\debug.h(3): * Copyright (c) 2012 Canonical Ltd.
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\dma.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\dma.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\led.h(2): * Copyright (c) 2012 Broadcom Corporation

legal(ME)

linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\mac80211_if.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\mac80211_if.c(3): * Copyright (c) 2013 Hauke Mehrtens <hauke@hauke-m.de>
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\mac80211_if.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\main.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\main.c(3): * Copyright (c) 2013 Hauke Mehrtens <hauke@hauke-m.de>
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\main.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\Makefile(4):# Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy_shim.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy_shim.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_cmn.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_hal.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_int.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_lcn.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_lcn.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_n.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_qmath.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_qmath.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phy_radio.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phyreg_n.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phytbl_lcn.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phytbl_lcn.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phytbl_n.c(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\phy\phytbl_n.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\pmu.c(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\pmu.h(2): * Copyright (c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\pub.h(2): * Copyright (c) 2010 Broadcom Corporation

legal(ME)

linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\rate.c(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\rate.h(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\scb.h(2): * Copyright (c) 2010
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\stf.c(2): * Copyright (c) 2010
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\stf.h(2): * Copyright (c) 2010
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\types.h(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\ucode_loader.c(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmsmac\ucode_loader.h(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmutil\d11.c(2): * Copyright (c) 2013
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmutil\Makefile(4):# Copyright (c)
2011 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\brcmutil\utils.c(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\include\brcm_hw_ids.h(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\include\brcmu_d11.h(2): * Copyright (c)
2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\include\brcmu_utils.h(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\include\brcmu_wifi.h(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\include\chipcommon.h(2): * Copyright
(c) 2010 Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\include\defs.h(2): * Copyright (c) 2010
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\include\soc.h(2): * Copyright (c) 2010
Broadcom Corporation
linux-3.10\drivers\net\wireless\brcm80211\Makefile(4):# Copyright (c) 2010
Broadcom Corporation
linux-3.10\drivers\net\wireless\hostap\hostap_ap.c(3): * Copyright (c) 2001-2002,
SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\net\wireless\hostap\hostap_ap.c(5): * Copyright (c) 2002-2005,
Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\hostap\hostap_hw.c(5): * Copyright (c) 2001-2002,
SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\net\wireless\hostap\hostap_hw.c(7): * Copyright (c) 2002-2005,
Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\hostap\hostap_main.c(5): * Copyright (c)
2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\net\wireless\hostap\hostap_main.c(7): * Copyright (c)
2002-2005, Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\hostap\hostap_plx.c(6): * - linux-wlan-ng driver,
Copyright (C) AbsoluteValue Systems, Inc.

legal(ME)

```
linux-3.10\drivers\net\wireless\ipw2x00\ipw.h(4): * Copyright 2012 Stanislav
Yakovlev <stas.yakovlev@gmail.com>
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.c(176):#define
DRV_COPYRIGHTCopyright(c) 2003-2006 Intel Corporation
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.c(187):MODULE_AUTHOR(DRV_COPYRIGH
T);
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.c(26):Extensions 0.26 package and
copyright (c) 1997-2003 Jean Tourrilhes
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.c(3):Copyright(c) 2003 - 2006
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.c(30):Copyright (c) 2001-2002,
SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.c(32):Copyright (c) 2002-2003,
Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.c(36):available in the 2.4.25
kernel sources, and are copyright (c) Alan Cox
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.c(6595):printk(KERN_INFO DRV_NAME
": %s\n", DRV_COPYRIGHT);
linux-3.10\drivers\net\wireless\ipw2x00\ipw2100.h(3):Copyright(c) 2003 - 2006
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\ipw2x00\ipw2200.c(12069):printk(KERN_INFO
DRV_NAME ": " DRV_COPYRIGHT "\n");
linux-3.10\drivers\net\wireless\ipw2x00\ipw2200.c(3):Copyright(c) 2003 - 2006
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\ipw2x00\ipw2200.c(6):Copyright 2000, Axis
Communications AB
linux-3.10\drivers\net\wireless\ipw2x00\ipw2200.c(78):#define
DRV_COPYRIGHTCopyright(c) 2003-2006 Intel Corporation
linux-3.10\drivers\net\wireless\ipw2x00\ipw2200.c(85):MODULE_AUTHOR(DRV_COPYRIGHT
);
linux-3.10\drivers\net\wireless\ipw2x00\ipw2200.c(9):Copyright 1998 Gerald Combs
linux-3.10\drivers\net\wireless\ipw2x00\ipw2200.h(3):Copyright(c) 2003 - 2006
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\ipw2x00\libipw.h(10): * Copyright (c) 2002-2003,
Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\ipw2x00\libipw.h(14): * Copyright (c) 2004-2005,
Intel Corporation
linux-3.10\drivers\net\wireless\ipw2x00\libipw.h(3): * remains copyright by the
original authors
linux-3.10\drivers\net\wireless\ipw2x00\libipw.h(8): * Copyright (c) 2001-2002,
SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\net\wireless\ipw2x00\libipw_geo.c(3):Copyright(c) 2005 Intel
Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\ipw2x00\libipw_module.c(3):Copyright(c) 2004-2005
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\ipw2x00\libipw_module.c(312):printk(KERN_INFO
DRV_NAME ": " DRV_COPYRIGHT "\n");
linux-3.10\drivers\net\wireless\ipw2x00\libipw_module.c(59):#define DRV_COPYRIGHT
"Copyright (C) 2004-2005 Intel Corporation <jketreno@linux.intel.com>"
linux-3.10\drivers\net\wireless\ipw2x00\libipw_module.c(63):MODULE_AUTHOR(DRV_COP
YRIGHT);
linux-3.10\drivers\net\wireless\ipw2x00\libipw_module.c(7):Copyright (c)
```


legal(ME)

2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\net\wireless\ipw2x00\libipw_module.c(9):Copyright (c)
2002-2003, Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\ipw2x00\libipw_rx.c(5): * Copyright (c)
2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\net\wireless\ipw2x00\libipw_rx.c(7): * Copyright (c)
2002-2003, Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\ipw2x00\libipw_rx.c(8): * Copyright (c)
2004-2005, Intel Corporation
linux-3.10\drivers\net\wireless\ipw2x00\libipw_tx.c(3):Copyright(c) 2003 - 2005
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\ipw2x00\libipw_wx.c(3):Copyright(c) 2004-2005
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\ipw2x00\libipw_wx.c(7):Copyright (c) 2001-2002,
SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\net\wireless\ipw2x00\libipw_wx.c(9):Copyright (c) 2002-2003,
Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\iwlegacy\3945.c(3): * Copyright(c) 2003 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\3945.h(3): * Copyright(c) 2003 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\3945-debug.c(5): * Copyright(c) 2008 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\3945-mac.c(3): * Copyright(c) 2003 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\3945-mac.c(3921):pr_info(DRV_COPYRIGHT
"\n");
linux-3.10\drivers\net\wireless\iwlegacy\3945-mac.c(60): * module name,
copyright, version, etc.
linux-3.10\drivers\net\wireless\iwlegacy\3945-mac.c(78):#define
DRV_COPYRIGHTCopyright(c) 2003-2011 Intel Corporation
linux-3.10\drivers\net\wireless\iwlegacy\3945-mac.c(83):MODULE_AUTHOR(DRV_COPYRIG
HT " " DRV_AUTHOR);
linux-3.10\drivers\net\wireless\iwlegacy\3945-rs.c(3): * Copyright(c) 2005 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\4965.c(3): * Copyright(c) 2003 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\4965.h(5): * Copyright(c) 2008 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\4965-calib.c(33): * Copyright(c) 2005 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\4965-calib.c(8): * Copyright(c) 2008 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\4965-debug.c(5):* Copyright(c) 2008 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\4965-mac.c(3): * Copyright(c) 2003 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\4965-mac.c(63): * module name,
copyright, version, etc.
linux-3.10\drivers\net\wireless\iwlegacy\4965-mac.c(6812):pr_info(DRV_COPYRIGHT
"\n");
linux-3.10\drivers\net\wireless\iwlegacy\4965-mac.c(77):MODULE_AUTHOR(DRV_COPYRIG

legal(ME)

```
HT " " DRV_AUTHOR);
linux-3.10\drivers\net\wireless\iwlegacy\4965-rs.c(3): * Copyright(c) 2005 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\commands.h(33): * Copyright(c) 2005 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\commands.h(8): * Copyright(c) 2005 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\common.c(3292):MODULE_AUTHOR(DRV_COPYRIG
HT " " DRV_AUTHOR);
linux-3.10\drivers\net\wireless\iwlegacy\common.c(5): * Copyright(c) 2008 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\common.h(1509):#define
DRV_COPYRIGHTCopyright(c) 2003-2011 Intel Corporation
linux-3.10\drivers\net\wireless\iwlegacy\common.h(3): * Copyright(c) 2003 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\csr.h(33): * Copyright(c) 2005 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\csr.h(8): * Copyright(c) 2005 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\debug.c(5): * Copyright(c) 2008 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\iwl-spectrum.h(3): * Copyright(c) 2003 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\prph.h(33): * Copyright(c) 2005 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlegacy\prph.h(8): * Copyright(c) 2005 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\agn.h(33): * Copyright(c) 2005 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\agn.h(8): * Copyright(c) 2008 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\calib.c(33): * Copyright(c) 2005 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\calib.c(8): * Copyright(c) 2008 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\calib.h(33): * Copyright(c) 2005 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\calib.h(8): * Copyright(c) 2008 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\commands.h(33): * Copyright(c) 2005 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\commands.h(8): * Copyright(c) 2005 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\debugfs.c(5): * Copyright(c) 2008 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\dev.h(3): * Copyright(c) 2003 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\devices.c(3): * Copyright(c) 2008 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\led.c(3): * Copyright(c) 2003 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\led.h(3): * Copyright(c) 2003 - 2013
```

legal(ME)

Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\lib.c(5): * Copyright(c) 2008 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\mac80211.c(3): * Copyright(c) 2003 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\main.c(3): * Copyright(c) 2003 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\main.c(68): * module name, copyright,
version, etc.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\main.c(83):MODULE_AUTHOR(DRV_COPYRIGH
T " " DRV_AUTHOR);
linux-3.10\drivers\net\wireless\iwlwifi\dvm\power.c(3): * Copyright(c) 2007 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\power.h(3): * Copyright(c) 2007 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\rs.c(3): * Copyright(c) 2005 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\rs.h(3): * Copyright(c) 2003 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\rx.c(3): * Copyright(c) 2003 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\rxon.c(3): * Copyright(c) 2003 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\scan.c(5): * Copyright(c) 2008 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\sta.c(3): * Copyright(c) 2003 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\testmode.c(33): * Copyright(c) 2010 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\testmode.c(8): * Copyright(c) 2010 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\tt.c(3): * Copyright(c) 2007 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\tt.h(3): * Copyright(c) 2007 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\tx.c(5): * Copyright(c) 2008 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\dvm\ucode.c(5): * Copyright(c) 2008 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-1000.c(3): * Copyright(c) 2008 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-2000.c(3): * Copyright(c) 2008 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-5000.c(3): * Copyright(c) 2007 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-6000.c(3): * Copyright(c) 2008 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-7000.c(33): * Copyright(c) 2012 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-7000.c(8): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-agn-hw.h(33): * Copyright(c) 2005 -

legal(ME)

2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-agn-hw.h(8): * Copyright(c) 2007 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-config.h(33): * Copyright(c) 2005 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-config.h(8): * Copyright(c) 2007 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-csr.h(33): * Copyright(c) 2005 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-csr.h(8): * Copyright(c) 2005 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-debug.c(33): * Copyright(c) 2005 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-debug.c(8): * Copyright(c) 2007 -
2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-debug.h(3): * Copyright(c) 2003 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-devtrace.c(3): * Copyright(c) 2009 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-devtrace.h(3): * Copyright(c) 2009 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-drv.c(102):MODULE_AUTHOR(DRV_COPYRIGH
T " " DRV_AUTHOR);
linux-3.10\drivers\net\wireless\iwlwifi\iwl-drv.c(1180):pr_info(DRV_COPYRIGHT
"\n");
linux-3.10\drivers\net\wireless\iwlwifi\iwl-drv.c(33): * Copyright(c) 2005 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-drv.c(8): * Copyright(c) 2007 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-drv.c(88): * module name, copyright,
version, etc.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-drv.h(33): * Copyright(c) 2005 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-drv.h(71):#define
DRV_COPYRIGHTCopyright(c) 2003-2013 Intel Corporation
linux-3.10\drivers\net\wireless\iwlwifi\iwl-drv.h(8): * Copyright(c) 2008 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-EEPROM-parse.c(33): * Copyright(c)
2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-EEPROM-parse.c(8): * Copyright(c)
2008 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-EEPROM-parse.h(33): * Copyright(c)
2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-EEPROM-parse.h(8): * Copyright(c)
2008 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-EEPROM-read.c(33): * Copyright(c)
2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-EEPROM-read.c(8): * Copyright(c) 2008
- 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-EEPROM-read.h(33): * Copyright(c)
2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-EEPROM-read.h(8): * Copyright(c) 2008

legal(ME)

- 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-fh.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-fh.h(8): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-fw.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-fw.h(8): * Copyright(c) 2008 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-fw-file.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-fw-file.h(8): * Copyright(c) 2008 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-io.c(3): * Copyright(c) 2003 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-io.h(3): * Copyright(c) 2003 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-modparams.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-modparams.h(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-notif-wait.c(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-notif-wait.c(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-notif-wait.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-notif-wait.h(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-nvm-parse.c(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-nvm-parse.c(8): * Copyright(c) 2008 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-nvm-parse.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-nvm-parse.h(8): * Copyright(c) 2008 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-op-mode.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-op-mode.h(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-phy-db.c(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-phy-db.c(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-phy-db.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-phy-db.h(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-prph.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\iwl-prph.h(8): * Copyright(c) 2005 - 2013

legal(ME)

Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\iwl-test.c(33): * Copyright(c) 2010 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\iwl-test.c(8): * Copyright(c) 2010 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\iwl-test.h(33): * Copyright(c) 2010 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\iwl-test.h(8): * Copyright(c) 2010 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\iwl-testmode.h(33): * Copyright(c) 2010 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\iwl-testmode.h(8): * Copyright(c) 2010 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\iwl-trans.h(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\iwl-trans.h(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\binding.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\binding.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\bt-coex.c(33): * Copyright(c) 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\bt-coex.c(8): * Copyright(c) 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\d3.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\d3.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\debugfs.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\debugfs.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api.h(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api.h(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-bt-coex.h(33): * Copyright(c) 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-bt-coex.h(8): * Copyright(c) 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-d3.h(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-d3.h(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-mac.h(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-mac.h(8): * Copyright(c) 2012

legal(ME)

- 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-power.h(33): * Copyright(c)
2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-power.h(8): * Copyright(c)
2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-rs.h(33): * Copyright(c) 2012
- 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-rs.h(8): * Copyright(c) 2012 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-scan.h(33): * Copyright(c)
2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-scan.h(8): * Copyright(c) 2012
- 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-sta.h(33): * Copyright(c) 2012
- 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-sta.h(8): * Copyright(c) 2012
- 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-tx.h(33): * Copyright(c) 2012
- 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\fw-api-tx.h(8): * Copyright(c) 2012 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\led.c(33): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\led.c(8): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\mac80211.c(33): * Copyright(c) 2012 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\mac80211.c(8): * Copyright(c) 2012 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\mac-ctxt.c(33): * Copyright(c) 2012 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\mac-ctxt.c(8): * Copyright(c) 2012 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\mvm.h(33): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\mvm.h(8): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\nvm.c(33): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\nvm.c(8): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\ops.c(33): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\ops.c(8): * Copyright(c) 2012 - 2013
Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\ops.c(84): * module name, copyright,
version, etc.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\ops.c(92):MODULE_AUTHOR(DRV_COPYRIGHT
" " DRV_AUTHOR);
linux-3.10\drivers\net\wireless\iwlwifi\mvm\phy-ctxt.c(33): * Copyright(c) 2012 -
2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\phy-ctxt.c(8): * Copyright(c) 2012 -

legal(ME)

2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\power.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\power.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\quota.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\quota.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\rs.c(3): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\rs.h(3): * Copyright(c) 2003 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\rx.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\rx.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\scan.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\scan.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\sta.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\sta.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\sta.h(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\sta.h(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\time-event.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\time-event.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\time-event.h(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\time-event.h(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\tx.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\tx.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\utils.c(33): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\mvm\utils.c(8): * Copyright(c) 2012 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\pcie\drv.c(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\pcie\drv.c(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\pcie\internal.h(3): * Copyright(c) 2003 - 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\iwlwifi\pcie\rx.c(3): * Copyright(c) 2003 - 2013

legal(ME)

Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\pcie\trans.c(33): * Copyright(c) 2005 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\pcie\trans.c(8): * Copyright(c) 2007 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\iwlwifi\pcie\tx.c(3): * Copyright(c) 2003 - 2013 Intel Corporation. All rights reserved.

linux-3.10\drivers\net\wireless\libertas_tf\cmd.c(2): *Copyright (C) 2008, cozybit Inc.

linux-3.10\drivers\net\wireless\libertas_tf\cmd.c(3): *Copyright (C) 2003-2006, Marvell International Ltd.

linux-3.10\drivers\net\wireless\libertas_tf\if_usb.c(2): *Copyright (C) 2008, cozybit Inc.

linux-3.10\drivers\net\wireless\libertas_tf\if_usb.c(3): *Copyright (C) 2003-2006, Marvell International Ltd.

linux-3.10\drivers\net\wireless\libertas_tf\if_usb.h(2): *Copyright (C) 2008, cozybit Inc.

linux-3.10\drivers\net\wireless\libertas_tf\if_usb.h(3): *Copyright (C) 2003-2006, Marvell International Ltd.

linux-3.10\drivers\net\wireless\libertas_tf\libertas_tf.h(2): *Copyright (C) 2008, cozybit Inc.

linux-3.10\drivers\net\wireless\libertas_tf\libertas_tf.h(3): *Copyright (C) 2007, Red Hat, Inc.

linux-3.10\drivers\net\wireless\libertas_tf\libertas_tf.h(4): *Copyright (C) 2003-2006, Marvell International Ltd.

linux-3.10\drivers\net\wireless\libertas_tf\main.c(2): *Copyright (C) 2008, cozybit Inc.

linux-3.10\drivers\net\wireless\libertas_tf\main.c(3): *Copyright (C) 2003-2006, Marvell International Ltd.

linux-3.10\drivers\net\wireless\libertas\cfg.c(4): * Copyright (C) 2009 M&N Solutions GmbH, 61191 Rosbach, Germany

linux-3.10\drivers\net\wireless\libertas\cmd.h(1):/* Copyright (C) 2007, Red Hat, Inc. */

linux-3.10\drivers\net\wireless\libertas\if_sdio.c(1426):printk(KERN_INFO "libertas_sdio: Copyright Pierre Ossman\n");

linux-3.10\drivers\net\wireless\libertas\if_sdio.c(4): *Copyright 2007-2008 Pierre Ossman

linux-3.10\drivers\net\wireless\libertas\if_sdio.c(6): * Inspired by if_cs.c, Copyright 2007 Holger Schurig

linux-3.10\drivers\net\wireless\libertas\if_sdio.h(4): *Copyright 2007 Pierre Ossman

linux-3.10\drivers\net\wireless\libertas\if_spi.c(12): *Inspired by if_sdio.c, Copyright 2007-2008 Pierre Ossman

linux-3.10\drivers\net\wireless\libertas\if_spi.c(6): *Copyright 2008 Analog Devices Inc.

linux-3.10\drivers\net\wireless\libertas\if_spi.h(6): *Copyright 2008 Analog Devices Inc.

linux-3.10\drivers\net\wireless\libertas\LICENSE(1):Copyright (c) 2003-2006, Marvell International Ltd.

linux-3.10\drivers\net\wireless\libertas\README(4): (c) Copyright 2003-2006, Marvell International Ltd.

linux-3.10\drivers\net\wireless\mac80211_hwsim.c(3): * Copyright (c) 2008, Jouni

legal(ME)

Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\mac80211_hwsim.c(4): * Copyright (c) 2011, Javier Lopez <jlopex@gmail.com>
linux-3.10\drivers\net\wireless\mac80211_hwsim.h(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
linux-3.10\drivers\net\wireless\mac80211_hwsim.h(4): * Copyright (c) 2011, Javier Lopez <jlopex@gmail.com>
linux-3.10\drivers\net\wireless\mwifiex\11ac.c(4): * Copyright (C) 2013, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\11ac.h(4): * Copyright (C) 2013, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\11n.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\11n.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\11n_aggr.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\11n_aggr.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\11n_rxreorder.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\11n_rxreorder.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\cfg80211.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\cfg80211.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\cfp.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\cmddevt.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\debugfs.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\decl.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\ethtool.c(4): * Copyright (C) 2013, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\fw.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\ie.c(5): * Copyright (C) 2012, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\init.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\ioctl.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\join.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\main.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\main.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\Makefile(2):# Copyright (C) 2011, Marvell

legal(ME)

International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\pcie.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\pcie.h(6): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\README(1):# Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\scan.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\sdio.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\sdio.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\sta_cmd.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\sta_cmdresp.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\sta_event.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\sta_ioctl.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\sta_rx.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\sta_tx.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\txrx.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\uap_cmd.c(4): * Copyright (C) 2012, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\uap_event.c(4): * Copyright (C) 2012, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\uap_txrx.c(4): * Copyright (C) 2012, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\usb.c(4): * Copyright (C) 2012, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\usb.h(4): * Copyright (C) 2012, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\util.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\util.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\wmm.c(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mwifiex\wmm.h(4): * Copyright (C) 2011, Marvell International Ltd.
linux-3.10\drivers\net\wireless\mw18k.c(5): * Copyright (C) 2008, 2009, 2010 Marvell Semiconductor Inc.
linux-3.10\drivers\net\wireless\orinoco\airport.c(6): * Copyright notice & release notes in file main.c
linux-3.10\drivers\net\wireless\orinoco\hermes.c(16): * Copyright (C) 2000, David Gibson, Linuxcare Australia.
linux-3.10\drivers\net\wireless\orinoco\hermes.c(17): * (C) Copyright David

legal(ME)

Gibson, IBM Corp. 2001-2003.
linux-3.10\drivers\net\wireless\orinoco\hermes.h(15): * Copyright (C) 2000, David Gibson, Linuxcare Australia.
linux-3.10\drivers\net\wireless\orinoco\hermes.h(16): * (C) Copyright David Gibson, IBM Corp. 2001-2003.
linux-3.10\drivers\net\wireless\orinoco\hermes.h(19): * Copyright (C) 1999 AbsoluteValue Systems, Inc. All Rights Reserved.
linux-3.10\drivers\net\wireless\orinoco\hermes_dld.c(13): * Copyright (C) 2007, David Kilroy
linux-3.10\drivers\net\wireless\orinoco\hermes_dld.c(16): *Copyright (C) 2002-2005 Pavel Roskin <proski@gnu.org>
linux-3.10\drivers\net\wireless\orinoco\hermes_dld.c(18): *COPYRIGHT (C) 2001-2004 by Agere Systems Inc. All Rights Reserved
linux-3.10\drivers\net\wireless\orinoco\hermes_dld.h(2): * Copyright (C) 2007, David Kilroy
linux-3.10\drivers\net\wireless\orinoco\main.c(10): * (C) Copyright David Gibson, IBM Corporation 2001-2003.
linux-3.10\drivers\net\wireless\orinoco\main.c(11): * Copyright (C) 2000 David Gibson, Linuxcare Australia.
linux-3.10\drivers\net\wireless\orinoco\main.c(13): * Copyright (C) 2001 Jean Tourrilhes, HP Labs
linux-3.10\drivers\net\wireless\orinoco\main.c(14): * Copyright (C) 2001 Benjamin Herrens Schmidt
linux-3.10\drivers\net\wireless\orinoco\main.c(18): * Portions based on wvlan_cs.c 1.0.6, Copyright Andreas Neuhaus <andy@wlan.cs.cmu.edu>
linux-3.10\drivers\net\wireless\orinoco\main.c(34): * A. Hinds are Copyright (C) 1999 David A. Hinds.All Rights Reserved
linux-3.10\drivers\net\wireless\orinoco\orinoco_cs.c(10): * Copyright notice & release notes in file main.c
linux-3.10\drivers\net\wireless\orinoco\orinoco_nortel.c(11): *Copyright (C) 2001 Daniel Barlow
linux-3.10\drivers\net\wireless\orinoco\orinoco_nortel.c(13): *Copyright (C) 2001 Jean Tourrilhes
linux-3.10\drivers\net\wireless\orinoco\orinoco_nortel.c(16): *Copyright (C) 1999 AbsoluteValue Systems, Inc.All Rights Reserved.
linux-3.10\drivers\net\wireless\orinoco\orinoco_nortel.c(7): * Copyright (C) 2002 Tobias Hoffmann
linux-3.10\drivers\net\wireless\orinoco\orinoco_pci.c(13): *Copyright (C) 2001 Daniel Barlow <dan AT telent.net>
linux-3.10\drivers\net\wireless\orinoco\orinoco_pci.c(16): *Copyright (C) 1999 AbsoluteValue Systems, Inc.All Rights Reserved.
linux-3.10\drivers\net\wireless\orinoco\orinoco_pci.c(18): *Copyright (C) 2001 Jean Tourrilhes <jt AT hpl.hp.com>
linux-3.10\drivers\net\wireless\orinoco\orinoco_pci.c(20): *(C) Copyright David Gibson, IBM Corp. 2002-2003.
linux-3.10\drivers\net\wireless\orinoco\orinoco_pci.h(6): * Copyright (C) 2005, Pavel Roskin.
linux-3.10\drivers\net\wireless\orinoco\orinoco_plx.c(10): * (C) Copyright David Gibson, IBM Corp. 2001-2003.
linux-3.10\drivers\net\wireless\orinoco\orinoco_plx.c(11): * Copyright (C) 2001 Daniel Barlow
linux-3.10\drivers\net\wireless\orinoco\orinoco_tmd.c(6): * Copyright (C) 2003

legal(ME)

Joerg Dorchain <joerg AT dorchain.net>

linux-3.10\drivers\net\wireless\orinoco\orinoco_tmd.c(7): * based heavily upon orinoco_plx.c Copyright (C) 2001 Daniel Barlow

linux-3.10\drivers\net\wireless\orinoco\orinoco_usb.c(29): * Copyright (C) 1999 AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\net\wireless\orinoco\orinoco_usb.c(35): * Copyright (c) 2001 Greg Kroah-Hartman (greg@kroah.com)

linux-3.10\drivers\net\wireless\orinoco\orinoco_usb.c(4): * Copyright (c) 2003 Manuel Estrada Sainz

linux-3.10\drivers\net\wireless\orinoco\spectrum_cs.c(12): * Copyright (C) 2002-2005 Pavel Roskin <proski@gnu.org>

linux-3.10\drivers\net\wireless\orinoco\spectrum_cs.c(14): *Copyright (C) David Gibson, Linuxcare Australia

linux-3.10\drivers\net\wireless\orinoco\spectrum_cs.c(16): *Copyright (C) Symbol Technologies.

linux-3.10\drivers\net\wireless\p54\EEPROM.c(10): * Copyright 2004-2006 Jean-Baptiste Note <jbnote@gmail.com>, et al.

linux-3.10\drivers\net\wireless\p54\EEPROM.c(12): * Copyright (C) 2008 Nokia Corporation and/or its subsidiary(-ies).

linux-3.10\drivers\net\wireless\p54\EEPROM.c(4): * Copyright (c) 2006, Michael Wu <flamingice@sourmilk.net>

linux-3.10\drivers\net\wireless\p54\EEPROM.c(5): * Copyright (c) 2007-2009, Christian Lamparter <chunkeey@web.de>

linux-3.10\drivers\net\wireless\p54\EEPROM.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>

linux-3.10\drivers\net\wireless\p54\EEPROM.h(12): * Copyright (C) 2007 Conexant Systems, Inc.

linux-3.10\drivers\net\wireless\p54\EEPROM.h(15): * Copyright (C) 2001 Intersil Americas Inc.

linux-3.10\drivers\net\wireless\p54\EEPROM.h(25):/* PDA defines are Copyright (C) 2005 Nokia Corporation (taken from islsm_pda.h) */

linux-3.10\drivers\net\wireless\p54\EEPROM.h(4): * Copyright (c) 2006, Michael Wu <flamingice@sourmilk.net>

linux-3.10\drivers\net\wireless\p54\EEPROM.h(5): * Copyright (c) 2007-2009, Christian Lamparter <chunkeey@web.de>

linux-3.10\drivers\net\wireless\p54\EEPROM.h(9): * Copyright 2004-2006 Jean-Baptiste Note <jbnote@gmail.com>, et al.

linux-3.10\drivers\net\wireless\p54\fwio.c(10): * Copyright 2004-2006 Jean-Baptiste Note <jbnote@gmail.com>, et al.

linux-3.10\drivers\net\wireless\p54\fwio.c(12): * Copyright (C) 2008 Nokia Corporation and/or its subsidiary(-ies).

linux-3.10\drivers\net\wireless\p54\fwio.c(4): * Copyright (c) 2006, Michael Wu <flamingice@sourmilk.net>

linux-3.10\drivers\net\wireless\p54\fwio.c(5): * Copyright (c) 2007-2009, Christian Lamparter <chunkeey@web.de>

linux-3.10\drivers\net\wireless\p54\fwio.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>

linux-3.10\drivers\net\wireless\p54\led.c(10): * Copyright 2004-2006 Jean-Baptiste Note <jbnote@gmail.com>, et al.

linux-3.10\drivers\net\wireless\p54\led.c(12): * Copyright (C) 2008 Nokia Corporation and/or its subsidiary(-ies).

linux-3.10\drivers\net\wireless\p54\led.c(4): * Copyright (c) 2006, Michael Wu

legal(ME)

<flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\p54\led.c(5): * Copyright (c) 2007-2009,
Christian Lamparter <chunkeey@web.de>
linux-3.10\drivers\net\wireless\p54\led.c(6): * Copyright 2008, Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\p54\lmac.h(12): * Copyright (C) 2007 Conexant
Systems, Inc.
linux-3.10\drivers\net\wireless\p54\lmac.h(4): * Copyright (c) 2006, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\p54\lmac.h(5): * Copyright (c) 2007 - 2009,
Christian Lamparter <chunkeey@web.de>
linux-3.10\drivers\net\wireless\p54\lmac.h(9): * Copyright 2004-2006
Jean-Baptiste Note <jbnote@gmail.com>, et al.
linux-3.10\drivers\net\wireless\p54\main.c(10): * Copyright 2004-2006
Jean-Baptiste Note <jbnote@gmail.com>, et al.
linux-3.10\drivers\net\wireless\p54\main.c(12): * Copyright (C) 2008 Nokia
Corporation and/or its subsidiary(-ies).
linux-3.10\drivers\net\wireless\p54\main.c(4): * Copyright (c) 2006, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\p54\main.c(5): * Copyright (c) 2007-2009,
Christian Lamparter <chunkeey@web.de>
linux-3.10\drivers\net\wireless\p54\main.c(6): * Copyright 2008, Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\p54\net2280.h(10): * Copyright (C) 2003 David
Brownell
linux-3.10\drivers\net\wireless\p54\net2280.h(9): * Copyright (C) 2002 NetChip
Technology, Inc. (<http://www.netchip.com>)
linux-3.10\drivers\net\wireless\p54\p54.h(4): * Copyright (c) 2006, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\p54\p54.h(7): * Copyright 2004-2006 Jean-Baptiste
Note <jbnote@gmail.com>, et al.
linux-3.10\drivers\net\wireless\p54\p54pci.c(5): * Copyright (c) 2006, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\p54\p54pci.c(6): * Copyright (c) 2008, Christian
Lamparter <chunkeey@web.de>
linux-3.10\drivers\net\wireless\p54\p54pci.c(9): * Copyright 2004-2006
Jean-Baptiste Note <jean-baptiste.note@m4x.org>, et al.
linux-3.10\drivers\net\wireless\p54\p54pci.h(11): * Copyright 2004-2006
Jean-Baptiste Note <jbnote@gmail.com>, et al.
linux-3.10\drivers\net\wireless\p54\p54pci.h(8): * Copyright (c) 2006, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\p54\p54spi.c(2): * Copyright (C) 2008 Christian
Lamparter <chunkeey@web.de>
linux-3.10\drivers\net\wireless\p54\p54spi.c(3): * Copyright 2008 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\drivers\net\wireless\p54\p54spi.c(6): *Copyright (C) 2008 Nokia
Corporation and/or its subsidiary(-ies).
linux-3.10\drivers\net\wireless\p54\p54spi.h(2): * Copyright (C) 2008 Christian
Lamparter <chunkeey@web.de>
linux-3.10\drivers\net\wireless\p54\p54spi.h(5): *Copyright (C) 2008 Nokia
Corporation and/or its subsidiary(-ies).
linux-3.10\drivers\net\wireless\p54\p54spi_eeeprom.h(2): * Copyright (C) 2003

legal(ME)

Conexant Americas Inc. All Rights Reserved.

linux-3.10\drivers\net\wireless\p54\p54spi_eeprom.h(3): * Copyright (C) 2004, 2005, 2006 Nokia Corporation

linux-3.10\drivers\net\wireless\p54\p54spi_eeprom.h(4): * Copyright 2008 Johannes Berg <johannes@sipsolutions.net>

linux-3.10\drivers\net\wireless\p54\p54spi_eeprom.h(5): * Copyright 2008 Christian Lamparter <chunkey@web.de>

linux-3.10\drivers\net\wireless\p54\p54usb.c(5): * Copyright (c) 2006, Michael Wu <flamingice@sourmilk.net>

linux-3.10\drivers\net\wireless\p54\p54usb.c(8): * Copyright 2004-2006 Jean-Baptiste Note <jbnote@gmail.com>, et al.

linux-3.10\drivers\net\wireless\p54\p54usb.h(10): * Copyright 2004-2006 Jean-Baptiste Note <jbnote@gmail.com>, et al.

linux-3.10\drivers\net\wireless\p54\p54usb.h(7): * Copyright (c) 2006, Michael Wu <flamingice@sourmilk.net>

linux-3.10\drivers\net\wireless\p54\txrx.c(10): * Copyright 2004-2006 Jean-Baptiste Note <jbnote@gmail.com>, et al.

linux-3.10\drivers\net\wireless\p54\txrx.c(12): * Copyright (C) 2008 Nokia Corporation and/or its subsidiary(-ies).

linux-3.10\drivers\net\wireless\p54\txrx.c(4): * Copyright (c) 2006, Michael Wu <flamingice@sourmilk.net>

linux-3.10\drivers\net\wireless\p54\txrx.c(5): * Copyright (c) 2007-2009, Christian Lamparter <chunkey@web.de>

linux-3.10\drivers\net\wireless\p54\txrx.c(6): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>

linux-3.10\drivers\net\wireless\prism54\isl_38xx.c(2): *Copyright (C) 2002 Intersil Americas Inc.

linux-3.10\drivers\net\wireless\prism54\isl_38xx.c(3): *Copyright (C) 2003-2004 Luis R. Rodriguez <mcgrof@ruslug.rutgers.edu>

linux-3.10\drivers\net\wireless\prism54\isl_38xx.h(2): *Copyright (C) 2002 Intersil Americas Inc.

linux-3.10\drivers\net\wireless\prism54\isl_ioctl.c(2): *Copyright (C) 2002 Intersil Americas Inc.

linux-3.10\drivers\net\wireless\prism54\isl_ioctl.h(2): *Copyright (C) 2002 Intersil Americas Inc.

linux-3.10\drivers\net\wireless\prism54\isl_oid.h(2): *Copyright (C) 2003 Herbert Valerio Riedel <hvr@gnu.org>

linux-3.10\drivers\net\wireless\prism54\isl_oid.h(3): *Copyright (C) 2004 Luis R. Rodriguez <mcgrof@ruslug.rutgers.edu>

linux-3.10\drivers\net\wireless\prism54\isl_oid.h(4): *Copyright (C) 2004 Aurelien Alleaume <slts@free.fr>

linux-3.10\drivers\net\wireless\prism54\islpdev.c(2): *Copyright (C) 2002 Intersil Americas Inc.

linux-3.10\drivers\net\wireless\prism54\islpdev.c(3): *Copyright (C) 2003 Herbert Valerio Riedel <hvr@gnu.org>

linux-3.10\drivers\net\wireless\prism54\islpdev.c(4): *Copyright (C) 2003 Luis R. Rodriguez <mcgrof@ruslug.rutgers.edu>

linux-3.10\drivers\net\wireless\prism54\islpdev.h(2): *Copyright (C) 2002 Intersil Americas Inc.

linux-3.10\drivers\net\wireless\prism54\islpdev.h(3): *Copyright (C) 2003 Herbert Valerio Riedel <hvr@gnu.org>

linux-3.10\drivers\net\wireless\prism54\islpdev.h(4): *Copyright (C) 2003 Luis

legal(ME)

R. Rodriguez <mcgrof@ruslug.rutgers.edu>
linux-3.10\drivers\net\wireless\prism54\islpci_dev.h(5): *Copyright (C) 2003
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\net\wireless\prism54\islpci_eth.c(2): *Copyright (C) 2002
Intersil Americas Inc.
linux-3.10\drivers\net\wireless\prism54\islpci_eth.c(3): *Copyright (C) 2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\net\wireless\prism54\islpci_eth.h(2): *Copyright (C) 2002
Intersil Americas Inc.
linux-3.10\drivers\net\wireless\prism54\islpci_hotplug.c(2): *Copyright (C) 2002
Intersil Americas Inc.
linux-3.10\drivers\net\wireless\prism54\islpci_hotplug.c(3): *Copyright (C) 2003
Herbert Valerio Riedel <hvr@gnu.org>
linux-3.10\drivers\net\wireless\prism54\islpci_mgt.c(2): *Copyright (C) 2002
Intersil Americas Inc.
linux-3.10\drivers\net\wireless\prism54\islpci_mgt.c(3): *Copyright 2004 Jens
Maurer <Jens.Maurer@gmx.net>
linux-3.10\drivers\net\wireless\prism54\islpci_mgt.h(2): *Copyright (C) 2002
Intersil Americas Inc.
linux-3.10\drivers\net\wireless\prism54\islpci_mgt.h(3): *Copyright (C) 2003 Luis
R. Rodriguez <mcgrof@ruslug.rutgers.edu>
linux-3.10\drivers\net\wireless\prism54\oid_mgt.c(2): *Copyright (C) 2003,2004
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\net\wireless\prism54\oid_mgt.h(2): *Copyright (C) 2003
Aurelien Alleaume <slts@free.fr>
linux-3.10\drivers\net\wireless\ray_cs.c(8): * Copyright (c) 1998Corey Thomas
(corey@world.std.com)
linux-3.10\drivers\net\wireless\rndis_wlan.c(22): *Copyright (C) 2003-2005 Pontus
Fuchs, Giridhar Pemmasani
linux-3.10\drivers\net\wireless\rndis_wlan.c(4): * Copyright (C) 2007 by Bjorge
Dijkstra <bjd@jooz.net>
linux-3.10\drivers\net\wireless\rndis_wlan.c(5): * Copyright (C) 2008-2009 by
Jussi Kivilinna <jussi.kivilinna@iki.fi>
linux-3.10\drivers\net\wireless\rt2x00\rt2400pci.c(2):Copyright (C) 2004 - 2009
Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2400pci.h(2):Copyright (C) 2004 - 2009
Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2500pci.c(2):Copyright (C) 2004 - 2009
Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2500pci.h(2):Copyright (C) 2004 - 2009
Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2500usb.c(2):Copyright (C) 2004 - 2009
Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2500usb.h(2):Copyright (C) 2004 - 2009
Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(10):Copyright (C) 2009 Bart
Zolnierkiewicz <bzolnier@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(2):Copyright (C) 2004 - 2010 Ivo
van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(3):Copyright (C) 2010 Willow
Garage <<http://www.willowgarage.com>>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(4):Copyright (C) 2009 Alban

legal(ME)

Browaeyns <prahal@yahoo.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(5):Copyright (C) 2009 Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(6):Copyright (C) 2009 Luis Correia <luis.f.correia@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(7):Copyright (C) 2009 Mattias Nissler <mattias.nissler@gmx.de>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(8):Copyright (C) 2009 Mark Asselstine <asselsm@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800.h(9):Copyright (C) 2009 Xose Vazquez Perez <xose.vazquez@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(10):Copyright (C) 2009 Luis Correia <luis.f.correia@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(11):Copyright (C) 2009 Mattias Nissler <mattias.nissler@gmx.de>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(12):Copyright (C) 2009 Mark Asselstine <asselsm@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(13):Copyright (C) 2009 Xose Vazquez Perez <xose.vazquez@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(2):Copyright (C) 2010 Willow Garage <<http://www.willowgarage.com>>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(3):Copyright (C) 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(4):Copyright (C) 2009 Bartlomiej Zolnierkiewicz <bzolnier@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(5):Copyright (C) 2009 Gertjan van Wingerde <gwingerde@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(8):Copyright (C) 2009 Alban Browaeyns <prahal@yahoo.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.c(9):Copyright (C) 2009 Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.h(2):Copyright (C) 2010 Willow Garage <<http://www.willowgarage.com>>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.h(3):Copyright (C) 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800lib.h(4):Copyright (C) 2009 Bartlomiej Zolnierkiewicz
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.c(2):Copyright (C) 2009 - 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.c(3):Copyright (C) 2009 Alban Browaeyns <prahal@yahoo.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.c(4):Copyright (C) 2009 Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.c(5):Copyright (C) 2009 Luis Correia <luis.f.correia@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.c(6):Copyright (C) 2009 Mattias Nissler <mattias.nissler@gmx.de>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.c(7):Copyright (C) 2009 Mark Asselstine <asselsm@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.c(8):Copyright (C) 2009 Xose Vazquez Perez <xose.vazquez@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.c(9):Copyright (C) 2009 Bart

legal(ME)

Zolnierkiewicz <bzolnier@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.h(2):Copyright (C) 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.h(3):Copyright (C) 2009 Alban Browaeys <prahal@yahoo.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.h(4):Copyright (C) 2009 Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.h(5):Copyright (C) 2009 Luis Correia <luis.f.correia@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.h(6):Copyright (C) 2009 Mattias Nissler <mattias.nissler@gmx.de>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.h(7):Copyright (C) 2009 Mark Asselstine <asselsm@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.h(8):Copyright (C) 2009 Xose Vazquez Perez <xose.vazquez@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800pci.h(9):Copyright (C) 2009 Bart Zolnierkiewicz <bzolnier@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.c(2):Copyright (C) 2010 Willow Garage <<http://www.willowgarage.com>>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.c(3):Copyright (C) 2009 - 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.c(4):Copyright (C) 2009 Mattias Nissler <mattias.nissler@gmx.de>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.c(5):Copyright (C) 2009 Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.c(6):Copyright (C) 2009 Xose Vazquez Perez <xose.vazquez@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.c(7):Copyright (C) 2009 Axel Kollhofer <rain_maker@root-forum.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.h(2):Copyright (C) 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.h(3):Copyright (C) 2009 Mattias Nissler <mattias.nissler@gmx.de>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.h(4):Copyright (C) 2009 Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.h(5):Copyright (C) 2009 Xose Vazquez Perez <xose.vazquez@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2800usb.h(6):Copyright (C) 2009 Axel Kollhofer <rain_maker@root-forum.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00.h(2):Copyright (C) 2010 Willow Garage <<http://www.willowgarage.com>>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00.h(3):Copyright (C) 2004 - 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00.h(4):Copyright (C) 2004 - 2009 Gertjan van Wingerde <gwingerde@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00config.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00crypto.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00debug.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00debug.h(2):Copyright (C) 2004 - 2009

legal(ME)

Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00dev.c(2):Copyright (C) 2010 Willow Garage <<http://www.willowgarage.com>>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00dev.c(3):Copyright (C) 2004 - 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00dump.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00firmware.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00firmware.c(3):Copyright (C) 2004 - 2009 Gertjan van Wingerde <gwingerde@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00leds.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00leds.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00lib.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00lib.h(3):Copyright (C) 2004 - 2009 Gertjan van Wingerde <gwingerde@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00link.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00mac.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00mmio.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00mmio.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00pci.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00pci.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00queue.c(2):Copyright (C) 2010 Willow Garage <<http://www.willowgarage.com>>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00queue.c(3):Copyright (C) 2004 - 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00queue.c(4):Copyright (C) 2004 - 2009 Gertjan van Wingerde <gwingerde@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00queue.h(2):Copyright (C) 2004 - 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00reg.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00soc.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00soc.c(3):Copyright (C) 2004 - 2009 Felix Fietkau <nbd@openwrt.org>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00soc.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00usb.c(2):Copyright (C) 2010 Willow Garage <<http://www.willowgarage.com>>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00usb.c(3):Copyright (C) 2004 - 2010 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt2x00usb.h(2):Copyright (C) 2004 - 2009

legal(ME)

Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt61pci.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt61pci.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt73usb.c(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rt2x00\rt73usb.h(2):Copyright (C) 2004 - 2009 Ivo van Doorn <IvDoorn@gmail.com>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\dev.c(5): * Copyright 2007 Michael Wu <flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\dev.c(6): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\dev.c(9): * Copyright 2004-2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\grf5101.c(5): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\grf5101.h(7): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\max2820.c(4): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\max2820.h(7): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\rtl8225.c(5): * Copyright 2007 Michael Wu <flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\rtl8225.c(6): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\rtl8225.c(9): * Copyright 2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\sa2400.c(5): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8180\sa2400.h(7): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\dev.c(4): * Copyright 2007 Michael Wu <flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\dev.c(5): * Copyright 2007 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\dev.c(8): * Copyright 2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\leds.c(4): * Copyright 2009 Larry Finger <Larry.Finger@lwfinger.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\leds.c(7): * Copyright (c) Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\leds.h(4): * Copyright 2009 Larry Finger <Larry.Finger@lwfinger.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\leds.h(7): * Copyright (c) Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rfkill.c(4): * Copyright (c) 2009 Herton Ronaldo Krzesinski <herton@mandriva.com.br>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rfkill.c(7): * Copyright (c) Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8187.h(4): * Copyright 2007

legal(ME)

Michael Wu <flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8187.h(5): * Copyright 2007
Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8187.h(8): * Copyright 2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8225.c(4): * Copyright 2007
Michael Wu <flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8225.c(5): * Copyright 2007
Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8225.c(8): * Copyright 2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8225.h(4): * Copyright 2007
Michael Wu <flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8225.h(5): * Copyright 2007
Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl8187\rtl8225.h(8): * Copyright 2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\net\wireless\rtl818x\rtl818x.h(4): * Copyright 2007 Michael Wu
<flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\rtl818x\rtl818x.h(5): * Copyright 2007 Andrea
Merello <andreamrl@tiscali.it>
linux-3.10\drivers\net\wireless\rtl818x\rtl818x.h(8): * Copyright 2005 Andrea
Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\net\wireless\rtlwifi\base.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\base.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\cam.c(3): * Copyright(c) 2009-2012Realtek
Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\cam.h(3): * Copyright(c) 2009-2012Realtek
Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\core.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\core.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\debug.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\debug.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\efuse.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\efuse.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\pci.c(3): * Copyright(c) 2009-2012Realtek
Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\pci.h(3): * Copyright(c) 2009-2012Realtek
Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\ps.c(3): * Copyright(c) 2009-2012Realtek
Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\ps.h(3): * Copyright(c) 2009-2012Realtek
Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rc.c(3): * Copyright(c) 2009-2012Realtek

legal(ME)

Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rc.h(3): * Copyright(c) 2009-2012Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\regd.c(3): * Copyright(c) 2009-2012Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\regd.h(3): * Copyright(c) 2009-2012Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\def.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\dm.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\dm.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\fw.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\fw.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\hw.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\hw.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\led.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\led.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\phy.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\phy.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\pwrseq.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\pwrseq.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\pwrseqcmd.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\pwrseqcmd.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\reg.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\rf.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\rf.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\sw.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\sw.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\table.c(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\table.h(3): * Copyright(c) 2009-2013Realtek Corporation.

linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\trx.c(3): * Copyright(c)

legal(ME)

2009-2013Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8188ee\trx.h(3): * Copyright(c)
2009-2013Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192c\dm_common.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192c\dm_common.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192c\fw_common.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192c\fw_common.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192c\main.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192c\phy_common.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192c\phy_common.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\def.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\dm.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\dm.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\hw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\hw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\led.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\led.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\phy.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\phy.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\reg.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\rf.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\rf.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\sw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\sw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\table.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\table.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\trx.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192ce\trx.h(3): * Copyright(c)

legal(ME)

2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\def.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\dm.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\dm.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\hw.c(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\hw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\led.c(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\led.h(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\mac.c(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\mac.h(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\phy.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\phy.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\reg.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\rf.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\rf.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\sw.c(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\sw.h(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\table.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\table.h(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\trx.c(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192cu\trx.h(3): * Copyright(c)
2009-2012Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\def.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\dm.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\dm.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\fw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\fw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\hw.c(3): * Copyright(c)

legal(ME)

2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\hw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\led.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\led.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\phy.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\phy.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\reg.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\rf.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\rf.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\sw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\sw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\table.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\table.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\trx.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192de\trx.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\def.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\dm.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\dm.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\fw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\fw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\hw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\hw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\led.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\led.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\phy.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\phy.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\reg.h(3): * Copyright(c)

legal(ME)

2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\rf.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\rf.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\sw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\sw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\table.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\table.h(2): * Copyright(c) 2008
- 2012 Realtek Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\trx.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8192se\trx.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\btc.h(3): ** Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\def.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\dm.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\dm.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\fw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\fw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\hal_bt_coexist.c(3): *
Copyright(c) 2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\hal_bt_coexist.h(3): *
Copyright(c) 2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\hal_btc.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\hal_btc.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\hw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\hw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\led.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\led.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\phy.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\phy.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\pwrseq.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\pwrseq.h(3): * Copyright(c)

legal(ME)

2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\pwrseqcmd.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\pwrseqcmd.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\reg.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\rf.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\rf.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\sw.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\sw.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\table.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\table.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\trx.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\rtl8723ae\trx.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\stats.c(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\stats.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\rtlwifi\usb.c(3): * Copyright(c) 2009-2012Realtek
Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\usb.h(3): * Copyright(c) 2009-2012Realtek
Corporation. All rights reserved.
linux-3.10\drivers\net\wireless\rtlwifi\wifi.h(3): * Copyright(c)
2009-2012Realtek Corporation.
linux-3.10\drivers\net\wireless\ti\wilink_platform_data.c(4): * Copyright (C)
2010-2011 Texas Instruments, Inc.
linux-3.10\drivers\net\wireless\ti\wl1251\acx.h(4): * Copyright (c) 1998-2007
Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\acx.h(5): * Copyright (C) 2008 Nokia
Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\boot.c(4): * Copyright (C) 2008 Nokia
Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\boot.h(4): * Copyright (C) 2008 Nokia
Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\cmd.h(4): * Copyright (c) 1998-2007
Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\cmd.h(5): * Copyright (C) 2008 Nokia
Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\debugfs.c(4): * Copyright (C) 2009
Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\debugfs.h(4): * Copyright (C) 2009
Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\event.c(4): * Copyright (c) 1998-2007

legal(ME)

Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\event.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\event.h(4): * Copyright (c) 1998-2007 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\event.h(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\init.c(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\init.h(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\io.c(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\io.h(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\main.c(4): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\ps.c(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\ps.h(4): * Copyright (c) 1998-2007 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\ps.h(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\reg.h(4): * Copyright (c) 1998-2007 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\reg.h(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\rx.c(4): * Copyright (c) 1998-2007 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\rx.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\rx.h(4): * Copyright (c) 1998-2007 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\rx.h(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\sdio.c(18): * Copyright (C) 2005 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\sdio.c(19): * Copyright (C) 2008 Google Inc
linux-3.10\drivers\net\wireless\ti\wl1251\sdio.c(20): * Copyright (C) 2009 Bob Copeland (me@bobcopeland.com)
linux-3.10\drivers\net\wireless\ti\wl1251\spi.c(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\spi.h(4): * Copyright (c) 1998-2007 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\spi.h(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\tx.c(4): * Copyright (c) 1998-2007 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\tx.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\tx.h(4): * Copyright (c) 1998-2007

legal(ME)

Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\tx.h(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl1251\wl1251.h(4): * Copyright (c) 1998-2007 Texas Instruments Incorporated
linux-3.10\drivers\net\wireless\ti\wl1251\wl1251.h(5): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl12xx\acx.c(4): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl12xx\acx.c(5): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl12xx\acx.h(4): * Copyright (C) 1998-2009, 2011 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl12xx\acx.h(5): * Copyright (C) 2008-2010 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl12xx\cmd.c(4): * Copyright (C) 2009-2010 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl12xx\cmd.c(5): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl12xx\cmd.h(4): * Copyright (C) 1998-2009, 2011 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl12xx\cmd.h(5): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl12xx\conf.h(4): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl12xx\debugfs.c(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl12xx\debugfs.c(5): * Copyright (C) 2011-2012 Texas Instruments
linux-3.10\drivers\net\wireless\ti\wl12xx\debugfs.h(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl12xx\event.c(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl12xx\event.h(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl12xx\main.c(4): * Copyright (C) 2008-2010 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl12xx\reg.h(4): * Copyright (C) 1998-2009 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl12xx\reg.h(5): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl12xx\scan.c(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl12xx\scan.h(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl12xx\wl12xx.h(4): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl18xx\acx.c(4): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl18xx\acx.h(4): * Copyright (C) 2011 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl18xx\cmd.c(4): * Copyright (C) 2011 Texas

legal(ME)

Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl18xx\cmd.h(4): * Copyright (C) 2011 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl18xx\conf.h(4): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl18xx\debugfs.c(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wl18xx\debugfs.c(5): * Copyright (C) 2011-2012 Texas Instruments
linux-3.10\drivers\net\wireless\ti\wl18xx\debugfs.h(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl18xx\event.c(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl18xx\event.h(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl18xx\io.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\net\wireless\ti\wl18xx\io.h(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\net\wireless\ti\wl18xx\main.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\net\wireless\ti\wl18xx\reg.h(4): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl18xx\scan.c(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl18xx\scan.h(4): * Copyright (C) 2012 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl18xx\tx.c(4): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wl18xx\tx.h(4): * Copyright (C) 2011 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wl18xx\wl18xx.h(4): * Copyright (C) 2011 Texas Instruments Inc.
linux-3.10\drivers\net\wireless\ti\wlcore\acx.c(4): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wlcore\acx.h(4): * Copyright (C) 1998-2009 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wlcore\acx.h(5): * Copyright (C) 2008-2010 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wlcore\boot.c(4): * Copyright (C) 2008-2010 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wlcore\boot.h(4): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wlcore\cmd.c(4): * Copyright (C) 2009-2010 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wlcore\cmd.h(4): * Copyright (C) 1998-2009 Texas Instruments. All rights reserved.
linux-3.10\drivers\net\wireless\ti\wlcore\cmd.h(5): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wlcore\conf.h(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\net\wireless\ti\wlcore\debug.h(4): * Copyright (C) 2011 Texas

legal(ME)

Instruments. All rights reserved.

linux-3.10\drivers\net\wireless\ti\wlcore\debug.h(5): * Copyright (C) 2008-2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\debugfs.c(4): * Copyright (C) 2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\debugfs.h(4): * Copyright (C) 2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\event.c(4): * Copyright (C) 2008-2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\event.h(4): * Copyright (C) 1998-2009
Texas Instruments. All rights reserved.

linux-3.10\drivers\net\wireless\ti\wlcore\event.h(5): * Copyright (C) 2008-2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\hw_ops.h(4): * Copyright (C) 2011 Texas
Instruments Inc.

linux-3.10\drivers\net\wireless\ti\wlcore\ini.h(4): * Copyright (C) 2010 Nokia
Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\init.c(4): * Copyright (C) 2009 Nokia
Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\init.h(4): * Copyright (C) 2009 Nokia
Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\io.c(4): * Copyright (C) 2008-2010
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\io.h(4): * Copyright (C) 1998-2009
Texas Instruments. All rights reserved.

linux-3.10\drivers\net\wireless\ti\wlcore\io.h(5): * Copyright (C) 2008-2010
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\main.c(5): * Copyright (C) 2008-2010
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\ps.c(4): * Copyright (C) 2008-2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\ps.h(4): * Copyright (C) 2008-2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\rx.c(4): * Copyright (C) 2009 Nokia
Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\rx.h(4): * Copyright (C) 1998-2009
Texas Instruments. All rights reserved.

linux-3.10\drivers\net\wireless\ti\wlcore\rx.h(5): * Copyright (C) 2008-2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\scan.c(4): * Copyright (C) 2009-2010
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\scan.h(4): * Copyright (C) 2009-2010
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\sdio.c(4): * Copyright (C) 2009-2010
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\spi.c(4): * Copyright (C) 2008-2009
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\testmode.c(4): * Copyright (C) 2010
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\testmode.h(4): * Copyright (C) 2010
Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\tx.c(4): * Copyright (C) 2009 Nokia

legal(ME)

Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\tx.h(4): * Copyright (C) 1998-2009 Texas Instruments. All rights reserved.

linux-3.10\drivers\net\wireless\ti\wlcore\tx.h(5): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\net\wireless\ti\wlcore\wlcore.h(4): * Copyright (C) 2011 Texas Instruments Inc.

linux-3.10\drivers\net\wireless\ti\wlcore\wlcore_i.h(4): * Copyright (C) 1998-2009 Texas Instruments. All rights reserved.

linux-3.10\drivers\net\wireless\ti\wlcore\wlcore_i.h(5): * Copyright (C) 2008-2009 Nokia Corporation

linux-3.10\drivers\net\wireless\zd1201.c(12): *Copyright (C) 1999 AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\net\wireless\zd1201.c(4): *Copyright (c) 2004, 2005 Jeroen Vreeken (pe1rxq@amsat.org)

linux-3.10\drivers\net\wireless\zd1201.h(10): *Copyright (C) 1999 AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\net\wireless\zd1201.h(2): *Copyright (c) 2004, 2005 Jeroen Vreeken (pe1rxq@amsat.org)

linux-3.10\drivers\net\wireless\zd1211rw\zd_chip.c(3): * Copyright (C) 2005-2007 Ulrich Kunitz <kune@deine-taler.de>

linux-3.10\drivers\net\wireless\zd1211rw\zd_chip.c(4): * Copyright (C) 2006-2007 Daniel Drake <dsd@gentoo.org>

linux-3.10\drivers\net\wireless\zd1211rw\zd_chip.h(3): * Copyright (C) 2005-2007 Ulrich Kunitz <kune@deine-taler.de>

linux-3.10\drivers\net\wireless\zd1211rw\zd_chip.h(4): * Copyright (C) 2006-2007 Daniel Drake <dsd@gentoo.org>

linux-3.10\drivers\net\wireless\zd1211rw\zd_def.h(3): * Copyright (C) 2005-2007 Ulrich Kunitz <kune@deine-taler.de>

linux-3.10\drivers\net\wireless\zd1211rw\zd_def.h(4): * Copyright (C) 2006-2007 Daniel Drake <dsd@gentoo.org>

linux-3.10\drivers\net\wireless\zd1211rw\zd_mac.c(3): * Copyright (C) 2005-2007 Ulrich Kunitz <kune@deine-taler.de>

linux-3.10\drivers\net\wireless\zd1211rw\zd_mac.c(4): * Copyright (C) 2006-2007 Daniel Drake <dsd@gentoo.org>

linux-3.10\drivers\net\wireless\zd1211rw\zd_mac.c(5): * Copyright (C) 2006-2007 Michael Wu <flamingice@sourmilk.net>

linux-3.10\drivers\net\wireless\zd1211rw\zd_mac.c(6): * Copyright (C) 2007-2008 Luis R. Rodriguez <mcgrof@winlab.rutgers.edu>

linux-3.10\drivers\net\wireless\zd1211rw\zd_mac.h(3): * Copyright (C) 2005-2007 Ulrich Kunitz <kune@deine-taler.de>

linux-3.10\drivers\net\wireless\zd1211rw\zd_mac.h(4): * Copyright (C) 2006-2007 Daniel Drake <dsd@gentoo.org>

linux-3.10\drivers\net\wireless\zd1211rw\zd_rf.c(3): * Copyright (C) 2005-2007 Ulrich Kunitz <kune@deine-taler.de>

linux-3.10\drivers\net\wireless\zd1211rw\zd_rf.c(4): * Copyright (C) 2006-2007 Daniel Drake <dsd@gentoo.org>

linux-3.10\drivers\net\wireless\zd1211rw\zd_rf.h(3): * Copyright (C) 2005-2007 Ulrich Kunitz <kune@deine-taler.de>

linux-3.10\drivers\net\wireless\zd1211rw\zd_rf.h(4): * Copyright (C) 2006-2007 Daniel Drake <dsd@gentoo.org>

linux-3.10\drivers\net\wireless\zd1211rw\zd_rf_al2230.c(3): * Copyright (C)

legal(ME)

2005-2007 Ulrich Kunitz <kune@deine-taler.de>
linux-3.10\drivers\net\wireless\zd1211rw\zd_rf_al2230.c(4): * Copyright (C)
2006-2007 Daniel Drake <dsd@gentoo.org>
linux-3.10\drivers\net\wireless\zd1211rw\zd_rf_al7230b.c(3): * Copyright (C)
2005-2007 Ulrich Kunitz <kune@deine-taler.de>
linux-3.10\drivers\net\wireless\zd1211rw\zd_rf_al7230b.c(4): * Copyright (C)
2006-2007 Daniel Drake <dsd@gentoo.org>
linux-3.10\drivers\net\wireless\zd1211rw\zd_rf_rf2959.c(3): * Copyright (C)
2005-2007 Ulrich Kunitz <kune@deine-taler.de>
linux-3.10\drivers\net\wireless\zd1211rw\zd_rf_rf2959.c(4): * Copyright (C)
2006-2007 Daniel Drake <dsd@gentoo.org>
linux-3.10\drivers\net\wireless\zd1211rw\zd_rf_uw2453.c(3): * Copyright (C)
2005-2007 Ulrich Kunitz <kune@deine-taler.de>
linux-3.10\drivers\net\wireless\zd1211rw\zd_rf_uw2453.c(4): * Copyright (C)
2006-2007 Daniel Drake <dsd@gentoo.org>
linux-3.10\drivers\net\wireless\zd1211rw\zd_usb.c(3): * Copyright (C) 2005-2007
Ulrich Kunitz <kune@deine-taler.de>
linux-3.10\drivers\net\wireless\zd1211rw\zd_usb.c(4): * Copyright (C) 2006-2007
Daniel Drake <dsd@gentoo.org>
linux-3.10\drivers\net\wireless\zd1211rw\zd_usb.c(5): * Copyright (C) 2006-2007
Michael Wu <flamingice@sourmilk.net>
linux-3.10\drivers\net\wireless\zd1211rw\zd_usb.h(3): * Copyright (C) 2005-2007
Ulrich Kunitz <kune@deine-taler.de>
linux-3.10\drivers\net\wireless\zd1211rw\zd_usb.h(4): * Copyright (C) 2006-2007
Daniel Drake <dsd@gentoo.org>
linux-3.10\drivers\net\xen-netback\interface.c(4): * Copyright (c) 2004-2005,
Keir Fraser
linux-3.10\drivers\net\xen-netback\netback.c(8): * Copyright (c) 2002-2005, K A
Fraser
linux-3.10\drivers\net\xen-netback\xenbus.c(4): * Copyright (C) 2005 Rusty
Russell <rusty@rustcorp.com.au>
linux-3.10\drivers\net\xen-netback\xenbus.c(5): * Copyright (C) 2005 XenSource
Ltd
linux-3.10\drivers\net\xen-netfront.c(4): * Copyright (c) 2002-2005, K A Fraser
linux-3.10\drivers\net\xen-netfront.c(5): * Copyright (c) 2005, XenSource Ltd
linux-3.10\drivers\nfc\mei_phy.c(4): * Copyright (C) 2013 Intel Corporation. All
rights reserved.
linux-3.10\drivers\nfc\microread\i2c.c(4): * Copyright (C) 2013 Intel
Corporation. All rights reserved.
linux-3.10\drivers\nfc\microread\mei.c(4): * Copyright (C) 2013 Intel Corporation.
All rights reserved.
linux-3.10\drivers\nfc\microread\microread.c(4): * Copyright (C) 2013 Intel
Corporation. All rights reserved.
linux-3.10\drivers\nfc\microread\microread.h(2): * Copyright (C) 2011 - 2012 Intel
Corporation. All rights reserved.
linux-3.10\drivers\nfc\nfcwilink.c(7): * Copyright (C) 2011 Texas Instruments,
Inc.
linux-3.10\drivers\nfc\pn533.c(2): * Copyright (C) 2011 Instituto Nokia de
Tecnologia
linux-3.10\drivers\nfc\pn533.c(3): * Copyright (C) 2012-2013 Tieto Poland
linux-3.10\drivers\nfc\pn544\i2c.c(4): * Copyright (C) 2012 Intel Corporation. All
rights reserved.

legal(ME)

linux-3.10\drivers\nfc\pn544\mei.c(4): * Copyright (C) 2013 Intel Corporation. All rights reserved.
linux-3.10\drivers\nfc\pn544\pn544.c(4): * Copyright (C) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\nfc\pn544\pn544.h(2): * Copyright (C) 2011 - 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\ntb\ntb_hw.c(15): * Copyright(c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\ntb\ntb_hw.c(7): * Copyright(c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\ntb\ntb_hw.h(15): * Copyright(c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\ntb\ntb_hw.h(7): * Copyright(c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\ntb\ntb_regs.h(15): * Copyright(c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\ntb\ntb_regs.h(7): * Copyright(c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\ntb\ntb_transport.c(15): * Copyright(c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\ntb\ntb_transport.c(7): * Copyright(c) 2012 Intel Corporation. All rights reserved.
linux-3.10\drivers\nubus\proc.c(6): Copyright (c) 1997, 1998 Martin Mares <mj@atrey.karlin.mff.cuni.cz>
linux-3.10\drivers\of\base.c(5): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\drivers\of\fdt.c(4): * Copyright 2009 Benjamin Herrenschmidt, IBM Corp
linux-3.10\drivers\of\irq.c(3): * Copyright (C) 1992 Linus Torvalds
linux-3.10\drivers\of\irq.c(5): * Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
linux-3.10\drivers\of\irq.c(7): * Copyright (C) 1996-2001 Cort Dougan
linux-3.10\drivers\of\irq.c(9): * Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au)
linux-3.10\drivers\of\of_i2c.c(4): * Copyright (c) 2008 Jochen Friedrich <jochen@scram.de>
linux-3.10\drivers\of\of_mdio.c(4): * Copyright (c) 2009 Secret Lab Technologies, Ltd.
linux-3.10\drivers\of\of_mtd.c(2): * Copyright 2012 Jean-Christophe PLAGNIO <plagnioj@jcrosoft.com>
linux-3.10\drivers\of\of_private.h(7): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\drivers\of\pdt.c(4): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\drivers\of\platform.c(2): * Copyright (C) 2006 Benjamin Herrenschmidt, IBM Corp.
linux-3.10\drivers\oprofile\buffer_sync.c(4): * @remark Copyright 2002-2009 OProfile authors
linux-3.10\drivers\oprofile\buffer_sync.h(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\oprofile\cpu_buffer.c(4): * @remark Copyright 2002-2009 OProfile authors
linux-3.10\drivers\oprofile\cpu_buffer.h(4): * @remark Copyright 2002-2009 OProfile authors
linux-3.10\drivers\oprofile\event_buffer.c(4): * @remark Copyright 2002 OProfile authors

legal(ME)

linux-3.10\drivers\oprofile\event_buffer.h(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\oprofile\nmi_timer_int.c(4): * @remark Copyright 2011 Advanced Micro Devices, Inc.
linux-3.10\drivers\oprofile\oprof.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\oprofile\oprof.h(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\oprofile\oprofile_files.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\oprofile\oprofile_perf.c(2): * Copyright 2010 ARM Ltd.
linux-3.10\drivers\oprofile\oprofile_perf.c(3): * Copyright 2012 Advanced Micro Devices, Inc., Robert Richter
linux-3.10\drivers\oprofile\oprofile_stats.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\oprofile\oprofile_stats.h(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\oprofile\oprofilefs.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\oprofile\timer_int.c(4): * @remark Copyright 2002 OProfile authors
linux-3.10\drivers\parisc\asp.c(4): *(c) Copyright 2000 The Puffin Group Inc.
linux-3.10\drivers\parisc\ccio-dma.c(6):** (c) Copyright 2000 Grant Grundler
linux-3.10\drivers\parisc\ccio-dma.c(7):** (c) Copyright 2000 Ryan Bradetich
linux-3.10\drivers\parisc\ccio-dma.c(8):** (c) Copyright 2000 Hewlett-Packard Company
linux-3.10\drivers\parisc\ccio-rm-dma.c(28): *(C) Copyright 2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\drivers\parisc\ccio-rm-dma.c(32): *(C) Copyright 2000 Grant Grundler <grundler@puffin.external.hp.com>
linux-3.10\drivers\parisc\dino.c(4):** (c) Copyright 1999 Red Hat Software
linux-3.10\drivers\parisc\dino.c(5):** (c) Copyright 1999 SuSE GmbH
linux-3.10\drivers\parisc\dino.c(6):** (c) Copyright 1999,2000 Hewlett-Packard Company
linux-3.10\drivers\parisc\dino.c(7):** (c) Copyright 2000 Grant Grundler
linux-3.10\drivers\parisc\dino.c(8):** (c) Copyright 2006 Helge Deller
linux-3.10\drivers\parisc\eisa.c(10): * Copyright (c) 2001 Daniel Engstrom <5116@telia.com>
linux-3.10\drivers\parisc\eisa.c(9): * Copyright (c) 2001 Matthew Wilcox for Hewlett Packard
linux-3.10\drivers\parisc\eisa_eeprom.c(4): * Copyright (C) 2001 Thomas Bogendoerfer <tsbogend at parisc-linux.org>
linux-3.10\drivers\parisc\eisa_enumerator.c(9): * Copyright (c) 2002 Daniel Engstrom <5116@telia.com>
linux-3.10\drivers\parisc\gsc.c(4): * (c) Copyright 1999 Alex deVries for The Puffin Group
linux-3.10\drivers\parisc\gsc.c(5): * (c) Copyright 1999 Grant Grundler for Hewlett-Packard
linux-3.10\drivers\parisc\gsc.c(6): * (c) Copyright 1999 Matthew Wilcox
linux-3.10\drivers\parisc\gsc.c(7): * (c) Copyright 2000 Helge Deller
linux-3.10\drivers\parisc\gsc.c(8): * (c) Copyright 2001 Matthew Wilcox for Hewlett-Packard
linux-3.10\drivers\parisc\gsc.h(4): * Copyright (c) 2000-2002 Helge Deller, Matthew Wilcox

legal(ME)

linux-3.10\drivers\parisc\hppb.c(5):** (c) Copyright 2002 Ryan Bradetich
linux-3.10\drivers\parisc\hppb.c(6):** (c) Copyright 2002 Hewlett-Packard Company
linux-3.10\drivers\parisc\iosapic.c(4):** (c) Copyright 1999 Grant Grundler
linux-3.10\drivers\parisc\iosapic.c(5):** (c) Copyright 1999 Hewlett-Packard
Company
linux-3.10\drivers\parisc\iosapic_private.h(4): *Copyright (C) 2000 Hewlett
Packard (Grant Grundler)
linux-3.10\drivers\parisc\iosapic_private.h(5): *Copyright (C) 2000,2003 Grant
Grundler (grundler at parisc-linux.org)
linux-3.10\drivers\parisc\iosapic_private.h(6): *Copyright (C) 2002 Matthew
Wilcox (willy at parisc-linux.org)
linux-3.10\drivers\parisc\lasi.c(4): *(c) Copyright 1999 Red Hat Software
linux-3.10\drivers\parisc\lasi.c(5): *Portions (c) Copyright 1999 The Puffin
Group Inc.
linux-3.10\drivers\parisc\lasi.c(6): *Portions (c) Copyright 1999 Hewlett-Packard
linux-3.10\drivers\parisc\lba_pci.c(5):** (c) Copyright 1999,2000 Grant Grundler
linux-3.10\drivers\parisc\lba_pci.c(6):** (c) Copyright 1999,2000 Hewlett-Packard
Company
linux-3.10\drivers\parisc\led.c(4): *(c) Copyright 2000 Red Hat Software
linux-3.10\drivers\parisc\led.c(5): *(c) Copyright 2000 Helge Deller
<hdeller@redhat.com>
linux-3.10\drivers\parisc\led.c(6): *(c) Copyright 2001-2009 Helge Deller
<deller@gmx.de>
linux-3.10\drivers\parisc\led.c(7): *(c) Copyright 2001 Randolph Chung
<tausq@debian.org>
linux-3.10\drivers\parisc\pdc_stable.c(4): *Copyright (C) 2005-2006 Thibaut
VARENE <varenet@parisc-linux.org>
linux-3.10\drivers\parisc\power.c(5): * Copyright (c) 2001-2007 Helge Deller
<deller@gmx.de>
linux-3.10\drivers\parisc\sba_iommu.c(4):** (c) Copyright 2000-2004 Grant Grundler
<grundler @ parisc-linux x org>
linux-3.10\drivers\parisc\sba_iommu.c(5):** (c) Copyright 2004 Naresh Kumar Inna
<knaresh at india x hp x com>
linux-3.10\drivers\parisc\sba_iommu.c(6):** (c) Copyright 2000-2004
Hewlett-Packard Company
linux-3.10\drivers\parisc\superio.c(10): *(C) Copyright 2000 Martin K. Petersen
<mkp@linuxcare.com>
linux-3.10\drivers\parisc\superio.c(11): * (C) Copyright 2000 Alex deVries
<alex@onefishtwo.ca>
linux-3.10\drivers\parisc\superio.c(12): *(C) Copyright 2001 John Marvin <jsm fc
hp com>
linux-3.10\drivers\parisc\superio.c(13): *(C) Copyright 2003 Grant Grundler
<grundler parisc-linux org>
linux-3.10\drivers\parisc\superio.c(14): *(C) Copyright 2005 Kyle McMartin
<kyle@parisc-linux.org>
linux-3.10\drivers\parisc\superio.c(15): *(C) Copyright 2006 Helge Deller
<deller@gmx.de>
linux-3.10\drivers\parisc\superio.c(8): *(C) Copyright 2000 Linuxcare, Inc.
linux-3.10\drivers\parisc\superio.c(9): * (C) Copyright 2000 Linuxcare Canada,
Inc.
linux-3.10\drivers\parisc\wax.c(4): *(c) Copyright 2000 The Puffin Group Inc.
linux-3.10\drivers\parport\daisy.c(4): * Copyright (C) 1999, 2000Tim Waugh

legal(ME)

<tim@cyberelk.demon.co.uk>

linux-3.10\drivers\parport\parport_cs.c(22):are Copyright (C) 1999 David A. Hinds.ALL Rights Reserved.

linux-3.10\drivers\parport\parport_ip32.c(11): * Copyright (C) 2005, 2006 Arnaud Giersch.

linux-3.10\drivers\parport\parport_serial.c(4): * Copyright (C) 2001Tim Waugh <twaugh@redhat.com>

linux-3.10\drivers\pci\ats.c(4): * Copyright (C) 2009 Intel Corporation, Yu Zhao <yu.zhao@intel.com>

linux-3.10\drivers\pci\ats.c(5): * Copyright (C) 2011 Advanced Micro Devices,

linux-3.10\drivers\pci\hotplug\acpi_pcihp.c(4): * Copyright (C) 2006 Intel Corporation

linux-3.10\drivers\pci\hotplug\acpiphp.h(10): * Copyright (C) 2003-2005 Matthew Wilcox (matthew.wilcox@hp.com)

linux-3.10\drivers\pci\hotplug\acpiphp.h(11): * Copyright (C) 2003-2005 Hewlett Packard

linux-3.10\drivers\pci\hotplug\acpiphp.h(4): * Copyright (C) 1995,2001 Compaq Computer Corporation

linux-3.10\drivers\pci\hotplug\acpiphp.h(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)

linux-3.10\drivers\pci\hotplug\acpiphp.h(6): * Copyright (C) 2001 IBM Corp.

linux-3.10\drivers\pci\hotplug\acpiphp.h(7): * Copyright (C) 2002 Hiroshi Aono (h-aono@ap.jp.nec.com)

linux-3.10\drivers\pci\hotplug\acpiphp.h(8): * Copyright (C) 2002,2003 Takayoshi Kochi (t-kochi@bq.jp.nec.com)

linux-3.10\drivers\pci\hotplug\acpiphp.h(9): * Copyright (C) 2002,2003 NEC Corporation

linux-3.10\drivers\pci\hotplug\acpiphp_core.c(10): * Copyright (C) 2003-2005 Matthew Wilcox (matthew.wilcox@hp.com)

linux-3.10\drivers\pci\hotplug\acpiphp_core.c(11): * Copyright (C) 2003-2005 Hewlett Packard

linux-3.10\drivers\pci\hotplug\acpiphp_core.c(4): * Copyright (C) 1995,2001 Compaq Computer Corporation

linux-3.10\drivers\pci\hotplug\acpiphp_core.c(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)

linux-3.10\drivers\pci\hotplug\acpiphp_core.c(6): * Copyright (C) 2001 IBM Corp.

linux-3.10\drivers\pci\hotplug\acpiphp_core.c(7): * Copyright (C) 2002 Hiroshi Aono (h-aono@ap.jp.nec.com)

linux-3.10\drivers\pci\hotplug\acpiphp_core.c(8): * Copyright (C) 2002,2003 Takayoshi Kochi (t-kochi@bq.jp.nec.com)

linux-3.10\drivers\pci\hotplug\acpiphp_core.c(9): * Copyright (C) 2002,2003 NEC Corporation

linux-3.10\drivers\pci\hotplug\acpiphp_glue.c(10): * Copyright (C) 2005 Intel Corporation

linux-3.10\drivers\pci\hotplug\acpiphp_glue.c(4): * Copyright (C) 2002,2003 Takayoshi Kochi (t-kochi@bq.jp.nec.com)

linux-3.10\drivers\pci\hotplug\acpiphp_glue.c(5): * Copyright (C) 2002 Hiroshi Aono (h-aono@ap.jp.nec.com)

linux-3.10\drivers\pci\hotplug\acpiphp_glue.c(6): * Copyright (C) 2002,2003 NEC Corporation

linux-3.10\drivers\pci\hotplug\acpiphp_glue.c(7): * Copyright (C) 2003-2005 Matthew Wilcox (matthew.wilcox@hp.com)

legal(ME)

linux-3.10\drivers\pci\hotplug\acpiphp_glue.c(8): * Copyright (C) 2003-2005 Hewlett Packard
linux-3.10\drivers\pci\hotplug\acpiphp_glue.c(9): * Copyright (C) 2005 Rajesh Shah (rajesh.shah@intel.com)
linux-3.10\drivers\pci\hotplug\acpiphp_ibm.c(4): * Copyright (C) 2004 Vernon Mauery <vernux@us.ibm.com>
linux-3.10\drivers\pci\hotplug\acpiphp_ibm.c(5): * Copyright (C) 2004 IBM Corp.
linux-3.10\drivers\pci\hotplug\cpci_hotplug.h(4): * Copyright (C) 2002 SOMA Networks, Inc.
linux-3.10\drivers\pci\hotplug\cpci_hotplug.h(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\cpci_hotplug.h(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\cpci_hotplug_core.c(4): * Copyright (C) 2002,2005 SOMA Networks, Inc.
linux-3.10\drivers\pci\hotplug\cpci_hotplug_core.c(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\cpci_hotplug_core.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\cpci_hotplug_pci.c(4): * Copyright (C) 2002,2005 by SOMA Networks, Inc.
linux-3.10\drivers\pci\hotplug\cpcihp_generic.c(6): * Copyright 2002 SOMA Networks, Inc.
linux-3.10\drivers\pci\hotplug\cpcihp_generic.c(7): * Copyright 2001 Intel San Luis Obispo
linux-3.10\drivers\pci\hotplug\cpcihp_generic.c(8): * Copyright 2000,2001 MontaVista Software Inc.
linux-3.10\drivers\pci\hotplug\cpcihp_zt5550.c(6): * Copyright 2002 SOMA Networks, Inc.
linux-3.10\drivers\pci\hotplug\cpcihp_zt5550.c(7): * Copyright 2001 Intel San Luis Obispo
linux-3.10\drivers\pci\hotplug\cpcihp_zt5550.c(8): * Copyright 2000,2001 MontaVista Software Inc.
linux-3.10\drivers\pci\hotplug\cpcihp_zt5550.h(6): * Copyright 2002 SOMA Networks, Inc.
linux-3.10\drivers\pci\hotplug\cpcihp_zt5550.h(7): * Copyright 2001 Intel San Luis Obispo
linux-3.10\drivers\pci\hotplug\cpcihp_zt5550.h(8): * Copyright 2000,2001 MontaVista Software Inc.
linux-3.10\drivers\pci\hotplug\cpqphp.h(4): * Copyright (C) 1995,2001 Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\cpqphp.h(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\cpqphp.h(6): * Copyright (C) 2001 IBM
linux-3.10\drivers\pci\hotplug\cpqphp_core.c(4): * Copyright (C) 1995,2001 Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\cpqphp_core.c(5): * Copyright (C) 2001 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\pci\hotplug\cpqphp_core.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\cpqphp_ctrl.c(4): * Copyright (C) 1995,2001 Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\cpqphp_ctrl.c(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)

legal(ME)

linux-3.10\drivers\pci\hotplug\cpqphp_ctrl.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\cpqphp_nvram.c(4): * Copyright (C) 1995,2001
Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\cpqphp_nvram.c(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\cpqphp_nvram.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\cpqphp_nvram.h(4): * Copyright (C) 1995,2001
Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\cpqphp_nvram.h(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\cpqphp_pci.c(4): * Copyright (C) 1995,2001 Compaq
Computer Corporation
linux-3.10\drivers\pci\hotplug\cpqphp_pci.c(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\cpqphp_pci.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\cpqphp_sysfs.c(4): * Copyright (C) 1995,2001
Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\cpqphp_sysfs.c(5): * Copyright (C) 2001,2003 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\cpqphp_sysfs.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\ibmphp.h(10): * Copyright (C) 2001-2003 IBM Corp.
linux-3.10\drivers\pci\hotplug\ibmphp.h(9): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\ibmphp_core.c(6): * Copyright (C) 2001,2003 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\ibmphp_core.c(7): * Copyright (C) 2001-2003 IBM
Corp.
linux-3.10\drivers\pci\hotplug\ibmphp_ebda.c(6): * Copyright (C) 2001,2003 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\ibmphp_ebda.c(7): * Copyright (C) 2001-2003 IBM
Corp.
linux-3.10\drivers\pci\hotplug\ibmphp_hpc.c(6): * Copyright (C) 2001-2003 IBM
Corp.
linux-3.10\drivers\pci\hotplug\ibmphp_pci.c(6): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\ibmphp_pci.c(7): * Copyright (C) 2001,2002 IBM
Corp.
linux-3.10\drivers\pci\hotplug\ibmphp_res.c(6): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\ibmphp_res.c(7): * Copyright (C) 2001,2002 IBM
Corp.
linux-3.10\drivers\pci\hotplug\pci_hotplug_core.c(4): * Copyright (C) 2001-2002
Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\pci_hotplug_core.c(5): * Copyright (C) 2001-2002
IBM Corp.
linux-3.10\drivers\pci\hotplug\pciehp.h(4): * Copyright (C) 1995,2001 Compaq
Computer Corporation
linux-3.10\drivers\pci\hotplug\pciehp.h(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\pciehp.h(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\pciehp.h(7): * Copyright (C) 2003-2004 Intel
Corporation

legal(ME)

linux-3.10\drivers\pci\hotplug\pciehp_acpi.c(4): * Copyright (C) 2008 Kenji Kaneshige
linux-3.10\drivers\pci\hotplug\pciehp_acpi.c(5): * Copyright (C) 2008 Fujitsu Limited.
linux-3.10\drivers\pci\hotplug\pciehp_core.c(4): * Copyright (C) 1995,2001 Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\pciehp_core.c(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\pciehp_core.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\pciehp_core.c(7): * Copyright (C) 2003-2004 Intel Corporation
linux-3.10\drivers\pci\hotplug\pciehp_ctrl.c(4): * Copyright (C) 1995,2001 Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\pciehp_ctrl.c(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\pciehp_ctrl.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\pciehp_ctrl.c(7): * Copyright (C) 2003-2004 Intel Corporation
linux-3.10\drivers\pci\hotplug\pciehp_hpc.c(4): * Copyright (C) 1995,2001 Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\pciehp_hpc.c(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\pciehp_hpc.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\pciehp_hpc.c(7): * Copyright (C) 2003-2004 Intel Corporation
linux-3.10\drivers\pci\hotplug\pciehp_pci.c(4): * Copyright (C) 1995,2001 Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\pciehp_pci.c(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\pciehp_pci.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\pciehp_pci.c(7): * Copyright (C) 2003-2004 Intel Corporation
linux-3.10\drivers\pci\hotplug\pcihp_skeleton.c(4): * Copyright (C) 2001,2003 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\pcihp_skeleton.c(5): * Copyright (C) 2001,2003 IBM Corp.
linux-3.10\drivers\pci\hotplug\pcihp_slot.c(2): * Copyright (C) 1995,2001 Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\pcihp_slot.c(3): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\pcihp_slot.c(4): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\pcihp_slot.c(5): * Copyright (C) 2003-2004 Intel Corporation
linux-3.10\drivers\pci\hotplug\pcihp_slot.c(6): * (c) Copyright 2009 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\pci\hotplug\rpادلpar.h(8): * Copyright (C) 2003 IBM.
linux-3.10\drivers\pci\hotplug\rpادلpar_core.c(10): * Copyright (C) 2003 IBM.
linux-3.10\drivers\pci\hotplug\rpادلpar_sysfs.c(8): * Copyright (C) 2003 IBM.
linux-3.10\drivers\pci\hotplug\rpادلpar.h(4): * Copyright (C) 2003 Linda Xie <lxie@us.ibm.com>
linux-3.10\drivers\pci\hotplug\rpادلpar_core.c(3): * Copyright (C) 2003 Linda Xie <lxie@us.ibm.com>

legal(ME)

linux-3.10\drivers\pci\hotplug\rpaphp_pci.c(3): * Copyright (C) 2003 Linda Xie
<lxie@us.ibm.com>
linux-3.10\drivers\pci\hotplug\rpaphp_slot.c(3): * Copyright (C) 2004 Linda Xie
<lxie@us.ibm.com>
linux-3.10\drivers\pci\hotplug\s390_pci_hpc.c(4): * Copyright 2012 IBM Corp.
linux-3.10\drivers\pci\hotplug\sgi_hotplug.c(6): * Copyright (C) 2005-2006
Silicon Graphics, Inc. All rights reserved.
linux-3.10\drivers\pci\hotplug\shpchp.h(4): * Copyright (C) 1995,2001 Compaq
Computer Corporation
linux-3.10\drivers\pci\hotplug\shpchp.h(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\shpchp.h(6): * Copyright (C) 2001 IBM
linux-3.10\drivers\pci\hotplug\shpchp.h(7): * Copyright (C) 2003-2004 Intel
Corporation
linux-3.10\drivers\pci\hotplug\shpchp_core.c(4): * Copyright (C) 1995,2001 Compaq
Computer Corporation
linux-3.10\drivers\pci\hotplug\shpchp_core.c(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\shpchp_core.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\shpchp_core.c(7): * Copyright (C) 2003-2004 Intel
Corporation
linux-3.10\drivers\pci\hotplug\shpchp_ctrl.c(4): * Copyright (C) 1995,2001 Compaq
Computer Corporation
linux-3.10\drivers\pci\hotplug\shpchp_ctrl.c(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\shpchp_ctrl.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\shpchp_ctrl.c(7): * Copyright (C) 2003-2004 Intel
Corporation
linux-3.10\drivers\pci\hotplug\shpchp_hpc.c(4): * Copyright (C) 1995,2001 Compaq
Computer Corporation
linux-3.10\drivers\pci\hotplug\shpchp_hpc.c(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\shpchp_hpc.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\shpchp_hpc.c(7): * Copyright (C) 2003-2004 Intel
Corporation
linux-3.10\drivers\pci\hotplug\shpchp_pci.c(4): * Copyright (C) 1995,2001 Compaq
Computer Corporation
linux-3.10\drivers\pci\hotplug\shpchp_pci.c(5): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\shpchp_pci.c(6): * Copyright (C) 2001 IBM Corp.
linux-3.10\drivers\pci\hotplug\shpchp_pci.c(7): * Copyright (C) 2003-2004 Intel
Corporation
linux-3.10\drivers\pci\hotplug\shpchp_sysfs.c(4): * Copyright (c) 1995,2001
Compaq Computer Corporation
linux-3.10\drivers\pci\hotplug\shpchp_sysfs.c(5): * Copyright (c) 2001,2003 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\pci\hotplug\shpchp_sysfs.c(6): * Copyright (c) 2001 IBM Corp.
linux-3.10\drivers\pci\htirq.c(5): * Copyright (C) 2006 Linux Networx
linux-3.10\drivers\pci\htirq.c(6): * Copyright (C) Eric Biederman
<ebiederman@lnxi.com>
linux-3.10\drivers\pci\ioapic.c(4): * Copyright (C) 2009 Fujitsu Limited.
linux-3.10\drivers\pci\ioapic.c(5): * (c) Copyright 2009 Hewlett-Packard

legal(ME)

Development Company, L.P.

linux-3.10\drivers\pci\iov.c(4): * Copyright (C) 2009 Intel Corporation, Yu Zhao
<yu.zhao@intel.com>

linux-3.10\drivers\pci\irq.c(4): * Copyright (c) 2008 James Bottomley
<James.Bottomley@HansenPartnership.com>

linux-3.10\drivers\pci\msi.c(5): * Copyright (C) 2003-2004 Intel

linux-3.10\drivers\pci\msi.c(6): * Copyright (C) Tom Long Nguyen
(tom.l.nguyen@intel.com)

linux-3.10\drivers\pci\of.c(4): * Copyright 2011 IBM Corp.

linux-3.10\drivers\pci\pci.c(2794): * Copyright 1998-2001 by Jes Sorensen,
<jes@trained-monkey.org>.

linux-3.10\drivers\pci\pci.c(4): *Copyright 1993 -- 1997 Drew Eckhardt, Frederic
Potter,

linux-3.10\drivers\pci\pci.c(7): *Copyright 1997 -- 2000 Martin Mares <mj@ucw.cz>

linux-3.10\drivers\pci\pci-acpi.c(5): * Copyright (C) 2005 David Shaohua Li
<shaohua.li@intel.com>

linux-3.10\drivers\pci\pci-acpi.c(6): * Copyright (C) 2004 Tom Long Nguyen
<tom.l.nguyen@intel.com>

linux-3.10\drivers\pci\pci-acpi.c(7): * Copyright (C) 2004 Intel Corp.

linux-3.10\drivers\pci\pci-driver.c(4): * (C) Copyright 2002-2004, 2007 Greg
Kroah-Hartman <greg@kroah.com>

linux-3.10\drivers\pci\pci-driver.c(5): * (C) Copyright 2007 Novell Inc.

linux-3.10\drivers\pci\pcie\aer\aer_inject.c(10): * Copyright 2009 Intel
Corporation.

linux-3.10\drivers\pci\pcie\aer\aerdrv.c(12): * Copyright (C) 2006 Intel Corp.

linux-3.10\drivers\pci\pcie\aer\aerdrv.h(2): * Copyright (C) 2006 Intel Corp.

linux-3.10\drivers\pci\pcie\aer\aerdrv_acpi.c(4): * Copyright (C) 2006 Intel
Corp.

linux-3.10\drivers\pci\pcie\aer\aerdrv_core.c(13): * Copyright (C) 2006 Intel
Corp.

linux-3.10\drivers\pci\pcie\aer\aerdrv_errprint.c(10): * Copyright (C) 2006 Intel
Corp.

linux-3.10\drivers\pci\pcie\aer\ecrc.c(4): *(C) Copyright 2009 Hewlett-Packard
Development Company, L.P.

linux-3.10\drivers\pci\pcie\aspm.c(5): * Copyright (C) 2007 Intel

linux-3.10\drivers\pci\pcie\aspm.c(6): * Copyright (C) Zhang Yanmin
(yanmin.zhang@intel.com)

linux-3.10\drivers\pci\pcie\aspm.c(7): * Copyright (C) Shaohua Li
(shaohua.li@intel.com)

linux-3.10\drivers\pci\pcie\pme.c(4): * Copyright (C) 2007 - 2009 Intel Corp

linux-3.10\drivers\pci\pcie\pme.c(5): * Copyright (C) 2007 - 2009 Shaohua Li
<shaohua.li@intel.com>

linux-3.10\drivers\pci\pcie\pme.c(6): * Copyright (C) 2009 Rafael J. Wysocki
<rjw@sisk.pl>, Novell Inc.

linux-3.10\drivers\pci\pcie\portdrv.h(5): * Copyright (C) 2004 Intel

linux-3.10\drivers\pci\pcie\portdrv.h(6): * Copyright (C) Tom Long Nguyen
(tom.l.nguyen@intel.com)

linux-3.10\drivers\pci\pcie\portdrv_acpi.c(4): * Copyright (C) 2010 Rafael J.
Wysocki <rjw@sisk.pl>, Novell Inc.

linux-3.10\drivers\pci\pcie\portdrv_bus.c(5): * Copyright (C) 2004 Intel

linux-3.10\drivers\pci\pcie\portdrv_bus.c(6): * Copyright (C) Tom Long Nguyen
(tom.l.nguyen@intel.com)

legal(ME)

linux-3.10\drivers\pci\pcie\portdrv_core.c(5): * Copyright (C) 2004 Intel
linux-3.10\drivers\pci\pcie\portdrv_core.c(6): * Copyright (C) Tom Long Nguyen
(tom.l.nguyen@intel.com)
linux-3.10\drivers\pci\pcie\portdrv_pci.c(5): * Copyright (C) 2004 Intel
linux-3.10\drivers\pci\pcie\portdrv_pci.c(6): * Copyright (C) Tom Long Nguyen
(tom.l.nguyen@intel.com)
linux-3.10\drivers\pci\pci-label.c(4): * Copyright (C) 2010 Dell Inc.
linux-3.10\drivers\pci\pci-stub.c(3): * Copyright (C) 2008 Red Hat, Inc.
linux-3.10\drivers\pci\pci-sysfs.c(4): * (C) Copyright 2002-2004 Greg
Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\pci\pci-sysfs.c(5): * (C) Copyright 2002-2004 IBM Corp.
linux-3.10\drivers\pci\pci-sysfs.c(6): * (C) Copyright 2003 Matthew Wilcox
linux-3.10\drivers\pci\pci-sysfs.c(7): * (C) Copyright 2003 Hewlett-Packard
linux-3.10\drivers\pci\pci-sysfs.c(8): * (C) Copyright 2004 Jon Smirl
<jonsmirl@yahoo.com>
linux-3.10\drivers\pci\pci-sysfs.c(9): * (C) Copyright 2004 Silicon Graphics,
Inc. Jesse Barnes <jbarnes@sgi.com>
linux-3.10\drivers\pci\proc.c(4): *Copyright (c) 1997--1999 Martin Mares
<mj@ucw.cz>
linux-3.10\drivers\pci\quirks.c(8): *Copyright (c) 1999 Martin Mares <mj@ucw.cz>
linux-3.10\drivers\pci\rom.c(4): * (C) Copyright 2004 Jon Smirl
<jonsmirl@yahoo.com>
linux-3.10\drivers\pci\rom.c(5): * (C) Copyright 2004 Silicon Graphics, Inc.
Jesse Barnes <jbarnes@sgi.com>
linux-3.10\drivers\pci\search.c(4): *Copyright (C) 1993 -- 1997 Drew Eckhardt,
Frederic Potter,
linux-3.10\drivers\pci\search.c(6): *Copyright (C) 1997 -- 2000 Martin Mares
<mj@ucw.cz>
linux-3.10\drivers\pci\search.c(7): *Copyright (C) 2003 -- 2004 Greg
Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\pci\slot.c(3): * Copyright (C) 2006 Matthew Wilcox
<matthew@wil.cx>
linux-3.10\drivers\pci\slot.c(4): * Copyright (C) 2006-2009 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\pci\vpd.c(5): * Copyright (C) 2010 Broadcom Corporation.
linux-3.10\drivers\pcmcia\at91_cf.c(4): * Copyright (C) 2005 David Brownell
linux-3.10\drivers\pcmcia\bcm63xx_pcmcia.c(6): * Copyright (C) 2008 Maxime Bizon
<mbizon@freebox.fr>
linux-3.10\drivers\pcmcia\bfin_cf_pcmcia.c(7): * Copyright (c) 2005 David
Brownell
linux-3.10\drivers\pcmcia\bfin_cf_pcmcia.c(8): * Copyright (c) 2006-2008 Michael
Hennerich Analog Devices Inc.
linux-3.10\drivers\pcmcia\cardbus.c(10): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\cirrus.h(16): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\cistpl.c(10): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\cs.c(10): * are Copyright (C) 1999 David A. Hinds.All
Rights Reserved.
linux-3.10\drivers\pcmcia\cs_internal.h(10): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.

legal(ME)

linux-3.10\drivers\pcmcia\db1xxx_ss.c(4): * Copyright (c) 2009 Manuel Lauss
<manuel.lauss@gmail.com>
linux-3.10\drivers\pcmcia\ds.c(10): * are Copyright (C) 1999 David A. Hinds.All
Rights Reserved.
linux-3.10\drivers\pcmcia\electra_cf.c(2): * Copyright (C) 2007 PA Semi, Inc
linux-3.10\drivers\pcmcia\i82365.c(19):are Copyright (C) 1999 David A. Hinds.All
Rights Reserved.
linux-3.10\drivers\pcmcia\i82365.h(16): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\m32r_cfc.c(6): *Copyright (c) 2001, 2002, 2003, 2004
linux-3.10\drivers\pcmcia\m32r_cfc.h(2): * Copyright (C) 2001 by Hiroyuki Kondo
linux-3.10\drivers\pcmcia\m32r_pcc.c(6): *Copyright (c) 2001, 2002, 2003, 2004
linux-3.10\drivers\pcmcia\m32r_pcc.h(2): * Copyright (C) 2001 by Hiroyuki Kondo
linux-3.10\drivers\pcmcia\o2micro.h(16): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\omap_cf.c(4): * Copyright (c) 2005 David Brownell
linux-3.10\drivers\pcmcia\pcmcia_cis.c(6): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\pcmcia_cis.c(8): * Copyright (C) 1999 David A. Hinds
linux-3.10\drivers\pcmcia\pcmcia_cis.c(9): * Copyright (C) 2004-2010 Dominik
Brodowski
linux-3.10\drivers\pcmcia\pcmcia_resource.c(6): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\pcmcia_resource.c(8): * Copyright (C) 1999 David A.
Hinds
linux-3.10\drivers\pcmcia\pcmcia_resource.c(9): * Copyright (C) 2004-2010 Dominik
Brodowski
linux-3.10\drivers\pcmcia\pxa2xx_balloon3.c(8): *Copyright:Toby Churchill Ltd
linux-3.10\drivers\pcmcia\pxa2xx_base.c(15): Copyright (C) 1999 John G. Dorsey.
linux-3.10\drivers\pcmcia\pxa2xx_colibri.c(6): * Copyright (C) 2010 Marek Vasut
<marek.vasut@gmail.com>
linux-3.10\drivers\pcmcia\pxa2xx_hx4700.c(2): *Copyright (C) 2012 Paul Parsons
<lost.distance@yahoo.com>
linux-3.10\drivers\pcmcia\pxa2xx_mainstone.c(8): * Copyright:MontaVista Software
Inc.
linux-3.10\drivers\pcmcia\pxa2xx_palmld.c(6): * Copyright (C) 2006 Alex Osborne
<ato@meshy.org>
linux-3.10\drivers\pcmcia\pxa2xx_palmld.c(7): * Copyright (C) 2007-2011 Marek
Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\pcmcia\pxa2xx_palmtc.c(6): * Copyright (C) 2008 Alex Osborne
<ato@meshy.org>
linux-3.10\drivers\pcmcia\pxa2xx_palmtc.c(7): * Copyright (C) 2009-2011 Marek
Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\pcmcia\pxa2xx_palmtx.c(6): * Copyright (C) 2007-2011 Marek
Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\pcmcia\pxa2xx_sharpsl.c(4): * Copyright (c) 2004-2005 Richard
Purdie
linux-3.10\drivers\pcmcia\pxa2xx_stargate2.c(8): * Copyright:Intel Corp 2005
linux-3.10\drivers\pcmcia\pxa2xx_trizeps4.c(8): * Copyright:Jürgen Schindele
linux-3.10\drivers\pcmcia\pxa2xx_viper.c(3): * Copyright 2004 Arcom Control
Systems
linux-3.10\drivers\pcmcia\pxa2xx_viper.c(9): * Copyright 2004 Koen Kooi

legal(ME)

<koen@vestingbar.nl>
linux-3.10\drivers\pcmcia\pxa2xx_vpac270.c(6): * Copyright (C) 2010-2011 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\pcmcia\ricoh.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\rsrc_iodyn.c(10): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\rsrc_mgr.c(10): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\rsrc_nonstatic.c(10): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\s1100_generic.c(18):Copyright (C) 1999 John G. Dorsey.All Rights Reserved.
linux-3.10\drivers\pcmcia\s1100_nanoengine.c(10): * Copyright (C) 2010 Marcelo Roberto Jimenez <mroberto@cpti.cetuc.puc-rio.br>
linux-3.10\drivers\pcmcia\s1111_badge4.c(8): * Copyright (C) 2002 Hewlett-Packard Company
linux-3.10\drivers\pcmcia\s1111_lubbock.c(6): * Copyright:MontaVista Software Inc.
linux-3.10\drivers\pcmcia\s11xx_base.c(18):Copyright (C) 1999 John G. Dorsey.All Rights Reserved.
linux-3.10\drivers\pcmcia\s11xx_base.h(18):Copyright (C) 1999 John G. Dorsey.All Rights Reserved.
linux-3.10\drivers\pcmcia\soc_common.c(18):Copyright (C) 1999 John G. Dorsey.All Rights Reserved.
linux-3.10\drivers\pcmcia\soc_common.h(4): * Copyright (C) 2000 John G Dorsey <john+@cs.cmu.edu>
linux-3.10\drivers\pcmcia\tcic.c(19):are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\tcic.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\ti113x.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\topic.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\vg468.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\pcmcia\vrc4171_card.c(4): * Copyright (C) 2003-2005Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\drivers\pcmcia\vrc4173_cardu.c(9): * Copyright 2002,2003 Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\drivers\pcmcia\vrc4173_cardu.h(8): * Copyright 2002 Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\drivers\pcmcia\xxs1500_ss.c(4): * Copyright (c) 2009 Manuel Lauss <manuel.lauss@gmail.com>
linux-3.10\drivers\pcmcia\yenta_socket.c(4): * (C) Copyright 1999, 2000 Linus Torvalds
linux-3.10\drivers\pinctrl\core.c(10): * Copyright (C) 2012 NVIDIA CORPORATION. All rights reserved.
linux-3.10\drivers\pinctrl\core.c(4): * Copyright (C) 2011-2012 ST-Ericsson SA
linux-3.10\drivers\pinctrl\core.h(4): * Copyright (C) 2011 ST-Ericsson SA
linux-3.10\drivers\pinctrl\devicetree.c(4): * Copyright (C) 2012 NVIDIA

legal(ME)

CORPORATION. All rights reserved.

linux-3.10\drivers\pinctrl\devicetree.h(4): * Copyright (C) 2012 NVIDIA

CORPORATION. All rights reserved.

linux-3.10\drivers\pinctrl\mvebu\pinctrl-armada-370.c(4): * Copyright (C) 2012 Marvell

linux-3.10\drivers\pinctrl\mvebu\pinctrl-armada-xp.c(4): * Copyright (C) 2012 Marvell

linux-3.10\drivers\pinctrl\pinconf.c(4): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\drivers\pinctrl\pinconf.h(5): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\drivers\pinctrl\pinconf-generic.c(4): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\drivers\pinctrl\pinctrl-ab8500.c(2): * Copyright (C) ST-Ericsson SA 2012

linux-3.10\drivers\pinctrl\pinctrl-ab8505.c(2): * Copyright (C) ST-Ericsson SA 2012

linux-3.10\drivers\pinctrl\pinctrl-ab8540.c(2): * Copyright (C) ST-Ericsson SA 2012

linux-3.10\drivers\pinctrl\pinctrl-ab9540.c(2): * Copyright (C) ST-Ericsson SA 2012

linux-3.10\drivers\pinctrl\pinctrl-abx500.c(2): * Copyright (C) ST-Ericsson SA 2013

linux-3.10\drivers\pinctrl\pinctrl-at91.c(4): * Copyright (C) 2011-2012

Jean-Christophe PLAGNIOIOL-VILLARD <plagnioj@jcrosoft.com>

linux-3.10\drivers\pinctrl\pinctrl-bcm2835.c(4): * Copyright (C) 2012 Chris Boot, Simon Arlott, Stephen Warren

linux-3.10\drivers\pinctrl\pinctrl-coh901.c(4): * Copyright (C) 2007-2012 ST-Ericsson AB

linux-3.10\drivers\pinctrl\pinctrl-exynos.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.

linux-3.10\drivers\pinctrl\pinctrl-exynos.c(6): * Copyright (c) 2012 Linaro Ltd

linux-3.10\drivers\pinctrl\pinctrl-exynos.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.

linux-3.10\drivers\pinctrl\pinctrl-exynos.h(6): * Copyright (c) 2012 Linaro Ltd

linux-3.10\drivers\pinctrl\pinctrl-exynos5440.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.

linux-3.10\drivers\pinctrl\pinctrl-falcon.c(10): *Copyright (C) 2012 John Crispin <blogic@openwrt.org>

linux-3.10\drivers\pinctrl\pinctrl-falcon.c(9): *Copyright (C) 2012 Thomas Langer <thomas.langer@lantiq.com>

linux-3.10\drivers\pinctrl\pinctrl-imx.c(4): * Copyright (C) 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\pinctrl\pinctrl-imx.c(5): * Copyright (C) 2012 Linaro Ltd.

linux-3.10\drivers\pinctrl\pinctrl-imx.h(4): * Copyright (C) 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\pinctrl\pinctrl-imx.h(5): * Copyright (C) 2012 Linaro Ltd.

linux-3.10\drivers\pinctrl\pinctrl-imx23.c(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\pinctrl\pinctrl-imx28.c(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\pinctrl\pinctrl-imx35.c(6): * Copyright (C) 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\pinctrl\pinctrl-imx35.c(7): * Copyright (C) 2012 Linaro, Inc.

legal(ME)

linux-3.10\drivers\pinctrl\pinctrl-imx51.c(4): * Copyright (C) 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\pinctrl\pinctrl-imx51.c(5): * Copyright (C) 2012 Linaro, Inc.
linux-3.10\drivers\pinctrl\pinctrl-imx53.c(4): * Copyright (C) 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\pinctrl\pinctrl-imx53.c(5): * Copyright (C) 2012 Linaro, Inc.
linux-3.10\drivers\pinctrl\pinctrl-imx6dl.c(2): * Copyright (C) 2013 Freescale Semiconductor, Inc.
linux-3.10\drivers\pinctrl\pinctrl-imx6q.c(4): * Copyright (C) 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\pinctrl\pinctrl-imx6q.c(5): * Copyright (C) 2012 Linaro, Inc.
linux-3.10\drivers\pinctrl\pinctrl-imx6sl.c(2): * Copyright (C) 2013 Freescale Semiconductor, Inc.
linux-3.10\drivers\pinctrl\pinctrl-lantiq.c(9): *Copyright (C) 2012 John Crispin <blogic@openwrt.org>
linux-3.10\drivers\pinctrl\pinctrl-lantiq.h(9): *Copyright (C) 2012 John Crispin <blogic@openwrt.org>
linux-3.10\drivers\pinctrl\pinctrl-mxs.c(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\pinctrl\pinctrl-mxs.h(2): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\pinctrl\pinctrl-nomadik.c(4): * Copyright (C) 2008,2009 STMicroelectronics
linux-3.10\drivers\pinctrl\pinctrl-nomadik.c(5): * Copyright (C) 2009 Alessandro Rubini <rubini@unipv.it>
linux-3.10\drivers\pinctrl\pinctrl-nomadik.c(7): * Copyright (C) 2011 Linus Walleij <linus.walleij@linaro.org>
linux-3.10\drivers\pinctrl\pinctrl-s3c64xx.c(4): * Copyright (c) 2013 Tomasz Figa <tomasz.figa@gmail.com>
linux-3.10\drivers\pinctrl\pinctrl-samsung.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\pinctrl\pinctrl-samsung.c(6): * Copyright (c) 2012 Linaro Ltd
linux-3.10\drivers\pinctrl\pinctrl-samsung.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\pinctrl\pinctrl-samsung.h(6): * Copyright (c) 2012 Linaro Ltd
linux-3.10\drivers\pinctrl\pinctrl-single.c(5): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\drivers\pinctrl\pinctrl-sirf.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\drivers\pinctrl\pinctrl-sunxi.c(4): * Copyright (C) 2012 Maxime Ripard
linux-3.10\drivers\pinctrl\pinctrl-sunxi.h(4): * Copyright (C) 2012 Maxime Ripard
linux-3.10\drivers\pinctrl\pinctrl-tegra.c(4): * Copyright (c) 2011-2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\pinctrl\pinctrl-tegra.c(7): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\pinctrl\pinctrl-tegra.c(8): * Copyright (C) 2010 NVIDIA Corporation
linux-3.10\drivers\pinctrl\pinctrl-tegra.c(9): * Copyright (C) 2009-2011 ST-Ericsson AB
linux-3.10\drivers\pinctrl\pinctrl-tegra.h(4): * Copyright (c) 2011, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\pinctrl\pinctrl-tegra114.c(4): * Copyright (c) 2012-2013, NVIDIA CORPORATION.All rights reserved.

legal(ME)

linux-3.10\drivers\pinctrl\pinctrl-tegra20.c(4): * Copyright (c) 2011-2012, NVIDIA CORPORATION. All rights reserved.
linux-3.10\drivers\pinctrl\pinctrl-tegra20.c(7): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\pinctrl\pinctrl-tegra20.c(8): * Copyright (C) 2010 NVIDIA Corporation
linux-3.10\drivers\pinctrl\pinctrl-tegra30.c(4): * Copyright (c) 2011-2012, NVIDIA CORPORATION. All rights reserved.
linux-3.10\drivers\pinctrl\pinctrl-u300.c(5): * Copyright (C) 2009-2011 ST-Ericsson AB
linux-3.10\drivers\pinctrl\pinctrl-xway.c(9): * Copyright (C) 2012 John Crispin <blogic@openwrt.org>
linux-3.10\drivers\pinctrl\pinmux.c(10): * Copyright (C) 2012 NVIDIA CORPORATION. All rights reserved.
linux-3.10\drivers\pinctrl\pinmux.c(4): * Copyright (C) 2011-2012 ST-Ericsson SA
linux-3.10\drivers\pinctrl\pinmux.h(5): * Copyright (C) 2011 ST-Ericsson SA
linux-3.10\drivers\pinctrl\sh-pfc\core.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\core.c(5): * Copyright (C) 2009 - 2012 Paul Mundt
linux-3.10\drivers\pinctrl\sh-pfc\core.h(4): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\gpio.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\gpio.c(5): * Copyright (C) 2009 - 2012 Paul Mundt
linux-3.10\drivers\pinctrl\sh-pfc\pfc-r8a73a4.c(2): * Copyright (C) 2012-2013 Renesas Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\pfc-r8a73a4.c(3): * Copyright (C) 2013 Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-r8a73a4.c(4): * Copyright (C) 2012 Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\drivers\pinctrl\sh-pfc\pfc-r8a7740.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\pfc-r8a7740.c(5): * Copyright (C) 2011 Kuninori Morimoto <kuninori.morimoto.gx@renesas.com>
linux-3.10\drivers\pinctrl\sh-pfc\pfc-r8a7779.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\pfc-r8a7779.c(5): * Copyright (C) 2011 Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7203.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7264.c(4): * Copyright (C) 2012 Renesas Electronics Europe Ltd
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7269.c(4): * Copyright (C) 2012 Renesas Electronics Europe Ltd
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7269.c(5): * Copyright (C) 2012 Phil Edworthy
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7372.c(4): * Copyright (C) 2010 Kuninori Morimoto <morimoto.kuninori@renesas.com>
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7372.c(8): * Copyright (C) 2010 Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh73a0.c(4): * Copyright (C) 2010 Renesas Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh73a0.c(5): * Copyright (C) 2010 NISHIMOTO

legal(ME)

Hiroki

linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7720.c(4): *Copyright (C) 2008Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7723.c(4): *Copyright (C) 2008Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7724.c(4): * Copyright (C) 2009 Renesas
Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7724.c(9): *Copyright (C) 2008Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7734.c(4): * Copyright (C) 2012Renesas
Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7734.c(5): * Copyright (C) 2012Nobuhiro
Iwamatsu <nobuhiro.iwamatsu.yj@renesas.com>
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7757.c(4): *Copyright (C)
2009-2010Renesas Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7757.c(9): *Copyright (C) 2008Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7785.c(4): *Copyright (C) 2008Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7786.c(4): * Copyright (C) 2008,
2009Renesas Solutions Corp.
linux-3.10\drivers\pinctrl\sh-pfc\pfc-sh7786.c(9): *Copyright (C) 2008Magnus Damm
linux-3.10\drivers\pinctrl\sh-pfc\pfc-shx3.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\drivers\pinctrl\sh-pfc\pinctrl.c(4): * Copyright (C) 2012Paul Mundt
linux-3.10\drivers\pinctrl\sh-pfc\sh_pfc.h(4): * Copyright (c) 2008 Magnus Damm
linux-3.10\drivers\pinctrl\spear\pinctrl-plgpio.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear.h(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear1310.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear1340.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear300.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear310.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear320.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear3xx.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\spear\pinctrl-spear3xx.h(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\drivers\pinctrl\vt8500\pinctrl-vt8500.c(4): * Copyright (c) 2013 Tony
Prisk <linux@prisktech.co.nz>
linux-3.10\drivers\pinctrl\vt8500\pinctrl-wm8505.c(4): * Copyright (c) 2013 Tony
Prisk <linux@prisktech.co.nz>
linux-3.10\drivers\pinctrl\vt8500\pinctrl-wm8650.c(4): * Copyright (c) 2013 Tony
Prisk <linux@prisktech.co.nz>
linux-3.10\drivers\pinctrl\vt8500\pinctrl-wm8750.c(4): * Copyright (c) 2013 Tony
Prisk <linux@prisktech.co.nz>
linux-3.10\drivers\pinctrl\vt8500\pinctrl-wm8850.c(4): * Copyright (c) 2013 Tony
Prisk <linux@prisktech.co.nz>
linux-3.10\drivers\pinctrl\vt8500\pinctrl-wmt.c(4): * Copyright (c) 2013 Tony
Prisk <linux@prisktech.co.nz>

legal(ME)

linux-3.10\drivers\pinctrl\vt8500\pinctrl-wmt.h(4): * Copyright (c) 2013 Tony Prisk <linux@prisktech.co.nz>
linux-3.10\drivers\platform\goldfish\goldfish_pipe.c(2): * Copyright (C) 2011 Google, Inc.
linux-3.10\drivers\platform\goldfish\goldfish_pipe.c(3): * Copyright (C) 2012 Intel, Inc.
linux-3.10\drivers\platform\goldfish\goldfish_pipe.c(4): * Copyright (C) 2013 Intel, Inc.
linux-3.10\drivers\platform\goldfish\pdev_bus.c(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\platform\goldfish\pdev_bus.c(3): * Copyright (C) 2011 Intel, Inc.
linux-3.10\drivers\platform\goldfish\pdev_bus.c(4): * Copyright (C) 2013 Intel, Inc.
linux-3.10\drivers\platform\olpc\olpc-ec.c(4): * Copyright (C) 2011-2012 One Laptop per Child Foundation.
linux-3.10\drivers\platform\x86\acer-wmi.c(4): *Copyright (C) 2007-2009Carlos Corbacho <carlos@strangeworlds.co.uk>
linux-3.10\drivers\platform\x86\acer-wmi.c(7): *Copyright (C) 2005-2007E.M. Smith
linux-3.10\drivers\platform\x86\acer-wmi.c(8): *Copyright (C) 2007-2008Carlos Corbacho <cathectic@gmail.com>
linux-3.10\drivers\platform\x86\amilo-rfkill.c(3): * Copyright 2011 Ben Hutchings.
linux-3.10\drivers\platform\x86\amilo-rfkill.c(6): * Copyright 2005 Alejandro Vidal Mata & Javier Vidal Mata.
linux-3.10\drivers\platform\x86\amilo-rfkill.c(8): * Copyright 2006 Martin Vel稿十分.
linux-3.10\drivers\platform\x86\apple-gmux.c(4): *Copyright (C) Canonical Ltd. <seth.forshee@canonical.com>
linux-3.10\drivers\platform\x86\apple-gmux.c(5): *Copyright (C) 2010-2012 Andreas Heider <andreas@meettr.de>
linux-3.10\drivers\platform\x86\asus-laptop.c(5): *Copyright (C) 2002-2005 Julien Lerouge, 2003-2006 Karol Kozimor
linux-3.10\drivers\platform\x86\asus-laptop.c(6): *Copyright (C) 2006-2007 Corentin Chary
linux-3.10\drivers\platform\x86\asus-laptop.c(7): *Copyright (C) 2011 Wind River Systems
linux-3.10\drivers\platform\x86\asus-nb-wmi.c(4): * Copyright(C) 2010 Corentin Chary <corentin.chary@gmail.com>
linux-3.10\drivers\platform\x86\asus-wmi.c(10): * Copyright (C) 2005 Dmitry Torokhov <dtor@mail.ru>
linux-3.10\drivers\platform\x86\asus-wmi.c(4): * Copyright(C) 2010 Intel Corporation.
linux-3.10\drivers\platform\x86\asus-wmi.c(5): * Copyright(C) 2010-2011 Corentin Chary <corentin.chary@gmail.com>
linux-3.10\drivers\platform\x86\asus-wmi.c(8): * Copyright (C) 2005 Miloslav Trmac <mitr@volny.cz>
linux-3.10\drivers\platform\x86\asus-wmi.c(9): * Copyright (C) 2005 Bernhard Rosenkraenzer <bero@arklinux.org>
linux-3.10\drivers\platform\x86\asus-wmi.h(10): * Copyright (C) 2005 Dmitry Torokhov <dtor@mail.ru>
linux-3.10\drivers\platform\x86\asus-wmi.h(4): * Copyright(C) 2010 Intel

legal(ME)

Corporation.

linux-3.10\drivers\platform\x86\asus-wmi.h(5): * Copyright(C) 2010-2011 Coentín Chary <coentín.chary@gmail.com>
linux-3.10\drivers\platform\x86\asus-wmi.h(8): * Copyright (C) 2005 Miloslav Trmac <mitr@volny.cz>
linux-3.10\drivers\platform\x86\asus-wmi.h(9): * Copyright (C) 2005 Bernhard Rosenkraenzer <bero@arklinux.org>
linux-3.10\drivers\platform\x86\chromeos_laptop.c(6): *Copyright (C) 2012 Google, Inc.
linux-3.10\drivers\platform\x86\classmate-laptop.c(2): *Copyright (C) 2009Thadeu Lima de Souza Cascardo <cascardo@holoscopio.com>
linux-3.10\drivers\platform\x86\compal-laptop.c(4):Copyright (C) 2008 Cezary Jackiewicz <cezary.jackiewicz (at) gmail.com>
linux-3.10\drivers\platform\x86\compal-laptop.c(8):Copyright (C) 2006 Lennart Poettering <mzxreary (at) 0pointer (dot) de>
linux-3.10\drivers\platform\x86\dell-laptop.c(4): *Copyright (c) Red Hat <mjg@redhat.com>
linux-3.10\drivers\platform\x86\dell-laptop.c(6): *Based on documentation in the libsbios package, Copyright (C) 2005 Dell
linux-3.10\drivers\platform\x86\dell-wmi.c(4): * Copyright (C) 2008 Red Hat <mjg@redhat.com>
linux-3.10\drivers\platform\x86\dell-wmi.c(7): * Copyright (C) 2005 Miloslav Trmac <mitr@volny.cz>
linux-3.10\drivers\platform\x86\dell-wmi.c(8): * Copyright (C) 2005 Bernhard Rosenkraenzer <bero@arklinux.org>
linux-3.10\drivers\platform\x86\dell-wmi.c(9): * Copyright (C) 2005 Dmitry Torokhov <dtor@mail.ru>
linux-3.10\drivers\platform\x86\eeepc-wmi.c(10): * Copyright (C) 2005 Dmitry Torokhov <dtor@mail.ru>
linux-3.10\drivers\platform\x86\eeepc-wmi.c(4): * Copyright(C) 2010 Intel Corporation.
linux-3.10\drivers\platform\x86\eeepc-wmi.c(5): * Copyright(C) 2010-2011 Coentín Chary <coentín.chary@gmail.com>
linux-3.10\drivers\platform\x86\eeepc-wmi.c(8): * Copyright (C) 2005 Miloslav Trmac <mitr@volny.cz>
linux-3.10\drivers\platform\x86\eeepc-wmi.c(9): * Copyright (C) 2005 Bernhard Rosenkraenzer <bero@arklinux.org>
linux-3.10\drivers\platform\x86\fujitsu-laptop.c(11):Templated from msi-laptop.c and thinkpad_acpi.c which is copyright
linux-3.10\drivers\platform\x86\fujitsu-laptop.c(4):Copyright (C) 2007,2008 Jonathan Woithe <jwoithe@just42.net>
linux-3.10\drivers\platform\x86\fujitsu-laptop.c(5):Copyright (C) 2008 Peter Gruber <nokos@gmx.net>
linux-3.10\drivers\platform\x86\fujitsu-laptop.c(6):Copyright (C) 2008 Tony Vroon <tony@linx.net>
linux-3.10\drivers\platform\x86\fujitsu-laptop.c(8):Copyright (C) 2003 Shane Spencer <shane@bogomip.com>
linux-3.10\drivers\platform\x86\fujitsu-tablet.c(2): * Copyright (C) 2006-2012 Robert Gerlach <khnz@gmx.de>
linux-3.10\drivers\platform\x86\fujitsu-tablet.c(3): * Copyright (C) 2005-2006 Jan Rychter <jan@rychter.com>
linux-3.10\drivers\platform\x86\hdaps.c(4): * Copyright (C) 2005 Robert Love

legal(ME)

<rml@novell.com>
linux-3.10\drivers\platform\x86\hdaps.c(5): * Copyright (C) 2005 Jesper Juhl
<jj@chaosbits.net>
linux-3.10\drivers\platform\x86\hp_accel.c(4): *Copyright (C) 2007-2008 Yan
Burman
linux-3.10\drivers\platform\x86\hp_accel.c(5): *Copyright (C) 2008 Eric Piel
linux-3.10\drivers\platform\x86\hp_accel.c(6): *Copyright (C) 2008-2009 Pavel
Machek
linux-3.10\drivers\platform\x86\hp-wmi.c(10): * Copyright (C) 2005 Dmitry
Torokhov <dtor@mail.ru>
linux-3.10\drivers\platform\x86\hp-wmi.c(4): * Copyright (C) 2008 Red Hat
<mjg@redhat.com>
linux-3.10\drivers\platform\x86\hp-wmi.c(5): * Copyright (C) 2010, 2011 Anssi
Hannula <anssi.hannula@iki.fi>
linux-3.10\drivers\platform\x86\hp-wmi.c(8): * Copyright (C) 2005 Miloslav Trmac
<mitr@volny.cz>
linux-3.10\drivers\platform\x86\hp-wmi.c(9): * Copyright (C) 2005 Bernhard
Rosenkraenzer <bero@arklinux.org>
linux-3.10\drivers\platform\x86\ibm_rtl.c(18): * Copyright (C) IBM Corporation,
2010
linux-3.10\drivers\platform\x86\ideapad-laptop.c(4): *Copyright © 2010 Intel
Corporation
linux-3.10\drivers\platform\x86\ideapad-laptop.c(5): *Copyright © 2010 David
Woodhouse <dwmw2@infradead.org>
linux-3.10\drivers\platform\x86\intel_ips.c(2): * Copyright (c) 2009-2010 Intel
Corporation
linux-3.10\drivers\platform\x86\intel_ips.h(2): * Copyright (c) 2010 Intel
Corporation
linux-3.10\drivers\platform\x86\intel_menlow.c(4): *Copyright (C) 2008 Intel Corp
linux-3.10\drivers\platform\x86\intel_menlow.c(5): *Copyright (C) 2008 Sujith
Thomas <sujith.thomas@intel.com>
linux-3.10\drivers\platform\x86\intel_menlow.c(6): *Copyright (C) 2008 Zhang Rui
<rui.zhang@intel.com>
linux-3.10\drivers\platform\x86\intel_mid_powerbtn.c(4): * Copyright (C) 2010
Intel Corp
linux-3.10\drivers\platform\x86\intel_mid_thermal.c(4): * Copyright (C) 2011
Intel Corporation
linux-3.10\drivers\platform\x86\intel_oaktrail.c(4): * Copyright (C) 2010-2011
Intel Corporation
linux-3.10\drivers\platform\x86\intel_oaktrail.c(7): * based on Compal driver,
Copyright (C) 2008 Cezary Jackiewicz
linux-3.10\drivers\platform\x86\intel_oaktrail.c(9): * Copyright (C) 2006 Lennart
Poettering <mzxreary (at) 0pointer (dot) de>
linux-3.10\drivers\platform\x86\intel_pmic_gpio.c(2): * Copyright (c) 2008 -
2009, Intel Corporation.
linux-3.10\drivers\platform\x86\intel_scu_ipc.c(4): * (C) Copyright 2008-2010
Intel Corporation
linux-3.10\drivers\platform\x86\intel_scu_ipcutil.c(4): * (C) Copyright 2008-2010
Intel Corporation
linux-3.10\drivers\platform\x86\msi-laptop.c(4):Copyright (C) 2006 Lennart
Poettering <mzxreary (at) 0pointer (dot) de>
linux-3.10\drivers\platform\x86\msi-wmi.c(4): * Copyright (C) 2009 Novell

legal(ME)

<trenn@suse.de>

linux-3.10\drivers\platform\x86\mxm-wmi.c(4): * Copyright(C) 2010 Red Hat.

linux-3.10\drivers\platform\x86\panasonic-laptop.c(9): *derived from
toshiba_acpi.c, Copyright (C) 2002-2004 John Belmonte

linux-3.10\drivers\platform\x86\pvpanic.c(4): *Copyright (C) 2013 Fujitsu.

linux-3.10\drivers\platform\x86\samsung-laptop.c(4): * Copyright (C) 2009,2011
Greg Kroah-Hartman (gregkh@suse.de)

linux-3.10\drivers\platform\x86\samsung-laptop.c(5): * Copyright (C) 2009,2011
Novell Inc.

linux-3.10\drivers\platform\x86\samsung-q10.c(4): *Copyright (c) 2011 Frederick
van der Wyck <fvanderwyck@gmail.com>

linux-3.10\drivers\platform\x86\sony-laptop.c(13): * Copyright (C) 2001-2005
Stelian Pop <stelian@popies.net>

linux-3.10\drivers\platform\x86\sony-laptop.c(15): * Copyright (C) 2005 Narayanan
R S <nars@kadamba.org>

linux-3.10\drivers\platform\x86\sony-laptop.c(17): * Copyright (C) 2001-2002
Alc̄Ive <www.alcove.com>

linux-3.10\drivers\platform\x86\sony-laptop.c(19): * Copyright (C) 2001 Michael
Ashley <m.ashley@unsw.edu.au>

linux-3.10\drivers\platform\x86\sony-laptop.c(21): * Copyright (C) 2001 Junichi
Morita <jun1m@mars.dti.ne.jp>

linux-3.10\drivers\platform\x86\sony-laptop.c(23): * Copyright (C) 2000 Takaya
Kinjo <t-kinjo@tc4.so-net.ne.jp>

linux-3.10\drivers\platform\x86\sony-laptop.c(25): * Copyright (C) 2000 Andrew
Tridgell <tridge@valinux.com>

linux-3.10\drivers\platform\x86\sony-laptop.c(4): * Copyright (C) 2004-2005
Stelian Pop <stelian@popies.net>

linux-3.10\drivers\platform\x86\sony-laptop.c(5): * Copyright (C) 2007-2009
Mattia Dongili <malattia@linux.it>

linux-3.10\drivers\platform\x86\sony-laptop.c(8): * which are copyrighted by
their respective authors.

linux-3.10\drivers\platform\x86\tc1100-wmi.c(4): *Copyright (C) 2007 Carlos
Corbacho <carlos@strangeworlds.co.uk>

linux-3.10\drivers\platform\x86\tc1100-wmi.c(5): *Copyright (C) 2004 Jamey Hicks
<jamey.hicks@hp.com>

linux-3.10\drivers\platform\x86\tc1100-wmi.c(6): *Copyright (C) 2001, 2002 Andy
Grover <andrew.grover@intel.com>

linux-3.10\drivers\platform\x86\tc1100-wmi.c(7): *Copyright (C) 2001, 2002 Paul
Diefenbaugh <paul.s.diefenbaugh@intel.com>

linux-3.10\drivers\platform\x86\thinkpad_acpi.c(5): *Copyright (C) 2004-2005
Borislav Deianov <borislav@users.sf.net>

linux-3.10\drivers\platform\x86\thinkpad_acpi.c(6): *Copyright (C) 2006-2009
Henrique de Moraes Holschuh <hmh@hmh.eng.br>

linux-3.10\drivers\platform\x86\topstar-laptop.c(4): * Copyright (c) 2009 Herton
Ronaldo Krzesinski <herton@mandriva.com.br>

linux-3.10\drivers\platform\x86\toshiba_acpi.c(5): *Copyright (C) 2002-2004 John
Belmonte

linux-3.10\drivers\platform\x86\toshiba_acpi.c(6): *Copyright (C) 2008 Philip
Langdale

linux-3.10\drivers\platform\x86\toshiba_acpi.c(7): *Copyright (C) 2010 Pierre
Ducroquet

linux-3.10\drivers\platform\x86\toshiba_bluetooth.c(4): * Copyright (C) 2009 Jes

legal(ME)

Sorensen <Jes.Sorensen@gmail.com>
linux-3.10\drivers\platform\x86\wmi.c(4): *Copyright (C) 2007-2008 Carlos Corbacho <carlos@strangeworlds.co.uk>
linux-3.10\drivers\platform\x86\wmi.c(7): * Copyright (C) 2001,2002 Richard Russon <ldm@flatcap.org>
linux-3.10\drivers\platform\x86\wmi.c(8): * Copyright (c) 2001-2007 Anton Altaparmakov
linux-3.10\drivers\platform\x86\wmi.c(9): * Copyright (C) 2001,2002 Jakob Kemi <jakob.kemi@telia.com>
linux-3.10\drivers\platform\x86\xo15-ebook.c(5): *Copyright (C) 2009 Paul Fox <pgf@laptop.org>
linux-3.10\drivers\platform\x86\xo15-ebook.c(6): *Copyright (C) 2010 One Laptop per Child
linux-3.10\drivers\platform\x86\xo1-rfkill.c(4): * Copyright (C) 2010 One Laptop per Child
linux-3.10\drivers\pnp\base.h(2): * Copyright (C) 2008 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\pnp\card.c(4): * Copyright 2002 Adam Belay <ambx1@neo.rr.com>
linux-3.10\drivers\pnp\core.c(4): * Copyright 2002 Adam Belay <ambx1@neo.rr.com>
linux-3.10\drivers\pnp\driver.c(4): * Copyright 2002 Adam Belay <ambx1@neo.rr.com>
linux-3.10\drivers\pnp\interface.c(5): * Copyright 2002 Adam Belay <ambx1@neo.rr.com>
linux-3.10\drivers\pnp\interface.c(6): * Copyright (C) 2008 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\pnp\isapnp\compat.c(5): * Copyright 2002 Adam Belay <ambx1@neo.rr.com>
linux-3.10\drivers\pnp\isapnp\core.c(3): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\drivers\pnp\isapnp\proc.c(3): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\drivers\pnp\manager.c(5): * Copyright 2003 Adam Belay <ambx1@neo.rr.com>
linux-3.10\drivers\pnp\manager.c(6): * Copyright (C) 2008 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\pnp\pnpacpi\core.c(4): * Copyright (c) 2004 Matthieu Castet <castet.matthieu@free.fr>
linux-3.10\drivers\pnp\pnpacpi\core.c(5): * Copyright (c) 2004 Li Shaohua <shaohua.li@intel.com>
linux-3.10\drivers\pnp\pnpacpi\rsparser.c(4): * Copyright (c) 2004 Matthieu Castet <castet.matthieu@free.fr>
linux-3.10\drivers\pnp\pnpacpi\rsparser.c(5): * Copyright (c) 2004 Li Shaohua <shaohua.li@intel.com>
linux-3.10\drivers\pnp\pnpacpi\rsparser.c(6): * Copyright (C) 2008 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\pnp\quirks.c(13): *Copyright (c) 1999 Martin Mares <mj@ucw.cz>
linux-3.10\drivers\pnp\quirks.c(7): *Copyright (c) 2000 Peter Denison <peterd@pnd-pc.demon.co.uk>
linux-3.10\drivers\pnp\quirks.c(8): *Copyright (C) 2008 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\pnp\resource.c(5): * Copyright 2003 Adam Belay <ambx1@neo.rr.com>

legal(ME)

linux-3.10\drivers\pnp\resource.c(6): * Copyright (C) 2008 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\pnp\support.c(4): * Copyright 2003 Adam Belay <ambx1@neo.rr.com>
linux-3.10\drivers\pnp\support.c(5): * Copyright (C) 2008 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\pnp\system.c(5): * Copyright 2002 Adam Belay <ambx1@neo.rr.com>
linux-3.10\drivers\pnp\system.c(6): * (c) Copyright 2007 Hewlett-Packard Development Company, L.P.
linux-3.10\drivers\power\88pm860x_battery.c(4): * Copyright (c) 2012 Marvell International Ltd.
linux-3.10\drivers\power\88pm860x_charger.c(4): * Copyright (c) 2012 Marvell International Ltd.
linux-3.10\drivers\power\ab8500_btemp.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\drivers\power\ab8500_charger.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\drivers\power\ab8500_fg.c(2): * Copyright (C) ST-Ericsson AB 2012
linux-3.10\drivers\power\abx500_chargalg.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\drivers\power\abx500_chargalg.c(3): * Copyright (c) 2012 Sony Mobile Communications AB
linux-3.10\drivers\power\apm_power.c(2): * Copyright 2007 Anton Vorontsov <cbou@mail.ru>
linux-3.10\drivers\power\apm_power.c(3): * Copyright 2007 Eugeny Boger <eugenyboger@dgap.mipt.ru>
linux-3.10\drivers\power\avs\smartreflex.c(12): * Copyright (C) 2007 Texas Instruments, Inc.
linux-3.10\drivers\power\avs\smartreflex.c(6): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\drivers\power\avs\smartreflex.c(9): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\power\bq2415x_charger.c(4): * Copyright (C) 2011-2012 Pali Rohar <pali.rohar@gmail.com>
linux-3.10\drivers\power\bq27x00_battery.c(4): * Copyright (C) 2008 Rodolfo Giometti <giometti@linux.it>
linux-3.10\drivers\power\bq27x00_battery.c(5): * Copyright (C) 2008 Eurotech S.p.A. <info@eurotech.it>
linux-3.10\drivers\power\bq27x00_battery.c(6): * Copyright (C) 2010-2011 Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\drivers\power\bq27x00_battery.c(7): * Copyright (C) 2011 Pali Rohar <pali.rohar@gmail.com>
linux-3.10\drivers\power\bq27x00_battery.c(9): * Based on a previous work by Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\power\charger-manager.c(2): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\power\collie_battery.c(4): * Copyright (C) 2009 Thomas Kunze
linux-3.10\drivers\power\da9030_battery.c(4): * Copyright (C) 2008 Compulab, Ltd.
linux-3.10\drivers\power\da9052-battery.c(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.
linux-3.10\drivers\power\ds2760_battery.c(4): * Copyright 2007 Anton Vorontsov
linux-3.10\drivers\power\ds2780_battery.c(4): * Copyright (C) 2010 Indesign, LLC
linux-3.10\drivers\power\ds2782_battery.c(4): * Copyright (C) 2009 Bluewater

legal(ME)

Systems Ltd

linux-3.10\drivers\power\generic-adc-battery.c(3): * Copyright (C) 2012, Anish Kumar <anish198519851985@gmail.com>
linux-3.10\drivers\power\goldfish_battery.c(4): * Copyright (C) 2008 Google, Inc.
linux-3.10\drivers\power\goldfish_battery.c(5): * Copyright (C) 2012 Intel, Inc.
linux-3.10\drivers\power\goldfish_battery.c(6): * Copyright (C) 2013 Intel, Inc.
linux-3.10\drivers\power\gpio-charger.c(2): *Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\drivers\power\intel_mid_battery.c(4): * Copyright (C) 2009 Intel Corporation
linux-3.10\drivers\power\isp1704_charger.c(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\drivers\power\jz4740-battery.c(4): * Copyright (C) 2009 Jiejing Zhang <kzjeef@gmail.com>
linux-3.10\drivers\power\jz4740-battery.c(5): * Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\drivers\power\jz4740-battery.c(9): * Copyright (C) 2008 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\power\lp8727_charger.c(4): *Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\power\lp8727_charger.c(5): *Copyright (C) 2011 National Semiconductor
linux-3.10\drivers\power\lp8788-charger.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\power\max17040_battery.c(5): *Copyright (C) 2009 Samsung Electronics
linux-3.10\drivers\power\max17042_battery.c(5): * Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\power\max8903_charger.c(4): * Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\power\max8925_power.c(4): * Copyright (c) 2009-2010 Marvell International Ltd.
linux-3.10\drivers\power\max8997_charger.c(4): *Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\power\max8998_charger.c(4): *Copyright (C) 2009-2010 Samsung Electronics
linux-3.10\drivers\power\olpc_battery.c(4): *Copyright ㄣ 2006-2010David Woodhouse <dwmw2@infradead.org>
linux-3.10\drivers\power\pda_power.c(6): * Copyright ㄣ 2007 Anton Vorontsov <cbou@mail.ru>
linux-3.10\drivers\power\pm2301_charger.c(2): * Copyright 2012 ST Ericsson.
linux-3.10\drivers\power\pm2301_charger.h(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\drivers\power\pmu_battery.c(4): *Copyright ㄣ 2006David Woodhouse <dwmw2@infradead.org>
linux-3.10\drivers\power\power_supply.h(4): *Copyright ㄣ 2007Anton Vorontsov <cbou@mail.ru>
linux-3.10\drivers\power\power_supply.h(5): *Copyright ㄣ 2004Szabolcs Gyurko
linux-3.10\drivers\power\power_supply.h(6): *Copyright ㄣ 2003Ian Molton <spyro@f2s.com>
linux-3.10\drivers\power\power_supply_core.c(4): *Copyright ㄣ 2007Anton Vorontsov <cbou@mail.ru>
linux-3.10\drivers\power\power_supply_core.c(5): *Copyright ㄣ 2004Szabolcs Gyurko

legal(ME)

linux-3.10\drivers\power\power_supply_core.c(6): *Copyright ㄣ 2003Ian Molton
<spyro@f2s.com>
linux-3.10\drivers\power\power_supply_leds.c(4): *Copyright ㄣ 2007Anton
Vorontsov <cbou@mail.ru>
linux-3.10\drivers\power\power_supply_leds.c(5): *Copyright ㄣ 2004Szabolcs
Gyurko
linux-3.10\drivers\power\power_supply_leds.c(6): *Copyright ㄣ 2003Ian Molton
<spyro@f2s.com>
linux-3.10\drivers\power\power_supply_sysfs.c(4): *Copyright ㄣ 2007David
Woodhouse <dwmw2@infradead.org>
linux-3.10\drivers\power\power_supply_sysfs.c(5): *Copyright ㄣ 2007Anton
Vorontsov <cbou@mail.ru>
linux-3.10\drivers\power\power_supply_sysfs.c(6): *Copyright ㄣ 2004Szabolcs
Gyurko
linux-3.10\drivers\power\power_supply_sysfs.c(7): *Copyright ㄣ 2003Ian Molton
<spyro@f2s.com>
linux-3.10\drivers\power\reset\gpio-poweroff.c(7): * Copyright (C) 2012 Jamie
Lentin
linux-3.10\drivers\power\reset\qnap-poweroff.c(4): * Copyright (C) 2012 Andrew
Lunn <andrew@lunn.ch>
linux-3.10\drivers\power\reset\qnap-poweroff.c(8): * Copyright (C) 2009Martin
Michlmayr <tbm@cyrius.com>
linux-3.10\drivers\power\reset\qnap-poweroff.c(9): * Copyright (C) 2008Byron
Bradley <byron.bbradley@gmail.com>
linux-3.10\drivers\power\reset\restart-poweroff.c(7): * Copyright (C) 2012 Andrew
Lunn
linux-3.10\drivers\power\reset\vexpress-poweroff.c(11): * Copyright (C) 2012 ARM
Limited
linux-3.10\drivers\power\rx51_battery.c(4): * Copyright (C) 2012Pali Rohar
<pali.rohar@gmail.com>
linux-3.10\drivers\power\s3c_adc_battery.c(3): *Copyright (c) Vasily Khoruzhick
linux-3.10\drivers\power\sbs-battery.c(4): * Copyright (c) 2010, NVIDIA
Corporation.
linux-3.10\drivers\power\smb347-charger.c(4): * Copyright (C) 2011, Intel
Corporation
linux-3.10\drivers\power\test_power.c(4): * Copyright 2010Anton Vorontsov
<cbouatmailru@gmail.com>
linux-3.10\drivers\power\test_power.c(7): * Copyright (C) 2008 Pylone, Inc.
linux-3.10\drivers\power\tosa_battery.c(4): * Copyright (c) 2005 Dirk Opfer
linux-3.10\drivers\power\tosa_battery.c(5): * Copyright (c) 2008 Dmitry Baryshkov
linux-3.10\drivers\power\tps65090-charger.c(4): * Copyright (c) 2013, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\power\twl4030_charger.c(4): * Copyright (C) 2010 Građvydas
Ignotas <notasas@gmail.com>
linux-3.10\drivers\power\twl4030_charger.c(7): * Copyright (C) 2008 Texas
Instruments, Inc.
linux-3.10\drivers\power\wm831x_backup.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\power\wm831x_power.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\power\wm8350_power.c(4): * Copyright 2007, 2008 Wolfson
Microelectronics PLC.

legal(ME)

linux-3.10\drivers\power\wm8350_power.c(8): * Copyright 2006David Woodhouse
<dwmw2@infradead.org>
linux-3.10\drivers\power\wm97xx_battery.c(8): * Copyright (C) 2008 Marek Vasut
<marek.vasut@gmail.com>
linux-3.10\drivers\power\z2_battery.c(4): * Copyright (C) 2009 Peter Edwards
<sweetlilmre@gmail.com>
linux-3.10\drivers\pps\clients\pps_parport.c(5): * Copyright (C) 2009 Alexander
Gordeev <lasaine@lvk.cs.msu.su>
linux-3.10\drivers\pps\clients\pps-gpio.c(5): * Copyright (C) 2010 Ricardo
Martins <rasm@fe.up.pt>
linux-3.10\drivers\pps\clients\pps-gpio.c(6): * Copyright (C) 2011 James Nuss
<jamesnuss@nanometrics.ca>
linux-3.10\drivers\pps\clients\pps-ktimer.c(5): * Copyright (C) 2005-2006 Rodolfo
Giometti <giometti@linux.it>
linux-3.10\drivers\pps\clients\pps-ldisc.c(5): * Copyright (C) 2008Rodolfo
Giometti <giometti@linux.it>
linux-3.10\drivers\pps\generators\pps_gen_parport.c(5): * Copyright (C) 2009
Alexander Gordeev <lasaine@lvk.cs.msu.su>
linux-3.10\drivers\pps\kapi.c(5): * Copyright (C) 2005-2009 Rodolfo Giometti
<giometti@linux.it>
linux-3.10\drivers\pps\kc.c(4): * Copyright (C) 2009-2010 Alexander Gordeev
<lasaine@lvk.cs.msu.su>
linux-3.10\drivers\pps\kc.h(4): * Copyright (C) 2009-2010 Alexander Gordeev
<lasaine@lvk.cs.msu.su>
linux-3.10\drivers\pps\pps.c(418):pr_info("Software ver. %s - Copyright 2005-2007
Rodolfo Giometti "
linux-3.10\drivers\pps\pps.c(5): * Copyright (C) 2005-2009 Rodolfo Giometti
<giometti@linux.it>
linux-3.10\drivers\pps\sysfs.c(5): * Copyright (C) 2007-2009 Rodolfo Giometti
<giometti@linux.it>
linux-3.10\drivers\ps3\ps3av.c(4): *Copyright (C) 2007 Sony Computer
Entertainment Inc.
linux-3.10\drivers\ps3\ps3av.c(5): *Copyright 2007 Sony Corp.
linux-3.10\drivers\ps3\ps3av_cmd.c(2): * Copyright (C) 2006 Sony Computer
Entertainment Inc.
linux-3.10\drivers\ps3\ps3av_cmd.c(3): * Copyright 2006, 2007 Sony Corporation
linux-3.10\drivers\ps3\ps3-lpm.c(4): *Copyright (C) 2007 Sony Computer
Entertainment Inc.
linux-3.10\drivers\ps3\ps3-lpm.c(5): *Copyright 2007 Sony Corp.
linux-3.10\drivers\ps3\ps3stor_lib.c(4): * Copyright (C) 2007 Sony Computer
Entertainment Inc.
linux-3.10\drivers\ps3\ps3stor_lib.c(5): * Copyright 2007 Sony Corp.
linux-3.10\drivers\ps3\ps3-sys-manager.c(4): *Copyright (C) 2007 Sony Computer
Entertainment Inc.
linux-3.10\drivers\ps3\ps3-sys-manager.c(5): *Copyright 2007 Sony Corp.
linux-3.10\drivers\ps3\ps3-vuart.c(4): *Copyright (C) 2006 Sony Computer
Entertainment Inc.
linux-3.10\drivers\ps3\ps3-vuart.c(5): *Copyright 2006 Sony Corp.
linux-3.10\drivers\ps3\sys-manager-core.c(4): *Copyright (C) 2007 Sony Computer
Entertainment Inc.
linux-3.10\drivers\ps3\sys-manager-core.c(5): *Copyright 2007 Sony Corp.
linux-3.10\drivers\ps3\vuart.h(4): *Copyright (C) 2006 Sony Computer

legal(ME)

Entertainment Inc.

linux-3.10\drivers\ps3\vuart.h(5): *Copyright 2006 Sony Corp.

linux-3.10\drivers\ptp\ptp_chardev.c(4): * Copyright (C) 2010 OMICRON electronics GmbH

linux-3.10\drivers\ptp\ptp_clock.c(4): * Copyright (C) 2010 OMICRON electronics GmbH

linux-3.10\drivers\ptp\ptp_ixp46x.c(4): * Copyright (C) 2010 OMICRON electronics GmbH

linux-3.10\drivers\ptp\ptp_pch.c(4): * Copyright (C) 2010 OMICRON electronics GmbH

linux-3.10\drivers\ptp\ptp_pch.c(5): * Copyright (C) 2011-2012 LAPIS SEMICONDUCTOR Co., LTD.

linux-3.10\drivers\ptp\ptp_private.h(4): * Copyright (C) 2010 OMICRON electronics GmbH

linux-3.10\drivers\ptp\ptp_sysfs.c(4): * Copyright (C) 2010 OMICRON electronics GmbH

linux-3.10\drivers\pwm\core.c(4): * Copyright (C) 2011 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\drivers\pwm\core.c(5): * Copyright (C) 2011-2012 Avionic Design GmbH

linux-3.10\drivers\pwm\pwm-ab8500.c(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\drivers\pwm\pwm-atmel-tcb.c(2): * Copyright (C) Overkiz SAS 2012

linux-3.10\drivers\pwm\pwm-bfin.c(4): * Copyright (c) 2011 Analog Devices Inc.

linux-3.10\drivers\pwm\pwm-jz4740.c(2): *Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>

linux-3.10\drivers\pwm\pwm-lpc32xx.c(2): * Copyright 2012 Alexandre Pereira da Silva <aletes.xgr@gmail.com>

linux-3.10\drivers\pwm\pwm-mxs.c(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\pwm\pwm-puv3.c(7): *Copyright (C) 2001-2010 Guan Xuetao

linux-3.10\drivers\pwm\pwm-samsung.c(3): * Copyright (c) 2007 Ben Dooks

linux-3.10\drivers\pwm\pwm-samsung.c(4): * Copyright (c) 2008 Simtec Electronics

linux-3.10\drivers\pwm\pwm-spear.c(4): * Copyright (C) 2012 ST Microelectronics

linux-3.10\drivers\pwm\pwm-tegra.c(6): * Copyright (c) 2010, NVIDIA Corporation.

linux-3.10\drivers\pwm\pwm-tiecap.c(4): * Copyright (C) 2012 Texas Instruments, Inc. - <http://www.ti.com/>

linux-3.10\drivers\pwm\pwm-tiehrpwm.c(4): * Copyright (C) 2012 Texas Instruments, Inc. - <http://www.ti.com/>

linux-3.10\drivers\pwm\pwm-tipwmss.c(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\drivers\pwm\pwm-tipwmss.h(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\drivers\pwm\pwm-twl.c(4): * Copyright (C) 2012 Texas Instruments

linux-3.10\drivers\pwm\pwm-twl-led.c(4): * Copyright (C) 2012 Texas Instruments

linux-3.10\drivers\pwm\pwm-vt8500.c(4): * Copyright (C) 2012 Tony Prisk

<linux@prisktech.co.nz>

linux-3.10\drivers\pwm\pwm-vt8500.c(5): * Copyright (C) 2010 Alexey Charkov <alchark@gmail.com>

linux-3.10\drivers\rapidio\devices\tsi721.c(4): * Copyright 2011 Integrated Device Technology, Inc.

linux-3.10\drivers\rapidio\devices\tsi721.h(4): * Copyright 2011, Integrated Device Technology, Inc.

linux-3.10\drivers\rapidio\devices\tsi721_dma.c(4): * Copyright 2011 Integrated

legal(ME)

Device Technology, Inc.
linux-3.10\drivers\rapidio\rio.c(5): * Copyright 2005 MontaVista Software, Inc.
linux-3.10\drivers\rapidio\rio.c(8): * Copyright 2009 Integrated Device
Technology, Inc.
linux-3.10\drivers\rapidio\rio.h(4): * Copyright 2005 MontaVista Software, Inc.
linux-3.10\drivers\rapidio\rio-access.c(4): * Copyright 2005 MontaVista Software,
Inc.
linux-3.10\drivers\rapidio\rio-driver.c(4): * Copyright 2005 MontaVista Software,
Inc.
linux-3.10\drivers\rapidio\rio-scan.c(11): * Copyright 2009 Sysgo AG
linux-3.10\drivers\rapidio\rio-scan.c(4): * Copyright 2005 MontaVista Software,
Inc.
linux-3.10\drivers\rapidio\rio-scan.c(7): * Copyright 2009 Integrated Device
Technology, Inc.
linux-3.10\drivers\rapidio\rio-sysfs.c(4): * Copyright 2005 MontaVista Software,
Inc.
linux-3.10\drivers\rapidio\switches\idt_gen2.c(4): * Copyright 2010 Integrated
Device Technology, Inc.
linux-3.10\drivers\rapidio\switches\idtcps.c(4): * Copyright 2009-2010 Integrated
Device Technology, Inc.
linux-3.10\drivers\rapidio\switches\tsi500.c(4): * Copyright 2009-2010 Integrated
Device Technology, Inc.
linux-3.10\drivers\rapidio\switches\tsi500.c(8): * Copyright 2005 MontaVista
Software, Inc.
linux-3.10\drivers\rapidio\switches\tsi568.c(4): * Copyright 2009-2010 Integrated
Device Technology, Inc.
linux-3.10\drivers\rapidio\switches\tsi568.c(9): * Copyright 2005 MontaVista
Software, Inc.
linux-3.10\drivers\rapidio\switches\tsi57x.c(4): * Copyright 2009-2010 Integrated
Device Technology, Inc.
linux-3.10\drivers\rapidio\switches\tsi57x.c(9): * Copyright 2005 MontaVista
Software, Inc.
linux-3.10\drivers\regulator\88pm8607.c(4): * Copyright (C) 2009 Marvell
International Ltd.
linux-3.10\drivers\regulator\aat2870-regulator.c(4): * Copyright (c) 2011, NVIDIA
Corporation.
linux-3.10\drivers\regulator\ab3100.c(4): * Copyright (C) 2008-2009 ST-Ericsson
AB
linux-3.10\drivers\regulator\ab8500.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\regulator\ab8500-ext.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\regulator\ad5398.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\regulator\anatop-regulator.c(2): * Copyright (C) 2011
Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\regulator\arizona-ldo1.c(4): * Copyright 2012 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\arizona-micsupp.c(4): * Copyright 2012 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\as3711-regulator.c(4): * Copyright (C) 2012 Renesas
Electronics Corporation
linux-3.10\drivers\regulator\core.c(4): * Copyright 2007, 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\core.c(5): * Copyright 2008 SlimLogic Ltd.

legal(ME)

linux-3.10\drivers\regulator\da903x.c(4): * Copyright (C) 2006-2008 Marvell International Ltd.
linux-3.10\drivers\regulator\da903x.c(5): * Copyright (C) 2008 Compulab Ltd.
linux-3.10\drivers\regulator\da9052-regulator.c(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.
linux-3.10\drivers\regulator\da9055-regulator.c(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\drivers\regulator\db8500-prcmu.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\regulator\dbx500-prcmu.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\regulator\dbx500-prcmu.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\regulator\dummy.c(4): * Copyright 2010 Wolfson Microelectronics PLC.
linux-3.10\drivers\regulator\dummy.h(4): * Copyright 2010 Wolfson Microelectronics PLC.
linux-3.10\drivers\regulator\fan53555.c(7): * Copyright (c) 2012 Marvell Technology Ltd.
linux-3.10\drivers\regulator\fixed.c(4): * Copyright 2008 Wolfson Microelectronics PLC.
linux-3.10\drivers\regulator\fixed.c(8): * Copyright (c) 2009 Nokia Corporation
linux-3.10\drivers\regulator\gpio-regulator.c(12): * Copyright (c) 2009 Nokia Corporation
linux-3.10\drivers\regulator\gpio-regulator.c(4): * Copyright 2011 Heiko Stuebner <heiko@sntech.de>
linux-3.10\drivers\regulator\gpio-regulator.c(8): * Copyright 2008 Wolfson Microelectronics PLC.
linux-3.10\drivers\regulator\isl6271a-regulator.c(6): * Copyright (C) 2010 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\regulator\lp3971.c(4): * Copyright (C) 2009 Samsung Electronics
linux-3.10\drivers\regulator\lp872x.c(2): * Copyright 2012 Texas Instruments
linux-3.10\drivers\regulator\lp8755.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\regulator\lp8788-buck.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\regulator\lp8788-ldo.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\regulator\max1586.c(4): * Copyright (C) 2008 Robert Jarzmik
linux-3.10\drivers\regulator\max77686.c(4): * Copyright (C) 2012 Samsung Electronics
linux-3.10\drivers\regulator\max8649.c(4): * Copyright (C) 2009-2010 Marvell International Ltd.
linux-3.10\drivers\regulator\max8660.c(6): * Copyright (C) 2009 Wolfram Sang, Pengutronix e.K.
linux-3.10\drivers\regulator\max8907-regulator.c(4): * Copyright (C) 2010 Gyungoh Yoo <jack.yoo@maxim-ic.com>
linux-3.10\drivers\regulator\max8907-regulator.c(5): * Copyright (C) 2010-2012, NVIDIA CORPORATION. All rights reserved.
linux-3.10\drivers\regulator\max8907-regulator.c(8): * Copyright 2010 Texas Instruments Inc.
linux-3.10\drivers\regulator\max8925-regulator.c(4): * Copyright (C) 2009 Marvell International Ltd.
linux-3.10\drivers\regulator\max8952.c(4): * Copyright (C) 2010 Samsung Electronics

legal(ME)

linux-3.10\drivers\regulator\max8973-regulator.c(6): * Copyright (c) 2012, NVIDIA Corporation.
linux-3.10\drivers\regulator\max8997.c(4): * Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\regulator\max8998.c(4): *Copyright (C) 2009-2010 Samsung Electronics
linux-3.10\drivers\regulator\mc13783-regulator.c(4): * Copyright 2010 Yong Shen <yong.shen@linaro.org>
linux-3.10\drivers\regulator\mc13783-regulator.c(5): * Copyright (C) 2008 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
linux-3.10\drivers\regulator\mc13783-regulator.c(6): * Copyright 2009 Alberto Panizzo <maramaopercheseimorto@gmail.com>
linux-3.10\drivers\regulator\mc13892-regulator.c(4): * Copyright 2010 Yong Shen <yong.shen@linaro.org>
linux-3.10\drivers\regulator\mc13xxx.h(4): *Copyright (C) 2010 Yong Shen <yong.shen@linaro.org>
linux-3.10\drivers\regulator\mc13xxx-regulator-core.c(4): * Copyright 2010 Yong Shen <yong.shen@linaro.org>
linux-3.10\drivers\regulator\mc13xxx-regulator-core.c(7): * Copyright (C) 2008 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
linux-3.10\drivers\regulator\mc13xxx-regulator-core.c(8): * Copyright 2009 Alberto Panizzo <maramaopercheseimorto@gmail.com>
linux-3.10\drivers\regulator\of_regulator.c(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\drivers\regulator\palmas-regulator.c(4): * Copyright 2011-2013 Texas Instruments Inc.
linux-3.10\drivers\regulator\pcap-regulator.c(4): * Copyright (c) 2009 Daniel Ribeiro <drwyrn@gmail.com>
linux-3.10\drivers\regulator\rc5t583-regulator.c(4): * Copyright (c) 2011-2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\regulator\rc5t583-regulator.c(8): *Copyright (C) 2011 RICOH COMPANY,LTD
linux-3.10\drivers\regulator\s2mps11.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd
linux-3.10\drivers\regulator\s5m8767.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd
linux-3.10\drivers\regulator\tps51632-regulator.c(7): * Copyright (c) 2012, NVIDIA Corporation.
linux-3.10\drivers\regulator\tps6105x-regulator.c(5): * Copyright (C) 2011 ST-Ericsson SA
linux-3.10\drivers\regulator\tps62360-regulator.c(6): * Copyright (c) 2012, NVIDIA Corporation.
linux-3.10\drivers\regulator\tps65023-regulator.c(6): * Copyright (C) 2009 Texas Instrument Incorporated - <http://www.ti.com/>
linux-3.10\drivers\regulator\tps6507x-regulator.c(6): * Copyright (C) 2009 Texas Instrument Incorporated - <http://www.ti.com/>
linux-3.10\drivers\regulator\tps65090-regulator.c(4): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\regulator\tps65217-regulator.c(6): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\regulator\tps6524x-regulator.c(4): * Copyright (C) 2010 Texas Instruments

legal(ME)

linux-3.10\drivers\regulator\tps6586x-regulator.c(4): * Copyright (C) 2010
Compulab Ltd.
linux-3.10\drivers\regulator\tps6586x-regulator.c(8): * Copyright (C) 2006-2008
Marvell International Ltd.
linux-3.10\drivers\regulator\tps6586x-regulator.c(9): * Copyright (C) 2008
Compulab Ltd.
linux-3.10\drivers\regulator\tps65910-regulator.c(4): * Copyright 2010 Texas
Instruments Inc.
linux-3.10\drivers\regulator\tps65912-regulator.c(4): * Copyright 2011 Texas
Instruments Inc.
linux-3.10\drivers\regulator\tps80031-regulator.c(7): * Copyright (c) 2012,
NVIDIA Corporation.
linux-3.10\drivers\regulator\twl-regulator.c(4): * Copyright (C) 2008 David
Brownell
linux-3.10\drivers\regulator\userspace-consumer.c(4): * Copyright 2009 CompuLab,
Ltd.
linux-3.10\drivers\regulator\userspace-consumer.c(9): * Copyright 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\vexpress.c(11): * Copyright (C) 2012 ARM Limited
linux-3.10\drivers\regulator\virtual.c(4): * Copyright 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\wm831x-dcdc.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\wm831x-isink.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\wm831x-ldo.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\wm8350-regulator.c(4): * Copyright 2007, 2008
Wolfson Microelectronics PLC.
linux-3.10\drivers\regulator\wm8400-regulator.c(4): * Copyright 2008 Wolfson
Microelectronics PLC.
linux-3.10\drivers\regulator\wm8994-regulator.c(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\drivers\remoteproc\da8xx_remoteproc.c(4): * Copyright (C) 2013 Texas
Instruments, Inc.
linux-3.10\drivers\remoteproc\omap_remoteproc.c(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\drivers\remoteproc\omap_remoteproc.c(5): * Copyright (C) 2011 Google,
Inc.
linux-3.10\drivers\remoteproc\omap_remoteproc.h(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\drivers\remoteproc\omap_remoteproc.h(5): * Copyright (C) 2011 Google,
Inc.
linux-3.10\drivers\remoteproc\remoteproc_core.c(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\drivers\remoteproc\remoteproc_core.c(5): * Copyright (C) 2011 Google,
Inc.
linux-3.10\drivers\remoteproc\remoteproc_debugfs.c(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\drivers\remoteproc\remoteproc_debugfs.c(5): * Copyright (C) 2011
Google, Inc.
linux-3.10\drivers\remoteproc\remoteproc_elf_loader.c(4): * Copyright (C) 2011

legal(ME)

Texas Instruments, Inc.
linux-3.10\drivers\remoteproc\remoteproc_elf_loader.c(5): * Copyright (C) 2011
Google, Inc.
linux-3.10\drivers\remoteproc\remoteproc_internal.h(4): * Copyright (C) 2011
Texas Instruments, Inc.
linux-3.10\drivers\remoteproc\remoteproc_internal.h(5): * Copyright (C) 2011
Google, Inc.
linux-3.10\drivers\remoteproc\remoteproc_virtio.c(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\drivers\remoteproc\remoteproc_virtio.c(5): * Copyright (C) 2011
Google, Inc.
linux-3.10\drivers\remoteproc\ste_modem_rproc.c(2): * Copyright (C) ST-Ericsson
AB 2012
linux-3.10\drivers\reset\core.c(4): * Copyright 2013 Philipp Zabel, Pengutronix
linux-3.10\drivers\rpmsg\virtio_rpmsg_bus.c(4): * Copyright (C) 2011 Texas
Instruments, Inc.
linux-3.10\drivers\rpmsg\virtio_rpmsg_bus.c(5): * Copyright (C) 2011 Google, Inc.
linux-3.10\drivers\rtc\class.c(4): * Copyright (C) 2005 Tower Technologies
linux-3.10\drivers\rtc\hctosys.c(4): * Copyright (C) 2005 Tower Technologies
linux-3.10\drivers\rtc\interface.c(4): * Copyright (C) 2005 Tower Technologies
linux-3.10\drivers\rtc\rtc-88pm80x.c(4): * Copyright (c) 2012 Marvell
International Ltd.
linux-3.10\drivers\rtc\rtc-88pm860x.c(4): * Copyright (c) 2010 Marvell
International Ltd.
linux-3.10\drivers\rtc\rtc-ab3100.c(2): * Copyright (C) 2007-2009 ST-Ericsson AB
linux-3.10\drivers\rtc\rtc-ab8500.c(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\drivers\rtc\rtc-at32ap700x.c(4): * Copyright (C) 2007 Atmel
Corporation
linux-3.10\drivers\rtc\rtc-at91rm9200.c(4): *Copyright (C) 2002 Rick Bronson
linux-3.10\drivers\rtc\rtc-at91rm9200.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\drivers\rtc\rtc-at91rm9200.h(5): * Copyright (C) SAN People
linux-3.10\drivers\rtc\rtc-au1xxx.c(4): * Copyright (C) 2008 Manuel Lauss
<mano@roarinelk.homelinux.net>
linux-3.10\drivers\rtc\rtc-bfin.c(5): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\drivers\rtc\rtc-bq32k.c(4): * Copyright (C) 2009 Semihalf.
linux-3.10\drivers\rtc\rtc-bq4802.c(3): * Copyright (C) 2008 David S. Miller
<davem@davemloft.net>
linux-3.10\drivers\rtc\rtc-cmos.c(4): * Copyright (C) 1996 Paul Gortmaker
(drivers/char/rtc.c)
linux-3.10\drivers\rtc\rtc-cmos.c(5): * Copyright (C) 2006 David Brownell
(convert to new framework)
linux-3.10\drivers\rtc\rtc-coh901331.c(2): * Copyright (C) 2007-2009 ST-Ericsson
AB
linux-3.10\drivers\rtc\rtc-coh901331.c(7): * Copyright 2006 (c) MontaVista
Software, Inc.
linux-3.10\drivers\rtc\rtc-da9052.c(4): * Copyright(c) 2012 Dialog Semiconductor
Ltd.
linux-3.10\drivers\rtc\rtc-da9055.c(4): * Copyright(c) 2012 Dialog Semiconductor
Ltd.
linux-3.10\drivers\rtc\rtc-davinci.c(4): * Copyright (C) 2009 Texas Instruments,
Inc
linux-3.10\drivers\rtc\rtc-dev.c(4): * Copyright (C) 2005 Tower Technologies

legal(ME)

linux-3.10\drivers\rtc\rtc-dm355evm.c(4): * Copyright (c) 2008 by David Brownell
linux-3.10\drivers\rtc\rtc-ds1216.c(4): * Copyright (c) 2007 Thomas Bogendoerfer
linux-3.10\drivers\rtc\rtc-ds1286.c(4): * Copyright (C) 1998, 1999, 2000 Ralf
Baechle
linux-3.10\drivers\rtc\rtc-ds1286.c(5): * Copyright (C) 2008 Thomas Bogendoerfer
linux-3.10\drivers\rtc\rtc-ds1302.c(4): *Copyright (C) 2002 David McCullough
linux-3.10\drivers\rtc\rtc-ds1302.c(5): *Copyright (C) 2003 - 2007 Paul Mundt
linux-3.10\drivers\rtc\rtc-ds1305.c(4): * Copyright (C) 2008 David Brownell
linux-3.10\drivers\rtc\rtc-ds1307.c(4): *Copyright (C) 2005 James Chapman (ds1337
core)
linux-3.10\drivers\rtc\rtc-ds1307.c(5): *Copyright (C) 2006 David Brownell
linux-3.10\drivers\rtc\rtc-ds1307.c(6): *Copyright (C) 2009 Matthias Fuchs
(rx8025 support)
linux-3.10\drivers\rtc\rtc-ds1307.c(7): *Copyright (C) 2012 Bertrand Achard
(nvram access fixes)
linux-3.10\drivers\rtc\rtc-ds1374.c(7): * Copyright (C) 2006-2007 Freescale
Semiconductor
linux-3.10\drivers\rtc\rtc-ds1390.c(4): * Copyright (C) 2008 Mercury IMC Ltd
linux-3.10\drivers\rtc\rtc-ds1511.c(4): * Copyright (C) 2006 Atsushi Nemoto
<anemo@mba.ocn.ne.jp>
linux-3.10\drivers\rtc\rtc-ds1511.c(5): * Copyright (C) 2007 Andrew Sharp
<andy.sharp@lsi.com>
linux-3.10\drivers\rtc\rtc-ds1553.c(4): * Copyright (C) 2006 Atsushi Nemoto
<anemo@mba.ocn.ne.jp>
linux-3.10\drivers\rtc\rtc-ds1672.c(3): * Copyright 2005-06 Tower Technologies
linux-3.10\drivers\rtc\rtc-ds1742.c(10): * Copyright (C) 2006 Torsten Ertbjerg
Rasmussen <tr@newtec.dk>
linux-3.10\drivers\rtc\rtc-ds1742.c(4): * Copyright (C) 2006 Atsushi Nemoto
<anemo@mba.ocn.ne.jp>
linux-3.10\drivers\rtc\rtc-ds2404.c(2): * Copyright (C) 2012 Sven Schnelle
<svens@stackframe.org>
linux-3.10\drivers\rtc\rtc-ds3232.c(4): * Copyright (C) 2009-2011 Freescale
Semiconductor.
linux-3.10\drivers\rtc\rtc-ds3234.c(6): * Copyright (C) 2008 MIMOMax Wireless
Ltd.
linux-3.10\drivers\rtc\rtc-efi.c(4): * Copyright (C) 2009 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\rtc\rtc-em3027.c(3): * Copyright 2011 CompuLab, Ltd.
linux-3.10\drivers\rtc\rtc-ep93xx.c(3): * Copyright (c) 2006 Tower Technologies
linux-3.10\drivers\rtc\rtc-fm3130.c(4): *Copyright (C) 2008 Sergey Lapin
linux-3.10\drivers\rtc\rtc-generic.c(3): * Copyright (C) 2008 Kyle McMartin
<kyle@mcmartin.ca>
linux-3.10\drivers\rtc\rtc-hid-sensor-time.c(3): * Copyright (c) 2012, Alexander
Holler.
linux-3.10\drivers\rtc\rtc-imxdi.c(2): * Copyright 2008-2009 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\rtc\rtc-imxdi.c(3): * Copyright 2010 Orex Computed Radiography
linux-3.10\drivers\rtc\rtc-isl1208.c(4): * Copyright 2005,2006 Hebert Valerio
Riedel <hvr@gnu.org>
linux-3.10\drivers\rtc\rtc-jz4740.c(2): *Copyright (C) 2009-2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\drivers\rtc\rtc-jz4740.c(3): *Copyright (C) 2010, Paul Cercueil

legal(ME)

<paul@crapouillou.net>

linux-3.10\drivers\rtc\rtc-lib.c(4): * Copyright (C) 2005-06 Tower Technologies

linux-3.10\drivers\rtc\rtc-lp8788.c(4): * Copyright 2012 Texas Instruments

linux-3.10\drivers\rtc\rtc-lpc32xx.c(2): * Copyright (C) 2010 NXP Semiconductors

linux-3.10\drivers\rtc\rtc-ls1x.c(2): * Copyright (c) 2011 Zhao Zhang

<zhzhl555@gmail.com>

linux-3.10\drivers\rtc\rtc-m41t94.c(4): * Copyright (C) 2008 Kim B. Heino

linux-3.10\drivers\rtc\rtc-m48t35.c(4): * Copyright (C) 2000 Silicon Graphics, Inc.

linux-3.10\drivers\rtc\rtc-m48t35.c(7): * Copyright (C) 2008 Thomas Bogendoerfer

linux-3.10\drivers\rtc\rtc-m48t59.c(4): * Copyright (c) 2007 Wind River Systems, Inc.

linux-3.10\drivers\rtc\rtc-m48t86.c(3): * Copyright (c) 2006 Tower Technologies

linux-3.10\drivers\rtc\rtc-max6902.c(3): * Copyright (C) 2006 8D Technologies inc.

linux-3.10\drivers\rtc\rtc-max6902.c(4): * Copyright (C) 2004 Compulab Ltd.

linux-3.10\drivers\rtc\rtc-max77686.c(4): * Copyright (C) 2012 Samsung Electronics Co.Ltd

linux-3.10\drivers\rtc\rtc-max8907.c(4): * Copyright (c) 2011-2012, NVIDIA Corporation.

linux-3.10\drivers\rtc\rtc-max8907.c(7): * Copyright (C) 2009-2010 Marvell International Ltd.

linux-3.10\drivers\rtc\rtc-max8925.c(4): * Copyright (C) 2009-2010 Marvell International Ltd.

linux-3.10\drivers\rtc\rtc-max8997.c(4): * Copyright (C) 2013 Samsung Electronics Co.Ltd

linux-3.10\drivers\rtc\rtc-max8998.c(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd

linux-3.10\drivers\rtc\rtc-mpc5121.c(4): * Copyright 2007, Domen Puncer <domen.puncer@telargo.com>

linux-3.10\drivers\rtc\rtc-mpc5121.c(5): * Copyright 2008, Freescale Semiconductor, Inc. All rights reserved.

linux-3.10\drivers\rtc\rtc-mpc5121.c(6): * Copyright 2011, Dmitry Eremin-Solenikov

linux-3.10\drivers\rtc\rtc-mrst.c(4): * (C) Copyright 2009 Intel Corporation

linux-3.10\drivers\rtc\rtc-msm6242.c(4): *Copyright 2009 Geert Uytterhoeven

linux-3.10\drivers\rtc\rtc-msm6242.c(7): *Copyright (C) 1993 Hamish Macdonald

linux-3.10\drivers\rtc\rtc-mxc.c(2): * Copyright 2004-2008 Freescale Semiconductor, Inc. All Rights Reserved.

linux-3.10\drivers\rtc\rtc-nuc900.c(2): * Copyright (c) 2008-2009 Nuvoton technology corporation.

linux-3.10\drivers\rtc\rtc-omap.c(4): * Copyright (C) 2003 MontaVista Software, Inc.

linux-3.10\drivers\rtc\rtc-omap.c(7): * Copyright (C) 2006 David Brownell (new RTC framework)

linux-3.10\drivers\rtc\rtc-palmas.c(7): * Copyright (c) 2012, NVIDIA Corporation.

linux-3.10\drivers\rtc\rtc-pcap.c(4): *Copyright (c) 2008 guiming zhao <gmzhuo@gmail.com>

linux-3.10\drivers\rtc\rtc-pcap.c(5): *Copyright (c) 2009 Daniel Ribeiro <drwyr@gmail.com>

linux-3.10\drivers\rtc\rtc-pcap.c(7): *Based on Motorola's rtc.c Copyright (c) 2003-2005 Motorola

legal(ME)

linux-3.10\drivers\rtc\rtc-pcf2123.c(3): * Copyright 2009 Cyber Switching, Inc.
linux-3.10\drivers\rtc\rtc-pcf8523.c(2): * Copyright (C) 2012 Avionic Design GmbH
linux-3.10\drivers\rtc\rtc-pcf8563.c(3): * Copyright 2005-06 Tower Technologies
linux-3.10\drivers\rtc\rtc-pcf8583.c(4): *Copyright (C) 2000 Russell King
linux-3.10\drivers\rtc\rtc-pcf8583.c(5): *Copyright (C) 2008 Wolfram Sang &
Juergen Beisert, Pengutronix
linux-3.10\drivers\rtc\rtc-pl030.c(4): *Copyright (C) 2000-2001 Deep Blue
Solutions Ltd.
linux-3.10\drivers\rtc\rtc-pl031.c(11): * Copyright 2010 (c) ST-Ericsson AB
linux-3.10\drivers\rtc\rtc-pl031.c(8): * Copyright 2006 (c) MontaVista Software,
Inc.
linux-3.10\drivers\rtc\rtc-pm8xxx.c(1):/* Copyright (c) 2010-2011, Code Aurora
Forum. All rights reserved.
linux-3.10\drivers\rtc\rtc-proc.c(4): * Copyright (C) 2005-06 Tower Technologies
linux-3.10\drivers\rtc\rtc-ps3.c(4): * Copyright 2009 Sony Corporation
linux-3.10\drivers\rtc\rtc-puv3.c(5): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\drivers\rtc\rtc-pxa.c(4): * Copyright (C) 2008 Robert Jarzmik
linux-3.10\drivers\rtc\rtc-r9701.c(4): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\rtc\rtc-r9701.c(8): * Copyright (C) 2006 8D Technologies inc.
linux-3.10\drivers\rtc\rtc-r9701.c(9): * Copyright (C) 2004 Compulab Ltd.
linux-3.10\drivers\rtc\rtc-rc5t583.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\rtc\rtc-rp5c01.c(4): *Copyright 2009 Geert Uytterhoeven
linux-3.10\drivers\rtc\rtc-rp5c01.c(7): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\drivers\rtc\rtc-rs5c313.c(12): *Copyright (C) 1996 Paul Gortmaker
linux-3.10\drivers\rtc\rtc-rs5c313.c(3): *Copyright (C) 2007 Nobuhiro Iwamatsu
linux-3.10\drivers\rtc\rtc-rs5c313.c(8): *Copyright (C) 2000 Philipp Rumpf
<prumpf@tux.org>
linux-3.10\drivers\rtc\rtc-rs5c313.c(9): *Copyright (C) 1999 Tetsuya Okada &
Niibe Yutaka
linux-3.10\drivers\rtc\rtc-rs5c348.c(4): * Copyright (C) 2006 Atsushi Nemoto
<anemo@mba.ocn.ne.jp>
linux-3.10\drivers\rtc\rtc-rs5c372.c(4): * Copyright (C) 2005 Pavel Mironchik
<pmironchik@optifacio.net>
linux-3.10\drivers\rtc\rtc-rs5c372.c(5): * Copyright (C) 2006 Tower Technologies
linux-3.10\drivers\rtc\rtc-rs5c372.c(6): * Copyright (C) 2008 Paul Mundt
linux-3.10\drivers\rtc\rtc-rx4581.c(23): * Copyright 2008 GE Intelligent
Platforms Embedded Systems, Inc.
linux-3.10\drivers\rtc\rtc-rx4581.c(30): * Copyright 2005-06 Tower Technologies
linux-3.10\drivers\rtc\rtc-rx4581.c(8): * Copyright (C) 2006 8D Technologies inc.
linux-3.10\drivers\rtc\rtc-rx4581.c(9): * Copyright (C) 2004 Compulab Ltd.
linux-3.10\drivers\rtc\rtc-rx8025.c(4): * Copyright (C) 2009 Wolfgang Grandegger
<wg@grandegger.com>
linux-3.10\drivers\rtc\rtc-rx8025.c(6): * Copyright (C) 2005 by Digi
International Inc.
linux-3.10\drivers\rtc\rtc-rx8581.c(12): * Copyright 2005-06 Tower Technologies
linux-3.10\drivers\rtc\rtc-rx8581.c(5): * Copyright 2008 GE Intelligent Platforms
Embedded Systems, Inc.
linux-3.10\drivers\rtc\rtc-s35390a.c(4): * Copyright (c) 2007 Byron Bradley
linux-3.10\drivers\rtc\rtc-s3c.c(3): * Copyright (c) 2010 Samsung Electronics
Co., Ltd.
linux-3.10\drivers\rtc\rtc-s3c.c(6): * Copyright (c) 2004,2006 Simtec Electronics

legal(ME)

linux-3.10\drivers\rtp\rtp-s3c.h(2): * Copyright (c) 2003 Simtec Electronics
<linux@simtec.co.uk>
linux-3.10\drivers\rtp\rtp-sa1100.c(4): * Copyright (c) 2000 Nils Faerber
linux-3.10\drivers\rtp\rtp-sh.c(10): *Copyright (C) 2000Philipp Rumpf
<prumpf@tux.org>
linux-3.10\drivers\rtp\rtp-sh.c(11): *Copyright (C) 1999Tetsuya Okada & Niibe
Yutaka
linux-3.10\drivers\rtp\rtp-sh.c(4): * Copyright (C) 2006 - 2009Paul Mundt
linux-3.10\drivers\rtp\rtp-sh.c(5): * Copyright (C) 2006Jamie Lenehan
linux-3.10\drivers\rtp\rtp-sh.c(6): * Copyright (C) 2008Angelo Castello
linux-3.10\drivers\rtp\rtp-snvs.c(2): * Copyright (C) 2011-2012 Freescale
Semiconductor, Inc.
linux-3.10\drivers\rtp\rtp-spear.c(4): * Copyright (C) 2010 ST Microelectronics
linux-3.10\drivers\rtp\rtp-starfire.c(3): * Copyright (C) 2008 David S. Miller
<davem@davemloft.net>
linux-3.10\drivers\rtp\rtp-stmp3xxx.c(4): * Copyright (c) 2007 Sigmatel, Inc.
linux-3.10\drivers\rtp\rtp-stmp3xxx.c(7): * Copyright 2008 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\rtp\rtp-stmp3xxx.c(8): * Copyright 2008 Embedded Alley
Solutions, Inc All Rights Reserved.
linux-3.10\drivers\rtp\rtp-stmp3xxx.c(9): * Copyright 2011 Wolfram Sang,
Pengutronix e.K.
linux-3.10\drivers\rtp\rtp-sun4v.c(3): * Copyright (C) 2008 David S. Miller
<davem@davemloft.net>
linux-3.10\drivers\rtp\rtp-sysfs.c(4): * Copyright (C) 2005 Tower Technologies
linux-3.10\drivers\rtp\rtp-tegra.c(4): * Copyright (c) 2010, NVIDIA Corporation.
linux-3.10\drivers\rtp\rtp-test.c(3): * Copyright (C) 2005 Tower Technologies
linux-3.10\drivers\rtp\rtp-tile.c(2): * Copyright 2011 Tilera Corporation. All
Rights Reserved.
linux-3.10\drivers\rtp\rtp-tps6586x.c(4): * Copyright (c) 2012, NVIDIA
Corporation.
linux-3.10\drivers\rtp\rtp-tps65910.c(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\drivers\rtp\rtp-tps65910.c(8): * Copyright (C) 2007 MontaVista
Software, Inc
linux-3.10\drivers\rtp\rtp-tps80031.c(7): * Copyright (c) 2012, NVIDIA
Corporation.
linux-3.10\drivers\rtp\rtp-twl.c(11): * Copyright (C) 2003 MontaVista Software,
Inc.
linux-3.10\drivers\rtp\rtp-twl.c(13): * Copyright (C) 2006 David Brownell
linux-3.10\drivers\rtp\rtp-twl.c(4): * Copyright (C) 2007 MontaVista Software,
Inc
linux-3.10\drivers\rtp\rtp-twl.c(8): * Copyright (C) 2006 Texas Instruments, Inc.
linux-3.10\drivers\rtp\rtp-tx4939.c(9): * (C) Copyright TOSHIBA CORPORATION
2005-2007
linux-3.10\drivers\rtp\rtp-v3020.c(3): * Copyright (C) 2006 8D Technologies inc.
linux-3.10\drivers\rtp\rtp-v3020.c(4): * Copyright (C) 2004 Compulab Ltd.
linux-3.10\drivers\rtp\rtp-vr41xx.c(4): *Copyright (C) 2003-2008Yoichi Yuasa
<yuasa@linux-mips.org>
linux-3.10\drivers\rtp\rtp-vt8500.c(4): *Copyright (C) 2010 Alexey Charkov
<alchark@gmail.com>
linux-3.10\drivers\rtp\rtp-wm831x.c(4): *Copyright (C) 2009 Wolfson

legal(ME)

Microelectronics PLC.

linux-3.10\drivers\rtc\rtc-wm8350.c(4): *Copyright (C) 2007, 2008 Wolfson
Microelectronics PLC.

linux-3.10\drivers\rtc\rtc-x1205.c(3): * Copyright 2004 Karen Spearel

linux-3.10\drivers\rtc\rtc-x1205.c(4): * Copyright 2005 Alessandro Zummo

linux-3.10\drivers\s390\block\dasd.c(54): " Copyright IBM Corp. 2000");

linux-3.10\drivers\s390\block\dasd.c(7): * Copyright IBM Corp. 1999, 2009

linux-3.10\drivers\s390\block\dasd_3990_erp.c(5): * Copyright IBM Corp. 2000,
2001

linux-3.10\drivers\s390\block\dasd_alias.c(4): * Copyright IBM Corp. 2007

linux-3.10\drivers\s390\block\dasd_devmap.c(7): * Copyright IBM Corp. 1999,2001

linux-3.10\drivers\s390\block\dasd_diag.c(6): * Copyright IBM Corp. 1999, 2000

linux-3.10\drivers\s390\block\dasd_diag.h(6): * Copyright IBM Corp. 1999, 2000

linux-3.10\drivers\s390\block\dasd_eckd.c(7): * Copyright IBM Corp. 1999, 2009

linux-3.10\drivers\s390\block\dasd_eckd.c(8): * EMC Symmetrix ioctl Copyright EMC
Corporation, 2008

linux-3.10\drivers\s390\block\dasd_eckd.h(5): * Copyright IBM Corp. 1999, 2000

linux-3.10\drivers\s390\block\dasd_erp.c(4): *Copyright IBM Corp. 2005

linux-3.10\drivers\s390\block\dasd_erp.c(7): * Copyright IBM Corp. 1999, 2001

linux-3.10\drivers\s390\block\dasd_fba.c(4): * Copyright IBM Corp. 1999, 2009

linux-3.10\drivers\s390\block\dasd_genhd.c(7): * Copyright IBM Corp. 1999, 2001

linux-3.10\drivers\s390\block\dasd_int.h(6): * Copyright IBM Corp. 1999, 2009

linux-3.10\drivers\s390\block\dasd_ioctl.c(7): * Copyright IBM Corp. 1999, 2001

linux-3.10\drivers\s390\block\scm_blk.c(4): * Copyright IBM Corp. 2012

linux-3.10\drivers\s390\block\scm_blk_cluster.c(4): * Copyright IBM Corp. 2012

linux-3.10\drivers\s390\block\scm_drv.c(4): * Copyright IBM Corp. 2012

linux-3.10\drivers\s390\char\con3215.c(4): * Copyright IBM Corp. 1999, 2009

linux-3.10\drivers\s390\char\con3270.c(7): * Copyright IBM Corp. 2003, 2009

linux-3.10\drivers\s390\char\ctrlchar.c(4): *Copyright IBM Corp. 2001

linux-3.10\drivers\s390\char\ctrlchar.h(4): *Copyright IBM Corp. 2001

linux-3.10\drivers\s390\char\fs3270.c(7): * Copyright IBM Corp. 2003, 2009

linux-3.10\drivers\s390\char\keyboard.c(5): *Copyright IBM Corp. 2003

linux-3.10\drivers\s390\char\keyboard.h(4): *Copyright IBM Corp. 2003

linux-3.10\drivers\s390\char\monreader.c(4): * Copyright IBM Corp. 2004, 2009

linux-3.10\drivers\s390\char\monwriter.c(4): * Copyright IBM Corp. 2006, 2009

linux-3.10\drivers\s390\char\raw3270.c(7): * Copyright IBM Corp. 2003, 2009

linux-3.10\drivers\s390\char\raw3270.h(7): * Copyright IBM Corp. 2003, 2009

linux-3.10\drivers\s390\char\sclp.c(4): * Copyright IBM Corp. 1999, 2009

linux-3.10\drivers\s390\char\sclp.h(2): * Copyright IBM Corp. 1999,2012

linux-3.10\drivers\s390\char\sclp_async.c(208):MODULE_AUTHOR("Copyright IBM Corp.
2009");

linux-3.10\drivers\s390\char\sclp_async.c(4): * Copyright IBM Corp. 2009

linux-3.10\drivers\s390\char\sclp_cmd.c(2): * Copyright IBM Corp. 2007,2012

linux-3.10\drivers\s390\char\sclp_con.c(4): * Copyright IBM Corp. 1999, 2009

linux-3.10\drivers\s390\char\sclp_config.c(2): *Copyright IBM Corp. 2007

linux-3.10\drivers\s390\char\sclp_cpi.c(4): *Copyright IBM Corp. 2001, 2007

linux-3.10\drivers\s390\char\sclp_cpi_sys.c(4): *Copyright IBM Corp. 2001, 2007

linux-3.10\drivers\s390\char\sclp_cpi_sys.h(4): *Copyright IBM Corp. 2007

linux-3.10\drivers\s390\char\sclp_ocf.c(4): *Copyright IBM Corp. 2011

linux-3.10\drivers\s390\char\sclp_quiesce.c(4): *Copyright IBM Corp. 1999, 2004

linux-3.10\drivers\s390\char\sclp_rw.c(4): * Copyright IBM Corp. 1999, 2009

linux-3.10\drivers\s390\char\sclp_rw.h(4): * Copyright IBM Corporation 1999, 2009

legal(ME)

linux-3.10\drivers\s390\char\sclp_sdias.c(4): * Copyright IBM Corp. 2003, 2007
linux-3.10\drivers\s390\char\sclp_tty.c(5): *Copyright IBM Corp. 1999
linux-3.10\drivers\s390\char\sclp_tty.h(5): *Copyright IBM Corp. 1999
linux-3.10\drivers\s390\char\sclp_vt220.c(4): * Copyright IBM Corp. 2003, 2009
linux-3.10\drivers\s390\char\tape.h(5): *Copyright IBM Corp. 2001, 2009
linux-3.10\drivers\s390\char\tape_34xx.c(4): *Copyright IBM Corp. 2001, 2009
linux-3.10\drivers\s390\char\tape_3590.c(4): *Copyright IBM Corp. 2001, 2009
linux-3.10\drivers\s390\char\tape_3590.h(4): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\char\tape_char.c(5): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\char\tape_class.c(19):Copyright IBM Corp. 2004 All Rights Reserved.\n
linux-3.10\drivers\s390\char\tape_class.c(2): * Copyright IBM Corp. 2004
linux-3.10\drivers\s390\char\tape_class.h(2): * Copyright IBM Corp. 2004 All Rights Reserved.
linux-3.10\drivers\s390\char\tape_core.c(5): *Copyright IBM Corp. 2001, 2009
linux-3.10\drivers\s390\char\tape_proc.c(5): *Copyright IBM Corp. 2001
linux-3.10\drivers\s390\char\tape_std.c(5): *Copyright IBM Corp. 2001, 2002
linux-3.10\drivers\s390\char\tape_std.h(4): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\char\tty3270.c(7): *-- Copyright IBM Corp. 2003
linux-3.10\drivers\s390\char\tty3270.h(2): *Copyright IBM Corp. 2007
linux-3.10\drivers\s390\char\vmcp.c(2): * Copyright IBM Corp. 2004, 2010
linux-3.10\drivers\s390\char\vmcp.h(2): * Copyright IBM Corp. 2004, 2005
linux-3.10\drivers\s390\char\vmlogrdr.c(5): *Copyright IBM Corp. 2004, 2009
linux-3.10\drivers\s390\char\vmur.c(5): * Copyright IBM Corp. 2001, 2009
linux-3.10\drivers\s390\char\vmur.h(5): * Copyright IBM Corp. 2001, 2007
linux-3.10\drivers\s390\char\vmwatchdog.c(4): * Copyright IBM Corp. 2004, 2009
linux-3.10\drivers\s390\char\zcore.c(799):MODULE_AUTHOR("Copyright IBM Corp. 2003,2008");
linux-3.10\drivers\s390\char\zcore.c(8): * Copyright IBM Corp. 2003, 2008
linux-3.10\drivers\s390\cio\airq.c(4): *Copyright IBM Corp. 1999, 2007
linux-3.10\drivers\s390\cio\blacklist.c(4): *Copyright IBM Corp. 1999, 2013
linux-3.10\drivers\s390\cio\ccwgroup.c(4): *Copyright IBM Corp. 2002, 2012
linux-3.10\drivers\s390\cio\ccwreq.c(4): *Copyright IBM Corp. 2009, 2011
linux-3.10\drivers\s390\cio\chp.c(2): *Copyright IBM Corp. 1999, 2010
linux-3.10\drivers\s390\cio\chp.h(2): *Copyright IBM Corp. 2007, 2010
linux-3.10\drivers\s390\cio\chsc.c(4): *Copyright IBM Corp. 1999,2012
linux-3.10\drivers\s390\cio\chsc_sch.c(4): * Copyright IBM Corp. 2008, 2011
linux-3.10\drivers\s390\cio\cio.c(4): *Copyright IBM Corp. 1999, 2008
linux-3.10\drivers\s390\cio\cmf.c(1342): "Copyright IBM Corp. 2003\n");
linux-3.10\drivers\s390\cio\cmf.c(4): * Copyright IBM Corp. 2000, 2006
linux-3.10\drivers\s390\cio\crw.c(4): *Copyright IBM Corp. 2000, 2009
linux-3.10\drivers\s390\cio\css.c(4): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\cio\device.c(4): *Copyright IBM Corp. 2002, 2008
linux-3.10\drivers\s390\cio\device_fsm.c(4): *Copyright IBM Corp. 2002, 2008
linux-3.10\drivers\s390\cio\device_id.c(4): *Copyright IBM Corp. 2002, 2009
linux-3.10\drivers\s390\cio\device_ops.c(2): * Copyright IBM Corp. 2002, 2009
linux-3.10\drivers\s390\cio\device_pgid.c(4): *Copyright IBM Corp. 2002, 2009
linux-3.10\drivers\s390\cio\device_status.c(2): *Copyright IBM Corp. 2002
linux-3.10\drivers\s390\cio\eadm_sch.c(4): * Copyright IBM Corp. 2012
linux-3.10\drivers\s390\cio\fcx.c(4): *Copyright IBM Corp. 2008
linux-3.10\drivers\s390\cio\idset.c(2): *Copyright IBM Corp. 2007, 2012
linux-3.10\drivers\s390\cio\idset.h(2): *Copyright IBM Corp. 2007, 2012

legal(ME)

linux-3.10\drivers\s390\cio\isc.c(4): * Copyright IBM Corp. 2008
linux-3.10\drivers\s390\cio\itcw.c(4): *Copyright IBM Corp. 2008
linux-3.10\drivers\s390\cio\orb.h(4): * Copyright IBM Corp. 2007, 2011
linux-3.10\drivers\s390\cio\qdio.h(2): * Copyright IBM Corp. 2000, 2009
linux-3.10\drivers\s390\cio\qdio_debug.c(2): *Copyright IBM Corp. 2008, 2009
linux-3.10\drivers\s390\cio\qdio_debug.h(2): *Copyright IBM Corp. 2008
linux-3.10\drivers\s390\cio\qdio_main.c(4): * Copyright IBM Corp. 2000, 2008
linux-3.10\drivers\s390\cio\qdio_setup.c(4): * Copyright IBM Corp. 2008
linux-3.10\drivers\s390\cio\qdio_thinint.c(2): * Copyright IBM Corp. 2000, 2009
linux-3.10\drivers\s390\cio\scm.c(4): * Copyright IBM Corp. 2012
linux-3.10\drivers\s390\crypto\ap_bus.c(2): * Copyright IBM Corp. 2006, 2012
linux-3.10\drivers\s390\crypto\ap_bus.c(72): "Copyright IBM Corp. 2006, 2012");
linux-3.10\drivers\s390\crypto\ap_bus.h(2): * Copyright IBM Corp. 2006, 2012
linux-3.10\drivers\s390\crypto\zcrypt_api.c(4): *Copyright IBM Corp. 2001, 2012
linux-3.10\drivers\s390\crypto\zcrypt_api.c(52): "Copyright IBM Corp. 2001,
2012");
linux-3.10\drivers\s390\crypto\zcrypt_api.h(4): *Copyright IBM Corp. 2001, 2012
linux-3.10\drivers\s390\crypto\zcrypt_cca_key.h(4): *Copyright IBM Corp. 2001,
2006
linux-3.10\drivers\s390\crypto\zcrypt_cex2a.c(4): *Copyright IBM Corp. 2001, 2012
linux-3.10\drivers\s390\crypto\zcrypt_cex2a.c(69): "Copyright IBM Corp. 2001,
2012");
linux-3.10\drivers\s390\crypto\zcrypt_cex2a.h(4): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\crypto\zcrypt_cex4.c(2): *Copyright IBM Corp. 2012
linux-3.10\drivers\s390\crypto\zcrypt_cex4.c(43): "Copyright IBM Corp. 2012");
linux-3.10\drivers\s390\crypto\zcrypt_cex4.h(2): *Copyright IBM Corp. 2012
linux-3.10\drivers\s390\crypto\zcrypt_debug.h(2): *Copyright IBM Corp. 2012
linux-3.10\drivers\s390\crypto\zcrypt_error.h(4): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\crypto\zcrypt_msgtype50.c(4): *Copyright IBM Corp. 2001,
2012
linux-3.10\drivers\s390\crypto\zcrypt_msgtype50.c(50): "Copyright IBM Corp. 2001,
2012");
linux-3.10\drivers\s390\crypto\zcrypt_msgtype50.h(4): *Copyright IBM Corp. 2001,
2012
linux-3.10\drivers\s390\crypto\zcrypt_msgtype6.c(4): *Copyright IBM Corp. 2001,
2012
linux-3.10\drivers\s390\crypto\zcrypt_msgtype6.c(56): "Copyright IBM Corp. 2001,
2012");
linux-3.10\drivers\s390\crypto\zcrypt_msgtype6.h(4): *Copyright IBM Corp. 2001,
2012
linux-3.10\drivers\s390\crypto\zcrypt_pcica.c(4): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\crypto\zcrypt_pcica.c(57): "Copyright IBM Corp. 2001,
2006");
linux-3.10\drivers\s390\crypto\zcrypt_pcica.h(4): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\crypto\zcrypt_pcicc.c(4): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\crypto\zcrypt_pcicc.c(69): "Copyright IBM Corp. 2001,
2006");
linux-3.10\drivers\s390\crypto\zcrypt_pcicc.h(4): *Copyright IBM Corp. 2001, 2006
linux-3.10\drivers\s390\crypto\zcrypt_pcixcc.c(4): *Copyright IBM Corp. 2001,
2012
linux-3.10\drivers\s390\crypto\zcrypt_pcixcc.c(80): "Copyright IBM Corp. 2001,
2012");

legal(ME)

linux-3.10\drivers\s390\crypto\zcrypt_pcixcc.h(4): *Copyright IBM Corp. 2001, 2012
linux-3.10\drivers\s390\kvm\kvm_virtio.c(4): * Copyright IBM Corp. 2008
linux-3.10\drivers\s390\kvm\Makefile(3):# Copyright IBM Corp. 2008
linux-3.10\drivers\s390\kvm\virtio_ccw.c(4): * Copyright IBM Corp. 2012
linux-3.10\drivers\s390\net\claw.c(3380):Copyright IBM Corp. 2000, 2008\n);
linux-3.10\drivers\s390\net\claw.c(5): *Copyright IBM Corp. 2002, 2009
linux-3.10\drivers\s390\net\ctcm_debug.c(2): *Copyright IBM Corp. 2001, 2007
linux-3.10\drivers\s390\net\ctcm_debug.h(2): *Copyright IBM Corp. 2001, 2007
linux-3.10\drivers\s390\net\ctcm_fsms.c(2): * Copyright IBM Corp. 2001, 2007
linux-3.10\drivers\s390\net\ctcm_fsms.h(2): * Copyright IBM Corp. 2001, 2007
linux-3.10\drivers\s390\net\ctcm_main.c(2): * Copyright IBM Corp. 2001, 2009
linux-3.10\drivers\s390\net\ctcm_main.h(2): *Copyright IBM Corp. 2001, 2007
linux-3.10\drivers\s390\net\ctcm_mpc.c(2): *Copyright IBM Corp. 2004, 2007
linux-3.10\drivers\s390\net\ctcm_mpc.h(2): * Copyright IBM Corp. 2007
linux-3.10\drivers\s390\net\ctcm_sysfs.c(2): * Copyright IBM Corp. 2007, 2007
linux-3.10\drivers\s390\net\lcs.c(4): *Copyright IBM Corp. 1999, 2009
linux-3.10\drivers\s390\net\netiucv.c(4): * Copyright IBM Corp. 2001, 2009
linux-3.10\drivers\s390\net\qeth_core.h(2): *Copyright IBM Corp. 2007
linux-3.10\drivers\s390\net\qeth_core_main.c(2): *Copyright IBM Corp. 2007, 2009
linux-3.10\drivers\s390\net\qeth_core_mpc.c(2): *Copyright IBM Corp. 2007
linux-3.10\drivers\s390\net\qeth_core_mpc.h(2): *Copyright IBM Corp. 2007
linux-3.10\drivers\s390\net\qeth_core_sys.c(2): *Copyright IBM Corp. 2007
linux-3.10\drivers\s390\net\qeth_l2_main.c(2): *Copyright IBM Corp. 2007, 2009
linux-3.10\drivers\s390\net\qeth_l3.h(2): *Copyright IBM Corp. 2007
linux-3.10\drivers\s390\net\qeth_l3_main.c(2): *Copyright IBM Corp. 2007, 2009
linux-3.10\drivers\s390\net\qeth_l3_sys.c(2): *Copyright IBM Corp. 2007
linux-3.10\drivers\s390\net\smsgiucv.c(4): * Copyright IBM Corp. 2003, 2009
linux-3.10\drivers\s390\net\smsgiucv.h(4): * Copyright IBM Corp. 2003
linux-3.10\drivers\s390\net\smsgiucv_app.c(8): * Copyright IBM Corp. 2010
linux-3.10\drivers\s390\scsi\zfcp_aux.c(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_ccw.c(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_cfdc.c(8): * Copyright IBM Corp. 2008, 2010
linux-3.10\drivers\s390\scsi\zfcp_dbf.c(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_dbf.h(5): * Copyright IBM Corp. 2008, 2010
linux-3.10\drivers\s390\scsi\zfcp_def.h(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_erp.c(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_ext.h(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_fc.c(6): * Copyright IBM Corp. 2008, 2010
linux-3.10\drivers\s390\scsi\zfcp_fc.h(7): * Copyright IBM Corp. 2009
linux-3.10\drivers\s390\scsi\zfcp_fsf.c(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_fsf.h(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_qdio.c(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_qdio.h(6): * Copyright IBM Corp. 2010
linux-3.10\drivers\s390\scsi\zfcp_reqlist.h(7): * Copyright IBM Corp. 2009
linux-3.10\drivers\s390\scsi\zfcp_scsi.c(6): * Copyright IBM Corp. 2002, 2010
linux-3.10\drivers\s390\scsi\zfcp_sysfs.c(6): * Copyright IBM Corp. 2008, 2010
linux-3.10\drivers\s390\scsi\zfcp_unit.c(7): * Copyright IBM Corp. 2010
linux-3.10\drivers\sbus\char\bbc_envctrl.c(3): * Copyright (C) 2001, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\sbus\char\bbc_i2c.c(4): * Copyright (C) 2001, 2008 David S. Miller (davem@davemloft.net)

legal(ME)

linux-3.10\drivers\sbus\char\display7seg.c(4): * Copyright (c) 2000 Eric Brower (ebrower@usa.net)
linux-3.10\drivers\sbus\char\envctrl.c(3): * Copyright (C) 1998Eddie C. Dost(ecd@skynet.be)
linux-3.10\drivers\sbus\char\envctrl.c(4): * Copyright (C) 2000Vinh Truong(vinh.truong@eng.sun.com)
linux-3.10\drivers\sbus\char\flash.c(3): * Copyright (C) 1997Eddie C. Dost(ecd@skynet.be)
linux-3.10\drivers\sbus\char\jsflash.c(4): *Copyright (C) 1991, 1992Linus Torvalds(drivers/char/mem.c)
linux-3.10\drivers\sbus\char\jsflash.c(5): *Copyright (C) 1997Eddie C. Dost(drivers/sbus/char/flash.c)
linux-3.10\drivers\sbus\char\jsflash.c(6): *Copyright (C) 1997-2000 Pavel Machek <pavel@ucw.cz> (drivers/block/nbd.c)
linux-3.10\drivers\sbus\char\jsflash.c(7): *Copyright (C) 1999-2000 Pete Zaitcev
linux-3.10\drivers\sbus\char\openprom.c(3): * Copyright (C) 1996 Thomas K. Dyas (tdyas@noc.rutgers.edu)
linux-3.10\drivers\sbus\char\openprom.c(4): * Copyright (C) 1996 Eddie C. Dost(ecd@skynet.be)
linux-3.10\drivers\sbus\char\uctrl.c(3): * Copyright 1999 Derrick J Brashear (shadow@dementia.org)
linux-3.10\drivers\sbus\char\uctrl.c(4): * Copyright 2008 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\scsi\3w-9xxx.c(7): Copyright (C) 2004-2009 Applied Micro Circuits Corporation.
linux-3.10\drivers\scsi\3w-9xxx.c(8): Copyright (C) 2010 LSI Corporation.
linux-3.10\drivers\scsi\3w-9xxx.h(7): Copyright (C) 2004-2009 Applied Micro Circuits Corporation.
linux-3.10\drivers\scsi\3w-9xxx.h(8): Copyright (C) 2010 LSI Corporation.
linux-3.10\drivers\scsi\3w-sas.c(6): Copyright (C) 2009 LSI Corporation.
linux-3.10\drivers\scsi\3w-sas.h(6): Copyright (C) 2009 LSI Corporation.
linux-3.10\drivers\scsi\3w-xxxx.c(12): Non-Copyright (C) 2000Andre Hedrick <andre@suse.com>
linux-3.10\drivers\scsi\3w-xxxx.c(9): Copyright (C) 1999-2010 3ware Inc.
linux-3.10\drivers\scsi\3w-xxxx.h(12): Non-Copyright (C) 2000Andre Hedrick <andre@suse.com>
linux-3.10\drivers\scsi\3w-xxxx.h(9): Copyright (C) 1999-2010 3ware Inc.
linux-3.10\drivers\scsi\53c700.c(5): * Copyright (C) 2001 by James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\53c700.h(5): * Copyright (C) 2001 by James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\53c700.scr(3):; Copyright (C) 2001 James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\53c700_d.h_shipped(6):; Copyright (C) 2001 James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\aic700.c(4): * Copyright (c) 1994-1998 Initio Corporation
linux-3.10\drivers\scsi\aic700.c(5): * Copyright (c) 2003-2004 Christoph Hellwig
linux-3.10\drivers\scsi\aic700.h(4): * Copyright (c) 1994-1998 Initio Corporation
linux-3.10\drivers\scsi\aacraid\aacra.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\aacra.c(8): * Copyright (c) 2000-2010 Adaptec,

legal(ME)

Inc.

linux-3.10\drivers\scsi\aacraid\commctrl.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\commctrl.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\comminit.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\comminit.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\commsup.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\commsup.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\dpcsup.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\dpcsup.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\linit.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\linit.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\nark.c(7): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\rkt.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\rkt.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\rx.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\rx.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\sa.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\sa.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\aacraid\src.c(3): *(c) Copyright 2001 Red Hat Inc.
linux-3.10\drivers\scsi\aacraid\src.c(8): * Copyright (c) 2000-2010 Adaptec, Inc.
linux-3.10\drivers\scsi\advansys.c(7): * Copyright (c) 1995-2000 Advanced System Products, Inc.
linux-3.10\drivers\scsi\advansys.c(8): * Copyright (c) 2000-2001 ConnectCom Solutions, Inc.
linux-3.10\drivers\scsi\advansys.c(9): * Copyright (c) 2007 Matthew Wilcox <matthew@wil.cx>
linux-3.10\drivers\scsi\aha152x.c(3): * Copyright 1993-2004 Jürgén E. Fischer
linux-3.10\drivers\scsi\aha1542.c(4): *Copyright (C) 1992Tommy Thorn
linux-3.10\drivers\scsi\aha1542.c(5): *Copyright (C) 1993, 1994, 1995 Eric Youngdale
linux-3.10\drivers\scsi\aha1740.c(10): *Copyright (C) 1992,1993Brad McLean
linux-3.10\drivers\scsi\aha1740.c(6): *Copyright (C) 1992Tommy Thorn and
linux-3.10\drivers\scsi\aic7xxx_old.c(103): * Copyright (c) 1997-1999 Doug Ledford
linux-3.10\drivers\scsi\aic7xxx_old.c(39): *Justin T. Gibbs.His copyright follows:
linux-3.10\drivers\scsi\aic7xxx_old.c(4): * Copyright (c) 1994 John Aycock
linux-3.10\drivers\scsi\aic7xxx_old.c(42): * Copyright (c) 1994-1997 Justin Gibbs.
linux-3.10\drivers\scsi\aic7xxx_old\aic7xxx.h(4): * Copyright (c) 1994 John Aycock
linux-3.10\drivers\scsi\aic7xxx_old\aic7xxx.reg(4): * Copyright (c) 1994-1998 Justin Gibbs.
linux-3.10\drivers\scsi\aic7xxx_old\aic7xxx.seq(4): * Copyright (c) 1994-1999 Justin Gibbs.
linux-3.10\drivers\scsi\aic7xxx_old\aic7xxx_proc.c(4): * Copyright (c) 1995, 1996

legal(ME)

Dean W. Gehmert

linux-3.10\drivers\scsi\aic7xxx_old\sequencer.h(5): * Copyright (c) 1997, 1998 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic7770.c(5): * Copyright (c) 1994-1998, 2000, 2001 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic7770_osm.c(4): * Copyright (c) 2000-2003 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx.h(4): * Copyright (c) 1994-2002 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic79xx.h(5): * Copyright (c) 2000-2002 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx.reg(4): * Copyright (c) 1994-2001, 2004 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic79xx.reg(5): * Copyright (c) 2000-2002 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx.seq(4): * Copyright (c) 1994-2001, 2004 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic79xx.seq(5): * Copyright (c) 2000-2002 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_core.c(4): * Copyright (c) 1994-2002 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_core.c(5): * Copyright (c) 2000-2003 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_inline.h(4): * Copyright (c) 1994-2001 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_inline.h(5): * Copyright (c) 2000-2003 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_osm.c(7): * Copyright (c) 1994-2000 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_osm.c(8): * Copyright (c) 1997-1999 Doug Ledford

linux-3.10\drivers\scsi\aic7xxx\aic79xx_osm.c(9): * Copyright (c) 2000-2003 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_osm.h(4): * Copyright (c) 2000-2001 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_osm_pci.c(4): * Copyright (c) 2000-2001 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_pci.c(5): * Copyright (c) 1994-2001 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_pci.c(6): * Copyright (c) 2000-2002 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_pci.h(4): * Copyright (c) 2000-2001 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic79xx_proc.c(2): * Copyright (c) 2000-2001 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic7xxx.h(4): * Copyright (c) 1994-2001 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic7xxx.h(5): * Copyright (c) 2000-2001 Adaptec Inc.

linux-3.10\drivers\scsi\aic7xxx\aic7xxx.reg(4): * Copyright (c) 1994-2001 Justin T. Gibbs.

linux-3.10\drivers\scsi\aic7xxx\aic7xxx.reg(5): * Copyright (c) 2000-2001 Adaptec

legal(ME)

Inc.

linux-3.10\drivers\scsi\aic7xxx\aic7xxx.seq(4): * Copyright (c) 1994-2001 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx.seq(5): * Copyright (c) 2000-2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_93cx6.c(4): * Copyright (c) 1995, 1996 Daniel M. Eischen
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_93cx6.h(6): * Copyright (c) 1994, 1995, 2000 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_core.c(4): * Copyright (c) 1994-2002 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_core.c(5): * Copyright (c) 2000-2002 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_inline.h(4): * Copyright (c) 1994-2001 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_inline.h(5): * Copyright (c) 2000-2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_osm.c(100): * Copyright (c) 1997-1999 Doug Ledford
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_osm.c(41): * Copyright (c) 1994-2000 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_osm.c(42): * Copyright (c) 2000-2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_osm.c(6): * Copyright (c) 1994 John Aycock
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_osm.h(21): * Copyright (c) 2000-2003 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_osm.h(4): * Copyright (c) 1994 John Aycock
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_osm_pci.c(4): * Copyright (c) 2000-2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_pci.c(6): * Copyright (c) 1994-2001 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_pci.c(7): * Copyright (c) 2000-2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_pci.h(4): * Copyright (c) 2000-2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aic7xxx_proc.c(2): * Copyright (c) 2000-2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm.c(4): * Copyright (c) 1997, 1998, 2000, 2001 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm.c(5): * Copyright (c) 2001, 2002 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm.h(4): * Copyright (c) 1997 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm.h(5): * Copyright (c) 2001, 2002 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_gram.y(5): * Copyright (c) 1997, 1998, 2000 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_gram.y(6): * Copyright (c) 2001, 2002 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_insformat.h(5): * Copyright (c)

legal(ME)

1997, 1998, 2000 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_macro_gram.y(6): * Copyright (c)
2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_macro_scan.l(6): * Copyright (c)
2001 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_scan.l(5): * Copyright (c) 1997,
1998, 2000 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_scan.l(6): * Copyright (c) 2001,
2002 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_symbol.c(4): * Copyright (c) 1997
Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_symbol.c(5): * Copyright (c) 2002
Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_symbol.h(4): * Copyright (c) 1997
Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aicasm\aicasm_symbol.h(5): * Copyright (c) 2002
Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\aiclib.c(4): * Copyright (c) 1997, 1998, 1999
Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\aiclib.c(5): * Copyright (c) 1997, 1998 Kenneth
D. Merry.
linux-3.10\drivers\scsi\aic7xxx\aiclib.h(19): * Copyright (c) 2003 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\cam.h(4): * Copyright (c) 1997 Justin T. Gibbs.
linux-3.10\drivers\scsi\aic7xxx\cam.h(5): * Copyright (c) 2000 Adaptec Inc.
linux-3.10\drivers\scsi\aic7xxx\queue.h(2): * Copyright (c) 1991, 1993
linux-3.10\drivers\scsi\aic94xx\aic94xx.h(4): * Copyright (C) 2005 Adaptec,
Inc.All rights reserved.
linux-3.10\drivers\scsi\aic94xx\aic94xx.h(5): * Copyright (C) 2005 Luben Tuikov
<luben_tuikov@adaptec.com>
linux-3.10\drivers\scsi\aic94xx\aic94xx_dev.c(4): * Copyright (C) 2005 Adaptec,
Inc.All rights reserved.
linux-3.10\drivers\scsi\aic94xx\aic94xx_dev.c(5): * Copyright (C) 2005 Luben
Tuikov <luben_tuikov@adaptec.com>
linux-3.10\drivers\scsi\aic94xx\aic94xx_dump.c(4): * Copyright (C) 2004 Adaptec,
Inc.All rights reserved.
linux-3.10\drivers\scsi\aic94xx\aic94xx_dump.c(5): * Copyright (C) 2004 David
Chaw <david_chaw@adaptec.com>
linux-3.10\drivers\scsi\aic94xx\aic94xx_dump.c(6): * Copyright (C) 2005 Luben
Tuikov <luben_tuikov@adaptec.com>
linux-3.10\drivers\scsi\aic94xx\aic94xx_dump.h(4): * Copyright (C) 2005 Adaptec,
Inc.All rights reserved.
linux-3.10\drivers\scsi\aic94xx\aic94xx_dump.h(5): * Copyright (C) 2005 Luben
Tuikov <luben_tuikov@adaptec.com>
linux-3.10\drivers\scsi\aic94xx\aic94xx_hwi.c(4): * Copyright (C) 2005 Adaptec,
Inc.All rights reserved.
linux-3.10\drivers\scsi\aic94xx\aic94xx_hwi.c(5): * Copyright (C) 2005 Luben
Tuikov <luben_tuikov@adaptec.com>
linux-3.10\drivers\scsi\aic94xx\aic94xx_hwi.h(4): * Copyright (C) 2005 Adaptec,
Inc.All rights reserved.
linux-3.10\drivers\scsi\aic94xx\aic94xx_hwi.h(5): * Copyright (C) 2005 Luben
Tuikov <luben_tuikov@adaptec.com>
linux-3.10\drivers\scsi\aic94xx\aic94xx_init.c(4): * Copyright (C) 2005 Adaptec,

legal(ME)

Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_init.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_reg.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_reg.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_reg.h(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_reg.h(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_reg_def.h(4): * Copyright (C) 2004 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_reg_def.h(5): * Copyright (C) 2004 David Chaw <david_chaw@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_reg_def.h(6): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_sas.h(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_sas.h(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_scb.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_scb.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_sds.c(5): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_sds.c(6): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_sds.h(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_sds.h(5): * Copyright (C) 2005 Gilbert Wu <gilbert_wu@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_seq.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_seq.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_seq.h(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_seq.h(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_task.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_task.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\aic94xx_tmf.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\aic94xx_tmf.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\aic94xx\Kconfig(4):# Copyright (c) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\aic94xx\Kconfig(5):# Copyright (c) 2005 Luben Tuikov

legal(ME)

<luben_tuikov@adaptec.com>
linux-3.10\drivers\scsi\aic94xx\Makefile(4):# Copyright (C) 2005 Adaptec, Inc. All rights reserved.
linux-3.10\drivers\scsi\aic94xx\Makefile(5):# Copyright (C) 2005 Luben Tuikov
<luben_tuikov@adaptec.com>
linux-3.10\drivers\scsi\arcmsr\arcmsr.h(9):** Copyright (C) 2002 - 2005, Areca Technology Corporation All rights reserved.
linux-3.10\drivers\scsi\arcmsr\arcmsr_attr.c(8):** Copyright (C) 2002 - 2005, Areca Technology Corporation All rights reserved
linux-3.10\drivers\scsi\arcmsr\arcmsr_hba.c(9):** Copyright (C) 2002 - 2005, Areca Technology Corporation All rights reserved
linux-3.10\drivers\scsi\arm\acornscsi.c(629): * Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting
linux-3.10\drivers\scsi\arm\acornscsi.c(667): * Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting
linux-3.10\drivers\scsi\arm\acornscsi.c(688): * Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting
linux-3.10\drivers\scsi\arm\acornscsi.h(4): *Copyright (C) 1997 Russell King
linux-3.10\drivers\scsi\arm\arxescsi.c(4): * Copyright (C) 1997-2000 Russell King, Stefan Hanske
linux-3.10\drivers\scsi\arm\cumana_1.c(4): * Copyright 1995-2002, Russell King
linux-3.10\drivers\scsi\arm\cumana_2.c(4): *Copyright (C) 1997-2005 Russell King
linux-3.10\drivers\scsi\arm\eesox.c(4): *Copyright (C) 1997-2005 Russell King
linux-3.10\drivers\scsi\arm\fas216.c(4): *Copyright (C) 1997-2003 Russell King
linux-3.10\drivers\scsi\arm\fas216.h(4): *Copyright (C) 1997-2000 Russell King
linux-3.10\drivers\scsi\arm\msgqueue.c(4): *Copyright (C) 1997-1998 Russell King
linux-3.10\drivers\scsi\arm\msgqueue.h(4): *Copyright (C) 1997 Russell King
linux-3.10\drivers\scsi\arm\oak.c(4): * Copyright 1995-2002, Russell King
linux-3.10\drivers\scsi\arm\powertec.c(4): *Copyright (C) 1997-2005 Russell King
linux-3.10\drivers\scsi\arm\queue.c(4): *Copyright (C) 1997-2000 Russell King
linux-3.10\drivers\scsi\arm\queue.h(4): *Copyright (C) 1997 Russell King
linux-3.10\drivers\scsi\arm\scsi.h(4): *Copyright (C) 2002 Russell King
linux-3.10\drivers\scsi\atari_NCR5380.c(8): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\atari_scsi.c(4): * Copyright 1994 Roman Hodek
<Roman.Hodek@informatik.uni-erlangen.de>
linux-3.10\drivers\scsi\atari_scsi.h(4): * Copyright 1994 Roman Hodek
<Roman.Hodek@informatik.uni-erlangen.de>
linux-3.10\drivers\scsi\atp870u.c(2): *Copyright (C) 1997Wu Ching Chen
linux-3.10\drivers\scsi\be2iscsi\be.h(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\be2iscsi\be_cmds.c(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\be2iscsi\be_cmds.h(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\be2iscsi\be_iscsi.c(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\be2iscsi\be_iscsi.h(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\be2iscsi\be_main.c(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\be2iscsi\be_main.h(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\be2iscsi\be_mgmt.c(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\be2iscsi\be_mgmt.h(2): * Copyright (C) 2005 - 2013 Emulex
linux-3.10\drivers\scsi\bfa\bfa.h(2): * Copyright (c) 2005-2010 Brocade Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_core.c(2): * Copyright (c) 2005-2010 Brocade

legal(ME)

Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_cs.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_defs.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_defs_fcs.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_defs_svc.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fc.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcbuild.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcbuild.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcpim.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcpim.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcs.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcs.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcs_fcpim.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcs_lport.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_fcs_rport.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_hw_cb.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_hw_ct.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_ioc.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_ioc.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_ioc_cb.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_ioc_ct.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_modules.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_plog.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_port.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_port.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_svc.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfa_svc.h(2): * Copyright (c) 2005-2010 Brocade

legal(ME)

Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfad.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfad_attr.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfad_bsg.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfad_bsg.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfad_debugfs.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfad_drv.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfad_im.c(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfad_im.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfi.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfi_ms.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bfa\bfi_reg.h(2): * Copyright (c) 2005-2010 Brocade
Communications Systems, Inc.
linux-3.10\drivers\scsi\bnx2fc\bnx2fc.h(5): * Copyright (c) 2008 - 2013 Broadcom
Corporation
linux-3.10\drivers\scsi\bnx2fc\bnx2fc_els.c(6): * Copyright (c) 2008 - 2013
Broadcom Corporation
linux-3.10\drivers\scsi\bnx2fc\bnx2fc_fcoe.c(6): * Copyright (c) 2008 - 2013
Broadcom Corporation
linux-3.10\drivers\scsi\bnx2fc\bnx2fc_hwi.c(5): * Copyright (c) 2008 - 2013
Broadcom Corporation
linux-3.10\drivers\scsi\bnx2fc\bnx2fc_io.c(4): * Copyright (c) 2008 - 2013
Broadcom Corporation
linux-3.10\drivers\scsi\bnx2fc\bnx2fc_tgt.c(5): * Copyright (c) 2008 - 2013
Broadcom Corporation
linux-3.10\drivers\scsi\bnx2i\57xx_iscsi_constants.h(3): * Copyright (c) 2006 -
2012 Broadcom Corporation
linux-3.10\drivers\scsi\bnx2i\57xx_iscsi_hsi.h(3): * Copyright (c) 2006 - 2012
Broadcom Corporation
linux-3.10\drivers\scsi\bnx2i\bnx2i.h(3): * Copyright (c) 2006 - 2012 Broadcom
Corporation
linux-3.10\drivers\scsi\bnx2i\bnx2i.h(4): * Copyright (c) 2007, 2008 Red Hat,
Inc. All rights reserved.
linux-3.10\drivers\scsi\bnx2i\bnx2i.h(5): * Copyright (c) 2007, 2008 Mike
Christie
linux-3.10\drivers\scsi\bnx2i\bnx2i_hwi.c(3): * Copyright (c) 2006 - 2012
Broadcom Corporation
linux-3.10\drivers\scsi\bnx2i\bnx2i_hwi.c(4): * Copyright (c) 2007, 2008 Red Hat,
Inc. All rights reserved.
linux-3.10\drivers\scsi\bnx2i\bnx2i_hwi.c(5): * Copyright (c) 2007, 2008 Mike
Christie
linux-3.10\drivers\scsi\bnx2i\bnx2i_init.c(3): * Copyright (c) 2006 - 2012

legal(ME)

Broadcom Corporation

linux-3.10\drivers\scsi\bnx2i\bnx2i_init.c(4): * Copyright (c) 2007, 2008 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\scsi\bnx2i\bnx2i_init.c(5): * Copyright (c) 2007, 2008 Mike Christie

linux-3.10\drivers\scsi\bnx2i\bnx2i_iscsi.c(4): * Copyright (c) 2006 - 2012 Broadcom Corporation

linux-3.10\drivers\scsi\bnx2i\bnx2i_iscsi.c(5): * Copyright (c) 2007, 2008 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\scsi\bnx2i\bnx2i_iscsi.c(6): * Copyright (c) 2007, 2008 Mike Christie

linux-3.10\drivers\scsi\bnx2i\bnx2i_sysfs.c(3): * Copyright (c) 2004 - 2012 Broadcom Corporation

linux-3.10\drivers\scsi\BusLogic.c(138):Name, Copyright Notice, and Electronic Mail Address.

linux-3.10\drivers\scsi\BusLogic.c(144):BusLogic_Announce("Copyright 1995-1998 by Leonard N. Zubkoff " "<lnz@dandelion.com>\n", HostAdapter);

linux-3.10\drivers\scsi\BusLogic.c(2265): Announce the Driver Version and Date, Author's Name, Copyright Notice,

linux-3.10\drivers\scsi\BusLogic.c(6):Copyright 1995-1998 by Leonard N. Zubkoff <lnz@dandelion.com>

linux-3.10\drivers\scsi\BusLogic.h(5):Copyright 1995-1998 by Leonard N. Zubkoff <lnz@dandelion.com>

linux-3.10\drivers\scsi\csiostor\csio_attr.c(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_defs.h(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_hw.c(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_hw.h(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_hw_chip.h(4): * Copyright (c) 2008-2013 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_hw_t4.c(4): * Copyright (c) 2008-2013 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_hw_t5.c(4): * Copyright (c) 2008-2013 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_init.c(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_init.h(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_isr.c(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_lnode.c(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_lnode.h(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_mb.c(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_mb.h(4): * Copyright (c) 2008-2012 Chelsio Communications, Inc. All rights reserved.

linux-3.10\drivers\scsi\csiostor\csio_rnode.c(4): * Copyright (c) 2008-2012

legal(ME)

Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\scsi\csiostor\csio_rnode.h(4): * Copyright (c) 2008-2012
Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\scsi\csiostor\csio_scsi.c(4): * Copyright (c) 2008-2012
Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\scsi\csiostor\csio_scsi.h(4): * Copyright (c) 2008-2012
Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\scsi\csiostor\csio_wr.c(4): * Copyright (c) 2008-2012 Chelsio
Communications, Inc. All rights reserved.
linux-3.10\drivers\scsi\csiostor\csio_wr.h(4): * Copyright (c) 2008-2012 Chelsio
Communications, Inc. All rights reserved.
linux-3.10\drivers\scsi\csiostor\t4fw_api_stor.h(4): * Copyright (c) 2009-2010
Chelsio Communications, Inc. All rights reserved.
linux-3.10\drivers\scsi\cxgbi\cxgb3i\cxgb3i.c(4): * Copyright (C) 2003-2008
Chelsio Communications. All rights reserved.
linux-3.10\drivers\scsi\cxgbi\cxgb3i\cxgb3i.h(4): * Copyright (c) 2008 Chelsio
Communications, Inc.
linux-3.10\drivers\scsi\cxgbi\cxgb4i\cxgb4i.c(4): * Copyright (c) 2010 Chelsio
Communications, Inc.
linux-3.10\drivers\scsi\cxgbi\cxgb4i\cxgb4i.h(4): * Copyright (c) 2010 Chelsio
Communications, Inc.
linux-3.10\drivers\scsi\cxgbi\libcxgbi.c(4): * Copyright (c) 2010 Chelsio
Communications, Inc.
linux-3.10\drivers\scsi\cxgbi\libcxgbi.h(4): * Copyright (c) 2010 Chelsio
Communications, Inc.
linux-3.10\drivers\scsi\dc395x.c(11): *(C) Copyright 1995-1999 Tekram Technology
Co., Ltd.
linux-3.10\drivers\scsi\device_handler\scsi_dh.c(18): * Copyright IBM
Corporation, 2007
linux-3.10\drivers\scsi\device_handler\scsi_dh_alua.c(4): * Copyright (C)
2007-2010 Hannes Reinecke, SUSE Linux Products GmbH.
linux-3.10\drivers\scsi\device_handler\scsi_dh_emc.c(6): * Copyright (C) 2006 Red
Hat, Inc. All rights reserved.
linux-3.10\drivers\scsi\device_handler\scsi_dh_emc.c(7): * Copyright (C) 2006
Mike Christie
linux-3.10\drivers\scsi\device_handler\scsi_dh_hp_sw.c(5): * Copyright (C) 2006
Red Hat, Inc. All rights reserved.
linux-3.10\drivers\scsi\device_handler\scsi_dh_hp_sw.c(6): * Copyright (C) 2006
Mike Christie
linux-3.10\drivers\scsi\device_handler\scsi_dh_hp_sw.c(7): * Copyright (C) 2008
Hannes Reinecke <hare@suse.de>
linux-3.10\drivers\scsi\device_handler\scsi_dh_rdac.c(4): * Copyright (C) 2005
Mike Christie. All rights reserved.
linux-3.10\drivers\scsi\device_handler\scsi_dh_rdac.c(5): * Copyright (C) Chandra
Seetharaman, IBM Corp. 2007
linux-3.10\drivers\scsi\dmx3191d.c(3): Copyright (C) 2000 by Massimo Piccioni
<dafastidio@libero.it>
linux-3.10\drivers\scsi\dmx3191d.c(4): Portions Copyright (C) 2004 by Christoph
Hellwig <hch@lst.de>
linux-3.10\drivers\scsi\dpt_i2o.c(5): copyright: (C) 2000 by Adaptec
linux-3.10\drivers\scsi\dpt\dpti_i2o.h(6): * (c) Copyright 1999, 2000 Red Hat
Software

legal(ME)

linux-3.10\drivers\scsi\dpt\dpti_ioctl.h(5):copyright: (C) 2001 by Adaptec
linux-3.10\drivers\scsi\dpti.h(5):copyright: (C) 2001 by Adaptec
linux-3.10\drivers\scsi\dtc.h(3): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\eata.c(1386):("EATA/DMA 2.0x: Copyright (C) 1994-2003
Dario Ballabio.\n");
linux-3.10\drivers\scsi\eata.c(312): *Copyright (C) 1994-2003 Dario Ballabio
(ballabio_dario@emc.com)
linux-3.10\drivers\scsi\esp_scsi.c(3): * Copyright (C) 2007 David S. Miller
(davem@davemloft.net)
linux-3.10\drivers\scsi\esp_scsi.h(3): * Copyright (C) 2007 David S. Miller
(davem@davemloft.net)
linux-3.10\drivers\scsi\fcoe\fcoe.c(2): * Copyright(c) 2007 - 2009 Intel
Corporation. All rights reserved.
linux-3.10\drivers\scsi\fcoe\fcoe.h(2): * Copyright(c) 2009 Intel Corporation.
All rights reserved.
linux-3.10\drivers\scsi\fcoe\fcoe_ctlr.c(2): * Copyright (c) 2008-2009 Cisco
Systems, Inc.All rights reserved.
linux-3.10\drivers\scsi\fcoe\fcoe_ctlr.c(3): * Copyright (c) 2009 Intel
Corporation.All rights reserved.
linux-3.10\drivers\scsi\fcoe\fcoe_sysfs.c(2): * Copyright(c) 2011 - 2012 Intel
Corporation. All rights reserved.
linux-3.10\drivers\scsi\fcoe\fcoe_transport.c(2): * Copyright(c) 2008 - 2011
Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\fdomain.c(5): * Copyright 1992-1996, 1998 Rickard E.
Faith (faith@acm.org)
linux-3.10\drivers\scsi\fdomain.h(4): * Copyright 1992-1996, 1998 Rickard E.
Faith (faith@acm.org)
linux-3.10\drivers\scsi\FlashPoint.c(11):Copyright 1995-1996 by Mylex
Corporation.All Rights Reserved
linux-3.10\drivers\scsi\FlashPoint.c(14):and a BSD-style copyright; see
LICENSE.FlashPoint for details.
linux-3.10\drivers\scsi\fnic\cq_desc.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\cq_desc.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\cq_enet_desc.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\cq_enet_desc.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\cq_exch_desc.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\cq_exch_desc.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fcpio.h(2): * Copyright 2008 Cisco Systems, Inc.All
rights reserved.
linux-3.10\drivers\scsi\fnic\fcpio.h(3): * Copyright 2007 Nuova Systems, Inc.All
rights reserved.
linux-3.10\drivers\scsi\fnic\fnic.h(2): * Copyright 2008 Cisco Systems, Inc.All
rights reserved.
linux-3.10\drivers\scsi\fnic\fnic.h(3): * Copyright 2007 Nuova Systems, Inc.All
rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_attrs.c(2): * Copyright 2008 Cisco Systems,

legal(ME)

Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_attrs.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_debugfs.c(2): * Copyright 2012 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_fcs.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_fcs.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_fip.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_fip.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_io.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_io.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_isr.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_isr.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_main.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_main.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_res.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_res.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_res.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_res.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_scsi.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_scsi.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_trace.c(2): * Copyright 2012 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\fnic_trace.h(2): * Copyright 2012 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\rq_enet_desc.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\rq_enet_desc.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_cq.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_cq.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_cq.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_cq.h(3): * Copyright 2007 Nuova Systems,

legal(ME)

Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_cq_copy.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_cq_copy.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_dev.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_dev.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_dev.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_dev.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_devcmd.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_devcmd.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_intr.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_intr.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_intr.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_intr.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_nic.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_nic.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_resource.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_resource.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_rq.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_rq.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_rq.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_rq.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_scsi.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_scsi.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_stats.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_stats.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_wq.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_wq.c(3): * Copyright 2007 Nuova Systems,

legal(ME)

Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_wq.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_wq.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_wq_copy.c(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_wq_copy.c(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_wq_copy.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\vnic_wq_copy.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\wq_enet_desc.h(2): * Copyright 2008 Cisco Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\fnic\wq_enet_desc.h(3): * Copyright 2007 Nuova Systems,
Inc.All rights reserved.
linux-3.10\drivers\scsi\g_NCR5380.c(4): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\g_NCR5380.h(4): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\gdth.c(7): * Copyright (C) 1995-06 ICP vortex GmbH, Achim
Leubner *
linux-3.10\drivers\scsi\gdth.c(8): * Copyright (C) 2002-04 Intel Corporation*
linux-3.10\drivers\scsi\gdth.c(9): * Copyright (C) 2003-06 Adaptec Inc. *
linux-3.10\drivers\scsi\gdth.h(7): * gdth.h Copyright (C) 1995-06 ICP vortex,
Achim Leubner
linux-3.10\drivers\scsi\hosts.c(2): *hosts.c Copyright (C) 1992 Drew Eckhardt
linux-3.10\drivers\scsi\hosts.c(3): *Copyright (C) 1993, 1994, 1995 Eric
Youngdale
linux-3.10\drivers\scsi\hosts.c(4): *Copyright (C) 2002-2003 Christoph Hellwig
linux-3.10\drivers\scsi\hpsa.c(3): *Copyright 2000, 2009 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\scsi\hpsa.h(3): *Copyright 2000, 2009 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\scsi\hpsa_cmd.h(3): *Copyright 2000, 2009 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\scsi\hptiop.c(3): * Copyright (C) 2006-2012 HighPoint
Technologies, Inc. All Rights Reserved.
linux-3.10\drivers\scsi\hptiop.h(3): * Copyright (C) 2006-2012 HighPoint
Technologies, Inc. All Rights Reserved.
linux-3.10\drivers\scsi\ibmvscsi\ibmvfc.c(6): * Copyright (C) IBM Corporation,
2008
linux-3.10\drivers\scsi\ibmvscsi\ibmvfc.h(6): * Copyright (C) IBM Corporation,
2008
linux-3.10\drivers\scsi\ibmvscsi\ibmvscsi.c(3): * (C) Copyright IBM Corporation
1994, 2004
linux-3.10\drivers\scsi\ibmvscsi\ibmvscsi.h(3): * (C) Copyright IBM Corporation
1994, 2003
linux-3.10\drivers\scsi\ibmvscsi\ibmvstgt.c(3): * Copyright (C) 2003-2005 Dave
Boutcher (boutcher@us.ibm.com) IBM Corp.
linux-3.10\drivers\scsi\ibmvscsi\ibmvstgt.c(7): * Copyright (C) 2005-2006 FUJITA
Tomonori <tomof@acm.org>
linux-3.10\drivers\scsi\ibmvscsi\viosrp.h(6):/* Copyright (C) 2003 IBM

legal(ME)

Corporation*/

linux-3.10\drivers\scsi\in2000.c(5): * Copyright (c) 1996 John Shifflett, Geolog Consulting
linux-3.10\drivers\scsi\in2000.h(7): * Copyright (c) 1996 John Shifflett, Geolog Consulting
linux-3.10\drivers\scsi\initio.c(4): * Copyright (c) 1994-1998 Initio Corporation
linux-3.10\drivers\scsi\initio.c(5): * Copyright (c) 1998 Bas Vermeulen
<bvermeul@blackstar.xs4all.nl>
linux-3.10\drivers\scsi\initio.c(6): * Copyright (c) 2004 Christoph Hellwig
<hch@lst.de>
linux-3.10\drivers\scsi\initio.c(7): * Copyright (c) 2007 Red Hat
linux-3.10\drivers\scsi\initio.h(4): * Copyright (c) 1994-1998 Initio Corporation
linux-3.10\drivers\scsi\initio.h(7): * Cleanups (c) Copyright 2007 Red Hat
<alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\scsi\ipr.c(6): * Copyright (C) 2003, 2004 IBM Corporation
linux-3.10\drivers\scsi\ipr.h(6): * Copyright (C) 2003, 2004 IBM Corporation
linux-3.10\drivers\scsi\ips.c(8):/* Copyright (C) 2000 IBM Corporation*/
linux-3.10\drivers\scsi\ips.c(9):/* Copyright (C) 2002,2003 Adaptec, Inc. */
linux-3.10\drivers\scsi\ips.h(1156):* VERSION.H -- version numbers and copyright notices in various formats
linux-3.10\drivers\scsi\ips.h(1170):#define IPS_LEGALCOPYRIGHT_STRING "(C) Copyright IBM Corp. 1994, 2002. All Rights Reserved."
linux-3.10\drivers\scsi\ips.h(1171):#define IPS_ADAPTECCOPYRIGHT_STRING "(c) Copyright Adaptec, Inc. 2002 to 2004. All Rights Reserved."
linux-3.10\drivers\scsi\ips.h(1172):#define IPS_DELLCOPYRIGHT_STRING "(c) Copyright Dell 2004. All Rights Reserved."
linux-3.10\drivers\scsi\ips.h(1173):#define IPS_NT_LEGALCOPYRIGHT_STRING "(C) Copyright IBM Corp. 1994, 2002."
linux-3.10\drivers\scsi\ips.h(8):/* Copyright (C) 1999 IBM Corporation*/
linux-3.10\drivers\scsi\ips.h(9):/* Copyright (C) 2003 Adaptec, Inc.*/
linux-3.10\drivers\scsi\iscsi\host.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\host.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\host.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\host.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\init.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\init.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\iscsi.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\iscsi.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\phy.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\phy.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\phy.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\scsi\iscsi\phy.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\port.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\port.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\port.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\port.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\port_config.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\port_config.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\probe_roms.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\probe_roms.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\probe_roms.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\registers.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\registers.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_device.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_device.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_device.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_device.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_node_context.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_node_context.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_node_context.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_node_context.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_node_table.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_node_table.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_node_table.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\remote_node_table.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\request.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\request.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\scsi\iscsi\request.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\request.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\sas.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\sas.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\scu_completion_codes.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\scu_completion_codes.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\scu_event_codes.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\scu_event_codes.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\scu_remote_node_context.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\scu_remote_node_context.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\scu_task_context.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\scu_task_context.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\task.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\task.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\task.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\task.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\unsolicited_frame_control.c(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\unsolicited_frame_control.c(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\unsolicited_frame_control.h(26): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi\unsolicited_frame_control.h(7): * Copyright(c) 2008 - 2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\scsi\iscsi_boot_sysfs.c(4): * Copyright (C) 2010 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\scsi\iscsi_boot_sysfs.c(5): * Copyright (C) 2010 Mike Christie
linux-3.10\drivers\scsi\iscsi_tcp.c(4): * Copyright (C) 2004 Dmitry Yusupov
linux-3.10\drivers\scsi\iscsi_tcp.c(5): * Copyright (C) 2004 Alex Aizman
linux-3.10\drivers\scsi\iscsi_tcp.c(6): * Copyright (C) 2005 - 2006 Mike Christie
linux-3.10\drivers\scsi\iscsi_tcp.c(7): * Copyright (C) 2006 Red Hat, Inc. All rights reserved.
linux-3.10\drivers\scsi\iscsi_tcp.h(3): * Copyright (C) 2004 Dmitry Yusupov
linux-3.10\drivers\scsi\iscsi_tcp.h(4): * Copyright (C) 2004 Alex Aizman
linux-3.10\drivers\scsi\iscsi_tcp.h(5): * Copyright (C) 2005 - 2006 Mike Christie
linux-3.10\drivers\scsi\iscsi_tcp.h(6): * Copyright (C) 2006 Red Hat, Inc. All

legal(ME)

rights reserved.

linux-3.10\drivers\scsi\jazz_esp.c(3): * Copyright (C) 2007 Thomas Bogendanker (tsbogend@alpha.frankende)

linux-3.10\drivers\scsi\lasi700.c(5): * Copyright (C) 2001 by James.Bottomley@HansenPartnership.com

linux-3.10\drivers\scsi\libfc\fc_disc.c(2): * Copyright(c) 2007 - 2008 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_elsct.c(2): * Copyright(c) 2008 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_exch.c(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_exch.c(3): * Copyright(c) 2008 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_exch.c(4): * Copyright(c) 2008 Mike Christie

linux-3.10\drivers\scsi\libfc\fc_fcp.c(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_fcp.c(3): * Copyright(c) 2008 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_fcp.c(4): * Copyright(c) 2008 Mike Christie

linux-3.10\drivers\scsi\libfc\fc_frame.c(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_libfc.c(2): * Copyright(c) 2009 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_libfc.h(2): * Copyright(c) 2009 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_lport.c(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_npiv.c(2): * Copyright(c) 2009 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libfc\fc_rport.c(2): * Copyright(c) 2007 - 2008 Intel Corporation. All rights reserved.

linux-3.10\drivers\scsi\libiscsi.c(4): * Copyright (C) 2006 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\scsi\libiscsi.c(5): * Copyright (C) 2004 - 2006 Mike Christie

linux-3.10\drivers\scsi\libiscsi.c(6): * Copyright (C) 2004 - 2005 Dmitry Yusupov

linux-3.10\drivers\scsi\libiscsi.c(7): * Copyright (C) 2004 - 2005 Alex Aizman

linux-3.10\drivers\scsi\libiscsi_tcp.c(4): * Copyright (C) 2004 Dmitry Yusupov

linux-3.10\drivers\scsi\libiscsi_tcp.c(5): * Copyright (C) 2004 Alex Aizman

linux-3.10\drivers\scsi\libiscsi_tcp.c(6): * Copyright (C) 2005 - 2006 Mike Christie

linux-3.10\drivers\scsi\libiscsi_tcp.c(7): * Copyright (C) 2006 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\scsi\libsas\Kconfig(4):# Copyright (C) 2005 Adaptec, Inc. All rights reserved.

linux-3.10\drivers\scsi\libsas\Kconfig(5):# Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\Makefile(4):# Copyright (C) 2005 Adaptec, Inc. All rights reserved.

linux-3.10\drivers\scsi\libsas\Makefile(5):# Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_ata.c(4): * Copyright (C) 2006 IBM Corporation

linux-3.10\drivers\scsi\libsas\sas_discover.c(4): * Copyright (C) 2005 Adaptec,

legal(ME)

Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_discover.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_dump.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_dump.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_dump.h(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_dump.h(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_event.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_event.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_expander.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_expander.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_host_smp.c(4): * Copyright (C) 2007 James E.J. Bottomley

linux-3.10\drivers\scsi\libsas\sas_init.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_init.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_internal.h(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_internal.h(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_phy.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_phy.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_port.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_port.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsas\sas_scsi_host.c(4): * Copyright (C) 2005 Adaptec, Inc.All rights reserved.

linux-3.10\drivers\scsi\libsas\sas_scsi_host.c(5): * Copyright (C) 2005 Luben Tuikov <luben_tuikov@adaptec.com>

linux-3.10\drivers\scsi\libsrp.c(4): * Copyright (C) 2006 FUJITA Tomonori <tomof@acm.org>

linux-3.10\drivers\scsi\lpfc\lpfc.h(4): * Copyright (C) 2004-2012 Emulex.All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc.h(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*

linux-3.10\drivers\scsi\lpfc\lpfc_attr.c(4): * Copyright (C) 2004-2012 Emulex.All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc_attr.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*

linux-3.10\drivers\scsi\lpfc\lpfc_bsg.c(4): * Copyright (C) 2009-2012 Emulex.All

legal(ME)

rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_bsg.h(4): * Copyright (C) 2010-2012 Emulex.All rights reserved.*
linux-3.10\drivers\scsi\lpfc\lpfc_compat.h(4): * Copyright (C) 2004-2011 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_crtn.h(4): * Copyright (C) 2004-2011 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_ct.c(4): * Copyright (C) 2004-2010 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_debugfs.c(4): * Copyright (C) 2007-2012 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_debugfs.h(4): * Copyright (C) 2007-2011 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_disc.h(4): * Copyright (C) 2004-2008 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_els.c(4): * Copyright (C) 2004-2012 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_els.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*
linux-3.10\drivers\scsi\lpfc\lpfc_hbadisc.c(4): * Copyright (C) 2004-2012 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_hbadisc.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*
linux-3.10\drivers\scsi\lpfc\lpfc_hw.h(4): * Copyright (C) 2004-2011 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_hw4.h(4): * Copyright (C) 2009-2012 Emulex.All rights reserved.*
linux-3.10\drivers\scsi\lpfc\lpfc_init.c(10945):printk(LPFC_COPYRIGHT "\n");
linux-3.10\drivers\scsi\lpfc\lpfc_init.c(4): * Copyright (C) 2004-2012 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_init.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*
linux-3.10\drivers\scsi\lpfc\lpfc_logmsg.h(4): * Copyright (C) 2004-2009 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_mbox.c(4): * Copyright (C) 2004-2009 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_mbox.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*
linux-3.10\drivers\scsi\lpfc\lpfc_mem.c(4): * Copyright (C) 2004-2012 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_mem.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*
linux-3.10\drivers\scsi\lpfc\lpfc_nl.h(4): * Copyright (C) 2010 Emulex.All rights reserved.*
linux-3.10\drivers\scsi\lpfc\lpfc_nportdisc.c(4): * Copyright (C) 2004-2012 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_nportdisc.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*
linux-3.10\drivers\scsi\lpfc\lpfc_scsi.c(4): * Copyright (C) 2004-2012 Emulex.All rights reserved. *
linux-3.10\drivers\scsi\lpfc\lpfc_scsi.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*

legal(ME)

linux-3.10\drivers\scsi\lpfc\lpfc_scsi.h(4): * Copyright (C) 2004-2012 Emulex. All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc_sli.c(4): * Copyright (C) 2004-2012 Emulex. All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc_sli.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*

linux-3.10\drivers\scsi\lpfc\lpfc_sli.h(4): * Copyright (C) 2004-2007 Emulex. All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc_sli4.h(4): * Copyright (C) 2009-2011 Emulex. All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc_version.h(33):#define LPFC_COPYRIGHT "Copyright(c) 2004-2009 Emulex. All rights reserved."

linux-3.10\drivers\scsi\lpfc\lpfc_version.h(4): * Copyright (C) 2004-2012 Emulex. All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc_vport.c(4): * Copyright (C) 2004-2008 Emulex. All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc_vport.c(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*

linux-3.10\drivers\scsi\lpfc\lpfc_vport.h(4): * Copyright (C) 2004-2006 Emulex. All rights reserved. *

linux-3.10\drivers\scsi\lpfc\lpfc_vport.h(7): * Portions Copyright (C) 2004-2005 Christoph Hellwig*

linux-3.10\drivers\scsi\lpfc\Makefile(4):# * Copyright (C) 2004-2012 Emulex. All rights reserved. *

linux-3.10\drivers\scsi\mac_esp.c(8): * Copyright (C) 2007-2008 Finn Thain

linux-3.10\drivers\scsi\mac_scsi.c(11): * Copyright 1995, Russell King

linux-3.10\drivers\scsi\mac_scsi.c(4): * Copyright 1998, Michael Schmitz <mschmitz@lbl.gov>

linux-3.10\drivers\scsi\mac_scsi.h(4): * Copyright 1993, Drew Eckhardt

linux-3.10\drivers\scsi\mac53c94.c(8): * Copyright (C) 1996 Paul Mackerras.

linux-3.10\drivers\scsi\mac53c94.h(5): * Copyright (C) 1996 Paul Mackerras.

linux-3.10\drivers\scsi\megaraid.c(12): * Copyright (c) 2002Red Hat, Inc. All rights reserved.

linux-3.10\drivers\scsi\megaraid.c(17): * Copyright (c) 2003Christoph Hellwig<hch@lst.de>

linux-3.10\drivers\scsi\megaraid.c(5): * Copyright (c) 2002LSI Logic Corporation.

linux-3.10\drivers\scsi\megaraid\mbox_defs.h(5): * Copyright (c) 2003-2004LSI Logic Corporation.

linux-3.10\drivers\scsi\megaraid\mega_common.h(5): * Copyright (c) 2003-2004LSI Logic Corporation.

linux-3.10\drivers\scsi\megaraid\megaraid_ioctl.h(5): * Copyright (c) 2003-2004LSI Logic Corporation.

linux-3.10\drivers\scsi\megaraid\megaraid_mbox.c(5): * Copyright (c) 2003-2004LSI Logic Corporation.

linux-3.10\drivers\scsi\megaraid\megaraid_mbox.h(5): * Copyright (c) 2003-2004LSI Logic Corporation.

linux-3.10\drivers\scsi\megaraid\megaraid_mm.c(5): * Copyright (c) 2003-2004LSI Logic Corporation.

linux-3.10\drivers\scsi\megaraid\megaraid_mm.h(5): * Copyright (c) 2003-2004LSI Logic Corporation.

linux-3.10\drivers\scsi\megaraid\megaraid_sas.h(4): *Copyright (c) 2003-2012LSI Corporation.

legal(ME)

linux-3.10\drivers\scsi\megaraid\megaraid_sas_base.c(4): *Copyright (c)
2003-2012LSI Corporation.
linux-3.10\drivers\scsi\megaraid\megaraid_sas_fp.c(4): *Copyright (c)
2009-2012LSI Corporation.
linux-3.10\drivers\scsi\megaraid\megaraid_sas_fusion.c(4): *Copyright (c)
2009-2012LSI Corporation.
linux-3.10\drivers\scsi\megaraid\megaraid_sas_fusion.h(4): *Copyright (c)
2009-2012LSI Corporation.
linux-3.10\drivers\scsi\mesh.c(8): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\scsi\mesh.h(5): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\scsi\mpt2sas\Kconfig(5):# Copyright (C) 2007-2012LSI
Corporation
linux-3.10\drivers\scsi\mpt2sas\mpi\mpi2.h(2): *Copyright (c) 2000-2012 LSI
Corporation.
linux-3.10\drivers\scsi\mpt2sas\mpi\mpi2_cnfg.h(2): *Copyright (c) 2000-2011 LSI
Corporation.
linux-3.10\drivers\scsi\mpt2sas\mpi\mpi2_init.h(2): *Copyright (c) 2000-2012 LSI
Corporation.
linux-3.10\drivers\scsi\mpt2sas\mpi\mpi2_ioc.h(2): *Copyright (c) 2000-2012 LSI
Corporation.
linux-3.10\drivers\scsi\mpt2sas\mpi\mpi2_raid.h(2): *Copyright (c) 2000-2012 LSI
Corporation.
linux-3.10\drivers\scsi\mpt2sas\mpi\mpi2_sas.h(2): *Copyright (c) 2000-2010 LSI
Corporation.
linux-3.10\drivers\scsi\mpt2sas\mpi\mpi2_tool.h(2): *Copyright (c) 2000-2010 LSI
Corporation.
linux-3.10\drivers\scsi\mpt2sas\mpi\mpi2_type.h(2): *Copyright (c) 2000-2007 LSI
Corporation.
linux-3.10\drivers\scsi\mpt2sas\mpt2sas_base.c(6): * Copyright (C) 2007-2012LSI
Corporation
linux-3.10\drivers\scsi\mpt2sas\mpt2sas_base.h(6): * Copyright (C) 2007-2012LSI
Corporation
linux-3.10\drivers\scsi\mpt2sas\mpt2sas_config.c(5): * Copyright (C) 2007-2012LSI
Corporation
linux-3.10\drivers\scsi\mpt2sas\mpt2sas_ctl.c(6): * Copyright (C) 2007-2012LSI
Corporation
linux-3.10\drivers\scsi\mpt2sas\mpt2sas_ctl.h(6): * Copyright (C) 2007-2012LSI
Corporation
linux-3.10\drivers\scsi\mpt2sas\mpt2sas_debug.h(5): * Copyright (C) 2007-2012LSI
Corporation
linux-3.10\drivers\scsi\mpt2sas\mpt2sas_scsih.c(5): * Copyright (C) 2007-2012LSI
Corporation
linux-3.10\drivers\scsi\mpt2sas\mpt2sas_transport.c(5): * Copyright (C)
2007-2012LSI Corporation
linux-3.10\drivers\scsi\mpt3sas\Kconfig(5):# Copyright (C) 2012LSI Corporation
linux-3.10\drivers\scsi\mpt3sas\mpi\mpi2.h(2): * Copyright (c) 2000-2012 LSI
Corporation.
linux-3.10\drivers\scsi\mpt3sas\mpi\mpi2_cnfg.h(2): * Copyright (c) 2000-2011 LSI
Corporation.
linux-3.10\drivers\scsi\mpt3sas\mpi\mpi2_init.h(2): * Copyright (c) 2000-2012 LSI
Corporation.
linux-3.10\drivers\scsi\mpt3sas\mpi\mpi2_ioc.h(2): * Copyright (c) 2000-2012 LSI

legal(ME)

Corporation.

linux-3.10\drivers\scsi\mpt3sas\mpi\mpi2_raid.h(2): * Copyright (c) 2000-2012 LSI Corporation.

linux-3.10\drivers\scsi\mpt3sas\mpi\mpi2_sas.h(2): * Copyright (c) 2000-2012 LSI Corporation.

linux-3.10\drivers\scsi\mpt3sas\mpi\mpi2_tool.h(2): * Copyright (c) 2000-2012 LSI Corporation.

linux-3.10\drivers\scsi\mpt3sas\mpi\mpi2_type.h(2): * Copyright (c) 2000-2007 LSI Corporation.

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_base.c(6): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_base.h(6): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_config.c(5): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_ctl.c(6): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_ctl.h(6): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_debug.h(5): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_scsih.c(5): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_transport.c(5): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_trigger_diag.c(6): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mpt3sas\mpt3sas_trigger_diag.h(7): * Copyright (C) 2012 LSI Corporation

linux-3.10\drivers\scsi\mvsas\Kconfig(4):# Copyright 2007 Red Hat, Inc.

linux-3.10\drivers\scsi\mvsas\Kconfig(5):# Copyright 2008 Marvell.

<kewei@marvell.com>

linux-3.10\drivers\scsi\mvsas\Kconfig(6):# Copyright 2009-2011 Marvell.

<yuxiangl@marvell.com>

linux-3.10\drivers\scsi\mvsas\Makefile(4):# Copyright 2007 Red Hat, Inc.

linux-3.10\drivers\scsi\mvsas\Makefile(5):# Copyright 2008 Marvell.

<kewei@marvell.com>

linux-3.10\drivers\scsi\mvsas\Makefile(6):# Copyright 2009-2011 Marvell.

<yuxiangl@marvell.com>

linux-3.10\drivers\scsi\mvsas\mv_64xx.c(4): * Copyright 2007 Red Hat, Inc.

linux-3.10\drivers\scsi\mvsas\mv_64xx.c(5): * Copyright 2008 Marvell.

<kewei@marvell.com>

linux-3.10\drivers\scsi\mvsas\mv_64xx.c(6): * Copyright 2009-2011 Marvell.

<yuxiangl@marvell.com>

linux-3.10\drivers\scsi\mvsas\mv_64xx.h(4): * Copyright 2007 Red Hat, Inc.

linux-3.10\drivers\scsi\mvsas\mv_64xx.h(5): * Copyright 2008 Marvell.

<kewei@marvell.com>

linux-3.10\drivers\scsi\mvsas\mv_64xx.h(6): * Copyright 2009-2011 Marvell.

<yuxiangl@marvell.com>

linux-3.10\drivers\scsi\mvsas\mv_94xx.c(4): * Copyright 2007 Red Hat, Inc.

linux-3.10\drivers\scsi\mvsas\mv_94xx.c(5): * Copyright 2008 Marvell.

<kewei@marvell.com>

legal(ME)

linux-3.10\drivers\scsi\mvsas\mv_94xx.c(6): * Copyright 2009-2011 Marvell.
<yuxiangl@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_94xx.h(4): * Copyright 2007 Red Hat, Inc.
linux-3.10\drivers\scsi\mvsas\mv_94xx.h(5): * Copyright 2008 Marvell.
<kewei@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_94xx.h(6): * Copyright 2009-2011 Marvell.
<yuxiangl@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_chips.h(4): * Copyright 2007 Red Hat, Inc.
linux-3.10\drivers\scsi\mvsas\mv_chips.h(5): * Copyright 2008 Marvell.
<kewei@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_chips.h(6): * Copyright 2009-2011 Marvell.
<yuxiangl@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_defs.h(4): * Copyright 2007 Red Hat, Inc.
linux-3.10\drivers\scsi\mvsas\mv_defs.h(5): * Copyright 2008 Marvell.
<kewei@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_defs.h(6): * Copyright 2009-2011 Marvell.
<yuxiangl@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_init.c(4): * Copyright 2007 Red Hat, Inc.
linux-3.10\drivers\scsi\mvsas\mv_init.c(5): * Copyright 2008 Marvell.
<kewei@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_init.c(6): * Copyright 2009-2011 Marvell.
<yuxiangl@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_sas.c(4): * Copyright 2007 Red Hat, Inc.
linux-3.10\drivers\scsi\mvsas\mv_sas.c(5): * Copyright 2008 Marvell.
<kewei@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_sas.c(6): * Copyright 2009-2011 Marvell.
<yuxiangl@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_sas.h(4): * Copyright 2007 Red Hat, Inc.
linux-3.10\drivers\scsi\mvsas\mv_sas.h(5): * Copyright 2008 Marvell.
<kewei@marvell.com>
linux-3.10\drivers\scsi\mvsas\mv_sas.h(6): * Copyright 2009-2011 Marvell.
<yuxiangl@marvell.com>
linux-3.10\drivers\scsi\mvumi.c(4): * Copyright 2011 Marvell. <jyli@marvell.com>
linux-3.10\drivers\scsi\mvumi.h(4): * Copyright 2011 Marvell. <jyli@marvell.com>
linux-3.10\drivers\scsi\NCR_D700.c(281): "NCR D700:Copyright (c) 2001 by
James.Bottomley@HansenPartnership.com\n"
linux-3.10\drivers\scsi\NCR_D700.c(5): * Copyright (C) 2001 by
James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\NCR_D700.h(5): * Copyright (C) 2001 by
James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\NCR_Q720.c(166): "NCR Q720:Copyright (c) 2003 by
James.Bottomley@HansenPartnership.com\n"
linux-3.10\drivers\scsi\NCR_Q720.c(5): * Copyright (C) 2003 by
James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\NCR_Q720.h(5): * Copyright (C) 2003 by
James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\NCR5380.c(8): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\NCR5380.h(4): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\NCR53c406a.c(238):"Copyright (C) Acculogic, Inc.\r\n2.8M
Diskette Extension Bios ver 4.04.03 03/01/1993", 61, 82},,};
linux-3.10\drivers\scsi\NCR53c406a.c(4): *Copyright (C) 1994, 1995, 1996 Normunds
Saumanis (normunds@fi.ibm.com)

legal(ME)

linux-3.10\drivers\scsi\ncr53c8xx.c(4):**Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\ncr53c8xx.h(4):**Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\ncr53c8xx.h(41):**Copyright (C) 1997 Richard Waltham
<dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\ncr53c8xx.h(45):**Copyright (C) 2000 MIPS Technologies,
Inc.All rights reserved.
linux-3.10\drivers\scsi\ncr53c8xx.h(48):**Copyright (C) 2000 MIPS Technologies,
Inc.All rights reserved.
linux-3.10\drivers\scsi\ncr53c8xx.h(5):**Copyright (C) 1998-2001Gerard Roudier
<groudier@free.fr>
linux-3.10\drivers\scsi\nsp32.c(3): * Copyright (C) 2001, 2002, 2003
linux-3.10\drivers\scsi\osd\Kbuild(4):# Copyright (C) 2008 Panasas Inc.All rights
reserved.
linux-3.10\drivers\scsi\osd\Kconfig(4):# Copyright (C) 2008 Panasas Inc.All
rights reserved.
linux-3.10\drivers\scsi\osd\osd_debug.h(4): * Copyright (C) 2008 Panasas Inc.All
rights reserved.
linux-3.10\drivers\scsi\osd\osd_initiator.c(7): * Copyright (C) 2008 Panasas
Inc.All rights reserved.
linux-3.10\drivers\scsi\osd\osd_uld.c(10): * Copyright (C) 2008 Panasas Inc.All
rights reserved.
linux-3.10\drivers\scsi\osst.c(16):Copyright 1992 - 2002 Kai Makisara / 2000 -
2006 Willem Riede
linux-3.10\drivers\scsi\osst_options.h(4): Copyright 1995 Kai Makisara.
linux-3.10\drivers\scsi\pas16.c(10): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\pas16.h(4): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\pcmcia\aha152x_stub.c(22):are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\scsi\pcmcia\fdomain_stub.c(19):are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\scsi\pcmcia\qllogic_stub.c(19):are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\drivers\scsi\pcmcia\sym53c500_cs.c(14):*Adapted from NCR53c406a.h
which is Copyrighted (C) 1994
linux-3.10\drivers\scsi\pcmcia\sym53c500_cs.c(20):*from NCR53c406a.c which is
Copyrighted (C) 1994, 1995, 1996
linux-3.10\drivers\scsi\pcmcia\sym53c500_cs.c(8):*beyond 2.4.It consisted of
three files with history/copyright
linux-3.10\drivers\scsi\pm8001\Makefile(4):# Copyright (C) 2008-2009USI Co., Ltd.
linux-3.10\drivers\scsi\pm8001\pm8001_chips.h(4): * Copyright (c) 2008-2009 USI
Co., Ltd.
linux-3.10\drivers\scsi\pm8001\pm8001_ctl.c(4): * Copyright (c) 2008-2009 USI
Co., Ltd.
linux-3.10\drivers\scsi\pm8001\pm8001_ctl.h(4):* Copyright (c) 2008-2009 USI Co.,
Ltd.
linux-3.10\drivers\scsi\pm8001\pm8001_defs.h(4): * Copyright (c) 2008-2009 USI
Co., Ltd.
linux-3.10\drivers\scsi\pm8001\pm8001_hwi.c(4): * Copyright (c) 2008-2009 USI
Co., Ltd.
linux-3.10\drivers\scsi\pm8001\pm8001_hwi.h(4): * Copyright (c) 2008-2009 USI
Co., Ltd.
linux-3.10\drivers\scsi\pm8001\pm8001_init.c(4): * Copyright (c) 2008-2009 USI

legal(ME)

Co., Ltd.

linux-3.10\drivers\scsi\pm8001\pm8001_sas.c(4): * Copyright (c) 2008-2009 USI Co., Ltd.

linux-3.10\drivers\scsi\pm8001\pm8001_sas.h(4): * Copyright (c) 2008-2009 USI Co., Ltd.

linux-3.10\drivers\scsi\pm8001\pm80xx_hwi.c(4): * Copyright (c) 2008-2009 PMC-Sierra, Inc.,

linux-3.10\drivers\scsi\pm8001\pm80xx_hwi.h(4): * Copyright (c) 2008-2009 USI Co., Ltd.

linux-3.10\drivers\scsi\pmcraid.c(7): * Copyright (C) 2008, 2009 PMC Sierra Inc

linux-3.10\drivers\scsi\pmcraid.h(7): * Copyright (C) 2008, 2009 PMC Sierra Inc.

linux-3.10\drivers\scsi\ps3rom.c(4): * Copyright (C) 2007 Sony Computer Entertainment Inc.

linux-3.10\drivers\scsi\ps3rom.c(5): * Copyright 2007 Sony Corp.

linux-3.10\drivers\scsi\qla1280.c(5): * Copyright (C) 2000 Qlogic Corporation (www.qlogic.com)

linux-3.10\drivers\scsi\qla1280.c(6): * Copyright (C) 2001-2004 Jes Sorensen, Wild Open Source Inc.

linux-3.10\drivers\scsi\qla1280.c(7): * Copyright (C) 2003-2004 Christoph Hellwig

linux-3.10\drivers\scsi\qla1280.h(5): * Copyright (C) 2000 Qlogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_attr.c(3): * Copyright (c)2003-2013 QLogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_attr.c(5): * See LICENSE.qla2xxx for copyright and licensing details.

linux-3.10\drivers\scsi\qla2xxx\qla_bsg.c(3): * Copyright (c)2003-2012 QLogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_bsg.c(5): * See LICENSE.qla2xxx for copyright and licensing details.

linux-3.10\drivers\scsi\qla2xxx\qla_bsg.h(3): * Copyright (c)2003-2013 QLogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_bsg.h(5): * See LICENSE.qla2xxx for copyright and licensing details.

linux-3.10\drivers\scsi\qla2xxx\qla_dbg.c(3): * Copyright (c)2003-2013 QLogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_dbg.c(5): * See LICENSE.qla2xxx for copyright and licensing details.

linux-3.10\drivers\scsi\qla2xxx\qla_dbg.h(3): * Copyright (c)2003-2013 QLogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_dbg.h(5): * See LICENSE.qla2xxx for copyright and licensing details.

linux-3.10\drivers\scsi\qla2xxx\qla_def.h(3): * Copyright (c)2003-2013 QLogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_def.h(5): * See LICENSE.qla2xxx for copyright and licensing details.

linux-3.10\drivers\scsi\qla2xxx\qla_dfs.c(3): * Copyright (c)2003-2013 QLogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_dfs.c(5): * See LICENSE.qla2xxx for copyright and licensing details.

linux-3.10\drivers\scsi\qla2xxx\qla_fw.h(3): * Copyright (c)2003-2013 QLogic Corporation

linux-3.10\drivers\scsi\qla2xxx\qla_fw.h(5): * See LICENSE.qla2xxx for copyright and licensing details.

legal(ME)

linux-3.10\drivers\scsi\qla2xxx\qla_gbl.h(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_gbl.h(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_gs.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_gs.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_init.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_init.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_inline.h(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_inline.h(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_iocb.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_iocb.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_isr.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_isr.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_mbx.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_mbx.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_mid.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_mid.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_mr.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_mr.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_mr.h(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_mr.h(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_nx.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_nx.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_nx.h(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_nx.h(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_os.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_os.c(5): * See LICENSE.qla2xxx for copyright and licensing details.

legal(ME)

linux-3.10\drivers\scsi\qla2xxx\qla_settings.h(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_settings.h(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_sup.c(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_sup.c(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\qla_target.c(13): *Copyright (C) 2010-2011 Nicholas A. Bellinger <nab@kernel.org>
linux-3.10\drivers\scsi\qla2xxx\qla_target.c(6): *Copyright (C) 2004 - 2010 Vladislav Bolkhovitin <vst@vlbn.net>
linux-3.10\drivers\scsi\qla2xxx\qla_target.c(7): *Copyright (C) 2004 - 2005 Leonid Stoljar
linux-3.10\drivers\scsi\qla2xxx\qla_target.c(8): *Copyright (C) 2006 Nathaniel Clark <nate@misrule.us>
linux-3.10\drivers\scsi\qla2xxx\qla_target.c(9): *Copyright (C) 2006 - 2010 ID7 Ltd.
linux-3.10\drivers\scsi\qla2xxx\qla_target.h(2): *Copyright (C) 2004 - 2010 Vladislav Bolkhovitin <vst@vlbn.net>
linux-3.10\drivers\scsi\qla2xxx\qla_target.h(3): *Copyright (C) 2004 - 2005 Leonid Stoljar
linux-3.10\drivers\scsi\qla2xxx\qla_target.h(4): *Copyright (C) 2006 Nathaniel Clark <nate@misrule.us>
linux-3.10\drivers\scsi\qla2xxx\qla_target.h(5): *Copyright (C) 2007 - 2010 ID7 Ltd.
linux-3.10\drivers\scsi\qla2xxx\qla_target.h(9): *Copyright (C) 2010-2011 Nicholas A. Bellinger <nab@kernel.org>
linux-3.10\drivers\scsi\qla2xxx\qla_version.h(3): * Copyright (c)2003-2013 QLogic Corporation
linux-3.10\drivers\scsi\qla2xxx\qla_version.h(5): * See LICENSE.qla2xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla2xxx\tcm_qla2xxx.c(15): * Copyright (c) 2010 Cisco Systems, Inc
linux-3.10\drivers\scsi\qla2xxx\tcm_qla2xxx.c(5): * ?? Copyright 2010-2011 RisingTide Systems LLC.
linux-3.10\drivers\scsi\qla4xxx\ql4_83xx.c(3): * Copyright (c) 2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_83xx.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_83xx.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_83xx.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_attr.c(3): * Copyright (c)2003-2011 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_attr.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_bsg.c(3): * Copyright (c) 2011 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_bsg.c(5): * See LICENSE.qla4xxx for copyright and licensing details.

legal(ME)

linux-3.10\drivers\scsi\qla4xxx\ql4_bsg.h(3): * Copyright (c) 2011 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_bsg.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_dbg.c(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_dbg.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_dbg.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_dbg.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_def.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_def.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_fw.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_fw.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_glbl.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_glbl.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_init.c(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_init.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_inline.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_inline.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_iocb.c(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_iocb.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_isr.c(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_isr.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_mbx.c(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_mbx.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_nvram.c(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_nvram.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_nvram.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_nvram.h(5): * See LICENSE.qla4xxx for copyright and licensing details.

legal(ME)

linux-3.10\drivers\scsi\qla4xxx\ql4_nx.c(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_nx.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_nx.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_nx.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_os.c(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_os.c(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qla4xxx\ql4_version.h(3): * Copyright (c)2003-2012 QLogic Corporation
linux-3.10\drivers\scsi\qla4xxx\ql4_version.h(5): * See LICENSE.qla4xxx for copyright and licensing details.
linux-3.10\drivers\scsi\qlogicfas.c(4): * Copyright 1994, Tom Zerucha.
linux-3.10\drivers\scsi\qlogicfas408.c(7): Copyright 1994, Tom Zerucha.
linux-3.10\drivers\scsi\qlogicpti.c(3): * Copyright (C) 1996, 2006, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\scsi\qlogicpti.h(3): * Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu)
linux-3.10\drivers\scsi\raid_class.c(4): * Copyright (c) 2005 - James Bottomley <James.Bottomley@steeleye.com>
linux-3.10\drivers\scsi\script_asm.pl(7):# Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\scsi.c(2): *scsi.c Copyright (C) 1992 Drew Eckhardt
linux-3.10\drivers\scsi\scsi.c(3): * Copyright (C) 1993, 1994, 1995, 1999 Eric Youngdale
linux-3.10\drivers\scsi\scsi.c(4): * Copyright (C) 2002, 2003 Christoph Hellwig
linux-3.10\drivers\scsi\scsi.h(2): *scsi.h Copyright (C) 1992 Drew Eckhardt
linux-3.10\drivers\scsi\scsi.h(3): * Copyright (C) 1993, 1994, 1995, 1998, 1999 Eric Youngdale
linux-3.10\drivers\scsi\scsi_debug.c(3): *Copyright (C) 1992Eric Youngdale
linux-3.10\drivers\scsi\scsi_error.c(2): *scsi_error.c Copyright (C) 1997 Eric Youngdale
linux-3.10\drivers\scsi\scsi_lib.c(2): *scsi_lib.c Copyright (C) 1999 Eric Youngdale
linux-3.10\drivers\scsi\scsi_module.c(2): * Copyright (C) 2003 Christoph Hellwig.
linux-3.10\drivers\scsi\scsi_netlink.c(4): *Copyright (C) 2006 James Smart, Emulex Corporation
linux-3.10\drivers\scsi\scsi_pm.c(2): *scsi_pm.cCopyright (C) 2010 Alan Stern
linux-3.10\drivers\scsi\scsi_scan.c(4): * Copyright (C) 2000 Eric Youngdale,
linux-3.10\drivers\scsi\scsi_scan.c(5): * Copyright (C) 2002 Patrick Mansfield
linux-3.10\drivers\scsi\scsi_sysctl.c(2): * Copyright (C) 2003 Christoph Hellwig.
linux-3.10\drivers\scsi\scsi_tgt_if.c(4): * Copyright (C) 2005 FUJITA Tomonori <tomof@acm.org>
linux-3.10\drivers\scsi\scsi_tgt_if.c(5): * Copyright (C) 2005 Mike Christie <michaelc@cs.wisc.edu>
linux-3.10\drivers\scsi\scsi_tgt_lib.c(4): * Copyright (C) 2005 Mike Christie <michaelc@cs.wisc.edu>
linux-3.10\drivers\scsi\scsi_tgt_lib.c(5): * Copyright (C) 2005 FUJITA Tomonori <tomof@acm.org>

legal(ME)

linux-3.10\drivers\scsi\scsi_trace.c(2): * Copyright (C) 2010 FUJITSU LIMITED
linux-3.10\drivers\scsi\scsi_trace.c(3): * Copyright (C) 2010 Tomohiro Kusumi
<kusumi.tomohiro@jp.fujitsu.com>
linux-3.10\drivers\scsi\scsi_transport_fc.c(22): *Copyright (C) 2004-2007 James
Smart, Emulex Corporation
linux-3.10\drivers\scsi\scsi_transport_fc.c(4): *Copyright (c) 2003 Silicon
Graphics, Inc.All rights reserved.
linux-3.10\drivers\scsi\scsi_transport_iscsi.c(4): * Copyright (C) IBM
Corporation, 2004
linux-3.10\drivers\scsi\scsi_transport_iscsi.c(5): * Copyright (C) Mike Christie,
2004 - 2005
linux-3.10\drivers\scsi\scsi_transport_iscsi.c(6): * Copyright (C) Dmitry
Yusupov, 2004 - 2005
linux-3.10\drivers\scsi\scsi_transport_iscsi.c(7): * Copyright (C) Alex Aizman,
2004 - 2005
linux-3.10\drivers\scsi\scsi_transport_sas.c(2): * Copyright (C) 2005-2006 Dell
Inc.
linux-3.10\drivers\scsi\scsi_transport_spi.c(4): *Copyright (c) 2003 Silicon
Graphics, Inc.All rights reserved.
linux-3.10\drivers\scsi\scsi_transport_spi.c(5): *Copyright (c) 2004, 2005 James
Bottomley <James.Bottomley@SteelEye.com>
linux-3.10\drivers\scsi\scsi_transport_srp.c(4): * Copyright (C) 2007 FUJITA
Tomonori <tomof@acm.org>
linux-3.10\drivers\scsi\scsicam.c(4): * Copyright 1993, 1994 Drew Eckhardt
linux-3.10\drivers\scsi\sd.c(2): *sd.c Copyright (C) 1992 Drew Eckhardt
linux-3.10\drivers\scsi\sd.c(3): * Copyright (C) 1993, 1994, 1995, 1999 Eric
Youngdale
linux-3.10\drivers\scsi\sd_dif.c(4): * Copyright (C) 2007, 2008 Oracle
Corporation
linux-3.10\drivers\scsi\ses.c(4): * Copyright (C) 2008 James Bottomley
<James.Bottomley@HansenPartnership.com>
linux-3.10\drivers\scsi\sg.c(10): *Copyright (C) 1998 - 2005 Douglas Gilbert
linux-3.10\drivers\scsi\sg.c(8): *Copyright (C) 1992 Lawrence Foard
linux-3.10\drivers\scsi\sgiw93.c(6): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)
linux-3.10\drivers\scsi\sgiw93.c(7): * Copyright (C) 1999 Andrew R. Baker
(andrewb@uab.edu)
linux-3.10\drivers\scsi\sgiw93.c(8): * Copyright (C) 2001 Florian Lohoff
(flo@rfc822.org)
linux-3.10\drivers\scsi\sgiw93.c(9): * Copyright (C) 2003, 07 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\drivers\scsi\sim710.c(2): * sim710.c - Copyright (C) 1999 Richard
Hirst <richard@sleepie.demon.co.uk>
linux-3.10\drivers\scsi\sni_53c710.c(5): * Copyright (C) 2001 by
James.Bottomley@HansenPartnership.com
linux-3.10\drivers\scsi\sr.c(2): *sr.c Copyright (C) 1992 David Giller
linux-3.10\drivers\scsi\sr.c(3): * Copyright (C) 1993, 1994, 1995, 1999 Eric
Youngdale
linux-3.10\drivers\scsi\sr.c(6): *sd.c Copyright (C) 1992 Drew Eckhardt
linux-3.10\drivers\scsi\sr.h(6): *sd.h Copyright (C) 1992 Drew Eckhardt
linux-3.10\drivers\scsi\st.c(12): Copyright 1992 - 2010 Kai Makisara
linux-3.10\drivers\scsi\st_options.h(4): Copyright 1995-2003 Kai Makisara.

legal(ME)

linux-3.10\drivers\scsi\stex.c(4): *Copyright (C) 2005-2009 Promise Technology Inc.
linux-3.10\drivers\scsi\storvsc_drv.c(2): * Copyright (c) 2009, Microsoft Corporation.
linux-3.10\drivers\scsi\sun_esp.c(3): * Copyright (C) 2007, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\scsi\sun3_NCR5380.c(10): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\sun3_scsi.c(11): * Copyright 1998, Michael Schmitz <mschmitz@lbl.gov>
linux-3.10\drivers\scsi\sun3_scsi.c(18): * Copyright 1995, Russell King
linux-3.10\drivers\scsi\sun3_scsi.h(11): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\sun3x_esp.c(3): * Copyright (C) 2007,2008 Thomas Bogendoerfer (tsbogend@alpha.franken.de)
linux-3.10\drivers\scsi\sym53c416.c(4): *Copyright (C) 1998 Lieven Willems (lw_linux@hotmail.com)
linux-3.10\drivers\scsi\sym53c416.h(4): *Copyright (C) 1998 Lieven Willems (lw_linux@hotmail.com)
linux-3.10\drivers\scsi\sym53c8xx_2\sym_defs.h(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_defs.h(21): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_defs.h(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_defs.h(8): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw.c(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw.c(21): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw.c(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw.c(8): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw.h(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw.h(21): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw.h(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw.h(8): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw1.h(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw1.h(21): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw1.h(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw1.h(8): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw2.h(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw2.h(21): * Copyright (C) 1997 Richard

legal(ME)

Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw2.h(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_fw2.h(8): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.c(17): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.c(22): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.c(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.c(6): * Copyright (c) 2003-2005Matthew Wilcox <matthew@wil.cx>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.c(9): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.h(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.h(21): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.h(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_glue.h(8): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.c(17): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.c(22): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.c(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.c(6): * Copyright (c) 2003-2005Matthew Wilcox <matthew@wil.cx>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.c(9): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.h(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.h(21): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.h(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_hipd.h(8): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_malloc.c(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_malloc.c(21): * Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_malloc.c(5): * Copyright (C) 1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_malloc.c(8): * Copyright (C) 1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_misc.h(16): * Copyright (C) 1994Wolfgang Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_misc.h(21): * Copyright (C) 1997 Richard

legal(ME)

Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_misc.h(5): * Copyright (C)
1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_misc.h(8): * Copyright (C)
1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_nvram.c(16): * Copyright (C) 1994Wolfgang
Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_nvram.c(21): * Copyright (C) 1997 Richard
Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_nvram.c(5): * Copyright (C)
1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_nvram.c(8): * Copyright (C)
1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_nvram.h(16): * Copyright (C) 1994Wolfgang
Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym_nvram.h(21): * Copyright (C) 1997 Richard
Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_nvram.h(5): * Copyright (C)
1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym_nvram.h(8): * Copyright (C)
1998-2000Gerard Roudier
linux-3.10\drivers\scsi\sym53c8xx_2\sym53c8xx.h(16): * Copyright (C) 1994Wolfgang
Stanglmeier
linux-3.10\drivers\scsi\sym53c8xx_2\sym53c8xx.h(21): * Copyright (C) 1997 Richard
Waltham <dormouse@farsrobt.demon.co.uk>
linux-3.10\drivers\scsi\sym53c8xx_2\sym53c8xx.h(5): * Copyright (C)
1999-2001Gerard Roudier <groudier@free.fr>
linux-3.10\drivers\scsi\sym53c8xx_2\sym53c8xx.h(8): * Copyright (C)
1998-2000Gerard Roudier
linux-3.10\drivers\scsi\t128.c(9): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\t128.h(5): * Copyright 1993, Drew Eckhardt
linux-3.10\drivers\scsi\tmscsim.c(6): * (C)Copyright 1995-1996 Tekram Technology
Co., Ltd.
linux-3.10\drivers\scsi\tmscsim.c(8): * (C) Copyright: put under GNU GPL in
10/96*
linux-3.10\drivers\scsi\u14-34f.c(254): *Copyright (C) 1994-2003 Dario Ballabio
(ballabio_dario@emc.com)
linux-3.10\drivers\scsi\u14-34f.c(998):printfk("UltraStor 14F/34F: Copyright (C)
1994-2003 Dario Ballabio.\n");
linux-3.10\drivers\scsi\ufs\Kconfig(5):# Copyright (C) 2011-2013 Samsung India
Software Operations
linux-3.10\drivers\scsi\ufs\ufs.h(5): * Copyright (C) 2011-2013 Samsung India
Software Operations
linux-3.10\drivers\scsi\ufs\ufshcd.c(5): * Copyright (C) 2011-2013 Samsung India
Software Operations
linux-3.10\drivers\scsi\ufs\ufshcd.h(5): * Copyright (C) 2011-2013 Samsung India
Software Operations
linux-3.10\drivers\scsi\ufs\ufshcd-pci.c(5): * Copyright (C) 2011-2013 Samsung
India Software Operations
linux-3.10\drivers\scsi\ufs\ufshcd-pltfrm.c(5): * Copyright (C) 2011-2013 Samsung
India Software Operations
linux-3.10\drivers\scsi\ufs\ufshci.h(5): * Copyright (C) 2011-2013 Samsung India

legal(ME)

Software Operations

linux-3.10\drivers\scsi\ultrastor.c(2): *ultrastor.cCopyright (C) 1992 David B. Gentzel
linux-3.10\drivers\scsi\virtio_scsi.c(4): * Copyright IBM Corp. 2010
linux-3.10\drivers\scsi\virtio_scsi.c(5): * Copyright Red Hat, Inc. 2011
linux-3.10\drivers\scsi\vmw_pvscsi.c(4): * Copyright (C) 2008-2009, VMware, Inc. All Rights Reserved.
linux-3.10\drivers\scsi\vmw_pvscsi.h(4): * Copyright (C) 2008-2009, VMware, Inc. All Rights Reserved.
linux-3.10\drivers\scsi\wd33c93.c(2): * Copyright (c) 1996 John Shifflett, Geolog Consulting
linux-3.10\drivers\scsi\wd33c93.h(7): * Copyright (c) 1996 John Shifflett, Geolog Consulting
linux-3.10\drivers\scsi\wd7000.c(4): *Copyright (C) 1992Thomas Wuensche
linux-3.10\drivers\sfi\sfi_acpi.c(10):Copyright(c) 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\sfi\sfi_acpi.c(29):Copyright(c) 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\sfi\sfi_core.c(10):Copyright(c) 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\sfi\sfi_core.c(29):Copyright(c) 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\sfi\sfi_core.h(10):Copyright(c) 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\sfi\sfi_core.h(29):Copyright(c) 2009 Intel Corporation. All rights reserved.
linux-3.10\drivers\sh\clk\core.c(4): *Copyright (C) 2005 - 2010Paul Mundt
linux-3.10\drivers\sh\clk\core.c(8): *Copyright (C) 2004 - 2008 Nokia Corporation
linux-3.10\drivers\sh\clk\cpg.c(4): *Copyright (C) 2010Magnus Damm
linux-3.10\drivers\sh\clk\cpg.c(5): *Copyright (C) 2010 - 2012Paul Mundt
linux-3.10\drivers\sh\intc\access.c(4): * Copyright (C) 2007, 2008 Magnus Damm
linux-3.10\drivers\sh\intc\access.c(5): * Copyright (C) 2009, 2010 Paul Mundt
linux-3.10\drivers\sh\intc\balancing.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\drivers\sh\intc\chip.c(4): * Copyright (C) 2007, 2008 Magnus Damm
linux-3.10\drivers\sh\intc\chip.c(5): * Copyright (C) 2009 - 2012 Paul Mundt
linux-3.10\drivers\sh\intc\core.c(10): * Copyright (C) 2000Kazumoto Kojima
linux-3.10\drivers\sh\intc\core.c(11): * Copyright (C) 2001David J. Mckay (david.mckay@st.com)
linux-3.10\drivers\sh\intc\core.c(12): * Copyright (C) 2003Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp>
linux-3.10\drivers\sh\intc\core.c(13): * Copyright (C) 2005, 2006Paul Mundt
linux-3.10\drivers\sh\intc\core.c(4): * Copyright (C) 2007, 2008 Magnus Damm
linux-3.10\drivers\sh\intc\core.c(5): * Copyright (C) 2009 - 2012 Paul Mundt
linux-3.10\drivers\sh\intc\core.c(9): * Copyright (C) 1999Niibe Yutaka & Takeshi Yaegashi
linux-3.10\drivers\sh\intc\handle.c(4): * Copyright (C) 2007, 2008 Magnus Damm
linux-3.10\drivers\sh\intc\handle.c(5): * Copyright (C) 2009, 2010 Paul Mundt
linux-3.10\drivers\sh\intc\irqdomain.c(4): * Copyright (C) 2012Paul Mundt
linux-3.10\drivers\sh\intc\userimask.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\drivers\sh\intc\virq.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\drivers\sh\intc\virq-debugfs.c(4): * Copyright (C) 2010Paul Mundt
linux-3.10\drivers\sh\maple\maple.c(4): *Copyright (C) 2007 - 2009 Adrian

legal(ME)

McMenamin

linux-3.10\drivers\sh\maple\maple.c(5): *Copyright (C) 2001 - 2008 Paul Mundt

linux-3.10\drivers\sh\maple\maple.c(6): *Copyright (C) 2000 - 2001 YAEGASHI Takeshi

linux-3.10\drivers\sh\maple\maple.c(7): *Copyright (C) 2001 M. R. Brown

linux-3.10\drivers\sh\pm_runtime.c(4): *Copyright (C) 2009-2010 Magnus Damm

linux-3.10\drivers\sh\superhyway\superhyway.c(6): * Copyright (C) 2004, 2005 Paul Mundt <lethal@linux-sh.org>

linux-3.10\drivers\sh\superhyway\superhyway-sysfs.c(6): * Copyright (C) 2004, 2005 Paul Mundt <lethal@linux-sh.org>

linux-3.10\drivers\sn\ioc3.c(4): * Copyright (c) 2005 Stanislaw Skowronek <skylark@linux-mips.org>

linux-3.10\drivers\spi\spi.c(4): * Copyright (C) 2005 David Brownell

linux-3.10\drivers\spi\spi.c(5): * Copyright (C) 2008 Secret Lab Technologies Ltd.

linux-3.10\drivers\spi\spi-altera.c(4): * Copyright (C) 2008 Thomas Chou <thomas@wytron.com.tw>

linux-3.10\drivers\spi\spi-altera.c(7): * Copyright (c) 2006 Ben Dooks

linux-3.10\drivers\spi\spi-altera.c(8): * Copyright (c) 2006 Simtec Electronics

linux-3.10\drivers\spi\spi-ath79.c(4): * Copyright (C) 2009-2011 Gabor Juhos <juhosg@openwrt.org>

linux-3.10\drivers\spi\spi-ath79.c(7): *Copyright (C) 2006,2008 David Brownell

linux-3.10\drivers\spi\spi-atmel.c(4): * Copyright (C) 2006 Atmel Corporation

linux-3.10\drivers\spi\spi-au1550.c(6): * Copyright (c) 2006 ATRON electronic GmbH

linux-3.10\drivers\spi\spi-bcm2835.c(4): * Copyright (C) 2012 Chris Boot

linux-3.10\drivers\spi\spi-bcm2835.c(5): * Copyright (C) 2013 Stephen Warren

linux-3.10\drivers\spi\spi-bcm2835.c(8): * spi-ath79.c, Copyright (C) 2009-2011 Gabor Juhos <juhosg@openwrt.org>

linux-3.10\drivers\spi\spi-bcm2835.c(9): * spi-atmel.c, Copyright (C) 2006 Atmel Corporation

linux-3.10\drivers\spi\spi-bcm63xx.c(4): * Copyright (C) 2009-2012 Florian Fainelli <florian@openwrt.org>

linux-3.10\drivers\spi\spi-bcm63xx.c(5): * Copyright (C) 2010 Tanguy Bouzeloc <tanguy.bouzeloc@efixo.com>

linux-3.10\drivers\spi\spi-bfin5xx.c(4): * Copyright 2004-2010 Analog Devices Inc.

linux-3.10\drivers\spi\spi-bfin-sport.c(6): * Copyright 2009-2011 Analog Devices Inc.

linux-3.10\drivers\spi\spi-butterfly.c(4): * Copyright (C) 2005 David Brownell

linux-3.10\drivers\spi\spi-clps711x.c(4): *Copyright (C) 2012 Alexander Shiyan <shc_work@mail.ru>

linux-3.10\drivers\spi\spi-coldfire-qspi.c(4): * Copyright 2010 Steven King <sfking@fdwdc.com>

linux-3.10\drivers\spi\spi-davinci.c(2): * Copyright (C) 2009 Texas Instruments.

linux-3.10\drivers\spi\spi-davinci.c(3): * Copyright (C) 2010 EF Johnson Technologies

linux-3.10\drivers\spi\spidev.c(4): * Copyright (C) 2006 SWAPP

linux-3.10\drivers\spi\spidev.c(6): * Copyright (C) 2007 David Brownell (simplification, cleanup)

linux-3.10\drivers\spi\spi-dw.c(4): * Copyright (c) 2009, Intel Corporation.

linux-3.10\drivers\spi\spi-dw-mid.c(4): * Copyright (c) 2009, Intel Corporation.

legal(ME)

linux-3.10\drivers\spi\spi-dw-mmio.c(4): * Copyright (c) 2010, Octasic semiconductor.
linux-3.10\drivers\spi\spi-dw-pci.c(4): * Copyright (c) 2009, Intel Corporation.
linux-3.10\drivers\spi\spi-ep93xx.c(4): * Copyright (C) 2010-2011 Mika Westerberg
linux-3.10\drivers\spi\spi-falcon.c(6): *Copyright (C) 2012 Thomas Langer <thomas.langer@lantiq.com>
linux-3.10\drivers\spi\spi-fsl-cpm.c(10): * Copyright (c) 2009MontaVista Software, Inc.
linux-3.10\drivers\spi\spi-fsl-cpm.c(6): * Copyright (C) 2006 Polycom, Inc.
linux-3.10\drivers\spi\spi-fsl-cpm.c(7): * Copyright 2010 Freescale Semiconductor, Inc.
linux-3.10\drivers\spi\spi-fsl-cpm.h(10): * Copyright (c) 2009MontaVista Software, Inc.
linux-3.10\drivers\spi\spi-fsl-cpm.h(6): * Copyright (C) 2006 Polycom, Inc.
linux-3.10\drivers\spi\spi-fsl-cpm.h(7): * Copyright 2010 Freescale Semiconductor, Inc.
linux-3.10\drivers\spi\spi-fsl-espi.c(4): * Copyright 2010 Freescale Semiconductor, Inc.
linux-3.10\drivers\spi\spi-fsl-lib.c(12): * Copyright 2010 Freescale Semiconductor, Inc.
linux-3.10\drivers\spi\spi-fsl-lib.c(6): * Copyright (C) 2006 Polycom, Inc.
linux-3.10\drivers\spi\spi-fsl-lib.c(9): * Copyright (c) 2009MontaVista Software, Inc.
linux-3.10\drivers\spi\spi-fsl-lib.h(10): * Copyright (c) 2009MontaVista Software, Inc.
linux-3.10\drivers\spi\spi-fsl-lib.h(6): * Copyright 2010 Freescale Semiconductor, Inc.
linux-3.10\drivers\spi\spi-fsl-lib.h(7): * Copyright (C) 2006 Polycom, Inc.
linux-3.10\drivers\spi\spi-fsl-spi.c(10): * Copyright (c) 2009MontaVista Software, Inc.
linux-3.10\drivers\spi\spi-fsl-spi.c(14): * Copyright (c) 2012 Aeroflex Gaisler AB.
linux-3.10\drivers\spi\spi-fsl-spi.c(6): * Copyright (C) 2006 Polycom, Inc.
linux-3.10\drivers\spi\spi-fsl-spi.c(7): * Copyright 2010 Freescale Semiconductor, Inc.
linux-3.10\drivers\spi\spi-fsl-spi.h(10): * Copyright (c) 2009MontaVista Software, Inc.
linux-3.10\drivers\spi\spi-fsl-spi.h(14): * Copyright (c) 2012 Aeroflex Gaisler AB.
linux-3.10\drivers\spi\spi-fsl-spi.h(6): * Copyright (C) 2006 Polycom, Inc.
linux-3.10\drivers\spi\spi-fsl-spi.h(7): * Copyright 2010 Freescale Semiconductor, Inc.
linux-3.10\drivers\spi\spi-gpio.c(4): * Copyright (C) 2006,2008 David Brownell
linux-3.10\drivers\spi\spi-imx.c(2): * Copyright 2004-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\spi\spi-imx.c(3): * Copyright (C) 2008 Juergen Beisert
linux-3.10\drivers\spi\spi-lm70llp.c(4): * Copyright (C) 2006 Kaiwan N Billimoria <kaiwan@designergraphix.com>
linux-3.10\drivers\spi\spi-mpc512x-psc.c(4): * Copyright (C) 2007,2008 Freescale Semiconductor Inc.
linux-3.10\drivers\spi\spi-mpc512x-psc.c(9): *Copyright (C) 2006 TOPTICA Photonics AG., Dragos Carp

legal(ME)

linux-3.10\drivers\spi\spi-mpc52xx.c(4): * Copyright (C) 2008 Secret Lab Technologies Ltd.
linux-3.10\drivers\spi\spi-mpc52xx-psc.c(6): * Copyright (C) 2006 TOPTICA Photonics AG.
linux-3.10\drivers\spi\spi-mxs.c(4): * Copyright 2012 DENX Software Engineering, GmbH.
linux-3.10\drivers\spi\spi-mxs.c(5): * Copyright 2012 Freescale Semiconductor, Inc.
linux-3.10\drivers\spi\spi-mxs.c(6): * Copyright 2008 Embedded Alley Solutions, Inc All Rights Reserved.
linux-3.10\drivers\spi\spi-nuc900.c(2): * Copyright (c) 2009 Nuvoton technology.
linux-3.10\drivers\spi\spi-octeon.c(6): * Copyright (C) 2011, 2012 Cavium, Inc.
linux-3.10\drivers\spi\spi-oc-tiny.c(10): * Copyright (c) 2006 Simtec Electronics
linux-3.10\drivers\spi\spi-oc-tiny.c(6): * Copyright (C) 2011 Thomas Chou <thomas@wytron.com.tw>
linux-3.10\drivers\spi\spi-oc-tiny.c(9): * Copyright (c) 2006 Ben Dooks
linux-3.10\drivers\spi\spi-omap-100k.c(6): * Copyright (C) 2005, 2006 Nokia Corporation
linux-3.10\drivers\spi\spi-omap2-mcspi.c(4): * Copyright (C) 2005, 2006 Nokia Corporation
linux-3.10\drivers\spi\spi-omap-uwire.c(11): * Copyright (C) 2005 David Brownell (ported to 2.6 SPI interface)
linux-3.10\drivers\spi\spi-omap-uwire.c(12): * Copyright (C) 2006 Nokia
linux-3.10\drivers\spi\spi-omap-uwire.c(4): * Copyright 2003 MontaVista Software Inc. <source@mvista.com>
linux-3.10\drivers\spi\spi-omap-uwire.c(7): * Copyright (C) 2004 Texas Instruments.
linux-3.10\drivers\spi\spi-orion.c(5): * Copyright (C) 2007-2008 Marvell Ltd.
linux-3.10\drivers\spi\spi-pl022.c(4): * Copyright (C) 2008-2012 ST-Ericsson AB
linux-3.10\drivers\spi\spi-pl022.c(5): * Copyright (C) 2006 STMicroelectronics Pvt. Ltd.
linux-3.10\drivers\spi\spi-ppc4xx.c(10): * Copyright (c) 2006 Ben Dooks
linux-3.10\drivers\spi\spi-ppc4xx.c(11): * Copyright (c) 2006 Simtec Electronics
linux-3.10\drivers\spi\spi-ppc4xx.c(4): * Copyright (C) 2007 Gary Jennejohn <garyj@denx.de>
linux-3.10\drivers\spi\spi-ppc4xx.c(5): * Copyright 2008 Stefan Roeser <sr@denx.de>, DENX Software Engineering
linux-3.10\drivers\spi\spi-ppc4xx.c(6): * Copyright 2009 Harris Corporation, Steven A. Falco <sfalco@harris.com>
linux-3.10\drivers\spi\spi-pxa2xx.c(2): * Copyright (C) 2005 Stephen Street / StreetFire Sound Labs
linux-3.10\drivers\spi\spi-pxa2xx.c(3): * Copyright (C) 2013, Intel Corporation
linux-3.10\drivers\spi\spi-pxa2xx.h(2): * Copyright (C) 2005 Stephen Street / StreetFire Sound Labs
linux-3.10\drivers\spi\spi-pxa2xx.h(3): * Copyright (C) 2013, Intel Corporation
linux-3.10\drivers\spi\spi-pxa2xx-dma.c(4): * Copyright (C) 2013, Intel Corporation
linux-3.10\drivers\spi\spi-pxa2xx-pxadma.c(4): * Copyright (C) 2005 Stephen Street / StreetFire Sound Labs
linux-3.10\drivers\spi\spi-rspi.c(4): * Copyright (C) 2012Renesas Solutions Corp.
linux-3.10\drivers\spi\spi-rspi.c(7): * Copyright (C) 2011 Renesas Solutions Corp.

legal(ME)

linux-3.10\drivers\spi\spi-s3c24xx.c(2): * Copyright (c) 2006 Ben Dooks
linux-3.10\drivers\spi\spi-s3c24xx.c(3): * Copyright 2006-2009 Simtec Electronics
linux-3.10\drivers\spi\spi-s3c24xx-fiq.h(3): * Copyright 2009 Simtec Electronics
linux-3.10\drivers\spi\spi-s3c24xx-fiq.S(3): * Copyright 2009 Simtec Electronics
linux-3.10\drivers\spi\spi-s3c64xx.c(2): * Copyright (C) 2009 Samsung Electronics Ltd.
linux-3.10\drivers\spi\spi-sc18is602.c(4): * Copyright (C) Guenter Roeck
<linux@roeck-us.net>
linux-3.10\drivers\spi\spi-sh.c(4): * Copyright (C) 2011Renesas Solutions Corp.
linux-3.10\drivers\spi\spi-sh.c(7): * Copyright (C) 2005 Stephen Street /
StreetFire Sound Labs
linux-3.10\drivers\spi\spi-sh-hspi.c(4): * Copyright (C) 2011Kuninori Morimoto
linux-3.10\drivers\spi\spi-sh-hspi.c(8): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\spi\spi-sh-hspi.c(9): * Copyright (C) 2005 Stephen Street /
StreetFire Sound Labs
linux-3.10\drivers\spi\spi-sh-msiof.c(4): * Copyright (c) 2009 Magnus Damm
linux-3.10\drivers\spi\spi-sh-sci.c(4): * Copyright (c) 2008 Magnus Damm
linux-3.10\drivers\spi\spi-sh-sci.c(7): * Copyright (c) 2006 Ben Dooks
linux-3.10\drivers\spi\spi-sh-sci.c(8): * Copyright (c) 2006 Simtec Electronics
linux-3.10\drivers\spi\spi-sirf.c(4): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\drivers\spi\spi-tegra114.c(4): * Copyright (c) 2013, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\spi\spi-tegra20-sflash.c(4): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\spi\spi-tegra20-slink.c(4): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\spi\spi-ti-ssp.c(4): * Copyright (C) 2010 Texas Instruments Inc
linux-3.10\drivers\spi\spi-tle62x0.c(4): * Copyright (c) 2007 Simtec Electronics
linux-3.10\drivers\spi\spi-topcliff-pch.c(4): * Copyright (C) 2011 LAPIS Semiconductor Co., Ltd.
linux-3.10\drivers\spi\spi-txx9.c(5): * Copyright (C) 2000-2001 Toshiba Corporation
linux-3.10\drivers\spi\spi-xcomm.c(4): * Copyright 2012 Analog Devices Inc.
linux-3.10\drivers\spi\spi-xilinx.c(7): * Copyright (c) 2010 Secret Lab Technologies, Ltd.
linux-3.10\drivers\spi\spi-xilinx.c(8): * Copyright (c) 2009 Intel Corporation
linux-3.10\drivers\ssb\b43_pci_bridge.c(8): * Copyright 2007Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\driver_chipcommon.c(5): * Copyright 2005, Broadcom Corporation
linux-3.10\drivers\ssb\driver_chipcommon.c(6): * Copyright 2006, 2007, Michael Buesch <m@bues.ch>
linux-3.10\drivers\ssb\driver_chipcommon.c(7): * Copyright 2012, Hauke Mehrrens <hauke@hauke-m.de>
linux-3.10\drivers\ssb\driver_chipcommon_pmu.c(5): * Copyright 2009, Michael Buesch <m@bues.ch>
linux-3.10\drivers\ssb\driver_chipcommon_pmu.c(6): * Copyright 2007, Broadcom Corporation
linux-3.10\drivers\ssb\driver_extif.c(5): * Copyright 2005, Broadcom Corporation

legal(ME)

linux-3.10\drivers\ssb\driver_extif.c(6): * Copyright 2006, 2007, Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\driver_extif.c(7): * Copyright 2006, 2007, Felix Fietkau
<nbd@openwrt.org>
linux-3.10\drivers\ssb\driver_extif.c(8): * Copyright 2007, Aurelien Jarno
<aurelien@aurel32.net>
linux-3.10\drivers\ssb\driver_gige.c(5): * Copyright 2008, Broadcom Corporation
linux-3.10\drivers\ssb\driver_gige.c(6): * Copyright 2008, Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\driver_gpio.c(5): * Copyright 2011, Broadcom Corporation
linux-3.10\drivers\ssb\driver_gpio.c(6): * Copyright 2012, Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\drivers\ssb\driver_mipscore.c(5): * Copyright 2005, Broadcom
Corporation
linux-3.10\drivers\ssb\driver_mipscore.c(6): * Copyright 2006, 2007, Michael
Buesch <m@bues.ch>
linux-3.10\drivers\ssb\driver_pcicore.c(5): * Copyright 2005, Broadcom
Corporation
linux-3.10\drivers\ssb\driver_pcicore.c(6): * Copyright 2006, 2007, Michael
Buesch <m@bues.ch>
linux-3.10\drivers\ssb\embedded.c(5): * Copyright 2005-2008, Broadcom Corporation
linux-3.10\drivers\ssb\embedded.c(6): * Copyright 2006-2008, Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\embedded.c(7): * Copyright 2012, Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\drivers\ssb\main.c(5): * Copyright 2005, Broadcom Corporation
linux-3.10\drivers\ssb\main.c(6): * Copyright 2006, 2007, Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\pci.c(11): * Copyright (C) 2002 David S. Miller
(davem@redhat.com)
linux-3.10\drivers\ssb\pci.c(13): * Copyright (C) 2006 Broadcom Corporation.
linux-3.10\drivers\ssb\pci.c(4): * Copyright (C) 2005-2006 Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\pci.c(5): * Copyright (C) 2005 Martin Langer
<martin-langer@gmx.de>
linux-3.10\drivers\ssb\pci.c(6): * Copyright (C) 2005 Stefano Brivio
<st3@riseup.net>
linux-3.10\drivers\ssb\pci.c(7): * Copyright (C) 2005 Danny van Dyk
<kugelfang@gentoo.org>
linux-3.10\drivers\ssb\pci.c(8): * Copyright (C) 2005 Andreas Jaggi
<andreas.jaggi@waterwave.ch>
linux-3.10\drivers\ssb\pcihost_wrapper.c(5): * Copyright (c) 2005 Martin Langer
<martin-langer@gmx.de>
linux-3.10\drivers\ssb\pcihost_wrapper.c(6): * Copyright (c) 2005 Stefano Brivio
<st3@riseup.net>
linux-3.10\drivers\ssb\pcihost_wrapper.c(7): * Copyright (c) 2005 Danny van Dyk
<kugelfang@gentoo.org>
linux-3.10\drivers\ssb\pcihost_wrapper.c(8): * Copyright (c) 2005 Andreas Jaggi
<andreas.jaggi@waterwave.ch>
linux-3.10\drivers\ssb\pcihost_wrapper.c(9): * Copyright (c) 2005-2007 Michael
Buesch <m@bues.ch>
linux-3.10\drivers\ssb\pcmcia.c(5): * Copyright 2006 Johannes Berg

legal(ME)

<johannes@sipsolutions.net>
linux-3.10\drivers\ssb\pcmcia.c(6): * Copyright 2007-2008 Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\scan.c(10): * Copyright (C) 2006 Broadcom Corporation.
linux-3.10\drivers\ssb\scan.c(5): * Copyright (C) 2005-2007 Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\scan.c(6): * Copyright (C) 2005 Martin Langer
<martin-langer@gmx.de>
linux-3.10\drivers\ssb\scan.c(7): * Copyright (C) 2005 Stefano Brivio
<st3@riseup.net>
linux-3.10\drivers\ssb\scan.c(8): * Copyright (C) 2005 Danny van Dyk
<kugelfang@gentoo.org>
linux-3.10\drivers\ssb\scan.c(9): * Copyright (C) 2005 Andreas Jaggi
<andreas.jaggi@waterwave.ch>
linux-3.10\drivers\ssb\sdio.c(5): * Copyright 2009 Albert Herranz
<albert_herranz@yahoo.es>
linux-3.10\drivers\ssb\sdio.c(8): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\drivers\ssb\sdio.c(9): * Copyright 2007-2008 Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\sprom.c(5): * Copyright (C) 2005-2008 Michael Buesch
<m@bues.ch>
linux-3.10\drivers\ssb\sprom.c(6): * Copyright (C) 2005 Martin Langer
<martin-langer@gmx.de>
linux-3.10\drivers\ssb\sprom.c(7): * Copyright (C) 2005 Stefano Brivio
<st3@riseup.net>
linux-3.10\drivers\ssb\sprom.c(8): * Copyright (C) 2005 Danny van Dyk
<kugelfang@gentoo.org>
linux-3.10\drivers\ssb\sprom.c(9): * Copyright (C) 2005 Andreas Jaggi
<andreas.jaggi@waterwave.ch>
linux-3.10\drivers\ssbi\ssbi.c(1):/* Copyright (c) 2009-2013, The Linux
Foundation. All rights reserved.
linux-3.10\drivers\ssbi\ssbi.c(2): * Copyright (c) 2010, Google Inc.
linux-3.10\drivers\staging\android\alarm-dev.c(3): * Copyright (C) 2007-2009
Google, Inc.
linux-3.10\drivers\staging\android\android_alarm.h(3): * Copyright (C) 2006-2007
Google, Inc.
linux-3.10\drivers\staging\android\ashmem.c(5): * Copyright (C) 2008 Google, Inc.
linux-3.10\drivers\staging\android\ashmem.h(4): * Copyright 2008 Google Inc.
linux-3.10\drivers\staging\android\binder.c(5): * Copyright (C) 2007-2008 Google,
Inc.
linux-3.10\drivers\staging\android\binder.h(2): * Copyright (C) 2008 Google, Inc.
linux-3.10\drivers\staging\android\binder.h(7): * Copyright (c) 2005 Palmsource,
Inc.
linux-3.10\drivers\staging\android\binder_trace.h(2): * Copyright (C) 2012
Google, Inc.
linux-3.10\drivers\staging\android\logger.c(6): * Copyright (C) 2007-2008 Google,
Inc.
linux-3.10\drivers\staging\android\logger.h(3): * Copyright (C) 2007-2008 Google,
Inc.
linux-3.10\drivers\staging\android\lowmemorykiller.c(20): * Copyright (C)
2007-2008 Google, Inc.

legal(ME)

linux-3.10\drivers\staging\android\ram_console.h(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\staging\android\sw_sync.c(4): * Copyright (C) 2012 Google, Inc.
linux-3.10\drivers\staging\android\sw_sync.h(4): * Copyright (C) 2012 Google, Inc.
linux-3.10\drivers\staging\android\sync.c(4): * Copyright (C) 2012 Google, Inc.
linux-3.10\drivers\staging\android\sync.h(4): * Copyright (C) 2012 Google, Inc.
linux-3.10\drivers\staging\android\timed_gpio.c(3): * Copyright (C) 2008 Google, Inc.
linux-3.10\drivers\staging\android\timed_gpio.h(3): * Copyright (C) 2008 Google, Inc.
linux-3.10\drivers\staging\android\timed_output.c(3): * Copyright (C) 2009 Google, Inc.
linux-3.10\drivers\staging\android\timed_output.h(3): * Copyright (C) 2008 Google, Inc.
linux-3.10\drivers\staging\asus_oled\asus_oled.c(4): *Copyright (C) 2007,2008 Jakub Schmidtke (sjakub@gmail.com)
linux-3.10\drivers\staging\bcm\headers.h(73):#define DRV_COPYRIGHTCopyright 2010. Beceem Communications Inc
linux-3.10\drivers\staging\bcm\HostMIBSInterface.h(5): * Copyright (c) 2007 Beceem Communications Pvt. Ltd
linux-3.10\drivers\staging\bcm\InterfaceInit.c(671):pr_info("%s\n", DRV_COPYRIGHT);
linux-3.10\drivers\staging\bcm\nvm.h(3): * Copyright (c) Beceem Communications Inc.
linux-3.10\drivers\staging\bcm\sort.c(11): * Copyright (c) 2007 Beceem Communications Pvt. Ltd
linux-3.10\drivers\staging\bcm\Version.h(2):/*Copyright (c) 2005 Beceem Communications Inc.
linux-3.10\drivers\staging\ced1401\ced_ioc.c(3): Copyright (C) 2010 Cambridge Electronic Design Ltd
linux-3.10\drivers\staging\ced1401\ced_ioctl.h(3): * Copyright (C) 2010 Cambridge Electronic Design Ltd
linux-3.10\drivers\staging\ced1401\machine.h(5):** Copyright (c) Cambridge Electronic Design Limited 1991,1992,2010
linux-3.10\drivers\staging\ced1401\usb1401.c(3): Copyright (C) 2001-2004 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\staging\ced1401\usb1401.c(4): Copyright (C) 2012 Alois Schloegl <aloes.schloegl@ist.ac.at>
linux-3.10\drivers\staging\ced1401\usb1401.c(9): Copyright (C) 2010 Cambridge Electronic Design Ltd
linux-3.10\drivers\staging\ced1401\usb1401.h(3): Copyright (C) 2010 Cambridge Electronic Design Ltd
linux-3.10\drivers\staging\ced1401\use14_ioc.h(3):** Copyright (C) Cambridge Electronic Design Limited 2010
linux-3.10\drivers\staging\ced1401\use1401.h(3):** Copyright (C) Cambridge Electronic Design Ltd, 1992-2010
linux-3.10\drivers\staging\ced1401\userspace\use1401.c(3):** Copyright (C) Cambridge Electronic Design Ltd, 1992-2010
linux-3.10\drivers\staging\comedi\comedi.h(6):Copyright (C) 1998-2001 David A. Schleef <ds@schleef.org>

legal(ME)

linux-3.10\drivers\staging\comedi\comedi_buf.c(5): * Copyright (C) 1997-2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\comedi_compat32.c(6): Copyright (C) 2007 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\comedi_compat32.c(9): Copyright (C) 1997-2007 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\comedi_compat32.h(6): Copyright (C) 2007 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\comedi_compat32.h(9): Copyright (C) 1997-2007 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\comedi_fops.c(6): Copyright (C) 1997-2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\comedi_pci.c(6): * Copyright (C) 1997-2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\comedi_pcmcia.c(6): * Copyright (C) 1997-2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\comedi_usb.c(6): * Copyright (C) 1997-2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\comedidev.h(6): Copyright (C) 1997-2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\comedilib.h(6): Copyright (C) 1998-2001 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers.c(6): Copyright (C) 1997-2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\8253.h(6): Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\8255.c(6): Copyright (C) 1998 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\8255.h(6): Copyright (C) 1998 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\8255_pci.c(11): * Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\8255_pci.c(3): * Copyright (C) 2012 H Hartley Sweeten <hsweeten@visionengravers.com>
linux-3.10\drivers\staging\comedi\drivers\addi_apci_1032.c(3): * Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi_apci_1516.c(3): * Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi_apci_16xx.c(3): * Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi_apci_2032.c(3): * Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi_apci_2200.c(3): * Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi_apci_3501.c(3): * Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi_watchdog.c(3): * Copyright (c) 2013 H Hartley Sweeten <hsweeten@visionengravers.com>
linux-3.10\drivers\staging\comedi\drivers\addi_watchdog.c(8): * Copyright (C) 1998 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\addi-data\addi_common.c(4): Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.

legal(ME)

linux-3.10\drivers\staging\comedi\drivers\addi-data\addi_common.h(2): *Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\addi_eeprom.c(3): * Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_82x54.c(2): *Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_Chrono.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_Dig_io.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_INCCPT.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_Inp_cpt.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_Pwm.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_Ssi.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_Tor.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\APCI1710_Ttl.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\hwdrv_apci035.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\hwdrv_apci1500.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\hwdrv_apci1564.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\hwdrv_APCI1710.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\hwdrv_apci3120.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\hwdrv_apci3200.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\addi-data\hwdrv_apci3xxx.c(4):Copyright (C) 2004,2005ADDI-DATA GmbH for the source code of this module.
linux-3.10\drivers\staging\comedi\drivers\adl_pci6208.c(12):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\adl_pci7x3x.c(11): * Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\adl_pci7x3x.c(3): * Copyright (C) 2012 H Hartley Sweeten <hsweeten@visionengravers.com>
linux-3.10\drivers\staging\comedi\drivers\adl_pci8164.c(5): * Copyright (C) 2004 Michel Lachine <mike@mikelachaine.ca>
linux-3.10\drivers\staging\comedi\drivers\adl_pci9111.c(9):Copyright (C) 2002-2005 Emmanuel Pacaud <emmanuel.pacaud@univ-poitiers.fr>
linux-3.10\drivers\staging\comedi\drivers\adq12b.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\adv_pci1723.c(5): Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\adv_pci1724.c(6):Copyright (C) 2013 GnuBIO Inc

legal(ME)

linux-3.10\drivers\staging\comedi\drivers\adv_pci1724.c(9):Copyright (C) 1997-8 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\aiio_aio12_8.c(6):Copyright (C) 2006 C&C Technologies, Inc.
linux-3.10\drivers\staging\comedi\drivers\aiio_iio_16.c(6):Copyright (C) 2006 C&C Technologies, Inc.
linux-3.10\drivers\staging\comedi\drivers\amplc_dio200.c(6):Copyright (C) 2005-2013 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\amplc_dio200.c(9):Copyright (C) 1998,2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\amplc_dio200.h(10):Copyright (C) 1998,2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\amplc_dio200.h(7):Copyright (C) 2005-2013 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\amplc_dio200_common.c(6):Copyright (C) 2005-2013 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\amplc_dio200_common.c(9):Copyright (C) 1998,2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\amplc_dio200_pci.c(5):Copyright (C) 2005-2013 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\amplc_dio200_pci.c(8):Copyright (C) 1998,2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\amplc_pc236.c(5):Copyright (C) 2002 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\amplc_pc236.c(8):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\amplc_pc263.c(5):Copyright (C) 2002 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\amplc_pc263.c(8):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\amplc_pci224.c(5):Copyright (C) 2005 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\amplc_pci224.c(8):Copyright (C) 1998,2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\amplc_pci230.c(5):Copyright (C) 2001 Allan Willcox <allanwillcox@ozemail.com.au>
linux-3.10\drivers\staging\comedi\drivers\amplc_pci230.c(8):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\amplc_pci263.c(5):Copyright (C) 2002 MEV Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\amplc_pci263.c(8):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\c6xdigio.c(8): Copyright (C) 1999 Dan Block
linux-3.10\drivers\staging\comedi\drivers\cb_das16_cs.c(27):are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\staging\comedi\drivers\cb_das16_cs.c(6):Copyright (C) 2000, 2001, 2002 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\cb_pcidas.c(11):Copyright (C) 1997-8 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\cb_pcidas.c(7):Copyright (C) 2001-2003 Ivan Martinez <imr@oersted.dtu.dk>

legal(ME)

linux-3.10\drivers\staging\comedi\drivers\cb_pcidas.c(8):Copyright (C) 2001,2002 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\cb_pcidas64.c(20):Copyright (C) 1997-8 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\cb_pcidas64.c(7):Copyright (C) 2001, 2002 Frank Mori Hess
linux-3.10\drivers\staging\comedi\drivers\cb_pcidda.c(5): * Copyright (C) 2001 Ivan Martinez <ivanmr@altavista.com>
linux-3.10\drivers\staging\comedi\drivers\cb_pcidda.c(6): * Copyright (C) 2001 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\cb_pcidda.c(9): * Copyright (C) 1997-8 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\cb_pcmidas.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\cb_pcmidda.c(7):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\comedi_bond.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\comedi_bond.c(7):Copyright (C) 2005 Calin A. Culianu <calin@ajvar.org>
linux-3.10\drivers\staging\comedi\drivers\comedi_fc.c(9):Copyright (C) 2002 Frank Mori Hess
linux-3.10\drivers\staging\comedi\drivers\comedi_fc.h(9):Copyright (C) 2002 Frank Mori Hess
linux-3.10\drivers\staging\comedi\drivers\comedi_parport.c(6):Copyright (C) 1998,2001 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\comedi_test.c(10):Copyright (C) 2002 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\comedi_test.c(13):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\comedi_test.c(9):Copyright (C) 2002 Joachim Wuttke <Joachim.Wuttke@icn.siemens.de>
linux-3.10\drivers\staging\comedi\drivers\contec_pci_dio.c(5):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\daqboard2000.c(6): Copyright (C) 1999 Anders Blomdell <anders.blomdell@control.lth.se>
linux-3.10\drivers\staging\comedi\drivers\das08.c(6): *Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\das08.c(7): *Copyright (C) 2001,2002,2003 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das08.c(8): *Copyright (C) 2004 Salvador E. Tropea <set@users.sf.net> <set@ieee.org>
linux-3.10\drivers\staging\comedi\drivers\das08.h(6):Copyright (C) 2003 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das08_cs.c(28):are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\staging\comedi\drivers\das08_cs.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\das08_cs.c(7):Copyright (C) 2001,2002,2003 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das08_isa.c(6): *Copyright (C) 2000 David A. Schleef <ds@schleef.org>

legal(ME)

linux-3.10\drivers\staging\comedi\drivers\das08_isa.c(7): *Copyright (C) 2001,2002,2003 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das08_isa.c(8): *Copyright (C) 2004 Salvador E. Tropea <set@users.sf.net> <set@ieee.org>
linux-3.10\drivers\staging\comedi\drivers\das08_pci.c(6): *Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\das08_pci.c(7): *Copyright (C) 2001,2002,2003 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das08_pci.c(8): *Copyright (C) 2004 Salvador E. Tropea <set@users.sf.net> <set@ieee.org>
linux-3.10\drivers\staging\comedi\drivers\das16.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\das16.c(7):Copyright (C) 2000 Chris R. Baugher <baugher@enteract.com>
linux-3.10\drivers\staging\comedi\drivers\das16.c(8):Copyright (C) 2001,2002 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das16m1.c(6):Copyright (C) 2001 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das16m1.c(9):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\das1800.c(4):Copyright (C) 2000 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das1800.c(7):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\das6402.c(14): Copyright (C) 1999 Oystein Svendsen <svendsen@pvv.org>
linux-3.10\drivers\staging\comedi\drivers\das800.c(4):Copyright (C) 2000 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\das800.c(7):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\dmm32at.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\dt2814.c(6):Copyright (C) 1998 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\dt2815.c(6): Copyright (C) 1999 Anders Blomdell <anders.blomdell@control.lth.se>
linux-3.10\drivers\staging\comedi\drivers\dt2817.c(6):Copyright (C) 1998 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\dt282x.c(6): Copyright (C) 1997-8 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\dt3000.c(6):Copyright (C) 1999 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\dt9812.c(5): * Copyright (C) 2005 Anders Blomdell <anders.blomdell@control.lth.se>
linux-3.10\drivers\staging\comedi\drivers\dyna_pci10xx.c(3): * Copyright (C) 2011 Prashant Shah, pshah.mumbai@gmail.com
linux-3.10\drivers\staging\comedi\drivers\gsc_hpdi.c(10):Copyright (C) 1997-8 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\gsc_hpdi.c(7):Copyright (C) 2003 Coherent Imaging Systems
linux-3.10\drivers\staging\comedi\drivers\icp_multi.c(5):Copyright (C) 1997-2002 David A. Schleef <ds@schleef.org>

legal(ME)

linux-3.10\drivers\staging\comedi\drivers\ii_pci20kc.c(6): *Copyright (C) 2000
Markus Kempf <kempf@matsci.uni-sb.de>
linux-3.10\drivers\staging\comedi\drivers\jr3_pci.c(6):Copyright (C) 2007 Anders
Blomdell <anders.blomdell@control.lth.se>
linux-3.10\drivers\staging\comedi\drivers\jr3_pci.h(274):/*copyright notice. */
linux-3.10\drivers\staging\comedi\drivers\ke_counter.c(6):Copyright (C) 2000
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\me_daq.c(6): * Copyright (C) 2002
Michael Hillmann <hillmann@syscongroup.de>
linux-3.10\drivers\staging\comedi\drivers\me4000.c(6): Copyright (C) 2000 David
A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\mite.c(6):Copyright (C) 1997-2002 David
A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\mite.h(6):Copyright (C) 1999 David A.
Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\mpc624.c(6):Copyright (C) 2000 David A.
Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\multiq3.c(6): Copyright (C) 1999 Anders
Blomdell <anders.blomdell@control.lth.se>
linux-3.10\drivers\staging\comedi\drivers\ni_6527.c(6):Copyright (C)
1999,2002,2003 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_65xx.c(5):Copyright (C) 2006 Jon
Grierson <jd@renko.co.uk>
linux-3.10\drivers\staging\comedi\drivers\ni_65xx.c(6):Copyright (C) 2006 Frank
Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\ni_65xx.c(9):Copyright (C)
1999,2002,2003 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_670x.c(6):Copyright (C) 1997-2001
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_at_a2150.c(4):Copyright (C) 2001,
2002 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\ni_at_a2150.c(7):Copyright (C) 2000
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_at_ao.c(6):Copyright (C) 2000,2002
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_atmio.c(6):Copyright (C) 1997-2001
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_atmio16d.c(4): Copyright (C) 2000
Chris R. Baugher <baugher@enteract.com>
linux-3.10\drivers\staging\comedi\drivers\ni_daq_700.c(7): * Copyright (C) 1998
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_daq_dio24.c(10):are Copyright (C)
1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\staging\comedi\drivers\ni_daq_dio24.c(4):Copyright (C) 2002
Daniel Vecino Castel <dvecino@able.es>
linux-3.10\drivers\staging\comedi\drivers\ni_labpc.c(4): * Copyright (C)
2001-2003 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\ni_labpc.h(6):Copyright (C) 2003 Frank
Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\ni_labpc_cs.c(10):are Copyright (C)
1999 David A. Hinds.
linux-3.10\drivers\staging\comedi\drivers\ni_labpc_cs.c(4):Copyright (C) 2001,

legal(ME)

2002, 2003 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\ni_labpc_pci.c(4): * Copyright (C)
2001, 2002, 2003 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\ni_mio_common.c(6):Copyright (C)
1997-2001 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_mio_common.c(7):Copyright (C)
2002-2006 Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\ni_mio_cs.c(6):Copyright (C) 1997-2000
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_pcidio.c(6):Copyright (C) 1999,2002
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_pcimio.c(6):Copyright (C) 1997-8
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_stc.h(6):Copyright (C) 1998-9 David
A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ni_tio.c(5):Copyright (C) 2006 Frank
Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\ni_tiocmd.c(5):Copyright (C) 2006 Frank
Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\pcl711.c(7): Copyright (C) 1998 David
A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\pcl726.c(12):Copyright (C) 1998 David
A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\pcmad.c(6):Copyright (C) 2000,2001
David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\pcmda12.c(6):Copyright (C) 2006 Calin
A. Culianu <calin@ajvar.org>
linux-3.10\drivers\staging\comedi\drivers\pcmmio.c(6):Copyright (C) 2007 Calin A.
Culianu <calin@ajvar.org>
linux-3.10\drivers\staging\comedi\drivers\pcmuio.c(6):Copyright (C) 2006 Calin A.
Culianu <calin@ajvar.org>
linux-3.10\drivers\staging\comedi\drivers\plx9052.h(5):Copyright (C) 2002 MEV
Ltd. <<http://www.mev.co.uk/>>
linux-3.10\drivers\staging\comedi\drivers\plx9052.h(8):Copyright (C) 2000 David
A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\plx9080.h(16): * Copyright (C) 1999 RG
Studio s.c.
linux-3.10\drivers\staging\comedi\drivers\plx9080.h(3): * Copyright (C) 2002,2003
Frank Mori Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\poc.c(4):Copyright (C) 2000 Frank Mori
Hess <fmhess@users.sourceforge.net>
linux-3.10\drivers\staging\comedi\drivers\poc.c(5):Copyright (C) 2001 David A.
Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\quatech_daqp_cs.c(10):Copyright (C)
1998 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\quatech_daqp_cs.c(6):Copyright (C)
2000, 2003 Brent Baccala <baccala@freesoft.org>
linux-3.10\drivers\staging\comedi\drivers\rtd520.c(6): * Copyright (C) 2001 David
A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\rtd800.c(6): * Copyright (C) 1998 David
A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\rtd802.c(6): Copyright (C) 1999 Anders

legal(ME)

Blomdell <anders.blomdell@control.lth.se>
linux-3.10\drivers\staging\comedi\drivers\s526.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\s626.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\s626.c(9):Copyright (C) 2002-2004 Sensoray Co., Inc.
linux-3.10\drivers\staging\comedi\drivers\s626.h(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\s626.h(9):Copyright (C) 2002-2004 Sensoray Co., Inc.
linux-3.10\drivers\staging\comedi\drivers\serial2002.c(6):Copyright (C) 2002 Anders Blomdell <anders.blomdell@control.lth.se>
linux-3.10\drivers\staging\comedi\drivers\skel.c(6):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\ssv_dnp.c(4):Copyright (C) 2001 Robert Schwebel <robert@schwebel.de>
linux-3.10\drivers\staging\comedi\drivers\ssv_dnp.c(7):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\drivers\unioxx5.c(6): *Copyright (C) 2006 Kruchinin Daniil (asgard) [asgard@etersoft.ru]*
linux-3.10\drivers\staging\comedi\drivers\unioxx5.c(9): *Copyright (C) 1998,2000 David A. Schleef <ds@schleef.org>*
linux-3.10\drivers\staging\comedi\drivers\usbdux.c(3): Copyright (C) 2003-2007 Bernd Porr, Bernd.Porr@f2s.com
linux-3.10\drivers\staging\comedi\drivers\usbduxfast.c(2): *Copyright (C) 2004 Bernd Porr, Bernd.Porr@f2s.com
linux-3.10\drivers\staging\comedi\drivers\usbduxsigma.c(3): Copyright (C) 2011 Bernd Porr, Bernd.Porr@f2s.com
linux-3.10\drivers\staging\comedi\drivers\vmk80xx.c(5):Copyright (C) 2009 Manuel Gebele <forensixs@gmx.de>, Germany
linux-3.10\drivers\staging\comedi\drivers\vmk80xx.c(8):Copyright (C) 2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\kcomedilib\kcomedilib_main.c(6):Copyright (C) 1997-2000 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\proc.c(6):Copyright (C) 1998 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\comedi\range.c(6):Copyright (C) 1997-8 David A. Schleef <ds@schleef.org>
linux-3.10\drivers\staging\cptm1217\clearpad_tm1217.c(5): * Copyright (C) 2008 Intel Corp
linux-3.10\drivers\staging\crystalhd\bc_dts_defs.h(2): * Copyright(c) 2006-2009 Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\bc_dts_glob_lnx.h(2): * Copyright(c) 2006-2009 Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\bcm_70012_regs.h(2): * Copyright (c) 1999-2009, Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_cmds.c(2): * Copyright (c) 2005-2009, Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_cmds.h(2): * Copyright (c) 2005-2009, Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_fw_if.h(2): * Copyright (c)

legal(ME)

2005-2009, Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_hw.c(2): * Copyright (c)
2005-2009, Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_hw.h(2): * Copyright (c)
2005-2009, Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_lnx.c(3): Copyright (c) 2005-2009,
Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_lnx.h(2): * Copyright (c)
2005-2009, Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_misc.c(2): * Copyright (c)
2005-2009, Broadcom Corporation.
linux-3.10\drivers\staging\crystalhd\crystalhd_misc.h(2): * Copyright (c)
2005-2009, Broadcom Corporation.
linux-3.10\drivers\staging\csr\bh.c(9): * Copyright (C) 2005-2009 by Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\csr_wifi_router_transport.c(4): * Copyright (C)
Cambridge Silicon Radio Ltd 2006-2010. All rights reserved.
linux-3.10\drivers\staging\csr\data_tx.c(8): * Copyright (C) 2007-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\drv.c(10): * Copyright (C) 2005-2009 by Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\firmware.c(12): * Copyright (C) 2005-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\inet.c(11): * Copyright (C) 2008-2009 Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\init_hw.c(9): * Copyright (C) 2009 by Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\io.c(26): * Copyright (C) 2006-2009 by Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\LICENSE.txt(13): copyright holders and the names of
any contributors shall not be used
linux-3.10\drivers\staging\csr\mlme.c(8): * Copyright (C) 2007-2008 by Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\monitor.c(5): * Copyright (C) 2006-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\netdev.c(10): * Copyright (C) 2005-2010 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\os.c(9): * Copyright (C) 2005-2009 by Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\putest.c(7): * Copyright (C) 2008-2009 by Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sdio_events.c(9): * Copyright (C) 2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sdio_mmc.c(8): * Copyright (C) 2008-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sdio_stubs.c(10): * Copyright (C) 2007-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sme_blocking.c(9): * Copyright (C) 2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sme_mgt.c(10): * Copyright (C) 2008-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sme_native.c(6): * Copyright (C) 2005-2009 by

legal(ME)

Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sme_sys.c(9): * Copyright (C) 2008-2011 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sme_userspace.c(9): * Copyright (C) 2008-2011 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sme_userspace.h(7): *Copyright (C) 2007-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\sme_wext.c(9): * Copyright (C) 2007-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\ul_int.c(8): * Copyright (C) 2006-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_clients.h(10): * Copyright (C) 2005-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_config.h(10): * Copyright (C) 2006-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_dbg.c(8): * Copyright (C) 2007-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_event.c(9): * Copyright (C) 2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_native.h(10): * Copyright (C) 2005-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_os.h(10): * Copyright (C) 2005-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_pdu_processing.c(9): * Copyright (C) 2010 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_priv.h(10): * Copyright (C) 2005-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_sme.c(7): *Copyright (C) 2007-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_sme.h(7): *Copyright (C) 2007-2011 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifi_wext.h(8): * Copyright (C) 2005-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\unifiio.h(11): * Copyright (C) 2005-2009 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\csr\wext_events.c(8): * Copyright (C) 2006-2008 by
Cambridge Silicon Radio Ltd.
linux-3.10\drivers\staging\cxt1e1\comet.c(1):/* Copyright (C) 2003-2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\comet.h(7): * Copyright (C) 2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\comet_tables.c(4): * Copyright (C)
2003-2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\comet_tables.h(7): * Copyright (C) 2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\functions.c(1):/* Copyright (C) 2003-2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\hwprobe.c(1):/* Copyright (C) 2007One Stop
Systems
linux-3.10\drivers\staging\cxt1e1\hwprobe.c(2): * Copyright (C) 2003-2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\libsbe.h(9): * Copyright (C) 2004-2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\linux.c(1):/* Copyright (C) 2007-2008One Stop

legal(ME)

Systems

linux-3.10\drivers\staging\cxt1e1\linux.c(2): * Copyright (C) 2003-2006SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\musycc.c(7): * Copyright (C) 2007One Stop
Systems, Inc.
linux-3.10\drivers\staging\cxt1e1\musycc.c(8): * Copyright (C) 2003-2006SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\musycc.h(8): * Copyright (C) 2002-2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\ossiRelease.c(27):char pmcc4_OSSI_release[] =
"\$Release: PMCC4_3_1B,Copyright (c) 2008 One Stop Systems\$";
linux-3.10\drivers\staging\cxt1e1\ossiRelease.c(9): * Copyright (C) 2002-2008One
Stop Systems, Inc.
linux-3.10\drivers\staging\cxt1e1\pmc93x6_eeprom.c(11): * Copyright (C)
2003-2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\pmc93x6_eeprom.h(7): * Copyright (C)
2002-2004SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\pmcc4.h(7): * Copyright (C) 2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\pmcc4_cpld.h(7): * Copyright (C) 2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\pmcc4_defs.h(9): * Copyright (C) 2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\pmcc4_drv.c(4): * Copyright (C) 2007One Stop
Systems, Inc.
linux-3.10\drivers\staging\cxt1e1\pmcc4_drv.c(5): * Copyright (C) 2002-2006SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\pmcc4_ioctls.h(7): * Copyright (C) 2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\pmcc4_private.h(7): * Copyright (C) 2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\pmcc4_sysdep.h(7): * Copyright (C) 2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\sbe_bid.h(7): * Copyright (C) 2004-2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\sbe_promformat.h(7): * Copyright (C)
2002-2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\sbecom_inline_linux.h(7): * Copyright (C)
2007One Stop Systems, Inc.
linux-3.10\drivers\staging\cxt1e1\sbecom_inline_linux.h(8): * Copyright (C)
2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\sbecrc.c(5): * Copyright (C) 2002-2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\sbeid.c(1):/* Copyright (C) 2005SBE, Inc.
linux-3.10\drivers\staging\cxt1e1\sbeproc.c(1):/* Copyright (C) 2004-2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\sbeproc.h(7): * Copyright (C) 2004-2005SBE,
Inc.
linux-3.10\drivers\staging\cxt1e1\sbew_ioc.h(7): * Copyright (C) 2002-2005SBE,
Inc.
linux-3.10\drivers\staging\dgrp\dgrp_common.c(3): * Copyright 1999 Digi
International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_common.h(3): * Copyright 1999 Digi
International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_dpa_ops.c(3): * Copyright 1999 Digi
International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_driver.c(3): * Copyright 1999-2003 Digi
International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_mon_ops.c(3): * Copyright 1999 Digi

legal(ME)

International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_net_ops.c(3): * Copyright 1999 Digi International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_ports_ops.c(3): * Copyright 1999-2000 Digi International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_specproc.c(3): * Copyright 1999 Digi International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_sysfs.c(2): * Copyright 2004 Digi International (www.digi.com)
linux-3.10\drivers\staging\dgrp\dgrp_tty.c(3): * Copyright 1999 Digi International (www.digi.com)
linux-3.10\drivers\staging\dgrp\digirp.h(4): * Copyright (C) 1998, by Digi International. All Rights Reserved.
linux-3.10\drivers\staging\dgrp\drp.h(3): * Copyright 1999 Digi International (www.digi.com)
linux-3.10\drivers\staging\dwc2\core.c(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\core.c(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\core.h(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\core.h(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\core_intr.c(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\core_intr.c(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\hcd.c(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\hcd.c(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\hcd.h(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\hcd.h(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\hcd_ddma.c(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\hcd_ddma.c(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\hcd_intr.c(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\hcd_intr.c(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\hcd_queue.c(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\hcd_queue.c(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\hw.h(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\hw.h(4): * Copyright 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\pci.c(15): * 3. The names of the above-listed copyright holders may not be used

legal(ME)

linux-3.10\drivers\staging\dwc2\pci.c(4): * Copyright (C) 2004-2013 Synopsys, Inc.
linux-3.10\drivers\staging\dwc2\platform.c(15): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\staging\dwc2\platform.c(4): * Copyright (C) Matthijs Kooijman <matthijs@stdin.nl>
linux-3.10\drivers\staging\echo\echo.c(10): * Copyright (C) 2001, 2003 Steve Underwood, 2007 David Rowe
linux-3.10\drivers\staging\echo\echo.h(10): * Copyright (C) 2001 Steve Underwood and 2007 David Rowe
linux-3.10\drivers\staging\echo\fir.h(8): * Copyright (C) 2002 Steve Underwood
linux-3.10\drivers\staging\echo\oslec.h(8): * Copyright (C) 2001 Steve Underwood and 2007-2008 David Rowe
linux-3.10\drivers\staging\et131x\et131x.c(19): * Copyright ㄣ 2005 Agere Systems Inc.
linux-3.10\drivers\staging\et131x\et131x.c(4): * Copyright ㄣ 2005 Agere Systems Inc.
linux-3.10\drivers\staging\et131x\et131x.c(8): * Copyright (c) 2011 Mark Einon <mark.einon@gmail.com>
linux-3.10\drivers\staging\et131x\et131x.h(13): * Copyright ㄣ 2005 Agere Systems Inc.
linux-3.10\drivers\staging\et131x\et131x.h(2): * Copyright ㄣ 2005 Agere Systems Inc.
linux-3.10\drivers\staging\frontier\alphatrack.c(12): * Copyright (C) 2003 David Glance <advidgsf@sourceforge.net>
linux-3.10\drivers\staging\frontier\alphatrack.c(4): * Copyright (C) 2007 Michael Taht (m@taht.net)
linux-3.10\drivers\staging\frontier\alphatrack.c(8): * Copyright (C) 2004 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\staging\frontier\alphatrack.c(9): * Copyright (C) 2005 Michael Hund <mhund@ld-didactic.de>
linux-3.10\drivers\staging\frontier\tranzport.c(12): * Copyright (C) 2003 David Glance <advidgsf@sourceforge.net>
linux-3.10\drivers\staging\frontier\tranzport.c(4): * Copyright (C) 2007 Michael Taht (m@taht.net)
linux-3.10\drivers\staging\frontier\tranzport.c(8): * Copyright (C) 2004 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\staging\frontier\tranzport.c(9): * Copyright (C) 2005 Michael Hund <mhund@ld-didactic.de>
linux-3.10\drivers\staging\ft1000\ft1000.h(4): * Originally copyright (c) 2002 Flarion Technologies
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\boot.h(4):// Copyright (C) 2002 Flarion Technologies, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000.h(4): Copyright (C) 2002 Flarion Technologies, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_cs.c(4): Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_cs.c(5): Copyright (C) 2002 Flarion Technologies, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_cs.c(6): Copyright (C) 2006 Patrik Ostrihon, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_cs.c(7): Copyright (C)

legal(ME)

2006 ProWeb Consulting, a.s, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_dnld.c(4): Copyright (C)
2002 Flarion Technologies, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_hw.c(4): Copyright (C)
2002 Flarion Technologies, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_hw.c(5): Copyright (C)
2006 Patrik Ostrihon, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_hw.c(6): Copyright (C)
2006 ProWeb Consulting, a.s, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_proc.c(4): Copyright (C)
2006 Patrik Ostrihon, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-pcmcia\ft1000_proc.c(5): Copyright (C)
2006 ProWeb Consulting, a.s, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-usb\ft1000_debug.c(4):// Copyright (C)
2006 Flarion Technologies, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-usb\ft1000_download.c(2):// CopyRight
(C) 2007 Qualcomm Inc. All Rights Reserved.
linux-3.10\drivers\staging\ft1000\ft1000-usb\ft1000_hw.c(2):// CopyRight (C) 2007
Qualcomm Inc. All Rights Reserved.
linux-3.10\drivers\staging\ft1000\ft1000-usb\ft1000_ioctl.h(4):// Copyright (C)
2002 Flarion Technologies, All rights reserved.
linux-3.10\drivers\staging\ft1000\ft1000-usb\ft1000_proc.c(4): * Copyright(C)
2009-2010 Quintec
linux-3.10\drivers\staging\ft1000\ft1000-usb\ft1000_usb.c(2): * CopyRight (C)
2007 Qualcomm Inc. All Rights Reserved.
linux-3.10\drivers\staging\fwserial\dma_fifo.c(4): * Copyright (C) 2012 Peter
Hurley <peter@hurleysoftware.com>
linux-3.10\drivers\staging\fwserial\dma_fifo.h(4): * Copyright (C) 2012 Peter
Hurley <peter@hurleysoftware.com>
linux-3.10\drivers\staging\fwserial\fwserial.c(4): * Copyright (C) 2012 Peter
Hurley <peter@hurleysoftware.com>
linux-3.10\drivers\staging\gdm72xx\gdm_qos.c(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\gdm_qos.h(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\gdm_sdio.c(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\gdm_sdio.h(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\gdm_usb.c(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\gdm_usb.h(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\gdm_wimax.c(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\gdm_wimax.h(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\hci.h(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\netlink_k.c(2): * Copyright (c) 2012 GCT
Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\netlink_k.h(2): * Copyright (c) 2012 GCT

legal(ME)

Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\sdio_boot.c(2): * Copyright (c) 2012 GCT Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\sdio_boot.h(2): * Copyright (c) 2012 GCT Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\usb_boot.c(2): * Copyright (c) 2012 GCT Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\usb_boot.h(2): * Copyright (c) 2012 GCT Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\usb_ids.h(2): * Copyright (c) 2012 GCT Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\gdm72xx\wm_ioctl.h(2): * Copyright (c) 2012 GCT Semiconductor, Inc. All rights reserved.
linux-3.10\drivers\staging\goldfish\goldfish_audio.c(3): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\staging\goldfish\goldfish_audio.c(4): * Copyright (C) 2012 Intel, Inc.
linux-3.10\drivers\staging\goldfish\goldfish_nand.c(4): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\staging\goldfish\goldfish_nand.c(5): * Copyright (C) 2012 Intel, Inc.
linux-3.10\drivers\staging\goldfish\goldfish_nand.c(6): * Copyright (C) 2013 Intel, Inc.
linux-3.10\drivers\staging\goldfish\goldfish_nand_reg.h(3):** Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\staging\iio\accel\adis16201_core.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\accel\adis16203_core.c(4): * Copyright 2030 Analog Devices Inc.
linux-3.10\drivers\staging\iio\accel\adis16204_core.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\accel\adis16209_core.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\accel\adis16220_core.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\accel\adis16240_core.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\accel\lis3l02dq.h(5): * Copyright (c) 2007 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\staging\iio\accel\lis3l02dq_core.c(5): * Copyright (c) 2007 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\staging\iio\accel\sca3000.h(5): * Copyright (c) 2007 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\staging\iio\accel\sca3000_core.c(8): * Copyright (c) 2009 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\staging\iio\accel\sca3000_ring.c(8): * Copyright (c) 2009 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\staging\iio\adc\ad7192.c(4): * Copyright 2011-2012 Analog Devices Inc.
linux-3.10\drivers\staging\iio\adc\ad7192.h(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\staging\iio\adc\ad7280a.c(4): * Copyright 2011 Analog Devices

legal(ME)

Inc.

linux-3.10\drivers\staging\iio\adc\ad7280a.h(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7291.c(4): * Copyright 2010-2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7606.h(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7606_core.c(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7606_par.c(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7606_ring.c(2): * Copyright 2011-2012 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7606_spi.c(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7780.c(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7780.h(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad7816.c(4): * Copyright 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad799x.h(2): * Copyright (C) 2010-2011 Michael Hennerich, Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad799x.h(3): * Copyright (C) 2008-2010 Jonathan Cameron

linux-3.10\drivers\staging\iio\adc\ad799x_core.c(12): * Copyright (C) 2000 Russell King

linux-3.10\drivers\staging\iio\adc\ad799x_core.c(3): * Copyright (C) 2010-2011 Michael Hennerich, Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad799x_core.c(6): * Copyright (C) 2008-2010 Jonathan Cameron

linux-3.10\drivers\staging\iio\adc\ad799x_core.c(9): * Copyright (C) 2002-2004 Stefan Eletzhofer

linux-3.10\drivers\staging\iio\adc\ad799x_ring.c(2): * Copyright (C) 2010-2012 Michael Hennerich, Analog Devices Inc.

linux-3.10\drivers\staging\iio\adc\ad799x_ring.c(3): * Copyright (C) 2008-2010 Jonathan Cameron

linux-3.10\drivers\staging\iio\adc\lpc32xx_adc.c(6): * Copyright (C) 2011, 2012 Roland Stigge <stigge@antcom.de>

linux-3.10\drivers\staging\iio\adc\mxs-lradc.c(4): * Copyright (c) 2012 DENX Software Engineering, GmbH.

linux-3.10\drivers\staging\iio\adc\spear_adc.c(4): * Copyright 2012 Stefan Roes <sr@denx.de>

linux-3.10\drivers\staging\iio\addac\adt7316.c(5): * Copyright 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\addac\adt7316.h(4): * Copyright 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\addac\adt7316-i2c.c(5): * Copyright 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\addac\adt7316-spi.c(5): * Copyright 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\cdc\ad7150.c(4): * Copyright 2010-2011 Analog

legal(ME)

Devices Inc.

linux-3.10\drivers\staging\iio\cdc\ad7152.c(4): * Copyright 2010-2011a Analog Devices Inc.

linux-3.10\drivers\staging\iio\cdc\ad7746.c(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\cdc\ad7746.h(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\Documentation\generic_buffer.c(3): * Copyright (c) 2008 Jonathan Cameron

linux-3.10\drivers\staging\iio\Documentation\iio_event_monitor.c(3): * Copyright (c) 2011-2012 Lars-Peter Clausen <lars@metafoo.de>

linux-3.10\drivers\staging\iio\Documentation\iio_utils.h(3): * Copyright (c) 2008 Jonathan Cameron

linux-3.10\drivers\staging\iio\frequency\ad5930.c(4): * Copyright (c) 2010-2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\ad9832.c(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\ad9832.h(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\ad9834.c(4): * Copyright 2010-2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\ad9834.h(4): * Copyright 2010-2011 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\ad9850.c(4): * Copyright (c) 2010-2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\ad9852.c(4): * Copyright (c) 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\ad9910.c(4): * Copyright (c) 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\ad9951.c(4): * Copyright (c) 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\frequency\dds.h(4): * Copyright (c) 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\gyro\adis16060_core.c(4): * Copyright 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\gyro\adis16130_core.c(4): * Copyright 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\gyro\adis16260_core.c(4): * Copyright 2010 Analog Devices Inc.

linux-3.10\drivers\staging\iio\gyro\adis16260_platform_data.h(6): * Copyright (C) 2010 Fraunhofer Institute for Integrated Circuits

linux-3.10\drivers\staging\iio\iio_dummy_evgen.c(2): * Copyright (c) 2011 Jonathan Cameron

linux-3.10\drivers\staging\iio\iio_simple_dummy.c(2): * Copyright (c) 2011 Jonathan Cameron

linux-3.10\drivers\staging\iio\iio_simple_dummy.h(2): * Copyright (c) 2011 Jonathan Cameron

linux-3.10\drivers\staging\iio\iio_simple_dummy_buffer.c(2): * Copyright (c) 2011 Jonathan Cameron

linux-3.10\drivers\staging\iio\iio_simple_dummy_events.c(2): * Copyright (c) 2011 Jonathan Cameron

linux-3.10\drivers\staging\iio\impedance-analyzer\ad5933.c(4): * Copyright 2011

legal(ME)

Analog Devices Inc.
linux-3.10\drivers\staging\iio\impedance-analyzer\ad5933.h(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\staging\iio\light\isl29018.c(7): * Copyright (c) 2010, NVIDIA Corporation.
linux-3.10\drivers\staging\iio\light\isl29028.c(5): * Copyright (c) 2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\staging\iio\light\tsl2583.c(5): * Copyright (c) 2011, TAOS Corporation.
linux-3.10\drivers\staging\iio\light\tsl2x7x.h(5): * Copyright (c) 2012, TAOS Corporation.
linux-3.10\drivers\staging\iio\light\tsl2x7x_core.c(5): * Copyright (c) 2012, TAOS Corporation.
linux-3.10\drivers\staging\iio\magnetometer\hmc5843.c(1):/*Copyright (C) 2010 Texas Instruments
linux-3.10\drivers\staging\iio\meter\ade7753.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7754.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7758.h(4): * Copyright 2010-2011 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7758_core.c(4): * Copyright 2010-2011 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7758_ring.c(4): * Copyright 2010-2011 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7758_trigger.c(4): * Copyright 2010-2011 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7759.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7854.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7854-i2c.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\meter\ade7854-spi.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\resolver\ad2s1200.c(5): * Copyright (c) 2010-2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\resolver\ad2s1210.c(4): * Copyright (c) 2010-2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\resolver\ad2s1210.h(5): * Copyright (c) 2010-2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\resolver\ad2s90.c(4): * Copyright (c) 2010-2010 Analog Devices Inc.
linux-3.10\drivers\staging\iio\ring_hw.h(8): * Copyright (c) 2009 Jonathan Cameron <jic23@kernel.org>
linux-3.10\drivers\staging\iio\trigger\iio-trig-bfin-timer.c(2): * Copyright 2011 Analog Devices Inc.
linux-3.10\drivers\staging\iio\trigger\iio-trig-gpio.c(4): * Copyright (c) 2008 Jonathan Cameron
linux-3.10\drivers\staging\iio\trigger\iio-trig-periodic-rtc.c(3): * Copyright (c) 2008 Jonathan Cameron
linux-3.10\drivers\staging\iio\trigger\iio-trig-sysfs.c(2): * Copyright 2011

legal(ME)

Analog Devices Inc.

linux-3.10\drivers\staging\imx-drm\imx-drm-core.c(4): * Copyright (C) 2011 Sascha Hauer, Pengutronix

linux-3.10\drivers\staging\imx-drm\imx-fb.c(4): * Copyright (C) 2012 Sascha Hauer, Pengutronix

linux-3.10\drivers\staging\imx-drm\imx-fb.c(8): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

linux-3.10\drivers\staging\imx-drm\imx-fbdev.c(4): * Copyright (C) 2012 Sascha Hauer, Pengutronix

linux-3.10\drivers\staging\imx-drm\imx-fbdev.c(8): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

linux-3.10\drivers\staging\imx-drm\imx-tve.c(4): * Copyright (C) 2013 Philipp Zabel, Pengutronix

linux-3.10\drivers\staging\imx-drm\ipu-v3\imx-ipu-v3.h(2): * Copyright 2005-2009 Freescale Semiconductor, Inc.

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-common.c(2): * Copyright (c) 2010 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-common.c(3): * Copyright (C) 2005-2009 Freescale Semiconductor, Inc.

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-dc.c(2): * Copyright (c) 2010 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-dc.c(3): * Copyright (C) 2005-2009 Freescale Semiconductor, Inc.

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-di.c(2): * Copyright (c) 2010 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-di.c(3): * Copyright (C) 2005-2009 Freescale Semiconductor, Inc.

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-dmfc.c(2): * Copyright (c) 2010 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-dmfc.c(3): * Copyright (C) 2005-2009 Freescale Semiconductor, Inc.

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-dp.c(2): * Copyright (c) 2010 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-dp.c(3): * Copyright (C) 2005-2009 Freescale Semiconductor, Inc.

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-prv.h(2): * Copyright (c) 2010 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\drivers\staging\imx-drm\ipu-v3\ipu-prv.h(3): * Copyright (C) 2005-2009 Freescale Semiconductor, Inc.

linux-3.10\drivers\staging\imx-drm\ipuv3-crtc.c(4): * Copyright (C) 2011 Sascha Hauer, Pengutronix

linux-3.10\drivers\staging\imx-drm\parallel-display.c(4): * Copyright (C) 2012 Sascha Hauer, Pengutronix

linux-3.10\drivers\staging\line6\audio.c(4): * Copyright (C) 2004-2010 Markus Grabner (grabner@icg.tugraz.at)

linux-3.10\drivers\staging\line6\audio.h(4): * Copyright (C) 2004-2010 Markus Grabner (grabner@icg.tugraz.at)

linux-3.10\drivers\staging\line6\capture.c(4): * Copyright (C) 2004-2010 Markus Grabner (grabner@icg.tugraz.at)

linux-3.10\drivers\staging\line6\capture.h(4): * Copyright (C) 2004-2010 Markus Grabner (grabner@icg.tugraz.at)

linux-3.10\drivers\staging\line6\driver.c(4): * Copyright (C) 2004-2010 Markus

legal(ME)

Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\driver.h(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\midi.c(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\midi.h(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\midibuf.c(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\midibuf.h(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\pcm.c(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\pcm.h(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\playback.c(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\playback.h(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\pod.c(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\pod.h(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\podhd.c(4): * Copyright (C) 2011 Stefan Hajnoczi
<stefanha@gmail.com>
linux-3.10\drivers\staging\line6\podhd.h(4): * Copyright (C) 2011 Stefan Hajnoczi
<stefanha@gmail.com>
linux-3.10\drivers\staging\line6\toneport.c(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\toneport.h(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\usbdefs.h(4): * Copyright (C) 2005-2008 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\variax.c(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\line6\variax.h(4): * Copyright (C) 2004-2010 Markus
Grabner (grabner@icg.tugraz.at)
linux-3.10\drivers\staging\media\as102\as102_drv.c(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as102_drv.c(4): * Copyright (C) 2010 Devin
Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\staging\media\as102\as102_drv.h(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as102_fe.c(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as102_fe.c(4): * Copyright (C) 2010 Devin
Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\staging\media\as102\as102_fw.c(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as102_fw.c(4): * Copyright (C) 2010 Devin
Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\staging\media\as102\as102_fw.h(3): * Copyright (C) 2008

legal(ME)

Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as102_usb_drv.c(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as102_usb_drv.c(4): * Copyright (C) 2010
Devin Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\staging\media\as102\as102_usb_drv.h(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as102_usb_drv.h(4): * Copyright (C) 2010
Devin Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\staging\media\as102\as10x_cmd.c(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as10x_cmd.c(4): * Copyright (C) 2010 Devin
Heitmueller <dheitmueller@kernellabs.com>
linux-3.10\drivers\staging\media\as102\as10x_cmd.h(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as10x_cmd_cfg.c(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as10x_cmd_stream.c(3): * Copyright (C)
2008 Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as10x_handle.h(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\as102\as10x_types.h(3): * Copyright (C) 2008
Pierrick Hascoet <pierrick.hascoet@abilis.com>
linux-3.10\drivers\staging\media\cx2099\cx2099.c(4): * Copyright (C) 2010-2011
Digital Devices GmbH
linux-3.10\drivers\staging\media\cx2099\cx2099.h(4): * Copyright (C) 2010-2011
Digital Devices GmbH
linux-3.10\drivers\staging\media\davinci_vpfe\davinci_vpfe_user.h(2): * Copyright
(C) 2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\davinci_vpfe-mc.txt(3): Copyright
(C) 2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_ipipe.c(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_ipipe.h(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_ipipe_hw.c(2): * Copyright
(C) 2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_ipipe_hw.h(2): * Copyright
(C) 2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_ipipeif.c(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_ipipeif.h(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_ipipeif_user.h(2): *
Copyright (C) 2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_isif.c(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_isif.h(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_isif_regs.h(2): * Copyright
(C) 2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_resizer.c(2): * Copyright (C)

legal(ME)

2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\dm365_resizer.h(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\vpfe.h(2): * Copyright (C) 2012
Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\vpfe_mc_capture.c(2): * Copyright
(C) 2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\vpfe_mc_capture.h(2): * Copyright
(C) 2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\vpfe_video.c(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\davinci_vpfe\vpfe_video.h(2): * Copyright (C)
2012 Texas Instruments Inc
linux-3.10\drivers\staging\media\dt3155v41\dt3155v41.c(2): * Copyright (C)
2006-2010 by Marin Mitov*
linux-3.10\drivers\staging\media\dt3155v41\dt3155v41.h(2): * Copyright (C)
2006-2010 by Marin Mitov*
linux-3.10\drivers\staging\media\go7007\go7007.h(2): * Copyright (C) 2005-2006
Micronas USA Inc.
linux-3.10\drivers\staging\media\go7007\go7007-driver.c(2): * Copyright (C)
2005-2006 Micronas USA Inc.
linux-3.10\drivers\staging\media\go7007\go7007-fw.c(2): * Copyright (C) 2005-2006
Micronas USA Inc.
linux-3.10\drivers\staging\media\go7007\go7007-i2c.c(2): * Copyright (C)
2005-2006 Micronas USA Inc.
linux-3.10\drivers\staging\media\go7007\go7007-loader.c(2): * Copyright (C) 2008
Sensoray Company Inc.
linux-3.10\drivers\staging\media\go7007\go7007-priv.h(2): * Copyright (C)
2005-2006 Micronas USA Inc.
linux-3.10\drivers\staging\media\go7007\go7007-usb.c(2): * Copyright (C)
2005-2006 Micronas USA Inc.
linux-3.10\drivers\staging\media\go7007\go7007-v4l2.c(2): * Copyright (C)
2005-2006 Micronas USA Inc.
linux-3.10\drivers\staging\media\go7007\s2250-board.c(143):/* from go7007-usb.c
which is Copyright (C) 2005-2006 Micronas USA Inc.*/
linux-3.10\drivers\staging\media\go7007\s2250-board.c(162):/* end from
go7007-usb.c which is Copyright (C) 2005-2006 Micronas USA Inc.*/
linux-3.10\drivers\staging\media\go7007\s2250-board.c(2): * Copyright (C) 2008
Sensoray Company Inc.
linux-3.10\drivers\staging\media\go7007\saa7134-go7007.c(2): * Copyright (C)
2005-2006 Micronas USA Inc.
linux-3.10\drivers\staging\media\go7007\snd-go7007.c(2): * Copyright (C)
2005-2006 Micronas USA Inc.
linux-3.10\drivers\staging\media\lirc\lirc_igorplugusb.c(13): * Copyright (C)
2004 Jan M. Hochstein
linux-3.10\drivers\staging\media\lirc\lirc_imon.c(5): * Copyright(C) 2004Venky
Raju(dev@venky.ws)
linux-3.10\drivers\staging\media\lirc\lirc_imon.c(6): * Copyright(C) 2009Jarod
Wilson <jarod@wilsonet.com>
linux-3.10\drivers\staging\media\lirc\lirc_parallel.c(7): * Copyright (C) 1998
Christoph Bartelmus <lirc@bartelmus.de>
linux-3.10\drivers\staging\media\lirc\lirc_sasem.c(5): * Copyright (C) 2004-2005

legal(ME)

Oliver Stabel <oliver.stabel@gmx.de>
linux-3.10\drivers\staging\media\lirc\lirc_serial.c(10): * Copyright (C) 1999
Christoph Bartelmus <lirc@bartelmus.de>
linux-3.10\drivers\staging\media\lirc\lirc_serial.c(11): * Copyright (C) 2007
Andrei Tanas <andrei@tanasc.ca> (suspend/resume support)
linux-3.10\drivers\staging\media\lirc\lirc_serial.c(7): * Copyright (C) 1996,97
Ralph Metzler <rjkm@thp.uni-koeln.de>
linux-3.10\drivers\staging\media\lirc\lirc_serial.c(8): * Copyright (C) 1998
Trent Piepho <xyzyzy@u.washington.edu>
linux-3.10\drivers\staging\media\lirc\lirc_serial.c(9): * Copyright (C) 1998 Ben
Pfaff <blp@gnu.org>
linux-3.10\drivers\staging\media\lirc\lirc_zilog.c(24): * Copyright (C) 2011 Andy
Walls <awalls@md.metrocast.net>
linux-3.10\drivers\staging\media\lirc\lirc_zilog.c(4): * Copyright (c) 2000 Gerd
Knorr <kxaxel@golddbach.in-berlin.de>
linux-3.10\drivers\staging\media\solo6x10\solo6x10.h(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-core.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-disp.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-eeeprom.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-enc.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-g723.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-gpio.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-i2c.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-jpeg.h(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-offsets.h(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-p2m.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-regs.h(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-tw28.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-tw28.h(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-v4l2.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\media\solo6x10\solo6x10-v4l2-enc.c(2): * Copyright (C)
2010-2013 Bluecherry, LLC <<http://www.bluecherrydvr.com>>
linux-3.10\drivers\staging\netlogic\platform_net.c(2): * Copyright (c) 2003-2012
Broadcom Corporation
linux-3.10\drivers\staging\netlogic\platform_net.h(2): * Copyright (c) 2003-2012
Broadcom Corporation
linux-3.10\drivers\staging\netlogic\xlr_net.c(2): * Copyright (c) 2003-2012

legal(ME)

Broadcom Corporation

linux-3.10\drivers\staging\netlogic\xlr_net.h(2): * Copyright (c) 2003-2012

Broadcom Corporation

linux-3.10\drivers\staging\nvec\nvec.c(4): * Copyright (C) 2011 The AC100 Kernel Team <ac100@lists.launchpad.net>

linux-3.10\drivers\staging\nvec\nvec.h(4): * Copyright (C) 2011 The AC100 Kernel Team <ac100@lists.launchpad.net>

linux-3.10\drivers\staging\nvec\nvec_kbd.c(4): * Copyright (C) 2011 The AC100 Kernel Team <ac100@lists.launchpad.net>

linux-3.10\drivers\staging\nvec\nvec_paz00.c(4): * Copyright (C) 2011 The AC100 Kernel Team <ac100@lists.launchpad.net>

linux-3.10\drivers\staging\nvec\nvec_power.c(4): * Copyright (C) 2011 The AC100 Kernel Team <ac100@lists.launchpad.net>

linux-3.10\drivers\staging\nvec\nvec_ps2.c(4): * Copyright (C) 2011 The AC100 Kernel Team <ac100@lists.launchpad.net>

linux-3.10\drivers\staging\nvec\nvec-keytable.h(7): * Copyright (c) 2009, NVIDIA Corporation.

linux-3.10\drivers\staging\octeon\ethernet.c(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-defines.h(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-mdio.c(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-mdio.h(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-mem.c(7): * Copyright (c) 2003-2010 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-mem.h(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-rgmii.c(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-rx.c(7): * Copyright (c) 2003-2010 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-rx.h(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-sgmii.c(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-spi.c(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-tx.c(7): * Copyright (c) 2003-2010 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-tx.h(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-util.h(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\ethernet-xau.c(7): * Copyright (c) 2003-2007 Cavium Networks

linux-3.10\drivers\staging\octeon\Makefile(5):# Copyright (C) 2005-2009 Cavium Networks

linux-3.10\drivers\staging\octeon\octeon-ethernet.h(7): * Copyright (c) 2003-2010 Cavium Networks

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon.c(4): * Copyright 2006-2007 Red

legal(ME)

Hat, Inc.

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon.c(5): * Copyright ㄣ
2006-2007Advanced Micro Devices, Inc.

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon.c(6): * Copyright ㄣ 2009 VIA
Technology, Inc.

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon.c(7): * Copyright (c)
2010-2011Andres Salomon <dilinger@queued.net>

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon_xo_1.c(4): * Copyright ㄣ
2006-2007Red Hat, Inc.

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon_xo_1.c(5): * Copyright ㄣ
2006-2007Advanced Micro Devices, Inc.

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon_xo_1.c(6): * Copyright ㄣ 2009 VIA
Technology, Inc.

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon_xo_1.c(7): * Copyright (c)
2010Andres Salomon <dilinger@queued.net>

linux-3.10\drivers\staging\olpc_dcon\olpc_dcon_xo_1_5.c(2): * Copyright (c)
2009,2010 One Laptop per Child

linux-3.10\drivers\staging\ozwpan\Kbuild(2):# Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozappif.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozcdev.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozcdev.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozconfig.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozeltbuf.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozeltbuf.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozevent.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozevent.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozeventdef.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozhcd.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozhcd.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozmain.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozpd.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozpd.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozproto.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozproto.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozprotocol.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\oztrace.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\oztrace.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozurbparanoia.c(2): * Copyright (c) 2011 Ozmo
Inc

linux-3.10\drivers\staging\ozwpan\ozurbparanoia.h(5): * Copyright (c) 2011 Ozmo
Inc

linux-3.10\drivers\staging\ozwpan\ozusbif.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozusbsvc.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozusbsvc.h(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\ozwpan\ozusbsvc1.c(2): * Copyright (c) 2011 Ozmo Inc

linux-3.10\drivers\staging\panel\panel.c(3): * Copyright (C) 2000-2008, Willy
Tarreau <w@1wt.eu>

linux-3.10\drivers\staging\phison\phison.c(2): * Copyright (C) 2006Red Hat
<evan_ko@phison.com>

linux-3.10\drivers\staging\quickstart\quickstart.c(5): *Copyright (C) 2007-2010
Angelo Arrifano <miknix@gmail.com>

linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211.h(10): * Copyright (c)

legal(ME)

2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211.h(14): * Copyright (c)
2004, Intel Corporation
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211.h(3): * remains
copyright by the original authors
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211.h(8): * Copyright (c)
2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_crypt.c(4): * Copyright
(c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_crypt.c(5): * Portions
Copyright (C) 2004, Intel Corporation <jkretreno@linux.intel.com>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_crypt.h(12): * Copyright
(c) 2004, Intel Corporation
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_crypt.h(5): * Copyright
(c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_crypt.h(7): * Copyright
(c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_crypt_ccmp.c(4): *
Copyright (c) 2003-2004, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_crypt_tkip.c(4): *
Copyright (c) 2003-2004, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_crypt_wep.c(4): *
Copyright (c) 2002-2004, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_module.c(3):Copyright(c)
2004 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_module.c(58):MODULE_AUTH
OR("Copyright (C) 2004 Intel Corporation <jkretreno@linux.intel.com>");
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_module.c(7):Copyright
(c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_module.c(9):Copyright
(c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_rx.c(5): * Copyright (c)
2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_rx.c(7): * Copyright (c)
2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_rx.c(8): * Copyright (c)
2004, Intel Corporation
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_softmac.c(11): *
Copyright who own it's copyright.
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_softmac.c(2): *
Copyright (c) 2005 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_softmac.c(8): * stack.
Copyright who own it's copyright
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_softmac_wx.c(10): * PS
wx handler mostly stolen from hostap, copyright who
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_softmac_wx.c(11): * own
it's copyright ;-)
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_softmac_wx.c(2): *
Copyright (c) 2005 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_softmac_wx.c(8): *
copyright of who own it's copyright ;-)
linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_tx.c(3):Copyright(c)

legal(ME)

2003 - 2004 Intel Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_wx.c(3):Copyright(c)

2004 Intel Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_wx.c(7):Copyright (c)

2001-2002, SSH Communications Security Corp and Jouni Malinen

linux-3.10\drivers\staging\rtl8187se\ieee80211\ieee80211_wx.c(9):Copyright (c)

2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>

linux-3.10\drivers\staging\rtl8187se\r8180.h(3): Copyright (C) Andrea Merello

2004-2005<andreamrl@tiscali.it>

linux-3.10\drivers\staging\rtl8187se\r8180_93cx6.h(3):Copyright (C) Andrea

Merello 2004-2005<andreamrl@tiscali.it>

linux-3.10\drivers\staging\rtl8187se\r8180_core.c(3): Copyright (C) Andrea

Merello 2004-2005<andreamrl@tiscali.it>

linux-3.10\drivers\staging\rtl8187se\r8180_core.c(3349):pr_info("Copyright (c)

2004-2005, Andrea Merello\n");

linux-3.10\drivers\staging\rtl8187se\r8180_hw.h(3):Copyright (C) Andrea Merello

2004-2005<andreamrl@tiscali.it>

linux-3.10\drivers\staging\rtl8187se\r8180_rtl8225.h(4):Copyright (c) 2005 Andrea

Merello <andreamrl@tiscali.it>

linux-3.10\drivers\staging\rtl8187se\r8180_rtl8225z2.c(4): * Copyright (c) 2005

Andrea Merello <andreamrl@tiscali.it>

linux-3.10\drivers\staging\rtl8187se\r8180_wx.c(5):Copyright (C) Andrea Merello

2004-2005<andreamrl@tiscali.it>

linux-3.10\drivers\staging\rtl8187se\r8180_wx.h(3):Copyright (C) Andrea Merello

2004<andreamrl@tiscali.it>

linux-3.10\drivers\staging\rtl8187se\r8185b_init.c(2): * Copyright (c) Realtek
Semiconductor Corp. All rights reserved.

linux-3.10\drivers\staging\rtl8192e\dot11d.c(2): * Copyright(c) 2008 - 2010

Realtek Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8192e\dot11d.h(2): * Copyright(c) 2008 - 2010

Realtek Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8192e\license(10):Copyright (C) 1989, 1991 Free
Software Foundation, Inc.

linux-3.10\drivers\staging\rtl8192e\license(230): countries either by patents or
by copyrighted interfaces, the original

linux-3.10\drivers\staging\rtl8192e\license(294):Copyright (C) yyyyname of author

linux-3.10\drivers\staging\rtl8192e\license(315):Gnomovision version 69,

Copyright (C) year name of author Gnomovision comes

linux-3.10\drivers\staging\rtl8192e\license(329):Yoyodyne, Inc., hereby disclaims
all copyright interest in the program

linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8190P_def.h(2): * Copyright(c) 2008
- 2010 Realtek Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8190P_rtl8256.c(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8190P_rtl8256.h(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_cmdpkt.c(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_cmdpkt.h(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.

linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_dev.c(2): * Copyright(c) 2008
- 2010 Realtek Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_dev.c(5): * Copyright
2004-2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_dev.h(2): * Copyright(c) 2008
- 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_dev.h(5): * Copyright
2004-2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_firmware.c(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_firmware.h(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_hw.h(2): * Copyright(c) 2008
- 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_hwimg.c(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_hwimg.h(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_phy.c(2): * Copyright(c) 2008
- 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_phy.h(2): * Copyright(c) 2008
- 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\r8192E_phyreg.h(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_cam.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_cam.c(5): * Copyright 2004-2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_cam.h(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_cam.h(5): * Copyright 2004-2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_core.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_core.c(3091):printk(KERN_INFO
"Copyright (c) 2007-2008, Realsil Wlan Driver\n");
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_core.c(3127):MODULE_AUTHOR(DRV_C
OPYRIGHT " " DRV_AUTHOR);
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_core.c(5): * Copyright 2004-2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_core.h(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_core.h(68):Copyright(c) 2008 -
2010 Realsil Semiconductor Corporation
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_crypto.h(4): * Copyright (c)
2002 James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_crypto.h(5): * Copyright (c)
2002 David S. Miller (davem@redhat.com)
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_dm.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_dm.h(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_eeeprom.c(2): * Copyright(c) 2008
- 2010 Realtek Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_eeeprom.c(5): * Copyright
2004-2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_eeeprom.h(2): * Copyright(c) 2008
- 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_eeeprom.h(5): * Copyright
2004-2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_ethtool.c(2): * Copyright(c)
2008 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_ethtool.c(5): * Copyright
2004-2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_pci.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_pci.c(5): * Copyright 2004-2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_pci.h(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_pci.h(5): * Copyright 2004-2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_pm.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_pm.h(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_ps.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_ps.c(5): * Copyright 2004-2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_ps.h(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_ps.h(5): * Copyright 2004-2005
Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_wx.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl8192e\rtl_wx.h(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl819x_BA.h(2): * Copyright(c) 2008 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl819x_BAProc.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl819x_HT.h(2): * Copyright(c) 2008 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl819x_HTProc.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl819x_Qos.h(2): * Copyright(c) 2008 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl819x_TS.h(2): * Copyright(c) 2008 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtl819x_TSProc.c(2): * Copyright(c) 2008 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtllib.h(10): * Copyright (c) 2002-2003,
Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192e\rtllib.h(14): * Copyright (c) 2004, Intel
Corporation

legal(ME)

linux-3.10\drivers\staging\rtl8192e\rtllib.h(3): * remains copyright by the original authors
linux-3.10\drivers\staging\rtl8192e\rtllib.h(8): * Copyright (c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192e\rtllib_crypt.c(4): * Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192e\rtllib_crypt.c(5): * Portions Copyright (C) 2004, Intel Corporation <jketreno@linux.intel.com>
linux-3.10\drivers\staging\rtl8192e\rtllib_crypt.h(12): * Copyright (c) 2004, Intel Corporation
linux-3.10\drivers\staging\rtl8192e\rtllib_crypt.h(5): * Copyright (c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192e\rtllib_crypt.h(7): * Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192e\rtllib_crypt_ccmp.c(4): * Copyright (c) 2003-2004, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192e\rtllib_crypt_tkip.c(4): * Copyright (c) 2003-2004, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192e\rtllib_crypt_wep.c(4): * Copyright (c) 2002-2004, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192e\rtllib_debug.h(2): * Copyright(c) 2008 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtllib_debug.h(5): * Copyright 2004-2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192e\rtllib_module.c(3):Copyright(c) 2004 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtllib_module.c(7):Copyright (c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192e\rtllib_module.c(9):Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192e\rtllib_rx.c(5): * Copyright (c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192e\rtllib_rx.c(7): * Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192e\rtllib_rx.c(8): * Copyright (c) 2004, Intel Corporation
linux-3.10\drivers\staging\rtl8192e\rtllib_softmac.c(11): * Copyright who own it's copyright.
linux-3.10\drivers\staging\rtl8192e\rtllib_softmac.c(2): * Copyright (c) 2005 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192e\rtllib_softmac.c(8): * stack. Copyright who own it's copyright
linux-3.10\drivers\staging\rtl8192e\rtllib_softmac_wx.c(10): * PS wx handler mostly stolen from hostap, copyright who
linux-3.10\drivers\staging\rtl8192e\rtllib_softmac_wx.c(11): * own it's copyright ; -)
linux-3.10\drivers\staging\rtl8192e\rtllib_softmac_wx.c(2): * Copyright (c) 2005 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192e\rtllib_softmac_wx.c(8): * copyright of who own it's copyright ; -)
linux-3.10\drivers\staging\rtl8192e\rtllib_tx.c(3):Copyright(c) 2003 - 2004 Intel Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8192e\rtllib_wx.c(3):Copyright(c) 2004 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192e\rtllib_wx.c(7):Copyright (c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192e\rtllib_wx.c(9):Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\copying(316):Gnomovision version 69, Copyright (C) yearname of author
linux-3.10\drivers\staging\rtl8192u\copying(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
linux-3.10\drivers\staging\rtl8192u\copying(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
linux-3.10\drivers\staging\rtl8192u\ieee80211_crypt.h(12): * Copyright (c) 2004, Intel Corporation
linux-3.10\drivers\staging\rtl8192u\ieee80211_crypt.h(5): * Copyright (c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192u\ieee80211_crypt.h(7): * Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\aes.c(20): * Copyright (c) 2002, Dr Brian Gladman <brg@gladman.me.uk>, Worcester, UK.
linux-3.10\drivers\staging\rtl8192u\ieee80211\aes.c(35): * 3. the copyright holder's name is not used to endorse products
linux-3.10\drivers\staging\rtl8192u\ieee80211\autoload.c(6): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192u\ieee80211\cipher.c(6): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192u\ieee80211\compress.c(6): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192u\ieee80211\crypto_compat.h(4): * Copyright (c) 2004-2006<lawrence_wang@realsil.com.cn>
linux-3.10\drivers\staging\rtl8192u\ieee80211\digest.c(6): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211.h(10): * Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211.h(14): * Copyright (c) 2004, Intel Corporation
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211.h(3): * remains copyright by the original authors
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211.h(8): * Copyright (c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_crypt.c(4): * Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_crypt.c(5): * Portions Copyright (C) 2004, Intel Corporation <jketreno@linux.intel.com>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_crypt.h(12): * Copyright (c) 2004, Intel Corporation
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_crypt.h(5): * Copyright (c) 2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_crypt.h(7): * Copyright (c) 2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_crypt_ccmp.c(4): * Copyright (c) 2003-2004, Jouni Malinen <jkmaline@cc.hut.fi>

legal(ME)

linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_crypt_tkip.c(4): *
Copyright (c) 2003-2004, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_crypt_wep.c(4): *
Copyright (c) 2002-2004, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_module.c(3):Copyright(c)
2004 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_module.c(57):MODULE_AUTHO
R("Copyright (C) 2004 Intel Corporation <jketreno@linux.intel.com>");
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_module.c(7):Copyright (c)
2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_module.c(9):Copyright (c)
2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_rx.c(5): * Copyright (c)
2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_rx.c(7): * Copyright (c)
2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_rx.c(8): * Copyright (c)
2004, Intel Corporation
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_softmac.c(11): *
Copyright who own it's copyright.
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_softmac.c(2): * Copyright
(c) 2005 Andrea Merello <andreamr@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_softmac.c(8): * stack.
Copyright who own it's copyright
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_softmac_wx.c(10): * PS wx
handler mostly stolen from hostap, copyright who
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_softmac_wx.c(11): * own
it's copyright ;-)
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_softmac_wx.c(2): *
Copyright (c) 2005 Andrea Merello <andreamr@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_softmac_wx.c(8): *
copyright of who own it's copyright ;-)
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_tx.c(3):Copyright(c) 2003
- 2004 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_wx.c(3):Copyright(c) 2004
Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_wx.c(7):Copyright (c)
2001-2002, SSH Communications Security Corp and Jouni Malinen
linux-3.10\drivers\staging\rtl8192u\ieee80211\ieee80211_wx.c(9):Copyright (c)
2002-2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\internal.h(4): * Copyright (c) 2002
James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192u\ieee80211\michael_mic.c(6): * Copyright (c)
2004 Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\drivers\staging\rtl8192u\ieee80211\proc.c(6): * Copyright (c) 2002
James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192u\ieee80211\rtl_crypto.h(4): * Copyright (c)
2002 James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192u\ieee80211\rtl_crypto.h(5): * Copyright (c)
2002 David S. Miller (davem@redhat.com)
linux-3.10\drivers\staging\rtl8192u\ieee80211\scatterwalk.c(6): * Copyright (c)
2002 James Morris <jmorris@intercode.com.au>

legal(ME)

linux-3.10\drivers\staging\rtl8192u\ieee80211\scatterwalk.h(4): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>
linux-3.10\drivers\staging\rtl8192u\ieee80211\scatterwalk.h(5): * Copyright (c) 2002 Adam J. Richter <adam@yggdrasil.com>
linux-3.10\drivers\staging\rtl8192u\ieee80211\scatterwalk.h(6): * Copyright (c) 2004 Jean-Luc Cooke <jlcooke@certainkey.com>
linux-3.10\drivers\staging\rtl8192u\r8180_93cx6.c(6): Copyright (C) Andrea Merello 2004<andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r8180_93cx6.h(3):Copyright (C) Andrea Merello 2004-2005<andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r8180_pm.c(8): Copyright (C) Andrea Merello 2004<andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r8180_pm.h(8):Copyright (C) Andrea Merello 2004<andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r8190_rtl8256.h(4):Copyright (c) 2005 Andrea Merello <andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r8192U.h(3): Copyright (C) Andrea Merello 2004-2005<andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r8192U_core.c(2): * Copyright(c) 2008 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8192u\r8192U_core.c(5849):printk(KERN_INFO "Copyright (c) 2007-2008, Realsil wlan\n");
linux-3.10\drivers\staging\rtl8192u\r8192U_core.c(6): * Copyright 2004-2005 Andrea Merello <andreamrl@tiscali.it>, et al.
linux-3.10\drivers\staging\rtl8192u\r8192U_dm.c(2):Copyright-c Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rtl8192u\r8192U_dm.h(2): *Copyright(c) 2007,RealTEK Technology Inc. All Right Reserved.
linux-3.10\drivers\staging\rtl8192u\r8192U_hw.h(3):Copyright (C) Andrea Merello 2004-2005<andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r8192U_wx.c(5): Copyright (C) Andrea Merello 2004-2005<andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r8192U_wx.h(3):Copyright (C) Andrea Merello 2004<andreamrl@tiscali.it>
linux-3.10\drivers\staging\rtl8192u\r819xU_cmdpkt.c(3): (c) Copyright 2008, RealTEK Technologies Inc. All Rights Reserved.
linux-3.10\drivers\staging\rtl8712\basic_types.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\basic_types.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\drv_types.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\drv_types.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\ethernet.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\ethernet.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\hal_init.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\hal_init.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8712\ieee80211.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\ieee80211.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\ieee80211.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\ieee80211.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\mlme_linux.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\mlme_linux.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\mlme_osdep.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\mlme_osdep.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\mp_custom_oid.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\mp_custom_oid.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\os_intfs.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\os_intfs.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\osdep_intf.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\osdep_intf.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\osdep_service.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\osdep_service.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\recv_linux.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\recv_linux.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\recv_osdep.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\recv_osdep.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_bitdef.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_cmd.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_cmd.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_cmd.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_cmd.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_cmdctrl_bitdef.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8712\rtl8712_cmdctrl_regdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_debugctrl_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_debugctrl_regdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_edcasetting_bitdef.h(19): *
Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_edcasetting_bitdef.h(3): *
Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_edcasetting_regdef.h(3): *
Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_efuse.c(21): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_efuse.c(4): * Copyright(c) 2007 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_event.h(19): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_event.h(3): * Copyright(c) 2007 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_fifoctrl_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_fifoctrl_regdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_gp_bitdef.h(19): * Copyright(c) 2010
Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_gp_bitdef.h(3): * Copyright(c) 2007 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_gp_regdef.h(19): * Copyright(c) 2010
Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_gp_regdef.h(3): * Copyright(c) 2007 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_hal.h(19): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_hal.h(3): * Copyright(c) 2007 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_interrupt_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_io.c(21): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_io.c(4): * Copyright(c) 2007 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_led.c(21): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_led.c(4): * Copyright(c) 2007 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_macsetting_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_macsetting_regdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_powersave_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8712\rtl8712_powersave_regdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_ratectrl_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_ratectrl_regdef.h(19): * Copyright(c)
2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_ratectrl_regdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_recv.c(21): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_recv.c(4): * Copyright(c) 2007 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_recv.h(19): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_recv.h(3): * Copyright(c) 2007 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_regdef.h(19): * Copyright(c) 2010
Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_regdef.h(3): * Copyright(c) 2007 -
2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_security_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_spec.h(19): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_spec.h(3): * Copyright(c) 2007 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_syscfg_bitdef.h(19): * Copyright(c)
2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_syscfg_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_syscfg_regdef.h(19): * Copyright(c)
2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_syscfg_regdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_timectrl_bitdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_timectrl_regdef.h(3): * Copyright(c)
2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_wmac_bitdef.h(19): * Copyright(c) 2010
Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_wmac_bitdef.h(3): * Copyright(c) 2007
- 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_wmac_regdef.h(19): * Copyright(c) 2010
Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_wmac_regdef.h(3): * Copyright(c) 2007
- 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_xmit.c(21): * Copyright(c) 2010 Larry
Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_xmit.c(4): * Copyright(c) 2007 - 2010
Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl8712_xmit.h(19): * Copyright(c) 2010 Larry
Finger. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8712\rtl8712_xmit.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_cmd.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_cmd.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_cmd.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_cmd.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_debug.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_debug.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_eeprom.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_eeprom.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_eeprom.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_event.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_event.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ht.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ht.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_io.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_io.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_io.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_io.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_linux.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_linux.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_rtl.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_rtl.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_rtl.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_rtl.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_set.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_set.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_set.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_ioctl_set.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_led.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_led.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mlme.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mlme.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mlme.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mlme.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp.c(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp.c(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp_ioctl.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp_ioctl.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp_ioctl.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp_ioctl.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_mp_phy_regdef.h(2): *Copyright(c) 2008,RealTEK Technology Inc. All Right Reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_pwrctrl.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_pwrctrl.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_pwrctrl.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_pwrctrl.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_recv.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_recv.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_rf.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_rf.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_security.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8712\rtl871x_security.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_security.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_security.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_sta_mgt.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_sta_mgt.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_wlan_sme.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_wlan_sme.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_xmit.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_xmit.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_xmit.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\rtl871x_xmit.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\sta_info.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\sta_info.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_halinit.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_halinit.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_intf.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_intf.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_ops.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_ops.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_ops.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_ops.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_ops_linux.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_ops_linux.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_osintf.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\usb_osintf.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\wifi.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rtl8712\wifi.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\wlan_bssdef.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\wlan_bssdef.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\xmit_linux.c(21): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\xmit_linux.c(4): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rtl8712\xmit_osdep.h(19): * Copyright(c) 2010 Larry Finger. All rights reserved.
linux-3.10\drivers\staging\rtl8712\xmit_osdep.h(3): * Copyright(c) 2007 - 2010 Realtek Corporation. All rights reserved.
linux-3.10\drivers\staging\rts5139\debug.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\Makefile(3):# Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\ms.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\ms.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\ms_mg.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\ms_mg.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_card.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_card.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_chip.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_chip.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_fop.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_fop.h(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_scsi.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_scsi.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_transport.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\rts51x_transport.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\sd.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\rts5139\sd.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\sd_cprm.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\sd_cprm.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\trace.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\xd.c(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\rts5139\xd.h(4): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.
linux-3.10\drivers\staging\sb105x\sb_mp_register.h(5): * Copyright (C) 2008 systembase
linux-3.10\drivers\staging\sbe-2t3e3\2t3e3.h(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\cpld.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\ctrl.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\ctrl.h(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\dc.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\exar7250.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\exar7300.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\intr.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\io.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\main.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\maps.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\module.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sbe-2t3e3\netdev.c(4): * Copyright (C) 2009-2010 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\drivers\staging\sep\sep_crypto.c(5): *Copyright(c) 2009-2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\sep\sep_crypto.h(5): *Copyright(c) 2009-2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\sep\sep_dev.h(8): *Copyright(c) 2009-2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\sep\sep_driver_api.h(5): *Copyright(c) 2009-2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\sep\sep_driver_config.h(5): *Copyright(c) 2009-2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\sep\sep_driver_hw_defs.h(5): *Copyright(c) 2009-2011 Intel Corporation. All rights reserved.

legal(ME)

linux-3.10\drivers\staging\sep\sep_main.c(5): *Copyright(c) 2009-2011 Intel Corporation. All rights reserved.
linux-3.10\drivers\staging\silicom\bits.h(3):/* Broadcom BCM5700 Linux Network Driver, Copyright (c) 2000 - 2004 Broadcom*/
linux-3.10\drivers\staging\silicom\bp_ioctl.h(3):/* Silicom Bypass Control Utility, Copyright (c) 2005-2007 Silicom*/
linux-3.10\drivers\staging\silicom\bp_mod.h(3):/* Bypass Control utility, Copyright (c) 2005 Silicom */
linux-3.10\drivers\staging\silicom\bpctl_mod.c(3):/* Bypass Control utility, Copyright (c) 2005-2007 Silicom */
linux-3.10\drivers\staging\silicom\bpctl_mod.c(8):/*Copyright(c) 2007 - 2009 Intel Corporation. All rights reserved.*/
linux-3.10\drivers\staging\silicom\bypass.h(3):/* Bypass Control utility, Copyright (c) 2005 Silicom */
linux-3.10\drivers\staging\silicom\bypasslib\bp_ioctl.h(3):/* bypass library, Copyright (c) 2004-2006 Silicom, Ltd */
linux-3.10\drivers\staging\silicom\bypasslib\bplibk.h(3):/* bypass library, Copyright (c) 2004 Silicom, Ltd*/
linux-3.10\drivers\staging\silicom\bypasslib\bypass.c(3):/* bypass library, Copyright (c) 2004-2007 Silicom, Ltd */
linux-3.10\drivers\staging\silicom\bypasslib\libbp_sd.h(3):/* bypass library, Copyright (c) 2004 Silicom, Ltd*/
linux-3.10\drivers\staging\silicom\libbp_sd.h(3):/* bypass library, Copyright (c) 2004 Silicom, Ltd*/
linux-3.10\drivers\staging\slicoss\slic.h(3): * Copyright (c) 2000-2002 Alacritech, Inc.All rights reserved.
linux-3.10\drivers\staging\slicoss\slichw.h(3): * Copyright (c) 2000-2002 Alacritech, Inc.All rights reserved.
linux-3.10\drivers\staging\slicoss\slicoss.c(125):#define DRV_COPYRIGHT "Copyright2000-2006 Alacritech, Inc. "\br/>linux-3.10\drivers\staging\slicoss\slicoss.c(3): * Copyright2000-2006 Alacritech, Inc.All rights reserved.
linux-3.10\drivers\staging\sm7xxfb\sm7xx.h(4): * Copyright (C) 2006 Silicon Motion Technology Corp.
linux-3.10\drivers\staging\sm7xxfb\sm7xx.h(8): * Copyright (C) 2009 Lemote, Inc.
linux-3.10\drivers\staging\sm7xxfb\sm7xxfb.c(11): * Copyright (C) 2011 Igalia, S.L.
linux-3.10\drivers\staging\sm7xxfb\sm7xxfb.c(4): * Copyright (C) 2006 Silicon Motion Technology Corp.
linux-3.10\drivers\staging\sm7xxfb\sm7xxfb.c(8): * Copyright (C) 2009 Lemote, Inc.
linux-3.10\drivers\staging\speakup\fakekey.c(4): * Copyright (C) 2010 the Speakup Team
linux-3.10\drivers\staging\speakup\keyhelp.c(6): *Copyright (C) 2003David Borowski.
linux-3.10\drivers\staging\speakup\kobjects.c(4): * Copyright (C) 2009 William Hubbs
linux-3.10\drivers\staging\speakup\kobjects.c(8): * Copyright (C) 2004-2007 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\staging\speakup\kobjects.c(9): * Copyright (C) 2007 Novell Inc.
linux-3.10\drivers\staging\speakup\main.c(167):/*168*/ "diaeresis", "copyright",

legal(ME)

"female ordinal", "double left angle",
linux-3.10\drivers\staging\speakup\main.c(7): ** Copyright (C) 1998Kirk Reiser.
linux-3.10\drivers\staging\speakup\main.c(8): *Copyright (C) 2003David Borowski.
linux-3.10\drivers\staging\speakup\speakup_acntpc.c(5): * Copyright (C)
1998-99Kirk Reiser.
linux-3.10\drivers\staging\speakup\speakup_acntpc.c(6): * Copyright (C) 2003
David Borowski.
linux-3.10\drivers\staging\speakup\speakup_acntsa.c(5): * Copyright (C)
1998-99Kirk Reiser.
linux-3.10\drivers\staging\speakup\speakup_acntsa.c(6): * Copyright (C) 2003
David Borowski.
linux-3.10\drivers\staging\speakup\speakup_apollo.c(5): * Copyright (C)
1998-99Kirk Reiser.
linux-3.10\drivers\staging\speakup\speakup_apollo.c(6): * Copyright (C) 2003
David Borowski.
linux-3.10\drivers\staging\speakup\speakup_audptr.c(5): * Copyright (C)
1998-99Kirk Reiser.
linux-3.10\drivers\staging\speakup\speakup_audptr.c(6): * Copyright (C) 2003
David Borowski.
linux-3.10\drivers\staging\speakup\speakup_bns.c(5): * Copyright (C) 1998-99Kirk
Reiser.
linux-3.10\drivers\staging\speakup\speakup_bns.c(6): * Copyright (C) 2003 David
Borowski.
linux-3.10\drivers\staging\speakup\speakup_decext.c(5): * Copyright (C)
1998-99Kirk Reiser.
linux-3.10\drivers\staging\speakup\speakup_decext.c(6): * Copyright (C) 2003
David Borowski.
linux-3.10\drivers\staging\speakup\speakup_decpc.c(11): *Copyright (c) 1997
Nicolas Pitre <nico@cam.org>
linux-3.10\drivers\staging\speakup\speakup_decpc.c(14): *Copyright (c) 2003 David
Borowski <david575@golden.net>
linux-3.10\drivers\staging\speakup\speakup_decpc.c(5): *Copyright (c) by Digital
Equipment Corp.
linux-3.10\drivers\staging\speakup\speakup_decpc.c(8): *Copyright (c) 1996 Brian
Buhrow <buhrow@lothlorien.nfbcal.org>
linux-3.10\drivers\staging\speakup\speakup_dectlk.c(5): * Copyright (C)
1998-99Kirk Reiser.
linux-3.10\drivers\staging\speakup\speakup_dectlk.c(6): * Copyright (C) 2003
David Borowski.
linux-3.10\drivers\staging\speakup\speakup_dtlk.c(5): * Copyright (C) 1998-99Kirk
Reiser.
linux-3.10\drivers\staging\speakup\speakup_dtlk.c(6): * Copyright (C) 2003 David
Borowski.
linux-3.10\drivers\staging\speakup\speakup_dummy.c(6): * Copyright (C)
1998-99Kirk Reiser.
linux-3.10\drivers\staging\speakup\speakup_dummy.c(7): * Copyright (C) 2003 David
Borowski.
linux-3.10\drivers\staging\speakup\speakup_dummy.c(8): * Copyright (C) 2007
Samuel Thibault.
linux-3.10\drivers\staging\speakup\speakup_keypc.c(4): * Copyright (C) 2003 David
Borowski.
linux-3.10\drivers\staging\speakup\speakup_ltlk.c(5): * Copyright (C) 1998-99Kirk

legal(ME)

Reiser.

linux-3.10\drivers\staging\speakup\speakup_ltlk.c(6): * Copyright (C) 2003 David Borowski.

linux-3.10\drivers\staging\speakup\speakup_soft.c(5): * Copyright (C) 2003Kirk Reiser.

linux-3.10\drivers\staging\speakup\speakup_spkout.c(5): * Copyright (C) 1998-99Kirk Reiser.

linux-3.10\drivers\staging\speakup\speakup_spkout.c(6): * Copyright (C) 2003 David Borowski.

linux-3.10\drivers\staging\speakup\speakup_txprt.c(5): * Copyright (C) 1998-99Kirk Reiser.

linux-3.10\drivers\staging\speakup\speakup_txprt.c(6): * Copyright (C) 2003 David Borowski.

linux-3.10\drivers\staging\speakup\spk_priv.h(7):Copyright (C) 1998Kirk Reiser.

linux-3.10\drivers\staging\speakup\spk_priv.h(8):Copyright (C) 2003David Borowski.

linux-3.10\drivers\staging\speakup\spk_priv_keyinfo.h(7):Copyright (C) 1998Kirk Reiser.

linux-3.10\drivers\staging\speakup\spk_priv_keyinfo.h(8):Copyright (C) 2003David Borowski.

linux-3.10\drivers\staging\speakup\spkguide.txt(10):Copyright (c) 2008Samuel Thibault

linux-3.10\drivers\staging\speakup\spkguide.txt(11):Copyright (c) 2009, 2010the Speakup Team

linux-3.10\drivers\staging\speakup\spkguide.txt(1181): Copyright (C) 2000,2001,2002Free Software Foundation, Inc.

linux-3.10\drivers\staging\speakup\spkguide.txt(9):Copyright (c) 2005Gene Collins

linux-3.10\drivers\staging\ste_rmi4\synaptics_i2c_rmi4.c(4): * Copyright (c) 2007-2010, Synaptics Incorporated

linux-3.10\drivers\staging\ste_rmi4\synaptics_i2c_rmi4.c(8): * Copyright 2010 (c) ST-Ericsson AB

linux-3.10\drivers\staging\ste_rmi4\synaptics_i2c_rmi4.h(4): * Copyright (c) 2007-2010, Synaptics Incorporated

linux-3.10\drivers\staging\ste_rmi4\synaptics_i2c_rmi4.h(8): * Copyright 2010 (c) ST-Ericsson AB

linux-3.10\drivers\staging\tidspbridge\core_cmm.h(10): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\core_deh.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\core_deh.h(9): * Copyright (C) 2010 Felipe Contreras

linux-3.10\drivers\staging\tidspbridge\core_msg_sm.h(9): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\core_tiomap.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\core_tiomap_pwr.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\core\chnl_sm.c(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\core\dsp-clock.c(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\core\io_sm.c(8): * Copyright (C) 2005-2006

legal(ME)

Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\core\msg_sm.c(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\core\sync.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\core\tiomap_io.c(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\core\tiomap_io.h(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\core\tiomap3430.c(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\core\tiomap3430_pwr.c(8): * Copyright (C)
2007-2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\core\ue_deh.c(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\core\ue_deh.c(9): * Copyright (C) 2010
Felipe Contreras
linux-3.10\drivers\staging\tidspbridge\core\wdt.c(8): * Copyright (C) 2010 Texas
Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\cload.c(6): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\dload_internal.h(6): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\doff.h(13): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\getsection.c(6): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\header.h(6): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\module_list.h(6): * Copyright (C)
2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\params.h(15): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\reloc.c(6): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\reloc_table.h(6): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\reloc_table_c6000.c(6): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\tramp.c(6): * Copyright (C) 2009
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\dynload\tramp_table_c6000.c(6): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\gen\gh.c(6): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\gen\uuidutil.c(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\hw\EasiGlobal.h(6): * Copyright (C) 2007
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\hw\hw_defs.h(8): * Copyright (C) 2007
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\hw\hw_mmu.c(8): * Copyright (C) 2007 Texas

legal(ME)

Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\hw\hw_mmu.h(8): * Copyright (C) 2007 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\hw\MMUAccInt.h(6): * Copyright (C) 2007 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\hw\MMURegAcM.h(6): * Copyright (C) 2007 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge_chnl_sm.h(12): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\brddefs.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\cfgdefs.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\chnl.h(11): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\chnldefs.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\chnlpriv.h(9): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\clk.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\cmm.h(22): * Copyright (C) 2008 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\cmmdefs.h(8): * Copyright (C) 2008 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\cod.h(10): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dbdcd.h(8): * Copyright (C) 2008 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dbdcddef.h(8): * Copyright (C) 2008 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dbdefs.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dbll.h(9): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dblldefs.h(6): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dev.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\devdefs.h(9): * Copyright (C) 2008 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\disp.h(8): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dmm.h(9): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\drv.h(10): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspapi.h(18): * Copyright (C) 2005-2006 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspapi-ioctl.h(9): * Copyright (C) 2008 Texas Instruments, Inc.

linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspchnl.h(13): *

legal(ME)

Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspdefs.h(18): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspdeh.h(12): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspdeh.h(13): *
Copyright (C) 2010 Felipe Contreras
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspdrv.h(9): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspio.h(12): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspiocctl.h(8): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dspmsg.h(13): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\dynamic_loader.h(6): *
Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\getsection.h(14): *
Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\gh.h(6): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\host_os.h(6): *
Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\io.h(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\io_sm.h(9): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\mbx_sh.h(9): * Copyright
(C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\memdefs.h(8): *
Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\mgr.h(8): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\mgrpriv.h(8): *
Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\msg.h(8): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\msgdefs.h(8): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\nldr.h(8): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\nldrdefs.h(8): *
Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\node.h(8): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\nodedefs.h(8): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\nodepriv.h(8): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\ntfy.h(8): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\proc.h(8): * Copyright

legal(ME)

(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\procpriv.h(8): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\pwr.h(6): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\resourcecleanup.h(6): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\rmm.h(10): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\rms_sh.h(9): * Copyright
(C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\rmmstypes.h(8): *
Copyright (C) 2008 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\strm.h(8): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\strmdefs.h(8): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\sync.h(8): * Copyright
(C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\uuidutil.h(8): *
Copyright (C) 2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\include\dspbridge\wdt.h(8): * Copyright
(C) 2010 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\chn1.c(9): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\chnlobj.h(9): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\cmm.c(22): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\cod.c(12): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\dbll.c(6): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\dev.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\dmm.c(13): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\dspapi.c(9): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\io.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\ioobj.h(9): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\msg.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\pmgr\msgobj.h(9): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\dbdcd.c(15): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\disp.c(9): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\drv.c(8): * Copyright (C) 2005-2006

legal(ME)

Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\drv_interface.c(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\dspdrv.c(8): * Copyright (C)
2005-2006 Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\mgr.c(10): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\nldr.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\node.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\proc.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\pwr.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\rmm.c(6): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\tidspbridge\rmgr\strm.c(8): * Copyright (C) 2005-2006
Texas Instruments, Inc.
linux-3.10\drivers\staging\ti-soc-thermal\omap4-thermal-data.c(4): * Copyright
(C) 2011-2012 Texas Instruments Inc.
linux-3.10\drivers\staging\ti-soc-thermal\omap4xxx-bandgap.h(4): * Copyright (C)
2013 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\staging\ti-soc-thermal\omap5-thermal-data.c(4): * Copyright
(C) 2011-2012 Texas Instruments Inc.
linux-3.10\drivers\staging\ti-soc-thermal\omap5xxx-bandgap.h(4): * Copyright (C)
2013 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\staging\ti-soc-thermal\ti-bandgap.c(4): * Copyright (C)
2011-2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\staging\ti-soc-thermal\ti-bandgap.h(4): * Copyright (C) 2011
Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\staging\ti-soc-thermal\ti-thermal.h(4): * Copyright (C) 2012
Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\staging\ti-soc-thermal\ti-thermal-common.c(4): * Copyright (C)
2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\drivers\staging\usbip\stub.h(2): * Copyright (C) 2003-2008 Takahiro
Hirofuchi
linux-3.10\drivers\staging\usbip\stub_dev.c(2): * Copyright (C) 2003-2008
Takahiro Hirofuchi
linux-3.10\drivers\staging\usbip\stub_main.c(2): * Copyright (C) 2003-2008
Takahiro Hirofuchi
linux-3.10\drivers\staging\usbip\stub_rx.c(2): * Copyright (C) 2003-2008 Takahiro
Hirofuchi
linux-3.10\drivers\staging\usbip\stub_tx.c(2): * Copyright (C) 2003-2008 Takahiro
Hirofuchi
linux-3.10\drivers\staging\usbip\usbip_common.c(2): * Copyright (C) 2003-2008
Takahiro Hirofuchi
linux-3.10\drivers\staging\usbip\usbip_common.h(2): * Copyright (C) 2003-2008
Takahiro Hirofuchi
linux-3.10\drivers\staging\usbip\usbip_event.c(2): * Copyright (C) 2003-2008
Takahiro Hirofuchi
linux-3.10\drivers\staging\usbip\userspace\COPYING(316):Gnomovision version 69,

legal(ME)

Copyright (C) yearname of author

linux-3.10\drivers\staging\usbip\userspace\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

linux-3.10\drivers\staging\usbip\userspace\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

linux-3.10\drivers\staging\usbip\userspace\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005,

linux-3.10\drivers\staging\usbip\userspace\libsrc\names.c(24): *Copyright (C) 2005 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\userspace\libsrc\names.c(4): *Copyright (C) 1999, 2000Thomas Sailer (sailer@ife.ee.ethz.ch)

linux-3.10\drivers\staging\usbip\userspace\libsrc\names.h(22): *Copyright (C) 2005 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\userspace\libsrc\names.h(4): *Copyright (C) 1999, 2000Thomas Sailer (sailer@ife.ee.ethz.ch)

linux-3.10\drivers\staging\usbip\userspace\libsrc\usbip_common.c(2): * Copyright (C) 2005-2007 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\userspace\libsrc\usbip_common.h(2): * Copyright (C) 2005-2007 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\userspace\libsrc\usbip_host_driver.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\libsrc\usbip_host_driver.h(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\libsrc\vhci_driver.c(2): * Copyright (C) 2005-2007 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\userspace\libsrc\vhci_driver.h(2): * Copyright (C) 2005-2007 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\userspace\README(4):# Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbip.c(5): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbip.h(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbip_attach.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbip_bind.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbip_detach.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbip_list.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbip_network.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbip_network.h(2): * Copyright (C) 2005-2007 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\userspace\src\usbip_unbind.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\usbipd.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\utils.c(2): * Copyright (C) 2011 matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\userspace\src\utils.h(2): * Copyright (C) 2011

legal(ME)

matt mooney <mfm@muteddisk.com>

linux-3.10\drivers\staging\usbip\vhci.h(2): * Copyright (C) 2003-2008 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\vhci_hcd.c(2): * Copyright (C) 2003-2008 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\vhci_rx.c(2): * Copyright (C) 2003-2008 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\vhci_sysfs.c(2): * Copyright (C) 2003-2008 Takahiro Hirofuchi

linux-3.10\drivers\staging\usbip\vhci_tx.c(2): * Copyright (C) 2003-2008 Takahiro Hirofuchi

linux-3.10\drivers\staging\vme\devices\vme_pio2_cntr.c(5): * Copyright 2009 GE Intelligent Platforms Embedded Systems, Inc.

linux-3.10\drivers\staging\vme\devices\vme_pio2_core.c(5): * Copyright 2009 GE Intelligent Platforms Embedded Systems, Inc.

linux-3.10\drivers\staging\vme\devices\vme_pio2_gpio.c(5): * Copyright 2009 GE Intelligent Platforms Embedded Systems, Inc.

linux-3.10\drivers\staging\vme\devices\vme_user.c(5): * Copyright 2008 GE Intelligent Platforms Embedded Systems, Inc.

linux-3.10\drivers\staging\vme\devices\vme_user.c(9): * Copyright 2004 Motorola Inc.

linux-3.10\drivers\staging\vt6655\80211hdr.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\80211mgr.c(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\80211mgr.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\aes_ccmp.c(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\aes_ccmp.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\baseband.c(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\baseband.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\bssdb.c(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\bssdb.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\card.c(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\card.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\channel.c(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\channel.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\country.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\datarate.c(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6655\datarate.h(2): * Copyright (c) 1996, 2003 VIA

legal(ME)

Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\desc.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\device.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\device_cfg.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\device_main.c(2): * Copyright (c) 1996, 2003
VIA Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\device_main.c(877):printk(KERN_NOTICE
"Copyright (c) 2003 VIA Networking Technologies, Inc.\n");
linux-3.10\drivers\staging\vt6655\dpc.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\dpc.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\hostap.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\hostap.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\IEEE11h.c(2): * Copyright (c) 1996, 2005 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\IEEE11h.h(2): * Copyright (c) 1996, 2005 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\iocmd.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\ioctl.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\ioctl.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\iowpa.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\iwctl.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\iwctl.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\key.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\key.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\mac.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\mac.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\mib.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\mib.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\michael.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\michael.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\power.c(2): * Copyright (c) 1996, 2003 VIA

legal(ME)

Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\power.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\rc4.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\rf.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\rf.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\rxtx.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\rxtx.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\srom.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\srom.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\tcrc.c(2): * Copyright (c) 2003 VIA Networking,
Inc. All rights reserved.
linux-3.10\drivers\staging\vt6655\tcrc.h(2): * Copyright (c) 2003 VIA Networking,
Inc. All rights reserved.
linux-3.10\drivers\staging\vt6655\tether.c(2): * Copyright (c) 2003 VIA
Networking, Inc. All rights reserved.
linux-3.10\drivers\staging\vt6655\tether.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\tkip.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\tkip.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\macro.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\type.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\upc.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\vntwifi.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\vntwifi.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wcmd.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wcmd.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wctl.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wctl.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wmgr.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wmgr.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wpa.c(2): * Copyright (c) 1996, 2003 VIA

legal(ME)

Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wpa.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wpa2.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wpa2.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wpactl.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wpactl.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wroute.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6655\wroute.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\80211hdr.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\80211mgr.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\80211mgr.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\aes_ccmp.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\aes_ccmp.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\baseband.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\baseband.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\bssdb.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\bssdb.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\card.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\card.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\channel.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\channel.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\control.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\control.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\country.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\datarate.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\datarate.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\desc.h(2): * Copyright (c) 1996, 2003 VIA

legal(ME)

Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\device.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\device_cfg.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\dpc.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\dpc.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\firmware.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\firmware.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\hostap.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\hostap.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\int.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\int.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\iocmd.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\iowpa.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\iwctl.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\iwctl.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\key.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\key.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\mac.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\mac.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\main_usb.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\main_usb.c(688):printk(KERN_NOTICE "Copyright
(c) 2004 VIA Networking Technologies, Inc.\n");
linux-3.10\drivers\staging\vt6656\mib.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\mib.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\michael.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\michael.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\power.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\power.h(2): * Copyright (c) 1996, 2003 VIA

legal(ME)

Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\rc4.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\rf.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\rf.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\rndis.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\rxtx.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\rxtx.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\srom.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\tcrc.c(2): * Copyright (c) 2003 VIA Networking,
Inc. All rights reserved.
linux-3.10\drivers\staging\vt6656\tcrc.h(2): * Copyright (c) 2003 VIA Networking,
Inc. All rights reserved.
linux-3.10\drivers\staging\vt6656\tether.c(2): * Copyright (c) 2003 VIA
Networking, Inc. All rights reserved.
linux-3.10\drivers\staging\vt6656\tether.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\tkip.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\tkip.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\macro.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\usbpipe.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\usbpipe.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wcmd.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wcmd.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wctl.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wctl.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wmgr.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wmgr.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wpa.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wpa.h(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wpa2.c(2): * Copyright (c) 1996, 2003 VIA
Networking Technologies, Inc.
linux-3.10\drivers\staging\vt6656\wpa2.h(2): * Copyright (c) 1996, 2003 VIA

legal(ME)

Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6656\wpactl.c(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\vt6656\wpactl.h(2): * Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.

linux-3.10\drivers\staging\winbond\mto.c(16): * Copyright (c) 2003 Winbond Electronics Corp. All rights reserved.

linux-3.10\drivers\staging\winbond\mto.h(5): * Copyright (c) 2003 Winbond Electronics Corp. All rights reserved.

linux-3.10\drivers\staging\winbond\phy_calibration.c(4): * Copyright (C) 2002, 2005 Winbond Electronics Corp.

linux-3.10\drivers\staging\winbond\sme_api.h(4): * Copyright(C) 2002 Winbond Electronics Corp.

linux-3.10\drivers\staging\winbond\wb35rx.c(3): *Copyright (c) 1996-2002 Winbond Electronic Corporation

linux-3.10\drivers\staging\winbond\wb35tx.c(2): *Copyright (c) 1996-2002 Winbond Electronic Corporation

linux-3.10\drivers\staging\winbond\wbusb.c(2): * Copyright 2008 Pavel Machek <pavel@ucw.cz>

linux-3.10\drivers\staging\wlags49_h2\debug.h(25): * Copyright (c) 2003 Agere Systems Inc.

linux-3.10\drivers\staging\wlags49_h2\debug.h(5): * Copyright (c) 1998-2003 Agere Systems Inc.

linux-3.10\drivers\staging\wlags49_h2\dhf.c(56):* COPYRIGHT (C) 1999 - 2000 by Lucent Technologies.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\dhf.c(57):* COPYRIGHT (C) 2001 - 2004by Agere Systems Inc.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\dhf.h(40):* COPYRIGHT (C) 1994 - 1995by AT&T.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\dhf.h(41):* COPYRIGHT (C) 1999 - 2000 by Lucent Technologies.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\dhf.h(42):* COPYRIGHT (C) 2001 - 2004by Agere Systems Inc.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\dhfcfg.h(25): * Copyright (c) 2003 Agere Systems Inc.

linux-3.10\drivers\staging\wlags49_h2\dhfcfg.h(5): * Copyright (c) 1998-2003 Agere Systems Inc.

linux-3.10\drivers\staging\wlags49_h2\hcf.c(35): * COPYRIGHT ㄣ 1994 - 1995 by AT&T.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\hcf.c(36): * COPYRIGHT ㄣ 1996 - 2000 by Lucent Technologies. All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\hcf.c(37): * COPYRIGHT ㄣ 2001 - 2004 by Agere Systems Inc. All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\hcf.h(42):* COPYRIGHT ㄣ 1994 - 1995by AT&T.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\hcf.h(43):* COPYRIGHT ㄣ 1996 - 2000 by Lucent Technologies.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\hcf.h(44):* COPYRIGHT ㄣ 2001 - 2004by Agere Systems Inc.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\hcfcfg.h(66):* COPYRIGHT ㄣ 1994 - 1995by AT&T.All Rights Reserved

linux-3.10\drivers\staging\wlags49_h2\hcfcfg.h(67):* COPYRIGHT ㄣ 1996 - 2000 by

legal(ME)

Lucent Technologies.All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\hcfcfg.h(68):* COPYRIGHT ㄣ 2001 - 2004by
Agere Systems Inc.All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\hcfdef.h(36): * COPYRIGHT ㄣ 1994 - 1995 by
AT&T.All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\hcfdef.h(37): * COPYRIGHT ㄣ 1996 - 2000 by
Lucent Technologies. All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\hcfdef.h(38): * COPYRIGHT ㄣ 2001 - 2004 by
Agere Systems Inc. All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\man\wlags49.4(2):.\" Copyright (c)
1999-2003 Agere Systems Inc. -- <http://www.agere.com>
linux-3.10\drivers\staging\wlags49_h2\mdd.h(35):* COPYRIGHT ㄣ 1994 - 1995by
AT&T.All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\mdd.h(36):* COPYRIGHT ㄣ 1996 - 2000 by
Lucent Technologies.All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\mdd.h(37):* COPYRIGHT ㄣ 2001 - 2004by
Agere Systems Inc.All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\mmd.c(37):* COPYRIGHT ㄣ 2001 - 2004by
Agere Systems Inc.All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\mmd.h(35):* COPYRIGHT ㄣ 2001 - 2004by
Agere Systems Inc.All Rights Reserved
linux-3.10\drivers\staging\wlags49_h2\wl_cs.c(26): * Copyright (c) 2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_cs.c(5): * Copyright (c) 1998-2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_cs.h(25): * Copyright ㄣ 2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_cs.h(5): * Copyright (c) 1998-2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_enc.c(26): * Copyright ㄣ 2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_enc.c(6): * Copyright (c) 1998-2003
Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_enc.h(25): * Copyright ㄣ 2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_enc.h(5): * Copyright (c) 1998-2003
Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_if.h(26): * Copyright ㄣ 2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_if.h(5): * Copyright (c) 1998-2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_internal.h(25): * Copyright ㄣ 2003
Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_internal.h(5): * Copyright (c) 1998-2003
Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_main.c(26): * Copyright ㄣ 2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_main.c(5): * Copyright (c) 1998-2003
Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_main.h(25): * Copyright ㄣ 2003 Agere
Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_main.h(5): * Copyright (c) 1998-2003

legal(ME)

Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_netdev.c(26): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_netdev.c(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_netdev.h(26): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_netdev.h(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_pci.c(26): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_pci.c(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_pci.h(25): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_pci.h(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_priv.c(25): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_priv.c(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_priv.h(25): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_priv.h(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_profile.c(26): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_profile.c(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_profile.h(25): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_profile.h(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_util.c(25): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_util.c(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_util.h(26): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_util.h(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_version.h(26): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_version.h(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_wext.c(21): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_wext.c(5): * Copyright (c) 1998-2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_wext.h(25): * Copyright ㄣ 2003 Agere Systems Inc.
linux-3.10\drivers\staging\wlags49_h2\wl_wext.h(5): * Copyright (c) 1998-2003

legal(ME)

Agere Systems Inc.

linux-3.10\drivers\staging\wlan-ng\hfa384x.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\hfa384x_usb.c(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211conv.c(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211conv.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211hdr.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211ioctl.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211meta.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211metadef.h(4):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211metastruct.h(4):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211mgmt.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211msg.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211netdev.c(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211netdev.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211req.c(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211req.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211types.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\p80211wep.c(5):* Copyright (C) 2002

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\prism2fw.c(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\prism2mgmt.c(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\prism2mgmt.h(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\prism2mib.c(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\wlan-ng\prism2sta.c(5):* Copyright (C) 1999

AbsoluteValue Systems, Inc.All Rights Reserved.

linux-3.10\drivers\staging\zcache\ramster.h(8): * Copyright (c) 2009-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\ramster\heartbeat.c(4): * Copyright (C) 2004, 2005, 2012 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\heartbeat.h(8): * Copyright (C) 2004 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\masklog.c(4): * Copyright (C) 2004,

legal(ME)

2005, 2012 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\masklog.h(4): * Copyright (C) 2005, 2012 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\nodemanager.c(4): * Copyright (C) 2004, 2005, 2012 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\nodemanager.h(8): * Copyright (C) 2004 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\r2net.c(4): * Copyright (c) 2011-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\ramster\ramster.c(4): * Copyright (c) 2010-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\ramster\ramster.h(6): * Copyright (c) 2009-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\ramster\ramster_nodemanager.h(9): * Copyright (C) 2002, 2004, 2012 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\tcp.c(5): * Copyright (C) 2004 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\tcp.h(8): * Copyright (C) 2004 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\ramster\tcp_internal.h(4): * Copyright (C) 2005 Oracle.All rights reserved.

linux-3.10\drivers\staging\zcache\tmem.c(227): * been reused, thus the copyright notices below).Each tmem_objnode contains

linux-3.10\drivers\staging\zcache\tmem.c(231): * Portions Copyright (C) 2001 Momchil Velikov

linux-3.10\drivers\staging\zcache\tmem.c(232): * Portions Copyright (C) 2001 Christoph Hellwig

linux-3.10\drivers\staging\zcache\tmem.c(233): * Portions Copyright (C) 2005 SGI, Christoph Lameter <clameter@sgi.com>

linux-3.10\drivers\staging\zcache\tmem.c(4): * Copyright (c) 2009-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\tmem.h(6): * Copyright (c) 2009-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\zbud.c(4): * Copyright (c) 2010-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\zbud.h(4): * Copyright (c) 2010-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\zcache.h(5): * Copyright (c) 2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\zcache-main.c(4): * Copyright (c) 2010-2012, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\staging\zcache\zcache-main.c(5): * Copyright (c) 2010,2011, Nitin Gupta

linux-3.10\drivers\staging\zram\zram_drv.c(4): * Copyright (C) 2008, 2009, 2010Nitin Gupta

linux-3.10\drivers\staging\zram\zram_drv.h(4): * Copyright (C) 2008, 2009, 2010Nitin Gupta

linux-3.10\drivers\staging\zram\zram_sysfs.c(4): * Copyright (C) 2008, 2009, 2010Nitin Gupta

linux-3.10\drivers\staging\zsmalloc\zsmalloc.h(4): * Copyright (C) 2011Nitin Gupta

linux-3.10\drivers\staging\zsmalloc\zsmalloc-main.c(4): * Copyright (C) 2011Nitin

legal(ME)

Gupta

linux-3.10\drivers\target\iscsi\iscsi_target.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_auth.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_configfs.c(5): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_datain_values.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_device.c(5): \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_erl0.c(5): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_erl1.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_erl2.c(5): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_login.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_nego.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_nodeattrib.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_parameters.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_seq_pdu_list.c(5): \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_stat.c(5): * Copyright (c) 2011 Rising Tide Systems
linux-3.10\drivers\target\iscsi\iscsi_target_tmr.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_tpg.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_tq.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\iscsi\iscsi_target_util.c(4): * \u00a9 Copyright 2007-2011 RisingTide Systems LLC.
linux-3.10\drivers\target\loopback\tcm_loop.c(6): * \u270f Copyright 2011 RisingTide Systems LLC.
linux-3.10\drivers\target\sbp\sbp_target.c(4): * Copyright (C) 2011Chris Boot <bootc@bootc.net>
linux-3.10\drivers\target\target_core_alua.c(6): * (c) Copyright 2009-2012 RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_configfs.c(10): * based on configfs Copyright (C) 2005 Oracle.All rights reserved.
linux-3.10\drivers\target\target_core_configfs.c(6): * (c) Copyright 2008-2012 RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_device.c(7): * (c) Copyright 2003-2012 RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_fabric_configfs.c(7): * (c) Copyright 2010-2012 RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_fabric_lib.c(7): * (c) Copyright 2010-2012

legal(ME)

RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_file.c(6): * (c) Copyright 2005-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_hba.c(6): * (c) Copyright 2003-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_iblock.c(7): * (c) Copyright 2003-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_pr.c(7): * (c) Copyright 2009-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_pscsi.c(6): * (c) Copyright 2003-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_rd.c(7): * (c) Copyright 2003-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_sbc.c(4): * (c) Copyright 2002-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_spc.c(4): * (c) Copyright 2002-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_stat.c(7): * (c) Copyright 2006-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_tmr.c(6): * (c) Copyright 2009-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_tpg.c(6): * (c) Copyright 2002-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_transport.c(6): * (c) Copyright 2002-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\target_core_ua.c(6): * (c) Copyright 2009-2012
RisingTide Systems LLC.
linux-3.10\drivers\target\tcm_fc\tcm_fc.h(2): * Copyright (c) 2010 Cisco Systems,
Inc.
linux-3.10\drivers\target\tcm_fc\tfc_cmd.c(2): * Copyright (c) 2010 Cisco
Systems, Inc.
linux-3.10\drivers\target\tcm_fc\tfc_conf.c(11): * Copyright (c) 2009,2010
Nicholas A. Bellinger <nab@linux-iscsi.org>
linux-3.10\drivers\target\tcm_fc\tfc_conf.c(7): * Copyright (c) 2010 Cisco
Systems, Inc.
linux-3.10\drivers\target\tcm_fc\tfc_conf.c(8): * Copyright (c) 2009,2010 Rising
Tide, Inc.
linux-3.10\drivers\target\tcm_fc\tfc_conf.c(9): * Copyright (c) 2009,2010
Linux-iSCSI.org
linux-3.10\drivers\target\tcm_fc\tfc_io.c(10): * Copyright (c) 2009
Linux-iSCSI.org
linux-3.10\drivers\target\tcm_fc\tfc_io.c(11): * Copyright (c) 2009 Nicholas A.
Bellinger <nab@linux-iscsi.org>
linux-3.10\drivers\target\tcm_fc\tfc_io.c(2): * Copyright (c) 2010 Cisco Systems,
Inc.
linux-3.10\drivers\target\tcm_fc\tfc_io.c(6): * Copyright (c) 2007 Intel
Corporation. All rights reserved.
linux-3.10\drivers\target\tcm_fc\tfc_io.c(7): * Copyright (c) 2008 Red Hat,
Inc. All rights reserved.
linux-3.10\drivers\target\tcm_fc\tfc_io.c(8): * Copyright (c) 2008 Mike Christie
linux-3.10\drivers\target\tcm_fc\tfc_io.c(9): * Copyright (c) 2009 Rising Tide,
Inc.

legal(ME)

linux-3.10\drivers\target\tcm_fc\tfc_sess.c(2): * Copyright (c) 2010 Cisco Systems, Inc.
linux-3.10\drivers\tc\tc.c(4): *Copyright (c) Harald Koerfgen, 1998
linux-3.10\drivers\tc\tc.c(5): *Copyright (c) 2001, 2003, 2005, 2006Maciej W. Rozycki
linux-3.10\drivers\tc\tc.c(6): *Copyright (c) 2005James Simmons
linux-3.10\drivers\tc\tc-driver.c(4): *Copyright (c) 2005James Simmons
linux-3.10\drivers\tc\tc-driver.c(5): *Copyright (c) 2006Maciej W. Rozycki
linux-3.10\drivers\thermal\armada_thermal.c(4): * Copyright (C) 2013 Marvell
linux-3.10\drivers\thermal\cpu_cooling.c(4): *Copyright (C) 2012Samsung Electronics Co., Ltd(<http://www.samsung.com>)
linux-3.10\drivers\thermal\cpu_cooling.c(5): *Copyright (C) 2012Amit Daniel <amit.kachhap@linaro.org>
linux-3.10\drivers\thermal\db8500_cpufreq_cooling.c(4): * Copyright (C) 2012 ST-Ericsson
linux-3.10\drivers\thermal\db8500_cpufreq_cooling.c(5): * Copyright (C) 2012 Linaro Ltd.
linux-3.10\drivers\thermal\db8500_thermal.c(4): * Copyright (C) 2012 ST-Ericsson
linux-3.10\drivers\thermal\db8500_thermal.c(5): * Copyright (C) 2012 Linaro Ltd.
linux-3.10\drivers\thermal\dove_thermal.c(4): * Copyright (C) 2013 Andrew Lunn <andrew@lunn.ch>
linux-3.10\drivers\thermal\exynos_thermal.c(4): *Copyright (C) 2011 Samsung Electronics
linux-3.10\drivers\thermal\fair_share.c(4): *Copyright (C) 2012 Intel Corp
linux-3.10\drivers\thermal\fair_share.c(5): *Copyright (C) 2012 Durgadoss R <durgadoss.r@intel.com>
linux-3.10\drivers\thermal\intel_powerclamp.c(4): * Copyright (c) 2012, Intel Corporation.
linux-3.10\drivers\thermal\kirkwood_thermal.c(4): * Copyright (C) 2012 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
linux-3.10\drivers\thermal\rcar_thermal.c(4): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\drivers\thermal\spear_thermal.c(4): * Copyright (C) 2011-2012 ST Microelectronics
linux-3.10\drivers\thermal\step_wise.c(4): *Copyright (C) 2012 Intel Corp
linux-3.10\drivers\thermal\step_wise.c(5): *Copyright (C) 2012 Durgadoss R <durgadoss.r@intel.com>
linux-3.10\drivers\thermal\thermal_core.c(4): *Copyright (C) 2008 Intel Corp
linux-3.10\drivers\thermal\thermal_core.c(5): *Copyright (C) 2008 Zhang Rui <rui.zhang@intel.com>
linux-3.10\drivers\thermal\thermal_core.c(6): *Copyright (C) 2008 Sujith Thomas <sujith.thomas@intel.com>
linux-3.10\drivers\thermal\thermal_core.h(4): *Copyright (C) 2012Intel Corp
linux-3.10\drivers\thermal\user_space.c(4): *Copyright (C) 2012 Intel Corp
linux-3.10\drivers\thermal\user_space.c(5): *Copyright (C) 2012 Durgadoss R <durgadoss.r@intel.com>
linux-3.10\drivers\tty\amiserial.c(18): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\drivers\tty\amiserial.c(19): *Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997,
linux-3.10\drivers\tty\bfin_jtag_comm.c(4): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\drivers\tty\cyclades.c(12): * Copyright (C) 2007-2009 Jiri Slaby

legal(ME)

<jirislaby@gmail.com>
linux-3.10\drivers\tty\cyclades.c(15): * which was copyright (C) 1991, 1992 Linus Torvalds. It was
linux-3.10\drivers\tty\ehv_bytechan.c(3): * Copyright 2009-2011 Freescale Semiconductor, Inc.
linux-3.10\drivers\tty\goldfish.c(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\tty\goldfish.c(3): * Copyright (C) 2012 Intel, Inc.
linux-3.10\drivers\tty\hvc\hvc_beat.c(4): * (C) Copyright 2006 TOSHIBA CORPORATION
linux-3.10\drivers\tty\hvc\hvc_beat.c(7): * (C) Copyright IBM Corporation 2001-2005
linux-3.10\drivers\tty\hvc\hvc_beat.c(8): * (C) Copyright Red Hat, Inc. 2005
linux-3.10\drivers\tty\hvc\hvc_bfin_jtag.c(4): * Copyright 2008-2011 Analog Devices Inc.
linux-3.10\drivers\tty\hvc\hvc_console.c(2): * Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\drivers\tty\hvc\hvc_console.c(3): * Copyright (C) 2001 Paul Mackerras <paulus@au.ibm.com>, IBM
linux-3.10\drivers\tty\hvc\hvc_console.c(4): * Copyright (C) 2004 Benjamin Herrenschmidt <benh@kernel.crashing.org>, IBM Corp.
linux-3.10\drivers\tty\hvc\hvc_console.c(5): * Copyright (C) 2004 IBM Corporation
linux-3.10\drivers\tty\hvc\hvc_console.h(3): * Copyright (C) 2005 IBM Corporation
linux-3.10\drivers\tty\hvc\hvc_dcc.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.
linux-3.10\drivers\tty\hvc\hvc_irq.c(2): * Copyright IBM Corp. 2001,2008
linux-3.10\drivers\tty\hvc\hvc_iucv.c(7): * Copyright IBM Corp. 2008, 2009
linux-3.10\drivers\tty\hvc\hvc_opal.c(4): * Copyright 2011 Benjamin Herrenschmidt <benh@kernel.crashing.org>, IBM Corp.
linux-3.10\drivers\tty\hvc\hvc_rtas.c(4): * (C) Copyright IBM Corporation 2001-2005
linux-3.10\drivers\tty\hvc\hvc_rtas.c(5): * (C) Copyright Red Hat, Inc. 2005
linux-3.10\drivers\tty\hvc\hvc_tile.c(2): * Copyright 2010 Tilera Corporation. All Rights Reserved.
linux-3.10\drivers\tty\hvc\hvc_udbg.c(4): * (C) Copyright David Gibson, IBM Corporation 2008.
linux-3.10\drivers\tty\hvc\hvc_vio.c(10): * Copyright (C) 2001 Paul Mackerras <paulus@au.ibm.com>, IBM
linux-3.10\drivers\tty\hvc\hvc_vio.c(11): * Copyright (C) 2004 Benjamin Herrenschmidt <benh@kernel.crashing.org>, IBM Corp.
linux-3.10\drivers\tty\hvc\hvc_vio.c(12): * Copyright (C) 2004 IBM Corporation
linux-3.10\drivers\tty\hvc\hvc_vio.c(9): * Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM
linux-3.10\drivers\tty\hvc\hvcs.c(3): * Copyright (C) 2003, 2004 IBM Corp.
linux-3.10\drivers\tty\hvc\hvsi.c(2): * Copyright (C) 2004 Hollis Blanchard <hollisb@us.ibm.com>, IBM
linux-3.10\drivers\tty\ipwireless\hardware.c(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\hardware.c(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\hardware.c(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\hardware.c(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)

legal(ME)

linux-3.10\drivers\tty\ipwireless\hardware.h(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\hardware.h(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\hardware.h(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\hardware.h(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)
linux-3.10\drivers\tty\ipwireless\main.c(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\main.c(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\main.c(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\main.c(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)
linux-3.10\drivers\tty\ipwireless\main.h(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\main.h(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\main.h(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\main.h(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)
linux-3.10\drivers\tty\ipwireless\network.c(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\network.c(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\network.c(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\network.c(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)
linux-3.10\drivers\tty\ipwireless\network.h(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\network.h(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\network.h(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\network.h(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)
linux-3.10\drivers\tty\ipwireless\setup_protocol.h(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\setup_protocol.h(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\setup_protocol.h(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\setup_protocol.h(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)
linux-3.10\drivers\tty\ipwireless\tty.c(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\tty.c(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\tty.c(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\tty.c(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)
linux-3.10\drivers\tty\ipwireless\tty.h(12): * Copyright (C) 2006-2007 Jiri Kosina
linux-3.10\drivers\tty\ipwireless\tty.h(15): * Copyright (C) 2007 David Sterba
linux-3.10\drivers\tty\ipwireless\tty.h(8): * Copyrighted as follows:
linux-3.10\drivers\tty\ipwireless\tty.h(9): * Copyright (C) 2004 by Symmetric Systems Ltd (NZ)

legal(ME)

linux-3.10\drivers\tty\metag_da.c(4): *Copyright (C) 2007,2008,2012 Imagination Technologies
linux-3.10\drivers\tty\moxa.c(5): *Copyright (C) 1999-2000Moxa Technologies (support@moxa.com).
linux-3.10\drivers\tty\moxa.c(6): *Copyright (c) 2007 Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\tty\mxser.c(4): *Copyright (C) 1999-2006Moxa Technologies (support@moxa.com).
linux-3.10\drivers\tty\mxser.c(5): *Copyright (C) 2006-2008Jiri Slaby <jirislaby@gmail.com>
linux-3.10\drivers\tty\n_gsm.c(3): * Copyright (c) 2009/10 Intel Corporation
linux-3.10\drivers\tty\n_r3964.c(4): * Copyright by
linux-3.10\drivers\tty\n_tracerouter.c(4): *Copyright (C) Intel 2011
linux-3.10\drivers\tty\n_tracesink.c(4): *Copyright (C) Intel 2011
linux-3.10\drivers\tty\n_tracesink.h(4): *Copyright (C) Intel 2011
linux-3.10\drivers\tty\n_tty.c(13): * Written by Theodore Ts'o, Copyright 1994.
linux-3.10\drivers\tty\n_tty.c(16): * Copyright 1991, 1992, 1993, and by Julian Cowley, Copyright 1994.
linux-3.10\drivers\tty\nnozomi.c(19): * Copyright (c) 2005,2006 Option Wireless Sweden AB
linux-3.10\drivers\tty\nnozomi.c(20): * Copyright (c) 2006 Sphere Systems Ltd
linux-3.10\drivers\tty\nnozomi.c(21): * Copyright (c) 2006 Option Wireless n/v
linux-3.10\drivers\tty\pty.c(2): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\drivers\tty\rocket.c(6): * Copyright (C) 1995, 1996, 1997, 1998, 1999, 2000, 2003 by Comtrol, Inc.
linux-3.10\drivers\tty\rocket.h(4): * Written by Theodore Ts'o, Copyright 1997.
linux-3.10\drivers\tty\rocket.h(5): * Copyright 1997 Comtrol Corporation.
linux-3.10\drivers\tty\rocket_int.h(1123): * This code is Copyright Theodore Ts'o, 1995-1997
linux-3.10\drivers\tty\rocket_int.h(4): * Written by Theodore Ts'o, Copyright 1997.
linux-3.10\drivers\tty\rocket_int.h(5): * Copyright 1997 Comtrol Corporation.
linux-3.10\drivers\tty\serial\68328serial.c(3): * Copyright (C) 1995 David S. Miller<davem@caip.rutgers.edu>
linux-3.10\drivers\tty\serial\68328serial.c(4): * Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>
linux-3.10\drivers\tty\serial\68328serial.c(5): * Copyright (C) 1998, 1999 D. Jeff Dionne <jeff@uclinux.org>
linux-3.10\drivers\tty\serial\68328serial.c(6): * Copyright (C) 1999 Vladimir Gurevich<vgurevic@cisco.com>
linux-3.10\drivers\tty\serial\68328serial.c(7): * Copyright (C) 2002-2003David McCullough <davidm@snapgear.com>
linux-3.10\drivers\tty\serial\68328serial.c(8): * Copyright (C) 2002 Greg Ungerer <gerg@snapgear.com>
linux-3.10\drivers\tty\serial\8250\8250.h(6): *Copyright (C) 2001 Russell King.
linux-3.10\drivers\tty\serial\8250\8250_accent.c(2): *Copyright (C) 2005 Russell King.
linux-3.10\drivers\tty\serial\8250\8250_acorn.c(4): *Copyright (C) 1996-2003 Russell King.
linux-3.10\drivers\tty\serial\8250\8250_boca.c(2): *Copyright (C) 2005 Russell King.
linux-3.10\drivers\tty\serial\8250\8250_core.c(6): *Copyright (C) 2001 Russell

legal(ME)

King.

linux-3.10\drivers\tty\serial\8250\8250_dma.c(4): * Copyright (C) 2013 Intel Corporation

linux-3.10\drivers\tty\serial\8250\8250_dw.c(4): * Copyright 2011 Picochip, Jamie Iles.

linux-3.10\drivers\tty\serial\8250\8250_dw.c(5): * Copyright 2013 Intel Corporation

linux-3.10\drivers\tty\serial\8250\8250_early.c(11): * Based on the 8250.c serial driver, Copyright (C) 2001 Russell King,

linux-3.10\drivers\tty\serial\8250\8250_early.c(4): * (c) Copyright 2004 Hewlett-Packard Development Company, L.P.

linux-3.10\drivers\tty\serial\8250\8250_em.c(4): *Copyright (C) 2012 Magnus Damm

linux-3.10\drivers\tty\serial\8250\8250_exar_st16c554.c(5): *Copyright (C) 2005 Russell King.

linux-3.10\drivers\tty\serial\8250\8250_fourport.c(2): *Copyright (C) 2005 Russell King.

linux-3.10\drivers\tty\serial\8250\8250_fsl.c(7): * Freescale 16550 UART "driver", Copyright (C) 2011 Paul Gortmaker.

linux-3.10\drivers\tty\serial\8250\8250_gsc.c(4): *(c) Copyright Matthew Wilcox <willy@debian.org> 2001-2002

linux-3.10\drivers\tty\serial\8250\8250_hub6.c(2): *Copyright (C) 2005 Russell King.

linux-3.10\drivers\tty\serial\8250\8250_pci.c(6): *Copyright (C) 2001 Russell King, All Rights Reserved.

linux-3.10\drivers\tty\serial\8250\8250_pnp.c(6): *Copyright (C) 2001 Russell King, All Rights Reserved.

linux-3.10\drivers\tty\serial\8250\serial_cs.c(19):are Copyright (C) 1999 David A. Hinds.All Rights Reserved.

linux-3.10\drivers\tty\serial\altera_jtaguart.c(6): * (C) Copyright 2003-2007, Greg Ungerer <gerg@snapgear.com>

linux-3.10\drivers\tty\serial\altera_jtaguart.c(7): * (C) Copyright 2008, Thomas Chou <thomas@wytron.com.tw>

linux-3.10\drivers\tty\serial\altera_jtaguart.c(8): * (C) Copyright 2010, Tobias Klauser <tklauser@distanz.ch>

linux-3.10\drivers\tty\serial\altera_uart.c(6): * (C) Copyright 2003-2007, Greg Ungerer <gerg@snapgear.com>

linux-3.10\drivers\tty\serial\altera_uart.c(7): * (C) Copyright 2008, Thomas Chou <thomas@wytron.com.tw>

linux-3.10\drivers\tty\serial\altera_uart.c(8): * (C) Copyright 2010, Tobias Klauser <tklauser@distanz.ch>

linux-3.10\drivers\tty\serial\amba-pl010.c(6): *Copyright 1999 ARM Limited

linux-3.10\drivers\tty\serial\amba-pl010.c(7): *Copyright (C) 2000 Deep Blue Solutions Ltd.

linux-3.10\drivers\tty\serial\amba-pl011.c(6): *Copyright 1999 ARM Limited

linux-3.10\drivers\tty\serial\amba-pl011.c(7): *Copyright (C) 2000 Deep Blue Solutions Ltd.

linux-3.10\drivers\tty\serial\amba-pl011.c(8): *Copyright (C) 2010 ST-Ericsson SA

linux-3.10\drivers\tty\serial\apbuart.c(10): *Copyright (C) 2009 Kristoffer Glembo <kristoffer@gaisler.com>, Aeroflex Gaisler AB

linux-3.10\drivers\tty\serial\apbuart.c(6): *Copyright (C) 2000 Deep Blue Solutions Ltd.

linux-3.10\drivers\tty\serial\apbuart.c(7): *Copyright (C) 2003 Konrad Eisele

legal(ME)

<eiselekd@web.de>

linux-3.10\drivers\tty\serial\apbuart.c(8): *Copyright (C) 2006 Daniel Hellstrom
<daniel@gaisler.com>, Aeroflex Gaisler AB

linux-3.10\drivers\tty\serial\apbuart.c(9): *Copyright (C) 2008 Gilead Kutnick
<kutnickg@zin-tech.com>

linux-3.10\drivers\tty\serial\ar933x_uart.c(4): *Copyright (C) 2011 Gabor Juhos
<juhosg@openwrt.org>

linux-3.10\drivers\tty\serial\arc_uart.c(4): * Copyright (C) 2010-2012 Synopsys,
Inc. (www.synopsys.com)

linux-3.10\drivers\tty\serial\atmel_serial.c(3): *Copyright (C) 2003 Rick Bronson

linux-3.10\drivers\tty\serial\bcm63xx_uart.c(8): * Copyright (C) 2008 Maxime
Bizon <mbizon@freebox.fr>

linux-3.10\drivers\tty\serial\bfin_sport_uart.c(4): * Copyright 2006-2009 Analog
Devices Inc.

linux-3.10\drivers\tty\serial\bfin_sport_uart.h(4): * Copyright 2006-2008 Analog
Devices Inc.

linux-3.10\drivers\tty\serial\bfin_uart.c(4): * Copyright 2006-2011 Analog
Devices Inc.

linux-3.10\drivers\tty\serial\clps711x.c(6): *Copyright 1999 ARM Limited

linux-3.10\drivers\tty\serial\clps711x.c(7): *Copyright (C) 2000 Deep Blue
Solutions Ltd.

linux-3.10\drivers\tty\serial\cpm_uart\cpm_uart.h(4): *Copyright (C) 2004
Freescale Semiconductor, Inc.

linux-3.10\drivers\tty\serial\cpm_uart\cpm_uart_core.c(11): *Copyright (C) 2004,
2007 Freescale Semiconductor, Inc.

linux-3.10\drivers\tty\serial\cpm_uart\cpm_uart_cpm1.c(7): *Copyright (C) 2004
Freescale Semiconductor, Inc.

linux-3.10\drivers\tty\serial\cpm_uart\cpm_uart_cpm2.c(7): *Copyright (C) 2004
Freescale Semiconductor, Inc.

linux-3.10\drivers\tty\serial\crisv10.c(4): *Copyright (C) 1998-2007Axis
Communications AB

linux-3.10\drivers\tty\serial\crisv10.h(4): * Copyright (C) 1998-2007 Axis
Communications AB

linux-3.10\drivers\tty\serial\dz.c(5): * Copyright (C) 1998 Olivier A. D.
Lebaillif

linux-3.10\drivers\tty\serial\dz.c(9): * Copyright (C) 2004, 2006, 2007Maciej W.
Rozycki

linux-3.10\drivers\tty\serial\dz.h(5): * Copyright (C) 1998 Olivier A. D.
Lebaillif

linux-3.10\drivers\tty\serial\dz.h(9): * Copyright (C) 2004, 2006Maciej W.
Rozycki

linux-3.10\drivers\tty\serial\icom.c(4):* Copyright (C) 2001 IBM Corporation. All
rights reserved.

linux-3.10\drivers\tty\serial\icom.h(4): * Copyright (C) 2001 Michael Anderson,
IBM Corporation

linux-3.10\drivers\tty\serial\ifx6x60.c(10): * Copyright (C) 2009, 2010 Intel
Corp

linux-3.10\drivers\tty\serial\ifx6x60.c(5): * Copyright (C) 2008 Option
International

linux-3.10\drivers\tty\serial\ifx6x60.c(6): * Copyright (C) 2008 Filip Aben
<f.aben@option.com>

linux-3.10\drivers\tty\serial\ifx6x60.h(5): * Copyright (C) 2009, 2010 Intel Corp

legal(ME)

linux-3.10\drivers\tty\serial\imx.c(7): *Copyright (C) 2004 Pengutronix
linux-3.10\drivers\tty\serial\imx.c(9): *Copyright (C) 2009 emlix GmbH
linux-3.10\drivers\tty\serial\ioc3_serial.c(6): * Copyright (C) 2005 Silicon
Graphics, Inc.All Rights Reserved.
linux-3.10\drivers\tty\serial\ioc4_serial.c(6): * Copyright (C) 2003-2006 Silicon
Graphics, Inc.All Rights Reserved.
linux-3.10\drivers\tty\serial\ip22zillog.c(12): *Copyright (C) 2002 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\drivers\tty\serial\ip22zillog.c(13): *Copyright (C) 2002 David S.
Miller (davem@redhat.com)
linux-3.10\drivers\tty\serial\jism\jism.h(2): * Copyright 2003 Digi International
(www.digi.com)
linux-3.10\drivers\tty\serial\jism\jism.h(4): * Copyright (C) 2004 IBM Corporation.
All rights reserved.
linux-3.10\drivers\tty\serial\jism\jism_driver.c(2): * Copyright 2003 Digi
International (www.digi.com)
linux-3.10\drivers\tty\serial\jism\jism_driver.c(4): * Copyright (C) 2004 IBM
Corporation. All rights reserved.
linux-3.10\drivers\tty\serial\jism\jism_neo.c(2): * Copyright 2003 Digi
International (www.digi.com)
linux-3.10\drivers\tty\serial\jism\jism_neo.c(4): * Copyright (C) 2004 IBM
Corporation. All rights reserved.
linux-3.10\drivers\tty\serial\jism\jism_tty.c(2): * Copyright 2003 Digi
International (www.digi.com)
linux-3.10\drivers\tty\serial\jism\jism_tty.c(4): * Copyright (C) 2004 IBM
Corporation. All rights reserved.
linux-3.10\drivers\tty\serial\kgdb_nmi.c(4): * Copyright 2010 Google, Inc.
linux-3.10\drivers\tty\serial\kgdb_nmi.c(7): * Copyright 2012 Linaro Ltd.
linux-3.10\drivers\tty\serial\lantiq.c(17): * Copyright (C) 2004 Infineon IFAP DC
COM CPE
linux-3.10\drivers\tty\serial\lantiq.c(18): * Copyright (C) 2007 Felix Fietkau
<nbd@openwrt.org>
linux-3.10\drivers\tty\serial\lantiq.c(19): * Copyright (C) 2007 John Crispin
<blogic@openwrt.org>
linux-3.10\drivers\tty\serial\lantiq.c(20): * Copyright (C) 2010 Thomas Langer,
<thomas.langer@lantiq.com>
linux-3.10\drivers\tty\serial\lpc32xx_hs.c(7): * Copyright (C) 2010 NXP
Semiconductors
linux-3.10\drivers\tty\serial\lpc32xx_hs.c(8): * Copyright (C) 2012 Roland Stigge
linux-3.10\drivers\tty\serial\m32r_sio.c(10): *Copyright (C) 2004Hirokazu Takata
<takata at linux-m32r.org>
linux-3.10\drivers\tty\serial\m32r_sio.c(9): *Copyright (C) 2001Russell King.
linux-3.10\drivers\tty\serial\m32r_sio.h(10): *Copyright (C) 2004Hirokazu Takata
<takata at linux-m32r.org>
linux-3.10\drivers\tty\serial\m32r_sio.h(9): *Copyright (C) 2001Russell King.
linux-3.10\drivers\tty\serial\m32r_sio_reg.h(4): * Copyright (C) 1992, 1994 by
Theodore Ts'o.
linux-3.10\drivers\tty\serial\m32r_sio_reg.h(5): * Copyright (C) 2004Hirokazu
Takata <takata at linux-m32r.org>
linux-3.10\drivers\tty\serial\max3100.c(3): *Copyright (C) 2008 Christian
Pellegrin <chripell@evolware.org>
linux-3.10\drivers\tty\serial\max310x.c(4): *Copyright (C) 2012 Alexander Shiyan

legal(ME)

<shc_work@mail.ru>
linux-3.10\drivers\tty\serial\mcf.c(6): *(C) Copyright 2003-2007, Greg Ungerer
<gerg@snapgear.com>
linux-3.10\drivers\tty\serial\mfd.c(6): * (C) Copyright 2010 Intel Corporation
linux-3.10\drivers\tty\serial\mpc52xx_uart.c(19): * Copyright (C) 2008 Freescale
Semiconductor Inc.
linux-3.10\drivers\tty\serial\mpc52xx_uart.c(22): * Copyright (C) 2006 Secret Lab
Technologies Ltd.
linux-3.10\drivers\tty\serial\mpc52xx_uart.c(24): * Copyright (C) 2004-2006
Sylvain Munaut <tnt@246tNt.com>
linux-3.10\drivers\tty\serial\mpc52xx_uart.c(25): * Copyright (C) 2003
MontaVista, Software, Inc.
linux-3.10\drivers\tty\serial\mpsc.c(9): * is no proper Copyright so I'm not
sure. Apparently, parts were also
linux-3.10\drivers\tty\serial\mrst_max3110.c(4): * Copyright (c) 2008-2010, Intel
Corporation.
linux-3.10\drivers\tty\serial\msm_serial.c(4): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\tty\serial\msm_serial.c(6): * Copyright (c) 2011, Code Aurora
Forum. All rights reserved.
linux-3.10\drivers\tty\serial\msm_serial.h(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\tty\serial\msm_serial.h(4): * Copyright (c) 2011, Code Aurora
Forum. All rights reserved.
linux-3.10\drivers\tty\serial\msm_serial_hs.c(4): * Copyright (c) 2007-2011, Code
Aurora Forum. All rights reserved.
linux-3.10\drivers\tty\serial\msm_serial_hs.c(5): * Copyright (c) 2008 Google
Inc.
linux-3.10\drivers\tty\serial\msm_smd_tty.c(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\tty\serial\msm_smd_tty.c(3): * Copyright (c) 2011, Code Aurora
Forum. All rights reserved.
linux-3.10\drivers\tty\serial\mux.c(5):** (c) Copyright 2002 Ryan Bradetich
linux-3.10\drivers\tty\serial\mux.c(6):** (c) Copyright 2002 Hewlett-Packard
Company
linux-3.10\drivers\tty\serial\mxs-auart.c(6): * Copyright 2008-2010 Freescale
Semiconductor, Inc.
linux-3.10\drivers\tty\serial\mxs-auart.c(7): * Copyright 2008 Embedded Alley
Solutions, Inc All Rights Reserved.
linux-3.10\drivers\tty\serial\netx-serial.c(2): * Copyright (c) 2005 Sascha Hauer
<s.hauer@pengutronix.de>, Pengutronix
linux-3.10\drivers\tty\serial\nwpserial.c(4): * Copyright (C) 2008 IBM Corp.,
Benjamin Krill <ben@codiert.org>
linux-3.10\drivers\tty\serial\of_serial.c(4): * Copyright (C) 2006 Arnd Bergmann
<arnd@arndb.de>, IBM Corp.
linux-3.10\drivers\tty\serial\omap-serial.c(5): * Copyright (C) 2010 Texas
Instruments.
linux-3.10\drivers\tty\serial\pch_uart.c(2): * Copyright (C) 2011 LAPIS
Semiconductor Co., Ltd.
linux-3.10\drivers\tty\serial\pmac_zilog.c(5): * Copyright (C) 2003 Ben.
Herrenschmidt (benh@kernel.crashing.org)
linux-3.10\drivers\tty\serial\pnx8xxx_uart.c(9): * Copyright (C) 2000 Deep Blue
Solutions Ltd.
linux-3.10\drivers\tty\serial\pxa.c(6): * Copyright:(C) 2003 Monta Vista Software,
Inc.

legal(ME)

linux-3.10\drivers\tty\serial\rp2.c(12): * Copyright (C) 2004-2011 Comtrol, Inc.
linux-3.10\drivers\tty\serial\rp2.c(4): * Copyright (C) 2012 Kevin Cernekee
<cernekee@gmail.com>
linux-3.10\drivers\tty\serial\rp2.c(9): * Copyright (C) 2011 Gabor Juhasz
<juhasz@openwrt.org>
linux-3.10\drivers\tty\serial\sa1100.c(6): *Copyright (C) 2000 Deep Blue
Solutions Ltd.
linux-3.10\drivers\tty\serial\samsung.c(4): * Ben Dooks, Copyright (c) 2003-2008
Simtec Electronics
linux-3.10\drivers\tty\serial\samsung.h(4): * Ben Dooks, Copyright (c) 2003-2008
Simtec Electronics
linux-3.10\drivers\tty\serial\sbs1250-duart.c(10): *Copyright (c) 2000, 2001,
2002, 2003, 2004Broadcom Corporation
linux-3.10\drivers\tty\serial\sbs1250-duart.c(5): *Copyright (c) 2007Maciej W.
Rozycki
linux-3.10\drivers\tty\serial\sbs1250-duart.c(8): *copyright applies:
linux-3.10\drivers\tty\serial\sc26xx.c(4): * Copyright (C) 2006,2007 Thomas
Bogendnerfer (tsbogend@alpha.franken.de)
linux-3.10\drivers\tty\serial\sccnxp.c(4): *Copyright (C) 2012 Alexander Shiyan
<shc_work@mail.ru>
linux-3.10\drivers\tty\serial\serial_core.c(6): *Copyright 1999 ARM Limited
linux-3.10\drivers\tty\serial\serial_core.c(7): *Copyright (C) 2000-2001 Deep
Blue Solutions Ltd.
linux-3.10\drivers\tty\serial\serial_ks8695.c(6): *Copyright 2002-2005 Micrel
Inc.
linux-3.10\drivers\tty\serial\serial_txx9.c(6): *Copyright (C) 1999 Harald
Koerfgen
linux-3.10\drivers\tty\serial\serial_txx9.c(7): *Copyright (C) 2000 Jim Pick
<jim@jimpick.com>
linux-3.10\drivers\tty\serial\serial_txx9.c(8): *Copyright (C) 2001 Steven J.
Hill (sjhill@realitydiluted.com)
linux-3.10\drivers\tty\serial\serial_txx9.c(9): *Copyright (C) 2000-2002 Toshiba
Corporation
linux-3.10\drivers\tty\serial\serial-tegra.c(6): * Copyright (c) 2012-2013,
NVIDIA CORPORATION.All rights reserved.
linux-3.10\drivers\tty\serial\sh-sci.c(10): * Copyright (C) 2000Sugioka Toshinobu
linux-3.10\drivers\tty\serial\sh-sci.c(4): *Copyright (C) 2002 - 2011Paul Mundt
linux-3.10\drivers\tty\serial\sh-sci.c(9): * Copyright (C) 1999, 2000Niibe Yutaka
linux-3.10\drivers\tty\serial\sirfsoc_uart.c(4): * Copyright (c) 2011 Cambridge
Silicon Radio Limited, a CSR plc group company.
linux-3.10\drivers\tty\serial\sirfsoc_uart.h(4): * Copyright (c) 2011 Cambridge
Silicon Radio Limited, a CSR plc group company.
linux-3.10\drivers\tty\serial\sn_console.c(9): * Copyright (c) 2004-2006 Silicon
Graphics, Inc.All Rights Reserved.
linux-3.10\drivers\tty\serial\suncore.c(10): * Copyright (C) 2002 David S. Miller
(davem@redhat.com)
linux-3.10\drivers\tty\serial\suncore.c(6): * Copyright (C) 1997Eddie C.
Dost(ecd@skynet.be)
linux-3.10\drivers\tty\serial\sunhv.c(3): * Copyright (C) 2006, 2007 David S.
Miller (davem@davemloft.net)
linux-3.10\drivers\tty\serial\sunsab.c(3): * Copyright (C) 1997Eddie C.
Dost(ecd@skynet.be)

legal(ME)

linux-3.10\drivers\tty\serial\sunsab.c(4): * Copyright (C) 2002, 2006David S. Miller (davem@davemloft.net)
linux-3.10\drivers\tty\serial\sunsab.h(3): * Copyright (C) 1997Eddie C. Dost(ecd@skynet.be)
linux-3.10\drivers\tty\serial\sunsu.c(4): * Copyright (C) 1997Eddie C. Dost(ecd@skynet.be)
linux-3.10\drivers\tty\serial\sunsu.c(5): * Copyright (C) 1998-1999Pete Zaitcev (zaitcev@yahoo.com)
linux-3.10\drivers\tty\serial\sunzilog.c(12): * Copyright (C) 2002, 2006, 2007 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\tty\serial\timbuart.c(3): * Copyright (c) 2009 Intel Corporation
linux-3.10\drivers\tty\serial\timbuart.h(3): * Copyright (c) 2009 Intel Corporation
linux-3.10\drivers\tty\serial\uartlite.c(4): * Copyright (C) 2006 Peter Korsgaard <jacmet@sunsite.dk>
linux-3.10\drivers\tty\serial\uartlite.c(5): * Copyright (C) 2007 Secret Lab Technologies Ltd.
linux-3.10\drivers\tty\serial\ucc_uart.c(6): * Copyright 2007 Freescale Semiconductor, Inc.This file is licensed under
linux-3.10\drivers\tty\serial\vr41xx_siu.c(4): *Copyright (C) 2004-2008Yoichi Yuasa <yuasa@linux-mips.org>
linux-3.10\drivers\tty\serial\vt8500_serial.c(2): * Copyright (C) 2010 Alexey Charkov <alchark@gmail.com>
linux-3.10\drivers\tty\serial\vt8500_serial.c(5): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\tty\serial\zs.c(11): * For the rest of the code the original Copyright applies:
linux-3.10\drivers\tty\serial\zs.c(12): * Copyright (C) 1996 Paul Mackerras (Paul.Mackerras@cs.anu.edu.au)
linux-3.10\drivers\tty\serial\zs.c(13): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\drivers\tty\serial\zs.c(8): * Copyright (C) 1998-2000 Harald Koerfgen
linux-3.10\drivers\tty\serial\zs.c(9): * Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2007Maciej W. Rozycki
linux-3.10\drivers\tty\serial\zs.h(7): * Copyright (C) 1996 Paul Mackerras (Paul.Mackerras@cs.anu.edu.au)
linux-3.10\drivers\tty\serial\zs.h(8): * Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
linux-3.10\drivers\tty\serial\zs.h(9): * Copyright (C) 2004, 2005, 2007Maciej W. Rozycki
linux-3.10\drivers\tty\sysrq.c(11): *Copyright (c) 2010 Dmitry Torokhov
linux-3.10\drivers\tty\tty_audit.c(4): * Copyright (C) 2007 Red Hat, Inc.All rights reserved.This copyrighted
linux-3.10\drivers\tty\tty_io.c(2): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\drivers\tty\tty_ioctl.c(2): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\drivers\tty\vt\vt.c(2): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\drivers\tty\vt\vt_ioctl.c(2): *Copyright (C) 1992 obz under the linux copyright
linux-3.10\drivers\uiou\uiou.c(4): * Copyright(C) 2005, Benedikt Spranger <b.spranger@linutronix.de>

legal(ME)

linux-3.10\drivers\uiou\uioc.c(5): * Copyright(C) 2005, Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\drivers\uiou\uioc.c(6): * Copyright(C) 2006, Hans J. Koch
<hjk@hansjkoch.de>
linux-3.10\drivers\uiou\uioc.c(7): * Copyright(C) 2006, Greg Kroah-Hartman
<greg@kroah.com>
linux-3.10\drivers\uiou\uioaec.c(4): * Copyright (C) 2008 Brandon Philips
<brandon@ifup.org>
linux-3.10\drivers\uiou\uiodmem_genirq.c(6): * Copyright (C) 2012 Damian
Hobson-Garcia
linux-3.10\drivers\uiou\uiopci_generic.c(3): * Copyright (C) 2009 Red Hat, Inc.
linux-3.10\drivers\uiou\uiopdrv.c(4): * Copyright (C) 2008 by Digi International
Inc.
linux-3.10\drivers\uiou\uiopdrv_genirq.c(6): * Copyright (C) 2008 Magnus Damm
linux-3.10\drivers\uiou\uiopdrv_genirq.c(9): * Copyright (C) 2008 by Digi
International Inc.
linux-3.10\drivers\uiou\uiopruss.c(7): * Copyright (C) 2010-11 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\drivers\uiou\uiosercos3.c(3): Copyright (C) 2008 Linutronix GmbH
linux-3.10\drivers\usb\atm\cxacru.c(5): *Copyright (C) 2004 David Woodhouse,
Duncan Sands, Roman Kagan
linux-3.10\drivers\usb\atm\cxacru.c(6): *Copyright (C) 2005 Duncan Sands, Roman
Kagan (rkagan % mail ! ru)
linux-3.10\drivers\usb\atm\cxacru.c(7): *Copyright (C) 2007 Simon Arlott
linux-3.10\drivers\usb\atm\cxacru.c(8): *Copyright (C) 2009 Simon Arlott
linux-3.10\drivers\usb\atm\speedtch.c(4): *Copyright (C) 2001, Alcatel
linux-3.10\drivers\usb\atm\speedtch.c(5): *Copyright (C) 2003, Duncan Sands
linux-3.10\drivers\usb\atm\speedtch.c(6): *Copyright (C) 2004, David Woodhouse
linux-3.10\drivers\usb\atm\speedtch.c(8): *Based on "modem_run.c", copyright (C)
2001, Benoit Papillault
linux-3.10\drivers\usb\atm\ueagle-atm.c(2): * Copyright (c) 2003, 2004
linux-3.10\drivers\usb\atm\ueagle-atm.c(5): * Copyright (c) 2005-2007 Matthieu
Castet <castet.matthieu@free.fr>
linux-3.10\drivers\usb\atm\ueagle-atm.c(6): * Copyright (c) 2005-2007 Stanislaw
Gruszka <stf_xl@wp.pl>
linux-3.10\drivers\usb\atm\usbatm.c(4): *Copyright (C) 2001, Alcatel
linux-3.10\drivers\usb\atm\usbatm.c(5): *Copyright (C) 2003, Duncan Sands,
SolNegro, Josep Comas
linux-3.10\drivers\usb\atm\usbatm.c(6): *Copyright (C) 2004, David Woodhouse,
Roman Kagan
linux-3.10\drivers\usb\atm\usbatm.h(4): *Copyright (C) 2001, Alcatel
linux-3.10\drivers\usb\atm\usbatm.h(5): *Copyright (C) 2003, Duncan Sands,
SolNegro, Josep Comas
linux-3.10\drivers\usb\atm\usbatm.h(6): *Copyright (C) 2004, David Woodhouse
linux-3.10\drivers\usb\atm\xusbatm.c(4): *Copyright (C) 2005 Duncan Sands, Roman
Kagan (rkagan % mail ! ru)
linux-3.10\drivers\usb\c67x00\c67x00.h(4): * Copyright (C) 2006-2008 Barco N.V.
linux-3.10\drivers\usb\c67x00\c67x00-drv.c(4): * Copyright (C) 2006-2008 Barco
N.V.
linux-3.10\drivers\usb\c67x00\c67x00-hcd.c(4): * Copyright (C) 2006-2008 Barco
N.V.
linux-3.10\drivers\usb\c67x00\c67x00-hcd.h(4): * Copyright (C) 2006-2008 Barco

legal(ME)

N.V.

linux-3.10\drivers\usb\c67x00\c67x00-ll-hpi.c(4): * Copyright (C) 2006-2008 Barco N.V.

N.V.

linux-3.10\drivers\usb\c67x00\c67x00-sched.c(4): * Copyright (C) 2006-2008 Barco N.V.

linux-3.10\drivers\usb\chipidea\bits.h(4): * Copyright (C) 2008 Chipidea - MIPS Technologies, Inc. All rights reserved.

linux-3.10\drivers\usb\chipidea\ci.h(4): * Copyright (C) 2008 Chipidea - MIPS Technologies, Inc. All rights reserved.

linux-3.10\drivers\usb\chipidea\ci13xxx_imx.c(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\chipidea\ci13xxx_imx.c(3): * Copyright (C) 2012 Marek Vasut <marex@denx.de>

linux-3.10\drivers\usb\chipidea\ci13xxx_imx.h(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\chipidea\ci13xxx_msm.c(1):/* Copyright (c) 2010, Code Aurora Forum. All rights reserved.

linux-3.10\drivers\usb\chipidea\ci13xxx_pci.c(4): * Copyright (C) 2008 Chipidea - MIPS Technologies, Inc. All rights reserved.

linux-3.10\drivers\usb\chipidea\core.c(4): * Copyright (C) 2008 Chipidea - MIPS Technologies, Inc. All rights reserved.

linux-3.10\drivers\usb\chipidea\debug.h(4): * Copyright (C) 2008 Chipidea - MIPS Technologies, Inc. All rights reserved.

linux-3.10\drivers\usb\chipidea\host.c(4): * Copyright (c) 2012 Intel Corporation

linux-3.10\drivers\usb\chipidea\udc.c(4): * Copyright (C) 2008 Chipidea - MIPS Technologies, Inc. All rights reserved.

linux-3.10\drivers\usb\chipidea\udc.h(4): * Copyright (C) 2008 Chipidea - MIPS Technologies, Inc. All rights reserved.

linux-3.10\drivers\usb\chipidea\usbmisc_imx.c(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\class\cdc-acm.c(10): * Copyright (c) 2011 Johan Hovold<jhovold@gmail.com>

linux-3.10\drivers\usb\class\cdc-acm.c(4): * Copyright (c) 1999 Armin Fuerst<fuerst@in.tum.de>

linux-3.10\drivers\usb\class\cdc-acm.c(5): * Copyright (c) 1999 Pavel Machek<pavel@ucw.cz>

linux-3.10\drivers\usb\class\cdc-acm.c(6): * Copyright (c) 1999 Johannes Erdfelt<johannes@erdfelt.com>

linux-3.10\drivers\usb\class\cdc-acm.c(7): * Copyright (c) 2000 Vojtech Pavlik<vojtech@suse.cz>

linux-3.10\drivers\usb\class\cdc-acm.c(8): * Copyright (c) 2004 Oliver Neukum<oliver@neukum.name>

linux-3.10\drivers\usb\class\cdc-acm.c(9): * Copyright (c) 2005 David Kubicek<dave@awk.cz>

linux-3.10\drivers\usb\class\cdc-wdm.c(6): * Copyright (c) 2007-2009 Oliver Neukum

linux-3.10\drivers\usb\class\usbblp.c(10): * Copyright (c) 2006 Oliver Neukum<oliver@neukum.name>

linux-3.10\drivers\usb\class\usbblp.c(4): * Copyright (c) 1999 Michael Gee<michael@linuxspecific.com>

linux-3.10\drivers\usb\class\usbblp.c(5): * Copyright (c) 1999 Pavel Machek<pavel@ucw.cz>

legal(ME)

linux-3.10\drivers\usb\class\usb_lp.c(6): * Copyright (c) 2000 Randy Dunlap<rdunlap@xenotime.net>
linux-3.10\drivers\usb\class\usb_lp.c(7): * Copyright (c) 2000 Vojtech Pavlik<vojtech@suse.cz>
linux-3.10\drivers\usb\class\usb_lp.c(8): # Copyright (c) 2001 Pete Zaitcev<zaitcev@redhat.com>
linux-3.10\drivers\usb\class\usb_lp.c(9): # Copyright (c) 2001 David Paschal<paschal@rcsis.com>
linux-3.10\drivers\usb\class\usb_tmc.c(4): * Copyright (C) 2007 Stefan Kopp, Gechingen, Germany
linux-3.10\drivers\usb\class\usb_tmc.c(5): * Copyright (C) 2008 Novell, Inc.
linux-3.10\drivers\usb\class\usb_tmc.c(6): * Copyright (C) 2008 Greg Kroah-Hartman <gregkh@suse.de>
linux-3.10\drivers\usb\core\devices.c(3): * (C) Copyright 1999 Randy Dunlap.
linux-3.10\drivers\usb\core\devices.c(4): * (C) Copyright 1999,2000 Thomas Sailer <sailer@ife.ee.ethz.ch>.
linux-3.10\drivers\usb\core\devices.c(6): * (C) Copyright 1999 Deti Fliegl (new USB architecture)
linux-3.10\drivers\usb\core\devio.c(6): *Copyright (C) 1999-2000Thomas Sailer (sailer@ife.ee.ethz.ch)
linux-3.10\drivers\usb\core\driver.c(10): *(C) Copyright Gregory P. Smith 1999
linux-3.10\drivers\usb\core\driver.c(11): *(C) Copyright Deti Fliegl 1999 (new USB architecture)
linux-3.10\drivers\usb\core\driver.c(12): *(C) Copyright Randy Dunlap 2000
linux-3.10\drivers\usb\core\driver.c(13): *(C) Copyright David Brownell 2000-2004
linux-3.10\drivers\usb\core\driver.c(14): *(C) Copyright Yggdrasil Computing, Inc. 2000
linux-3.10\drivers\usb\core\driver.c(16): *(C) Copyright Greg Kroah-Hartman 2002-2003
linux-3.10\drivers\usb\core\driver.c(4): * (C) Copyright 2005 Greg Kroah-Hartman <gregkh@suse.de>
linux-3.10\drivers\usb\core\driver.c(7): *(C) Copyright Linus Torvalds 1999
linux-3.10\drivers\usb\core\driver.c(8): *(C) Copyright Johannes Erdfelt 1999-2001
linux-3.10\drivers\usb\core\driver.c(9): *(C) Copyright Andreas Gal 1999
linux-3.10\drivers\usb\core\endpoint.c(4): * (C) Copyright 2002,2004,2006 Greg Kroah-Hartman
linux-3.10\drivers\usb\core\endpoint.c(5): * (C) Copyright 2002,2004 IBM Corp.
linux-3.10\drivers\usb\core\endpoint.c(6): * (C) Copyright 2006 Novell Inc.
linux-3.10\drivers\usb\core\file.c(10): * (C) Copyright David Brownell 2000-2001 (kernel hotplug, usb_device_id,
linux-3.10\drivers\usb\core\file.c(12): * (C) Copyright Yggdrasil Computing, Inc. 2000
linux-3.10\drivers\usb\core\file.c(14): * (C) Copyright Greg Kroah-Hartman 2002-2003
linux-3.10\drivers\usb\core\file.c(4): * (C) Copyright Linus Torvalds 1999
linux-3.10\drivers\usb\core\file.c(5): * (C) Copyright Johannes Erdfelt 1999-2001
linux-3.10\drivers\usb\core\file.c(6): * (C) Copyright Andreas Gal 1999
linux-3.10\drivers\usb\core\file.c(7): * (C) Copyright Gregory P. Smith 1999
linux-3.10\drivers\usb\core\file.c(8): * (C) Copyright Deti Fliegl 1999 (new USB architecture)
linux-3.10\drivers\usb\core\file.c(9): * (C) Copyright Randy Dunlap 2000

legal(ME)

linux-3.10\drivers\usb\core\generic.c(10): *(C) Copyright Gregory P. Smith 1999
linux-3.10\drivers\usb\core\generic.c(11): *(C) Copyright Deti Fliegl 1999 (new
USB architecture)
linux-3.10\drivers\usb\core\generic.c(12): *(C) Copyright Randy Dunlap 2000
linux-3.10\drivers\usb\core\generic.c(13): *(C) Copyright David Brownell
2000-2004
linux-3.10\drivers\usb\core\generic.c(14): *(C) Copyright Yggdrasil Computing,
Inc. 2000
linux-3.10\drivers\usb\core\generic.c(16): *(C) Copyright Greg Kroah-Hartman
2002-2003
linux-3.10\drivers\usb\core\generic.c(4): * (C) Copyright 2005 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\usb\core\generic.c(7): *(C) Copyright Linus Torvalds 1999
linux-3.10\drivers\usb\core\generic.c(8): *(C) Copyright Johannes Erdfelt
1999-2001
linux-3.10\drivers\usb\core\generic.c(9): *(C) Copyright Andreas Gal 1999
linux-3.10\drivers\usb\core\hcd.c(2): * (C) Copyright Linus Torvalds 1999
linux-3.10\drivers\usb\core\hcd.c(3): * (C) Copyright Johannes Erdfelt 1999-2001
linux-3.10\drivers\usb\core\hcd.c(4): * (C) Copyright Andreas Gal 1999
linux-3.10\drivers\usb\core\hcd.c(5): * (C) Copyright Gregory P. Smith 1999
linux-3.10\drivers\usb\core\hcd.c(6): * (C) Copyright Deti Fliegl 1999
linux-3.10\drivers\usb\core\hcd.c(7): * (C) Copyright Randy Dunlap 2000
linux-3.10\drivers\usb\core\hcd.c(8): * (C) Copyright David Brownell 2000-2002
linux-3.10\drivers\usb\core\hcd-pci.c(2): * (C) Copyright David Brownell
2000-2002
linux-3.10\drivers\usb\core\hub.c(4): * (C) Copyright 1999 Linus Torvalds
linux-3.10\drivers\usb\core\hub.c(5): * (C) Copyright 1999 Johannes Erdfelt
linux-3.10\drivers\usb\core\hub.c(6): * (C) Copyright 1999 Gregory P. Smith
linux-3.10\drivers\usb\core\hub.c(7): * (C) Copyright 2001 Brad Hards
(bhards@bigpond.net.au)
linux-3.10\drivers\usb\core\hub.h(4): * Copyright (C) 1999 Linus Torvalds
linux-3.10\drivers\usb\core\hub.h(5): * Copyright (C) 1999 Johannes Erdfelt
linux-3.10\drivers\usb\core\hub.h(6): * Copyright (C) 1999 Gregory P. Smith
linux-3.10\drivers\usb\core\hub.h(7): * Copyright (C) 2001 Brad Hards
(bhards@bigpond.net.au)
linux-3.10\drivers\usb\core\hub.h(8): * Copyright (C) 2012 Intel Corp
(tianyu.lan@intel.com)
linux-3.10\drivers\usb\core\notify.c(4): * (C) Copyright 2005 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\usb\core\otg_whitelist.h(4): * Copyright (C) 2004 Texas
Instruments
linux-3.10\drivers\usb\core\port.c(4): * Copyright (C) 2012 Intel Corp
linux-3.10\drivers\usb\core\quirks.c(4): * Copyright (c) 2007 Oliver Neukum
linux-3.10\drivers\usb\core\quirks.c(5): * Copyright (c) 2007 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\drivers\usb\core\sysfs.c(4): * (C) Copyright 2002 David Brownell
linux-3.10\drivers\usb\core\sysfs.c(5): * (C) Copyright 2002,2004 Greg
Kroah-Hartman
linux-3.10\drivers\usb\core\sysfs.c(6): * (C) Copyright 2002,2004 IBM Corp.
linux-3.10\drivers\usb\core\usb.c(10): * (C) Copyright David Brownell 2000-2004
linux-3.10\drivers\usb\core\usb.c(11): * (C) Copyright Yggdrasil Computing, Inc.
2000

legal(ME)

linux-3.10\drivers\usb\core\usb.c(13): * (C) Copyright Greg Kroah-Hartman
2002-2003
linux-3.10\drivers\usb\core\usb.c(4): * (C) Copyright Linus Torvalds 1999
linux-3.10\drivers\usb\core\usb.c(5): * (C) Copyright Johannes Erdfelt 1999-2001
linux-3.10\drivers\usb\core\usb.c(6): * (C) Copyright Andreas Gal 1999
linux-3.10\drivers\usb\core\usb.c(7): * (C) Copyright Gregory P. Smith 1999
linux-3.10\drivers\usb\core\usb.c(8): * (C) Copyright Deti Fliegl 1999 (new USB
architecture)
linux-3.10\drivers\usb\core\usb.c(9): * (C) Copyright Randy Dunlap 2000
linux-3.10\drivers\usb\core\usb-acpi.c(4): * Copyright 2012 Red Hat
<mjg@redhat.com>
linux-3.10\drivers\usb\dwc3\core.c(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\core.c(4): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\core.h(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\core.h(4): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\debug.h(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\debug.h(4): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\debugfs.c(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\debugfs.c(4): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\dwc3-exynos.c(4): * Copyright (c) 2012 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\usb\dwc3\dwc3-omap.c(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\dwc3-omap.c(4): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\dwc3-pci.c(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\dwc3-pci.c(4): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\ep0.c(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\ep0.c(4): * Copyright (C) 2010-2011 Texas Instruments
Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\gadget.c(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\gadget.c(4): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\gadget.h(18): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\gadget.h(4): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\dwc3\host.c(17): * 3. The names of the above-listed
copyright holders may not be used
linux-3.10\drivers\usb\dwc3\host.c(4): * Copyright (C) 2011 Texas Instruments

legal(ME)

Incorporated - <http://www.ti.com>

linux-3.10\drivers\usb\dwc3\io.h(18): * 3. The names of the above-listed
copyright holders may not be used

linux-3.10\drivers\usb\dwc3\io.h(4): * Copyright (C) 2010-2011 Texas Instruments
Incorporated - <http://www.ti.com>

linux-3.10\drivers\usb\early\ehci-dbgp.c(10): *Copyright (C) 2009 Wind River
Systems, Inc.

linux-3.10\drivers\usb\gadget\acm_ms.c(4): * Copyright (C) 2008 David Brownell

linux-3.10\drivers\usb\gadget\acm_ms.c(5): * Copyright (C) 2008 Nokia Corporation

linux-3.10\drivers\usb\gadget\amd5536udc.c(4): * Copyright (C) 2005-2007 AMD
(<http://www.amd.com>)

linux-3.10\drivers\usb\gadget\amd5536udc.h(4): * Copyright (C) 2007 AMD
(<http://www.amd.com>)

linux-3.10\drivers\usb\gadget\at91_udc.c(4): * Copyright (C) 2004 by Thomas
Rathbone

linux-3.10\drivers\usb\gadget\at91_udc.c(5): * Copyright (C) 2005 by HP Labs

linux-3.10\drivers\usb\gadget\at91_udc.c(6): * Copyright (C) 2005 by David
Brownell

linux-3.10\drivers\usb\gadget\at91_udc.h(2): * Copyright (C) 2004 by Thomas
Rathbone, HP Labs

linux-3.10\drivers\usb\gadget\at91_udc.h(3): * Copyright (C) 2005 by Ivan
Kokshaysky

linux-3.10\drivers\usb\gadget\at91_udc.h(4): * Copyright (C) 2006 by SAN People

linux-3.10\drivers\usb\gadget\atmel_usba_udc.c(4): * Copyright (C) 2005-2007
Atmel Corporation

linux-3.10\drivers\usb\gadget\atmel_usba_udc.h(4): * Copyright (C) 2005-2007
Atmel Corporation

linux-3.10\drivers\usb\gadget\audio.c(4): * Copyright (C) 2008 Bryan Wu
<cooloney@kernel.org>

linux-3.10\drivers\usb\gadget\audio.c(5): * Copyright (C) 2008 Analog Devices,
Inc

linux-3.10\drivers\usb\gadget\bcm63xx_udc.c(4): * Copyright (C) 2012 Kevin
Cernekee <cernekee@gmail.com>

linux-3.10\drivers\usb\gadget\bcm63xx_udc.c(5): * Copyright (C) 2012 Broadcom
Corporation

linux-3.10\drivers\usb\gadget\cdc2.c(4): * Copyright (C) 2008 David Brownell

linux-3.10\drivers\usb\gadget\cdc2.c(5): * Copyright (C) 2008 Nokia Corporation

linux-3.10\drivers\usb\gadget\composite.c(4): * Copyright (C) 2006-2008 David
Brownell

linux-3.10\drivers\usb\gadget\config.c(4): * Copyright (C) 2003 David Brownell

linux-3.10\drivers\usb\gadget\dbgp.c(4): * Copyright (C) 2010 Stephane Duverger

linux-3.10\drivers\usb\gadget\dummy_hcd.c(6): * Copyright (C) 2003 David Brownell

linux-3.10\drivers\usb\gadget\dummy_hcd.c(7): * Copyright (C) 2003-2005 Alan
Stern

linux-3.10\drivers\usb\gadget\epautoconf.c(4): * Copyright (C) 2004 David
Brownell

linux-3.10\drivers\usb\gadget\ether.c(4): * Copyright (C) 2003-2005,2008 David
Brownell

linux-3.10\drivers\usb\gadget\ether.c(5): * Copyright (C) 2003-2004 Robert
Schwebel, Benedikt Spranger

linux-3.10\drivers\usb\gadget\ether.c(6): * Copyright (C) 2008 Nokia Corporation

linux-3.10\drivers\usb\gadget\f_acm.c(4): * Copyright (C) 2003 Al Borchers

legal(ME)

(alborchers@steinerpoint.com)

linux-3.10\drivers\usb\gadget\f_acm.c(5): * Copyright (C) 2008 by David Brownell
linux-3.10\drivers\usb\gadget\f_acm.c(6): * Copyright (C) 2008 by Nokia Corporation
linux-3.10\drivers\usb\gadget\f_acm.c(7): * Copyright (C) 2009 by Samsung Electronics
linux-3.10\drivers\usb\gadget\f_ecm.c(4): * Copyright (C) 2003-2005,2008 David Brownell
linux-3.10\drivers\usb\gadget\f_ecm.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\gadget\f_eem.c(4): * Copyright (C) 2003-2005,2008 David Brownell
linux-3.10\drivers\usb\gadget\f_eem.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\gadget\f_eem.c(6): * Copyright (C) 2009 EF Johnson Technologies
linux-3.10\drivers\usb\gadget\f_fs.c(4): * Copyright (C) 2010 Samsung Electronics
linux-3.10\drivers\usb\gadget\f_fs.c(8): * Copyright (C) 2003-2004 David Brownell
linux-3.10\drivers\usb\gadget\f_fs.c(9): * Copyright (C) 2003 Agilent Technologies
linux-3.10\drivers\usb\gadget\f_hid.c(4): * Copyright (C) 2010 Fabien Chouteau <fabien.chouteau@barco.com>
linux-3.10\drivers\usb\gadget\f_loopback.c(4): * Copyright (C) 2003-2008 David Brownell
linux-3.10\drivers\usb\gadget\f_loopback.c(5): * Copyright (C) 2008 by Nokia Corporation
linux-3.10\drivers\usb\gadget\f_mass_storage.c(18): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\drivers\usb\gadget\f_mass_storage.c(4): * Copyright (C) 2003-2008 Alan Stern
linux-3.10\drivers\usb\gadget\f_mass_storage.c(5): * Copyright (C) 2009 Samsung Electronics
linux-3.10\drivers\usb\gadget\f_midi.c(12): * Copyright (C) 2008 Bryan Wu <cooloney@kernel.org>
linux-3.10\drivers\usb\gadget\f_midi.c(13): * Copyright (C) 2008 Analog Devices, Inc
linux-3.10\drivers\usb\gadget\f_midi.c(16): * Copyright (C) 2006 Thumtronics Pty Ltd.
linux-3.10\drivers\usb\gadget\f_midi.c(4): * Copyright (C) 2006 Thumtronics Pty Ltd.
linux-3.10\drivers\usb\gadget\f_midi.c(9): * Copyright (C) 2011 Daniel Mack <zonique@gmail.com>
linux-3.10\drivers\usb\gadget\f_ncm.c(10): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\gadget\f_ncm.c(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\drivers\usb\gadget\f_ncm.c(9): * Copyright (C) 2003-2005,2008 David Brownell
linux-3.10\drivers\usb\gadget\f_obex.c(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\gadget\f_phonet.c(4): * Copyright (C) 2007-2008 Nokia Corporation. All rights reserved.
linux-3.10\drivers\usb\gadget\f_rndis.c(4): * Copyright (C) 2003-2005,2008 David Brownell
linux-3.10\drivers\usb\gadget\f_rndis.c(5): * Copyright (C) 2003-2004 Robert Schwebel, Benedikt Spranger
linux-3.10\drivers\usb\gadget\f_rndis.c(6): * Copyright (C) 2008 Nokia

legal(ME)

Corporation

linux-3.10\drivers\usb\gadget\f_rndis.c(7): * Copyright (C) 2009 Samsung Electronics

linux-3.10\drivers\usb\gadget\f_serial.c(4): * Copyright (C) 2003 Al Borchers (alborchers@steinerpoint.com)

linux-3.10\drivers\usb\gadget\f_serial.c(5): * Copyright (C) 2008 by David Brownell

linux-3.10\drivers\usb\gadget\f_serial.c(6): * Copyright (C) 2008 by Nokia Corporation

linux-3.10\drivers\usb\gadget\f_sourcesink.c(4): * Copyright (C) 2003-2008 David Brownell

linux-3.10\drivers\usb\gadget\f_sourcesink.c(5): * Copyright (C) 2008 by Nokia Corporation

linux-3.10\drivers\usb\gadget\f_subset.c(4): * Copyright (C) 2003-2005,2008 David Brownell

linux-3.10\drivers\usb\gadget\f_subset.c(5): * Copyright (C) 2008 Nokia Corporation

linux-3.10\drivers\usb\gadget\f_uac1.c(4): * Copyright (C) 2008 Bryan Wu <cooloney@kernel.org>

linux-3.10\drivers\usb\gadget\f_uac1.c(5): * Copyright (C) 2008 Analog Devices, Inc

linux-3.10\drivers\usb\gadget\f_uac2.c(4): * Copyright (C) 2011

linux-3.10\drivers\usb\gadget\f_uvc.c(4): * Copyright (C) 2009-2010

linux-3.10\drivers\usb\gadget\f_uvc.h(4): * Copyright (C) 2009-2010

linux-3.10\drivers\usb\gadget\fsl_mxc_udc.c(2): * Copyright (C) 2009

linux-3.10\drivers\usb\gadget\fsl_qe_udc.c(4): * Copyright (c) 2006-2008 Freescale Semiconductor, Inc. All rights reserved.

linux-3.10\drivers\usb\gadget\fsl_qe_udc.h(4): * Copyright (C) 2006-2008 Freescale Semiconductor, Inc. All rights reserved.

linux-3.10\drivers\usb\gadget\fsl_udc_core.c(2): * Copyright (C) 2004-2007,2011-2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\gadget\fsl_usb2_udc.h(2): * Copyright (C) 2004,2012 Freescale Semiconductor, Inc

linux-3.10\drivers\usb\gadget\fusb300_udc.c(4): * Copyright (C) 2010 Faraday Technology Corp.

linux-3.10\drivers\usb\gadget\fusb300_udc.h(4): * Copyright (C) 2010 Faraday Technology Corp.

linux-3.10\drivers\usb\gadget\g_ffs.c(4): * Copyright (C) 2010 Samsung Electronics

linux-3.10\drivers\usb\gadget\gmidi.c(13): * Gadget Zero driver, Copyright (C) 2003-2004 David Brownell.

linux-3.10\drivers\usb\gadget\gmidi.c(14): * USB Audio driver, Copyright (C) 2002 by Takashi Iwai.

linux-3.10\drivers\usb\gadget\gmidi.c(15): * USB MIDI driver, Copyright (C) 2002-2005 Clemens Ladisch.

linux-3.10\drivers\usb\gadget\gmidi.c(4): * Copyright (C) 2006 Thumtronics Pty Ltd.

linux-3.10\drivers\usb\gadget\goku_udc.c(4): * Copyright (C) 2000-2002 Lineo

linux-3.10\drivers\usb\gadget\goku_udc.c(6): * Copyright (C) 2002 Toshiba Corporation

linux-3.10\drivers\usb\gadget\goku_udc.c(7): * Copyright (C) 2003 MontaVista Software (source@mvista.com)

legal(ME)

linux-3.10\drivers\usb\gadget\goku_udc.h(4): * Copyright (C) 2000-2002 Lineo
linux-3.10\drivers\usb\gadget\goku_udc.h(6): * Copyright (C) 2002 Toshiba Corporation
linux-3.10\drivers\usb\gadget\goku_udc.h(7): * Copyright (C) 2003 MontaVista Software (source@mvista.com)
linux-3.10\drivers\usb\gadget\hid.c(6): * Copyright (C) 2010 Fabien Chouteau <fabien.chouteau@barco.com>
linux-3.10\drivers\usb\gadget\imx_udc.c(4): *Copyright (C) 2005 Mike Lee <eemike@gmail.com>
linux-3.10\drivers\usb\gadget\imx_udc.c(5): *Copyright (C) 2008 Darius Augulis <augulis.darius@gmail.com>
linux-3.10\drivers\usb\gadget\imx_udc.h(2): *Copyright (C) 2005 Mike Lee(eemike@gmail.com)
linux-3.10\drivers\usb\gadget\inode.c(4): * Copyright (C) 2003-2004 David Brownell
linux-3.10\drivers\usb\gadget\inode.c(5): * Copyright (C) 2003 Agilent Technologies
linux-3.10\drivers\usb\gadget\lpc32xx_udc.c(10): * Copyright (C) 2009 NXP Semiconductors
linux-3.10\drivers\usb\gadget\lpc32xx_udc.c(11): * Copyright (C) 2012 Roland Stigge
linux-3.10\drivers\usb\gadget\lpc32xx_udc.c(9): * Copyright (C) 2006 Philips Semiconductors
linux-3.10\drivers\usb\gadget\m66592-udc.c(4): * Copyright (C) 2006-2007 Renesas Solutions Corp.
linux-3.10\drivers\usb\gadget\m66592-udc.h(4): * Copyright (C) 2006-2007 Renesas Solutions Corp.
linux-3.10\drivers\usb\gadget\mass_storage.c(4): * Copyright (C) 2003-2008 Alan Stern
linux-3.10\drivers\usb\gadget\mass_storage.c(5): * Copyright (C) 2009 Samsung Electronics
linux-3.10\drivers\usb\gadget\multi.c(4): * Copyright (C) 2008 David Brownell
linux-3.10\drivers\usb\gadget\multi.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\gadget\multi.c(6): * Copyright (C) 2009 Samsung Electronics
linux-3.10\drivers\usb\gadget\mv_u3d.h(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.
linux-3.10\drivers\usb\gadget\mv_u3d_core.c(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.
linux-3.10\drivers\usb\gadget\mv_udc.h(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.
linux-3.10\drivers\usb\gadget\mv_udc_core.c(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.
linux-3.10\drivers\usb\gadget\ncm.c(10): * Copyright (C) 2003-2004 Robert Schwebel, Benedikt Spranger
linux-3.10\drivers\usb\gadget\ncm.c(11): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\gadget\ncm.c(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\drivers\usb\gadget\ncm.c(9): * Copyright (C) 2003-2005,2008 David Brownell
linux-3.10\drivers\usb\gadget\ndis.h(9): * THIS SOFTWARE IS NOT COPYRIGHTED
linux-3.10\drivers\usb\gadget\net2272.c(4): * Copyright (C) 2005-2006 PLX Technology, Inc.

legal(ME)

linux-3.10\drivers\usb\gadget\net2272.c(5): * Copyright (C) 2006-2011 Analog Devices, Inc.
linux-3.10\drivers\usb\gadget\net2272.h(4): * Copyright (C) 2005-2006 PLX Technology, Inc.
linux-3.10\drivers\usb\gadget\net2272.h(5): * Copyright (C) 2006-2011 Analog Devices, Inc.
linux-3.10\drivers\usb\gadget\net2280.c(26): * Copyright (C) 2003 David Brownell
linux-3.10\drivers\usb\gadget\net2280.c(27): * Copyright (C) 2003-2005 PLX Technology, Inc.
linux-3.10\drivers\usb\gadget\net2280.h(7): * Copyright (C) 2002 NetChip Technology, Inc. (<http://www.netchip.com>)
linux-3.10\drivers\usb\gadget\net2280.h(8): * Copyright (C) 2003 David Brownell
linux-3.10\drivers\usb\gadget\nokia.c(10): * Copyright (C) 2008 by David Brownell
linux-3.10\drivers\usb\gadget\nokia.c(11): * Copyright (C) 2008 by Nokia Corporation
linux-3.10\drivers\usb\gadget\nokia.c(4): * Copyright (C) 2008-2010 Nokia Corporation
linux-3.10\drivers\usb\gadget\nokia.c(9): * Copyright (C) 2003 Al Borchers (alborchers@steinerpoint.com)
linux-3.10\drivers\usb\gadget\omap_udc.c(4): * Copyright (C) 2004 Texas Instruments, Inc.
linux-3.10\drivers\usb\gadget\omap_udc.c(5): * Copyright (C) 2004-2005 David Brownell
linux-3.10\drivers\usb\gadget\pch_udc.c(2): * Copyright (C) 2011 LAPIS Semiconductor Co., Ltd.
linux-3.10\drivers\usb\gadget\printer.c(4): * Copyright (C) 2003-2005 David Brownell
linux-3.10\drivers\usb\gadget\printer.c(5): * Copyright (C) 2006 Craig W. Nadler
linux-3.10\drivers\usb\gadget\pxa25x_udc.c(4): * Copyright (C) 2002 Intrinsyc, Inc. (Frank Becker)
linux-3.10\drivers\usb\gadget\pxa25x_udc.c(5): * Copyright (C) 2003 Robert Schwebel, Pengutronix
linux-3.10\drivers\usb\gadget\pxa25x_udc.c(6): * Copyright (C) 2003 Benedikt Spranger, Pengutronix
linux-3.10\drivers\usb\gadget\pxa25x_udc.c(7): * Copyright (C) 2003 David Brownell
linux-3.10\drivers\usb\gadget\pxa25x_udc.c(8): * Copyright (C) 2003 Joshua Wise
linux-3.10\drivers\usb\gadget\pxa25x_udc.h(4): * Copyright (C) 2003 Robert Schwebel <r.schwebel@pengutronix.de>, Pengutronix
linux-3.10\drivers\usb\gadget\pxa25x_udc.h(5): * Copyright (C) 2003 David Brownell
linux-3.10\drivers\usb\gadget\pxa27x_udc.c(5): * Copyright (C) 2008 Robert Jarzmik
linux-3.10\drivers\usb\gadget\pxa27x_udc.h(6): * Copyright (C) 2008 Robert Jarzmik
linux-3.10\drivers\usb\gadget\r8a66597-udc.c(4): * Copyright (C) 2006-2009 Renesas Solutions Corp.
linux-3.10\drivers\usb\gadget\r8a66597-udc.h(4): * Copyright (C) 2007-2009 Renesas Solutions Corp.
linux-3.10\drivers\usb\gadget\rndis.c(20): * Copyright (C) 2004 by David Brownell
linux-3.10\drivers\usb\gadget\s3c2410_udc.c(6): * Copyright (C) 2004-2007 Herbert Pflatzl - Arnaud Patard

legal(ME)

linux-3.10\drivers\usb\gadget\s3c2410_udc.h(5): * Copyright (C) 2004-2007 Herbert P̄katzl - Arnaud Patard
linux-3.10\drivers\usb\gadget\s3c-hsotg.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\drivers\usb\gadget\s3c-hsotg.c(7): * Copyright 2008 Openmoko, Inc.
linux-3.10\drivers\usb\gadget\s3c-hsotg.c(8): * Copyright 2008 Simtec Electronics
linux-3.10\drivers\usb\gadget\s3c-hsotg.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\drivers\usb\gadget\s3c-hsotg.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\drivers\usb\gadget\s3c-hsudc.c(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\drivers\usb\gadget\serial.c(4): * Copyright (C) 2003 Al Borchers (alborchers@steinerpoint.com)
linux-3.10\drivers\usb\gadget\serial.c(5): * Copyright (C) 2008 by David Brownell
linux-3.10\drivers\usb\gadget\serial.c(6): * Copyright (C) 2008 by Nokia Corporation
linux-3.10\drivers\usb\gadget\storage_common.c(4): * Copyright (C) 2003-2008 Alan Stern
linux-3.10\drivers\usb\gadget\u_ether.c(4): * Copyright (C) 2003-2005,2008 David Brownell
linux-3.10\drivers\usb\gadget\u_ether.c(5): * Copyright (C) 2003-2004 Robert Schwebel, Benedikt Spranger
linux-3.10\drivers\usb\gadget\u_ether.c(6): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\gadget\u_ether.h(4): * Copyright (C) 2003-2005,2008 David Brownell
linux-3.10\drivers\usb\gadget\u_ether.h(5): * Copyright (C) 2003-2004 Robert Schwebel, Benedikt Spranger
linux-3.10\drivers\usb\gadget\u_ether.h(6): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\gadget\u_phonet.h(4): * Copyright (C) 2007-2008 by Nokia Corporation
linux-3.10\drivers\usb\gadget\u_serial.c(10): * Copyright (C) 2000 Peter Berger (pberger@brimson.com)
linux-3.10\drivers\usb\gadget\u_serial.c(11): * Copyright (C) 2000 Al Borchers (alborchers@steinerpoint.com)
linux-3.10\drivers\usb\gadget\u_serial.c(4): * Copyright (C) 2003 Al Borchers (alborchers@steinerpoint.com)
linux-3.10\drivers\usb\gadget\u_serial.c(5): * Copyright (C) 2008 David Brownell
linux-3.10\drivers\usb\gadget\u_serial.c(6): * Copyright (C) 2008 by Nokia Corporation
linux-3.10\drivers\usb\gadget\u_serial.c(9): * Copyright (C) 1999 - 2002 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\gadget\u_serial.h(4): * Copyright (C) 2008 David Brownell
linux-3.10\drivers\usb\gadget\u_serial.h(5): * Copyright (C) 2008 by Nokia Corporation
linux-3.10\drivers\usb\gadget\u_uac1.c(4): * Copyright (C) 2008 Bryan Wu <cooloney@kernel.org>
linux-3.10\drivers\usb\gadget\u_uac1.c(5): * Copyright (C) 2008 Analog Devices, Inc
linux-3.10\drivers\usb\gadget\u_uac1.h(4): * Copyright (C) 2008 Bryan Wu <cooloney@kernel.org>
linux-3.10\drivers\usb\gadget\u_uac1.h(5): * Copyright (C) 2008 Analog Devices,

legal(ME)

Inc

linux-3.10\drivers\usb\gadget\udc-core.c(4): * Copyright (C) 2010 Texas Instruments

linux-3.10\drivers\usb\gadget\usbstring.c(2): * Copyright (C) 2003 David Brownell

linux-3.10\drivers\usb\gadget\uvc.h(4): *Copyright (C) 2009-2010

linux-3.10\drivers\usb\gadget\uvc_queue.c(4): *Copyright (C) 2005-2010

linux-3.10\drivers\usb\gadget\uvc_v4l2.c(4): *Copyright (C) 2009-2010

linux-3.10\drivers\usb\gadget\uvc_video.c(4): *Copyright (C) 2009-2010

linux-3.10\drivers\usb\gadget\webcam.c(4): *Copyright (C) 2009-2010

linux-3.10\drivers\usb\gadget\zero.c(4): * Copyright (C) 2003-2008 David Brownell

linux-3.10\drivers\usb\gadget\zero.c(5): * Copyright (C) 2008 by Nokia Corporation

linux-3.10\drivers\usb\host\bcma-hcd.c(11): * Copyright 1999 Roman Weissgaerber

linux-3.10\drivers\usb\host\bcma-hcd.c(12): * Copyright 2000-2002 David Brownell

linux-3.10\drivers\usb\host\bcma-hcd.c(13): * Copyright 1999 Linus Torvalds

linux-3.10\drivers\usb\host\bcma-hcd.c(14): * Copyright 1999 Gregory P. Smith

linux-3.10\drivers\usb\host\bcma-hcd.c(17): * Copyright 2005-2011 Broadcom Corporation

linux-3.10\drivers\usb\host\bcma-hcd.c(5): * Copyright 2011-2012 Hauke Mehrtens <hauke@hauke-m.de>

linux-3.10\drivers\usb\host\bcma-hcd.c(8): * Copyright 2007 Michael Buesch <m@bues.ch>

linux-3.10\drivers\usb\host\ehci.h(2): * Copyright (c) 2001-2002 by David Brownell

linux-3.10\drivers\usb\host\ehci-atmel.c(4): *Copyright (C) 2009 Atmel Corporation,

linux-3.10\drivers\usb\host\ehci-dbg.c(2): * Copyright (c) 2001-2002 by David Brownell

linux-3.10\drivers\usb\host\ehci-fsl.c(2): * Copyright 2005-2009 MontaVista Software, Inc.

linux-3.10\drivers\usb\host\ehci-fsl.c(3): * Copyright 2008,2012Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\host\ehci-fsl.h(1):/* Copyright (C) 2005-2010,2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\host\ehci-fsl.h(2): * Copyright (c) 2005 MontaVista Software

linux-3.10\drivers\usb\host\ehci-hcd.c(6): * Copyright (c) 2000-2004 by David Brownell

linux-3.10\drivers\usb\host\ehci-hub.c(2): * Copyright (C) 2001-2004 by David Brownell

linux-3.10\drivers\usb\host\ehci-mem.c(2): * Copyright (c) 2001 by David Brownell

linux-3.10\drivers\usb\host\ehci-msm.c(3): * Copyright (c) 2008-2011, Code Aurora Forum. All rights reserved.

linux-3.10\drivers\usb\host\ehci-msm.c(6): * Copyright (c) 2000-2004 by David Brownell

linux-3.10\drivers\usb\host\ehci-msm.c(7): * Copyright (c) 2005 MontaVista Software

linux-3.10\drivers\usb\host\ehci-mv.c(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.

linux-3.10\drivers\usb\host\ehci-mxc.c(2): * Copyright (c) 2008 Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix

linux-3.10\drivers\usb\host\ehci-mxc.c(3): * Copyright (c) 2009 Daniel Mack

legal(ME)

<daniel@caiaq.de>

linux-3.10\drivers\usb\host\ehci-octeon.c(10): * Copyright (C) 2010 Cavium Networks

linux-3.10\drivers\usb\host\ehci-omap.c(13): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\usb\host\ehci-omap.c(7): * Copyright (C) 2007-2013 Texas Instruments, Inc.

linux-3.10\drivers\usb\host\ehci-pci.c(4): * Copyright (c) 2000-2004 by David Brownell

linux-3.10\drivers\usb\host\ehci-platform.c(11): * Copyright (c) 2000-2004 by David Brownell

linux-3.10\drivers\usb\host\ehci-platform.c(14): * Copyright 1999 Roman Weissgaerber

linux-3.10\drivers\usb\host\ehci-platform.c(15): * Copyright 2000-2002 David Brownell

linux-3.10\drivers\usb\host\ehci-platform.c(16): * Copyright 1999 Linus Torvalds

linux-3.10\drivers\usb\host\ehci-platform.c(17): * Copyright 1999 Gregory P. Smith

linux-3.10\drivers\usb\host\ehci-platform.c(4): * Copyright 2007 Steven Brown <sbrown@cortland.com>

linux-3.10\drivers\usb\host\ehci-platform.c(5): * Copyright 2010-2012 Hauke Mehrtens <hauke@hauke-m.de>

linux-3.10\drivers\usb\host\ehci-platform.c(8): * Copyright 2007 Michael Buesch <m@bues.ch>

linux-3.10\drivers\usb\host\ehci-pmcmsp.c(4): * (C) Copyright 2006-2010 PMC-Sierra Inc

linux-3.10\drivers\usb\host\ehci-ps3.c(4): *Copyright (C) 2006 Sony Computer Entertainment Inc.

linux-3.10\drivers\usb\host\ehci-ps3.c(5): *Copyright 2006 Sony Corp.

linux-3.10\drivers\usb\host\ehci-q.c(2): * Copyright (C) 2001-2004 by David Brownell

linux-3.10\drivers\usb\host\ehci-s5p.c(4): * Copyright (C) 2011 Samsung Electronics Co.Ltd

linux-3.10\drivers\usb\host\ehci-sched.c(2): * Copyright (c) 2001-2004 by David Brownell

linux-3.10\drivers\usb\host\ehci-sched.c(3): * Copyright (c) 2003 Michal Sojka, for high-speed iso transfers

linux-3.10\drivers\usb\host\ehci-sead3.c(5): * Copyright (C) 2012 MIPS Technologies, Inc.

linux-3.10\drivers\usb\host\ehci-sh.c(4): * Copyright (C) 2010 Paul Mundt

linux-3.10\drivers\usb\host\ehci-spear.c(4): * Copyright (C) 2010 ST Micro Electronics,

linux-3.10\drivers\usb\host\ehci-sysfs.c(2): * Copyright (C) 2007 by Alan Stern

linux-3.10\drivers\usb\host\ehci-tegra.c(4): * Copyright (C) 2010 Google, Inc.

linux-3.10\drivers\usb\host\ehci-tegra.c(5): * Copyright (C) 2009 - 2013 NVIDIA Corporation

linux-3.10\drivers\usb\host\ehci-tilegx.c(2): * Copyright 2012 Tilera Corporation. All Rights Reserved.

linux-3.10\drivers\usb\host\ehci-timer.c(2): * Copyright (C) 2012 by Alan Stern

linux-3.10\drivers\usb\host\ehci-w90x900.c(4): * Copyright (c) 2008 Nuvoton technology corporation.

linux-3.10\drivers\usb\host\ehci-xilinx-of.c(6): * Copyright (c) 2009 Xilinx,

legal(ME)

Inc.

linux-3.10\drivers\usb\host\fhci.h(4): * Copyright (c) Freescale Semiconductor, Inc. 2006.

linux-3.10\drivers\usb\host\fhci.h(7): * Copyright (c) Logic Product Development, Inc. 2007

linux-3.10\drivers\usb\host\fhci.h(9): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\drivers\usb\host\fhci-dbg.c(4): * Copyright (c) Freescale Semiconductor, Inc. 2006.

linux-3.10\drivers\usb\host\fhci-dbg.c(7): * Copyright (c) Logic Product Development, Inc. 2007

linux-3.10\drivers\usb\host\fhci-dbg.c(9): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\drivers\usb\host\fhci-hcd.c(4): * Copyright (c) Freescale Semiconductor, Inc. 2006.

linux-3.10\drivers\usb\host\fhci-hcd.c(7): * Copyright (c) Logic Product Development, Inc. 2007

linux-3.10\drivers\usb\host\fhci-hcd.c(9): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\drivers\usb\host\fhci-hub.c(4): * Copyright (c) Freescale Semiconductor, Inc. 2006.

linux-3.10\drivers\usb\host\fhci-hub.c(7): * Copyright (c) Logic Product Development, Inc. 2007

linux-3.10\drivers\usb\host\fhci-hub.c(9): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\drivers\usb\host\fhci-mem.c(4): * Copyright (c) Freescale Semiconductor, Inc. 2006.

linux-3.10\drivers\usb\host\fhci-mem.c(7): * Copyright (c) Logic Product Development, Inc. 2007

linux-3.10\drivers\usb\host\fhci-mem.c(9): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\drivers\usb\host\fhci-q.c(4): * Copyright (c) Freescale Semiconductor, Inc. 2006.

linux-3.10\drivers\usb\host\fhci-q.c(7): * Copyright (c) Logic Product Development, Inc. 2007

linux-3.10\drivers\usb\host\fhci-q.c(9): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\drivers\usb\host\fhci-sched.c(4): * Copyright (c) Freescale Semiconductor, Inc. 2006, 2011.

linux-3.10\drivers\usb\host\fhci-sched.c(7): * Copyright (c) Logic Product Development, Inc. 2007

linux-3.10\drivers\usb\host\fhci-sched.c(9): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\drivers\usb\host\fhci-tds.c(4): * Copyright (c) Freescale Semiconductor, Inc. 2006.

linux-3.10\drivers\usb\host\fhci-tds.c(7): * Copyright (c) Logic Product Development, Inc. 2007

linux-3.10\drivers\usb\host\fhci-tds.c(9): * Copyright (c) MontaVista Software, Inc. 2008.

linux-3.10\drivers\usb\host\hwa-hc.c(5): * Copyright (C) 2005-2006 Intel Corporation

linux-3.10\drivers\usb\host\imx21-dbg.c(2): * Copyright (c) 2009 by Martin Fuzzey

legal(ME)

linux-3.10\drivers\usb\host\imx21-hcd.c(4): * Copyright (C) 2006 Loping Dog Embedded Systems
linux-3.10\drivers\usb\host\imx21-hcd.c(5): * Copyright (C) 2009 Martin Fuzzey
linux-3.10\drivers\usb\host\imx21-hcd.h(4): * Copyright (C) 2006 Loping Dog Embedded Systems
linux-3.10\drivers\usb\host\imx21-hcd.h(5): * Copyright (C) 2009 Martin Fuzzey
linux-3.10\drivers\usb\host\isp116x.h(4): * Copyright (C) 2005 Olav Kongas <ok@artecdesign.ee>
linux-3.10\drivers\usb\host\isp116x.h(6): * Copyright (C) 2004 Lothar Wassmann
linux-3.10\drivers\usb\host\isp116x.h(7): * Copyright (C) 2004 Psion Teklogix
linux-3.10\drivers\usb\host\isp116x.h(8): * Copyright (C) 2004 David Brownell
linux-3.10\drivers\usb\host\isp116x-hcd.c(12): * Copyright (C) 1999 Roman Weissgaerber
linux-3.10\drivers\usb\host\isp116x-hcd.c(5): * Copyright (C) 2005 Olav Kongas <ok@artecdesign.ee>
linux-3.10\drivers\usb\host\isp116x-hcd.c(8): * Copyright (C) 2004 Psion Teklogix (for NetBook PRO)
linux-3.10\drivers\usb\host\isp116x-hcd.c(9): * Copyright (C) 2004 David Brownell
linux-3.10\drivers\usb\host\isp1362.h(4): * COPYRIGHT (C) by L. Wassmann <LW@KARO-electronics.de>
linux-3.10\drivers\usb\host\isp1362-hcd.c(10): * Copyright (C) 2004 Psion Teklogix (for NetBook PRO)
linux-3.10\drivers\usb\host\isp1362-hcd.c(11): * Copyright (C) 2004 David Brownell
linux-3.10\drivers\usb\host\isp1362-hcd.c(4): * Copyright (C) 2005 Lothar Wassmann <LW@KARO-electronics.de>
linux-3.10\drivers\usb\host\isp1362-hcd.c(7): * Copyright (C) 2005 Olav Kongas <ok@artecdesign.ee>
linux-3.10\drivers\usb\host\octeon2-common.c(6): * Copyright (C) 2010, 2011 Cavium Networks
linux-3.10\drivers\usb\host\ohci.h(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci.h(5): * (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-at91.c(4): *Copyright (C) 2004 SAN People (Pty) Ltd.
linux-3.10\drivers\usb\host\ohci-at91.c(5): *Copyright (C) 2005 Thibaut VARENE <varenet@parisc-linux.org>
linux-3.10\drivers\usb\host\ohci-da8xx.c(7): * Copyright (C) 2008-2009 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\usb\host\ohci-dbg.c(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-dbg.c(5): * (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-ep93xx.c(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-ep93xx.c(5): * (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-ep93xx.c(6): * (C) Copyright 2002 Hewlett-Packard Company
linux-3.10\drivers\usb\host\ohci-exynos.c(4): * Copyright (C) 2011 Samsung Electronics Co.Ltd

legal(ME)

linux-3.10\drivers\usb\host\ohci-hcd.c(11): * [(C) Copyright 1999 Linus Torvalds]
linux-3.10\drivers\usb\host\ohci-hcd.c(12): * [(C) Copyright 1999 Gregory P. Smith]
linux-3.10\drivers\usb\host\ohci-hcd.c(6): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-hcd.c(7): * (C) Copyright 2000-2004 David Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-hub.c(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-hub.c(5): * (C) Copyright 2000-2004 David Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-jz4740.c(2): * Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\drivers\usb\host\ohci-mem.c(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-mem.c(5): * (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-nxp.c(11): * Copyright (c) 2005 Koninklijke Philips Electronics N.V.
linux-3.10\drivers\usb\host\ohci-octeon.c(10): * Copyright (C) 2010 Cavium Networks
linux-3.10\drivers\usb\host\ohci-omap.c(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-omap.c(5): * (C) Copyright 2000-2005 David Brownell
linux-3.10\drivers\usb\host\ohci-omap.c(6): * (C) Copyright 2002 Hewlett-Packard Company
linux-3.10\drivers\usb\host\ohci-omap3.c(7): * Copyright (C) 2007-2010 Texas Instruments, Inc.
linux-3.10\drivers\usb\host\ohci-pci.c(10): * [(C) Copyright 1999 Gregory P. Smith]
linux-3.10\drivers\usb\host\ohci-pci.c(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-pci.c(5): * (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-pci.c(9): * [(C) Copyright 1999 Linus Torvalds]
linux-3.10\drivers\usb\host\ohci-platform.c(10): * Copyright 2000-2002 David Brownell
linux-3.10\drivers\usb\host\ohci-platform.c(11): * Copyright 1999 Linus Torvalds
linux-3.10\drivers\usb\host\ohci-platform.c(12): * Copyright 1999 Gregory P. Smith
linux-3.10\drivers\usb\host\ohci-platform.c(4): * Copyright 2007 Michael Buesch <m@bues.ch>
linux-3.10\drivers\usb\host\ohci-platform.c(5): * Copyright 2011-2012 Hauke Mehrtens <hauke@hauke-m.de>
linux-3.10\drivers\usb\host\ohci-platform.c(9): * Copyright 1999 Roman Weissgaerber
linux-3.10\drivers\usb\host\ohci-ppc-of.c(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-ppc-of.c(5): * (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net>

legal(ME)

linux-3.10\drivers\usb\host\ohci-ppc-of.c(6): * (C) Copyright 2002
Hewlett-Packard Company
linux-3.10\drivers\usb\host\ohci-ppc-of.c(7): * (C) Copyright 2006 Sylvain Munaut
<tnt@246tNt.com>
linux-3.10\drivers\usb\host\ohci-ps3.c(4): *Copyright (C) 2006 Sony Computer
Entertainment Inc.
linux-3.10\drivers\usb\host\ohci-ps3.c(5): *Copyright 2006 Sony Corp.
linux-3.10\drivers\usb\host\ohci-pxa27x.c(4): * (C) Copyright 1999 Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-pxa27x.c(5): * (C) Copyright 2000-2002 David
Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-pxa27x.c(6): * (C) Copyright 2002
Hewlett-Packard Company
linux-3.10\drivers\usb\host\ohci-q.c(4): * (C) Copyright 1999 Roman Weissgaerber
<weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-q.c(5): * (C) Copyright 2000-2002 David Brownell
<dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-s3c2410.c(15): *Copyright (C) 2004 Simtec
Electronics
linux-3.10\drivers\usb\host\ohci-s3c2410.c(4): * (C) Copyright 1999 Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-s3c2410.c(5): * (C) Copyright 2000-2002 David
Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-s3c2410.c(6): * (C) Copyright 2002
Hewlett-Packard Company
linux-3.10\drivers\usb\host\ohci-sa1111.c(4): * (C) Copyright 1999 Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-sa1111.c(5): * (C) Copyright 2000-2002 David
Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-sa1111.c(6): * (C) Copyright 2002
Hewlett-Packard Company
linux-3.10\drivers\usb\host\ohci-sm501.c(4): * (C) Copyright 1999 Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-sm501.c(5): * (C) Copyright 2000-2005 David
Brownell
linux-3.10\drivers\usb\host\ohci-sm501.c(6): * (C) Copyright 2002 Hewlett-Packard
Company
linux-3.10\drivers\usb\host\ohci-sm501.c(7): * (C) Copyright 2008 Magnus Damm
linux-3.10\drivers\usb\host\ohci-spear.c(4):* Copyright (C) 2010 ST
Microelectronics.
linux-3.10\drivers\usb\host\ohci-tilegx.c(2): * Copyright 2012 Tilera
Corporation. All Rights Reserved.
linux-3.10\drivers\usb\host\ohci-tmio.c(10): * (C) Copyright 2007, 2008 Dmitry
Baryshkov <dbaryshkov@gmail.com>
linux-3.10\drivers\usb\host\ohci-tmio.c(20): *usb-ohci-tc6393.c(C) Copyright 2004
Lineo Solutions, Inc.
linux-3.10\drivers\usb\host\ohci-tmio.c(4): *(C) Copyright 1999 Roman
Weissgaerber <weissg@vienna.at>
linux-3.10\drivers\usb\host\ohci-tmio.c(5): *(C) Copyright 2000-2002 David
Brownell <dbrownell@users.sourceforge.net>
linux-3.10\drivers\usb\host\ohci-tmio.c(6): *(C) Copyright 2002 Hewlett-Packard
Company

legal(ME)

linux-3.10\drivers\usb\host\ohci-tmio.c(9): * (C) Copyright 2005 Chris Humbert
<mahadri-usb@drigon.com>
linux-3.10\drivers\usb\host\oxu210hp-hcd.c(2): * Copyright (c) 2008 Rodolfo
Giometti <giometti@linux.it>
linux-3.10\drivers\usb\host\oxu210hp-hcd.c(3): * Copyright (c) 2008 Eurotech
S.p.A. <info@eurtech.it>
linux-3.10\drivers\usb\host\pci-quirks.c(7): *Copyright (c) 1999 Martin Mares
<mj@ucw.cz>
linux-3.10\drivers\usb\host\r8a66597.h(4): * Copyright (C) 2006-2007 Renesas
Solutions Corp.
linux-3.10\drivers\usb\host\r8a66597.h(5): * Portions Copyright (C) 2004 Psion
Teklogix (for NetBook PRO)
linux-3.10\drivers\usb\host\r8a66597.h(6): * Portions Copyright (C) 2004-2005
David Brownell
linux-3.10\drivers\usb\host\r8a66597.h(7): * Portions Copyright (C) 1999 Roman
Weissgaerber
linux-3.10\drivers\usb\host\r8a66597-hcd.c(4): * Copyright (C) 2006-2007 Renesas
Solutions Corp.
linux-3.10\drivers\usb\host\r8a66597-hcd.c(5): * Portions Copyright (C) 2004
Psion Teklogix (for NetBook PRO)
linux-3.10\drivers\usb\host\r8a66597-hcd.c(6): * Portions Copyright (C) 2004-2005
David Brownell
linux-3.10\drivers\usb\host\r8a66597-hcd.c(7): * Portions Copyright (C) 1999
Roman Weissgaerber
linux-3.10\drivers\usb\host\sl811.h(4): * Copyright (C) 2004 Psion Teklogix
linux-3.10\drivers\usb\host\sl811.h(5): * Copyright (C) 2004 David Brownell
linux-3.10\drivers\usb\host\sl811.h(6): * Copyright (C) 2001 Cypress
Semiconductor Inc.
linux-3.10\drivers\usb\host\sl811-hcd.c(4): * Copyright (C) 2004 Psion Teklogix
(for NetBook PRO)
linux-3.10\drivers\usb\host\sl811-hcd.c(5): * Copyright (C) 2004-2005 David
Brownell
linux-3.10\drivers\usb\host\sl811-hcd.c(8): * Copyright (C) 1999 Roman
Weissgaerber
linux-3.10\drivers\usb\host\ssb-hcd.c(11): * Copyright 1999 Roman Weissgaerber
linux-3.10\drivers\usb\host\ssb-hcd.c(12): * Copyright 2000-2002 David Brownell
linux-3.10\drivers\usb\host\ssb-hcd.c(13): * Copyright 1999 Linus Torvalds
linux-3.10\drivers\usb\host\ssb-hcd.c(14): * Copyright 1999 Gregory P. Smith
linux-3.10\drivers\usb\host\ssb-hcd.c(17): * Copyright 2005-2011 Broadcom
Corporation
linux-3.10\drivers\usb\host\ssb-hcd.c(5): * Copyright 2011-2012 Hauke Mehrtens
<hauke@hauke-m.de>
linux-3.10\drivers\usb\host\ssb-hcd.c(8): * Copyright 2007 Michael Buesch
<m@bues.ch>
linux-3.10\drivers\usb\host\u132-hcd.c(4):* Copyright(C) 2006 Elan Digital
Systems Limited
linux-3.10\drivers\usb\host\uhci-debug.c(8): * (C) Copyright 1999 Linus Torvalds
linux-3.10\drivers\usb\host\uhci-debug.c(9): * (C) Copyright 1999-2001 Johannes
Erdfelt
linux-3.10\drivers\usb\host\uhci-grlib.c(10): * (C) Copyright 1999 Georg Acher,
acher@in.tum.de
linux-3.10\drivers\usb\host\uhci-grlib.c(11): * (C) Copyright 1999 Deti Fliegl,

legal(ME)

deti@fliegl.de

linux-3.10\drivers\usb\host\uhci-grlib.c(12): * (C) Copyright 1999 Thomas Sailer, sailer@ife.ee.ethz.ch

linux-3.10\drivers\usb\host\uhci-grlib.c(13): * (C) Copyright 1999 Roman Weissgaerber, weissg@vienna.at

linux-3.10\drivers\usb\host\uhci-grlib.c(14): * (C) Copyright 2000 Yggdrasil Computing, Inc. (port of new PCI interface

linux-3.10\drivers\usb\host\uhci-grlib.c(16): * (C) Copyright 1999 Gregory P. Smith (from usb-ohci.c)

linux-3.10\drivers\usb\host\uhci-grlib.c(17): * (C) Copyright 2004-2007 Alan Stern, stern@rowland.harvard.edu

linux-3.10\drivers\usb\host\uhci-grlib.c(4): * Copyright (c) 2011 Jan Andersson <jan@gaisler.com>

linux-3.10\drivers\usb\host\uhci-grlib.c(7): * (C) Copyright 1999 Linus Torvalds

linux-3.10\drivers\usb\host\uhci-grlib.c(8): * (C) Copyright 1999-2002 Johannes Erdfelt, johannes@erdfelt.com

linux-3.10\drivers\usb\host\uhci-grlib.c(9): * (C) Copyright 1999 Randy Dunlap

linux-3.10\drivers\usb\host\uhci-hcd.c(10): * (C) Copyright 1999 Deti Fliegl, deti@fliegl.de

linux-3.10\drivers\usb\host\uhci-hcd.c(11): * (C) Copyright 1999 Thomas Sailer, sailer@ife.ee.ethz.ch

linux-3.10\drivers\usb\host\uhci-hcd.c(12): * (C) Copyright 1999 Roman Weissgaerber, weissg@vienna.at

linux-3.10\drivers\usb\host\uhci-hcd.c(13): * (C) Copyright 2000 Yggdrasil Computing, Inc. (port of new PCI interface

linux-3.10\drivers\usb\host\uhci-hcd.c(15): * (C) Copyright 1999 Gregory P. Smith (from usb-ohci.c)

linux-3.10\drivers\usb\host\uhci-hcd.c(16): * (C) Copyright 2004-2007 Alan Stern, stern@rowland.harvard.edu

linux-3.10\drivers\usb\host\uhci-hcd.c(6): * (C) Copyright 1999 Linus Torvalds

linux-3.10\drivers\usb\host\uhci-hcd.c(7): * (C) Copyright 1999-2002 Johannes Erdfelt, johannes@erdfelt.com

linux-3.10\drivers\usb\host\uhci-hcd.c(8): * (C) Copyright 1999 Randy Dunlap

linux-3.10\drivers\usb\host\uhci-hcd.c(9): * (C) Copyright 1999 Georg Acher, acher@in.tum.de

linux-3.10\drivers\usb\host\uhci-hub.c(10): * (C) Copyright 1999 Deti Fliegl, deti@fliegl.de

linux-3.10\drivers\usb\host\uhci-hub.c(11): * (C) Copyright 1999 Thomas Sailer, sailer@ife.ee.ethz.ch

linux-3.10\drivers\usb\host\uhci-hub.c(12): * (C) Copyright 2004 Alan Stern, stern@rowland.harvard.edu

linux-3.10\drivers\usb\host\uhci-hub.c(6): * (C) Copyright 1999 Linus Torvalds

linux-3.10\drivers\usb\host\uhci-hub.c(7): * (C) Copyright 1999-2002 Johannes Erdfelt, johannes@erdfelt.com

linux-3.10\drivers\usb\host\uhci-hub.c(8): * (C) Copyright 1999 Randy Dunlap

linux-3.10\drivers\usb\host\uhci-hub.c(9): * (C) Copyright 1999 Georg Acher, acher@in.tum.de

linux-3.10\drivers\usb\host\uhci-pci.c(10): * (C) Copyright 1999 Georg Acher, acher@in.tum.de

linux-3.10\drivers\usb\host\uhci-pci.c(11): * (C) Copyright 1999 Deti Fliegl, deti@fliegl.de

linux-3.10\drivers\usb\host\uhci-pci.c(12): * (C) Copyright 1999 Thomas Sailer,

legal(ME)

sailer@ife.ee.ethz.ch

linux-3.10\drivers\usb\host\uhci-pci.c(13): * (C) Copyright 1999 Roman Weissgaerber, weissg@vienna.at

linux-3.10\drivers\usb\host\uhci-pci.c(14): * (C) Copyright 2000 Yggdrasil Computing, Inc. (port of new PCI interface

linux-3.10\drivers\usb\host\uhci-pci.c(16): * (C) Copyright 1999 Gregory P. Smith (from usb-ohci.c)

linux-3.10\drivers\usb\host\uhci-pci.c(17): * (C) Copyright 2004-2007 Alan Stern, stern@rowland.harvard.edu

linux-3.10\drivers\usb\host\uhci-pci.c(7): * (C) Copyright 1999 Linus Torvalds

linux-3.10\drivers\usb\host\uhci-pci.c(8): * (C) Copyright 1999-2002 Johannes Erdfelt, johannes@erdfelt.com

linux-3.10\drivers\usb\host\uhci-pci.c(9): * (C) Copyright 1999 Randy Dunlap

linux-3.10\drivers\usb\host\uhci-platform.c(4): * Copyright (c) 2011 Tony Prisk <linux@prisktech.co.nz>

linux-3.10\drivers\usb\host\uhci-platform.c(7): * (C) Copyright 2004-2007 Alan Stern, stern@rowland.harvard.edu

linux-3.10\drivers\usb\host\uhci-q.c(10): * (C) Copyright 1999 Deti Fliegl, deti@fliegl.de

linux-3.10\drivers\usb\host\uhci-q.c(11): * (C) Copyright 1999 Thomas Sailer, sailer@ife.ee.ethz.ch

linux-3.10\drivers\usb\host\uhci-q.c(12): * (C) Copyright 1999 Roman Weissgaerber, weissg@vienna.at

linux-3.10\drivers\usb\host\uhci-q.c(13): * (C) Copyright 2000 Yggdrasil Computing, Inc. (port of new PCI interface

linux-3.10\drivers\usb\host\uhci-q.c(15): * (C) Copyright 1999 Gregory P. Smith (from usb-ohci.c)

linux-3.10\drivers\usb\host\uhci-q.c(16): * (C) Copyright 2004-2007 Alan Stern, stern@rowland.harvard.edu

linux-3.10\drivers\usb\host\uhci-q.c(6): * (C) Copyright 1999 Linus Torvalds

linux-3.10\drivers\usb\host\uhci-q.c(7): * (C) Copyright 1999-2002 Johannes Erdfelt, johannes@erdfelt.com

linux-3.10\drivers\usb\host\uhci-q.c(8): * (C) Copyright 1999 Randy Dunlap

linux-3.10\drivers\usb\host\uhci-q.c(9): * (C) Copyright 1999 Georg Acher, acher@in.tum.de

linux-3.10\drivers\usb\host\whci\asl.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\host\whci\debug.c(4): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\host\whci\hcd.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\host\whci\hw.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\host\whci\init.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\host\whci\int.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\host\whci\pzl.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\host\whci\qset.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\host\whci\whcd.h(4): * Copyright (C) 2007 Cambridge

legal(ME)

Silicon Radio Ltd.
linux-3.10\drivers\usb\host\whci\whci-hc.h(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\host\whci\wusb.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\host\xhci.c(4): * Copyright (C) 2008 Intel Corp.
linux-3.10\drivers\usb\host\xhci.h(4): * Copyright (C) 2008 Intel Corp.
linux-3.10\drivers\usb\host\xhci-dbg.c(4): * Copyright (C) 2008 Intel Corp.
linux-3.10\drivers\usb\host\xhci-ext-caps.h(4): * Copyright (C) 2008 Intel Corp.
linux-3.10\drivers\usb\host\xhci-hub.c(4): * Copyright (C) 2008 Intel Corp.
linux-3.10\drivers\usb\host\xhci-mem.c(4): * Copyright (C) 2008 Intel Corp.
linux-3.10\drivers\usb\host\xhci-pci.c(4): * Copyright (C) 2008 Intel Corp.
linux-3.10\drivers\usb\host\xhci-plat.c(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\host\xhci-ring.c(4): * Copyright (C) 2008 Intel Corp.
linux-3.10\drivers\usb\image\mdc800.c(2): * copyright (C) 1999/2000 by Henning Zabel <henning@uni-paderborn.de>
linux-3.10\drivers\usb\image\microtek.c(3): * (C) Copyright 2000 John Fremlin <vii@penguinpowered.com>
linux-3.10\drivers\usb\image\microtek.c(4): * (C) Copyright 2000 Oliver Neukum <Oliver.Neukum@lrz.uni-muenchen.de>
linux-3.10\drivers\usb\image\microtek.c(6): * Parts shamelessly stolen from usb-storage and copyright by their
linux-3.10\drivers\usb\image\microtek.h(4): * (C) Copyright 2000 John Fremlin <vii@penguinpowered.com>
linux-3.10\drivers\usb\image\microtek.h(5): * (C) Copyright 2000 Oliver Neukum <Oliver.Neukum@lrz.uni-muenchen.de>
linux-3.10\drivers\usb\misc\adutux.c(14): * Copyright (c) 2003 David Glance <davidgsf@sourceforge.net>
linux-3.10\drivers\usb\misc\adutux.c(17): * Copyright (c) 2001 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\misc\adutux.c(6): * Copyright (c) 2003 John Homppi (SCO, leave this notice here)
linux-3.10\drivers\usb\misc\appledisplay.c(4): * Copyright (C) 2006 Michael Hanselmann (linux-kernel@hansmi.ch)
linux-3.10\drivers\usb\misc\cypress_cy7c63.c(4): * Copyright (c) 2006-2007 Oliver Bock (bock@tfh-berlin.de)
linux-3.10\drivers\usb\misc\cytherm.c(4): * Copyright (c) 2004 Erik Rigtorp <erkki@linux.nu> <erik@rigtorp.com>
linux-3.10\drivers\usb\misc\emi26.c(3): * Copyright (C) 2002
linux-3.10\drivers\usb\misc\emi62.c(3): * Copyright (C) 2002
linux-3.10\drivers\usb\misc\ezusb.c(4): * Copyright (C) 1999 - 2002 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\misc\ftdi-elan.c(4): * Copyright(C) 2006 Elan Digital Systems Limited
linux-3.10\drivers\usb\misc\idmouse.c(12): Copyright (C) 2003 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\misc\idmouse.c(8): Copyright (C) 2004-5 by Florian 'Floe' Echtler <echtler@fs.tum.de>
linux-3.10\drivers\usb\misc\iowarrior.c(4): * Copyright (c) 2003-2005 Code Mercenaries GmbH
linux-3.10\drivers\usb\misc\isight_firmware.c(4): * Copyright (C) 2008 Matthew

legal(ME)

Garrett <mjg@redhat.com>
linux-3.10\drivers\usb\misc\ldusb.c(13): * Copyright (C) 2005 Michael Hund
<mhund@ld-didactic.de>
linux-3.10\drivers\usb\misc\ldusb.c(21): * Copyright (C) 2003 David Glance
<advidgsf@sourceforge.net>
linux-3.10\drivers\usb\misc\legousbtower.c(13): * Copyright (C) 2001 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\misc\legousbtower.c(4): * Copyright (C) 2003 David Glance
<davidgsf@sourceforge.net>
linux-3.10\drivers\usb\misc\rio500_usb.h(3):Copyright (C) 2000Cesar
Miquel(miquel@df.uba.ar)
linux-3.10\drivers\usb\misc\sisusbvga\sisusb.c(6): * Copyright (C) 2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\usb\misc\sisusbvga\sisusb.h(4): * Copyright (C) 2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\usb\misc\sisusbvga\sisusb_con.c(40): *based on code Copyright
(C) 1991, 1992Linus Torvalds
linux-3.10\drivers\usb\misc\sisusbvga\sisusb_con.c(6): * Copyright (C) 2005 by
Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\usb\misc\sisusbvga\sisusb_init.c(6): * Copyright (C) 2001-2005
by Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\usb\misc\sisusbvga\sisusb_init.h(6): * Copyright (C) 2001-2005
by Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\usb\misc\sisusbvga\sisusb_struct.h(4): * Copyright (C)
2001-2005 by Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\usb\misc\trancevibrator.c(4): * Copyright (C) 2006 Sam Hocevar
<sam@zoy.org>
linux-3.10\drivers\usb\misc\usb_u132.h(6):* Copyright(C) 2006 Elan Digital
Systems Limited
linux-3.10\drivers\usb\misc\usb3503.c(4): * Copyright (c) 2012-2013 Dongjin Kim
(tobetter@gmail.com)
linux-3.10\drivers\usb\misc\usbled.c(4): * Copyright (C) 2004 Greg Kroah-Hartman
(greg@kroah.com)
linux-3.10\drivers\usb\misc\usbsevseg.c(4): * Copyright (C) 2008 Harrison Metzger
<harrisonmetz@gmail.com>
linux-3.10\drivers\usb\misc\uss720.c(6): *Copyright (C) 1999, 2005, 2010
linux-3.10\drivers\usb\misc\yurex.c(4): * Copyright (C) 2010 Tomoki Sekiyama
(tomoki.sekiyama@gmail.com)
linux-3.10\drivers\usb\mon\mon_bin.c(6): * Copyright (C) 2006 Paolo Abeni
(paolo.abeni@email.it)
linux-3.10\drivers\usb\mon\mon_bin.c(7): * Copyright (C) 2006,2007 Pete Zaitcev
(zaitcev@redhat.com)
linux-3.10\drivers\usb\mon\mon_main.c(6): * Copyright (C) 2005 Pete Zaitcev
(zaitcev@redhat.com)
linux-3.10\drivers\usb\mon\usb_mon.h(4): * Copyright (C) 2005 Pete Zaitcev
(zaitcev@redhat.com)
linux-3.10\drivers\usb\musb\am35x.c(4): * Copyright (c) 2010, by Texas
Instruments
linux-3.10\drivers\usb\musb\am35x.c(7): * Copyright (c) 2008-2009, MontaVista
Software, Inc. <source@mvista.com>
linux-3.10\drivers\usb\musb\blackfin.c(4): * Copyright 2006-2008 Analog Devices
Inc.

legal(ME)

linux-3.10\drivers\usb\musb\blackfin.h(2): * Copyright (C) 2007 by Analog Devices, Inc.
linux-3.10\drivers\usb\musb\cpqi_dma.c(2): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\cpqi_dma.h(1):/* Copyright (C) 2005-2006 by Texas Instruments */
linux-3.10\drivers\usb\musb\da8xx.c(4): * Copyright (c) 2008-2009 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\usb\musb\da8xx.c(7): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\davinci.c(2): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\davinci.h(2): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_core.c(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_core.c(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_core.c(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_core.h(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_core.h(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_core.h(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_debug.h(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_debug.h(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_debug.h(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_debugfs.c(4): * Copyright 2010 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_dma.h(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_dma.h(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_dma.h(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_dsps.c(4): * Copyright (C) 2012, by Texas Instruments
linux-3.10\drivers\usb\musb\musb_gadget.c(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_gadget.c(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_gadget.c(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_gadget.c(7): * Copyright (C) 2009 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\usb\musb\musb_gadget.h(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_gadget.h(5): * Copyright (C) 2005-2006 by Texas

legal(ME)

Instruments

linux-3.10\drivers\usb\musb\musb_gadget.h(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_gadget_ep0.c(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_gadget_ep0.c(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_gadget_ep0.c(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_gadget_ep0.c(7): * Copyright (C) 2008-2009 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\usb\musb\musb_host.c(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_host.c(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_host.c(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_host.c(7): * Copyright (C) 2008-2009 MontaVista Software, Inc. <source@mvista.com>
linux-3.10\drivers\usb\musb\musb_host.h(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_host.h(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_host.h(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_io.h(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_io.h(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_io.h(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_regs.h(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_regs.h(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_regs.h(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musb_virthub.c(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musb_virthub.c(5): * Copyright (C) 2005-2006 by Texas Instruments
linux-3.10\drivers\usb\musb\musb_virthub.c(6): * Copyright (C) 2006-2007 Nokia Corporation
linux-3.10\drivers\usb\musb\musbhscdma.c(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musbhscdma.c(5): * Copyright (C) 2005-2007 by Texas Instruments
linux-3.10\drivers\usb\musb\musbhscdma.h(4): * Copyright 2005 Mentor Graphics Corporation
linux-3.10\drivers\usb\musb\musbhscdma.h(5): * Copyright (C) 2005-2007 by Texas Instruments
linux-3.10\drivers\usb\musb\omap2430.c(2): * Copyright (C) 2005-2007 by Texas

legal(ME)

Instruments

linux-3.10\drivers\usb\musb\omap2430.c(4): * Copyrights for that are attributable to:

linux-3.10\drivers\usb\musb\omap2430.c(5): * Copyright (C) 2006 Nokia Corporation

linux-3.10\drivers\usb\musb\omap2430.h(2): * Copyright (C) 2005-2006 by Texas

Instruments

linux-3.10\drivers\usb\musb\tusb6010.c(4): * Copyright (C) 2006 Nokia Corporation

linux-3.10\drivers\usb\musb\tusb6010.h(4): * Copyright (C) 2006 Nokia Corporation

linux-3.10\drivers\usb\musb\tusb6010_omap.c(4): * Copyright (C) 2006 Nokia

Corporation

linux-3.10\drivers\usb\musb\ux500.c(2): * Copyright (C) 2010 ST-Ericsson AB

linux-3.10\drivers\usb\musb\ux500_dma.c(6): * Copyright (C) 2009

STMicroelectronics

linux-3.10\drivers\usb\musb\ux500_dma.c(7): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\drivers\usb\phy\phy.c(4): * Copyright (C) 2004-2013 Texas Instruments

linux-3.10\drivers\usb\phy\phy-ab8500-usb.c(6): * Copyright (C) 2010 ST-Ericsson

AB

linux-3.10\drivers\usb\phy\phy-fsl-usb.c(2): * Copyright (C) 2007,2008 Freescale semiconductor, Inc.

linux-3.10\drivers\usb\phy\phy-fsl-usb.h(1):/* Copyright (C) 2007,2008 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\phy\phy-fsm-usb.c(4): * Copyright (C) 2007,2008 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\phy\phy-fsm-usb.h(1):/* Copyright (C) 2007,2008 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\phy\phy-gpio-vbus-usb.c(4): * Copyright (c) 2008 Philipp Zabel <philipp.zabel@gmail.com>

linux-3.10\drivers\usb\phy\phy-isp1301.c(4): * Copyright (C) 2012 Roland Stigge

linux-3.10\drivers\usb\phy\phy-isp1301-omap.c(4): * Copyright (C) 2004 Texas

Instruments

linux-3.10\drivers\usb\phy\phy-isp1301-omap.c(5): * Copyright (C) 2004 David Brownell

linux-3.10\drivers\usb\phy\phy-msm-usb.c(1):/* Copyright (c) 2009-2011, Code Aurora Forum. All rights reserved.

linux-3.10\drivers\usb\phy\phy-mv-u3d-usb.c(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.

linux-3.10\drivers\usb\phy\phy-mv-u3d-usb.h(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.

linux-3.10\drivers\usb\phy\phy-mv-usb.c(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.

linux-3.10\drivers\usb\phy\phy-mv-usb.h(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.

linux-3.10\drivers\usb\phy\phy-mxs-usb.c(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\drivers\usb\phy\phy-mxs-usb.c(3): * Copyright (C) 2012 Marek Vasut <marex@denx.de>

linux-3.10\drivers\usb\phy\phy-nop.c(7): * Copyright (C) 2009 Texas Instruments Inc

linux-3.10\drivers\usb\phy\phy-omap-control.c(4): * Copyright (C) 2013 Texas Instruments Incorporated - <http://www.ti.com>

linux-3.10\drivers\usb\phy\phy-omap-usb2.c(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com>

legal(ME)

linux-3.10\drivers\usb\phy\phy-omap-usb3.c(4): * Copyright (C) 2013 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\phy\phy-rcar-usb.c(4): * Copyright (C) 2012 Renesas Solutions Corp.
linux-3.10\drivers\usb\phy\phy-samsung-usb.c(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\usb\phy\phy-samsung-usb.h(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\usb\phy\phy-samsung-usb2.c(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\usb\phy\phy-samsung-usb3.c(3): * Copyright (c) 2013 Samsung Electronics Co., Ltd.
linux-3.10\drivers\usb\phy\phy-tegra-usb.c(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\drivers\usb\phy\phy-twl4030-usb.c(4): * Copyright (C) 2004-2007 Texas Instruments
linux-3.10\drivers\usb\phy\phy-twl4030-usb.c(5): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\usb\phy\phy-twl6030-usb.c(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\drivers\usb\phy\phy-ulpi.c(4): * Copyright (C) 2009 Daniel Mack <daniel@caiaq.de>
linux-3.10\drivers\usb\phy\phy-ulpi-viewport.c(2): * Copyright (C) 2011 Google, Inc.
linux-3.10\drivers\usb\renesas_usbhs\common.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\common.h(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\fifo.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\fifo.h(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\mod.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\mod.h(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\mod_gadget.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\mod_host.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\pipe.c(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\renesas_usbhs\pipe.h(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\drivers\usb\serial\aircable.c(4): * Copyright (C) 2010 Johan Hovold <jhovold@gmail.com>
linux-3.10\drivers\usb\serial\aircable.c(5): * Copyright (C) 2006 Manuel Francisco Naranjo (naranjo.manuel@gmail.com)
linux-3.10\drivers\usb\serial\ark3116.c(2): * Copyright (C) 2009 by Bart Hartgers (bart.hartgers+ark3116@gmail.com)
linux-3.10\drivers\usb\serial\ark3116.c(4): * Copyright (C) 2006
linux-3.10\drivers\usb\serial\belkin_sa.c(10): *individual credits and copyrights.

legal(ME)

linux-3.10\drivers\usb\serial\belkin_sa.c(4): *Copyright (C) 2000William Greathouse (wgreathouse@smva.com)
linux-3.10\drivers\usb\serial\belkin_sa.c(5): *Copyright (C) 2000-2001Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\belkin_sa.c(6): *Copyright (C) 2010Johan Hovold (jhovold@gmail.com)
linux-3.10\drivers\usb\serial\belkin_sa.h(4): *Copyright (C) 2000
linux-3.10\drivers\usb\serial\belkin_sa.h(9): *individual credits and copyrights.
linux-3.10\drivers\usb\serial\bus.c(4): * Copyright (C) 2002 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\ch341.c(2): * Copyright 2007, Frank A Kingswood <frank@kingswood-consulting.co.uk>
linux-3.10\drivers\usb\serial\ch341.c(3): * Copyright 2007, Werner Cornelius <werner@cornelius-consult.de>
linux-3.10\drivers\usb\serial\ch341.c(4): * Copyright 2009, Boris Hajduk <boris@hajduk.org>
linux-3.10\drivers\usb\serial\console.c(4): * Copyright (C) 2001 - 2002 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\cp210x.c(4): * Copyright (C) 2005 Craig Shelley (craig@microtron.org.uk)
linux-3.10\drivers\usb\serial\cyberjack.c(11): *individual credits and copyrights.
linux-3.10\drivers\usb\serial\cyberjack.c(4): *Copyright (C) 2001REINER SCT
linux-3.10\drivers\usb\serial\cypress_m8.c(4): * Copyright (C) 2004
linux-3.10\drivers\usb\serial\cypress_m8.c(6): *Copyright (C) 2003,2004
linux-3.10\drivers\usb\serial\digi_acceleport.c(4):*Copyright 2000 by Digi International
linux-3.10\drivers\usb\serial\empeg.c(4): *Copyright (C) 2000, 2001
linux-3.10\drivers\usb\serial\empeg.c(7): *Copyright (C) 1999 - 2001
linux-3.10\drivers\usb\serial\ezusb_convert.pl(37): * This file is presumed to be under the same copyright as the source file
linux-3.10\drivers\usb\serial\f81232.c(4): * Copyright (C) 2012 Greg Kroah-Hartman (gregkh@linuxfoundation.org)
linux-3.10\drivers\usb\serial\f81232.c(5): * Copyright (C) 2012 Linux Foundation
linux-3.10\drivers\usb\serial\ftdi_sio.c(4): *Copyright (C) 2009 - 2013
linux-3.10\drivers\usb\serial\ftdi_sio.c(6): *Copyright (C) 1999 - 2001
linux-3.10\drivers\usb\serial\ftdi_sio.c(9): *Copyright (C) 2002
linux-3.10\drivers\usb\serial\funsoft.c(4): * Copyright (C) 2006 Greg Kroah-Hartman <gregkh@suse.de>
linux-3.10\drivers\usb\serial\garmin_gps.c(4): * Copyright (C) 2006-2011 Hermann Kneissel herkne@gmx.de
linux-3.10\drivers\usb\serial\generic.c(4): * Copyright (C) 2010 - 2013 Johan Hovold (jhovold@gmail.com)
linux-3.10\drivers\usb\serial\generic.c(5): * Copyright (C) 1999 - 2002 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\hp4x.c(4): * Copyright (C) 2005 Arthur Huillet (ahuillet@users.sf.net)
linux-3.10\drivers\usb\serial\hp4x.c(5): * Copyright (C) 2001-2005 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\io_16654.h(5): *Copyright (C) 1998 Inside Out Networks, Inc.
linux-3.10\drivers\usb\serial\io_edgeport.c(4): * Copyright (C) 2000 Inside Out

legal(ME)

Networks, All rights reserved.

linux-3.10\drivers\usb\serial\io_edgeport.c(5): * Copyright (C) 2001-2002 Greg Kroah-Hartman <greg@kroah.com>

linux-3.10\drivers\usb\serial\io_edgeport.h(5): *Copyright (C) 2000 Inside Out Networks, Inc.

linux-3.10\drivers\usb\serial\io_ionsp.h(5): *Copyright (C) 1997-1998 Inside Out Networks, Inc.

linux-3.10\drivers\usb\serial\io_tables.h(4): *Copyright (C) 2001

linux-3.10\drivers\usb\serial\io_ti.c(4): * Copyright (C) 2000-2002 Inside Out Networks, All rights reserved.

linux-3.10\drivers\usb\serial\io_ti.c(5): * Copyright (C) 2001-2002 Greg Kroah-Hartman <greg@kroah.com>

linux-3.10\drivers\usb\serial\io_ti.h(3): *Copyright (C) 1997-2002 Inside Out Networks, Inc.

linux-3.10\drivers\usb\serial\io_usbvend.h(10): *Copyright (C) 1998 Inside Out Networks, Inc.

linux-3.10\drivers\usb\serial\ipaq.c(4): *Copyright (C) 2001 - 2002

linux-3.10\drivers\usb\serial\ipw.c(4): * Copyright (C) 2004 Roelf Diedericks <roelfd@inet.co.za>

linux-3.10\drivers\usb\serial\ipw.c(5): * Copyright (C) 2004 Greg Kroah-Hartman <greg@kroah.com>

linux-3.10\drivers\usb\serial\ir-usb.c(4): *Copyright (C) 2001-2002Greg Kroah-Hartman (greg@kroah.com)

linux-3.10\drivers\usb\serial\ir-usb.c(5): *Copyright (C) 2002Gary Brubaker (xavyer@ix.netcom.com)

linux-3.10\drivers\usb\serial\ir-usb.c(6): *Copyright (C) 2010Johan Hovold (jhovold@gmail.com)

linux-3.10\drivers\usb\serial\iuu_phoenix.c(4): * Copyright (C) 2010 James Courtier-Dutton (James@superbug.co.uk)

linux-3.10\drivers\usb\serial\iuu_phoenix.c(6): * Copyright (C) 2007 Alain Degreffe (eczema@ecze.com)

linux-3.10\drivers\usb\serial\iuu_phoenix.c(8): * Original code taken from iuutool (Copyright (C) 2006 Juan Carlos Borr̄s)

linux-3.10\drivers\usb\serial\iuu_phoenix.h(4): * Copyright (C) 2007 Alain Degreffe (eczema@ecze.com)

linux-3.10\drivers\usb\serial\iuu_phoenix.h(7): * Original code taken from iuutool (Copyright (C) 2006 Juan Carlos Borr̄s)

linux-3.10\drivers\usb\serial\keyspan.c(4):(C) Copyright (C) 2000-2001Hugh Blemings <hugh@blemings.org>

linux-3.10\drivers\usb\serial\keyspan.c(5):(C) Copyright (C) 2002Greg Kroah-Hartman <greg@kroah.com>

linux-3.10\drivers\usb\serial\keyspan.h(4):(C) Copyright (C) 2000-2001

linux-3.10\drivers\usb\serial\keyspan_pda.c(4): * Copyright (C) 1999 - 2001 Greg Kroah-Hartman<greg@kroah.com>

linux-3.10\drivers\usb\serial\keyspan_pda.c(5): * Copyright (C) 1999, 2000 Brian Warner<warner@lothar.com>

linux-3.10\drivers\usb\serial\keyspan_pda.c(6): * Copyright (C) 2000 Al Borchers<borchers@steinerpoint.com>

linux-3.10\drivers\usb\serial\keyspan_usa26msg.h(18):Copyright (C) 1998-2000 InnoSys Incorporated.All Rights Reserved

linux-3.10\drivers\usb\serial\keyspan_usa26msg.h(20):This file is available under a BSD-style copyright

legal(ME)

linux-3.10\drivers\usb\serial\keyspan_usa26msg.h(4):Copyright (C) 1998-2000
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa26msg.h(5):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\keyspan_usa28msg.h(18):Copyright (C) 1998-2000
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa28msg.h(20):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\keyspan_usa28msg.h(4):Copyright (C) 1998-2000
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa28msg.h(5):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\keyspan_usa49msg.h(18):Copyright (C) 1998-2000
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa49msg.h(20):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\keyspan_usa49msg.h(4):Copyright (C) 1998-2000
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa49msg.h(5):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\keyspan_usa67msg.h(18):Copyright (c) 1998-2007
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa67msg.h(20):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\keyspan_usa67msg.h(4):Copyright (c) 1998-2007
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa67msg.h(5):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\keyspan_usa90msg.h(18):Copyright (c) 1998-2003
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa90msg.h(20):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\keyspan_usa90msg.h(4):Copyright (c) 1998-2003
InnoSys Incorporated.All Rights Reserved
linux-3.10\drivers\usb\serial\keyspan_usa90msg.h(5):This file is available under
a BSD-style copyright
linux-3.10\drivers\usb\serial\kl5kusb105.c(4): * Copyright (C) 2010 Johan Hovold
<jhovold@gmail.com>
linux-3.10\drivers\usb\serial\kl5kusb105.c(5): * Copyright (C) 2001 Utz-Uwe Haus
<haus@uuhaus.de>
linux-3.10\drivers\usb\serial\kobil_sct.c(11): *individual credits and
copyrights.
linux-3.10\drivers\usb\serial\kobil_sct.c(4): *Copyright (C) 2002KOBIL Systems
GmbH
linux-3.10\drivers\usb\serial\mct_u232.c(4): * Copyright (C) 2000 Wolfgang
Grandegger (wolfgang@ces.ch)
linux-3.10\drivers\usb\serial\mct_u232.h(4): * Copyright (C) 2000 Wolfgang
Grandegger (wolfgang@ces.ch)
linux-3.10\drivers\usb\serial\metro-usb.c(5):Copyright:2007 Metrologic
Instruments. All rights reserved.
linux-3.10\drivers\usb\serial\metro-usb.c(6):Copyright:2011 Azimut Ltd.
<http://azimutrzn.ru/>

legal(ME)

linux-3.10\drivers\usb\serial\mos7720.c(20): *Copyright (C) 2000 Inside Out Networks, All rights reserved.
linux-3.10\drivers\usb\serial\mos7720.c(21): *Copyright (C) 2001-2002 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\usb\serial\mos7720.c(5): * Copyright 2006 Moschip Semiconductor Tech. Ltd.
linux-3.10\drivers\usb\serial\mos7840.c(20): *Copyright (C) 2000 Inside Out Networks, All rights reserved.
linux-3.10\drivers\usb\serial\mos7840.c(21): *Copyright (C) 2001-2002 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\usb\serial\moto_modem.c(4): * Copyright (C) 2008 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\usb\serial\navman.c(4): * Copyright (C) 2006 Greg Kroah-Hartman <gregkh@suse.de>
linux-3.10\drivers\usb\serial\opticon.c(4): * Copyright (C) 2011 - 2012 Johan Hovold <jhovold@gmail.com>
linux-3.10\drivers\usb\serial\opticon.c(5): * Copyright (C) 2011 Martin Jansen <martin.jansen@opticon.com>
linux-3.10\drivers\usb\serial\opticon.c(6): * Copyright (C) 2008 - 2009 Greg Kroah-Hartman <gregkh@suse.de>
linux-3.10\drivers\usb\serial\opticon.c(7): * Copyright (C) 2008 - 2009 Novell Inc.
linux-3.10\drivers\usb\serial\option.c(4): Copyright (C) 2005 Matthias Urlichs <smurf@smurf.noris.de>
linux-3.10\drivers\usb\serial\oti6858.c(5): * Copyright (C) 2006 Tomasz Michal Lukaszewski (FIXME: add e-mail)
linux-3.10\drivers\usb\serial\oti6858.c(6): * Copyright (C) 2001-2004 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\oti6858.c(7): * Copyright (C) 2003 IBM Corp.
linux-3.10\drivers\usb\serial\pl2303.c(4): * Copyright (C) 2001-2007 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\pl2303.c(5): * Copyright (C) 2003 IBM Corp.
linux-3.10\drivers\usb\serial\qcaux.c(4): * Copyright (C) 2008 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\usb\serial\qcaux.c(5): * Copyright (C) 2010 Dan Williams <dcbw@redhat.com>
linux-3.10\drivers\usb\serial\qcserial.c(4): *Copyright (c) 2008 QUALCOMM Incorporated.
linux-3.10\drivers\usb\serial\qcserial.c(5): *Copyright (c) 2009 Greg Kroah-Hartman <gregkh@suse.de>
linux-3.10\drivers\usb\serial\qcserial.c(6): *Copyright (c) 2009 Novell Inc.
linux-3.10\drivers\usb\serial\quatech2.c(4): * Copyright (C) 2012 Bill Pemberton (wfp5p@virginia.edu)
linux-3.10\drivers\usb\serial\safe_serial.c(4): *Copyright (C) 2010 Johan Hovold <jhovold@gmail.com>
linux-3.10\drivers\usb\serial\safe_serial.c(5): *Copyright (C) 2001 Lineo
linux-3.10\drivers\usb\serial\safe_serial.c(6): *Copyright (C) 2001 Hewlett-Packard
linux-3.10\drivers\usb\serial\siemens_mpi.c(4): * Copyright (C) 2005 Thomas Hergenbahn <thomas.hergenbahn@suse.de>
linux-3.10\drivers\usb\serial\siemens_mpi.c(5): * Copyright (C) 2005,2008 Greg Kroah-Hartman <gregkh@suse.de>

legal(ME)

linux-3.10\drivers\usb\serial\sierra.c(4):Copyright (C) 2006, 2007, 2008Kevin Lloyd <klloyd@sierrawireless.com>,
linux-3.10\drivers\usb\serial\sierra.c(6):Copyright (C) 2008, 2009Elina Pasheva, Matthew Safar, Rory Filer
linux-3.10\drivers\usb\serial\spcp8x5.c(4): * Copyright (C) 2010-2013 Johan Hovold (jhovold@gmail.com)
linux-3.10\drivers\usb\serial\spcp8x5.c(5): * Copyright (C) 2006 Linxb (xubin.lin@worldplus.com.cn)
linux-3.10\drivers\usb\serial\spcp8x5.c(6): * Copyright (C) 2006 S1 Corp.
linux-3.10\drivers\usb\serial\symbolserial.c(4): * Copyright (C) 2013 Johan Hovold <jhovold@gmail.com>
linux-3.10\drivers\usb\serial\symbolserial.c(5): * Copyright (C) 2009 Greg Kroah-Hartman <gregkh@suse.de>
linux-3.10\drivers\usb\serial\symbolserial.c(6): * Copyright (C) 2009 Novell Inc.
linux-3.10\drivers\usb\serial\ti_usb_3410_5052.c(5): * Copyright (C) 2004 Texas Instruments
linux-3.10\drivers\usb\serial\ti_usb_3410_5052.c(8): * Copyright (C) 2000-2002 Inside Out Networks
linux-3.10\drivers\usb\serial\ti_usb_3410_5052.c(9): * Copyright (C) 2001-2002 Greg Kroah-Hartman
linux-3.10\drivers\usb\serial\ti_usb_3410_5052.h(5): * Copyright (C) 2004 Texas Instruments
linux-3.10\drivers\usb\serial\ti_usb_3410_5052.h(8): * Copyright (C) 2000-2002 Inside Out Networks
linux-3.10\drivers\usb\serial\ti_usb_3410_5052.h(9): * Copyright (C) 2001-2002 Greg Kroah-Hartman
linux-3.10\drivers\usb\serial\usb_debug.c(4): * Copyright (C) 2006 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\drivers\usb\serial\usb_wwan.c(4):Copyright (C) 2005Matthias Urlichs <smurf@smurf.noris.de>
linux-3.10\drivers\usb\serial\usb-serial.c(4): * Copyright (C) 2009 - 2013 Johan Hovold (jhovold@gmail.com)
linux-3.10\drivers\usb\serial\usb-serial.c(5): * Copyright (C) 1999 - 2012 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\usb-serial.c(6): * Copyright (C) 2000 Peter Berger (pberger@brimson.com)
linux-3.10\drivers\usb\serial\usb-serial.c(7): * Copyright (C) 2000 Al Borchers (borchers@steinerpoint.com)
linux-3.10\drivers\usb\serial\visor.c(5): *Copyright (C) 1999 - 2004
linux-3.10\drivers\usb\serial\visor.h(4): *Copyright (C) 1999 - 2003
linux-3.10\drivers\usb\serial\vivopay-serial.c(2): * Copyright (C) 2001-2005 Greg Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\serial\vivopay-serial.c(3): * Copyright (C) 2009 Outpost Embedded, LLC
linux-3.10\drivers\usb\serial\whiteheat.c(4): *Copyright (C) 2002
linux-3.10\drivers\usb\serial\whiteheat.c(7): *Copyright (C) 1999 - 2001
linux-3.10\drivers\usb\serial\whiteheat.h(4): *Copyright (C) 2002
linux-3.10\drivers\usb\serial\whiteheat.h(7): *Copyright (C) 1999, 2000
linux-3.10\drivers\usb\serial\wishbone-serial.c(4): * Copyright (C) 2013 Wesley W. Terpstra <w.terpstra@gsi.de>
linux-3.10\drivers\usb\serial\wishbone-serial.c(5): * Copyright (C) 2013 GSI Helmholtz Centre for Heavy Ion Research GmbH

legal(ME)

linux-3.10\drivers\usb\serial\xsens_mt.c(4): * Copyright (C) 2013 Xsens
<info@xsens.com>
linux-3.10\drivers\usb\serial\zio.c(4): * Copyright (C) 2010 Zilogic Systems
<code@zilologic.com>
linux-3.10\drivers\usb\serial\zte_ev.c(4): * Copyright (C) 2012 Greg
Kroah-Hartman <gregkh@linuxfoundation.org>
linux-3.10\drivers\usb\serial\zte_ev.c(5): * Copyright (C) 2012 Linux Foundation
linux-3.10\drivers\usb\storage\cypress_atacb.c(5): * Copyright (c) 2008 Matthieu
Castet (castet.matthieu@free.fr)
linux-3.10\drivers\usb\storage\onetouch.c(5): *Copyright (c) 2005 Nick Sillik
<n.sillik@temple.edu>
linux-3.10\drivers\usb\storage\onetouch.c(8): *Copyright (c) 2003 Erik Thyren
<erth7411@student.uu.se>
linux-3.10\drivers\usb\storage\realtek_cr.c(3): * Copyright(c) 2009 Realtek
Semiconductor Corp. All rights reserved.
linux-3.10\drivers\usb\storage\uas.c(5): * Copyright Matthew Wilcox for Intel
Corp, 2010
linux-3.10\drivers\usb\storage\uas.c(6): * Copyright Sarah Sharp for Intel Corp,
2010
linux-3.10\drivers\usb\storage\unusual_realtek.h(3): * Copyright(c) 2009 Realtek
Semiconductor Corp. All rights reserved.
linux-3.10\drivers\usb\storage\usual-tables.c(4): * Copyright (C) 2009 Alan Stern
(stern@rowland.harvard.edu)
linux-3.10\drivers\usb\usb-skeleton.c(4): * Copyright (C) 2001-2004 Greg
Kroah-Hartman (greg@kroah.com)
linux-3.10\drivers\usb\wusbcore\cbaf.c(5): * Copyright (C) 2006 Intel Corporation
linux-3.10\drivers\usb\wusbcore\cbaf.c(7): * Copyright (C) 2008 Cambridge Silicon
Radio Ltd.
linux-3.10\drivers\usb\wusbcore\crypto.c(5): * Copyright (C) 2007 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\devconnect.c(5): * Copyright (C) 2006 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\dev-sysfs.c(5): * Copyright (C) 2007 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\mmc.c(5): * Copyright (C) 2005-2006 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\pal.c(5): * Copyright (C) 2008 Cambridge Silicon
Radio Ltd.
linux-3.10\drivers\usb\wusbcore\reservation.c(4): * Copyright (C) 2007 Cambridge
Silicon Radio Ltd.
linux-3.10\drivers\usb\wusbcore\rh.c(6): * Copyright (C) 2005-2006 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\security.c(5): * Copyright (C) 2006 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\wa-hc.c(5): * Copyright (C) 2005-2006 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\wa-hc.h(5): * Copyright (C) 2005-2006 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\wa-nep.c(5): * Copyright (C) 2006 Intel
Corporation
linux-3.10\drivers\usb\wusbcore\wa-rpipe.c(5): * Copyright (C) 2005-2006 Intel
Corporation

legal(ME)

linux-3.10\drivers\usb\wusbcore\wa-xfer.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\wusbcore\wusbhc.c(6): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\wusbcore\wusbhc.h(6): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\address.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\allocator.c(4): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\beacon.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\driver.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\drp.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\drp.c(7): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\drp-avail.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\drp-avail.c(7): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\drp-ie.c(4): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\drp-ie.c(5): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\est.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\hwa-rc.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\i1480\dfu\dfu.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\i1480\dfu\i1480-dfu.h(4): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\i1480\dfu\mac.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\i1480\dfu\phy.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\i1480\dfu\usb.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\i1480\i1480-est.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\ie.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\ie-rcv.c(5): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\lc-dev.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\lc-rc.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\neh.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\pal.c(4): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\radio.c(4): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\reset.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\rsv.c(4): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\scan.c(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\drivers\usb\umc-bus.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.
linux-3.10\drivers\usb\umc-dev.c(4): * Copyright (C) 2007 Cambridge Silicon Radio

legal(ME)

Ltd.

linux-3.10\drivers\usb\umc-drv.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\uwbd.c(5): * Copyright (C) 2005-2006 Intel Corporation

linux-3.10\drivers\usb\usb-debug.c(5): * Copyright (C) 2005-2006 Intel Corporation

linux-3.10\drivers\usb\usb-debug.c(7): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\usb-internal.h(5): * Copyright (C) 2005-2006 Intel Corporation

linux-3.10\drivers\usb\whci.c(4): * Copyright (C) 2007 Cambridge Silicon Radio Ltd.

linux-3.10\drivers\usb\whc-rc.c(5): * Copyright (C) 2005-2006 Intel Corporation

linux-3.10\drivers\vfio\pci\vfio_pci.c(10): * Copyright 2010 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci.c(2): * Copyright (C) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci_config.c(12): * Copyright 2010 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci_config.c(4): * Copyright (C) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci_intrs.c(12): * Copyright 2010 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci_intrs.c(4): * Copyright (C) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci_private.h(10): * Copyright 2010 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci_private.h(2): * Copyright (C) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci_rdwr.c(12): * Copyright 2010 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\vfio\pci\vfio_pci_rdwr.c(4): * Copyright (C) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\vfio\vfio.c(12): * Copyright 2010 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\vfio\vfio.c(4): * Copyright (C) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\vfio\vfio_iommu_type1.c(12): * Copyright 2010 Cisco Systems, Inc. All rights reserved.

linux-3.10\drivers\vfio\vfio_iommu_type1.c(4): * Copyright (C) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\drivers\vhost\net.c(1):/* Copyright (C) 2009 Red Hat, Inc.

linux-3.10\drivers\vhost\scsi.c(4): * (C) Copyright 2010-2012 RisingTide Systems LLC.

linux-3.10\drivers\vhost\scsi.c(5): * (C) Copyright 2010-2012 IBM Corp.

linux-3.10\drivers\vhost\test.c(1):/* Copyright (C) 2009 Red Hat, Inc.

linux-3.10\drivers\vhost\vhost.c(1):/* Copyright (C) 2009 Red Hat, Inc.

linux-3.10\drivers\vhost\vhost.c(2): * Copyright (C) 2006 Rusty Russell IBM Corporation

linux-3.10\drivers\video\68328fb.c(14): *Copyright (C) 1998,1999 Kenneth Albanowski <kjahds@kjahds.com>,

linux-3.10\drivers\video\68328fb.c(21): *Copyright (C) 2002 James Simmons

legal(ME)

linux-3.10\drivers\video\68328fb.c(23): *Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\68328fb.c(5): *Copyright (C) 2003 Georges Menie
linux-3.10\drivers\video\acornfb.c(4): *Copyright (C) 1998-2001 Russell King
linux-3.10\drivers\video\acornfb.h(4): *Copyright (C) 1998,1999 Russell King
linux-3.10\drivers\video\amba-clcd.c(4): * Copyright (C) 2001 ARM Limited, by
David A Rusling
linux-3.10\drivers\video\amifb.c(11): *Copyright (C) 1994 Martin Schaller
linux-3.10\drivers\video\amifb.c(19): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\drivers\video\amifb.c(21): *Copyright (C) 1994 David Carter
[carter@compsci.bristol.ac.uk]
linux-3.10\drivers\video\amifb.c(4): *Copyright (C) 1995-2003 Geert Uytterhoeven
linux-3.10\drivers\video\arcfb.c(4): * Copyright (C) 2005, Jaya Kumar
<jayalk@intworks.biz>
linux-3.10\drivers\video\arkfb.c(5): *Copyright (c) 2007 Ondrej Zajicek
<santiago@crfreenet.org>
linux-3.10\drivers\video\asiliantfb.c(11): *Copyright (C) 2000 AG Electronics
linux-3.10\drivers\video\asiliantfb.c(21): *Copyright (C) 1998 Paul Mackerras
linux-3.10\drivers\video\asiliantfb.c(23): *Copyright (C) 1997 Fabio Riccardi.
linux-3.10\drivers\video\asiliantfb.c(25): *Copyright (C) 1997 Geert
Uytterhoeven.
linux-3.10\drivers\video\asiliantfb.c(4): *Copyright (C) 2001-2003 Saito.K &
Jeanne
linux-3.10\drivers\video\atafb.c(4): *Copyright (C) 1994 Martin Schaller & Roman
Hodek
linux-3.10\drivers\video\atmel_lcdfb.c(4): *Copyright (C) 2007 Atmel Corporation
linux-3.10\drivers\video\aty\aty128fb.c(4): *Copyright (C) 1999-2003, Brad
Douglas <brad@neruo.com>
linux-3.10\drivers\video\aty\aty128fb.c(5): *Copyright (C) 1999, Anthony Tong
<atong@uiuc.edu>
linux-3.10\drivers\video\aty\atyfb_base.c(18): *Copyright (C) 1996 Paul Mackerras
linux-3.10\drivers\video\aty\atyfb_base.c(22): *Copyright (C) 1997 Michael AK
Tesch
linux-3.10\drivers\video\aty\atyfb_base.c(4): *Copyright (C) 2004Alex Kern
<alex.kern@gmx.de>
linux-3.10\drivers\video\aty\atyfb_base.c(5): *Copyright (C) 1997-2001Geert
Uytterhoeven
linux-3.10\drivers\video\aty\atyfb_base.c(6): *Copyright (C) 1998Bernd Harries
linux-3.10\drivers\video\aty\atyfb_base.c(7): *Copyright (C) 1998Eddie C.
Dost(ecd@skynet.be)
linux-3.10\drivers\video\aty\radeon_backlight.c(4): * Copyright (c) 2000 Ani
Joshi <ajoshi@kernel.crashing.org>
linux-3.10\drivers\video\aty\radeon_backlight.c(5): * Copyright (c) 2003 Benjamin
Herrenschmidt <benh@kernel.crashing.org>
linux-3.10\drivers\video\aty\radeon_backlight.c(6): * Copyright (c) 2006 Michael
Hanselmann <linux-kernel@hansmi.ch>
linux-3.10\drivers\video\aty\radeon_base.c(18): *Copyright 2000 ATI Technologies
Inc., Markham, Ontario, and
linux-3.10\drivers\video\aty\radeon_base.c(6): *Copyright 2003Ben. Herrenschmidt
<benh@kernel.crashing.org>
linux-3.10\drivers\video\aty\radeon_base.c(7): *Copyright 2000Ani Joshi
<ajoshi@kernel.crashing.org>
linux-3.10\drivers\video\aty\radeon_pm.c(4): *Copyright 2003,2004 Ben.

legal(ME)

Herrenschmidt <benh@kernel.crashing.org>
linux-3.10\drivers\video\aty\radeon_pm.c(5): *Copyright 2004 Paul Mackerras
<paulus@samba.org>
linux-3.10\drivers\video\au1100fb.c(13): * Copyright 2002 MontaVista Software
linux-3.10\drivers\video\au1100fb.c(17): * Copyright 2002 Alchemy Semiconductor
linux-3.10\drivers\video\au1100fb.h(5): * Copyright 2002 MontaVista Software
linux-3.10\drivers\video\au1100fb.h(6): * Copyright 2002 Alchemy Semiconductor
linux-3.10\drivers\video\au1200fb.c(5): * Copyright 2004-2005 AMD
linux-3.10\drivers\video\au1200fb.h(291): * Copyright 2004 AMD
linux-3.10\drivers\video\au1200fb.h(5): * Copyright 2004 AMD
linux-3.10\drivers\video\auo_k1900fb.c(4): * Copyright (C) 2011, 2012 Heiko
Stuebner <heiko@sntech.de>
linux-3.10\drivers\video\auo_k1900fb.c(8): * Copyright (C) 2008, Jaya Kumar
linux-3.10\drivers\video\auo_k1901fb.c(4): * Copyright (C) 2011, 2012 Heiko
Stuebner <heiko@sntech.de>
linux-3.10\drivers\video\auo_k1901fb.c(8): * Copyright (C) 2008, Jaya Kumar
linux-3.10\drivers\video\auo_k190x.c(4): * Copyright (C) 2012 Heiko Stuebner
<heiko@sntech.de>
linux-3.10\drivers\video\auo_k190x.h(4): * Copyright (C) 2012 Heiko Stuebner
<heiko@sntech.de>
linux-3.10\drivers\video\backlight\88pm860x_bl.c(4): * Copyright (C) 2009 Marvell
International Ltd.
linux-3.10\drivers\video\backlight\aat2870_bl.c(4): * Copyright (c) 2011, NVIDIA
Corporation.
linux-3.10\drivers\video\backlight\adp5520_bl.c(4): * Copyright 2009 Analog
Devices Inc.
linux-3.10\drivers\video\backlight\adp8860_bl.c(4): * Copyright 2009-2010 Analog
Devices Inc.
linux-3.10\drivers\video\backlight\adp8870_bl.c(4): * Copyright 2009-2011 Analog
Devices Inc.
linux-3.10\drivers\video\backlight\ams369fg06.c(4): * Copyright (c) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\video\backlight\apple_bl.c(4): *Copyright (c) Red Hat
<mjg@redhat.com>
linux-3.10\drivers\video\backlight\apple_bl.c(6): *Copyright (C) 2006 Nicolas
Boichat <nicolas @boichat.ch>
linux-3.10\drivers\video\backlight\apple_bl.c(7): *Copyright (C) 2006 Felipe
Alfaro Solana <felipe_alfaro @linuxmail.org>
linux-3.10\drivers\video\backlight\apple_bl.c(8): *Copyright (C) 2007 Julien
BLACHE <jb@jblache.org>
linux-3.10\drivers\video\backlight\as3711_bl.c(4): * Copyright (C) 2012 Renesas
Electronics Corporation
linux-3.10\drivers\video\backlight\atmel-pwm-bl.c(2): * Copyright (C) 2008 Atmel
Corporation
linux-3.10\drivers\video\backlight\backlight.c(4): * Copyright (C) 2003,2004
Hewlett-Packard Company
linux-3.10\drivers\video\backlight\corgi_lcd.c(4): *Copyright (c) 2004-2006
Richard Purdie
linux-3.10\drivers\video\backlight\corgi_lcd.c(8): *Copyright (c) 2008 Marvell
International Ltd.
linux-3.10\drivers\video\backlight\cr_bllcd.c(2): * Copyright (c) Intel Corp.
2007.

legal(ME)

linux-3.10\drivers\video\backlight\da903x_bl.c(4): * Copyright (C) 2008 Compulab, Ltd.
linux-3.10\drivers\video\backlight\da903x_bl.c(7): * Copyright (C) 2006-2008 Marvell International Ltd.
linux-3.10\drivers\video\backlight\da9052_bl.c(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\drivers\video\backlight\ep93xx_bl.c(4): * Copyright (c) 2010 H Hartley Sweeten <hsweeten@visionengravers.com>
linux-3.10\drivers\video\backlight\generic_bl.c(4): *Copyright (c) 2004-2008 Richard Purdie
linux-3.10\drivers\video\backlight\hp680_bl.c(4): *Copyright (c) 2005 Andriy Skulysh
linux-3.10\drivers\video\backlight\hx8357.c(4): * Copyright 2012 Free Electrons
linux-3.10\drivers\video\backlight\ili922x.c(2): * (C) Copyright 2008
linux-3.10\drivers\video\backlight\ili9320.c(5): * Copyright 2007 Simtec Electronics
linux-3.10\drivers\video\backlight\ili9320.h(5): * Copyright 2007 Simtec Electronics
linux-3.10\drivers\video\backlight\jornada720_bl.c(4): * Copyright (C) 2006-2009 Kristoffer Ericson <kristoffer.ericson@gmail.com>
linux-3.10\drivers\video\backlight\jornada720_lcd.c(4): * Copyright (C) 2006-2009 Kristoffer Ericson <kristoffer.ericson@gmail.com>
linux-3.10\drivers\video\backlight\kb3886_bl.c(4): *Copyright (c) 2007-2008 Claudio Nieder
linux-3.10\drivers\video\backlight\l4f00242t03.c(4): * Copyright 2007-2009 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\video\backlight\l4f00242t03.c(6): * Copyright (c) 2009 Alberto Panizzo <maramaopercheseimorto@gmail.com>
linux-3.10\drivers\video\backlight\lcd.c(4): * Copyright (C) 2003,2004 Hewlett-Packard Company
linux-3.10\drivers\video\backlight\ld9040.c(4): * Copyright (c) 2011 Samsung Electronics
linux-3.10\drivers\video\backlight\ld9040_gamma.h(4): * Copyright (c) 2011 Samsung Electronics
linux-3.10\drivers\video\backlight\lm3533_bl.c(4): * Copyright (C) 2011-2012 Texas Instruments
linux-3.10\drivers\video\backlight\lm3630_bl.c(3):* Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\video\backlight\lm3639_bl.c(3):* Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\video\backlight\lms283gf05.c(4): * Copyright (c) 2009 Marek Vasut <marek.vasut@gmail.com>
linux-3.10\drivers\video\backlight\lms501kf03.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\drivers\video\backlight\locomolcd.c(4): * Copyright 2005 John Lenz <lenz@cs.wisc.edu>
linux-3.10\drivers\video\backlight\lp855x_bl.c(4): *Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\video\backlight\lp8788_bl.c(4): * Copyright 2012 Texas Instruments
linux-3.10\drivers\video\backlight\ltv350qv.c(4): * Copyright (C) 2006, 2007 Atmel Corporation

legal(ME)

linux-3.10\drivers\video\backlight\ltv350qv.h(4): * Copyright (C) 2006, 2007 Atmel Corporation
linux-3.10\drivers\video\backlight\max8925_bl.c(4): * Copyright (C) 2009 Marvell International Ltd.
linux-3.10\drivers\video\backlight\omap1_bl.c(4): * Copyright (c) 2006 Andrzej Zaborowski<balrog@zabor.org>
linux-3.10\drivers\video\backlight\ot200_bl.c(2): * Copyright (C) 2012 Bachmann electronic GmbH
linux-3.10\drivers\video\backlight\pandora_bl.c(6): * Copyright 2009,2012 Gražvydas Ignotas <notasas@gmail.com>
linux-3.10\drivers\video\backlight\pcf50633-backlight.c(2): *Copyright (C) 2009-2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\drivers\video\backlight\platform_lcd.c(3): * Copyright 2008 Simtec Electronics
linux-3.10\drivers\video\backlight\s6e63m0_gamma.h(5): * Copyright (c) 2009 Samsung Electronics
linux-3.10\drivers\video\backlight\tdo24m.c(4): * Copyright (C) 2008 Marvell International Ltd.
linux-3.10\drivers\video\backlight\tosa_bl.c(4): *Copyright (c) 2005Dirk Opfer
linux-3.10\drivers\video\backlight\tosa_bl.c(5): *Copyright (c) 2007,2008Dmitry Baryshkov
linux-3.10\drivers\video\backlight\tosa_lcd.c(4): *Copyright (c) 2005Dirk Opfer
linux-3.10\drivers\video\backlight\tosa_lcd.c(5): *Copyright (c) 2007,2008Dmitry Baryshkov
linux-3.10\drivers\video\backlight\tps65217_bl.c(6): * Copyright (C) 2012 Matthias Kaehlcke
linux-3.10\drivers\video\backlight\vgg2432a4.c(5): * Copyright 2007 Simtec Electronics
linux-3.10\drivers\video\backlight\wm831x_bl.c(4): * Copyright 2009 Wolfson Microelectronics plc
linux-3.10\drivers\video\bf537-lq035.c(5): * Copyright 2006-2010 Analog Devices Inc.
linux-3.10\drivers\video\bf54x-lq043fb.c(11): * Copyright 2007-2008 Analog Devices Inc.
linux-3.10\drivers\video\bfin_adv7393fb.c(4): * Copyright 2006-2009 Analog Devices Inc.
linux-3.10\drivers\video\bfin_adv7393fb.h(4): * Copyright 2006-2009 Analog Devices Inc.
linux-3.10\drivers\video\bfin-lq035q1-fb.c(4): * Copyright 2008-2009 Analog Devices Inc.
linux-3.10\drivers\video\bfin-t350mcqb-fb.c(11): * Copyright 2004-2007 Analog Devices Inc.
linux-3.10\drivers\video\broadsheetfb.c(4): * Copyright (C) 2008, Jaya Kumar
linux-3.10\drivers\video\bt431.h(4): *Copyright 2003Thiemo Seufer <seufer@csv.ica.uni-stuttgart.de>
linux-3.10\drivers\video\bt455.h(4): *Copyright 2003Thiemo Seufer <seufer@csv.ica.uni-stuttgart.de>
linux-3.10\drivers\video\bw2.c(3): * Copyright (C) 2003, 2006 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\video\bw2.c(4): * Copyright (C) 1996,1998 Jakub Jelinek (jj@ultra.linux.cz)
linux-3.10\drivers\video\bw2.c(5): * Copyright (C) 1996 Miguel de Icaza

legal(ME)

(miguel@nuclecu.unam.mx)

linux-3.10\drivers\video\bw2.c(6): * Copyright (C) 1997 Eddie C. Dost
(ecd@skynet.be)

linux-3.10\drivers\video\c2p.h(4): *Copyright (C) 2003-2008 Geert Uytterhoeven

linux-3.10\drivers\video\c2p_core.h(4): *Copyright (C) 2003-2008 Geert
Uytterhoeven

linux-3.10\drivers\video\c2p_ipan2.c(4): *Copyright (C) 2003-2008 Geert
Uytterhoeven

linux-3.10\drivers\video\c2p_planar.c(4): *Copyright (C) 2003-2008 Geert
Uytterhoeven

linux-3.10\drivers\video\cfbcopyarea.c(4): *Copyright (C)1999-2005 James Simmons
<jsimmons@www.infradead.org>

linux-3.10\drivers\video\cfbfillrect.c(4): *Copyright (C)2000 James Simmons
(jsimmons@linux-fbdev.org)

linux-3.10\drivers\video\cfbimgblt.c(4): *Copyright (C)June 1999 James Simmons

linux-3.10\drivers\video\cg14.c(3): * Copyright (C) 2003, 2006 David S. Miller
(davem@davemloft.net)

linux-3.10\drivers\video\cg14.c(4): * Copyright (C) 1996,1998 Jakub Jelinek
(jj@ultra.linux.cz)

linux-3.10\drivers\video\cg14.c(5): * Copyright (C) 1995 Miguel de Icaza
(miguel@nuclecu.unam.mx)

linux-3.10\drivers\video\cg3.c(3): * Copyright (C) 2003, 2006 David S. Miller
(davem@davemloft.net)

linux-3.10\drivers\video\cg3.c(4): * Copyright (C) 1996,1998 Jakub Jelinek
(jj@ultra.linux.cz)

linux-3.10\drivers\video\cg3.c(5): * Copyright (C) 1996 Miguel de Icaza
(miguel@nuclecu.unam.mx)

linux-3.10\drivers\video\cg3.c(6): * Copyright (C) 1997 Eddie C. Dost
(ecd@skynet.be)

linux-3.10\drivers\video\cg6.c(3): * Copyright (C) 2003, 2006 David S. Miller
(davem@davemloft.net)

linux-3.10\drivers\video\cg6.c(4): * Copyright (C) 1996,1998 Jakub Jelinek
(jj@ultra.linux.cz)

linux-3.10\drivers\video\cg6.c(5): * Copyright (C) 1996 Miguel de Icaza
(miguel@nuclecu.unam.mx)

linux-3.10\drivers\video\cg6.c(6): * Copyright (C) 1996 Eddie C. Dost
(ecd@skynet.be)

linux-3.10\drivers\video\chipsfb.c(10): *Copyright (C) 1997 Geert Uytterhoeven.

linux-3.10\drivers\video\chipsfb.c(5): *Copyright (C) 1998-2002 Paul Mackerras

linux-3.10\drivers\video\chipsfb.c(8): *Copyright (C) 1997 Fabio Riccardi.

linux-3.10\drivers\video\cirrusfb.c(2360):MODULE_AUTHOR("Copyright 1999,2000 Jeff
Garzik <jgarzik@pobox.com>");

linux-3.10\drivers\video\cirrusfb.c(24): *Copyright (C) 1997 Jes Sorensen

linux-3.10\drivers\video\cirrusfb.c(25): *Copyright (C) 1996 Frank Neumann

linux-3.10\drivers\video\cirrusfb.c(4): * Copyright 1999-2001 Jeff Garzik
<jgarzik@pobox.com>

linux-3.10\drivers\video\clps711xfb.c(4): *Copyright (C) 2000-2001 Deep Blue
Solutions Ltd.

linux-3.10\drivers\video\cobalt_lcdfb.c(4): *Copyright (C) 2008Yoichi Yuasa
<yuasa@linux-mips.org>

linux-3.10\drivers\video\cobalt_lcdfb.c(5): *Copyright (C) 2012MIPS Technologies,
Inc.

legal(ME)

linux-3.10\drivers\video\console\bitblit.c(6): *Copyright (C) 2004 Antonino Daplas <adaplas @pol.net>
linux-3.10\drivers\video\console\fbcon.c(11): *Copyright (C) 1994 David Carter [carter@compsci.bristol.ac.uk]
linux-3.10\drivers\video\console\fbcon.c(20): *Copyright (C) 1993 Bjoern Brauel
linux-3.10\drivers\video\console\fbcon.c(4): *Copyright (C) 1995 Geert Uytterhoeven
linux-3.10\drivers\video\console\fbcon.c(9): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\drivers\video\console\fbcon.h(4): *Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\console\fbcon_ccw.c(4): *Copyright (C) 2005 Antonino Daplas <adaplas @pol.net>
linux-3.10\drivers\video\console\fbcon_cw.c(4): *Copyright (C) 2005 Antonino Daplas <adaplas @pol.net>
linux-3.10\drivers\video\console\fbcon_rotate.c(4): *Copyright (C) 2005 Antonino Daplas <adaplas @pol.net>
linux-3.10\drivers\video\console\fbcon_rotate.h(4): *Copyright (C) 2005 Antonino Daplas <adaplas@pol.net>
linux-3.10\drivers\video\console\fbcon_ud.c(4): *Copyright (C) 2005 Antonino Daplas <adaplas @pol.net>
linux-3.10\drivers\video\console\mdacon.c(18): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\drivers\video\console\newport_con.c(10): * Copyright (C) 1997 Miguel de Icaza (miguel@nuclecu.unam.mx)
linux-3.10\drivers\video\console\newport_con.c(9): * Copyright (C) 1996 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\video\console\sticon.c(12): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\drivers\video\console\sticon.c(14): *Copyright (C) 1995 Geert Uytterhoeven
linux-3.10\drivers\video\console\sticon.c(15): *Copyright (C) 1993 Bjoern Brauel
linux-3.10\drivers\video\console\sticon.c(17): *Copyright (C) 1993 Hamish Macdonald
linux-3.10\drivers\video\console\sticon.c(19): *Copyright (C) 1994 David Carter [carter@compsci.bristol.ac.uk]
linux-3.10\drivers\video\console\sticon.c(4): *Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\drivers\video\console\sticon.c(5): *Copyright (C) 2002 Helge Deller <deller@gmx.de>
linux-3.10\drivers\video\console\sticore.c(5): *Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\drivers\video\console\sticore.c(6): *Copyright (C) 2001-2003 Helge Deller <deller@gmx.de>
linux-3.10\drivers\video\console\sticore.c(7): *Copyright (C) 2001-2002 Thomas Bogendoerfer <tsbogend@alpha.franken.de>
linux-3.10\drivers\video\console\tileblit.c(4): *Copyright (C) 2004 Antonino Daplas <adaplas @pol.net>
linux-3.10\drivers\video\console\vgacon.c(10): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\drivers\video\controlfb.c(14): *Copyright (C) 1998 Paul Mackerras
linux-3.10\drivers\video\controlfb.c(17): *Copyright (C) 1997 Fabio Riccardi.
linux-3.10\drivers\video\controlfb.c(19): *Copyright (C) 1997 Geert Uytterhoeven.

legal(ME)

linux-3.10\drivers\video\controlfb.c(23): *Copyright (C) 1996 Paul Mackerras
linux-3.10\drivers\video\controlfb.c(5): *Copyright (C) 1998 Dan Jacobowitz
linux-3.10\drivers\video\controlfb.c(6): *Copyright (C) 2001 Takashi Oe
linux-3.10\drivers\video\controlfb.h(14): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\video\controlfb.h(17): * Copyright (C) 1998 Jon Howell
linux-3.10\drivers\video\controlfb.h(4): * Copyright (C) 1998 Daniel Jacobowitz
<dan@debian.org>
linux-3.10\drivers\video\cyber2000fb.c(10): *Copyright (C) 2002 Denis Oliver
Kropp <dok@directfb.org>
linux-3.10\drivers\video\cyber2000fb.c(4): *Copyright (C) 1998-2002 Russell King
linux-3.10\drivers\video\cyber2000fb.c(7): *Copyright (C) 2001 Bradley D. LaRonde
<brad@lrc.com>
linux-3.10\drivers\video\cyber2000fb.h(4): *Copyright (C) 1998-2000 Russell King
linux-3.10\drivers\video\da8xx-fb.c(2): * Copyright (C) 2008-2009 MontaVista
Software Inc.
linux-3.10\drivers\video\da8xx-fb.c(3): * Copyright (C) 2008-2009 Texas
Instruments Inc
linux-3.10\drivers\video\display_timing.c(4): * Copyright (c) 2012 Steffen
Trumtrar <s.trumtrar@pengutronix.de>, Pengutronix
linux-3.10\drivers\video\edid.h(6): *Copyright 1998 by Egbert Eich
<Egbert.Eich@Physik.TU-Darmstadt.DE>
linux-3.10\drivers\video\ep93xx-fb.c(6): * Copyright (C) 2007 Bluewater Systems
Ltd
linux-3.10\drivers\video\ep93xx-fb.c(9): * Copyright (c) 2009 H Hartley Sweeten
<hsweeten@visionengravers.com>
linux-3.10\drivers\video\exynos\exynos_dp_core.c(4): * Copyright (C) 2012 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\video\exynos\exynos_dp_core.h(4): * Copyright (C) 2012 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\video\exynos\exynos_dp_reg.c(4): * Copyright (C) 2012 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\video\exynos\exynos_dp_reg.h(4): * Copyright (C) 2012 Samsung
Electronics Co., Ltd.
linux-3.10\drivers\video\exynos\exynos_mipi_dsi.c(5): * Copyright (c) 2012
Samsung Electronics Co., Ltd
linux-3.10\drivers\video\exynos\exynos_mipi_dsi_common.c(5): * Copyright (c) 2012
Samsung Electronics Co., Ltd
linux-3.10\drivers\video\exynos\exynos_mipi_dsi_common.h(5): * Copyright (c) 2012
Samsung Electronics Co., Ltd
linux-3.10\drivers\video\exynos\exynos_mipi_dsi_lowlevel.c(5): * Copyright (c)
2012 Samsung Electronics Co., Ltd
linux-3.10\drivers\video\exynos\exynos_mipi_dsi_lowlevel.h(5): * Copyright (c)
2012 Samsung Electronics Co., Ltd
linux-3.10\drivers\video\exynos\exynos_mipi_dsi_regs.h(5): * Copyright (c) 2012
Samsung Electronics Co., Ltd
linux-3.10\drivers\video\fb_ddc.c(4): *Copyright (C) 2006 Dennis Munsie
<dmunsie@cecropia.com>
linux-3.10\drivers\video\fb_defio.c(4): *Copyright (C) 2006 Jaya Kumar
linux-3.10\drivers\video\fb_notify.c(4): *Copyright (C) 2006 Antonino Daplas
<adaplas@pol.net>
linux-3.10\drivers\video\fb_sys_fops.c(5): * Copyright (C) 2007 Antonino Daplas
<adaplas@pol.net>

legal(ME)

linux-3.10\drivers\video\fbcv.c(4): * Copyright (C) 2005 Antonino Daplas
<adaplas@pol.net>
linux-3.10\drivers\video\fbmem.c(4): *Copyright (C) 1994 Martin Schaller
linux-3.10\drivers\video\fbmon.c(11): *Copyright (C) 1991-2002 SciTech Software,
Inc. All rights reserved.
linux-3.10\drivers\video\fbmon.c(14): *Copyright 1998 by Egbert Eich
<Egbert.Eich@Physik.TU-Darmstadt.DE>
linux-3.10\drivers\video\fbmon.c(4): * Copyright (C) 2002 James Simmons
<jsimmons@users.sf.net>
linux-3.10\drivers\video\fb-puv3.c(6): *Copyright (C) 2001-2010 Guan Xuetao
linux-3.10\drivers\video\fbsysfs.c(4): * Copyright (c) 2004 James Simmons
<jsimmons@infradead.org>
linux-3.10\drivers\video\ffb.c(3): * Copyright (C) 2003, 2006 David S. Miller
(davem@davemloft.net)
linux-3.10\drivers\video\ffb.c(4): * Copyright (C) 1997,1998,1999 Jakub Jelinek
(jj@ultra.linux.cz)
linux-3.10\drivers\video\fm2fb.c(5): *Copyright (C) 1998 Steffen A. Mork
(linux-dev@morknet.de)
linux-3.10\drivers\video\fm2fb.c(6): *Copyright (C) 1999 Geert Uytterhoeven
linux-3.10\drivers\video\fsl-diu-fb.c(11): * Based on imxfb.c Copyright (C) 2004
S.Hauer, Pengutronix
linux-3.10\drivers\video\fsl-diu-fb.c(2): * Copyright 2008 Freescale
Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\video\g364fb.c(10): *Copyright (C) 1995Jay Estabrook
linux-3.10\drivers\video\g364fb.c(9): *Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\gbefb.c(4): *Copyright (C) 1999 Silicon Graphics, Inc. -
Jeffrey Newquist
linux-3.10\drivers\video\gbefb.c(5): *Copyright (C) 2002 Vivien Chappelier
<vivien.chappelier@linux-mips.org>
linux-3.10\drivers\video\geode\display_gx.c(4): * Copyright (C) 2005 Arcom
Control Systems Ltd.
linux-3.10\drivers\video\geode\display_gx.c(7): * Copyright (C) 2004 Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\display_gx1.c(5): * Copyright (C) 2005 Arcom
Control Systems Ltd.
linux-3.10\drivers\video\geode\display_gx1.c(8): * Copyright (C) 2004 Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\display_gx1.h(5): * Copyright (C) 2005 Arcom
Control Systems Ltd.
linux-3.10\drivers\video\geode\display_gx1.h(8): * Copyright (C) 2004 Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\geodefb.h(5): * Copyright (C) 2005 Arcom Control
Systems Ltd.
linux-3.10\drivers\video\geode\gx1fb_core.c(5): * Copyright (C) 2005 Arcom
Control Systems Ltd.
linux-3.10\drivers\video\geode\gxfb.h(2): * Copyright (C) 2008 Andres Salomon
<dilinger@debian.org>
linux-3.10\drivers\video\geode\gxfb_core.c(4): * Copyright (C) 2006 Arcom Control
Systems Ltd.
linux-3.10\drivers\video\geode\lxfb.h(3): * Copyright (C) 2006-2007, Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\lxfb.h(4): * Copyright (c) 2008 Andres Salomon

legal(ME)

<dilinger@debian.org>
linux-3.10\drivers\video\geode\lxfb_core.c(4): * Copyright (C) 2007 Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\lxfb_core.c(5): * Built from gxfb (which is
Copyright (C) 2006 Arcom Control Systems Ltd.)
linux-3.10\drivers\video\geode\lxfb_ops.c(3): * Copyright (C) 2006-2007, Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\suspend_gx.c(2): * Copyright (C) 2007 Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\suspend_gx.c(3): * Copyright (C) 2008 Andres
Salomon <dilinger@debian.org>
linux-3.10\drivers\video\geode\video_cs5530.c(5): * Copyright (C) 2005 Arcom
Control Systems Ltd.
linux-3.10\drivers\video\geode\video_cs5530.c(8): * Copyright (C) 2004 Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\video_cs5530.h(5): * Copyright (C) 2005 Arcom
Control Systems Ltd.
linux-3.10\drivers\video\geode\video_cs5530.h(8): * Copyright (C) 2004 Advanced
Micro Devices, Inc.
linux-3.10\drivers\video\geode\video_gx.c(4): * Copyright (C) 2006 Arcom Control
Systems Ltd.
linux-3.10\drivers\video\geode\video_gx.c(7): * Copyright (C) 2004 Advanced Micro
Devices, Inc.
linux-3.10\drivers\video\goldfishfb.c(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\drivers\video\goldfishfb.c(3): * Copyright (C) 2012 Intel, Inc.
linux-3.10\drivers\video\gxt4500.c(5): * Copyright (C) 2006 Paul Mackerras, IBM
Corp. <paulus@samba.org>
linux-3.10\drivers\video\hdmi.c(2): * Copyright (C) 2012 Avionic Design GmbH
linux-3.10\drivers\video\hecubafb.c(4): * Copyright (C) 2006, Jaya Kumar
linux-3.10\drivers\video\hyperv_fb.c(2): * Copyright (c) 2012, Microsoft
Corporation.
linux-3.10\drivers\video\i740_reg.h(3): Copyright 1998-1999 Precision Insight,
Inc., Cedar Park, Texas.
linux-3.10\drivers\video\i740fb.c(3): * Copyright (c) 2011 Ondrej Zary
linux-3.10\drivers\video\i810\i810.h(4): *Copyright (C) 2001 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\i810\i810_accel.c(4): *Copyright (C) 2001 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\i810\i810_dvt.c(4): *Copyright (C) 2001 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\i810\i810_gtf.c(5): *Copyright (C) 2001 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\i810\i810_main.c(4): *Copyright (C) 2001 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\i810\i810_main.h(5): *Copyright (C) 2001 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\i810\i810_regs.h(4): *Copyright (C) 2001 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\i810\i810-i2c.c(4): *Copyright (C) 2004 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\igafb.c(10): *Copyright (C) 1998 Bernd Harries
linux-3.10\drivers\video\igafb.c(11): *Copyright (C) 1998 Eddie C.

legal(ME)

Dost(ecd@skynet.be)

linux-3.10\drivers\video\igafb.c(4): *Copyright (C) 1998 Vladimir Roganov and Gleb Raiko

linux-3.10\drivers\video\igafb.c(9): *Copyright (C) 1997-1998 Geert Uytterhoeven

linux-3.10\drivers\video\imsttfb.c(5): *Copyright (C) 1997 Sigurdur Asgeirsson

linux-3.10\drivers\video\imxfb.c(4): *Copyright (C) 2004 Sascha Hauer,

Pengutronix

linux-3.10\drivers\video\imxfb.c(5): * Based on acornfb.c Copyright (C) Russell King.

linux-3.10\drivers\video\intel_fb\intel_fb_i2c.c(3): Copyright 2006 Dave Airlie
<airlied@linux.ie>

linux-3.10\drivers\video\intel_fb\intel_fb_drv.c(7): * Copyright ㄣ 2002, 2003 David Dawes <dawes@xfree86.org>

linux-3.10\drivers\video\intel_fb\intel_fb_hw.c(6): * Copyright ㄣ 2002, 2003 David Dawes <dawes@xfree86.org>

linux-3.10\drivers\video\jz4740_fb.c(2): *Copyright (C) 2009-2010, Lars-Peter Clausen <lars@metafoo.de>

linux-3.10\drivers\video\kyro\fbdev.c(4): *Copyright (C) 2002 STMicroelectronics

linux-3.10\drivers\video\kyro\fbdev.c(5): *Copyright (C) 2003, 2004 Paul Mundt

linux-3.10\drivers\video\kyro\STG4000InitDevice.c(4): *Copyright (C) 2000

Imagination Technologies Ltd

linux-3.10\drivers\video\kyro\STG4000InitDevice.c(5): *Copyright (C) 2002

STMicroelectronics

linux-3.10\drivers\video\kyro\STG4000Interface.h(4): *Copyright (C) 2002

STMicroelectronics

linux-3.10\drivers\video\kyro\STG4000OverlayDevice.c(4): *Copyright (C) 2000

Imagination Technologies Ltd

linux-3.10\drivers\video\kyro\STG4000OverlayDevice.c(5): *Copyright (C) 2002

STMicroelectronics

linux-3.10\drivers\video\kyro\STG4000Ramdac.c(4): *Copyright (C) 2002

STMicroelectronics

linux-3.10\drivers\video\kyro\STG4000Reg.h(4): *Copyright (C) 2002

STMicroelectronics

linux-3.10\drivers\video\kyro\STG4000VTG.c(4): *Copyright (C) 2002

STMicroelectronics

linux-3.10\drivers\video\leo.c(3): * Copyright (C) 2003, 2006 David S. Miller
(davem@davemloft.net)

linux-3.10\drivers\video\leo.c(4): * Copyright (C) 1996-1999 Jakub Jelinek
(jj@ultra.linux.cz)

linux-3.10\drivers\video\leo.c(5): * Copyright (C) 1997 Michal Rehacek
(Michal.Rehacek@st.mff.cuni.cz)

linux-3.10\drivers\video\logo\logo.c(5): *Copyright (C) 1996 Larry Ewing
(lewing@isc.tamu.edu)

linux-3.10\drivers\video\logo\logo.c(6): *Copyright (C) 1996,1998 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)

linux-3.10\drivers\video\logo\logo.c(7): *Copyright (C) 2001 Greg Banks
<gnb@alphalink.com.au>

linux-3.10\drivers\video\logo\logo.c(8): *Copyright (C) 2001 Jan-Benedict Glaw
<jbglaw@lug-owl.de>

linux-3.10\drivers\video\logo\logo.c(9): *Copyright (C) 2003 Geert Uytterhoeven
<geert@linux-m68k.org>

linux-3.10\drivers\video\macmodes.c(4): *Copyright (C) 1998 Geert Uytterhoeven

legal(ME)

linux-3.10\drivers\video\macmodes.h(4): *Copyright (C) 1998 Geert Uytterhoeven
linux-3.10\drivers\video\matrox\g450_pll.c(7): * Portions Copyright (c) 2001
Matrox Graphics Inc.
linux-3.10\drivers\video\matrox\matroxfb_base.c(7): * Portions Copyright (c) 2001
Matrox Graphics Inc.
linux-3.10\drivers\video\matrox\matroxfb_crtc2.c(7): * Portions Copyright (c)
2001 Matrox Graphics Inc.
linux-3.10\drivers\video\matrox\matroxfb_DAC1064.c(7): * Portions Copyright (c)
2001 Matrox Graphics Inc.
linux-3.10\drivers\video\matrox\matroxfb_g450.c(7): * Portions Copyright (c) 2001
Matrox Graphics Inc.
linux-3.10\drivers\video\matrox\matroxfb_maven.c(7): * Portions Copyright (c)
2001 Matrox Graphics Inc.
linux-3.10\drivers\video\matrox\matroxfb_misc.c(7): * Portions Copyright (c) 2001
Matrox Graphics Inc.
linux-3.10\drivers\video\matrox\matroxfb_Ti3026.c(7): * Portions Copyright (c)
2001 Matrox Graphics Inc.
linux-3.10\drivers\video\maxinefb.c(9): *DECstation related code Copyright (C)
1999,2000,2001 by
linux-3.10\drivers\video\mbx\mbxfb.c(4): *Copyright (C) 2006-2007 8D Technologies
inc
linux-3.10\drivers\video\mbx\mbxfb.c(9): *Copyright (C) 2006 Compulab, Ltd.
linux-3.10\drivers\video\metronomefb.c(4): * Copyright (C) 2008, Jaya Kumar
linux-3.10\drivers\video\mmp\core.c(5): * Copyright (C) 2012 Marvell Technology
Group Ltd.
linux-3.10\drivers\video\mmp\fb\mmpfb.c(5): * Copyright (C) 2012 Marvell
Technology Group Ltd.
linux-3.10\drivers\video\mmp\fb\mmpfb.h(5): * Copyright (C) 2012 Marvell
Technology Group Ltd.
linux-3.10\drivers\video\mmp\hw\mmp_ctrl.c(5): * Copyright (C) 2012 Marvell
Technology Group Ltd.
linux-3.10\drivers\video\mmp\hw\mmp_ctrl.h(5): * Copyright (C) 2012 Marvell
Technology Group Ltd.
linux-3.10\drivers\video\mmp\hw\mmp_spi.c(5): * Copyright (C) 2012 Marvell
Technology Group Ltd.
linux-3.10\drivers\video\mmp\panel\tpo_tj032md01bw.c(5): * Copyright (C) 2012
Marvell Technology Group Ltd.
linux-3.10\drivers\video\modedb.c(4): *Copyright (C) 1999 Geert Uytterhoeven
linux-3.10\drivers\video\msm\mddi.c(4): * Copyright (C) 2007 Google Incorporated
linux-3.10\drivers\video\msm\mddi.c(5): * Copyright (C) 2007 QUALCOMM
Incorporated
linux-3.10\drivers\video\msm\mddi_client_dummy.c(6): * Copyright (C) 2007 Google
Incorporated
linux-3.10\drivers\video\msm\mddi_client_nt35399.c(5): * Copyright (C) 2008 HTC
Incorporated
linux-3.10\drivers\video\msm\mddi_client_toshiba.c(6): * Copyright (C) 2007
Google Incorporated
linux-3.10\drivers\video\msm\mddi_hw.h(5): * Copyright (C) 2007 QUALCOMM
Incorporated
linux-3.10\drivers\video\msm\mddi_hw.h(6): * Copyright (C) 2007 Google
Incorporated
linux-3.10\drivers\video\msm\mdp.c(5): * Copyright (C) 2007 QUALCOMM Incorporated

legal(ME)

linux-3.10\drivers\video\msm\mdp.c(6): * Copyright (C) 2007 Google Incorporated
linux-3.10\drivers\video\msm\mdp_csc_table.h(3): * Copyright (C) 2007 QUALCOMM Incorporated
linux-3.10\drivers\video\msm\mdp_csc_table.h(4): * Copyright (C) 2007 Google Incorporated
linux-3.10\drivers\video\msm\mdp_hw.h(3): * Copyright (C) 2007 QUALCOMM Incorporated
linux-3.10\drivers\video\msm\mdp_hw.h(4): * Copyright (C) 2007 Google Incorporated
linux-3.10\drivers\video\msm\mdp_ppp.c(3): * Copyright (C) 2007 QUALCOMM Incorporated
linux-3.10\drivers\video\msm\mdp_ppp.c(4): * Copyright (C) 2007 Google Incorporated
linux-3.10\drivers\video\msm\mdp_scale_tables.c(3): * Copyright (C) 2007 QUALCOMM Incorporated
linux-3.10\drivers\video\msm\mdp_scale_tables.c(4): * Copyright (C) 2007 Google Incorporated
linux-3.10\drivers\video\msm\mdp_scale_tables.h(3): * Copyright (C) 2007 QUALCOMM Incorporated
linux-3.10\drivers\video\msm\mdp_scale_tables.h(4): * Copyright (C) 2007 Google Incorporated
linux-3.10\drivers\video\msm\msm_fb.c(5): * Copyright (C) 2007 Google Incorporated
linux-3.10\drivers\video\mx3fb.c(2): * Copyright (C) 2008
linux-3.10\drivers\video\mx3fb.c(5): * Copyright 2004-2007 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\video\mxsfb.c(2): * Copyright (C) 2010 Juergen Beisert, Pengutronix
linux-3.10\drivers\video\mxsfb.c(7): * Copyright 2008-2009 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\drivers\video\mxsfb.c(8): * Copyright 2008 Embedded Alley Solutions, Inc All Rights Reserved.
linux-3.10\drivers\video\n411.c(4): * Copyright (C) 2008, Jaya Kumar
linux-3.10\drivers\video\neofb.c(4): * Copyright (c) 2001-2002 Denis Oliver Kropp <dok@directfb.org>
linux-3.10\drivers\video\nuc900fb.c(3): * Copyright (c) 2009 Nuvoton technology corporation
linux-3.10\drivers\video\nuc900fb.h(3): * Copyright (c) 2009 Nuvoton technology corporation
linux-3.10\drivers\video\nvidia\nv_accel.c(14):|* Copyright 1993-2003 NVIDIA, Corporation.All rights reserved.*|
linux-3.10\drivers\video\nvidia\nv_accel.c(3):|* Copyright 1993-2003 NVIDIA, Corporation.All rights reserved.*|
linux-3.10\drivers\video\nvidia\nv_accel.c(44): * The only usage restriction is for the copyright notices to be retained
linux-3.10\drivers\video\nvidia\nv_accel.c(5):|* NOTICE TO USER: The source code is copyrighted under U.S. and *|
linux-3.10\drivers\video\nvidia\nv_backlight.c(4): * Copyright 2004 Antonino Daplas <adaplas@pol.net>
linux-3.10\drivers\video\nvidia\nv_backlight.c(5): * Copyright (c) 2006 Michael Hanselmann <linux-kernel@hansmi.ch>
linux-3.10\drivers\video\nvidia\nv_dma.h(15):|* Copyright 2003 NVIDIA,

legal(ME)

Corporation.All rights reserved. *|
linux-3.10\drivers\video\nvidia\nv_dma.h(4):|* Copyright 2003 NVIDIA,
Corporation.All rights reserved. *|
linux-3.10\drivers\video\nvidia\nv_dma.h(45): * The only usage restriction is for
the copyright notices to be retained
linux-3.10\drivers\video\nvidia\nv_dma.h(6):|* NOTICE TO USER: The source code is
copyrighted under U.S. and *|
linux-3.10\drivers\video\nvidia\nv_hw.c(14):|* Copyright 1993-2003 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\nvidia\nv_hw.c(3):|* Copyright 1993-2003 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\nvidia\nv_hw.c(44): * The only usage restriction is for
the copyright notices to be retained
linux-3.10\drivers\video\nvidia\nv_hw.c(5):|* NOTICE TO USER: The source code is
copyrighted under U.S. and *|
linux-3.10\drivers\video\nvidia\nv_i2c.c(4): * Copyright 2004 Antonino A. Daplas
<adaplas@pol.net>
linux-3.10\drivers\video\nvidia\nv_local.h(14):|* Copyright 1993-1999 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\nvidia\nv_local.h(3):|* Copyright 1993-2003 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\nvidia\nv_local.h(44): * The only usage restriction is
for the copyright notices to be retained
linux-3.10\drivers\video\nvidia\nv_local.h(5):|* NOTICE TO USER: The source
code is copyrighted under U.S. and *|
linux-3.10\drivers\video\nvidia\nv_of.c(4): * Copyright 2004 Antonino A. Daplas
<adaplas@pol.net>
linux-3.10\drivers\video\nvidia\nv_setup.c(14):|* Copyright 2003 NVIDIA,
Corporation.All rights reserved. *|
linux-3.10\drivers\video\nvidia\nv_setup.c(3):|* Copyright 2003 NVIDIA,
Corporation.All rights reserved. *|
linux-3.10\drivers\video\nvidia\nv_setup.c(44): * The only usage restriction is
for the copyright notices to be retained
linux-3.10\drivers\video\nvidia\nv_setup.c(5):|* NOTICE TO USER: The source
code is copyrighted under U.S. and *|
linux-3.10\drivers\video\nvidia\nvidia.c(4): * Copyright 2004 Antonino Daplas
<adaplas@pol.net>
linux-3.10\drivers\video\of_display_timing.c(4): * Copyright (c) 2012 Steffen
Trumtrar <s.trumtrar@pengutronix.de>, Pengutronix
linux-3.10\drivers\video\of_videomode.c(4): * Copyright (c) 2012 Steffen Trumtrar
<s.trumtrar@pengutronix.de>, Pengutronix
linux-3.10\drivers\video\offb.c(4): * Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\offb.c(8): * Copyright (C) 1996 Paul Mackerras
linux-3.10\drivers\video\omap\hwa742.c(4): * Copyright (C) 2004-2005 Nokia
Corporation
linux-3.10\drivers\video\omap\lcd_ams_delta.c(6): * Copyright (C) 2006 Jonathan
McDowell <noodles@earth.li>
linux-3.10\drivers\video\omap\lcd_h3.c(4): * Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\video\omap\lcd_htcherald.c(10): * Copyright (C)
linwizard.sourceforge.net
linux-3.10\drivers\video\omap\lcd_htcherald.c(6): * Copyright (C) 2009 Cory
Maccarrone <darkstar6262@gmail.com>

legal(ME)

linux-3.10\drivers\video\omap\lcd_htcherald.c(7): * Copyright (C) 2009 Wing Linux
linux-3.10\drivers\video\omap\lcd_inn1510.c(4): * Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\video\omap\lcd_inn1610.c(4): * Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\video\omap\lcd_mipid.c(4): * Copyright (C) 2006 Nokia Corporation
linux-3.10\drivers\video\omap\lcd_osk.c(4): * Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\video\omap\lcdc.c(4): * Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\video\omap\omapfb.h(6): * Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\video\omap\omapfb_main.c(4): * Copyright (C) 2004 Nokia Corporation
linux-3.10\drivers\video\omap\sossi.c(4): * Copyright (C) 2004-2005 Nokia Corporation
linux-3.10\drivers\video\omap2\displays\panel-acx565akm.c(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\drivers\video\omap2\displays\panel-generic-dpi.c(14): * Copyright (C) 2009 CompuLab, Ltd.
linux-3.10\drivers\video\omap2\displays\panel-generic-dpi.c(17): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\video\omap2\displays\panel-generic-dpi.c(4): * Copyright (C) 2010 Canonical Ltd.
linux-3.10\drivers\video\omap2\displays\panel-generic-dpi.c(9): * Copyright (C) 2009 Texas Instruments Inc
linux-3.10\drivers\video\omap2\displays\panel-nec-nl8048h11-01b.c(4): * Copyright (C) 2010 Texas Instruments Inc.
linux-3.10\drivers\video\omap2\displays\panel-picodlp.c(5): * Copyright (C) 2009-2011 Texas Instruments
linux-3.10\drivers\video\omap2\displays\panel-picodlp.h(4): * Copyright (C) 2009-2011 Texas Instruments
linux-3.10\drivers\video\omap2\displays\panel-sharp-ls037v7dw01.c(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\drivers\video\omap2\displays\panel-taal.c(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\video\omap2\displays\panel-tfp410.c(4): * Copyright (C) 2011 Texas Instruments Inc
linux-3.10\drivers\video\omap2\dss\apply.c(2): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\video\omap2\dss\core.c(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\video\omap2\dss\dispc.c(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\drivers\video\omap2\dss\dispc.h(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\video\omap2\dss\dispc_coefs.c(4): * Copyright (C) 2011 Texas Instruments
linux-3.10\drivers\video\omap2\dss\dispc-compat.c(2): * Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\video\omap2\dss\dispc-compat.h(2): * Copyright (C) 2012 Texas Instruments
linux-3.10\drivers\video\omap2\dss\display.c(4): * Copyright (C) 2009 Nokia

legal(ME)

Corporation

linux-3.10\drivers\video\omap2\dss\display-sysfs.c(2): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\dpi.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\dsi.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\dss.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\dss.h(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\dss_features.c(4): * Copyright (C) 2010 Texas Instruments

linux-3.10\drivers\video\omap2\dss\dss_features.h(4): * Copyright (C) 2010 Texas Instruments

linux-3.10\drivers\video\omap2\dss\hdmi.c(5): * Copyright (C) 2010-2011 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\drivers\video\omap2\dss\hdmi_panel.c(6): * Copyright (C) 2010-2011 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\drivers\video\omap2\dss\manager.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\manager-sysfs.c(2): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\output.c(2): * Copyright (C) 2012 Texas Instruments Ltd

linux-3.10\drivers\video\omap2\dss\overlay.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\overlay-sysfs.c(2): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\rfb.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\sdi.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\ti_hdmi.h(6): * Copyright (C) 2010-2011 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\drivers\video\omap2\dss\ti_hdmi_4xxx_ip.c(5): * Copyright (C) 2010-2011 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\drivers\video\omap2\dss\ti_hdmi_4xxx_ip.h(6): * Copyright (C) 2010-2011 Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\drivers\video\omap2\dss\vinc.c(4): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\dss\vinc_panel.c(2): * Copyright (C) 2009 Nokia Corporation

linux-3.10\drivers\video\omap2\omapfb\omapfb.h(4): * Copyright (C) 2008 Nokia Corporation

linux-3.10\drivers\video\omap2\omapfb\omapfb-ioctl.c(4): * Copyright (C) 2008 Nokia Corporation

linux-3.10\drivers\video\omap2\omapfb\omapfb-main.c(4): * Copyright (C) 2008 Nokia Corporation

linux-3.10\drivers\video\omap2\omapfb\omapfb-sysfs.c(4): * Copyright (C) 2008 Nokia Corporation

linux-3.10\drivers\video\omap2\vrfb.c(4): * Copyright (C) 2009 Nokia Corporation

legal(ME)

linux-3.10\drivers\video\output.c(4): *Copyright (C) 2006 Luming Yu
<luming.yu@intel.com>
linux-3.10\drivers\video\p9100.c(3): * Copyright (C) 2003, 2006 David S. Miller
(davem@davemloft.net)
linux-3.10\drivers\video\p9100.c(4): * Copyright 1999 Derrick J Brashear
(shadow@dementia.org)
linux-3.10\drivers\video\platinumfb.c(13): *Copyright (C) 1996 Paul Mackerras and
Mark Abene
linux-3.10\drivers\video\platinumfb.c(4): *Copyright (C) 1998 Franz Sirl
linux-3.10\drivers\video\platinumfb.c(9): *Copyright (C) 1998 Dan Jacobowitz
linux-3.10\drivers\video\platinumfb.h(12): *Copyright (C) 1996 Paul Mackerras and
Mark Abene.
linux-3.10\drivers\video\platinumfb.h(8): * Copyright (C) 1998 Jon Howell
linux-3.10\drivers\video\pm2fb.c(5): * Copyright (c) 2003 Jim Hague
(jim.hague@acm.org)
linux-3.10\drivers\video\pm2fb.c(8): * Copyright (c) 1998-2000 Ilario Nardinocchi
(nardinoc@CS.UniBO.IT)
linux-3.10\drivers\video\pm2fb.c(9): * Copyright (c) 1999 Jakub Jelinek
(jakub@redhat.com)
linux-3.10\drivers\video\pm3fb.c(14): *Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\pm3fb.c(16): *Copyright (C) 1998-1999 Ilario Nardinocchi
(nardinoc@CS.UniBO.IT)
linux-3.10\drivers\video\pm3fb.c(17): *Copyright (C) 1999 Jakub Jelinek
(jakub@redhat.com)
linux-3.10\drivers\video\pm3fb.c(4): *Copyright (C) 2001 Romain Dolbeau
<romain@dolbeau.org>.
linux-3.10\drivers\video\pmag-aa-fb.c(3): *Copyright 2002 Karsten Merker
<merker@debian.org>
linux-3.10\drivers\video\pmag-aa-fb.c(6): *pmag-ba-fb.c, which is Copyright (C)
1999, 2000, 2001 by
linux-3.10\drivers\video\pmag-ba-fb.c(14): *DECstation related code Copyright (C)
1999, 2000, 2001 by
linux-3.10\drivers\video\pmag-ba-fb.c(18): *Copyright (c) 2005, 2006Maciej W.
Rozycki
linux-3.10\drivers\video\pmag-ba-fb.c(19): *Copyright (c) 2005James Simmons
linux-3.10\drivers\video\pmagb-b-fb.c(10): *DECstation related code Copyright (C)
1999, 2000, 2001 by
linux-3.10\drivers\video\pmagb-b-fb.c(14): *Copyright (c) 2005, 2006Maciej W.
Rozycki
linux-3.10\drivers\video\ps3fb.c(11): *Copyright (C) 2002 James Simmons
linux-3.10\drivers\video\ps3fb.c(13): *Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\ps3fb.c(4): *Copyright (C) 2006 Sony Computer
Entertainment Inc.
linux-3.10\drivers\video\ps3fb.c(5): *Copyright 2006, 2007 Sony Corporation
linux-3.10\drivers\video\pvr2fb.c(7): * Copyright (c) 2001 M. R. Brown
<mrbrown@0xd6.org>
linux-3.10\drivers\video\pvr2fb.c(8): * Copyright (c) 2001 - 2008Paul Mundt
<lethal@linux-sh.org>
linux-3.10\drivers\video\pxa168fb.c(4): *Copyright (C) 2008 Marvell International
Ltd.
linux-3.10\drivers\video\pxa3xx-gcu.c(7): *Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>

legal(ME)

linux-3.10\drivers\video\pxa3xx-gcu.c(8): *Copyright (c) 2009 Janine Kropp
<nin@directfb.org>
linux-3.10\drivers\video\pxa3xx-gcu.c(9): *Copyright (c) 2009 Denis Oliver Kropp
<dok@directfb.org>
linux-3.10\drivers\video\pxafb.c(10): * Based on acornfb.c Copyright (C) Russell
King.
linux-3.10\drivers\video\pxafb.c(25): * Copyright (C) 2004, Intel Corporation
linux-3.10\drivers\video\pxafb.c(31): * Copyright (C) 2006-2008 Marvell
International Ltd.
linux-3.10\drivers\video\pxafb.c(4): *Copyright (C) 1999 Eric A. Thomas.
linux-3.10\drivers\video\pxafb.c(5): *Copyright (C) 2004 Jean-Frederic Clere.
linux-3.10\drivers\video\pxafb.c(6): *Copyright (C) 2004 Ian Campbell.
linux-3.10\drivers\video\pxafb.c(7): *Copyright (C) 2004 Jeff Lackey.
linux-3.10\drivers\video\pxafb.c(8): * Based on sa1100fb.c Copyright (C) 1999
Eric A. Thomas
linux-3.10\drivers\video\pxafb.h(10): *Copyright (C) 2004 Ian Campbell.
linux-3.10\drivers\video\pxafb.h(11): *Copyright (C) 2004 Jeff Lackey.
linux-3.10\drivers\video\pxafb.h(12): * Based on sa1100fb.c Copyright (C) 1999
Eric A. Thomas
linux-3.10\drivers\video\pxafb.h(14): * Based on acornfb.c Copyright (C) Russell
King.
linux-3.10\drivers\video\pxafb.h(8): *Copyright (C) 1999 Eric A. Thomas.
linux-3.10\drivers\video\pxafb.h(9): *Copyright (C) 2004 Jean-Frederic Clere.
linux-3.10\drivers\video\q40fb.c(4): * Copyright (C) 2001
linux-3.10\drivers\video\riva\fbdev.c(6): * Copyright 1999-2000 Jeff Garzik
linux-3.10\drivers\video\riva\nv_driver.c(3): * Copyright 1996-1997David J. McKay
linux-3.10\drivers\video\riva\nvreg.h(3): * Copyright 1996-1997David J. McKay
linux-3.10\drivers\video\riva\riva_hw.c(14):|* Copyright 1993-1999 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\riva\riva_hw.c(3):|* Copyright 1993-1999 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\riva\riva_hw.c(5):|* NOTICE TO USER: The source codeis
copyrighted underU.S. and *|
linux-3.10\drivers\video\riva\riva_hw.h(14):|* Copyright 1993-1999 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\riva\riva_hw.h(3):|* Copyright 1993-1999 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\riva\riva_hw.h(5):|* NOTICE TO USER: The source codeis
copyrighted underU.S. and *|
linux-3.10\drivers\video\riva\riva_tbl.h(14):|* Copyright 1993-1999 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\riva\riva_tbl.h(3):|* Copyright 1993-1999 NVIDIA,
Corporation.All rights reserved.*|
linux-3.10\drivers\video\riva\riva_tbl.h(5):|* NOTICE TO USER: The source codeis
copyrighted underU.S. and *|
linux-3.10\drivers\video\riva\rivafb-i2c.c(6): * Copyright 2004 Antonino A.
Daplas <adaplas @pol.net>
linux-3.10\drivers\video\s3c2410fb.c(2): *Copyright (c) 2004,2005 Arnaud Patard
linux-3.10\drivers\video\s3c2410fb.c(3): *Copyright (c) 2004-2008 Ben Dooks
linux-3.10\drivers\video\s3c2410fb.h(3): *Copyright (c) 2004 Arnaud Patard
linux-3.10\drivers\video\s3c-fb.c(3): * Copyright 2008 Openmoko Inc.
linux-3.10\drivers\video\s3c-fb.c(4): * Copyright 2008-2010 Simtec Electronics

legal(ME)

linux-3.10\drivers\video\s3fb.c(4): * Copyright (c) 2006-2007 Ondrej Zajicek
<santiago@crfreenet.org>
linux-3.10\drivers\video\sa1100fb.c(4): *Copyright (C) 1999 Eric A. Thomas
linux-3.10\drivers\video\sa1100fb.c(5): * Based on acornfb.c Copyright (C)
Russell King.
linux-3.10\drivers\video\sa1100fb.h(5): *Copyright (C) 1999 Eric A. Thomas
linux-3.10\drivers\video\sa1100fb.h(6): * Based on acornfb.c Copyright (C)
Russell King.
linux-3.10\drivers\video\savage\savagefb.h(4): * Copyright (c) 2001Denis Oliver
Kropp <dok@convergence.de>
linux-3.10\drivers\video\savage\savagefb_accel.c(4): *Copyright (C) 2004 Antonino
Daplas<adaplas@pol.net>
linux-3.10\drivers\video\savage\savagefb_driver.c(4): * Copyright (c)
2001-2002Denis Oliver Kropp <dok@directfb.org>
linux-3.10\drivers\video\savage\savagefb-i2c.c(4): * Copyright 2004 Antonino A.
Daplas <adaplas @pol.net>
linux-3.10\drivers\video\sbuslib.c(3): * Copyright (C) 2003 David S. Miller
(davem@redhat.com)
linux-3.10\drivers\video\sgivwfb.c(4): *Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\drivers\video\sh_mipi_dsi.c(4): * Copyright (C) 2010 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\video\sh_mobile_hdmi.c(5): * Copyright (C) 2010, Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\drivers\video\sh_mobile_hdmi.c(562): * [5] set copyright bit for
channel status
linux-3.10\drivers\video\sh_mobile_lcdc.c(4): * Copyright (c) 2008 Magnus Damm
linux-3.10\drivers\video\sh_mobile_meram.c(4): * Copyright (c) 2011Damian
Hobson-Garcia <dhobsong@igel.co.jp>
linux-3.10\drivers\video\simplefb.c(10): * Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\simplefb.c(11): * Copyright (C) 1996 Paul Mackerras
linux-3.10\drivers\video\simplefb.c(4): * Copyright (c) 2013, Stephen Warren
linux-3.10\drivers\video\simplefb.c(7): * Copyright (C) 2001 Richard Zidlicky
<rz@linux-m68k.org>
linux-3.10\drivers\video\sis\300vtbl.h(6): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\310vtbl.h(6): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\init.c(10): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\init.h(6): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\init301.c(10): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\init301.h(6): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\initdef.h(6): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\inittextlfb.c(9): * Copyright (C) 2001-2005 Thomas
Winischhofer, Vienna, Austria.
linux-3.10\drivers\video\sis\oem300.h(6): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\oem310.h(6): * Copyright (C) 2001-2005 by Thomas

legal(ME)

Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\sis.h(7): * Copyright (C) 2001-2005 Thomas Winischhofer, Vienna, Austria.
linux-3.10\drivers\video\sis\sis_accel.c(24): * Copyright (C) 2001-2005 by Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\sis_accel.h(24): * Copyright (C) 2001-2004 by Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\sis_accel.h(26): * Copyright (C) 2001-2004 by Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\sis_main.c(27): *Copyright (C) 1999 Silicon Integrated Systems, Inc.
linux-3.10\drivers\video\sis\sis_main.c(6486):printk(KERN_INFO "sisfb: Copyright (C) 2001-2005 Thomas Winischhofer\n");
linux-3.10\drivers\video\sis\sis_main.c(7): * Copyright (C) 2001-2005 Thomas Winischhofer, Vienna, Austria.
linux-3.10\drivers\video\sis\sis_main.h(7): * Copyright (C) 2001-2005 Thomas Winischhofer, Vienna, Austria.
linux-3.10\drivers\video\sis\vgatypes.h(6): * Copyright (C) 2001-2005 by Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sis\vstruct.h(6): * Copyright (C) 2001-2005 by Thomas Winischhofer, Vienna, Austria
linux-3.10\drivers\video\sm501fb.c(3): * Copyright (c) 2006 Simtec Electronics
linux-3.10\drivers\video\sm501fb.c(4): * Copyright (C) 2011 Steve Glendinning <steve.glendinning@shawell.net>
linux-3.10\drivers\video\sm501fb.c(5): * Copyright (C) 2009 Roberto De Ioris <roberto@unbit.it>
linux-3.10\drivers\video\sm501fb.c(6): * Copyright (C) 2009 Jaya Kumar <jayakumar.lkml@gmail.com>
linux-3.10\drivers\video\sm501fb.c(7): * Copyright (C) 2009 Bernie Thompson <bernie@plugable.com>
linux-3.10\drivers\video\ssd1307fb.c(4): * Copyright 2012 Free Electrons
linux-3.10\drivers\video\sstfb.c(4): * Copyright (c) 2000-2002 Ghoulane Toumi <gtoumi@laposte.net>
linux-3.10\drivers\video\stifb.c(11): *Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>
linux-3.10\drivers\video\stifb.c(15): *(c)Copyright 1992 Hewlett-Packard Co.
linux-3.10\drivers\video\stifb.c(6): * Copyright (C) 2001-2006 Helge Deller <deller@gmx.de>
linux-3.10\drivers\video\stifb.c(7): * Portions Copyright (C) 2001 Thomas Bogendoerfer <tsbogend@alpha.franken.de>
linux-3.10\drivers\video\sunxvr1000.c(3): * Copyright (C) 2010 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\video\sunxvr2500.c(3): * Copyright (C) 2007 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\video\sunxvr500.c(3): * Copyright (C) 2007 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\video\svgalib.c(4): * Copyright (c) 2006-2007 Ondrej Zajicek <santiago@crfreenet.org>
linux-3.10\drivers\video\syscopyarea.c(8): *Copyright (C)2007 Antonino Daplas <adaplas@pol.net>
linux-3.10\drivers\video\sysfillrect.c(8): *Copyright (C)2007 Antonino Daplas <adaplas@pol.net>

legal(ME)

linux-3.10\drivers\video\sysimgblt.c(7): *Copyright (C)April 2007 Antonino Daplas
<adaplas@pol.net>
linux-3.10\drivers\video\tcx.c(3): * Copyright (C) 2003, 2006 David S. Miller
(davem@davemloft.net)
linux-3.10\drivers\video\tcx.c(4): * Copyright (C) 1996,1998 Jakub Jelinek
(jj@ultra.linux.cz)
linux-3.10\drivers\video\tcx.c(5): * Copyright (C) 1996 Miguel de Icaza
(miguel@nuclecu.unam.mx)
linux-3.10\drivers\video\tcx.c(6): * Copyright (C) 1996 Eddie C. Dost
(ecd@skynet.be)
linux-3.10\drivers\video\tdfxfb.c(7): * Copyright ㄣ 1999 Hannu Mallat
linux-3.10\drivers\video\tgafb.c(4): *Copyright (C) 1995 Jay Estabrook
linux-3.10\drivers\video\tgafb.c(5): *Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\tgafb.c(6): *Copyright (C) 1999,2000 Martin Lucina, Tom
Zerucha
linux-3.10\drivers\video\tgafb.c(7): *Copyright (C) 2002 Richard Henderson
linux-3.10\drivers\video\tgafb.c(8): *Copyright (C) 2006, 2007Maciej W. Rozycki
linux-3.10\drivers\video\tmiofb.c(4): * Copyright(C) 2005-2006 Chris Humbert
linux-3.10\drivers\video\tmiofb.c(5): * Copyright(C) 2005 Dirk Opfer
linux-3.10\drivers\video\tridentfb.c(4): * Copyright 2001, 2002 - Jani Monoses
<jani@iv.ro>
linux-3.10\drivers\video\tridentfb.c(5): * Copyright 2009 Krzysztof Helt
<krzysztof.h1@wp.pl>
linux-3.10\drivers\video\udlfb.c(4): * Copyright (C) 2009 Roberto De Ioris
<roberto@unbit.it>
linux-3.10\drivers\video\udlfb.c(5): * Copyright (C) 2009 Jaya Kumar
<jayakumar.lkml@gmail.com>
linux-3.10\drivers\video\udlfb.c(6): * Copyright (C) 2009 Bernie Thompson
<bernie@plugable.com>
linux-3.10\drivers\video\valkyriefb.c(15): * Copyright (C) 1998 Dan Jacobowitz
<dan@debian.org>
linux-3.10\drivers\video\valkyriefb.c(18): * Copyright (C) 1997 Paul Mackerras.
linux-3.10\drivers\video\valkyriefb.c(26): *Copyright (C) 1998 Paul Mackerras
linux-3.10\drivers\video\valkyriefb.c(29): *Copyright (C) 1997 Fabio Riccardi.
linux-3.10\drivers\video\valkyriefb.c(31): *Copyright (C) 1997 Geert
Uytterhoeven.
linux-3.10\drivers\video\valkyriefb.c(35): *Copyright (C) 1996 Paul Mackerras
linux-3.10\drivers\video\valkyriefb.h(22): *Copyright (C) 1998 Daniel Jacobowitz
<dan@debian.org>
linux-3.10\drivers\video\valkyriefb.h(25): *Copyright (C) 1997 Paul Mackerras.
linux-3.10\drivers\video\valkyriefb.h(28): *Copyright (C) 1997 Paul Mackerras.
linux-3.10\drivers\video\valkyriefb.h(33): *Copyright (C) 1997 Paul Mackerras.
linux-3.10\drivers\video\valkyriefb.h(36): *Copyright (C) 1996 Paul Mackerras.
linux-3.10\drivers\video\valkyriefb.h(39): *Copyright (C) 1998 Jon Howell
linux-3.10\drivers\video\vermillion\cr_pll.c(2): * Copyright (c) Intel Corp. 2007.
linux-3.10\drivers\video\vermillion\vermillion.c(2): * Copyright (c) Intel Corp.
2007.
linux-3.10\drivers\video\vermillion\vermillion.h(2): * Copyright (c) Intel Corp.
2007.
linux-3.10\drivers\video\vfb.c(4): *Copyright (C) 2002 James Simmons
linux-3.10\drivers\video\vfb.c(6): *Copyright (C) 1997 Geert Uytterhoeven
linux-3.10\drivers\video\vga16fb.c(4): * Copyright 1999 Ben Pfaff

legal(ME)

<pfaffben@debian.org> and Petr Vandrovec <VANDROVE@vc.cvut.cz>
linux-3.10\drivers\video\vgastate.c(4): * Copyright 2002 James Simmons
linux-3.10\drivers\video\vgastate.c(6): * Copyright history from vga16fb.c:
linux-3.10\drivers\video\vgastate.c(7): * Copyright 1999 Ben Pfaff and Petr
Vandrovec
linux-3.10\drivers\video\via\accel.c(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\accel.c(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\accel.h(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\accel.h(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\chip.h(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\chip.h(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\debug.h(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\debug.h(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\dvi.c(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\dvi.c(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\dvi.h(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\dvi.h(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\global.c(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\global.c(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\global.h(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\global.h(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\hw.c(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\hw.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All
Rights Reserved.
linux-3.10\drivers\video\via\hw.h(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\hw.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All
Rights Reserved.
linux-3.10\drivers\video\via\ioctl.c(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\ioctl.c(3): * Copyright 2001-2008 S3 Graphics, Inc.
All Rights Reserved.
linux-3.10\drivers\video\via\ioctl.h(2): * Copyright 1998-2008 VIA Technologies,
Inc. All Rights Reserved.
linux-3.10\drivers\video\via\ioctl.h(3): * Copyright 2001-2008 S3 Graphics, Inc.

legal(ME)

All Rights Reserved.

linux-3.10\drivers\video\via\lcd.c(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\lcd.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\lcd.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\lcd.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\share.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\share.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\tbLDPASetting.c(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\tbLDPASetting.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\tbLDPASetting.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\tbLDPASetting.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_aux.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux.h(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_ch7301.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_edid.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_sii164.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_vt1621.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_vt1622.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_vt1625.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_vt1631.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_vt1632.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_aux_vt1636.c(2): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_clock.c(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_clock.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_clock.c(4): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_clock.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_clock.h(3): * Copyright 2001-2008 S3 Graphics,

legal(ME)

Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_clock.h(4): * Copyright 2011 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_i2c.c(2): * Copyright 1998-2009 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_i2c.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_modesetting.c(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_modesetting.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_modesetting.c(4): * Copyright 2010 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_modesetting.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_modesetting.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_modesetting.h(4): * Copyright 2010 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\drivers\video\via\via_utility.c(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_utility.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_utility.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via_utility.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via-core.c(2): * Copyright 1998-2009 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via-core.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via-core.c(4): * Copyright 2009 Jonathan Corbet <corbet@lwn.net>

linux-3.10\drivers\video\via\viafbdev.c(2): * Copyright 1998-2009 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\viafbdev.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\viafbdev.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\viafbdev.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\via-gpio.c(4): * Copyright 2009 Jonathan Corbet <corbet@lwn.net>

linux-3.10\drivers\video\via\viamode.c(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\viamode.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\viamode.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\viamode.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\vt1636.c(2): * Copyright 1998-2008 VIA Technologies,

legal(ME)

Inc. All Rights Reserved.

linux-3.10\drivers\video\via\vt1636.c(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\vt1636.h(2): * Copyright 1998-2008 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\drivers\video\via\vt1636.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\drivers\video\videomode.c(4): * Copyright (c) 2012 Steffen Trumtrar <s.trumtrar@pengutronix.de>, Pengutronix

linux-3.10\drivers\video\vt8500lcdfb.c(4): *Copyright (C) 2010 Alexey Charkov <alchark@gmail.com>

linux-3.10\drivers\video\vt8500lcdfb.h(4): *Copyright (C) 2010 Alexey Charkov <alchark@gmail.com>

linux-3.10\drivers\video\vt8623fb.c(5): * Copyright (c) 2006-2007 Ondrej Zajicek <santiago@crfreenet.org>

linux-3.10\drivers\video\w100fb.c(6): * Copyright (C) 2002, ATI Corp.

linux-3.10\drivers\video\w100fb.c(7): * Copyright (C) 2004-2006 Richard Purdie

linux-3.10\drivers\video\w100fb.c(8): * Copyright (c) 2005 Ian Molton

linux-3.10\drivers\video\w100fb.c(9): * Copyright (c) 2006 Alberto Mardegan

linux-3.10\drivers\video\w100fb.h(6): * Copyright (C) 2002, ATI Corp.

linux-3.10\drivers\video\w100fb.h(7): * Copyright (C) 2004-2005 Richard Purdie

linux-3.10\drivers\video\w100fb.h(8): * Copyright (c) 2005 Ian Molton

<spyro@f2s.com>

linux-3.10\drivers\video\wm8505fb.c(4): *Copyright (C) 2010 Ed Spiridonov <edo.rus@gmail.com>

linux-3.10\drivers\video\wm8505fb_regs.h(4): *Copyright (C) 2010 Ed Spiridonov <edo.rus@gmail.com>

linux-3.10\drivers\video\wmt_ge_rops.c(6): *Copyright (C) 2010 Alexey Charkov <alchark@gmail.com>

linux-3.10\drivers\video\xen-fbfront.c(4): * Copyright (C) 2005-2006 Anthony Liguori <aliguori@us.ibm.com>

linux-3.10\drivers\video\xen-fbfront.c(5): * Copyright (C) 2006-2008 Red Hat, Inc., Markus Armbruster <armbru@redhat.com>

linux-3.10\drivers\virt\fs_l_hypervisor.c(4): * Copyright (C) 2008-2011 Freescale Semiconductor, Inc.

linux-3.10\drivers\virtio\config.c(5): * Copyright 2007 Rusty Russell, IBM Corporation.

linux-3.10\drivers\virtio\virtio_balloon.c(5): *Copyright 2008 Rusty Russell IBM Corporation

linux-3.10\drivers\virtio\virtio_mmio.c(4): * Copyright 2011, ARM Ltd.

linux-3.10\drivers\virtio\virtio_mmio.c(83): * Based on Virtio PCI driver by Anthony Liguori, copyright IBM Corp. 2007

linux-3.10\drivers\virtio\virtio_pci.c(7): * Copyright IBM Corp. 2007

linux-3.10\drivers\virtio\virtio_ring.c(3): *Copyright 2007 Rusty Russell IBM Corporation

linux-3.10\drivers\vlynq\vlynq.c(2): * Copyright (C) 2006, 2007 Eugene Konev <ejka@openwrt.org>

linux-3.10\drivers\vme\boards\vme_vmivme7805.c(5): * Copyright 2010 Ion Beam Application, Inc.

linux-3.10\drivers\vme\boards\vme_vmivme7805.h(7): * Copyright 2010 Ion Beam Application, Inc.

linux-3.10\drivers\vme\bridges\vme_ca91cx42.c(5): * Copyright 2008 GE Intelligent

legal(ME)

Platforms Embedded Systems, Inc.

linux-3.10\drivers\vm\bridges\vm_ca91cx42.c(8): * Copyright 2004 Motorola Inc.

linux-3.10\drivers\vm\bridges\vm_ca91cx42.h(11): * Copyright 2009 GE

Intelligent Platforms Embedded Systems, Inc.

linux-3.10\drivers\vm\bridges\vm_ca91cx42.h(8): * Copyright 2004 Motorola Inc.

linux-3.10\drivers\vm\bridges\vm_tsi148.c(5): * Copyright 2008 GE Intelligent

Platforms Embedded Systems, Inc.

linux-3.10\drivers\vm\bridges\vm_tsi148.c(8): * Copyright 2004 Motorola Inc.

linux-3.10\drivers\vm\bridges\vm_tsi148.h(8): * Copyright 2004 Motorola Inc.

linux-3.10\drivers\vm\vm.c(5): * Copyright 2008 GE Intelligent Platforms

Embedded Systems, Inc.

linux-3.10\drivers\vm\vm.c(8): * Copyright 2004 Motorola Inc.

linux-3.10\drivers\w1\masters\ds1wm.c(6): * Copyright (c) 2004-2005, Szabolcs

Gyurko <szabolcs.gyurko@tlt.hu>

linux-3.10\drivers\w1\masters\ds1wm.c(7): * Copyright (c) 2004-2007, Matt Reimer

<mreimer@vpop.net>

linux-3.10\drivers\w1\masters\ds2482.c(3): * Copyright (C) 2005 Ben Gardner

<bgardner@wabtec.com>

linux-3.10\drivers\w1\masters\ds2490.c(4): * Copyright (c) 2004 Evgeniy Polyakov

<zbr@ioremap.net>

linux-3.10\drivers\w1\masters\matrox_w1.c(4): * Copyright (c) 2004 Evgeniy

Polyakov <zbr@ioremap.net>

linux-3.10\drivers\w1\masters\mxw1.c(2): * Copyright 2005-2008 Freescale

Semiconductor, Inc. All Rights Reserved.

linux-3.10\drivers\w1\masters\mxw1.c(3): * Copyright 2008 Luotao Fu,

kernel@pengutronix.de

linux-3.10\drivers\w1\masters\omap_hdq.c(4): * Copyright (C) 2007,2012 Texas

Instruments, Inc.

linux-3.10\drivers\w1\masters\w1-gpio.c(4): * Copyright (C) 2007 Ville Syrjala

<syrjala@sci.fi>

linux-3.10\drivers\w1\slaves\w1_bq27000.c(4): * Copyright (C) 2007 Texas

Instruments, Inc.

linux-3.10\drivers\w1\slaves\w1_ds2408.c(4): * Copyright (c) 2010 Jean-Francois

Dagenais <dagenaisj@sonatest.com>

linux-3.10\drivers\w1\slaves\w1_ds2413.c(5): * Copyright (c) 2013 Mariusz

Bialonczyk <manio@skyboo.net>

linux-3.10\drivers\w1\slaves\w1_ds2423.c(4): * Copyright (c) 2010 Mika Laitio

<lamikr@pilppa.org>

linux-3.10\drivers\w1\slaves\w1_ds2431.c(4): * Copyright (c) 2008 Bernhard

Weirich <bernhard.weirich@riedel.net>

linux-3.10\drivers\w1\slaves\w1_ds2433.c(4): * Copyright (c) 2005 Ben Gardner

<bgardner@wabtec.com>

linux-3.10\drivers\w1\slaves\w1_ds2760.c(4): * Copyright 2004-2005, Szabolcs

Gyurko <szabolcs.gyurko@tlt.hu>

linux-3.10\drivers\w1\slaves\w1_ds2760.h(4): * Copyright 2004-2005, Szabolcs

Gyurko <szabolcs.gyurko@tlt.hu>

linux-3.10\drivers\w1\slaves\w1_ds2780.c(4): * Copyright (C) 2010 Indesign, LLC

linux-3.10\drivers\w1\slaves\w1_ds2780.h(4): * Copyright (C) 2010 Indesign, LLC

linux-3.10\drivers\w1\slaves\w1_ds28e04.c(4): * Copyright (c) 2012 Markus Franke

<franke.m@sebakmt.com>

linux-3.10\drivers\w1\slaves\w1_smem.c(4): * Copyright (c) 2004 Evgeniy Polyakov

<zbr@ioremap.net>

legal(ME)

linux-3.10\drivers\w1\slaves\w1_therm.c(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1.c(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1.h(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1_family.c(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1_family.h(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1_int.c(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1_int.h(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1_io.c(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1_log.h(4): * Copyright (c) 2004 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1_netlink.c(4): * Copyright (c) 2003 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\w1\w1_netlink.h(4): * Copyright (c) 2003 Evgeniy Polyakov
<zbr@ioremap.net>
linux-3.10\drivers\watchdog\acquirewdt.c(18): *(c) Copyright 1995Alan Cox
<alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\acquirewdt.c(4): *Based on wdt.c. Original copyright
messages:
linux-3.10\drivers\watchdog\acquirewdt.c(6): *(c) Copyright 1996 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\advantechwdt.c(21): *(c) Copyright 1995Alan Cox
<alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\advantechwdt.c(4): *(c) Copyright 2000-2001 Marek
Michalkiewicz <marekm@linux.org.pl>
linux-3.10\drivers\watchdog\advantechwdt.c(7): *Original copyright messages:
linux-3.10\drivers\watchdog\advantechwdt.c(9): *(c) Copyright 1996 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\ar7_wdt.c(4): * Copyright (C) 2007 Nicolas Thill
<nico@openwrt.org>
linux-3.10\drivers\watchdog\ar7_wdt.c(5): * Copyright (c) 2005 Enrik Berkhan
<Enrik.Berkhan@akk.org>
linux-3.10\drivers\watchdog\ar7_wdt.c(9): * Copyright (c) 2001,2002 Christer
Weinigel <wingel@nano-system.com>
linux-3.10\drivers\watchdog\at32ap700x_wdt.c(4): * Copyright (C) 2005-2006 Atmel
Corporation
linux-3.10\drivers\watchdog\at91rm9200_wdt.c(4): *Copyright (C) 2003 SAN People
(Pty) Ltd
linux-3.10\drivers\watchdog\at91sam9_wdt.c(4): * Copyright (C) 2008 Renaud
CERRATO r.cerrato@til-technologies.fr
linux-3.10\drivers\watchdog\at91sam9_wdt.h(4): * Copyright (C) 2007 Andrew Victor
linux-3.10\drivers\watchdog\at91sam9_wdt.h(5): * Copyright (C) 2007 Atmel
Corporation.
linux-3.10\drivers\watchdog\ath79_wdt.c(12): *Copyright (C) 2000 Oleg Drokin
<green@crimea.edu>

legal(ME)

linux-3.10\drivers\watchdog\ath79_wdt.c(4): * Copyright (C) 2008-2011 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\drivers\watchdog\ath79_wdt.c(5): * Copyright (C) 2008 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\drivers\watchdog\ath79_wdt.c(9): *Copyright 2004 (c) MontaVista,
Software, Inc.
linux-3.10\drivers\watchdog\bcm47xx_wdt.c(4): *Copyright (C) 2008 Aleksandar
Radovanovic <biblbroks@sezampro.rs>
linux-3.10\drivers\watchdog\bcm47xx_wdt.c(5): *Copyright (C) 2009 Matthieu CASTET
<castet.matthieu@free.fr>
linux-3.10\drivers\watchdog\bcm47xx_wdt.c(6): *Copyright (C) 2012-2013 Hauke
Mehrtens <hauke@hauke-m.de>
linux-3.10\drivers\watchdog\bcm63xx_wdt.c(4): *Copyright (C) 2007, Miguel Gaio
<miguel.gaio@efixo.com>
linux-3.10\drivers\watchdog\bcm63xx_wdt.c(5): *Copyright (C) 2008, Florian
Fainelli <florian@openwrt.org>
linux-3.10\drivers\watchdog\bfin_wdt.c(5): * Copyright 2006-2010 Analog Devices
Inc.
linux-3.10\drivers\watchdog\bfin_wdt.c(6): * Copyright 2006-2007 Michele d'Amico
linux-3.10\drivers\watchdog\bfin_wdt.c(7): * Copyright 1996 Alan Cox
<alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\booke_wdt.c(7): * Copyright 2005, 2008, 2010-2011
Freescale Semiconductor Inc.
linux-3.10\drivers\watchdog\coh901327_wdt.c(4): * Copyright (C) 2008-2009
ST-Ericsson AB
linux-3.10\drivers\watchdog\cpu5wdt.c(4): * Copyright (C) 2003 Heiko Ronsdorf
<hero@ihg.uni-duisburg.de>
linux-3.10\drivers\watchdog\cpwd.c(13): * Copyright (c) 2000 Eric Brower
(ebrower@usa.net)
linux-3.10\drivers\watchdog\cpwd.c(14): * Copyright (C) 2008 David S. Miller
<davem@davemloft.net>
linux-3.10\drivers\watchdog\da9052_wdt.c(4): * Copyright(c) 2012 Dialog
Semiconductor Ltd.
linux-3.10\drivers\watchdog\da9055_wdt.c(4): * Copyright(c) 2012 Dialog
Semiconductor Ltd.
linux-3.10\drivers\watchdog\davinci_wdt.c(6): * Copyright (C) 2006 Texas
Instruments.
linux-3.10\drivers\watchdog\dw_wdt.c(2): * Copyright 2010-2011 Picochip Ltd.,
Jamie Iles
linux-3.10\drivers\watchdog\ep93xx_wdt.c(11): * Copyright (c) 2012 H Hartley
Sweeten <hsweeten@visionengravers.com>
linux-3.10\drivers\watchdog\ep93xx_wdt.c(4): * Copyright (c) 2004 Ray Lehtiniemi
linux-3.10\drivers\watchdog\ep93xx_wdt.c(5): * Copyright (c) 2006 Tower
Technologies
linux-3.10\drivers\watchdog\eurotechwdt.c(11): *(c) Copyright 1996-1997 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\eurotechwdt.c(23): *(c) Copyright 1995Alan Cox
<alan@lxorguk.ukuu.org.uk>*
linux-3.10\drivers\watchdog\eurotechwdt.c(4): *(c) Copyright 2001 Ascensit
<support@ascensit.com>
linux-3.10\drivers\watchdog\eurotechwdt.c(5): *(c) Copyright 2001 Rodolfo
Giometti <giometti@ascensit.com>

legal(ME)

linux-3.10\drivers\watchdog\eurotechwdt.c(6): *(c) Copyright 2002 Rob Radez
<rob@osinvestor.com>
linux-3.10\drivers\watchdog\eurotechwdt.c(9): *Original copyright messages:
linux-3.10\drivers\watchdog\f71808e_wdt.c(2): * Copyright (C) 2006 by Hans
Edgington <hans@edgington.nl> *
linux-3.10\drivers\watchdog\f71808e_wdt.c(3): * Copyright (C) 2007-2009 Hans de
Goede <hdegoede@redhat.com> *
linux-3.10\drivers\watchdog\f71808e_wdt.c(4): * Copyright (C) 2010 Giel van
Schijndel <me@mortis.eu> *
linux-3.10\drivers\watchdog\gef_wdt.c(6): * Copyright 2008 GE Intelligent
Platforms Embedded Systems, Inc.
linux-3.10\drivers\watchdog\geodewdt.c(3): * Copyright (C) 2006-2007, Advanced
Micro Devices, Inc.
linux-3.10\drivers\watchdog\geodewdt.c(4): * Copyright (C) 2009 Andres Salomon
<dilinger@collabora.co.uk>
linux-3.10\drivers\watchdog\hpwdt.c(7): *(c) Copyright 2007 Hewlett-Packard
Development Company, L.P.
linux-3.10\drivers\watchdog\i6300esb.c(4): *(c) Copyright 2004 Google Inc.
linux-3.10\drivers\watchdog\i6300esb.c(5): *(c) Copyright 2005 David Hrdeman
<david@2gen.com>
linux-3.10\drivers\watchdog\ib700wdt.c(12): *Original copyright messages:
linux-3.10\drivers\watchdog\ib700wdt.c(14): *(c) Copyright 1996 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\ib700wdt.c(26): *(c) Copyright 1995 Alan Cox
<alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\ib700wdt.c(4): *(c) Copyright 2001 Charles Howes
<chowes@vsol.net>
linux-3.10\drivers\watchdog\ib700wdt.c(9): *(c) Copyright 2000-2001 Marek
Michalkiewicz <marekm@linux.org.pl>
linux-3.10\drivers\watchdog\ibmasr.c(4): * Copyright (c) 2005 Andrey Panin
<pazke@donpac.ru>
linux-3.10\drivers\watchdog\ibmasr.c(7): * Copyright (c) IBM Corporation,
1998-2004.
linux-3.10\drivers\watchdog\ie6xx_wdt.c(4): *Copyright (C) 2011 Alexander Stein
linux-3.10\drivers\watchdog\imx2_wdt.c(4): *Copyright (C) 2010 Wolfram Sang,
Pengutronix e.K. <w.sang@pengutronix.de>
linux-3.10\drivers\watchdog\indydog.c(4): *(c) Copyright 2002 Guido Guenther
<agx@sigxcpu.org>,
linux-3.10\drivers\watchdog\intel_scu_watchdog.c(6): *Copyright (C) 2009-2010
Intel Corporation. All rights reserved.
linux-3.10\drivers\watchdog\intel_scu_watchdog.h(6): *Copyright (C) 2009-2010
Intel Corporation. All rights reserved.
linux-3.10\drivers\watchdog\iop_wdt.c(5): * Copyright (C) 2005, Intel
Corporation.
linux-3.10\drivers\watchdog\iop_wdt.c(7): * Based on ixp4xx driver, Copyright
2004 (c) MontaVista, Software, Inc.
linux-3.10\drivers\watchdog\it87_wdt.c(5): *(c) Copyright 2007 Oliver Schuster
<olivers137@aol.com>
linux-3.10\drivers\watchdog\it8712f_wdt.c(4): *Copyright (c) 2006-2007 Jorge
Boncompagni - DTI2 <jorge@dti2.net>
linux-3.10\drivers\watchdog\iTCO_vendor_support.c(4): *(c) Copyright 2006-2009
Wim Van Sebreeck <wim@iguana.be>.

legal(ME)

linux-3.10\drivers\watchdog\iTCO_wdt.c(4): *(c) Copyright 2006-2011 Wim Van Sebreeck <wim@iguana.be>.
linux-3.10\drivers\watchdog\ixp4xx_wdt.c(8): * Copyright 2004 (c) MontaVista, Software, Inc.
linux-3.10\drivers\watchdog\ixp4xx_wdt.c(9): * Based on sa1100 driver, Copyright (C) 2000 Oleg Drokin <green@crimea.edu>
linux-3.10\drivers\watchdog\jz4740_wdt.c(2): *Copyright (C) 2010, Paul Cercueil <paul@crapouillou.net>
linux-3.10\drivers\watchdog\lantiq_wdt.c(6): *Copyright (C) 2010 John Crispin <blogic@openwrt.org>
linux-3.10\drivers\watchdog\m54xx_wdt.c(11): *Copyright 2004 (c) MontaVista, Software, Inc.
linux-3.10\drivers\watchdog\m54xx_wdt.c(12): *Based on sa1100 driver, Copyright (C) 2000 Oleg Drokin <green@crimea.edu>
linux-3.10\drivers\watchdog\m54xx_wdt.c(5): * Copyright 2010 (c) Philippe De Muyter <phdm@macqel.be>
linux-3.10\drivers\watchdog\max63xx_wdt.c(6): * Copyright (C) 2009 Marc Zyngier <maz@misterjones.org>
linux-3.10\drivers\watchdog\mixcomwd.c(7): * Copyright (c) 1999 ITConsult-Pro Co. <info@itc.hu>
linux-3.10\drivers\watchdog\mpc8xxx_wdt.c(8): * Copyright (c) 2008MontaVista Software, Inc.
linux-3.10\drivers\watchdog\mpcore_wdt.c(19): *(c) Copyright 1995Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\mpcore_wdt.c(4): *(c) Copyright 2004 ARM Limited
linux-3.10\drivers\watchdog\mpcore_wdt.c(7): *(c) Copyright 1996 Alan Cox <alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\mtx-1_wdt.c(19): *(c) Copyright 20054G Systems <info@4g-systems.biz>
linux-3.10\drivers\watchdog\mtx-1_wdt.c(4): *(C) Copyright 2005 4G Systems <info@4g-systems.biz>,
linux-3.10\drivers\watchdog\mtx-1_wdt.c(8): *(C) Copyright 2007 OpenWrt.org, Florian Fainelli <florian@openwrt.org>
linux-3.10\drivers\watchdog\nuc900_wdt.c(2): * Copyright (c) 2009 Nuvoton technology corporation.
linux-3.10\drivers\watchdog\nv_tco.c(4): *(c) Copyright 2005 Google Inc., All Rights Reserved.
linux-3.10\drivers\watchdog\nv_tco.c(7): *(c) Copyright 2000 kernel concepts <nils@kernelconcepts.de>, All Rights
linux-3.10\drivers\watchdog\nv_tco.h(22): *(c) Copyright 2000kernel concepts <nils@kernelconcepts.de>
linux-3.10\drivers\watchdog\nv_tco.h(4): *(c) Copyright 2005 Google Inc., All Rights Reserved.
linux-3.10\drivers\watchdog\nv_tco.h(9): *(c) Copyright 2000 kernel concepts <nils@kernelconcepts.de>, All Rights
linux-3.10\drivers\watchdog\octeon-wdt-main.c(20): *(c) Copyright 1995Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\octeon-wdt-main.c(4): * Copyright (C) 2007, 2008, 2009, 2010 Cavium Networks
linux-3.10\drivers\watchdog\octeon-wdt-main.c(8): *(c) Copyright 1996-1997 Alan Cox <alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\octeon-wdt-nmi.S(6): * Copyright (C) 2007 Cavium

legal(ME)

Networks

linux-3.10\drivers\watchdog\of_xilinx_wdt.c(4):* (C) Copyright 2011 (Alejandro Cabrera <aldaya@gmail.com>)
linux-3.10\drivers\watchdog\omap_wdt.c(18): *(c) Copyright 2000 Oleg Drokin <green@crimea.edu>
linux-3.10\drivers\watchdog\omap_wdt.c(21): * Copyright (c) 2004 Texas Instruments.
linux-3.10\drivers\watchdog\omap_wdt.c(25): * Copyright (c) 2005 David Brownell
linux-3.10\drivers\watchdog\omap_wdt.h(7): *Copyright (C) 2004 Texas Instruments.
linux-3.10\drivers\watchdog\pc87413_wdt.c(4): *This code is based on wdt.c with original copyright.
linux-3.10\drivers\watchdog\pc87413_wdt.c(6): *(C) Copyright 2006 Sven Anders, <anders@anduras.de>
linux-3.10\drivers\watchdog\pcwd_pci.c(4): *(c) Copyright 2003-2007 Wim Van Sebreeck <wim@iguana.be>.
linux-3.10\drivers\watchdog\pcwd_usb.c(4): *(c) Copyright 2004-2007 Wim Van Sebreeck <wim@iguana.be>.
linux-3.10\drivers\watchdog\pika_wdt.c(4): * Copyright (c) 2008 PIKA Technologies
linux-3.10\drivers\watchdog\pnx4008_wdt.c(9): * Copyright (C) 2000 Oleg Drokin <green@crimea.edu>
linux-3.10\drivers\watchdog\pnx833x_wdt.c(10): * (c) Copyright 2002 Guido Guenther <agx@sigxcpu.org>, All Rights Reserved.
linux-3.10\drivers\watchdog\pnx833x_wdt.c(3): *Copyright 2008 NXP Semiconductors
linux-3.10\drivers\watchdog\rc32434_wdt.c(10): *(c) Copyright 1996 Alan Cox <alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\rc32434_wdt.c(4): *Copyright (C) 2006, Ondrej Zajicek <santiago@crfreenet.org>
linux-3.10\drivers\watchdog\rc32434_wdt.c(5): *Copyright (C) 2008, Florian Fainelli <florian@openwrt.org>
linux-3.10\drivers\watchdog\rdc321x_wdt.c(4): * Copyright (C) 2007-2010 Florian Fainelli <florian@openwrt.org>
linux-3.10\drivers\watchdog\retu_wdt.c(4): * Copyright (C) 2004, 2005 Nokia Corporation
linux-3.10\drivers\watchdog\riowd.c(3): * Copyright (C) 2001, 2008 David S. Miller (davem@davemloft.net)
linux-3.10\drivers\watchdog\s3c2410_wdt.c(3): * Copyright (c) 2004 Simtec Electronics
linux-3.10\drivers\watchdog\s3c2410_wdt.c(9): * (c) Copyright 1996 Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\sa1100_wdt.c(16): *(c) Copyright 2000 Oleg Drokin <green@crimea.edu>
linux-3.10\drivers\watchdog\sa1100_wdt.c(4): *(c) Copyright 2000 Oleg Drokin <green@crimea.edu>
linux-3.10\drivers\watchdog\sb_wdog.c(38): *(c) Copyright 1996 Alan Cox <alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\sb_wdog.c(4): * Copyright (C) 2007 OnStor, Inc. * Andrew Sharp <andy.sharp@lsi.com>
linux-3.10\drivers\watchdog\sbc_epx_c3.c(5): *(c) Copyright 2006 Calin A. Culianu <calin@ajvar.org>, All Rights
linux-3.10\drivers\watchdog\sbc60xxwdt.c(15): *(c) Copyright 2000Jakob Oestergaard <jakob@unthought.net>
linux-3.10\drivers\watchdog\sbc7240_wdt.c(15): *(c) Copyright 2007Gilles GIGAN

legal(ME)

<gilles.gigan@jcu.edu.au>
linux-3.10\drivers\watchdog\sbc8360.c(14): *(c) Copyright 2000-2001 Marek Michalkiewicz <marekm@linux.org.pl>
linux-3.10\drivers\watchdog\sbc8360.c(17): *Original copyright messages:
linux-3.10\drivers\watchdog\sbc8360.c(19): *(c) Copyright 1996 Alan Cox <alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\sbc8360.c(31): *(c) Copyright 1995Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\sbc8360.c(4): *(c) Copyright 2005 Webcon, Inc.
linux-3.10\drivers\watchdog\sbc8360.c(9): *(c) Copyright 2001 Charles Howes <chowes@vsol.net>
linux-3.10\drivers\watchdog\sc1200wdt.c(3): *(c) Copyright 2002 Zwane Mwaikambo <zwane@commfireservices.com>,
linux-3.10\drivers\watchdog\sc520_wdt.c(16): *(c) Copyright 2001Scott Jennings <linuxdrivers@oro.net>
linux-3.10\drivers\watchdog\sch311x_wdt.c(5): *(c) Copyright 2008 Wim Van Sebreeck <wim@iguana.be>.
linux-3.10\drivers\watchdog\scx200_wdt.c(5): Copyright (c) 2001,2002 Christer Weingel <wingel@nano-system.com>
linux-3.10\drivers\watchdog\scx200_wdt.c(9): (c) Copyright 2002 Zwane Mwaikambo <zwane@commfireservices.com>
linux-3.10\drivers\watchdog\shwdt.c(6): * Copyright (C) 2001 - 2012Paul Mundt <lethal@linux-sh.org>
linux-3.10\drivers\watchdog\smc37b787_wdt.c(16): *(C) Copyright 2003-2006Sven Anders <anders@anduras.de>
linux-3.10\drivers\watchdog\softdog.c(16): *(c) Copyright 1995Alan Cox <alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\softdog.c(4): *(c) Copyright 1996 Alan Cox <alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\sp5100_tco.c(4): *(c) Copyright 2009 Google Inc., All Rights Reserved.
linux-3.10\drivers\watchdog\sp5100_tco.c(7): *(c) Copyright 2000 kernel concepts <nils@kernelconcepts.de>, All Rights
linux-3.10\drivers\watchdog\sp5100_tco.h(4): *(c) Copyright 2009 Google Inc., All Rights Reserved.
linux-3.10\drivers\watchdog\sp805_wdt.c(6): * Copyright (C) 2010 ST Microelectronics
linux-3.10\drivers\watchdog\stmp3xxx_rtc_wdt.c(6): * Copyright (C) 2011-12 Wolfram Sang, Pengutronix
linux-3.10\drivers\watchdog\ts72xx_wdt.c(7): * Copyright (c) 2009 Mika Westerberg <mika.westerberg@iki.fi>
linux-3.10\drivers\watchdog\twl4030_wdt.c(2): * Copyright (C) Nokia Corporation
linux-3.10\drivers\watchdog\txx9wdt.c(4): * Copyright (C) 2007 Atsushi Nemoto <anemo@mba.ocn.ne.jp>
linux-3.10\drivers\watchdog\x500_wdt.c(2): * Copyright (C) ST-Ericsson SA 2011-2013
linux-3.10\drivers\watchdog\via_wdt.c(4): * Copyright (C) 2011 Sigfox
linux-3.10\drivers\watchdog\w83627hf_wdt.c(10): *Original copyright messages:
linux-3.10\drivers\watchdog\w83627hf_wdt.c(12): *(c) Copyright 2000-2001 Marek Michalkiewicz <marekm@linux.org.pl>
linux-3.10\drivers\watchdog\w83627hf_wdt.c(14): *(c) Copyright 1996 Alan Cox <alan@lxorguk.ukuu.org.uk>,

legal(ME)

linux-3.10\drivers\watchdog\w83627hf_wdt.c(26): *(c) Copyright 1995Alan Cox
<alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\w83627hf_wdt.c(4): *(c) Copyright 2007 Vlad Drukker
<vlad@storewiz.com>
linux-3.10\drivers\watchdog\w83627hf_wdt.c(7): *(c) Copyright 2003,2007 P̄draig
Brady <P@draigBrady.com>
linux-3.10\drivers\watchdog\w83697hf_wdt.c(11): *(c) Copyright 2003 P̄draig
Brady <P@draigBrady.com>
linux-3.10\drivers\watchdog\w83697hf_wdt.c(13): *(c) Copyright 2000-2001 Marek
Michalkiewicz <marekm@linux.org.pl>
linux-3.10\drivers\watchdog\w83697hf_wdt.c(15): *(c) Copyright 1996 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\w83697hf_wdt.c(4): *(c) Copyright 2006 Samuel Tardieu
<sam@rfc1149.net>
linux-3.10\drivers\watchdog\w83697hf_wdt.c(5): *(c) Copyright 2006 Marcus Junker
<junker@anduras.de>
linux-3.10\drivers\watchdog\w83697hf_wdt.c(9): *Original copyright messages:
linux-3.10\drivers\watchdog\w83697ug_wdt.c(11): *(c) Copyright 2007 Vlad Drukker
<vlad@storewiz.com>
linux-3.10\drivers\watchdog\w83697ug_wdt.c(14): *(c) Copyright 2003 P̄draig
Brady <P@draigBrady.com>
linux-3.10\drivers\watchdog\w83697ug_wdt.c(16): *(c) Copyright 2000-2001 Marek
Michalkiewicz <marekm@linux.org.pl>
linux-3.10\drivers\watchdog\w83697ug_wdt.c(18): *(c) Copyright 1996 Alan Cox
<alan@redhat.com>, All Rights Reserved.
linux-3.10\drivers\watchdog\w83697ug_wdt.c(30): *(c) Copyright 1995Alan Cox
<alan@redhat.com>
linux-3.10\drivers\watchdog\w83697ug_wdt.c(4): *(c) Copyright 2008 Flemming
Fransen <ff@nrvissing.net>
linux-3.10\drivers\watchdog\w83697ug_wdt.c(9): *Original copyright messages:
linux-3.10\drivers\watchdog\w83877f_wdt.c(16): *(c) Copyright 2001Scott Jennings
<linuxdrivers@oro.net>
linux-3.10\drivers\watchdog\w83977f_wdt.c(4): *(c) Copyright 2005Jose Goncalves
<jose.goncalves@inov.pt>
linux-3.10\drivers\watchdog\wafer5823wdt.c(11): *Original copyright messages:
linux-3.10\drivers\watchdog\wafer5823wdt.c(13): *(c) Copyright 1996-1997 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\wafer5823wdt.c(25): *(c) Copyright 1995Alan Cox
<alan@lxorguk.ukuu.org.uk>
linux-3.10\drivers\watchdog\wafer5823wdt.c(6): *(c) Copyright 2002 Justin Cormack
<justin@street-vision.com>
linux-3.10\drivers\watchdog\watchdog_core.c(4): *(c) Copyright 2008-2011 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\watchdog_core.c(7): *(c) Copyright 2008-2011 Wim Van
Sebroeck <wim@iguana.be>.
linux-3.10\drivers\watchdog\watchdog_core.h(4): *(c) Copyright 2008-2011 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\watchdog_core.h(7): *(c) Copyright 2008-2011 Wim Van
Sebroeck <wim@iguana.be>.
linux-3.10\drivers\watchdog\watchdog_dev.c(4): *(c) Copyright 2008-2011 Alan Cox
<alan@lxorguk.ukuu.org.uk>,
linux-3.10\drivers\watchdog\watchdog_dev.c(7): *(c) Copyright 2008-2011 Wim Van

legal(ME)

Sebroeck <wim@iguana.be>.

linux-3.10\drivers\watchdog\wd501p.h(4): *(c) Copyright 1995CymruNET Ltd

linux-3.10\drivers\watchdog\wdrtas.c(9): * (C) Copyright IBM Corp. 2005

linux-3.10\drivers\watchdog\wdt.c(16): *(c) Copyright 1995Alan Cox

<alan@lxorguk.ukuu.org.uk>

linux-3.10\drivers\watchdog\wdt.c(4): *(c) Copyright 1996-1997 Alan Cox

<alan@lxorguk.ukuu.org.uk>,

linux-3.10\drivers\watchdog\wdt_pci.c(16): *(c) Copyright 1995Alan Cox

<alan@lxorguk.ukuu.org.uk>

linux-3.10\drivers\watchdog\wdt_pci.c(4): *(c) Copyright 1996-1997 Alan Cox

<alan@lxorguk.ukuu.org.uk>,

linux-3.10\drivers\watchdog\wdt285.c(3): *Copyright (c) Phil Blundell

<pb@nexus.co.uk>, 1998

linux-3.10\drivers\watchdog\wdt285.c(9): *(c) Copyright 1996 Alan Cox

<alan@lxorguk.ukuu.org.uk>,

linux-3.10\drivers\watchdog\wdt977.c(4): *(c) Copyright 1998 Rebel.com (Woody

Suwalski <woody@netwinder.org>)

linux-3.10\drivers\watchdog\wm831x_wdt.c(4): * Copyright (C) 2009 Wolfson

Microelectronics

linux-3.10\drivers\watchdog\wm8350_wdt.c(4): * Copyright (C) 2007, 2008 Wolfson

Microelectronics <linux@wolfsonmicro.com>

linux-3.10\drivers\watchdog\xen_wdt.c(4): *(c) Copyright 2010 Novell, Inc.

linux-3.10\drivers\xen\acpi.c(5): * Copyright (c) 2011 Konrad Rzeszutek Wilk

<konrad.wilk@oracle.com>

linux-3.10\drivers\xen\acpi.c(6): * Copyright (c) 2011 Yu Ke ke.yu@intel.com

linux-3.10\drivers\xen\balloon.c(4): * Copyright (c) 2003, B Dragovic

linux-3.10\drivers\xen\balloon.c(5): * Copyright (c) 2003-2004, M Williamson, K

Fraser

linux-3.10\drivers\xen\balloon.c(6): * Copyright (c) 2005 Dan M. Smith, IBM

Corporation

linux-3.10\drivers\xen\balloon.c(7): * Copyright (c) 2010 Daniel Kiper

linux-3.10\drivers\xen\evtchn.c(6): * Copyright (c) 2004-2005, K A Fraser

linux-3.10\drivers\xen\evtchn.c(7): * Multi-process extensions Copyright (c)

2004, Steven Smith

linux-3.10\drivers\xen\features.c(6): * Copyright (c) 2006, Ian Campbell,

XenSource Inc.

linux-3.10\drivers\xen\gntdev.c(7): * Copyright (c) 2006-2007, D G Murray.

linux-3.10\drivers\xen\grant-table.c(6): * Copyright (c) 2005-2006, Christopher

Clark

linux-3.10\drivers\xen\grant-table.c(7): * Copyright (c) 2004-2005, K A Fraser

linux-3.10\drivers\xen\mcelog.c(5): * Copyright (c) 2012 Intel Corporation

linux-3.10\drivers\xen\pci.c(2): * Copyright (c) 2009, Intel Corporation.

linux-3.10\drivers\xen\pcpu.c(5): * Copyright (c) 2012 Intel Corporation

linux-3.10\drivers\xen\platform-pci.c(5): * Copyright (c) 2005, Intel

Corporation.

linux-3.10\drivers\xen\platform-pci.c(6): * Copyright (c) 2007, XenSource Inc.

linux-3.10\drivers\xen\platform-pci.c(7): * Copyright (c) 2010, Citrix

linux-3.10\drivers\xen\privcmd.c(6): * Copyright (c) 2002-2004, K A Fraser, B

Dragovic

linux-3.10\drivers\xen\swiotlb-xen.c(2): *Copyright 2010

linux-3.10\drivers\xen\sys-hypervisor.c(2): *copyright (c) 2006 IBM Corporation

linux-3.10\drivers\xen\tmem.c(4): * Copyright (C) 2009-2011 Oracle Corp.All

legal(ME)

rights reserved.

linux-3.10\drivers\xen\xen-acpi-cpuhotplug.c(2): * Copyright (C) 2012 Intel Corporation

linux-3.10\drivers\xen\xen-acpi-memhotplug.c(2): * Copyright (C) 2012 Intel Corporation

linux-3.10\drivers\xen\xen-acpi-pad.c(4): * Copyright (c) 2012, Intel Corporation.

linux-3.10\drivers\xen\xen-acpi-processor.c(2): * Copyright 2012 by Oracle Inc

linux-3.10\drivers\xen\xen-balloon.c(4): * Copyright (c) 2003, B Dragovic

linux-3.10\drivers\xen\xen-balloon.c(5): * Copyright (c) 2003-2004, M Williamson, K Fraser

linux-3.10\drivers\xen\xen-balloon.c(6): * Copyright (c) 2005 Dan M. Smith, IBM Corporation

linux-3.10\drivers\xen\xenbus\xenbus_client.c(6): * Copyright (C) 2005 XenSource Ltd

linux-3.10\drivers\xen\xenbus\xenbus_comms.c(6): * Copyright (C) 2005 Rusty Russell, IBM Corporation

linux-3.10\drivers\xen\xenbus\xenbus_comms.h(4): * Copyright (C) 2005 Rusty Russell, IBM Corporation

linux-3.10\drivers\xen\xenbus\xenbus_dev_frontend.c(5): * Copyright (c) 2005, Christian Limpach

linux-3.10\drivers\xen\xenbus\xenbus_dev_frontend.c(6): * Copyright (c) 2005, Rusty Russell, IBM Corporation

linux-3.10\drivers\xen\xenbus\xenbus_probe.c(4): * Copyright (C) 2005 Rusty Russell, IBM Corporation

linux-3.10\drivers\xen\xenbus\xenbus_probe.c(5): * Copyright (C) 2005 Mike Wray, Hewlett-Packard

linux-3.10\drivers\xen\xenbus\xenbus_probe.c(6): * Copyright (C) 2005, 2006 XenSource Ltd

linux-3.10\drivers\xen\xenbus\xenbus_probe.h(6): * Copyright (C) 2005 Rusty Russell, IBM Corporation

linux-3.10\drivers\xen\xenbus\xenbus_probe.h(7): * Copyright (C) 2005 XenSource Ltd.

linux-3.10\drivers\xen\xenbus\xenbus_probe_backend.c(4): * Copyright (C) 2005 Rusty Russell, IBM Corporation

linux-3.10\drivers\xen\xenbus\xenbus_probe_backend.c(5): * Copyright (C) 2005 Mike Wray, Hewlett-Packard

linux-3.10\drivers\xen\xenbus\xenbus_probe_backend.c(6): * Copyright (C) 2005, 2006 XenSource Ltd

linux-3.10\drivers\xen\xenbus\xenbus_probe_backend.c(7): * Copyright (C) 2007 Solarflare Communications, Inc.

linux-3.10\drivers\xen\xenbus\xenbus_xs.c(7): * Copyright (C) 2005 Rusty Russell, IBM Corporation

linux-3.10\drivers\xen\xencomm.c(16): * Copyright (C) IBM Corp. 2006

linux-3.10\drivers\xen\xen-selfballoon.c(4): * Copyright (c) 2009-2011, Dan Magenheimer, Oracle Corp.

linux-3.10\drivers\xen\xen-stub.c(4): * Copyright (C) 2012 Intel Corporation

linux-3.10\drivers\xen\xen-stub.c(8): * Copyright (C) 2012 Oracle Inc

linux-3.10\drivers\zorro\names.c(4): *Copyright (C) 1999--2000 Geert Uytterhoeven

linux-3.10\drivers\zorro\names.c(8): *Copyright 1992--1999 Drew Eckhardt, Frederic Potter,

linux-3.10\drivers\zorro\proc.c(4): *Copyright (C) 1998-2003 Geert Uytterhoeven

legal(ME)

linux-3.10\drivers\zorro\proc.c(8): *Copyright (C) 1997, 1998 Martin Mares
<mj@atrey.karlin.mff.cuni.cz>
linux-3.10\drivers\zorro\zorro.c(4): *Copyright (C) 1995-2003 Geert Uytterhoeven
linux-3.10\drivers\zorro\zorro-driver.c(4): *Copyright (C) 2003 Geert
Uytterhoeven
linux-3.10\drivers\zorro\zorro-sysfs.c(4): *Copyright (C) 2003 Geert Uytterhoeven
linux-3.10\firmware\3com\typhoon.bin.ihex(2789): * Copyright 1999-2004 3Com
Corporation.All Rights Reserved.
linux-3.10\firmware\atmsar11.HEX(194):Copyright (C) 1995-1999Madge Networks Ltd.
linux-3.10\firmware\av7110\Boot.S(4): Copyright (C) 2001 Convergence integrated
media GmbH
linux-3.10\firmware\av7110\Boot.S(7): Copyright (C) 2006 Matthieu CASTET
<castet.mattheiu@free.fr>
linux-3.10\firmware\bnx2\bnx2-mips-06-6.2.1.fw.ihex(5813): * source code,
Copyright (c) 2004 - 2009 Broadcom Corporation.
linux-3.10\firmware\bnx2\bnx2-mips-09-6.2.1a.fw.ihex(6507): * source code,
Copyright (c) 2004 - 2009 Broadcom Corporation.
linux-3.10\firmware\bnx2\bnx2-rv2p-06-6.0.15.fw.ihex(361): * source code,
Copyright (c) 2004 - 2009 Broadcom Corporation.
linux-3.10\firmware\bnx2\bnx2-rv2p-09-6.0.17.fw.ihex(387): * source code,
Copyright (c) 2004 - 2009 Broadcom Corporation.
linux-3.10\firmware\bnx2\bnx2-rv2p-09ax-6.0.17.fw.ihex(420): * source code,
Copyright (c) 2004 - 2009 Broadcom Corporation.
linux-3.10\firmware\cpia2\stv0672_vp4.bin.ihex(55):Copyright 2001,
STMicroelectronics, Inc.
linux-3.10\firmware\edgeport\boot.H16(24):/** Copyright (C) 1998 Inside Out
Networks, All rights reserved.
linux-3.10\firmware\edgeport\boot2.H16(23):/** Copyright (C) 1998 Inside Out
Networks, All rights reserved.
linux-3.10\firmware\edgeport\down.H16(24):/** Copyright (C) 1998 Inside Out
Networks, All rights reserved.
linux-3.10\firmware\edgeport\down2.H16(24):/** Copyright (C) 1998 Inside Out
Networks, All rights reserved.
linux-3.10\firmware\edgeport\down3.bin.ihex(814):/** Copyright (C) 2001 Inside
Out Networks, All rights reserved.
linux-3.10\firmware\emi26\bitstream.HEX(4374): * The firmware contained herein is
Copyright (c) 1999-2002 Emagic
linux-3.10\firmware\emi26\firmware.HEX(1247): * The firmware contained herein is
Copyright (c) 1999-2002 Emagic
linux-3.10\firmware\emi26\loader.HEX(106): * The firmware contained herein is
Copyright (c) 1999-2002 Emagic
linux-3.10\firmware\ihex2fw.c(4): * Copyright ㄣ 2008 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\firmware\ihex2fw.c(5): * Copyright ㄣ 2005 Jan Harkes
<jaharkes@cs.cmu.edu>
linux-3.10\firmware\keyspan_pda\keyspan_pda.S(13): *"Keyspan PDA Serial Adapter"
is probably a copyright of Keyspan, the
linux-3.10\firmware\keyspan_pda\keyspan_pda.S(6): *(C) Copyright 2000 Brian
Warner <warner@lothar.com>
linux-3.10\firmware\keyspan_pda\xircom_pgs.S(13): *"Keyspan PDA Serial Adapter"
is probably a copyright of Keyspan, the
linux-3.10\firmware\keyspan_pda\xircom_pgs.S(6): *(C) Copyright 2000 Brian Warner

legal(ME)

<warner@lothar.com>

linux-3.10\firmware\keyspan\mpr.HEX(84):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa18x.HEX(125):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa19.HEX(85):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa19qi.HEX(85):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa19qw.HEX(126):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa19w.HEX(125):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa28.HEX(132):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa28x.HEX(125):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa28xa.HEX(125):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa28xb.HEX(126):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa49w.HEX(129):Copyright (C) 1999-2001
linux-3.10\firmware\keyspan\usa49wlc.HEX(130):Copyright (C) 1999-2003
linux-3.10\firmware\qlogic\1040.bin.ihex(2097): * Copyright (C) 2004 QLogic Corporation
linux-3.10\firmware\qlogic\12160.bin.ihex(1760): * Copyright (C) 2002 Qlogic Corporation (www.qlogic.com)
linux-3.10\firmware\qlogic\1280.bin.ihex(1997): * Copyright (C) 2001 Qlogic Corporation (www.qlogic.com)
linux-3.10\firmware\sb16\alaw_main.csp.ihex(85): *Copyright (c) 1994 Creative Technology Ltd.
linux-3.10\firmware\sb16\ima_adpcm_capture.csp.ihex(119): *Copyright (c) 1994 Creative Technology Ltd.
linux-3.10\firmware\sb16\ima_adpcm_init.csp.ihex(68): *Copyright (c) 1994 Creative Technology Ltd.
linux-3.10\firmware\sb16\ima_adpcm_playback.csp.ihex(120): *Copyright (c) 1994 Creative Technology Ltd.
linux-3.10\firmware\sb16\mulaw_main.csp.ihex(82): *Copyright (c) 1994 Creative Technology Ltd.
linux-3.10\firmware\tehuti\bdx.bin.ihex(2678): * Copyright (C) 2007 Tehuti Networks Ltd. All rights reserved
linux-3.10\firmware\tigon\tg3.bin.ihex(171): *Copyright (C) 2000-2003 Broadcom Corporation.
linux-3.10\firmware\tigon\tg3_tso.bin.ihex(442): *Copyright (C) 2000-2003 Broadcom Corporation.
linux-3.10\firmware\tigon\tg3_tso5.bin.ihex(247): *Copyright (C) 2000-2003 Broadcom Corporation.
linux-3.10\firmware\WHENCE(135):Copyright (C) 1999-2001
linux-3.10\firmware\WHENCE(18):Copyright (C) 1995-1999Madge Networks Ltd.
linux-3.10\firmware\WHENCE(185): * The firmware contained herein is Copyright (c) 1999-2002 Emagic
linux-3.10\firmware\WHENCE(235): Copyright (C) 2004 Texas Instruments
linux-3.10\firmware\WHENCE(249): Copyright (C) 2005 Multi-Tech Systems, Inc.
linux-3.10\firmware\WHENCE(264): Copyright (C) 2000-2002ConnectTech Inc
linux-3.10\firmware\WHENCE(291):Copyright (C) 2001 STMicroelectronics, Inc.
linux-3.10\firmware\WHENCE(306): * Copyright (C) 1999 BayCom GmbH
linux-3.10\firmware\WHENCE(336):/* Copyright (C) 1998 Inside Out Networks, All rights reserved.
linux-3.10\firmware\WHENCE(352):/* Copyright (C) 2001 Inside Out Networks, All rights reserved.
linux-3.10\firmware\WHENCE(381): *Copyright (c) 1994 Creative Technology Ltd.
linux-3.10\firmware\WHENCE(416): *Copyright (c) 2007-2009 NetLogic Microsystems,

legal(ME)

Inc.

linux-3.10\firmware\WHENCE(459): *Copyright (C) 2000-2003 Broadcom Corporation.

linux-3.10\firmware\WHENCE(494): Copyright (C) 2007 Tehuti Networks Ltd.

linux-3.10\firmware\WHENCE(510): * Copyright 1999-2004 3Com Corporation. All Rights Reserved.

linux-3.10\firmware\WHENCE(62): Copyright (c) 1997-1999 Yamaha Corporation. All Rights Reserved.

linux-3.10\firmware\WHENCE(649): Copyright (c) 2007-2011 Broadcom Corporation

linux-3.10\firmware\WHENCE(652): source code, Copyright (c) 2007-2011 Broadcom Corporation.

linux-3.10\firmware\WHENCE(674): source code, Copyright (c) 2004 - 2010 Broadcom Corporation.

linux-3.10\firmware\WHENCE(701): Copyright (c) 1998-2002 by Paul Davis
<pbd@op.net>

linux-3.10\firmware\WHENCE(712): Copyright 1999 Matrox Graphics Inc.

linux-3.10\firmware\WHENCE(743): Copyright 2000 Advanced Micro Devices, Inc.

linux-3.10\firmware\WHENCE(800): * Copyright 2007-2009 Advanced Micro Devices, Inc.

linux-3.10\firmware\WHENCE(832): * Copyright (c) 2007, 2008 QLogic Corporation. All rights reserved.

linux-3.10\firmware\WHENCE(89): Copyright (C) 2001 Qlogic Corporation
(www.qlogic.com)

linux-3.10\firmware\whiteheat.HEX(1058): *Copyright (C) 2000-2002 ConnectTech Inc
(http://www.connecttech.com/)

linux-3.10\firmware\whiteheat_loader.HEX(275): *Copyright (C)
2000-2002 ConnectTech Inc (http://www.connecttech.com/)

linux-3.10\firmware\whiteheat_loader_debug.HEX(364): *Copyright (C)
2000-2002 ConnectTech Inc (http://www.connecttech.com/)

linux-3.10\fs\9p\acl.c(2): * Copyright IBM Corporation, 2010

linux-3.10\fs\9p\acl.h(2): * Copyright IBM Corporation, 2010

linux-3.10\fs\9p\cache.c(4): *Copyright (C) 2009 by Abhishek Kulkarni
<adkulkar@umail.iu.edu>

linux-3.10\fs\9p\cache.h(4): *Copyright (C) 2009 by Abhishek Kulkarni
<adkulkar@umail.iu.edu>

linux-3.10\fs\9p\fid.c(4): *Copyright (C) 2007 by Latchesar Ionkov
<lucho@ionkov.net>

linux-3.10\fs\9p\fid.c(5): *Copyright (C) 2005, 2006 by Eric Van Hensbergen
<ericvh@gmail.com>

linux-3.10\fs\9p\fid.h(4): *Copyright (C) 2005 by Eric Van Hensbergen
<ericvh@gmail.com>

linux-3.10\fs\9p\v9fs.c(6): *Copyright (C) 2004-2008 by Eric Van Hensbergen
<ericvh@gmail.com>

linux-3.10\fs\9p\v9fs.c(7): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>

linux-3.10\fs\9p\v9fs.h(4): *Copyright (C) 2004-2008 by Eric Van Hensbergen
<ericvh@gmail.com>

linux-3.10\fs\9p\v9fs.h(5): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>

linux-3.10\fs\9p\v9fs_vfs.h(4): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>

linux-3.10\fs\9p\v9fs_vfs.h(5): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>

legal(ME)

linux-3.10\fs\9p\vfs_addr.c(6): *Copyright (C) 2005 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\fs\9p\vfs_addr.c(7): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\fs\9p\vfs_dentry.c(6): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\fs\9p\vfs_dentry.c(7): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\fs\9p\vfs_dir.c(6): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\fs\9p\vfs_dir.c(7): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\fs\9p\vfs_file.c(6): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\fs\9p\vfs_file.c(7): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\fs\9p\vfs_inode.c(6): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\fs\9p\vfs_inode.c(7): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\fs\9p\vfs_inode_dotl.c(6): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\fs\9p\vfs_inode_dotl.c(7): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\fs\9p\vfs_super.c(7): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\fs\9p\vfs_super.c(8): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\fs\9p\xattr.c(2): * Copyright IBM Corporation, 2010
linux-3.10\fs\9p\xattr.h(2): * Copyright IBM Corporation, 2010
linux-3.10\fs\9p\xattr_user.c(2): * Copyright IBM Corporation, 2010
linux-3.10\fs\adfs\dir.c(4): *Copyright (C) 1999-2000 Russell King
linux-3.10\fs\adfs\dir_f.c(4): * Copyright (C) 1997-1999 Russell King
linux-3.10\fs\adfs\dir_f.h(4): *Copyright (C) 1999 Russell King
linux-3.10\fs\adfs\dir_fplus.c(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\fs\adfs\dir_fplus.h(4): *Copyright (C) 1999 Russell King
linux-3.10\fs\adfs\file.c(18): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\adfs\file.c(4): * Copyright (C) 1997-1999 Russell King
linux-3.10\fs\adfs\file.c(9): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\adfs\inode.c(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\fs\adfs\map.c(4): *Copyright (C) 1997-2002 Russell King
linux-3.10\fs\adfs\super.c(4): *Copyright (C) 1997-1999 Russell King
linux-3.10\fs\affs\symlink.c(6): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\afs\afs.h(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\fs\afs\afs_cm.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\fs\afs\afs_fs.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\fs\afs\afs_vl.h(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\fs\afs\cache.c(3): * Copyright (C) 2008 Red Hat, Inc. All Rights

legal(ME)

Reserved.

linux-3.10\fs\afs\callback.c(2): * Copyright (c) 2002, 2007 Red Hat, Inc. All rights reserved.

linux-3.10\fs\afs\cell.c(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\cmservice.c(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\dir.c(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\file.c(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\flock.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\fsclient.c(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\inode.c(2): * Copyright (c) 2002 Red Hat, Inc. All rights reserved.

linux-3.10\fs\afs\internal.h(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\main.c(3): * Copyright (C) 2002,5 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\misc.c(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\mntpt.c(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\netdevices.c(3): * Copyright (c) 2007 Patrick McHardy <kaber@trash.net>

linux-3.10\fs\afs\proc.c(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\rxrpc.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\security.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\server.c(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\super.c(3): * Copyright (c) 2002, 2007 Red Hat, Inc. All rights reserved.

linux-3.10\fs\afs\vlclient.c(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\vlocation.c(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\vnode.c(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\volume.c(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\afs\write.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\aios.c(7): *Copyright 2000, 2001, 2002 Red Hat, Inc.All Rights Reserved.

linux-3.10\fs\anon_inodes.c(4): *Copyright (C) 2007Davide Libenzi <davidel@xmailserver.org>

linux-3.10\fs\attr.c(4): *Copyright (C) 1991, 1992Linus Torvalds

legal(ME)

linux-3.10\fs\autofs4\autofs_i.h(5): * Copyright 1997-1998 Transmeta Corporation
- All Rights Reserved
linux-3.10\fs\autofs4\autofs_i.h(6): * Copyright 2005-2006 Ian Kent
<raven@themaw.net>
linux-3.10\fs\autofs4\dev-ioctl.c(2): * Copyright 2008 Red Hat, Inc. All rights
reserved.
linux-3.10\fs\autofs4\dev-ioctl.c(3): * Copyright 2008 Ian Kent
<raven@themaw.net>
linux-3.10\fs\autofs4\expire.c(5): *Copyright 1997-1998 Transmeta Corporation --
All Rights Reserved
linux-3.10\fs\autofs4\expire.c(6): *Copyright 1999-2000 Jeremy Fitzhardinge
<jeremy@goop.org>
linux-3.10\fs\autofs4\expire.c(7): *Copyright 2001-2006 Ian Kent
<raven@themaw.net>
linux-3.10\fs\autofs4\init.c(5): *Copyright 1997-1998 Transmeta Corporation --
All Rights Reserved
linux-3.10\fs\autofs4\inode.c(5): *Copyright 1997-1998 Transmeta Corporation --
All Rights Reserved
linux-3.10\fs\autofs4\inode.c(6): *Copyright 2005-2006 Ian Kent
<raven@themaw.net>
linux-3.10\fs\autofs4\root.c(5): *Copyright 1997-1998 Transmeta Corporation --
All Rights Reserved
linux-3.10\fs\autofs4\root.c(6): *Copyright 1999-2000 Jeremy Fitzhardinge
<jeremy@goop.org>
linux-3.10\fs\autofs4\root.c(7): *Copyright 2001-2006 Ian Kent <raven@themaw.net>
linux-3.10\fs\autofs4\symlink.c(5): *Copyright 1997-1998 Transmeta Corporation --
All Rights Reserved
linux-3.10\fs\autofs4\waitq.c(5): *Copyright 1997-1998 Transmeta Corporation --
All Rights Reserved
linux-3.10\fs\autofs4\waitq.c(6): *Copyright 2001-2006 Ian Kent
<raven@themaw.net>
linux-3.10\fs\bad_inode.c(4): *Copyright (C) 1997, Stephen Tweedie
linux-3.10\fs\befs\befs.h(4): * Copyright (C) 2001-2002 Will Dyson
<will_dyson@pobox.com>
linux-3.10\fs\befs\befs.h(5): * Copyright (C) 1999 Makoto Kato
(m_kato@ga2.so-net.ne.jp)
linux-3.10\fs\befs\befs_fs_types.h(10): * Copyright (C) 1999 Makoto Kato
(m_kato@ga2.so-net.ne.jp)
linux-3.10\fs\befs\befs_fs_types.h(4): * Copyright (C) 2001 Will Dyson
(will@cs.earlham.edu)
linux-3.10\fs\befs\btree.c(4): * Copyright (C) 2001-2002 Will Dyson
<will_dyson@pobox.com>
linux-3.10\fs\befs\datastream.c(4): * Copyright (C) 2001 Will Dyson
<will_dyson@pobox.com>
linux-3.10\fs\befs\debug.c(4): * Copyright (C) 2001 Will Dyson (will_dyson at
pobox.com)
linux-3.10\fs\befs\debug.c(8): * Copyright (C) 1999Makoto Kato
(m_kato@ga2.so-net.ne.jp)
linux-3.10\fs\befs\endian.h(4): * Copyright (C) 2001 Will Dyson
<will_dyson@pobox.com>
linux-3.10\fs\befs\inode.c(4): * Copyright (C) 2001 Will Dyson
<will_dyson@pobox.com>

legal(ME)

linux-3.10\fs\befs\io.c(4): * Copyright (C) 2001 Will Dyson <will_dyson@pobox.com>
linux-3.10\fs\befs\linuxvfs.c(4): * Copyright (C) 2001 Will Dyson
<will_dyson@pobox.com>
linux-3.10\fs\befs\super.c(4): * Copyright (C) 2001-2002 Will Dyson
<will_dyson@pobox.com>
linux-3.10\fs\bfs\bfs.h(3): *Copyright (C) 1999 Tigran Aivazian
<tigran@veritas.com>
linux-3.10\fs\bfs\dir.c(4): *Copyright (C) 1999,2000Tigran Aivazian
<tigran@veritas.com>
linux-3.10\fs\bfs\file.c(4): *Copyright (C) 1999,2000 Tigran Aivazian
<tigran@veritas.com>
linux-3.10\fs\bfs\file.c(8): *Copyright (C) 2007 Dmitri Vorobiev
<dmitri.vorobiev@gmail.com>
linux-3.10\fs\bfs\inode.c(4): *Copyright (C) 1999-2006 Tigran Aivazian
<tigran@aivazian.fsnet.co.uk>
linux-3.10\fs\bfs\inode.c(5): *From fs/minix, Copyright (C) 1991, 1992 Linus
Torvalds.
linux-3.10\fs\binfmt_aout.c(4): *Copyright (C) 1991, 1992, 1996Linus Torvalds
linux-3.10\fs\binfmt_elf.c(9): * Copyright 1993, 1994: Eric Youngdale
(ericy@cais.com).
linux-3.10\fs\binfmt_elf_fdpic.c(3): * Copyright (C) 2003, 2004, 2006 Red Hat,
Inc. All Rights Reserved.
linux-3.10\fs\binfmt_em86.c(5): *Copyright (C) 1996Martin von L̄kaŵis
linux-3.10\fs\binfmt_em86.c(8): *em86 changes Copyright (C) 1997Jim Paradis
linux-3.10\fs\binfmt_flat.c(12): *Copyright (C) 1991, 1992, 1996Linus Torvalds
linux-3.10\fs\binfmt_flat.c(14): *Copyright (C) 1998Kenneth Albanowski
<kjahds@kjahds.com>
linux-3.10\fs\binfmt_flat.c(5): *Copyright (C) 2000-2003 David McCullough
<davidm@snapgear.com>
linux-3.10\fs\binfmt_flat.c(6): *Copyright (C) 2002 Greg Ungerer
<gerg@snapgear.com>
linux-3.10\fs\binfmt_flat.c(7): *Copyright (C) 2002 SnapGear, by Paul Dale
<pauli@snapgear.com>
linux-3.10\fs\binfmt_flat.c(8): *Copyright (C) 2000, 2001 Lineo, by David
McCullough <davidm@lineo.com>
linux-3.10\fs\binfmt_misc.c(4): *Copyright (C) 1997 Richard Ḡnther
linux-3.10\fs\binfmt_script.c(4): *Copyright (C) 1996Martin von L̄kaŵis
linux-3.10\fs\binfmt_som.c(7): * Copyright 1999 Matthew Wilcox <willy@bofh.ai>
linux-3.10\fs\binfmt_som.c(9): * Copyright 1993, 1994: Eric Youngdale
(ericy@cais.com).
linux-3.10\fs\bio.c(2): * Copyright (C) 2001 Jens Axboe <axboe@kernel.dk>
linux-3.10\fs\bio-integrity.c(4): * Copyright (C) 2007, 2008, 2009 Oracle
Corporation
linux-3.10\fs\block_dev.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\block_dev.c(5): *Copyright (C) 2001Andrea Arcangeli
<andrea@suse.de> SuSE
linux-3.10\fs\btrfs\acl.c(2): * Copyright (C) 2007 Red Hat.All rights reserved.
linux-3.10\fs\btrfs\async-thread.c(2): * Copyright (C) 2007 Oracle.All rights
reserved.
linux-3.10\fs\btrfs\async-thread.h(2): * Copyright (C) 2007 Oracle.All rights
reserved.
linux-3.10\fs\btrfs\backref.c(2): * Copyright (C) 2011 STRATO.All rights

legal(ME)

reserved.

linux-3.10\fs\btrfs\backref.h(2): * Copyright (C) 2011 STRATO.All rights reserved.

linux-3.10\fs\btrfs\btrfs_inode.h(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\check-integrity.c(2): * Copyright (C) STRATO AG 2011.All rights reserved.

linux-3.10\fs\btrfs\check-integrity.h(2): * Copyright (C) STRATO AG 2011.All rights reserved.

linux-3.10\fs\btrfs\compression.c(2): * Copyright (C) 2008 Oracle.All rights reserved.

linux-3.10\fs\btrfs\compression.h(2): * Copyright (C) 2008 Oracle.All rights reserved.

linux-3.10\fs\btrfs\ctree.c(2): * Copyright (C) 2007,2008 Oracle.All rights reserved.

linux-3.10\fs\btrfs\ctree.h(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\delayed-inode.c(2): * Copyright (C) 2011 Fujitsu.All rights reserved.

linux-3.10\fs\btrfs\delayed-inode.h(2): * Copyright (C) 2011 Fujitsu.All rights reserved.

linux-3.10\fs\btrfs\delayed-ref.c(2): * Copyright (C) 2009 Oracle.All rights reserved.

linux-3.10\fs\btrfs\delayed-ref.h(2): * Copyright (C) 2008 Oracle.All rights reserved.

linux-3.10\fs\btrfs\dev-replace.c(2): * Copyright (C) STRATO AG 2012.All rights reserved.

linux-3.10\fs\btrfs\dev-replace.h(2): * Copyright (C) STRATO AG 2012.All rights reserved.

linux-3.10\fs\btrfs\dir-item.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\disk-io.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\disk-io.h(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\extent-tree.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\file.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\file-item.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\free-space-cache.c(2): * Copyright (C) 2008 Red Hat.All rights reserved.

linux-3.10\fs\btrfs\free-space-cache.h(2): * Copyright (C) 2009 Oracle.All rights reserved.

linux-3.10\fs\btrfs\hash.h(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\inode.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\inode-item.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\inode-map.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\ioctl.c(2): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\btrfs\locking.c(2): * Copyright (C) 2008 Oracle.All rights reserved.

legal(ME)

linux-3.10\fs\btrfs\locking.h(2): * Copyright (C) 2008 Oracle.All rights reserved.
linux-3.10\fs\btrfs\lzo.c(2): * Copyright (C) 2008 Oracle.All rights reserved.
linux-3.10\fs\btrfs\math.h(3): * Copyright (C) 2012 Fujitsu.All rights reserved.
linux-3.10\fs\btrfs\ordered-data.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\ordered-data.h(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\orphan.c(2): * Copyright (C) 2008 Red Hat.All rights reserved.
linux-3.10\fs\btrfs\print-tree.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\print-tree.h(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\qgroup.c(2): * Copyright (C) 2011 STRATO.All rights reserved.
linux-3.10\fs\btrfs\raid56.c(2): * Copyright (C) 2012 Fusion-ioAll rights reserved.
linux-3.10\fs\btrfs\raid56.c(3): * Copyright (C) 2012 Intel Corp. All rights reserved.
linux-3.10\fs\btrfs\raid56.h(2): * Copyright (C) 2012 Fusion-ioAll rights reserved.
linux-3.10\fs\btrfs\raid56.h(3): * Copyright (C) 2012 Intel Corp. All rights reserved.
linux-3.10\fs\btrfs\rcu-string.h(2): * Copyright (C) 2012 Red Hat.All rights reserved.
linux-3.10\fs\btrfs\reada.c(2): * Copyright (C) 2011 STRATO.All rights reserved.
linux-3.10\fs\btrfs\relocation.c(2): * Copyright (C) 2009 Oracle.All rights reserved.
linux-3.10\fs\btrfs\root-tree.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\scrub.c(2): * Copyright (C) 2011, 2012 STRATO.All rights reserved.
linux-3.10\fs\btrfs\send.c(2): * Copyright (C) 2012 Alexander Block.All rights reserved.
linux-3.10\fs\btrfs\send.h(2): * Copyright (C) 2012 Alexander Block.All rights reserved.
linux-3.10\fs\btrfs\send.h(3): * Copyright (C) 2012 STRATO.All rights reserved.
linux-3.10\fs\btrfs\struct-funcs.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\super.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\sysfs.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\transaction.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\transaction.h(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\tree-defrag.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\tree-log.c(2): * Copyright (C) 2008 Oracle.All rights reserved.
linux-3.10\fs\btrfs\tree-log.h(2): * Copyright (C) 2008 Oracle.All rights reserved.
linux-3.10\fs\btrfs\ulist.c(2): * Copyright (C) 2011 STRATO AG

legal(ME)

linux-3.10\fs\btrfs\ulist.h(2): * Copyright (C) 2011 STRATO AG
linux-3.10\fs\btrfs\volumes.c(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\volumes.h(2): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\btrfs\xattr.c(2): * Copyright (C) 2007 Red Hat.All rights reserved.
linux-3.10\fs\btrfs\xattr.h(2): * Copyright (C) 2007 Red Hat.All rights reserved.
linux-3.10\fs\btrfs\zlib.c(19): * Copyright 2001-2007 Red Hat, Inc.
linux-3.10\fs\btrfs\zlib.c(2): * Copyright (C) 2008 Oracle.All rights reserved.
linux-3.10\fs\buffer.c(4): *Copyright (C) 1991, 1992, 2002Linus Torvalds
linux-3.10\fs\cachefiles\bind.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\daemon.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\interface.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\internal.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\key.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\main.c(4): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\namei.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\proc.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\rdwr.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\security.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\cachefiles\xattr.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\char_dev.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\cifs\asn1.c(5): * Copyright (c) 2000 RP Internet (www.rpi.net.au).
linux-3.10\fs\cifs\cache.c(4): * Copyright (c) 2010 Novell, Inc.
linux-3.10\fs\cifs\cifs_debug.c(4): * Copyright (C) International Business MachinesCorp., 2000,2005
linux-3.10\fs\cifs\cifs_debug.h(3): * Copyright (c) International Business MachinesCorp., 2000,2002
linux-3.10\fs\cifs\cifs_dfs_ref.c(5): * Copyright (c) 2007 Igor Mammedov
linux-3.10\fs\cifs\cifs_dfs_ref.c(6): * Copyright (C) International Business MachinesCorp., 2008
linux-3.10\fs\cifs\cifs_fs_sb.h(4): * Copyright (c) International Business MachinesCorp., 2002,2004
linux-3.10\fs\cifs\cifs_spnego.c(4): * Copyright (c) 2007 Red Hat, Inc.
linux-3.10\fs\cifs\cifs_spnego.h(4): * Copyright (c) 2007 Red Hat, Inc.
linux-3.10\fs\cifs\cifs_unicode.c(4): * Copyright (c) International Business MachinesCorp., 2000,2009
linux-3.10\fs\cifs\cifs_unicode.h(8): * Copyright (c) International Business MachinesCorp., 2000,2009
linux-3.10\fs\cifs\cifs_uniupr.h(2): * Copyright (c) International Business MachinesCorp., 2000,2002

legal(ME)

linux-3.10\fs\cifs\cifsacl.c(4): * Copyright (C) International Business MachinesCorp., 2007,2008
linux-3.10\fs\cifs\cifsacl.h(4): * Copyright (c) International Business MachinesCorp., 2007
linux-3.10\fs\cifs\cifscrypt.c(4): * Copyright (C) International Business MachinesCorp., 2005,2006
linux-3.10\fs\cifs\cifsfsc.c(4): * Copyright (C) International Business MachinesCorp., 2002,2008
linux-3.10\fs\cifs\cifsfsc.h(4): * Copyright (c) International Business MachinesCorp., 2002, 2007
linux-3.10\fs\cifs\cifsglob.h(4): * Copyright (C) International Business MachinesCorp., 2002,2008
linux-3.10\fs\cifs\cifspdu.h(4): * Copyright (c) International Business MachinesCorp., 2002,2009
linux-3.10\fs\cifs\cifspdu.h(4): * Copyright (c) International Business MachinesCorp., 2002,2008
linux-3.10\fs\cifs\cifssmb.c(4): * Copyright (C) International Business MachinesCorp., 2002,2010
linux-3.10\fs\cifs\connect.c(4): * Copyright (C) International Business MachinesCorp., 2002,2011
linux-3.10\fs\cifs\dir.c(6): * Copyright (C) International Business MachinesCorp., 2002,2009
linux-3.10\fs\cifs\dns_resolve.c(4): * Copyright (c) 2007 Igor Mammedov
linux-3.10\fs\cifs\dns_resolve.h(5): * Copyright (c) International Business MachinesCorp., 2008
linux-3.10\fs\cifs\export.c(4): * Copyright (C) International Business MachinesCorp., 2007
linux-3.10\fs\cifs\file.c(6): * Copyright (C) International Business MachinesCorp., 2002,2010
linux-3.10\fs\cifs\fsccache.c(4): * Copyright (c) 2010 Novell, Inc.
linux-3.10\fs\cifs\fsccache.h(4): * Copyright (c) 2010 Novell, Inc.
linux-3.10\fs\cifs\inode.c(4): * Copyright (C) International Business MachinesCorp., 2002,2010
linux-3.10\fs\cifs\ioctl.c(6): * Copyright (C) International Business MachinesCorp., 2005,2007
linux-3.10\fs\cifs\link.c(4): * Copyright (C) International Business MachinesCorp., 2002,2008
linux-3.10\fs\cifs\misc.c(4): * Copyright (C) International Business MachinesCorp., 2002,2008
linux-3.10\fs\cifs\netmisc.c(4): * Copyright (c) International Business MachinesCorp., 2002,2008
linux-3.10\fs\cifs\netmisc.c(8): * Copyright (C) Andrew Tridgell 2001
linux-3.10\fs\cifs\nterr.c(5): *Copyright (C) Luke Kenneth Casson Leighton 1997-2001.
linux-3.10\fs\cifs\nterr.h(5): Copyright (C) Andrew Tridgell1992-2000
linux-3.10\fs\cifs\nterr.h(6): Copyright (C) John H Terpstra1996-2000
linux-3.10\fs\cifs\nterr.h(7): Copyright (C) Luke Kenneth Casson Leighton 1996-2000
linux-3.10\fs\cifs\nterr.h(8): Copyright (C) Paul Ashton1998-2000
linux-3.10\fs\cifs\ntlmssp.h(4): * Copyright (c) International Business MachinesCorp., 2002,2007
linux-3.10\fs\cifs\readdir.c(6): * Copyright (C) International Business

legal(ME)

MachinesCorp., 2004, 2008
linux-3.10\fs\cifs\readdir.c(7): * Copyright (C) Red Hat, Inc., 2011
linux-3.10\fs\cifs\rfc1002pdu.h(6): * Copyright (c) International Business
MachinesCorp., 2004
linux-3.10\fs\cifs\sess.c(6): * Copyright (c) International Business
MachinesCorp., 2006, 2009
linux-3.10\fs\cifs\smb1ops.c(4): *Copyright (c) 2012, Jeff Layton
<jlayton@redhat.com>
linux-3.10\fs\cifs\smb2file.c(4): * Copyright (C) International Business
MachinesCorp., 2002, 2011
linux-3.10\fs\cifs\smb2glob.h(6): * Copyright (C) International Business
MachinesCorp., 2002, 2011
linux-3.10\fs\cifs\smb2inode.c(4): * Copyright (C) International Business
MachinesCorp., 2002, 2011
linux-3.10\fs\cifs\smb2maperror.c(6): * Copyright (C) International Business
MachinesCorp., 2009
linux-3.10\fs\cifs\smb2misc.c(4): * Copyright (C) International Business
MachinesCorp., 2002,2011
linux-3.10\fs\cifs\smb2ops.c(4): *Copyright (c) 2012, Jeff Layton
<jlayton@redhat.com>
linux-3.10\fs\cifs\smb2pdu.c(4): * Copyright (C) International Business
MachinesCorp., 2009, 2012
linux-3.10\fs\cifs\smb2pdu.h(4): * Copyright (c) International Business
MachinesCorp., 2009, 2010
linux-3.10\fs\cifs\smb2proto.h(4): * Copyright (c) International Business
MachinesCorp., 2002, 2011
linux-3.10\fs\cifs\smb2status.h(7): * Copyright (c) International Business
MachinesCorp., 2009,2011
linux-3.10\fs\cifs\smb2transport.c(4): * Copyright (C) International Business
MachinesCorp., 2002, 2011
linux-3.10\fs\cifs\smbencrypt.c(5): Copyright (C) Andrew Tridgell 1992-2000
linux-3.10\fs\cifs\smbencrypt.c(6): Copyright (C) Luke Kenneth Casson Leighton
1996-2000
linux-3.10\fs\cifs\smbencrypt.c(8): Copyright (C) Andrew Bartlett
<abartlet@samba.org> 2002-2003
linux-3.10\fs\cifs\smberr.h(4): * Copyright (c) International Business
MachinesCorp., 2002,2004
linux-3.10\fs\cifs\smbfsctl.h(4): * Copyright (c) International Business
MachinesCorp., 2002,2009
linux-3.10\fs\cifs\transport.c(4): * Copyright (C) International Business
MachinesCorp., 2002,2008
linux-3.10\fs\cifs\xattr.c(4): * Copyright (c) International Business
MachinesCorp., 2003, 2007
linux-3.10\fs\coda\coda_cache.h(3): * Copyright (C) 1989 - 1997 Carnegie Mellon
University
linux-3.10\fs\coda\coda_fs_i.h(4): *Copyright (C) 1998 Carnegie Mellon University
linux-3.10\fs\coda\inode.c(4): * Copyright (C) 1996 Peter J. Braam
<braam@maths.ox.ac.uk> and
linux-3.10\fs\coda\inode.c(8): * Copyright (C) Carnegie Mellon University
linux-3.10\fs\coda\psdev.c(17): *Copyright (c) 1997 Carnegie-Mellon University
linux-3.10\fs\coda\upcall.c(11): * Copyright (C) 1997 Carnegie Mellon University
linux-3.10\fs\coda\upcall.c(7): * Copyright (C) 1996 Peter J. Braam

legal(ME)

<braam@maths.ox.ac.uk>
linux-3.10\fs\compat.c(10): *Copyright (C) 2001,2002Andi Kleen, SuSE Labs
linux-3.10\fs\compat.c(11): *Copyright (C) 2003 Pavel Machek (pavel@ucw.cz)
linux-3.10\fs\compat.c(7): *Copyright (C) 2002 Stephen Rothwell, IBM Corporation
linux-3.10\fs\compat.c(8): *Copyright (C) 1997-2000Jakub
Jelinek(jakub@redhat.com)
linux-3.10\fs\compat.c(9): *Copyright (C) 1998 Eddie C. Dost(ecd@skynet.be)
linux-3.10\fs\compat_binfmt_elf.c(4): * Copyright (C) 2007 Red Hat, Inc.All
rights reserved.
linux-3.10\fs\compat_binfmt_elf.c(6): * This copyrighted material is made
available to anyone wishing to use,
linux-3.10\fs\compat_ioctl.c(4): * Copyright (C) 1997-2000Jakub
Jelinek(jakub@redhat.com)
linux-3.10\fs\compat_ioctl.c(5): * Copyright (C) 1998Eddie C. Dost(ecd@skynet.be)
linux-3.10\fs\compat_ioctl.c(6): * Copyright (C) 2001,2002Andi Kleen, SuSE Labs
linux-3.10\fs\compat_ioctl.c(7): * Copyright (C) 2003 Pavel Machek (pavel@ucw.cz)
linux-3.10\fs\configfs\configfs_internal.h(22): * sysfs is Copyright (C) 2001,
2002, 2003 Patrick Mochel
linux-3.10\fs\configfs\configfs_internal.h(24): * configfs Copyright (C) 2005
Oracle.All rights reserved.
linux-3.10\fs\configfs\dir.c(22): * sysfs is Copyright (C) 2001, 2002, 2003
Patrick Mochel
linux-3.10\fs\configfs\dir.c(24): * configfs Copyright (C) 2005 Oracle.All rights
reserved.
linux-3.10\fs\configfs\file.c(22): * sysfs is Copyright (C) 2001, 2002, 2003
Patrick Mochel
linux-3.10\fs\configfs\file.c(24): * configfs Copyright (C) 2005 Oracle.All
rights reserved.
linux-3.10\fs\configfs\inode.c(22): * sysfs is Copyright (C) 2001, 2002, 2003
Patrick Mochel
linux-3.10\fs\configfs\inode.c(24): * configfs Copyright (C) 2005 Oracle.All
rights reserved.
linux-3.10\fs\configfs\item.c(22): * kobject is Copyright (c) 2002-2003 Patrick
Mochel
linux-3.10\fs\configfs\item.c(24): * configfs Copyright (C) 2005 Oracle.All
rights reserved.
linux-3.10\fs\configfs\mount.c(22): * sysfs is Copyright (C) 2001, 2002, 2003
Patrick Mochel
linux-3.10\fs\configfs\mount.c(24): * configfs Copyright (C) 2005 Oracle.All
rights reserved.
linux-3.10\fs\configfs\symlink.c(22): * sysfs is Copyright (C) 2001, 2002, 2003
Patrick Mochel
linux-3.10\fs\configfs\symlink.c(24): * configfs Copyright (C) 2005 Oracle.All
rights reserved.
linux-3.10\fs\cramfs\inode.c(4): * Copyright (C) 1999 Linus Torvalds.
linux-3.10\fs\cramfs\uncompress.c(4): * (C) Copyright 1999 Linus Torvalds
linux-3.10\fs\dcookies.c(4): * Copyright 2002 John Levon
<levon@movementarian.org>
linux-3.10\fs\debugfs\file.c(4): *Copyright (C) 2004 Greg Kroah-Hartman
<greg@kroah.com>
linux-3.10\fs\debugfs\file.c(5): *Copyright (C) 2004 IBM Inc.
linux-3.10\fs\debugfs\inode.c(4): *Copyright (C) 2004 Greg Kroah-Hartman

legal(ME)

<greg@kroah.com>

linux-3.10\fs\debugfs\inode.c(5): *Copyright (C) 2004 IBM Inc.

linux-3.10\fs\devpts\inode.c(5): *Copyright 1998-2004 H. Peter Anvin -- All Rights Reserved

linux-3.10\fs\direct-io.c(4): * Copyright (C) 2002, Linus Torvalds.

linux-3.10\fs\dml\ast.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\fs\dml\ast.c(5):**Copyright (C) 2004-2010 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\ast.c(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dml\ast.h(4):**Copyright (C) 2005-2010 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\ast.h(6):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dml\config.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\fs\dml\config.c(5):**Copyright (C) 2004-2011 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\config.c(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dml\config.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\fs\dml\config.h(5):**Copyright (C) 2004-2011 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\config.h(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dml\debug_fs.c(4):**Copyright (C) 2005-2009 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\debug_fs.c(6):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dml\dir.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\fs\dml\dir.c(5):**Copyright (C) 2004-2005 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\dir.c(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dml\dir.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\fs\dml\dir.h(5):**Copyright (C) 2004-2005 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\dir.h(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dml\dml_internal.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\fs\dml\dml_internal.h(5):**Copyright (C) 2004-2011 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\dml_internal.h(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dml\lock.c(4):**Copyright (C) 2005-2010 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dml\lock.c(6):**This copyrighted material is made available to

legal(ME)

anyone wishing to use,
linux-3.10\fs\dlm\lock.h(4):**Copyright (C) 2005-2007 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\lock.h(6):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\lockspace.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\lockspace.c(5):**Copyright (C) 2004-2011 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\lockspace.c(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\lockspace.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\lockspace.h(5):**Copyright (C) 2004-2005 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\lockspace.h(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\lowcomms.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\lowcomms.c(5):**Copyright (C) 2004-2009 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\lowcomms.c(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\lowcomms.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\lowcomms.h(5):**Copyright (C) 2004-2009 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\lowcomms.h(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\lrb_table.h(4):**Copyright (C) 2005 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\lrb_table.h(6):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\main.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\main.c(5):**Copyright (C) 2004-2007 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\main.c(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\member.c(4):**Copyright (C) 2005-2011 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\member.c(6):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\member.h(4):**Copyright (C) 2005-2011 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\member.h(6):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\memory.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\memory.c(5):**Copyright (C) 2004-2007 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\memory.c(7):**This copyrighted material is made available to

legal(ME)

anyone wishing to use,
linux-3.10\fs\dlm\memory.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\memory.h(5):**Copyright (C) 2004-2007 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\memory.h(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\midcomms.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\midcomms.c(5):**Copyright (C) 2004-2008 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\midcomms.c(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\midcomms.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\midcomms.h(5):**Copyright (C) 2004-2005 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\midcomms.h(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\netlink.c(2): * Copyright (C) 2007 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\netlink.c(4): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\plock.c(2): * Copyright (C) 2005-2008 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\plock.c(4): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\rcom.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\rcom.c(5):**Copyright (C) 2005-2008 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\rcom.c(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\rcom.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\rcom.h(5):**Copyright (C) 2005-2007 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\rcom.h(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\recover.c(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\recover.c(5):**Copyright (C) 2004-2005 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\recover.c(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\recover.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.
linux-3.10\fs\dlm\recover.h(5):**Copyright (C) 2004-2005 Red Hat, Inc.All rights reserved.
linux-3.10\fs\dlm\recover.h(7):**This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\dlm\recoverd.c(4):**Copyright (C) Sistina Software,

legal(ME)

Inc.1997-2003All rights reserved.

linux-3.10\fs\dlm\recoverd.c(5):**Copyright (C) 2004-2011 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dlm\recoverd.c(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dlm\recoverd.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\fs\dlm\recoverd.h(5):**Copyright (C) 2004-2005 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dlm\recoverd.h(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dlm\requestqueue.c(4):**Copyright (C) 2005-2007 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dlm\requestqueue.c(6):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dlm\requestqueue.h(4):**Copyright (C) 2005-2007 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dlm\requestqueue.h(6):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dlm\user.c(2): * Copyright (C) 2006-2010 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dlm\user.c(4): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dlm\user.h(2): * Copyright (C) 2006-2010 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dlm\user.h(4): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dlm\util.c(4):**Copyright (C) 2005-2008 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dlm\util.c(6):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\dlm\util.h(4):**Copyright (C) 2005 Red Hat, Inc.All rights reserved.

linux-3.10\fs\dlm\util.h(6):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\ecryptfs\crypto.c(4): * Copyright (C) 1997-2004 Erez Zadok

linux-3.10\fs\ecryptfs\crypto.c(5): * Copyright (C) 2001-2004 Stony Brook University

linux-3.10\fs\ecryptfs\crypto.c(6): * Copyright (C) 2004-2007 International Business Machines Corp.

linux-3.10\fs\ecryptfs\debug.c(5): * Copyright (C) 2006 International Business Machines Corp.

linux-3.10\fs\ecryptfs\dentry.c(4): * Copyright (C) 1997-2003 Erez Zadok

linux-3.10\fs\ecryptfs\dentry.c(5): * Copyright (C) 2001-2003 Stony Brook University

linux-3.10\fs\ecryptfs\dentry.c(6): * Copyright (C) 2004-2006 International Business Machines Corp.

linux-3.10\fs\ecryptfs\ecryptfs_kernel.h(5): * Copyright (C) 1997-2003 Erez Zadok

linux-3.10\fs\ecryptfs\ecryptfs_kernel.h(6): * Copyright (C) 2001-2003 Stony Brook University

linux-3.10\fs\ecryptfs\ecryptfs_kernel.h(7): * Copyright (C) 2004-2008 International Business Machines Corp.

```

                                legal(ME)
linux-3.10\fs\ecryptfs\file.c(4): * Copyright (C) 1997-2004 Erez Zadok
linux-3.10\fs\ecryptfs\file.c(5): * Copyright (C) 2001-2004 Stony Brook
University
linux-3.10\fs\ecryptfs\file.c(6): * Copyright (C) 2004-2007 International
Business Machines Corp.
linux-3.10\fs\ecryptfs\inode.c(4): * Copyright (C) 1997-2004 Erez Zadok
linux-3.10\fs\ecryptfs\inode.c(5): * Copyright (C) 2001-2004 Stony Brook
University
linux-3.10\fs\ecryptfs\inode.c(6): * Copyright (C) 2004-2007 International
Business Machines Corp.
linux-3.10\fs\ecryptfs\keystore.c(7): * Copyright (C) 2004-2006 International
Business Machines Corp.
linux-3.10\fs\ecryptfs\kthread.c(4): * Copyright (C) 2008 International Business
Machines Corp.
linux-3.10\fs\ecryptfs\main.c(4): * Copyright (C) 1997-2003 Erez Zadok
linux-3.10\fs\ecryptfs\main.c(5): * Copyright (C) 2001-2003 Stony Brook
University
linux-3.10\fs\ecryptfs\main.c(6): * Copyright (C) 2004-2007 International
Business Machines Corp.
linux-3.10\fs\ecryptfs\messaging.c(4): * Copyright (C) 2004-2008 International
Business Machines Corp.
linux-3.10\fs\ecryptfs\miscdev.c(4): * Copyright (C) 2008 International Business
Machines Corp.
linux-3.10\fs\ecryptfs\mmap.c(7): * Copyright (C) 1997-2003 Erez Zadok
linux-3.10\fs\ecryptfs\mmap.c(8): * Copyright (C) 2001-2003 Stony Brook
University
linux-3.10\fs\ecryptfs\mmap.c(9): * Copyright (C) 2004-2007 International
Business Machines Corp.
linux-3.10\fs\ecryptfs\read_write.c(4): * Copyright (C) 2007 International
Business Machines Corp.
linux-3.10\fs\ecryptfs\super.c(4): * Copyright (C) 1997-2003 Erez Zadok
linux-3.10\fs\ecryptfs\super.c(5): * Copyright (C) 2001-2003 Stony Brook
University
linux-3.10\fs\ecryptfs\super.c(6): * Copyright (C) 2004-2006 International
Business Machines Corp.
linux-3.10\fs\efivarfs\file.c(2): * Copyright (C) 2012 Red Hat, Inc.
linux-3.10\fs\efivarfs\file.c(3): * Copyright (C) 2012 Jeremy Kerr
<jeremy.kerr@canonical.com>
linux-3.10\fs\efivarfs\inode.c(2): * Copyright (C) 2012 Red Hat, Inc.
linux-3.10\fs\efivarfs\inode.c(3): * Copyright (C) 2012 Jeremy Kerr
<jeremy.kerr@canonical.com>
linux-3.10\fs\efivarfs\internal.h(2): * Copyright (C) 2012 Red Hat, Inc.
linux-3.10\fs\efivarfs\internal.h(3): * Copyright (C) 2012 Jeremy Kerr
<jeremy.kerr@canonical.com>
linux-3.10\fs\efivarfs\super.c(2): * Copyright (C) 2012 Red Hat, Inc.
linux-3.10\fs\efivarfs\super.c(3): * Copyright (C) 2012 Jeremy Kerr
<jeremy.kerr@canonical.com>
linux-3.10\fs\efs\dir.c(4): * Copyright (c) 1999 Al Smith
linux-3.10\fs\efs\efs.h(2): * Copyright (c) 1999 Al Smith
linux-3.10\fs\efs\file.c(4): * Copyright (c) 1999 Al Smith
linux-3.10\fs\efs\inode.c(4): * Copyright (c) 1999 Al Smith
linux-3.10\fs\efs\namei.c(4): * Copyright (c) 1999 Al Smith

```

legal(ME)

linux-3.10\fs\efs\super.c(4): * Copyright (c) 1999 Al Smith
linux-3.10\fs\efs\symlink.c(4): * Copyright (c) 1999 Al Smith
linux-3.10\fs\eventfd.c(4): *Copyright (C) 2007Davide Libenzi
<davidel@xmailserver.org>
linux-3.10\fs\eventpoll.c(3): *Copyright (C) 2001,...,2009 Davide Libenzi
linux-3.10\fs\exec.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\common.h(10): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\exofs\common.h(16): * Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\common.h(4): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\common.h(6): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\common.h(9): * Copyrights for code taken from ext2:
linux-3.10\fs\exofs\dir.c(14): * Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\dir.c(2): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\dir.c(4): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\dir.c(7): * Copyrights for code taken from ext2:
linux-3.10\fs\exofs\dir.c(8): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\exofs\exofs.h(14): * Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\exofs.h(2): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\exofs.h(4): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\exofs.h(7): * Copyrights for code taken from ext2:
linux-3.10\fs\exofs\exofs.h(8): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\exofs\file.c(14): * Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\file.c(2): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\file.c(4): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\file.c(7): * Copyrights for code taken from ext2:
linux-3.10\fs\exofs\file.c(8): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\exofs\inode.c(14): * Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\inode.c(2): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\inode.c(4): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\inode.c(7): * Copyrights for code taken from ext2:
linux-3.10\fs\exofs\inode.c(8): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\exofs\Kbuild(4):# Copyright (C) 2008 Panasas Inc.All rights reserved.
linux-3.10\fs\exofs\namei.c(14): * Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\namei.c(2): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\namei.c(4): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\namei.c(7): * Copyrights for code taken from ext2:
linux-3.10\fs\exofs\namei.c(8): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\exofs\ore.c(2): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\ore.c(4): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\ore_raid.c(2): * Copyright (C) 2011
linux-3.10\fs\exofs\ore_raid.h(2): * Copyright (C) from 2011
linux-3.10\fs\exofs\super.c(14): * Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\super.c(2): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\super.c(4): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\super.c(7): * Copyrights for code taken from ext2:
linux-3.10\fs\exofs\super.c(8): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\exofs\symlink.c(14): * Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\exofs\symlink.c(2): * Copyright (C) 2005, 2006
linux-3.10\fs\exofs\symlink.c(4): * Copyright (C) 2008, 2009
linux-3.10\fs\exofs\symlink.c(7): * Copyrights for code taken from ext2:
linux-3.10\fs\exofs\symlink.c(8): * Copyright (C) 1992, 1993, 1994, 1995

legal(ME)

linux-3.10\fs\exofs\sys.c(2): * Copyright (C) 2012
linux-3.10\fs\exportfs\expfs.c(2): * Copyright (C) Neil Brown 2002
linux-3.10\fs\exportfs\expfs.c(3): * Copyright (C) Christoph Hellwig 2007
linux-3.10\fs\ext2\acl.c(4): * Copyright (C) 2001-2003 Andreas Gruenbacher,
<agruen@suse.de>
linux-3.10\fs\ext2\balloc.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\dir.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext2\dir.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\ext2.h(11): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext2\ext2.h(2): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\file.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext2\file.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\ialloc.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\inode.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext2\inode.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\ioctl.c(4): * Copyright (C) 1993, 1994, 1995
linux-3.10\fs\ext2\namei.c(18): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\namei.c(27): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext2\super.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext2\super.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\symlink.c(15): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext2\symlink.c(6): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext2\xattr.c(4): * Copyright (C) 2001-2003 Andreas Gruenbacher
<agruen@suse.de>
linux-3.10\fs\ext2\xattr.c(9): * xattr consolidation Copyright (c) 2004 James
Morris <jmorris@redhat.com>,
linux-3.10\fs\ext2\xattr_trusted.c(5): * Copyright (C) 2003 by Andreas
Gruenbacher, <a.gruenbacher@computer.org>
linux-3.10\fs\ext2\xattr_user.c(5): * Copyright (C) 2001 by Andreas Gruenbacher,
<a.gruenbacher@computer.org>
linux-3.10\fs\ext2\xip.c(4): * Copyright (C) 2005 IBM Corporation
linux-3.10\fs\ext2\xip.h(4): * Copyright (C) 2005 IBM Corporation
linux-3.10\fs\ext3\acl.c(4): * Copyright (C) 2001-2003 Andreas Gruenbacher,
<agruen@suse.de>
linux-3.10\fs\ext3\balloc.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\bitmap.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\dir.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext3\dir.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\ext3.h(10): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\ext3.h(19): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext3\ext3.h(4): * Copyright 1998--1999 Red Hat corp --- All Rights
Reserved
linux-3.10\fs\ext3\file.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext3\file.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\fsync.c(10): *linux/fs/minix/truncate.c Copyright (C) 1991,
1992Linus Torvalds
linux-3.10\fs\ext3\fsync.c(4): *Copyright (C) 1993Stephen Tweedie
(sct@redhat.com)
linux-3.10\fs\ext3\fsync.c(6): *Copyright (C) 1992Remy Card (card@masi.ibp.fr)
linux-3.10\fs\ext3\hash.c(4): * Copyright (C) 2002 by Theodore Ts'o
linux-3.10\fs\ext3\ialloc.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\inode.c(13): *Copyright (C) 1991, 1992Linus Torvalds

legal(ME)

linux-3.10\fs\ext3\inode.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\ioctl.c(4): * Copyright (C) 1993, 1994, 1995
linux-3.10\fs\ext3\namei.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext3\namei.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\namei.h(3): * Copyright (C) 2005 Simtec Electronics
linux-3.10\fs\ext3\resize.c(6): * Copyright (C) 2001, 2002 Andreas Dilger
<adilger@clusterfs.com>
linux-3.10\fs\ext3\super.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext3\super.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\symlink.c(15): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext3\symlink.c(6): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext3\xattr.c(10): * xattr consolidation Copyright (c) 2004 James
Morris <jmorris@redhat.com>,
linux-3.10\fs\ext3\xattr.c(4): * Copyright (C) 2001-2003 Andreas Gruenbacher,
<agruen@suse.de>
linux-3.10\fs\ext3\xattr_trusted.c(5): * Copyright (C) 2003 by Andreas
Gruenbacher, <a.gruenbacher@computer.org>
linux-3.10\fs\ext3\xattr_user.c(5): * Copyright (C) 2001 by Andreas Gruenbacher,
<a.gruenbacher@computer.org>
linux-3.10\fs\ext4\acl.c(4): * Copyright (C) 2001-2003 Andreas Gruenbacher,
<agruen@suse.de>
linux-3.10\fs\ext4\ballocc.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\bitmap.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\block_validity.c(4): * Copyright (C) 2009
linux-3.10\fs\ext4\dir.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext4\dir.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\ext4.h(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext4\ext4.h(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\ext4_extents.h(2): * Copyright (c) 2003-2006, Cluster File
Systems, Inc, info@clusterfs.com
linux-3.10\fs\ext4\ext4_jbd2.h(6): * Copyright 1998--1999 Red Hat corp --- All
Rights Reserved
linux-3.10\fs\ext4\extents.c(2): * Copyright (c) 2003-2006, Cluster File Systems,
Inc, info@clusterfs.com
linux-3.10\fs\ext4\extents.c(6): * Copyright (c) 2005, Bull S.A.
linux-3.10\fs\ext4\file.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext4\file.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\fsync.c(10): *linux/fs/minix/truncate.c Copyright (C) 1991,
1992Linus Torvalds
linux-3.10\fs\ext4\fsync.c(4): *Copyright (C) 1993Stephen Tweedie
(sct@redhat.com)
linux-3.10\fs\ext4\fsync.c(6): *Copyright (C) 1992Remy Card (card@masi.ibp.fr)
linux-3.10\fs\ext4\hash.c(4): * Copyright (C) 2002 by Theodore Ts'o
linux-3.10\fs\ext4\iallocc.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\indirect.c(17): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext4\indirect.c(8): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\inline.c(2): * Copyright (c) 2012 Taobao.
linux-3.10\fs\ext4\inode.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext4\inode.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\ioctl.c(4): * Copyright (C) 1993, 1994, 1995
linux-3.10\fs\ext4\mballocc.c(2): * Copyright (c) 2003-2006, Cluster File Systems,
Inc, info@clusterfs.com

legal(ME)

linux-3.10\fs\ext4\migrate.c(2): * Copyright IBM Corporation, 2007
linux-3.10\fs\ext4\move_extent.c(2): * Copyright (c) 2008,2009 NEC Software Tohoku, Ltd.
linux-3.10\fs\ext4\namei.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext4\namei.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\resize.c(6): * Copyright (C) 2001, 2002 Andreas Dilger <adilger@clusterfs.com>
linux-3.10\fs\ext4\super.c(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext4\super.c(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\symlink.c(15): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ext4\symlink.c(6): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ext4\xattr.c(10): * xattr consolidation Copyright (c) 2004 James Morris <jmorris@redhat.com>,
linux-3.10\fs\ext4\xattr.c(4): * Copyright (C) 2001-2003 Andreas Gruenbacher, <agruen@suse.de>
linux-3.10\fs\ext4\xattr_trusted.c(5): * Copyright (C) 2003 by Andreas Gruenbacher, <a.gruenbacher@computer.org>
linux-3.10\fs\ext4\xattr_user.c(5): * Copyright (C) 2001 by Andreas Gruenbacher, <a.gruenbacher@computer.org>
linux-3.10\fs\f2fs\acl.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\acl.c(9): * Copyright (C) 2001-2003 Andreas Gruenbacher, <agruen@suse.de>
linux-3.10\fs\f2fs\acl.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\acl.h(9): * Copyright (C) 2001-2003 Andreas Gruenbacher, <agruen@suse.de>
linux-3.10\fs\f2fs\checkpoint.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\data.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\debug.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\debug.c(6): * Copyright (c) 2012 Linux Foundation
linux-3.10\fs\f2fs\debug.c(7): * Copyright (c) 2012 Greg Kroah-Hartman <gregkh@linuxfoundation.org>
linux-3.10\fs\f2fs\dir.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\f2fs.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\file.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\gc.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\gc.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\hash.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\hash.c(9): * Copyright (C) 2002 by Theodore Ts'o
linux-3.10\fs\f2fs\inode.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\namei.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\node.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\node.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\recovery.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\segment.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\segment.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\super.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\xattr.c(14): * xattr consolidation Copyright (c) 2004 James Morris <jmorris@redhat.com>,

legal(ME)

linux-3.10\fs\f2fs\xattr.c(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\f2fs\xattr.c(9): * Copyright (C) 2001-2003 Andreas Gruenbacher
<agruen@suse.de>
linux-3.10\fs\f2fs\xattr.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\fs\fat\fatent.c(2): * Copyright (C) 2004, OGAWA Hirofumi
linux-3.10\fs\fat\namei_vfat.c(7): *by Gordon Chaffee Copyright (C) 1995.Send bug
reports for the
linux-3.10\fs\fcntl.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\file.c(4): *Copyright (C) 1998-1999, Stephen Tweedie and Bill Hawes
linux-3.10\fs\file_table.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\file_table.c(5): *Copyright (C) 1997 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\fs\filesystems.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\freevxfs\vxfs.h(2): * Copyright (c) 2000-2001 Christoph Hellwig.
linux-3.10\fs\freevxfs\vxfs_bmap.c(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_dir.h(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_extern.h(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_fshead.c(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_fshead.h(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_immed.c(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_inode.c(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_inode.h(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_lookup.c(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_olt.c(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_olt.h(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_subr.c(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\freevxfs\vxfs_super.c(2): * Copyright (c) 2000-2001 Christoph
Hellwig.
linux-3.10\fs\fscache\cache.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\fs\fscache\cookie.c(3): * Copyright (C) 2004-2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\fs\fscache\fsdef.c(3): * Copyright (C) 2004-2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\fs\fscache\histogram.c(3): * Copyright (C) 2008 Red Hat, Inc. All
Rights Reserved.
linux-3.10\fs\fscache\internal.h(3): * Copyright (C) 2004-2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\fs\fscache\main.c(3): * Copyright (C) 2004-2007 Red Hat, Inc. All
Rights Reserved.

legal(ME)

linux-3.10\fs\fsocache\netfs.c(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\fsocache\object.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\fsocache\object-list.c(3): * Copyright (C) 2009 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\fsocache\operation.c(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\fsocache\page.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\fsocache\proc.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\fsocache\stats.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\fs-writeback.c(4): * Copyright (C) 2002, Linus Torvalds.
linux-3.10\fs\fuse\control.c(3): Copyright (C) 2001-2008 Miklos Szeredi <miklos@szeredi.hu>
linux-3.10\fs\fuse\cuse.c(4): * Copyright (C) 2008-2009 SUSE Linux Products GmbH
linux-3.10\fs\fuse\cuse.c(5): * Copyright (C) 2008-2009 Tejun Heo <tj@kernel.org>
linux-3.10\fs\fuse\dev.c(3): Copyright (C) 2001-2008 Miklos Szeredi <miklos@szeredi.hu>
linux-3.10\fs\fuse\dir.c(3): Copyright (C) 2001-2008 Miklos Szeredi <miklos@szeredi.hu>
linux-3.10\fs\fuse\file.c(3): Copyright (C) 2001-2008 Miklos Szeredi <miklos@szeredi.hu>
linux-3.10\fs\fuse\fuse_i.h(3): Copyright (C) 2001-2008 Miklos Szeredi <miklos@szeredi.hu>
linux-3.10\fs\fuse\inode.c(3): Copyright (C) 2001-2008 Miklos Szeredi <miklos@szeredi.hu>
linux-3.10\fs\gfs2\acl.c(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\acl.c(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\acl.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\acl.h(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\acl.h(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\acl.h(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\aops.c(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\aops.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\aops.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\bmap.c(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\bmap.c(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\bmap.c(5): * This copyrighted material is made available to

legal(ME)

anyone wishing to use,

linux-3.10\fs\gfs2\bmap.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\bmap.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\bmap.h(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\dentry.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\dentry.c(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\dentry.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\dir.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\dir.c(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\dir.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\dir.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\dir.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\dir.h(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\export.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\export.c(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\export.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\file.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\file.c(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\file.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\gfs2.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\gfs2.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\gfs2.h(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\glock.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\glock.c(3): * Copyright (C) 2004-2008 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\glock.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\glock.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\glock.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

legal(ME)

reserved.

linux-3.10\fs\gfs2\glock.h(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\glops.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\glops.c(3): * Copyright (C) 2004-2008 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\glops.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\glops.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\glops.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\glops.h(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\incore.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\incore.h(3): * Copyright (C) 2004-2008 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\incore.h(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\inode.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\inode.c(3): * Copyright (C) 2004-2011 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\inode.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\inode.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\inode.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\inode.h(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\lock_dlm.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\lock_dlm.c(3): * Copyright 2004-2011 Red Hat, Inc.

linux-3.10\fs\gfs2\lock_dlm.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\log.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\log.c(3): * Copyright (C) 2004-2007 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\log.c(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\log.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

linux-3.10\fs\gfs2\log.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.

linux-3.10\fs\gfs2\log.h(5): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\fs\gfs2\lops.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.

legal(ME)

linux-3.10\fs\gfs2\lops.c(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\lops.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\lops.h(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\lops.h(3): * Copyright (C) 2004-2008 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\lops.h(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\main.c(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\main.c(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\main.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\meta_io.c(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\meta_io.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\meta_io.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\meta_io.h(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\meta_io.h(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\meta_io.h(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\ops_fstype.c(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\ops_fstype.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\ops_fstype.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\quota.c(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\quota.c(3): * Copyright (C) 2004-2007 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\quota.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\quota.h(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\quota.h(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\quota.h(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\recovery.c(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\fs\gfs2\recovery.c(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\fs\gfs2\recovery.c(5): * This copyrighted material is made available to anyone wishing to use,

legal(ME)

linux-3.10\fs\gfs2\recovery.h(2): * Copyright (C) Sistina Software, Inc.1997-2003
All rights reserved.
linux-3.10\fs\gfs2\recovery.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All
rights reserved.
linux-3.10\fs\gfs2\recovery.h(5): * This copyrighted material is made available
to anyone wishing to use,
linux-3.10\fs\gfs2\rgrp.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All
rights reserved.
linux-3.10\fs\gfs2\rgrp.c(3): * Copyright (C) 2004-2008 Red Hat, Inc.All rights
reserved.
linux-3.10\fs\gfs2\rgrp.c(5): * This copyrighted material is made available to
anyone wishing to use,
linux-3.10\fs\gfs2\rgrp.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All
rights reserved.
linux-3.10\fs\gfs2\rgrp.h(3): * Copyright (C) 2004-2008 Red Hat, Inc.All rights
reserved.
linux-3.10\fs\gfs2\rgrp.h(5): * This copyrighted material is made available to
anyone wishing to use,
linux-3.10\fs\gfs2\super.c(2): * Copyright (C) Sistina Software, Inc.1997-2003
All rights reserved.
linux-3.10\fs\gfs2\super.c(3): * Copyright (C) 2004-2007 Red Hat, Inc.All rights
reserved.
linux-3.10\fs\gfs2\super.c(5): * This copyrighted material is made available to
anyone wishing to use,
linux-3.10\fs\gfs2\super.h(2): * Copyright (C) Sistina Software, Inc.1997-2003
All rights reserved.
linux-3.10\fs\gfs2\super.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights
reserved.
linux-3.10\fs\gfs2\super.h(5): * This copyrighted material is made available to
anyone wishing to use,
linux-3.10\fs\gfs2\sys.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All
rights reserved.
linux-3.10\fs\gfs2\sys.c(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights
reserved.
linux-3.10\fs\gfs2\sys.c(5): * This copyrighted material is made available to
anyone wishing to use,
linux-3.10\fs\gfs2\sys.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All
rights reserved.
linux-3.10\fs\gfs2\sys.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights
reserved.
linux-3.10\fs\gfs2\sys.h(5): * This copyrighted material is made available to
anyone wishing to use,
linux-3.10\fs\gfs2\trans.c(2): * Copyright (C) Sistina Software, Inc.1997-2003
All rights reserved.
linux-3.10\fs\gfs2\trans.c(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights
reserved.
linux-3.10\fs\gfs2\trans.c(5): * This copyrighted material is made available to
anyone wishing to use,
linux-3.10\fs\gfs2\trans.h(2): * Copyright (C) Sistina Software, Inc.1997-2003
All rights reserved.
linux-3.10\fs\gfs2\trans.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights
reserved.

legal(ME)

linux-3.10\fs\gfs2\trans.h(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\util.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.
linux-3.10\fs\gfs2\util.c(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.
linux-3.10\fs\gfs2\util.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\util.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.
linux-3.10\fs\gfs2\util.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.
linux-3.10\fs\gfs2\util.h(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\xattr.c(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.
linux-3.10\fs\gfs2\xattr.c(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.
linux-3.10\fs\gfs2\xattr.c(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\gfs2\xattr.h(2): * Copyright (C) Sistina Software, Inc.1997-2003 All rights reserved.
linux-3.10\fs\gfs2\xattr.h(3): * Copyright (C) 2004-2006 Red Hat, Inc.All rights reserved.
linux-3.10\fs\gfs2\xattr.h(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\fs\hfs\bfind.c(4): * Copyright (C) 2001
linux-3.10\fs\hfs\bitmap.c(4): * Copyright (C) 1996-1997Paul H. Hargrove
linux-3.10\fs\hfs\bitmap.c(8): * Based on GPLed code Copyright (C) 1995Michael Dreher
linux-3.10\fs\hfs\bnode.c(4): * Copyright (C) 2001
linux-3.10\fs\hfs\brec.c(4): * Copyright (C) 2001
linux-3.10\fs\hfs\btrees.c(4): * Copyright (C) 2001
linux-3.10\fs\hfs\btrees.h(4): * Copyright (C) 2001
linux-3.10\fs\hfs\catalog.c(11): * linux/fs/inode.c Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\hfs\catalog.c(12): * re-shamelessly stolen Copyright (C) 1997 Linus Torvalds
linux-3.10\fs\hfs\catalog.c(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\dir.c(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\extent.c(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\hfs.h(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\hfs_fs.h(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\inode.c(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\mdb.c(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\part_tbl.c(4): * Copyright (C) 1996-1997Paul H. Hargrove
linux-3.10\fs\hfs\string.c(11): * The code in this file is derived from code which is copyright
linux-3.10\fs\hfs\string.c(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\super.c(4): * Copyright (C) 1995-1997Paul H. Hargrove
linux-3.10\fs\hfs\sysdep.c(4): * Copyright (C) 1996Paul H. Hargrove
linux-3.10\fs\hfs\trans.c(4): * Copyright (C) 1995-1997Paul H. Hargrove

```

                                legal(ME)
linux-3.10\fs\hfsplus\bfind.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\bitmap.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\bnode.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\brec.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\btree.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\catalog.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\dir.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\extents.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\hfsplus_fs.h(4): * Copyright (C) 1999
linux-3.10\fs\hfsplus\hfsplus_raw.h(4): * Copyright (C) 1999
linux-3.10\fs\hfsplus\inode.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\ioctl.c(4): * Copyright (C) 2003
linux-3.10\fs\hfsplus\ioctl.c(7): * Copyright (C) 1993, 1994, 1995
linux-3.10\fs\hfsplus\options.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\part_tbl.c(4): * Copyright (C) 1996-1997Paul H. Hargrove
linux-3.10\fs\hfsplus\super.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\unicode.c(4): * Copyright (C) 2001
linux-3.10\fs\hfsplus\wrapper.c(4): * Copyright (C) 2001
linux-3.10\fs\hostfs\hostfs_kern.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\fs\hostfs\hostfs_user.c(2): * Copyright (C) 2000 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\fs\hostfs\Makefile(2):# Copyright (C) 2000 Jeff Dike
(jdike@karaya.com)
linux-3.10\fs\hppfs\hppfs.c(2): * Copyright (C) 2002 - 2007 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\fs\hppfs\Makefile(2):# Copyright (C) 2002 - 2008 Jeff Dike
(jdike@{addtoit,linux.intel}.com)
linux-3.10\fs\hugetlbfs\inode.c(6): * Copyright (C) 2002 Linus Torvalds.
linux-3.10\fs\internal.h(3): * Copyright (C) 2006 Red Hat, Inc. All Rights
Reserved.
linux-3.10\fs\ioctl.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ioprio.c(4): * Copyright (C) 2004 Jens Axboe <axboe@kernel.dk>
linux-3.10\fs\isofs\compress.c(3): * Copyright 2001 H. Peter Anvin - All Rights
Reserved
linux-3.10\fs\isofs\zisofs.h(3): * Copyright 2001 H. Peter Anvin - All Rights
Reserved
linux-3.10\fs\jbd\checkpoint.c(6): * Copyright 1999 Red Hat Software --- All
Rights Reserved
linux-3.10\fs\jbd\commit.c(6): * Copyright 1998 Red Hat corp --- All Rights
Reserved
linux-3.10\fs\jbd\journal.c(6): * Copyright 1998 Red Hat corp --- All Rights
Reserved
linux-3.10\fs\jbd\recovery.c(6): * Copyright 1999-2000 Red Hat Software --- All
Rights Reserved
linux-3.10\fs\jbd\revoke.c(6): * Copyright 2000 Red Hat corp --- All Rights
Reserved
linux-3.10\fs\jbd\transaction.c(6): * Copyright 1998 Red Hat corp --- All Rights
Reserved
linux-3.10\fs\jbd2\checkpoint.c(6): * Copyright 1999 Red Hat Software --- All
Rights Reserved
linux-3.10\fs\jbd2\commit.c(6): * Copyright 1998 Red Hat corp --- All Rights

```

legal(ME)

Reserved

linux-3.10\fs\jbd2\journal.c(6): * Copyright 1998 Red Hat corp --- All Rights Reserved

linux-3.10\fs\jbd2\recovery.c(6): * Copyright 1999-2000 Red Hat Software --- All Rights Reserved

linux-3.10\fs\jbd2\revoke.c(6): * Copyright 2000 Red Hat corp --- All Rights Reserved

linux-3.10\fs\jbd2\transaction.c(6): * Copyright 1998 Red Hat corp --- All Rights Reserved

linux-3.10\fs\jffs2\acl.c(4): * Copyright ㄣ 2006NEC Corporation

linux-3.10\fs\jffs2\acl.h(4): * Copyright ㄣ 2006NEC Corporation

linux-3.10\fs\jffs2\background.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\background.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\build.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\build.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\compr.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\compr.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\compr.c(6): * Copyright ㄣ 2004 Ferenc Havasi
<havasi@inf.u-szeged.hu>

linux-3.10\fs\jffs2\compr.h(4): * Copyright ㄣ 2004 Ferenc Havasi
<havasi@inf.u-szeged.hu>

linux-3.10\fs\jffs2\compr.h(6): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\compr_lzo.c(4): * Copyright ㄣ 2007 Nokia Corporation. All rights reserved.

linux-3.10\fs\jffs2\compr_lzo.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\compr_rtime.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\compr_rtime.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\compr_rubin.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\compr_rubin.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\compr_zlib.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\compr_zlib.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\debug.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\debug.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\debug.h(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\debug.h(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\dir.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\dir.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\erase.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

linux-3.10\fs\jffs2\erase.c(5): * Copyright ㄣ 2004-2010 David Woodhouse
<dwmw2@infradead.org>

linux-3.10\fs\jffs2\file.c(4): * Copyright ㄣ 2001-2007 Red Hat, Inc.

legal(ME)

linux-3.10\fs\jffs2\file.c(5): * Copyright ㄗ 2004-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\fs\jffs2\fs.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\fs.c(5): * Copyright ㄗ 2004-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\fs\jffs2\gc.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\gc.c(5): * Copyright ㄗ 2004-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\fs\jffs2\ioctl.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\ioctl.c(5): * Copyright ㄗ 2004-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\fs\jffs2\jffs2_fs_i.h(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\jffs2_fs_i.h(5): * Copyright ㄗ 2004-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\fs\jffs2\jffs2_fs_sb.h(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\jffs2_fs_sb.h(5): * Copyright ㄗ 2004-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\fs\jffs2\LICENCE(4): Copyright ㄗ 2001-2007 Red Hat, Inc. and others
linux-3.10\fs\jffs2\malloc.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\nodelist.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\nodelist.h(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\nodemgmt.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\os-linux.h(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\read.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\readinode.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\scan.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\security.c(4): * Copyright ㄗ 2006 NEC Corporation
linux-3.10\fs\jffs2\summary.c(4): * Copyright ㄗ 2004 Ferenc Havasi
<havasi@inf.u-szeged.hu>,
linux-3.10\fs\jffs2\summary.h(4): * Copyright ㄗ 2004 Ferenc Havasi
<havasi@inf.u-szeged.hu>,
linux-3.10\fs\jffs2\super.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\symlink.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\wbuf.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\wbuf.c(5): * Copyright ㄗ 2004 Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\fs\jffs2\write.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\writev.c(4): * Copyright ㄗ 2001-2007 Red Hat, Inc.
linux-3.10\fs\jffs2\xattr.c(4): * Copyright ㄗ 2006 NEC Corporation
linux-3.10\fs\jffs2\xattr.h(4): * Copyright ㄗ 2006 NEC Corporation
linux-3.10\fs\jffs2\xattr_trusted.c(4): * Copyright ㄗ 2006 NEC Corporation
linux-3.10\fs\jffs2\xattr_user.c(4): * Copyright ㄗ 2006 NEC Corporation
linux-3.10\fs\jfs\acl.c(2): * Copyright (C) International Business Machines Corp.,
2002-2004
linux-3.10\fs\jfs\acl.c(3): * Copyright (C) Andreas Gruenbacher, 2001
linux-3.10\fs\jfs\acl.c(4): * Copyright (C) Linus Torvalds, 1991, 1992
linux-3.10\fs\jfs\endian24.h(2): * Copyright (C) International Business Machines
Corp., 2001
linux-3.10\fs\jfs\file.c(2): * Copyright (C) International Business Machines
Corp., 2000-2002
linux-3.10\fs\jfs\file.c(3): * Portions Copyright (C) Christoph Hellwig,
2001-2002

legal(ME)

linux-3.10\fs\jfs\inode.c(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\inode.c(3): * Portions Copyright (C) Christoph Hellwig, 2001-2002
linux-3.10\fs\jfs\ioctl.c(4): * Copyright (C) 2006 Herbert Poetzl
linux-3.10\fs\jfs\jfs_acl.h(2): * Copyright (C) International Business Machines Corp., 2002
linux-3.10\fs\jfs\jfs_btree.h(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\jfs_debug.c(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\jfs_debug.c(3): * Portions Copyright (C) Christoph Hellwig, 2001-2002
linux-3.10\fs\jfs\jfs_debug.h(2): * Copyright (C) International Business Machines Corp., 2000-2002
linux-3.10\fs\jfs\jfs_debug.h(3): * Portions Copyright (C) Christoph Hellwig, 2001-2002
linux-3.10\fs\jfs\jfs_dinode.h(2): * Copyright (C) International Business Machines Corp., 2000-2001
linux-3.10\fs\jfs\jfs_discard.c(2): * Copyright (C) Tino Reichardt, 2012
linux-3.10\fs\jfs\jfs_discard.h(2): * Copyright (C) Tino Reichardt, 2012
linux-3.10\fs\jfs\jfs_dmap.c(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\jfs_dmap.c(3): * Portions Copyright (C) Tino Reichardt, 2012
linux-3.10\fs\jfs\jfs_dmap.h(2): * Copyright (C) International Business Machines Corp., 2000-2002
linux-3.10\fs\jfs\jfs_dtree.c(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\jfs_dtree.h(2): * Copyright (C) International Business Machines Corp., 2000-2002
linux-3.10\fs\jfs\jfs_extent.c(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\jfs_extent.h(2): * Copyright (C) International Business Machines Corp., 2000-2001
linux-3.10\fs\jfs\jfs_filsys.h(2): * Copyright (C) International Business Machines Corp., 2000-2003
linux-3.10\fs\jfs\jfs_imap.c(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\jfs_imap.h(2): * Copyright (C) International Business Machines Corp., 2000-2002
linux-3.10\fs\jfs\jfs_incore.h(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\jfs_incore.h(3): * Portions Copyright (C) Christoph Hellwig, 2001-2002
linux-3.10\fs\jfs\jfs_inode.c(2): * Copyright (C) International Business Machines Corp., 2000-2004
linux-3.10\fs\jfs\jfs_inode.h(2): * Copyright (C) International Business Machines Corp., 2000-2001
linux-3.10\fs\jfs\jfs_lock.h(2): * Copyright (C) International Business Machines Corp., 2000-2001
linux-3.10\fs\jfs\jfs_lock.h(3): * Portions Copyright (C) Christoph Hellwig, 2001-2002

legal(ME)
 linux-3.10\fs\jfs\jfs_logmgr.c(2): * Copyright (C) International Business
 Machines Corp., 2000-2004
 linux-3.10\fs\jfs\jfs_logmgr.c(3): * Portions Copyright (C) Christoph Hellwig,
 2001-2002
 linux-3.10\fs\jfs\jfs_logmgr.h(2): * Copyright (C) International Business
 Machines Corp., 2000-2004
 linux-3.10\fs\jfs\jfs_logmgr.h(3): * Portions Copyright (C) Christoph Hellwig,
 2001-2002
 linux-3.10\fs\jfs\jfs_metapage.c(2): * Copyright (C) International Business
 Machines Corp., 2000-2005
 linux-3.10\fs\jfs\jfs_metapage.c(3): * Portions Copyright (C) Christoph Hellwig,
 2001-2002
 linux-3.10\fs\jfs\jfs_metapage.h(2): * Copyright (C) International Business
 Machines Corp., 2000-2002
 linux-3.10\fs\jfs\jfs_metapage.h(3): * Portions Copyright (C) Christoph Hellwig,
 2001-2002
 linux-3.10\fs\jfs\jfs_mount.c(2): * Copyright (C) International Business Machines
 Corp., 2000-2004
 linux-3.10\fs\jfs\jfs_superblock.h(2): * Copyright (C) International Business
 Machines Corp., 2000-2003
 linux-3.10\fs\jfs\jfs_txnmgr.c(2): * Copyright (C) International Business
 Machines Corp., 2000-2005
 linux-3.10\fs\jfs\jfs_txnmgr.c(3): * Portions Copyright (C) Christoph Hellwig,
 2001-2002
 linux-3.10\fs\jfs\jfs_txnmgr.h(2): * Copyright (C) International Business
 Machines Corp., 2000-2004
 linux-3.10\fs\jfs\jfs_types.h(2): * Copyright (C) International Business Machines
 Corp., 2000-2004
 linux-3.10\fs\jfs\jfs_umount.c(2): * Copyright (C) International Business
 Machines Corp., 2000-2004
 linux-3.10\fs\jfs\jfs_unicode.c(2): * Copyright (C) International Business
 Machines Corp., 2000-2004
 linux-3.10\fs\jfs\jfs_unicode.h(2): * Copyright (C) International Business
 Machines Corp., 2000-2002
 linux-3.10\fs\jfs\jfs_unicode.h(3): * Portions Copyright (C) Christoph Hellwig,
 2001-2002
 linux-3.10\fs\jfs\jfs_uniupr.c(2): * Copyright (C) International Business
 Machines Corp., 2000-2002
 linux-3.10\fs\jfs\jfs_xattr.h(2): * Copyright (C) International Business Machines
 Corp., 2000-2002
 linux-3.10\fs\jfs\jfs_xtree.c(2): * Copyright (C) International Business Machines
 Corp., 2000-2005
 linux-3.10\fs\jfs\jfs_xtree.h(2): * Copyright (C) International Business Machines
 Corp., 2000-2002
 linux-3.10\fs\jfs\namei.c(2): * Copyright (C) International Business Machines
 Corp., 2000-2004
 linux-3.10\fs\jfs\namei.c(3): * Portions Copyright (C) Christoph Hellwig,
 2001-2002
 linux-3.10\fs\jfs\resize.c(2): * Copyright (C) International Business
 Machines Corp., 2000-2004
 linux-3.10\fs\jfs\super.c(2): * Copyright (C) International Business Machines
 Corp., 2000-2004

legal(ME)

linux-3.10\fs\jfs\super.c(3): * Portions Copyright (C) Christoph Hellwig, 2001-2002
linux-3.10\fs\jfs\symlink.c(2): * Copyright (C) Christoph Hellwig, 2001-2002
linux-3.10\fs\jfs\xattr.c(2): * Copyright (C) International Business MachinesCorp., 2000-2004
linux-3.10\fs\jfs\xattr.c(3): * Copyright (C) Christoph Hellwig, 2002
linux-3.10\fs\lockd\clnt4xdr.c(8): * Copyright (C) 2010, Oracle.All rights reserved.
linux-3.10\fs\lockd\clntlock.c(6): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\clntproc.c(6): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\clntxdr.c(9): * Copyright (C) 2010, Oracle.All rights reserved.
linux-3.10\fs\lockd\host.c(8): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\mon.c(6): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\svc.c(12): * Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\svc4proc.c(7): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\svclock.c(20): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\svcproc.c(7): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\svcshare.c(6): * Copyright (C) 1996 Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\svcsubs.c(6): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\xdr.c(6): * Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\xdr4.c(6): * Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de>
linux-3.10\fs\lockd\xdr4.c(7): * Copyright (C) 1999, Trond Myklebust <trond.myklebust@fys.uio.no>
linux-3.10\fs\logfs\compr.c(6): * Copyright (c) 2005-2008 Joern Engel <joern@logfs.org>
linux-3.10\fs\logfs\dev_bdev.c(6): * Copyright (c) 2005-2008 Joern Engel <joern@logfs.org>
linux-3.10\fs\logfs\dev_mtd.c(6): * Copyright (c) 2005-2008 Joern Engel <joern@logfs.org>
linux-3.10\fs\logfs\dir.c(6): * Copyright (c) 2005-2008 Joern Engel <joern@logfs.org>
linux-3.10\fs\logfs\file.c(6): * Copyright (c) 2005-2008 Joern Engel <joern@logfs.org>
linux-3.10\fs\logfs\gc.c(6): * Copyright (c) 2005-2008 Joern Engel <joern@logfs.org>
linux-3.10\fs\logfs\inode.c(6): * Copyright (c) 2005-2008 Joern Engel <joern@logfs.org>
linux-3.10\fs\logfs\journal.c(6): * Copyright (c) 2005-2008 Joern Engel <joern@logfs.org>

legal(ME)

linux-3.10\fs\logfs\logfs.h(6): * Copyright (c) 2005-2008 Joern Engel
<joern@logfs.org>
linux-3.10\fs\logfs\logfs_abi.h(6): * Copyright (c) 2005-2008 Joern Engel
<joern@logfs.org>
linux-3.10\fs\logfs\readwrite.c(6): * Copyright (c) 2005-2008 Joern Engel
<joern@logfs.org>
linux-3.10\fs\logfs\segment.c(6): * Copyright (c) 2005-2008 Joern Engel
<joern@logfs.org>
linux-3.10\fs\logfs\super.c(6): * Copyright (c) 2005-2008 Joern Engel
<joern@logfs.org>
linux-3.10\fs\minix\bitmap.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\minix\dir.c(4): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\fs\minix\file.c(4): *Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\fs\minix\inode.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\minix\inode.c(6): *Copyright (C) 1996Gertjan van Wingerde
linux-3.10\fs\minix\namei.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\mpage.c(4): * Copyright (C) 2002, Linus Torvalds.
linux-3.10\fs\namei.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\namespace.c(4): * (C) Copyright Al Viro 2000, 2001
linux-3.10\fs\namespace.c(7): * Based on code from fs/super.c, copyright Linus
Torvalds and others.
linux-3.10\fs\ncpfs\dir.c(4): *Copyright (C) 1995, 1996 by Volker Lendecke
linux-3.10\fs\ncpfs\file.c(4): *Copyright (C) 1995, 1996 by Volker Lendecke
linux-3.10\fs\ncpfs\inode.c(4): *Copyright (C) 1995, 1996 by Volker Lendecke
linux-3.10\fs\ncpfs\ioctl.c(4): *Copyright (C) 1995, 1996 by Volker Lendecke
linux-3.10\fs\ncpfs\mmap.c(4): *Copyright (C) 1995, 1996 by Volker Lendecke
linux-3.10\fs\ncpfs\ncp_fs_i.h(4): *Copyright (C) 1995 Volker Lendecke
linux-3.10\fs\ncpfs\ncp_fs_sb.h(4): *Copyright (C) 1995, 1996 by Volker Lendecke
linux-3.10\fs\ncpfs\ncplib_kernel.c(4): *Copyright (C) 1995, 1996 by Volker
Lendecke
linux-3.10\fs\ncpfs\ncplib_kernel.h(4): *Copyright (C) 1995, 1996 by Volker
Lendecke
linux-3.10\fs\ncpfs\sock.c(4): *Copyright (C) 1992, 1993Rick Sladkey
linux-3.10\fs\ncpfs\symlink.c(15): *Copyright (C) 1998-99, Frank A. Vorstenbosch
linux-3.10\fs\nfs_common\nfsacl.c(4): *Copyright (C) 2002-2003 Andreas
Gruenbacher <agruen@suse.de>
linux-3.10\fs\nfs\blocklayout\blocklayout.c(6): *Copyright (c) 2006 The Regents
of the University of Michigan.
linux-3.10\fs\nfs\blocklayout\blocklayout.h(6): *Copyright (c) 2006 The Regents
of the University of Michigan.
linux-3.10\fs\nfs\blocklayout\blocklayoutdev.c(6): *Copyright (c) 2006 The
Regents of the University of Michigan.
linux-3.10\fs\nfs\blocklayout\blocklayoutdm.c(6): *Copyright (c) 2007 The Regents
of the University of Michigan.
linux-3.10\fs\nfs\blocklayout\extents.c(6): *Copyright (c) 2006 The Regents of
the University of Michigan.
linux-3.10\fs\nfs\cache_lib.c(6): * Copyright (c) 2009 Trond Myklebust
<Trond.Myklebust@netapp.com>
linux-3.10\fs\nfs\cache_lib.h(4): * Copyright (c) 2009 Trond Myklebust
<Trond.Myklebust@netapp.com>
linux-3.10\fs\nfs\callback.c(4): * Copyright (C) 2004 Trond Myklebust
linux-3.10\fs\nfs\callback.h(4): * Copyright (C) 2004 Trond Myklebust

legal(ME)

linux-3.10\fs\nfs\callback_proc.c(4): * Copyright (C) 2004 Trond Myklebust
linux-3.10\fs\nfs\callback_xdr.c(4): * Copyright (C) 2004 Trond Myklebust
linux-3.10\fs\nfs\client.c(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\nfs\delegation.c(4): * Copyright (C) 2004 Trond Myklebust
linux-3.10\fs\nfs\delegation.h(4): * Copyright (c) Trond Myklebust
linux-3.10\fs\nfs\dir.c(4): *Copyright (C) 1992Rick Sladkey
linux-3.10\fs\nfs\direct.c(4): * Copyright (C) 2003 by Chuck Lever
<cel@netapp.com>
linux-3.10\fs\nfs\dns_resolve.c(4): * Copyright (c) 2009 Trond Myklebust
<Trond.Myklebust@netapp.com>
linux-3.10\fs\nfs\file.c(4): *Copyright (C) 1992Rick Sladkey
linux-3.10\fs\nfs\file.c(6): *Changes Copyright (C) 1994 by Florian La Roche
linux-3.10\fs\nfs\fscache.c(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\nfs\fscache.h(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\nfs\fscache-index.c(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\nfs\getroot.c(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\nfs\idmap.c(6): *Copyright (c) 2002 The Regents of the University of Michigan.
linux-3.10\fs\nfs\inode.c(4): *Copyright (C) 1992Rick Sladkey
linux-3.10\fs\nfs\iostat.h(6): *Copyright (C) 2005, 2006 Chuck Lever
<cel@netapp.com>
linux-3.10\fs\nfs\mount_clnt.c(4): * Copyright (C) 1997, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfs\namespace.c(4): * Copyright (C) 2005 Trond Myklebust
<Trond.Myklebust@netapp.com>
linux-3.10\fs\nfs\nfs.h(2): * Copyright (c) 2012 Netapp, Inc. All rights reserved.
linux-3.10\fs\nfs\nfs2super.c(2): * Copyright (c) 2012 Netapp, Inc. All rights reserved.
linux-3.10\fs\nfs\nfs2xdr.c(6): * Copyright (C) 1992, 1993, 1994Rick Sladkey
linux-3.10\fs\nfs\nfs2xdr.c(7): * Copyright (C) 1996 Olaf Kirch
linux-3.10\fs\nfs\nfs3proc.c(6): *Copyright (C) 1997, Olaf Kirch
linux-3.10\fs\nfs\nfs3super.c(2): * Copyright (c) 2012 Netapp, Inc. All rights reserved.
linux-3.10\fs\nfs\nfs3xdr.c(6): * Copyright (C) 1996, 1997 Olaf Kirch
linux-3.10\fs\nfs\nfs4_fs.h(4): * Copyright (C) 2005 Trond Myklebust
linux-3.10\fs\nfs\nfs4client.c(2): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\nfs\nfs4file.c(4): *Copyright (C) 1992Rick Sladkey
linux-3.10\fs\nfs\nfs4filelayout.c(6): *Copyright (c) 2002
linux-3.10\fs\nfs\nfs4filelayout.h(4): *Copyright (c) 2002
linux-3.10\fs\nfs\nfs4filelayoutdev.c(4): *Copyright (c) 2002
linux-3.10\fs\nfs\nfs4getroot.c(2):* Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\nfs\nfs4namespace.c(4): * Copyright (C) 2005 Trond Myklebust
<Trond.Myklebust@netapp.com>
linux-3.10\fs\nfs\nfs4proc.c(6): *Copyright (c) 2002 The Regents of the

legal(ME)

University of Michigan.

linux-3.10\fs\nfs\nfs4renewd.c(4): *Copyright (c) 2002 The Regents of the University of Michigan.

linux-3.10\fs\nfs\nfs4session.c(4): * Copyright (c) 2012 Trond Myklebust <Trond.Myklebust@netapp.com>

linux-3.10\fs\nfs\nfs4session.h(4): * Copyright (c) 2012 Trond Myklebust <Trond.Myklebust@netapp.com>

linux-3.10\fs\nfs\nfs4state.c(6): *Copyright (c) 2002 The Regents of the University of Michigan.

linux-3.10\fs\nfs\nfs4super.c(2): * Copyright (c) 2012 Bryan Schumaker <bjschuma@netapp.com>

linux-3.10\fs\nfs\nfs4sysctl.c(6): * Copyright (c) 2006 Trond Myklebust <Trond.Myklebust@netapp.com>

linux-3.10\fs\nfs\nfs4xdr.c(6): *Copyright (c) 2002 The Regents of the University of Michigan.

linux-3.10\fs\nfs\nfsroot.c(2): *Copyright (C) 1995, 1996Gero Kuhlmann <gero@gkminix.han.de>

linux-3.10\fs\nfs\objlayout\objio_osd.c(4): *Copyright (C) 2009 Panasas Inc. [year of first publication]

linux-3.10\fs\nfs\objlayout\objlayout.c(4): *Copyright (C) 2007 Panasas Inc. [year of first publication]

linux-3.10\fs\nfs\objlayout\objlayout.h(5): *Copyright (C) 2007 Panasas Inc. [year of first publication]

linux-3.10\fs\nfs\objlayout\pnfs_osd_xdr_cli.c(4): *Copyright (C) 2007 Panasas Inc. [year of first publication]

linux-3.10\fs\nfs\pagelist.c(8): * Copyright 2000, 2001 (c) Trond Myklebust <trond.myklebust@fys.uio.no>

linux-3.10\fs\nfs\pnfs.c(4): *Copyright (c) 2002 [year of first publication]

linux-3.10\fs\nfs\pnfs.h(4): *Copyright (c) 2002

linux-3.10\fs\nfs\pnfs_dev.c(4): *Copyright (c) 2002

linux-3.10\fs\nfs\proc.c(4): *Copyright (C) 1992, 1993, 1994Rick Sladkey

linux-3.10\fs\nfs\super.c(4): *Copyright (C) 1992Rick Sladkey

linux-3.10\fs\nfs\symlink.c(4): *Copyright (C) 1992Rick Sladkey

linux-3.10\fs\nfs\symlink.c(6): *Optimization changes Copyright (C) 1994 Florian La Roche

linux-3.10\fs\nfs\write.c(6): * Copyright (C) 1996, 1997, Olaf Kirch <okir@monad.swb.de>

linux-3.10\fs\nfsd\acl.h(4): *Copyright (c) 2002 The Regents of the University of Michigan.

linux-3.10\fs\nfsd\auth.c(1):/* Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de> */

linux-3.10\fs\nfsd\auth.h(4): * Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de>

linux-3.10\fs\nfsd\cache.h(5): * Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de>

linux-3.10\fs\nfsd\export.c(11): * Copyright (C) 1995, 1996 Olaf Kirch, <okir@monad.swb.de>

linux-3.10\fs\nfsd\fault_inject.c(2): * Copyright (c) 2011 Bryan Schumaker <bjschuma@netapp.com>

linux-3.10\fs\nfsd\idmap.h(4): *Copyright (c) 2002, 2003 The Regents of the University of

linux-3.10\fs\nfsd\lockd.c(6): * Copyright (C) 1996, Olaf Kirch

legal(ME)

<okir@monad.swb.de>
linux-3.10\fs\nfsd\netns.h(4): * Copyright (C) 2012, Jeff Layton
<jlayton@redhat.com>
linux-3.10\fs\nfsd\nfs2acl.c(4): * Copyright (C) 2002-2003 Andreas Gruenbacher
<agruen@suse.de>
linux-3.10\fs\nfsd\nfs3acl.c(4): * Copyright (C) 2002-2003 Andreas Gruenbacher
<agruen@suse.de>
linux-3.10\fs\nfsd\nfs3proc.c(4): * Copyright (C) 1996, 1997, 1998 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\nfs3xdr.c(4): * Copyright (C) 1995, 1996, 1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\nfs4acl.c(4): *Copyright (c) 2002, 2003 The Regents of the
University of Michigan.
linux-3.10\fs\nfsd\nfs4callback.c(2): *Copyright (c) 2001 The Regents of the
University of Michigan.
linux-3.10\fs\nfsd\nfs4idmap.c(4): *Copyright (c) 2002, 2003 The Regents of the
University of
linux-3.10\fs\nfsd\nfs4proc.c(4): *Copyright (c) 2002 The Regents of the
University of Michigan.
linux-3.10\fs\nfsd\nfs4recover.c(2):*Copyright (c) 2004 The Regents of the
University of Michigan.
linux-3.10\fs\nfsd\nfs4recover.c(3):*Copyright (c) 2012 Jeff Layton
<jlayton@redhat.com>
linux-3.10\fs\nfsd\nfs4state.c(2):*Copyright (c) 2001 The Regents of the
University of Michigan.
linux-3.10\fs\nfsd\nfs4xdr.c(4): *Copyright (c) 2002 The Regents of the
University of Michigan.
linux-3.10\fs\nfsd\nfscache.c(8): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\nfsctl.c(1166):printk(KERN_INFO "Installing knfsd (copyright
(C) 1996 okir@monad.swb.de).\n");
linux-3.10\fs\nfsd\nfsctl.c(4): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\nfsd.h(5): * Copyright (C) 1995-1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\nfsfh.c(4): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\nfsfh.c(5): * Portions Copyright (C) 1999 G. Allen Morris III
<gam3@acm.org>
linux-3.10\fs\nfsd\nfsfh.h(1):/* Copyright (C) 1995, 1996, 1997 Olaf Kirch
<okir@monad.swb.de> */
linux-3.10\fs\nfsd\nfsproc.c(4): * Copyright (C) 1995-1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\nfssvc.c(6): * Copyright (C) 1995, 1996, 1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\nfsxdr.c(4): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\state.h(2): *Copyright (c) 2001 The Regents of the University
of Michigan.
linux-3.10\fs\nfsd\stats.c(21): * Copyright (C) 1995, 1996, 1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\fs\nfsd\vfs.c(12): * Copyright (C) 1995-1999 Olaf Kirch

legal(ME)

<okir@monad.swb.de>

linux-3.10\fs\nfsd\vfs.h(2): * Copyright (C) 1995-1997 Olaf Kirch

<okir@monad.swb.de>

linux-3.10\fs\nfsd\xdr3.h(4): * Copyright (C) 1996-1998, Olaf Kirch

<okir@monad.swb.de>

linux-3.10\fs\nfsd\xdr4.h(4): *Copyright (c) 2002 The Regents of the University of Michigan.

linux-3.10\fs\nilfs2\alloc.c(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\alloc.h(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\bmap.c(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\bmap.h(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\btnode.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\btnode.h(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\btree.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\btree.h(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\cpfile.c(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\cpfile.h(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\dat.c(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\dat.h(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\dir.c(25): * Copyright (C) 1992, 1993, 1994, 1995

linux-3.10\fs\nilfs2\dir.c(34): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\fs\nilfs2\dir.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\direct.c(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\direct.h(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\file.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\gcinode.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\ifile.c(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\ifile.h(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\inode.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\ioctl.c(4): * Copyright (C) 2007, 2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\mdt.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and

legal(ME)

Telephone Corporation.

linux-3.10\fs\nilfs2\mdt.h(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\namei.c(26): * Copyright (C) 1992, 1993, 1994, 1995

linux-3.10\fs\nilfs2\namei.c(35): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\fs\nilfs2\namei.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\nilfs.h(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\page.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\page.h(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\recovery.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\segbuf.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\segbuf.h(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\segment.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\segment.h(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\sufile.c(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\sufile.h(4): * Copyright (C) 2006-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\super.c(25): * Copyright (C) 1992, 1993, 1994, 1995

linux-3.10\fs\nilfs2\super.c(34): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\fs\nilfs2\super.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\the_nilfs.c(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nilfs2\the_nilfs.h(4): * Copyright (C) 2005-2008 Nippon Telegraph and Telephone Corporation.

linux-3.10\fs\nls\mac-celtic.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.

linux-3.10\fs\nls\mac-celtic.c(40): * Except as contained in this notice, the name of a copyright holder shall

linux-3.10\fs\nls\mac-celtic.c(43): * authorization of the copyright holder.

linux-3.10\fs\nls\mac-centeuro.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.

linux-3.10\fs\nls\mac-centeuro.c(40): * Except as contained in this notice, the name of a copyright holder shall

linux-3.10\fs\nls\mac-centeuro.c(43): * authorization of the copyright holder.

linux-3.10\fs\nls\mac-croatian.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.

linux-3.10\fs\nls\mac-croatian.c(40): * Except as contained in this notice, the name of a copyright holder shall

linux-3.10\fs\nls\mac-croatian.c(43): * authorization of the copyright holder.

linux-3.10\fs\nls\mac-cyrillic.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.

legal(ME)

linux-3.10\fs\nls\mac-cyrillic.c(40): * Except as contained in this notice, the name of a copyright holder shall
linux-3.10\fs\nls\mac-cyrillic.c(43): * authorization of the copyright holder.
linux-3.10\fs\nls\mac-gaelic.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.
linux-3.10\fs\nls\mac-gaelic.c(40): * Except as contained in this notice, the name of a copyright holder shall
linux-3.10\fs\nls\mac-gaelic.c(43): * authorization of the copyright holder.
linux-3.10\fs\nls\mac-greek.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.
linux-3.10\fs\nls\mac-greek.c(40): * Except as contained in this notice, the name of a copyright holder shall
linux-3.10\fs\nls\mac-greek.c(43): * authorization of the copyright holder.
linux-3.10\fs\nls\mac-iceland.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.
linux-3.10\fs\nls\mac-iceland.c(40): * Except as contained in this notice, the name of a copyright holder shall
linux-3.10\fs\nls\mac-iceland.c(43): * authorization of the copyright holder.
linux-3.10\fs\nls\mac-inuit.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.
linux-3.10\fs\nls\mac-inuit.c(40): * Except as contained in this notice, the name of a copyright holder shall
linux-3.10\fs\nls\mac-inuit.c(43): * authorization of the copyright holder.
linux-3.10\fs\nls\mac-roman.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.
linux-3.10\fs\nls\mac-roman.c(40): * Except as contained in this notice, the name of a copyright holder shall
linux-3.10\fs\nls\mac-roman.c(43): * authorization of the copyright holder.
linux-3.10\fs\nls\mac-romanian.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.
linux-3.10\fs\nls\mac-romanian.c(40): * Except as contained in this notice, the name of a copyright holder shall
linux-3.10\fs\nls\mac-romanian.c(43): * authorization of the copyright holder.
linux-3.10\fs\nls\mac-turkish.c(14): * the Terms of Use in <http://www.unicode.org/copyright.html>.
linux-3.10\fs\nls\mac-turkish.c(40): * Except as contained in this notice, the name of a copyright holder shall
linux-3.10\fs\nls\mac-turkish.c(43): * authorization of the copyright holder.
linux-3.10\fs\no-block.c(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\notify\dnotify\dnotify.c(4): * Copyright (C) 2000,2001,2002 Stephen Rothwell
linux-3.10\fs\notify\dnotify\dnotify.c(6): * Copyright (C) 2009 Eric Paris <Red Hat Inc>
linux-3.10\fs\notify\fsnotify.c(2): *Copyright (C) 2008 Red Hat, Inc., Eric Paris <eparis@redhat.com>
linux-3.10\fs\notify\group.c(2): *Copyright (C) 2008 Red Hat, Inc., Eric Paris <eparis@redhat.com>
linux-3.10\fs\notify\inode_mark.c(2): *Copyright (C) 2008 Red Hat, Inc., Eric Paris <eparis@redhat.com>
linux-3.10\fs\notify\inotify\inotify_fsnotify.c(11): * Copyright (C) 2009 Eric Paris <Red Hat Inc>

legal(ME)

linux-3.10\fs\notify\inotify\inotify_fsnotify.c(8): * Copyright (C) 2005 John
McCutchan
linux-3.10\fs\notify\inotify\inotify_fsnotify.c(9): * Copyright 2006
Hewlett-Packard Development Company, L.P.
linux-3.10\fs\notify\inotify\inotify_user.c(11): * Copyright (C) 2009 Eric Paris
<Red Hat Inc>
linux-3.10\fs\notify\inotify\inotify_user.c(8): * Copyright (C) 2005 John
McCutchan
linux-3.10\fs\notify\inotify\inotify_user.c(9): * Copyright 2006 Hewlett-Packard
Development Company, L.P.
linux-3.10\fs\notify\mark.c(2): *Copyright (C) 2008 Red Hat, Inc., Eric Paris
<eparis@redhat.com>
linux-3.10\fs\notify\notification.c(2): *Copyright (C) 2008 Red Hat, Inc., Eric
Paris <eparis@redhat.com>
linux-3.10\fs\notify\vfsmount_mark.c(2): *Copyright (C) 2008 Red Hat, Inc., Eric
Paris <eparis@redhat.com>
linux-3.10\fs\ntfs\aops.c(5): * Copyright (c) 2001-2007 Anton Altaparmakov
linux-3.10\fs\ntfs\aops.c(6): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\aops.h(5): * Copyright (c) 2001-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\aops.h(6): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\attrib.c(4): * Copyright (c) 2001-2012 Anton Altaparmakov and
Tuxera Inc.
linux-3.10\fs\ntfs\attrib.c(5): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\attrib.h(5): * Copyright (c) 2001-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\attrib.h(6): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\bitmap.c(4): * Copyright (c) 2004-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\bitmap.h(5): * Copyright (c) 2004 Anton Altaparmakov
linux-3.10\fs\ntfs\collate.c(4): * Copyright (c) 2004 Anton Altaparmakov
linux-3.10\fs\ntfs\collate.h(5): * Copyright (c) 2004 Anton Altaparmakov
linux-3.10\fs\ntfs\compress.c(5): * Copyright (c) 2001-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\compress.c(6): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\debug.c(4): * Copyright (c) 2001-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\debug.h(4): * Copyright (c) 2001-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\dir.c(4): * Copyright (c) 2001-2007 Anton Altaparmakov
linux-3.10\fs\ntfs\dir.c(5): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\dir.h(5): * Copyright (c) 2002-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\endian.h(5): * Copyright (c) 2001-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\file.c(4): * Copyright (c) 2001-2011 Anton Altaparmakov and
Tuxera Inc.
linux-3.10\fs\ntfs\index.c(4): * Copyright (c) 2004-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\index.h(5): * Copyright (c) 2004 Anton Altaparmakov
linux-3.10\fs\ntfs\inode.c(4): * Copyright (c) 2001-2007 Anton Altaparmakov
linux-3.10\fs\ntfs\inode.h(5): * Copyright (c) 2001-2007 Anton Altaparmakov
linux-3.10\fs\ntfs\inode.h(6): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\layout.h(5): * Copyright (c) 2001-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\layout.h(6): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\lcnalloc.c(4): * Copyright (c) 2004-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\lcnalloc.h(5): * Copyright (c) 2004-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\logfile.c(4): * Copyright (c) 2002-2007 Anton Altaparmakov
linux-3.10\fs\ntfs\logfile.h(5): * Copyright (c) 2000-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\malloc.h(4): * Copyright (c) 2001-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\mft.c(4): * Copyright (c) 2001-2012 Anton Altaparmakov and

legal(ME)

Tuxera Inc.

linux-3.10\fs\ntfs\mft.c(5): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\mft.h(5): * Copyright (c) 2001-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\mst.c(5): * Copyright (c) 2001-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\namei.c(5): * Copyright (c) 2001-2006 Anton Altaparmakov
linux-3.10\fs\ntfs\ntfs.h(5): * Copyright (c) 2001-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\ntfs.h(6): * Copyright (C) 2002 Richard Russon
linux-3.10\fs\ntfs\quota.c(5): * Copyright (c) 2004 Anton Altaparmakov
linux-3.10\fs\ntfs\quota.h(5): * Copyright (c) 2004 Anton Altaparmakov
linux-3.10\fs\ntfs\runlist.c(4): * Copyright (c) 2001-2007 Anton Altaparmakov
linux-3.10\fs\ntfs\runlist.c(5): * Copyright (c) 2002-2005 Richard Russon
linux-3.10\fs\ntfs\runlist.h(5): * Copyright (c) 2001-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\runlist.h(6): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ntfs\super.c(3213):MODULE_DESCRIPTION("NTFS 1.2/3.x driver -
Copyright (c) 2001-2011 Anton Altaparmakov and Tuxera Inc.");
linux-3.10\fs\ntfs\super.c(4): * Copyright (c) 2001-2012 Anton Altaparmakov and
Tuxera Inc.
linux-3.10\fs\ntfs\super.c(5): * Copyright (c) 2001,2002 Richard Russon
linux-3.10\fs\ntfs\sysctl.c(4): *Copyright (C) 1997 Martin von L̄ewis, R̄gis
Duchesne
linux-3.10\fs\ntfs\sysctl.c(6): * Copyright (c) 2002-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\sysctl.h(4): *Copyright (C) 1997 Martin von L̄ewis, R̄gis
Duchesne
linux-3.10\fs\ntfs\sysctl.h(6): * Copyright (c) 2002-2004 Anton Altaparmakov
linux-3.10\fs\ntfs\time.h(4): * Copyright (c) 2001-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\types.h(5): * Copyright (c) 2001-2005 Anton Altaparmakov
linux-3.10\fs\ntfs\unistr.c(4): * Copyright (c) 2001-2006 Anton Altaparmakov
linux-3.10\fs\ntfs\upcase.c(5): * Copyright (c) 2001 Richard Russon
<ntfs@flatcap.org>
linux-3.10\fs\ntfs\upcase.c(6): * Copyright (c) 2001-2006 Anton Altaparmakov
linux-3.10\fs\ntfs\usnjrnl.c(5): * Copyright (c) 2005 Anton Altaparmakov
linux-3.10\fs\ntfs\usnjrnl.h(5): * Copyright (c) 2005 Anton Altaparmakov
linux-3.10\fs\ntfs\volume.h(5): * Copyright (c) 2001-2006 Anton Altaparmakov
linux-3.10\fs\ntfs\volume.h(6): * Copyright (c) 2002 Richard Russon
linux-3.10\fs\ocfs2\acl.c(10): * Copyright (C) 2001-2003 Andreas Gruenbacher,
<agruen@suse.de>
linux-3.10\fs\ocfs2\acl.c(6): * Copyright (C) 2004, 2008 Oracle.All rights
reserved.
linux-3.10\fs\ocfs2\acl.h(6): * Copyright (C) 2004, 2008 Oracle.All rights
reserved.
linux-3.10\fs\ocfs2\alloc.c(8): * Copyright (C) 2002, 2004 Oracle.All rights
reserved.
linux-3.10\fs\ocfs2\alloc.h(8): * Copyright (C) 2002, 2004 Oracle.All rights
reserved.
linux-3.10\fs\ocfs2\aops.c(4): * Copyright (C) 2002, 2004 Oracle.All rights
reserved.
linux-3.10\fs\ocfs2\aops.h(4): * Copyright (C) 2002, 2004, 2005 Oracle.All rights
reserved.
linux-3.10\fs\ocfs2\blockcheck.c(8): * Copyright (C) 2006, 2008 Oracle.All rights
reserved.
linux-3.10\fs\ocfs2\blockcheck.h(8): * Copyright (C) 2004, 2008 Oracle.All rights
reserved.

legal(ME)

linux-3.10\fs\ocfs2\buffer_head_io.c(8): * Copyright (C) 2002, 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\buffer_head_io.h(8): * Copyright (C) 2002, 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\heartbeat.c(4): * Copyright (C) 2004, 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\heartbeat.h(8): * Copyright (C) 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\masklog.c(4): * Copyright (C) 2004, 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\masklog.h(4): * Copyright (C) 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\netdebug.c(8): * Copyright (C) 2005, 2008 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\nodemanager.c(4): * Copyright (C) 2004, 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\nodemanager.h(8): * Copyright (C) 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\ocfs2_heartbeat.h(8): * Copyright (C) 2002, 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\ocfs2_nodemanager.h(9): * Copyright (C) 2002, 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\quorum.c(5): * Copyright (C) 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\quorum.h(4): * Copyright (C) 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\sys.c(8): * Copyright (C) 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\sys.h(8): * Copyright (C) 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\tcp.c(5): * Copyright (C) 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\tcp.h(8): * Copyright (C) 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\tcp_internal.h(4): * Copyright (C) 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\ver.c(8): * Copyright (C) 2002, 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\cluster\ver.h(8): * Copyright (C) 2005 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\dcache.c(8): * Copyright (C) 2002, 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\dcache.h(8): * Copyright (C) 2002, 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\dir.c(12): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ocfs2\dir.c(21): * Copyright (C) 1991, 1992 Linux Torvalds
linux-3.10\fs\ocfs2\dir.c(8): * Copyright (C) 2002, 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\dir.h(8): * Copyright (C) 2002, 2004 Oracle. All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmapi.h(8): * Copyright (C) 2004 Oracle. All rights reserved.

legal(ME)

linux-3.10\fs\ocfs2\dlm\dlmast.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmcommon.h(6): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmconvert.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmconvert.h(6): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmdebug.c(8): * Copyright (C) 2004, 2008 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmdebug.h(6): * Copyright (C) 2008 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmdomain.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmdomain.h(6): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmlock.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmmaster.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmrecovery.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmthread.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmunlock.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmver.c(8): * Copyright (C) 2002, 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlm\dlmver.h(8): * Copyright (C) 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlmfs\dlmfs.c(11): * Copyright (C) 2003, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlmfs\dlmfs.c(33): * Copyright (C) 2000 Linus Torvalds.
linux-3.10\fs\ocfs2\dlmfs\dlmfsver.c(8): * Copyright (C) 2002, 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlmfs\dlmfsver.h(8): * Copyright (C) 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlmfs\userdlm.c(12): * Copyright (C) 2003, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlmfs\userdlm.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlmglue.c(8): * Copyright (C) 2003, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\dlmglue.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\export.c(8): * Copyright (C) 2002, 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\export.h(8): * Copyright (C) 2002, 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\extent_map.c(8): * Copyright (C) 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\extent_map.h(8): * Copyright (C) 2004 Oracle.All rights reserved.

legal(ME)

reserved.

linux-3.10\fs\ocfs2\file.c(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\file.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\heartbeat.c(9): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\heartbeat.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\inode.c(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\inode.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\ioctl.c(4): * Copyright (C) 2006 Herbert Poetzl

linux-3.10\fs\ocfs2\ioctl.h(6): * Copyright (C) 2006 Herbert Poetzl

linux-3.10\fs\ocfs2\journal.c(8): * Copyright (C) 2003, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\journal.h(8): * Copyright (C) 2003, 2005 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\localalloc.c(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\localalloc.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\locks.c(8): * Copyright (C) 2007 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\locks.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\mmap.c(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\move_extents.c(6): * Copyright (C) 2011 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\move_extents.h(6): * Copyright (C) 2011 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\namei.c(12): *Copyright (C) 1992, 1993, 1994, 1995

linux-3.10\fs\ocfs2\namei.c(21): * Copyright (C) 1991, 1992 Linux Torvalds

linux-3.10\fs\ocfs2\namei.c(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\namei.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\ocfs1_fs_compat.h(11): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\ocfs2.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\ocfs2_fs.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\ocfs2_ioctl.h(8): * Copyright (C) 2010 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\ocfs2_lockid.h(8): * Copyright (C) 2002, 2005 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\ocfs2_lockingver.h(8): * Copyright (C) 2008 Oracle.All rights reserved.

linux-3.10\fs\ocfs2\refcounttree.c(6): * Copyright (C) 2009 Oracle.All rights reserved.

legal(ME)

linux-3.10\fs\ocfs2\refcounttree.h(6): * Copyright (C) 2009 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\reservations.c(10): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ocfs2\reservations.c(15): * The rest is copyright (C) 2010
Novell.All rights reserved.
linux-3.10\fs\ocfs2\reservations.h(8): * Copyright (C) 2010 Novell.All rights reserved.
linux-3.10\fs\ocfs2\resize.c(9): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\resize.h(8): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\slot_map.c(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\slot_map.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\stack_o2cb.c(8): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\stack_user.c(8): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\stackglue.c(9): * Copyright (C) 2007, 2009 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\stackglue.h(8): * Copyright (C) 2007 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\suballoc.c(9): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\suballoc.h(8): * Copyright (C) 2003, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\super.c(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\super.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\symlink.c(23): *Copyright (C) 1992Rick Sladkey
linux-3.10\fs\ocfs2\symlink.c(25): *Optimization changes Copyright (C) 1994
Florian La Roche
linux-3.10\fs\ocfs2\symlink.c(29): *Portions Copyright (C) 2001 Compaq Computer Corporation
linux-3.10\fs\ocfs2\symlink.c(33): *Copyright (C) 2004, 2005 Oracle.
linux-3.10\fs\ocfs2\symlink.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\sysfile.c(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\sysfile.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\uptodate.c(9): * Copyright (C) 2002, 2004, 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\uptodate.h(8): * Copyright (C) 2002, 2004, 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\ver.c(8): * Copyright (C) 2002, 2005 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\ver.h(8): * Copyright (C) 2002, 2004 Oracle.All rights reserved.
linux-3.10\fs\ocfs2\xattr.c(10): * Copyright (C) 2001-2003 Andreas Gruenbacher, <agruen@suse.de>
linux-3.10\fs\ocfs2\xattr.c(6): * Copyright (C) 2004, 2008 Oracle.All rights reserved.

legal(ME)

reserved.

linux-3.10\fs\ocfs2\xattr.h(6): * Copyright (C) 2004, 2008 Oracle. All rights reserved.

linux-3.10\fs\omfs\dir.c(3): * Copyright (C) 2005 Bob Copeland
<me@bobcopeland.com>

linux-3.10\fs\omfs\file.c(3): * Copyright (C) 2005 Bob Copeland
<me@bobcopeland.com>

linux-3.10\fs\omfs\inode.c(3): * Copyright (C) 2006 Bob Copeland
<me@bobcopeland.com>

linux-3.10\fs\open.c(4): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\fs\openpromfs\inode.c(3): * Copyright (C) 1996-1999 Jakub
Jelinek(jakub@redhat.com)

linux-3.10\fs\openpromfs\inode.c(4): * Copyright (C) 1998 Eddie C.
Dost(ecd@skynet.be)

linux-3.10\fs\pipe.c(4): * Copyright (C) 1991, 1992, 1999 Linus Torvalds

linux-3.10\fs\pnode.c(4): * (C) Copyright IBM Corporation 2005.

linux-3.10\fs\pnode.h(4): * (C) Copyright IBM Corporation 2005.

linux-3.10\fs\posix_acl.c(4): * Copyright (C) 2002 by Andreas Gruenbacher
<a.gruenbacher@computer.org>

linux-3.10\fs\proc\array.c(4): * Copyright (C) 1992 by Linus Torvalds

linux-3.10\fs\proc\base.c(4): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\fs\proc\consoles.c(2): * Copyright (c) 2010 Werner Fink, Jiri Slaby

linux-3.10\fs\proc\generic.c(7): * Copyright (C) 1991, 1992 Linus Torvalds.

linux-3.10\fs\proc\generic.c(8): * Copyright (C) 1997 Theodore Ts'o

linux-3.10\fs\proc\inode.c(4): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\fs\proc\internal.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights
Reserved.

linux-3.10\fs\proc\kmsg.c(4): * Copyright (C) 1992 by Linus Torvalds

linux-3.10\fs\proc\nommu.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights
Reserved.

linux-3.10\fs\proc\proc_devtree.c(4): * Copyright 1997 Paul Mackerras

linux-3.10\fs\proc\proc_net.c(4): * Copyright (C) 2007

linux-3.10\fs\proc\proc_tty.c(4): * Copyright 1997, Theodore Ts'o

linux-3.10\fs\proc\root.c(4): * Copyright (C) 1991, 1992 Linus Torvalds

linux-3.10\fs\proc\vmcore.c(6): * Copyright (C) IBM Corporation, 2004. All rights
reserved

linux-3.10\fs\pstore\ftrace.c(2): * Copyright 2012 Google, Inc.

linux-3.10\fs\pstore\inode.c(4): * Copyright (C) 2010 Intel Corporation
<tony.luck@intel.com>

linux-3.10\fs\pstore\platform.c(4): * Copyright (C) 2007-2008 Google, Inc.

linux-3.10\fs\pstore\platform.c(5): * Copyright (C) 2010 Intel Corporation
<tony.luck@intel.com>

linux-3.10\fs\pstore\ram.c(4): * Copyright (C) 2010 Marco Stornelli
<marco.stornelli@gmail.com>

linux-3.10\fs\pstore\ram.c(5): * Copyright (C) 2011 Kees Cook
<keescook@chromium.org>

linux-3.10\fs\pstore\ram_core.c(2): * Copyright (C) 2012 Google, Inc.

linux-3.10\fs\quota\dquot.c(53): * (C) Copyright 1994 - 1997 Marco van Wieringen

linux-3.10\fs\ramfs\file-mm.c(5): * Copyright (C) 2000 Linus Torvalds.

linux-3.10\fs\ramfs\file-nommu.c(3): * Copyright (C) 2005 Red Hat, Inc. All
Rights Reserved.

linux-3.10\fs\ramfs\inode.c(4): * Copyright (C) 2000 Linus Torvalds.

legal(ME)

linux-3.10\fs\ramfs\internal.h(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\read_write.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\readdir.c(4): *Copyright (C) 1995Linus Torvalds
linux-3.10\fs\reiserfs\bitmap.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\dir.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\do_balan.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\file.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\fix_node.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\hashes.c(130):/* What follows in this file is copyright 2000 by Hans Reiser, and the
linux-3.10\fs\reiserfs\libalance.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\inode.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\ioctl.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\item_ops.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\journal.c(2):** Write ahead logging implementation copyright Chris Mason 2000
linux-3.10\fs\reiserfs\lbalance.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\namei.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\objectid.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\prints.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\procfs.c(6): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\README(108):for all salaries from my dayjob I owned all copyrights, and you can't
linux-3.10\fs\reiserfs\README(12):want it to be owned by Hans Reiser, put your copyright label on that
linux-3.10\fs\reiserfs\README(33):to the owner of the copyright, and my interpretation of this shall
linux-3.10\fs\reiserfs\README(86):the copyright.
linux-3.10\fs\reiserfs\reiserfs.h(2): * Copyright 1996, 1997, 1998 Hans Reiser, see reiserfs/README for licensing and copyright details
linux-3.10\fs\reiserfs\resize.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\stree.c(2): *Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\super.c(2): * Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README
linux-3.10\fs\reiserfs\tail_conversion.c(2): * Copyright 1999 Hans Reiser, see

legal(ME)

reiserfs/README for licensing and copyright details

linux-3.10\fs\reiserfs\xattr.c(4): * Copyright (c) 2002 by Jeff Mahoney,
<jeffm@suse.com>

linux-3.10\fs\romfs\internal.h(3): * Copyright ㄗ 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\romfs\mmap-nommu.c(3): * Copyright ㄗ 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\romfs\storage.c(3): * Copyright ㄗ 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\romfs\super.c(11): * Copyright ㄗ 1991, 1992 Linus Torvalds

linux-3.10\fs\romfs\super.c(14): * Copyright ㄗ 1993 Ray Burr

linux-3.10\fs\romfs\super.c(15): * Copyright ㄗ 1996 Hans-Joachim Widmaier

linux-3.10\fs\romfs\super.c(3): * Copyright ㄗ 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\romfs\super.c(8): * Copyright ㄗ 1997-1999 Janos Farkas
<chexum@shadow.banki.hu>

linux-3.10\fs\signalfd.c(4): * Copyright (C) 2003 Linus Torvalds

linux-3.10\fs\splice.c(15): * Copyright (C) 2005-2006 Jens Axboe
<axboe@kernel.dk>

linux-3.10\fs\splice.c(16): * Copyright (C) 2005-2006 Linus Torvalds
<torvalds@osdl.org>

linux-3.10\fs\splice.c(17): * Copyright (C) 2006 Ingo Molnar <mingo@elte.hu>

linux-3.10\fs\squashfs\block.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006,
2007, 2008

linux-3.10\fs\squashfs\cache.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006,
2007, 2008

linux-3.10\fs\squashfs\decompressor.c(4): * Copyright (c) 2002, 2003, 2004, 2005,
2006, 2007, 2008, 2009

linux-3.10\fs\squashfs\decompressor.h(6): * Copyright (c) 2002, 2003, 2004, 2005,
2006, 2007, 2008, 2009

linux-3.10\fs\squashfs\dir.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006,
2007, 2008

linux-3.10\fs\squashfs\export.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006,
2007, 2008

linux-3.10\fs\squashfs\file.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006,
2007, 2008

linux-3.10\fs\squashfs\fragment.c(4): * Copyright (c) 2002, 2003, 2004, 2005,
2006, 2007, 2008

linux-3.10\fs\squashfs\id.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006,
2007, 2008

linux-3.10\fs\squashfs\inode.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006,
2007, 2008

linux-3.10\fs\squashfs\lzo_wrapper.c(4): * Copyright (c) 2010 LG Electronics

linux-3.10\fs\squashfs\namei.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006,
2007, 2008

linux-3.10\fs\squashfs\squashfs.h(4): * Copyright (c) 2002, 2003, 2004, 2005,
2006, 2007, 2008

linux-3.10\fs\squashfs\squashfs_fs.h(6): * Copyright (c) 2002, 2003, 2004, 2005,
2006, 2007, 2008

linux-3.10\fs\squashfs\squashfs_fs_i.h(6): * Copyright (c) 2002, 2003, 2004,
2005, 2006, 2007, 2008

linux-3.10\fs\squashfs\squashfs_fs_sb.h(6): * Copyright (c) 2002, 2003, 2004,

legal(ME)

2005, 2006, 2007, 2008

linux-3.10\fs\squashfs\super.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006, 2007, 2008

linux-3.10\fs\squashfs\symlink.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006, 2007, 2008

linux-3.10\fs\squashfs\xattr.c(4): * Copyright (c) 2010

linux-3.10\fs\squashfs\xattr.h(4): * Copyright (c) 2010

linux-3.10\fs\squashfs\xattr_id.c(4): * Copyright (c) 2010

linux-3.10\fs\squashfs\xz_wrapper.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

linux-3.10\fs\squashfs\zlib_wrapper.c(4): * Copyright (c) 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009

linux-3.10\fs\stat.c(4): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\fs\super.c(4): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\fs\sysfs\bin.c(4): * Copyright (c) 2003 Patrick Mochel

linux-3.10\fs\sysfs\bin.c(5): * Copyright (c) 2003 Matthew Wilcox

linux-3.10\fs\sysfs\bin.c(6): * Copyright (c) 2004 Silicon Graphics, Inc.

linux-3.10\fs\sysfs\bin.c(7): * Copyright (c) 2007 SUSE Linux Products GmbH

linux-3.10\fs\sysfs\bin.c(8): * Copyright (c) 2007 Tejun Heo <teheo@suse.de>

linux-3.10\fs\sysfs\dir.c(4): * Copyright (c) 2001-3 Patrick Mochel

linux-3.10\fs\sysfs\dir.c(5): * Copyright (c) 2007 SUSE Linux Products GmbH

linux-3.10\fs\sysfs\dir.c(6): * Copyright (c) 2007 Tejun Heo <teheo@suse.de>

linux-3.10\fs\sysfs\file.c(4): * Copyright (c) 2001-3 Patrick Mochel

linux-3.10\fs\sysfs\file.c(5): * Copyright (c) 2007 SUSE Linux Products GmbH

linux-3.10\fs\sysfs\file.c(6): * Copyright (c) 2007 Tejun Heo <teheo@suse.de>

linux-3.10\fs\sysfs\group.c(4): * Copyright (c) 2003 Patrick Mochel

linux-3.10\fs\sysfs\group.c(5): * Copyright (c) 2003 Open Source Development Lab

linux-3.10\fs\sysfs\inode.c(4): * Copyright (c) 2001-3 Patrick Mochel

linux-3.10\fs\sysfs\inode.c(5): * Copyright (c) 2007 SUSE Linux Products GmbH

linux-3.10\fs\sysfs\inode.c(6): * Copyright (c) 2007 Tejun Heo <teheo@suse.de>

linux-3.10\fs\sysfs\mount.c(4): * Copyright (c) 2001-3 Patrick Mochel

linux-3.10\fs\sysfs\mount.c(5): * Copyright (c) 2007 SUSE Linux Products GmbH

linux-3.10\fs\sysfs\mount.c(6): * Copyright (c) 2007 Tejun Heo <teheo@suse.de>

linux-3.10\fs\sysfs\symlink.c(4): * Copyright (c) 2001-3 Patrick Mochel

linux-3.10\fs\sysfs\symlink.c(5): * Copyright (c) 2007 SUSE Linux Products GmbH

linux-3.10\fs\sysfs\symlink.c(6): * Copyright (c) 2007 Tejun Heo <teheo@suse.de>

linux-3.10\fs\sysfs\sysfs.h(4): * Copyright (c) 2001-3 Patrick Mochel

linux-3.10\fs\sysfs\sysfs.h(5): * Copyright (c) 2007 SUSE Linux Products GmbH

linux-3.10\fs\sysfs\sysfs.h(6): * Copyright (c) 2007 Tejun Heo <teheo@suse.de>

linux-3.10\fs\sysv\ballocc.c(11): *Copyright (C) 1992Doug Evans

linux-3.10\fs\sysv\ballocc.c(14): *Copyright (C) 1993Pascal Haible, Bruno Haible

linux-3.10\fs\sysv\ballocc.c(17): *Copyright (C) 1993Bruno Haible

linux-3.10\fs\sysv\ballocc.c(5): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\fs\sysv\ballocc.c(8): *Copyright (C) 1992Remy Card (card@masi.ibp.fr)

linux-3.10\fs\sysv\dir.c(11): *Copyright (C) 1993Bruno Haible

linux-3.10\fs\sysv\dir.c(5): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\fs\sysv\dir.c(8): *Copyright (C) 1993Pascal Haible, Bruno Haible

linux-3.10\fs\sysv\file.c(11): *Copyright (C) 1993Bruno Haible

linux-3.10\fs\sysv\file.c(5): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\fs\sysv\file.c(8): *Copyright (C) 1993Pascal Haible, Bruno Haible

linux-3.10\fs\sysv\iallocc.c(11): *Copyright (C) 1992Doug Evans

linux-3.10\fs\sysv\iallocc.c(14): *Copyright (C) 1993Pascal Haible, Bruno Haible

legal(ME)

linux-3.10\fs\sysv\ialloc.c(17): *Copyright (C) 1993Bruno Haible
linux-3.10\fs\sysv\ialloc.c(5): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\sysv\ialloc.c(8): *Copyright (C) 1992Remy Card (card@masi.ibp.fr)
linux-3.10\fs\sysv\inode.c(11): *Copyright (C) 1993Pascal Haible, Bruno Haible
linux-3.10\fs\sysv\inode.c(14): *Copyright (C) 1993Paul B. Monday
linux-3.10\fs\sysv\inode.c(17): *Copyright (C) 1993Bruno Haible
linux-3.10\fs\sysv\inode.c(18): *Copyright (C) 1997, 1998Krzysztof G. Baranowski
linux-3.10\fs\sysv\inode.c(5): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\sysv\inode.c(8): *Copyright (C) 1992Doug Evans
linux-3.10\fs\sysv\namei.c(11): *Copyright (C) 1993Bruno Haible
linux-3.10\fs\sysv\namei.c(12): *Copyright (C) 1997, 1998Krzysztof G. Baranowski
linux-3.10\fs\sysv\namei.c(5): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\sysv\namei.c(8): *Copyright (C) 1993Pascal Haible, Bruno Haible
linux-3.10\fs\sysv\super.c(11): *Copyright (C) 1993Pascal Haible, Bruno Haible
linux-3.10\fs\sysv\super.c(14): *Copyright (C) 1993Paul B. Monday
linux-3.10\fs\sysv\super.c(17): *Copyright (C) 1993Bruno Haible
linux-3.10\fs\sysv\super.c(18): *Copyright (C) 1997, 1998Krzysztof G. Baranowski
linux-3.10\fs\sysv\super.c(5): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\sysv\super.c(8): *Copyright (C) 1992Doug Evans
linux-3.10\fs\timerfd.c(4): *Copyright (C) 2007Davide Libenzi
<davidel@xmailserver.org>
linux-3.10\fs\ubifs\budget.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\commit.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\compress.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\compress.c(5): * Copyright (C) 2006, 2007 University of
Szeged, Hungary
linux-3.10\fs\ubifs\debug.c(4): * Copyright (C) 2006-2008 Nokia Corporation
linux-3.10\fs\ubifs\debug.h(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\dir.c(3): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\dir.c(4): * Copyright (C) 2006, 2007 University of Szeged,
Hungary
linux-3.10\fs\ubifs\file.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\find.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\gc.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\io.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\io.c(5): * Copyright (C) 2006, 2007 University of Szeged,
Hungary
linux-3.10\fs\ubifs\ioctl.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\ioctl.c(5): * Copyright (C) 2006, 2007 University of Szeged,
Hungary
linux-3.10\fs\ubifs\journal.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\key.h(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\log.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\lprops.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\lpt.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\lpt_commit.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\master.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs/misc.h(4): * Copyright (C) 2006-2008 Nokia Corporation
linux-3.10\fs\ubifs\orphan.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\recovery.c(4): * Copyright (C) 2006-2008 Nokia Corporation
linux-3.10\fs\ubifs\replay.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\sb.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

legal(ME)

linux-3.10\fs\ubifs\scan.c(4): * Copyright (C) 2006-2008 Nokia Corporation
linux-3.10\fs\ubifs\shrinker.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\super.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\tnc.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\tnc_commit.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\tnc_misc.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\ubifs.h(4): * Copyright (C) 2006-2008 Nokia Corporation
linux-3.10\fs\ubifs\ubifs-media.h(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\ubifs\xattr.c(4): * Copyright (C) 2006-2008 Nokia Corporation.
linux-3.10\fs\udf\ballocc.c(7): * COPYRIGHT
linux-3.10\fs\udf\dir.c(7): * COPYRIGHT
linux-3.10\fs\udf\directory.c(7): * COPYRIGHT
linux-3.10\fs\udf\ecma_167.h(207):struct extent_advocopyright;
linux-3.10\fs\udf\ecma_167.h(7): * Copyright (c) 2001-2002Ben Fennema
<bfennema@falcon.csc.calpoly.edu>
linux-3.10\fs\udf\file.c(7): * COPYRIGHT
linux-3.10\fs\udf\iallocc.c(7): * COPYRIGHT
linux-3.10\fs\udf\inode.c(7): * COPYRIGHT
linux-3.10\fs\udf\lowlevel.c(7): * COPYRIGHT
linux-3.10\fs\udf\misc.c(7): * COPYRIGHT
linux-3.10\fs\udf\nameli.c(7): * COPYRIGHT
linux-3.10\fs\udf\osta_udf.h(227):/* DVD Copyright Management Information (UDF 2.50 3.3.4.5.1.2) */
linux-3.10\fs\udf\osta_udf.h(228):struct DVDCopyrightImpUse {
linux-3.10\fs\udf\osta_udf.h(7): * Copyright (c) 2001-2004Ben Fennema
<bfennema@falcon.csc.calpoly.edu>
linux-3.10\fs\udf\partition.c(7): * COPYRIGHT
linux-3.10\fs\udf\super.c(17): * COPYRIGHT
linux-3.10\fs\udf\symlink.c(7): * COPYRIGHT
linux-3.10\fs\udf\truncate.c(7): * COPYRIGHT
linux-3.10\fs\udf\udftime.c(1):/* Copyright (C) 1993, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.
linux-3.10\fs\udf\unicode.c(14): * COPYRIGHT
linux-3.10\fs\ufs\ballocc.c(4): * Copyright (C) 1998
linux-3.10\fs\ufs\cylinder.c(4): * Copyright (C) 1998
linux-3.10\fs\ufs\dir.c(4): * Copyright (C) 1996
linux-3.10\fs\ufs\file.c(12): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ufs\file.c(21): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ufs\file.c(4): * Copyright (C) 1998
linux-3.10\fs\ufs\iallocc.c(12): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ufs\iallocc.c(4): * Copyright (c) 1998
linux-3.10\fs\ufs\inode.c(12): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ufs\inode.c(21): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ufs\inode.c(4): * Copyright (C) 1998
linux-3.10\fs\ufs\nameli.c(15): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ufs\nameli.c(24): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ufs\nameli.c(7): * Copyright (C) 1998
linux-3.10\fs\ufs\super.c(13): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ufs\super.c(22): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\fs\ufs\super.c(33): * Copyright (C) 1996
linux-3.10\fs\ufs\super.c(38): * Copyright (C) 1996Eddie C. Dost(ecd@skynet.be)

legal(ME)

linux-3.10\fs\ufs\super.c(4): * Copyright (C) 1998
linux-3.10\fs\ufs\swab.h(4): * Copyright (C) 1997, 1998 Francois-Rene Rideau
<fare@tunes.org>
linux-3.10\fs\ufs\swab.h(5): * Copyright (C) 1998 Jakub Jelinek
<jj@ultra.linux.cz>
linux-3.10\fs\ufs\swab.h(6): * Copyright (C) 2001 Christoph Hellwig
<hch@infradead.org>
linux-3.10\fs\ufs\symlink.c(14): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ufs\symlink.c(23): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\fs\ufs\symlink.c(6): * Copyright (C) 1998
linux-3.10\fs\ufs\truncate.c(12): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\fs\ufs\truncate.c(21): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\fs\ufs\truncate.c(4): * Copyright (C) 1998
linux-3.10\fs\ufs\ufs_fs.h(4): * Copyright (C) 1996
linux-3.10\fs\ufs\util.c(4): * Copyright (C) 1998
linux-3.10\fs\ufs\util.h(4): * Copyright (C) 1998
linux-3.10\fs\xattr.c(6): Copyright (C) 2001 by Andreas Gruenbacher
<a.gruenbacher@computer.org>
linux-3.10\fs\xattr.c(7): Copyright (C) 2001 SGI - Silicon Graphics, Inc
<linux-xfss@oss.sgi.com>
linux-3.10\fs\xattr.c(8): Copyright (c) 2004 Red Hat, Inc., James Morris
<jmorris@redhat.com>
linux-3.10\fs\xattr_acl.c(5): * Copyright (C) 2001 by Andreas Gruenbacher,
<a.gruenbacher@computer.org>
linux-3.10\fs\xfs\kmem.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\kmem.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\Makefile(2): # Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\mrlock.h(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\time.h(2): * Copyright (c) 2000-2003, 2005 Silicon Graphics,
Inc.
linux-3.10\fs\xfs\uuid.c(2): * Copyright (c) 2000-2003, 2005 Silicon Graphics,
Inc.
linux-3.10\fs\xfs\uuid.h(2): * Copyright (c) 2000-2003, 2005 Silicon Graphics,
Inc.
linux-3.10\fs\xfs\xfs.h(2): * Copyright (c) 2000-2003, 2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_acl.c(2): * Copyright (c) 2008, Christoph Hellwig
linux-3.10\fs\xfs\xfs_acl.h(2): * Copyright (c) 2001-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ag.h(2): * Copyright (c) 2000-2003, 2005 Silicon Graphics,
Inc.
linux-3.10\fs\xfs\xfs_alloc.c(2): * Copyright (c) 2000-2002, 2005 Silicon
Graphics, Inc.
linux-3.10\fs\xfs\xfs_alloc.h(2): * Copyright (c) 2000-2002, 2005 Silicon
Graphics, Inc.
linux-3.10\fs\xfs\xfs_alloc_btree.c(2): * Copyright (c) 2000-2001, 2005 Silicon
Graphics, Inc.
linux-3.10\fs\xfs\xfs_alloc_btree.h(2): * Copyright (c) 2000, 2005 Silicon
Graphics, Inc.
linux-3.10\fs\xfs\xfs_aops.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_aops.h(2): * Copyright (c) 2005-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_attr.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_attr.h(2): * Copyright (c) 2000, 2002-2003, 2005 Silicon
Graphics, Inc.

legal(ME)

linux-3.10\fs\xfs\xfs_attr_leaf.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_attr_leaf.c(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_attr_leaf.h(2): * Copyright (c) 2000,2002-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_attr_leaf.h(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_attr_remote.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_attr_remote.c(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_attr_remote.h(2): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_attr_sf.h(2): * Copyright (c) 2000,2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_bit.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_bit.h(2): * Copyright (c) 2000,2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_bmap.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_bmap.h(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_bmap_btree.c(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_bmap_btree.h(2): * Copyright (c) 2000,2002-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_btree.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_btree.h(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_buf.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_buf.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_buf_item.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_buf_item.h(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_da_btree.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_da_btree.c(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_da_btree.h(2): * Copyright (c) 2000,2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_da_btree.h(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_dfrag.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dfrag.h(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dinode.h(2): * Copyright (c) 2000,2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dir2.c(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dir2.h(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dir2_block.c(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dir2_block.c(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_dir2_data.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.

legal(ME)

linux-3.10\fs\xfs\xfs_dir2_data.c(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_dir2_format.h(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dir2_format.h(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_dir2_leaf.c(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dir2_leaf.c(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_dir2_node.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dir2_node.c(3): * Copyright (c) 2013 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_dir2_priv.h(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dir2_sf.c(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_discard.c(2): * Copyright (C) 2010 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_dquot.c(2): * Copyright (c) 2000-2003 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dquot.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dquot_item.c(2): * Copyright (c) 2000-2003 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_dquot_item.h(2): * Copyright (c) 2000-2003 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_error.c(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_error.h(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_export.c(2): * Copyright (c) 2004-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_export.h(2): * Copyright (c) 2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_extent_busy.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_extent_busy.c(3): * Copyright (c) 2010 David Chinner.
linux-3.10\fs\xfs\xfs_extent_busy.c(4): * Copyright (c) 2011 Christoph Hellwig.
linux-3.10\fs\xfs\xfs_extent_busy.h(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_extent_busy.h(3): * Copyright (c) 2010 David Chinner.
linux-3.10\fs\xfs\xfs_extent_busy.h(4): * Copyright (c) 2011 Christoph Hellwig.
linux-3.10\fs\xfs\xfs_extfree_item.c(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_extfree_item.h(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_file.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_filestream.c(2): * Copyright (c) 2006-2007 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_filestream.h(2): * Copyright (c) 2006-2007 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_fs.h(2): * Copyright (c) 1995-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_fsops.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_fsops.h(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.

legal(ME)

linux-3.10\fs\xfs\xfs_globals.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ialloc.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ialloc.h(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ialloc_btree.c(2): * Copyright (c) 2000-2001,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ialloc_btree.h(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_icache.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_icache.h(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_inode.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_inode.h(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_inode_item.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_inode_item.h(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_inum.h(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ioctl.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ioctl.h(2): * Copyright (c) 2008 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ioctl32.c(2): * Copyright (c) 2004-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_ioctl32.h(2): * Copyright (c) 2004-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_iomap.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_iomap.h(2): * Copyright (c) 2003-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_iops.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_iops.h(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_itable.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_itable.h(2): * Copyright (c) 2000-2001 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\fs\xfs\xfs_linux.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_log.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_log.h(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_log_cil.c(2): * Copyright (c) 2010 Red Hat, Inc. All Rights Reserved.
linux-3.10\fs\xfs\xfs_log_priv.h(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_log_recover.c(2): * Copyright (c) 2000-2006 Silicon

legal(ME)

Graphics, Inc.

linux-3.10\fs\xfs\xfs_log_recover.h(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_message.c(2): * Copyright (c) 2011 Red Hat, Inc. All Rights Reserved.

linux-3.10\fs\xfs\xfs_mount.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_mount.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_mru_cache.c(2): * Copyright (c) 2006-2007 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_mru_cache.h(2): * Copyright (c) 2006-2007 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_qm.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_qm.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_qm_bhv.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_qm_syscalls.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_quota.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_quota_priv.h(2): * Copyright (c) 2000-2003 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_quotaops.c(2): * Copyright (c) 2008, Christoph Hellwig

linux-3.10\fs\xfs\xfs_rename.c(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_rtalloc.c(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_rtalloc.h(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_sb.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_stats.c(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_stats.h(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_super.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_super.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_symlink.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_symlink.c(3): * Copyright (c) 2012-2013 Red Hat, Inc.

linux-3.10\fs\xfs\xfs_symlink.h(2): * Copyright (c) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\fs\xfs\xfs_sysctl.c(2): * Copyright (c) 2001-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_sysctl.h(2): * Copyright (c) 2001-2005 Silicon Graphics, Inc.

linux-3.10\fs\xfs\xfs_trace.c(2): * Copyright (c) 2009, Christoph Hellwig

linux-3.10\fs\xfs\xfs_trace.h(2): * Copyright (c) 2009, Christoph Hellwig

linux-3.10\fs\xfs\xfs_trans.c(2): * Copyright (c) 2000-2003,2005 Silicon Graphics, Inc.

legal(ME)

linux-3.10\fs\xfs\xfs_trans.c(3): * Copyright (C) 2010 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_trans.h(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_trans_ail.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_trans_ail.c(3): * Copyright (c) 2008 Dave Chinner
linux-3.10\fs\xfs\xfs_trans_buf.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_trans_dquot.c(2): * Copyright (c) 2000-2002 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_trans_extfree.c(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_trans_inode.c(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_trans_priv.h(2): * Copyright (c) 2000,2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_trans_space.h(2): * Copyright (c) 2000,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_types.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_utils.c(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_utils.h(2): * Copyright (c) 2000-2002,2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_vnode.h(2): * Copyright (c) 2000-2005 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_vnodeops.c(2): * Copyright (c) 2000-2006 Silicon Graphics, Inc.
linux-3.10\fs\xfs\xfs_vnodeops.c(3): * Copyright (c) 2012 Red Hat, Inc.
linux-3.10\fs\xfs\xfs_xattr.c(2): * Copyright (C) 2008 Christoph Hellwig.
linux-3.10\fs\xfs\xfs_xattr.c(3): * Portions Copyright (C) 2000-2008 Silicon Graphics, Inc.
linux-3.10\include\acpi\acbuffer.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\acconfig.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\acexcep.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\acnames.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\acoutput.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\acpi.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\acpi_bus.h(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\include\acpi\acpi_bus.h(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\include\acpi\acpi_drivers.h(4): *Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>
linux-3.10\include\acpi\acpi_drivers.h(5): *Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
linux-3.10\include\acpi\acpiosxf.h(10): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\acpixf.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\acrestyp.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\actbl.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\actbl1.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\actbl2.h(1098): * Copyright 2006 Microsoft Corporation.

legal(ME)

linux-3.10\include\acpi\actbl2.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\actbl2.h(884): * Copyright 2006
linux-3.10\include\acpi\actbl3.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\actypes.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\hed.h(4): * Copyright (C) 2009, Intel Corp.
linux-3.10\include\acpi\platform\acenv.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\platform\acgcc.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\acpi\platform\aclinux.h(8): * Copyright (C) 2000 - 2013, Intel Corp.
linux-3.10\include\asm-generic\atomic.h(7): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\asm-generic\atomic64.h(5): * Copyright 2009 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>
linux-3.10\include\asm-generic\atomic-long.h(4): * Copyright (C) 2005 Silicon Graphics, Inc.
linux-3.10\include\asm-generic\barrier.h(6): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\asm-generic\bitops\count_zeros.h(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\asm-generic\clkdev.h(5): * Copyright (C) 2008 Russell King.
linux-3.10\include\asm-generic\cputime_nsecs.h(6): * Copyright (C) 2007 FUJITSU LIMITED
linux-3.10\include\asm-generic\cputime_nsecs.h(7): * Copyright (C) 2007 Hidetoshi Seto <seto.hidetoshi@jp.fujitsu.com>
linux-3.10\include\asm-generic\div64.h(4): * Copyright (C) 2003 Bernardo Innocenti <bernie@develer.com>
linux-3.10\include\asm-generic\exec.h(6): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\asm-generic\io.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\asm-generic\irq_regs.h(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\asm-generic\pci.h(4): * Copyright (C) 2003 Russell King
linux-3.10\include\asm-generic\pci_iomap.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\asm-generic\ptrace.h(4): * Copyright 2004-2011 Analog Devices Inc.
linux-3.10\include\asm-generic\switch_to.h(6): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\asm-generic\syscall.h(4): * Copyright (C) 2008-2009 Red Hat, Inc. All rights reserved.
linux-3.10\include\asm-generic\syscall.h(6): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\include\asm-generic\tlb.h(5): * Copyright 2001 Red Hat, Inc.
linux-3.10\include\asm-generic\tlb.h(6): * Based on code from mm/memory.c Copyright Linus Torvalds and others.
linux-3.10\include\asm-generic\tlb.h(8): * Copyright 2011 Red Hat, Inc., Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\include\asm-generic\topology.h(6): * Copyright (C) 2002, IBM Corp.
linux-3.10\include\clocksource\arm_arch_timer.h(2): * Copyright (C) 2012 ARM Ltd.

legal(ME)

linux-3.10\include\clocksource\metag_generic.h(2): * Copyright (C) 2013
Imaginaton Technologies Ltd.
linux-3.10\include\clocksource\samsung_pwm.h(2): * Copyright (C) 2013 Samsung
Electronics Co., Ltd.
linux-3.10\include\crypto\aead.h(4): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\algapi.h(4): * Copyright (c) 2006 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\authenc.h(4): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\b128ops.h(17): Copyright (c) 2003, Dr Brian Gladman,
Worcester, UK. All rights reserved.
linux-3.10\include\crypto\b128ops.h(3): * Copyright (c) 2003, Dr Brian Gladman,
Worcester, UK.
linux-3.10\include\crypto\b128ops.h(31): 3. the copyright holder's name is not
used to endorse products
linux-3.10\include\crypto\b128ops.h(4): * Copyright (c) 2006, Rik Snel
<rsnel@cube.dyndns.org>
linux-3.10\include\crypto\compress.h(4): * Copyright 2008 Sony Corporation
linux-3.10\include\crypto\cryptd.h(9): *Copyright (c) 2010, Intel Corporation.
linux-3.10\include\crypto\ctr.h(4): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\gf128mul.h(17): Copyright (c) 2003, Dr Brian Gladman,
Worcester, UK. All rights reserved.
linux-3.10\include\crypto\gf128mul.h(3): * Copyright (c) 2003, Dr Brian Gladman,
Worcester, UK.
linux-3.10\include\crypto\gf128mul.h(31): 3. the copyright holder's name is not
used to endorse products
linux-3.10\include\crypto\gf128mul.h(4): * Copyright (c) 2006 Rik Snel
<rsnel@cube.dyndns.org>
linux-3.10\include\crypto\hash.h(4): * Copyright (c) 2008 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\if_alg.h(4): * Copyright (c) 2010 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\internal\aead.h(4): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\internal\compress.h(4): * Copyright 2008 Sony
Corporation
linux-3.10\include\crypto\internal\hash.h(4): * Copyright (c) 2008 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\internal\rng.h(4): * Copyright (c) 2008 Neil Horman
<nhorman@tuxdriver.com>
linux-3.10\include\crypto\internal\skcipher.h(4): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\padlock.h(4): * Copyright (c) 2004 Michal Ludvig
<michal@logix.cz>
linux-3.10\include\crypto\pcrypt.h(4): * Copyright (C) 2009 secunet Security
Networks AG
linux-3.10\include\crypto\pcrypt.h(5): * Copyright (C) 2009 Steffen Klassert
<steffen.klassert@secunet.com>
linux-3.10\include\crypto\public_key.h(5): * Copyright (C) 2012 Red Hat, Inc. All
Rights Reserved.

legal(ME)

linux-3.10\include\crypto\rng.h(4): * Copyright (c) 2008 Neil Horman
<nhorman@tuxdriver.com>
linux-3.10\include\crypto\scatterwalk.h(4): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\include\crypto\scatterwalk.h(5): * Copyright (c) 2002 Adam J. Richter
<adam@yggdrasil.com>
linux-3.10\include\crypto\scatterwalk.h(6): * Copyright (c) 2004 Jean-Luc Cooke
<jlcooke@certainkey.com>
linux-3.10\include\crypto\scatterwalk.h(7): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\skcipher.h(4): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\include\crypto\vmac.h(3): * Copyright (c) 2009, Intel Corporation.
linux-3.10\include\drm\drm_buffer.h(3): * Copyright 2010 Pauli Nieminen.
linux-3.10\include\drm\drm_cache.h(3): * Copyright 2009 Red Hat Inc.
linux-3.10\include\drm\drm_core.h(2): * Copyright 2004 Jon Smirl
<jonsmirl@gmail.com>
linux-3.10\include\drm\drm_crtc.h(2): * Copyright ㄣ 2006 Keith Packard
linux-3.10\include\drm\drm_crtc.h(3): * Copyright ㄣ 2007-2008 Dave Airlie
linux-3.10\include\drm\drm_crtc.h(4): * Copyright ㄣ 2007-2008 Intel Corporation
linux-3.10\include\drm\drm_crtc_helper.h(2): * Copyright ㄣ 2006 Keith Packard
linux-3.10\include\drm\drm_crtc_helper.h(3): * Copyright ㄣ 2007-2008 Dave Airlie
linux-3.10\include\drm\drm_crtc_helper.h(4): * Copyright ㄣ 2007-2008 Intel
Corporation
linux-3.10\include\drm\drm_dp_helper.h(2): * Copyright ㄣ 2008 Keith Packard
linux-3.10\include\drm\drm_dp_helper.h(8): * that the name of the copyright
holders not be used in advertising or
linux-3.10\include\drm\drm_edid.h(2): * Copyright ㄣ 2007-2008 Intel Corporation
linux-3.10\include\drm\drm_encoder_slave.h(2): * Copyright (C) 2009 Francisco
Jerez.
linux-3.10\include\drm\drm_fb_helper.h(12): * that the name of the copyright
holders not be used in advertising or
linux-3.10\include\drm\drm_fb_helper.h(2): * Copyright (c) 2006-2009 Red Hat Inc.
linux-3.10\include\drm\drm_fb_helper.h(3): * Copyright (c) 2006-2008 Intel
Corporation
linux-3.10\include\drm\drm_fb_helper.h(4): * Copyright (c) 2007 Dave Airlie
<airlied@linux.ie>
linux-3.10\include\drm\drm_fixed.h(2): * Copyright 2009 Red Hat Inc.
linux-3.10\include\drm\drm_global.h(3): * Copyright 2008-2009 VMware, Inc., Palo
Alto, CA., USA
linux-3.10\include\drm\drm_hashtab.h(3): * Copyright 2006 Tungsten Graphics,
Inc., Bismack, ND. USA.
linux-3.10\include\drm\drm_mem_util.h(2): * Copyright ㄣ 2008 Intel Corporation
linux-3.10\include\drm\drm_memory.h(12): * Copyright 1999 Precision Insight,
Inc., Cedar Park, Texas.
linux-3.10\include\drm\drm_memory.h(13): * Copyright 2000 VA Linux Systems, Inc.,
Sunnyvale, California.
linux-3.10\include\drm\drm_mm.h(3): * Copyright 2006-2008 Tungsten Graphics,
Inc., Cedar Park, TX. USA.
linux-3.10\include\drm\drmP.h(10): * Copyright 1999 Precision Insight, Inc.,
Cedar Park, Texas.
linux-3.10\include\drm\drmP.h(11): * Copyright 2000 VA Linux Systems, Inc.,

legal(ME)

Sunnyvale, California.

linux-3.10\include\drm\drmP.h(12): * Copyright (c) 2009-2010, Code Aurora Forum.

linux-3.10\include\drm\exynos_drm.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

linux-3.10\include\drm\gma_drm.h(2): * Copyright (c) 2007-2011, Intel Corporation.

linux-3.10\include\drm\gma_drm.h(4): * Copyright (c) 2008, Tungsten Graphics Inc. Cedar Park, TX., USA.

linux-3.10\include\drm\i2c\ch7006.h(2): * Copyright (C) 2009 Francisco Jerez.

linux-3.10\include\drm\i2c\sil164.h(2): * Copyright (C) 2010 Francisco Jerez.

linux-3.10\include\drm\i915_drm.h(2): * Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas.

linux-3.10\include\drm\ttm\ttm_bo_api.h(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\drm\ttm\ttm_bo_driver.h(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\drm\ttm\ttm_execbuf_util.h(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\drm\ttm\ttm_lock.h(3): * Copyright (c) 2007-2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\drm\ttm\ttm_memory.h(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\drm\ttm\ttm_module.h(3): * Copyright 2008-2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\drm\ttm\ttm_object.h(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\drm\ttm\ttm_page_alloc.h(2): * Copyright (c) Red Hat Inc.

linux-3.10\include\drm\ttm\ttm_placement.h(3): * Copyright (c) 2006-2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\keys\asymmetric-parser.h(5): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\keys\asymmetric-subtype.h(5): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\keys\asymmetric-type.h(5): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\keys\dns_resolver-type.h(3): * Copyright (C) 2010 Wang Lei. All Rights Reserved.

linux-3.10\include\keys\encrypted-type.h(2): * Copyright (C) 2010 IBM Corporation

linux-3.10\include\keys\encrypted-type.h(3): * Copyright (C) 2010 Politecnico di Torino, Italy

linux-3.10\include\keys\keyring-type.h(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\keys\rxrpc-type.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\keys\trusted-type.h(2): * Copyright (C) 2010 IBM Corporation

linux-3.10\include\keys\user-type.h(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\linux\acct.h(11): * Copyright (C) 1995 - 1997 Marco van Wieringen - ELM Consultancy B.V.

linux-3.10\include\linux\acpi.h(4): * Copyright (C) 2001 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>

linux-3.10\include\linux\acpi_dma.h(6): * Copyright (C) 2013, Intel Corporation

legal(ME)

linux-3.10\include\linux\ aer.h(2): * Copyright (C) 2006 Intel Corp.
linux-3.10\include\linux\ agp_backend.h(4): * Copyright (C) 2004 Silicon Graphics, Inc.
linux-3.10\include\linux\ agp_backend.h(5): * Copyright (C) 2002-2003 Dave Jones
linux-3.10\include\linux\ agp_backend.h(6): * Copyright (C) 1999 Jeff Hartmann
linux-3.10\include\linux\ agp_backend.h(7): * Copyright (C) 1999 Precision Insight, Inc.
linux-3.10\include\linux\ agp_backend.h(8): * Copyright (C) 1999 Xi Graphics, Inc.
linux-3.10\include\linux\ agpgart.h(3): * Copyright (C) 1999 Jeff Hartmann
linux-3.10\include\linux\ agpgart.h(4): * Copyright (C) 1999 Precision Insight, Inc.
linux-3.10\include\linux\ agpgart.h(5): * Copyright (C) 1999 Xi Graphics, Inc.
linux-3.10\include\linux\ ahci_platform.h(4): * Copyright 2004-2005 Red Hat, Inc.
linux-3.10\include\linux\ ahci_platform.h(6): * Copyright 2010 MontaVista Software, LLC.
linux-3.10\include\linux\ amba\ bus.h(8): * Copyright (C) 2003 Deep Blue Solutions Ltd, All Rights Reserved.
linux-3.10\include\linux\ amba\ clcd.h(6): * Copyright (C) 2001 ARM Limited
linux-3.10\include\linux\ amba\ kmi.h(6): * Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\include\linux\ amba\ pl022.h(4): * Copyright (C) 2008-2009 ST-Ericsson AB
linux-3.10\include\linux\ amba\ pl022.h(5): * Copyright (C) 2006 STMicroelectronics Pvt. Ltd.
linux-3.10\include\linux\ amba\ pl080.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\include\linux\ amba\ pl080.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\include\linux\ amba\ pl08x.h(4): * Copyright (C) 2005 ARM Ltd
linux-3.10\include\linux\ amba\ pl08x.h(5): * Copyright (C) 2010 ST-Ericsson SA
linux-3.10\include\linux\ amba\ pl093.h(3): * Copyright (c) 2008 Simtec Electronics
linux-3.10\include\linux\ amba\ pl330.h(3): * Copyright (C) 2010 Samsung Electronics Co. Ltd.
linux-3.10\include\linux\ amba\ serial.h(6): * Copyright (C) ARM Limited
linux-3.10\include\linux\ amba\ serial.h(7): * Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\include\linux\ amba\ sp810.h(6): * Copyright (C) 2009 ST Microelectronics
linux-3.10\include\linux\ amd-iommu.h(2): * Copyright (C) 2007-2010 Advanced Micro Devices, Inc.
linux-3.10\include\linux\ anon_inodes.h(4): * Copyright (C) 2007 Davide Libenzi <davidel@xmailserver.org>
linux-3.10\include\linux\ apm_bios.h(3): * Copyright 1994-2001 Stephen Rothwell (sfr@canb.auug.org.au)
linux-3.10\include\linux\ asn1.h(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\linux\ asn1_ber_bytocode.h(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\linux\ asn1_decoder.h(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\linux\ async.h(4): * (C) Copyright 2009 Intel Corporation
linux-3.10\include\linux\ async_tx.h(2): * Copyright 2006, Intel Corporation.
linux-3.10\include\linux\ ata.h(3): * Copyright 2003-2004 Red Hat, Inc. All rights reserved.

legal(ME)

linux-3.10\include\linux\ata.h(4): *Copyright 2003-2004 Jeff Garzik
linux-3.10\include\linux\ath9k_platform.h(2): * Copyright (c) 2008 Atheros
Communications Inc.
linux-3.10\include\linux\ath9k_platform.h(3): * Copyright (c) 2009 Gabor Juhos
<juhosg@openwrt.org>
linux-3.10\include\linux\ath9k_platform.h(4): * Copyright (c) 2009 Imre Kaloz
<kaloz@openwrt.org>
linux-3.10\include\linux\atmel_pdc.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\include\linux\atmel_pdc.h(5): * Copyright (C) SAN People
linux-3.10\include\linux\atmel_serial.h(4): * Copyright (C) 2005 Ivan Kokshaysky
linux-3.10\include\linux\atmel_serial.h(5): * Copyright (C) SAN People
linux-3.10\include\linux\atmel-pwm-bl.h(2): * Copyright (C) 2007 Atmel
Corporation
linux-3.10\include\linux\attribute_container.h(4): * Copyright (c) 2005 - James
Bottomley <James.Bottomley@steeleye.com>
linux-3.10\include\linux\audit.h(3): * Copyright 2003-2004 Red Hat Inc., Durham,
North Carolina.
linux-3.10\include\linux\auto_dev-ioctl.h(2): * Copyright 2008 Red Hat, Inc. All
rights reserved.
linux-3.10\include\linux\auto_dev-ioctl.h(3): * Copyright 2008 Ian Kent
<raven@themaw.net>
linux-3.10\include\linux\auto_fs.h(5): * Copyright 1997 Transmeta Corporation -
All Rights Reserved
linux-3.10\include\linux\b1pccmia.h(6): * Copyright 1999 by Carsten Paeth
(calle@calle.in-berlin.de)
linux-3.10\include\linux\backlight.h(4): * Copyright (C) 2003,2004
Hewlett-Packard Company
linux-3.10\include\linux\balloon_compaction.h(39): * Copyright (C) 2012, Red Hat,
Inc.Rafael Aquini <aquini@redhat.com>
linux-3.10\include\linux\basic_mmio_gpio.h(4): * Copyright 2008 MontaVista
Software, Inc.
linux-3.10\include\linux\basic_mmio_gpio.h(5): * Copyright 2008,2010 Anton
Vorontsov <cbouatmailru@gmail.com>
linux-3.10\include\linux\bch.h(17): * Copyright ㄣ 2011 Parrot S.A.
linux-3.10\include\linux\bfin_mac.h(4): * Copyright 2004-2010 Analog Devices Inc.
linux-3.10\include\linux\bio.h(4): * Copyright (C) 2001 Jens Axboe
<axboe@suse.de>
linux-3.10\include\linux\bma150.h(2): * Copyright (c) 2011 Bosch Sensortec GmbH
linux-3.10\include\linux\bma150.h(3): * Copyright (c) 2011 Unixphere
linux-3.10\include\linux\bsg-lib.h(4): *Copyright (C) 2008 James Smart, Emulex
Corporation
linux-3.10\include\linux\bsg-lib.h(5): *Copyright (C) 2011 Red Hat, Inc.All
rights reserved.
linux-3.10\include\linux\bsg-lib.h(6): *Copyright (C) 2011 Mike Christie
linux-3.10\include\linux\c2port.h(4): *Copyright (c) 2007 Rodolfo Giometti
<giometti@linux.it>
linux-3.10\include\linux\c2port.h(5): *Copyright (c) 2007 Eurotech S.p.A.
<info@eurotech.it>
linux-3.10\include\linux\can\core.h(8): * Copyright (c) 2002-2007 Volkswagen
Group Electronic Research
linux-3.10\include\linux\can\dev.h(6): * Copyright (C) 2006 Andrey Volkov
<avolkov@varma-el.com>

legal(ME)

linux-3.10\include\linux\can\dev.h(9): * Copyright (C) 2008 Wolfgang Grandegger
<wg@grandegger.com>
linux-3.10\include\linux\can\led.h(2): * Copyright 2012, Fabio Baltieri
<fabio.baltieri@gmail.com>
linux-3.10\include\linux\can\platform\flexcan.h(2): * Copyright (C) 2010 Marc
Kleine-Budde <kernel@pengutronix.de>
linux-3.10\include\linux\can\platform\ti_hecc.h(7): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\include\linux\can\skb.h(6): * Copyright (C) 2012 Oliver Hartkopp
<socketcan@hartkopp.net>
linux-3.10\include\linux\cb710.h(131): *Copyright by Michał Mirosław, 2008-2009
linux-3.10\include\linux\cb710.h(4): *Copyright by Michał Mirosław, 2008-2009
linux-3.10\include\linux\cdrom.h(4): * Copyright (C) 1992 David Giller,
rafetmad@oxy.edu
linux-3.10\include\linux\cfag12864b.h(7): *Author: Copyright (C) Miguel Ojeda
Sandonis
linux-3.10\include\linux\cgroup.h(6): *Copyright (C) 2003 BULL SA
linux-3.10\include\linux\cgroup.h(7): *Copyright (C) 2004-2006 Silicon Graphics,
Inc.
linux-3.10\include\linux\clk.h(4): *Copyright (C) 2004 ARM Limited.
linux-3.10\include\linux\clk.h(6): *Copyright (C) 2011-2012 Linaro Ltd
<mturquette@linaro.org>
linux-3.10\include\linux\clk\bcm2835.h(2): * Copyright (C) 2010 Broadcom
linux-3.10\include\linux\clk\mxs.h(2): * Copyright (C) 2013 Freescale
Semiconductor, Inc.
linux-3.10\include\linux\clk\sunxi.h(2): * Copyright 2012 Maxime Ripard
linux-3.10\include\linux\clk\tegra.h(2): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.
linux-3.10\include\linux\clk\zynq.h(2): * Copyright (C) 2012 National Instruments
linux-3.10\include\linux\clkdev.h(4): *Copyright (C) 2008 Russell King.
linux-3.10\include\linux\clk-private.h(4): *Copyright (c) 2010-2011 Jeremy Kerr
<jeremy.kerr@canonical.com>
linux-3.10\include\linux\clk-private.h(5): *Copyright (C) 2011-2012 Linaro Ltd
<mturquette@linaro.org>
linux-3.10\include\linux\clk-provider.h(4): *Copyright (c) 2010-2011 Jeremy Kerr
<jeremy.kerr@canonical.com>
linux-3.10\include\linux\clk-provider.h(5): *Copyright (C) 2011-2012 Linaro Ltd
<mturquette@linaro.org>
linux-3.10\include\linux\clksrc-dbx500-prcmu.h(2): * Copyright (C) ST-Ericsson SA
2011
linux-3.10\include\linux\cn_proc.h(4): * Copyright (C) Matt Helsley, IBM Corp.
2005
linux-3.10\include\linux\cn_proc.h(6): * Copyright (C) 2005 Nguyen Anh Quynh
<aquynh@gmail.com>
linux-3.10\include\linux\cn_proc.h(7): * Copyright (C) 2005 Guillaume Thouvenin
<guillaume.thouvenin@bull.net>
linux-3.10\include\linux\cnt32_to_63.h(6): *Copyright:MontaVista Software, Inc.
linux-3.10\include\linux\coda.h(11):Copyright (c) 1987-1999 Carnegie Mellon
University
linux-3.10\include\linux\coda.h(12):Additional copyrights listed below
linux-3.10\include\linux\coda.h(20):Additional copyrights
linux-3.10\include\linux\coda.h(28):Copyright (c) 1987-1999 Carnegie Mellon

legal(ME)

University

linux-3.10\include\linux\com20020.h(13): * The original copyright of skeleton.c was as follows:
linux-3.10\include\linux\com20020.h(16): * Copyright 1993 United States Government as represented by the
linux-3.10\include\linux\completion.h(5): * (C) Copyright 2001 Linus Torvalds
linux-3.10\include\linux\concap.h(3): * Copyright 1997 by Henner Eisen <eis@baty.hanse.de>
linux-3.10\include\linux\configfs.h(22): * sysfs is Copyright (C) 2001, 2002, 2003 Patrick Mochel
linux-3.10\include\linux\configfs.h(25): *Copyright (c) 2002-2003Patrick Mochel
linux-3.10\include\linux\configfs.h(26): *Copyright (c) 2002-2003Open Source Development Labs
linux-3.10\include\linux\configfs.h(28): * configfs Copyright (C) 2005 Oracle.All rights reserved.
linux-3.10\include\linux\connector.h(4): * 2004-2005 Copyright (c) Evgeniy Polyakov <zbr@ioremap.net>
linux-3.10\include\linux\console.h(4): *Copyright (C) 1993Hamish Macdonald
linux-3.10\include\linux\cordic.h(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\include\linux\cper.h(4): * Copyright (C) 2010, Intel Corp.
linux-3.10\include\linux\cpu_cooling.h(4): *Copyright (C) 2012Samsung Electronics Co., Ltd(<http://www.samsung.com>)
linux-3.10\include\linux\cpu_cooling.h(5): *Copyright (C) 2012Amit Daniel <amit.kachhap@linaro.org>
linux-3.10\include\linux\cpu_pm.h(2): * Copyright (C) 2011 Google, Inc.
linux-3.10\include\linux\cpu_rmap.h(6): * Copyright 2011 Solarflare Communications Inc.
linux-3.10\include\linux\cpufreq.h(4): *Copyright (C) 2001 Russell King
linux-3.10\include\linux\cpuset.h(6): *Copyright (C) 2003 BULL SA
linux-3.10\include\linux\cpuset.h(7): *Copyright (C) 2004-2006 Silicon Graphics, Inc.
linux-3.10\include\linux\crc16.h(9): * Copyright (c) 2005 Ben Gardner <bgardner@wabtec.com>
linux-3.10\include\linux\crc8.h(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\include\linux\cred.h(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\linux\crypto.h(4): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>
linux-3.10\include\linux\crypto.h(5): * Copyright (c) 2002 David S. Miller (davem@redhat.com)
linux-3.10\include\linux\crypto.h(6): * Copyright (c) 2005 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\include\linux\cryptouser.h(4): * Copyright (C) 2011 secunet Security Networks AG
linux-3.10\include\linux\cryptouser.h(5): * Copyright (C) 2011 Steffen Klassert <steffen.klassert@secunet.com>
linux-3.10\include\linux\cs5535.h(3): * Copyright (C) 2006Advanced Micro Devices, Inc.
linux-3.10\include\linux\cs5535.h(4): * Copyright (C) 2009Andres Salomon <dilinger@collabora.co.uk>
linux-3.10\include\linux\cuda.h(5): * Copyright (C) 1996 Paul Mackerras.
linux-3.10\include\linux\cycx_x25.h(8):* Copyright:(c) 1998-2003 Arnaldo Carvalho

legal(ME)

de Melo

linux-3.10\include\linux\dca.h(2): * Copyright(c) 2007 - 2009 Intel Corporation.
All rights reserved.

linux-3.10\include\linux\dcache.h(22): * (C) Copyright 1997 Thomas
Schoebel-Theuer,

linux-3.10\include\linux\cookies.h(6): * Copyright 2002 John Levon
<levon@movementarian.org>

linux-3.10\include\linux\debugfs.h(4): *Copyright (C) 2004 Greg Kroah-Hartman
<greg@kroah.com>

linux-3.10\include\linux\debugfs.h(5): *Copyright (C) 2004 IBM Inc.

linux-3.10\include\linux\delay.h(5): * Copyright (C) 1993 Linus Torvalds

linux-3.10\include\linux\delayacct.h(3): * Copyright (C) Shailabh Nagar, IBM
Corp. 2006

linux-3.10\include\linux\devfreq.h(5): * Copyright (C) 2011 Samsung Electronics

linux-3.10\include\linux\device.h(4): * Copyright (c) 2001-2003 Patrick Mochel
<mochel@osdl.org>

linux-3.10\include\linux\device.h(5): * Copyright (c) 2004-2009 Greg
Kroah-Hartman <gregkh@suse.de>

linux-3.10\include\linux\device.h(6): * Copyright (c) 2008-2009 Novell Inc.

linux-3.10\include\linux\device-mapper.h(2): * Copyright (C) 2001 Sistina
Software (UK) Limited.

linux-3.10\include\linux\device-mapper.h(3): * Copyright (C) 2004-2008 Red Hat,
Inc. All rights reserved.

linux-3.10\include\linux\devpts_fs.h(5): *Copyright 1998-2004 H. Peter Anvin --
All Rights Reserved

linux-3.10\include\linux\digsig.h(2): * Copyright (C) 2011 Nokia Corporation

linux-3.10\include\linux\digsig.h(3): * Copyright (C) 2011 Intel Corporation

linux-3.10\include\linux\dio.h(5): * Copyright (C) Peter Maydell 05/1998
<pmaydell@chiark.greenend.org.uk>

linux-3.10\include\linux\dlm.h(4):**Copyright (C) Sistina Software,
Inc.1997-2003All rights reserved.

linux-3.10\include\linux\dlm.h(5):**Copyright (C) 2004-2011 Red Hat, Inc.All
rights reserved.

linux-3.10\include\linux\dlm.h(7):**This copyrighted material is made available
to anyone wishing to use,

linux-3.10\include\linux\dlm_plock.h(2): * Copyright (C) 2005-2008 Red Hat,
Inc.All rights reserved.

linux-3.10\include\linux\dlm_plock.h(4): * This copyrighted material is made
available to anyone wishing to use,

linux-3.10\include\linux\dm9000.h(3): * Copyright (c) 2004 Simtec Electronics

linux-3.10\include\linux\dma\ipu-dma.h(2): * Copyright (C) 2008

linux-3.10\include\linux\dma\ipu-dma.h(5): * Copyright (C) 2005-2007 Freescale
Semiconductor, Inc.

linux-3.10\include\linux\dma-buf.h(4): * Copyright(C) 2011 Linaro Limited. All
rights reserved.

linux-3.10\include\linux\dma-contiguous.h(6): * Copyright (c) 2010-2011 by
Samsung Electronics.

linux-3.10\include\linux\dma-debug.h(2): * Copyright (C) 2008 Advanced Micro
Devices, Inc.

linux-3.10\include\linux\dmaengine.h(2): * Copyright(c) 2004 - 2006 Intel
Corporation. All rights reserved.

linux-3.10\include\linux\dmr.h(17): * Copyright (C) Ashok Raj

legal(ME)

<ashok.raj@intel.com>
linux-3.10\include\linux\dmr.h(18): * Copyright (C) Shaohua Li
<shaohua.li@intel.com>
linux-3.10\include\linux\dmr.h(2): * Copyright (c) 2006, Intel Corporation.
linux-3.10\include\linux\dm-dirty-log.h(2): * Copyright (C) 2003 Sistina Software
linux-3.10\include\linux\dm-dirty-log.h(3): * Copyright (C) 2004-2008 Red Hat,
Inc. All rights reserved.
linux-3.10\include\linux\dm-io.h(2): * Copyright (C) 2003 Sistina Software
linux-3.10\include\linux\dm-io.h(3): * Copyright (C) 2004 - 2008 Red Hat, Inc.
All rights reserved.
linux-3.10\include\linux\dm-kcopyd.h(2): * Copyright (C) 2001 - 2003 Sistina
Software
linux-3.10\include\linux\dm-kcopyd.h(3): * Copyright (C) 2004 - 2008 Red Hat,
Inc. All rights reserved.
linux-3.10\include\linux\dm-region-hash.h(2): * Copyright (C) 2003 Sistina
Software Limited.
linux-3.10\include\linux\dm-region-hash.h(3): * Copyright (C) 2004-2008 Red Hat,
Inc. All rights reserved.
linux-3.10\include\linux\dnotify.h(6): * Copyright (C) 2000,2002 Stephen Rothwell
linux-3.10\include\linux\dns_resolver.h(5): * Copyright (c) International
Business MachinesCorp., 2008
linux-3.10\include\linux\drbd.h(7):Copyright (C) 2001-2008, LINBIT Information
Technologies GmbH.
linux-3.10\include\linux\drbd.h(8):Copyright (C) 2001-2008, Philipp Reisner
<philipp.reisner@linbit.com>.
linux-3.10\include\linux\drbd.h(9):Copyright (C) 2001-2008, Lars Ellenberg
<lars.ellenberg@linbit.com>.
linux-3.10\include\linux\ds1286.h(2): * Copyright (C) 1998, 1999, 2003 Ralf
Baechle
linux-3.10\include\linux\dw_apb_timer.h(2): * (C) Copyright 2009 Intel
Corporation
linux-3.10\include\linux\dw_dmac.h(5): * Copyright (C) 2007 Atmel Corporation
linux-3.10\include\linux\dw_dmac.h(6): * Copyright (C) 2010-2011 ST
Microelectronics
linux-3.10\include\linux\dynamic_queue_limits.h(4): * Copyright (c) 2011, Tom
Herbert <therbert@google.com>
linux-3.10\include\linux\edd.h(3): *Copyright (C) 2002, 2003, 2004 Dell Inc.
linux-3.10\include\linux\edma.h(4): * Copyright 2012 Texas Instruments
linux-3.10\include\linux\EEPROM_93cx6.h(2):Copyright (C) 2004 - 2006 rt2x00
SourceForge Project
linux-3.10\include\linux\efi.h(10): * Copyright (C) 1999, 2002-2003
Hewlett-Packard Co.
linux-3.10\include\linux\efi.h(8): * Copyright (C) 1999 VA Linux Systems
linux-3.10\include\linux\efi.h(9): * Copyright (C) 1999 Walt Drummond
<drummond@valinux.com>
linux-3.10\include\linux\efs_vh.h(4): * Copyright (c) 1999 Al Smith
linux-3.10\include\linux\elf-fdpic.h(3): * Copyright (C) 2003 Red Hat, Inc. All
Rights Reserved.
linux-3.10\include\linux\enclosure.h(4): * Copyright (C) 2008 James Bottomley
<James.Bottomley@HansenPartnership.com>
linux-3.10\include\linux\ethtool.h(10): * Portions Copyright (C) Sun Microsystems
2008

legal(ME)

linux-3.10\include\linux\ethtool.h(4): * Copyright (C) 1998 David S. Miller
(davem@redhat.com)
linux-3.10\include\linux\ethtool.h(5): * Copyright 2001 Jeff Garzik
<jgarzik@pobox.com>
linux-3.10\include\linux\ethtool.h(6): * Portions Copyright 2001 Sun Microsystems
(thockin@sun.com)
linux-3.10\include\linux\ethtool.h(7): * Portions Copyright 2002 Intel
(eli.kupermann@intel.com,
linux-3.10\include\linux\eventfd.h(4): *Copyright (C) 2007Davide Libenzi
<davidel@xmailserver.org>
linux-3.10\include\linux\eventpoll.h(3): *Copyright (C) 2001,...,2006 Davide
Libenzi
linux-3.10\include\linux\evm.h(4): * Copyright (c) 2009 IBM Corporation
linux-3.10\include\linux\ext2_fs.h(13): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\include\linux\ext2_fs.h(4): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\include\linux\extcon.h(4): * Copyright (C) 2012 Samsung Electronics
linux-3.10\include\linux\extcon.h(9): * Copyright (C) 2008 Google, Inc.
linux-3.10\include\linux\extcon\extcon-adc-jack.h(6): * Copyright (C) 2012
Samsung Electronics
linux-3.10\include\linux\extcon\extcon-gpio.h(4): * Copyright (C) 2012 Samsung
Electronics
linux-3.10\include\linux\extcon\extcon-gpio.h(8): * Copyright (C) 2008 Google,
Inc.
linux-3.10\include\linux\f2fs_fs.h(4): * Copyright (c) 2012 Samsung Electronics
Co., Ltd.
linux-3.10\include\linux\f75375s.h(8): * Copyright (C) 2007, Riku Voipio
<riku.voipio@iki.fi>
linux-3.10\include\linux\fec.h(3): * Copyright (c) 2009 Orex Computed Radiography
linux-3.10\include\linux\fec.h(6): * Copyright (C) 2010 Freescale Semiconductor,
Inc.
linux-3.10\include\linux\firmware-map.h(3): *Copyright (C) 2008 SUSE LINUX
Products GmbH
linux-3.10\include\linux\fixp-arith.h(8): * Copyright (c) 2002 Johann Deneux
linux-3.10\include\linux\flat.h(2): * Copyright (C) 2002-2003David McCullough
<davidm@snapgear.com>
linux-3.10\include\linux\flat.h(3): * Copyright (C) 1998 Kenneth Albanowski
<kjahds@kjahds.com>
linux-3.10\include\linux\flex_proportions.h(4): *Copyright (C) 2011, SUSE, Jan
Kara <jack@suse.cz>
linux-3.10\include\linux\fs_enet_pd.h(5): * Copyright (c) 2003 Intracom S.A.
linux-3.10\include\linux\fsccache.h(3): * Copyright (C) 2004-2007 Red Hat, Inc.
All Rights Reserved.
linux-3.10\include\linux\fsccache-cache.h(3): * Copyright (C) 2004-2007 Red Hat,
Inc. All Rights Reserved.
linux-3.10\include\linux\fs1_devices.h(9): * Copyright 2004,2012 Freescale
Semiconductor, Inc
linux-3.10\include\linux\fs1_hypervisor.h(4): * Copyright (C) 2008-2011 Freescale
Semiconductor, Inc.
linux-3.10\include\linux\fs1\bestcomm\ata.h(5): * Copyright (C) 2006 Freescale -
John Rigby
linux-3.10\include\linux\fs1\bestcomm\ata.h(6): * Copyright (C) 2006 Sylvain
Munaut <tnt@246tNt.com>

legal(ME)

linux-3.10\include\linux\fs1\bestcomm\bestcomm.h(5): * Copyright (C) 2006Sylvain Munaut <tnt@246tNt.com>
linux-3.10\include\linux\fs1\bestcomm\bestcomm.h(6): * Copyright (C) 2005Varma Electronics Oy,
linux-3.10\include\linux\fs1\bestcomm\bestcomm.h(8): * Copyright (C) 2003-2004 MontaVista, Software, Inc.
linux-3.10\include\linux\fs1\bestcomm\bestcomm_priv.h(11): * Copyright (C) 2003-2004 MontaVista, Software, Inc.
linux-3.10\include\linux\fs1\bestcomm\bestcomm_priv.h(8): * Copyright (C) 2006Sylvain Munaut <tnt@246tNt.com>
linux-3.10\include\linux\fs1\bestcomm\bestcomm_priv.h(9): * Copyright (C) 2005Varma Electronics Oy,
linux-3.10\include\linux\fs1\bestcomm\fec.h(5): * Copyright (C) 2006-2007 Sylvain Munaut <tnt@246tNt.com>
linux-3.10\include\linux\fs1\bestcomm\fec.h(6): * Copyright (C) 2003-2004 MontaVista, Software, Inc.
linux-3.10\include\linux\fs1\bestcomm\gen_bd.h(5): * Copyright (C) 2007 Sylvain Munaut <tnt@246tNt.com>
linux-3.10\include\linux\fs1\bestcomm\gen_bd.h(6): * Copyright (C) 2006 AppSpec Computer Technologies Corp.
linux-3.10\include\linux\fs1\bestcomm\sram.h(5): * Copyright (C) 2007 Sylvain Munaut <tnt@246tNt.com>
linux-3.10\include\linux\fs1\mxs-dma.h(2): * Copyright 2011 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\include\linux\fs1-diu-fb.h(11): * Based on imxfb.c Copyright (C) 2004 S.Hauer, Pengutronix
linux-3.10\include\linux\fs1-diu-fb.h(2): * Copyright 2008 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\include\linux\fsnotify.h(11): * (C) Copyright 2005 Robert Love
linux-3.10\include\linux\fsnotify_backend.h(4): *Copyright (C) 2008 Red Hat, Inc., Eric Paris <eparis@redhat.com>
linux-3.10\include\linux\gameport.h(2): *Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\include\linux\genhd.h(5): * genhd.h Copyright (C) 1992 Drew Eckhardt
linux-3.10\include\linux\gpio_mouse.h(4): * Copyright (C) 2007 Atmel Corporation
linux-3.10\include\linux\hdlc.h(4): * Copyright (C) 1999-2005 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\include\linux\hdmi.h(2): * Copyright (C) 2012 Avionic Design GmbH
linux-3.10\include\linux\hid.h(2): *Copyright (c) 1999 Andreas Gal
linux-3.10\include\linux\hid.h(3): *Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\include\linux\hid.h(4): *Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\include\linux\hid-debug.h(5): *Copyright (c) 2007-2009Jiri Kosina
linux-3.10\include\linux\hiddev.h(2): *Copyright (c) 1999-2000 Vojtech Pavlik
linux-3.10\include\linux\hidraw.h(2): *Copyright (c) 2007 Jiri Kosina
linux-3.10\include\linux\hid-roccat.h(5): * Copyright (c) 2010 Stefan Achatz <erazor_de@users.sourceforge.net>
linux-3.10\include\linux\hid-sensor-hub.h(3): * Copyright (c) 2012, Intel Corporation.
linux-3.10\include\linux\hid-sensor-ids.h(3): * Copyright (c) 2012, Intel Corporation.
linux-3.10\include\linux\hil.h(7): * Copyright (c) 2001 Brian S. Julin
linux-3.10\include\linux\hil_mlc.h(4): * Copyright (c) 2001 Brian S. Julin
linux-3.10\include\linux\hp_sdc.h(4): * Copyright (c) 2001 Brian S. Julin

legal(ME)

linux-3.10\include\linux\hrtimer.h(6): * Copyright(C) 2005, Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\include\linux\hrtimer.h(7): * Copyright(C) 2005, Red Hat, Inc., Ingo
Molnar
linux-3.10\include\linux\hsi\hsi.h(4): * Copyright (C) 2010 Nokia Corporation.
All rights reserved.
linux-3.10\include\linux\hugetlb_cgroup.h(2): * Copyright IBM Corporation, 2012
linux-3.10\include\linux\hwmon.h(7): Copyright (C) 2005 Mark M. Hoffman
<mhoffman@lightlink.com>
linux-3.10\include\linux\hwmon-sysfs.h(4): *Copyright (C) 2005 Yani Ioannou
<yani.ioannou@gmail.com>
linux-3.10\include\linux\hwmon-vid.h(5): Copyright (c) 2002 Mark D. Stuebaker
<mdsxyz123@yahoo.com>
linux-3.10\include\linux\hwspinlock.h(4): * Copyright (C) 2010 Texas Instruments
Incorporated - <http://www.ti.com>
linux-3.10\include\linux\hyperv.h(3): * Copyright (c) 2011, Microsoft
Corporation.
linux-3.10\include\linux\hyperv.h(91): * Copyright (C) 2010, Novell, Inc.
linux-3.10\include\linux\i2c.h(6):/* Copyright (C) 1995-2000 Simon G. Vogl
linux-3.10\include\linux\i2c\adp5588.h(4): * Copyright 2009-2010 Analog Devices
Inc.
linux-3.10\include\linux\i2c\adp8860.h(5): * Copyright 2009-2010 Analog Devices
Inc.
linux-3.10\include\linux\i2c\adp8870.h(5): * Copyright 2009-2010 Analog Devices
Inc.
linux-3.10\include\linux\i2c\ads1015.h(3): * (C) Copyright 2010
linux-3.10\include\linux\i2c\apds990x.h(5): * Copyright (C) 2010 Nokia
Corporation and/or its subsidiary(-ies).
linux-3.10\include\linux\i2c\at24.h(3): * (C) Copyright 2008 by Pengutronix
linux-3.10\include\linux\i2c\at24.h(4): * (C) Copyright 2012 by Wolfram Sang
linux-3.10\include\linux\i2c\atmel_mxt_ts.h(4): * Copyright (C) 2010 Samsung
Electronics Co.Ltd
linux-3.10\include\linux\i2c\bh1770glc.h(5): * Copyright (C) 2010 Nokia
Corporation and/or its subsidiary(-ies).
linux-3.10\include\linux\i2c\i2c-hid.h(4): * Copyright (c) 2012 Benjamin
Tissoires <benjamin.tissoires@gmail.com>
linux-3.10\include\linux\i2c\i2c-hid.h(5): * Copyright (c) 2012 Ecole Nationale
de l'Aviation Civile, France
linux-3.10\include\linux\i2c\ltc4245.h(4): * Copyright (c) 2010 Ira W. Snyder
<iws@ovro.caltech.edu>
linux-3.10\include\linux\i2c\mcs.h(2): * Copyright (C) 2009 - 2010 Samsung
Electronics Co.Ltd
linux-3.10\include\linux\i2c\mms114.h(2): * Copyright (C) 2012 Samsung
Electronics Co.Ltd
linux-3.10\include\linux\i2c\pca954x.h(5): * Copyright (c) 2008-2009 Rodolfo
Giometti <giometti@linux.it>
linux-3.10\include\linux\i2c\pca954x.h(6): * Copyright (c) 2008-2009 Eurotech
S.p.A. <info@eurotech.it>
linux-3.10\include\linux\i2c\pmbus.h(4): * Copyright (c) 2010, 2011 Ericsson AB.
linux-3.10\include\linux\i2c\pxa-i2c.h(4): *Copyright (C) 2002 Intrinsyc Software
Inc.
linux-3.10\include\linux\i2c\sx150x.h(4): * Copyright (c) 2010, Code Aurora

legal(ME)

Forum. All rights reserved.

linux-3.10\include\linux\i2c\tps65010.h(5): * Copyright (C) 2004 Dirk Behme
<dirk.behme@de.bosch.com>

linux-3.10\include\linux\i2c\twl.h(4): * Copyright (C) 2005-2006 Texas
Instruments, Inc.

linux-3.10\include\linux\i2c\twl.h(7): * Copyright (c) by Kai Svahn
<kai.svahn@nokia.com>

linux-3.10\include\linux\i2c\twl4030-madc.h(4): * Copyright (C) 2011 Texas
Instruments Incorporated - <http://www.ti.com/>

linux-3.10\include\linux\i2c-algo-bit.h(4):/* Copyright (C) 1995-99 Simon G. Vogl

linux-3.10\include\linux\i2c-algo-pcf.h(4):/* Copyright (C) 1995-97 Simon G. Vogl

linux-3.10\include\linux\i2c-dev.h(4):Copyright (C) 1995-97 Simon G. Vogl

linux-3.10\include\linux\i2c-dev.h(5):Copyright (C) 1998-99 Frodo Looijaard
<frodol@dds.nl>

linux-3.10\include\linux\i2c-gpio.h(4): * Copyright (C) 2007 Atmel Corporation

linux-3.10\include\linux\i2c-mux.h(5): * Copyright (c) 2008-2009 Rodolfo Giometti
<giometti@linux.it>

linux-3.10\include\linux\i2c-mux.h(6): * Copyright (c) 2008-2009 Eurotech S.p.A.
<info@eurotech.it>

linux-3.10\include\linux\i2c-mux-pinctrl.h(4): * Copyright (c) 2012, NVIDIA
CORPORATION.All rights reserved.

linux-3.10\include\linux\i2c-smbus.h(4): * Copyright (C) 2010 Jean Delvare
<khali@linux-fr.org>

linux-3.10\include\linux\i2c-xiic.h(3): * Copyright (c) 2009 Intel Corporation

linux-3.10\include\linux\i2o.h(4): * (c) Copyright 1999, 2000 Red Hat Software

linux-3.10\include\linux\i82593.h(15): * "If I82539.H is the only file with my
copyright statement

linux-3.10\include\linux\i82593.h(17): *my approval to change the copyright
statement to be a GPL

linux-3.10\include\linux\i82593.h(8): * Copyright 1994, Anders Klemets
<klemets@it.kth.se>

linux-3.10\include\linux\ide.h(6): *Copyright (C) 1994-2002Linus Torvalds &
authors

linux-3.10\include\linux\idr.h(5): *Copyright (C) 2002 by Concurrent Computer
Corporation

linux-3.10\include\linux\ieee80211.h(4): * Copyright (c) 2001-2002, SSH
Communications Security Corp and Jouni Malinen

linux-3.10\include\linux\ieee80211.h(6): * Copyright (c) 2002-2003, Jouni Malinen
<jkmaline@cc.hut.fi>

linux-3.10\include\linux\ieee80211.h(7): * Copyright (c) 2005, Devicescape
Software, Inc.

linux-3.10\include\linux\ieee80211.h(8): * Copyright (c) 2006, Michael Wu
<flamingice@sourmilk.net>

linux-3.10\include\linux\if_eq1.h(4): * (c) Copyright 1995 Simon "Guru
Aleph-Null" Janes

linux-3.10\include\linux\if_phonet.h(6): * Copyright (C) 2008 Nokia Corporation.
All rights reserved.

linux-3.10\include\linux\if_team.h(3): * Copyright (c) 2011 Jiri Pirko
<jpirko@redhat.com>

linux-3.10\include\linux\if_tun.h(3): *Copyright (C) 1999-2000 Maxim Krasnyansky
<max_mk@yahoo.com>

linux-3.10\include\linux\iio\adc\ad_sigma_delta.h(4): * Copyright 2012 Analog

legal(ME)

Devices Inc.

linux-3.10\include\linux\iio\buffer.h(3): * Copyright (c) 2008 Jonathan Cameron

linux-3.10\include\linux\iio\common\st_sensors.h(4): * Copyright 2012-2013

STMicroelectronics Inc.

linux-3.10\include\linux\iio\common\st_sensors_i2c.h(4): * Copyright 2012-2013

STMicroelectronics Inc.

linux-3.10\include\linux\iio\common\st_sensors_spi.h(4): * Copyright 2012-2013

STMicroelectronics Inc.

linux-3.10\include\linux\iio\consumer.h(4): * Copyright (c) 2011 Jonathan Cameron

linux-3.10\include\linux\iio\dac\ad5504.h(4): * Copyright 2011 Analog Devices

Inc.

linux-3.10\include\linux\iio\dac\ad5791.h(4): * Copyright 2011 Analog Devices

Inc.

linux-3.10\include\linux\iio\dac\max517.h(4): * Copyright 2011 Roland Stigge

<stigge@antcom.de>

linux-3.10\include\linux\iio\dac\mcp4725.h(4): * Copyright (C) 2012 Peter

Meerwald <pmeerw@pmeerw.net>

linux-3.10\include\linux\iio\driver.h(4): * Copyright (c) 2011 Jonathan Cameron

linux-3.10\include\linux\iio\events.h(3): * Copyright (c) 2008-2011 Jonathan

Cameron

linux-3.10\include\linux\iio\frequency\ad9523.h(4): * Copyright 2012 Analog

Devices Inc.

linux-3.10\include\linux\iio\frequency\adf4350.h(4): * Copyright 2012 Analog

Devices Inc.

linux-3.10\include\linux\iio\gyro\itg3200.h(5): * Copyright (c) 2011 Christian

Strobel <christian.strobel@iis.fraunhofer.de>

linux-3.10\include\linux\iio\gyro\itg3200.h(6): * Copyright (c) 2011 Manuel Stahl

<manuel.stahl@iis.fraunhofer.de>

linux-3.10\include\linux\iio\gyro\itg3200.h(7): * Copyright (c) 2012 Thorsten

Nowak <thorsten.nowak@iis.fraunhofer.de>

linux-3.10\include\linux\iio\iio.h(4): * Copyright (c) 2008 Jonathan Cameron

linux-3.10\include\linux\iio\imu\adis.h(4): * Copyright 2012 Analog Devices Inc.

linux-3.10\include\linux\iio\machine.h(4): * Copyright (c) 2011 Jonathan Cameron

linux-3.10\include\linux\iio\sysfs.h(3): * Copyright (c) 2008 Jonathan Cameron

linux-3.10\include\linux\iio\trigger.h(3): * Copyright (c) 2008 Jonathan Cameron

linux-3.10\include\linux\iio\trigger_consumer.h(3): * Copyright (c) 2008-2011

Jonathan Cameron

linux-3.10\include\linux\iio\types.h(3): * Copyright (c) 2008 Jonathan Cameron

linux-3.10\include\linux\ima.h(2): * Copyright (C) 2008 IBM Corporation

linux-3.10\include\linux\inet_lro.h(6): *(C) Copyright IBM Corp. 2007

linux-3.10\include\linux\inotify.h(4): * Copyright (C) 2005 John McCutchan

linux-3.10\include\linux\input.h(2): * Copyright (c) 1999-2002 Vojtech Pavlik

linux-3.10\include\linux\input\ad714x.h(9): * Copyright 2009-2011 Analog Devices

Inc.

linux-3.10\include\linux\input\adp5589.h(4): * Copyright 2010-2011 Analog Devices

Inc.

linux-3.10\include\linux\input\adxl34x.h(8): * Copyright 2009 Analog Devices Inc.

linux-3.10\include\linux\input\as5011.h(5): * Copyright (c) 2010, 2011 Fabien

Marteau <fabien.marteau@armadeus.com>

linux-3.10\include\linux\input\auo-pixcir-ts.h(4): * Copyright (c) 2011 Heiko

Stuebner <heiko@sntech.de>

linux-3.10\include\linux\input\auo-pixcir-ts.h(8): * Copyright (c) 2008 QUALCOMM

legal(ME)

Incorporated.

linux-3.10\include\linux\input\auo-pixcir-ts.h(9): * Copyright (c) 2008 QUALCOMM USA, INC.

linux-3.10\include\linux\input\bu21013.h(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\include\linux\input\cma3000.h(4): * Copyright (C) 2010 Texas

Instruments

linux-3.10\include\linux\input\cyttsp.h(10): * Copyright (C) 2012 Javier Martinez Canillas <javier@dowhile0.org>

linux-3.10\include\linux\input\cyttsp.h(9): * Copyright (C) 2009, 2010, 2011

Cypress Semiconductor, Inc.

linux-3.10\include\linux\input\edt-ft5x06.h(5): * Copyright (c) 2012 Simon Budig, <simon.budig@kernelconcepts.de>

linux-3.10\include\linux\input\kxtj9.h(2): * Copyright (C) 2011 Kionix, Inc.

linux-3.10\include\linux\input\lm8333.h(3): * Copyright (C) 2012 Wolfram Sang,

Pengutronix <w.sang@pengutronix.de>

linux-3.10\include\linux\input\mt.h(7): * Copyright (c) 2010 Henrik Rydberg

linux-3.10\include\linux\input\navpoint.h(2): *Copyright (C) 2012 Paul Parsons <lost.distance@yahoo.com>

linux-3.10\include\linux\input\pmic8xxx-keypad.h(1):/* Copyright (c) 2011, Code Aurora Forum. All rights reserved.

linux-3.10\include\linux\input\pmic8xxx-pwrkey.h(1):/* Copyright (c) 2010-2011, Code Aurora Forum. All rights reserved.

linux-3.10\include\linux\input\samsung-keypad.h(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd

linux-3.10\include\linux\input\sparse-keymap.h(5): * Copyright (c) 2009 Dmitry Torokhov

linux-3.10\include\linux\input\tca8418_keypad.h(4): * Copyright (C) 2011 Fuel7, Inc.All rights reserved.

linux-3.10\include\linux\input\tps6507x-ts.h(5): * Copyright (c) 2009 RidgeRun (todd.fischer@ridgerun.com)

linux-3.10\include\linux\input-polldev.h(5): * Copyright (c) 2007 Dmitry Torokhov

linux-3.10\include\linux\integrity.h(2): * Copyright (C) 2009 IBM Corporation

linux-3.10\include\linux\intel_mid_dma.h(4): *Copyright (C) 2008-10 Intel Corp

linux-3.10\include\linux\intel-iommu.h(17): * Copyright (C) 2006-2008 Intel Corporation

linux-3.10\include\linux\intel-iommu.h(2): * Copyright (c) 2006, Intel Corporation.

linux-3.10\include\linux\io.h(2): * Copyright 2006 PathScale, Inc.All Rights Reserved.

linux-3.10\include\linux\ioc3.h(6): * Copyright (c) 2005 Stanislaw Skowronek <skylark@linux-mips.org>

linux-3.10\include\linux\ioc4.h(6): * Copyright (c) 2005 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\include\linux\io-mapping.h(2): * Copyright 2008 Keith Packard <keithp@keithp.com>

linux-3.10\include\linux\iommu.h(2): * Copyright (C) 2007-2008 Advanced Micro Devices, Inc.

linux-3.10\include\linux\iova.h(2): * Copyright (c) 2006, Intel Corporation.

linux-3.10\include\linux\iova.h(6): * Copyright (C) 2006-2008 Intel Corporation

linux-3.10\include\linux\ipack.h(4): * Copyright (C) 2011-2012 CERN (www.cern.ch)

linux-3.10\include\linux\ipmi.h(10): * Copyright 2002 MontaVista Software Inc.

linux-3.10\include\linux\ipmi_smi.h(10): * Copyright 2002 MontaVista Software

legal(ME)

Inc.

linux-3.10\include\linux\irqchip.h(2): * Copyright (C) 2012 Thomas Petazzoni
linux-3.10\include\linux\irqchip\arm-gic.h(4): *Copyright (C) 2002 ARM Limited,
All Rights Reserved.
linux-3.10\include\linux\irqchip\arm-vic.h(4): *Copyright (c) ARM Limited
2003.All rights reserved.
linux-3.10\include\linux\irqchip\bcm2835.h(2): * Copyright (C) 2010 Broadcom
linux-3.10\include\linux\irqchip\chained_irq.h(4): * Copyright (C) 2011 ARM Ltd.
linux-3.10\include\linux\irqchip\metag.h(2): * Copyright (C) 2011 Imagination
Technologies
linux-3.10\include\linux\irqchip\metag-ext.h(2): * Copyright (C) 2012 Imagination
Technologies
linux-3.10\include\linux\irqchip\mxs.h(2): * Copyright (C) 2013 Freescale
Semiconductor, Inc.
linux-3.10\include\linux\irqchip\spear-shirq.h(4): * Copyright (C) 2009-2012 ST
Microelectronics
linux-3.10\include\linux\isapnp.h(3): *Copyright (c) by Jaroslav Kysela
<perex@suse.cz>
linux-3.10\include\linux\iscsi_boot_sysfs.h(4): * Copyright (C) 2010 Red Hat,
Inc.All rights reserved.
linux-3.10\include\linux\iscsi_boot_sysfs.h(5): * Copyright (C) 2010 Mike
Christie
linux-3.10\include\linux\iscsi_ibft.h(2): *Copyright 2007 Red Hat, Inc.
linux-3.10\include\linux\iscsi_ibft.h(4): *Copyright 2007 IBM, Inc.
linux-3.10\include\linux\iscsi_ibft.h(6): *Copyright 2008
linux-3.10\include\linux\isdn.h(5): * Copyright 1994,95,96 by Fritz Elfert
(fritz@isdn4linux.de)
linux-3.10\include\linux\isdn.h(6): * Copyright 1995,96by Thinking Objects
Software GmbH Wuerzburg
linux-3.10\include\linux\isdn.h(7): * Copyright 1995,96by Michael Hipp
(Michael.Hipp@student.uni-tuebingen.de)
linux-3.10\include\linux\isdn_divertif.h(6): * Copyright by Werner Cornelius
(werner@titro.de)
linux-3.10\include\linux\isdn_ppp.h(3): * Copyright 1994-1999by Fritz Elfert
(fritz@isdn4linux.de)
linux-3.10\include\linux\isdn_ppp.h(4): * Copyright 1995,96Thinking Objects
Software GmbH Wuerzburg
linux-3.10\include\linux\isdn_ppp.h(5): * Copyright 1995,96by Michael Hipp
(Michael.Hipp@student.uni-tuebingen.de)
linux-3.10\include\linux\isdn_ppp.h(6): * Copyright 2000-2002by Kai Germaschewski
(kai@germaschewski.name)
linux-3.10\include\linux\isdn\capilli.h(5): * Copyright 1999 by Carsten Paeth
<calle@calle.de>
linux-3.10\include\linux\isdn\hdlc.h(8): * Copyright (C)
linux-3.10\include\linux\isdnif.h(6): * Copyright 1994,95,96 by Fritz Elfert
(fritz@isdn4linux.de)
linux-3.10\include\linux\isdnif.h(7): * Copyright 1995,96Thinking Objects
Software GmbH Wuerzburg
linux-3.10\include\linux\jbd.h(6): * Copyright 1998-2000 Red Hat, Inc --- All
Rights Reserved
linux-3.10\include\linux\jbd2.h(6): * Copyright 1998-2000 Red Hat, Inc --- All
Rights Reserved

legal(ME)

linux-3.10\include\linux\jhash.h(20): * Copyright (C) 2009-2010 Jozsef Kadlec
(kadlec@blackhole.kfki.hu)
linux-3.10\include\linux\jhash.h(6): * Copyright (C) 2006. Bob Jenkins
(bob_jenkins@burtleburtle.net)
linux-3.10\include\linux\joystick.h(2): * Copyright (C) 1996-2000 Vojtech Pavlik
linux-3.10\include\linux\jump_label.h(7): * Copyright (C) 2009-2012 Jason Baron
<jbaron@redhat.com>
linux-3.10\include\linux\jump_label.h(8): * Copyright (C) 2011-2012 Peter
Zijlstra <pzijlstr@redhat.com>
linux-3.10\include\linux\kallsyms.h(3): * Copyright 2002 Rusty Russell
<rusty@rustcorp.com.au> IBM Corporation
linux-3.10\include\linux\kdb.h(11): * Copyright (c) 2000-2007 Silicon Graphics,
Inc. All Rights Reserved.
linux-3.10\include\linux\kdb.h(12): * Copyright (C) 2000 Stephane Eranian
<eranian@hpl.hp.com>
linux-3.10\include\linux\kdb.h(13): * Copyright (C) 2009 Jason Wessel
<jason.wessel@windriver.com>
linux-3.10\include\linux\kernelcapi.h(6): * (c) Copyright 1997 by Carsten Paeth
(calle@calle.in-berlin.de)
linux-3.10\include\linux\key.h(3): * Copyright (C) 2004, 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\include\linux\key-type.h(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\include\linux\kfifo.h(4): * Copyright (C) 2009/2010 Stefani Seibold
<stefani@seibold.net>
linux-3.10\include\linux\klist.h(7): * Copyright (C) 2005 Patrick Mochel
linux-3.10\include\linux\kmemleak.h(4): * Copyright (C) 2008 ARM Limited
linux-3.10\include\linux\kmsg_dump.h(4): * Copyright (C) 2009 Net Insight AB
linux-3.10\include\linux\kobject.h(4): * Copyright (c) 2002-2003 Patrick Mochel
linux-3.10\include\linux\kobject.h(5): * Copyright (c) 2002-2003 Open Source
Development Labs
linux-3.10\include\linux\kobject.h(6): * Copyright (c) 2006-2008 Greg
Kroah-Hartman <greg@kroah.com>
linux-3.10\include\linux\kobject.h(7): * Copyright (c) 2006-2008 Novell Inc.
linux-3.10\include\linux\kobject_ns.h(3): * Copyright (c) 2002-2003 Patrick
Mochel
linux-3.10\include\linux\kobject_ns.h(4): * Copyright (c) 2002-2003 Open Source
Development Labs
linux-3.10\include\linux\kobject_ns.h(5): * Copyright (c) 2006-2008 Greg
Kroah-Hartman <greg@kroah.com>
linux-3.10\include\linux\kobject_ns.h(6): * Copyright (c) 2006-2008 Novell Inc.
linux-3.10\include\linux\kprobes.h(21): * Copyright (C) IBM Corporation, 2002,
2004
linux-3.10\include\linux\kref.h(4): * Copyright (C) 2004 Greg Kroah-Hartman
<greg@kroah.com>
linux-3.10\include\linux\kref.h(5): * Copyright (C) 2004 IBM Corp.
linux-3.10\include\linux\kref.h(8): * Copyright (C) 2002-2003 Patrick Mochel
<mochel@osdl.org>
linux-3.10\include\linux\kref.h(9): * Copyright (C) 2002-2003 Open Source
Development Labs
linux-3.10\include\linux\ks0108.h(7): * Author: Copyright (C) Miguel Ojeda
Sandonis

legal(ME)

linux-3.10\include\linux\ks8842.h(3): * Copyright (c) 2010 Intel Corporation
linux-3.10\include\linux\ks8851_mll.h(3): * Copyright (c) 2012 BTicino S.p.A.
linux-3.10\include\linux\ktime.h(6): * Copyright(C) 2005, Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\include\linux\ktime.h(7): * Copyright(C) 2005, Red Hat, Inc., Ingo
Molnar
linux-3.10\include\linux\latencytop.h(4): * (C) Copyright 2008 Intel Corporation
linux-3.10\include\linux\lcd.h(4): * Copyright (C) 2003,2004 Hewlett-Packard
Company
linux-3.10\include\linux\led-lm3530.h(2): * Copyright (C) 2011 ST-Ericsson SA.
linux-3.10\include\linux\led-lm3530.h(3): * Copyright (C) 2009 Motorola, Inc.
linux-3.10\include\linux\leds.h(4): * Copyright (C) 2005 John Lenz
<lenz@cs.wisc.edu>
linux-3.10\include\linux\leds.h(5): * Copyright (C) 2005 Richard Purdie
<rpurdie@openedhand.com>
linux-3.10\include\linux\leds-bd2802.h(4): * Copyright (C) 2009 Samsung
Electronics
linux-3.10\include\linux\leds-lp3944.h(4): * Copyright (C) 2009 Antonio Ospite
<ospite@studenti.unina.it>
linux-3.10\include\linux\leds-pca9532.h(4): * Copyright (C) 2008 Riku Voipio
<riku.voipio@movial.fi>
linux-3.10\include\linux\leds-regulator.h(4): * Copyright (C) 2009 Antonio Ospite
<ospite@studenti.unina.it>
linux-3.10\include\linux\leds-tca6507.h(4): * Copyright (C) 2011 Neil Brown
<neil@brown.name>
linux-3.10\include\linux\lglock.h(17): * Copyright 2009, 2010, Nick Piggin,
Novell Inc.
linux-3.10\include\linux\libata.h(2): *Copyright 2003-2005 Red Hat, Inc.All
rights reserved.
linux-3.10\include\linux\libata.h(3): *Copyright 2003-2005 Jeff Garzik
linux-3.10\include\linux\libps2.h(5): * Copyright (C) 1999-2002 Vojtech Pavlik
linux-3.10\include\linux\libps2.h(6): * Copyright (C) 2004 Dmitry Torokhov
linux-3.10\include\linux\linux_logo.h(10): *Copyright (C) 2001 Jan-Benedict Glaw
<jbglaw@lug-owl.de>
linux-3.10\include\linux\linux_logo.h(11): *Copyright (C) 2003 Geert Uytterhoeven
<geert@linux-m68k.org>
linux-3.10\include\linux\linux_logo.h(7): *Copyright (C) 1996 Larry Ewing
(lewing@isc.tamu.edu)
linux-3.10\include\linux\linux_logo.h(8): *Copyright (C) 1996,1998 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\include\linux\linux_logo.h(9): *Copyright (C) 2001 Greg Banks
<gnb@alphalink.com.au>
linux-3.10\include\linux\llc.h(4): * Copyright (c) 2001 by Jay Schulist
<jschlst@samba.org>
linux-3.10\include\linux\l1ist.h(41): * Copyright 2010,2011 Intel Corp.
linux-3.10\include\linux\lockd\bind.h(6): * Copyright (C) 1996, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\lockd\debug.h(6): * Copyright (C) 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\lockd\lockd.h(6): * Copyright (C) 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\lockd\nlm.h(6): * Copyright (C) 1996, Olaf Kirch

legal(ME)

<okir@monad.swb.de>
linux-3.10\include\linux\lockd\share.h(6): * Copyright (C) 1996, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\lockd\xdr.h(6): * Copyright (C) 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\lockd\xdr4.h(6): * Copyright (C) 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\lockdep.h(4): *Copyright (C) 2006,2007 Red Hat, Inc.,
Ingo Molnar <mingo@redhat.com>
linux-3.10\include\linux\lockdep.h(5): *Copyright (C) 2007 Red Hat, Inc., Peter
Zijlstra <pzijlstr@redhat.com>
linux-3.10\include\linux\log2.h(3): * Copyright (C) 2006 Red Hat, Inc. All Rights
Reserved.
linux-3.10\include\linux\lp.h(3): * many modifications copyright (C) 1992 Michael
K. Johnson
linux-3.10\include\linux\lru_cache.h(6): Copyright (C) 2003-2008, LINBIT
Information Technologies GmbH.
linux-3.10\include\linux\lru_cache.h(7): Copyright (C) 2003-2008, Philipp Reisner
<philipp.reisner@linbit.com>.
linux-3.10\include\linux\lru_cache.h(8): Copyright (C) 2003-2008, Lars Ellenberg
<lars.ellenberg@linbit.com>.
linux-3.10\include\linux\lzo.h(7): *Copyright (C) 1996-2012 Markus F.X.J.
Oberhumer <markus@oberhumer.com>
linux-3.10\include\linux\m48t86.h(3): * Copyright (c) 2006 Tower Technologies
linux-3.10\include\linux\max17040_battery.h(2): *Copyright (C) 2009 Samsung
Electronics
linux-3.10\include\linux\mbus.h(4): * Copyright (C) 2008 Marvell Semiconductor
linux-3.10\include\linux\mc146818rtc.h(2): * Copyright Torsten Duwe
<duwe@informatik.uni-erlangen.de> 1993
linux-3.10\include\linux\mc146818rtc.h(3): * derived from Data Sheet, Copyright
Motorola 1984 (!).
linux-3.10\include\linux\mc6821.h(15): * 6.11.95 copyright Joerg Dorchain
(dorchain@mpi-sb.mpg.de)
linux-3.10\include\linux\mdio.h(3): * Copyright 2006-2009 Solarflare
Communications Inc.
linux-3.10\include\linux\mdio-gpio.h(4): * Copyright (C) 2008, Paulius Zaleckas
<paulius.zaleckas@teltonika.lt>
linux-3.10\include\linux\mdio-mux.h(8): * Copyright (C) 2011, 2012 Cavium, Inc.
linux-3.10\include\linux\memblock.h(9): * Copyright (C) 2001 Peter Bergner, IBM
Corp.
linux-3.10\include\linux\memcontrol.h(3): * Copyright IBM Corporation, 2007
linux-3.10\include\linux\memcontrol.h(6): * Copyright 2007 OpenVZ SWsoft Inc
linux-3.10\include\linux\mempolicy.h(3): * Copyright 2003,2004 Andi Kleen SuSE
Labs
linux-3.10\include\linux\memstick.h(4): *Copyright (C) 2007 Alex Dubov
<oakad@yahoo.com>
linux-3.10\include\linux\mfd\88pm80x.h(4): * Copyright (C) 2012 Marvell
International Ltd.
linux-3.10\include\linux\mfd\88pm860x.h(4): * Copyright (C) 2009 Marvell
International Ltd.
linux-3.10\include\linux\mfd\aat2870.h(4): * Copyright (c) 2011, NVIDIA
Corporation.

legal(ME)

linux-3.10\include\linux\mfd\ab3100.h(2): * Copyright (C) 2007-2009 ST-Ericsson AB
linux-3.10\include\linux\mfd\abx500.h(2): * Copyright (C) 2007-2009 ST-Ericsson AB
linux-3.10\include\linux\mfd\abx500\ab8500.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\include\linux\mfd\abx500\ab8500-bm.h(2): * Copyright ST-Ericsson 2012.
linux-3.10\include\linux\mfd\abx500\ab8500-codec.h(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\include\linux\mfd\abx500\ab8500-gpadc.h(2): * Copyright (C) 2010 ST-Ericsson SA
linux-3.10\include\linux\mfd\abx500\ab8500-gpio.h(2): * Copyright ST-Ericsson 2010.
linux-3.10\include\linux\mfd\abx500\ab8500-sysctrl.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\include\linux\mfd\abx500\ux500_chargalg.h(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\include\linux\mfd\adp5520.h(5): * Copyright 2009 Analog Devices Inc.
linux-3.10\include\linux\mfd\arizona\core.h(4): * Copyright 2012 Wolfson Microelectronics plc
linux-3.10\include\linux\mfd\arizona\pdata.h(4): * Copyright 2012 Wolfson Microelectronics. PLC.
linux-3.10\include\linux\mfd\arizona\registers.h(4): * Copyright 2012 Wolfson Microelectronics plc
linux-3.10\include\linux\mfd\as3711.h(4): * Copyright (C) 2012 Renesas Electronics Corporation
linux-3.10\include\linux\mfd\asic3.h(10): * Copyright 2001 Compaq Computer Corporation.
linux-3.10\include\linux\mfd\asic3.h(11): * Copyright 2007-2008 OpenedHand Ltd.
linux-3.10\include\linux\mfd\core.h(5): * Copyright (c) 2006 Ian Molton
linux-3.10\include\linux\mfd\core.h(6): * Copyright (c) 2007 Dmitry Baryshkov
linux-3.10\include\linux\mfd\cros_ec.h(4): * Copyright (C) 2012 Google, Inc
linux-3.10\include\linux\mfd\cros_ec_commands.h(4): * Copyright (C) 2012 Google, Inc
linux-3.10\include\linux\mfd\da9052\da9052.h(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.
linux-3.10\include\linux\mfd\da9052\pdata.h(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.
linux-3.10\include\linux\mfd\da9052\reg.h(4): * Copyright(c) 2011 Dialog Semiconductor Ltd.
linux-3.10\include\linux\mfd\da9055\core.h(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\include\linux\mfd\da9055\pdata.h(1):/* Copyright (C) 2012 Dialog Semiconductor Ltd.
linux-3.10\include\linux\mfd\da9055\reg.h(4): * Copyright(c) 2012 Dialog Semiconductor Ltd.
linux-3.10\include\linux\mfd\davinci_voicecodec.h(4): * Copyright (C) 2010 Texas Instruments, Inc
linux-3.10\include\linux\mfd\db8500-prcmu.h(2): * Copyright (C) STMicroelectronics 2009
linux-3.10\include\linux\mfd\db8500-prcmu.h(3): * Copyright (C) ST-Ericsson SA 2010

legal(ME)

linux-3.10\include\linux\mfd\dbx500-prcmu.h(2): * Copyright (C) ST Ericsson SA 2011
linux-3.10\include\linux\mfd\ezx-pcap.h(2): * Copyright 2009 Daniel Ribeiro <drwyrn@gmail.com>
linux-3.10\include\linux\mfd\htc-pasic3.h(4): * Copyright (c) 2007 Philipp Zabel <philipp.zabel@gmail.com>
linux-3.10\include\linux\mfd\intel_msic.h(4): * Copyright (C) 2011, Intel Corporation
linux-3.10\include\linux\mfd\janz.h(4): * Copyright (c) 2010 Ira W. Snyder <iws@ovro.caltech.edu>
linux-3.10\include\linux\mfd\lm3533.h(4): * Copyright (C) 2011-2012 Texas Instruments
linux-3.10\include\linux\mfd\lp8788.h(4): * Copyright 2012 Texas Instruments
linux-3.10\include\linux\mfd\lp8788-isink.h(4): * Copyright 2012 Texas Instruments
linux-3.10\include\linux\mfd\lpc_ich.h(4): *Copyright (c) 2012 Extreme Engineering Solution, Inc.
linux-3.10\include\linux\mfd\max77686.h(4): *Copyright (C) 2012 Samsung Electrnoics
linux-3.10\include\linux\mfd\max77686-private.h(4): *Copyright (C) 2012 Samsung Electrnoics
linux-3.10\include\linux\mfd\max77693.h(4): *Copyright (C) 2012 Samsung Electrnoics
linux-3.10\include\linux\mfd\max77693-private.h(4): *Copyright (C) 2012 Samsung Electrnoics
linux-3.10\include\linux\mfd\max8907.h(4): * Copyright (C) 2010 Gyungoh Yoo <jack.yoo@maxim-ic.com>
linux-3.10\include\linux\mfd\max8907.h(5): * Copyright (C) 2012, NVIDIA CORPORATION. All rights reserved.
linux-3.10\include\linux\mfd\max8925.h(4): * Copyright (C) 2009 Marvell International Ltd.
linux-3.10\include\linux\mfd\max8997.h(4): *Copyright (C) 2009-2010 Samsung Electrnoics
linux-3.10\include\linux\mfd\max8997-private.h(4): *Copyright (C) 2010 Samsung Electrnoics
linux-3.10\include\linux\mfd\max8998.h(4): *Copyright (C) 2009-2010 Samsung Electrnoics
linux-3.10\include\linux\mfd\max8998-private.h(4): *Copyright (C) 2009-2010 Samsung Electrnoics
linux-3.10\include\linux\mfd\mc13783.h(2): * Copyright 2010 Yong Shen <yong.shen@linaro.org>
linux-3.10\include\linux\mfd\mc13783.h(3): * Copyright 2009-2010 Pengutronix
linux-3.10\include\linux\mfd\mc13892.h(2): * Copyright 2010 Yong Shen <yong.shen@linaro.org>
linux-3.10\include\linux\mfd\mc13xxx.h(2): * Copyright 2009-2010 Pengutronix
linux-3.10\include\linux\mfd\mcp.h(4): *Copyright (C) 2001 Russell King, All Rights Reserved.
linux-3.10\include\linux\mfd\palmas.h(4): * Copyright 2011-2013 Texas Instruments Inc.
linux-3.10\include\linux\mfd\pcf50633\backlight.h(2): *Copyright (C) 2009-2010, Lars-Peter Clausen <lars@metafoo.de>
linux-3.10\include\linux\mfd\pm8xxx\core.h(2): * Copyright (c) 2011, Code Aurora

legal(ME)

Forum. All rights reserved.

linux-3.10\include\linux\mfd\pm8xxx\irq.h(2): * Copyright (c) 2011, Code Aurora Forum. All rights reserved.

linux-3.10\include\linux\mfd\pm8xxx\pm8921.h(2): * Copyright (c) 2011, Code Aurora Forum. All rights reserved.

linux-3.10\include\linux\mfd\pm8xxx\rtc.h(1):/* Copyright (c) 2010-2011, Code Aurora Forum. All rights reserved.

linux-3.10\include\linux\mfd\rc5t583.h(4): * Copyright (c) 2011-2012, NVIDIA CORPORATION. All rights reserved.

linux-3.10\include\linux\mfd\rc5t583.h(8): * Copyright (C) 2011 RICOH COMPANY, LTD

linux-3.10\include\linux\mfd\rtsx_common.h(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.

linux-3.10\include\linux\mfd\rtsx_pci.h(3): * Copyright(c) 2009 Realtek Semiconductor Corp. All rights reserved.

linux-3.10\include\linux\mfd\samsung\core.h(4): * copyright (c) 2011 Samsung Electronics Co., Ltd

linux-3.10\include\linux\mfd\samsung\irq.h(3): * Copyright (c) 2012 Samsung Electronics Co., Ltd

linux-3.10\include\linux\mfd\samsung\rtc.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd

linux-3.10\include\linux\mfd\samsung\s2mps11.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd

linux-3.10\include\linux\mfd\samsung\s5m8763.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd

linux-3.10\include\linux\mfd\samsung\s5m8767.h(3): * Copyright (c) 2011 Samsung Electronics Co., Ltd

linux-3.10\include\linux\mfd\si476x-core.h(5): * Copyright (C) 2012 Innovative Converged Devices(ICD)

linux-3.10\include\linux\mfd\si476x-core.h(6): * Copyright (C) 2013 Andrey Smirnov

linux-3.10\include\linux\mfd\si476x-platform.h(4): * Copyright (C) 2013 Andrey Smirnov

linux-3.10\include\linux\mfd\si476x-reports.h(5): * Copyright (C) 2013 Andrey Smirnov

linux-3.10\include\linux\mfd\smc.h(4): * Copyright 2012 Texas Instruments Inc.

linux-3.10\include\linux\mfd\sta2x11-mfd.h(2): * Copyright (c) 2009-2011 Wind River Systems, Inc.

linux-3.10\include\linux\mfd\sta2x11-mfd.h(3): * Copyright (c) 2011 ST Microelectronics (Alessandro Rubini)

linux-3.10\include\linux\mfd\stmpe.h(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\include\linux\mfd\syscon.h(4): * Copyright (C) 2012 Freescale Semiconductor, Inc.

linux-3.10\include\linux\mfd\syscon.h(5): * Copyright (C) 2012 Linaro Ltd.

linux-3.10\include\linux\mfd\syscon\imx6q-iomuxc-gpr.h(2): * Copyright (C) 2012 Freescale Semiconductor, Inc.

linux-3.10\include\linux\mfd\t7166xb.h(4): * (C) Copyright 2005 Ian Molton <spyro@f2s.com>

linux-3.10\include\linux\mfd\tc3589x.h(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\include\linux\mfd\tc6387xb.h(4): * (C) Copyright 2005 Ian Molton <spyro@f2s.com>

linux-3.10\include\linux\mfd\tc6393xb.h(4): * Copyright(c) 2005-2006 Chris Humbert

legal(ME)

linux-3.10\include\linux\mfd\tc6393xb.h(5): * Copyright(c) 2005 Dirk Opfer
linux-3.10\include\linux\mfd\tc6393xb.h(6): * Copyright(c) 2005 Ian Molton
<spyro@f2s.com>
linux-3.10\include\linux\mfd\tc6393xb.h(7): * Copyright(c) 2007 Dmitry Baryshkov
linux-3.10\include\linux\mfd\ti_am335x_tscadc.h(7): * Copyright (C) 2012 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\include\linux\mfd\ti_ssp.h(4): * Copyright (C) 2010 Texas Instruments
Inc
linux-3.10\include\linux\mfd\tps6105x.h(2): * Copyright (C) 2011 ST-Ericsson SA
linux-3.10\include\linux\mfd\tps6507x.h(5): * Copyright (c) 2009 RidgeRun
(todd.fischer@ridgerun.com)
linux-3.10\include\linux\mfd\tps65090.h(4): * Copyright (C) 2012 NVIDIA
Corporation
linux-3.10\include\linux\mfd\tps65217.h(6): * Copyright (C) 2011 Texas
Instruments Incorporated - <http://www.ti.com/>
linux-3.10\include\linux\mfd\tps65910.h(4): * Copyright 2010-2011 Texas
Instruments Inc.
linux-3.10\include\linux\mfd\tps65912.h(4): * Copyright 2011 Texas Instruments
Inc.
linux-3.10\include\linux\mfd\tps80031.h(4): * Copyright (c) 2012, NVIDIA
Corporation.
linux-3.10\include\linux\mfd\twl4030-audio.h(6): * Copyright: (C) 2009 Nokia
Corporation
linux-3.10\include\linux\mfd\twl6040.h(7): * Copyright: (C) 2011 Texas
Instruments, Inc.
linux-3.10\include\linux\mfd\ucb1x00.h(4): *Copyright (C) 2001 Russell King, All
Rights Reserved.
linux-3.10\include\linux\mfd\wl1273-core.h(6): * Copyright (C) 2010 Nokia
Corporation
linux-3.10\include\linux\mfd\wm831x\auxadc.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\core.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\gpio.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\irq.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\otp.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\pdata.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\pmu.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\regulator.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\status.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm831x\watchdog.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm8350\audio.h(4): * Copyright 2007, 2008 Wolfson
Microelectronics PLC
linux-3.10\include\linux\mfd\wm8350\comparator.h(4): * Copyright 2007 Wolfson

legal(ME)

Microelectronics PLC
linux-3.10\include\linux\mfd\wm8350\core.h(4): * Copyright 2007 Wolfson
Microelectronics PLC
linux-3.10\include\linux\mfd\wm8350\gpio.h(4): * Copyright 2007 Wolfson
Microelectronics PLC
linux-3.10\include\linux\mfd\wm8350\pmic.h(4): * Copyright 2007 Wolfson
Microelectronics PLC
linux-3.10\include\linux\mfd\wm8350\rtc.h(4): * Copyright 2007 Wolfson
Microelectronics PLC
linux-3.10\include\linux\mfd\wm8350\supply.h(4): * Copyright 2007 Wolfson
Microelectronics PLC
linux-3.10\include\linux\mfd\wm8350\wdt.h(4): * Copyright 2007, 2008 Wolfson
Microelectronics PLC
linux-3.10\include\linux\mfd\wm8400.h(4): * Copyright 2008 Wolfson
Microelectronics plc
linux-3.10\include\linux\mfd\wm8400-audio.h(4): * Copyright 2008 Wolfson
Microelectronics plc
linux-3.10\include\linux\mfd\wm8400-private.h(4): * Copyright 2008 Wolfson
Microelectronics plc
linux-3.10\include\linux\mfd\wm8994\core.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm8994\gpio.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm8994\pdata.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mfd\wm8994\registers.h(4): * Copyright 2009 Wolfson
Microelectronics PLC.
linux-3.10\include\linux\mii.h(5): * Copyright (C) 1996, 1999, 2001 David S.
Miller (davem@redhat.com)
linux-3.10\include\linux\mISDNhw.h(7): * Copyright 2008by Karsten Keil
<kkeil@novell.com>
linux-3.10\include\linux\mISDNif.h(5): * Copyright 2008by Karsten Keil
<kkeil@novell.com>
linux-3.10\include\linux\mlx4\cmd.h(2): * Copyright (c) 2006 Cisco Systems,
Inc.All rights reserved.
linux-3.10\include\linux\mlx4\cq.h(2): * Copyright (c) 2007 Cisco Systems,
Inc.All rights reserved.
linux-3.10\include\linux\mlx4\device.h(2): * Copyright (c) 2006, 2007 Cisco
Systems, Inc.All rights reserved.
linux-3.10\include\linux\mlx4\doorbell.h(2): * Copyright (c) 2004 Topspin
Communications.All rights reserved.
linux-3.10\include\linux\mlx4\doorbell.h(3): * Copyright (c) 2005 Sun
Microsystems, Inc. All rights reserved.
linux-3.10\include\linux\mlx4\doorbell.h(4): * Copyright (c) 2005 Mellanox
Technologies. All rights reserved.
linux-3.10\include\linux\mlx4\driver.h(2): * Copyright (c) 2006 Cisco Systems,
Inc.All rights reserved.
linux-3.10\include\linux\mlx4\qp.h(2): * Copyright (c) 2007 Cisco Systems,
Inc.All rights reserved.
linux-3.10\include\linux\mlx4\srq.h(2): * Copyright (c) 2007 Cisco Systems,
Inc.All rights reserved.
linux-3.10\include\linux\mmc\dw_mmc.h(5): * Copyright (C) 2009 NXP Semiconductors

legal(ME)

linux-3.10\include\linux\mmc\dw_mmc.h(6): * Copyright (C) 2009, 2010 Imagination Technologies Ltd.
linux-3.10\include\linux\mmc\mmc.h(4): * Copyright 2002 Hewlett-Packard Company
linux-3.10\include\linux\mmc\pm.h(5): * Copyright:(C) 2009 Marvell Technology Group Ltd.
linux-3.10\include\linux\mmc\sd.h(4): *Copyright (C) 2005-2007 Pierre Ossman, All Rights Reserved.
linux-3.10\include\linux\mmc\sdhci.h(4): *Copyright (C) 2005-2008 Pierre Ossman, All Rights Reserved.
linux-3.10\include\linux\mmc\sdhci-spear.h(6): * Copyright (C) 2010 ST Microelectronics
linux-3.10\include\linux\mmc\sdio.h(4): *Copyright 2006-2007 Pierre Ossman
linux-3.10\include\linux\mmc\sdio_func.h(4): *Copyright 2007-2008 Pierre Ossman
linux-3.10\include\linux\mmc\sh_mmcif.h(6): * Copyright (C) 2010 Renesas Solutions Corp.
linux-3.10\include\linux\mmc\slot-gpio.h(4): * Copyright (C) 2011, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\linux\mmc\tmio.h(4): * Copyright (C) 2007 Ian Molton
linux-3.10\include\linux\mmc\tmio.h(5): * Copyright (C) 2004 Ian Molton
linux-3.10\include\linux\moduleparam.h(3):/* (C) Copyright 2001, 2002 Rusty Russell IBM Corporation */
linux-3.10\include\linux\mpi.h(2): *Copyright (C) 1994, 1996, 1998, 1999,
linux-3.10\include\linux\msm_mdp.h(3): * Copyright (C) 2007 Google Incorporated
linux-3.10\include\linux\mtd\bbm.h(10): *Copyright ㄗ 2000-2005
linux-3.10\include\linux\mtd\bbm.h(7): *Copyright ㄗ 2005 Samsung Electronics
linux-3.10\include\linux\mtd\blktrans.h(2): * Copyright ㄗ 2003-2010 David Woodhouse <dwmw2@infradead.org>
linux-3.10\include\linux\mtd\cfi.h(2): * Copyright ㄗ 2000-2010 David Woodhouse <dwmw2@infradead.org> et al.
linux-3.10\include\linux\mtd\cfi_endian.h(2): * Copyright ㄗ 2001-2010 David Woodhouse <dwmw2@infradead.org>
linux-3.10\include\linux\mtd\concat.h(4): * Copyright ㄗ 2002Robert Kaiser <rkaiser@sysgo.de>
linux-3.10\include\linux\mtd\doc2000.h(4): * Copyright ㄗ 1999 Machine Vision Holdings, Inc.
linux-3.10\include\linux\mtd\doc2000.h(5): * Copyright ㄗ 1999-2010 David Woodhouse <dwmw2@infradead.org>
linux-3.10\include\linux\mtd\doc2000.h(6): * Copyright ㄗ 2002-2003 Greg Ungerer <gerg@snapgear.com>
linux-3.10\include\linux\mtd\doc2000.h(7): * Copyright ㄗ 2002-2003 SnapGear Inc
linux-3.10\include\linux\mtd\flashchip.h(2): * Copyright ㄗ 2000Red Hat UK Limited
linux-3.10\include\linux\mtd\flashchip.h(3): * Copyright ㄗ 2000-2010 David Woodhouse <dwmw2@infradead.org>
linux-3.10\include\linux\mtd\fsmc.h(8): * Copyright ㄗ 2010 ST Microelectronics
linux-3.10\include\linux\mtd\ftl.h(17): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
linux-3.10\include\linux\mtd\gen_probe.h(2): * Copyright ㄗ 2001Red Hat UK Limited
linux-3.10\include\linux\mtd\gen_probe.h(3): * Copyright ㄗ 2001-2010 David Woodhouse <dwmw2@infradead.org>
linux-3.10\include\linux\mtd\infctl.h(4): *(C) Copyright 2002, Greg Ungerer

legal(ME)

(gerg@snapgear.com)

linux-3.10\include\linux\mtd\latch-addr-flash.h(4): * Copyright ㄗ 2008
MontaVista Software, Inc. <source@mvista.com>
linux-3.10\include\linux\mtd\lpc32xx_mlc.h(4): * Copyright ㄗ 2012 Roland Stigge
linux-3.10\include\linux\mtd\lpc32xx_slc.h(4): * Copyright ㄗ 2012 Roland Stigge
linux-3.10\include\linux\mtd\map.h(2): * Copyright ㄗ 2000-2010 David Woodhouse
<dwmw2@infradead.org> et al.
linux-3.10\include\linux\mtd\mtd.h(2): * Copyright ㄗ 1999-2010 David Woodhouse
<dwmw2@infradead.org> et al.
linux-3.10\include\linux\mtd\nand.h(4): *Copyright ㄗ 2000-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\include\linux\mtd\nand_bch.h(2): * Copyright ㄗ 2011 Ivan Djelic
<ivan.djelic@parrot.com>
linux-3.10\include\linux\mtd\nand_ecc.h(4): *Copyright (C) 2000-2010 Steven J.
Hill <sjhill@realitydiluted.com>
linux-3.10\include\linux\mtd\ndfc.h(4): *Copyright (c) 2006 Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\include\linux\mtd\nftl.h(2): * Copyright ㄗ 1999-2010 David Woodhouse
<dwmw2@infradead.org>
linux-3.10\include\linux\mtd\onenand.h(4): *Copyright ㄗ 2005-2009 Samsung
Electronics
linux-3.10\include\linux\mtd\onenand_regs.h(6): *Copyright (C) 2005-2007 Samsung
Electronics
linux-3.10\include\linux\mtd\physmap.h(5): * Copyright (C) 2003 MontaVista
Software Inc.
linux-3.10\include\linux\mtd\sh_flctl.h(4): * Copyright ㄗ 2008 Renesas Solutions
Corp.
linux-3.10\include\linux\mtd\sharpsl.h(4): * Copyright (C) 2008 Dmitry Baryshkov
linux-3.10\include\linux\mtd\spear_smi.h(2): * Copyright ㄗ 2010 ST
Microelectronics
linux-3.10\include\linux\mtd\super.h(3): * Copyright ㄗ 2006 Red Hat, Inc. All
Rights Reserved.
linux-3.10\include\linux\mtd\ubi.h(2): * Copyright (c) International Business
Machines Corp., 2006
linux-3.10\include\linux\mtd\xip.h(6): * Copyright:(C) 2004 MontaVista Software,
Inc.
linux-3.10\include\linux\mutex.h(6): *Copyright (C) 2004, 2005, 2006 Red Hat,
Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\include\linux\mv643xx.h(4): * Copyright 2002 Momentum Computer, Inc.
linux-3.10\include\linux\mv643xx.h(6): * Copyright 2002 GALILEO TECHNOLOGY, LTD.
linux-3.10\include\linux\mxm-wmi.h(4): * Copyright(C) 2010 Red Hat.
linux-3.10\include\linux\n_r3964.h(4): * Copyright by
linux-3.10\include\linux\nbd.h(2): * 1999 Copyright (C) Pavel Machek,
pavel@ucw.cz. This code is GPL.
linux-3.10\include\linux\nbd.h(3): * 1999/11/04 Copyright (C) 1999 VMware, Inc.
(Regis "HPReg" Duchesne)
linux-3.10\include\linux\nbd.h(5): * 2001 Copyright (C) Steven Whitehouse
linux-3.10\include\linux\netfilter_bridge\ebtables.h(10): *Copyright (C) 1999
Paul `Rusty' Russell & Michael J. Neuling
linux-3.10\include\linux\netfilter\ipset\ip_set.h(1):/* Copyright (C) 2000-2002
Joakim Axelsson <gozem@linux.nu>
linux-3.10\include\linux\netfilter\ipset\ip_set.h(4): * Copyright (C) 2003-2013

legal(ME)

Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\include\linux\netfilter\ipset\ip_set_timeout.h(4):/* Copyright (C)
2003-2013 Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\include\linux\netfilter\nf_contrack_h323_asn1.h(5): * Copyright (c)
2006 by Jing Min Zhao <zhaojingmin@users.sourceforge.net>
linux-3.10\include\linux\netfilter\nf_contrack_h323_types.h(3): * Copyright (c)
2006 Jing Min Zhao <zhaojingmin@users.sourceforge.net>
linux-3.10\include\linux\nfs_fs.h(4): *Copyright (C) 1992Rick Sladkey
linux-3.10\include\linux\nfs_idmap.h(6): *Copyright (c) 2002 The Regents of the
University of Michigan.
linux-3.10\include\linux\nfs_iostat.h(5): *Copyright (C) 2005, 2006 Chuck Lever
<cel@netapp.com>
linux-3.10\include\linux\nfs_page.h(4): * Copyright (C) 2000 Trond Myklebust
linux-3.10\include\linux\nfs4.h(6): *Copyright (c) 2002 The Regents of the
University of Michigan.
linux-3.10\include\linux\nfsd\debug.h(6): * Copyright (C) 1995 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\nfsd\export.h(7): * Copyright (C) 1995-1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\nfsd\nfsfh.h(11): * Copyright (C) 1995, 1996, 1997 Olaf
Kirch <okir@monad.swb.de>
linux-3.10\include\linux\nfsd\stats.h(6): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\nilfs2_fs.h(26): * Copyright (C) 1992, 1993, 1994, 1995
linux-3.10\include\linux\nilfs2_fs.h(35): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\include\linux\nilfs2_fs.h(4): * Copyright (C) 2005-2008 Nippon
Telegraph and Telephone Corporation.
linux-3.10\include\linux\nl802154.h(4): * Copyright (C) 2007, 2008, 2009 Siemens
AG
linux-3.10\include\linux\nsc_gpio.h(16): Copyright (c) 2005 Jim Cromie
<jim.cromie@gmail.com>
linux-3.10\include\linux\ntb.h(15): * Copyright(c) 2012 Intel Corporation. All
rights reserved.
linux-3.10\include\linux\ntb.h(7): * Copyright(c) 2012 Intel Corporation. All
rights reserved.
linux-3.10\include\linux\nvme.h(3): * Copyright (c) 2011, Intel Corporation.
linux-3.10\include\linux\nwpserial.h(4): *Copyright (C) 2008 IBM Corp., Benjamin
Krill <ben@codiert.org>
linux-3.10\include\linux\of.h(7): * Copyright (C) 1996-2005 Paul Mackerras.
linux-3.10\include\linux\of_dma.h(6): * Copyright (C) 2012 Texas Instruments
Incorporated - <http://www.ti.com/>
linux-3.10\include\linux\of_fdt.h(4): * Copyright 2009 Benjamin Herrenschmidt,
IBM Corp
linux-3.10\include\linux\of_gpio.h(4): * Copyright (c) 2007-2008MontaVista
Software, Inc.
linux-3.10\include\linux\of_i2c.h(4): * Copyright (c) 2008 Jochen Friedrich
<jochen@scram.de>
linux-3.10\include\linux\of_mdio.h(4): * Copyright (c) 2009 Secret Lab
Technologies, Ltd.
linux-3.10\include\linux\of_mtd.h(2): * Copyright 2012 Jean-Christophe
PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
linux-3.10\include\linux\of_pdt.h(5): * Copyright (C) 2010Andres Salomon

legal(ME)

<dilinger@queued.net>

linux-3.10\include\linux\of_platform.h(4): *Copyright (C) 2006 Benjamin Herrenschmidt, IBM Corp.

linux-3.10\include\linux\oid_registry.h(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\linux\omap-dma.h(30): *Copyright (C) 2003 Nokia Corporation

linux-3.10\include\linux\omapfb.h(6): * Copyright (C) 2004 Nokia Corporation

linux-3.10\include\linux\omap-iommu.h(4): * Copyright (C) 2008-2009 Nokia Corporation

linux-3.10\include\linux\openvswitch.h(2): * Copyright (c) 2007-2011 Nicira Networks.

linux-3.10\include\linux\opp.h(4): * Copyright (C) 2009-2010 Texas Instruments Incorporated.

linux-3.10\include\linux\oprofile.h(7): * @remark Copyright 2002 OProfile authors

linux-3.10\include\linux\padata.h(4): * Copyright (C) 2008, 2009 secunet Security Networks AG

linux-3.10\include\linux\padata.h(5): * Copyright (C) 2008, 2009 Steffen Klassert <steffen.klassert@secunet.com>

linux-3.10\include\linux\pageblock-flags.h(18): * Copyright (C) IBM Corporation, 2006

linux-3.10\include\linux\pagemap.h(5): * Copyright 1995 Linus Torvalds

linux-3.10\include\linux\pata_arasan_cf_data.h(6): * Copyright (C) 2011 ST Microelectronics

linux-3.10\include\linux\patchkey.h(4): * Copyright (C) 2005 Stuart Brady

linux-3.10\include\linux\pch_dma.h(2): * Copyright (c) 2010 Intel Corporation

linux-3.10\include\linux\pci.h(5): *Copyright 1994, Drew Eckhardt

linux-3.10\include\linux\pci.h(6): *Copyright 1997--1999 Martin Mares <mj@ucw.cz>

linux-3.10\include\linux\pci_hotplug.h(4): * Copyright (C) 1995,2001 Compaq Computer Corporation

linux-3.10\include\linux\pci_hotplug.h(5): * Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)

linux-3.10\include\linux\pci_hotplug.h(6): * Copyright (C) 2001 IBM Corp.

linux-3.10\include\linux\pci-acpi.h(4): * Copyright (C) 2004 Intel

linux-3.10\include\linux\pci-acpi.h(5): * Copyright (C) Tom Long Nguyen (tom.l.nguyen@intel.com)

linux-3.10\include\linux\pci-aspm.h(6): *Copyright (C) 2007 Intel Corp.

linux-3.10\include\linux\pcieport_if.h(5): * Copyright (C) 2004 Intel

linux-3.10\include\linux\pcieport_if.h(6): * Copyright (C) Tom Long Nguyen (tom.l.nguyen@intel.com)

linux-3.10\include\linux\pda_power.h(6): * Copyright ㄣㄣ 2007 Anton Vorontsov <cbou@mail.ru>

linux-3.10\include\linux\perf_event.h(4): *Copyright (C) 2008-2009, Thomas Gleixner <tglx@linutronix.de>

linux-3.10\include\linux\perf_event.h(5): *Copyright (C) 2008-2011, Red Hat, Inc., Ingo Molnar

linux-3.10\include\linux\perf_event.h(6): *Copyright (C) 2008-2011, Red Hat, Inc., Peter Zijlstra

linux-3.10\include\linux\phonet.h(6): * Copyright (C) 2008 Nokia Corporation. All rights reserved.

linux-3.10\include\linux\phy.h(9): * Copyright (c) 2004 Freescale Semiconductor, Inc.

linux-3.10\include\linux\pinctrl\consumer.h(4): * Copyright (C) 2012 ST-Ericsson

legal(ME)

SA

linux-3.10\include\linux\pinctrl\devinfo.h(6): * Copyright (C) 2012 ST-Ericsson SA

linux-3.10\include\linux\pinctrl\machine.h(4): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\include\linux\pinctrl\pinconf.h(4): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\include\linux\pinctrl\pinconf-generic.h(4): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\include\linux\pinctrl\pinctrl.h(4): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\include\linux\pinctrl\pinmux.h(4): * Copyright (C) 2011 ST-Ericsson SA

linux-3.10\include\linux\pktdvd.h(2): * Copyright (C) 2000 Jens Axboe
<axboe@suse.de>

linux-3.10\include\linux\pktdvd.h(3): * Copyright (C) 2001-2004 Peter Osterlund
<petero2@telia.com>

linux-3.10\include\linux\platform_data\ad5449.h(5): * Copyright 2012 Analog Devices Inc.

linux-3.10\include\linux\platform_data\ad5755.h(2): * Copyright 2012 Analog Devices Inc.

linux-3.10\include\linux\platform_data\ad7266.h(4): * Copyright 2012 Analog Devices Inc.

linux-3.10\include\linux\platform_data\ad7298.h(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\include\linux\platform_data\ad7793.h(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\include\linux\platform_data\ad7887.h(4): * Copyright 2010 Analog Devices Inc.

linux-3.10\include\linux\platform_data\ads7828.h(4): * Copyright (c) 2012 Savoir-faire Linux Inc.

linux-3.10\include\linux\platform_data\arm-ux500-pm.h(2): * Copyright (C) ST-Ericsson SA 2010-2013

linux-3.10\include\linux\platform_data\asoc-s3c.h(3): * Copyright (c) 2009 Samsung Electronics Co. Ltd

linux-3.10\include\linux\platform_data\asoc-s3c24xx_simtec.h(3): * Copyright 2008 Simtec Electronics

linux-3.10\include\linux\platform_data\asoc-ti-mcbsp.h(6): * Copyright (C) 2002 RidgeRun, Inc.

linux-3.10\include\linux\platform_data\asoc-ux500-msp.h(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\include\linux\platform_data\at91_adc.h(2): * Copyright (C) 2011 Free Electrons

linux-3.10\include\linux\platform_data\ata-pxa.h(4): * Copyright (C) 2010 Marek Vasut <marek.vasut@gmail.com>

linux-3.10\include\linux\platform_data\ata-samsung_cf.h(3): * Copyright (c) 2010 Samsung Electronics Co., Ltd.

linux-3.10\include\linux\platform_data\brcmfmac-sdio.h(2): * Copyright (c) 2013 Broadcom Corporation

linux-3.10\include\linux\platform_data\camera-mx1.h(4): * Copyright (c) 2008, Paulius Zaleckas <paulius.zaleckas@teltonika.lt>

linux-3.10\include\linux\platform_data\camera-mx1.h(5): * Copyright (C) 2009, Darius Augulis <augulis.darius@gmail.com>

legal(ME)

linux-3.10\include\linux\platform_data\camera-mx1.h(8): * Copyright (C) 2003, Intel Corporation
linux-3.10\include\linux\platform_data\camera-mx1.h(9): * Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\include\linux\platform_data\camera-mx2.h(4): * Copyright (C) 2003, Intel Corporation
linux-3.10\include\linux\platform_data\camera-mx2.h(5): * Copyright (C) 2008, Sascha Hauer <s.hauer@pengutronix.de>
linux-3.10\include\linux\platform_data\camera-mx2.h(6): * Copyright (C) 2010, Baruch Siach <baruch@tkos.co.il>
linux-3.10\include\linux\platform_data\camera-mx3.h(4): * Copyright (C) 2008, Guennadi Liakhovetski, DENX Software Engineering, <lg@denx.de>
linux-3.10\include\linux\platform_data\camera-pxa.h(4): Copyright (C) 2003, Intel Corporation
linux-3.10\include\linux\platform_data\camera-pxa.h(5): Copyright (C) 2008, Guennadi Liakhovetski <kernel@pengutronix.de>
linux-3.10\include\linux\platform_data\clk-lpss.h(4): * Copyright (C) 2013, Intel Corporation
linux-3.10\include\linux\platform_data\clk-ux500.h(4): * Copyright (C) 2012 ST-Ericsson SA
linux-3.10\include\linux\platform_data\coda.h(2): * Copyright (C) 2013 Philipp Zabel, Pengutronix
linux-3.10\include\linux\platform_data\cpsw.h(4): * Copyright (C) 2012 Texas Instruments
linux-3.10\include\linux\platform_data\crypto-ux500.h(2): * Copyright (C) ST-Ericsson SA 2011
linux-3.10\include\linux\platform_data\davinci_asp.h(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\include\linux\platform_data\db8500_thermal.h(4): * Copyright (C) 2012 ST-Ericsson
linux-3.10\include\linux\platform_data\db8500_thermal.h(5): * Copyright (C) 2012 Linaro Ltd.
linux-3.10\include\linux\platform_data\dma-atmel.h(4): * Copyright (C) 2008 Atmel Corporation
linux-3.10\include\linux\platform_data\dma-coh901318.h(3): * Copyright (C) 2007-2013 ST-Ericsson
linux-3.10\include\linux\platform_data\dma-imx.h(2): * Copyright 2004-2009 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\include\linux\platform_data\dma-mmp_tdma.h(6): * Copyright (c) 2011 Marvell Semiconductors Inc.
linux-3.10\include\linux\platform_data\dma-ste-dma40.h(2): * Copyright (C) ST-Ericsson SA 2007-2010
linux-3.10\include\linux\platform_data\dmtimer-omap.h(4): * Copyright (C) 2012 Texas Instruments
linux-3.10\include\linux\platform_data\dwc3-exynos.h(4): * Copyright (c) 2012 Samsung Electronics Co., Ltd.
linux-3.10\include\linux\platform_data\dwc3-omap.h(18): * 3. The names of the above-listed copyright holders may not be used
linux-3.10\include\linux\platform_data\dwc3-omap.h(4): * Copyright (C) 2010-2011 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\include\linux\platform_data\ehci-sh.h(4): * Copyright (C) 2012 Nobuhiro Iwamatsu <nobuhiro.iwamatsu.yj@renesas.com>

legal(ME)

linux-3.10\include\linux\platform_data\ehci-sh.h(5): * Copyright (C) 2012Renesas Solutions Corp.
linux-3.10\include\linux\platform_data\elm.h(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\include\linux\platform_data\emif_plat.h(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\include\linux\platform_data\eth-netx.h(4): * Copyright (c) 2005 Sascha Hauer <s.hauer@pengutronix.de>, Pengutronix
linux-3.10\include\linux\platform_data\exynos_thermal.h(4): *Copyright (C) 2011 Samsung Electronics
linux-3.10\include\linux\platform_data\fsa9480.h(2): * Copyright (C) 2010 Samsung Electronics
linux-3.10\include\linux\platform_data\gpio-omap.h(4): * Copyright (C) 2003-2005 Nokia Corporation
linux-3.10\include\linux\platform_data\gpio-rcar.h(4): *Copyright (C) 2013 Magnus Damm
linux-3.10\include\linux\platform_data\gpio-ts5500.h(4): * Copyright (c) 2012 Savoir-faire Linux Inc.
linux-3.10\include\linux\platform_data\hwmon-s3c.h(3): * Copyright 2005 Simtec Electronics
linux-3.10\include\linux\platform_data\i2c-cbus-gpio.h(4): * Copyright (C) 2004-2009 Nokia Corporation
linux-3.10\include\linux\platform_data\i2c-imx.h(4): * Copyright (c) 2008, Darius Augulis <augulis.darius@gmail.com>
linux-3.10\include\linux\platform_data\i2c-nomadik.h(2): * Copyright (C) 2009 ST-Ericsson
linux-3.10\include\linux\platform_data\i2c-s3c2410.h(3): * Copyright 2004-2009 Simtec Electronics
linux-3.10\include\linux\platform_data\ina2xx.h(4): * Copyright (C) 2012 Lothar Felten <l-felten@ti.com>
linux-3.10\include\linux\platform_data\invensense_mpu6050.h(2):* Copyright (C) 2012 Invensense, Inc.
linux-3.10\include\linux\platform_data\iommu-omap.h(4): * Copyright (C) 2008-2009 Nokia Corporation
linux-3.10\include\linux\platform_data\irq-renesas-intc-irqpin.h(4): *Copyright (C) 2013 Magnus Damm
linux-3.10\include\linux\platform_data\irq-renesas-irqc.h(4): *Copyright (C) 2013 Magnus Damm
linux-3.10\include\linux\platform_data\keyboard-spear.h(2): * Copyright (C) 2010 ST Microelectronics
linux-3.10\include\linux\platform_data\keypad-nomadik-ske.h(2): * Copyright (C) ST-Ericsson SA 2010
linux-3.10\include\linux\platform_data\keypad-omap.h(4): *Copyright (C) 2006 Komal Shah <komal_shah802003@yahoo.com>
linux-3.10\include\linux\platform_data\keyscan-davinci.h(2): * Copyright (C) 2009 Texas Instruments, Inc
linux-3.10\include\linux\platform_data\leds-lm355x.h(2): * Copyright (C) 2012 Texas Instruments
linux-3.10\include\linux\platform_data\leds-lm3642.h(2):* Copyright (C) 2012 Texas Instruments
linux-3.10\include\linux\platform_data\leds-lp55xx.h(4): * Copyright (C) 2012 Texas Instruments

legal(ME)

linux-3.10\include\linux\platform_data\leds-omap.h(2): *Copyright (C) 2006 Samsung Electronics
linux-3.10\include\linux\platform_data\leds-pca9633.h(4): * Copyright 2012 bct electronic GmbH
linux-3.10\include\linux\platform_data\leds-s3c24xx.h(3): * Copyright (c) 2006 Simtec Electronics
linux-3.10\include\linux\platform_data\lm3630_b1.h(3):* Copyright (C) 2012 Texas Instruments
linux-3.10\include\linux\platform_data\lm3639_b1.h(3):* Copyright (C) 2012 Texas Instruments
linux-3.10\include\linux\platform_data\lp855x.h(4): *Copyright (C) 2011 Texas Instruments
linux-3.10\include\linux\platform_data\lp8727.h(4): *Copyright (C) 2011 Texas Instruments
linux-3.10\include\linux\platform_data\lp8727.h(5): *Copyright (C) 2011 National Semiconductor
linux-3.10\include\linux\platform_data\lp8755.h(4): *Copyright (C) 2012 Texas Instruments
linux-3.10\include\linux\platform_data\macb.h(2): * Copyright (C) 2004-2006 Atmel Corporation
linux-3.10\include\linux\platform_data\max197.h(4): * Copyright (c) 2012 Savoir-faire Linux Inc.
linux-3.10\include\linux\platform_data\max310x.h(4): *Copyright (C) 2012 Alexander Shiyam <shc_work@mail.ru>
linux-3.10\include\linux\platform_data\max6697.h(3): * Copyright (c) 2012 Guenter Roeck <linux@roeck-us.net>
linux-3.10\include\linux\platform_data\mfd-mcp-sa11x0.h(4): *Copyright (C) 2005 Russell King.
linux-3.10\include\linux\platform_data\microread.h(4): * Copyright (C) 2011 Tieto Poland
linux-3.10\include\linux\platform_data\microread.h(5): * Copyright (C) 2012 Intel Corporation. All rights reserved.
linux-3.10\include\linux\platform_data\mipi-csis.h(2): * Copyright (C) 2010 - 2012 Samsung Electronics Co., Ltd.
linux-3.10\include\linux\platform_data\mmc-esdhc-imx.h(2): * Copyright 2010 Wolfram Sang <w.sang@pengutronix.de>
linux-3.10\include\linux\platform_data\mmc-omap.h(4): * Copyright (C) 2006 Nokia Corporation
linux-3.10\include\linux\platform_data\mmp_audio.h(4): *Copyright (c) 2011 Marvell Semiconductors Inc.
linux-3.10\include\linux\platform_data\mmp_dma.h(4): *Copyright (c) 2011 Marvell Semiconductors Inc.
linux-3.10\include\linux\platform_data\msm_serial_hs.h(2): * Copyright (C) 2008 Google, Inc.
linux-3.10\include\linux\platform_data\mtd-davinci.h(4): * Copyright ㄣ 2006 Texas Instruments.
linux-3.10\include\linux\platform_data\mtd-davinci.h(6): * Ported to 2.6.23 Copyright ㄣ 2008 by
linux-3.10\include\linux\platform_data\mtd-davinci-aemif.h(4): * Copyright 2010 (C) Texas Instruments, Inc. <http://www.ti.com/>
linux-3.10\include\linux\platform_data\mtd-mxc_nand.h(2): * Copyright 2004-2007 Freescale Semiconductor, Inc. All Rights Reserved.

legal(ME)

linux-3.10\include\linux\platform_data\mtd-mxc_nand.h(3): * Copyright 2008 Sascha Hauer, kernel@pengutronix.de
linux-3.10\include\linux\platform_data\mtd-nand-omap2.h(4): * Copyright (C) 2006 Micron Technology Inc.
linux-3.10\include\linux\platform_data\mtd-nand-s3c2410.h(3): * Copyright (c) 2004 Simtec Electronics
linux-3.10\include\linux\platform_data\mtd-onenand-omap2.h(4): * Copyright (C) 2006 Nokia Corporation
linux-3.10\include\linux\platform_data\mv_usb.h(2): * Copyright (C) 2011 Marvell International Ltd. All rights reserved.
linux-3.10\include\linux\platform_data\ntc_thermistor.h(4): *Copyright (C) 2010 Samsung Electronics
linux-3.10\include\linux\platform_data\omap_drm.h(4): * Copyright (C) 2012 Texas Instruments
linux-3.10\include\linux\platform_data\omap_ocp2scp.h(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\include\linux\platform_data\omap-abe-tw16040.h(4): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\include\linux\platform_data\omap-tw14030.h(5): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\include\linux\platform_data\omap-wd-timer.h(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\include\linux\platform_data\pinctrl-coh901.h(2): * Copyright (C) 2007-2012 ST-Ericsson AB
linux-3.10\include\linux\platform_data\pinctrl-nomadik.h(4): * Copyright (C) 2008 STMicroelectronics
linux-3.10\include\linux\platform_data\pinctrl-nomadik.h(6): * Copyright (C) 2009 Alessandro Rubini <rubini@unipv.it>
linux-3.10\include\linux\platform_data\pn544.h(4): * Copyright (C) Nokia Corporation
linux-3.10\include\linux\platform_data\pxa_sdhci.h(4): * Copyright 2010 Marvell
linux-3.10\include\linux\platform_data\remoteproc-omap.h(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\include\linux\platform_data\remoteproc-omap.h(5): * Copyright (C) 2011 Google, Inc.
linux-3.10\include\linux\platform_data\s3c-hsotg.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\include\linux\platform_data\s3c-hsotg.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\include\linux\platform_data\s3c-hsudc.h(4): * Copyright (c) 2010 Samsung Electronics Co., Ltd.
linux-3.10\include\linux\platform_data\samsung-usbphy.h(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\include\linux\platform_data\sc18is602.h(4): * Copyright (C) 2012 Guenter Roeck <linux@roeck-us.net>
linux-3.10\include\linux\platform_data\serial-imx.h(2): * Copyright (C) 2008 by Sascha Hauer <kernel@pengutronix.de>
linux-3.10\include\linux\platform_data\serial-omap.h(5): * Copyright (C) 2010 Texas Instruments.
linux-3.10\include\linux\platform_data\serial-sccnxp.h(4): *Copyright (C) 2012 Alexander Shiyani <shc_work@mail.ru>
linux-3.10\include\linux\platform_data\sh_ipmmu.h(3): * Copyright (C) 2012Hideki

legal(ME)

EIRAKU

linux-3.10\include\linux\platform_data\shmob_drm.h(4): * Copyright (C) 2012
Renesas Corporation

linux-3.10\include\linux\platform_data\sht15.h(4): * Copyright (c) 2009 Jonathan
Cameron

linux-3.10\include\linux\platform_data\sht15.h(6): * Copyright (c) 2007 Wouter
Horre

linux-3.10\include\linux\platform_data\spi-clps711x.h(4): *Copyright (C) 2012
Alexander Shiyani <shc_work@mail.ru>

linux-3.10\include\linux\platform_data\spi-davinci.h(2): * Copyright 2009 Texas
Instruments.

linux-3.10\include\linux\platform_data\spi-nuc900.h(4): * Copyright (c) 2009
Nuvoton technology corporation.

linux-3.10\include\linux\platform_data\spi-s3c64xx.h(3): * Copyright (C) 2009
Samsung Electronics Ltd.

linux-3.10\include\linux\platform_data\tegra_emc.h(2): * Copyright (C) 2011
Google, Inc.

linux-3.10\include\linux\platform_data\tegra_usb.h(2): * Copyright (C) 2010
Google, Inc.

linux-3.10\include\linux\platform_data\touchscreen-s3c2410.h(3): * Copyright (c)
2005 Arnaud Patard <arnaud.patard@rtp-net.org>

linux-3.10\include\linux\platform_data\uiodmem_genirq.h(4): * Copyright (C) 2012
Damian Hobson-Garcia

linux-3.10\include\linux\platform_data\uiodpruss.h(6): * Copyright (C) 2010-11
Texas Instruments Incorporated - <http://www.ti.com/>

linux-3.10\include\linux\platform_data\usb-davinci.h(4): * Copyright (C) 2009
MontaVista Software, Inc. <source@mvista.com>

linux-3.10\include\linux\platform_data\usb-ehci-s5p.h(2): * Copyright (C) 2011
Samsung Electronics Co.Ltd

linux-3.10\include\linux\platform_data\usb-imx_udc.h(2): *Copyright (C) 2008
Darius Augulis <augulis.darius@gmail.com>

linux-3.10\include\linux\platform_data\usb-musb-ux500.h(2): * Copyright (C)
ST-Ericsson SA 2011

linux-3.10\include\linux\platform_data\usb-mx2.h(2): *Copyright (C) 2009 Martin
Fuzzey <mfuzzey@gmail.com>

linux-3.10\include\linux\platform_data\usb-ohci-exynos.h(2): * Copyright (C) 2011
Samsung Electronics Co.Ltd

linux-3.10\include\linux\platform_data\usb-ohci-s3c2410.h(3): * Copyright (c)
2004 Simtec Electronics

linux-3.10\include\linux\platform_data\usb-omap.h(4): * Copyright (C) 2012 Texas
Instruments Incorporated - http://www.ti.com

linux-3.10\include\linux\platform_data\usb-pxa3xx-ulpi.h(4): * Copyright (C) 2010
CompuLab Ltd.

linux-3.10\include\linux\platform_data\usb-s3c2410_udc.h(3): * Copyright (c) 2005
Arnaud Patard <arnaud.patard@rtp-net.org>

linux-3.10\include\linux\platform_data\ux500_wdt.h(2): * Copyright (C) ST
Ericsson SA 2011

linux-3.10\include\linux\platform_data\video-msm_fb.h(5): * Copyright (C) 2007
Google Incorporated

linux-3.10\include\linux\platform_data\video-mx3fb.h(2): * Copyright (C) 2008

linux-3.10\include\linux\platform_data\video-nuc900fb.h(3): * Copyright (c) 2008
Nuvoton technology corporation

legal(ME)

linux-3.10\include\linux\platform_data\video-pxafb.h(8):
*Copyright:jfclere@sinix.net
linux-3.10\include\linux\platform_data\voltage-omap.h(4): * Copyright (C) 2011,
Texas Instruments, Inc.
linux-3.10\include\linux\platform_device.h(4): * Copyright (c) 2001-2003 Patrick
Mochel <mochel@osdl.org>
linux-3.10\include\linux\pm.h(4): *Copyright (C) 2000 Andrew Henroid
linux-3.10\include\linux\pm_clock.h(4): * Copyright (C) 2011 Rafael J. Wysocki
<rjw@sisk.pl>, Renesas Electronics Corp.
linux-3.10\include\linux\pm_domain.h(4): * Copyright (C) 2011 Rafael J. Wysocki
<rjw@sisk.pl>, Renesas Electronics Corp.
linux-3.10\include\linux\pm_runtime.h(4): * Copyright (C) 2009 Rafael J. Wysocki
<rjw@sisk.pl>
linux-3.10\include\linux\pm_wakeup.h(4): *Copyright (C) 2008 Alan Stern
linux-3.10\include\linux\pm_wakeup.h(5): *Copyright (C) 2010 Rafael J. Wysocki,
Novell Inc.
linux-3.10\include\linux\pm2301_charger.h(4): * Copyright (C) 2012 ST Ericsson
Corporation
linux-3.10\include\linux\pmu.h(6): * Copyright (C) 1998 Paul Mackerras.
linux-3.10\include\linux\pnfs_osd_xdr.h(4): *Copyright (C) 2007 Panasas Inc.
[year of first publication]
linux-3.10\include\linux\pnp.h(3): * Copyright by Adam Belay <ambx1@neo.rr.com>
linux-3.10\include\linux\pnp.h(4): * Copyright (C) 2008 Hewlett-Packard
Development Company, L.P.
linux-3.10\include\linux\posix_acl_xattr.h(6):Copyright (C) 2000 by Andreas
Gruenbacher <a.gruenbacher@computer.org>
linux-3.10\include\linux\posix_acl_xattr.h(7):Copyright (C) 2002 SGI - Silicon
Graphics, Inc <linux-xfs@oss.sgi.com>
linux-3.10\include\linux\posix-clock.h(4): * Copyright (C) 2010 OMICRON
electronics GmbH
linux-3.10\include\linux\power_supply.h(4): *Copyright ʘʘ 2007Anton Vorontsov
<cbou@mail.ru>
linux-3.10\include\linux\power_supply.h(5): *Copyright ʘʘ 2004Szabolcs Gyurko
linux-3.10\include\linux\power_supply.h(6): *Copyright ʘʘ 2003Ian Molton
<spyro@f2s.com>
linux-3.10\include\linux\power\ab8500.h(2): * Copyright (C) ST-Ericsson 2013
linux-3.10\include\linux\power\bq2415x_charger.h(4): * Copyright (C)
2011-2012Pali Rohar <pali.rohar@gmail.com>
linux-3.10\include\linux\power\charger-manager.h(2): * Copyright (C) 2011 Samsung
Electronics Co., Ltd.
linux-3.10\include\linux\power\generic-adc-battery.h(2): * Copyright (C) 2012,
Anish Kumar <anish198519851985@gmail.com>
linux-3.10\include\linux\power\gpio-charger.h(2): *Copyright (C) 2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\include\linux\power\isp1704_charger.h(4): * Copyright (C) 2011 Nokia
Corporation
linux-3.10\include\linux\power\jz4740-battery.h(2): *Copyright (C) 2009, Jiejing
Zhang <kzjeef@gmail.com>
linux-3.10\include\linux\power\max17042_battery.h(5): * Copyright (C) 2011
Samsung Electronics
linux-3.10\include\linux\power\max8903_charger.h(4): * Copyright (C) 2011 Samsung
Electronics

legal(ME)

linux-3.10\include\linux\power\sbs-battery.h(4): * Copyright (c) 2010, NVIDIA Corporation.
linux-3.10\include\linux\power\smartreflex.h(12): * Copyright (C) 2007 Texas Instruments, Inc.
linux-3.10\include\linux\power\smartreflex.h(6): * Copyright (C) 2010 Texas Instruments, Inc.
linux-3.10\include\linux\power\smartreflex.h(9): * Copyright (C) 2008 Nokia Corporation
linux-3.10\include\linux\power\smb347-charger.h(4): * Copyright (C) 2011, Intel Corporation
linux-3.10\include\linux\ppp_channel.h(12): * Copyright 1999 Paul Mackerras.
linux-3.10\include\linux\ppp_defs.h(4): * Copyright 1994-2000 Paul Mackerras.
linux-3.10\include\linux\ppp-comp.h(4): * Copyright 1994-1998 Paul Mackerras.
linux-3.10\include\linux\pps_kernel.h(4): * Copyright (C) 2009 Rodolfo Giometti <giometti@linux.it>
linux-3.10\include\linux\pps-gpio.h(5): * Copyright (C) 2011 James Nuss <jamesnuss@nanometrics.ca>
linux-3.10\include\linux\proportions.h(4): *Copyright (C) 2007 Red Hat, Inc., Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\include\linux\pstore.h(4): * Copyright (C) 2010 Intel Corporation <tony.luck@intel.com>
linux-3.10\include\linux\pstore_ram.h(2): * Copyright (C) 2010 Marco Stornelli <marco.stornelli@gmail.com>
linux-3.10\include\linux\pstore_ram.h(3): * Copyright (C) 2011 Kees Cook <keescook@chromium.org>
linux-3.10\include\linux\pstore_ram.h(4): * Copyright (C) 2011 Google, Inc.
linux-3.10\include\linux\pti.h(2): *Copyright (C) Intel 2011
linux-3.10\include\linux\ptp_classify.h(6): * Copyright (C) 2010 OMICRON electronics GmbH
linux-3.10\include\linux\ptp_clock_kernel.h(4): * Copyright (C) 2010 OMICRON electronics GmbH
linux-3.10\include\linux\pxa2xx_ssp.h(4): *Copyright (C) 2003 Russell King, All Rights Reserved.
linux-3.10\include\linux\quota.h(2): * Copyright (c) 1982, 1986 Regents of the University of California.
linux-3.10\include\linux\radix-tree.h(2): * Copyright (C) 2001 Momchil Velikov
linux-3.10\include\linux\radix-tree.h(3): * Portions Copyright (C) 2001 Christoph Hellwig
linux-3.10\include\linux\radix-tree.h(4): * Copyright (C) 2006 Nick Piggin
linux-3.10\include\linux\radix-tree.h(5): * Copyright (C) 2012 Konstantin Khlebnikov
linux-3.10\include\linux\raid_class.h(4): * Copyright (c) 2005 - James Bottomley <James.Bottomley@steeleye.com>
linux-3.10\include\linux\raid\md_u.h(3):Copyright (C) 1998 Ingo Molnar
linux-3.10\include\linux\raid\pq.h(3): * Copyright 2003 H. Peter Anvin - All Rights Reserved
linux-3.10\include\linux\rational.h(4): * Copyright (C) 2009 emlix GmbH, Oskar Schirmer <oskar@scara.com>
linux-3.10\include\linux\rcupdate.h(18): * Copyright IBM Corporation, 2001
linux-3.10\include\linux\rcutiny.h(18): * Copyright IBM Corporation, 2008
linux-3.10\include\linux\rcutree.h(18): * Copyright IBM Corporation, 2008
linux-3.10\include\linux\regmap.h(7): * Copyright 2011 Wolfson Microelectronics

legal(ME)

plc

linux-3.10\include\linux\regset.h(4): * Copyright (C) 2007 Red Hat, Inc. All rights reserved.

linux-3.10\include\linux\regset.h(6): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\include\linux\regulator\ab8500.h(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\include\linux\regulator\consumer.h(4): * Copyright (C) 2007, 2008 Wolfson Microelectronics PLC.

linux-3.10\include\linux\regulator\db8500-prcmu.h(2): * Copyright (C) ST-Ericsson SA 2010

linux-3.10\include\linux\regulator\driver.h(4): * Copyright (C) 2007, 2008 Wolfson Microelectronics PLC.

linux-3.10\include\linux\regulator\fan53555.h(4): * Copyright (C) 2012 Marvell Technology Ltd.

linux-3.10\include\linux\regulator\fixed.h(4): * Copyright 2008 Wolfson Microelectronics PLC.

linux-3.10\include\linux\regulator\fixed.h(8): * Copyright (c) 2009 Nokia Corporation

linux-3.10\include\linux\regulator\gpio-regulator.h(12): * Copyright (c) 2009 Nokia Corporation

linux-3.10\include\linux\regulator\gpio-regulator.h(4): * Copyright 2011 Heiko Stuebner <heiko@sntech.de>

linux-3.10\include\linux\regulator\gpio-regulator.h(8): * Copyright 2008 Wolfson Microelectronics PLC.

linux-3.10\include\linux\regulator\lp3971.h(4): * Copyright (C) 2009 Samsung Electronics

linux-3.10\include\linux\regulator\lp872x.h(2): * Copyright 2012 Texas Instruments

linux-3.10\include\linux\regulator\machine.h(4): * Copyright (C) 2007, 2008 Wolfson Microelectronics PLC.

linux-3.10\include\linux\regulator\max1586.h(4): * Copyright (C) 2008 Robert Jarzmik

linux-3.10\include\linux\regulator\max8649.h(4): * Copyright (C) 2009-2010 Marvell International Ltd.

linux-3.10\include\linux\regulator\max8660.h(4): * Copyright (C) 2009 Wolfram Sang, Pengutronix e.K.

linux-3.10\include\linux\regulator\max8952.h(4): * Copyright (C) 2010 Samsung Electronics

linux-3.10\include\linux\regulator\max8973-regulator.h(7): * Copyright (C) 2012 NVIDIA Corporation

linux-3.10\include\linux\regulator\tps51632-regulator.h(7): * Copyright (C) 2012 NVIDIA Corporation

linux-3.10\include\linux\regulator\tps62360.h(6): * Copyright (C) 2012 NVIDIA Corporation

linux-3.10\include\linux\regulator\tps6507x.h(4): * Copyright (C) 2010 Texas Instruments, Inc.

linux-3.10\include\linux\relay.h(4): * Copyright (C) 2002, 2003 - Tom Zanussi (zanussi@us.ibm.com), IBM Corp

linux-3.10\include\linux\relay.h(5): * Copyright (C) 1999, 2000, 2001, 2002 - Karim Yaghmour (karim@opersys.com)

linux-3.10\include\linux\remoteproc.h(4): * Copyright(c) 2011 Texas Instruments,

legal(ME)

Inc.

linux-3.10\include\linux\remoteproc.h(5): * Copyright(c) 2011 Google, Inc.
linux-3.10\include\linux\res_counter.h(8): * Copyright 2007 OpenVZ SWsoft Inc
linux-3.10\include\linux\rfkill.h(2): * Copyright (C) 2006 - 2007 Ivo van Doorn
linux-3.10\include\linux\rfkill.h(3): * Copyright (C) 2007 Dmitry Torokhov
linux-3.10\include\linux\rfkill.h(4): * Copyright 2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\include\linux\rfkill-gpio.h(2): * Copyright (c) 2011, NVIDIA Corporation.
linux-3.10\include\linux\rfkill-regulator.h(4): * Copyright (C) 2009Guiming Zhuo <gmzhuo@gmail.com>
linux-3.10\include\linux\rfkill-regulator.h(5): * Copyright (C) 2011Antonio Ospite <ospite@studenti.unina.it>
linux-3.10\include\linux\rrio.h(5): * Copyright 2005 MontaVista Software, Inc.
linux-3.10\include\linux\rrio_drv.h(4): * Copyright 2005 MontaVista Software, Inc.
linux-3.10\include\linux\rrio_ids.h(4): * Copyright 2005 MontaVista Software, Inc.
linux-3.10\include\linux\rrio_regs.h(4): * Copyright 2005 MontaVista Software, Inc.
linux-3.10\include\linux\rpmsg.h(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\include\linux\rpmsg.h(5): * Copyright (C) 2011 Google, Inc.
linux-3.10\include\linux\rslib.h(10): * Copyright 2002 Phil Karn, KA9Q
linux-3.10\include\linux\rslib.h(7): * Copyright (C) 2004 Thomas Gleixner (tglx@linutronix.de)
linux-3.10\include\linux\rtc.h(8): * Copyright (C) 1999 Hewlett-Packard Co.
linux-3.10\include\linux\rtc.h(9): * Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com>
linux-3.10\include\linux\rtc\ds1307.h(3): * (C) Copyright 2012 by Wolfram Sang, Pengutronix e.K.
linux-3.10\include\linux\rtc\m48t59.h(6): * Copyright (c) 2007 Wind River Systems, Inc.
linux-3.10\include\linux\rtc\sirfsoc_rtciobrg.h(5): * Copyright (c) 2011 Cambridge Silicon Radio Limited, a CSR plc group company.
linux-3.10\include\linux\rtc-ds2404.h(8): * Copyright (C) 2012 Sven Schnelle <svens@stackframe.org>
linux-3.10\include\linux\rtc-v3020.h(8): * Copyright (C) 2006, 8D Technologies inc.
linux-3.10\include\linux\rtmutex.h(6): *Copyright (C) 2004-2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\include\linux\rtmutex.h(7): *Copyright (C) 2006, Timesys Corp., Thomas Gleixner <tglx@timesys.com>
linux-3.10\include\linux\rwlock.h(13): * portions Copyright 2005, Red Hat, Inc., Ingo Molnar
linux-3.10\include\linux\rwlock_api_smp.h(14): * portions Copyright 2005, Red Hat, Inc., Ingo Molnar
linux-3.10\include\linux\rwlock_types.h(8): * portions Copyright 2005, Red Hat, Inc., Ingo Molnar
linux-3.10\include\linux\rwsem-spinlock.h(3): * Copyright (c) 2001 David Howells (dhowells@redhat.com).
linux-3.10\include\linux\rxrpc.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\linux\sai1x0-dma.h(4): * Copyright (C) 2012 Russell King
linux-3.10\include\linux\sctp.h(2): * (C) Copyright IBM Corp. 2001, 2004

legal(ME)

linux-3.10\include\linux\sctp.h(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\include\linux\sctp.h(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\include\linux\sctp.h(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\include\linux\sctp.h(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\include\linux\sctp.h(7): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\include\linux\scx200.h(3): Copyright (c) 2001,2002 Christer Weinigel
<wingel@nano-system.com>
linux-3.10\include\linux\security.h(4): * Copyright (C) 2001 WireX
Communications, Inc <chris@wirex.com>
linux-3.10\include\linux\security.h(5): * Copyright (C) 2001 Greg Kroah-Hartman
<greg@kroah.com>
linux-3.10\include\linux\security.h(6): * Copyright (C) 2001 Networks Associates
Technology, Inc <ssmalley@nai.com>
linux-3.10\include\linux\security.h(7): * Copyright (C) 2001 James Morris
<jmorris@intercode.com.au>
linux-3.10\include\linux\security.h(8): * Copyright (C) 2001 Silicon Graphics,
Inc. (Trust Technology Group)
linux-3.10\include\linux\selinux.h(6): * Copyright (C) 2005 Red Hat, Inc., James
Morris <jmorris@redhat.com>
linux-3.10\include\linux\selinux.h(7): * Copyright (C) 2006 Trusted Computer
Solutions, Inc. <dgoeddel@trustedcs.com>
linux-3.10\include\linux\selinux.h(8): * Copyright (C) 2006 IBM Corporation,
Timothy R. Chavez <tinytim@us.ibm.com>
linux-3.10\include\linux\semaphore.h(2): * Copyright (c) 2008 Intel Corporation
linux-3.10\include\linux\serial.h(4): * Copyright (C) 1992 by Theodore Ts'o.
linux-3.10\include\linux\serial_8250.h(4): *Copyright (C) 2004 Russell King
linux-3.10\include\linux\serial_core.h(4): *Copyright (C) 2000 Deep Blue
Solutions Ltd.
linux-3.10\include\linux\serial_max3100.h(3): *Copyright (C) 2007 Christian
Pellegrin
linux-3.10\include\linux\serial_s3c.h(12): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)
linux-3.10\include\linux\serial_s3c.h(4): *Copyright (C) 2002 Shane Nay
(shane@minirl.com)
linux-3.10\include\linux\serial_s3c.h(6): *Additional defines, Copyright 2003
Simtec Electronics (linux@simtec.co.uk)
linux-3.10\include\linux\serio.h(2): * Copyright (C) 1999-2002 Vojtech Pavlik
linux-3.10\include\linux\sfi.h(10):Copyright(c) 2009 Intel Corporation. All
rights reserved.
linux-3.10\include\linux\sfi.h(29):Copyright(c) 2009 Intel Corporation. All
rights reserved.
linux-3.10\include\linux\sfi_acpi.h(10):Copyright(c) 2009 Intel Corporation. All
rights reserved.
linux-3.10\include\linux\sfi_acpi.h(29):Copyright(c) 2009 Intel Corporation. All
rights reserved.
linux-3.10\include\linux\sh_dma.h(4): * Copyright (C) 2010 Guennadi Liakhovetski
<g.liakhovetski@gmx.de>
linux-3.10\include\linux\shdma-base.h(6): * Copyright (C) 2011-2012 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\linux\shdma-base.h(7): * Copyright (C) 2009 Nobuhiro Iwamatsu
<iwamatsu.nobuhiro@renesas.com>
linux-3.10\include\linux\shdma-base.h(8): * Copyright (C) 2009 Renesas Solutions,

legal(ME)

Inc. All rights reserved.

linux-3.10\include\linux\shdma-base.h(9): * Copyright (C) 2007 Freescale Semiconductor, Inc. All rights reserved.

linux-3.10\include\linux\signalfd.h(4): * Copyright (C) 2007 Davide Libenzi <davidel@xmailserver.org>

linux-3.10\include\linux\sm501.h(3): * Copyright (c) 2006 Simtec Electronics

linux-3.10\include\linux\sm501-regs.h(3): * Copyright 2006 Simtec Electronics

linux-3.10\include\linux\sm501.h(3): * Copyright (C) 2004-2008 SMSC

linux-3.10\include\linux\sm501.h(4): * Copyright (C) 2005-2008 ARM

linux-3.10\include\linux\sonypi.h(10): * Copyright (C) 2001 Michael Ashley <m.ashley@unsw.edu.au>

linux-3.10\include\linux\sonypi.h(12): * Copyright (C) 2001 Junichi Morita <jun1m@mars.dti.ne.jp>

linux-3.10\include\linux\sonypi.h(14): * Copyright (C) 2000 Takaya Kinjo <t-kinjo@tc4.so-net.ne.jp>

linux-3.10\include\linux\sonypi.h(16): * Copyright (C) 2000 Andrew Tridgell <tridge@valinux.com>

linux-3.10\include\linux\sonypi.h(4): * Copyright (C) 2001-2005 Stelian Pop <stelian@popies.net>

linux-3.10\include\linux\sonypi.h(6): * Copyright (C) 2005 Narayanan R S <nars@kadamba.org>

linux-3.10\include\linux\sonypi.h(8): * Copyright (C) 2001-2002 Alcove <www.alcove.com>

linux-3.10\include\linux\soundcard.h(2): * Copyright by Hannu Savolainen 1993-1997

linux-3.10\include\linux\spi\at86rf230.h(4): * Copyright (C) 2009-2012 Siemens AG

linux-3.10\include\linux\spi\l4f00242t03.h(4): * Copyright (c) 2009 Alberto Panizzo <maramaopercheseimorto@gmail.com>

linux-3.10\include\linux\spi\libertas_spi.h(4): * Copyright 2008 Analog Devices Inc.

linux-3.10\include\linux\spi\lms283gf05.h(4): * Copyright (C) 2009 Marek Vasut <marek.vasut@gmail.com>

linux-3.10\include\linux\spi\mxs-spi.h(6): * Copyright 2008 Embedded Alley Solutions, Inc.

linux-3.10\include\linux\spi\mxs-spi.h(7): * Copyright 2009-2011 Freescale Semiconductor, Inc.

linux-3.10\include\linux\spi\pxa2xx_spi.h(2): * Copyright (C) 2005 Stephen Street / StreetFire Sound Labs

linux-3.10\include\linux\spi\rspi.h(4): * Copyright (C) 2012 Renesas Solutions Corp.

linux-3.10\include\linux\spi\s3c24xx.h(2): * Copyright (c) 2006 Simtec Electronics

linux-3.10\include\linux\spi\sh_hspi.h(2): * Copyright (C) 2011 Kuninori Morimoto

linux-3.10\include\linux\spi\spi.h(2): * Copyright (C) 2005 David Brownell

linux-3.10\include\linux\spi\tle62x0.h(4): * Copyright 2007 Simtec Electronics

linux-3.10\include\linux\spi\tsc2005.h(4): * Copyright (C) 2009-2010 Nokia Corporation

linux-3.10\include\linux\spinlock_api_smp.h(14): * portions Copyright 2005, Red Hat, Inc., Ingo Molnar

linux-3.10\include\linux\spinlock_api_up.h(13): * portions Copyright 2005, Red Hat, Inc., Ingo Molnar

linux-3.10\include\linux\spinlock_types.h(8): * portions Copyright 2005, Red Hat,

legal(ME)

Inc., Ingo Molnar
linux-3.10\include\linux\spinlock_types_up.h(11): * portions Copyright 2005, Red Hat, Inc., Ingo Molnar
linux-3.10\include\linux\spinlock_up.h(13): * portions Copyright 2005, Red Hat, Inc., Ingo Molnar
linux-3.10\include\linux\splice.h(5): * Copyright (C) 2007 Jens Axboe <jens.axboe@oracle.com>
linux-3.10\include\linux\srcu.h(18): * Copyright (C) IBM Corporation, 2006
linux-3.10\include\linux\srcu.h(19): * Copyright (C) Fujitsu, 2012
linux-3.10\include\linux\ssb\ssb_driver_chipcommon.h(10): * Copyright 2005, Broadcom Corporation
linux-3.10\include\linux\ssb\ssb_driver_chipcommon.h(11): * Copyright 2006, Michael Buesch <m@bues.ch>
linux-3.10\include\linux\ssb\ssb_driver_extif.h(15): * Copyright 2005, Broadcom Corporation
linux-3.10\include\linux\ssb\ssb_driver_extif.h(16): * Copyright 2006, Michael Buesch
linux-3.10\include\linux\ssbi.h(1):/* Copyright (C) 2010 Google, Inc.
linux-3.10\include\linux\ssbi.h(2): * Copyright (c) 2011, Code Aurora Forum. All rights reserved.
linux-3.10\include\linux\ste_modem_shm.h(2): * Copyright (C) ST-Ericsson AB 2012
linux-3.10\include\linux\stmmac.h(5):Copyright (C) 2009STMicroelectronics Ltd
linux-3.10\include\linux\stmp_device.h(4): * Copyright (C) 2011 Wolfram Sang, Pengutronix e.K.
linux-3.10\include\linux\stmp3xxx_rtc_wdt.h(4): * Copyright (C) 2011 Wolfram Sang, Pengutronix e.K.
linux-3.10\include\linux\sudmac.h(4): * Copyright (C) 2013 Renesas Solutions Corp.
linux-3.10\include\linux\sunrpc\auth.h(6): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\auth_gss.h(9): * Copyright (c) 2000 The Regents of the University of Michigan
linux-3.10\include\linux\sunrpc\cache.h(7): * Copyright (C) 2002 Neil Brown <neilb@cse.unsw.edu.au>
linux-3.10\include\linux\sunrpc\clnt.h(6): *Copyright (C) 1995, 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\debug.h(6): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\gss_api.h(9): * Copyright (c) 2000 The Regents of the University of Michigan
linux-3.10\include\linux\sunrpc\gss_asn1.h(16): * Copyright 1995 by the Massachusetts Institute of Technology.
linux-3.10\include\linux\sunrpc\gss_asn1.h(9): *Copyright (c) 2000 The Regents of the University of Michigan.
linux-3.10\include\linux\sunrpc\gss_err.h(13): * Copyright 1993 by OpenVision Technologies, Inc.
linux-3.10\include\linux\sunrpc\gss_err.h(6): *Copyright (c) 2002 The Regents of the University of Michigan.
linux-3.10\include\linux\sunrpc\gss_krb5.h(15): * Copyright 1995 by the Massachusetts Institute of Technology.
linux-3.10\include\linux\sunrpc\gss_krb5.h(7): *Copyright (c) 2000-2008 The Regents of the University of Michigan.

legal(ME)

linux-3.10\include\linux\sunrpc\metrics.h(6): *Copyright (C) 2005Chuck Lever
<cel@netapp.com>
linux-3.10\include\linux\sunrpc\msg_prot.h(4): * Copyright (C) 1996, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\rpc_rdma.h(2): * Copyright (c) 2003-2007 Network
Appliance, Inc. All rights reserved.
linux-3.10\include\linux\sunrpc\sched.h(6): * Copyright (C) 1996, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\stats.h(6): * Copyright (C) 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\svc.h(6): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\svc_rdma.h(2): * Copyright (c) 2005-2006 Network
Appliance, Inc. All rights reserved.
linux-3.10\include\linux\sunrpc\svcauth.h(6): * Copyright (C) 1995, 1996 Olaf
Kirch <okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\svcauth_gss.h(5): * Copyright (c) 2002 The
Regents of the University of Michigan
linux-3.10\include\linux\sunrpc\svcsock.h(6): * Copyright (C) 1995, 1996 Olaf
Kirch <okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\timer.h(6): *Copyright (C) 2002 Trond Myklebust
<trond.myklebust@fys.uio.no>
linux-3.10\include\linux\sunrpc\types.h(6): * Copyright (C) 1996, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\xdr.h(4): * Copyright (C) 1995-1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\xprt.h(6): *Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\linux\sunrpc\xprtrdma.h(2): * Copyright (c) 2003-2007 Network
Appliance, Inc. All rights reserved.
linux-3.10\include\linux\sunserialcore.h(10): * Copyright (C) 2002 David S.
Miller (davem@redhat.com)
linux-3.10\include\linux\sunserialcore.h(6): * Copyright (C) 1997Eddie C.
Dost(ecd@skynet.be)
linux-3.10\include\linux\superhyway.h(6): * Copyright (C) 2004, 2005Paul Mundt
<lethal@linux-sh.org>
linux-3.10\include\linux\synclink.h(6): * Copyright (C) 1998-2000 by Microgate
Corporation
linux-3.10\include\linux\sys_soc.h(2): * Copyright (C) ST-Ericsson SA 2011
linux-3.10\include\linux\syscalls.h(4): * Copyright (c) 2004 Randy Dunlap
linux-3.10\include\linux\syscalls.h(5): * Copyright (c) 2004 Open Source
Development Labs
linux-3.10\include\linux\syscore_ops.h(4): *Copyright (C) 2011 Rafael J. Wysocki
<rjw@sisk.pl>, Novell Inc.
linux-3.10\include\linux\sysfs.h(4): * Copyright (c) 2001,2002 Patrick Mochel
linux-3.10\include\linux\sysfs.h(5): * Copyright (c) 2004 Silicon Graphics, Inc.
linux-3.10\include\linux\sysfs.h(6): * Copyright (c) 2007 SUSE Linux Products
GmbH
linux-3.10\include\linux\sysfs.h(7): * Copyright (c) 2007 Tejun Heo
<teheo@suse.de>
linux-3.10\include\linux\syslog.h(3): *Copyright 2010 Canonical, Ltd.
linux-3.10\include\linux\taskstats_kern.h(3): * Copyright (C) Shailabh Nagar, IBM

legal(ME)

Corp. 2006

linux-3.10\include\linux\tboot.h(6): * Copyright (c) 2006-2009, Intel Corporation

linux-3.10\include\linux\tc.h(4): *Copyright (c) 1998Harald Koerfgen

linux-3.10\include\linux\tc.h(5): *Copyright (c) 2005James Simmons

linux-3.10\include\linux\tc.h(6): *Copyright (c) 2006Maciej W. Rozycki

linux-3.10\include\linux\tca6416_keypad.h(4): * Copyright (C) 2010 Texas

Instruments

linux-3.10\include\linux\tegra-ahb.h(2): * Copyright (c) 2012, NVIDIA

CORPORATION.All rights reserved.

linux-3.10\include\linux\tegra-powergate.h(2): * Copyright (c) 2010 Google, Inc

linux-3.10\include\linux\tegra-soc.h(2): * Copyright (c) 2012, NVIDIA

CORPORATION.All rights reserved.

linux-3.10\include\linux\tfrc.h(10): *Copyright (c) 2003 Nils-Erik Mattsson,
Joacim Haggmark, Magnus Erixzon

linux-3.10\include\linux\tfrc.h(7): *Copyright (c) 2005 The University of
Waikato, Hamilton, New Zealand.

linux-3.10\include\linux\tfrc.h(8): *Copyright (c) 2005 Ian McDonald
<iam4@cs.waikato.ac.nz>

linux-3.10\include\linux\tfrc.h(9): *Copyright (c) 2005 Arnaldo Carvalho de Melo
<acme@conectiva.com.br>

linux-3.10\include\linux\thermal.h(4): *Copyright (C) 2008Intel Corp

linux-3.10\include\linux\thermal.h(5): *Copyright (C) 2008Zhang Rui

<rui.zhang@intel.com>

linux-3.10\include\linux\thermal.h(6): *Copyright (C) 2008Sujith Thomas

<sujith.thomas@intel.com>

linux-3.10\include\linux\thread_info.h(3): * Copyright (C) 2002David Howells
(dhowells@redhat.com)

linux-3.10\include\linux\ti_wilink_st.h(7): *Copyright (C) 2009-2010 Texas
Instruments

linux-3.10\include\linux\tifm.h(4): *Copyright (C) 2006 Alex Dubov

<oakad@yahoo.com>

linux-3.10\include\linux\timb_dma.h(3): * Copyright (c) 2010 Intel Corporation

linux-3.10\include\linux\timb_gpio.h(3): * Copyright (c) 2009 Intel Corporation

linux-3.10\include\linux\time-armada-370-xp.h(4): * Copyright (C) 2012 Marvell

linux-3.10\include\linux\timerfd.h(4): *Copyright (C) 2007Davide Libenzi

<davidel@xmailserver.org>

linux-3.10\include\linux\timeriomem-rng.h(4): * Copyright (c) 2009 Alexander

Clouter <alex@digriz.org.uk>

linux-3.10\include\linux\timex.h(3): * Copyright (c) David L. Mills 1993 *

linux-3.10\include\linux\topology.h(6): * Copyright (C) 2002, IBM Corp.

linux-3.10\include\linux\toshiba.h(3): * Copyright (c) 1996-2000Jonathan A.

Buzzard (jonathan@buzzard.org.uk)

linux-3.10\include\linux\tpm.h(2): * Copyright (C) 2004,2007,2008 IBM Corporation

linux-3.10\include\linux\tracehook.h(4): * Copyright (C) 2008-2009 Red Hat,
Inc.All rights reserved.

linux-3.10\include\linux\tracehook.h(6): * This copyrighted material is made
available to anyone wishing to use,

linux-3.10\include\linux\tracepoint.h(9): * (C) Copyright 2008 Mathieu Desnoyers
<mathieu.desnoyers@polymtl.ca>

linux-3.10\include\linux\transport_class.h(4): * Copyright (c) 2005 - James
Bottomley <James.Bottomley@steeleye.com>

linux-3.10\include\linux\tsacct_kern.h(4): * Copyright (C) Jay LanSGI

legal(ME)

linux-3.10\include\linux\ucb1400.h(18): * This code is heavily based on
ucb1x00-*.c copyrighted by Russell King
linux-3.10\include\linux\ucb1400.h(8): *Copyright:MontaVista Software, Inc.
linux-3.10\include\linux\uiio_driver.h(4): * Copyright(C) 2005, Benedikt Spranger
<b.spranger@linutronix.de>
linux-3.10\include\linux\uiio_driver.h(5): * Copyright(C) 2005, Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\include\linux\uiio_driver.h(6): * Copyright(C) 2006, Hans J. Koch
<hjk@hansjkoch.de>
linux-3.10\include\linux\uiio_driver.h(7): * Copyright(C) 2006, Greg Kroah-Hartman
<greg@kroah.com>
linux-3.10\include\linux\uprobes.h(20): * Copyright (C) IBM Corporation,
2008-2012
linux-3.10\include\linux\uprobes.h(24): * Copyright (C) 2011-2012 Red Hat, Inc.,
Peter Zijlstra <pziylstr@redhat.com>
linux-3.10\include\linux\usb_usual.h(4): * Copyright (c) 2005 Pete Zaitcev
<zaitcev@redhat.com>
linux-3.10\include\linux\usb_usual.h(5): * Copyright (c) 1999-2002 Matthew Dharm
(mdharm-usb@one-eyed-alien.net)
linux-3.10\include\linux\usb_usual.h(6): * Copyright (c) 1999 Michael Gee
(michael@linuxspecific.com)
linux-3.10\include\linux\usb\association.h(4): * Copyright (C) 2006 Intel
Corporation
linux-3.10\include\linux\usb\audio.h(4): * Copyright (C) 2006 Thumtronics Pty
Ltd.
linux-3.10\include\linux\usb\audio-v2.h(2): * Copyright (c) 2010 Daniel Mack
<daniel@caiaq.de>
linux-3.10\include\linux\usb\c67x00.h(4): * Copyright (C) 2006-2008 Barco N.V.
linux-3.10\include\linux\usb\cdc_ncm.h(2): * Copyright (C) ST-Ericsson 2010-2012
linux-3.10\include\linux\usb\cdc-wdm.h(4): * Copyright (c) 2012 Bjørn Mork
<bjorn@mork.no>
linux-3.10\include\linux\usb\composite.h(4): * Copyright (C) 2006-2008 David
Brownell
linux-3.10\include\linux\usb\dwc3-omap.h(2): * Copyright (C) 2013 by Texas
Instruments
linux-3.10\include\linux\usb\ehci_def.h(2): * Copyright (c) 2001-2002 by David
Brownell
linux-3.10\include\linux\usb\ehci_pdriver.h(2): * Copyright (C) 2012 Hauke
Mehrtens <hauke@hauke-m.de>
linux-3.10\include\linux\usb\g_hid.h(4): * Copyright (C) 2010 Fabien Chouteau
<fabien.chouteau@barco.com>
linux-3.10\include\linux\usb\gadget.h(9): * (C) Copyright 2002-2004 by David
Brownell
linux-3.10\include\linux\usb\gpio_vbus.h(6): * Copyright (c) 2008 Philipp Zabel
<philipp.zabel@gmail.com>
linux-3.10\include\linux\usb\hcd.h(2): * Copyright (c) 2001-2002 by David
Brownell
linux-3.10\include\linux\usb\input.h(2): * Copyright (C) 2005 Dmitry Torokhov
linux-3.10\include\linux\usb\intel_mid_otg.h(3): * Copyright (C) 2008 - 2010,
Intel Corporation.
linux-3.10\include\linux\usb\isp1301.h(4): * Copyright (C) 2012 Roland Stigge
<stigge@antcom.de>

legal(ME)

linux-3.10\include\linux\usb\m66592.h(4): * Copyright (C) 2009Renesas Solutions Corp.
linux-3.10\include\linux\usb\msm_hsusb.h(3): * Copyright (C) 2008 Google, Inc.
linux-3.10\include\linux\usb\msm_hsusb.h(5): * Copyright (c) 2009-2011, Code Aurora Forum. All rights reserved.
linux-3.10\include\linux\usb\msm_hsusb_hw.h(2): * Copyright (C) 2007 Google, Inc.
linux-3.10\include\linux\usb\musb-omap.h(2): * Copyright (C) 2011-2012 by Texas Instruments
linux-3.10\include\linux\usb\musb-ux500.h(2): * Copyright (C) 2013 ST-Ericsson AB
linux-3.10\include\linux\usb\net2280.h(5): * Copyright (C) 2002 NetChip Technology, Inc. (<http://www.netchip.com>)
linux-3.10\include\linux\usb\net2280.h(6): * Copyright (C) 2003 David Brownell
linux-3.10\include\linux\usb\ohci_pdriver.h(2): * Copyright (C) 2012 Hauke Mehrtens <hauke@hauke-m.de>
linux-3.10\include\linux\usb\omap_control_usb.h(4): * Copyright (C) 2013 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\include\linux\usb\omap_usb.h(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\include\linux\usb\phy_companion.h(4): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com>
linux-3.10\include\linux\usb\r8a66597.h(4): * Copyright (C) 2009Renesas Solutions Corp.
linux-3.10\include\linux\usb\renesas_usbhs.h(4): * Copyright (C) 2011 Renesas Solutions Corp.
linux-3.10\include\linux\usb\rndis_host.h(3): * Copyright (C) 2005 by David Brownell
linux-3.10\include\linux\usb\samsung_usb_phy.h(2): * Copyright (C) 2012 Samsung Electronics Co.Ltd
linux-3.10\include\linux\usb\serial.h(4): *Copyright (C) 1999 - 2012
linux-3.10\include\linux\usb\storage.h(7): * Copyright Matthew Wilcox for Intel Corp, 2010
linux-3.10\include\linux\usb\tegra_usb_phy.h(2): * Copyright (C) 2010 Google, Inc.
linux-3.10\include\linux\usb\tilegx.h(2): * Copyright 2012 Tilera Corporation. All Rights Reserved.
linux-3.10\include\linux\usb\ulpi.h(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\include\linux\usb\usbnet.h(4): * Copyright (C) 2000-2005 by David Brownell <dbrownell@users.sourceforge.net>
linux-3.10\include\linux\usb\usbnet.h(5): * Copyright (C) 2003-2005 David Hollis <dhollis@davehollis.com>
linux-3.10\include\linux\usb\wusb.h(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\include\linux\usb\wusb-wa.h(4): * Copyright (C) 2005-2006 Intel Corporation.
linux-3.10\include\linux\usbdevice_fs.h(6): *Copyright (C) 2000
linux-3.10\include\linux\uuid.h(4): * Copyright (C) 2010, Intel Corp.
linux-3.10\include\linux\uwb.h(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\include\linux\uwb\debug-cmd.h(5): * Copyright (C) 2008 Cambridge Silicon Radio Ltd.
linux-3.10\include\linux\uwb\spec.h(5): * Copyright (C) 2005-2006 Intel Corporation
linux-3.10\include\linux\uwb\umc.h(4): * Copyright (C) 2007 Cambridge Silicon

legal(ME)

Radio Ltd.

linux-3.10\include\linux\uwb\whci.h(4): * Copyright (C) 2005-2006 Intel Corporation

linux-3.10\include\linux\vxpress.h(11): * Copyright (C) 2012 ARM Limited

linux-3.10\include\linux\vfio.h(4): * Copyright (C) 2012 Red Hat, Inc. All rights reserved.

linux-3.10\include\linux\vga_switcheroo.h(2): * Copyright (c) 2010 Red Hat Inc.

linux-3.10\include\linux\vgaarb.h(5): * (C) Copyright 2005 Benjamin Herrenschmidt <benh@kernel.crashing.org>

linux-3.10\include\linux\vgaarb.h(6): * (C) Copyright 2007 Paulo R. Zanoni <przanoni@gmail.com>

linux-3.10\include\linux\vgaarb.h(7): * (C) Copyright 2007, 2009 Tiago Vignatti <vignatti@freedesktop.org>

linux-3.10\include\linux\via_i2c.h(2): * Copyright 1998-2009 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\include\linux\via_i2c.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\include\linux\via-core.h(2): * Copyright 1998-2009 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\include\linux\via-core.h(3): * Copyright 2001-2008 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\include\linux\via-core.h(4): * Copyright 2009-2010 Jonathan Corbet <corbet@lwn.net>

linux-3.10\include\linux\via-core.h(5): * Copyright 2010 Florian Tobias Schandinat <FlorianSchandinat@gmx.de>

linux-3.10\include\linux\via-gpio.h(4): * Copyright 2009 Jonathan Corbet <corbet@lwn.net>

linux-3.10\include\linux\video_output.h(3): * Copyright (C) 2006 Luming Yu <luming.yu@intel.com>

linux-3.10\include\linux\videodev2.h(4): * Copyright (C) 1999-2012 the contributors

linux-3.10\include\linux\virtio_caif.h(2): * Copyright (C) ST-Ericsson AB 2012

linux-3.10\include\linux\virtio_console.h(29): * Copyright (C) Red Hat, Inc., 2009, 2010, 2011

linux-3.10\include\linux\virtio_console.h(30): * Copyright (C) Amit Shah <amit.shah@redhat.com>, 2009, 2010, 2011

linux-3.10\include\linux\virtio_mmio.h(4): * Copyright 2011, ARM Ltd.

linux-3.10\include\linux\virtio_mmio.h(6): * Based on Virtio PCI driver by Anthony Liguori, copyright IBM Corp. 2007

linux-3.10\include\linux\vlynq.h(2): * Copyright (C) 2006, 2007 Eugene Konev <ejka@openwrt.org>

linux-3.10\include\linux\vm_sockets.h(4): * Copyright (C) 2007-2013 VMware, Inc. All rights reserved.

linux-3.10\include\linux\vmw_vmci_api.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.

linux-3.10\include\linux\vmw_vmci_defs.h(4): * Copyright (C) 2012 VMware, Inc. All rights reserved.

linux-3.10\include\linux\vringh.h(5): * Copyright IBM Corporation, 2013.

linux-3.10\include\linux\vringh.h(6): * Parts taken from drivers/vhost/vhost.c Copyright 2009 Red Hat, Inc.

linux-3.10\include\linux\w1-gpio.h(4): * Copyright (C) 2007 Ville Syrjala <syrjala@sci.fi>

legal(ME)

linux-3.10\include\linux\wimax\debug.h(6): * Copyright (C) 2005-2007 Intel Corporation
linux-3.10\include\linux\wireless.h(7): * Copyright (c) 1997-2007 Jean Tourrilhes, All Rights Reserved.
linux-3.10\include\linux\wl12xx.h(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\include\linux\xattr.h(6): Copyright (C) 2001 by Andreas Gruenbacher <a.gruenbacher@computer.org>
linux-3.10\include\linux\xattr.h(7): Copyright (c) 2001-2002 Silicon Graphics, Inc. All Rights Reserved.
linux-3.10\include\linux\xattr.h(8): Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com>
linux-3.10\include\linux\xilinuxfb.h(4): * Copyright 2007 Secret Lab Technologies Ltd.
linux-3.10\include\linux\yam.h(6): * Copyright (C) 1998 Frederic Rible F10AT (frible@teaser.fr)
linux-3.10\include\linux\zconf.h(2): * Copyright (C) 1995-1998 Jean-loup Gailly.
linux-3.10\include\linux\zlib.h(3): Copyright (C) 1995-2005 Jean-loup Gailly and Mark Adler
linux-3.10\include\linux\zorro.h(4): * Copyright (C) 1995--2003 Geert Uytterhoeven
linux-3.10\include\linux\zutil.h(2): * Copyright (C) 1995-1998 Jean-loup Gailly.
linux-3.10\include\math-emu\double.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\math-emu\op-1.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\math-emu\op-2.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\math-emu\op-4.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\math-emu\op-8.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\math-emu\op-common.h(2): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\math-emu\quad.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\math-emu\single.h(3): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\math-emu\soft-fp.h(2): Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
linux-3.10\include\media\ad9389b.h(4): * Copyright 2012 Cisco Systems, Inc. and/or its affiliates. All rights reserved.
linux-3.10\include\media\adp1653.h(4): * Copyright (C) 2008--2011 Nokia Corporation
linux-3.10\include\media\adv7183.h(4): * Copyright (c) 2011 Analog Devices Inc.
linux-3.10\include\media\adv7343.h(4): * Copyright (C) 2009 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\include\media\adv7393.h(4): * Copyright (C) 2010-2012 ADVANSEE - <http://www.advantsee.com/>
linux-3.10\include\media\adv7393.h(9): * Copyright (C) 2009 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\include\media\adv7604.h(4): * Copyright 2012 Cisco Systems, Inc. and/or its affiliates. All rights reserved.
linux-3.10\include\media\ak881x.h(4): * Copyright (C) 2010, Guennadi Liakhovetski

legal(ME)

<g.liakhovetski@gmx.de>
linux-3.10\include\media\as3645a.h(4): * Copyright (C) 2008-2011 Nokia Corporation
linux-3.10\include\media\atmel-isi.h(4): * Copyright (C) 2011 Atmel Corporation
linux-3.10\include\media\blackfin\ppi.h(4): * Copyright (c) 2011 Analog Devices Inc.
linux-3.10\include\media\bt819.h(4):Copyright (C) 2009 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\media\cs5345.h(4):Copyright (C) 2007 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\media\cs53132a.h(4):Copyright (C) 2006 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\media\cx25840.h(4):Copyright (C) 2006 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\media\davinci\ccdc_types.h(2): * Copyright (C) 2008-2009 Texas Instruments Inc
linux-3.10\include\media\davinci\dm355_ccdc.h(2): * Copyright (C) 2005-2009 Texas Instruments Inc
linux-3.10\include\media\davinci\dm644x_ccdc.h(2): * Copyright (C) 2006-2009 Texas Instruments Inc
linux-3.10\include\media\davinci\isif.h(2): * Copyright (C) 2008-2009 Texas Instruments Inc
linux-3.10\include\media\davinci\vpbe.h(2): * Copyright (C) 2010 Texas Instruments Inc
linux-3.10\include\media\davinci\vpbe_display.h(2): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\include\media\davinci\vpbe_osd.h(2): * Copyright (C) 2007-2009 Texas Instruments Inc
linux-3.10\include\media\davinci\vpbe_osd.h(3): * Copyright (C) 2007 MontaVista Software, Inc.
linux-3.10\include\media\davinci\vpbe_types.h(2): * Copyright (C) 2010 Texas Instruments Inc
linux-3.10\include\media\davinci\vpbe_venc.h(2): * Copyright (C) 2010 Texas Instruments Inc
linux-3.10\include\media\davinci\vpfe_capture.h(2): * Copyright (C) 2008-2009 Texas Instruments Inc
linux-3.10\include\media\davinci\vpfe_types.h(2): * Copyright (C) 2008-2009 Texas Instruments Inc
linux-3.10\include\media\davinci\vpif_types.h(2): * Copyright (C) 2011 Texas Instruments Inc
linux-3.10\include\media\davinci\vpss.h(2): * Copyright (C) 2009 Texas Instruments Inc
linux-3.10\include\media\gpio-ir-recv.h(1):/* Copyright (c) 2012, Code Aurora Forum. All rights reserved.
linux-3.10\include\media\i2c-addr.h(5): *Copyright (C) 2006 Mauro Carvalho Chehab <mchehab@infradead.org>
linux-3.10\include\media\m52790.h(4):Copyright (C) 2007 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\media\m5mols.h(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\include\media\m5mols.h(7): * Copyright (C) 2009 Samsung Electronics Co., Ltd.

legal(ME)

linux-3.10\include\media\media-device.h(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\include\media\media-devnode.h(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\include\media\media-entity.h(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\include\media\msp3400.h(4): Copyright (C) 2006 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\media\mt9m032.h(4): * Copyright (C) 2010-2011 Lund Engineering
linux-3.10\include\media\mt9t112.h(3): * Copyright (C) 2009 Renesas Solutions Corp.
linux-3.10\include\media\mt9v011.h(3): * Copyright (C) 2011 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\include\media\noon010pc30.h(4): * Copyright (c) 2010 Samsung Electronics, Co. Ltd
linux-3.10\include\media\omap1_camera.h(4): * Copyright (C) 2010, Janusz Krzysztofik <jkrzysztof@tis.icnet.pl>
linux-3.10\include\media\omap3isp.h(6): * Copyright (C) 2011 Nokia Corporation
linux-3.10\include\media\ov7670.h(4): * Copyright 2010 One Laptop Per Child
linux-3.10\include\media\ov772x.h(4): * Copyright (C) 2008 Renesas Solutions Corp.
linux-3.10\include\media\ov9650.h(4): * Copyright (C) 2013 Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\include\media\radio-si4713.h(6): * Copyright (c) 2009 Nokia Corporation
linux-3.10\include\media\rc-core.h(4): * Copyright (C) 2009-2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\include\media\rc-map.h(4): * Copyright (c) 2010 by Mauro Carvalho Chehab <mchehab@redhat.com>
linux-3.10\include\media\rj54n1cb0c.h(4): * Copyright (C) 2009, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\media\s3c_camif.h(4): * Copyright (C) 2012 Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\include\media\s5c73m3.h(4): * Copyright (C) 2012, Samsung Electronics, Co., Ltd.
linux-3.10\include\media\s5k4ecgx.h(4): * Copyright (C) 2012, Linaro
linux-3.10\include\media\s5k4ecgx.h(5): * Copyright (C) 2012, Samsung Electronics Co., Ltd.
linux-3.10\include\media\s5k6aa.h(4): * Copyright (C) 2011 Samsung Electronics Co., Ltd.
linux-3.10\include\media\s5p_fimc.h(4): * Copyright (C) 2010 - 2013 Samsung Electronics Co., Ltd.
linux-3.10\include\media\s5p_hdmi.h(4): * Copyright (c) 2011 Samsung Electronics, Co. Ltd
linux-3.10\include\media\saa6752hs.h(4): Copyright (C) 2003 Andrew de Quincey <adq@lidskialf.net>
linux-3.10\include\media\saa7115.h(4): Copyright (C) 2006 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\media\saa7127.h(4): Copyright (C) 2006 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\media\sh_mobile_csi2.h(4): * Copyright (C) 2010, Guennadi Liakhovetski <g.liakhovetski@gmx.de>

legal(ME)

linux-3.10\include\media\sh_vou.h(4): * Copyright (C) 2010, Guennadi Liakhovetski
<g.liakhovetski@gmx.de>
linux-3.10\include\media\si4713.h(6): * Copyright (c) 2009 Nokia Corporation
linux-3.10\include\media\si476x.h(4): * Copyright (C) 2012 Innovative Converged
Devices(ICD)
linux-3.10\include\media\si476x.h(5): * Copyright (C) 2013 Andrey Smirnov
linux-3.10\include\media\sii9234.h(4): * Copyright (c) 2011 Samsung Electronics,
Co. Ltd
linux-3.10\include\media\smiapp.h(6): * Copyright (C) 2011--2012 Nokia
Corporation
linux-3.10\include\media\soc_camera.h(4): * Copyright (C) 2006, Sascha Hauer,
Pengutronix
linux-3.10\include\media\soc_camera.h(5): * Copyright (C) 2008, Guennadi
Liakhovetski <kernel@pengutronix.de>
linux-3.10\include\media\soc_camera_platform.h(4): * Copyright (C) 2008 Magnus
Damm
linux-3.10\include\media\soc_mediabus.h(4): * Copyright (C) 2009, Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\media\sr030pc30.h(4): * Copyright (c) 2010 Samsung
Electronics, Co. Ltd
linux-3.10\include\media\ths7303.h(2): * Copyright (C) 2013 Texas Instruments Inc
linux-3.10\include\media\ths7303.h(4): * Copyright 2013 Cisco Systems, Inc.
and/or its affiliates.
linux-3.10\include\media\timb_radio.h(3): * Copyright (c) 2009 Intel Corporation
linux-3.10\include\media\timb_video.h(3): * Copyright (c) 2009-2010 Intel
Corporation
linux-3.10\include\media\tuner.h(4):Copyright (C) 1997 Markus Schroeder
(schroedm@uni-duesseldorf.de)
linux-3.10\include\media\tvaudio.h(4):Copyright (C) 2006 Hans Verkuil
(hverkuil@xs4all.nl)
linux-3.10\include\media\tpv514x.h(4): * Copyright (C) 2008 Texas Instruments Inc
linux-3.10\include\media\tpv5150.h(4):Copyright (C) 2006 Hans Verkuil
(hverkuil@xs4all.nl)
linux-3.10\include\media\tpv7002.h(4): * Copyright (C) 2009 Texas Instruments Inc
linux-3.10\include\media\tw9910.h(4): * Copyright (C) 2008 Renesas Solutions
Corp.
linux-3.10\include\media\tw9910.h(9): * Copyright (C) Kuninori Morimoto
<morimoto.kuninori@renesas.com>
linux-3.10\include\media\uda1342.h(4): * Copyright 2013 Cisco Systems, Inc.
and/or its affiliates. All rights reserved.
linux-3.10\include\media\v4l2-chip-ident.h(7):Copyright (C) 2007 Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\include\media\v4l2-common.h(9):Copyright (C) 2005Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\include\media\v4l2-ctrls.h(4):Copyright (C) 2010Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\include\media\v4l2-device.h(4):Copyright (C) 2008Hans Verkuil
<hverkuil@xs4all.nl>
linux-3.10\include\media\v4l2-event.h(6): * Copyright (C) 2009--2010 Nokia
Corporation.
linux-3.10\include\media\v4l2-fh.h(7): * Copyright (C) 2009--2010 Nokia
Corporation.

legal(ME)

linux-3.10\include\media\v4l2-image-sizes.h(4): * Copyright (C) 2013, Sylwester Nawrocki <sylwester.nawrocki@gmail.com>
linux-3.10\include\media\v4l2-int-device.h(6): * Copyright (C) 2007 Nokia Corporation.
linux-3.10\include\media\v4l2-mediabus.h(4): * Copyright (C) 2009, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\media\v4l2-mem2mem.h(7): * Copyright (c) 2009 Samsung Electronics Co., Ltd.
linux-3.10\include\media\v4l2-of.h(4): * Copyright (C) 2012 - 2013 Samsung Electronics Co., Ltd.
linux-3.10\include\media\v4l2-of.h(7): * Copyright (C) 2012 Renesas Electronics Corp.
linux-3.10\include\media\v4l2-subdev.h(4): Copyright (C) 2008 Hans Verkuil <hverkuil@xs4all.nl>
linux-3.10\include\media\videobuf2-core.h(4): * Copyright (C) 2010 Samsung Electronics
linux-3.10\include\media\videobuf2-dma-contig.h(4): * Copyright (C) 2010 Samsung Electronics
linux-3.10\include\media\videobuf2-dma-sg.h(4): * Copyright (C) 2010 Samsung Electronics
linux-3.10\include\media\videobuf2-memops.h(4): * Copyright (C) 2010 Samsung Electronics
linux-3.10\include\media\videobuf2-vmalloc.h(4): * Copyright (C) 2010 Samsung Electronics
linux-3.10\include\media\videobuf-dma-contig.h(7): * Copyright (c) 2008 Magnus Damm
linux-3.10\include\media\wm8775.h(4): Copyright (C) 2006 Hans Verkuil (hverkuil@xs4all.nl)
linux-3.10\include\memory\jedec_ddr.h(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\include\misc\altera.h(6): * Copyright (C) Altera Corporation 1998-2001
linux-3.10\include\misc\altera.h(7): * Copyright (C) 2010 NetUP Inc.
linux-3.10\include\misc\altera.h(8): * Copyright (C) 2010 Igor M. Liplianin <liplianin@netup.ru>
linux-3.10\include\net\9p\9p.h(6): * Copyright (C) 2005 by Latchesar Ionkov <lucho@ionkov.net>
linux-3.10\include\net\9p\9p.h(7): * Copyright (C) 2004 by Eric Van Hensbergen <ericvh@gmail.com>
linux-3.10\include\net\9p\9p.h(8): * Copyright (C) 2002 by Ron Minnich <rminnich@lanl.gov>
linux-3.10\include\net\9p\client.h(6): * Copyright (C) 2008 by Eric Van Hensbergen <ericvh@gmail.com>
linux-3.10\include\net\9p\client.h(7): * Copyright (C) 2007 by Latchesar Ionkov <lucho@ionkov.net>
linux-3.10\include\net\9p\transport.h(6): * Copyright (C) 2005 by Latchesar Ionkov <lucho@ionkov.net>
linux-3.10\include\net\9p\transport.h(7): * Copyright (C) 2004-2008 by Eric Van Hensbergen <ericvh@gmail.com>
linux-3.10\include\net\af_ieee802154.h(4): * Copyright 2007, 2008 Siemens AG
linux-3.10\include\net\af_rxrpc.h(3): * Copyright (C) 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\include\net\ax88796.h(3): * Copyright 2005 Simtec Electronics

legal(ME)

linux-3.10\include\net\bluetooth\amp.h(2): Copyright (c) 2010,2011 Code Aurora Forum.All rights reserved.
linux-3.10\include\net\bluetooth\amp.h(3): Copyright (c) 2011,2012 Intel Corp.
linux-3.10\include\net\bluetooth\amp.h(2): Copyright (c) 2011,2012 Intel Corp.
linux-3.10\include\net\bluetooth\bluetooth.h(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\include\net\bluetooth\hci.h(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\include\net\bluetooth\hci_core.h(3): Copyright (c) 2000-2001, 2010, Code Aurora Forum. All rights reserved.
linux-3.10\include\net\bluetooth\hci_mon.h(4): Copyright (C) 2011-2012Intel Corporation
linux-3.10\include\net\bluetooth\l2cap.h(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\include\net\bluetooth\l2cap.h(4): Copyright (C) 2009-2010 Gustavo F. Padovan <gustavo@padovan.org>
linux-3.10\include\net\bluetooth\l2cap.h(5): Copyright (C) 2010 Google Inc.
linux-3.10\include\net\bluetooth\mgmt.h(4): Copyright (C) 2010Nokia Corporation
linux-3.10\include\net\bluetooth\mgmt.h(5): Copyright (C) 2011-2012Intel Corporation
linux-3.10\include\net\bluetooth\rfcomm.h(3): Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\include\net\bluetooth\rfcomm.h(4): Copyright (C) 2002 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\include\net\bluetooth\sco.h(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\include\net\bluetooth\smp.h(3): Copyright (C) 2011 Nokia Corporation and/or its subsidiary(-ies).
linux-3.10\include\net\caif\caif_dev.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\caif_device.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\caif_hsi.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\caif_layer.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\caif_spi.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\cfcnf.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\cfctrl.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\cffrml.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\cfmux1.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\cfpkt.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\cfser1.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\caif\cfsv1.h(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\include\net\cfg80211.h(6): * Copyright 2006-2010Johannes Berg <johannes@sipsolutions.net>
linux-3.10\include\net\cfg80211-wext.h(6): * Copyright 2006-2010Johannes Berg <johannes@sipsolutions.net>
linux-3.10\include\net\cipso_ipv4.h(16): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006
linux-3.10\include\net\codel.h(10): *Copyright (C) 2012 Eric Dumazet <edumazet@google.com>
linux-3.10\include\net\codel.h(7): *Copyright (C) 2011-2012 Kathleen Nichols <nichols@pollere.com>
linux-3.10\include\net\codel.h(8): *Copyright (C) 2011-2012 Van Jacobson <van@pollere.net>

legal(ME)

linux-3.10\include\net\code1.h(9): *Copyright (C) 2012 Michael D. Taht
<dave.taht@bufferbloat.net>
linux-3.10\include\net\dcbevent.h(2): * Copyright (c) 2010, Intel Corporation.
linux-3.10\include\net\dcbn1.h(2): * Copyright (c) 2008, Intel Corporation.
linux-3.10\include\net\dsa.h(3): * Copyright (c) 2008-2009 Marvell Semiconductor
linux-3.10\include\net\ethoc.h(4): * Copyright (C) 2008-2009 Avionic Design GmbH
linux-3.10\include\net\ieee80211_radiotap.h(2): * Copyright (c) 2003, 2004 David
Young.All rights reserved.
linux-3.10\include\net\ieee802154.h(4): * Copyright (C) 2007, 2008 Siemens AG
linux-3.10\include\net\ieee802154_netdev.h(4): * Copyright (C) 2007-2012 Siemens
AG
linux-3.10\include\net\ipconfig.h(2): *Copyright (C) 1997 Martin Mares
linux-3.10\include\net\irda\af_irda.h(12): * Copyright (c) 1998-2000 Dag Brattli,
All Rights Reserved.
linux-3.10\include\net\irda\af_irda.h(13): * Copyright (c) 2000-2002 Jean
Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\discovery.h(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\include\net\irda\discovery.h(13): * Copyright (c) 2000-2002 Jean
Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\ircomm_core.h(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\include\net\irda\ircomm_event.h(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\include\net\irda\ircomm_lmp.h(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\include\net\irda\ircomm_param.h(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\include\net\irda\ircomm_ttp.h(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\include\net\irda\ircomm_tty.h(12): * Copyright (c) 1999-2000 Dag
Brattli, All Rights Reserved.
linux-3.10\include\net\irda\ircomm_tty_attach.h(12): * Copyright (c) 1999 Dag
Brattli, All Rights Reserved.
linux-3.10\include\net\irda\irda.h(12): * Copyright (c) 1998-2000 Dag Brattli,
All Rights Reserved.
linux-3.10\include\net\irda\irda.h(13): * Copyright (c) 2000-2002 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\include\net\irda\irda_device.h(12): * Copyright (c) 1999-2000 Dag
Brattli, All Rights Reserved.
linux-3.10\include\net\irda\irda_device.h(13): * Copyright (c) 1998 Thomas Davis,
<ratbert@radiks.net>,
linux-3.10\include\net\irda\irda_device.h(14): * Copyright (c) 2000-2002 Jean
Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\iriap.h(12): * Copyright (c) 1997-1999 Dag Brattli
<dagb@cs.uit.no>,
linux-3.10\include\net\irda\iriap_event.h(12): * Copyright (c) 1998-1999 Dag
Brattli <dagb@cs.uit.no>, All Rights Reserved.
linux-3.10\include\net\irda\irias_object.h(12): * Copyright (c) 1998-1999 Dag
Brattli, All Rights Reserved.
linux-3.10\include\net\irda\irlan_client.h(12): * Copyright (c) 1998 Dag Brattli
<dagb@cs.uit.no>, All Rights Reserved.

legal(ME)

linux-3.10\include\net\irda\irlan_common.h(12): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\irlan_eth.h(12): * Copyright (c) 1998-1999 Dag Brattli, All Rights Reserved.
linux-3.10\include\net\irda\irlan_event.h(12): * Copyright (c) 1997 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved.
linux-3.10\include\net\irda\irlan_filter.h(12): * Copyright (c) 1998 Dag Brattli, All Rights Reserved.
linux-3.10\include\net\irda\irlan_provider.h(12): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved.
linux-3.10\include\net\irda\irlap.h(12): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\irlap.h(14): * Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\irlap_event.h(13): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\irlap_event.h(15): * Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\irlap_frame.h(12): * Copyright (c) 1997-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\irlap_frame.h(14): * Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\irlmp.h(12): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\irlmp.h(14): * Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\irlmp_event.h(12): * Copyright (c) 1997, 1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\irlmp_event.h(14): * Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\irlmp_frame.h(12): * Copyright (c) 1997, 1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\irmod.h(12): * Copyright (c) 1998-2000 Dag Brattli, All Rights Reserved.
linux-3.10\include\net\irda\irmod.h(13): * Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\irqueue.h(12): * Copyright (C) 1998-1999, Aage Kvalnes <aage@cs.uit.no>
linux-3.10\include\net\irda\irqueue.h(13): * Copyright (c) 1998, Dag Brattli
linux-3.10\include\net\irda\irttcp.h(12): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\irttcp.h(14): * Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\parameters.h(12): * Copyright (c) 1999-2000 Dag Brattli, All Rights Reserved.
linux-3.10\include\net\irda\qos.h(12): * Copyright (c) 1999 Dag Brattli, All Rights Reserved.
linux-3.10\include\net\irda\timer.h(12): * Copyright (c) 1997, 1998-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\include\net\irda\timer.h(14): * Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\include\net\irda\wrapper.h(12): * Copyright (c) 1998-2000 Dag Brattli

legal(ME)

<dagb@cs.uit.no>
linux-3.10\include\net\iucv\af_iucv.h(2): * Copyright 2006 IBM Corporation
linux-3.10\include\net\iucv\iucv.h(6): *Copyright 2000, 2006 IBM Corporation
linux-3.10\include\net\iw_handler.h(7): * Copyright (c) 2001-2007 Jean
Tourrilhes, All Rights Reserved.
linux-3.10\include\net\lib80211.h(12): * Copyright (c) 2001-2002, SSH
Communications Security Corp and Jouni Malinen
linux-3.10\include\net\lib80211.h(14): * Copyright (c) 2002-2003, Jouni Malinen
<j@w1.fi>
linux-3.10\include\net\lib80211.h(19): * Copyright (c) 2004, Intel Corporation
linux-3.10\include\net\lib80211.h(4): * Copyright (c) 2008, John W. Linville
<linville@tuxdriver.com>
linux-3.10\include\net\lib80211.h(6): * Some bits copied from old ieee80211
component, w/ original copyright
linux-3.10\include\net\llc.h(4): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\include\net\llc_c_ac.h(4): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\llc_c_ev.h(4): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\llc_c_st.h(4): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\llc_conn.h(4): * Copyright (c) 1997 by Procom Technology,
Inc.
linux-3.10\include\net\llc_if.h(4): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\llc_pdu.h(4): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\llc_s_ac.h(4): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\llc_s_ev.h(4): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\llc_s_st.h(4): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\llc_sap.h(7): * Copyright (c) 1997 by Procom
Technology, Inc.
linux-3.10\include\net\mac80211.h(4): * Copyright 2002-2005, Devicescape
Software, Inc.
linux-3.10\include\net\mac80211.h(5): * Copyright 2006-2007 Jiri Benc
<jbenc@suse.cz>
linux-3.10\include\net\mac80211.h(6): * Copyright 2007-2010 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\include\net\mac802154.h(4): * Copyright (C) 2007-2012 Siemens AG
linux-3.10\include\net\mip6.h(2): * Copyright (C)2003-2006 Helsinki University of
Technology
linux-3.10\include\net\mip6.h(3): * Copyright (C)2003-2006 USAGI/WIDE Project
linux-3.10\include\net\netdma.h(2): * Copyright(c) 2004 - 2006 Intel Corporation.
All rights reserved.
linux-3.10\include\net\netfilter\nf_contrack_l3proto.h(2): * Copyright
(C)2003,2004 USAGI/WIDE Project
linux-3.10\include\net\netlabel.h(12): * (c) Copyright Hewlett-Packard
Development Company, L.P., 2006, 2008
linux-3.10\include\net\nfc\hci.h(2): * Copyright (C) 2011 Intel Corporation. All

legal(ME)

rights reserved.

linux-3.10\include\net\nfc\llc.h(4): * Copyright (C) 2012 Intel Corporation. All rights reserved.

linux-3.10\include\net\nfc\nci.h(5): * Copyright (C) 2011 Texas Instruments, Inc.

linux-3.10\include\net\nfc\nci_core.h(5): * Copyright (C) 2011 Texas Instruments, Inc.

linux-3.10\include\net\nfc\nfc.h(2): * Copyright (C) 2011 Instituto Nokia de Tecnologia

linux-3.10\include\net\nl802154.h(4): * Copyright (C) 2007, 2008, 2009 Siemens AG

linux-3.10\include\net\phonet\gprs.h(6): * Copyright (C) 2008 Nokia Corporation.

linux-3.10\include\net\phonet\pep.h(6): * Copyright (C) 2008 Nokia Corporation.

linux-3.10\include\net\phonet\phonet.h(6): * Copyright (C) 2008 Nokia

Corporation.

linux-3.10\include\net\phonet\pn_dev.h(6): * Copyright (C) 2008 Nokia

Corporation.

linux-3.10\include\net\regulatory.h(6): * Copyright 2008-2009 Luis R. Rodriguez <mcgrof@qca.qualcomm.com>

linux-3.10\include\net\sctp\auth.h(2): * (C) Copyright 2007 Hewlett-Packard Development Company, L.P.

linux-3.10\include\net\sctp\checksum.h(2): * Copyright (c) 1999-2001 Motorola, Inc.

linux-3.10\include\net\sctp\checksum.h(3): * Copyright (c) 2001-2003

International Business Machines, Corp.

linux-3.10\include\net\sctp\command.h(2): * (C) Copyright IBM Corp. 2001, 2004

linux-3.10\include\net\sctp\command.h(3): * Copyright (C) 1999-2001 Cisco,

Motorola

linux-3.10\include\net\sctp\constants.h(2): * (C) Copyright IBM Corp. 2001, 2004

linux-3.10\include\net\sctp\constants.h(3): * Copyright (c) 1999-2000 Cisco, Inc.

linux-3.10\include\net\sctp\constants.h(4): * Copyright (c) 1999-2001 Motorola,

Inc.

linux-3.10\include\net\sctp\constants.h(5): * Copyright (c) 2001 Intel Corp.

linux-3.10\include\net\sctp\sctp.h(2): * (C) Copyright IBM Corp. 2001, 2004

linux-3.10\include\net\sctp\sctp.h(3): * Copyright (c) 1999-2000 Cisco, Inc.

linux-3.10\include\net\sctp\sctp.h(4): * Copyright (c) 1999-2001 Motorola, Inc.

linux-3.10\include\net\sctp\sctp.h(5): * Copyright (c) 2001-2003 Intel Corp.

linux-3.10\include\net\sctp\sm.h(2): * (C) Copyright IBM Corp. 2001, 2004

linux-3.10\include\net\sctp\sm.h(3): * Copyright (c) 1999-2000 Cisco, Inc.

linux-3.10\include\net\sctp\sm.h(4): * Copyright (c) 1999-2001 Motorola, Inc.

linux-3.10\include\net\sctp\sm.h(5): * Copyright (c) 2001 Intel Corp.

linux-3.10\include\net\sctp\structs.h(2): * (C) Copyright IBM Corp. 2001, 2004

linux-3.10\include\net\sctp\structs.h(3): * Copyright (c) 1999-2000 Cisco, Inc.

linux-3.10\include\net\sctp\structs.h(4): * Copyright (c) 1999-2001 Motorola,

Inc.

linux-3.10\include\net\sctp\structs.h(5): * Copyright (c) 2001 Intel Corp.

linux-3.10\include\net\sctp\tsnmap.h(2): * (C) Copyright IBM Corp. 2001, 2004

linux-3.10\include\net\sctp\tsnmap.h(3): * Copyright (c) 1999-2000 Cisco, Inc.

linux-3.10\include\net\sctp\tsnmap.h(4): * Copyright (c) 1999-2001 Motorola, Inc.

linux-3.10\include\net\sctp\tsnmap.h(5): * Copyright (c) 2001 Intel Corp.

linux-3.10\include\net\sctp\ulpevent.h(2): * (C) Copyright IBM Corp. 2001, 2004

linux-3.10\include\net\sctp\ulpevent.h(3): * Copyright (c) 1999-2000 Cisco, Inc.

linux-3.10\include\net\sctp\ulpevent.h(4): * Copyright (c) 1999-2001 Motorola,

Inc.

legal(ME)

linux-3.10\include\net\sctp\ulpevent.h(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\include\net\sctp\ulpevent.h(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\include\net\sctp\ulpevent.h(7): * Copyright (c) 2001 La Monte H.P.
Yarroll
linux-3.10\include\net\sctp\ulpqueue.h(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\include\net\sctp\ulpqueue.h(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\include\net\sctp\ulpqueue.h(4): * Copyright (c) 1999-2001 Motorola,
Inc.
linux-3.10\include\net\sctp\ulpqueue.h(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\include\net\sctp\ulpqueue.h(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\include\net\sctp\ulpqueue.h(7): * Copyright (c) 2001 La Monte H.P.
Yarroll
linux-3.10\include\net\slhc_vj.h(8): * Copyright (c) 1989 Regents of the
University of California.
linux-3.10\include\net\tc_act\tc_skbedit.h(2): * Copyright (c) 2008, Intel
Corporation.
linux-3.10\include\net\wimax.h(6): * Copyright (C) 2007-2008 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\include\net\wpan-phy.h(2): * Copyright (C) 2007, 2008, 2009 Siemens AG
linux-3.10\include\pcmcia\ciscode.h(10): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\include\pcmcia\cisreg.h(10): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\include\pcmcia\cistpl.h(10): * are Copyright (C) 1999 David A.
Hinds.All Rights Reserved.
linux-3.10\include\pcmcia\ds.h(10): * are Copyright (C) 1999 David A. Hinds.All
Rights Reserved.
linux-3.10\include\pcmcia\ss.h(10): * are Copyright (C) 1999 David A. Hinds.All
Rights Reserved.
linux-3.10\include\rdma\ib_addr.h(2): * Copyright (c) 2005 Voltaire Inc.All
rights reserved.
linux-3.10\include\rdma\ib_addr.h(3): * Copyright (c) 2005 Intel Corporation.All
rights reserved.
linux-3.10\include\rdma\ib_cache.h(2): * Copyright (c) 2004 Topspin
Communications.All rights reserved.
linux-3.10\include\rdma\ib_cache.h(3): * Copyright (c) 2005 Intel Corporation.
All rights reserved.
linux-3.10\include\rdma\ib_cache.h(4): * Copyright (c) 2005 Sun Microsystems,
Inc. All rights reserved.
linux-3.10\include\rdma\ib_cm.h(2): * Copyright (c) 2004, 2005 Intel
Corporation.All rights reserved.
linux-3.10\include\rdma\ib_cm.h(3): * Copyright (c) 2004 Topspin Corporation.All
rights reserved.
linux-3.10\include\rdma\ib_cm.h(4): * Copyright (c) 2004 Voltaire Corporation.All
rights reserved.
linux-3.10\include\rdma\ib_cm.h(5): * Copyright (c) 2005 Sun Microsystems, Inc.
All rights reserved.
linux-3.10\include\rdma\ib_fmr_pool.h(2): * Copyright (c) 2004 Topspin
Corporation.All rights reserved.
linux-3.10\include\rdma\ib_fmr_pool.h(3): * Copyright (c) 2005 Sun Microsystems,
Inc. All rights reserved.
linux-3.10\include\rdma\ib_mad.h(2): * Copyright (c) 2004 Mellanox Technologies

legal(ME)

Ltd.All rights reserved.

linux-3.10\include\rdma\ib_mad.h(3): * Copyright (c) 2004 Infinicon Corporation.All rights reserved.

linux-3.10\include\rdma\ib_mad.h(4): * Copyright (c) 2004 Intel Corporation.All rights reserved.

linux-3.10\include\rdma\ib_mad.h(5): * Copyright (c) 2004 Topspin Corporation.All rights reserved.

linux-3.10\include\rdma\ib_mad.h(6): * Copyright (c) 2004-2006 Voltaire Corporation.All rights reserved.

linux-3.10\include\rdma\ib_marshall.h(2): * Copyright (c) 2005-2006 Intel Corporation.All rights reserved.

linux-3.10\include\rdma\ib_pack.h(2): * Copyright (c) 2004 Topspin Corporation.All rights reserved.

linux-3.10\include\rdma\ib_pma.h(2): * Copyright (c) 2006, 2007, 2008, 2009, 2010 QLogic Corporation.

linux-3.10\include\rdma\ib_pma.h(4): * Copyright (c) 2005, 2006 PathScale, Inc. All rights reserved.

linux-3.10\include\rdma\ib_sa.h(2): * Copyright (c) 2004 Topspin Communications.All rights reserved.

linux-3.10\include\rdma\ib_sa.h(3): * Copyright (c) 2005 Voltaire, Inc.All rights reserved.

linux-3.10\include\rdma\ib_sa.h(4): * Copyright (c) 2006 Intel Corporation.All rights reserved.

linux-3.10\include\rdma\ib_smi.h(2): * Copyright (c) 2004 Mellanox Technologies Ltd.All rights reserved.

linux-3.10\include\rdma\ib_smi.h(3): * Copyright (c) 2004 Infinicon Corporation.All rights reserved.

linux-3.10\include\rdma\ib_smi.h(4): * Copyright (c) 2004 Intel Corporation.All rights reserved.

linux-3.10\include\rdma\ib_smi.h(5): * Copyright (c) 2004 Topspin Corporation.All rights reserved.

linux-3.10\include\rdma\ib_smi.h(6): * Copyright (c) 2004 Voltaire Corporation.All rights reserved.

linux-3.10\include\rdma\ib_umem.h(2): * Copyright (c) 2007 Cisco Systems.All rights reserved.

linux-3.10\include\rdma\ib_verbs.h(2): * Copyright (c) 2004 Mellanox Technologies Ltd.All rights reserved.

linux-3.10\include\rdma\ib_verbs.h(3): * Copyright (c) 2004 Infinicon Corporation.All rights reserved.

linux-3.10\include\rdma\ib_verbs.h(4): * Copyright (c) 2004 Intel Corporation.All rights reserved.

linux-3.10\include\rdma\ib_verbs.h(5): * Copyright (c) 2004 Topspin Corporation.All rights reserved.

linux-3.10\include\rdma\ib_verbs.h(6): * Copyright (c) 2004 Voltaire Corporation.All rights reserved.

linux-3.10\include\rdma\ib_verbs.h(7): * Copyright (c) 2005 Sun Microsystems, Inc. All rights reserved.

linux-3.10\include\rdma\ib_verbs.h(8): * Copyright (c) 2005, 2006, 2007 Cisco Systems.All rights reserved.

linux-3.10\include\rdma\iw_cm.h(2): * Copyright (c) 2005 Network Appliance, Inc. All rights reserved.

linux-3.10\include\rdma\iw_cm.h(3): * Copyright (c) 2005 Open Grid Computing,

legal(ME)

Inc. All rights reserved.

linux-3.10\include\rdma\rdma_cm.h(2): * Copyright (c) 2005 Voltaire Inc. All rights reserved.

linux-3.10\include\rdma\rdma_cm.h(3): * Copyright (c) 2005 Intel Corporation. All rights reserved.

linux-3.10\include\rdma\rdma_cm_ib.h(2): * Copyright (c) 2006 Intel Corporation. All rights reserved.

linux-3.10\include\rxrpc\packet.h(3): * Copyright (C) 2002, 2007 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\rxrpc\types.h(3): * Copyright (C) 2002 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\scsi\fc_encode.h(2): * Copyright(c) 2008 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\fc_frame.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\fc\fc_encaps.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\fc\fc_fc2.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\fc\fc_fcoe.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\fc\fc_fcp.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\fc\fc_fip.h(2): * Copyright 2008 Cisco Systems, Inc. All rights reserved.

linux-3.10\include\scsi\fc\fc_ms.h(1):/* * Copyright(c) 2011 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\fcoe_sysfs.h(2): * Copyright (c) 2011-2012 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\iscsi_if.h(4): * Copyright (C) 2005 Dmitry Yusupov

linux-3.10\include\scsi\iscsi_if.h(5): * Copyright (C) 2005 Alex Aizman

linux-3.10\include\scsi\iscsi_proto.h(4): * Copyright (C) 2005 Dmitry Yusupov

linux-3.10\include\scsi\iscsi_proto.h(5): * Copyright (C) 2005 Alex Aizman

linux-3.10\include\scsi\libfc.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\libfcoe.h(2): * Copyright (c) 2008-2009 Cisco Systems, Inc. All rights reserved.

linux-3.10\include\scsi\libfcoe.h(3): * Copyright (c) 2007-2008 Intel Corporation. All rights reserved.

linux-3.10\include\scsi\libiscsi.h(4): * Copyright (C) 2006 Red Hat, Inc. All rights reserved.

linux-3.10\include\scsi\libiscsi.h(5): * Copyright (C) 2004 - 2006 Mike Christie

linux-3.10\include\scsi\libiscsi.h(6): * Copyright (C) 2004 - 2005 Dmitry Yusupov

linux-3.10\include\scsi\libiscsi.h(7): * Copyright (C) 2004 - 2005 Alex Aizman

linux-3.10\include\scsi\libiscsi_tcp.h(4): * Copyright (C) 2008 Mike Christie

linux-3.10\include\scsi\libiscsi_tcp.h(5): * Copyright (C) 2008 Red Hat, Inc. All rights reserved.

linux-3.10\include\scsi\libsas.h(4): * Copyright (C) 2005 Adaptec, Inc. All rights reserved.

linux-3.10\include\scsi\libsas.h(5): * Copyright (C) 2005 Luben Tuikov

<luben_tuikov@adaptec.com>

linux-3.10\include\scsi\osd_initiator.h(4): * Copyright (C) 2008 Panasas Inc. All

legal(ME)

rights reserved.

linux-3.10\include\scsi\osd_ore.h(2): * Copyright (C) 2011

linux-3.10\include\scsi\osd_protocol.h(4): * Copyright (C) 2008 Panasas Inc. All rights reserved.

linux-3.10\include\scsi\osd_sec.h(4): * Copyright (C) 2008 Panasas Inc. All rights reserved.

linux-3.10\include\scsi\osd_sense.h(4): * Copyright (C) 2008 Panasas Inc. All rights reserved.

linux-3.10\include\scsi\osd_types.h(4): * Copyright (C) 2008 Panasas Inc. All rights reserved.

linux-3.10\include\scsi\sas.h(4): * Copyright (C) 2005 Adaptec, Inc. All rights reserved.

linux-3.10\include\scsi\sas.h(5): * Copyright (C) 2005 Luben Tuikov
<luben_tuikov@adaptec.com>

linux-3.10\include\scsi\sas_ata.h(4): * Copyright (C) 2006 IBM Corporation

linux-3.10\include\scsi\scsi_bsg_iscsi.h(4): * Copyright (C) 2009 James Smart, Emulex Corporation

linux-3.10\include\scsi\scsi_dh.h(20): * Copyright IBM Corporation, 2007

linux-3.10\include\scsi\scsi_tgt_if.h(4): * Copyright (C) 2005 FUJITA Tomonori
<tomof@acm.org>

linux-3.10\include\scsi\scsi_tgt_if.h(5): * Copyright (C) 2005 Mike Christie
<michaelc@cs.wisc.edu>

linux-3.10\include\scsi\scsi_transport.h(4): * Copyright (c) 2003 Silicon Graphics, Inc. All rights reserved.

linux-3.10\include\scsi\scsi_transport_fc.h(22): * Copyright (C) 2004-2007 James Smart, Emulex Corporation

linux-3.10\include\scsi\scsi_transport_fc.h(4): * Copyright (c) 2003 Silicon Graphics, Inc. All rights reserved.

linux-3.10\include\scsi\scsi_transport_iscsi.h(4): * Copyright (C) IBM Corporation, 2004

linux-3.10\include\scsi\scsi_transport_iscsi.h(5): * Copyright (C) Mike Christie, 2004 - 2006

linux-3.10\include\scsi\scsi_transport_iscsi.h(6): * Copyright (C) Dmitry Yusupov, 2004 - 2005

linux-3.10\include\scsi\scsi_transport_iscsi.h(7): * Copyright (C) Alex Aizman, 2004 - 2005

linux-3.10\include\scsi\scsi_transport_spi.h(4): * Copyright (c) 2003 Silicon Graphics, Inc. All rights reserved.

linux-3.10\include\scsi\scsicam.h(4): * Copyright 1993, 1994 Drew Eckhardt

linux-3.10\include\scsi\sg.h(12): * Copyright (C) 1992 Lawrence Foard

linux-3.10\include\scsi\sg.h(14): * Copyright (C) 1998 - 2006 Douglas Gilbert

linux-3.10\include\scsi\srp.h(2): * Copyright (c) 2005 Cisco Systems. All rights reserved.

linux-3.10\include\sound\ac97_codec.h(321): #define AC97_ALC650_COPY0x0004/*
Copyright status */

linux-3.10\include\sound\ac97_codec.h(5): * Copyright (c) by Jaroslav Kysela
<perex@perex.cz>

linux-3.10\include\sound\ad1816a.h(6): Copyright (C) 1999-2000 by Massimo Piccioni
<dafastidio@libero.it>

linux-3.10\include\sound\ad1843.h(6): * Copyright 2003 Vivien Chappelier
<vivien.chappelier@linux-mips.org>

linux-3.10\include\sound\ad1843.h(7): * Copyright 2008 Thomas Bogendoerfer

legal(ME)

<tsbogend@franken.de>

linux-3.10\include\sound\adau1373.h(4): * Copyright 2011 Analog Devices Inc.

linux-3.10\include\sound\aess.h(4): * Copyright (C) 2012 Texas Instruments, Inc.

linux-3.10\include\sound\ak4113.h(6): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>,

linux-3.10\include\sound\ak4113.h(7): *Copyright (c) by Pavel Hofman

<pavel.hofman@ivitera.com>,

linux-3.10\include\sound\ak4114.h(6): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>,

linux-3.10\include\sound\ak4117.h(6): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>,

linux-3.10\include\sound\ak4531_codec.h(5): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>

linux-3.10\include\sound\ak4641.h(4): * Copyright 2009 Philipp Zabel

linux-3.10\include\sound\ak4xxx-adda.h(8): *Copyright (c) 2000 Jaroslav Kysela

<perex@perex.cz>

linux-3.10\include\sound\asequencer.h(3): *Copyright (c) 1998-1999 by Frank van

de Pol <fvdpol@coil.demon.nl>

linux-3.10\include\sound\asound.h(3): *Copyright (c) 1994-2003 by Jaroslav Kysela

<perex@perex.cz>,

linux-3.10\include\sound\asoundef.h(6): *Copyright (c) 1994-2000 by Jaroslav

Kysela <perex@perex.cz>

linux-3.10\include\sound\atmel-abdac.h(4): * Copyright (C) 2009 Atmel Corporation

linux-3.10\include\sound\atmel-ac97c.h(4): * Copyright (C) 2005-2009 Atmel

Corporation

linux-3.10\include\sound\compress_driver.h(4): *Copyright (C) 2011 Intel

Corporation

linux-3.10\include\sound\control.h(6): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>

linux-3.10\include\sound\core.h(6): *Copyright (c) 1994-2001 by Jaroslav Kysela

<perex@perex.cz>

linux-3.10\include\sound\cs4231-regs.h(5): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>

linux-3.10\include\sound\cs4271.h(4): * Copyright (c) 2010 Alexander Sverdlin

<subaparts@yandex.ru>

linux-3.10\include\sound\cs42152.h(4): * Copyright (c) 2012 Cirrus Logic Inc.

linux-3.10\include\sound\cs8403.h(6): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>,

linux-3.10\include\sound\cs8427.h(6): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>,

linux-3.10\include\sound\da7213.h(4): * Copyright (c) 2013 Dialog Semiconductor

linux-3.10\include\sound\da9055.h(4): * Copyright (c) 2012 Dialog Semiconductor

linux-3.10\include\sound\designware_i2s.h(2): * Copyright (ST) 2012 Rajeev Kumar

(rajeev-dlh.kumar@st.com)

linux-3.10\include\sound\dmaengine_pcm.h(2): *Copyright (C) 2012, Analog Devices

Inc.

linux-3.10\include\sound\emu10k1.h(2): *Copyright (c) by Jaroslav Kysela

<perex@perex.cz>,

linux-3.10\include\sound\emu10k1_synth.h(6): *Copyright (C) 2000 Takashi Iwai

<tiwai@suse.de>

linux-3.10\include\sound\emu8000.h(6): *Copyright (C) 1999 Steve Ratcliffe

linux-3.10\include\sound\emu8000.h(7): *Copyright (C) 1999-2000 Takashi Iwai

legal(ME)

<tiwai@suse.de>
linux-3.10\include\sound\emu8000_reg.h(6): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\include\sound\emux_legacy.h(5): *Copyright (c) 1999-2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\include\sound\emux_synth.h(7): *Copyright (C) 2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\include\sound\es1688.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\gus.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\hda_hwdep.h(4): * Copyright (c) 2007 Takashi Iwai
<tiwai@suse.de>
linux-3.10\include\sound\hwdep.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\info.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\initval.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\jack.h(7): *Copyright 2008 Wolfson Microelectronics plc
linux-3.10\include\sound\max9768.h(3): * Copyright (C) 2011, 2012 by Wolfram
Sang, Pengutronix e.K.
linux-3.10\include\sound\max98088.h(4): * Copyright 2010 Maxim Integrated
Products
linux-3.10\include\sound\max98090.h(4): * Copyright 2011-2012 Maxim Integrated
Products
linux-3.10\include\sound\max98095.h(4): * Copyright 2011 Maxim Integrated
Products
linux-3.10\include\sound\memalloc.h(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\mixer_oss.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\mpu401.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\opl3.h(7): * Copyright (c) by Jaroslav Kysela
<perex@perex.cz>,
linux-3.10\include\sound\opl4.h(6): * Copyright (c) 2003 by Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\include\sound\pcm.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\pcm_oss.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\pcm_params.h(6): *Copyright (c) by Abramo Bagnara
<abramo@alsa-project.org>
linux-3.10\include\sound\pcm-indirect.h(4): *Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\include\sound\pt2258.h(4): *Copyright (c) 2006 Jochen Voss
<voss@seehuhn.de>
linux-3.10\include\sound\rawmidi.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\sb.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\sb16_csp.h(2): *Copyright (c) 1999 by Uros Bizjak

legal(ME)

<uros@kss-loka.si>
linux-3.10\include\sound\seq_device.h(6): *Copyright (c) 1999 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\include\sound\seq_kernel.h(6): *Copyright (c) 1998 by Frank van de Pol
<fvdpol@coil.demon.nl>
linux-3.10\include\sound\seq_midi_emul.h(7): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\include\sound\seq_midi_event.h(7): *Copyright (C) 1998,99 Takashi Iwai
<tiwai@suse.de>,
linux-3.10\include\sound\seq_oss.h(7): * Copyright (C) 1998,99 Takashi Iwai
linux-3.10\include\sound\seq_oss_legacy.h(7): * Copyright (C) 2000 Abramo Bagnara
<abramo@alsa-project.org>
linux-3.10\include\sound\seq_virmidi.h(6): *Copyright (c) 2000 by Takashi Iwai
<tiwai@suse.de>,
linux-3.10\include\sound\sh_dac_audio.h(4): * Copyright (C) 2009 Rafael Ignacio
Zurita <rizurita@yahoo.com>
linux-3.10\include\sound\sh_fsi.h(7): * Copyright (C) 2009 Renesas Solutions
Corp.
linux-3.10\include\sound\simple_card.h(4): * Copyright (C) 2012 Renesas Solutions
Corp.
linux-3.10\include\sound\soc.h(6): * Copyright:Wolfson Microelectronics. PLC.
linux-3.10\include\sound\soc-dai.h(4): * Copyright:2005-2008 Wolfson
Microelectronics. PLC.
linux-3.10\include\sound\soc-dapm.h(6): * Copyright:Wolfson Microelectronics.
PLC.
linux-3.10\include\sound\soundfont.h(7): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\include\sound\soundfont.h(8): *Copyright (c) 1999-2000 Takashi iwai
<tiwai@suse.de>
linux-3.10\include\sound\spear_dma.h(4):* Copyright (ST) 2012 Rajeev Kumar
(rajeev-dlh.kumar@st.com)
linux-3.10\include\sound\spear_spdif.h(2): * Copyright (ST) 2012 Vipin Kumar
(vipin.kumar@st.com)
linux-3.10\include\sound\sta32x.h(4): * Copyright: 2011 Raumfeld GmbH
linux-3.10\include\sound\tea575x-tuner.h(7): *Copyright (c) 2004 Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\timer.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>,
linux-3.10\include\sound\tlv.h(6): *Copyright (c) 2006 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\include\sound\tlv320aic32x4.h(4): * Copyright 2011 Vista Silicon S.L.
linux-3.10\include\sound\tlv320dac33-plat.h(6): * Copyright: (C) 2009 Nokia
Corporation
linux-3.10\include\sound\tpa6130a2-plat.h(4): * Copyright (C) Nokia Corporation
linux-3.10\include\sound\uda134x.h(4): * Copyright 2007 Dension Audio Systems
Ltd.
linux-3.10\include\sound\uda1380.h(4): * Copyright 2009 Philipp Zabel
linux-3.10\include\sound\util_mem.h(6): *Copyright (C) 2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\include\sound\vx_core.h(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\include\sound\wavefront.h(7): *Copyright (c) by Paul Barton-Davis
<pbd@op.net>
linux-3.10\include\sound\wm0010.h(4): * Copyright 2012 Wolfson Microelectronics

legal(ME)

PLC.

linux-3.10\include\sound\wm1250-ev1.h(4): * Copyright 2011 Wolfson
Microelectronics. PLC.

linux-3.10\include\sound\wm2000.h(4): * Copyright 2010 Wolfson Microelectronics.
PLC.

linux-3.10\include\sound\wm2200.h(4): * Copyright 2012 Wolfson Microelectronics.
PLC.

linux-3.10\include\sound\wm5100.h(4): * Copyright 2011 Wolfson Microelectronics.
PLC.

linux-3.10\include\sound\wm8903.h(4): * Copyright 2010 Wolfson Microelectronics.
PLC.

linux-3.10\include\sound\wm8904.h(4): * Copyright 2009 Wolfson Microelectronics
PLC.

linux-3.10\include\sound\wm8955.h(4): * Copyright 2009 Wolfson Microelectronics
PLC.

linux-3.10\include\sound\wm8993.h(4): * Copyright 2009 Wolfson Microelectronics.
PLC.

linux-3.10\include\sound\wm8996.h(4): * Copyright 2011 Wolfson Microelectronics.
PLC.

linux-3.10\include\sound\wm9081.h(4): * Copyright 2009 Wolfson Microelectronics.
PLC.

linux-3.10\include\sound\wm9090.h(4): * Copyright 2009, 2010 Wolfson
Microelectronics. PLC.

linux-3.10\include\sound\wss.h(5): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>

linux-3.10\include\target\configfs_macros.h(22): * sysfs is Copyright (C) 2001,
2002, 2003 Patrick Mochel

linux-3.10\include\target\configfs_macros.h(25): *Copyright (c) 2002-2003Patrick
Mochel

linux-3.10\include\target\configfs_macros.h(26): *Copyright (c) 2002-2003Open
Source Development Labs

linux-3.10\include\target\configfs_macros.h(28): * configfs Copyright (C) 2005
Oracle.All rights reserved.

linux-3.10\include\trace\events\host1x.h(6): * Copyright (c) 2010-2013, NVIDIA
Corporation.

linux-3.10\include\uapi\drm\drm.h(12): * Copyright 1999 Precision Insight, Inc.,
Cedar Park, Texas.

linux-3.10\include\uapi\drm\drm.h(13): * Copyright 2000 VA Linux Systems, Inc.,
Sunnyvale, California.

linux-3.10\include\uapi\drm\drm_fourcc.h(2): * Copyright 2011 Intel Corporation

linux-3.10\include\uapi\drm\drm_mode.h(2): * Copyright (c) 2007 Dave Airlie
<airlied@linux.ie>

linux-3.10\include\uapi\drm\drm_mode.h(3): * Copyright (c) 2007 Jakob Bornecrantz
<wallbraker@gmail.com>

linux-3.10\include\uapi\drm\drm_mode.h(4): * Copyright (c) 2008 Red Hat Inc.

linux-3.10\include\uapi\drm\drm_mode.h(5): * Copyright (c) 2007-2008 Tungsten
Graphics, Inc., Cedar Park, TX., USA

linux-3.10\include\uapi\drm\drm_mode.h(6): * Copyright (c) 2007-2008 Intel
Corporation

linux-3.10\include\uapi\drm\drm_sarea.h(9): * Copyright 2002 Tungsten Graphics,
Inc., Cedar Park, Texas.

linux-3.10\include\uapi\drm\exynos_drm.h(3): * Copyright (c) 2011 Samsung

legal(ME)

Electronics Co., Ltd.

linux-3.10\include\uapi\drm\i915_drm.h(2): * Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas.

linux-3.10\include\uapi\drm\mga_drm.h(4): * Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.

linux-3.10\include\uapi\drm\mga_drm.h(5): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.

linux-3.10\include\uapi\drm\nouveau_drm.h(2): * Copyright 2005 Stephane Marchesin.

linux-3.10\include\uapi\drm\omap_drm.h(4): * Copyright (C) 2011 Texas Instruments

linux-3.10\include\uapi\drm\qxl_drm.h(2): * Copyright 2013 Red Hat

linux-3.10\include\uapi\drm\r128_drm.h(5): * Copyright 2000 Precision Insight, Inc., Cedar Park, Texas.

linux-3.10\include\uapi\drm\r128_drm.h(6): * Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.

linux-3.10\include\uapi\drm\radeon_drm.h(3): * Copyright 2000 Precision Insight, Inc., Cedar Park, Texas.

linux-3.10\include\uapi\drm\radeon_drm.h(4): * Copyright 2000 VA Linux Systems, Inc., Fremont, California.

linux-3.10\include\uapi\drm\radeon_drm.h(5): * Copyright 2002 Tungsten Graphics, Inc., Cedar Park, Texas.

linux-3.10\include\uapi\drm\savage_drm.h(3): * Copyright 2004 Felix Kuehling

linux-3.10\include\uapi\drm\sis_drm.h(3): * Copyright 2005 Eric Anholt

linux-3.10\include\uapi\drm\tegra_drm.h(2): * Copyright (c) 2012-2013, NVIDIA CORPORATION. All rights reserved.

linux-3.10\include\uapi\drm\via_drm.h(2): * Copyright 1998-2003 VIA Technologies, Inc. All Rights Reserved.

linux-3.10\include\uapi\drm\via_drm.h(3): * Copyright 2001-2003 S3 Graphics, Inc. All Rights Reserved.

linux-3.10\include\uapi\drm\vmwgfx_drm.h(3): * Copyright 2009 VMware, Inc., Palo Alto, CA., USA

linux-3.10\include\uapi\linux\acct.h(11): * Copyright (C) 1995 - 1997 Marco van Wieringen - ELM Consultancy B.V.

linux-3.10\include\uapi\linux\agpgart.h(3): * Copyright (C) 1999 Jeff Hartmann

linux-3.10\include\uapi\linux\agpgart.h(4): * Copyright (C) 1999 Precision Insight, Inc.

linux-3.10\include\uapi\linux\agpgart.h(5): * Copyright (C) 1999 Xi Graphics, Inc.

linux-3.10\include\uapi\linux\aiio_abi.h(3): * Copyright 2000,2001,2002 Red Hat.

linux-3.10\include\uapi\linux\apm_bios.h(3): * Copyright 1994-2001 Stephen Rothwell (sfr@canb.auug.org.au)

linux-3.10\include\uapi\linux\audit.h(3): * Copyright 2003-2004 Red Hat Inc., Durham, North Carolina.

linux-3.10\include\uapi\linux\auto_fs.h(5): * Copyright 1997 Transmeta Corporation - All Rights Reserved

linux-3.10\include\uapi\linux\auto_fs4.h(4): * Copyright 1999-2000 Jeremy Fitzhardinge <jeremy@goop.org>

linux-3.10\include\uapi\linux\b1lli.h(5): * Copyright 1996 by Carsten Paeth (calle@calle.in-berlin.de)

linux-3.10\include\uapi\linux\bfs_fs.h(3): * Copyright (C) 1999 Tigran Aivazian <tigran@veritas.com>

linux-3.10\include\uapi\linux\btrfs.h(2): * Copyright (C) 2007 Oracle. All rights

legal(ME)

reserved.

linux-3.10\include\uapi\linux\caif\caif_socket.h(3): * Copyright (C) ST-Ericsson AB 2010

linux-3.10\include\uapi\linux\caif\if_caif.h(2): * Copyright (C) ST-Ericsson AB 2010

linux-3.10\include\uapi\linux\can.h(8): * Copyright (c) 2002-2007 Volkswagen Group Electronic Research

linux-3.10\include\uapi\linux\can\bcm.h(7): * Copyright (c) 2002-2007 Volkswagen Group Electronic Research

linux-3.10\include\uapi\linux\can\error.h(7): * Copyright (c) 2002-2007 Volkswagen Group Electronic Research

linux-3.10\include\uapi\linux\can\gw.h(7): * Copyright (c) 2011 Volkswagen Group Electronic Research

linux-3.10\include\uapi\linux\can\netlink.h(6): * Copyright (c) 2009 Wolfgang Grandegger <wg@grandegger.com>

linux-3.10\include\uapi\linux\can\raw.h(8): * Copyright (c) 2002-2007 Volkswagen Group Electronic Research

linux-3.10\include\uapi\linux\capi.h(5): * Copyright 1997 by Carsten Paeth (calle@calle.in-berlin.de)

linux-3.10\include\uapi\linux\cdrom.h(4): * Copyright (C) 1992 David Giller, rafetmad@oxy.edu

linux-3.10\include\uapi\linux\cgroupstats.h(3): * Copyright IBM Corporation, 2007

linux-3.10\include\uapi\linux\cn_proc.h(4): * Copyright (C) Matt Helsley, IBM Corp. 2005

linux-3.10\include\uapi\linux\cn_proc.h(6): * Copyright (C) 2005 Nguyen Anh Quynh <aquynh@gmail.com>

linux-3.10\include\uapi\linux\cn_proc.h(7): * Copyright (C) 2005 Guillaume Thouvenin <guillaume.thouvenin@bull.net>

linux-3.10\include\uapi\linux\codas.h(11): Copyright (c) 1987-1999 Carnegie Mellon University

linux-3.10\include\uapi\linux\codas.h(28): Copyright (c) 1987-1999 Carnegie Mellon University

linux-3.10\include\uapi\linux\connector.h(4): * 2004-2005 Copyright (c) Evgeniy Polyakov <zbr@ioremap.net>

linux-3.10\include\uapi\linux\cuda.h(5): * Copyright (C) 1996 Paul Mackerras.

linux-3.10\include\uapi\linux\cycx_cfm.h(7): * Copyright:(c) 1998-2003 Arnaldo Carvalho de Melo

linux-3.10\include\uapi\linux\dcbnl.h(2): * Copyright (c) 2008-2011, Intel Corporation.

linux-3.10\include\uapi\linux\dlm.h(4): **Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\include\uapi\linux\dlm.h(5): **Copyright (C) 2004-2011 Red Hat, Inc.All rights reserved.

linux-3.10\include\uapi\linux\dlm.h(7): **This copyrighted material is made available to anyone wishing to use,

linux-3.10\include\uapi\linux\dlm_device.h(4): **Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\include\uapi\linux\dlm_device.h(5): **Copyright (C) 2004-2007 Red Hat, Inc.All rights reserved.

linux-3.10\include\uapi\linux\dlm_device.h(7): **This copyrighted material is made available to anyone wishing to use,

linux-3.10\include\uapi\linux\dlm_netlink.h(2): * Copyright (C) 2007 Red Hat,

legal(ME)

Inc.All rights reserved.

linux-3.10\include\uapi\linux\dlm_netlink.h(4): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\include\uapi\linux\dlm_plock.h(2): * Copyright (C) 2005-2008 Red Hat, Inc.All rights reserved.

linux-3.10\include\uapi\linux\dlm_plock.h(4): * This copyrighted material is made available to anyone wishing to use,

linux-3.10\include\uapi\linux\dlmconstants.h(4):**Copyright (C) Sistina Software, Inc.1997-2003All rights reserved.

linux-3.10\include\uapi\linux\dlmconstants.h(5):**Copyright (C) 2004-2007 Red Hat, Inc.All rights reserved.

linux-3.10\include\uapi\linux\dlmconstants.h(7):**This copyrighted material is made available to anyone wishing to use,

linux-3.10\include\uapi\linux\dm-ioctl.h(2): * Copyright (C) 2001 - 2003 Sistina Software (UK) Limited.

linux-3.10\include\uapi\linux\dm-ioctl.h(3): * Copyright (C) 2004 - 2009 Red Hat, Inc. All rights reserved.

linux-3.10\include\uapi\linux\dm-log-userspace.h(2): * Copyright (C) 2006-2009 Red Hat, Inc.

linux-3.10\include\uapi\linux\dqblk_xfs.h(2): * Copyright (c) 1995-2001,2004 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\include\uapi\linux\dvb\audio.h(4): * Copyright (C) 2000 RalphMetzler <ralph@convergence.de>

linux-3.10\include\uapi\linux\dvb\ca.h(4): * Copyright (C) 2000 RalphMetzler <ralph@convergence.de>

linux-3.10\include\uapi\linux\dvb\dmx.h(4): * Copyright (C) 2000 Marcus Metzler <marcus@convergence.de>

linux-3.10\include\uapi\linux\dvb\frontend.h(4): * Copyright (C) 2000 Marcus Metzler <marcus@convergence.de>

linux-3.10\include\uapi\linux\dvb\net.h(4): * Copyright (C) 2000 Marcus Metzler <marcus@convergence.de>

linux-3.10\include\uapi\linux\dvb\osd.h(4): * Copyright (C) 2001 RalphMetzler <ralph@convergence.de>

linux-3.10\include\uapi\linux\dvb\version.h(4): * Copyright (C) 2000 Holger Waechtler <holger@convergence.de>

linux-3.10\include\uapi\linux\dvb\video.h(4): * Copyright (C) 2000 Marcus Metzler <marcus@convergence.de>

linux-3.10\include\uapi\linux\edd.h(3): *Copyright (C) 2002, 2003, 2004 Dell Inc.

linux-3.10\include\uapi\linux\efs_fs_sb.h(4): * Copyright (c) 1999 Al Smith

linux-3.10\include\uapi\linux\elf-fdpic.h(3): * Copyright (C) 2003 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\uapi\linux\ethtool.h(10): * Portions Copyright (C) Sun Microsystems 2008

linux-3.10\include\uapi\linux\ethtool.h(4): * Copyright (C) 1998 David S. Miller (davem@redhat.com)

linux-3.10\include\uapi\linux\ethtool.h(5): * Copyright 2001 Jeff Garzik <jgarzik@pobox.com>

linux-3.10\include\uapi\linux\ethtool.h(6): * Portions Copyright 2001 Sun Microsystems (thockin@sun.com)

linux-3.10\include\uapi\linux\ethtool.h(7): * Portions Copyright 2002 Intel (eli.kupermann@intel.com,

linux-3.10\include\uapi\linux\eventpoll.h(3): *Copyright (C) 2001,...,2006 Davide

legal(ME)

Libenzi

linux-3.10\include\uapi\linux\fiemap.h(4): * Some portions copyright (C) 2007 Cluster File Systems, Inc
linux-3.10\include\uapi\linux\firewire-cdev.h(4): * Copyright (C) 2005-2007 Kristian Hoegsberg <krh@bitplanet.net>
linux-3.10\include\uapi\linux\firewire-constants.h(4): * Copyright (C) 2005-2007 Kristian Hoegsberg <krh@bitplanet.net>
linux-3.10\include\uapi\linux\flat.h(2): * Copyright (C) 2002-2003 David McCullough <davidm@snapgear.com>
linux-3.10\include\uapi\linux\flat.h(3): * Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>
linux-3.10\include\uapi\linux\fs1_hypervisor.h(4): * Copyright (C) 2008-2011 Freescale Semiconductor, Inc.
linux-3.10\include\uapi\linux\fuse.h(11): Copyright (C) 2001-2007 Miklos Szeredi. All rights reserved.
linux-3.10\include\uapi\linux\fuse.h(3): Copyright (C) 2001-2008 Miklos Szeredi <miklos@szeredi.hu>
linux-3.10\include\uapi\linux\gameport.h(2): * Copyright (c) 1999-2002 Vojtech Pavlik
linux-3.10\include\uapi\linux\gfs2_ondisk.h(2): * Copyright (C) Sistina Software, Inc. 1997-2003 All rights reserved.
linux-3.10\include\uapi\linux\gfs2_ondisk.h(3): * Copyright (C) 2004-2006 Red Hat, Inc. All rights reserved.
linux-3.10\include\uapi\linux\gfs2_ondisk.h(5): * This copyrighted material is made available to anyone wishing to use,
linux-3.10\include\uapi\linux\gigaset_dev.h(4): * Copyright (c) 2004 by Hansjoerg Lipp <hjlipp@web.de>
linux-3.10\include\uapi\linux\hdlc.h(4): * Copyright (C) 1999-2005 Krzysztof Halasa <khc@pm.waw.pl>
linux-3.10\include\uapi\linux\hid.h(2): * Copyright (c) 1999 Andreas Gal
linux-3.10\include\uapi\linux\hid.h(3): * Copyright (c) 2000-2001 Vojtech Pavlik
linux-3.10\include\uapi\linux\hid.h(4): * Copyright (c) 2006-2007 Jiri Kosina
linux-3.10\include\uapi\linux\hiddev.h(2): * Copyright (c) 1999-2000 Vojtech Pavlik
linux-3.10\include\uapi\linux\hidraw.h(2): * Copyright (c) 2007 Jiri Kosina
linux-3.10\include\uapi\linux\hsi\hsi_char.h(4): * Copyright (C) 2010 Nokia Corporation. All rights reserved.
linux-3.10\include\uapi\linux\hysdn_if.h(7): * Copyright 1999 by Werner Cornelius (werner@titro.de)
linux-3.10\include\uapi\linux\i2c.h(6): /* Copyright (C) 1995-2000 Simon G. Vogl
linux-3.10\include\uapi\linux\i2c-dev.h(4): Copyright (C) 1995-97 Simon G. Vogl
linux-3.10\include\uapi\linux\i2c-dev.h(5): Copyright (C) 1998-99 Frodo Looijaard <frodol@dds.nl>
linux-3.10\include\uapi\linux\i2o-dev.h(4): * (c) Copyright 1999, 2000 Red Hat Software
linux-3.10\include\uapi\linux\i8k.h(4): * Copyright (C) 2001 Massimo Dal Zotto <dz@debian.org>
linux-3.10\include\uapi\linux\if_addrlabel.h(4): * Copyright (C) 2007 USAGI/WIDE Project, All Rights Reserved.
linux-3.10\include\uapi\linux\if_alg.h(4): * Copyright (c) 2010 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\include\uapi\linux\if_bonding.h(5): * Portions are (c) Copyright 1995

legal(ME)

Simon "Guru Aleph-Null" Janes

linux-3.10\include\uapi\linux\if_bonding.h(9): * (c) Copyright 1999, Thomas Davis, tadavis@lbl.gov

linux-3.10\include\uapi\linux\if_cablemodem.h(5): *Copyright 1998 Franco Venturi

linux-3.10\include\uapi\linux\if_eq1.h(4): * (c) Copyright 1995 Simon "Guru Aleph-Null" Janes

linux-3.10\include\uapi\linux\if_infiniband.h(19): * Copyright (c) 2004 Topspin Communications. All rights reserved.

linux-3.10\include\uapi\linux\if_phonet.h(6): * Copyright (C) 2008 Nokia Corporation. All rights reserved.

linux-3.10\include\uapi\linux\if_team.h(3): * Copyright (c) 2011 Jiri Pirko <jpirko@redhat.com>

linux-3.10\include\uapi\linux\if_tun.h(3): *Copyright (C) 1999-2000 Maxim Krasnyansky <max_mk@yahoo.com>

linux-3.10\include\uapi\linux\inotify.h(4): * Copyright (C) 2005 John McCutchan

linux-3.10\include\uapi\linux\input.h(2): * Copyright (c) 1999-2002 Vojtech Pavlik

linux-3.10\include\uapi\linux\ipmi.h(10): * Copyright 2002 MontaVista Software Inc.

linux-3.10\include\uapi\linux\ipmi_msgdefs.h(10): * Copyright 2002 MontaVista Software Inc.

linux-3.10\include\uapi\linux\irda.h(12): * Copyright (c) 1999 Dag Brattli, All Rights Reserved.

linux-3.10\include\uapi\linux\isdn.h(5): * Copyright 1994,95,96 by Fritz Elfert (fritz@isdn4linux.de)

linux-3.10\include\uapi\linux\isdn.h(6): * Copyright 1995,96by Thinking Objects Software GmbH Wuerzburg

linux-3.10\include\uapi\linux\isdn.h(7): * Copyright 1995,96by Michael Hipp (Michael.Hipp@student.uni-tuebingen.de)

linux-3.10\include\uapi\linux\isdn_divertif.h(6): * Copyright by Werner Cornelius (werner@titro.de)

linux-3.10\include\uapi\linux\isdn_ppp.h(3): * Copyright 1994-1999by Fritz Elfert (fritz@isdn4linux.de)

linux-3.10\include\uapi\linux\isdn_ppp.h(4): * Copyright 1995,96Thinking Objects Software GmbH Wuerzburg

linux-3.10\include\uapi\linux\isdn_ppp.h(5): * Copyright 1995,96by Michael Hipp (Michael.Hipp@student.uni-tuebingen.de)

linux-3.10\include\uapi\linux\isdn_ppp.h(6): * Copyright 2000-2002by Kai Germaschewski (kai@germaschewski.name)

linux-3.10\include\uapi\linux\isdn\capicmd.h(5): * Copyright 1997 by Carsten Paeth <calle@calle.de>

linux-3.10\include\uapi\linux\isdnif.h(6): * Copyright 1994,95,96 by Fritz Elfert (fritz@isdn4linux.de)

linux-3.10\include\uapi\linux\isdnif.h(7): * Copyright 1995,96Thinking Objects Software GmbH Wuerzburg

linux-3.10\include\uapi\linux\ivtv.h(3):Copyright (C) 2003-2004Kevin Thayer <nufan_wfk at yahoo.com>

linux-3.10\include\uapi\linux\ivtv.h(4):Copyright (C) 2004-2007Hans Verkuil <hverkuil@xs4all.nl>

linux-3.10\include\uapi\linux\ivtvfb.h(4):Copyright (C) 2006, 2007Ian Armstrong <ian@iarmst.demon.co.uk>

linux-3.10\include\uapi\linux\ixjuser.h(13): *(c) Copyright 1999-2001Quicknet

legal(ME)

Technologies, Inc.

linux-3.10\include\uapi\linux\jffs2.h(4): * Copyright    2001-2007 Red Hat, Inc.

linux-3.10\include\uapi\linux\jffs2.h(5): * Copyright    2004-2010 David Woodhouse <dwmw2@infradead.org>

linux-3.10\include\uapi\linux\joystick.h(2): *Copyright (C) 1996-2000 Vojtech Pavlik

linux-3.10\include\uapi\linux\kernelcapi.h(6): * (c) Copyright 1997 by Carsten Paeth (calle@calle.in-berlin.de)

linux-3.10\include\uapi\linux\keyctl.h(3): * Copyright (C) 2004, 2008 Red Hat, Inc. All Rights Reserved.

linux-3.10\include\uapi\linux\llc.h(4): * Copyright (c) 2001 by Jay Schulist <jschlst@samba.org>

linux-3.10\include\uapi\linux\lp.h(3): * many modifications copyright (C) 1992 Michael K. Johnson

linux-3.10\include\uapi\linux\map_to_7segment.h(2): * Copyright (c) 2005 Henk Vergonet <Henk.Vergonet@gmail.com>

linux-3.10\include\uapi\linux\mdio.h(3): * Copyright 2006-2009 Solarflare Communications Inc.

linux-3.10\include\uapi\linux\media.h(4): * Copyright (C) 2010 Nokia Corporation

linux-3.10\include\uapi\linux\mei.h(10): * Copyright(c) 2003 - 2012 Intel Corporation. All rights reserved.

linux-3.10\include\uapi\linux\mei.h(36): * Copyright(c) 2003 - 2012 Intel Corporation. All rights reserved.

linux-3.10\include\uapi\linux\mempolicy.h(3): * Copyright 2003,2004 Andi Kleen SuSE Labs

linux-3.10\include\uapi\linux\meye.h(4): * Copyright (C) 2001-2003 Stelian Pop <stelian@popies.net>

linux-3.10\include\uapi\linux\meye.h(6): * Copyright (C) 2001-2002 Alc ve <www.alcove.com>

linux-3.10\include\uapi\linux\meye.h(8): * Copyright (C) 2000 Andrew Tridgell <tridge@valinux.com>

linux-3.10\include\uapi\linux\mii.h(5): * Copyright (C) 1996, 1999, 2001 David S. Miller (davem@redhat.com)

linux-3.10\include\uapi\linux\mmtimer.h(8): * Copyright (c) 2001-2004 Silicon Graphics, Inc. All rights reserved.

linux-3.10\include\uapi\linux\mqueue.h(1):/* Copyright (C) 2003 Krzysztof Benedyczak & Michal Wronski

linux-3.10\include\uapi\linux\n_r3964.h(4): * Copyright by

linux-3.10\include\uapi\linux\nbd.h(2): * 1999 Copyright (C) Pavel Machek, pavel@ucw.cz. This code is GPL.

linux-3.10\include\uapi\linux\nbd.h(3): * 1999/11/04 Copyright (C) 1999 VMware, Inc. (Regis "HPReg" Duchesne)

linux-3.10\include\uapi\linux\nbd.h(5): * 2001 Copyright (C) Steven Whitehouse

linux-3.10\include\uapi\linux\ncp.h(4): *Copyright (C) 1995 by Volker Lendecke

linux-3.10\include\uapi\linux\ncp_fs.h(4): *Copyright (C) 1995, 1996 by Volker Lendecke

linux-3.10\include\uapi\linux\ncp_mount.h(4): *Copyright (C) 1995, 1996 by Volker Lendecke

linux-3.10\include\uapi\linux\net_tstamp.h(4): * Copyright (C) 2008,2009 Intel Corporation

linux-3.10\include\uapi\linux\netfilter_bridge\ebtables.h(10): *Copyright (C) 1999 Paul 'Rusty' Russell & Michael J. Neuling

legal(ME)

linux-3.10\include\uapi\linux\netfilter\ipset\ip_set.h(1):/* Copyright (C)
2000-2002 Joakim Axelsson <gozem@linux.nu>
linux-3.10\include\uapi\linux\netfilter\ipset\ip_set.h(4): * Copyright (C)
2003-2011 Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\include\uapi\linux\netfilter\xt_IDLETIMER.h(6): * Copyright (C) 2004,
2010 Nokia Corporation
linux-3.10\include\uapi\linux\netfilter\xt_osf.h(2): * Copyright (c) 2003+
Evgeniy Polyakov <johnpol@2ka.mxt.ru>
linux-3.10\include\uapi\linux\nfc.h(2): * Copyright (C) 2011 Instituto Nokia de
Tecnologia
linux-3.10\include\uapi\linux\nfs_fs.h(4): *Copyright (C) 1992Rick Sladkey
linux-3.10\include\uapi\linux\nfs_idmap.h(6): *Copyright (c) 2002 The Regents of
the University of Michigan.
linux-3.10\include\uapi\linux\nfs_mount.h(7): *Copyright (C) 1992Rick Sladkey
linux-3.10\include\uapi\linux\nfs4.h(6): *Copyright (c) 2002 The Regents of the
University of Michigan.
linux-3.10\include\uapi\linux\nfs4_mount.h(7): *Copyright (C) 2002Trond Myklebust
linux-3.10\include\uapi\linux\nfsd\cld.h(4): * Copyright (c) 2012 Red Hat, Inc.
linux-3.10\include\uapi\linux\nfsd\debug.h(6): * Copyright (C) 1995 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\include\uapi\linux\nfsd\export.h(7): * Copyright (C) 1995-1997 Olaf
Kirch <okir@monad.swb.de>
linux-3.10\include\uapi\linux\nfsd\nfsfh.h(11): * Copyright (C) 1995, 1996, 1997
Olaf Kirch <okir@monad.swb.de>
linux-3.10\include\uapi\linux\nfsd\stats.h(6): * Copyright (C) 1995, 1996 Olaf
Kirch <okir@monad.swb.de>
linux-3.10\include\uapi\linux\nl80211.h(10): * Copyright 2008, 2009 Luis R.
Rodriguez <lrodriguez@atheros.com>
linux-3.10\include\uapi\linux\nl80211.h(11): * Copyright 2008 Jouni Malinen
<jouni.malinen@atheros.com>
linux-3.10\include\uapi\linux\nl80211.h(12): * Copyright 2008 Colin McCabe
<colin@cozybit.com>
linux-3.10\include\uapi\linux\nl80211.h(6): * Copyright 2006-2010 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\include\uapi\linux\nl80211.h(7): * Copyright 2008 Michael Wu
<flamingice@sourmilk.net>
linux-3.10\include\uapi\linux\nl80211.h(8): * Copyright 2008 Luis Carlos Cobo
<luisca@cozybit.com>
linux-3.10\include\uapi\linux\nl80211.h(9): * Copyright 2008 Michael Buesch
<m@bues.ch>
linux-3.10\include\uapi\linux\omap3isp.h(6): * Copyright (C) 2010 Nokia
Corporation
linux-3.10\include\uapi\linux\omap3isp.h(7): * Copyright (C) 2009 Texas
Instruments, Inc.
linux-3.10\include\uapi\linux\omapfb.h(6): * Copyright (C) 2004 Nokia Corporation
linux-3.10\include\uapi\linux\openvswitch.h(3): * Copyright (c) 2007-2011 Nicira
Networks.
linux-3.10\include\uapi\linux\patchkey.h(4): * Copyright (C) 2005 Stuart Brady
linux-3.10\include\uapi\linux\pci.h(5): *Copyright 1994, Drew Eckhardt
linux-3.10\include\uapi\linux\pci.h(6): *Copyright 1997--1999 Martin Mares
<mj@ucw.cz>
linux-3.10\include\uapi\linux\pci_regs.h(5): *Copyright 1994, Drew Eckhardt

legal(ME)

linux-3.10\include\uapi\linux\pci_regs.h(6): *Copyright 1997--1999 Martin Mares
<mj@ucw.cz>
linux-3.10\include\uapi\linux\perf_event.h(4): *Copyright (C) 2008-2009, Thomas
Gleixner <tglx@linutronix.de>
linux-3.10\include\uapi\linux\perf_event.h(5): *Copyright (C) 2008-2011, Red Hat,
Inc., Ingo Molnar
linux-3.10\include\uapi\linux\perf_event.h(6): *Copyright (C) 2008-2011, Red Hat,
Inc., Peter Zijlstra
linux-3.10\include\uapi\linux\phantom.h(2): *Copyright (C) 2005-2007 Jiri Slaby
<jirislaby@gmail.com>
linux-3.10\include\uapi\linux\phonet.h(6): * Copyright (C) 2008 Nokia
Corporation. All rights reserved.
linux-3.10\include\uapi\linux\pktcdvd.h(2): * Copyright (C) 2000 Jens Axboe
<axboe@suse.de>
linux-3.10\include\uapi\linux\pktcdvd.h(3): * Copyright (C) 2001-2004 Peter
Osterlund <petero2@telia.com>
linux-3.10\include\uapi\linux\pmu.h(6): * Copyright (C) 1998 Paul Mackerras.
linux-3.10\include\uapi\linux\ppdev.h(6): * Copyright (C) 1998-9 Tim Waugh
<tim@cyberelk.demon.co.uk>
linux-3.10\include\uapi\linux\ppp_defs.h(4): * Copyright 1994-2000 Paul
Mackerras.
linux-3.10\include\uapi\linux\ppp-comp.h(4): * Copyright 1994-1998 Paul
Mackerras.
linux-3.10\include\uapi\linux\ppp-ioctl.h(4): * Copyright 1999-2002 Paul
Mackerras.
linux-3.10\include\uapi\linux\pps.h(4): * Copyright (C) 2005-2009 Rodolfo
Giometti <giometti@linux.it>
linux-3.10\include\uapi\linux\ptp_clock.h(4): * Copyright (C) 2010 OMICRON
electronics GmbH
linux-3.10\include\uapi\linux\quota.h(2): * Copyright (c) 1982, 1986 Regents of
the University of California.
linux-3.10\include\uapi\linux\raid\md_p.h(3):Copyright (C) 1996-98 Ingo Molnar,
Gadi Oxman
linux-3.10\include\uapi\linux\raid\md_u.h(3):Copyright (C) 1998 Ingo Molnar
linux-3.10\include\uapi\linux\rds.h(2): * Copyright (c) 2008 Oracle.All rights
reserved.
linux-3.10\include\uapi\linux\reiserfs_fs.h(2): * Copyright 1996, 1997, 1998 Hans
Reiser, see reiserfs/README for licensing and copyright details
linux-3.10\include\uapi\linux\rfkill.h(2): * Copyright (C) 2006 - 2007 Ivo van
Doorn
linux-3.10\include\uapi\linux\rfkill.h(3): * Copyright (C) 2007 Dmitry Torokhov
linux-3.10\include\uapi\linux\rfkill.h(4): * Copyright 2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\include\uapi\linux\rtc.h(8): * Copyright (C) 1999 Hewlett-Packard Co.
linux-3.10\include\uapi\linux\rtc.h(9): * Copyright (C) 1999 Stephane Eranian
<eranian@hpl.hp.com>
linux-3.10\include\uapi\linux\sctp.h(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\include\uapi\linux\sctp.h(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\include\uapi\linux\sctp.h(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\include\uapi\linux\sctp.h(5): * Copyright (c) 2002 Intel Corp.
linux-3.10\include\uapi\linux\selinux_netlink.h(6): * Copyright (C) 2004 Red Hat,
Inc., James Morris <jmorris@redhat.com>

legal(ME)

linux-3.10\include\uapi\linux\serial.h(4): * Copyright (C) 1992 by Theodore Ts'o.
linux-3.10\include\uapi\linux\serial_core.h(4): *Copyright (C) 2000 Deep Blue Solutions Ltd.
linux-3.10\include\uapi\linux\serial_reg.h(4): * Copyright (C) 1992, 1994 by Theodore Ts'o.
linux-3.10\include\uapi\linux\serio.h(2): * Copyright (C) 1999-2002 Vojtech Pavlik
linux-3.10\include\uapi\linux\signalfd.h(4): *Copyright (C) 2007Davide Libenzi <davidel@xmailserver.org>
linux-3.10\include\uapi\linux\sonypi.h(10): * Copyright (C) 2001 Michael Ashley <m.ashley@unsw.edu.au>
linux-3.10\include\uapi\linux\sonypi.h(12): * Copyright (C) 2001 Junichi Morita <jun1m@mars.dti.ne.jp>
linux-3.10\include\uapi\linux\sonypi.h(14): * Copyright (C) 2000 Takaya Kinjo <t-kinjo@tc4.so-net.ne.jp>
linux-3.10\include\uapi\linux\sonypi.h(16): * Copyright (C) 2000 Andrew Tridgell <tridge@valinux.com>
linux-3.10\include\uapi\linux\sonypi.h(4): * Copyright (C) 2001-2005 Stelian Pop <stelian@popies.net>
linux-3.10\include\uapi\linux\sonypi.h(6): * Copyright (C) 2005 Narayanan R S <nars@kadamba.org>
linux-3.10\include\uapi\linux\sonypi.h(8): * Copyright (C) 2001-2002 Alcove <www.alcove.com>
linux-3.10\include\uapi\linux\soundcard.h(2): * Copyright by Hannu Savolainen 1993-1997
linux-3.10\include\uapi\linux\spi\spidev.h(4): * Copyright (C) 2006 SWAPP
linux-3.10\include\uapi\linux\sunrpc\debug.h(6): * Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de>
linux-3.10\include\uapi\linux\synclink.h(6): * Copyright (C) 1998-2000 by Microgate Corporation
linux-3.10\include\uapi\linux\taskstats.h(3): * Copyright (C) Shailabh Nagar, IBM Corp. 2006
linux-3.10\include\uapi\linux\tc_act\tc_skbedit.h(2): * Copyright (c) 2008, Intel Corporation.
linux-3.10\include\uapi\linux\telephony.h(7): *(c) Copyright 1999-2001 Quicknet Technologies, Inc.
linux-3.10\include\uapi\linux\timex.h(3): * Copyright (c) David L. Mills 1993 *
linux-3.10\include\uapi\linux\tipc.h(4): * Copyright (c) 2003-2006, Ericsson AB
linux-3.10\include\uapi\linux\tipc.h(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\include\uapi\linux\tipc_config.h(4): * Copyright (c) 2003-2006, Ericsson AB
linux-3.10\include\uapi\linux\tipc_config.h(5): * Copyright (c) 2005-2007, 2010-2011, Wind River Systems
linux-3.10\include\uapi\linux\toshiba.h(3): * Copyright (c) 1996-2000Jonathan A. Buzzard (jonathan@buzzard.org.uk)
linux-3.10\include\uapi\linux\udf_fs_i.h(6): * COPYRIGHT
linux-3.10\include\uapi\linux\uhid.h(6): * Copyright (c) 2012 David Herrmann
linux-3.10\include\uapi\linux\ultrasound.h(9): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\include\uapi\linux\usb\audio.h(4): * Copyright (C) 2006 Thumtronics Pty Ltd.

legal(ME)

linux-3.10\include\uapi\linux\usb\g_printer.h(4): * Copyright (C) 2007 Craig W. Nadler
linux-3.10\include\uapi\linux\usb\midi.h(4): * Copyright (C) 2006 Thumtronics Pty Ltd.
linux-3.10\include\uapi\linux\usb\tmc.h(2): * Copyright (C) 2007 Stefan Kopp, Gechingen, Germany
linux-3.10\include\uapi\linux\usb\tmc.h(3): * Copyright (C) 2008 Novell, Inc.
linux-3.10\include\uapi\linux\usb\tmc.h(4): * Copyright (C) 2008 Greg Kroah-Hartman <gregkh@suse.de>
linux-3.10\include\uapi\linux\usb\video.h(4): * Copyright (C) 2009 Laurent Pinchart <laurent.pinchart@skynet.be>
linux-3.10\include\uapi\linux\usbdevice_fs.h(6): *Copyright (C) 2000
linux-3.10\include\uapi\linux\uuid.h(4): * Copyright (C) 2010, Intel Corp.
linux-3.10\include\uapi\linux\v4l2-common.h(10): * Copyright (C) 2012 Nokia Corporation
linux-3.10\include\uapi\linux\v4l2-controls.h(4): *Copyright (C) 1999-2012 the contributors
linux-3.10\include\uapi\linux\v4l2-dv-timings.h(4): * Copyright (C) 2012Hans Verkuil <hans.verkuil@cisco.com>
linux-3.10\include\uapi\linux\v4l2-mediabus.h(4): * Copyright (C) 2009, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\uapi\linux\v4l2-subdev.h(4): * Copyright (C) 2010 Nokia Corporation
linux-3.10\include\uapi\linux\vfio.h(4): * Copyright (C) 2012 Red Hat, Inc.All rights reserved.
linux-3.10\include\uapi\linux\videodev2.h(4): *Copyright (C) 1999-2012 the contributors
linux-3.10\include\uapi\linux\virtio_console.h(29): * Copyright (C) Red Hat, Inc., 2009, 2010, 2011
linux-3.10\include\uapi\linux\virtio_console.h(30): * Copyright (C) Amit Shah <amit.shah@redhat.com>, 2009, 2010, 2011
linux-3.10\include\uapi\linux\virtio_pci.h(7): * Copyright IBM Corp. 2007
linux-3.10\include\uapi\linux\virtio_ring.h(33): * Copyright Rusty Russell IBM Corporation 2007. */
linux-3.10\include\uapi\linux\vm_sockets.h(4): * Copyright (C) 2007-2013 VMware, Inc. All rights reserved.
linux-3.10\include\uapi\linux\wimax.h(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\include\uapi\linux\wimax\i2400m.h(6): * Copyright (C) 2007-2008 Intel Corporation. All rights reserved.
linux-3.10\include\uapi\linux\wireless.h(7): * Copyright (c) 1997-2007 Jean Tourrilhes, All Rights Reserved.
linux-3.10\include\uapi\linux\xattr.h(6):Copyright (C) 2001 by Andreas Gruenbacher <a.gruenbacher@computer.org>
linux-3.10\include\uapi\linux\xattr.h(7):Copyright (c) 2001-2002 Silicon Graphics, Inc.All Rights Reserved.
linux-3.10\include\uapi\linux\xattr.h(8):Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com>
linux-3.10\include\uapi\mtd\mtd-abi.h(2): * Copyright ㄣ 1999-2010 David Woodhouse <dwmw2@infradead.org> et al.
linux-3.10\include\uapi\mtd\mtd-user.h(2): * Copyright ㄣ 1999-2010 David Woodhouse <dwmw2@infradead.org>

legal(ME)

linux-3.10\include\uapi\mtd\nftl-user.h(2): * Copyright ㄣ 1999-2010 David Woodhouse <dwmw2@infradead.org>
linux-3.10\include\uapi\mtd\ubi-user.h(2): * Copyright ㄣ International Business Machines Corp., 2006
linux-3.10\include\uapi\rdma\ib_user_cm.h(2): * Copyright (c) 2005 Topspin Communications.All rights reserved.
linux-3.10\include\uapi\rdma\ib_user_cm.h(3): * Copyright (c) 2005 Intel Corporation.All rights reserved.
linux-3.10\include\uapi\rdma\ib_user_mad.h(2): * Copyright (c) 2004 Topspin Communications.All rights reserved.
linux-3.10\include\uapi\rdma\ib_user_mad.h(3): * Copyright (c) 2005 Voltaire, Inc. All rights reserved.
linux-3.10\include\uapi\rdma\ib_user_sa.h(2): * Copyright (c) 2005 Intel Corporation.All rights reserved.
linux-3.10\include\uapi\rdma\ib_user_verbs.h(2): * Copyright (c) 2005 Topspin Communications.All rights reserved.
linux-3.10\include\uapi\rdma\ib_user_verbs.h(3): * Copyright (c) 2005, 2006 Cisco Systems.All rights reserved.
linux-3.10\include\uapi\rdma\ib_user_verbs.h(4): * Copyright (c) 2005 PathScale, Inc.All rights reserved.
linux-3.10\include\uapi\rdma\ib_user_verbs.h(5): * Copyright (c) 2006 Mellanox Technologies.All rights reserved.
linux-3.10\include\uapi\rdma\rdma_user_cm.h(2): * Copyright (c) 2005-2006 Intel Corporation.All rights reserved.
linux-3.10\include\uapi\scsi\fc\fc_els.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.
linux-3.10\include\uapi\scsi\fc\fc_fs.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.
linux-3.10\include\uapi\scsi\fc\fc_gs.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.
linux-3.10\include\uapi\scsi\fc\fc_ns.h(2): * Copyright(c) 2007 Intel Corporation. All rights reserved.
linux-3.10\include\uapi\scsi\scsi_bsg_fc.h(4): *Copyright (C) 2008 James Smart, Emulex Corporation
linux-3.10\include\uapi\scsi\scsi_netlink.h(5): *Copyright (C) 2006 James Smart, Emulex Corporation
linux-3.10\include\uapi\scsi\scsi_netlink_fc.h(4): *Copyright (C) 2006 James Smart, Emulex Corporation
linux-3.10\include\uapi\sound\asequencer.h(3): *Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\include\uapi\sound\asound.h(3): *Copyright (c) 1994-2003 by Jaroslav Kysela <perex@perex.cz>,
linux-3.10\include\uapi\sound\asound_fm.h(8): *Copyright (c) 1994-98 by Jaroslav Kysela <perex@perex.cz>,
linux-3.10\include\uapi\sound\compress_offload.h(4): *Copyright (C) 2011 Intel Corporation
linux-3.10\include\uapi\sound\compress_params.h(29): * Copyright (c) 2007-2010 The Khronos Group Inc.
linux-3.10\include\uapi\sound\compress_params.h(5): *Copyright (C) 2011 Intel Corporation
linux-3.10\include\uapi\sound\emu10k1.h(2): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>,

legal(ME)

linux-3.10\include\uapi\sound\hdsp.h(5): * Copyright (C) 2003 Thomas Charbonnel
(thomas@undata.org)
linux-3.10\include\uapi\sound\hdspm.h(4): * Copyright (C) 2003 Winfried Ritsch
(IEM)
linux-3.10\include\uapi\sound\sb16_csp.h(2): *Copyright (c) 1999 by Uros Bizjak
<uros@kss-loka.si>
linux-3.10\include\uapi\sound\sfnt_info.h(7): *Copyright (C) 1999-2000 Takashi
Iwai
linux-3.10\include\uapi\video\sisfb.h(4): * Copyright (C) 2001-2005 by Thomas
Winischhofer, Vienna, Austria.
linux-3.10\include\uapi\xen\evtchn.h(6): * Copyright (c) 2003-2005, K A Fraser
linux-3.10\include\uapi\xen\privcmd.h(6): * Copyright (c) 2003-2005, K A Fraser
linux-3.10\include\video\atmel_ldc.h(6): *Copyright (C) 2007 Atmel Corporation
linux-3.10\include\video\auo_k190xfb.h(4): * Copyright (C) 2012 Heiko Stuebner
<heiko@sntech.de>
linux-3.10\include\video\broadsheetfb.h(4): * Copyright (C) 2008 by Jaya Kumar
linux-3.10\include\video\cirrus.h(10): *Copyright (C) 1996 Frank Neumann
linux-3.10\include\video\cirrus.h(4): * Copyright 1999 Jeff Garzik
<jgarzik@pobox.com>
linux-3.10\include\video\cirrus.h(9): *Copyright (C) 1997 Jes Sorensen
linux-3.10\include\video\cvisionppc.h(5): * Copyright (c) 1998-1999 Ilario
Nardinocchi (nardinoc@CS.UniBO.IT)
linux-3.10\include\video\da8xx-fb.h(4): * Copyright (C) 2008-2009 MontaVista
Software Inc.
linux-3.10\include\video\da8xx-fb.h(5): * Copyright (C) 2008-2009 Texas
Instruments Inc
linux-3.10\include\video\display_timing.h(2): * Copyright 2012 Steffen Trumtrar
<s.trumtrar@pengutronix.de>
linux-3.10\include\video\exynos_dp.h(4): * Copyright (C) 2012 Samsung Electronics
Co., Ltd.
linux-3.10\include\video\exynos_mipi_dsim.h(5): * Copyright (c) 2012 Samsung
Electronics Co., Ltd
linux-3.10\include\video\gbe.h(4): * Copyright (C) 1999 Silicon Graphics, Inc.
(Jeffrey Newquist)
linux-3.10\include\video\hecubafb.h(4): * Copyright (C) 2008 by Jaya Kumar
linux-3.10\include\video\ili9320.h(5): * Copyright 2007 Simtec Electronics
linux-3.10\include\video\kyro.h(4): *Copyright (C) 2002 STMicroelectronics
linux-3.10\include\video\kyro.h(5): *Copyright (C) 2004 Paul Mundt
linux-3.10\include\video\mach64.h(4): * Copyright (C) 1997 Michael AK Tesch
linux-3.10\include\video\maxinefb.h(4): *DECstation 5000/xx onboard framebuffer
support, Copyright (C) 1999 by
linux-3.10\include\video\metronomefb.h(4): * Copyright (C) 2008 by Jaya Kumar
linux-3.10\include\video\mipi_display.h(5): * Copyright (C) 2010 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\video\mipi_display.h(6): * Copyright (C) 2006 Nokia
Corporation
linux-3.10\include\video\mmp_disp.h(5): * Copyright (C) 2012 Marvell Technology
Group Ltd.
linux-3.10\include\video\neomagic.h(4): * Copyright (c) 2001Denis Oliver Kropp
<dok@convergence.de>
linux-3.10\include\video\newport.h(6): * Copyright (C) 1996 David S. Miller
(davem@davemloft.net)

legal(ME)

linux-3.10\include\video\of_display_timing.h(2): * Copyright 2012 Steffen Trumtrar <s.trumtrar@pengutronix.de>
linux-3.10\include\video\of_videomode.h(2): * Copyright 2012 Steffen Trumtrar <s.trumtrar@pengutronix.de>
linux-3.10\include\video\omapdss.h(2): * Copyright (C) 2008 Nokia Corporation
linux-3.10\include\video\omap-panel-data.h(11): * Copyright (C) 2010 Canonical Ltd.
linux-3.10\include\video\omap-panel-data.h(4): * Copyright (C) 2013 Texas Instruments
linux-3.10\include\video\omap-panel-data.h(8): * Copyright (C) 2011 Texas Instruments
linux-3.10\include\video\omapvrfb.h(4): * Copyright (C) 2009 Nokia Corporation
linux-3.10\include\video\permedia2.h(3): * Copyright (c) 1998-2000 Ilario Nardinocchi (nardinoc@CS.UniBO.IT)
linux-3.10\include\video\platform_lcd.h(3): * Copyright 2008 Simtec Electronics
linux-3.10\include\video\pm3fb.h(4): *Copyright (C) 2001 Romain Dolbeau <dolbeau@irisa.fr>
linux-3.10\include\video\pm3fb.h(5): *Copyright (C) 2001 Sven Luther, <luther@dpt-info.u-strasbg.fr>
linux-3.10\include\video\pmag-ba-fb.h(5): *Copyright (C) 1999, 2000, 2001 by
linux-3.10\include\video\pmag-ba-fb.h(8): *Copyright (c) 2005Maciej W. Rozycki
linux-3.10\include\video\pmagb-b-fb.h(5): *Copyright (C) 1999, 2000, 2001 by
linux-3.10\include\video\pmagb-b-fb.h(8): *Copyright (c) 2005Maciej W. Rozycki
linux-3.10\include\video\pxa168fb.h(4): *Copyright (C) 2009 Marvell International Ltd.
linux-3.10\include\video\sa1100fb.h(4): * Copyright (C) 1999 Eric A. Thomas
linux-3.10\include\video\sa1100fb.h(5): *Based on acornfb.c Copyright (C) Russell King.
linux-3.10\include\video\samsung_fimd.h(3): * Copyright 2008 Openmoko, Inc.
linux-3.10\include\video\samsung_fimd.h(4): * Copyright 2008 Simtec Electronics
linux-3.10\include\video\sgivw.h(4): *Copyright (C) 1999 Silicon Graphics, Inc.
linux-3.10\include\video\sh_mipi_dsi.h(4): * Copyright (C) 2010 Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\video\sh_mobile_hdmi.h(4): * Copyright (C) 2010, Guennadi Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\include\video\sisfb.h(4): * Copyright (C) 2001-2005 by Thomas Winischhofer, Vienna, Austria.
linux-3.10\include\video\sstfb.h(4): * Copyright (c) 2000,2001 Ghoulane Toumi <gtoumi@messel.emse.fr>
linux-3.10\include\video\tgafb.h(4): *Copyright (C) 1999,2000 Martin Lucina, Tom Zerucha
linux-3.10\include\video\vga.h(27): unmodified copyright notice for that code is below. */
linux-3.10\include\video\vga.h(34):/* Multi-chipset support Copyright 1993 Harm Hanemaayer */
linux-3.10\include\video\vga.h(35):/* partially copyrighted (C) 1993 by Hartmut Schirmer */
linux-3.10\include\video\vga.h(4): * Copyright 1999 Jeff Garzik <jgarzik@pobox.com>
linux-3.10\include\video\vga.h(6): * Copyright history from vga16fb.c:
linux-3.10\include\video\vga.h(7): *Copyright 1999 Ben Pfaff and Petr Vandrovec
linux-3.10\include\video\videomode.h(2): * Copyright 2012 Steffen Trumtrar

legal(ME)

<s.trumtrar@pengutronix.de>

linux-3.10\include\video\w100fb.h(4): *Copyright (c) 2004-2005 Richard Purdie

linux-3.10\include\video\w100fb.h(5): *Copyright (c) 2005 Ian Molton

linux-3.10\include\xen\acpi.h(5): * Copyright (c) 2011 Konrad Rzeszutek Wilk
<konrad.wilk@oracle.com>

linux-3.10\include\xen\acpi.h(6): * Copyright (c) 2011 Yu Ke <ke.yu@intel.com>

linux-3.10\include\xen\features.h(6): * Copyright (c) 2006, Ian Campbell

linux-3.10\include\xen\gntdev.h(6): * Copyright (c) 2007, D G Murray

linux-3.10\include\xen\grant_table.h(10): * Copyright (c) 2005, Christopher Clark

linux-3.10\include\xen\grant_table.h(9): * Copyright (c) 2004-2005, K A Fraser

linux-3.10\include\xen\interface\callback.h(24): * Copyright (c) 2006, Ian
Campbell

linux-3.10\include\xen\interface\elfnote.h(6): * Copyright (c) 2006, Ian
Campbell, XenSource Ltd.

linux-3.10\include\xen\interface\event_channel.h(6): * Copyright (c) 2003-2004, K
A Fraser.

linux-3.10\include\xen\interface\features.h(6): * Copyright (c) 2006, Keir Fraser
<keir@xensource.com>

linux-3.10\include\xen\interface\grant_table.h(25): * Copyright (c) 2004, K A
Fraser

linux-3.10\include\xen\interface\io\blkif.h(6): * Copyright (c) 2003-2004, Keir
Fraser

linux-3.10\include\xen\interface\io\console.h(6): * Copyright (c) 2005, Keir
Fraser

linux-3.10\include\xen\interface\io\fbif.h(22): * Copyright (C) 2005 Anthony
Liguori <aliguori@us.ibm.com>

linux-3.10\include\xen\interface\io\fbif.h(23): * Copyright (C) 2006 Red Hat,
Inc., Markus Armbruster <armbru@redhat.com>

linux-3.10\include\xen\interface\io\kbdif.h(22): * Copyright (C) 2005 Anthony
Liguori <aliguori@us.ibm.com>

linux-3.10\include\xen\interface\io\kbdif.h(23): * Copyright (C) 2006 Red Hat,
Inc., Markus Armbruster <armbru@redhat.com>

linux-3.10\include\xen\interface\io\netif.h(6): * Copyright (c) 2003-2004, Keir
Fraser

linux-3.10\include\xen\interface\io\xenbus.h(6): * Copyright (C) 2005 XenSource
Ltd.

linux-3.10\include\xen\interface\io\xs_wire.h(4): * Copyright (C) 2005 Rusty
Russell IBM Corporation

linux-3.10\include\xen\interface\memory.h(6): * Copyright (c) 2005, Keir Fraser
<keir@xensource.com>

linux-3.10\include\xen\interface\platform.h(24): * Copyright (c) 2002-2006, K
Fraser

linux-3.10\include\xen\interface\sched.h(6): * Copyright (c) 2005, Keir Fraser
<keir@xensource.com>

linux-3.10\include\xen\interface\vcpu.h(24): * Copyright (c) 2005, Keir Fraser
<keir@xensource.com>

linux-3.10\include\xen\interface\version.h(6): * Copyright (c) 2005, Nguyen Anh
Quynh <aquynh@gmail.com>

linux-3.10\include\xen\interface\version.h(7): * Copyright (c) 2005, Keir Fraser
<keir@xensource.com>

linux-3.10\include\xen\interface\xen.h(6): * Copyright (c) 2004, K A Fraser

linux-3.10\include\xen\interface\xencomm.h(20): * Copyright (C) IBM Corp. 2006

legal(ME)

linux-3.10\include\xen\xenbus.h(6): * Copyright (C) 2005 Rusty Russell, IBM Corporation
linux-3.10\include\xen\xenbus.h(7): * Copyright (C) 2005 XenSource Ltd.
linux-3.10\include\xen\xenbus_dev.h(6): * Copyright (c) 2011 Bastian Blank <waldi@debian.org>
linux-3.10\include\xen\xencomm.h(16): * Copyright (C) IBM Corp. 2006
linux-3.10\init\calibrate.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\init\main.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\init\noinitramfs.c(4): * Copyright (C) 2006, NXP Semiconductors, All Rights Reserved
linux-3.10\init\version.c(4): *Copyright (C) 1992Theodore Ts'o
linux-3.10\ipc\compat.c(10): * Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com>
linux-3.10\ipc\compat.c(11): * Copyright (C) 2000 Gerhard Tonn (ton@de.ibm.com)
linux-3.10\ipc\compat.c(12): * Copyright (C) 2000-2002Andi Kleen, SuSE Labs (x86-64 port)
linux-3.10\ipc\compat.c(13): * Copyright (C) 2000Silicon Graphics, Inc.
linux-3.10\ipc\compat.c(14): * Copyright (C) 2001IBM
linux-3.10\ipc\compat.c(15): * Copyright (C) 2004IBM Deutschland Entwicklung GmbH, IBM Corporation
linux-3.10\ipc\compat.c(16): * Copyright (C) 2004Arnd Bergmann (arnd@arndb.de)
linux-3.10\ipc\compat.c(4): * Copyright (C) 1997,1998Jakub Jelinek (jj@sunsite.mff.cuni.cz)
linux-3.10\ipc\compat.c(5): * Copyright (C) 1997David S. Miller (davem@caip.rutgers.edu)
linux-3.10\ipc\compat.c(6): * Copyright (C) 1999Arun Sharma <arun.sharma@intel.com>
linux-3.10\ipc\compat.c(7): * Copyright (C) 2000VA Linux Co
linux-3.10\ipc\compat.c(8): * Copyright (C) 2000Don Dugger <n0ano@valinux.com>
linux-3.10\ipc\compat.c(9): * Copyright (C) 2000 Hewlett-Packard Co.
linux-3.10\ipc\compat_mq.c(5): *Copyright (C) 2004 IBM Deutschland Entwicklung GmbH, IBM Corporation
linux-3.10\ipc\ipc_sysctl.c(2): *Copyright (C) 2007
linux-3.10\ipc\ipcns_notifier.c(3): * Copyright (C) 2007 BULL SA. Nadia Derby
linux-3.10\ipc\mq_sysctl.c(2): *Copyright (C) 2007 IBM Corporation
linux-3.10\ipc\mqqueue.c(4): * Copyright (C) 2003,2004Krzysztof Benedyczak(golbi@mat.uni.torun.pl)
linux-3.10\ipc\msg.c(3): * Copyright (C) 1992 Krishna Balasubramanian
linux-3.10\ipc\msg.c(9): * Copyright (C) 1998 Alan Cox & Andi Kleen
linux-3.10\ipc\msgutil.c(3): * Copyright (C) 1999, 2004 Manfred Spraul
linux-3.10\ipc\namespace.c(3): * Copyright (C) 2006 Pavel Emelyanov <xemul@openvz.org> OpenVZ, SWsoft Inc.
linux-3.10\ipc\sem.c(3): * Copyright (C) 1992 Krishna Balasubramanian
linux-3.10\ipc\sem.c(4): * Copyright (C) 1995 Eric Schenk, Bruno Haible
linux-3.10\ipc\shm.c(3): * Copyright (C) 1992, 1993 Krishna Balasubramanian
linux-3.10\ipc\util.c(3): * Copyright (C) 1992 Krishna Balasubramanian
linux-3.10\ipc\util.h(3): * Copyright (C) 1999 Christoph Rohland
linux-3.10\kernel\acct.c(17): * (C) Copyright 1995 - 1997 Marco van Wieringen - ELM Consultancy B.V.
linux-3.10\kernel\async.c(4): * (C) Copyright 2009 Intel Corporation
linux-3.10\kernel\audit.c(5): * Copyright 2003-2007 Red Hat Inc., Durham, North Carolina.

legal(ME)

linux-3.10\kernel\audit.h(3): * Copyright 2003-2004 Red Hat, Inc.
linux-3.10\kernel\audit.h(4): * Copyright 2005 Hewlett-Packard Development Company, L.P.
linux-3.10\kernel\audit.h(5): * Copyright 2005 IBM Corporation
linux-3.10\kernel\audit_watch.c(3): * Copyright 2003-2009 Red Hat, Inc.
linux-3.10\kernel\audit_watch.c(4): * Copyright 2005 Hewlett-Packard Development Company, L.P.
linux-3.10\kernel\audit_watch.c(5): * Copyright 2005 IBM Corporation
linux-3.10\kernel\auditfilter.c(3): * Copyright 2003-2004 Red Hat, Inc.
linux-3.10\kernel\auditfilter.c(4): * Copyright 2005 Hewlett-Packard Development Company, L.P.
linux-3.10\kernel\auditfilter.c(5): * Copyright 2005 IBM Corporation
linux-3.10\kernel\auditsc.c(30): * okir@suse.de and Copyright 2003 SuSE Linux AG.
linux-3.10\kernel\auditsc.c(4): * Copyright 2003-2004 Red Hat Inc., Durham, North Carolina.
linux-3.10\kernel\auditsc.c(5): * Copyright 2005 Hewlett-Packard Development Company, L.P.
linux-3.10\kernel\auditsc.c(6): * Copyright (C) 2005, 2006 IBM Corporation
linux-3.10\kernel\backtracetest.c(4): * (C) Copyright 2008 Intel Corporation
linux-3.10\kernel\capability.c(4): * Copyright (C) 1997Andrew Main
<zefram@fysh.org>
linux-3.10\kernel\cgroup.c(11): *Copyright notices from the original cpuset code:
linux-3.10\kernel\cgroup.c(13): *Copyright (C) 2003 BULL SA.
linux-3.10\kernel\cgroup.c(14): *Copyright (C) 2004-2006 Silicon Graphics, Inc.
linux-3.10\kernel\cgroup.c(17): *sysfs is Copyright (c) 2001-3 Patrick Mochel
linux-3.10\kernel\cgroup.c(5): *Copyright (C) 2006 Google, Inc
linux-3.10\kernel\cgroup.c(8): *Copyright (C) 2009 Nokia Corporation
linux-3.10\kernel\cgroup_freezer.c(4): * Copyright IBM Corporation, 2007
linux-3.10\kernel\compat.c(7): *Copyright (C) 2002-2003 Stephen Rothwell, IBM Corporation
linux-3.10\kernel\configs.c(5): * Copyright (C) 2002 Khalid Aziz
<khalid_aziz@hp.com>
linux-3.10\kernel\configs.c(6): * Copyright (C) 2002 Randy Dunlap
<rdunlap@xenotime.net>
linux-3.10\kernel\configs.c(7): * Copyright (C) 2002 Al Stone <ahs3@fc.hp.com>
linux-3.10\kernel\configs.c(8): * Copyright (C) 2002 Hewlett-Packard Company
linux-3.10\kernel\context_tracking.c(10): * Copyright (C) 2012 Red Hat, Inc., Frederic Weisbecker <fweisbec@redhat.com>
linux-3.10\kernel\cpu_pm.c(2): * Copyright (C) 2011 Google, Inc.
linux-3.10\kernel\cpuset.c(11): *sysfs is Copyright (c) 2001-3 Patrick Mochel
linux-3.10\kernel\cpuset.c(6): *Copyright (C) 2003 BULL SA.
linux-3.10\kernel\cpuset.c(7): *Copyright (C) 2004-2007 Silicon Graphics, Inc.
linux-3.10\kernel\cpuset.c(8): *Copyright (C) 2006 Google, Inc
linux-3.10\kernel\cred.c(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\kernel\debug\debug_core.c(10): * Copyright (C) 2004-2006 Tom Rini
<trini@kernel.crashing.org>
linux-3.10\kernel\debug\debug_core.c(11): * Copyright (C) 2004-2006 LinSysSoft Technologies Pvt. Ltd.
linux-3.10\kernel\debug\debug_core.c(12): * Copyright (C) 2005-2009 Wind River Systems, Inc.
linux-3.10\kernel\debug\debug_core.c(13): * Copyright (C) 2007 MontaVista

legal(ME)

Software, Inc.

linux-3.10\kernel\debug\debug_core.c(14): * Copyright (C) 2008 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>

linux-3.10\kernel\debug\debug_core.c(6): * Copyright (C) 2000-2001 VERITAS Software Corporation.

linux-3.10\kernel\debug\debug_core.c(7): * Copyright (C) 2002-2004 Timesys Corporation

linux-3.10\kernel\debug\debug_core.c(8): * Copyright (C) 2003-2004 Amit S. Kale <amitkale@linsyssoft.com>

linux-3.10\kernel\debug\debug_core.c(9): * Copyright (C) 2004 Pavel Machek <pavel@ucw.cz>

linux-3.10\kernel\debug\debug_core.h(4): * Copyright (c) 2009 Wind River Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\gdbstub.c(10): * Copyright (C) 2004-2006 Tom Rini <trini@kernel.crashing.org>

linux-3.10\kernel\debug\gdbstub.c(11): * Copyright (C) 2004-2006 LinSysSoft Technologies Pvt. Ltd.

linux-3.10\kernel\debug\gdbstub.c(12): * Copyright (C) 2005-2009 Wind River Systems, Inc.

linux-3.10\kernel\debug\gdbstub.c(13): * Copyright (C) 2007 MontaVista Software, Inc.

linux-3.10\kernel\debug\gdbstub.c(14): * Copyright (C) 2008 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>

linux-3.10\kernel\debug\gdbstub.c(6): * Copyright (C) 2000-2001 VERITAS Software Corporation.

linux-3.10\kernel\debug\gdbstub.c(7): * Copyright (C) 2002-2004 Timesys Corporation

linux-3.10\kernel\debug\gdbstub.c(8): * Copyright (C) 2003-2004 Amit S. Kale <amitkale@linsyssoft.com>

linux-3.10\kernel\debug\gdbstub.c(9): * Copyright (C) 2004 Pavel Machek <pavel@ucw.cz>

linux-3.10\kernel\debug\kdb\kdb_bp.c(8): * Copyright (c) 1999-2004 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_bp.c(9): * Copyright (c) 2009 Wind River Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_bt.c(8): * Copyright (c) 1999-2004 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_bt.c(9): * Copyright (c) 2009 Wind River Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_debugger.c(4): * Copyright (c) 2009 Wind River Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_io.c(8): * Copyright (c) 1999-2006 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_io.c(9): * Copyright (c) 2009 Wind River Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_keyboard.c(7): * Copyright (c) 1999-2006 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_keyboard.c(8): * Copyright (c) 2009 Wind River Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_main.c(10): * Xscale (R) modifications copyright (C) 2003 Intel Corporation.

linux-3.10\kernel\debug\kdb\kdb_main.c(11): * Copyright (c) 2009 Wind River

legal(ME)

Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_main.c(8): * Copyright (C) 1999-2004 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_main.c(9): * Copyright (C) 2000 Stephane Eranian <eranian@hpl.hp.com>

linux-3.10\kernel\debug\kdb\kdb_private.h(11): * Copyright (c) 2000-2004 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_private.h(12): * Copyright (c) 2009 Wind River Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_support.c(8): * Copyright (c) 1999-2004 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\kdb_support.c(9): * Copyright (c) 2009 Wind River Systems, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\Makefile(5):# Copyright (c) 1999-2004 Silicon Graphics, Inc.All Rights Reserved.

linux-3.10\kernel\debug\kdb\Makefile(6):# Copyright (c) 2009 Wind River Systems, Inc. All Rights Reserved.

linux-3.10\kernel\delayacct.c(3): * Copyright (C) Shailabh Nagar, IBM Corp. 2006

linux-3.10\kernel\events\callchain.c(4): *Copyright (C) 2008 Thomas Gleixner <tglx@linutronix.de>

linux-3.10\kernel\events\callchain.c(5): *Copyright (C) 2008-2011 Red Hat, Inc., Ingo Molnar

linux-3.10\kernel\events\callchain.c(6): *Copyright (C) 2008-2011 Red Hat, Inc., Peter Zijlstra <pziylstr@redhat.com>

linux-3.10\kernel\events\callchain.c(7): *Copyright 2009 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\kernel\events\core.c(4): *Copyright (C) 2008 Thomas Gleixner <tglx@linutronix.de>

linux-3.10\kernel\events\core.c(5): *Copyright (C) 2008-2011 Red Hat, Inc., Ingo Molnar

linux-3.10\kernel\events\core.c(6): *Copyright (C) 2008-2011 Red Hat, Inc., Peter Zijlstra <pziylstr@redhat.com>

linux-3.10\kernel\events\core.c(7): *Copyright 2009 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\kernel\events\hw_breakpoint.c(16): * Copyright (C) 2007 Alan Stern

linux-3.10\kernel\events\hw_breakpoint.c(17): * Copyright (C) IBM Corporation, 2009

linux-3.10\kernel\events\hw_breakpoint.c(18): * Copyright (C) 2009, Frederic Weisbecker <fweisbec@gmail.com>

linux-3.10\kernel\events\ring_buffer.c(4): *Copyright (C) 2008 Thomas Gleixner <tglx@linutronix.de>

linux-3.10\kernel\events\ring_buffer.c(5): *Copyright (C) 2008-2011 Red Hat, Inc., Ingo Molnar

linux-3.10\kernel\events\ring_buffer.c(6): *Copyright (C) 2008-2011 Red Hat, Inc., Peter Zijlstra <pziylstr@redhat.com>

linux-3.10\kernel\events\ring_buffer.c(7): *Copyright 2009 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>

linux-3.10\kernel\events\uprobes.c(18): * Copyright (C) IBM Corporation, 2008-2012

linux-3.10\kernel\events\uprobes.c(22): * Copyright (C) 2011-2012 Red Hat, Inc., Peter Zijlstra <pziylstr@redhat.com>

linux-3.10\kernel\exit.c(4): *Copyright (C) 1991, 1992Linus Torvalds

legal(ME)

linux-3.10\kernel\extable.c(2): Copyright (C) 2001 Rusty Russell, 2002 Rusty Russell IBM.
linux-3.10\kernel\fork.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\kernel\futex.c(12): *(C) Copyright 2006 Red Hat Inc, All Rights Reserved
linux-3.10\kernel\futex.c(16): *Copyright (C) 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\futex.c(17): *Copyright (C) 2006 Timesys Corp., Thomas Gleixner <tglx@timesys.com>
linux-3.10\kernel\futex.c(20): *Copyright (C) 2007 Eric Dumazet <dada1@cosmosbay.com>
linux-3.10\kernel\futex.c(23): *Copyright (C) IBM Corporation, 2009
linux-3.10\kernel\futex.c(6): *(C) Copyright 2003 Red Hat Inc, All Rights Reserved
linux-3.10\kernel\futex.c(9): *(C) Copyright 2003, 2004 Jamie Lokier
linux-3.10\kernel\futex_compat.c(6): * Copyright 2006, Red Hat, Inc., Ingo Molnar
linux-3.10\kernel\gcov\base.c(4): *Copyright IBM Corp. 2009
linux-3.10\kernel\gcov\fs.c(4): *Copyright IBM Corp. 2009
linux-3.10\kernel\gcov\gcc_3_4.c(11): *Copyright IBM Corp. 2009
linux-3.10\kernel\gcov\gcov.h(8): *Copyright IBM Corp. 2009
linux-3.10\kernel\hrtimer.c(4): *Copyright(C) 2005-2006, Thomas Gleixner <tglx@linutronix.de>
linux-3.10\kernel\hrtimer.c(5): *Copyright(C) 2005-2007, Red Hat, Inc., Ingo Molnar
linux-3.10\kernel\hrtimer.c(6): *Copyright(C) 2006-2007Timesys Corp., Thomas Gleixner
linux-3.10\kernel\irq_work.c(2): * Copyright (C) 2010 Red Hat, Inc., Peter Zijlstra <pziylstr@redhat.com>
linux-3.10\kernel\irq\autoprobe.c(4): * Copyright (C) 1992, 1998-2004 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\irq\chip.c(4): * Copyright (C) 1992, 1998-2006 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\irq\chip.c(5): * Copyright (C) 2005-2006, Thomas Gleixner, Russell King
linux-3.10\kernel\irq\dummychip.c(2): * Copyright (C) 1992, 1998-2006 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\irq\dummychip.c(3): * Copyright (C) 2005-2006, Thomas Gleixner, Russell King
linux-3.10\kernel\irq\generic-chip.c(4): * Copyright (C) 2011, Thomas Gleixner
linux-3.10\kernel\irq\handle.c(4): * Copyright (C) 1992, 1998-2006 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\irq\handle.c(5): * Copyright (C) 2005-2006, Thomas Gleixner, Russell King
linux-3.10\kernel\irq\irqdesc.c(2): * Copyright (C) 1992, 1998-2006 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\irq\irqdesc.c(3): * Copyright (C) 2005-2006, Thomas Gleixner, Russell King
linux-3.10\kernel\irq\manage.c(4): * Copyright (C) 1992, 1998-2006 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\irq\manage.c(5): * Copyright (C) 2005-2006 Thomas Gleixner
linux-3.10\kernel\irq\pm.c(4): * Copyright (C) 2009 Rafael J. Wysocki <rjw@sisk.pl>, Novell Inc.

legal(ME)

linux-3.10\kernel\irq\proc.c(4): * Copyright (C) 1992, 1998-2004 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\irq\resend.c(4): * Copyright (C) 1992, 1998-2006 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\irq\resend.c(5): * Copyright (C) 2005-2006, Thomas Gleixner
linux-3.10\kernel\irq\spurious.c(4): * Copyright (C) 1992, 1998-2004 Linus Torvalds, Ingo Molnar
linux-3.10\kernel\itimer.c(4): * Copyright (C) 1992 Darren Senn
linux-3.10\kernel\jump_label.c(4): * Copyright (C) 2009 Jason Baron <jbaron@redhat.com>
linux-3.10\kernel\jump_label.c(5): * Copyright (C) 2011 Peter Zijlstra <pziylstr@redhat.com>
linux-3.10\kernel\kallsyms.c(6): * Copyright 2002 Rusty Russell <rusty@rustcorp.com.au> IBM Corporation
linux-3.10\kernel\kexec.c(3): * Copyright (C) 2002-2004 Eric Biederman <ebiederm@xmission.com>
linux-3.10\kernel\kprobes.c(19): * Copyright (C) IBM Corporation, 2002, 2004
linux-3.10\kernel\ksysfs.c(5): * Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
linux-3.10\kernel\kthread.c(2): * Copyright (C) 2004 IBM Corporation, Rusty Russell.
linux-3.10\kernel\latencytop.c(4): * (C) Copyright 2008 Intel Corporation
linux-3.10\kernel\lockdep.c(3998): printk("Lock dependency validator: Copyright (c) 2006 Red Hat, Inc., Ingo Molnar\n");
linux-3.10\kernel\lockdep.c(8): *Copyright (C) 2006,2007 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\lockdep.c(9): *Copyright (C) 2007 Red Hat, Inc., Peter Zijlstra <pziylstr@redhat.com>
linux-3.10\kernel\lockdep_proc.c(8): *Copyright (C) 2006,2007 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\lockdep_proc.c(9): *Copyright (C) 2007 Red Hat, Inc., Peter Zijlstra <pziylstr@redhat.com>
linux-3.10\kernel\modsign_pubkey.c(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\kernel\module.c(2): Copyright (C) 2002 Richard Henderson
linux-3.10\kernel\module.c(3): Copyright (C) 2001 Rusty Russell, 2002, 2010 Rusty Russell IBM.
linux-3.10\kernel\module_signing.c(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\kernel\module-internal.h(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\kernel\mutex.c(8): *Copyright (C) 2004, 2005, 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\mutex.h(6): *Copyright (C) 2004, 2005, 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\mutex-debug.c(12): *Copyright (C) 2004, LynuxWorks, Inc., Igor Manyilov, Bill Huey
linux-3.10\kernel\mutex-debug.c(8): *Copyright (C) 2004, 2005, 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\mutex-debug.h(6): *Copyright (C) 2004, 2005, 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\nsproxy.c(2): *Copyright (C) 2006 IBM Corporation

legal(ME)

linux-3.10\kernel\pdata.c(6): * Copyright (C) 2008, 2009 secunet Security Networks AG
linux-3.10\kernel\pdata.c(7): * Copyright (C) 2008, 2009 Steffen Klassert <steffen.klassert@secunet.com>
linux-3.10\kernel\panic.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\kernel\params.c(2): Copyright (C) 2001 Rusty Russell.
linux-3.10\kernel\posix-timers.c(11): * Copyright (C) 2004 Boris Hu
linux-3.10\kernel\posix-timers.c(8): * Copyright (C) 2002 2003 by MontaVista Software.
linux-3.10\kernel\power\autosleep.c(6): * Copyright (C) 2012 Rafael J. Wysocki <rjw@sisk.pl>
linux-3.10\kernel\power\block_io.c(4): * Copyright (C) 1998,2001-2005 Pavel Machek <pavel@ucw.cz>
linux-3.10\kernel\power\block_io.c(5): * Copyright (C) 2006 Rafael J. Wysocki <rjw@sisk.pl>
linux-3.10\kernel\power\hibernate.c(4): * Copyright (c) 2003 Patrick Mochel
linux-3.10\kernel\power\hibernate.c(5): * Copyright (c) 2003 Open Source Development Lab
linux-3.10\kernel\power\hibernate.c(6): * Copyright (c) 2004 Pavel Machek <pavel@ucw.cz>
linux-3.10\kernel\power\hibernate.c(7): * Copyright (c) 2009 Rafael J. Wysocki, Novell Inc.
linux-3.10\kernel\power\hibernate.c(8): * Copyright (C) 2012 Bojan Smojver <bojan@rhexursive.com>
linux-3.10\kernel\power\main.c(4): * Copyright (c) 2003 Patrick Mochel
linux-3.10\kernel\power\main.c(5): * Copyright (c) 2003 Open Source Development Lab
linux-3.10\kernel\power\snapshot.c(6): * Copyright (C) 1998-2005 Pavel Machek <pavel@ucw.cz>
linux-3.10\kernel\power\snapshot.c(7): * Copyright (C) 2006 Rafael J. Wysocki <rjw@sisk.pl>
linux-3.10\kernel\power\suspend.c(4): * Copyright (c) 2003 Patrick Mochel
linux-3.10\kernel\power\suspend.c(5): * Copyright (c) 2003 Open Source Development Lab
linux-3.10\kernel\power\suspend.c(6): * Copyright (c) 2009 Rafael J. Wysocki <rjw@sisk.pl>, Novell Inc.
linux-3.10\kernel\power\suspend_test.c(4): * Copyright (c) 2009 Pavel Machek <pavel@ucw.cz>
linux-3.10\kernel\power\swap.c(7): * Copyright (C) 1998,2001-2005 Pavel Machek <pavel@ucw.cz>
linux-3.10\kernel\power\swap.c(8): * Copyright (C) 2006 Rafael J. Wysocki <rjw@sisk.pl>
linux-3.10\kernel\power\swap.c(9): * Copyright (C) 2010-2012 Bojan Smojver <bojan@rhexursive.com>
linux-3.10\kernel\power\user.c(6): * Copyright (C) 2006 Rafael J. Wysocki <rjw@sisk.pl>
linux-3.10\kernel\power\wakelock.c(6): * Copyright (C) 2012 Rafael J. Wysocki <rjw@sisk.pl>
linux-3.10\kernel\printk.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\kernel\ptrace.c(4): * (C) Copyright 1999 Linus Torvalds
linux-3.10\kernel\rcu.h(18): * Copyright IBM Corporation, 2011
linux-3.10\kernel\rcupdate.c(18): * Copyright IBM Corporation, 2001

legal(ME)

linux-3.10\kernel\rkutiny.c(18): * Copyright IBM Corporation, 2008
linux-3.10\kernel\rkutiny_plugin.h(20): * Copyright (c) 2010 Linaro
linux-3.10\kernel\rkutorture.c(18): * Copyright (C) IBM Corporation, 2005, 2006
linux-3.10\kernel\rkutree.c(18): * Copyright IBM Corporation, 2008
linux-3.10\kernel\rkutree.h(19): * Copyright IBM Corporation, 2008
linux-3.10\kernel\rkutree_plugin.h(20): * Copyright Red Hat, 2009
linux-3.10\kernel\rkutree_plugin.h(21): * Copyright IBM Corporation, 2009
linux-3.10\kernel\rkutree_trace.c(18): * Copyright IBM Corporation, 2008
linux-3.10\kernel\relay.c(6): * Copyright (C) 2002-2005 - Tom Zanussi
(zanussi@us.ibm.com), IBM Corp
linux-3.10\kernel\relay.c(7): * Copyright (C) 1999-2005 - Karim Yaghmour
(karim@opersys.com)
linux-3.10\kernel\res_counter.c(4): * Copyright 2007 OpenVZ SWsoft Inc
linux-3.10\kernel\resource.c(4): * Copyright (C) 1999Linus Torvalds
linux-3.10\kernel\resource.c(5): * Copyright (C) 1999Martin Mares <mj@ucw.cz>
linux-3.10\kernel\rtmutex.c(6): *Copyright (C) 2004-2006 Red Hat, Inc., Ingo
Molnar <mingo@redhat.com>
linux-3.10\kernel\rtmutex.c(7): *Copyright (C) 2005-2006 Timesys Corp., Thomas
Gleixner <tglx@timesys.com>
linux-3.10\kernel\rtmutex.c(8): *Copyright (C) 2005 Kihon Technologies Inc.,
Steven Rostedt
linux-3.10\kernel\rtmutex.c(9): *Copyright (C) 2006 Esben Nielsen
linux-3.10\kernel\rtmutex.h(6): *Copyright (C) 2004-2006 Red Hat, Inc., Ingo
Molnar <mingo@redhat.com>
linux-3.10\kernel\rtmutex.h(7): *Copyright (C) 2006, Timesys Corp., Thomas
Gleixner <tglx@timesys.com>
linux-3.10\kernel\rtmutex_common.h(6): *Copyright (C) 2004-2006 Red Hat, Inc.,
Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\rtmutex_common.h(7): *Copyright (C) 2006, Timesys Corp., Thomas
Gleixner <tglx@timesys.com>
linux-3.10\kernel\rtmutex-debug.c(12): *Copyright (C) 2004LynuxWorks, Inc., Igor
Manyilov, Bill Huey
linux-3.10\kernel\rtmutex-debug.c(13): *Copyright (C) 2006Esben Nielsen
linux-3.10\kernel\rtmutex-debug.c(14): *Copyright (C) 2006Kihon Technologies
Inc.,
linux-3.10\kernel\rtmutex-debug.c(6): *Copyright (C) 2004-2006 Red Hat, Inc.,
Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\rtmutex-debug.c(7): *Copyright (C) 2006 Timesys Corp., Thomas
Gleixner <tglx@timesys.com>
linux-3.10\kernel\rtmutex-debug.h(6): *Copyright (C) 2004-2006 Red Hat, Inc.,
Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\rtmutex-debug.h(7): *Copyright (C) 2006, Timesys Corp., Thomas
Gleixner <tglx@timesys.com>
linux-3.10\kernel\rtmutex-tester.c(6): *Copyright (C) 2006, Timesys Corp., Thomas
Gleixner <tglx@timesys.com>
linux-3.10\kernel\sched\clock.c(4): *Copyright (C) 2008 Red Hat, Inc., Peter
Zijlstra <pzijlstr@redhat.com>
linux-3.10\kernel\sched\clock.c(7): *Copyright (C) 2008 Red Hat, Inc. Steven
Rostedt <srostedt@redhat.com>
linux-3.10\kernel\sched\core.c(6): *Copyright (C) 1991-2002Linus Torvalds
linux-3.10\kernel\sched\cpupri.c(6): *Copyright (C) 2007-2008 Novell
linux-3.10\kernel\sched\debug.c(6): * Copyright(C) 2007, Red Hat, Inc., Ingo

legal(ME)

Molnar

linux-3.10\kernel\sched\fair.c(13): *Copyright IBM Corporation, 2007
linux-3.10\kernel\sched\fair.c(17): *Copyright (C) 2007, Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\kernel\sched\fair.c(20): *Copyright (C) 2007 Red Hat, Inc., Peter
Zijlstra <pzijlstr@redhat.com>
linux-3.10\kernel\sched\fair.c(4): *Copyright (C) 2007 Red Hat, Inc., Ingo Molnar
<mingo@redhat.com>
linux-3.10\kernel\seccomp.c(4): * Copyright 2004-2005Andrea Arcangeli
<andrea@cpushare.com>
linux-3.10\kernel\seccomp.c(6): * Copyright (C) 2012 Google, Inc.
linux-3.10\kernel\semaphore.c(2): * Copyright (c) 2008 Intel Corporation
linux-3.10\kernel\signal.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\kernel\softirq.c(4): *Copyright (C) 1992 Linus Torvalds
linux-3.10\kernel\spinlock.c(2): * Copyright (2004) Linus Torvalds
linux-3.10\kernel\spinlock.c(6): * Copyright (2004, 2005) Ingo Molnar
linux-3.10\kernel\srcu.c(18): * Copyright (C) IBM Corporation, 2006
linux-3.10\kernel\srcu.c(19): * Copyright (C) Fujitsu, 2012
linux-3.10\kernel\stacktrace.c(6): *Copyright (C) 2006 Red Hat, Inc., Ingo Molnar
<mingo@redhat.com>
linux-3.10\kernel\stop_machine.c(4): * Copyright (C) 2008, 2005IBM Corporation.
linux-3.10\kernel\stop_machine.c(5): * Copyright (C) 2008, 2005Rusty Russell
rusty@rustcorp.com.au
linux-3.10\kernel\stop_machine.c(6): * Copyright (C) 2010SUSE Linux Products GmbH
linux-3.10\kernel\stop_machine.c(7): * Copyright (C) 2010Tejun Heo
<tj@kernel.org>
linux-3.10\kernel\sys.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\kernel\taskstats.c(4): * Copyright (C) Shailabh Nagar, IBM Corp. 2006
linux-3.10\kernel\test_kprobes.c(4): * Copyright IBM Corp. 2008
linux-3.10\kernel\time.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\kernel\time\alarmtimer.c(10): * Copyright (C) 2010 IBM Corperation
linux-3.10\kernel\time\clockevents.c(6): * Copyright(C) 2005-2006, Thomas
Gleixner <tglx@linutronix.de>
linux-3.10\kernel\time\clockevents.c(7): * Copyright(C) 2005-2007, Red Hat, Inc.,
Ingo Molnar
linux-3.10\kernel\time\clockevents.c(8): * Copyright(C) 2006-2007, Timesys Corp.,
Thomas Gleixner
linux-3.10\kernel\time\clocksource.c(6): * Copyright (C) 2004, 2005 IBM, John
Stultz (johnstul@us.ibm.com)
linux-3.10\kernel\time\jiffies.c(6):* Copyright (C) 2004, 2005 IBM, John Stultz
(johnstul@us.ibm.com)
linux-3.10\kernel\time\posix-clock.c(4): * Copyright (C) 2010 OMICRON electronics
GmbH
linux-3.10\kernel\time\tick-broadcast.c(7): * Copyright(C) 2005-2006, Thomas
Gleixner <tglx@linutronix.de>
linux-3.10\kernel\time\tick-broadcast.c(8): * Copyright(C) 2005-2007, Red Hat,
Inc., Ingo Molnar
linux-3.10\kernel\time\tick-broadcast.c(9): * Copyright(C) 2006-2007, Timesys
Corp., Thomas Gleixner
linux-3.10\kernel\time\tick-common.c(7): * Copyright(C) 2005-2006, Thomas
Gleixner <tglx@linutronix.de>
linux-3.10\kernel\time\tick-common.c(8): * Copyright(C) 2005-2007, Red Hat, Inc.,

legal(ME)

Ingo Molnar

linux-3.10\kernel\time\tick-common.c(9): * Copyright(C) 2006-2007, Timesys Corp., Thomas Gleixner

linux-3.10\kernel\time\tick-oneshot.c(7): * Copyright(C) 2005-2006, Thomas Gleixner <tglx@linutronix.de>

linux-3.10\kernel\time\tick-oneshot.c(8): * Copyright(C) 2005-2007, Red Hat, Inc., Ingo Molnar

linux-3.10\kernel\time\tick-oneshot.c(9): * Copyright(C) 2006-2007, Timesys Corp., Thomas Gleixner

linux-3.10\kernel\time\tick-sched.c(4): *Copyright(C) 2005-2006, Thomas Gleixner <tglx@linutronix.de>

linux-3.10\kernel\time\tick-sched.c(5): *Copyright(C) 2005-2007, Red Hat, Inc., Ingo Molnar

linux-3.10\kernel\time\tick-sched.c(6): *Copyright(C) 2006-2007Timesys Corp., Thomas Gleixner

linux-3.10\kernel\time\timeconv.c(2): * Copyright (C) 1993, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.

linux-3.10\kernel\time\timer_list.c(6): * Copyright(C) 2006, Red Hat, Inc., Ingo Molnar

linux-3.10\kernel\time\timer_stats.c(21): *Copyright (C) 2005 Instituto Nokia de Tecnologia - INdT - Manaus

linux-3.10\kernel\time\timer_stats.c(6): * Copyright(C) 2006, Red Hat, Inc., Ingo Molnar

linux-3.10\kernel\time\timer_stats.c(7): * Copyright(C) 2006 Timesys Corp., Thomas Gleixner <tglx@timesys.com>

linux-3.10\kernel\timer.c(14): *Copyright (C) 1998Andrea Arcangeli

linux-3.10\kernel\timer.c(18): *Copyright (C) 2000, 2001, 2002Ingo Molnar

linux-3.10\kernel\timer.c(6): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\kernel\trace\blktrace.c(2): * Copyright (C) 2006 Jens Axboe <axboe@kernel.dk>

linux-3.10\kernel\trace\ftrace.c(12): *Copyright (C) 2004-2006 Ingo Molnar

linux-3.10\kernel\trace\ftrace.c(13): *Copyright (C) 2004 Nadia Yvette Chambers

linux-3.10\kernel\trace\ftrace.c(4): * Copyright (C) 2007-2008 Steven Rostedt <ststedt@redhat.com>

linux-3.10\kernel\trace\ftrace.c(5): * Copyright (C) 2004-2008 Ingo Molnar <mingo@redhat.com>

linux-3.10\kernel\trace\ftrace.c(8): * Copyright (C) 2007 Arnaldo Carvalho de Melo <acme@redhat.com>

linux-3.10\kernel\trace\power-traces.c(4): * Copyright (C) 2009 Arjan van de Ven <arjan@linux.intel.com>

linux-3.10\kernel\trace\ring_buffer.c(4): * Copyright (C) 2008 Steven Rostedt <ststedt@redhat.com>

linux-3.10\kernel\trace\ring_buffer_benchmark.c(4): * Copyright (C) 2009 Steven Rostedt <ststedt@redhat.com>

linux-3.10\kernel\trace\rpm-traces.c(4): * Copyright (C) 2009 Ming Lei <ming.lei@canonical.com>

linux-3.10\kernel\trace\trace.c(11): *Copyright (C) 2004-2006 Ingo Molnar

linux-3.10\kernel\trace\trace.c(12): *Copyright (C) 2004 Nadia Yvette Chambers

linux-3.10\kernel\trace\trace.c(4): * Copyright (C) 2007-2012 Steven Rostedt <ststedt@redhat.com>

linux-3.10\kernel\trace\trace.c(5): * Copyright (C) 2008 Ingo Molnar <mingo@redhat.com>

legal(ME)

linux-3.10\kernel\trace\trace_branch.c(4): * Copyright (C) 2008 Steven Rostedt
<srstedt@redhat.com>
linux-3.10\kernel\trace\trace_clock.c(4): *Copyright (C) 2009 Red Hat, Inc., Ingo
Molnar <mingo@redhat.com>
linux-3.10\kernel\trace\trace_event_perf.c(4): * Copyright (C) 2009 Red Hat Inc,
Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\kernel\trace\trace_event_perf.c(5): * Copyright (C) 2009-2010 Frederic
Weisbecker <fweisbec@gmail.com>
linux-3.10\kernel\trace\trace_events.c(4): * Copyright (C) 2008 Red Hat Inc,
Steven Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_events_filter.c(18): * Copyright (C) 2009 Tom
Zanussi <tzanussi@gmail.com>
linux-3.10\kernel\trace\trace_export.c(4): * Copyright (C) 2009 Steven Rostedt
<srstedt@redhat.com>
linux-3.10\kernel\trace\trace_functions.c(10): *Copyright (C) 2004 Nadia Yvette
Chambers
linux-3.10\kernel\trace\trace_functions.c(4): * Copyright (C) 2007-2008 Steven
Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_functions.c(5): * Copyright (C) 2008 Ingo Molnar
<mingo@redhat.com>
linux-3.10\kernel\trace\trace_functions.c(9): *Copyright (C) 2004-2006 Ingo
Molnar
linux-3.10\kernel\trace\trace_functions_graph.c(4): * Copyright (c) 2008-2009
Frederic Weisbecker <fweisbec@gmail.com>
linux-3.10\kernel\trace\trace_functions_graph.c(6): * is Copyright (c) Steven
Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_irqsoff.c(10): *Copyright (C) 2004 Nadia Yvette
Chambers
linux-3.10\kernel\trace\trace_irqsoff.c(4): * Copyright (C) 2007-2008 Steven
Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_irqsoff.c(5): * Copyright (C) 2008 Ingo Molnar
<mingo@redhat.com>
linux-3.10\kernel\trace\trace_irqsoff.c(9): *Copyright (C) 2004-2006 Ingo Molnar
linux-3.10\kernel\trace\trace_kdb.c(4): * Copyright (C) 2010 Jason Wessel
<jason.wessel@windriver.com>
linux-3.10\kernel\trace\trace_kdb.c(7): * Copyright (C) 2007-2008 Steven Rostedt
<srstedt@redhat.com>
linux-3.10\kernel\trace\trace_kdb.c(8): * Copyright (C) 2008 Ingo Molnar
<mingo@redhat.com>
linux-3.10\kernel\trace\trace_mmioTRACE.c(4): * Copyright (C) 2008 Pekka Paalanen
<pq@iki.fi>
linux-3.10\kernel\trace\trace_nop.c(4): * Copyright (C) 2008 Steven Noonan
<steven@uplinklabs.net>
linux-3.10\kernel\trace\trace_output.c(4): * Copyright (C) 2008 Red Hat Inc,
Steven Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_printk.c(4): * Copyright (C) 2008 Lai Jiangshan
<laijs@cn.fujitsu.com>
linux-3.10\kernel\trace\trace_probe.c(21): * Copyright (C) IBM Corporation,
2010-2011
linux-3.10\kernel\trace\trace_probe.h(21): * Copyright (C) IBM Corporation,
2010-2011
linux-3.10\kernel\trace\trace_sched_switch.c(4): * Copyright (C) 2007 Steven

legal(ME)

Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_sched_wakeup.c(10): *Copyright (C) 2004 Nadia Yvette Chambers
linux-3.10\kernel\trace\trace_sched_wakeup.c(4): * Copyright (C) 2007-2008 Steven Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_sched_wakeup.c(5): * Copyright (C) 2008 Ingo Molnar <mingo@redhat.com>
linux-3.10\kernel\trace\trace_sched_wakeup.c(9): *Copyright (C) 2004-2006 Ingo Molnar
linux-3.10\kernel\trace\trace_stack.c(2): * Copyright (C) 2008 Steven Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_stat.c(4): * Copyright (C) 2008-2009 Frederic Weisbecker <fweisbec@gmail.com>
linux-3.10\kernel\trace\trace_stat.c(7): * Copyright (C) 2008 Steven Rostedt <srstedt@redhat.com>
linux-3.10\kernel\trace\trace_uprobe.c(17): * Copyright (C) IBM Corporation, 2010-2012
linux-3.10\kernel\tracepoint.c(2): * Copyright (C) 2008 Mathieu Desnoyers
linux-3.10\kernel\tsacct.c(4): * Copyright (C) Jay Lan,<jlan@sgi.com>
linux-3.10\kernel\user.c(4): * (C) Copyright 1991-2000 Linus Torvalds
linux-3.10\kernel\utsname.c(2): *Copyright (C) 2004 IBM Corporation
linux-3.10\kernel\utsname_sysctl.c(2): *Copyright (C) 2007
linux-3.10\kernel\watchdog.c(4): * started by Don Zickus, Copyright (C) 2010 Red Hat, Inc.
linux-3.10\kernel\workqueue.c(14): * Copyright (C) 2010SUSE Linux Products GmbH
linux-3.10\kernel\workqueue.c(15): * Copyright (C) 2010Tejun Heo <tj@kernel.org>
linux-3.10\kernel\workqueue.c(4): * Copyright (C) 2002Ingo Molnar
linux-3.10\lib\asn1_decoder.c(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\lib\atomic64.c(5): * Copyright ㄗ 2009 Paul Mackerras, IBM Corp. <paulus@au1.ibm.com>
linux-3.10\lib\atomic64_test.c(4): * Copyright ㄗ 2010Luca Barbieri
linux-3.10\lib\bch.c(17): * Copyright ㄗ 2011 Parrot S.A.
linux-3.10\lib\bsearch.c(4): * Copyright (C) 2008-2009 Ksplice, Inc.
linux-3.10\lib\btree.c(6): * Copyright (c) 2007-2008 Joern Engel <joern@logfs.org>
linux-3.10\lib\btree.c(8): * Copyright 2007, Red Hat Inc. Peter Zijlstra <pzijlstr@redhat.com>
linux-3.10\lib\build_OID_registry(5):# Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\lib\cmdline.c(6): * Code and copyrights come from init/main.c and arch/i386/kernel/setup.c.
linux-3.10\lib\cordic.c(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\lib\cpu_rmap.c(3): * Copyright 2011 Solarflare Communications Inc.
linux-3.10\lib\crc32.c(8): * Code was from the public domain, copyright abandoned.Code was
linux-3.10\lib\crc8.c(2): * Copyright (c) 2011 Broadcom Corporation
linux-3.10\lib\crc-t10dif.c(4): * Copyright (c) 2007 Oracle Corporation.All rights reserved.
linux-3.10\lib\ctype.c(4): *Copyright (C) 1991, 1992Linus Torvalds
linux-3.10\lib\debug_locks.c(9): *Copyright (C) 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>

legal(ME)

linux-3.10\lib\debugobjects.c(6): * Copyright (C) 2008, Thomas Gleixner
<tglx@linutronix.de>
linux-3.10\lib\decompress_unlzma.c(12): *Copyright (C) 1999-2005Igor Pavlov
linux-3.10\lib\decompress_unlzma.c(14): *Copyrights of the parts, see headers
below.
linux-3.10\lib\decompress_unlzma.c(214): * Copyright (C) 2006Aurelien Jacobs <
aurel@gnuage.org >
linux-3.10\lib\decompress_unlzma.c(217): * Copyright (C) 1999-2005Igor Pavlov
linux-3.10\lib\decompress_unlzma.c(5): *Copyright (C) 2006Alain < alain@knaff.lu
>
linux-3.10\lib\decompress_unlzma.c(57): *Copyright (C) 2006Aurelien Jacobs <
aurel@gnuage.org >
linux-3.10\lib\decompress_unlzma.c(60): *Copyright (c) 1999-2005Igor Pavlov
linux-3.10\lib\decompress_unlzma.c(9): *Copyright (C) 2006Aurelien Jacobs <
aurel@gnuage.org >
linux-3.10\lib\decompress_unlzo.c(10): * Copyright (C) 1996-2005 Markus Franz
Xaver Johannes Oberhumer
linux-3.10\lib\decompress_unlzo.c(6): * Copyright (C) 2009
linux-3.10\lib\digsig.c(2): * Copyright (C) 2011 Nokia Corporation
linux-3.10\lib\digsig.c(3): * Copyright (C) 2011 Intel Corporation
linux-3.10\lib\div64.c(2): * Copyright (C) 2003 Bernardo Innocenti
<bernie@develer.com>
linux-3.10\lib\div64.c(5): *Copyright (C) 1999 Hewlett-Packard Co
linux-3.10\lib\div64.c(6): *Copyright (C) 1999 David Mosberger-Tang
<davidm@hpl.hp.com>
linux-3.10\lib\dma-debug.c(2): * Copyright (C) 2008 Advanced Micro Devices, Inc.
linux-3.10\lib\dynamic_debug.c(10): * Copyright (C) 2011 Bart Van Assche.All
Rights Reserved.
linux-3.10\lib\dynamic_debug.c(7): * Copyright (C) 2008 Jason Baron
<jbaron@redhat.com>
linux-3.10\lib\dynamic_debug.c(9): * Copyright (c) 2008 Silicon Graphics Inc.All
Rights Reserved.
linux-3.10\lib\dynamic_queue_limits.c(4): * Copyright (c) 2011, Tom Herbert
<therbert@google.com>
linux-3.10\lib\earlycpio.c(3): * Copyright 2012 Intel Corporation; author H.
Peter Anvin
linux-3.10\lib\extable.c(4): * Copyright (C) 2004 Paul Mackerras, IBM Corp.
linux-3.10\lib\find_last_bit.c(3): * Copyright (C) 2008 IBM Corporation
linux-3.10\lib\find_next_bit.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights
Reserved.
linux-3.10\lib\flex_array.c(18): * Copyright IBM Corporation, 2009
linux-3.10\lib\flex_proportions.c(4): * Copyright (C) 2011, SUSE, Jan Kara
<jack@suse.cz>
linux-3.10\lib\genalloc.c(25): * Copyright 2005 (C) Jes Sorensen
<jes@trained-monkey.org>
linux-3.10\lib\idr.c(3): *Copyright (C) 2002 by Concurrent Computer Corporation
linux-3.10\lib\inflate.c(1148):/* Not copyrighted 1990 Mark Adler*/
linux-3.10\lib\inflate.c(3):/* inflate.c -- Not copyrighted 1992 by Mark Adler
linux-3.10\lib\int_sqrt.c(2): * Copyright (C) 2013 Davidlohr Bueso
<davidlohr.bueso@hp.com>
linux-3.10\lib\iomap.c(4): * (C) Copyright 2004 Linus Torvalds
linux-3.10\lib\iomap_copy.c(2): * Copyright 2006 PathScale, Inc.All Rights

legal(ME)

Reserved.

linux-3.10\lib\ioremap.c(6): * (C) Copyright 1995 1996 Linus Torvalds
linux-3.10\lib\irq_regs.c(3): * Copyright (C) 2006 Red Hat, Inc. All Rights Reserved.
linux-3.10\lib\is_single_threaded.c(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\lib\jedec_ddr_data.c(4): * Copyright (C) 2012 Texas Instruments, Inc.
linux-3.10\lib\kasprintf.c(4): * Copyright (C) 1991, 1992 Linus Torvalds
linux-3.10\lib\kfifo.c(4): * Copyright (C) 2009/2010 Stefani Seibold
<stefani@seibold.net>
linux-3.10\lib\klist.c(4): * Copyright (C) 2005 Patrick Mochel
linux-3.10\lib\kobject.c(4): * Copyright (c) 2002-2003 Patrick Mochel
<mochel@osdl.org>
linux-3.10\lib\kobject.c(5): * Copyright (c) 2006-2007 Greg Kroah-Hartman
<greg@kroah.com>
linux-3.10\lib\kobject.c(6): * Copyright (c) 2006-2007 Novell Inc.
linux-3.10\lib\kobject_uevent.c(4): * Copyright (C) 2004 Red Hat, Inc. All rights reserved.
linux-3.10\lib\kobject_uevent.c(5): * Copyright (C) 2004 Novell, Inc. All rights reserved.
linux-3.10\lib\kobject_uevent.c(6): * Copyright (C) 2004 IBM, Inc. All rights reserved.
linux-3.10\lib\libcrc32c.c(25): * Copyright (c) 2004 Cisco Systems, Inc.
linux-3.10\lib\list_debug.c(2): * Copyright 2006, Red Hat, Inc., Dave Jones
linux-3.10\lib\llist.c(9): * Copyright 2010, 2011 Intel Corp.
linux-3.10\lib\locking-selftest.c(11): * Copyright (C) 2006 Red Hat, Inc., Ingo Molnar <mingo@redhat.com>
linux-3.10\lib\lru_cache.c(6): Copyright (C) 2003-2008, LINBIT Information Technologies GmbH.
linux-3.10\lib\lru_cache.c(7): Copyright (C) 2003-2008, Philipp Reisner <philipp.reisner@linbit.com>.
linux-3.10\lib\lru_cache.c(8): Copyright (C) 2003-2008, Lars Ellenberg <lars.ellenberg@linbit.com>.
linux-3.10\lib\lzo\lzo1x_compress.c(4): * Copyright (C) 1996-2012 Markus F.X.J. Oberhumer <markus@oberhumer.com>
linux-3.10\lib\lzo\lzo1x_decompress_safe.c(4): * Copyright (C) 1996-2012 Markus F.X.J. Oberhumer <markus@oberhumer.com>
linux-3.10\lib\lzo\lzodefs.h(4): * Copyright (C) 1996-2012 Markus F.X.J. Oberhumer <markus@oberhumer.com>
linux-3.10\lib\mpi\generic_mpih-add1.c(2): * Copyright (C) 1994, 1996, 1997, 1998,
linux-3.10\lib\mpi\generic_mpih-lshift.c(2): * Copyright (C) 1994, 1996, 1998, 2001 Free Software Foundation, Inc.
linux-3.10\lib\mpi\generic_mpih-mul1.c(2): * Copyright (C) 1994, 1996, 1997, 1998, 2001 Free Software Foundation, Inc.
linux-3.10\lib\mpi\generic_mpih-mul2.c(2): * Copyright (C) 1994, 1996, 1997, 1998, 2001 Free Software Foundation, Inc.
linux-3.10\lib\mpi\generic_mpih-mul3.c(2): * Copyright (C) 1994, 1996, 1997, 1998, 2001 Free Software Foundation, Inc.
linux-3.10\lib\mpi\generic_mpih-rshift.c(2): * Copyright (C) 1994, 1996, 1998, 1999,
linux-3.10\lib\mpi\generic_mpih-sub1.c(2): * Copyright (C) 1994, 1996, 1997,

legal(ME)

1998, 2001 Free Software Foundation, Inc.

linux-3.10\lib\mpi\longlong.h(4): * Copyright (C) 1991, 1992, 1993, 1994, 1996, 1998,

linux-3.10\lib\mpi\mpi-bit.c(2): * Copyright (C) 1998, 1999 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpi-cmp.c(2): * Copyright (C) 1998, 1999 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpicoder.c(2): * Copyright (C) 1998, 1999 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpih-cmp.c(2): * Copyright (C) 1994, 1996 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpih-cmp.c(3): * Copyright (C) 1998, 1999, 2000, 2001 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpih-div.c(2): * Copyright (C) 1994, 1996 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpih-div.c(3): * Copyright (C) 1998, 1999 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpih-mul.c(2): * Copyright (C) 1994, 1996, 1998, 1999,

linux-3.10\lib\mpi\mpi-inline.h(2): * Copyright (C) 1994, 1996, 1998, 1999 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpi-internal.h(2): * Copyright (C) 1994, 1996 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpi-internal.h(3): * Copyright (C) 1998, 2000 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpi-pow.c(2): * Copyright (C) 1994, 1996, 1998, 2000 Free Software Foundation, Inc.

linux-3.10\lib\mpi\mpiutil.c(2): * Copyright (C) 1998, 1999 Free Software Foundation, Inc.

linux-3.10\lib\oid_registry.c(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.

linux-3.10\lib\pci_iomap.c(4): * (C) Copyright 2004 Linus Torvalds

linux-3.10\lib\proportions.c(4): * Copyright (C) 2007 Red Hat, Inc., Peter Zijlstra <pzijlstr@redhat.com>

linux-3.10\lib\radix-tree.c(2): * Copyright (C) 2001 Momchil Velikov

linux-3.10\lib\radix-tree.c(3): * Portions Copyright (C) 2001 Christoph Hellwig

linux-3.10\lib\radix-tree.c(4): * Copyright (C) 2005 SGI, Christoph Lameter

linux-3.10\lib\radix-tree.c(5): * Copyright (C) 2006 Nick Piggin

linux-3.10\lib\radix-tree.c(6): * Copyright (C) 2012 Konstantin Khlebnikov

linux-3.10\lib\raid6\algos.c(3): * Copyright 2002 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\altivec.uc(3): * Copyright 2002-2004 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\avx2.c(3): * Copyright (C) 2012 Intel Corporation

linux-3.10\lib\raid6\avx2.c(6): * Based on sse2.c: Copyright 2002 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\int.uc(3): * Copyright 2002-2004 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\mktables.c(3): * Copyright 2002-2007 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\mmx.c(3): * Copyright 2002 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\recov.c(3): * Copyright 2002 H. Peter Anvin - All Rights Reserved

legal(ME)

Reserved

linux-3.10\lib\raid6\recov_avx2.c(2): * Copyright (C) 2012 Intel Corporation

linux-3.10\lib\raid6\recov_sse3.c(2): * Copyright (C) 2012 Intel Corporation

linux-3.10\lib\raid6\sse1.c(3): * Copyright 2002 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\sse2.c(3): * Copyright 2002 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\test\test.c(3): * Copyright 2002-2007 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\raid6\x86.h(3): * Copyright 2002-2004 H. Peter Anvin - All Rights Reserved

linux-3.10\lib\rational.c(4): * Copyright (C) 2009 emlix GmbH, Oskar Schirmer <oskar@scara.com>

linux-3.10\lib\reed_solomon\decode_rs.c(7): * Copyright 2002, Phil Karn, KA9Q

linux-3.10\lib\reed_solomon\encode_rs.c(7): * Copyright 2002, Phil Karn, KA9Q

linux-3.10\lib\reed_solomon\reed_solomon.c(10): * Copyright 2002 Phil Karn, KA9Q

linux-3.10\lib\reed_solomon\reed_solomon.c(7): * Copyright (C) 2004 Thomas Gleixner (tglx@linutronix.de)

linux-3.10\lib\rwsem-spinlock.c(4): * Copyright (c) 2001 David Howells (dhowells@redhat.com).

linux-3.10\lib\scatterlist.c(2): * Copyright (C) 2007 Jens Axboe <jens.axboe@oracle.com>

linux-3.10\lib\show_mem.c(4): * Copyright (C) 2008 Johannes Weiner <hannes@saeurebad.de>

linux-3.10\lib\spinlock_debug.c(2): * Copyright 2005, Red Hat, Inc., Ingo Molnar

linux-3.10\lib\stmp_device.c(2): * Copyright (C) 1999 ARM Limited

linux-3.10\lib\stmp_device.c(3): * Copyright (C) 2000 Deep Blue Solutions Ltd

linux-3.10\lib\stmp_device.c(4): * Copyright 2006-2007,2010 Freescale Semiconductor, Inc. All Rights Reserved.

linux-3.10\lib\stmp_device.c(5): * Copyright 2008 Juergen Beisert, kernel@pengutronix.de

linux-3.10\lib\stmp_device.c(6): * Copyright 2009 Ilya Yanok, Emcraft Systems Ltd, yanok@emcraft.com

linux-3.10\lib\stmp_device.c(7): * Copyright (C) 2011 Wolfram Sang, Pengutronix e.K.

linux-3.10\lib\string.c(4): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\lib\string_helpers.c(4): * Copyright 31 August 2008 James Bottomley

linux-3.10\lib\string_helpers.c(5): * Copyright (C) 2013, Intel Corporation

linux-3.10\lib\swiotlb.c(6): * Copyright (C) 2000 Asit Mallick <Asit.K.Mallick@intel.com>

linux-3.10\lib\swiotlb.c(7): * Copyright (C) 2000 Goutham Rao <goutham.rao@intel.com>

linux-3.10\lib\swiotlb.c(8): * Copyright (C) 2000, 2003 Hewlett-Packard Co

linux-3.10\lib\uuid.c(4): * Copyright (C) 2009, Intel Corp.

linux-3.10\lib\vsprintf.c(4): *Copyright (C) 1991, 1992Linus Torvalds

linux-3.10\lib\xz\xz_dec_syms.c(24): * say it's GPL and consider the authors as the copyright holders.

linux-3.10\lib\xz\xz_dec_test.c(218): * say it's GPL and consider the authors as the copyright holders.

linux-3.10\lib\zlib_deflate\deflate.c(3): * Copyright (C) 1995-1996 Jean-loup Gailly.

linux-3.10\lib\zlib_deflate\deftree.c(3): * Copyright (C) 1995-1996 Jean-loup

legal(ME)

Gailly

linux-3.10\lib\zlib_inflate\inffast.c(2): * Copyright (C) 1995-2004 Mark Adler
linux-3.10\lib\zlib_inflate\inffast.h(2): * Copyright (C) 1995-2003 Mark Adler
linux-3.10\lib\zlib_inflate\inflate.c(2): * Copyright (C) 1995-2005 Mark Adler
linux-3.10\lib\zlib_inflate\inflate.h(5): * Copyright (C) 1995-2004 Mark Adler
linux-3.10\lib\zlib_inflate\infhtrees.c(2): * Copyright (C) 1995-2005 Mark Adler
linux-3.10\lib\zlib_inflate\infhtrees.h(5): * Copyright (C) 1995-2005 Mark Adler
linux-3.10\lib\zlib_inflate\infutil.h(2): * Copyright (C) 1995-1998 Mark Adler
linux-3.10\mm\balloon_compaction.c(6): * Copyright (C) 2012, Red Hat, Inc. Rafael
Aquini <aquini@redhat.com>
linux-3.10\mm\bootmem.c(4): * Copyright (C) 1999 Ingo Molnar
linux-3.10\mm\cleancache.c(8): * Copyright (C) 2009-2010 Oracle Corp. All rights
reserved.
linux-3.10\mm\compaction.c(8): * Copyright IBM Corp. 2007-2010 Mel Gorman
<mel@csn.ul.ie>
linux-3.10\mm\dmapi.c(4): * Copyright 2001 David Brownell
linux-3.10\mm\dmapi.c(5): * Copyright 2007 Intel Corporation
linux-3.10\mm\fadvise.c(4): * Copyright (C) 2002, Linus Torvalds
linux-3.10\mm\filemap.c(4): * Copyright (C) 1994-1999 Linus Torvalds
linux-3.10\mm\filemap_xip.c(4): * Copyright (C) 2005 IBM Corporation
linux-3.10\mm\filemap_xip.c(7): * derived from linux/mm/filemap.c - Copyright (C)
Linus Torvalds
linux-3.10\mm\freemap.c(6): * started by Ingo Molnar, Copyright (C) 2002, 2003
linux-3.10\mm\frontswap.c(8): * Copyright (C) 2009-2012 Oracle Corp. All rights
reserved.
linux-3.10\mm\highmem.c(16): * Copyright (C) 1999 Ingo Molnar <mingo@redhat.com>
linux-3.10\mm\huge_memory.c(2): * Copyright (C) 2009 Red Hat, Inc.
linux-3.10\mm\hugetlb_cgroup.c(3): * Copyright IBM Corporation, 2012
linux-3.10\mm\internal.h(3): * Copyright (C) 2004 Red Hat, Inc. All Rights
Reserved.
linux-3.10\mm\interval_tree.c(4): * Copyright (C) 2012, Michel Lespinasse
<walken@google.com>
linux-3.10\mm\kmemleak.c(4): * Copyright (C) 2008 ARM Limited
linux-3.10\mm\kmemleak-test.c(4): * Copyright (C) 2008 ARM Limited
linux-3.10\mm\ksm.c(7): * Copyright (C) 2008-2009 Red Hat, Inc.
linux-3.10\mm\madvise.c(4): * Copyright (C) 1999 Linus Torvalds
linux-3.10\mm\madvise.c(5): * Copyright (C) 2002 Christoph Hellwig
linux-3.10\mm\mblock.c(5): * Copyright (C) 2001 Peter Bergner.
linux-3.10\mm\memcontrol.c(10): * Copyright (C) 2009 Nokia Corporation
linux-3.10\mm\memcontrol.c(14): * Copyright (C) 2012 Parallels Inc. and Google
Inc.
linux-3.10\mm\memcontrol.c(3): * Copyright IBM Corporation, 2007
linux-3.10\mm\memcontrol.c(6): * Copyright 2007 OpenVZ SWsoft Inc
linux-3.10\mm\memory.c(4): * Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds
linux-3.10\mm\memory_hotplug.c(4): * Copyright (C)
linux-3.10\mm\memory-failure.c(2): * Copyright (C) 2008, 2009 Intel Corporation
linux-3.10\mm\mempolicy.c(4): * Copyright 2003, 2004 Andi Kleen, SuSE Labs.
linux-3.10\mm\mempolicy.c(5): * (C) Copyright 2005 Christoph Lameter, Silicon
Graphics, Inc.
linux-3.10\mm\mempool.c(8): * started by Ingo Molnar, Copyright (C) 2001
linux-3.10\mm\migrate.c(4): * Copyright (C) 2006 Silicon Graphics, Inc.,
Christoph Lameter

legal(ME)

linux-3.10\mm\mincore.c(4): * Copyright (C) 1994-2006 Linus Torvalds
linux-3.10\mm\mlock.c(4): *(C) Copyright 1995 Linus Torvalds
linux-3.10\mm\mlock.c(5): *(C) Copyright 2002 Christoph Hellwig
linux-3.10\mm\mm_init.c(4): * Copyright 2008 IBM Corporation, 2008
linux-3.10\mm\mmu_context.c(1):/* Copyright (C) 2009 Red Hat, Inc.
linux-3.10\mm\mmu_notifier.c(4): *Copyright (C) 2008 Qumranet, Inc.
linux-3.10\mm\mmu_notifier.c(5): *Copyright (C) 2008 SGI
linux-3.10\mm\mprotect.c(4): *(C) Copyright 1994 Linus Torvalds
linux-3.10\mm\mprotect.c(5): *(C) Copyright 2002 Christoph Hellwig
linux-3.10\mm\mprotect.c(8): *(C) Copyright 2002 Red Hat Inc, All Rights Reserved
linux-3.10\mm\mremap.c(4): *(C) Copyright 1996 Linus Torvalds
linux-3.10\mm\mremap.c(7): *(C) Copyright 2002 Red Hat Inc, All Rights Reserved
linux-3.10\mm\msync.c(4): * Copyright (C) 1994-1999 Linus Torvalds
linux-3.10\mm\nobootmem.c(4): *Copyright (C) 1999 Ingo Molnar
linux-3.10\mm\nommu.c(10): *Copyright (c) 2000-2003 David McCullough
<davidm@snapgear.com>
linux-3.10\mm\nommu.c(11): *Copyright (c) 2000-2001 D Jeff Dionne
<jeff@uclinux.org>
linux-3.10\mm\nommu.c(12): *Copyright (c) 2002 Greg Ungerer <gerg@snapgear.com>
linux-3.10\mm\nommu.c(13): *Copyright (c) 2007-2010 Paul Mundt
<lethal@linux-sh.org>
linux-3.10\mm\nommu.c(9): *Copyright (c) 2004-2008 David Howells
<dhowells@redhat.com>
linux-3.10\mm\oom_kill.c(4): *Copyright (C) 1998, 2000 Rik van Riel
linux-3.10\mm\oom_kill.c(7): *Copyright (C) 2010 Google, Inc.
linux-3.10\mm\page_alloc.c(7): *Copyright (C) 1991, 1992, 1993, 1994 Linus
Torvalds
linux-3.10\mm\page_io.c(4): *Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds
linux-3.10\mm\page-writeback.c(4): * Copyright (C) 2002, Linus Torvalds.
linux-3.10\mm\page-writeback.c(5): * Copyright (C) 2007 Red Hat, Inc., Peter
Zijlstra <pzijlstr@redhat.com>
linux-3.10\mm\percpu.c(4): * Copyright (C) 2009 SUSE Linux Products GmbH
linux-3.10\mm\percpu.c(5): * Copyright (C) 2009 Tejun Heo <tj@kernel.org>
linux-3.10\mm\percpu-km.c(4): * Copyright (C) 2010 SUSE Linux Products GmbH
linux-3.10\mm\percpu-km.c(5): * Copyright (C) 2010 Tejun Heo <tj@kernel.org>
linux-3.10\mm\percpu-vm.c(4): * Copyright (C) 2010 SUSE Linux Products GmbH
linux-3.10\mm\percpu-vm.c(5): * Copyright (C) 2010 Tejun Heo <tj@kernel.org>
linux-3.10\mm\pgtable-generic.c(6): *Copyright (C) 2010 Linus Torvalds
linux-3.10\mm\process_vm_access.c(4): * Copyright (C) 2010-2011 Christopher Yeoh
<cyeoh@au1.ibm.com>, IBM Corp.
linux-3.10\mm\quicklist.c(10): * Copyright (C) 2007 SGI,
linux-3.10\mm\readahead.c(4): * Copyright (C) 2002, Linus Torvalds
linux-3.10\mm\rmap.c(4): * Copyright 2001, Rik van Riel <riel@conectiva.com.br>
linux-3.10\mm\shmem.c(10): * Copyright (C) 2011 Google Inc.
linux-3.10\mm\shmem.c(11): * Copyright (C) 2002-2005 VERITAS Software
Corporation.
linux-3.10\mm\shmem.c(12): * Copyright (C) 2004 Andi Kleen, SuSE Labs
linux-3.10\mm\shmem.c(15): * Copyright (c) 2004, Luke Kenneth Casson Leighton
<lkcl@lkcl.net>
linux-3.10\mm\shmem.c(16): * Copyright (c) 2004 Red Hat, Inc., James Morris
<jmorris@redhat.com>
linux-3.10\mm\shmem.c(19): * Copyright (c) 2004, 2008 Matt Mackall

legal(ME)

<mpm@selenic.com>
linux-3.10\mm\shmem.c(4): * Copyright (C) 2000 Linus Torvalds.
linux-3.10\mm\shmem.c(9): * Copyright (C) 2002-2011 Hugh Dickins.
linux-3.10\mm\swap.c(4): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\mm\swap_state.c(4): *Copyright (C) 1991, 1992, 1993, 1994Linus
Torvalds
linux-3.10\mm\swapfile.c(4): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\mm\truncate.c(4): * Copyright (C) 2002, Linus Torvalds
linux-3.10\mm\vmalloc.c(4): *Copyright (C) 1993Linus Torvalds
linux-3.10\mm\vmpressure.c(4): * Copyright 2012 Linaro Ltd.
linux-3.10\mm\vmscan.c(4): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\mm\vmstat.c(5): *Copyright (C) 1991, 1992, 1993, 1994Linus Torvalds
linux-3.10\mm\vmstat.c(8): *Copyright (C) 2006 Silicon Graphics, Inc.,
linux-3.10\net\802\garp.c(4): *Copyright (c) 2008 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\802\mrp.c(4): *Copyright (c) 2012 Massachusetts Institute of
Technology
linux-3.10\net\802\mrp.c(7): *Copyright (c) 2008 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\802\stp.c(4): *Copyright (c) 2008 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\8021q\vlan_gvrp.c(4): * Copyright (c) 2008 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\8021q\vlan_mvrp.c(4): *Copyright (c) 2012 Massachusetts Institute
of Technology
linux-3.10\net\8021q\vlan_mvrp.c(7): *Copyright (c) 2008 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\8021q\vlan_netlink.c(4): * Copyright (c) 2007 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\8021q\vlanproc.c(10): * Copyright:(c) 1998 Ben Greear
linux-3.10\net\9p\client.c(6): *Copyright (C) 2008 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\net\9p\client.c(7): *Copyright (C) 2007 by Latchesar Ionkov
<lucho@ionkov.net>
linux-3.10\net\9p\error.c(10): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\net\9p\error.c(11): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\net\9p\mod.c(6): *Copyright (C) 2007 by Latchesar Ionkov
<lucho@ionkov.net>
linux-3.10\net\9p\mod.c(7): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\net\9p\mod.c(8): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\net\9p\protocol.c(6): *Copyright (C) 2008 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\net\9p\protocol.c(9): *Copyright (C) 2008 by IBM, Corp.
linux-3.10\net\9p\protocol.h(6): *Copyright (C) 2008 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\net\9p\protocol.h(9): *Copyright (C) 2008 by IBM, Corp.
linux-3.10\net\9p\trans_common.c(2): * Copyright IBM Corporation, 2010
linux-3.10\net\9p\trans_common.h(2): * Copyright IBM Corporation, 2010

legal(ME)

linux-3.10\net\9p\trans_fd.c(6): *Copyright (C) 2006 by Russ Cox <rsc@swtch.com>
linux-3.10\net\9p\trans_fd.c(7): *Copyright (C) 2004-2005 by Latchesar Ionkov
<lucho@ionkov.net>
linux-3.10\net\9p\trans_fd.c(8): *Copyright (C) 2004-2008 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\net\9p\trans_fd.c(9): *Copyright (C) 1997-2002 by Ron Minnich
<rminnich@sarnoff.com>
linux-3.10\net\9p\trans_rdma.c(10): *Copyright (C) 1997-2002 by Ron Minnich
<rminnich@sarnoff.com>
linux-3.10\net\9p\trans_rdma.c(6): *Copyright (C) 2008 by Tom Tucker
<tom@opengridcomputing.com>
linux-3.10\net\9p\trans_rdma.c(7): *Copyright (C) 2006 by Russ Cox
<rsc@swtch.com>
linux-3.10\net\9p\trans_rdma.c(8): *Copyright (C) 2004-2005 by Latchesar Ionkov
<lucho@ionkov.net>
linux-3.10\net\9p\trans_rdma.c(9): *Copyright (C) 2004-2008 by Eric Van
Hensbergen <ericvh@gmail.com>
linux-3.10\net\9p\trans_virtio.c(10): *Copyright (C) 2006, 2007 Rusty Russell,
IBM Corporation
linux-3.10\net\9p\trans_virtio.c(7): *Copyright (C) 2007, 2008 Eric Van
Hensbergen, IBM Corporation
linux-3.10\net\9p\util.c(6): *Copyright (C) 2007 by Latchesar Ionkov
<lucho@ionkov.net>
linux-3.10\net\9p\util.c(7): *Copyright (C) 2004 by Eric Van Hensbergen
<ericvh@gmail.com>
linux-3.10\net\9p\util.c(8): *Copyright (C) 2002 by Ron Minnich
<rminnich@lanl.gov>
linux-3.10\net\appletalk\atalk_proc.c(4): * Copyright(c) Arnaldo Carvalho de Melo
<acme@conectiva.com.br>
linux-3.10\net\atm\pppoatm.c(3):/* Copyright 1999-2000 by Mitchell Blank Jr */
linux-3.10\net\atm\pppoatm.c(5):/* And on ppp_async.c; Copyright 1999 Paul
Mackerras */
linux-3.10\net\ax25\af_ax25.c(10): * Copyright (C) Steven Whitehouse GW7RRM
(steve@acm.org)
linux-3.10\net\ax25\af_ax25.c(11): * Copyright (C) Joerg Reuter DL1BKE
(jreuter@yaina.de)
linux-3.10\net\ax25\af_ax25.c(12): * Copyright (C) Hans-Joachim Hetscher DD8NE
(dd8ne@bnv-bamberg.de)
linux-3.10\net\ax25\af_ax25.c(13): * Copyright (C) Hans Alblas PE1AYX
(hans@esrac.ele.tue.nl)
linux-3.10\net\ax25\af_ax25.c(14): * Copyright (C) Frederic Rible F10AT
(frible@teaser.fr)
linux-3.10\net\ax25\af_ax25.c(7): * Copyright (C) Alan Cox GW4PTS
(alan@lxorguk.ukuu.org.uk)
linux-3.10\net\ax25\af_ax25.c(8): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\af_ax25.c(9): * Copyright (C) Darryl Miles G7LED
(dlm@g7led.demon.co.uk)
linux-3.10\net\ax25\ax25_addr.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_dev.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)

legal(ME)

linux-3.10\net\ax25\ax25_ds_in.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_ds_in.c(8): * Copyright (C) Joerg Reuter DL1BKE
(jreuter@yaina.de)
linux-3.10\net\ax25\ax25_ds_subr.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_ds_subr.c(8): * Copyright (C) Joerg Reuter DL1BKE
(jreuter@yaina.de)
linux-3.10\net\ax25\ax25_ds_timer.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_ds_timer.c(8): * Copyright (C) Joerg Reuter DL1BKE
(jreuter@yaina.de)
linux-3.10\net\ax25\ax25_iface.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_in.c(10): * Copyright (C) Hans-Joachim Hetscher DD8NE
(dd8ne@bnv-bamberg.de)
linux-3.10\net\ax25\ax25_in.c(7): * Copyright (C) Alan Cox GW4PTS
(alan@lxorguk.ukuu.org.uk)
linux-3.10\net\ax25\ax25_in.c(8): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_in.c(9): * Copyright (C) Joerg Reuter DL1BKE
(jreuter@yaina.de)
linux-3.10\net\ax25\ax25_ip.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_out.c(7): * Copyright (C) Alan Cox GW4PTS
(alan@lxorguk.ukuu.org.uk)
linux-3.10\net\ax25\ax25_out.c(8): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_out.c(9): * Copyright (C) Joerg Reuter DL1BKE
(jreuter@yaina.de)
linux-3.10\net\ax25\ax25_route.c(10): * Copyright (C) Joerg Reuter DL1BKE
(jreuter@yaina.de)
linux-3.10\net\ax25\ax25_route.c(11): * Copyright (C) Hans-Joachim Hetscher DD8NE
(dd8ne@bnv-bamberg.de)
linux-3.10\net\ax25\ax25_route.c(12): * Copyright (C) Frederic Rible F10AT
(frible@teaser.fr)
linux-3.10\net\ax25\ax25_route.c(7): * Copyright (C) Alan Cox GW4PTS
(alan@lxorguk.ukuu.org.uk)
linux-3.10\net\ax25\ax25_route.c(8): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_route.c(9): * Copyright (C) Steven Whitehouse GW7RRM
(steve@acm.org)
linux-3.10\net\ax25\ax25_std_in.c(10): * Copyright (C) Hans-Joachim Hetscher
DD8NE (dd8ne@bnv-bamberg.de)
linux-3.10\net\ax25\ax25_std_in.c(7): * Copyright (C) Alan Cox GW4PTS
(alan@lxorguk.ukuu.org.uk)
linux-3.10\net\ax25\ax25_std_in.c(8): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_std_in.c(9): * Copyright (C) Joerg Reuter DL1BKE
(jreuter@yaina.de)
linux-3.10\net\ax25\ax25_std_subr.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)

legal(ME)

linux-3.10\net\ax25\ax25_std_timer.c(10): * Copyright (C) Frederic Rible F10AT (fribble@teaser.fr)
linux-3.10\net\ax25\ax25_std_timer.c(7): * Copyright (C) Alan Cox GW4PTS (alan@lxorguk.ukuu.org.uk)
linux-3.10\net\ax25\ax25_std_timer.c(8): * Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_std_timer.c(9): * Copyright (C) Joerg Reuter DL1BKE (jreuter@yaina.de)
linux-3.10\net\ax25\ax25_subr.c(10): * Copyright (C) Frederic Rible F10AT (fribble@teaser.fr)
linux-3.10\net\ax25\ax25_subr.c(7): * Copyright (C) Alan Cox GW4PTS (alan@lxorguk.ukuu.org.uk)
linux-3.10\net\ax25\ax25_subr.c(8): * Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_subr.c(9): * Copyright (C) Joerg Reuter DL1BKE (jreuter@yaina.de)
linux-3.10\net\ax25\ax25_timer.c(10): * Copyright (C) Darryl Miles G7LED (dlm@g7led.demon.co.uk)
linux-3.10\net\ax25\ax25_timer.c(11): * Copyright (C) Joerg Reuter DL1BKE (jreuter@yaina.de)
linux-3.10\net\ax25\ax25_timer.c(12): * Copyright (C) Frederic Rible F10AT (fribble@teaser.fr)
linux-3.10\net\ax25\ax25_timer.c(13): * Copyright (C) 2002 Ralf Baechle D01GRB (ralf@gnu.org)
linux-3.10\net\ax25\ax25_timer.c(7): * Copyright (C) Alan Cox GW4PTS (alan@lxorguk.ukuu.org.uk)
linux-3.10\net\ax25\ax25_timer.c(8): * Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\ax25_timer.c(9): * Copyright (C) Tomi Manninen OH2BNS (oh2bns@sral.fi)
linux-3.10\net\ax25\ax25_uid.c(7): * Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)
linux-3.10\net\ax25\sysctl_net_ax25.c(7): * Copyright (C) 1996 Mike Shaver (shaver@zeroknowledge.com)
linux-3.10\net\batman-adv\bat_algo.h(1):/* Copyright (C) 2011-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\bat_iv_ogm.c(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\bitarray.c(1):/* Copyright (C) 2006-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\bitarray.h(1):/* Copyright (C) 2006-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\bridge_loop_avoidance.c(1):/* Copyright (C) 2011-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\bridge_loop_avoidance.h(1):/* Copyright (C) 2011-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\debugfs.c(1):/* Copyright (C) 2010-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\debugfs.h(1):/* Copyright (C) 2010-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\gateway_client.c(1):/* Copyright (C) 2009-2013 B.A.T.M.A.N. contributors:

legal(ME)

linux-3.10\net\batman-adv\gateway_client.h(1):/* Copyright (C) 2009-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\gateway_common.c(1):/* Copyright (C) 2009-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\gateway_common.h(1):/* Copyright (C) 2009-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\hard-interface.c(1):/* Copyright (C) 2007-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\hard-interface.h(1):/* Copyright (C) 2007-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\hash.c(1):/* Copyright (C) 2006-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\hash.h(1):/* Copyright (C) 2006-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\icmp_socket.c(1):/* Copyright (C) 2007-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\icmp_socket.h(1):/* Copyright (C) 2007-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\main.c(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\main.h(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\Makefile(2):# Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\network-coding.c(1):/* Copyright (C) 2012-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\network-coding.h(1):/* Copyright (C) 2012-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\originator.c(1):/* Copyright (C) 2009-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\originator.h(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\packet.h(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\ring_buffer.c(1):/* Copyright (C) 2007-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\ring_buffer.h(1):/* Copyright (C) 2007-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\routing.c(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\routing.h(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\send.c(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\send.h(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N.
contributors:
linux-3.10\net\batman-adv\soft-interface.c(1):/* Copyright (C) 2007-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\soft-interface.h(1):/* Copyright (C) 2007-2013
B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\sysfs.c(1):/* Copyright (C) 2010-2013 B.A.T.M.A.N.
contributors:

legal(ME)

linux-3.10\net\batman-adv\sysfs.h(1):/* Copyright (C) 2010-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\translation-table.c(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\translation-table.h(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\types.h(1):/* Copyright (C) 2007-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\unicast.c(1):/* Copyright (C) 2010-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\unicast.h(1):/* Copyright (C) 2010-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\vis.c(1):/* Copyright (C) 2008-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\batman-adv\vis.h(1):/* Copyright (C) 2008-2013 B.A.T.M.A.N. contributors:
linux-3.10\net\bluetooth\amp.c(2): Copyright (c) 2010,2011 Code Aurora Forum.All rights reserved.
linux-3.10\net\bluetooth\amp.c(3): Copyright (c) 2011,2012 Intel Corp.
linux-3.10\net\bluetooth\af_bluetooth.c(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\net\bluetooth\amp.c(2): Copyright (c) 2011,2012 Intel Corp.
linux-3.10\net\bluetooth\bnep\bnep.h(3):Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\net\bluetooth\bnep\core.c(3): Copyright (C) 2001-2002 Inventel Systemes
linux-3.10\net\bluetooth\bnep\core.c(8): Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\net\bluetooth\bnep\netdev.c(3): Copyright (C) 2001-2002 Inventel Systemes
linux-3.10\net\bluetooth\bnep\netdev.c(8): Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\net\bluetooth\bnep\sock.c(3): Copyright (C) 2001-2002 Inventel Systemes
linux-3.10\net\bluetooth\bnep\sock.c(7): Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\net\bluetooth\cmtp\capi.c(3): Copyright (C) 2002-2003 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\cmtp\cmtp.h(3): Copyright (C) 2002-2003 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\cmtp\core.c(3): Copyright (C) 2002-2003 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\cmtp\sock.c(3): Copyright (C) 2002-2003 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\hci_conn.c(3): Copyright (c) 2000-2001, 2010, Code Aurora Forum. All rights reserved.
linux-3.10\net\bluetooth\hci_core.c(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\net\bluetooth\hci_core.c(4): Copyright (C) 2011 ProFUSION Embedded Systems
linux-3.10\net\bluetooth\hci_event.c(3): Copyright (c) 2000-2001, 2010, Code Aurora Forum. All rights reserved.

legal(ME)

linux-3.10\net\bluetooth\hci_sock.c(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\net\bluetooth\hidp\core.c(3): Copyright (C) 2003-2004 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\hidp\core.c(4): Copyright (C) 2013 David Herrmann <dh.herrmann@gmail.com>
linux-3.10\net\bluetooth\hidp\hidp.h(3): Copyright (C) 2003-2004 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\hidp\sock.c(3): Copyright (C) 2003-2004 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\l2cap_core.c(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\net\bluetooth\l2cap_core.c(4): Copyright (C) 2009-2010 Gustavo F. Padovan <gustavo@padovan.org>
linux-3.10\net\bluetooth\l2cap_core.c(5): Copyright (C) 2010 Google Inc.
linux-3.10\net\bluetooth\l2cap_core.c(6): Copyright (C) 2011 ProFUSION Embedded Systems
linux-3.10\net\bluetooth\l2cap_core.c(7): Copyright (c) 2012 Code Aurora Forum. All rights reserved.
linux-3.10\net\bluetooth\l2cap_sock.c(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\net\bluetooth\l2cap_sock.c(4): Copyright (C) 2009-2010 Gustavo F. Padovan <gustavo@padovan.org>
linux-3.10\net\bluetooth\l2cap_sock.c(5): Copyright (C) 2010 Google Inc.
linux-3.10\net\bluetooth\l2cap_sock.c(6): Copyright (C) 2011 ProFUSION Embedded Systems
linux-3.10\net\bluetooth\lib.c(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\net\bluetooth\mgmt.c(4): Copyright (C) 2010 Nokia Corporation
linux-3.10\net\bluetooth\mgmt.c(5): Copyright (C) 2011-2012 Intel Corporation
linux-3.10\net\bluetooth\rfcomm\core.c(3): Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\net\bluetooth\rfcomm\core.c(4): Copyright (C) 2002 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\rfcomm\sock.c(3): Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\net\bluetooth\rfcomm\sock.c(4): Copyright (C) 2002 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\rfcomm\tty.c(3): Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>
linux-3.10\net\bluetooth\rfcomm\tty.c(4): Copyright (C) 2002 Marcel Holtmann <marcel@holtmann.org>
linux-3.10\net\bluetooth\sco.c(3): Copyright (C) 2000-2001 Qualcomm Incorporated
linux-3.10\net\bluetooth\smp.c(3): Copyright (C) 2011 Nokia Corporation and/or its subsidiary(-ies).
linux-3.10\net\bridge\br_multicast.c(4): * Copyright (c) 2010 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\net\bridge\netfilter\ebtables.c(10): * Copyright (C) 1999 Paul 'Rusty' Russell & Michael J. Neuling
linux-3.10\net\caif\caif_dev.c(3): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\caif_socket.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\caif_usb.c(3): * Copyright (C) ST-Ericsson AB 2011
linux-3.10\net\caif\cfcnfg.c(2): * Copyright (C) ST-Ericsson AB 2010

legal(ME)

linux-3.10\net\caif\cfctrl.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfdbg1.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfdbgml.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfrrml.c(4): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfmux1.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfpkt_skbuff.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfrfml.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfser1.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfsrv1.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfutil1.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfveil.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\cfvid1.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\caif\chnl_net.c(2): * Copyright (C) ST-Ericsson AB 2010
linux-3.10\net\can\af_can.c(5): * Copyright (c) 2002-2007 Volkswagen Group
Electronic Research
linux-3.10\net\can\af_can.h(2): * Copyright (c) 2002-2007 Volkswagen Group
Electronic Research
linux-3.10\net\can\bcm.c(4): * Copyright (c) 2002-2007 Volkswagen Group
Electronic Research
linux-3.10\net\can\gw.c(4): * Copyright (c) 2011 Volkswagen Group Electronic
Research
linux-3.10\net\can\proc.c(4): * Copyright (c) 2002-2007 Volkswagen Group
Electronic Research
linux-3.10\net\can\raw.c(4): * Copyright (c) 2002-2007 Volkswagen Group
Electronic Research
linux-3.10\net\ceph\snapshot.c(4): * Copyright (C) 2013 Inktank Storage, Inc.
linux-3.10\net\compat.c(10): * Copyright (C) 2000David Mosberger-Tang
<davidm@hpl.hp.com>
linux-3.10\net\compat.c(11): * Copyright (C) 2000,2001Andi Kleen, SuSE Labs
linux-3.10\net\compat.c(4): * Copyright (C) 2000VA Linux Co
linux-3.10\net\compat.c(5): * Copyright (C) 2000Don Dugger <n0ano@valinux.com>
linux-3.10\net\compat.c(6): * Copyright (C) 1999 Arun Sharma
<arun.sharma@intel.com>
linux-3.10\net\compat.c(7): * Copyright (C) 1997,1998 Jakub Jelinek
(jj@sunsite.mff.cuni.cz)
linux-3.10\net\compat.c(8): * Copyright (C) 1997 David S. Miller
(davem@caip.rutgers.edu)
linux-3.10\net\compat.c(9): * Copyright (C) 2000Hewlett-Packard Co.
linux-3.10\net\core\dev_addr_lists.c(3): * Copyright (c) 2010 Jiri Pirko
<jpirko@redhat.com>
linux-3.10\net\core\drop_monitor.c(4): * Copyright (C) 2009 Neil Horman
<nhorman@tuxdriver.com>
linux-3.10\net\core\ethtool.c(3): * Copyright (c) 2003 Matthew Wilcox
<matthew@wil.cx>
linux-3.10\net\core\flow.c(3): * Copyright (C) 2003 Alexey N. Kuznetsov
(kuznet@ms2.inr.ac.ru)
linux-3.10\net\core\flow.c(4): * Copyright (C) 2003 David S. Miller
(davem@redhat.com)
linux-3.10\net\core\netpoll.c(8): * Copyright (C) 2001Ingo Molnar
<mingo@redhat.com>
linux-3.10\net\core\netpoll.c(9): * Copyright (C) 2002Red Hat, Inc.
linux-3.10\net\core\net-sysfs.c(4): * Copyright (c) 2003 Stephen Hemminger

legal(ME)

<shemming@osdl.org>
linux-3.10\net\core\net-traces.c(4): * Copyright (C) 2009 Neil Horman
<nhorman@tuxdriver.com>
linux-3.10\net\core\pktgen.c(3): * Copyright 2001, 2002 by Robert Olsson
<robert.olsson@its.uu.se>
linux-3.10\net\core\timestamping.c(4): * Copyright (C) 2010 OMICRON electronics GmbH
linux-3.10\net\core\user_dma.c(2): * Copyright(c) 2004 - 2006 Intel Corporation. All rights reserved.
linux-3.10\net\core\user_dma.c(3): * Portions based on net/core/datagram.c and copyrighted by their authors.
linux-3.10\net\core\utils.c(7): *in{4,6}_pton YOSHIFUJI Hideaki, Copyright (C)2006 USAGI/WIDE Project
linux-3.10\net\dc\dcbevent.c(2): * Copyright (c) 2010, Intel Corporation.
linux-3.10\net\dc\dcbnl.c(2): * Copyright (c) 2008-2011, Intel Corporation.
linux-3.10\net\dccp\ackvec.c(5): *Copyright (c) 2007 University of Aberdeen, Scotland, UK
linux-3.10\net\dccp\ackvec.c(6): *Copyright (c) 2005 Arnaldo Carvalho de Melo <acme@ghostprotocols.net>
linux-3.10\net\dccp\ackvec.h(7): *Copyright (c) 2007 University of Aberdeen, Scotland, UK
linux-3.10\net\dccp\ackvec.h(8): *Copyright (c) 2005 Arnaldo Carvalho de Melo <acme@mandriva.com>
linux-3.10\net\dccp\ccids\ccid2.c(2): *Copyright (c) 2005, 2006 Andrea Bittau <a.bittau@cs.ucl.ac.uk>
linux-3.10\net\dccp\ccids\ccid2.c(6): *Copyright (c) 2006 Arnaldo Carvalho de Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\ccid2.h(2): *Copyright (c) 2005 Andrea Bittau <a.bittau@cs.ucl.ac.uk>
linux-3.10\net\dccp\ccids\ccid3.c(13): *Copyright (c) 2003 Nils-Erik Mattsson, Joacim Haggmark, Magnus Erixzon
linux-3.10\net\dccp\ccids\ccid3.c(19): *Copyright (c) 2005 Arnaldo Carvalho de Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\ccid3.c(2): *Copyright (c) 2007 The University of Aberdeen, Scotland, UK
linux-3.10\net\dccp\ccids\ccid3.c(3): *Copyright (c) 2005-7 The University of Waikato, Hamilton, New Zealand.
linux-3.10\net\dccp\ccids\ccid3.c(4): *Copyright (c) 2005-7 Ian McDonald <ian.mcdonald@jandi.co.nz>
linux-3.10\net\dccp\ccids\ccid3.h(13): *Copyright (c) 2003 Nils-Erik Mattsson, Joacim Haggmark, Magnus Erixzon
linux-3.10\net\dccp\ccids\ccid3.h(19): *Copyright (c) 2005 Arnaldo Carvalho de Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\ccid3.h(2): *Copyright (c) 2005-7 The University of Waikato, Hamilton, New Zealand.
linux-3.10\net\dccp\ccids\ccid3.h(3): *Copyright (c) 2007 The University of Aberdeen, Scotland, UK
linux-3.10\net\dccp\ccids\lib\loss_interval.c(2): *Copyright (c) 2007 The University of Aberdeen, Scotland, UK
linux-3.10\net\dccp\ccids\lib\loss_interval.c(3): *Copyright (c) 2005-7 The University of Waikato, Hamilton, New Zealand.
linux-3.10\net\dccp\ccids\lib\loss_interval.c(4): *Copyright (c) 2005-7 Ian

legal(ME)

McDonald <ian.mcdonald@jandi.co.nz>
linux-3.10\net\dccp\ccids\lib\loss_interval.c(5): *Copyright (c) 2005 Arnaldo
Carvalho de Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\lib\loss_interval.h(4): *Copyright (c) 2007 The
University of Aberdeen, Scotland, UK
linux-3.10\net\dccp\ccids\lib\loss_interval.h(5): *Copyright (c) 2005-7 The
University of Waikato, Hamilton, New Zealand.
linux-3.10\net\dccp\ccids\lib\loss_interval.h(6): *Copyright (c) 2005-7 Ian
McDonald <ian.mcdonald@jandi.co.nz>
linux-3.10\net\dccp\ccids\lib\loss_interval.h(7): *Copyright (c) 2005 Arnaldo
Carvalho de Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\lib\packet_history.c(13): *Copyright (c) 2003 Nils-Erik
Mattsson, Joacim Haggmark, Magnus Erixzon
linux-3.10\net\dccp\ccids\lib\packet_history.c(19): *Copyright (c) 2005 Arnaldo
Carvalho de Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\lib\packet_history.c(2): *Copyright (c) 2007 The
University of Aberdeen, Scotland, UK
linux-3.10\net\dccp\ccids\lib\packet_history.c(3): *Copyright (c) 2005-7 The
University of Waikato, Hamilton, New Zealand.
linux-3.10\net\dccp\ccids\lib\packet_history.h(13): *Copyright (c) 2003 Nils-Erik
Mattsson, Joacim Haggmark, Magnus Erixzon
linux-3.10\net\dccp\ccids\lib\packet_history.h(19): *Copyright (c) 2005 Arnaldo
Carvalho de Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\lib\packet_history.h(4): *Copyright (c) 2007 The
University of Aberdeen, Scotland, UK
linux-3.10\net\dccp\ccids\lib\packet_history.h(5): *Copyright (c) 2005-6 The
University of Waikato, Hamilton, New Zealand.
linux-3.10\net\dccp\ccids\lib\tfrc.c(4): * Copyright (c) 2007 The University of
Aberdeen, Scotland, UK
linux-3.10\net\dccp\ccids\lib\tfrc.c(5): * Copyright (c) 2007 Arnaldo Carvalho de
Melo <acme@redhat.com>
linux-3.10\net\dccp\ccids\lib\tfrc.h(4): *Copyright (c) 2007 The University of
Aberdeen, Scotland, UK
linux-3.10\net\dccp\ccids\lib\tfrc.h(5): *Copyright (c) 2005-6 The University of
Waikato, Hamilton, New Zealand.
linux-3.10\net\dccp\ccids\lib\tfrc.h(6): *Copyright (c) 2005-6 Ian McDonald
<ian.mcdonald@jandi.co.nz>
linux-3.10\net\dccp\ccids\lib\tfrc.h(7): *Copyright (c) 2005 Arnaldo Carvalho de
Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\lib\tfrc.h(8): *Copyright (c) 2003 Nils-Erik Mattsson,
Joacim Haggmark, Magnus Erixzon
linux-3.10\net\dccp\ccids\lib\tfrc_equation.c(2): *Copyright (c) 2005 The
University of Waikato, Hamilton, New Zealand.
linux-3.10\net\dccp\ccids\lib\tfrc_equation.c(3): *Copyright (c) 2005 Ian
McDonald <ian.mcdonald@jandi.co.nz>
linux-3.10\net\dccp\ccids\lib\tfrc_equation.c(4): *Copyright (c) 2005 Arnaldo
Carvalho de Melo <acme@conectiva.com.br>
linux-3.10\net\dccp\ccids\lib\tfrc_equation.c(5): *Copyright (c) 2003 Nils-Erik
Mattsson, Joacim Haggmark, Magnus Erixzon
linux-3.10\net\dccp\dccp.h(7): *Copyright (c) 2005 Arnaldo Carvalho de Melo
<acme@conectiva.com.br>
linux-3.10\net\dccp\dccp.h(8): *Copyright (c) 2005-6 Ian McDonald

legal(ME)

<ian.mcdonald@jandi.co.nz>
linux-3.10\net\dccp\feat.c(6): *Copyright (c) 2008 Gerrit Renker
<gerrit@erg.abdn.ac.uk>
linux-3.10\net\dccp\feat.c(8): *Copyright (c) 2005 Andrea Bittau
<a.bittau@cs.ucl.ac.uk>
linux-3.10\net\dccp\feat.h(7): *Copyright (c) 2008 Gerrit Renker
<gerrit@erg.abdn.ac.uk>
linux-3.10\net\dccp\feat.h(8): *Copyright (c) 2005 Andrea Bittau
<a.bittau@cs.ucl.ac.uk>
linux-3.10\net\dccp\ipv6.h(7): *Copyright (c) 2005 Arnaldo Carvalho de Melo
<acme@ghostprotocols.net>
linux-3.10\net\dccp\options.c(5): *Copyright (c) 2005 Aristeu Sergio Rozanski
Filho <aris@cathedrallabs.org>
linux-3.10\net\dccp\options.c(6): *Copyright (c) 2005 Arnaldo Carvalho de Melo
<acme@ghostprotocols.net>
linux-3.10\net\dccp\options.c(7): *Copyright (c) 2005 Ian McDonald
<ian.mcdonald@jandi.co.nz>
linux-3.10\net\dccp\probe.c(5): * Copyright (C) 2004, Stephen Hemminger
<shemminger@osdl.org>
linux-3.10\net\dccp\probe.c(8): * Copyright (C) 2006, Ian McDonald
<ian.mcdonald@jandi.co.nz>
linux-3.10\net\dccp\qpolicy.c(6): *Copyright (c) 2008 Tomasz Grobelny
<tomasz@grobelny.oswiecienia.net>
linux-3.10\net\decnet\af_decnet.c(14): *version of the code. Original copyright
preserved
linux-3.10\net\dns_resolver\dns_key.c(5): * Copyright (c) 2007 Igor Mammedov
linux-3.10\net\dns_resolver\dns_query.c(6): * Copyright (c) 2007 Igor Mammedov
linux-3.10\net\dns_resolver\internal.h(2): * Copyright (c) 2010 Wang Lei
linux-3.10\net\dsa\dsa.c(3): * Copyright (c) 2008-2009 Marvell Semiconductor
linux-3.10\net\dsa\dsa.c(4): * Copyright (c) 2013 Florian Fainelli
<florian@openwrt.org>
linux-3.10\net\dsa\dsa_priv.h(3): * Copyright (c) 2008-2009 Marvell Semiconductor
linux-3.10\net\dsa\slave.c(3): * Copyright (c) 2008-2009 Marvell Semiconductor
linux-3.10\net\dsa>tag_dsa.c(3): * Copyright (c) 2008-2009 Marvell Semiconductor
linux-3.10\net\dsa>tag_edsa.c(3): * Copyright (c) 2008-2009 Marvell Semiconductor
linux-3.10\net\dsa>tag_trailer.c(3): * Copyright (c) 2008-2009 Marvell
Semiconductor
linux-3.10\net\ieee802154\6lowpan.c(2): * Copyright 2011, Siemens AG
linux-3.10\net\ieee802154\6lowpan.c(25): * Copyright (c) 2008, Swedish Institute
of Computer Science.
linux-3.10\net\ieee802154\6lowpan.c(8): * Copyright (c) 2011 Jon Smirl
<jonsmirl@gmail.com>
linux-3.10\net\ieee802154\6lowpan.h(2): * Copyright 2011, Siemens AG
linux-3.10\net\ieee802154\6lowpan.h(25): * Copyright (c) 2008, Swedish Institute
of Computer Science.
linux-3.10\net\ieee802154\6lowpan.h(8): * Copyright (c) 2011 Jon Smirl
<jonsmirl@gmail.com>
linux-3.10\net\ieee802154\af_ieee802154.c(4): * Copyright 2007, 2008 Siemens AG
linux-3.10\net\ieee802154\af802154.h(4): * Copyright 2007, 2008, 2009 Siemens AG
linux-3.10\net\ieee802154\dgram.c(4): * Copyright 2007, 2008 Siemens AG
linux-3.10\net\ieee802154\ieee802154.h(2): * Copyright (C) 2007, 2008, 2009
Siemens AG

legal(ME)

linux-3.10\net\ieee802154\netlink.c(4): * Copyright 2007, 2008 Siemens AG
linux-3.10\net\ieee802154\nl_policy.c(4): * Copyright (C) 2007, 2008 Siemens AG
linux-3.10\net\ieee802154\nl_mac.c(4): * Copyright 2007, 2008 Siemens AG
linux-3.10\net\ieee802154\nl_phy.c(4): * Copyright 2007, 2008 Siemens AG
linux-3.10\net\ieee802154\raw.c(4): * Copyright 2007, 2008 Siemens AG
linux-3.10\net\ieee802154\wpan-class.c(2): * Copyright (C) 2007, 2008, 2009
Siemens AG
linux-3.10\net\ipv4\arp.c(3): * Copyright (C) 1994 by FlorianLa Roche
linux-3.10\net\ipv4\cipso_ipv4.c(21): * (c) Copyright Hewlett-Packard Development
Company, L.P., 2006, 2008
linux-3.10\net\ipv4\inet_lro.c(6): *(C) Copyright IBM Corp. 2007
linux-3.10\net\ipv4\ip_tunnel.c(2): * Copyright (c) 2013 Nicira, Inc.
linux-3.10\net\ipv4\ipcomp.c(4): * Copyright (c) 2003 James Morris
<jmorris@intercode.com.au>
linux-3.10\net\ipv4\ipconfig.c(5): *Copyright (C) 1996-1998 Martin Mares
<mj@atrey.karlin.mff.cuni.cz>
linux-3.10\net\ipv4\ipconfig.c(8): *originally Copyright (C) 1995, 1996 Gero
Kuhlmann and me.
linux-3.10\net\ipv4\netfilter\arp_tables.c(8): * Copyright (C) 2002 David S.
Miller (davem@redhat.com)
linux-3.10\net\ipv4\netfilter\arp_tables.c(9): * Copyright (C) 2006-2009 Patrick
McHardy <kaber@trash.net>
linux-3.10\net\ipv4\netfilter\arptable_filter.c(4): * Copyright (C) 2002 David S.
Miller (davem@redhat.com)
linux-3.10\net\ipv4\netfilter\ip_tables.c(4): * Copyright (C) 1999 Paul `Rusty'
Russell & Michael J. Neuling
linux-3.10\net\ipv4\netfilter\ip_tables.c(5): * Copyright (C) 2000-2005 Netfilter
Core Team <coreteam@netfilter.org>
linux-3.10\net\ipv4\netfilter\ip_tables.c(6): * Copyright (C) 2006-2010 Patrick
McHardy <kaber@trash.net>
linux-3.10\net\ipv4\netfilter\ipt_rpfilter.c(2): * Copyright (c) 2011 Florian
Westphal <fw@strlen.de>
linux-3.10\net\ipv4\netfilter\iptable_filter.c(4): * Copyright (C) 1999 Paul
`Rusty' Russell & Michael J. Neuling
linux-3.10\net\ipv4\netfilter\iptable_filter.c(5): * Copyright (C) 2000-2004
Netfilter Core Team <coreteam@netfilter.org>
linux-3.10\net\ipv4\netfilter\iptable_mangle.c(4): * Copyright (C) 1999 Paul
`Rusty' Russell & Michael J. Neuling
linux-3.10\net\ipv4\netfilter\iptable_mangle.c(5): * Copyright (C) 2000-2004
Netfilter Core Team <coreteam@netfilter.org>
linux-3.10\net\ipv4\netfilter\iptable_raw.c(4): * Copyright (C) 2003 Jozsef
Kadlecsik <kadlec@blackhole.kfki.hu>
linux-3.10\net\ipv4\netfilter\iptable_security.c(10): * Copyright (C) 1999 Paul
`Rusty' Russell & Michael J. Neuling
linux-3.10\net\ipv4\netfilter\iptable_security.c(11): * Copyright (C) 2000-2004
Netfilter Core Team <coreteam <at> netfilter.org>
linux-3.10\net\ipv4\netfilter\iptable_security.c(12): * Copyright (C) 2008 Red
Hat, Inc., James Morris <jmorris <at> redhat.com>
linux-3.10\net\ipv4\netfilter\nf_nat_h323.c(4): * Copyright (c) 2006 Jing Min
Zhao <zhaojingmin@users.sourceforge.net>
linux-3.10\net\ipv4\netfilter\nf_nat_h323.c(5): * Copyright (c) 2006-2012 Patrick
McHardy <kaber@trash.net>

legal(ME)

linux-3.10\net\ipv4\netfilter\nf_nat_snmp_basic.c(26): * Copyright (c) 2000 RP Internet (www.rpi.net.au).
linux-3.10\net\ipv4\netfilter\nf_nat_snmp_basic.c(42): * Copyright (c) 2006-2010 Patrick McHardy <kaber@trash.net>
linux-3.10\net\ipv4\syncookies.c(4): *Copyright (C) 1997 Andi Kleen
linux-3.10\net\ipv4\tcp_cong.c(6): * Copyright (C) 2005 Stephen Hemminger <shemminger@osdl.org>
linux-3.10\net\ipv4\tcp_illinois.c(12): * Copyright (C) 2007 Stephen Hemminger <shemminger@linux-foundation.org>
linux-3.10\net\ipv4\tcp_probe.c(5): * Copyright (C) 2004, Stephen Hemminger <shemminger@osdl.org>
linux-3.10\net\ipv4\tunnel4.c(3): * Copyright (C) 2003 David S. Miller (davem@redhat.com)
linux-3.10\net\ipv4\xfrm4_mode_beet.c(4): * Copyright (c) 2006 Diego Beltrami <diego.beltrami@gmail.com>
linux-3.10\net\ipv4\xfrm4_mode_transport.c(4): * Copyright (c) 2004-2006 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\net\ipv4\xfrm4_mode_tunnel.c(4): * Copyright (c) 2004-2006 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\net\ipv4\xfrm4_output.c(3): * Copyright (c) 2004 Herbert Xu <herbert@gondor.apana.org.au>
linux-3.10\net\ipv4\xfrm4_tunnel.c(3): * Copyright (C) 2003 David S. Miller (davem@redhat.com)
linux-3.10\net\ipv6\addrlabel.c(5): * Copyright (C)2007 USAGI/WIDE Project
linux-3.10\net\ipv6\ah6.c(2): * Copyright (C)2002 USAGI/WIDE Project
linux-3.10\net\ipv6\esp6.c(2): * Copyright (C)2002 USAGI/WIDE Project
linux-3.10\net\ipv6\fib6_rules.c(4): * Copyright (C)2003-2006 Helsinki University of Technology
linux-3.10\net\ipv6\fib6_rules.c(5): * Copyright (C)2003-2006 USAGI/WIDE Project
linux-3.10\net\ipv6\ip6mr.c(9): *Copyright (C)2007,2008 USAGI/WIDE Project
linux-3.10\net\ipv6\ipcomp6.c(4): * Copyright (C)2003 USAGI/WIDE Project
linux-3.10\net\ipv6\mip6.c(2): * Copyright (C)2003-2006 Helsinki University of Technology
linux-3.10\net\ipv6\mip6.c(3): * Copyright (C)2003-2006 USAGI/WIDE Project
linux-3.10\net\ipv6\netfilter\ip6_tables.c(4): * Copyright (C) 1999 Paul `Rusty' Russell & Michael J. Neuling
linux-3.10\net\ipv6\netfilter\ip6_tables.c(5): * Copyright (C) 2000-2005 Netfilter Core Team <coreteam@netfilter.org>
linux-3.10\net\ipv6\netfilter\ip6_tables.c(6): * Copyright (c) 2006-2010 Patrick McHardy <kaber@trash.net>
linux-3.10\net\ipv6\netfilter\ip6t_MASQUERADE.c(2): * Copyright (c) 2011 Patrick McHardy <kaber@trash.net>
linux-3.10\net\ipv6\netfilter\ip6t_mh.c(2): * Copyright (C)2006 USAGI/WIDE Project
linux-3.10\net\ipv6\netfilter\ip6t_NPT.c(2): * Copyright (c) 2011, 2012 Patrick McHardy <kaber@trash.net>
linux-3.10\net\ipv6\netfilter\ip6t_REJECT.c(10): * Copyright (c) 2005-2007 Patrick McHardy <kaber@trash.net>
linux-3.10\net\ipv6\netfilter\ip6t_REJECT.c(5): * Copyright (C)2003 USAGI/WIDE Project
linux-3.10\net\ipv6\netfilter\ip6t_rpfilter.c(2): * Copyright (c) 2011 Florian Westphal <fw@strlen.de>

legal(ME)

linux-3.10\net\ipv6\netfilter\ip6table_filter.c(4): * Copyright (C) 1999 Paul
`Rusty' Russell & Michael J. Neuling
linux-3.10\net\ipv6\netfilter\ip6table_filter.c(5): * Copyright (C) 2000-2004
Netfilter Core Team <coreteam@netfilter.org>
linux-3.10\net\ipv6\netfilter\ip6table_mangle.c(4): * Copyright (C) 2000-2001 by
Harald Welte <laforge@gnumonks.org>
linux-3.10\net\ipv6\netfilter\ip6table_mangle.c(5): * Copyright (C) 2000-2004
Netfilter Core Team <coreteam@netfilter.org>
linux-3.10\net\ipv6\netfilter\ip6table_nat.c(2): * Copyright (c) 2011 Patrick
McHardy <kaber@trash.net>
linux-3.10\net\ipv6\netfilter\ip6table_raw.c(4): * Copyright (C) 2003 Jozsef
Kadlecik <kadlec@blackhole.kfki.hu>
linux-3.10\net\ipv6\netfilter\ip6table_security.c(10): * Copyright (C) 1999 Paul
`Rusty' Russell & Michael J. Neuling
linux-3.10\net\ipv6\netfilter\ip6table_security.c(11): * Copyright (C) 2000-2004
Netfilter Core Team <coreteam@netfilter.org>
linux-3.10\net\ipv6\netfilter\ip6table_security.c(12): * Copyright (C) 2008 Red
Hat, Inc., James Morris <jmorris@redhat.com>
linux-3.10\net\ipv6\netfilter\nf_conntrack_l3proto_ipv6.c(2): * Copyright (C)2004
USAGI/WIDE Project
linux-3.10\net\ipv6\netfilter\nf_conntrack_proto_icmpv6.c(2): * Copyright
(C)2003,2004 USAGI/WIDE Project
linux-3.10\net\ipv6\netfilter\nf_conntrack_reasm.c(4): * Copyright (C)2004
USAGI/WIDE Project
linux-3.10\net\ipv6\netfilter\nf_nat_l3proto_ipv6.c(2): * Copyright (c) 2011
Patrick McHardy <kaber@trash.net>
linux-3.10\net\ipv6\netfilter\nf_nat_proto_icmpv6.c(2): * Copyright (c) 2011
Patrick McHardy <kaber@trash.net>
linux-3.10\net\ipv6\tunnel6.c(2): * Copyright (C)2003,2004 USAGI/WIDE Project
linux-3.10\net\ipv6\xfrm6_mode_beet.c(4): * Copyright (c) 2006 Diego Beltrami
<diego.beltrami@gmail.com>
linux-3.10\net\ipv6\xfrm6_mode_ro.c(4): * Copyright (C)2003-2006 Helsinki
University of Technology
linux-3.10\net\ipv6\xfrm6_mode_ro.c(5): * Copyright (C)2003-2006 USAGI/WIDE
Project
linux-3.10\net\ipv6\xfrm6_mode_transport.c(4): * Copyright (C) 2002 USAGI/WIDE
Project
linux-3.10\net\ipv6\xfrm6_mode_transport.c(5): * Copyright (c) 2004-2006 Herbert
Xu <herbert@gondor.apana.org.au>
linux-3.10\net\ipv6\xfrm6_mode_tunnel.c(4): * Copyright (C) 2002 USAGI/WIDE
Project
linux-3.10\net\ipv6\xfrm6_mode_tunnel.c(5): * Copyright (c) 2004-2006 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\net\ipv6\xfrm6_output.c(3): * Copyright (C) 2002 USAGI/WIDE Project
linux-3.10\net\ipv6\xfrm6_output.c(4): * Copyright (c) 2004 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\net\ipv6\xfrm6_tunnel.c(2): * Copyright (C)2003,2004 USAGI/WIDE
Project
linux-3.10\net\ipx\af_ipx.c(18): *Portions Copyright (c) 2000-2003 Conectiva,
Inc. <acme@conectiva.com.br>
linux-3.10\net\ipx\af_ipx.c(23): * Portions Copyright (c) 1995 Caldera, Inc.
<greg@caldera.com>

legal(ME)

linux-3.10\net\ipx\ipx_proc.c(4): * Copyright(C) Arnaldo Carvalho de Melo
<acme@conectiva.com.br>, 2002
linux-3.10\net\irda\af_irda.c(13): * Copyright (c) 1999 Dag Brattli
<dagb@cs.uit.no>
linux-3.10\net\irda\af_irda.c(14): * Copyright (c) 1999-2003 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\irda\discovery.c(14): * Copyright (c) 1999 Dag Brattli, All Rights
Reserved.
linux-3.10\net\irda\ircomm\ircomm_core.c(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\net\irda\ircomm\ircomm_core.c(13): * Copyright (c) 2000-2003 Jean
Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\ircomm\ircomm_event.c(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\net\irda\ircomm\ircomm_lmp.c(13): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\net\irda\ircomm\ircomm_lmp.c(14): * Copyright (c) 2000-2003 Jean
Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\ircomm\ircomm_param.c(12): * Copyright (c) 1999-2000 Dag
Brattli, All Rights Reserved.
linux-3.10\net\irda\ircomm\ircomm_ttp.c(12): * Copyright (c) 1999 Dag Brattli,
All Rights Reserved.
linux-3.10\net\irda\ircomm\ircomm_ttp.c(13): * Copyright (c) 2000-2003 Jean
Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\ircomm\ircomm_tty.c(13): * Copyright (c) 1999-2000 Dag
Brattli, All Rights Reserved.
linux-3.10\net\irda\ircomm\ircomm_tty.c(14): * Copyright (c) 2000-2003 Jean
Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\ircomm\ircomm_tty_attach.c(12): * Copyright (c) 1999-2000 Dag
Brattli, All Rights Reserved.
linux-3.10\net\irda\ircomm\ircomm_tty_attach.c(13): * Copyright (c) 2000-2003
Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\ircomm\ircomm_tty_ioctl.c(12): * Copyright (c) 1999-2000 Dag
Brattli, All Rights Reserved.
linux-3.10\net\irda\irda_device.c(12): * Copyright (c) 1999-2000 Dag Brattli, All
Rights Reserved.
linux-3.10\net\irda\irda_device.c(13): * Copyright (c) 2000-2001 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\irda\iriap.c(12): * Copyright (c) 1998-1999 Dag Brattli
<dagb@cs.uit.no>,
linux-3.10\net\irda\iriap.c(14): * Copyright (c) 2000-2003 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\irda\iriap_event.c(12): * Copyright (c) 1997, 1999-2000 Dag
Brattli <dagb@cs.uit.no>,
linux-3.10\net\irda\iriap_event.c(14): * Copyright (c) 2000-2003 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\irda\irias_object.c(12): * Copyright (c) 1998-1999 Dag Brattli,
All Rights Reserved.
linux-3.10\net\irda\irlan\irlan_client.c(15): * Copyright (c) 1998-1999 Dag
Brattli <dagb@cs.uit.no>,
linux-3.10\net\irda\irlan\irlan_client_event.c(12): * Copyright (c) 1998-1999 Dag
Brattli <dagb@cs.uit.no>,

legal(ME)

linux-3.10\net\irda\irlan\irlan_common.c(12): * Copyright (c) 1997, 1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\net\irda\irlan\irlan_eth.c(15): * Copyright (c) 1998-2000 Dag Brattli, All Rights Reserved.
linux-3.10\net\irda\irlan\irlan_event.c(12): * Copyright (c) 1998-1999 Dag Brattli, All Rights Reserved.
linux-3.10\net\irda\irlan\irlan_filter.c(12): * Copyright (c) 1998-1999 Dag Brattli, All Rights Reserved.
linux-3.10\net\irda\irlan\irlan_provider.c(15): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\net\irda\irlan\irlan_provider_event.c(12): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved.
linux-3.10\net\irda\irlap.c(12): * Copyright (c) 1998-1999 Dag Brattli, All Rights Reserved.
linux-3.10\net\irda\irlap.c(13): * Copyright (c) 2000-2003 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\irlap_event.c(12): * Copyright (c) 1998-2000 Dag Brattli <dag@brattli.net>,
linux-3.10\net\irda\irlap_event.c(13): * Copyright (c) 1998 Thomas Davis <ratbert@radiks.net>
linux-3.10\net\irda\irlap_event.c(15): * Copyright (c) 2000-2003 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\irlap_frame.c(12): * Copyright (c) 1998-2000 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\net\irda\irlap_frame.c(14): * Copyright (c) 2000-2003 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\irlmp.c(12): * Copyright (c) 1998-2000 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\net\irda\irlmp.c(14): * Copyright (c) 2000-2003 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\irlmp_event.c(12): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
linux-3.10\net\irda\irlmp_event.c(14): * Copyright (c) 2000-2003 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\irlmp_frame.c(12): * Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>
linux-3.10\net\irda\irlmp_frame.c(14): * Copyright (c) 2000-2003 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\irmod.c(12): * Copyright (c) 1997, 1999-2000 Dag Brattli, All Rights Reserved.
linux-3.10\net\irda\irmod.c(13): * Copyright (c) 2000-2004 Jean Tourrilhes <jt@hpl.hp.com>
linux-3.10\net\irda\irnetlink.c(4): * Copyright (c) 2007 Samuel Ortiz <samuel@sortiz.org>
linux-3.10\net\irda\irnetlink.c(8): * Copyright 2006 Johannes Berg <johannes@sipsolutions.net>
linux-3.10\net\irda\irproc.c(12): * Copyright (c) 1998-1999, Dag Brattli <dagb@cs.uit.no>
linux-3.10\net\irda\irproc.c(13): * Copyright (c) 1998, Thomas Davis, <ratbert@radiks.net>,
linux-3.10\net\irda\irqueue.c(14): * Copyright (C) 1998-1999, Aage Kvalnes <aage@cs.uit.no>

legal(ME)

linux-3.10\net\irda\irqueue.c(15): * Copyright (C) 1998, Dag Brattli,
linux-3.10\net\irda\irqueue.c(22): * This copyright does however not include
the ELF hash() function
linux-3.10\net\irda\irqueue.c(23): * which I currently don't know which licence
or copyright it
linux-3.10\net\irda\irsysctl.c(12): * Copyright (c) 1997, 1999 Dag Brattli, All
Rights Reserved.
linux-3.10\net\irda\irsysctl.c(13): * Copyright (c) 2000-2001 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\irda\irttcp.c(12): * Copyright (c) 1998-2000 Dag Brattli
<dagb@cs.uit.no>,
linux-3.10\net\irda\irttcp.c(14): * Copyright (c) 2000-2003 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\irda\parameters.c(12): * Copyright (c) 1999-2000 Dag Brattli, All
Rights Reserved.
linux-3.10\net\irda\qos.c(12): * Copyright (c) 1998-2000 Dag Brattli
<dagb@cs.uit.no>,
linux-3.10\net\irda\qos.c(14): * Copyright (c) 2000-2001 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\irda\timer.c(12): * Copyright (c) 1997, 1999 Dag Brattli
<dagb@cs.uit.no>,
linux-3.10\net\irda\timer.c(14): * Copyright (c) 2000-2002 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\irda\wrapper.c(14): * Copyright (c) 1998-2000 Dag Brattli
<dagb@cs.uit.no>,
linux-3.10\net\irda\wrapper.c(16): * Copyright (c) 2000-2002 Jean Tourrilhes
<jt@hpl.hp.com>
linux-3.10\net\iucv\af_iucv.c(4): * Copyright IBM Corp. 2006, 2009
linux-3.10\net\iucv\iucv.c(4): * Copyright IBM Corp. 2001, 2009
linux-3.10\net\l2tp\l2tp_core.c(4): * Copyright (c) 2008,2009,2010 Katalix
Systems Ltd
linux-3.10\net\l2tp\l2tp_core.h(4): * Copyright (c) 2008,2009 Katalix Systems Ltd
linux-3.10\net\l2tp\l2tp_debugfs.c(4): * Copyright (c) 2010 Katalix Systems Ltd
linux-3.10\net\l2tp\l2tp_eth.c(4): * Copyright (c) 2008,2009,2010 Katalix Systems
Ltd
linux-3.10\net\l2tp\l2tp_ip.c(4): * Copyright (c) 2008,2009,2010 Katalix Systems
Ltd
linux-3.10\net\l2tp\l2tp_ip6.c(4): * Copyright (c) 2012 Katalix Systems Ltd
linux-3.10\net\l2tp\l2tp_netlink.c(10): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\l2tp\l2tp_netlink.c(4): * Copyright (c) 2008,2009,2010 Katalix
Systems Ltd
linux-3.10\net\l2tp\l2tp_netlink.c(8): * Copyright (c) 2007 Samuel Ortiz
<samuel@sortiz.org>
linux-3.10\net\llc\af_llc.c(13): * Copyright (c) 2001 by Jay Schulist
<jschlst@samba.org>
linux-3.10\net\llc\llc_c_ac.c(10): * Copyright (c) 1997 by Procom Technology,
Inc.
linux-3.10\net\llc\llc_c_ev.c(26): * Copyright (c) 1997 by Procom Technology,
Inc.
linux-3.10\net\llc\llc_c_st.c(7): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_conn.c(4): * Copyright (c) 1997 by Procom Technology, Inc.

legal(ME)

linux-3.10\net\llc\llc_core.c(4): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_if.c(4): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_input.c(4): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_output.c(4): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_pdu.c(4): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_proc.c(4): * Copyright (c) 2001 by Jay Schulist
<jschlst@samba.org>
linux-3.10\net\llc\llc_s_ac.c(10): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_s_ev.c(7): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_s_st.c(7): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_sap.c(4): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\llc_station.c(4): * Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\llc\Makefile(4):# Copyright (c) 1997 by Procom Technology, Inc.
linux-3.10\net\mac80211\aes_ccm.c(2): * Copyright 2003-2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\aes_ccm.c(3): * Copyright 2005-2006, Devicescape Software, Inc.
linux-3.10\net\mac80211\aes_ccm.h(2): * Copyright 2003-2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\aes_ccm.h(3): * Copyright 2006, Devicescape Software, Inc.
linux-3.10\net\mac80211\aes_cmac.c(3): * Copyright 2008, Jouni Malinen <j@w1.fi>
linux-3.10\net\mac80211\aes_cmac.h(2): * Copyright 2008, Jouni Malinen <j@w1.fi>
linux-3.10\net\mac80211\agg-rx.c(4): * Copyright 2003, Jouni Malinen
<jkmaline@cc.hut.fi>
linux-3.10\net\mac80211\agg-rx.c(5): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\agg-rx.c(6): * Copyright 2005-2006, Devicescape Software, Inc.
linux-3.10\net\mac80211\agg-rx.c(7): * Copyright 2006-2007 Jiri Benc
<jbenc@suse.cz>
linux-3.10\net\mac80211\agg-rx.c(8): * Copyright 2007, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\net\mac80211\agg-rx.c(9): * Copyright 2007-2010, Intel Corporation
linux-3.10\net\mac80211\agg-tx.c(4): * Copyright 2003, Jouni Malinen
<jkmaline@cc.hut.fi>
linux-3.10\net\mac80211\agg-tx.c(5): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\agg-tx.c(6): * Copyright 2005-2006, Devicescape Software, Inc.
linux-3.10\net\mac80211\agg-tx.c(7): * Copyright 2006-2007 Jiri Benc
<jbenc@suse.cz>
linux-3.10\net\mac80211\agg-tx.c(8): * Copyright 2007, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\net\mac80211\agg-tx.c(9): * Copyright 2007-2010, Intel Corporation
linux-3.10\net\mac80211\cfg.c(4): * Copyright 2006-2010 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\debugfs.c(5): * Copyright 2007 Johannes Berg

legal(ME)

<johannes@sipsolutions.net>
linux-3.10\net\mac80211\debugfs_key.c(2): * Copyright 2003-2005Devicescape Software, Inc.
linux-3.10\net\mac80211\debugfs_key.c(3): * Copyright (c) 2006Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\debugfs_key.c(4): * Copyright 2007Johannes Berg <johannes@sipsolutions.net>
linux-3.10\net\mac80211\debugfs_netdev.c(2): * Copyright (c) 2006Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\debugfs_netdev.c(3): * Copyright 2007Johannes Berg <johannes@sipsolutions.net>
linux-3.10\net\mac80211\debugfs_sta.c(2): * Copyright 2003-2005Devicescape Software, Inc.
linux-3.10\net\mac80211\debugfs_sta.c(3): * Copyright (c) 2006Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\debugfs_sta.c(4): * Copyright 2007Johannes Berg <johannes@sipsolutions.net>
linux-3.10\net\mac80211\event.c(2): * Copyright 2007Johannes Berg <johannes@sipsolutions.net>
linux-3.10\net\mac80211\ht.c(4): * Copyright 2003, Jouni Malinen <jkmaline@cc.hut.fi>
linux-3.10\net\mac80211\ht.c(5): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\ht.c(6): * Copyright 2005-2006, Devicescape Software, Inc.
linux-3.10\net\mac80211\ht.c(7): * Copyright 2006-2007Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\ht.c(8): * Copyright 2007, Michael Wu <flamingice@sourmilk.net>
linux-3.10\net\mac80211\ht.c(9): * Copyright 2007-2010, Intel Corporation
linux-3.10\net\mac80211\ibss.c(3): * Copyright 2003-2008, Jouni Malinen <j@w1.fi>
linux-3.10\net\mac80211\ibss.c(4): * Copyright 2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\ibss.c(5): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\ibss.c(6): * Copyright 2006-2007Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\ibss.c(7): * Copyright 2007, Michael Wu <flamingice@sourmilk.net>
linux-3.10\net\mac80211\ibss.c(8): * Copyright 2009, Johannes Berg <johannes@sipsolutions.net>
linux-3.10\net\mac80211\ieee80211_i.h(2): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\ieee80211_i.h(3): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\ieee80211_i.h(4): * Copyright 2006-2007Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\ieee80211_i.h(5): * Copyright 2007-2010Johannes Berg <johannes@sipsolutions.net>
linux-3.10\net\mac80211\iface.c(4): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\iface.c(5): * Copyright 2005-2006, Devicescape Software, Inc.
linux-3.10\net\mac80211\iface.c(6): * Copyright (c) 2006 Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\iface.c(7): * Copyright 2008, Johannes Berg <johannes@sipsolutions.net>

legal(ME)

linux-3.10\net\mac80211\key.c(2): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\key.c(3): * Copyright 2005-2006, Devicescape Software, Inc.
linux-3.10\net\mac80211\key.c(4): * Copyright 2006-2007 Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\key.c(5): * Copyright 2007-2008 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\key.h(2): * Copyright 2002-2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\key.h(3): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\led.c(2): * Copyright 2006, Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\led.h(2): * Copyright 2006, Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\main.c(2): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\main.c(3): * Copyright 2005-2006, Devicescape Software, Inc.
linux-3.10\net\mac80211\main.c(4): * Copyright 2006-2007 Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\mesh.c(2): * Copyright (c) 2008, 2009 open80211s Ltd.
linux-3.10\net\mac80211\mesh.h(2): * Copyright (c) 2008, 2009 open80211s Ltd.
linux-3.10\net\mac80211\mesh_hwmp.c(2): * Copyright (c) 2008, 2009 open80211s Ltd.
linux-3.10\net\mac80211\mesh_pathtbl.c(2): * Copyright (c) 2008, 2009 open80211s Ltd.
linux-3.10\net\mac80211\mesh_plink.c(2): * Copyright (c) 2008, 2009 open80211s Ltd.
linux-3.10\net\mac80211\mesh_ps.c(2): * Copyright 2012-2013, Marco Porsch
<marco.porsch@s2005.tu-chemnitz.de>
linux-3.10\net\mac80211\mesh_ps.c(3): * Copyright 2012-2013, cozybit Inc.
linux-3.10\net\mac80211\mesh_sync.c(2): * Copyright 2011-2012, Pavel Zubarev
<pavel.zubarev@gmail.com>
linux-3.10\net\mac80211\mesh_sync.c(3): * Copyright 2011-2012, Marco Porsch
<marco.porsch@s2005.tu-chemnitz.de>
linux-3.10\net\mac80211\mesh_sync.c(4): * Copyright 2011-2012, cozybit Inc.
linux-3.10\net\mac80211\michael.c(3): * Copyright 2002-2003, Instant802 Networks, Inc.
linux-3.10\net\mac80211\michael.h(3): * Copyright 2002-2003, Instant802 Networks, Inc.
linux-3.10\net\mac80211\mlme.c(3): * Copyright 2003-2008, Jouni Malinen <j@w1.fi>
linux-3.10\net\mac80211\mlme.c(4): * Copyright 2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\mlme.c(5): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\mlme.c(6): * Copyright 2006-2007 Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\mlme.c(7): * Copyright 2007, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\net\mac80211\offchannel.c(4): * Copyright 2003, Jouni Malinen
<jkmaline@cc.hut.fi>
linux-3.10\net\mac80211\offchannel.c(5): * Copyright 2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\offchannel.c(6): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\offchannel.c(7): * Copyright 2006-2007 Jiri Benc

legal(ME)

<jbenc@suse.cz>
linux-3.10\net\mac80211\offchannel.c(8): * Copyright 2007, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\net\mac80211\offchannel.c(9): * Copyright 2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\rate.c(2): * Copyright 2002-2005, Instant802 Networks,
Inc.
linux-3.10\net\mac80211\rate.c(3): * Copyright 2005-2006, Devicescape Software,
Inc.
linux-3.10\net\mac80211\rate.c(4): * Copyright (c) 2006 Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\rate.h(2): * Copyright 2002-2005, Instant802 Networks,
Inc.
linux-3.10\net\mac80211\rate.h(3): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\rate.h(4): * Copyright (c) 2006 Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\rc80211_minstrel.c(13): * Copyright (c) 2005 John Bicket
linux-3.10\net\mac80211\rc80211_minstrel.c(2): * Copyright (C) 2008 Felix Fietkau
<nbd@openwrt.org>
linux-3.10\net\mac80211\rc80211_minstrel.c(9): * Copyright (C) 2005-2007 Derek
Smithies <derek@indranet.co.nz>
linux-3.10\net\mac80211\rc80211_minstrel.h(2): * Copyright (C) 2008 Felix Fietkau
<nbd@openwrt.org>
linux-3.10\net\mac80211\rc80211_minstrel_debugfs.c(13): * Copyright (c) 2005 John
Bicket
linux-3.10\net\mac80211\rc80211_minstrel_debugfs.c(2): * Copyright (C) 2008 Felix
Fietkau <nbd@openwrt.org>
linux-3.10\net\mac80211\rc80211_minstrel_debugfs.c(9): * Copyright (C) 2005-2007
Derek Smithies <derek@indranet.co.nz>
linux-3.10\net\mac80211\rc80211_minstrel_ht.c(2): * Copyright (C) 2010-2013 Felix
Fietkau <nbd@openwrt.org>
linux-3.10\net\mac80211\rc80211_minstrel_ht.h(2): * Copyright (C) 2010 Felix
Fietkau <nbd@openwrt.org>
linux-3.10\net\mac80211\rc80211_minstrel_ht_debugfs.c(2): * Copyright (C) 2010
Felix Fietkau <nbd@openwrt.org>
linux-3.10\net\mac80211\rc80211_pid.h(2): * Copyright 2007, Mattias Nissler
<mattias.nissler@gmx.de>
linux-3.10\net\mac80211\rc80211_pid.h(3): * Copyright 2007, Stefano Brivio
<stefano.brivio@polimi.it>
linux-3.10\net\mac80211\rc80211_pid_algo.c(2): * Copyright 2002-2005, Instant802
Networks, Inc.
linux-3.10\net\mac80211\rc80211_pid_algo.c(3): * Copyright 2005, Devicescape
Software, Inc.
linux-3.10\net\mac80211\rc80211_pid_algo.c(4): * Copyright 2007, Mattias Nissler
<mattias.nissler@gmx.de>
linux-3.10\net\mac80211\rc80211_pid_algo.c(5): * Copyright 2007-2008, Stefano
Brivio <stefano.brivio@polimi.it>
linux-3.10\net\mac80211\rc80211_pid_debugfs.c(2): * Copyright 2007, Mattias
Nissler <mattias.nissler@gmx.de>
linux-3.10\net\mac80211\rx.c(2): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\rx.c(3): * Copyright 2005-2006, Devicescape Software,
Inc.
linux-3.10\net\mac80211\rx.c(4): * Copyright 2006-2007 Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\rx.c(5): * Copyright 2007-2010 Johannes Berg

legal(ME)

<johannes@sipsolutions.net>
linux-3.10\net\mac80211\scan.c(4): * Copyright 2003, Jouni Malinen
<jkmaline@cc.hut.fi>
linux-3.10\net\mac80211\scan.c(5): * Copyright 2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\scan.c(6): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\scan.c(7): * Copyright 2006-2007Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\scan.c(8): * Copyright 2007, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\net\mac80211\spectmgmt.c(10): * Copyright 2008, Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\spectmgmt.c(4): * Copyright 2003, Jouni Malinen
<jkmaline@cc.hut.fi>
linux-3.10\net\mac80211\spectmgmt.c(5): * Copyright 2002-2005, Instant802
Networks, Inc.
linux-3.10\net\mac80211\spectmgmt.c(6): * Copyright 2005-2006, Devicescape
Software, Inc.
linux-3.10\net\mac80211\spectmgmt.c(7): * Copyright 2006-2007Jiri Benc
<jbenc@suse.cz>
linux-3.10\net\mac80211\spectmgmt.c(8): * Copyright 2007, Michael Wu
<flamingice@sourmilk.net>
linux-3.10\net\mac80211\spectmgmt.c(9): * Copyright 2007-2008, Intel Corporation
linux-3.10\net\mac80211\sta_info.c(2): * Copyright 2002-2005, Instant802
Networks, Inc.
linux-3.10\net\mac80211\sta_info.c(3): * Copyright 2006-2007Jiri Benc
<jbenc@suse.cz>
linux-3.10\net\mac80211\sta_info.h(2): * Copyright 2002-2005, Devicescape
Software, Inc.
linux-3.10\net\mac80211\status.c(2): * Copyright 2002-2005, Instant802 Networks,
Inc.
linux-3.10\net\mac80211\status.c(3): * Copyright 2005-2006, Devicescape Software,
Inc.
linux-3.10\net\mac80211\status.c(4): * Copyright 2006-2007Jiri Benc
<jbenc@suse.cz>
linux-3.10\net\mac80211\status.c(5): * Copyright 2008-2010Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\tkip.c(2): * Copyright 2002-2004, Instant802 Networks,
Inc.
linux-3.10\net\mac80211\tkip.c(3): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\tkip.h(2): * Copyright 2002-2004, Instant802 Networks,
Inc.
linux-3.10\net\mac80211\tx.c(2): * Copyright 2002-2005, Instant802 Networks, Inc.
linux-3.10\net\mac80211\tx.c(3): * Copyright 2005-2006, Devicescape Software,
Inc.
linux-3.10\net\mac80211\tx.c(4): * Copyright 2006-2007Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\tx.c(5): * Copyright 2007Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\util.c(2): * Copyright 2002-2005, Instant802 Networks,
Inc.
linux-3.10\net\mac80211\util.c(3): * Copyright 2005-2006, Devicescape Software,
Inc.
linux-3.10\net\mac80211\util.c(4): * Copyright 2006-2007Jiri Benc <jbenc@suse.cz>
linux-3.10\net\mac80211\util.c(5): * Copyright 2007Johannes Berg

legal(ME)

```
<johannes@sipsolutions.net>
linux-3.10\net\mac80211\wep.c(3): * Copyright 2002, Jouni Malinen
<jkmaline@cc.hut.fi>
linux-3.10\net\mac80211\wep.c(4): * Copyright 2003, Instant802 Networks, Inc.
linux-3.10\net\mac80211\wep.h(3): * Copyright 2002, Jouni Malinen
<jkmaline@cc.hut.fi>
linux-3.10\net\mac80211\wep.h(4): * Copyright 2003, Instant802 Networks, Inc.
linux-3.10\net\mac80211\wme.c(2): * Copyright 2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\wme.h(2): * Copyright 2004, Instant802 Networks, Inc.
linux-3.10\net\mac80211\wme.h(3): * Copyright 2005, Devicescape Software, Inc.
linux-3.10\net\mac80211\wpa.c(2): * Copyright 2002-2004, Instant802 Networks,
Inc.
linux-3.10\net\mac80211\wpa.c(3): * Copyright 2008, Jouni Malinen <j@w1.fi>
linux-3.10\net\mac80211\wpa.h(2): * Copyright 2002-2004, Instant802 Networks,
Inc.
linux-3.10\net\mac802154\ieee802154_dev.c(2): * Copyright (C) 2007-2012 Siemens
AG
linux-3.10\net\mac802154\mac_cmd.c(4): * Copyright 2007-2012 Siemens AG
linux-3.10\net\mac802154\mac802154.h(2): * Copyright (C) 2007-2012 Siemens AG
linux-3.10\net\mac802154\mib.c(2): * Copyright 2007-2012 Siemens AG
linux-3.10\net\mac802154\monitor.c(2): * Copyright 2007, 2008, 2009 Siemens AG
linux-3.10\net\mac802154\rx.c(2): * Copyright (C) 2007-2012 Siemens AG
linux-3.10\net\mac802154\tx.c(2): * Copyright 2007-2012 Siemens AG
linux-3.10\net\mac802154\wpan.c(2): * Copyright 2007-2012 Siemens AG
linux-3.10\net\netfilter\ipset\ip_set_bitmap_gen.h(1):/* Copyright (C) 2013
Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_bitmap_ip.c(1):/* Copyright (C) 2000-2002
Joakim Axelsson <gozem@linux.nu>
linux-3.10\net\netfilter\ipset\ip_set_bitmap_ip.c(3): * Copyright (C) 2003-2013
Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_bitmap_ipmac.c(1):/* Copyright (C)
2000-2002 Joakim Axelsson <gozem@linux.nu>
linux-3.10\net\netfilter\ipset\ip_set_bitmap_ipmac.c(4): * Copyright (C)
2003-2013 Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_bitmap_port.c(1):/* Copyright (C) 2003-2013
Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_core.c(1):/* Copyright (C) 2000-2002 Joakim
Axelsson <gozem@linux.nu>
linux-3.10\net\netfilter\ipset\ip_set_core.c(3): * Copyright (C) 2003-2013 Jozsef
Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_getport.c(1):/* Copyright (C) 2003-2011
Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_hash_gen.h(1):/* Copyright (C) 2013 Jozsef
Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_hash_ip.c(1):/* Copyright (C) 2003-2013
Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_hash_ipport.c(1):/* Copyright (C) 2003-2013
Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_hash_ipportip.c(1):/* Copyright (C)
2003-2013 Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_hash_ipportnet.c(1):/* Copyright (C)
2003-2013 Jozsef Kadlec <kadlec@blackhole.kfki.hu>
```

legal(ME)

linux-3.10\net\netfilter\ipset\ip_set_hash_net.c(1):/* Copyright (C) 2003-2013
Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_hash_netiface.c(1):/* Copyright (C)
2011-2013 Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_hash_netport.c(1):/* Copyright (C)
2003-2013 Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipset\ip_set_list_set.c(1):/* Copyright (C) 2008-2013
Jozsef Kadlec <kadlec@blackhole.kfki.hu>
linux-3.10\net\netfilter\ipvs\ip_vs_nfct.c(4): * Portions Copyright (C) 2001-2002
linux-3.10\net\netfilter\ipvs\ip_vs_nfct.c(7): * Portions Copyright (C) 2003-2010
linux-3.10\net\netfilter\nf_contrack_extend.c(2): * Copyright (C) 2004 Rusty
Russell IBM Corporation
linux-3.10\net\netfilter\nf_contrack_extend.c(3): * Copyright (C) 2007 Netfilter
Core Team <coreteam@netfilter.org>
linux-3.10\net\netfilter\nf_contrack_extend.c(4): * Copyright (C) 2007
USAGI/WIDE Project <<http://www.linux-ipv6.org>>
linux-3.10\net\netfilter\nf_contrack_h323_asn1.c(5): * Copyright (c) 2006 by
Jing Min Zhao <zhaojingmin@users.sourceforge.net>
linux-3.10\net\netfilter\nf_contrack_h323_main.c(4): * Copyright (c) 2006 Jing
Min Zhao <zhaojingmin@users.sourceforge.net>
linux-3.10\net\netfilter\nf_contrack_h323_main.c(5): * Copyright (c) 2006-2012
Patrick McHardy <kaber@trash.net>
linux-3.10\net\netfilter\nf_contrack_h323_types.c(3): * Copyright (c) 2006 Jing
Min Zhao <zhaojingmin@users.sourceforge.net>
linux-3.10\net\netfilter\nf_contrack_proto_dccp.c(4): * Copyright (c) 2005,
2006, 2008 Patrick McHardy <kaber@trash.net>
linux-3.10\net\netfilter\nf_contrack_proto_sctp.c(4): * Copyright (c) 2004 Kiran
Kumar Immidi <immidi_kiran@yahoo.com>
linux-3.10\net\netfilter\nf_contrack_proto_sctp.c(5): * Copyright (c) 2004-2012
Patrick McHardy <kaber@trash.net>
linux-3.10\net\netfilter\nf_contrack_sane.c(7):/* Copyright (C) 2007 Red Hat,
Inc.
linux-3.10\net\netfilter\nf_nat_proto_dccp.c(4): * Copyright (c) 2005, 2006, 2008
Patrick McHardy <kaber@trash.net>
linux-3.10\net\netfilter\nf_nat_proto_sctp.c(2): * Copyright (c) 2008 Patrick
McHardy <kaber@trash.net>
linux-3.10\net\netfilter\nf_tproxy_core.c(4): * Copyright (c) 2006-2007 BalaBit
IT Ltd.
linux-3.10\net\netfilter\nf_tproxy_core.c(54):pr_info("NF_TPROXY: Copyright (c)
2006-2007 BalaBit IT Ltd.\n");
linux-3.10\net\netfilter\x_tables.c(4): * Copyright (C) 2006-2006 Harald Welte
<laforge@netfilter.org>
linux-3.10\net\netfilter\x_tables.c(5): * Copyright (C) 2006-2012 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\netfilter\x_tables.c(8): * Copyright (C) 1999 Paul `Rusty' Russell
& Michael J. Neuling
linux-3.10\net\netfilter\x_tables.c(9): * Copyright (C) 2000-2005 Netfilter Core
Team <coreteam@netfilter.org>
linux-3.10\net\netfilter\xt_addrtype.c(4): *Copyright (c) 2004 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\netfilter\xt_bpf.c(2): * Copyright 2013 Google Inc.
linux-3.10\net\netfilter\xt_conmark.c(4): *Copyright (C) 2002,2004 MARA Systems

legal(ME)

AB <<http://www.marasystems.com>>

linux-3.10\net\netfilter\xt_connmark.c(6): *Copyright ㄣ CC Computer Consultants GmbH, 2007 - 2008

linux-3.10\net\netfilter\xt_CONNSECMARK.c(8): * Copyright (C) 2002,2004 MARA Systems AB <<http://www.marasystems.com>>

linux-3.10\net\netfilter\xt_contrack.c(7): *Copyright ㄣ CC Computer Consultants GmbH, 2007 - 2008

linux-3.10\net\netfilter\xt_CT.c(2): * Copyright (c) 2010 Patrick McHardy <kaber@trash.net>

linux-3.10\net\netfilter\xt_devgroup.c(2): * Copyright (c) 2011 Patrick McHardy <kaber@trash.net>

linux-3.10\net\netfilter\xt_hashlimit.c(7): *Copyright ㄣ CC Computer Consultants GmbH, 2007 - 2008

linux-3.10\net\netfilter\xt_IDLETIMER.c(7): * Copyright (C) 2004, 2010 Nokia Corporation

linux-3.10\net\netfilter\xt_LED.c(4): * Copyright (C) 2008 Adam Nielsen <a.nielsen@shikadi.net>

linux-3.10\net\netfilter\xt_mark.c(5): *Copyright ㄣ CC Computer Consultants GmbH, 2007 - 2008

linux-3.10\net\netfilter\xt_NETMAP.c(3): * Copyright (c) 2011 Patrick McHardy <kaber@trash.net>

linux-3.10\net\netfilter\xt_NFLOG.c(2): * Copyright (c) 2006 Patrick McHardy <kaber@trash.net>

linux-3.10\net\netfilter\xt_osf.c(2): * Copyright (c) 2003+ Evgeniy Polyakov <zbr@ioremap.net>

linux-3.10\net\netfilter\xt_owner.c(7): * Copyright ㄣ CC Computer Consultants GmbH, 2007 - 2008

linux-3.10\net\netfilter\xt_policy.c(3): * Copyright (c) 2004,2005 Patrick McHardy, <kaber@trash.net>

linux-3.10\net\netfilter\xt_recent.c(13): * Copyright 2002-2003, Stephen Frost, 2.5.x port by laforge@netfilter.org

linux-3.10\net\netfilter\xt_recent.c(2): * Copyright (c) 2006 Patrick McHardy <kaber@trash.net>

linux-3.10\net\netfilter\xt_recent.c(3): * Copyright ㄣ CC Computer Consultants GmbH, 2007 - 2008

linux-3.10\net\netfilter\xt_REDIRECT.c(4): * Copyright (c) 2011 Patrick McHardy <kaber@trash.net>

linux-3.10\net\netfilter\xt_set.c(1):/* Copyright (C) 2000-2002 Joakim Axelsson <gozem@linux.nu>

linux-3.10\net\netfilter\xt_set.c(4): * Copyright (C) 2003-2013 Jozsef Kadlec <kadlec@blackhole.kfki.hu>

linux-3.10\net\netfilter\xt_socket.c(4): * Copyright (C) 2007-2008 BalaBit IT Ltd.

linux-3.10\net\netfilter\xt_statistic.c(2): * Copyright (c) 2006 Patrick McHardy <kaber@trash.net>

linux-3.10\net\netfilter\xt_tcpmss.c(4): * Copyright (C) 2000 Marc Boucher <marc@mbsi.ca>

linux-3.10\net\netfilter\xt_tcpmss.c(5): * Copyright (C) 2007 Patrick McHardy <kaber@trash.net>

linux-3.10\net\netfilter\xt_TCPOPTSTRIP.c(4): * Copyright (C) 2007 Sven Schnelle <svens@bitebene.org>

linux-3.10\net\netfilter\xt_TCPOPTSTRIP.c(5): * Copyright ㄣ CC Computer

legal(ME)

Consultants GmbH, 2007

linux-3.10\net\netfilter\xt_TEE.c(3): *Copyright © Sebastian Claßen, 2007

linux-3.10\net\netfilter\xt_time.c(3): *Copyright © CC Computer Consultants GmbH, 2007

linux-3.10\net\netfilter\xt_TPROXY.c(4): * Copyright (c) 2006-2010 BalaBit IT Ltd.

linux-3.10\net\netlabel\netlabel_addrlist.c(14): * (c) Copyright Hewlett-Packard Development Company, L.P., 2008

linux-3.10\net\netlabel\netlabel_addrlist.h(14): * (c) Copyright Hewlett-Packard Development Company, L.P., 2008

linux-3.10\net\netlabel\netlabel_cipso_v4.c(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006

linux-3.10\net\netlabel\netlabel_cipso_v4.h(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006

linux-3.10\net\netlabel\netlabel_domainhash.c(14): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006, 2008

linux-3.10\net\netlabel\netlabel_domainhash.h(14): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006, 2008

linux-3.10\net\netlabel\netlabel_kapi.c(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006, 2008

linux-3.10\net\netlabel\netlabel_mgmt.c(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006, 2008

linux-3.10\net\netlabel\netlabel_mgmt.h(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006

linux-3.10\net\netlabel\netlabel_unlabeled.c(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006 - 2008

linux-3.10\net\netlabel\netlabel_unlabeled.h(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006

linux-3.10\net\netlabel\netlabel_user.c(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006

linux-3.10\net\netlabel\netlabel_user.h(13): * (c) Copyright Hewlett-Packard Development Company, L.P., 2006

linux-3.10\net\netrom\af_netrom.c(7): * Copyright Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)

linux-3.10\net\netrom\af_netrom.c(8): * Copyright Alan Cox GW4PTS (alan@lxorguk.ukuu.org.uk)

linux-3.10\net\netrom\af_netrom.c(9): * Copyright Darryl Miles G7LED (dlm@g7led.demon.co.uk)

linux-3.10\net\netrom\nr_dev.c(7): * Copyright Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)

linux-3.10\net\netrom\nr_in.c(7): * Copyright Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)

linux-3.10\net\netrom\nr_in.c(8): * Copyright Darryl Miles G7LED (dlm@g7led.demon.co.uk)

linux-3.10\net\netrom\nr_loopback.c(7): * Copyright Tomi Manninen OH2BNS (oh2bns@sral.fi)

linux-3.10\net\netrom\nr_out.c(7): * Copyright Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)

linux-3.10\net\netrom\nr_out.c(8): * Copyright Darryl Miles G7LED (dlm@g7led.demon.co.uk)

linux-3.10\net\netrom\nr_route.c(7): * Copyright Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)

legal(ME)

linux-3.10\net\netrom\nr_route.c(8): * Copyright Alan Cox GW4PTS
(alan@lxorguk.ukuu.org.uk)
linux-3.10\net\netrom\nr_route.c(9): * Copyright Tomi Manninen OH2BNS
(oh2bns@sral.fi)
linux-3.10\net\netrom\nr_subr.c(7): * Copyright Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\netrom\nr_timer.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\netrom\nr_timer.c(8): * Copyright (C) 2002 Ralf Baechle D01GRB
(ralf@gnu.org)
linux-3.10\net\netrom\sysctl_net_netrom.c(7): * Copyright (C) 1996 Mike Shaver
(shaver@zeroknowledge.com)
linux-3.10\net\nfc\af_nfc.c(2): * Copyright (C) 2011 Instituto Nokia de
Tecnologia
linux-3.10\net\nfc\core.c(2): * Copyright (C) 2011 Instituto Nokia de Tecnologia
linux-3.10\net\nfc\hci\command.c(2): * Copyright (C) 2012 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\hci\core.c(2): * Copyright (C) 2012 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\hci\hci.h(2): * Copyright (C) 2012 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\hci\hcp.c(2): * Copyright (C) 2012 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\hci\llc.c(4): * Copyright (C) 2012 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\hci\llc.h(4): * Copyright (C) 2012 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\hci\llc_nop.c(4): * Copyright (C) 2012 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\hci\llc_shdlc.c(4): * Copyright (C) 2012 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\llcp.h(2): * Copyright (C) 2011 Intel Corporation. All rights
reserved.
linux-3.10\net\nfc\llcp_commands.c(2): * Copyright (C) 2011 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\llcp_core.c(2): * Copyright (C) 2011 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\llcp_sock.c(2): * Copyright (C) 2011 Intel Corporation. All
rights reserved.
linux-3.10\net\nfc\nci\core.c(5): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\net\nfc\nci\data.c(5): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\net\nfc\nci\lib.c(5): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\net\nfc\nci\ntf.c(5): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\net\nfc\nci\rsp.c(5): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\net\nfc\netlink.c(2): * Copyright (C) 2011 Instituto Nokia de
Tecnologia
linux-3.10\net\nfc\nfc.h(2): * Copyright (C) 2011 Instituto Nokia de Tecnologia
linux-3.10\net\nfc\rawsock.c(2): * Copyright (C) 2011 Instituto Nokia de
Tecnologia
linux-3.10\net\nonet.c(8): * Copyright (c) Matthew Wilcox 2003
linux-3.10\net\openvswitch\actions.c(2): * Copyright (c) 2007-2012 Nicira, Inc.
linux-3.10\net\openvswitch\datapath.c(2): * Copyright (c) 2007-2012 Nicira, Inc.

legal(ME)

linux-3.10\net\openvswitch\datapath.h(2): * Copyright (c) 2007-2012 Nicira, Inc.
linux-3.10\net\openvswitch\dp_notify.c(2): * Copyright (c) 2007-2012 Nicira, Inc.
linux-3.10\net\openvswitch\flow.c(2): * Copyright (c) 2007-2011 Nicira, Inc.
linux-3.10\net\openvswitch\flow.h(2): * Copyright (c) 2007-2011 Nicira, Inc.
linux-3.10\net\openvswitch\vport.c(2): * Copyright (c) 2007-2012 Nicira, Inc.
linux-3.10\net\openvswitch\vport.h(2): * Copyright (c) 2007-2012 Nicira, Inc.
linux-3.10\net\openvswitch\vport-internal_dev.c(2): * Copyright (c) 2007-2012
Nicira, Inc.
linux-3.10\net\openvswitch\vport-internal_dev.h(2): * Copyright (c) 2007-2011
Nicira, Inc.
linux-3.10\net\openvswitch\vport-netdev.c(2): * Copyright (c) 2007-2012 Nicira,
Inc.
linux-3.10\net\openvswitch\vport-netdev.h(2): * Copyright (c) 2007-2011 Nicira,
Inc.
linux-3.10\net\packet\af_packet.c(45): *Copyright (C) 2011, <lokec@ccs.neu.edu>
linux-3.10\net\phonet\af_phonet.c(6): * Copyright (C) 2008 Nokia Corporation.
linux-3.10\net\phonet\datagram.c(6): * Copyright (C) 2008 Nokia Corporation.
linux-3.10\net\phonet\pep.c(6): * Copyright (C) 2008 Nokia Corporation.
linux-3.10\net\phonet\pep-gprs.c(6): * Copyright (C) 2008 Nokia Corporation.
linux-3.10\net\phonet\pn_dev.c(6): * Copyright (C) 2008 Nokia Corporation.
linux-3.10\net\phonet\pn_netlink.c(6): * Copyright (C) 2008 Nokia Corporation.
linux-3.10\net\phonet\socket.c(6): * Copyright (C) 2008 Nokia Corporation.
linux-3.10\net\phonet\sysctl.c(6): * Copyright (C) 2008 Nokia Corporation.
linux-3.10\net\rds\af_rds.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\bind.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\cong.c(2): * Copyright (c) 2007 Oracle.All rights reserved.
linux-3.10\net\rds\connection.c(2): * Copyright (c) 2006 Oracle.All rights
reserved.
linux-3.10\net\rds\ib.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\ib_cm.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\ib_rdma.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\ib_recv.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\ib_ring.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\ib_send.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\ib_stats.c(2): * Copyright (c) 2006 Oracle.All rights
reserved.
linux-3.10\net\rds\ib_sysctl.c(2): * Copyright (c) 2006 Oracle.All rights
reserved.
linux-3.10\net\rds\info.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\iw.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\iw_cm.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\iw_rdma.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\iw_recv.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\iw_ring.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\iw_send.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\iw_stats.c(2): * Copyright (c) 2006 Oracle.All rights
reserved.
linux-3.10\net\rds\iw_sysctl.c(2): * Copyright (c) 2006 Oracle.All rights
reserved.
linux-3.10\net\rds\loop.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\message.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\page.c(2): * Copyright (c) 2006 Oracle.All rights reserved.

legal(ME)

linux-3.10\net\rds\rdma.c(2): * Copyright (c) 2007 Oracle.All rights reserved.
linux-3.10\net\rds\rdma_transport.c(2): * Copyright (c) 2009 Oracle.All rights reserved.
linux-3.10\net\rds\recv.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\send.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\stats.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\sysctl.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\tcp.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\tcp_connect.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\tcp_listen.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\tcp_recv.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\tcp_send.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\tcp_stats.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\threads.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rds\transport.c(2): * Copyright (c) 2006 Oracle.All rights reserved.
linux-3.10\net\rfskill\core.c(2): * Copyright (C) 2006 - 2007 Ivo van Doorn
linux-3.10\net\rfskill\core.c(3): * Copyright (C) 2007 Dmitry Torokhov
linux-3.10\net\rfskill\core.c(4): * Copyright 2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\rfskill\input.c(4): * Copyright (c) 2007 Dmitry Torokhov
linux-3.10\net\rfskill\input.c(5): * Copyright 2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\rfskill\rfskill.h(2): * Copyright (C) 2007 Ivo van Doorn
linux-3.10\net\rfskill\rfskill.h(3): * Copyright 2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\rfskill\rfskill-gpio.c(2): * Copyright (c) 2011, NVIDIA Corporation.
linux-3.10\net\rfskill\rfskill-regulator.c(4): * Copyright (C) 2009Guiming Zhuo
<gmzhuo@gmail.com>
linux-3.10\net\rfskill\rfskill-regulator.c(5): * Copyright (C) 2011Antonio Ospite
<ospite@studenti.unina.it>
linux-3.10\net\rose\af_rose.c(10): * Copyright (C) Tomi Manninen OH2BNS
(oh2bns@sral.fi)
linux-3.10\net\rose\af_rose.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\rose\af_rose.c(8): * Copyright (C) Alan Cox GW4PTS
(alan@lxorguk.ukuu.org.uk)
linux-3.10\net\rose\af_rose.c(9): * Copyright (C) Terry Dawson VK2KTJ
(terry@animats.net)
linux-3.10\net\rose\rose_dev.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\rose\rose_in.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\rose\rose_link.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\rose\rose_loopback.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)

legal(ME)

linux-3.10\net\rose\rose_out.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\rose\rose_route.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\rose\rose_route.c(8): * Copyright (C) Terry Dawson VK2KTJ
(terry@animats.net)
linux-3.10\net\rose\rose_subr.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\rose\rose_timer.c(7): * Copyright (C) Jonathan Naylor G4KLX
(g4klx@g4klx.demon.co.uk)
linux-3.10\net\rose\rose_timer.c(8): * Copyright (C) 2002 Ralf Baechle D01GRB
(ralf@gnu.org)
linux-3.10\net\rose\sysctl_net_rose.c(7): * Copyright (C) 1996 Mike Shaver
(shaver@zeroknowledge.com)
linux-3.10\net\rxrpc\af_rxrpc.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-accept.c(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\ar-ack.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-call.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-connection.c(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\ar-connevent.c(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\ar-error.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-input.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-internal.h(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\ar-key.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-local.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-output.c(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\ar-peer.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-proc.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.
linux-3.10\net\rxrpc\ar-recvmsg.c(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\ar-security.c(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\ar-skbuff.c(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\ar-transport.c(3): * Copyright (C) 2007 Red Hat, Inc. All
Rights Reserved.
linux-3.10\net\rxrpc\rxkad.c(3): * Copyright (C) 2007 Red Hat, Inc. All Rights
Reserved.

legal(ME)

linux-3.10\net\sched\act_csum.c(4): * Copyright (c) 2010 Gregoire Baron
<baronchon@n7mm.org>
linux-3.10\net\sched\act_gact.c(9): * copyright Jamal Hadi Salim (2002-4)
linux-3.10\net\sched\act_ipt.c(11): * Copyright:Jamal Hadi Salim (2002-13)
linux-3.10\net\sched\act_nat.c(4): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\net\sched\act_skbedit.c(2): * Copyright (c) 2008, Intel Corporation.
linux-3.10\net\sched\cls_flow.c(4): * Copyright (c) 2007, 2008 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\sched\em_canid.c(10): * Copyright:(c) 2011 Czech Technical
University in Prague
linux-3.10\net\sched\em_ipset.c(4): * Copyright (c) 2012 Florian Westphal
<fw@strlen.de>
linux-3.10\net\sched\sch_choke.c(4): * Copyright (c) 2011 Stephen Hemminger
<shemminger@vyatta.com>
linux-3.10\net\sched\sch_choke.c(5): * Copyright (c) 2011 Eric Dumazet
<eric.dumazet@gmail.com>
linux-3.10\net\sched\sch_codel.c(4): *Copyright (C) 2011-2012 Kathleen Nichols
<nichols@pollere.com>
linux-3.10\net\sched\sch_codel.c(5): *Copyright (C) 2011-2012 Van Jacobson
<van@pollere.net>
linux-3.10\net\sched\sch_codel.c(8): *Copyright (C) 2012 Michael D. Taht
<dave.taht@bufferbloat.net>
linux-3.10\net\sched\sch_codel.c(9): *Copyright (C) 2012 Eric Dumazet
<edumazet@google.com>
linux-3.10\net\sched\sch_drr.c(4): * Copyright (c) 2008 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\sched\sch_fq_codel.c(9): *Copyright (C) 2012 Eric Dumazet
<edumazet@google.com>
linux-3.10\net\sched\sch_hfsc.c(12): * Copyright (c) 1997-1999 Carnegie Mellon
University. All Rights Reserved.
linux-3.10\net\sched\sch_hfsc.c(2): * Copyright (c) 2003 Patrick McHardy,
<kaber@trash.net>
linux-3.10\net\sched\sch_mq.c(4): * Copyright (c) 2009 Patrick McHardy
<kaber@trash.net>
linux-3.10\net\sched\sch_mqprio.c(4): * Copyright (c) 2010 John Fastabend
<john.r.fastabend@intel.com>
linux-3.10\net\sched\sch_multiq.c(2): * Copyright (c) 2008, Intel Corporation.
linux-3.10\net\sched\sch_netem.c(10): *NIST Net which is not copyrighted.
linux-3.10\net\sched\sch_qfq.c(4): * Copyright (c) 2009 Fabio Checconi, Luigi
Rizzo, and Paolo Valente.
linux-3.10\net\sched\sch_qfq.c(5): * Copyright (c) 2012 Paolo Valente.
linux-3.10\net\sched\sch_sfb.c(4): * Copyright (c) 2008-2011 Juliusz Chroboczek
<jch@pps.jussieu.fr>
linux-3.10\net\sched\sch_sfb.c(5): * Copyright (c) 2011 Eric Dumazet
<eric.dumazet@gmail.com>
linux-3.10\net\sctp\associola.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\associola.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\associola.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\associola.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\associola.c(6): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\auth.c(2): * (C) Copyright 2007 Hewlett-Packard Development

legal(ME)

Company, L.P.

linux-3.10\net\sctp\bind_addr.c(2): * (C) Copyright IBM Corp. 2001, 2003
linux-3.10\net\sctp\bind_addr.c(3): * Copyright (c) Cisco 1999,2000
linux-3.10\net\sctp\bind_addr.c(4): * Copyright (c) Motorola 1999,2000,2001
linux-3.10\net\sctp\bind_addr.c(5): * Copyright (c) La Monte H.P. Yarroll 2001
linux-3.10\net\sctp\chunk.c(2): * (C) Copyright IBM Corp. 2003, 2004
linux-3.10\net\sctp\command.c(1):/* SCTP kernel implementation Copyright (C)
1999-2001
linux-3.10\net\sctp\command.c(3): * Copyright 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\debug.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\debug.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\debug.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\debug.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\endpointola.c(2): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\endpointola.c(3): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\endpointola.c(4): * Copyright (c) 2001-2002 International
Business Machines, Corp.
linux-3.10\net\sctp\endpointola.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\endpointola.c(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\net\sctp\endpointola.c(7): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\input.c(2): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\input.c(3): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\input.c(4): * Copyright (c) 2001-2003 International Business
Machines, Corp.
linux-3.10\net\sctp\input.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\input.c(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\net\sctp\input.c(7): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\inqueue.c(2): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\inqueue.c(3): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\inqueue.c(4): * Copyright (c) 2002 International Business
Machines, Corp.
linux-3.10\net\sctp\ipv6.c(2): * (C) Copyright IBM Corp. 2002, 2004
linux-3.10\net\sctp\ipv6.c(3): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\net\sctp\ipv6.c(4): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\ipv6.c(5): * Copyright (c) 2002-2003 Intel Corp.
linux-3.10\net\sctp\objcnt.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\output.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\output.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\output.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\outqueue.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\outqueue.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\outqueue.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\outqueue.c(5): * Copyright (c) 2001-2003 Intel Corp.
linux-3.10\net\sctp\primitive.c(2): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\primitive.c(3): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\probe.c(5): * Copyright (C) 2004, Stephen Hemminger
<shemminger@osdl.org>
linux-3.10\net\sctp\probe.c(8): * Copyright (C) 2010, Wei Yongjun
<yjwei@cn.fujitsu.com>
linux-3.10\net\sctp\proc.c(2): * Copyright (c) 2003 International Business
Machines, Corp.
linux-3.10\net\sctp\protocol.c(2): * (C) Copyright IBM Corp. 2001, 2004

legal(ME)

linux-3.10\net\sctp\protocol.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\protocol.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\protocol.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\protocol.c(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\net\sctp\protocol.c(7): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\sm_make_chunk.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\sm_make_chunk.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\sm_make_chunk.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\sm_make_chunk.c(5): * Copyright (c) 2001-2002 Intel Corp.
linux-3.10\net\sctp\sm_sideeffect.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\sm_sideeffect.c(3): * Copyright (c) 1999 Cisco, Inc.
linux-3.10\net\sctp\sm_sideeffect.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\sm_statefuns.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\sm_statefuns.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\sm_statefuns.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\sm_statefuns.c(5): * Copyright (c) 2001-2002 Intel Corp.
linux-3.10\net\sctp\sm_statefuns.c(6): * Copyright (c) 2002Nokia Corp.
linux-3.10\net\sctp\sm_statetable.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\sm_statetable.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\sm_statetable.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\sm_statetable.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\sm_statetable.c(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\net\sctp\socket.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\socket.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\socket.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\socket.c(5): * Copyright (c) 2001-2003 Intel Corp.
linux-3.10\net\sctp\socket.c(6): * Copyright (c) 2001-2002 Nokia, Inc.
linux-3.10\net\sctp\socket.c(7): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\ssnmap.c(2): * Copyright (c) 2003 International Business
Machines, Corp.
linux-3.10\net\sctp\sysctl.c(2): * (C) Copyright IBM Corp. 2002, 2004
linux-3.10\net\sctp\sysctl.c(3): * Copyright (c) 2002 Intel Corp.
linux-3.10\net\sctp\transport.c(2): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\transport.c(3): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\transport.c(4): * Copyright (c) 2001-2003 International
Business Machines Corp.
linux-3.10\net\sctp\transport.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\transport.c(6): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\tsnmap.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\tsnmap.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\tsnmap.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\tsnmap.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\ulpevent.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\ulpevent.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\ulpevent.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\ulpevent.c(5): * Copyright (c) 2001 Intel Corp.
linux-3.10\net\sctp\ulpevent.c(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\net\sctp\ulpevent.c(7): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sctp\ulpqueue.c(2): * (C) Copyright IBM Corp. 2001, 2004
linux-3.10\net\sctp\ulpqueue.c(3): * Copyright (c) 1999-2000 Cisco, Inc.
linux-3.10\net\sctp\ulpqueue.c(4): * Copyright (c) 1999-2001 Motorola, Inc.
linux-3.10\net\sctp\ulpqueue.c(5): * Copyright (c) 2001 Intel Corp.

legal(ME)

linux-3.10\net\sctp\ulpqueue.c(6): * Copyright (c) 2001 Nokia, Inc.
linux-3.10\net\sctp\ulpqueue.c(7): * Copyright (c) 2001 La Monte H.P. Yarroll
linux-3.10\net\sunrpc\addr.c(2): * Copyright 2009, Oracle.All rights reserved.
linux-3.10\net\sunrpc\auth.c(6): * Copyright (C) 1996, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\auth_generic.c(4): * Copyright (C) 2008, Trond Myklebust
<Trond.Myklebust@netapp.com>
linux-3.10\net\sunrpc\auth_gss\auth_gss.c(6): *Copyright (c) 2000 The Regents of
the University of Michigan.
linux-3.10\net\sunrpc\auth_gss\gss_generic_token.c(13): * Copyright 1993 by
OpenVision Technologies, Inc.
linux-3.10\net\sunrpc\auth_gss\gss_generic_token.c(6): *Copyright (c) 2000 The
Regents of the University of Michigan.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_crypto.c(12): * Copyright (C) 1998 by the
FundsXpress, INC.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_crypto.c(4): *Copyright (c) 2000-2008 The
Regents of the University of Michigan.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_keys.c(2): * COPYRIGHT (c) 2008
linux-3.10\net\sunrpc\auth_gss\gss_krb5_keys.c(32): * Copyright (C) 1998 by the
FundsXpress, INC.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_mech.c(4): *Copyright (c) 2001-2008 The
Regents of the University of Michigan.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_seal.c(14): * Copyright 1993 by
OpenVision Technologies, Inc.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_seal.c(36): * Copyright (C) 1998 by the
FundsXpress, INC.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_seal.c(6): *Copyright (c) 2000-2008 The
Regents of the University of Michigan.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_seqnum.c(13): * Copyright 1993 by
OpenVision Technologies, Inc.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_seqnum.c(6): *Copyright (c) 2000 The
Regents of the University of Michigan.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_unseal.c(13): * Copyright 1993 by
OpenVision Technologies, Inc.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_unseal.c(35): * Copyright (C) 1998 by the
FundsXpress, INC.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_unseal.c(6): *Copyright (c) 2000-2008 The
Regents of the University of Michigan.
linux-3.10\net\sunrpc\auth_gss\gss_krb5_wrap.c(2): * COPYRIGHT (c) 2008
linux-3.10\net\sunrpc\auth_gss\gss_mech_switch.c(4): *Copyright (c) 2001 The
Regents of the University of Michigan.
linux-3.10\net\sunrpc\auth_gss\gss_rpc_upcall.c(4): *Copyright (C) 2012 Simo
Sorce <simo@redhat.com>
linux-3.10\net\sunrpc\auth_gss\gss_rpc_upcall.h(4): *Copyright (C) 2012 Simo
Sorce <simo@redhat.com>
linux-3.10\net\sunrpc\auth_gss\gss_rpc_xdr.c(4): *Copyright (C) 2012 Simo Sorce
<simo@redhat.com>
linux-3.10\net\sunrpc\auth_gss\gss_rpc_xdr.h(4): *Copyright (C) 2012 Simo Sorce
<simo@redhat.com>
linux-3.10\net\sunrpc\auth_null.c(6): * Copyright (C) 1996, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\auth_unix.c(6): * Copyright (C) 1996, Olaf Kirch

legal(ME)

<okir@monad.swb.de>
linux-3.10\net\sunrpc\cache.c(7): * Copyright (C) 2002 Neil Brown
<neilb@cse.unsw.edu.au>
linux-3.10\net\sunrpc\clnt.c(16): *Copyright (C) 1992,1993 Rick Sladkey
<jrs@world.std.com>
linux-3.10\net\sunrpc\clnt.c(17): *Copyright (C) 1995,1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\rpc_pipe.c(8): * Copyright (c) 2002, Trond Myklebust
<trond.myklebust@fys.uio.no>
linux-3.10\net\sunrpc\rpcb_clnt.c(12): *Copyright (C) 1996, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\sched.c(6): * Copyright (C) 1996 Olaf Kirch,
<okir@monad.swb.de>
linux-3.10\net\sunrpc\socklib.c(6): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\stats.c(12): * Copyright (C) 1995, 1996, 1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\sunrpc_syms.c(6): * Copyright (C) 1997 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\svc.c(6): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\svc.c(9): * Copyright (c) 2006 Silicon Graphics, Inc.
linux-3.10\net\sunrpc\svcauth.c(6): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\svcsock.c(19): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\timer.c(13): * Copyright (C) 2002 Trond Myklebust
<trond.myklebust@fys.uio.no>
linux-3.10\net\sunrpc\xdr.c(6): * Copyright (C) 1995, 1996 Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\xprt.c(35): *Copyright (C) 1995-1997, Olaf Kirch
<okir@monad.swb.de>
linux-3.10\net\sunrpc\xprt.c(37): *Transport switch API copyright (C) 2005, Chuck
Lever <cel@netapp.com>
linux-3.10\net\sunrpc\xprtrdma\rpc_rdma.c(2): * Copyright (c) 2003-2007 Network
Appliance, Inc. All rights reserved.
linux-3.10\net\sunrpc\xprtrdma\svc_rdma.c(2): * Copyright (c) 2005-2006 Network
Appliance, Inc. All rights reserved.
linux-3.10\net\sunrpc\xprtrdma\svc_rdma_marshall.c(2): * Copyright (c) 2005-2006
Network Appliance, Inc. All rights reserved.
linux-3.10\net\sunrpc\xprtrdma\svc_rdma_recvfrom.c(2): * Copyright (c) 2005-2006
Network Appliance, Inc. All rights reserved.
linux-3.10\net\sunrpc\xprtrdma\svc_rdma_sendto.c(2): * Copyright (c) 2005-2006
Network Appliance, Inc. All rights reserved.
linux-3.10\net\sunrpc\xprtrdma\svc_rdma_transport.c(2): * Copyright (c) 2005-2007
Network Appliance, Inc. All rights reserved.
linux-3.10\net\sunrpc\xprtrdma\transport.c(2): * Copyright (c) 2003-2007 Network
Appliance, Inc. All rights reserved.
linux-3.10\net\sunrpc\xprtrdma\verbs.c(2): * Copyright (c) 2003-2007 Network
Appliance, Inc. All rights reserved.
linux-3.10\net\sunrpc\xprtrdma\xprt_rdma.h(2): * Copyright (c) 2003-2007 Network
Appliance, Inc. All rights reserved.

legal(ME)

linux-3.10\net\tipc\addr.c(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\addr.c(5): * Copyright (c) 2004-2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\addr.h(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\addr.h(5): * Copyright (c) 2004-2005, Wind River Systems
linux-3.10\net\tipc\bcast.c(4): * Copyright (c) 2004-2006, Ericsson AB
linux-3.10\net\tipc\bcast.c(5): * Copyright (c) 2004, Intel Corporation.
linux-3.10\net\tipc\bcast.c(6): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\bcast.h(4): * Copyright (c) 2003-2006, Ericsson AB
linux-3.10\net\tipc\bcast.h(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\bearer.c(4): * Copyright (c) 1996-2006, Ericsson AB
linux-3.10\net\tipc\bearer.c(5): * Copyright (c) 2004-2006, 2010-2011, Wind River Systems
linux-3.10\net\tipc\bearer.h(4): * Copyright (c) 1996-2006, Ericsson AB
linux-3.10\net\tipc\bearer.h(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\config.c(4): * Copyright (c) 2002-2006, Ericsson AB
linux-3.10\net\tipc\config.c(5): * Copyright (c) 2004-2007, 2010-2012, Wind River Systems
linux-3.10\net\tipc\config.h(4): * Copyright (c) 2003-2006, Ericsson AB
linux-3.10\net\tipc\config.h(5): * Copyright (c) 2005, Wind River Systems
linux-3.10\net\tipc\core.c(4): * Copyright (c) 2003-2006, Ericsson AB
linux-3.10\net\tipc\core.c(5): * Copyright (c) 2005-2006, 2010-2011, Wind River Systems
linux-3.10\net\tipc\core.h(4): * Copyright (c) 2005-2006, Ericsson AB
linux-3.10\net\tipc\core.h(5): * Copyright (c) 2005-2007, 2010-2011, Wind River Systems
linux-3.10\net\tipc\discover.c(4): * Copyright (c) 2003-2006, Ericsson AB
linux-3.10\net\tipc\discover.c(5): * Copyright (c) 2005-2006, 2010-2011, Wind River Systems
linux-3.10\net\tipc\discover.h(4): * Copyright (c) 2003-2006, Ericsson AB
linux-3.10\net\tipc\discover.h(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\eth_media.c(4): * Copyright (c) 2001-2007, Ericsson AB
linux-3.10\net\tipc\eth_media.c(5): * Copyright (c) 2005-2008, 2011, Wind River Systems
linux-3.10\net\tipc\handler.c(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\handler.c(5): * Copyright (c) 2005, Wind River Systems
linux-3.10\net\tipc\ib_media.c(4): * Copyright (c) 2013 Patrick McHardy <kaber@trash.net>
linux-3.10\net\tipc\ib_media.c(8): * Copyright (c) 2001-2007, Ericsson AB
linux-3.10\net\tipc\ib_media.c(9): * Copyright (c) 2005-2008, 2011, Wind River Systems
linux-3.10\net\tipc\link.c(4): * Copyright (c) 1996-2007, 2012, Ericsson AB
linux-3.10\net\tipc\link.c(5): * Copyright (c) 2004-2007, 2010-2011, Wind River Systems
linux-3.10\net\tipc\link.h(4): * Copyright (c) 1995-2006, Ericsson AB
linux-3.10\net\tipc\link.h(5): * Copyright (c) 2004-2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\log.c(4): * Copyright (c) 1996-2006, Ericsson AB

legal(ME)

linux-3.10\net\tipc\log.c(5): * Copyright (c) 2005-2007, Wind River Systems
linux-3.10\net\tipc\msg.c(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\msg.c(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\msg.h(4): * Copyright (c) 2000-2007, Ericsson AB
linux-3.10\net\tipc\msg.h(5): * Copyright (c) 2005-2008, 2010-2011, Wind River Systems
linux-3.10\net\tipc\name_distr.c(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\name_distr.c(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\name_distr.h(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\name_distr.h(5): * Copyright (c) 2005, Wind River Systems
linux-3.10\net\tipc\name_table.c(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\name_table.c(5): * Copyright (c) 2004-2008, 2010-2011, Wind River Systems
linux-3.10\net\tipc\name_table.h(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\name_table.h(5): * Copyright (c) 2004-2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\net.c(4): * Copyright (c) 1995-2006, Ericsson AB
linux-3.10\net\tipc\net.c(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\net.h(4): * Copyright (c) 1995-2006, Ericsson AB
linux-3.10\net\tipc\net.h(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\netlink.c(4): * Copyright (c) 2005-2006, Ericsson AB
linux-3.10\net\tipc\netlink.c(5): * Copyright (c) 2005-2007, Wind River Systems
linux-3.10\net\tipc\node.c(4): * Copyright (c) 2000-2006, 2012 Ericsson AB
linux-3.10\net\tipc\node.c(5): * Copyright (c) 2005-2006, 2010-2011, Wind River Systems
linux-3.10\net\tipc\node.h(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\node.h(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\node_subscr.c(4): * Copyright (c) 1995-2006, Ericsson AB
linux-3.10\net\tipc\node_subscr.c(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\node_subscr.h(4): * Copyright (c) 1995-2006, Ericsson AB
linux-3.10\net\tipc\node_subscr.h(5): * Copyright (c) 2005, 2010-2011, Wind River Systems
linux-3.10\net\tipc\port.c(4): * Copyright (c) 1992-2007, Ericsson AB
linux-3.10\net\tipc\port.c(5): * Copyright (c) 2004-2008, 2010-2011, Wind River Systems
linux-3.10\net\tipc\port.h(4): * Copyright (c) 1994-2007, Ericsson AB
linux-3.10\net\tipc\port.h(5): * Copyright (c) 2004-2007, 2010-2011, Wind River Systems
linux-3.10\net\tipc\ref.c(4): * Copyright (c) 1991-2006, Ericsson AB
linux-3.10\net\tipc\ref.c(5): * Copyright (c) 2004-2007, Wind River Systems
linux-3.10\net\tipc\ref.h(4): * Copyright (c) 1991-2006, Ericsson AB
linux-3.10\net\tipc\ref.h(5): * Copyright (c) 2005-2006, Wind River Systems
linux-3.10\net\tipc\socket.c(4): * Copyright (c) 2001-2007, 2012 Ericsson AB
linux-3.10\net\tipc\socket.c(5): * Copyright (c) 2004-2008, 2010-2012, Wind River Systems
linux-3.10\net\tipc\subscr.c(4): * Copyright (c) 2000-2006, Ericsson AB
linux-3.10\net\tipc\subscr.c(5): * Copyright (c) 2005-2007, 2010-2011, Wind River Systems
linux-3.10\net\tipc\subscr.h(4): * Copyright (c) 2003-2006, Ericsson AB

legal(ME)

linux-3.10\net\tipc\subscr.h(5): * Copyright (c) 2005-2007, Wind River Systems
linux-3.10\net\unix\garbage.c(5): *Copyright (C) Barak A. Pearlmutter.
linux-3.10\net\vmw_vsock\af_vsock.c(4): * Copyright (C) 2007-2013 VMware, Inc.
All rights reserved.
linux-3.10\net\vmw_vsock\af_vsock.h(4): * Copyright (C) 2007-2013 VMware, Inc.
All rights reserved.
linux-3.10\net\vmw_vsock\vmci_transport.c(4): * Copyright (C) 2007-2013 VMware,
Inc. All rights reserved.
linux-3.10\net\vmw_vsock\vmci_transport.h(4): * Copyright (C) 2013 VMware, Inc.
All rights reserved.
linux-3.10\net\vmw_vsock\vmci_transport_notify.c(4): * Copyright (C) 2009-2013
VMware, Inc. All rights reserved.
linux-3.10\net\vmw_vsock\vmci_transport_notify.h(4): * Copyright (C) 2009-2013
VMware, Inc. All rights reserved.
linux-3.10\net\vmw_vsock\vmci_transport_notify_qstate.c(4): * Copyright (C)
2009-2013 VMware, Inc. All rights reserved.
linux-3.10\net\vmw_vsock\vsock_addr.c(4): * Copyright (C) 2007-2012 VMware, Inc.
All rights reserved.
linux-3.10\net\vmw_vsock\vsock_addr.h(4): * Copyright (C) 2007-2013 VMware, Inc.
All rights reserved.
linux-3.10\net\wimax\debugfs.c(6): * Copyright (C) 2005-2006 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\net\wimax\debug-levels.h(6): * Copyright (C) 2007-2008 Intel
Corporation <linux-wimax@intel.com>
linux-3.10\net\wimax\id-table.c(6): * Copyright (C) 2005-2006 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\net\wimax\op-msg.c(6): * Copyright (C) 2007-2008 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\net\wimax\op-reset.c(6): * Copyright (C) 2008 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\net\wimax\op-rfkill.c(6): * Copyright (C) 2008 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\net\wimax\op-state-get.c(5): * Copyright (C) 2009 Paulius Zaleckas
<paulius.zaleckas@teltonika.lt>
linux-3.10\net\wimax\op-state-get.c(8): *Copyright (C) 2008 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\net\wimax\stack.c(6): * Copyright (C) 2005-2006 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\net\wimax\wimax-internal.h(6): * Copyright (C) 2007 Intel Corporation
<linux-wimax@intel.com>
linux-3.10\net\wireless\chan.c(6): * Copyright 2009Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\core.c(4): * Copyright 2006-2010Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\core.h(4): * Copyright 2006-2010Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\debugfs.c(4): * Copyright 2009Luis R. Rodriguez
<lrodriguez@atheros.com>
linux-3.10\net\wireless\debugfs.c(5): * Copyright 2007Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\genregdb.awk(8):# Copyright 2009 John W. Linville
<linville@tuxdriver.com>

legal(ME)

linux-3.10\net\wireless\ibss.c(4): * Copyright 2009Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\lib80211.c(11): * Copyright (c) 2002-2003, Jouni Malinen
<j@w1.fi>
linux-3.10\net\wireless\lib80211.c(12): * Portions Copyright (C) 2004, Intel
Corporation <jketreno@linux.intel.com>
linux-3.10\net\wireless\lib80211.c(4): * Copyright(c) 2008 John W. Linville
<linville@tuxdriver.com>
linux-3.10\net\wireless\lib80211.c(6): * Portions copied from old ieee80211
component, w/ original copyright
linux-3.10\net\wireless\lib80211_crypt_ccmp.c(4): * Copyright (c) 2003-2004,
Jouni Malinen <j@w1.fi>
linux-3.10\net\wireless\lib80211_crypt_ccmp.c(5): * Copyright (c) 2008, John W.
Linville <linville@tuxdriver.com>
linux-3.10\net\wireless\lib80211_crypt_tkip.c(4): * Copyright (c) 2003-2004,
Jouni Malinen <j@w1.fi>
linux-3.10\net\wireless\lib80211_crypt_tkip.c(5): * Copyright (c) 2008, John W.
Linville <linville@tuxdriver.com>
linux-3.10\net\wireless\lib80211_crypt_wep.c(4): * Copyright (c) 2002-2004, Jouni
Malinen <j@w1.fi>
linux-3.10\net\wireless\lib80211_crypt_wep.c(5): * Copyright (c) 2008, John W.
Linville <linville@tuxdriver.com>
linux-3.10\net\wireless\mlme.c(4): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
linux-3.10\net\wireless\nl80211.c(4): * Copyright 2006-2010Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\radiotap.c(4): * Copyright 2007Andy Green
<andy@warmcat.com>
linux-3.10\net\wireless\radiotap.c(5): * Copyright 2009Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\reg.c(2): * Copyright 2002-2005, Instant802 Networks,
Inc.
linux-3.10\net\wireless\reg.c(3): * Copyright 2005-2006, Devicescape Software,
Inc.
linux-3.10\net\wireless\reg.c(4): * Copyright 2007Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\reg.c(5): * Copyright 2008-2011Luis R. Rodriguez
<mcgrof@qca.qualcomm.com>
linux-3.10\net\wireless\reg.h(4): * Copyright 2008-2011Luis R. Rodriguez
<mcgrof@qca.qualcomm.com>
linux-3.10\net\wireless\regdb.h(5): * Copyright 2009 John W. Linville
<linville@tuxdriver.com>
linux-3.10\net\wireless\scan.c(4): * Copyright 2008 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\sme.c(4): * Copyright 2009Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\sme.c(5): * Copyright (C) 2009 Intel Corporation. All
rights reserved.
linux-3.10\net\wireless\sysfs.c(5): * Copyright 2005-2006Jiri Benc
<jbenc@suse.cz>
linux-3.10\net\wireless\sysfs.c(6): * Copyright 2006Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\util.c(4): * Copyright 2007-2009Johannes Berg

legal(ME)

<johannes@sipsolutions.net>
linux-3.10\net\wireless\wext-compat.c(8): * Copyright 2008-2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\wext-core.c(5): * Copyright (c) 1997-2007 Jean
Tourrilhes, All Rights Reserved.
linux-3.10\net\wireless\wext-core.c(6): * Copyright2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\wext-priv.c(5): * Copyright (c) 1997-2007 Jean
Tourrilhes, All Rights Reserved.
linux-3.10\net\wireless\wext-priv.c(6): * Copyright2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\wext-proc.c(5): * Copyright (c) 1997-2007 Jean
Tourrilhes, All Rights Reserved.
linux-3.10\net\wireless\wext-sme.c(4): * Copyright 2009 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\net\wireless\wext-sme.c(5): * Copyright (C) 2009 Intel Corporation.
All rights reserved.
linux-3.10\net\wireless\wext-spy.c(5): * Copyright (c) 1997-2007 Jean Tourrilhes,
All Rights Reserved.
linux-3.10\net\xfrm\xfrm_algo.c(4): * Copyright (c) 2002 James Morris
<jmorris@intercode.com.au>
linux-3.10\net\xfrm\xfrm_hash.c(3): * Copyright (C) 2006 David S. Miller
(davem@davemloft.net)
linux-3.10\net\xfrm\xfrm_ipcomp.c(4): * Copyright (c) 2003 James Morris
<jmorris@intercode.com.au>
linux-3.10\net\xfrm\xfrm_ipcomp.c(5): * Copyright (c) 2003-2008 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\net\xfrm\xfrm_output.c(4): * Copyright (c) 2007 Herbert Xu
<herbert@gondor.apana.org.au>
linux-3.10\net\xfrm\xfrm_proc.c(4): * Copyright (C)2006-2007 USAGI/WIDE Project
linux-3.10\net\xfrm\xfrm_replay.c(4): * Copyright (C) 2010 secunet Security
Networks AG
linux-3.10\net\xfrm\xfrm_replay.c(5): * Copyright (C) 2010 Steffen Klassert
<steffen.klassert@secunet.com>
linux-3.10\net\xfrm\xfrm_user.c(3): * Copyright (C) 2002 David S. Miller
(davem@redhat.com)
linux-3.10\samples\hidraw\hid-example.c(4): * Copyright (c) 2010 Alan Ott
<alan@signal11.us>
linux-3.10\samples\hidraw\hid-example.c(5): * Copyright (c) 2010 Signal 11
Software
linux-3.10\samples\hw_breakpoint\data_breakpoint.c(25): * Copyright (C) IBM
Corporation, 2009
linux-3.10\samples\kdb\kdb_hello.c(4): * Copyright (c) 2010 Wind River Systems,
Inc.All Rights Reserved.
linux-3.10\samples\kfifo\bytestream-example.c(4): * Copyright (C) 2010 Stefani
Seibold <stefani@seibold.net>
linux-3.10\samples\kfifo\dma-example.c(4): * Copyright (C) 2010 Stefani Seibold
<stefani@seibold.net>
linux-3.10\samples\kfifo\inttype-example.c(4): * Copyright (C) 2010 Stefani
Seibold <stefani@seibold.net>
linux-3.10\samples\kfifo\record-example.c(4): * Copyright (C) 2010 Stefani
Seibold <stefani@seibold.net>

legal(ME)

linux-3.10\samples\kobject\kobject-example.c(4): * Copyright (C) 2004-2007 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\samples\kobject\kobject-example.c(5): * Copyright (C) 2007 Novell Inc.
linux-3.10\samples\kobject\kset-example.c(4): * Copyright (C) 2004-2007 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\samples\kobject\kset-example.c(5): * Copyright (C) 2007 Novell Inc.
linux-3.10\samples\rpmsg\rpmsg_client_sample.c(4): * Copyright (C) 2011 Texas Instruments, Inc.
linux-3.10\samples\rpmsg\rpmsg_client_sample.c(5): * Copyright (C) 2011 Google, Inc.
linux-3.10\samples\seccomp\bpf-direct.c(4): * Copyright (c) 2012 The Chromium OS Authors <chromium-os-dev@chromium.org>
linux-3.10\samples\seccomp\bpf-fancy.c(4): * Copyright (c) 2012 The Chromium OS Authors <chromium-os-dev@chromium.org>
linux-3.10\samples\seccomp\bpf-helper.c(4): * Copyright (c) 2012 The Chromium OS Authors <chromium-os-dev@chromium.org>
linux-3.10\samples\seccomp\bpf-helper.h(4): * Copyright (c) 2012 The Chromium OS Authors <chromium-os-dev@chromium.org>
linux-3.10\samples\seccomp\dropper.c(4): * Copyright (c) 2012 The Chromium OS Authors <chromium-os-dev@chromium.org>
linux-3.10\samples\uhid\uhid-example.c(4): * Copyright (c) 2012 David Herrmann <dh.herrmann@googlemail.com>
linux-3.10\scripts\asn1_compiler.c(3): * Copyright (C) 2012 Red Hat, Inc. All Rights Reserved.
linux-3.10\scripts\basic\fixdep.c(59): * Copyright abandoned, Michael Chastain, <mailto:mec@shout.net>.
linux-3.10\scripts\basic\fixdep.c(7): * Copyright 2002 by Kai Germaschewski <kai.germaschewski@gmx.de>
linux-3.10\scripts\bloat-o-meter(3):# Copyright 2004 Matt Mackall <mpm@selenic.com>
linux-3.10\scripts\bootgraph.pl(3):# Copyright 2008, Intel Corporation
linux-3.10\scripts\checkincludes.pl(5):# Copyright abandoned, 2000, Niels Kristian Bech Jensen <nkbj@image.dk>.
linux-3.10\scripts\checkincludes.pl(6):# Copyright 2009 Luis R. Rodriguez <mcgrof@gmail.com>
linux-3.10\scripts\checkkconfigsymbols.sh(3):# Copyright (C) 2007, Paolo 'Blaisiorblade' Giarrusso <blaisiorblade@yahoo.it>
linux-3.10\scripts\checkstack.pl(5):# Copyright Joern Engel <joern@lazybastard.org>
linux-3.10\scripts\checkversion.pl(6):# Copyright (C) 2003, Randy Dunlap <rdunlap@xenotime.net>
linux-3.10\scripts\coccinelle\api\alloc\drop_kmalloc_cast.cocci(6):// Copyright: 2009, 2010 Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\api\alloc\kzalloc-simple.cocci(10):// Copyright: (C) 2009-2010 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\alloc\kzalloc-simple.cocci(9):// Copyright: (C) 2009-2010 Julia Lawall, Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\api\devm_request_and_ioremap.cocci(10):// Copyright: (C) 2011 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\devm_request_and_ioremap.cocci(9):// Copyright: (C) 2011 Julia Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\err_cast.cocci(5):// Copyright: (C) 2009, 2010

legal(ME)

Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\api\err_cast.cocci(6)// Copyright: (C) 2009, 2010
Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\api\err_cast.cocci(7)// Copyright: (C) 2009, 2010
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\kstrdup.cocci(4)// Copyright: (C) 2010-2012
Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\api\kstrdup.cocci(5)// Copyright: (C) 2010-2012
Julia Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\kstrdup.cocci(6)// Copyright: (C) 2010-2012
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\memdup.cocci(4)// Copyright: (C) 2010-2012
Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\api\memdup.cocci(5)// Copyright: (C) 2010-2012
Julia Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\memdup.cocci(6)// Copyright: (C) 2010-2012
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\memdup_user.cocci(5)// Copyright: (C)
2010-2012 Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\api\memdup_user.cocci(6)// Copyright: (C)
2010-2012 Julia Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\memdup_user.cocci(7)// Copyright: (C)
2010-2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\ptr_ret.cocci(5)// Copyright: (C) 2012 Julia
Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\ptr_ret.cocci(6)// Copyright: (C) 2012 Gilles
Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\api\resource_size.cocci(6)//Copyright: (C) 2009,
2010 Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\api\resource_size.cocci(7)//Copyright: (C) 2009,
2010 Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\api\resource_size.cocci(8)//Copyright: (C) 2009,
2010 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\free\clk_put.cocci(8)// Copyright: (C) 2012 Julia
Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\free\clk_put.cocci(9)// Copyright: (C) 2012 Gilles
Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\free\devm_free.cocci(17)// Copyright: (C) 2011
Julia Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\free\devm_free.cocci(18)// Copyright: (C) 2011
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\free\iounmap.cocci(8)// Copyright: (C) 2012 Julia
Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\free\iounmap.cocci(9)// Copyright: (C) 2012 Gilles
Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\free\kfree.cocci(10)// Copyright: (C) 2010-2012
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\free\kfree.cocci(8)// Copyright: (C) 2010-2012
Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\free\kfree.cocci(9)// Copyright: (C) 2010-2012
Julia Lawall, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\iterators\fen.cocci(5)// Copyright: (C) 2010-2012

legal(ME)

Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\iterators\fen.cocci(6):// Copyright: (C) 2010-2012
Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\iterators\fen.cocci(7):// Copyright: (C) 2010-2012
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\iterators\itnull.cocci(10):// Copyright: (C)
2010-2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\iterators\itnull.cocci(11):// Copyright: (C)
2010-2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\iterators\itnull.cocci(9):// Copyright: (C)
2010-2012 Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\iterators\list_entry_update.cocci(7):// Copyright:
(C) 2010 Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\iterators\list_entry_update.cocci(8):// Copyright:
(C) 2010 Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\iterators\list_entry_update.cocci(9):// Copyright:
(C) 2010 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\iterators\use_after_iter.cocci(10):// Copyright:
(C) 2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\iterators\use_after_iter.cocci(11):// Copyright:
(C) 2012 Gilles Muller, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\locks\call_kern.cocci(7):// Copyright: (C) 2012
Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\locks\call_kern.cocci(8):// Copyright: (C) 2012
Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\locks\call_kern.cocci(9):// Copyright: (C) 2012
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\locks\double_lock.cocci(6):// Copyright: (C) 2010
Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\locks\double_lock.cocci(7):// Copyright: (C) 2010
Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\locks\double_lock.cocci(8):// Copyright: (C) 2010
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\locks\flags.cocci(4):// Copyright: (C) 2010-2012
Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\locks\flags.cocci(5):// Copyright: (C) 2010-2012
Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\locks\flags.cocci(6):// Copyright: (C) 2010-2012
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\locks\mini_lock.cocci(10):// Copyright: (C)
2010-2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\locks\mini_lock.cocci(11):// Copyright: (C)
2010-2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\locks\mini_lock.cocci(9):// Copyright: (C)
2010-2012 Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\misc\boolinit.cocci(6):// Copyright: (C) 2012 Julia
Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\boolinit.cocci(7):// Copyright: (C) 2012
Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\cstpтр.cocci(5):// Copyright: (C) 2012 Julia
Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\cstpтр.cocci(6):// Copyright: (C) 2012 Gilles

legal(ME)

Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\doubleinit.cocci(6)// Copyright: (C) 2010-2012 Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\misc\doubleinit.cocci(7)// Copyright: (C) 2010-2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\doubleinit.cocci(8)// Copyright: (C) 2010-2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\ifaddr.cocci(5)// Copyright: (C) 2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\ifaddr.cocci(6)// Copyright: (C) 2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\ifcol.cocci(11)// Copyright: (C) 2010 Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\misc\ifcol.cocci(12)// Copyright: (C) 2010 Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\misc\ifcol.cocci(13)// Copyright: (C) 2010 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\memcpy-assign.cocci(5)// Copyright: (C) 2012 Peter Senna Tschudin, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\noderef.cocci(5)// Copyright: (C) 2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\noderef.cocci(6)// Copyright: (C) 2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\orplus.cocci(6)// Copyright: (C) 2013 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\orplus.cocci(7)// Copyright: (C) 2013 Gilles Muller, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\semicolon.cocci(5)// Copyright: (C) 2012 Peter Senna Tschudin, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\warn.cocci(4)// Copyright: (C) 2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\misc\warn.cocci(5)// Copyright: (C) 2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\null\badzero.cocci(10)// Copyright: (C) 2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\null\badzero.cocci(11)// Copyright: (C) 2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\null\deref_null.cocci(6)// Copyright: (C) 2010 Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\null\deref_null.cocci(7)// Copyright: (C) 2010 Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\null\deref_null.cocci(8)// Copyright: (C) 2010 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\null\eno.cocci(4)// Copyright: (C) 2010-2012 Nicolas Palix.GPLv2.
linux-3.10\scripts\coccinelle\null\eno.cocci(5)// Copyright: (C) 2010-2012 Julia Lawall, INRIA/LIP6.GPLv2.
linux-3.10\scripts\coccinelle\null\eno.cocci(6)// Copyright: (C) 2010-2012 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\null\kmerr.cocci(10)// Copyright: (C) 2010 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\null\kmerr.cocci(8)// Copyright: (C) 2010 Nicolas

legal(ME)

Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\null\kmerr.cocci(9):// Copyright: (C) 2010 Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\tests\doublebitand.cocci(10):// Copyright: (C) 2010 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\tests\doublebitand.cocci(8):// Copyright: (C) 2010 Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\tests\doublebitand.cocci(9):// Copyright: (C) 2010 Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\tests\doubletest.cocci(6):// Copyright: (C) 2010 Nicolas Palix, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\tests\doubletest.cocci(7):// Copyright: (C) 2010 Julia Lawall, DIKU.GPLv2.
linux-3.10\scripts\coccinelle\tests\doubletest.cocci(8):// Copyright: (C) 2010 Gilles Muller, INRIA/LiP6.GPLv2.
linux-3.10\scripts\coccinelle\tests\odd_ptr_err.cocci(6):// Copyright: (C) 2012 Julia Lawall, INRIA.GPLv2.
linux-3.10\scripts\coccinelle\tests\odd_ptr_err.cocci(7):// Copyright: (C) 2012 Gilles Muller, INRIA.GPLv2.
linux-3.10\scripts\conmakehash.c(10): * Copyright (C) 1995-1997 H. Peter Anvin
linux-3.10\scripts\dtc\checks.c(2): * (C) Copyright David Gibson
<dwg@au1.ibm.com>, IBM Corporation.2007.
linux-3.10\scripts\dtc\data.c(2): * (C) Copyright David Gibson <dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\dtc.c(2): * (C) Copyright David Gibson <dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\dtc.h(5): * (C) Copyright David Gibson <dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\dtc-lexer.l(2): * (C) Copyright David Gibson
<dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\dtc-lexer.lex.c_shipped(612): * (C) Copyright David Gibson
<dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\dtc-parser.tab.c_shipped(5):Copyright (C) 1984, 1989-1990, 2000-2011 Free Software Foundation, Inc.
linux-3.10\scripts\dtc\dtc-parser.tab.h_shipped(5):Copyright (C) 1984, 1989-1990, 2000-2011 Free Software Foundation, Inc.
linux-3.10\scripts\dtc\dtc-parser.y(2): * (C) Copyright David Gibson
<dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\fdtget.c(2): * Copyright (c) 2011 The Chromium OS Authors. All rights reserved.
linux-3.10\scripts\dtc\fdtget.c(4): * Portions from U-Boot cmd_fdt.c (C) Copyright 2007
linux-3.10\scripts\dtc\fdtput.c(2): * Copyright (c) 2011 The Chromium OS Authors. All rights reserved.
linux-3.10\scripts\dtc\flattree.c(2): * (C) Copyright David Gibson
<dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\fstree.c(2): * (C) Copyright David Gibson
<dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\libfdt\fdt.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
linux-3.10\scripts\dtc\libfdt\fdt_empty_tree.c(3): * Copyright (C) 2012 David Gibson, IBM Corporation.

legal(ME)

linux-3.10\scripts\dtc\libfdt\fdt_ro.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
linux-3.10\scripts\dtc\libfdt\fdt_rw.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
linux-3.10\scripts\dtc\libfdt\fdt_strerror.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
linux-3.10\scripts\dtc\libfdt\fdt_sw.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
linux-3.10\scripts\dtc\libfdt\fdt_wip.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
linux-3.10\scripts\dtc\libfdt\libfdt.h(5): * Copyright (C) 2006 David Gibson, IBM Corporation.
linux-3.10\scripts\dtc\libfdt\libfdt_internal.h(5): * Copyright (C) 2006 David Gibson, IBM Corporation.
linux-3.10\scripts\dtc\livetree.c(2): * (C) Copyright David Gibson <dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\srcpos.c(2): * Copyright 2007 Jon Loeliger, Freescale Semiconductor, Inc.
linux-3.10\scripts\dtc\srcpos.h(2): * Copyright 2007 Jon Loeliger, Freescale Semiconductor, Inc.
linux-3.10\scripts\dtc\treesource.c(2): * (C) Copyright David Gibson <dwg@au1.ibm.com>, IBM Corporation.2005.
linux-3.10\scripts\dtc\util.c(2): * Copyright 2011 The Chromium Authors, All Rights Reserved.
linux-3.10\scripts\dtc\util.c(3): * Copyright 2008 Jon Loeliger, Freescale Semiconductor, Inc.
linux-3.10\scripts\dtc\util.h(7): * Copyright 2011 The Chromium Authors, All Rights Reserved.
linux-3.10\scripts\dtc\util.h(8): * Copyright 2008 Jon Loeliger, Freescale Semiconductor, Inc.
linux-3.10\scripts\export_report.pl(3):# (C) Copyright IBM Corporation 2006.
linux-3.10\scripts\gcc-goto.sh(3):# Copyright (C) 2010, Jason Baron <jbaron@redhat.com>
linux-3.10\scripts\gen_initramfs_list.sh(2):# Copyright (C) Martin Schlemmer <azarah@nosferatu.za.org>
linux-3.10\scripts\gen_initramfs_list.sh(3):# Copyright (C) 2006 Sam Ravnborg <sam@ravnborg.org>
linux-3.10\scripts\genksyms\genksyms.c(2): Copyright 1996, 1997 Linux International.
linux-3.10\scripts\genksyms\genksyms.h(2): Copyright 1996, 1997 Linux International.
linux-3.10\scripts\genksyms\lex.l(2): Copyright 1996, 1997 Linux International.
linux-3.10\scripts\genksyms\lex.lex.c_shipped(540): Copyright 1996, 1997 Linux International.
linux-3.10\scripts\genksyms\parse.tab.c_shipped(5):Copyright (C) 1984, 1989-1990, 2000-2011 Free Software Foundation, Inc.
linux-3.10\scripts\genksyms\parse.tab.h_shipped(5):Copyright (C) 1984, 1989-1990, 2000-2011 Free Software Foundation, Inc.
linux-3.10\scripts\genksyms\parse.y(2): Copyright 1996, 1997 Linux International.
linux-3.10\scripts\kallsyms.c(3): * Copyright 2002 by Kai Germaschewski
linux-3.10\scripts\kconfig\conf.c(2): * Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>

legal(ME)

linux-3.10\scripts\kconfig\confdata.c(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\expr.c(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\expr.h(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\gconf.c(4): * Copyright (C) 2002-2003 Romain Lievin
<roms@tilp.info>
linux-3.10\scripts\kconfig\gconf.c(698):_("gkc is copyright (c) 2002 Romain
Lievin <roms@lpg.ticalc.org>.\n"
linux-3.10\scripts\kconfig\images.c(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\lkc.h(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\mconf.c(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\menu.c(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\merge_config.sh(11):#Copyright (c) 2009-2010 Wind
River Systems, Inc.
linux-3.10\scripts\kconfig\merge_config.sh(12):#Copyright 2011 Linaro
linux-3.10\scripts\kconfig\nconf.c(2): * Copyright (C) 2008 Nir Tzachar
<nir.tzachar@gmail.com?>
linux-3.10\scripts\kconfig\nconf.gui.c(2): * Copyright (C) 2008 Nir Tzachar
<nir.tzachar@gmail.com?>
linux-3.10\scripts\kconfig\nconf.h(2): * Copyright (C) 2008 Nir Tzachar
<nir.tzachar@gmail.com?>
linux-3.10\scripts\kconfig\qconf.cc(1682):static const QString str = _("qconf is
Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>.\n\n"
linux-3.10\scripts\kconfig\qconf.cc(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\qconf.h(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\streamline_config.pl(3):# Copyright 2005-2009 - Steven
Rostedt
linux-3.10\scripts\kconfig\symbol.c(2): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\util.c(2): * Copyright (C) 2002-2005 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\util.c(3): * Copyright (C) 2002-2005 Sam Ravnborg
<sam@ravnborg.org>
linux-3.10\scripts\kconfig\zconf.l(7): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\zconf.lex.c_shipped(769): * Copyright (C) 2002 Roman
Zippel <zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\zconf.tab.c_shipped(5):Copyright (C) 1984, 1989, 1990,
2000, 2001, 2002, 2003, 2004, 2005, 2006,
linux-3.10\scripts\kconfig\zconf.tab.c_shipped(79): * Copyright (C) 2002 Roman
Zippel <zippel@linux-m68k.org>
linux-3.10\scripts\kconfig\zconf.y(3): * Copyright (C) 2002 Roman Zippel
<zippel@linux-m68k.org>
linux-3.10\scripts\kernel-doc(12):## Copyright (c) 2000 MontaVista Software, Inc.

legal(ME)

```
linux-3.10\scripts\kernel-doc(5):## Copyright (c) 1998 Michael Zucchi, All Rights Reserved##
linux-3.10\scripts\kernel-doc(6):## Copyright (C) 2000, 1Tim Waugh <twaugh@redhat.com>##
linux-3.10\scripts\kernel-doc(7):## Copyright (C) 2001Simon Huggins ##
linux-3.10\scripts\kernel-doc(8):## Copyright (C) 2005-2012Randy Dunlap ##
linux-3.10\scripts\kernel-doc(9):## Copyright (C) 2012Dan Luedtke ##
linux-3.10\scripts\makelst(9):# Copyright (C) 2000 IBM Corporation
linux-3.10\scripts\markup_oops.pl(7):# Copyright 2008, Intel Corporation
linux-3.10\scripts\mod\file2alias.c(5): * Copyright 2002-2003Rusty Russell, IBM Corporation
linux-3.10\scripts\mod\modpost.c(3): * Copyright 2003 Kai Germaschewski
linux-3.10\scripts\mod\modpost.c(4): * Copyright 2002-2004Rusty Russell, IBM Corporation
linux-3.10\scripts\mod\modpost.c(5): * Copyright 2006-2008Sam Ravnborg
linux-3.10\scripts\mod\sumversion.c(23): * Copyright (c) Andrew Tridgell 1997-1998.
linux-3.10\scripts\mod\sumversion.c(25): * Copyright (c) Cryptoapi developers.
linux-3.10\scripts\mod\sumversion.c(26): * Copyright (c) 2002 David S. Miller (davem@redhat.com)
linux-3.10\scripts\mod\sumversion.c(27): * Copyright (c) 2002 James Morris <jmorris@intercode.com.au>
linux-3.10\scripts\namespace.pl(7):#Copyright Keith Owens <kaos@ocs.com.au>.GPL.
linux-3.10\scripts\package\buildddeb(18):cp debian/copyright "$pdir/usr/share/doc/$pname/"
linux-3.10\scripts\package\buildddeb(184):# Generate copyright file
linux-3.10\scripts\package\buildddeb(185):cat <<EOF > debian/copyright
linux-3.10\scripts\package\buildddeb(191):Copyright: 1991 - 2009 Linus Torvalds and others.
linux-3.10\scripts\package\buildddeb(4):# Copyright 2003 Wichert Akkerman <wichert@wiggy.net>
linux-3.10\scripts\pnmtologo.c(6): *(C) Copyright 2001-2003 by Geert Uytterhoeven <geert@linux-m68k.org>
linux-3.10\scripts\recordmcount.c(4): * Copyright 2009 John F. Reiser <jreiser@BitWagon.com>.All rights reserved.
linux-3.10\scripts\recordmcount.c(8): *Copyright 2010 Steven Rostedt <srostedt@redhat.com>, Red Hat Inc.
linux-3.10\scripts\recordmcount.h(17): * Copyright 2010 Steven Rostedt <srostedt@redhat.com>, Red Hat Inc.
linux-3.10\scripts\recordmcount.h(5): * Copyright 2009 John F. Reiser <jreiser@BitWagon.com>.All rights reserved.
linux-3.10\scripts\selinux\mdp\mdp.c(22): * Copyright (C) IBM Corporation, 2006
linux-3.10\scripts\show_delta(8):# Copyright 2003 Sony Corporation
linux-3.10\scripts\sortextable.c(12): *Copyright 2010 Steven Rostedt <srostedt@redhat.com>, Red Hat Inc.
linux-3.10\scripts\sortextable.c(4): * Copyright 2011 - 2012 Cavium, Inc.
linux-3.10\scripts\sortextable.c(8): * Copyright 2009 John F. Reiser <jreiser@BitWagon.com>.All rights reserved.
linux-3.10\scripts\sortextable.h(4): * Copyright 2011 - 2012 Cavium, Inc.
linux-3.10\scripts\sortextable.h(8): * Copyright 2009 John F. Reiser <jreiser@BitWagon.com>.All rights reserved.
linux-3.10\scripts\sortextable.h(9): * Copyright 2010 Steven Rostedt
```

legal(ME)

<stredt@redhat.com>, Red Hat Inc.

linux-3.10\scripts\tracing\draw_functrace.py(4):Copyright 2008 (c) Frederic Weisbecker <fweisbec@gmail.com>

linux-3.10\scripts\unifdef.c(2): * Copyright (c) 2002 - 2011 Tony Finch <dot@dotat.at>

linux-3.10\scripts\unifdef.c(31): * of unifdef carried the 4-clause BSD copyright licence. None of its code

linux-3.10\scripts\unifdef.c(366):const char *c = copyright;

linux-3.10\scripts\unifdef.c(59):const char copyright[] =

linux-3.10\security\apparmor\apparmorfs.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\apparmorfs.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\audit.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\audit.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\capability.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\capability.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\context.c(7): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\context.c(8): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\domain.c(6): * Copyright (C) 2002-2008 Novell/SUSE

linux-3.10\security\apparmor\domain.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\file.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\file.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\include\apparmor.h(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\include\apparmor.h(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\include\apparmorfs.h(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\include\apparmorfs.h(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\include\audit.h(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\include\audit.h(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\include\capability.h(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\include\capability.h(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\include\context.h(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\include\context.h(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\include\domain.h(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\include\domain.h(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\include\file.h(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\include\file.h(7): * Copyright 2009-2010 Canonical

legal(ME)

Ltd.

linux-3.10\security\apparmor\include\ipc.h(6): * Copyright (C) 1998-2008
Novell/SUSE

linux-3.10\security\apparmor\include\ipc.h(7): * Copyright 2009-2010 Canonical
Ltd.

linux-3.10\security\apparmor\include\match.h(6): * Copyright (C) 1998-2008
Novell/SUSE

linux-3.10\security\apparmor\include\match.h(7): * Copyright 2009-2010 Canonical
Ltd.

linux-3.10\security\apparmor\include\path.h(6): * Copyright (C) 1998-2008
Novell/SUSE

linux-3.10\security\apparmor\include\path.h(7): * Copyright 2009-2010 Canonical
Ltd.

linux-3.10\security\apparmor\include\policy.h(6): * Copyright (C) 1998-2008
Novell/SUSE

linux-3.10\security\apparmor\include\policy.h(7): * Copyright 2009-2010 Canonical
Ltd.

linux-3.10\security\apparmor\include\policy_unpack.h(6): * Copyright (C)
1998-2008 Novell/SUSE

linux-3.10\security\apparmor\include\policy_unpack.h(7): * Copyright 2009-2010
Canonical Ltd.

linux-3.10\security\apparmor\include\procattrib.h(6): * Copyright (C) 1998-2008
Novell/SUSE

linux-3.10\security\apparmor\include\procattrib.h(7): * Copyright 2009-2010
Canonical Ltd.

linux-3.10\security\apparmor\include\resource.h(6): * Copyright (C) 1998-2008
Novell/SUSE

linux-3.10\security\apparmor\include\resource.h(7): * Copyright 2009-2010
Canonical Ltd.

linux-3.10\security\apparmor\include\sid.h(6): * Copyright 2009-2010 Canonical
Ltd.

linux-3.10\security\apparmor\ipc.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\ipc.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\lib.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\lib.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\lsm.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\lsm.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\match.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\match.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\path.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\path.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\policy.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\policy.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\policy_unpack.c(7): * Copyright (C) 1998-2008
Novell/SUSE

linux-3.10\security\apparmor\policy_unpack.c(8): * Copyright 2009-2010 Canonical
Ltd.

linux-3.10\security\apparmor\procattrib.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\procattrib.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\resource.c(6): * Copyright (C) 1998-2008 Novell/SUSE

linux-3.10\security\apparmor\resource.c(7): * Copyright 2009-2010 Canonical Ltd.

linux-3.10\security\apparmor\sid.c(6): * Copyright 2009-2010 Canonical Ltd.

legal(ME)

linux-3.10\security\device_cgroup.c(4): * Copyright 2007 IBM Corp
linux-3.10\security\inode.c(11): *Copyright (C) 2004 Greg Kroah-Hartman
<greg@kroah.com>
linux-3.10\security\inode.c(12): *Copyright (C) 2004 IBM Inc.
linux-3.10\security\inode.c(4): *Copyright (C) 2005 Greg Kroah-Hartman
<gregkh@suse.de>
linux-3.10\security\integrity\digsig.c(2): * Copyright (C) 2011 Intel Corporation
linux-3.10\security\integrity\digsig_asymmetric.c(2): * Copyright (C) 2013 Intel
Corporation
linux-3.10\security\integrity\evm\evm.h(2): * Copyright (C) 2005-2010 IBM
Corporation
linux-3.10\security\integrity\evm\evm_crypto.c(2): * Copyright (C) 2005-2010 IBM
Corporation
linux-3.10\security\integrity\evm\evm_main.c(2): * Copyright (C) 2005-2010 IBM
Corporation
linux-3.10\security\integrity\evm\evm_posix_acl.c(2): * Copyright (C) 2011 IBM
Corporation
linux-3.10\security\integrity\evm\evm_secfs.c(2): * Copyright (C) 2010 IBM
Corporation
linux-3.10\security\integrity\iint.c(2): * Copyright (C) 2008 IBM Corporation
linux-3.10\security\integrity\ima\ima.h(2): * Copyright (C) 2005,2006,2007,2008
IBM Corporation
linux-3.10\security\integrity\ima\ima_api.c(2): * Copyright (C) 2008 IBM
Corporation
linux-3.10\security\integrity\ima\ima_appraise.c(2): * Copyright (C) 2011 IBM
Corporation
linux-3.10\security\integrity\ima\ima_audit.c(2): * Copyright (C) 2008 IBM
Corporation
linux-3.10\security\integrity\ima\ima_crypto.c(2): * Copyright (C)
2005,2006,2007,2008 IBM Corporation
linux-3.10\security\integrity\ima\ima_fs.c(2): * Copyright (C)
2005,2006,2007,2008 IBM Corporation
linux-3.10\security\integrity\ima\ima_init.c(2): * Copyright (C)
2005,2006,2007,2008 IBM Corporation
linux-3.10\security\integrity\ima\ima_main.c(2): * Copyright (C)
2005,2006,2007,2008 IBM Corporation
linux-3.10\security\integrity\ima\ima_policy.c(2): * Copyright (C) 2008 IBM
Corporation
linux-3.10\security\integrity\ima\ima_queue.c(2): * Copyright (C)
2005,2006,2007,2008 IBM Corporation
linux-3.10\security\integrity\integrity.h(2): * Copyright (C) 2009-2010 IBM
Corporation
linux-3.10\security\keys\compat.c(3): * Copyright (C) 2004-5 Red Hat, Inc. All
Rights Reserved.
linux-3.10\security\keys\encrypted-keys\ecryptfs_format.c(4): * Copyright (C)
2006 International Business Machines Corp.
linux-3.10\security\keys\encrypted-keys\ecryptfs_format.c(5): * Copyright (C)
2010 Politecnico di Torino, Italy
linux-3.10\security\keys\encrypted-keys\ecryptfs_format.h(4): * Copyright (C)
2006 International Business Machines Corp.
linux-3.10\security\keys\encrypted-keys\ecryptfs_format.h(5): * Copyright (C)
2010 Politecnico di Torino, Italy

legal(ME)

linux-3.10\security\keys\encrypted-keys\encrypted.c(2): * Copyright (C) 2010 IBM Corporation
linux-3.10\security\keys\encrypted-keys\encrypted.c(3): * Copyright (C) 2010 Politecnico di Torino, Italy
linux-3.10\security\keys\encrypted-keys\masterkey_trusted.c(2): * Copyright (C) 2010 IBM Corporation
linux-3.10\security\keys\encrypted-keys\masterkey_trusted.c(3): * Copyright (C) 2010 Politecnico di Torino, Italy
linux-3.10\security\keys\gc.c(3): * Copyright (C) 2009-2011 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\internal.h(3): * Copyright (C) 2003-5, 2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\key.c(3): * Copyright (C) 2004-2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\keyctl.c(3): * Copyright (C) 2004-5 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\keyring.c(3): * Copyright (C) 2004-2005, 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\permission.c(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\proc.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\process_keys.c(3): * Copyright (C) 2004-2005, 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\request_key.c(3): * Copyright (C) 2004-2007 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\request_key_auth.c(3): * Copyright (C) 2005 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\sysctl.c(3): * Copyright (C) 2008 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\keys\trusted.c(2): * Copyright (C) 2010 IBM Corporation
linux-3.10\security\keys\user_defined.c(3): * Copyright (C) 2004 Red Hat, Inc. All Rights Reserved.
linux-3.10\security\security.c(4): * Copyright (C) 2001 WireX Communications, Inc <chris@wirex.com>
linux-3.10\security\security.c(5): * Copyright (C) 2001-2002 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\security\security.c(6): * Copyright (C) 2001 Networks Associates Technology, Inc <ssmalley@nai.com>
linux-3.10\security\selinux\avc.c(10): * Copyright (C) 2003 Red Hat, Inc., James Morris <jmorris@redhat.com>
linux-3.10\security\selinux\exports.c(6): * Copyright (C) 2005 Red Hat, Inc., James Morris <jmorris@redhat.com>
linux-3.10\security\selinux\exports.c(7): * Copyright (C) 2006 Trusted Computer Solutions, Inc. <dgoeddel@trustedcs.com>
linux-3.10\security\selinux\exports.c(8): * Copyright (C) 2006 IBM Corporation, Timothy R. Chavez <tinytim@us.ibm.com>
linux-3.10\security\selinux\hooks.c(11): *Copyright (C) 2001,2002 Networks Associates Technology, Inc.
linux-3.10\security\selinux\hooks.c(12): *Copyright (C) 2003-2008 Red Hat, Inc., James Morris <jmorris@redhat.com>
linux-3.10\security\selinux\hooks.c(14): *Copyright (C) 2004-2005 Trusted

legal(ME)

Computer Solutions, Inc.

linux-3.10\security\selinux\hooks.c(16): *Copyright (C) 2006, 2007, 2009
Hewlett-Packard Development Company, L.P.

linux-3.10\security\selinux\hooks.c(18): *Copyright (C) 2007 Hitachi Software
Engineering Co., Ltd.

linux-3.10\security\selinux\include\audit.h(10): * Copyright (C) 2006 Trusted
Computer Solutions, Inc. <dgoeddel@trustedcs.com>

linux-3.10\security\selinux\include\audit.h(11): * Copyright (C) 2006 IBM
Corporation, Timothy R. Chavez <tinytim@us.ibm.com>

linux-3.10\security\selinux\include\audit.h(5): * is released under below
copyrights:

linux-3.10\security\selinux\include\audit.h(9): * Copyright (C) 2005 Red Hat,
Inc., James Morris <jmorris@redhat.com>

linux-3.10\security\selinux\include\conditional.h(7): * Copyright (C) 2003 - 2004
Tresys Technology, LLC

linux-3.10\security\selinux\include\netif.h(10): * Copyright (C) 2007
Hewlett-Packard Development Company, L.P.

linux-3.10\security\selinux\include\netif.h(9): * Copyright (C) 2003 Red Hat,
Inc., James Morris <jmorris@redhat.com>

linux-3.10\security\selinux\include\netlabel.h(9): * (c) Copyright
Hewlett-Packard Development Company, L.P., 2006

linux-3.10\security\selinux\include\netnode.h(14): * (c) Copyright
Hewlett-Packard Development Company, L.P., 2007

linux-3.10\security\selinux\include\netport.h(13): * (c) Copyright
Hewlett-Packard Development Company, L.P., 2008

linux-3.10\security\selinux\include\objsec.h(11): *Copyright (C) 2001,2002
Networks Associates Technology, Inc.

linux-3.10\security\selinux\include\objsec.h(12): *Copyright (C) 2003 Red Hat,
Inc., James Morris <jmorris@redhat.com>

linux-3.10\security\selinux\netif.c(10): * Copyright (C) 2007 Hewlett-Packard
Development Company, L.P.

linux-3.10\security\selinux\netif.c(9): * Copyright (C) 2003 Red Hat, Inc., James
Morris <jmorris@redhat.com>

linux-3.10\security\selinux\netlabel.c(12): * (c) Copyright Hewlett-Packard
Development Company, L.P., 2007, 2008

linux-3.10\security\selinux\netlink.c(6): * Copyright (C) 2004 Red Hat, Inc.,
James Morris <jmorris@redhat.com>

linux-3.10\security\selinux\netnode.c(18): * (c) Copyright Hewlett-Packard
Development Company, L.P., 2007

linux-3.10\security\selinux\netport.c(17): * (c) Copyright Hewlett-Packard
Development Company, L.P., 2008

linux-3.10\security\selinux\nlmsgtab.c(6): * Copyright (C) 2004 Red Hat, Inc.,
James Morris <jmorris@redhat.com>

linux-3.10\security\selinux\selinuxfs.c(10): * Copyright (C) 2003 - 2004 Tresys
Technology, LLC

linux-3.10\security\selinux\selinuxfs.c(11): * Copyright (C) 2004 Red Hat, Inc.,
James Morris <jmorris@redhat.com>

linux-3.10\security\selinux\selinuxfs.c(9): * Copyright (C) 2007 Hewlett-Packard
Development Company, L.P.

linux-3.10\security\selinux\ss\avtab.c(11): * Copyright (C) 2003 Tresys
Technology, LLC

linux-3.10\security\selinux\ss\avtab.h(15): * Copyright (C) 2003 Tresys

legal(ME)

Technology, LLC

linux-3.10\security\selinux\ss\conditional.c(4): * Copyright (C) 2003 - 2004
Tresys Technology, LLC

linux-3.10\security\selinux\ss\conditional.h(4): * Copyright (C) 2003 - 2004
Tresys Technology, LLC

linux-3.10\security\selinux\ss\ebitmap.c(11): * (c) Copyright Hewlett-Packard
Development Company, L.P., 2006

linux-3.10\security\selinux\ss\mls.c(11): * Copyright (C) 2004-2006 Trusted
Computer Solutions, Inc.

linux-3.10\security\selinux\ss\mls.c(18): * (c) Copyright Hewlett-Packard
Development Company, L.P., 2006

linux-3.10\security\selinux\ss\mls.h(11): * Copyright (C) 2004-2006 Trusted
Computer Solutions, Inc.

linux-3.10\security\selinux\ss\mls.h(18): * (c) Copyright Hewlett-Packard
Development Company, L.P., 2006

linux-3.10\security\selinux\ss\mls_types.h(11): * Copyright (C) 2004-2005 Trusted
Computer Solutions, Inc.

linux-3.10\security\selinux\ss\policydb.c(20): * Copyright (C) 2007
Hewlett-Packard Development Company, L.P.

linux-3.10\security\selinux\ss\policydb.c(21): * Copyright (C) 2004-2005 Trusted
Computer Solutions, Inc.

linux-3.10\security\selinux\ss\policydb.c(22): * Copyright (C) 2003 - 2004 Tresys
Technology, LLC

linux-3.10\security\selinux\ss\policydb.h(17): * Copyright (C) 2004-2005 Trusted
Computer Solutions, Inc.

linux-3.10\security\selinux\ss\policydb.h(18): * Copyright (C) 2003 - 2004 Tresys
Technology, LLC

linux-3.10\security\selinux\ss\services.c(33): * Copyright (C) 2008, 2009 NEC
Corporation

linux-3.10\security\selinux\ss\services.c(34): * Copyright (C) 2006, 2007
Hewlett-Packard Development Company, L.P.

linux-3.10\security\selinux\ss\services.c(35): * Copyright (C) 2004-2006 Trusted
Computer Solutions, Inc.

linux-3.10\security\selinux\ss\services.c(36): * Copyright (C) 2003 - 2004, 2006
Tresys Technology, LLC

linux-3.10\security\selinux\ss\services.c(37): * Copyright (C) 2003 Red Hat,
Inc., James Morris <jmorris@redhat.com>

linux-3.10\security\selinux\ss\status.c(6): * Copyright (C) 2010 NEC corporation

linux-3.10\security\selinux\xfrm.c(13): *Copyright (C) 2005 International
Business Machines Corporation

linux-3.10\security\selinux\xfrm.c(14): *Copyright (C) 2006 Trusted Computer
Solutions, Inc.

linux-3.10\security\smack\smack.h(2): * Copyright (C) 2007 Casey Schaufler
<casey@schaufler-ca.com>

linux-3.10\security\smack\smack_access.c(2): * Copyright (C) 2007 Casey Schaufler
<casey@schaufler-ca.com>

linux-3.10\security\smack\smack_lsm.c(10): *Copyright (C) 2007 Casey Schaufler
<casey@schaufler-ca.com>

linux-3.10\security\smack\smack_lsm.c(11): *Copyright (C) 2009 Hewlett-Packard
Development Company, L.P.

linux-3.10\security\smack\smack_lsm.c(13): *Copyright (C) 2010 Nokia Corporation

linux-3.10\security\smack\smack_lsm.c(14): *Copyright (C) 2011 Intel Corporation.

legal(ME)

linux-3.10\security\smack\smackfs.c(2): * Copyright (C) 2007 Casey Schaufler
<casey@schaufler-ca.com>
linux-3.10\security\tomoyo\audit.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\common.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\common.h(6): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\condition.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\domain.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\environ.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\file.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\gc.c(4): * Copyright (C) 2005-2011NTT DATA CORPORATION
linux-3.10\security\tomoyo\group.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\load_policy.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\memory.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\mount.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\network.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\realpath.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\securityfs_if.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\tomoyo.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\tomoyo\util.c(4): * Copyright (C) 2005-2011NTT DATA
CORPORATION
linux-3.10\security\yama\yama_lsm.c(6): * Copyright (C) 2010 Canonical, Ltd.
linux-3.10\security\yama\yama_lsm.c(7): * Copyright (C) 2011 The Chromium OS
Authors.
linux-3.10\sound\ac97_bus.c(6): * Copyright:(C) MontaVista Software Inc.
linux-3.10\sound\aoa\aoa.h(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\aoa-gpio.h(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\codecs\onyx.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\codecs\onyx.h(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\codecs\tas.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\codecs\tas.h(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\codecs\toonie.c(4): * Copyright 2006 Johannes Berg

legal(ME)

<johannes@sipsolutions.net>
linux-3.10\sound\aoa\core\alsa.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\core\alsa.h(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\core\core.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\core\gpio-feature.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\core\gpio-pmf.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\fabrics\layout.c(4): * Copyright 2006-2008 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\soundbus\core.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\soundbus\i2sbus\control.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\soundbus\i2sbus\core.c(4): * Copyright 2006-2008 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\soundbus\i2sbus\i2sbus.h(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\soundbus\i2sbus\interface.h(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\soundbus\i2sbus\pcm.c(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\aoa\soundbus\soundbus.h(4): * Copyright 2006 Johannes Berg
<johannes@sipsolutions.net>
linux-3.10\sound\arm\aac1.c(4): *Copyright (C) 2003 Deep Blue Solutions Ltd, All Rights Reserved.
linux-3.10\sound\arm\aac1.h(4): *Copyright (C) 2003 Deep Blue Solutions, Ltd, All Rights Reserved.
linux-3.10\sound\arm\pxa2xx-ac97.c(6): * Copyright:MontaVista Software Inc.
linux-3.10\sound\arm\pxa2xx-ac97-lib.c(7): * Copyright:MontaVista Software Inc.
linux-3.10\sound\arm\pxa2xx-pcm.c(6): * Copyright:(C) 2004 MontaVista Software, Inc.
linux-3.10\sound\arm\pxa2xx-pcm.h(6): * Copyright:MontaVista Software, Inc.
linux-3.10\sound\atmel\abdac.c(4): * Copyright (C) 2006-2009 Atmel Corporation
linux-3.10\sound\atmel\ac97c.c(4): * Copyright (C) 2005-2009 Atmel Corporation
linux-3.10\sound\atmel\ac97c.h(4): * Copyright (C) 2005-2009 Atmel Corporation
linux-3.10\sound\core\compress_offload.c(4): *Copyright (C) 2011 Intel Corporation
linux-3.10\sound\core\control.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\control_compat.c(4): * Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\core\ctljack.c(4): * Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\core\device.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\hrtimer.c(3): * Copyright (C) 2008 Takashi Iwai
linux-3.10\sound\core\hwdep.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>

legal(ME)

linux-3.10\sound\core\hwdep_compat.c(3): * Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\core\info.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\info_oss.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\init.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\isadma.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\jack.c(4): *Copyright 2008 Wolfson Microelectronics
linux-3.10\sound\core\Makefile(3):# Copyright (c) 1999,2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\memalloc.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\memory.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\misc.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\copy.c(3): *Copyright (c) 2000 by Abramo Bagnara
<abramo@alsa-project.org>
linux-3.10\sound\core\oss\io.c(3): *Copyright (c) 1999 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\linear.c(3): *Copyright (c) 1999 by Jaroslav Kysela
<perex@perex.cz>,
linux-3.10\sound\core\oss\Makefile(3):# Copyright (c) 1999 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\mixer_oss.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\mulaw.c(3): *Copyright (c) 1999 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\pcm_oss.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\pcm_plugin.c(3): *Copyright (c) 1999 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\pcm_plugin.c(4): *Copyright (c) 2000 by Abramo Bagnara
<abramo@alsa-project.org>
linux-3.10\sound\core\oss\pcm_plugin.h(6): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\rate.c(3): *Copyright (c) 1999 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\oss\route.c(3): *Copyright (c) 2000 by Abramo Bagnara
<abramo@alsa-project.org>
linux-3.10\sound\core\pcm.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\pcm_compat.c(3): * Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\core\pcm_lib.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\pcm_memory.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\pcm_misc.c(3): *Copyright (c) 1998 by Jaroslav Kysela

legal(ME)

<perex@perex.cz>
linux-3.10\sound\core\pcm_native.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\pcm_timer.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\rawmidi.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\rawmidi_compat.c(3): * Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\core\rtctimer.c(4): *Copyright (C) 2000 Takashi Iwai
linux-3.10\sound\core\seq\Makefile(3):# Copyright (c) 1999 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\seq\oss\Makefile(3):# Copyright (c) 1999 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\seq\oss\seq_oss.c(6): * Copyright (C) 1998,99 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_device.h(4): * Copyright (C) 1998,99
Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_event.c(4): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_event.h(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_init.c(6): * Copyright (C) 1998-1999
Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_ioctl.c(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_midi.c(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_midi.h(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_readq.c(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_readq.h(5): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_rw.c(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_synth.c(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_synth.h(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_timer.c(6): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_timer.h(5): * Copyright (C) 1998,99 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_writeq.c(6): * Copyright (C) 1998,99
Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\oss\seq_oss_writeq.h(5): * Copyright (C) 1998,99
Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\seq.c(3): *Copyright (c) 1998-1999 by Frank van de Pol
<fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_clientmgr.c(3): *Copyright (c) 1998-2001 by Frank
van de Pol <fvdpol@coil.demon.nl>

legal(ME)

linux-3.10\sound\core\seq\seq_clientmgr.h(3): * Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_compat.c(3): * Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\seq_device.c(3): *Copyright (c) 1999 by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\seq_dummy.c(3): * Copyright (c) 1999-2000 by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\seq_fifo.c(3): * Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_fifo.h(3): * Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_info.c(3): * Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_info.h(3): * Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_lock.c(3): *Copyright (c) 1999 by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\seq\seq_memory.c(3): *Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_memory.h(3): *Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_midi.c(3): * Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_midi_emul.c(4): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\sound\core\seq\seq_midi_event.c(4): *Copyright (C) 1998,99 Takashi Iwai <tiwai@suse.de>,
linux-3.10\sound\core\seq\seq_ports.c(3): * Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_ports.h(3): * Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_prioq.c(3): * Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_prioq.h(3): * Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_queue.c(3): * Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_queue.h(3): * Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_system.c(3): * Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_system.h(3): *Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_timer.c(3): * Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_timer.h(3): *Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
linux-3.10\sound\core\seq\seq_virmidi.c(4): *Copyright (c) 2000 by Takashi Iwai <tiwai@suse.de>,
linux-3.10\sound\core\sgbuf.c(4): *Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\core\sound.c(3): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>

legal(ME)

linux-3.10\sound\core\sound_oss.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\timer.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\core\timer_compat.c(3): * Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\core\vmaster.c(4): *Copyright (c) 2008 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\drivers\aloop.c(11): *Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\drivers\aloop.c(14): *Copyright (c) Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\drivers\aloop.c(5): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\drivers\aloop.c(8): *Copyright (c) Ahmet Inan <ainan at
mathematik.uni-freiburg.de>
linux-3.10\sound\drivers\dummy.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\drivers\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\drivers\ml403-ac97cr.c(6): *Copyright (c) by 2007Joachim
Foerster <JOFT@gmx.de>
linux-3.10\sound\drivers\mpu401\Makefile(3):# Copyright (c) 2001 by Jaroslav
Kysela <perex@perex.cz>
linux-3.10\sound\drivers\mpu401\mpu401.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\drivers\mpu401\mpu401.c(4): *Copyright (c) 2004 by Castet
Matthieu <castet.matthieu@free.fr>
linux-3.10\sound\drivers\mpu401\mpu401_uart.c(2): *Copyright (c) by Jaroslav
Kysela <perex@perex.cz>
linux-3.10\sound\drivers\mtpav.c(3): *Copyright by Michael T. Mayers (c) Jan 09,
2000
linux-3.10\sound\drivers\mts64.c(3): * Copyright (c) 2006 by Matthias Krcmar
<mk@phasorlab.de>
linux-3.10\sound\drivers\opl3\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\drivers\opl3\opl3_drums.c(2): *Copyright (c) by Uros Bizjak
<uros@kss-loka.si>
linux-3.10\sound\drivers\opl3\opl3_lib.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>,
linux-3.10\sound\drivers\opl3\opl3_midi.c(2): *Copyright (c) by Uros Bizjak
<uros@kss-loka.si>
linux-3.10\sound\drivers\opl3\opl3_oss.c(4): *Copyright (C) 2000 Uros Bizjak
<uros@kss-loka.si>
linux-3.10\sound\drivers\opl3\opl3_seq.c(2): *Copyright (c) by Uros Bizjak
<uros@kss-loka.si>
linux-3.10\sound\drivers\opl3\opl3_synth.c(2): *Copyright (c) by Uros Bizjak
<uros@kss-loka.si>
linux-3.10\sound\drivers\opl3\opl3_voice.h(5): *Copyright (c) 2000 Uros Bizjak
<uros@kss-loka.si>
linux-3.10\sound\drivers\opl4\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>

legal(ME)

linux-3.10\sound\drivers\opl4\opl4_lib.c(3): * Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de>
linux-3.10\sound\drivers\opl4\opl4_local.h(4): * Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de>
linux-3.10\sound\drivers\opl4\opl4_mixer.c(3): * Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de>
linux-3.10\sound\drivers\opl4\opl4_proc.c(3): * Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de>
linux-3.10\sound\drivers\opl4\opl4_seq.c(4): * Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de>
linux-3.10\sound\drivers\opl4\opl4_synth.c(4): * Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de>
linux-3.10\sound\drivers\opl4\yrw801.c(4): * Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de>
linux-3.10\sound\drivers\opl4\yrw801.c(41):if (memcmp(buf, "CopyrightYAMAHA", 15))
linux-3.10\sound\drivers\pcm-indirect2.c(10): *Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\drivers\pcm-indirect2.c(6): *Copyright (c) by 2007Joachim Foerster <JOFT@gmx.de>
linux-3.10\sound\drivers\pcm-indirect2.h(10): *Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\drivers\pcm-indirect2.h(6): *Copyright (c) by 2007Joachim Foerster <JOFT@gmx.de>
linux-3.10\sound\drivers\pcsp\pcsp.c(4): * Copyright (C) 1997-2001David Woodhouse
linux-3.10\sound\drivers\pcsp\pcsp.c(5): * Copyright (C) 2001-2008Stas Sergeev
linux-3.10\sound\drivers\pcsp\pcsp.h(4): * Copyright (C) 1993-1997Michael Beck
linux-3.10\sound\drivers\pcsp\pcsp.h(5): * Copyright (C) 1997-2001David Woodhouse
linux-3.10\sound\drivers\pcsp\pcsp.h(6): * Copyright (C) 2001-2008Stas Sergeev
linux-3.10\sound\drivers\pcsp\pcsp_input.c(4): *Copyright (c) 2002 Vojtech Pavlik
linux-3.10\sound\drivers\pcsp\pcsp_input.c(5): *Copyright (c) 1992 Orest Zborowski
linux-3.10\sound\drivers\pcsp\pcsp_input.h(4): * Copyright (C) 2001-2008Stas Sergeev
linux-3.10\sound\drivers\pcsp\pcsp_lib.c(4): * Copyright (C) 1993-1997Michael Beck
linux-3.10\sound\drivers\pcsp\pcsp_lib.c(5): * Copyright (C) 1997-2001David Woodhouse
linux-3.10\sound\drivers\pcsp\pcsp_lib.c(6): * Copyright (C) 2001-2008Stas Sergeev
linux-3.10\sound\drivers\pcsp\pcsp_mixer.c(5): * Copyright (C) 2001-2008Stas Sergeev
linux-3.10\sound\drivers\portman2x4.c(4): * Copyright (c) by Levent Guendogdu <levon@feature-it.com>
linux-3.10\sound\drivers\serial-u16550.c(3): * Copyright (c) by Jaroslav Kysela <perex@perex.cz>,
linux-3.10\sound\drivers\virmidi.c(4): *Copyright (c) 2000 by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\drivers\vx\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\drivers\vx\vx_cmd.c(6): * Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de>

legal(ME)

linux-3.10\sound\drivers\vx\vx_cmd.h(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\drivers\vx\vx_core.c(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\drivers\vx\vx_hwdep.c(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\drivers\vx\vx_mixer.c(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\drivers\vx\vx_pcm.c(6): * Copyright (c) 2002,2003 by Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\drivers\vx\vx_uer.c(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\firewire\amdtp.c(5): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\firewire\cmp.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\firewire\fcpc.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\firewire\isight.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\firewire\iso-resources.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\firewire\lib.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\firewire\packets-buffer.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\firewire\scs1x.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\firewire\speakers.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\i2c\cs8427.c(4): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\i2c\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\i2c\other\ak4113.c(4): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\i2c\other\ak4113.c(5): *Copyright (c) by Pavel Hofman
<pavel.hofman@ivitiera.com>
linux-3.10\sound\i2c\other\ak4114.c(4): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\i2c\other\ak4117.c(4): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\i2c\other\ak4xxx-adda.c(5): *Copyright (c) 2000-2004 Jaroslav
Kysela <perex@perex.cz>,
linux-3.10\sound\i2c\other\Makefile(3):# Copyright (c) 2003 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\i2c\other\pt2258.c(4): *Copyright (c) 2006Jochen Voss
<voss@seehuhn.de>
linux-3.10\sound\i2c\other\tea575x-tuner.c(4): *Copyright (c) 2004 Jaroslav
Kysela <perex@perex.cz>
linux-3.10\sound\i2c\tea6330t.c(4): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>

legal(ME)

linux-3.10\sound\isa\ad1816a\ad1816a.c(4):Copyright (C) 2000 by Massimo Piccioni
<dafastidio@libero.it>
linux-3.10\sound\isa\ad1816a\ad1816a_lib.c(3):Copyright (C) 1999-2000 by Massimo
Piccioni <dafastidio@libero.it>
linux-3.10\sound\isa\ad1816a\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\ad1848\ad1848.c(3): *Copyright (c) by Tugrul Galatali
<galatalt@stuy.edu>,
linux-3.10\sound\isa\ad1848\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\als100.c(4):Copyright (C) 1999-2000 by Massimo Piccioni
<dafastidio@libero.it>
linux-3.10\sound\isa\als100.c(5):Copyright (C) 1999-2002 by Massimo Piccioni
<dafastidio@libero.it>
linux-3.10\sound\isa\azt2320.c(3):Copyright (C) 1999-2000 by Massimo Piccioni
<dafastidio@libero.it>
linux-3.10\sound\isa\cmi8328.c(3): * Copyright (c) 2012 Ondrej Zary
linux-3.10\sound\isa\cmi8330.c(3): *Copyright (c) by George Talusan
<gstalusan@uwaterloo.ca>
linux-3.10\sound\isa\cs423x\cs4231.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\cs423x\cs4236.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\cs423x\cs4236_lib.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\cs423x\cs4236_lib.c(62): * D2: copy/copyright (0 = copy
inhibited)
linux-3.10\sound\isa\cs423x\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\es1688\es1688.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\es1688\es1688_lib.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\es1688\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\es18xx.c(3): *Copyright (c) by Christian Fischbach
<fishbach@pool.informatik.rwth-aachen.de>
linux-3.10\sound\isa\es18xx.c(4): *Copyright (c) by Abramo Bagnara
<abramo@alsa-project.org>
linux-3.10\sound\isa\galaxy\azt1605.c(3): * Copyright (C) 2007,2010Rene Herman
linux-3.10\sound\isa\galaxy\azt2316.c(3): * Copyright (C) 2007,2010Rene Herman
linux-3.10\sound\isa\galaxy\galaxy.c(3): * Copyright (C) 2007,2010Rene Herman
linux-3.10\sound\isa\galaxy\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@suse.cz>
linux-3.10\sound\isa\gus\gus_dma.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_dram.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_instr.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_io.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>

legal(ME)

linux-3.10\sound\isa\gus\gus_irq.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_main.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_mem.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_mem_proc.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_mixer.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_pcm.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_reset.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_tables.h(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_timer.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_uart.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gus_volume.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gusclassic.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gusextreme.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\gusmax.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\interwave.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\gus\interwave.c(373):/* 044 */ unsigned char copyright[128];
linux-3.10\sound\isa\gus\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\msnd\msnd.c(20): * Copyright (C) 1998 Andrew Veliath
linux-3.10\sound\isa\msnd\msnd.h(10): * Copyright (C) 1998 Andrew Veliath
linux-3.10\sound\isa\msnd\msnd.h(11): * Copyright (C) 1993 Turtle Beach Systems,
Inc.
linux-3.10\sound\isa\msnd\msnd_classic.h(10): * Copyright (C) 1998 Andrew Veliath
linux-3.10\sound\isa\msnd\msnd_classic.h(11): * Copyright (C) 1993 Turtle Beach
Systems, Inc.
linux-3.10\sound\isa\msnd\msnd_midi.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\msnd\msnd_midi.c(3): *Copyright (c) 2009 by Krzysztof Helt
linux-3.10\sound\isa\msnd\msnd_pinnacle.c(31): * Copyright (C) 1998 Andrew
Veliath
linux-3.10\sound\isa\msnd\msnd_pinnacle.h(10): * Copyright (C) 1998 Andrew
Veliath
linux-3.10\sound\isa\msnd\msnd_pinnacle.h(11): * Copyright (C) 1993 Turtle Beach
Systems, Inc.
linux-3.10\sound\isa\msnd\msnd_pinnacle_mixer.c(5):copyright : (C) 2002 by

legal(ME)

karsten wiese

linux-3.10\sound\isa\opl3sa2.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\opti9xx\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\opti9xx\miro.c(6): * Copyright (C) 2004-2005 Martin Langer
<martin-langer@gmx.de>
linux-3.10\sound\isa\opti9xx\opti92x-ad1848.c(3):Copyright (C) 1998-2000 by
Massimo Piccioni <dafastidio@libero.it>
linux-3.10\sound\isa\sb\emu8000.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\emu8000.c(4): *Copyright (C) 1999-2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\isa\sb\emu8000_callback.c(4): *Copyright (C) 1999 Steve
Ratcliffe
linux-3.10\sound\isa\sb\emu8000_callback.c(5): *Copyright (C) 1999-2000 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\isa\sb\emu8000_local.h(6): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\sound\isa\sb\emu8000_local.h(7): *Copyright (C) 1999-2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\isa\sb\emu8000_patch.c(4): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\sound\isa\sb\emu8000_patch.c(5): *Copyright (C) 1999-2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\isa\sb\emu8000_pcm.c(4): *Copyright (C) 2002 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\isa\sb\emu8000_synth.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\emu8000_synth.c(4): *Copyright (C) 1999-2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\isa\sb\jazz16.c(4): * Copyright (C) 2009 Krzysztof Helt
<krzysztof.h1@wp.pl>
linux-3.10\sound\isa\sb\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\sb_common.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\sb_mixer.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\sb16.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\sb16_csp.c(2): *Copyright (c) 1999 by Uros Bizjak
<uros@kss-loka.si>
linux-3.10\sound\isa\sb\sb16_main.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\sb8.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\sb8_main.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sb\sb8_midi.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\sc6000.c(408):err = sc6000_dsp_get_answer(vport,
GET_DSP_COPYRIGHT, answer, 15);
linux-3.10\sound\isa\sc6000.c(414): * My SC-6000 card return "SC-6000" in

legal(ME)

DSPCopyright, so
linux-3.10\sound\isa\sc6000.c(8): *Copyright (C) 2007 Krzysztof Helt
<krzysztof.h1@wp.pl>
linux-3.10\sound\isa\sscape.c(3): * Copyright (c) by Chris Rankin
linux-3.10\sound\isa\wavefront\Makefile(3):# Copyright (c) 2001 by Jaroslav
Kysela <perex@perex.cz>
linux-3.10\sound\isa\wavefront\wavefront.c(5): *Copyright (c) 1997-1999 by Paul
Barton-Davis <pbd@op.net>
linux-3.10\sound\isa\wavefront\wavefront_fx.c(2): *Copyright (c) 1998-2002 by
Paul Davis <pbd@op.net>
linux-3.10\sound\isa\wavefront\wavefront_midi.c(2): * Copyright (C) by Paul
Barton-Davis 1998-1999
linux-3.10\sound\isa\wavefront\wavefront_synth.c(1):/* Copyright (C) by Paul
Barton-Davis 1998-1999
linux-3.10\sound\isa\wavefront\wavefront_synth.c(4): * copyright (C) by Hannu
Savolainen 1993-1996
linux-3.10\sound\isa\wss\Makefile(3):# Copyright (c) 2008 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\isa\wss\wss_lib.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\last.c(3): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\mips\ad1843.c(4): * Copyright 2003 Vivien Chappelier
<vivien.chappelier@linux-mips.org>
linux-3.10\sound\mips\ad1843.c(5): * Copyright 2008 Thomas Bogendoerfer
<tsbogend@alpha.franken.de>
linux-3.10\sound\mips\ad1843.c(8): * Copyright 1999 Silicon Graphics, Inc. All
rights reserved.
linux-3.10\sound\mips\au1x00.c(5): * Copyright 2004 Cooper Street Innovations
Inc.
linux-3.10\sound\mips\hal2.c(3): *Copyright (c) 2008 Thomas Bogendoerfer
<tsbogend@alpha.fanken.de>
linux-3.10\sound\mips\hal2.h(6): *Copyright (c) 1999 Ulf Carlsson
<ulfc@bun.falkenberg.se>
linux-3.10\sound\mips\hal2.h(7): *Copyright (c) 2001, 2002, 2003 Ladislav Michl
<ladis@linux-mips.org>
linux-3.10\sound\mips\sgio2audio.c(4): * Copyright 2003 Vivien Chappelier
<vivien.chappelier@linux-mips.org>
linux-3.10\sound\mips\sgio2audio.c(5): * Copyright 2008 Thomas Bogendoerfer
<tsbogend@alpha.franken.de>
linux-3.10\sound\mips\sgio2audio.c(7): * Copyright 2007 Thorben J̄ndling
<tj.trevelyan@gmail.com>
linux-3.10\sound\oss\ad1848.c(18): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\ad1848.c(2988):printk(KERN_INFO "ad1848/cs4248 codec driver
Copyright (C) by Hannu Savolainen 1993-1996\n");
linux-3.10\sound\oss\ad1848_mixer.h(8): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\aedsp16.c(1009):memset(DSPCopyright, 0, CARDNAMELEN + 1);
linux-3.10\sound\oss\aedsp16.c(1037):if (aedsp16_dsp_copyright(ae_config.base_io)
== FALSE) {
linux-3.10\sound\oss\aedsp16.c(1043): * My AEDSP16 card return SC-6000 in
DSPCopyright, so
linux-3.10\sound\oss\aedsp16.c(1046):if (strcmp("SC-6000", DSPCopyright))

```

                                legal(ME)
linux-3.10\sound\oss\aedsp16.c(1098):VERSION, DSPCopyright,
linux-3.10\sound\oss\aedsp16.c(1323):printk("Audio Excel DSP 16 init driver
Copyright (C) Riccardo Facchetti 1995-98\n");
linux-3.10\sound\oss\aedsp16.c(174): len string (we are not sure about the len of
Copyright string).
linux-3.10\sound\oss\aedsp16.c(302):#define GET_DSP_COPYRIGHT 0xe3/* Get DSP
Copyright*/
linux-3.10\sound\oss\aedsp16.c(497):static char DSPCopyright[CARDNAMELEN + 1]
__initdata = {0, };
linux-3.10\sound\oss\aedsp16.c(5): Copyright (C) 1995,1996,1997,1998Riccardo
Facchetti (fizban@tin.it)
linux-3.10\sound\oss\aedsp16.c(969):static int __init aedsp16_dsp_copyright(int
port)
linux-3.10\sound\oss\aedsp16.c(974):DBG(("Get DSP Copyright:\n"));
linux-3.10\sound\oss\aedsp16.c(976):if (aedsp16_write(ae_config.base_io,
GET_DSP_COPYRIGHT)) {
linux-3.10\sound\oss\audio.c(8): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\dev_table.c(7): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\dev_table.h(7): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\dmabuf.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\dmасound\dmасound_atari.c(6): *See
linux/sound/oss/dmasound/dmasound_core.c for copyright and credits
linux-3.10\sound\oss\dmасound\dmасound_paula.c(6): *See
linux/sound/oss/dmasound/dmasound_core.c for copyright and credits
linux-3.10\sound\oss\dmасound\dmасound_q40.c(6): *See
linux/sound/oss/dmasound/dmasound_core.c for copyright and credits
linux-3.10\sound\oss\kahlua.c(219):printk(KERN_INFO "Cyrix Kahlua VSA1
XpressAudio support (c) Copyright 2003 Red Hat Inc\n");
linux-3.10\sound\oss\kahlua.c(4): *(C) Copyright 2003 Red Hat Inc
<alan@lxorguk.ukuu.org.uk>
linux-3.10\sound\oss\midi_synth.c(7): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\midibuf.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\mpu401.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\msnd.c(7): * Copyright (C) 1998 Andrew Veliath
linux-3.10\sound\oss\msnd.h(10): * Copyright (C) 1998 Andrew Veliath
linux-3.10\sound\oss\msnd.h(11): * Copyright (C) 1993 Turtle Beach Systems, Inc.
linux-3.10\sound\oss\msnd_classic.h(10): * Copyright (C) 1998 Andrew Veliath
linux-3.10\sound\oss\msnd_classic.h(11): * Copyright (C) 1993 Turtle Beach
Systems, Inc.
linux-3.10\sound\oss\msnd_pinnacle.c(16): * Copyright (C) 1998 Andrew Veliath
linux-3.10\sound\oss\msnd_pinnacle.c(1750): VERSION ", Copyright (C) 1998 Andrew
Veliath\n");
linux-3.10\sound\oss\msnd_pinnacle.h(10): * Copyright (C) 1998 Andrew Veliath
linux-3.10\sound\oss\msnd_pinnacle.h(11): * Copyright (C) 1993 Turtle Beach
Systems, Inc.
linux-3.10\sound\oss\opl3.c(1210):printk(KERN_INFO "YM3812 and OPL-3 driver
Copyright (C) by Hannu Savolainen, Rob Hooft 1993-1996\n");
linux-3.10\sound\oss\opl3.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\opl3_hw.h(5): * Copyright (C) by Hannu Savolainen 1993-1997

```


legal(ME)

linux-3.10\sound\oss\pas2_card.c(406):printf(KERN_INFO "Pro Audio Spectrum driver
Copyright (C) by Hannu Savolainen 1993-1996\n");
linux-3.10\sound\oss\pas2_midi.c(7): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\pas2_mixer.c(9): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\pas2_pcm.c(5): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\pss.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\sb_audio.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\sb_card.c(15): * Copyright (C) by Paul Laufer 2002. Based on
code originally by
linux-3.10\sound\oss\sb_common.c(7): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\sb_midi.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\sb_mixer.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\sb_mixer.h(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\sequencer.c(7): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\sound_config.h(6): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\sound_timer.c(5): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\soundcard.c(7): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\swarm_cs4297a.c(14):*Copyright (C) 2004Maciej W. Rozycki
linux-3.10\sound\oss\swarm_cs4297a.c(15):*Copyright (C) 2005 Ralf Baechle
(ralf@linux-mips.org)
linux-3.10\sound\oss\swarm_cs4297a.c(5):*Copyright (C) 2001Broadcom Corporation.
linux-3.10\sound\oss\swarm_cs4297a.c(6):*Copyright (C) 2000,2001Cirrus Logic
Corp.
linux-3.10\sound\oss\sys_timer.c(8): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\oss\trix.c(429):printf(KERN_INFO "MediaTrix audio driver
Copyright (C) by Hannu Savolainen 1993-1996\n");
linux-3.10\sound\oss\trix.c(8): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\uart401.c(7): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\uart6850.c(11): * 28/4/97 - (C) Copyright Alan Cox. Released
under the GPL version 2.
linux-3.10\sound\oss\uart6850.c(5): * Copyright (C) by Hannu Savolainen 1993-1997
linux-3.10\sound\oss\v_midi.c(7): * Copyright (C) by Hannu Savolainen 1993-1996
linux-3.10\sound\oss\vidc.c(4): *Copyright (C) 1997-2000 by Russell King
<rmk@arm.linux.org.uk>
linux-3.10\sound\oss\vidc.h(4): *Copyright (C) 1997 Russell King
<rmk@arm.linux.org.uk>
linux-3.10\sound\oss\vidc_fill.S(4): *Copyright (C) 1997 Russell King
linux-3.10\sound\oss\vwsnd.c(5): * Copyright 1999 Silicon Graphics, Inc.All
rights reserved.
linux-3.10\sound\oss\waveartist.c(11): * Copyright (C) by Rebel.com 1998-1999
linux-3.10\sound\oss\waveartist.c(15): * Copyright (C) by Hannu Savolainen
1993-1997
linux-3.10\sound\parisc\harmony.c(10): * Copyright 2000-2003 (c) Helge Deller
linux-3.10\sound\parisc\harmony.c(11): * Copyright 2001 (c) Matthieu Delahaye

legal(ME)

linux-3.10\sound\parisc\harmony.c(12): * Copyright 2001 (c) Jean-Christophe Vaugeois
linux-3.10\sound\parisc\harmony.c(13): * Copyright 2003 (c) Laurent Canet
linux-3.10\sound\parisc\harmony.c(14): * Copyright 2004 (c) Stuart Brady
linux-3.10\sound\parisc\harmony.c(6): * Copyright (C) 2004, Kyle McMartin
<kyle@{debian.org,parisc-linux.org}>
linux-3.10\sound\parisc\harmony.c(9): * Copyright 2000 (c) Linuxcare Canada, Alex deVries
linux-3.10\sound\parisc\harmony.h(2): * Copyright (C) 2004, Kyle McMartin
<kyle@parisc-linux.org>
linux-3.10\sound\pci\ac97\ac97_codec.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ac97\ac97_id.h(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ac97\ac97_local.h(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ac97\ac97_patch.c(1334):/* consumer,PCM audio,no
copyright,no preemphasis,PCM coder,original,48000Hz */
linux-3.10\sound\pci\ac97\ac97_patch.c(1390):/* consumer,PCM audio,no
copyright,no preemphasis,PCM coder,original,48000Hz */
linux-3.10\sound\pci\ac97\ac97_patch.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ac97\ac97_patch.c(378):/* PCM audio,no copyright,no
preemphasis,PCM coder,original */
linux-3.10\sound\pci\ac97\ac97_patch.c(474):/* Patch for Yamaha YMF753, Copyright
(c) by David Shust, dshust@shustring.com.
linux-3.10\sound\pci\ac97\ac97_patch.h(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ac97\ac97_pcm.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ac97\ac97_proc.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ac97\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ad1889.c(6): * Copyright (C) 2004-2005, Kyle McMartin
<kyle@parisc-linux.org>
linux-3.10\sound\pci\ad1889.c(7): * Copyright (C) 2005, Thibaut Varene
<varenet@parisc-linux.org>
linux-3.10\sound\pci\ad1889.h(2): * Copyright (C) 2004, Kyle McMartin
<kyle@parisc-linux.org>
linux-3.10\sound\pci\ak4531_codec.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ali5451\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\als300.c(3): *Copyright (C) 2005 by Ash Willis
<ashwillis@programmer.net>
linux-3.10\sound\pci\als4000.c(3): *Copyright (C) 2000 by Bart Hartgers
<bart@etpmod.phys.tue.nl>,
linux-3.10\sound\pci\als4000.c(5): *Copyright (C) 2002, 2008 by Andreas Mohr
<hw7oshyuv3001@sneakemail.com>
linux-3.10\sound\pci\asihpi\asihpi.c(3): *Copyright (c) by AudioScience Inc
<alsa@audioscience.com>

legal(ME)

linux-3.10\sound\pci\asihpi\hpi.h(28):(C) Copyright AudioScience Inc. 1998-2010
linux-3.10\sound\pci\asihpi\hpi.h(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpi_internal.h(21):(C) Copyright AudioScience Inc.
1996-2009
linux-3.10\sound\pci\asihpi\hpi_internal.h(4):Copyright (C) 1997-2012AudioScience
Inc. <support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpi6000.c(29):(C) Copyright AudioScience Inc.
1998-2003
linux-3.10\sound\pci\asihpi\hpi6000.c(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpi6000.h(23):(C) Copyright AudioScience Inc.
1998-2003
linux-3.10\sound\pci\asihpi\hpi6000.h(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpi6205.c(28):(C) Copyright AudioScience Inc.
1998-2010
linux-3.10\sound\pci\asihpi\hpi6205.c(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpi6205.h(22):Copyright AudioScience, Inc., 2003
linux-3.10\sound\pci\asihpi\hpi6205.h(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpicmn.c(23):(C) Copyright AudioScience Inc.
1998-2003
linux-3.10\sound\pci\asihpi\hpicmn.c(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpicmn.h(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpiddebug.c(4):Copyright (C) 1997-2011AudioScience
Inc. <support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpiddebug.h(4):Copyright (C) 1997-2011AudioScience
Inc. <support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpidspcd.c(5):Copyright (C) 1997-2011AudioScience
Inc. <support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpidspcd.h(5):Copyright (C) 1997-2011AudioScience
Inc. <support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpimsginit.c(21): (C) Copyright AudioScience Inc.
2007
linux-3.10\sound\pci\asihpi\hpimsginit.c(4):Copyright (C) 1997-2011AudioScience
Inc. <support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpimsginit.h(21): (C) Copyright AudioScience Inc.
2007
linux-3.10\sound\pci\asihpi\hpimsginit.h(4):Copyright (C) 1997-2011AudioScience
Inc. <support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpimsgx.c(21):(C) Copyright AudioScience Inc. 2002
linux-3.10\sound\pci\asihpi\hpimsgx.c(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpimsgx.h(21):(C) Copyright AudioScience Inc.
1997-2003
linux-3.10\sound\pci\asihpi\hpimsgx.h(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpioctl.c(4):Copyright (C) 1997-2011AudioScience Inc.

legal(ME)

<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpioctl.h(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpios.c(21):(C) Copyright AudioScience Inc. 1997-2003
linux-3.10\sound\pci\asihpi\hpios.c(4):Copyright (C) 1997-2012AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpios.h(21):(C) Copyright AudioScience Inc. 1997-2003
linux-3.10\sound\pci\asihpi\hpios.h(4):Copyright (C) 1997-2011AudioScience Inc.
<support@audioscience.com>
linux-3.10\sound\pci\asihpi\hpicida.h(21):(C) Copyright AudioScience Inc.
1998-2003
linux-3.10\sound\pci\asihpi\hpicida.h(4):Copyright (C) 1997-2011AudioScience
Inc. <support@audioscience.com>
linux-3.10\sound\pci\atiixp.c(4): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\atiixp_modem.c(4): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\au88x0\au88x0_a3d.c(5): *Copyright2003mjander
linux-3.10\sound\pci\au88x0\au88x0_a3d.h(5): *Copyright2003mjander
linux-3.10\sound\pci\au88x0\au88x0_a3ddata.c(5): *Copyright2003mjander
linux-3.10\sound\pci\au88x0\au88x0_mpu401.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\au88x0\au88x0_wt.h(5): *Copyright2003mjander
linux-3.10\sound\pci\au88x0\au88x0_xtalk.c(5): *Copyright2003mjander
linux-3.10\sound\pci\au88x0\au88x0_xtalk.h(5): *Copyright2003mjander
linux-3.10\sound\pci\aw2\aw2-alsa.c(3): * Copyright (C) 2008 Cedric Bregardis
<cedric.bregardis@free.fr> and
linux-3.10\sound\pci\aw2\aw2-saa7146.c(3): * Copyright (C) 2008 Cedric Bregardis
<cedric.bregardis@free.fr> and
linux-3.10\sound\pci\aw2\aw2-saa7146.h(3): * Copyright (C) 2008 Cedric Bregardis
<cedric.bregardis@free.fr> and
linux-3.10\sound\pci\aw2\aw2-tsl.c(3): * Copyright (C) 2008 Cedric Bregardis
<cedric.bregardis@free.fr> and
linux-3.10\sound\pci\aw2\aw2-tsl.c(5): * Copyright 1998 Emagic Soft- und Hardware
GmbH
linux-3.10\sound\pci\aw2\aw2-tsl.c(6): * Copyright 2002 Martijn Sipkema
linux-3.10\sound\pci\aw2\saa7146.h(3): * Copyright (C) 2008 Cedric Bregardis
<cedric.bregardis@free.fr> and
linux-3.10\sound\pci\azt3328.c(2): *Copyright (C) 2002, 2005 - 2011 by Andreas
Mohr <andi AT lisas.de>
linux-3.10\sound\pci\bt87x.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\ca0106\ca_midi.c(10): *emu10k1x: Copyright (c) by Francisco
Moraes <fmoraes@nc.rr.com>
linux-3.10\sound\pci\ca0106\ca_midi.c(2): *Copyright 10/16/2005 Tilman Kranz
<tilde@tk-sls.de>
linux-3.10\sound\pci\ca0106\ca_midi.c(9): *mpu401: Copyright (c) by Jaroslav
Kysela <perex@perex.cz>
linux-3.10\sound\pci\ca0106\ca_midi.h(2): *Copyright 10/16/2005 Tilman Kranz
<tilde@tk-sls.de>
linux-3.10\sound\pci\ca0106\ca0106.h(2): *Copyright (c) 2004 James
Courtier-Dutton <James@superbug.demon.co.uk>

legal(ME)

linux-3.10\sound\pci\ca0106\ca0106.h(43): *Modified Copyright message.
linux-3.10\sound\pci\ca0106\ca0106.h(55): *Copyright (c) by Francisco Moraes
<fmoraes@nc.rr.com>
linux-3.10\sound\pci\ca0106\ca0106_main.c(121): *Copyright (c) by Francisco
Moraes <fmoraes@nc.rr.com>
linux-3.10\sound\pci\ca0106\ca0106_main.c(1476): *CP= 1 (Copyright unasserted)
linux-3.10\sound\pci\ca0106\ca0106_main.c(2): *Copyright (c) 2004 James
Courtier-Dutton <James@superbug.demon.co.uk>
linux-3.10\sound\pci\ca0106\ca0106_main.c(69): *Modified Copyright message.
linux-3.10\sound\pci\ca0106\ca0106_mixer.c(2): *Copyright (c) 2004 James
Courtier-Dutton <James@superbug.demon.co.uk>
linux-3.10\sound\pci\ca0106\ca0106_mixer.c(39): *Modified Copyright message.
linux-3.10\sound\pci\ca0106\ca0106_mixer.c(46): *Copyright (c) by Francisco
Moraes <fmoraes@nc.rr.com>
linux-3.10\sound\pci\ca0106\ca0106_proc.c(2): *Copyright (c) 2004 James
Courtier-Dutton <James@superbug.demon.co.uk>
linux-3.10\sound\pci\ca0106\ca0106_proc.c(39): *Modified Copyright message.
linux-3.10\sound\pci\cmipci.c(2445):DEFINE_BIT_SWITCH_ARG(spdif_copyright,
CM_REG_LEGACY_CTRL, CM_SPDCOPYRHT, 0, 0);
linux-3.10\sound\pci\cmipci.c(2634):DEFINE_MIXER_SWITCH("IEC958 Copyright",
spdif_copyright),
linux-3.10\sound\pci\cmipci.c(3): * Copyright (c) 2000 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\cs4281.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>,
linux-3.10\sound\pci\cs46xx\cs46xx.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\cs46xx\cs46xx.h(5): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>,
linux-3.10\sound\pci\cs46xx\cs46xx_dsp_scb_types.h(3): *Copyright (c) by Jaroslav
Kysela <perex@perex.cz>
linux-3.10\sound\pci\cs46xx\cs46xx_dsp_spos.h(3): *Copyright (c) by Jaroslav
Kysela <perex@perex.cz>
linux-3.10\sound\pci\cs46xx\cs46xx_dsp_task_types.h(3): *Copyright (c) by
Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\cs46xx\cs46xx_lib.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\cs46xx\cs46xx_lib.h(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\cs46xx\dsp_spos.h(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\cs46xx\imgs\cwcdma.asp(2)://Copyright(c) by Benny Sjostrand
(benny@hostmobility.com)
linux-3.10\sound\pci\cs46xx\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\cs5530.c(4): * (C) Copyright 2007 Ash Willis
<ashwillis@programmer.net>
linux-3.10\sound\pci\cs5530.c(5): *(C) Copyright 2003 Red Hat Inc
<alan@lxorguk.ukuu.org.uk>
linux-3.10\sound\pci\cs5535audio\cs5535audio.c(3): * Copyright (C) Jaya Kumar
linux-3.10\sound\pci\cs5535audio\cs5535audio_olpc.c(4): * Copyright ७ 2006Jaya
Kumar <jayakumar.lkml@gmail.com>

legal(ME)

linux-3.10\sound\pci\cs5535audio\cs5535audio_olpc.c(5): * Copyright ㄣ
2007-2008Andres Salomon <dilinger@debian.org>
linux-3.10\sound\pci\cs5535audio\cs5535audio_pcm.c(3): * Copyright (C) Jaya Kumar
linux-3.10\sound\pci\cs5535audio\cs5535audio_pm.c(3): * Copyright (C) Jaya Kumar
linux-3.10\sound\pci\ctxfi\ct20k1reg.h(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ct20k2reg.h(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctmixer.c(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctmixer.h(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctatc.c(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctatc.h(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctdaio.c(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctdaio.h(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\cthardware.c(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\cthardware.h(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\cthw20k1.c(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\cthw20k1.h(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\cthw20k2.c(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\cthw20k2.h(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctimap.c(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctimap.h(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctmixer.c(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctmixer.h(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctpcm.c(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctpcm.h(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctresource.c(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctresource.h(2): * Copyright (C) 2008, Creative
Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctsrc.c(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctsrc.h(2): * Copyright (C) 2008, Creative Technology
Ltd. All Rights Reserved.

legal(ME)

linux-3.10\sound\pci\ctxfi\ctvmem.c(2): * Copyright (C) 2008, Creative Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\ctvmem.h(2): * Copyright (C) 2008, Creative Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\ctxfi\xfi.c(4): * Copyright (C) 2008, Creative Technology Ltd. All Rights Reserved.
linux-3.10\sound\pci\echoaudio\darla20.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\darla20_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\darla24.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\darla24_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\echo3g.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\echo3g_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\echoaudio.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\echoaudio.h(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\echoaudio_3g.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\echoaudio_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\echoaudio_dsp.h(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\echoaudio_gml.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\gina20.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\gina20_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\gina24.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\gina24_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\indigo.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\indigo_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\indigo_express_dsp.c(4):Copyright Echo Digital Audio Corporation (c) 1998 - 2005
linux-3.10\sound\pci\echoaudio\indigodj.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\indigodj_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\indigodjx.c(3): *Copyright (C) 2009 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\indigodjx_dsp.c(4):Copyright Echo Digital Audio Corporation (c) 1998 - 2005

legal(ME)

linux-3.10\sound\pci\echoaudio\indigoio.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\indigoio_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\indigoiox.c(3): *Copyright (C) 2009 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\indigoiox_dsp.c(4): Copyright Echo Digital Audio Corporation (c) 1998 - 2005
linux-3.10\sound\pci\echoaudio\layla20.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\layla20_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\layla24.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\layla24_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\Makefile(3):# Copyright (c) 2003 by Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\mia.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\mia_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\midi.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\echoaudio\mona.c(3): *Copyright (C) 2003-2004 Giuliano Pochini <pochini@shiny.it>
linux-3.10\sound\pci\echoaudio\mona_dsp.c(3): Copyright Echo Digital Audio Corporation (c) 1998 - 2004
linux-3.10\sound\pci\emu10k1\emu10k1.c(3): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\emu10k1\emu10k1.c(5): *Copyright (c) by James Courtier-Dutton <James@superbug.demon.co.uk>
linux-3.10\sound\pci\emu10k1\emu10k1_callback.c(4): *Copyright (C) 2000 Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\emu10k1\emu10k1_main.c(1974): *CP= 1 (Copyright unasserted)
linux-3.10\sound\pci\emu10k1\emu10k1_main.c(2): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\emu10k1\emu10k1_main.c(6): *Copyright (c) by James Courtier-Dutton <James@superbug.co.uk>
linux-3.10\sound\pci\emu10k1\emu10k1_patch.c(4): *Copyright (C) 2000 Takashi iwai <tiwai@suse.de>
linux-3.10\sound\pci\emu10k1\emu10k1_synth.c(2): *Copyright (C) 2000 Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\emu10k1\emu10k1_synth_local.h(6): *Copyright (C) 2000 Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\emu10k1\emu10k1x.c(2): *Copyright (c) by Francisco Moraes <fmoraes@nc.rr.com>
linux-3.10\sound\pci\emu10k1\emu10k1x.c(6): *Copyright (c) by James Courtier-Dutton <James@superbug.demon.co.uk>
linux-3.10\sound\pci\emu10k1\emu10k1x.c(987): *CP= 1 (Copyright unasserted)
linux-3.10\sound\pci\emu10k1\emufx.c(2): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>

legal(ME)

linux-3.10\sound\pci\emu10k1\emufx.c(6): *Copyright (c) by James Courtier-Dutton
<James@superbug.co.uk>
linux-3.10\sound\pci\emu10k1\emumixer.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>,
linux-3.10\sound\pci\emu10k1\emumixer.c(6): *Multichannel PCM support Copyright
(c) Lee Revell <rlrevell@joe-job.com>
linux-3.10\sound\pci\emu10k1\emumixer.c(8): *Copyright (c) by James
Courtier-Dutton <James@superbug.co.uk>
linux-3.10\sound\pci\emu10k1\emumpu401.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\emu10k1\emupcm.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\emu10k1\emupcm.c(5): *Multichannel PCM support Copyright (c)
Lee Revell <rlrevell@joe-job.com>
linux-3.10\sound\pci\emu10k1\emuproc.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\emu10k1\emuproc.c(6): *Copyright (c) by James
Courtier-Dutton <James@superbug.co.uk>
linux-3.10\sound\pci\emu10k1\io.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\emu10k1\irq.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\emu10k1\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\emu10k1\memory.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\emu10k1\memory.c(3): *Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\emu10k1\p16v.c(2): *Copyright (c) by James Courtier-Dutton
<James@superbug.demon.co.uk>
linux-3.10\sound\pci\emu10k1\p16v.c(73): *Copyright (c) by Francisco Moraes
<fmoraes@nc.rr.com>
linux-3.10\sound\pci\emu10k1\p16v.h(2): *Copyright (c) by James Courtier-Dutton
<James@superbug.demon.co.uk>
linux-3.10\sound\pci\emu10k1\p16v.h(63): *Copyright (c) by Francisco Moraes
<fmoraes@nc.rr.com>
linux-3.10\sound\pci\emu10k1\p17v.h(2): *Copyright (c) by James Courtier-Dutton
<James@superbug.demon.co.uk>
linux-3.10\sound\pci\emu10k1\timer.c(2): *Copyright (c) by Lee Revell
<rlrevell@joe-job.com>
linux-3.10\sound\pci\emu10k1\tina2.h(2): *Copyright (c) by James Courtier-Dutton
<James@superbug.demon.co.uk>
linux-3.10\sound\pci\emu10k1\voice.c(2): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\ens1370.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>,
linux-3.10\sound\pci\es1938.c(3): *Copyright (c) by Jaromir Koutek
<miri@punknet.cz>,
linux-3.10\sound\pci\es1968.c(3): *Copyright (c) by Matze Braun
<MatzeBraun@gmx.de>.
linux-3.10\sound\pci\fm801.c(3): *Copyright (c) by Jaroslav Kysela
<perex@perex.cz>

legal(ME)

linux-3.10\sound\pci\hda\ca0132_regs.h(5): * Copyright (c) 2011, Creative
Technology Ltd.
linux-3.10\sound\pci\hda\hda_auto_parser.c(4): * Copyright (c) 2012 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_auto_parser.h(4): * Copyright (c) 2012 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_beep.c(5): * Copyright (c) 2008 Embedded Alley
Solutions Inc
linux-3.10\sound\pci\hda\hda_beep.h(5): * Copyright (c) 2008 Embedded Alley
Solutions Inc
linux-3.10\sound\pci\hda\hda_codec.c(4): * Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_codec.h(4): * Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_eld.c(4): * Copyright(c) 2008 Intel Corporation.
linux-3.10\sound\pci\hda\hda_generic.c(6): * Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_generic.h(4): * Copyright (c) 2012 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_hwdep.c(4): * Copyright (c) 2007 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_intel.c(6): *Copyright(c) 2004 Intel Corporation.
All rights reserved.
linux-3.10\sound\pci\hda\hda_intel.c(8): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_jack.c(4): * Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_jack.h(4): * Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_local.h(6): * Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\hda_proc.c(419):if (digi1 & AC_DIG1_COPYRIGHT)
linux-3.10\sound\pci\hda\hda_proc.c(6): * Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\patch_analog.c(5): * Copyright (c) 2005-2007 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\pci\hda\patch_ca0110.c(4): * Copyright (c) 2008 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\patch_ca0132.c(4): * Copyright (c) 2011, Creative
Technology Ltd.
linux-3.10\sound\pci\hda\patch_ca0132.c(7): * Copyright (c) 2008 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\patch_cirrus.c(4): * Copyright (c) 2009 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\patch_cmedia.c(6): * Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\hda\patch_conexant.c(1392): * PCM format, copyright
asserted, no pre-emphasis and no validity
linux-3.10\sound\pci\hda\patch_conexant.c(4): * Copyright (c) 2006 Pototskiy Akex
<alex.pototskiy@gmail.com>
linux-3.10\sound\pci\hda\patch_conexant.c(952): * PCM format, copyright asserted,
no pre-emphasis and no validity

legal(ME)

linux-3.10\sound\pci\hda\patch_hdmi.c(5): *Copyright(c) 2008-2010 Intel Corporation. All rights reserved.
linux-3.10\sound\pci\hda\patch_hdmi.c(6): *Copyright (c) 2006 ATI Technologies Inc.
linux-3.10\sound\pci\hda\patch_hdmi.c(7): *Copyright (c) 2008 NVIDIA Corp.All rights reserved.
linux-3.10\sound\pci\hda\patch_hdmi.c(8): *Copyright (c) 2008 Wei Ni <wni@nvidia.com>
linux-3.10\sound\pci\hda\patch_realtek.c(6): * Copyright (c) 2004 Kailang Yang <kailang@realtek.com.tw>
linux-3.10\sound\pci\hda\patch_si3054.c(6): * Copyright (c) 2005 Sasha Khapyorsky <sashak@alsa-project.org>
linux-3.10\sound\pci\hda\patch_sigmatel.c(10): * Copyright (c) 2004 Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\hda\patch_sigmatel.c(6): * Copyright (c) 2005 Embedded Alley Solutions, Inc.
linux-3.10\sound\pci\ice1712\ak4xxx.c(6): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\amp.c(6): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\amp.h(9): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\aubon.c(35): *Copyright (c) 2003 Dimitromanolakis Apostolos <apostol@cs.utoronto.ca>
linux-3.10\sound\pci\ice1712\aubon.c(6): *Copyright (c) 2003 Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\ice1712\aubon.h(9): *Copyright (c) 2003 Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\ice1712\delta.c(7): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\delta.h(10): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\envy24ht.h(7): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\ews.c(6): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\ews.h(9): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\hoontech.c(6): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\hoontech.h(9): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\ice1712.c(4): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\ice1712.h(7): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\ice1724.c(5): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\juli.c(6): *Copyright (c) 2004 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ice1712\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela <perex@perex.cz>

legal(ME)

linux-3.10\sound\pci\ice1712\maya44.c(6): *Copyright (c) 2009 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\phase.c(6): *Copyright (c) 2005 Misha Zhilin
<misha@epiphany.com>
linux-3.10\sound\pci\ice1712\phase.h(9): *Copyright (c) 2005 Misha Zhilin
<misha@epiphany.com>
linux-3.10\sound\pci\ice1712\pontis.c(6): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\pontis.h(9): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\prodigy_hifi.c(7): *Copyright (c) 2007 Julian Scheel
<julian@jusst.de>
linux-3.10\sound\pci\ice1712\prodigy_hifi.c(8): *Copyright (c) 2007 allank
linux-3.10\sound\pci\ice1712\prodigy_hifi.c(9): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\prodigy_hifi.h(9): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\prodigy192.c(37): *Copyright (c) 2003 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\prodigy192.c(38): *Copyright (c) 2003
Dimitromanolakis Apostolos <apostol@cs.utoronto.ca>
linux-3.10\sound\pci\ice1712\prodigy192.c(39): *Copyright (c) 2004 Kouichi ONO
<co2b@ceres.dti.ne.jp>
linux-3.10\sound\pci\ice1712\psc724.c(6): *Copyright (c) 2012 Ondrej Zary
<linux@rainbow-software.org>
linux-3.10\sound\pci\ice1712\quartet.c(6): *Copyright (c) 2009 Pavel Hofman
<pavel.hofman@ivitera.com>
linux-3.10\sound\pci\ice1712\revo.c(6): *Copyright (c) 2003 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\revo.h(9): *Copyright (c) 2003 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\se.c(6): *Copyright (c) 2007 Shin-ya
Okadash_okada(at)d4.dion.ne.jp
linux-3.10\sound\pci\ice1712\vt1720_mobo.c(6): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\vt1720_mobo.h(9): *Copyright (c) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\ice1712\wm8766.c(6): *Copyright (c) 2012 Ondrej Zary
<linux@rainbow-software.org>
linux-3.10\sound\pci\ice1712\wm8766.h(9): *Copyright (c) 2012 Ondrej Zary
<linux@rainbow-software.org>
linux-3.10\sound\pci\ice1712\wm8776.c(6): *Copyright (c) 2012 Ondrej Zary
<linux@rainbow-software.org>
linux-3.10\sound\pci\ice1712\wm8776.h(9): *Copyright (c) 2012 Ondrej Zary
<linux@rainbow-software.org>
linux-3.10\sound\pci\ice1712\wtm.c(6): *Copyright (c) 2006 Guedez Clement
<klem.dev@gmail.com>
linux-3.10\sound\pci\intel8x0.c(4): *Copyright (c) 2000 Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\intel8x0m.c(4): *Copyright (c) 2000 Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\korg1212\korg1212.c(4): *Copyright (c) 2001 Haroldo Gamal

legal(ME)

<gamal@alternex.com.br>
linux-3.10\sound\pci\korg1212\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\lola\lola.c(4): *Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\lola\lola.h(4): *Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\lola\lola_clock.c(4): *Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\lola\lola_mixer.c(4): *Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\lola\lola_pcm.c(4): *Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\lola\lola_proc.c(4): *Copyright (c) 2011 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\lx6464es\lx_core.c(6): * Copyright (c) 2009 Tim Blechmann
<tim@klingt.org>
linux-3.10\sound\pci\lx6464es\lx_core.h(6): * Copyright (c) 2009 Tim Blechmann
<tim@klingt.org>
linux-3.10\sound\pci\lx6464es\lx_defs.h(6): * Copyright (c) 2009 Tim Blechmann
<tim@klingt.org>
linux-3.10\sound\pci\lx6464es\lx6464es.c(5): * Copyright (c) 2008, 2009 Tim
Blechmann <tim@klingt.org>
linux-3.10\sound\pci\lx6464es\lx6464es.h(5): * Copyright (c) 2009 Tim Blechmann
<tim@klingt.org>
linux-3.10\sound\pci\maestro3.c(3): * Copyright (c) 2000 by Zach Brown
<zab@zabbo.net>
linux-3.10\sound\pci\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\mixart\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\mixart\mixart.c(6): * Copyright (c) 2003 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\mixart\mixart.h(6): * Copyright (c) 2003 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\mixart\mixart_core.c(6): * Copyright (c) 2003 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\mixart\mixart_core.h(6): * Copyright (c) 2003 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\mixart\mixart_hwdep.c(6): * Copyright (c) 2003 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\mixart\mixart_hwdep.h(6): * Copyright (c) 2003 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\mixart\mixart_mixer.c(6): * Copyright (c) 2003 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\mixart\mixart_mixer.h(6): * Copyright (c) 2003 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\nm256\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pci\nm256\nm256.c(3): * Copyright (c) 2000 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pci\oxygen\oxygen.c(4): * Copyright (c) Clemens Ladisch

legal(ME)

<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\oxygen_io.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\oxygen_lib.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\oxygen_mixer.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\oxygen_pcm.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\virtuoso.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\wm8776.h(8): * Copyright 2009 Wolfson
Microelectronics plc
linux-3.10\sound\pci\oxygen\xonar_cs43xx.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\xonar_dg.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\xonar_hdmi.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\xonar_lib.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\xonar_pcm179x.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\oxygen\xonar_wm87x6.c(4): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\pci\pcxhr\pcxhr.c(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr.h(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr_core.c(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr_core.h(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr_hwdep.c(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr_hwdep.h(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr_mix22.c(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr_mix22.h(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr_mixer.c(7): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\pcxhr\pcxhr_mixer.h(6): * Copyright (c) 2004 by Digigram
<alsa@digigram.com>
linux-3.10\sound\pci\riptide\riptide.c(4): *Copyright (c) 2004 Peter Gruber
<nokos@gmx.net>
linux-3.10\sound\pci\rme32.c(4): *Copyright (c) 2002-2004 Martin Langer
<martin-langer@gmx.de>,
linux-3.10\sound\pci\rme96.c(5): *Copyright (c) 2000, 2001 Anders Torger
<torg@ludd.luth.se>
linux-3.10\sound\pci\rme9652\hdsp.c(4): *Copyright (c) 2002 Paul Davis

legal(ME)

linux-3.10\sound\pci\rme9652\hdspm.c(4): *Copyright (c) 2003 Winfried Ritsch (IEM)
linux-3.10\sound\pci\rme9652\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\rme9652\rme9652.c(4): *Copyright (c) 1999 IEM - Winfried Ritsch
linux-3.10\sound\pci\rme9652\rme9652.c(5): *Copyright (c) 1999-2001 Paul Davis
linux-3.10\sound\pci\sis7019.c(4): *Copyright (C) 2004-2007, David Dillow
linux-3.10\sound\pci\sis7019.h(7): *Copyright (C) 2004-2007, David Dillow
linux-3.10\sound\pci\sonicvibes.c(3): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\trident\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\trident\trident_memory.c(2): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\trident\trident_memory.c(3): *Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\trident\trident_memory.c(4): *Copyright (c) by Scott McNab <sdm@fractalgraphics.com.au>
linux-3.10\sound\pci\via82xx.c(6): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\via82xx_modem.c(6): *Copyright (c) 2000 Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\vx222\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\vx222\vx222.c(4): * Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\vx222\vx222.h(4): * Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\vx222\vx222_ops.c(6): * Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\pci\ymfpci\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ymfpci\ymfpci.c(3): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ymfpci\ymfpci.h(5): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pci\ymfpci\ymfpci_main.c(2): *Copyright (c) by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pcmcia\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pcmcia\pdaudiocf\Makefile(3):# Copyright (c) 2004 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pcmcia\pdaudiocf\pdaudiocf.c(4): * Copyright (c) 2003 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pcmcia\pdaudiocf\pdaudiocf.h(4): * Copyright (c) 2003 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pcmcia\pdaudiocf\pdaudiocf_core.c(4): * Copyright (c) 2003 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pcmcia\pdaudiocf\pdaudiocf_irq.c(4): * Copyright (c) 2003 by Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pcmcia\pdaudiocf\pdaudiocf_pcm.c(6): * Copyright (c) 2003 by

legal(ME)

Jaroslav Kysela <perex@perex.cz>
linux-3.10\sound\pcmcia\vx\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\pcmcia\vx\vxp_mixer.c(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pcmcia\vx\vxp_ops.c(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pcmcia\vx\vxpocket.c(4): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\pcmcia\vx\vxpocket.h(4): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\ppc\awacs.c(4): * Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\ppc\awacs.h(3): * Copyright (c) 2001 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\ppc\beep.c(4): * Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\ppc\burgundy.c(4): * Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\ppc\burgundy.h(3): * Copyright (c) 2001 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\ppc\daca.c(4): * Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\ppc\keywest.c(4): * Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\ppc\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\ppc\pmac.c(4): * Copyright (c) by Takashi Iwai <tiwai@suse.de>
linux-3.10\sound\ppc\pmac.h(3): * Copyright (c) 2001 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\ppc\powermac.c(3): * Copyright (c) 2001 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\ppc\snd_ps3.c(3): * Copyright (C) 2007 Sony Computer
Entertainment Inc.
linux-3.10\sound\ppc\snd_ps3.c(5): * Copyright 2006, 2007 Sony Corporation
linux-3.10\sound\ppc\snd_ps3.h(3): * Copyright (C) 2007 Sony Computer
Entertainment Inc.
linux-3.10\sound\ppc\snd_ps3.h(5): * Copyright 2006, 2007 Sony Corporation
linux-3.10\sound\ppc\snd_ps3_reg.h(3): * Copyright (C) 2007 Sony Computer
Entertainment Inc.
linux-3.10\sound\ppc\snd_ps3_reg.h(4): * Copyright 2006, 2007 Sony Corporation
linux-3.10\sound\ppc\tumbler.c(4): * Copyright (c) by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\sh\aicca.c(6):* Copyright Adrian McMenamin 2005, 2006, 2007
linux-3.10\sound\sh\aicca.h(4): * Copyright Adrian McMenamin
linux-3.10\sound\sh\sh_dac_audio.c(4): * Copyright (c) 2009 by Rafael Ignacio
Zurita <rizurita@yahoo.com>
linux-3.10\sound\sh\sh_dac_audio.c(7): * Based on sh_dac_audio.c (Copyright (C)
2004, 2005 by Andriy Skulysh)
linux-3.10\sound\soc\atmel\atmel_ssc_dai.c(4): * Copyright (C) 2005 SAN People
linux-3.10\sound\soc\atmel\atmel_ssc_dai.c(5): * Copyright (C) 2008 Atmel
linux-3.10\sound\soc\atmel\atmel_ssc_dai.h(4): * Copyright (C) 2005 SAN People
linux-3.10\sound\soc\atmel\atmel_ssc_dai.h(5): * Copyright (C) 2008 Atmel
linux-3.10\sound\soc\atmel\atmel-pcm.c(11): * Copyright 2006 Endrelia
Technologies Inc.

legal(ME)

linux-3.10\sound\soc\atmel\atmel-pcm.c(17): * Copyright:(C) 2004 MontaVista Software, Inc.
linux-3.10\sound\soc\atmel\atmel-pcm.c(4): *Copyright (C) 2005 SAN People
linux-3.10\sound\soc\atmel\atmel-pcm.c(5): *Copyright (C) 2008 Atmel
linux-3.10\sound\soc\atmel\atmel-pcm.h(11): * Copyright 2006 Endrelia Technologies Inc.
linux-3.10\sound\soc\atmel\atmel-pcm.h(17): * Copyright:(C) 2004 MontaVista Software, Inc.
linux-3.10\sound\soc\atmel\atmel-pcm.h(4): *Copyright (C) 2005 SAN People
linux-3.10\sound\soc\atmel\atmel-pcm.h(5): *Copyright (C) 2008 Atmel
linux-3.10\sound\soc\atmel\atmel-pcm-dma.c(10): * Copyright 2008 Atmel
linux-3.10\sound\soc\atmel\atmel-pcm-dma.c(4): *Copyright (C) 2012 Atmel
linux-3.10\sound\soc\atmel\atmel-pcm-pdc.c(11): * Copyright 2006 Endrelia Technologies Inc.
linux-3.10\sound\soc\atmel\atmel-pcm-pdc.c(17): * Copyright:(C) 2004 MontaVista Software, Inc.
linux-3.10\sound\soc\atmel\atmel-pcm-pdc.c(4): *Copyright (C) 2005 SAN People
linux-3.10\sound\soc\atmel\atmel-pcm-pdc.c(5): *Copyright (C) 2008 Atmel
linux-3.10\sound\soc\atmel\sam9g20_wm8731.c(12): * Copyright 2006 Endrelia Technologies Inc.
linux-3.10\sound\soc\atmel\sam9g20_wm8731.c(14): * Copyright 2005 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\atmel\sam9g20_wm8731.c(15): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\atmel\sam9g20_wm8731.c(5): *Copyright (C) 2005 SAN People
linux-3.10\sound\soc\atmel\sam9g20_wm8731.c(6): *Copyright (C) 2008 Atmel
linux-3.10\sound\soc\atmel\snd-soc-afeb9260.c(4): * Copyright (C) 2009 Sergey Lapin <slapin@ossfans.org>
linux-3.10\sound\soc\blackfin\bf5xx-ac97.c(6): * Copyright:Analog Device Inc.
linux-3.10\sound\soc\blackfin\bf5xx-ac97-pcm.c(9): * Copyright 2008 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-ac97-pcm.h(4): * Copyright 2007 Analog Device Inc.
linux-3.10\sound\soc\blackfin\bf5xx-ad1980.c(9): * Copyright 2008 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-ad73311.c(9): * Copyright 2008 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-i2s.c(9): * Copyright 2008 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-i2s-pcm.c(9): * Copyright 2008 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-i2s-pcm.h(4): * Copyright 2007 Analog Device Inc.
linux-3.10\sound\soc\blackfin\bf5xx-sport.c(10): * Copyright 2004-2007 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-sport.h(9): * Copyright 2004-2007 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-ssm2602.c(9): * Copyright 2008 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-tdm.c(12): * Copyright 2009 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf5xx-tdm-pcm.c(9): * Copyright 2009 Analog Devices Inc.

legal(ME)

linux-3.10\sound\soc\blackfin\bf5xx-tdm-pcm.h(4): * Copyright 2009 Analog Device Inc.
linux-3.10\sound\soc\blackfin\bf6xx-i2s.c(4): * Copyright (c) 2012 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf6xx-sport.c(4): * Copyright (c) 2012 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bf6xx-sport.h(4): * Copyright (c) 2012 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bfbin-eval-adau1373.c(5): * Copyright 2011 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bfbin-eval-adau1701.c(5): * Copyright 2011 Analog Devices Inc.
linux-3.10\sound\soc\blackfin\bfbin-eval-adav80x.c(5): * Copyright 2011 Analog Devices Inc.
linux-3.10\sound\soc\cirrus\edb93xx.c(4): * Copyright (c) 2010 Alexander Sverdlin <subaparts@yandex.ru>
linux-3.10\sound\soc\cirrus\ep93xx-ac97.c(4): * Copyright (c) 2010 Mika Westerberg
linux-3.10\sound\soc\cirrus\ep93xx-i2s.c(5): * Copyright (C) 2010 Ryan Mallon
linux-3.10\sound\soc\cirrus\ep93xx-i2s.c(8): * Copyright (C) 2007 Chase Douglas <chasedouglas@gmail>
linux-3.10\sound\soc\cirrus\ep93xx-i2s.c(9): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\sound\soc\cirrus\ep93xx-pcm.c(4): * Copyright (C) 2006 Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\sound\soc\cirrus\ep93xx-pcm.c(5): * Copyright (C) 2006 Applied Data Systems
linux-3.10\sound\soc\cirrus\ep93xx-pcm.c(8): * Copyright (c) 2008 Ryan Mallon
linux-3.10\sound\soc\cirrus\simone.c(4): * Copyright (c) 2010 Mika Westerberg
linux-3.10\sound\soc\cirrus\snappercl15.c(4): * Copyright (C) 2008 Bluewater Systems Ltd
linux-3.10\sound\soc\codecs\88pm860x-codec.c(4): * Copyright 2010 Marvell International Ltd.
linux-3.10\sound\soc\codecs\88pm860x-codec.h(4): * Copyright 2010 Marvell International Ltd.
linux-3.10\sound\soc\codecs\ab8500-codec.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\codecs\ab8500-codec.h(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\codecs\ac97.c(4): * Copyright 2005 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\codecs\ad1836.c(5): * Copyright 2009-2011 Analog Devices Inc.
linux-3.10\sound\soc\codecs\ad1836.h(5): * Copyright 2009-2011 Analog Devices Inc.
linux-3.10\sound\soc\codecs\ad193x.c(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\sound\soc\codecs\ad193x.h(4): * Copyright 2010 Analog Devices Inc.
linux-3.10\sound\soc\codecs\ad1980.c(4): * Copyright:Analog Device Inc.
linux-3.10\sound\soc\codecs\ad73311.c(4): * Copyright:Analog Device Inc.
linux-3.10\sound\soc\codecs\ad73311.h(11): * Copyright 2006 Analog Devices Inc.
linux-3.10\sound\soc\codecs\adau1373.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\sound\soc\codecs\adau1701.c(4): * Copyright 2011 Analog Devices Inc.

legal(ME)

linux-3.10\sound\soc\codecs\adau1701.h(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\sound\soc\codecs\adav80x.c(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\sound\soc\codecs\adav80x.h(4): * Copyright 2011 Analog Devices Inc.
linux-3.10\sound\soc\codecs\ads117x.c(4): * Copyright 2009 ShotSpotter Inc.
linux-3.10\sound\soc\codecs\ak4104.c(4): * Copyright (c) 2009 Daniel Mack
<daniel@caiaq.de>
linux-3.10\sound\soc\codecs\ak4104.c(98):/* set the IEC958 bits: consumer mode,
no copyright bit */
linux-3.10\sound\soc\codecs\ak4104.c(99):val |= IEC958_AES0_CON_NOT_COPYRIGHT;
linux-3.10\sound\soc\codecs\ak4535.c(4): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\codecs\ak4535.h(4): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\codecs\ak4641.c(4): * Copyright (C) 2008 Harald Welte
<laforge@gnufiish.org>
linux-3.10\sound\soc\codecs\ak4641.c(5): * Copyright (C) 2011 Dmitry Artamonov
<mad_soft@inbox.ru>
linux-3.10\sound\soc\codecs\ak4641.h(4): * Copyright 2008 Harald Welte
<laforge@gnufiish.org>
linux-3.10\sound\soc\codecs\ak4642.c(4): * Copyright (C) 2009 Renesas Solutions
Corp.
linux-3.10\sound\soc\codecs\ak4671.c(4): * Copyright (C) 2009 Samsung Electronics
Co.Ltd
linux-3.10\sound\soc\codecs\ak4671.h(4): * Copyright (C) 2009 Samsung Electronics
Co.Ltd
linux-3.10\sound\soc\codecs\alc5623.c(4): * Copyright 2008 Realtek
Microelectronics
linux-3.10\sound\soc\codecs\alc5623.c(7): * Copyright 2010 Arnaud Patard
<arnaud.patard@rtp-net.org>
linux-3.10\sound\soc\codecs\alc5623.h(4): * Copyright 2008 Realtek
Microelectronics
linux-3.10\sound\soc\codecs\alc5623.h(5): * Copyright 2010 Arnaud Patard
<arnaud.patard@rtp-net.org>
linux-3.10\sound\soc\codecs\alc5632.c(4):* Copyright (C) 2011 The AC100 Kernel
Team <ac100@lists.lauchpad.net>
linux-3.10\sound\soc\codecs\alc5632.h(4):* Copyright (C) 2011 The AC100 Kernel
Team <ac100@lists.lauchpad.net>
linux-3.10\sound\soc\codecs\arizona.c(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\arizona.h(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\cq93vc.c(4): * Copyright (C) 2010 Texas Instruments,
Inc
linux-3.10\sound\soc\codecs\cs4270.c(6): * Copyright 2007-2009 Freescale
Semiconductor, Inc.This file is licensed
linux-3.10\sound\soc\codecs\cs4271.c(4): * Copyright (c) 2010 Alexander Sverdlin
<subaparts@yandex.ru>
linux-3.10\sound\soc\codecs\cs42151.c(6): * Copyright (c) 2010 Arnaud Patard
<apatard@mandriva.com>
linux-3.10\sound\soc\codecs\cs42151.c(8): * Based on cs4270.c - Copyright (c)
Freescale Semiconductor
linux-3.10\sound\soc\codecs\cs42151.h(6): * Copyright (c) 2010 Arnaud Patard
<apatard@mandriva.com>
linux-3.10\sound\soc\codecs\cs42152.c(4): * Copyright 2012 CirrusLogic, Inc.

legal(ME)

linux-3.10\sound\soc\codecs\cs42152.h(4): * Copyright 2012 CirrusLogic, Inc.
linux-3.10\sound\soc\codecs\cs42173.c(4): * Copyright 2011 Cirrus Logic, Inc.
linux-3.10\sound\soc\codecs\cs42173.h(4): * Copyright 2011 Cirrus Logic, Inc.
linux-3.10\sound\soc\codecs\cx20442.c(4): * Copyright 2009 Janusz Krzysztofik
<jkrzyszzt@tis.icnet.pl>
linux-3.10\sound\soc\codecs\cx20442.c(7): * Copyright 2008, 2009 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\cx20442.h(4): * Copyright 2009 Janusz Krzysztofik
<jkrzyszzt@tis.icnet.pl>
linux-3.10\sound\soc\codecs\da7210.c(4): * Copyright (c) 2009 Dialog
Semiconductor
linux-3.10\sound\soc\codecs\da7210.c(7): * Copyright (C) 2009 Renesas Solutions
Corp.
linux-3.10\sound\soc\codecs\da7213.c(4): * Copyright (c) 2013 Dialog
Semiconductor
linux-3.10\sound\soc\codecs\da7213.h(4): * Copyright (c) 2013 Dialog
Semiconductor
linux-3.10\sound\soc\codecs\da732x.c(4): * Copyright (C) 2012 Dialog
Semiconductor GmbH
linux-3.10\sound\soc\codecs\da732x.h(4): * Copyright (C) 2012 Dialog
Semiconductor GmbH
linux-3.10\sound\soc\codecs\da732x_reg.h(4): * Copyright (C) 2012 Dialog
Semiconductor GmbH
linux-3.10\sound\soc\codecs\da9055.c(4): * Copyright (c) 2012 Dialog
Semiconductor
linux-3.10\sound\soc\codecs\dfbmcs320.c(3): * Copyright 2011 Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\sound\soc\codecs\isabelle.c(4): * Copyright (c) 2012 Texas
Instruments, Inc
linux-3.10\sound\soc\codecs\isabelle.h(4): * Copyright (c) 2012 Texas
Instruments, Inc
linux-3.10\sound\soc\codecs\jz4740.c(2): * Copyright (C) 2009-2010, Lars-Peter
Clausen <lars@metafoo.de>
linux-3.10\sound\soc\codecs\l3.c(15): *Copyright (C) 2001 Russell King, All
Rights Reserved.
linux-3.10\sound\soc\codecs\l3.c(4): *Copyright (C) 2008, Christian Pellegrin
<chripell@evolware.org>
linux-3.10\sound\soc\codecs\lm4857.c(4): * Copyright 2007 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\lm4857.c(7): * Copyright 2011 Lars-Peter Clausen
<lars@metafoo.de>
linux-3.10\sound\soc\codecs\lm49453.c(4): * Copyright (c) 2012 Texas Instruments,
Inc
linux-3.10\sound\soc\codecs\lm49453.h(4): * Copyright (c) 2012Texas Instruments,
Inc
linux-3.10\sound\soc\codecs\max9768.c(4): * Copyright (C) 2011, 2012 by Wolfram
Sang, Pengutronix e.K.
linux-3.10\sound\soc\codecs\max98088.c(4): * Copyright 2010 Maxim Integrated
Products
linux-3.10\sound\soc\codecs\max98088.h(4): * Copyright 2010 Maxim Integrated
Products
linux-3.10\sound\soc\codecs\max98090.c(4): * Copyright 2011-2012 Maxim Integrated

legal(ME)

Products

linux-3.10\sound\soc\codecs\max98090.h(4): * Copyright 2011-2012 Maxim Integrated Products
linux-3.10\sound\soc\codecs\max98095.c(4): * Copyright 2011 Maxim Integrated Products
linux-3.10\sound\soc\codecs\max98095.h(4): * Copyright 2011 Maxim Integrated Products
linux-3.10\sound\soc\codecs\max9850.c(4): * Copyright (C) 2011 taskit GmbH
linux-3.10\sound\soc\codecs\max9850.h(4): * Copyright (C) 2011 taskit GmbH
linux-3.10\sound\soc\codecs\max9877.c(4): * Copyright (C) 2009 Samsung Electronics Co.Ltd
linux-3.10\sound\soc\codecs\max9877.h(4): * Copyright (C) 2009 Samsung Electronics Co.Ltd
linux-3.10\sound\soc\codecs\mc13783.c(2): * Copyright 2008 Juergen Beisert, kernel@pengutronix.de
linux-3.10\sound\soc\codecs\mc13783.c(3): * Copyright 2009 Sascha Hauer, s.hauer@pengutronix.de
linux-3.10\sound\soc\codecs\mc13783.c(4): * Copyright 2012 Philippe Retornaz, philippe.retornaz@epfl.ch
linux-3.10\sound\soc\codecs\mc13783.h(2): * Copyright 2008 Juergen Beisert, kernel@pengutronix.de
linux-3.10\sound\soc\codecs\ml26124.c(2): * Copyright (C) 2011 LAPIS Semiconductor Co., Ltd.
linux-3.10\sound\soc\codecs\ml26124.h(2): * Copyright (C) 2011 LAPIS Semiconductor Co., Ltd.
linux-3.10\sound\soc\codecs\omap-hdmi.c(3): * Copyright (C) 2012 Texas Instruments Incorporated - <http://www.ti.com/>
linux-3.10\sound\soc\codecs\pcm3008.c(5): * Copyright (C) 2008 Lyrtech inc
linux-3.10\sound\soc\codecs\pcm3008.c(7): * Based on AC97 Soc codec, original copyright follow:
linux-3.10\sound\soc\codecs\pcm3008.c(8): * Copyright 2005 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\codecs\pcm3008.h(5): * Copyright (C) 2008 Lyrtech inc
linux-3.10\sound\soc\codecs\rt5631.c(4): * Copyright 2011 Realtek Microelectronics
linux-3.10\sound\soc\codecs\sgt15000.c(4): * Copyright 2010-2011 Freescale Semiconductor, Inc. All Rights Reserved.
linux-3.10\sound\soc\codecs\sgt15000.h(4): * Copyright 2010-2011 Freescale Semiconductor, Inc.
linux-3.10\sound\soc\codecs\si476x.c(4): * Copyright (C) 2012 Innovative Converged Devices(ICD)
linux-3.10\sound\soc\codecs\si476x.c(5): * Copyright (C) 2013 Andrey Smirnov
linux-3.10\sound\soc\codecs\sigmadsp.c(4): * Copyright 2009-2011 Analog Devices Inc.
linux-3.10\sound\soc\codecs\sigmadsp.h(4): * Copyright 2009-2011 Analog Devices Inc.
linux-3.10\sound\soc\codecs\sn95031.c(4): *Copyright (C) 2010 Intel Corp
linux-3.10\sound\soc\codecs\sn95031.h(4): *Copyright (C) 2010 Intel Corp
linux-3.10\sound\soc\codecs\spdif_receiver.c(11): * Copyright: (C) 2012ST Microelectronics
linux-3.10\sound\soc\codecs\spdif_transciever.c(10): * Copyright: (C) 2009Texas Instruments, India

legal(ME)

linux-3.10\sound\soc\codecs\spdif_transciever.c(9): * Copyright: (C) 2009
MontaVista Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\codecs\ssm2602.c(9): * Copyright 2008 Analog Devices Inc.
linux-3.10\sound\soc\codecs\ssm2602.h(8): * Copyright 2008 Analog Devices Inc.
linux-3.10\sound\soc\codecs\sta32x.c(4): * Copyright: 2011 Raumfeld GmbH
linux-3.10\sound\soc\codecs\sta32x.h(4): * Copyright: 2011 Raumfeld GmbH
linux-3.10\sound\soc\codecs\sta529.c(6): * Copyright (C) 2012 ST Microelectronics
linux-3.10\sound\soc\codecs\stac9766.c(4): * Copyright 2009 Jon Smirl,
Digispeaker
linux-3.10\sound\soc\codecs\tas5086.c(4): * Copyright (c) 2013 Daniel Mack
<zonque@gmail.com>
linux-3.10\sound\soc\codecs\tlv320aic23.c(5): * Copyright: (C) 2008 Mistral
Solutions Pvt Ltd.,
linux-3.10\sound\soc\codecs\tlv320aic23.h(5): * Copyright: (C) 2008 Mistral
Solutions Pvt Ltd
linux-3.10\sound\soc\codecs\tlv320aic26.c(5): * Copyright (C) 2008 Secret Lab
Technologies Ltd.
linux-3.10\sound\soc\codecs\tlv320aic26.h(5): * Copyright (C) 2008 Secret Lab
Technologies Ltd.
linux-3.10\sound\soc\codecs\tlv320aic32x4.c(4): * Copyright 2011 Vista Silicon
S.L.
linux-3.10\sound\soc\codecs\tlv320aic3x.c(5): * Copyright: (C) 2007 MontaVista
Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\codecs\tlv320aic3x.h(5): * Copyright: (C) 2007 MontaVista
Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\codecs\tlv320dac33.c(6): * Copyright: (C) 2009 Nokia
Corporation
linux-3.10\sound\soc\codecs\tlv320dac33.h(6): * Copyright: (C) 2009 Nokia
Corporation
linux-3.10\sound\soc\codecs\tpa6130a2.c(4): * Copyright (C) Nokia Corporation
linux-3.10\sound\soc\codecs\tpa6130a2.h(4): * Copyright (C) Nokia Corporation
linux-3.10\sound\soc\codecs\uda134x.c(6): * Copyright 2007 Dension Audio Systems
Ltd.
linux-3.10\sound\soc\codecs\uda1380.c(13): * Copyright (c) 2005 Giorgio Padrin
<giorgio@mandarinlogiq.org>
linux-3.10\sound\soc\codecs\uda1380.c(14): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\codecs\uda1380.c(8): * Copyright (c) 2007-2009 Philipp Zabel
<philipp.zabel@gmail.com>
linux-3.10\sound\soc\codecs\uda1380.h(8): * Copyright (c) 2005 Giorgio Padrin
<giorgio@mandarinlogiq.org>
linux-3.10\sound\soc\codecs\wl1273.c(6): * Copyright: (C) 2010, 2011 Nokia
Corporation
linux-3.10\sound\soc\codecs\wl1273.h(6): * Copyright (C) Nokia Corporation
linux-3.10\sound\soc\codecs\wm_adsp.c(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm_adsp.h(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm_hubs.c(4): * Copyright 2009-12 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm_hubs.h(4): * Copyright 2009 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm0010.c(4): * Copyright 2012 Wolfson

legal(ME)

Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm1250-ev1.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm2000.c(4): * Copyright 2008-2011 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm2200.c(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm2200.h(4): * Copyright 2012 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm5100.c(4): * Copyright 2011-2 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm5100.h(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm5100-tables.c(4): * Copyright 2011-2 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm5102.c(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm5102.h(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm5110.c(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm5110.h(4): * Copyright 2012 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8350.c(4): * Copyright (C) 2007-12 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8350.h(4): * Copyright 2008 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8400.c(4): * Copyright 2008-11 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8400.h(4): * Copyright 2008 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8510.c(4): * Copyright 2006 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8523.c(4): * Copyright 2009 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8523.h(4): * Copyright 2009 Wolfson
Microelectronics, plc
linux-3.10\sound\soc\codecs\wm8580.c(4): * Copyright 2008-12 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8580.h(4): * Copyright 2008 Samsung Electronics.
linux-3.10\sound\soc\codecs\wm8711.c(4): * Copyright 2006 Wolfson
Microelectronics
linux-3.10\sound\soc\codecs\wm8711.h(4): * Copyright 2006 Wolfson
Microelectronics
linux-3.10\sound\soc\codecs\wm8727.c(7): * Copyright (C) 2009 Imagination
Technologies Ltd.
linux-3.10\sound\soc\codecs\wm8728.c(4): * Copyright 2008 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8728.h(4): * Copyright 2008 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8731.c(4): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\codecs\wm8731.c(5): * Copyright 2006-12 Wolfson

legal(ME)

Microelectronics, plc

linux-3.10\sound\soc\codecs\wm8731.h(4): * Copyright 2005 Openedhand Ltd.

linux-3.10\sound\soc\codecs\wm8737.c(4): * Copyright 2010 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8737.h(7): * Copyright 2010 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8741.c(4): * Copyright 2010-1 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8741.h(4): * Copyright 2010 Wolfson

Microelectronics, plc

linux-3.10\sound\soc\codecs\wm8750.c(4): * Copyright 2005 Openedhand Ltd.

linux-3.10\sound\soc\codecs\wm8750.h(2): * Copyright 2005 Openedhand Ltd.

linux-3.10\sound\soc\codecs\wm8753.c(4): * Copyright 2003-11 Wolfson

Microelectronics PLC.

linux-3.10\sound\soc\codecs\wm8753.h(4): * Copyright 2003 Wolfson

Microelectronics PLC.

linux-3.10\sound\soc\codecs\wm8770.c(4): * Copyright 2010 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8770.h(4): * Copyright 2010 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8776.c(4): * Copyright 2009-12 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8776.h(4): * Copyright 2009 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8782.c(5): * Copyright: 2011 Raumfeld GmbH

linux-3.10\sound\soc\codecs\wm8782.c(9): * Copyright:Analog Device Inc.

linux-3.10\sound\soc\codecs\wm8804.c(4): * Copyright 2010-11 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8804.h(4): * Copyright 2010 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8900.c(4): * Copyright 2007, 2008 Wolfson

Microelectronics PLC.

linux-3.10\sound\soc\codecs\wm8903.c(4): * Copyright 2008-12 Wolfson

Microelectronics

linux-3.10\sound\soc\codecs\wm8903.c(5): * Copyright 2011-2012 NVIDIA, Inc.

linux-3.10\sound\soc\codecs\wm8903.h(4): * Copyright 2008 Wolfson

Microelectronics PLC.

linux-3.10\sound\soc\codecs\wm8904.c(4): * Copyright 2009-12 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8904.h(4): * Copyright 2009 Wolfson

Microelectronics, plc

linux-3.10\sound\soc\codecs\wm8940.c(7): *Copyright2006 Wolfson Microelectronics PLC.

linux-3.10\sound\soc\codecs\wm8955.c(4): * Copyright 2009 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8955.h(4): * Copyright 2009 Wolfson

Microelectronics, plc

linux-3.10\sound\soc\codecs\wm8958-dsp2.c(4): * Copyright 2011 Wolfson

Microelectronics plc

linux-3.10\sound\soc\codecs\wm8960.c(4): * Copyright 2007-11 Wolfson

Microelectronics, plc

linux-3.10\sound\soc\codecs\wm8961.c(4): * Copyright 2009-10 Wolfson

legal(ME)

Microelectronics, plc
linux-3.10\sound\soc\codecs\wm8962.c(4): * Copyright 2010-2 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8962.h(4): * Copyright 2010 Wolfson
Microelectronics, plc
linux-3.10\sound\soc\codecs\wm8971.c(4): * Copyright 2005 Lab126, Inc.
linux-3.10\sound\soc\codecs\wm8971.h(4): * Copyright 2005 Lab126, Inc.
linux-3.10\sound\soc\codecs\wm8974.c(4): * Copyright 2006-2009 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8978.c(4): * Copyright (C) 2009-2010 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\sound\soc\codecs\wm8978.c(5): * Copyright (C) 2007 Carlos Munoz
<carlos@kenati.com>
linux-3.10\sound\soc\codecs\wm8978.c(6): * Copyright 2006-2009 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8978.h(4): * Copyright 2009 Guennadi Liakhovetski
<g.liakhovetski@gmx.de>
linux-3.10\sound\soc\codecs\wm8983.c(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8983.h(4): * Copyright 2011 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8985.c(4): * Copyright 2010 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8985.h(4): * Copyright 2010 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8988.c(4): * Copyright 2009 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8988.c(5): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\codecs\wm8988.h(2): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\codecs\wm8990.c(4): * Copyright 2008 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8990.h(4): * Copyright 2007 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8991.c(4): * Copyright 2007-2010 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8991.h(4): * Copyright 2007 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8993.c(4): * Copyright 2009-12 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8994.c(4): * Copyright 2009-12 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8995.c(4): * Copyright 2010 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8995.h(4): * Copyright 2010 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm8996.c(4): * Copyright 2011-2 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm8996.h(4): * Copyright 2011 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm9081.c(6): * Copyright 2009-12 Wolfson
Microelectronics plc
linux-3.10\sound\soc\codecs\wm9081.h(9): * Copyright 2009 Wolfson

legal(ME)

Microelectronics plc
linux-3.10\sound\soc\codecs\wm9090.c(4): * Copyright 2009-12 Wolfson
Microelectronics
linux-3.10\sound\soc\codecs\wm9090.h(4): * Copyright 2009 Wolfson
Microelectronics
linux-3.10\sound\soc\codecs\wm9705.c(4): * Copyright 2008 Ian Molton
<spyro@f2s.com>
linux-3.10\sound\soc\codecs\wm9712.c(4): * Copyright 2006-12 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wm9713.c(4): * Copyright 2006-10 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\codecs\wmfw.h(4): * Copyright 2012 Wolfson Microelectronics
plc
linux-3.10\sound\soc\davinci\davinci-evm.c(5): * Copyright: (C) 2007 MontaVista
Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\davinci\davinci-i2s.c(5): * Copyright: (C) 2007 MontaVista
Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\davinci\davinci-i2s.h(5): * Copyright: (C) 2007 MontaVista
Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\davinci\davinci-mcasp.c(10): * Copyright: (C) 2009
MontaVista Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\davinci\davinci-mcasp.c(11): * Copyright: (C) 2009 Texas
Instruments, India
linux-3.10\sound\soc\davinci\davinci-mcasp.h(10): * Copyright: (C) 2009
MontaVista Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\davinci\davinci-mcasp.h(11): * Copyright: (C) 2009 Texas
Instruments, India
linux-3.10\sound\soc\davinci\davinci-pcm.c(5): * Copyright: (C) 2007 MontaVista
Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\davinci\davinci-pcm.h(5): * Copyright: (C) 2007 MontaVista
Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\davinci\davinci-sffsdr.c(5): * Copyright (C) 2008 Lyrtech
inc
linux-3.10\sound\soc\davinci\davinci-sffsdr.c(7): * Based on ASoC driver for TI
DAVINCI EVM platform, original copyright follow:
linux-3.10\sound\soc\davinci\davinci-sffsdr.c(8): * Copyright: (C) 2007
MontaVista Software, Inc., <source@mvista.com>
linux-3.10\sound\soc\davinci\davinci-vcif.c(4): * Copyright (C) 2010 Texas
Instruments.
linux-3.10\sound\soc\dw\designware_i2s.c(6): * Copyright (C) 2010 ST
Microelectronics
linux-3.10\sound\soc\fsl\efika-audio-fabric.c(5): * Copyright 2008 Jon Smirl,
Digispeaker
linux-3.10\sound\soc\fsl\eukrea-tlv320.c(4): * Copyright 2010 Eric Bernard,
Eukrea Electromatique <eric@eukrea.com>
linux-3.10\sound\soc\fsl\eukrea-tlv320.c(7): * which is Copyright 2009 Simtec
Electronics
linux-3.10\sound\soc\fsl\eukrea-tlv320.c(9): * Copyright 2009 Sascha Hauer,
Pengutronix <s.hauer@pengutronix.de>
linux-3.10\sound\soc\fsl\fsl_dma.c(6): * Copyright 2007-2010 Freescale
Semiconductor, Inc.
linux-3.10\sound\soc\fsl\fsl_ssi.c(6): * Copyright 2007-2010 Freescale

legal(ME)

Semiconductor, Inc.

linux-3.10\sound\soc\fsl\fsl_ssi.h(6): * Copyright 2007-2008 Freescale Semiconductor, Inc. This file is licensed

linux-3.10\sound\soc\fsl\fsl_utils.c(6): * Copyright 2010 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\fsl\fsl_utils.h(6): * Copyright 2010 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\fsl\imx-audmux.c(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\fsl\imx-audmux.c(3): * Copyright 2012 Linaro Ltd.

linux-3.10\sound\soc\fsl\imx-audmux.c(4): * Copyright 2009 Pengutronix, Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\sound\soc\fsl\imx-mc13783.c(4): * Copyright 2012 Philippe Retornaz, <philippe.retornaz@epfl.ch>

linux-3.10\sound\soc\fsl\imx-mc13783.c(7): * Copyright 2009 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>

linux-3.10\sound\soc\fsl\imx-pcm.c(2): * Copyright 2009 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\sound\soc\fsl\imx-pcm.c(4): * This code is based on code copyrighted by Freescale,

linux-3.10\sound\soc\fsl\imx-pcm.h(2): * Copyright 2009 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\sound\soc\fsl\imx-pcm.h(4): * This code is based on code copyrighted by Freescale,

linux-3.10\sound\soc\fsl\imx-pcm-dma.c(4): * Copyright 2009 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\sound\soc\fsl\imx-pcm-dma.c(6): * This code is based on code copyrighted by Freescale,

linux-3.10\sound\soc\fsl\imx-pcm-fiq.c(4): * Copyright 2009 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\sound\soc\fsl\imx-pcm-fiq.c(6): * This code is based on code copyrighted by Freescale,

linux-3.10\sound\soc\fsl\imx-sgtl5000.c(2): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\fsl\imx-sgtl5000.c(3): * Copyright 2012 Linaro Ltd.

linux-3.10\sound\soc\fsl\imx-ssi.c(4): * Copyright 2009 Sascha Hauer <s.hauer@pengutronix.de>

linux-3.10\sound\soc\fsl\imx-ssi.c(6): * This code is based on code copyrighted by Freescale,

linux-3.10\sound\soc\fsl\mpc5200_dma.c(5): * Copyright (C) 2008 Secret Lab Technologies Ltd.

linux-3.10\sound\soc\fsl\mpc5200_dma.c(6): * Copyright (C) 2009 Jon Smirl, Digispeaker

linux-3.10\sound\soc\fsl\mpc5200_psc_ac97.c(4): * Copyright (C) 2009 Jon Smirl, Digispeaker

linux-3.10\sound\soc\fsl\mpc5200_psc_i2s.c(5): * Copyright (C) 2008 Secret Lab Technologies Ltd.

linux-3.10\sound\soc\fsl\mpc5200_psc_i2s.c(6): * Copyright (C) 2009 Jon Smirl, Digispeaker

linux-3.10\sound\soc\fsl\mpc8610_hpcd.c(6): * Copyright 2007-2010 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\fsl\mx27vis-aic32x4.c(4): * Copyright 2011 Vista Silicon

legal(ME)

S.L.

linux-3.10\sound\soc\fs1\p1022_ds.c(6): * Copyright 2010 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\fs1\p1022_rdk.c(6): * Copyright 2012 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\fs1\pcm030-audio-fabric.c(5): * Copyright 2008 Jon Smirl, Digispeaker

linux-3.10\sound\soc\fs1\phycore-ac97.c(4): * Copyright 2009 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>

linux-3.10\sound\soc\fs1\wm1133-ev1.c(4): *Copyright (c) 2010 Wolfson Microelectronics plc

linux-3.10\sound\soc\generic\simple-card.c(4): * Copyright (C) 2012 Renesas Solutions Corp.

linux-3.10\sound\soc\jz4740\jz4740-i2s.c(2): *Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>

linux-3.10\sound\soc\jz4740\jz4740-pcm.c(2): *Copyright (C) 2010, Lars-Peter Clausen <lars@metafoo.de>

linux-3.10\sound\soc\jz4740\qi_lb60.c(2): * Copyright (C) 2009, Lars-Peter Clausen <lars@metafoo.de>

linux-3.10\sound\soc\mid-x86\mfld_machine.c(4): *Copyright (C) 2010 Intel Corp

linux-3.10\sound\soc\mid-x86\sst_dsp.h(6): *Copyright (C) 2008-12 Intel Corporation

linux-3.10\sound\soc\mid-x86\sst_platform.c(4): *Copyright (C) 2010-2013 Intel Corp

linux-3.10\sound\soc\mid-x86\sst_platform.h(4): *Copyright (C) 2010 Intel Corp

linux-3.10\sound\soc\mxs\mxs-pcm.c(2): * Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved.

linux-3.10\sound\soc\mxs\mxs-pcm.h(2): * Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved.

linux-3.10\sound\soc\mxs\mxs-saif.c(2): * Copyright 2011 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\mxs\mxs-saif.h(2): * Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved.

linux-3.10\sound\soc\mxs\mxs-sgtl5000.c(2): * Copyright 2011 Freescale Semiconductor, Inc.

linux-3.10\sound\soc\nuc900\nuc900-ac97.c(2): * Copyright (c) 2009-2010 Nuvoton technology corporation.

linux-3.10\sound\soc\nuc900\nuc900-audio.c(2): * Copyright (c) 2010 Nuvoton technology corporation.

linux-3.10\sound\soc\nuc900\nuc900-audio.h(2): * Copyright (c) 2010 Nuvoton technology corporation.

linux-3.10\sound\soc\nuc900\nuc900-pcm.c(2): * Copyright (c) 2010 Nuvoton technology corporation.

linux-3.10\sound\soc\omap\am3517evm.c(8): * Copyright (C) 2009 Texas Instruments Incorporated

linux-3.10\sound\soc\omap\ams-delta.c(4): * Copyright (C) 2009 Janusz Krzysztofik <jkrzysztof@tis.icnet.pl>

linux-3.10\sound\soc\omap\ams-delta.c(7): * Copyright (C) 2008 Mistral Solutions

linux-3.10\sound\soc\omap\mcbasp.c(4): * Copyright (C) 2004 Nokia Corporation

linux-3.10\sound\soc\omap\n810.c(4): * Copyright (C) 2008 Nokia Corporation

linux-3.10\sound\soc\omap\omap-dmic.c(4): * Copyright (C) 2010 - 2011 Texas Instruments

legal(ME)

linux-3.10\sound\soc\omap\omap-hdmi.c(118):iec->status[0] |=
IEC958_AES0_CON_NOT_COPYRIGHT;
linux-3.10\sound\soc\omap\omap-hdmi.c(5): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - http://www.ti.com/
linux-3.10\sound\soc\omap\omap-hdmi.h(5): * Copyright (C) 2010-2011 Texas
Instruments Incorporated - http://www.ti.com/
linux-3.10\sound\soc\omap\omap-hdmi-card.c(5): * Copyright (C) 2011 Texas
Instruments Incorporated - http://www.ti.com/
linux-3.10\sound\soc\omap\omap-mcbssp.c(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\sound\soc\omap\omap-mcbssp.h(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\sound\soc\omap\omap-mcpdm.c(4): * Copyright (C) 2009 - 2011 Texas
Instruments
linux-3.10\sound\soc\omap\omap-mcpdm.h(4): * Copyright (C) 2009 - 2011 Texas
Instruments
linux-3.10\sound\soc\omap\omap-pcm.c(4): * Copyright (C) 2008 Nokia Corporation
linux-3.10\sound\soc\omap\omap-tw14030.c(4): * Copyright (C) 2012 Texas
Instruments Incorporated - http://www.ti.com
linux-3.10\sound\soc\omap\osk5912.c(4): * Copyright (C) 2008 Mistral Solutions
linux-3.10\sound\soc\omap\rx51.c(4): * Copyright (C) 2008 - 2009 Nokia
Corporation
linux-3.10\sound\soc\pxa\brownstone.c(4): * Copyright (C) 2011 Marvell
International Ltd.
linux-3.10\sound\soc\pxa\corgi.c(4): * Copyright 2005 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\pxa\corgi.c(5): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\pxa\e740_wm9705.c(4): * Copyright 2007 (c) Ian Molton
<spyro@f2s.com>
linux-3.10\sound\soc\pxa\e750_wm9705.c(4): * Copyright 2007 (c) Ian Molton
<spyro@f2s.com>
linux-3.10\sound\soc\pxa\e800_wm9712.c(4): * Copyright 2007 (c) Ian Molton
<spyro@f2s.com>
linux-3.10\sound\soc\pxa\em-x270.c(10): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\pxa\em-x270.c(4): * Copyright 2007, 2009 CompuLab, Ltd.
linux-3.10\sound\soc\pxa\em-x270.c(9): * Copyright 2005 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\pxa\hx4700.c(4): * Copyright (c) 2009 Philipp Zabel
linux-3.10\sound\soc\pxa\magician.c(4): * Copyright (c) 2006 Philipp Zabel
<philipp.zabel@gmail.com>
linux-3.10\sound\soc\pxa\mioa701_wm9713.c(4): * Copyright (C) 2008 Robert Jarzmik
linux-3.10\sound\soc\pxa\mmp-pcm.c(4): * Copyright (C) 2011 Marvell International
Ltd.
linux-3.10\sound\soc\pxa\mmp-sspa.c(5): * Copyright (C) 2011 Marvell
International Ltd.
linux-3.10\sound\soc\pxa\mmp-sspa.h(4): * Copyright (C) 2011 Marvell
International Ltd.
linux-3.10\sound\soc\pxa\palm27x.c(8): * Copyright (C) 2008 Marek Vasut
<marek.vasut@gmail.com>
linux-3.10\sound\soc\pxa\poodle.c(4): * Copyright 2005 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\pxa\poodle.c(5): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\pxa\pxa2xx-ac97.c(6): * Copyright:MontaVista Software Inc.
linux-3.10\sound\soc\pxa\pxa2xx-i2s.c(4): * Copyright 2005 Wolfson

legal(ME)

Microelectronics PLC.

linux-3.10\sound\soc\pxa\pxa2xx-pcm.c(6): * Copyright:(C) 2004 MontaVista Software, Inc.

linux-3.10\sound\soc\pxa\pxa-ssp.c(4): * Copyright 2005,2008 Wolfson Microelectronics PLC.

linux-3.10\sound\soc\pxa\raumfeld.c(4): * Copyright (c) 2009 Daniel Mack <daniel@caiaq.de>

linux-3.10\sound\soc\pxa\saarb.c(4): * Copyright (C) 2010 Marvell International Ltd.

linux-3.10\sound\soc\pxa\spitz.c(4): * Copyright 2005 Wolfson Microelectronics PLC.

linux-3.10\sound\soc\pxa\spitz.c(5): * Copyright 2005 Openedhand Ltd.

linux-3.10\sound\soc\pxa\tavorevb3.c(4): * Copyright (C) 2010 Marvell International Ltd.

linux-3.10\sound\soc\pxa\tosa.c(4): * Copyright 2005 Wolfson Microelectronics PLC.

linux-3.10\sound\soc\pxa\tosa.c(5): * Copyright 2005 Openedhand Ltd.

linux-3.10\sound\soc\pxa\ttc-dkb.c(4): * Copyright (C) 2012 Marvell International Ltd.

linux-3.10\sound\soc\pxa\z2.c(6): * Copyright (C) 2009 Ken McGuire <kenm@desertweyr.com>

linux-3.10\sound\soc\pxa\z2.c(7): * Copyright (C) 2010 Marek Vasut <marek.vasut@gmail.com>

linux-3.10\sound\soc\pxa\zylonite.c(4): * Copyright 2008 Wolfson Microelectronics PLC.

linux-3.10\sound\soc\s6000\s6000-i2s.c(5): * Copyright: (C) 2009 emlix GmbH <info@emlix.com>

linux-3.10\sound\soc\s6000\s6000-i2s.h(5): * Copyright: (C) 2009 emlix GmbH <info@emlix.com>

linux-3.10\sound\soc\s6000\s6000-pcm.c(5): * Copyright: (C) 2009 emlix GmbH <info@emlix.com>

linux-3.10\sound\soc\s6000\s6000-pcm.h(5): * Copyright: (C) 2009 emlix GmbH <info@emlix.com>

linux-3.10\sound\soc\s6000\s6105-ipcaml.c(5): * Copyright: (C) 2009 emlix GmbH <info@emlix.com>

linux-3.10\sound\soc\samsung\ac97.c(6): * Copyright (c) 2010 Samsung Electronics Co. Ltd

linux-3.10\sound\soc\samsung\bell.c(4): * Copyright 2012 Wolfson Microelectronics

linux-3.10\sound\soc\samsung\dma.c(7): * Copyright 2004-2005 Simtec Electronics

linux-3.10\sound\soc\samsung\goni_wm8994.c(4): * Copyright (C) 2010 Samsung Electronics Co.Ltd

linux-3.10\sound\soc\samsung\h1940_uda1380.c(4): * Copyright (c) 2010 Arnaud Patard <arnaud.patard@rtp-net.org>

linux-3.10\sound\soc\samsung\h1940_uda1380.c(5): * Copyright (c) 2010 Vasily Khoruzhick <anarsoul@gmail.com>

linux-3.10\sound\soc\samsung\i2s.c(5): * Copyright (c) 2010 Samsung Electronics Co. Ltd.

linux-3.10\sound\soc\samsung\i2s.h(5): * Copyright (c) 2010 Samsung Electronics Co. Ltd.

linux-3.10\sound\soc\samsung\i2s-regs.h(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.

legal(ME)

linux-3.10\sound\soc\samsung\idma.c(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd.
linux-3.10\sound\soc\samsung\idma.h(4): * Copyright (c) 2011 Samsung Electronics Co., Ltd
linux-3.10\sound\soc\samsung\jive_wm8750.c(3): * Copyright 2007,2008 Simtec Electronics
linux-3.10\sound\soc\samsung\jive_wm8750.c(6): *Copyright 2005 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\samsung\jive_wm8750.c(7): *Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\samsung\littlemill.c(4): * Copyright 2011 Wolfson Microelectronics
linux-3.10\sound\soc\samsung\ln2440sbc_alc650.c(4): * Copyright 2007 KonekTel, a.s.
linux-3.10\sound\soc\samsung\ln2440sbc_alc650.c(9): * Copyright 2007 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\samsung\lowland.c(4): * Copyright 2011 Wolfson Microelectronics
linux-3.10\sound\soc\samsung\neo1973_wm8753.c(4): * Copyright 2007 Openmoko Inc
linux-3.10\sound\soc\samsung\neo1973_wm8753.c(6): * Copyright 2007 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\samsung\neo1973_wm8753.c(9): * Copyright 2009 Wolfson Microelectronics
linux-3.10\sound\soc\samsung\pcm.c(5): * Copyright (c) 2009 Samsung Electronics Co. Ltd
linux-3.10\sound\soc\samsung\regs-ac97.h(3): * Copyright (c) 2006 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\sound\soc\samsung\regs-i2s-v2.h(3): * Copyright 2007 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\sound\soc\samsung\regs-iis.h(3): * Copyright (c) 2003 Simtec Electronics <linux@simtec.co.uk>
linux-3.10\sound\soc\samsung\rx1950_uda1380.c(4): * Copyright (c) 2010 Vasily Khoruzhick <anarsoul@gmail.com>
linux-3.10\sound\soc\samsung\s3c2412-i2s.c(5): * Copyright (c) 2006 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\samsung\s3c2412-i2s.c(9): * Copyright (c) 2007, 2004-2005 Simtec Electronics
linux-3.10\sound\soc\samsung\s3c2412-i2s.h(5): * Copyright (c) 2007 Simtec Electronics
linux-3.10\sound\soc\samsung\s3c24xx_simtec.c(3): * Copyright 2009 Simtec Electronics
linux-3.10\sound\soc\samsung\s3c24xx_simtec.h(3): * Copyright 2009 Simtec Electronics
linux-3.10\sound\soc\samsung\s3c24xx_simtec_hermes.c(3): * Copyright 2009 Simtec Electronics
linux-3.10\sound\soc\samsung\s3c24xx_simtec_tlv320aic23.c(3): * Copyright 2009 Simtec Electronics
linux-3.10\sound\soc\samsung\s3c24xx_uda134x.c(6): * Copyright 2007 Dension Audio Systems Ltd.
linux-3.10\sound\soc\samsung\s3c24xx-i2s.c(7): * Copyright 2004-2005 Simtec Electronics
linux-3.10\sound\soc\samsung\s3c24xx-i2s.h(4): * Copyright 2005 Wolfson Microelectronics PLC.

legal(ME)

linux-3.10\sound\soc\samsung\s3c-i2s-v2.c(5): * Copyright (c) 2006 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\samsung\s3c-i2s-v2.c(9): * Copyright (c) 2008, 2007,
2004-2005 Simtec Electronics
linux-3.10\sound\soc\samsung\s3c-i2s-v2.h(5): * Copyright (c) 2007 Simtec
Electronics
linux-3.10\sound\soc\samsung\smartq_wm8987.c(3): * Copyright 2010 Maurus
Cuelenaere <mcuelenaere@gmail.com>
linux-3.10\sound\soc\samsung\smartq_wm8987.c(6): * Copyright 2007 Wolfson
Microelectronics PLC. - linux@wolfsonmicro.com
linux-3.10\sound\soc\samsung\smdk_spdif.c(4): * Copyright 2010 Samsung
Electronics Co. Ltd.
linux-3.10\sound\soc\samsung\smdk_wm8580.c(4): *Copyright (c) 2009 Samsung
Electronics Co. Ltd
linux-3.10\sound\soc\samsung\smdk_wm8580pcm.c(4): *Copyright (c) 2011 Samsung
Electronics Co. Ltd
linux-3.10\sound\soc\samsung\smdk_wm8994pcm.c(4): *Copyright (c) 2011 Samsung
Electronics Co., Ltd
linux-3.10\sound\soc\samsung\smdk_wm9713.c(4): * Copyright 2010 Samsung
Electronics Co. Ltd.
linux-3.10\sound\soc\samsung\smdk2443_wm9710.c(4): * Copyright 2007 Wolfson
Microelectronics PLC.
linux-3.10\sound\soc\samsung\spdif.c(269):cstas |= CSTAS_NO_COPYRIGHT;
linux-3.10\sound\soc\samsung\spdif.c(5): * Copyright (c) 2010 Samsung Electronics
Co. Ltd
linux-3.10\sound\soc\samsung\spdif.h(5): * Copyright (c) 2010 Samsung Electronics
Co. Ltd
linux-3.10\sound\soc\samsung\speyside.c(4): * Copyright 2011 Wolfson
Microelectronics
linux-3.10\sound\soc\samsung\tobermory.c(4): * Copyright 2011 Wolfson
Microelectronics
linux-3.10\sound\soc\sh\dma-sh7760.c(4): * Copyright (C) 2007 Manuel Lauss
<mano@roarinelk.homelinux.net>
linux-3.10\sound\soc\sh\fsi.c(4): * Copyright (C) 2009 Renesas Solutions Corp.
linux-3.10\sound\soc\sh\fsi.c(8): * Copyright (c) 2007 Manuel Lauss
<mano@roarinelk.homelinux.net>
linux-3.10\sound\soc\sh\hac.c(4): * Copyright (c) 2007 Manuel Lauss
<mano@roarinelk.homelinux.net>
linux-3.10\sound\soc\sh\migor.c(4): * Copyright (C) 2009-2010 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\sound\soc\sh\siu.h(4): * Copyright (C) 2009-2010 Guennadi Liakhovetski
<g.liakhovetski@gmx.de>
linux-3.10\sound\soc\sh\siu.h(5): * Copyright (C) 2006 Carlos Munoz
<carlos@kenati.com>
linux-3.10\sound\soc\sh\siu_dai.c(4): * Copyright (C) 2009-2010 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\sound\soc\sh\siu_dai.c(5): * Copyright (C) 2006 Carlos Munoz
<carlos@kenati.com>
linux-3.10\sound\soc\sh\siu_pcm.c(4): * Copyright (C) 2009-2010 Guennadi
Liakhovetski <g.liakhovetski@gmx.de>
linux-3.10\sound\soc\sh\siu_pcm.c(5): * Copyright (C) 2006 Carlos Munoz
<carlos@kenati.com>

legal(ME)

linux-3.10\sound\soc\sh\ssi.c(4): * Copyright (c) 2007 Manuel Lauss
<mano@roarinelk.homelinux.net>
linux-3.10\sound\soc\soc-cache.c(4): * Copyright 2009 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\soc-compress.c(4): * Copyright (C) 2012 Intel Corp.
linux-3.10\sound\soc\soc-core.c(4): * Copyright 2005 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\soc-core.c(5): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\soc-core.c(6): * Copyright (C) 2010 Slimlogic Ltd.
linux-3.10\sound\soc\soc-core.c(7): * Copyright (C) 2010 Texas Instruments Inc.
linux-3.10\sound\soc\soc-dapm.c(4): * Copyright 2005 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\soc-dmaengine-pcm.c(2): *Copyright (C) 2012, Analog Devices
Inc.
linux-3.10\sound\soc\soc-dmaengine-pcm.c(6): *imx-pcm-dma-mx2.c, Copyright 2009
Sascha Hauer <s.hauer@pengutronix.de>
linux-3.10\sound\soc\soc-dmaengine-pcm.c(7): *mxs-pcm.c, Copyright (C) 2011
Freescale Semiconductor, Inc.
linux-3.10\sound\soc\soc-dmaengine-pcm.c(8): *ep93xx-pcm.c, Copyright (C) 2006
Lennert Buytenhek <buytenh@wantstofly.org>
linux-3.10\sound\soc\soc-dmaengine-pcm.c(9): *Copyright (C) 2006 Applied Data
Systems
linux-3.10\sound\soc\soc-generic-dmaengine-pcm.c(2): *Copyright (C) 2013, Analog
Devices Inc.
linux-3.10\sound\soc\soc-io.c(4): * Copyright 2009-2011 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\soc-jack.c(4): * Copyright 2008 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\soc-pcm.c(4): * Copyright 2005 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\soc-pcm.c(5): * Copyright 2005 Openedhand Ltd.
linux-3.10\sound\soc\soc-pcm.c(6): * Copyright (C) 2010 Slimlogic Ltd.
linux-3.10\sound\soc\soc-pcm.c(7): * Copyright (C) 2010 Texas Instruments Inc.
linux-3.10\sound\soc\soc-utils.c(4): * Copyright 2009 Wolfson Microelectronics
PLC.
linux-3.10\sound\soc\spear\spdif_in.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\sound\soc\spear\spdif_in_regs.h(4): * Copyright (ST) 2011 Vipin Kumar
(vipin.kumar@st.com)
linux-3.10\sound\soc\spear\spdif_out.c(4): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\sound\soc\spear\spdif_out_regs.h(4): * Copyright (ST) 2011 Vipin Kumar
(vipin.kumar@st.com)
linux-3.10\sound\soc\spear\spear_pcm.c(6): * Copyright (C) 2012 ST
Microelectronics
linux-3.10\sound\soc\tegra\tegra_alc5632.c(4): * Copyright (C) 2011 The AC100
Kernel Team <ac100@lists.lauchpad.net>
linux-3.10\sound\soc\tegra\tegra_alc5632.c(5): * Copyright (C) 2012 - NVIDIA,
Inc.
linux-3.10\sound\soc\tegra\tegra_asoc_utils.c(5): * Copyright (C) 2010,2012 -
NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra_asoc_utils.h(5): * Copyright (C) 2010,2012 -
NVIDIA, Inc.

legal(ME)

linux-3.10\sound\soc\tegra\tegra_pcm.c(13): * Copyright (C) 2010 Google, Inc.
linux-3.10\sound\soc\tegra\tegra_pcm.c(5): * Copyright (C) 2010,2012 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra_pcm.c(7): * Based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra_pcm.c(9): * Copyright (c) 2009-2010, NVIDIA Corporation.
linux-3.10\sound\soc\tegra\tegra_pcm.h(12): * Copyright (C) 2010 Google, Inc.
linux-3.10\sound\soc\tegra\tegra_pcm.h(5): * Copyright (C) 2010,2012 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra_pcm.h(7): * Based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra_pcm.h(9): * Copyright (c) 2009-2010, NVIDIA Corporation.
linux-3.10\sound\soc\tegra\tegra_wm8753.c(11): * Copyright 2007 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\tegra\tegra_wm8753.c(5): * Copyright (C) 2010-2012 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra_wm8753.c(7): * Based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra_wm8903.c(11): * Copyright 2007 Wolfson Microelectronics PLC.
linux-3.10\sound\soc\tegra\tegra_wm8903.c(5): * Copyright (C) 2010-2012 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra_wm8903.c(7): * Based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra_wm9712.c(4): * Copyright 2012 Lucas Stach <dev@lynxeye.de>
linux-3.10\sound\soc\tegra\tegra_wm9712.c(6): * Partly based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra_wm9712.c(7): * Copyright 2011,2012 Toradex Inc.
linux-3.10\sound\soc\tegra\tegra20_ac97.c(4): * Copyright (c) 2012 Lucas Stach <dev@lynxeye.de>
linux-3.10\sound\soc\tegra\tegra20_ac97.c(6): * Partly based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra20_ac97.c(8): * Copyright (c) 2011,2012 Toradex Inc.
linux-3.10\sound\soc\tegra\tegra20_ac97.h(4): * Copyright (c) 2012 Lucas Stach <dev@lynxeye.de>
linux-3.10\sound\soc\tegra\tegra20_ac97.h(6): * Partly based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra20_ac97.h(8): * Copyright (c) 2011,2012 Toradex Inc.
linux-3.10\sound\soc\tegra\tegra20_das.c(5): * Copyright (C) 2010 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra20_das.h(5): * Copyright (C) 2010,2012 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra20_i2s.c(12): * Copyright (C) 2010 Google, Inc.
linux-3.10\sound\soc\tegra\tegra20_i2s.c(5): * Copyright (C) 2010,2012 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra20_i2s.c(7): * Based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra20_i2s.c(9): * Copyright (c) 2009-2010, NVIDIA Corporation.
linux-3.10\sound\soc\tegra\tegra20_i2s.h(12): * Copyright (C) 2010 Google, Inc.
linux-3.10\sound\soc\tegra\tegra20_i2s.h(5): * Copyright (C) 2010,2012 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra20_i2s.h(7): * Based on code copyright/by:

legal(ME)

linux-3.10\sound\soc\tegra\tegra20_i2s.h(9): * Copyright (c) 2009-2010, NVIDIA Corporation.
linux-3.10\sound\soc\tegra\tegra20_spdif.c(5): * Copyright (C) 2011-2012 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra20_spdif.h(5): * Copyright (C) 2011 - NVIDIA, Inc.
linux-3.10\sound\soc\tegra\tegra20_spdif.h(7): * Based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra20_spdif.h(8): * Copyright (c) 2008-2009, NVIDIA Corporation
linux-3.10\sound\soc\tegra\tegra30_ahub.c(4): * Copyright (c) 2011,2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\sound\soc\tegra\tegra30_ahub.h(4): * Copyright (c) 2011,2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\sound\soc\tegra\tegra30_i2s.c(12): * Copyright (C) 2010 Google, Inc.
linux-3.10\sound\soc\tegra\tegra30_i2s.c(5): * Copyright (c) 2010-2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\sound\soc\tegra\tegra30_i2s.c(7): * Based on code copyright/by:
linux-3.10\sound\soc\tegra\tegra30_i2s.c(9): * Copyright (c) 2009-2010, NVIDIA Corporation.
linux-3.10\sound\soc\tegra\tegra30_i2s.h(4): * Copyright (c) 2011,2012, NVIDIA CORPORATION.All rights reserved.
linux-3.10\sound\soc\tegra\trimslice.c(4): * Copyright (C) 2011 - CompuLab, Ltd.
linux-3.10\sound\soc\tegra\trimslice.c(7): * Based on code copyright/by:
linux-3.10\sound\soc\tegra\trimslice.c(9): * Copyright (C) 2010-2011 - NVIDIA, Inc.
linux-3.10\sound\soc\txx9\txx9aclc.c(4): * Copyright (C) 2009 Atsushi Nemoto
linux-3.10\sound\soc\txx9\txx9aclc.c(7): * (C) Copyright TOSHIBA CORPORATION 2004-2006
linux-3.10\sound\soc\txx9\txx9aclc-ac97.c(4): * Copyright (C) 2009 Atsushi Nemoto
linux-3.10\sound\soc\txx9\txx9aclc-ac97.c(7): * (C) Copyright TOSHIBA CORPORATION 2004-2006
linux-3.10\sound\soc\txx9\txx9aclc-generic.c(4): * Copyright (C) 2009 Atsushi Nemoto
linux-3.10\sound\soc\txx9\txx9aclc-generic.c(7): * (C) Copyright TOSHIBA CORPORATION 2004-2006
linux-3.10\sound\soc\ux500\mop500.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\ux500\mop500_ab8500.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\ux500\mop500_ab8500.h(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\ux500\ux500_msp_dai.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\ux500\ux500_msp_dai.h(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\ux500\ux500_msp_i2s.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\ux500\ux500_msp_i2s.h(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\ux500\ux500_pcm.c(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\soc\ux500\ux500_pcm.h(2): * Copyright (C) ST-Ericsson SA 2012
linux-3.10\sound\sparc\amd7930.c(3): * Copyright (C) 2002, 2008 David S. Miller <davem@davemloft.net>

legal(ME)

linux-3.10\sound\sparc\amd7930.c(6): * Copyright (C) 1996,1997 Thomas K. Dyas
(tdyas@eden.rutgers.edu)
linux-3.10\sound\sparc\cs4231.c(3): * Copyright (C) 2002, 2008 David S. Miller
<davem@davemloft.net>
linux-3.10\sound\sparc\cs4231.c(6): * Copyright (C) 1996, 1997, 1998 Derrick J
Brashear (shadow@andrew.cmu.edu)
linux-3.10\sound\sparc\cs4231.c(8): * Copyright (c) by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\sparc\dbri.c(3): * Copyright (C) 2004, 2005 Martin Habets
(mhabets@users.sourceforge.net)
linux-3.10\sound\sparc\dbri.c(8): * Copyright (C) 1997 Rudolf Koenig
(rfkoenig@immd4.informatik.uni-erlangen.de)
linux-3.10\sound\sparc\dbri.c(9): * Copyright (C) 1998, 1999 Brent Baccala
(baccala@freesoft.org)
linux-3.10\sound\sparc\Makefile(3):# Copyright (c) 2002 by David S. Miller
<davem@redhat.com>
linux-3.10\sound\spi\at73c213.c(4): * Copyright (C) 2006-2007 Atmel Norway
linux-3.10\sound\spi\at73c213.h(4): * Copyright (C) 2006 - 2007 Atmel Corporation
linux-3.10\sound\synth\emux\emux.c(2): *Copyright (C) 2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\synth\emux\emux_effect.c(4): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\sound\synth\emux\emux_effect.c(5): *Copyright (c) 1999-2000 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\synth\emux\emux_hwdep.c(4): *Copyright (C) 2004 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\synth\emux\emux_nrpn.c(4): *Copyright (c) 1999-2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\synth\emux\emux_oss.c(4): *Copyright (C) 1999 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\synth\emux\emux_proc.c(2): *Copyright (C) 2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\synth\emux\emux_seq.c(4): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\sound\synth\emux\emux_seq.c(5): *Copyright (c) 1999-2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\synth\emux\emux_synth.c(4): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\sound\synth\emux\emux_synth.c(5): *Copyright (c) 1999-2000 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\synth\emux\emux_voice.h(7): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\sound\synth\emux\emux_voice.h(8): *Copyright (c) 1999-2000 Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\synth\emux\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\synth\emux\soundfont.c(6): *Copyright (C) 1999 Steve Ratcliffe
linux-3.10\sound\synth\emux\soundfont.c(7): *Copyright (c) 1999-2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\synth\Makefile(3):# Copyright (c) 2001 by Jaroslav Kysela
<perex@perex.cz>
linux-3.10\sound\synth\util_mem.c(2): *Copyright (C) 2000 Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\usb\6fire\chip.c(8): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\chip.h(6): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\comm.c(8): * Copyright:(C) Torsten Schenk

legal(ME)

linux-3.10\sound\usb\6fire\comm.h(6): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\common.h(6): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\control.c(8): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\control.h(6): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\firmware.c(8): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\firmware.h(6): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\midi.c(8): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\midi.h(6): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\pcm.c(8): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\6fire\pcm.h(6): * Copyright:(C) Torsten Schenk
linux-3.10\sound\usb\caiaq\audio.c(2): * Copyright (c) 2006-2008 Daniel Mack,
Karsten Wiese
linux-3.10\sound\usb\caiaq\control.c(2): * Copyright (c) 2007 Daniel Mack
linux-3.10\sound\usb\caiaq\device.c(4): * Copyright (c) 2007 Daniel Mack
<daniel@caiaq.de>
linux-3.10\sound\usb\caiaq\input.c(2): * Copyright (c) 2006,2007 Daniel Mack, Tim
Ruetz
linux-3.10\sound\usb\caiaq\midi.c(2): * Copyright (c) 2006,2007 Daniel Mack
linux-3.10\sound\usb\card.c(4): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\usb\midi.c(4): * Copyright (c) 2002-2009 Clemens Ladisch
linux-3.10\sound\usb\misc\ua101.c(3): * Copyright (c) Clemens Ladisch
<clemens@ladisch.de>
linux-3.10\sound\usb\mixer.c(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\usb\mixer_maps.c(4): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\usb\mixer_quirks.c(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\usb\quirks-table.h(4): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>,
linux-3.10\sound\usb\usbaudio.h(6): * Copyright (c) 2002 by Takashi Iwai
<tiwai@suse.de>
linux-3.10\sound\usb\usx2y\us1221.c(2): * Copyright (C) 2007, 2008 Karsten Wiese
<fzu@wemgehoertderstaat.de>
linux-3.10\sound\usb\usx2y\usb_stream.c(2): * Copyright (C) 2007, 2008 Karsten
Wiese <fzu@wemgehoertderstaat.de>
linux-3.10\sound\usb\usx2y\usb_stream.h(2): * Copyright (C) 2007, 2008 Karsten
Wiese <fzu@wemgehoertderstaat.de>
linux-3.10\sound\usb\usx2y\usb428ctldfns.h(3): * Copyright (c) 2003 by Karsten
Wiese <annabellesgarden@yahoo.de>
linux-3.10\sound\usb\usx2y\usb2x2y.c(116): * Copyright (c) 2002 - 2004 Karsten
Wiese
linux-3.10\sound\usb\usx2y\usb2x2yaudio.c(11): * Copyright (c) 2002 by Takashi
Iwai <tiwai@suse.de>
linux-3.10\sound\usb\usx2y\usb2x2yaudio.c(3): * Copyright (c) 2002-2004 by
Karsten Wiese
linux-3.10\sound\usb\usx2y\usx2y.h(4): * Copyright (c) 2003 by Karsten Wiese
<annabellesgarden@yahoo.de>
linux-3.10\sound\usb\usx2y\usX2Yhwdep.c(6): * Copyright (c) 2003 by Karsten Wiese
<annabellesgarden@yahoo.de>
linux-3.10\tools\cgroup\cgroup_event_listener.c(4): * Copyright (C) Kirill A.

legal(ME)

Shutemov <kirill@shutemov.name>
linux-3.10\tools\firewire\nosy-dump.c(3): * Copyright (C) 2002-2006 Kristian H77gsberg
linux-3.10\tools\hv\hv_kvp_daemon.c(5): * Copyright (C) 2010, Novell, Inc.
linux-3.10\tools\hv\hv_vss_daemon.c(5): * Copyright (C) 2013, Microsoft, Inc.
linux-3.10\tools\lib\traceevent\event-parse.c(2): * Copyright (C) 2009, 2010 Red Hat Inc, Steven Rostedt <ststedt@redhat.com>
linux-3.10\tools\lib\traceevent\event-parse.c(22): *- Copyright (C) 2009 Frederic Weisbecker,
linux-3.10\tools\lib\traceevent\event-parse.h(2): * Copyright (C) 2009, 2010 Red Hat Inc, Steven Rostedt <ststedt@redhat.com>
linux-3.10\tools\lib\traceevent\event-utils.h(2): * Copyright (C) 2010 Red Hat Inc, Steven Rostedt <ststedt@redhat.com>
linux-3.10\tools\lib\traceevent\parse-filter.c(2): * Copyright (C) 2010 Red Hat Inc, Steven Rostedt <ststedt@redhat.com>
linux-3.10\tools\lib\traceevent\parse-utils.c(2): * Copyright (C) 2010 Red Hat Inc, Steven Rostedt <ststedt@redhat.com>
linux-3.10\tools\lib\traceevent\trace-seq.c(2): * Copyright (C) 2009 Red Hat Inc, Steven Rostedt <ststedt@redhat.com>
linux-3.10\tools\net\bpf_jit_disasm.c(13): * Copyright 2013 Daniel Borkmann <borkmann@redhat.com>
linux-3.10\tools\nfsd\inject_fault.sh(3):# Copyright (c) 2011 Bryan Schumaker <bjschuma@netapp.com>
linux-3.10\tools\perf\arch\arm\util\dwarf-regs.c(4): * Copyright (C) 2010 Will Deacon, ARM Ltd.
linux-3.10\tools\perf\arch\powerpc\util\dwarf-regs.c(4): * Copyright (C) 2010 Ian Munsie, IBM Corporation.
linux-3.10\tools\perf\arch\s390\util\dwarf-regs.c(4): *Copyright IBM Corp. 2010
linux-3.10\tools\perf\arch\sh\util\dwarf-regs.c(4): * Copyright (C) 2010 Matt Fleming <matt@console-pimps.org>
linux-3.10\tools\perf\arch\sparc\util\dwarf-regs.c(4): * Copyright (C) 2010 David S. Miller <davem@davemloft.net>
linux-3.10\tools\perf\builtin-bench.c(7): * Copyright (C) 2009, Hitoshi Mitake <mitake@dcl.info.waseda.ac.jp>
linux-3.10\tools\perf\builtin-buildid-cache.c(6): * Copyright (C) 2010, Red Hat Inc.
linux-3.10\tools\perf\builtin-buildid-cache.c(7): * Copyright (C) 2010, Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\builtin-buildid-list.c(7): * Copyright (C) 2009, Red Hat Inc.
linux-3.10\tools\perf\builtin-buildid-list.c(8): * Copyright (C) 2009, Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\builtin-list.c(6): * Copyright (C) 2009, Thomas Gleixner <tglx@linutronix.de>
linux-3.10\tools\perf\builtin-list.c(7): * Copyright (C) 2008-2009, Red Hat Inc, Ingo Molnar <mingo@redhat.com>
linux-3.10\tools\perf\builtin-list.c(8): * Copyright (C) 2011, Red Hat Inc, Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\builtin-stat.c(30): * Copyright (C) 2008-2011, Red Hat Inc, Ingo Molnar <mingo@redhat.com>
linux-3.10\tools\perf\builtin-timechart.c(4): * (C) Copyright 2009 Intel Corporation

legal(ME)

linux-3.10\tools\perf\builtin-top.c(7): * Copyright (C) 2008, Red Hat Inc, Ingo Molnar <mingo@redhat.com>
linux-3.10\tools\perf\python\twatch.py(5):# Copyright (C) 2011 Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\Context.c(13): * Copyright (C) 2009 Tom Zanussi <tzanussi@gmail.com>
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\Context.xs(4): * Copyright (C) 2009 Tom Zanussi <tzanussi@gmail.com>
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\lib\Perf\Trace\Context.pm(43):=head1 COPYRIGHT AND LICENSE
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\lib\Perf\Trace\Context.pm(45): Copyright (C) 2009 by Tom Zanussi
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\lib\Perf\Trace\Core.pm(180):=head1 COPYRIGHT AND LICENSE
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\lib\Perf\Trace\Core.pm(182): Copyright (C) 2009 by Tom Zanussi
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\lib\Perf\Trace\Util.pm(82):=head1 COPYRIGHT AND LICENSE
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\lib\Perf\Trace\Util.pm(84): Copyright (C) 2009 by Tom Zanussi
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\README(48): COPYRIGHT AND LICENCE
linux-3.10\tools\perf\scripts\perl\Perf-Trace-Util\README(50): Copyright (C) 2009 by Tom Zanussi <tzanussi@gmail.com>
linux-3.10\tools\perf\scripts\python\Perf-Trace-Util\Context.c(4): * Copyright (C) 2010 Tom Zanussi <tzanussi@gmail.com>
linux-3.10\tools\perf\scripts\python\Perf-Trace-Util\lib\Perf\Trace\Core.py(3):# Copyright (C) 2010 by Tom Zanussi <tzanussi@gmail.com>
linux-3.10\tools\perf\scripts\python\Perf-Trace-Util\lib\Perf\Trace\SchedGui.py(4):# Copyright (C) 2010 by Frederic Weisbecker <fweisbec@gmail.com>
linux-3.10\tools\perf\scripts\python\Perf-Trace-Util\lib\Perf\Trace\Util.py(3):# Copyright (C) 2010 by Tom Zanussi <tzanussi@gmail.com>
linux-3.10\tools\perf\scripts\python\sched-migration.py(5):# Copyright (C) 2010 Frederic Weisbecker <fweisbec@gmail.com>
linux-3.10\tools\perf\util\annotate.c(2): * Copyright (C) 2011, Red Hat Inc, Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\util\annotate.c(5): * copyright notes.
linux-3.10\tools\perf\util\build-id.c(6): * Copyright (C) 2009, 2010 Red Hat Inc.
linux-3.10\tools\perf\util\build-id.c(7): * Copyright (C) 2009, 2010 Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\util\callchain.c(2): * Copyright (C) 2009-2011, Frederic Weisbecker <fweisbec@gmail.com>
linux-3.10\tools\perf\util\config.c(7): * Copyright (C) Linus Torvalds, 2005
linux-3.10\tools\perf\util\config.c(8): * Copyright (C) Johannes Schindelin, 2005
linux-3.10\tools\perf\util\evlist.c(2): * Copyright (C) 2011, Red Hat Inc, Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\util\evlist.c(5): * copyright notes.
linux-3.10\tools\perf\util\evsel.c(2): * Copyright (C) 2011, Red Hat Inc, Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\util\evsel.c(5): * copyright notes.
linux-3.10\tools\perf\util\scripting-engines\trace-event-perl.c(4): * Copyright (C) 2009 Tom Zanussi <tzanussi@gmail.com>

legal(ME)

linux-3.10\tools\perf\util\scripting-engines\trace-event-python.c(4): * Copyright (C) 2010 Tom Zanussi <tzanussi@gmail.com>
linux-3.10\tools\perf\util\svghelper.c(4): * (C) Copyright 2009 Intel Corporation
linux-3.10\tools\perf\util\target.c(4): * Copyright (C) 2012, LG Electronics, Namhyung Kim <namhyung.kim@lge.com>
linux-3.10\tools\perf\util\top.c(2): * Copyright (C) 2011, Red Hat Inc, Arnaldo Carvalho de Melo <acme@redhat.com>
linux-3.10\tools\perf\util\trace-event-info.c(2): * Copyright (C) 2008,2009, Steven Rostedt <srostedt@redhat.com>
linux-3.10\tools\perf\util\trace-event-parse.c(2): * Copyright (C) 2009, Steven Rostedt <srostedt@redhat.com>
linux-3.10\tools\perf\util\trace-event-read.c(2): * Copyright (C) 2009, Steven Rostedt <srostedt@redhat.com>
linux-3.10\tools\perf\util\trace-event-scripting.c(4): * Copyright (C) 2009-2010 Tom Zanussi <tzanussi@gmail.com>
linux-3.10\tools\perf\util\unwind.c(13): * Copyright (C) 2010, Frederic Weisbecker <fweisbec@gmail.com>
linux-3.10\tools\perf\util\unwind.c(14): * Copyright (C) 2012, Jiri Olsa <jolsa@redhat.com>
linux-3.10\tools\perf\util\unwind.c(8): * Copyright (C) 2002-2007 Hewlett-Packard Co
linux-3.10\tools\perf\util\usage.c(7): * Copyright (C) Linus Torvalds, 2005
linux-3.10\tools\power\cpupower\bench\benchmark.c(3): *Copyright (C) 2008 Christian Kornacker <ckornacker@suse.de>
linux-3.10\tools\power\cpupower\bench\benchmark.h(3): *Copyright (C) 2008 Christian Kornacker <ckornacker@suse.de>
linux-3.10\tools\power\cpupower\bench\config.h(3): *Copyright (C) 2008 Christian Kornacker <ckornacker@suse.de>
linux-3.10\tools\power\cpupower\bench\cpufreq-bench_plot.sh(18):#
Author/Copyright(c): 2009, Thomas Renninger <trenn@suse.de>, Novell Inc.
linux-3.10\tools\power\cpupower\bench\cpufreq-bench_script.sh(18):#
Author/Copyright(c): 2009, Thomas Renninger <trenn@suse.de>, Novell Inc.
linux-3.10\tools\power\cpupower\bench\main.c(3): *Copyright (C) 2008 Christian Kornacker <ckornacker@suse.de>
linux-3.10\tools\power\cpupower\bench\parse.c(3): *Copyright (C) 2008 Christian Kornacker <ckornacker@suse.de>
linux-3.10\tools\power\cpupower\bench\parse.h(3): *Copyright (C) 2008 Christian Kornacker <ckornacker@suse.de>
linux-3.10\tools\power\cpupower\bench\system.c(3): *Copyright (C) 2008 Christian Kornacker <ckornacker@suse.de>
linux-3.10\tools\power\cpupower\bench\system.h(3): *Copyright (C) 2008 Christian Kornacker <ckornacker@suse.de>
linux-3.10\tools\power\cpupower\lib\cpufreq.h(4): *Copyright (C) 2004-2009Dominik Brodowski <linux@dominikbrodowski.de>
linux-3.10\tools\power\cpupower\Makefile(3):# Copyright (C) 2005,2006 Dominik Brodowski <linux@dominikbrodowski.net>
linux-3.10\tools\power\cpupower\Makefile(7):# Copyright (C) 2003,2004 Greg Kroah-Hartman <greg@kroah.com>
linux-3.10\tools\power\cpupower\po\cs.po(4):# Copyright (C) 2007 kavol
linux-3.10\tools\power\cpupower\po\de.po(3):# Copyright (C) 2004-2009 Dominik Brodowski <linux@dominikbrodowski.net>
linux-3.10\tools\power\cpupower\po\fr.po(2):# Copyright (C) 2004 THE PACKAGE'S

legal(ME)

COPYRIGHT HOLDER

linux-3.10\tools\power\cpupower\po\it.po(2):# Copyright (C) 2004-2009
linux-3.10\tools\power\cpupower\po\pt.po(2):# Copyright (C) 2008 THE
cpufrequtils'S COPYRIGHT HOLDER
linux-3.10\tools\power\x86\turbostat\turbostat.c(5): * Copyright (c) 2012 Intel
Corporation.
linux-3.10\tools\power\x86\x86_energy_perf_policy\x86_energy_perf_policy.8(1):.\"
This page Copyright (C) 2010 Len Brown <len.brown@intel.com>
linux-3.10\tools\power\x86\x86_energy_perf_policy\x86_energy_perf_policy.c(6): *
Copyright (c) 2010, Intel Corporation.
linux-3.10\tools\testing\ktest\ktest.pl(3):# Copyright 2010 - Steven Rostedt
<ststedt@redhat.com>, Red Hat Inc.
linux-3.10\tools\testing\selftests\breakpoints\breakpoint_test.c(2): * Copyright
(C) 2011 Red Hat, Inc., Frederic Weisbecker <fweisbec@redhat.com>
linux-3.10\tools\testing\selftests\mqueue\mq_open_tests.c(2): * This application
is Copyright 2012 Red Hat, Inc.
linux-3.10\tools\testing\selftests\mqueue\mq_perf_tests.c(2): * This application
is Copyright 2012 Red Hat, Inc.
linux-3.10\tools\testing\selftests\net\psock_fanout.c(2): * Copyright 2013 Google
Inc.
linux-3.10\tools\testing\selftests\net\psock_lib.h(2): * Copyright 2013 Google
Inc.
linux-3.10\tools\testing\selftests\net\psock_tpacket.c(2): * Copyright 2013 Red
Hat, Inc.
linux-3.10\tools\usb\ffs-test.c(4): * Copyright (C) 2010 Samsung Electronics
linux-3.10\tools\usb\testusb.c(4): * Copyright (c) 2002 by David Brownell
linux-3.10\tools\usb\testusb.c(5): * Copyright (c) 2010 by Samsung Electronics
linux-3.10\tools\virtio\virtio-trace\trace-agent.c(4): * Copyright (C) 2012
Hitachi, Ltd.
linux-3.10\tools\virtio\virtio-trace\trace-agent-ctl.c(4): * Copyright (C) 2012
Hitachi, Ltd.
linux-3.10\tools\virtio\virtio-trace\trace-agent-rw.c(4): * Copyright (C) 2012
Hitachi, Ltd.
linux-3.10\tools\vm\page-types.c(17): * Copyright (C) 2009 Intel corporation
linux-3.10\virt\kvm\assigned-dev.c(4): * Copyright (C) 2010 Red Hat, Inc. and/or
its affiliates.
linux-3.10\virt\kvm\async_pf.c(4): * Copyright 2010 Red Hat, Inc.
linux-3.10\virt\kvm\async_pf.h(4): * Copyright 2010 Red Hat, Inc.
linux-3.10\virt\kvm\coalesced_mmio.c(4): * Copyright (c) 2008 Bull S.A.S.
linux-3.10\virt\kvm\coalesced_mmio.c(5): * Copyright 2009 Red Hat, Inc. and/or
its affiliates.
linux-3.10\virt\kvm\coalesced_mmio.h(7): * Copyright (c) 2008 Bull S.A.S.
linux-3.10\virt\kvm\eventfd.c(4): * Copyright 2009 Novell.All Rights Reserved.
linux-3.10\virt\kvm\eventfd.c(5): * Copyright 2010 Red Hat, Inc. and/or its
affiliates.
linux-3.10\virt\kvm\ioapic.c(2): *Copyright (C) 2001MandrakeSoft S.A.
linux-3.10\virt\kvm\ioapic.c(3): *Copyright 2010 Red Hat, Inc. and/or its
affiliates.
linux-3.10\virt\kvm\iommu.c(17): * Copyright (C) 2006-2008 Intel Corporation
linux-3.10\virt\kvm\iommu.c(18): * Copyright IBM Corporation, 2008
linux-3.10\virt\kvm\iommu.c(19): * Copyright 2010 Red Hat, Inc. and/or its
affiliates.

legal(ME)

```
linux-3.10\virt\kvm\iommu.c(2): * Copyright (c) 2006, Intel Corporation.
linux-3.10\virt\kvm\irq_comm.c(20): * Copyright 2010 Red Hat, Inc. and/or its
affiliates.
linux-3.10\virt\kvm\irq_comm.c(3): * Copyright (c) 2007, Intel Corporation.
linux-3.10\virt\kvm\irqchip.c(3): * Copyright (c) 2007, Intel Corporation.
linux-3.10\virt\kvm\irqchip.c(4): * Copyright 2010 Red Hat, Inc. and/or its
affiliates.
linux-3.10\virt\kvm\irqchip.c(5): * Copyright (c) 2013, Alexander Graf
<agraf@suse.de>
linux-3.10\virt\kvm\kvm_main.c(7): * Copyright (C) 2006 Qumranet, Inc.
linux-3.10\virt\kvm\kvm_main.c(8): * Copyright 2010 Red Hat, Inc. and/or its
affiliates.
mng\libmng-1.0.10\bcg\bogus\bogus.cpp(3):/* * COPYRIGHT NOTICE:* */
mng\libmng-1.0.10\bcg\bogus\bogus.cpp(44):/* * file: bogus.cpp copyright (c)
2000,2002 G.Juyn * */
mng\libmng-1.0.10\bcg\bogus\bogus.cpp(5):/* * Copyright (c) 2000,2002 Gerard Juyn
(gerard@libmng.com)* */
mng\libmng-1.0.10\bcg\bogus\bogus.cpp(62):/* * - fixed copyright notice * */
mng\libmng-1.0.10\bcg\bogus\bogus.cpp(9):/* * For the purposes of this copyright
and license, "Contributing Authors" * */
mng\libmng-1.0.10\bcg\mngrepair\mngrepair.cpp(3):/* * COPYRIGHT NOTICE:* */
mng\libmng-1.0.10\bcg\mngrepair\mngrepair.cpp(44):/* * file: mngrepair.cpp
copyright (c) 2002 G.Juyn* */
mng\libmng-1.0.10\bcg\mngrepair\mngrepair.cpp(5):/* * Copyright (c) 2000-2002
Gerard Juyn (gerard@libmng.com)* */
mng\libmng-1.0.10\bcg\mngrepair\mngrepair.cpp(9):/* * For the purposes of this
copyright and license, "Contributing Authors" * */
mng\libmng-1.0.10\bcg\mngtree\mngtree.cpp(3):/* * COPYRIGHT NOTICE:* */
mng\libmng-1.0.10\bcg\mngtree\mngtree.cpp(44):/* * file: mngtree.cpp copyright
(c) 2000 G.Juyn* */
mng\libmng-1.0.10\bcg\mngtree\mngtree.cpp(5):/* * Copyright (c) 2000 Gerard Juyn
(gerard@libmng.com) * */
mng\libmng-1.0.10\bcg\mngtree\mngtree.cpp(9):/* * For the purposes of this
copyright and license, "Contributing Authors" * */
mng\libmng-1.0.10\bcg\mngview\Main.cpp(13):{*file: main.pascopyright (c) 2000
G.Juyn *}
mng\libmng-1.0.10\bcg\win32dll\libmng.cpp(3):/* * COPYRIGHT NOTICE:* */
mng\libmng-1.0.10\bcg\win32dll\libmng.cpp(44):/* * file: libmng.cppcopyright (c)
2000-2002 G.Juyn * */
mng\libmng-1.0.10\bcg\win32dll\libmng.cpp(5):/* * Copyright (c) 2000-2007 Gerard
Juyn (gerard@libmng.com)* */
mng\libmng-1.0.10\bcg\win32dll\libmng.cpp(59):/* * - version-number & copyright *
*/
mng\libmng-1.0.10\bcg\win32dll\libmng.cpp(9):/* * For the purposes of this
copyright and license, "Contributing Authors" * */
mng\libmng-1.0.10\CHANGES(543):- fixed copyright notice in the headers of all
libmng modules
mng\libmng-1.0.10\contrib\bcg\mngdump\About.cpp(8):"\nCopyright (c) 2000 Andy
Protano (a.a.protano@care4free.net)"\
mng\libmng-1.0.10\contrib\bcg\mngdump\Main.cpp(25):/* * COPYRIGHT NOTICE:* */
mng\libmng-1.0.10\contrib\bcg\mngdump\Main.cpp(27):/* * Copyright (c) 2000 Andy
Protano* */
```

legal(ME)

```
mng\libmng-1.0.10\contrib\bcb\mngdump\Main.cpp(32):/* * For the purposes of this
copyright and license, "Contributing Authors" * */
mng\libmng-1.0.10\contrib\delphi\libmng.pas(11):{*For the purposes of this
copyright and license, "Contributing Authors"*}
mng\libmng-1.0.10\contrib\delphi\libmng.pas(46):{*file: libmng.pascopyright (c)
2000-2004 G.Juyn*}
mng\libmng-1.0.10\contrib\delphi\libmng.pas(5):{*COPYRIGHT NOTICE: *}
mng\libmng-1.0.10\contrib\delphi\libmng.pas(7):{*Copyright (c) 2000-2004 Gerard
Juyn (gerard@libmng.com) *}
mng\libmng-1.0.10\contrib\delphi\mngview\Main.pas(16):{*file: main.pascopyright
(c) 2000-2002 G.Juyn*}
mng\libmng-1.0.10\contrib\gcc\fbmngplay\COPYING(316):Gnomovision version 69,
Copyright (C) yearname of author
mng\libmng-1.0.10\contrib\gcc\fbmngplay\COPYING(330):Yoyodyne, Inc., hereby
disclaims all copyright interest in the program
mng\libmng-1.0.10\contrib\gcc\fbmngplay\COPYING(4): Copyright (C) 1989, 1991 Free
Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\fbmngplay\Makefile(1):# Copyright (C) 1994, 1995-8,
1999 Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\fbmngplay\messages.c(36):fprintf(stderr, "fbmngplay
v%s, Copyright (C) 2001 Stefan Reinauer\n",FBMNGPLAY_VERSION);
mng\libmng-1.0.10\contrib\gcc\gtk-mng-view\COPYING(4): Copyright (C) 1991 Free
Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\gtk-mng-view\COPYING(408):copyrighted by the Free
Software Foundation, write to the Free
mng\libmng-1.0.10\contrib\gcc\gtk-mng-view\COPYING(475):Yoyodyne, Inc., hereby
disclaims all copyright interest in the
mng\libmng-1.0.10\contrib\gcc\gtk-mng-view\gtk-mng-view.c(3): * Copyright (C)
2000 The Free Software Foundation
mng\libmng-1.0.10\contrib\gcc\gtk-mng-view\gtk-mng-view.h(3): * Copyright (C)
2000 The Free Software Foundation
mng\libmng-1.0.10\contrib\gcc\gtk-mng-view\README(19): * Copyright (C) 2000 The
Free Software Foundation
mng\libmng-1.0.10\contrib\gcc\mngtree\mngtree.c(3):/* * COPYRIGHT NOTICE:* */
mng\libmng-1.0.10\contrib\gcc\mngtree\mngtree.c(44):/* * file: mngtree.c
copyright (c) 2000 G.Juyn* */
mng\libmng-1.0.10\contrib\gcc\mngtree\mngtree.c(5):/* * Copyright (c) 2000 Gerard
Juyn (gerard :at: libmng.com)* */
mng\libmng-1.0.10\contrib\gcc\mngtree\mngtree.c(9):/* * For the purposes of this
copyright and license, "Contributing Authors" * */
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(120):# Copyright (C) 1999,
2000, 2001, 2002, 2003, 2004, 2005
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(14):# Copyright (C) 2002,
2003, 2005Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(277):# Copyright (C) 1999,
2000, 2001, 2002, 2003, 2004, 2005
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(3):# Copyright (C) 1996,
1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(345):# Copyright (C) 1996,
1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(35):# Copyright (C) 2001,
2003, 2005Free Software Foundation, Inc.
```

legal(ME)

mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(457):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(471):# Copyright (C) 2003, 2005Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(494):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(546):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2005
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(579):# Copyright (C) 2003, 2004, 2005Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(644):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(677):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(727):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(757):# Copyright (C) 2004, 2005Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\aclocal.m4(88):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\autom4te.cache\output.0(1360):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\autom4te.cache\output.0(5):@%:@
Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\autom4te.cache\output.0(5075):Copyright (C) 2006 Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\autom4te.cache\output.1(1360):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\autom4te.cache\output.1(5):@%:@
Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\autom4te.cache\output.1(5075):Copyright (C) 2006 Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\configure(1360):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\configure(5):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\configure(5075):Copyright (C) 2006 Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\COPYING(316):Gnomovision version 69, Copyright (C) yearname of author
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005 Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\install-sh(10):# Copyright (C) 1994 X Consortium
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
mng\libmng-1.0.10\contrib\gcc\sdl-mngplay\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005

legal(ME)

mng\libmng-1.0.10\contrib\gcc\xmngview\color.c(7): * Copyright (C) 2002 Gerd Knorr <kraxel@bytesex.org>
mng\libmng-1.0.10\contrib\kylix\libmng.pas(11):{*For the purposes of this copyright and license, "Contributing Authors"*}
mng\libmng-1.0.10\contrib\kylix\libmng.pas(46):{*file: libmng.pascopyright (c) 2000-2002 G.Juyn*}
mng\libmng-1.0.10\contrib\kylix\libmng.pas(5):{*COPYRIGHT NOTICE: *}
mng\libmng-1.0.10\contrib\kylix\libmng.pas(7):{*Copyright (c) 2000-2002 Gerard Juyn (gerard@libmng.com) *}
mng\libmng-1.0.10\contrib\kylix\mngview\Main.pas(16):{*file: main.pascopyright (c) 2000-2002 G.Juyn*}
mng\libmng-1.0.10\contrib\msvc\makemng\getopt\getopt.c(5): Copyright (C) 1987,88,89,90,91,92,93,94,95,96,98,99,2000,2001
mng\libmng-1.0.10\contrib\msvc\makemng\getopt\getopt.h(2): Copyright (C) 1989-1994, 1996-1999, 2001 Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\msvc\makemng\getopt\getopt1.c(2): Copyright (C) 1987,88,89,90,91,92,93,94,96,97,98
mng\libmng-1.0.10\contrib\msvc\mngplg\COPYING-LCMS(439):copyrighted by the Free Software Foundation, write to the Free
mng\libmng-1.0.10\contrib\msvc\mngplg\COPYING-LCMS(507):Yoyodyne, Inc., hereby disclaims all copyright interest in the
mng\libmng-1.0.10\contrib\msvc\mngplg\COPYING-LCMS(6): Copyright (C) 1991, 1999 Free Software Foundation, Inc.
mng\libmng-1.0.10\contrib\msvc\mngplg\mngplg-src-1.0.1\license.txt(10):Copyright (c) 2000-2002 by Jason Summers <jason1@pobox.com>
mng\libmng-1.0.10\contrib\msvc\mngplg\mngplg-src-1.0.1\license.txt(8):COPYRIGHT NOTICE
mng\libmng-1.0.10\contrib\msvc\mngplg\mngplg-src-1.0.1\npmngplg.c(1828):\r\nCopyright (C) 2000-2002 by Jason Summers\r\n\r\n,MNGPLGVERS,__DATE__);
mng\libmng-1.0.10\contrib\msvc\mngplg\mngplg-src-1.0.1\npmngplg.rc(80):VALUE "LegalCopyright", "Copyright 7 2000-2002\0"
mng\libmng-1.0.10\contrib\msvc\mngplg\readme.txt(11):Copyright (c) 2000-2002 by Jason Summers <jason1@pobox.com>
mng\libmng-1.0.10\contrib\msvc\mngplg\readme.txt(61): Copyright (c) 2000,2002 Gerard Juyn (gerard@libmng.com)
mng\libmng-1.0.10\contrib\msvc\mngplg\readme.txt(68): Copyright (C) 1991-1998, Thomas G. Lane
mng\libmng-1.0.10\contrib\msvc\mngplg\readme.txt(9):COPYRIGHT NOTICE
mng\libmng-1.0.10\doc\libmng.txt(1057):COPYRIGHT NOTICE:
mng\libmng-1.0.10\doc\libmng.txt(1059):Copyright (c) 2000,2001 Gerard Juyn
mng\libmng-1.0.10\doc\libmng.txt(1061):For the purposes of this copyright and license, "Contributing Authors"
mng\libmng-1.0.10\doc\man\jng.5(33):The MNG-1.00 specification is copyright (c) 1998-2001 Glenn Randers-Pehrson.
mng\libmng-1.0.10\doc\man\libmng.3(1098):Copyright (c) 2000-2002 Gerard Juyn
mng\libmng-1.0.10\doc\man\libmng.3(1100):For the purposes of this copyright and license, "Contributing Authors"
mng\libmng-1.0.10\doc\man\mng.5(38):The MNG-1.00 specification is copyright (c) 1998-2001 Glenn Randers-Pehrson.
mng\libmng-1.0.10\doc\rpm\libmng.spec(5):Copyright: AS IS
mng\libmng-1.0.10\libmng.h(105):/* * file: libmng.hcopyright (c) 2000-2007 G.Juyn
* */

legal(ME)

```
mng\libmng-1.0.10\libmng.h(2701):#define MNG_TEXT_COPYRIGHT "Copyright"
mng\libmng-1.0.10\libmng.h(3):/* * COPYRIGHT NOTICE:* */
mng\libmng-1.0.10\libmng.h(5):/* * Copyright (c) 2000-2007 Gerard Juyn* */
mng\libmng-1.0.10\libmng.h(9):/* * For the purposes of this copyright and
license, "Contributing Authors" * */
mng\libmng-1.0.10\libmng_callback_xs.c(7):/* * file:
libmng_callback_xs.ccopyright (c) 2000-2004 G.Juyn * */
mng\libmng-1.0.10\libmng_chunk_descr.c(7):/* * file:
libmng_chunk_descr.ccopyright (c) 2005-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_chunk_descr.h(7):/* * file:
libmng_chunk_descr.hcopyright (c) 2007 G.Juyn* */
mng\libmng-1.0.10\libmng_chunk_io.c(7):/* * file: libmng_chunk_io.c copyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_chunk_io.h(7):/* * file: libmng_chunk_io.h copyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_chunk_prc.c(7):/* * file: libmng_chunk_prc.ccopyright
(c) 2000-2005 G.Juyn * */
mng\libmng-1.0.10\libmng_chunk_prc.h(7):/* * file: libmng_chunk_prc.hcopyright
(c) 2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_chunk_xs.c(7):/* * file: libmng_chunk_xs.c copyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_chunks.h(7):/* * file: libmng_chunks.h copyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_cms.c(7):/* * file: libmng_cms.ccopyright (c) 2000-2004
G.Juyn * */
mng\libmng-1.0.10\libmng_cms.h(7):/* * file: libmng_cms.hcopyright (c) 2000-2003
G.Juyn * */
mng\libmng-1.0.10\libmng_conf.h(4):/* * file: libmng_conf.h copyright (c) G.Juyn
2000-2004 * */
mng\libmng-1.0.10\libmng_data.h(7):/* * file: libmng_data.h copyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_display.c(7):/* * file: libmng_display.ccopyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_display.h(7):/* * file: libmng_display.hcopyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_dither.c(7):/* * file: libmng_dither.c copyright (c)
2000-2004 G.Juyn * */
mng\libmng-1.0.10\libmng_dither.h(7):/* * file: libmng_dither.h copyright (c)
2000-2002 G.Juyn * */
mng\libmng-1.0.10\libmng_error.c(7):/* * file: libmng_error.ccopyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_error.h(7):/* * file: libmng_error.hcopyright (c)
2000-2002 G.Juyn * */
mng\libmng-1.0.10\libmng_filter.c(7):/* * file: libmng_filter.c copyright (c)
2000-2004 G.Juyn * */
mng\libmng-1.0.10\libmng_filter.h(7):/* * file: libmng_filter.h copyright (c)
2000-2002 G.Juyn * */
mng\libmng-1.0.10\libmng_hlapi.c(7):/* * file: libmng_hlapi.ccopyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_jpeg.c(7):/* * file: libmng_jpeg.c copyright (c)
2000-2004 G.Juyn * */
mng\libmng-1.0.10\libmng_jpeg.h(7):/* * file: libmng_jpeg.h copyright (c)
```

legal(ME)

```
2000-2002 G.Juyn * */
mng\libmng-1.0.10\libmng_memory.h(7):/* * file: libmng_memory.h copyright (c)
2000-2003 G.Juyn * */
mng\libmng-1.0.10\libmng_object_prc.c(7):/* * file: libmng_object_prc.c copyright
(c) 2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_object_prc.h(7):/* * file: libmng_object_prc.h copyright
(c) 2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_objects.h(7):/* * file: libmng_objects.hcopyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_pixels.c(7):/* * file: libmng_pixels.c copyright (c)
2000-2005 G.Juyn * */
mng\libmng-1.0.10\libmng_pixels.h(7):/* * file: libmng_pixels.h copyright (c)
2000-2006 G.Juyn * */
mng\libmng-1.0.10\libmng_prop_xs.c(7):/* * file: libmng_prop_xs.ccopyright (c)
2000-2006 G.Juyn * */
mng\libmng-1.0.10\libmng_read.c(7):/* * file: libmng_read.c copyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_read.h(4):/* * file: libmng_read.h copyright (c)
2000-2004 G.Juyn * */
mng\libmng-1.0.10\libmng_trace.c(7):/* * file: libmng_trace.ccopyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_trace.h(7):/* * file: libmng_trace.hcopyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_types.h(7):/* * file: libmng_types.hcopyright (c)
2000-2007 G.Juyn * */
mng\libmng-1.0.10\libmng_write.c(7):/* * file: libmng_write.ccopyright (c)
2000-2004 G.Juyn * */
mng\libmng-1.0.10\libmng_write.h(7):/* * file: libmng_write.hcopyright (c)
2000-2004 G.Juyn * */
mng\libmng-1.0.10\libmng_zlib.c(7):/* * file: libmng_zlib.c copyright (c)
2000-2004 G.Juyn * */
mng\libmng-1.0.10\libmng_zlib.h(7):/* * file: libmng_zlib.h copyright (c)
2000-2002 G.Juyn * */
mng\libmng-1.0.10\LICENSE(3):/* * COPYRIGHT NOTICE:* */
mng\libmng-1.0.10\LICENSE(5):/* * Copyright (c) 2000-2007 Gerard Juyn
(gerard@libmng.com) * */
mng\libmng-1.0.10\LICENSE(9):/* * For the purposes of this copyright and license,
"Contributing Authors" * */
mng\libmng-1.0.10\makefiles\makefile.vcwin32(2):# Copyright (C) 2000
AM(s98t269@stmail.eng.kagawa-u.ac.jp)
mng\libmng-1.0.10\special\mozcfg\mozlibmngconf.h(4):/* * file: mozlibmngconf.h
copyright (c) G.R-P 2003-2005* */
mng\notice.txt(3):/* * COPYRIGHT NOTICE:* */
mng\notice.txt(5):/* * Copyright (c) 2000-2007 Gerard Juyn (gerard@libmng.com) *
*/
mng\notice.txt(9):/* * For the purposes of this copyright and license,
"Contributing Authors" * */
module-init-tools\module-init-tools-3.12\aclocal.m4(113):# Copyright (C) 1997,
2000, 2001, 2003, 2004, 2005, 2006, 2008
module-init-tools\module-init-tools-3.12\aclocal.m4(147):# Copyright (C) 1999,
2000, 2001, 2002, 2003, 2004, 2005, 2006, 2009
module-init-tools\module-init-tools-3.12\aclocal.m4(22):# Copyright (C) 2002,
```

legal(ME)

2003, 2005, 2006, 2007, 2008Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(3):# Copyright (C) 1996,
1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
module-init-tools\module-init-tools-3.12\aclocal.m4(331):# Copyright (C) 1999,
2000, 2001, 2002, 2003, 2004, 2005, 2008
module-init-tools\module-init-tools-3.12\aclocal.m4(411):# Copyright (C) 1996,
1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
module-init-tools\module-init-tools-3.12\aclocal.m4(548):# Copyright (C) 2001,
2003, 2005, 2008Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(569):# Copyright (C) 2003,
2005Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(592):# Copyright (C) 2001,
2002, 2003, 2005, 2009Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(60):# Copyright (C) 2001,
2003, 2005Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(644):# Copyright (C) 1997,
1999, 2000, 2001, 2003, 2004, 2005, 2008
module-init-tools\module-init-tools-3.12\aclocal.m4(685):# Copyright (C) 2003,
2004, 2005, 2006Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(713):# Copyright (C) 2001,
2002, 2003, 2005, 2008Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(746):# Copyright (C) 1996,
1997, 2000, 2001, 2003, 2005, 2008
module-init-tools\module-init-tools-3.12\aclocal.m4(809):# Copyright (C) 2001,
2003, 2005Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(837):# Copyright (C) 2006,
2008Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\aclocal.m4(858):# Copyright (C) 2004,
2005Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\config.guess(3):# Copyright (C) 1992,
1993, 1994, 1995, 1996, 1997, 1998, 1999,
module-init-tools\module-init-tools-3.12\config.guess(59):Copyright (C) 1992,
1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
module-init-tools\module-init-tools-3.12\config.sub(3):# Copyright (C) 1992,
1993, 1994, 1995, 1996, 1997, 1998, 1999,
module-init-tools\module-init-tools-3.12\config.sub(78):Copyright (C) 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
module-init-tools\module-init-tools-3.12\configure(1443):Copyright (C) 1992,
1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
module-init-tools\module-init-tools-3.12\configure(4500):Copyright (C) 2008 Free
Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\configure(5):# Copyright (C) 1992, 1993,
1994, 1995, 1996, 1998, 1999, 2000, 2001,
module-init-tools\module-init-tools-3.12\COPYING(316):Gnomovision version 69,
Copyright (C) yearname of author
module-init-tools\module-init-tools-3.12\COPYING(330):Yoyodyne, Inc., hereby
disclaims all copyright interest in the program
module-init-tools\module-init-tools-3.12\COPYING(4): Copyright (C) 1989, 1991
Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\depcomp(6):# Copyright (C) 1999, 2000,
2003, 2004, 2005, 2006, 2007, 2009 Free
module-init-tools\module-init-tools-3.12\depmod.8(97):.SH "COPYRIGHT"

legal(ME)

module-init-tools\module-init-tools-3.12\depmod.8(99):This manual page originally Copyright 2002, Rusty Russell,
module-init-tools\module-init-tools-3.12\depmod.conf.5(53):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\depmod.conf.5(55):This manual page Copyright 2006-2010, Jon Masters, Red Hat, Inc.
module-init-tools\module-init-tools-3.12\doc\depmod.conf.sgml(103):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\depmod.conf.sgml(105):This manual page Copyright 2006-2010, Jon Masters, Red Hat, Inc.
module-init-tools\module-init-tools-3.12\doc\depmod.sgml(209):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\depmod.sgml(212):This manual page originally Copyright 2002, Rusty Russell,
module-init-tools\module-init-tools-3.12\doc\insmod.sgml(54):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\insmod.sgml(56):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\doc\lsmod.sgml(45):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\lsmod.sgml(47):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\doc\modinfo.sgml(138):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\modinfo.sgml(140):This manual page originally Copyright 2003, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\doc\modprobe.conf.sgml(221):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\modprobe.conf.sgml(223):This manual page originally Copyright 2004, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\doc\modprobe.d.sgml(221):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\modprobe.d.sgml(223):This manual page originally Copyright 2004, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\doc\modprobe.sgml(454):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\modprobe.sgml(456):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\doc\modules.dep.sgml(56):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\modules.dep.sgml(58):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\doc\rmmmod.sgml(118):<title>COPYRIGHT</title>
module-init-tools\module-init-tools-3.12\doc\rmmmod.sgml(120):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\index.c(2):Copyright (C) 2008Alan Jenkins <alan-jenkins@tuffmail.co.uk>.
module-init-tools\module-init-tools-3.12\index.h(3):Copyright (C) 2008Alan Jenkins <alan-jenkins@tuffmail.co.uk>.
module-init-tools\module-init-tools-3.12\insmod.8(21):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\insmod.8(23):This manual page originally Copyright 2002, Rusty Russell, IBM

legal(ME)

module-init-tools\module-init-tools-3.12\insmod.c(2):Copyright (C) 2001Rusty Russell.
module-init-tools\module-init-tools-3.12\insmod.c(3):Copyright (C) 2002Rusty Russell, IBM Corporation.
module-init-tools\module-init-tools-3.12\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005,
module-init-tools\module-init-tools-3.12\install-sh(10):# Copyright (C) 1994 X Consortium
module-init-tools\module-init-tools-3.12\lsmod.8(13):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\lsmod.8(15):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\lsmod.c(2):Copyright (C) 2002Rusty Russell, IBM Corporation.
module-init-tools\module-init-tools-3.12\m4\ax_configure_args.m4(36):# Copyright (c) 2008 Guido U. Draheim <guidod@gmx.de>
module-init-tools\module-init-tools-3.12\m4\ax_configure_args.m4(51):# As a special exception, the respective Autoconf Macro's copyright owner
module-init-tools\module-init-tools-3.12\m4\ax_enable_buildidir.m4(57):# Copyright (c) 2009 Guido U. Draheim <guidod@gmx.de>
module-init-tools\module-init-tools-3.12\m4\ax_enable_buildidir.m4(58):# Copyright (c) 2009 Alan Jenkins <alan-jenkins@tuffmail.co.uk>
module-init-tools\module-init-tools-3.12\m4\ax_enable_buildidir.m4(73):# As a special exception, the respective Autoconf Macro's copyright owner
module-init-tools\module-init-tools-3.12\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
module-init-tools\module-init-tools-3.12\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006,
module-init-tools\module-init-tools-3.12\modinfo.8(66):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\modinfo.8(68):This manual page originally Copyright 2003, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\modprobe.8(241):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\modprobe.8(243):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\modprobe.c(2):Copyright (C) 2001Rusty Russell.
module-init-tools\module-init-tools-3.12\modprobe.c(3):Copyright (C) 2002, 2003Rusty Russell, IBM Corporation.
module-init-tools\module-init-tools-3.12\modprobe.conf.5(141):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\modprobe.conf.5(143):This manual page originally Copyright 2004, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\modules.dep.5(23):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\modules.dep.5(25):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\rmmod.8(42):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\rmmod.8(44):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\rmmod.c(2):Copyright (C) 2001Rusty Russell.
module-init-tools\module-init-tools-3.12\rmmod.c(3):Copyright (C) 2002Rusty Russell, IBM Corporation.
module-init-tools\module-init-tools-3.12\tests\build\config.log(73):Copyright (C) 2010 Free Software Foundation, Inc.

legal(ME)

module-init-tools\module-init-tools-3.12\tests\build\config.status(356):Copyright (C) 2008 Free Software Foundation, Inc.
module-init-tools\module-init-tools-3.12\tests\build\depmod.8(97):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\depmod.8(99):This manual page originally Copyright 2002, Rusty Russell,
module-init-tools\module-init-tools-3.12\tests\build\depmod.conf.5(53):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\depmod.conf.5(55):This manual page Copyright 2006-2010, Jon Masters, Red Hat, Inc.
module-init-tools\module-init-tools-3.12\tests\build\insmod.8(21):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\insmod.8(23):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\tests\build\lsmod.8(13):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\lsmod.8(15):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\tests\build\Makefile(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
module-init-tools\module-init-tools-3.12\tests\build\modinfo.8(66):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\modinfo.8(68):This manual page originally Copyright 2003, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\tests\build\modprobe.8(241):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\modprobe.8(243):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\tests\build\modprobe.conf.5(141):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\modprobe.conf.5(143):This manual page originally Copyright 2004, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\tests\build\modules.dep.5(23):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\modules.dep.5(25):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\module-init-tools-3.12\tests\build\rmmod.8(42):.SH "COPYRIGHT"
module-init-tools\module-init-tools-3.12\tests\build\rmmod.8(44):This manual page originally Copyright 2002, Rusty Russell, IBM
module-init-tools\NOTICE.txt(316):Gnomovision version 69, Copyright (C) yearname of author
module-init-tools\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
module-init-tools\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
ncurses\ncurses-5.7\aclocal.m4(2):dn1 Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\aclocal.m4(34):dn1 These macros are maintained separately from NCURSES.The copyright on
ncurses\ncurses-5.7\Ada95\gen\gen.c(2): * Copyright (c) 1998,2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\Ada95\gen\html.m4(2):dn1 Copyright (c) 2000-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\Ada95\gen\Makefile.in(2):# Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.#

legal(ME)

```
ncurses\ncurses-5.7\Ada95\gen\normal.m4(2):dn1 Copyright (c) 1998,2006 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\Ada95\gen\table.m4(2):dn1 Copyright (c) 2000,2006 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses.adb.m4(12):-- Copyright
(c) 1998-2007,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses.ads.m4(12):-- Copyright
(c) 1998-2006,2007 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-aux.ads.m4(13):--
Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-forms.ads.m4(13):--
Copyright (c) 1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-forms-field_types.ads.m4(
13):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-forms-field_user_data.ads
.m4(13):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-forms-form_user_data.ads.
m4(13):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-menus.ads.m4(13):--
Copyright (c) 1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-menus-item_user_data.ads.
m4(13):-- Copyright (c) 1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-menus-menu_user_data.ads.
m4(13):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-mouse.ads.m4(13):--
Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-panels.ads.m4(13):--
Copyright (c) 1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-panels-user_data.ads.m4(1
3):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\gen\terminal_interface-curses-trace.ads.m4(12):--
Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\Makefile.in(2):# Copyright (c) 1998 Free Software
Foundation, Inc.#
ncurses\ncurses-5.7\Ada95\README(2):-- Copyright (c) 1998 Free Software
Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\Makefile.in(2):# Copyright (c) 1998-2004,2005
Free Software Foundation, Inc.#
ncurses\ncurses-5.7\Ada95\samples\ncurses.adb(10):-- Copyright (c) 2000 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2.ads(10):-- Copyright (c) 2000 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-acs_and_scroll.adb(10):-- Copyright
(c) 2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-acs_and_scroll.ads(10):-- Copyright
(c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-acs_display.adb(10):-- Copyright (c)
2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-acs_display.ads(10):-- Copyright (c)
2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-attr_test.adb(10):-- Copyright (c)
2000-2007,2008 Free Software Foundation, Inc.--
```

legal(ME)

ncurses\ncurses-5.7\Ada95\samples\ncurses2-attr_test.ads(10):-- Copyright (c) 2000,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\ncurses2-color_edit.adb(10):-- Copyright (c) 2000-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-color_edit.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-color_test.adb(10):-- Copyright (c) 2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-color_test.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-demo_forms.adb(10):-- Copyright (c) 2000-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-demo_forms.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-demo_pad.adb(10):-- Copyright (c) 2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-demo_pad.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-demo_panels.adb(10):-- Copyright (c) 2000-2004,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-demo_panels.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-flushinp_test.adb(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-flushinp_test.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-genericputs.adb(10):-- Copyright (c) 2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-genericputs.ads(10):-- Copyright (c) 2000,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\ncurses2-getch.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-getch_test.adb(10):-- Copyright (c) 2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-getch_test.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-getopt.adb(10):-- Copyright (c) 2000-2004,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-getopt.adb(43):--copyright Free Software Foundtion
ncurses\ncurses-5.7\Ada95\samples\ncurses2-getopt.ads(10):-- Copyright (c) 2000,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\ncurses2-m.adb(10):-- Copyright (c) 2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-m.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-menu_test.adb(10):-- Copyright (c) 2000-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-menu_test.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-overlap_test.adb(10):-- Copyright (c) 2000,2004 Free Software Foundation, Inc. --

legal(ME)

ncurses\ncurses-5.7\Ada95\samples\ncurses2-overlap_test.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-slk_test.adb(10):-- Copyright (c) 2000-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-slk_test.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-test_sgr_attributes.adb(10):-- Copyright (c) 2000,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\ncurses2-test_sgr_attributes.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-trace_set.adb(10):-- Copyright (c) 2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-trace_set.ads(10):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-util.adb(10):-- Copyright (c) 2000-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\ncurses2-util.ads(10):-- Copyright (c) 2000,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\rain.adb(10):-- Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\rain.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\README(2):-- Copyright (c) 1998,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample.adb(10):-- Copyright (c) 1998,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\sample.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-curses_demo.adb(10):-- Copyright (c) 1998,2004 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\sample-curses_demo.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-curses_demo-attributes.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-curses_demo-attributes.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-curses_demo-mouse.adb(10):-- Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-curses_demo-mouse.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-explanation.adb(10):-- Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-explanation.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-form_demo.adb(10):-- Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-form_demo.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-form_demo-aux.adb(10):-- Copyright (c) 1998,2004 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\sample-form_demo-aux.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--

legal(ME)

```
ncurses\ncurses-5.7\Ada95\samples\sample-form_demo-handler.adb(10):-- Copyright
(c) 1998,2004 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\sample-form_demo-handler.ads(10):-- Copyright
(c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-function_key_setting.adb(10):--
Copyright (c) 1998,2004 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\sample-function_key_setting.ads(10):--
Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-header_handler.adb(10):-- Copyright (c)
1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-header_handler.ads(10):-- Copyright (c)
1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-helpers.adb(10):-- Copyright (c)
1998-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-helpers.ads(10):-- Copyright (c) 1998
Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-keyboard_handler.adb(10):-- Copyright
(c) 1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-keyboard_handler.ads(10):-- Copyright
(c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-manifest.ads(10):-- Copyright (c) 1998
Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-menu_demo.adb(10):-- Copyright (c)
1998-2004,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-menu_demo.ads(10):-- Copyright (c) 1998
Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-menu_demo-aux.adb(10):-- Copyright (c)
1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\sample-menu_demo-aux.ads(10):-- Copyright (c)
1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-menu_demo-handler.adb(10):-- Copyright
(c) 1998,2004 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\sample-menu_demo-handler.ads(10):-- Copyright
(c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-my_field_type.adb(10):-- Copyright (c)
1998-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-my_field_type.ads(10):-- Copyright (c)
1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\samples\sample-text_io_demo.adb(10):-- Copyright (c)
1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\sample-text_io_demo.ads(10):-- Copyright (c)
1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\status.adb(10):-- Copyright (c) 1998 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\status.ads(10):-- Copyright (c) 1998 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\tour.adb(10):-- Copyright (c) 1998 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\samples\tour.ads(10):-- Copyright (c) 1998 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\Makefile.in(2):# Copyright (c) 1998-2003,2004 Free
Software Foundation, Inc.#
```

legal(ME)

ncurses\ncurses-5.7\Ada95\src\terminal_interface.ads(10):-- Copyright (c) 1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-aux.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms.adb(10):-- Copyright (c) 1998-2004,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types.adb(10) :-- Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-alpha.adb(10):-- Copyright (c) 1998,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-alpha.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-alphanumeric.adb(10):-- Copyright (c) 1998,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-alphanumeric.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-enumeration.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-enumeration.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-enumeration-ada.adb(10):-- Copyright (c) 1998,2004 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-enumeration-ada.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-intfield.adb(10):-- Copyright (c) 1998,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-intfield.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-ipv4_address.adb(10):-- Copyright (c) 1998,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-ipv4_address.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-numeric.adb(10):-- Copyright (c) 1998,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-numeric.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-regexp.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-regexp.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-user.adb(10):-- Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-user.ads(10):-- Copyright (c) 1998,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-user-choice.adb(10):-- Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_types-user-choice.ads(10):-- Copyright (c) 1998,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-field_user_data.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-forms-form_user_data.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--

legal(ME)

ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-menus.adb(10):--
Copyright (c) 1998-2004,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-menus-item_user_data.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-menus-menu_user_data.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-mouse.adb(10):--
Copyright (c) 1998-2004,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-panels.adb(10):--
Copyright (c) 1998,2004 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-panels-user_data.adb(10):
-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-putwin.adb(10):--
Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-putwin.ads(10):--
Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-termcap.adb(10):--
Copyright (c) 2000-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-termcap.ads(10):--
Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-terminfo.adb(10):--
Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-terminfo.ads(10):--
Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io.adb(10):--
Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io.ads(10):--
Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-aux.adb(10):--
Copyright (c) 1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-aux.ads(10):--
Copyright (c) 1998,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-complex_io.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-complex_io.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-decimal_io.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-decimal_io.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-enumeration_io.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-enumeration_io.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-fixed_io.adb(10):
-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-fixed_io.ads(10):
-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-float_io.adb(10):
-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-float_io.ads(10):
-- Copyright (c) 1998 Free Software Foundation, Inc.--

legal(ME)

ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-integer_io.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-integer_io.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-modular_io.adb(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-text_io-modular_io.ads(10):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\Ada95\src\terminal_interface-curses-trace.adb_p(10):-- Copyright (c) 2000,2004 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\Ada95\TODO(2):-- Copyright (c) 1998-1999,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\ANNOUNCE(418):
FreeSoftwareFoundation,whichholdsthecopyrighton ncurses.
ncurses\ncurses-5.7\announce.html.in(5):* Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\announce.html.in(541):which holds the copyright on ncurses.
ncurses\ncurses-5.7\AUTHORS(2):-- Copyright (c) 2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\c++\cursesapp.cc(3): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursesapp.h(3): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursesf.cc(3): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursesf.h(3): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursesm.cc(3): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursesm.h(3): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursesmain.cc(3): * Copyright (c) 1998-2003,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursespad.cc(3): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursespad.h(3): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursesw.cc(3): * Copyright (c) 2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursesw.h(4): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursslk.cc(3): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\cursslk.h(3): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\demo.cc(3): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\edit_cfg.sh(4):# Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\c++\etip.h.in(3): * Copyright (c) 1998-2007,2008 Free

legal(ME)

Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\headers(4):# Copyright (c) 1998,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\c++\internal.h(3): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\c++\Makefile.in(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\c++\modules(4):# Copyright (c) 1998,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\c++\NEWS(2):-- Copyright (c) 1998,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\c++\PROBLEMS(2):-- Copyright (c) 1998,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\c++\README-first(2):-- Copyright (c) 1998-2006,2007 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
ncurses\ncurses-5.7\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
ncurses\ncurses-5.7\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
ncurses\ncurses-5.7\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
ncurses\ncurses-5.7\configure(17070):Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001
ncurses\ncurses-5.7\configure(6):# Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001
ncurses\ncurses-5.7\configure(860):Copyright 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001
ncurses\ncurses-5.7\configure.in(2):dnl Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\convert_configure.pl(5):# Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\dist.mk(2):# Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\doc\html\ada\terminal_interface__ads.htm(15):-- Copyright (c) 1998,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses__adb.htm(15):-- Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses__ads.htm(15):-- Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-aux__adb.htm(15):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-aux__ads.htm(15):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms__adb.htm(15):-- Copyright (c) 1998-2004,2008 Free Software Foundation,

legal(ME)

Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms__ads.htm(15):-- Copyright (c) 1998,2006 Free Software Foundation, Inc.
--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types__adb
.htm(15):-- Copyright (c) 1998-2006,2008 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types__ads
.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-alph
a__adb.htm(15):-- Copyright (c) 1998,2008 Free Software
Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-alph
a__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-alph
anumeric__adb.htm(15):-- Copyright (c) 1998,2008 Free
Software Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-alph
anumeric__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-enum
eration__adb.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-enum
eration__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-enum
eration-ada__adb.htm(15):-- Copyright (c) 1998,2004 Free
Software Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-enum
eration-ada__ads.htm(15):-- Copyright (c) 1998 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-intf
ield__adb.htm(15):-- Copyright (c) 1998,2008 Free Software
Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-intf
ield__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-ipv4
_address__adb.htm(15):-- Copyright (c) 1998,2008 Free
Software Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-ipv4
_address__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-nume
ric__adb.htm(15):-- Copyright (c) 1998,2008 Free Software
Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-nume
ric__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--

legal(ME)

ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-rege
xp__adb.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-rege
xp__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-user
__adb.htm(15):-- Copyright (c) 1998-2006,2008 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-user
__ads.htm(15):-- Copyright (c) 1998,2008 Free Software
Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-user
-choice__adb.htm(15):-- Copyright (c) 1998-2006,2008 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_types-user
-choice__ads.htm(15):-- Copyright (c) 1998,2008 Free
Software Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_user_data_
__adb.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-field_user_data_
__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-form_user_data_
__adb.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-forms-form_user_data_
__ads.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-menus__adb.htm(15):<FO
NT COLOR=green>-- Copyright (c) 1998-2004,2008 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-menus__ads.htm(15):<FO
NT COLOR=green>-- Copyright (c) 1998,2006 Free Software Foundation, Inc.
--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-menus-item_user_data_
__adb.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-menus-item_user_data_
__ads.htm(15):-- Copyright (c) 1998,2006 Free Software
Foundation, Inc. --
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-menus-menu_user_data_
__adb.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-menus-menu_user_data_
__ads.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-mouse__adb.htm(15):<FO
NT COLOR=green>-- Copyright (c) 1998-2004,2008 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-mouse__ads.htm(15):<FO

legal(ME)

NT COLOR=green>-- Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-panels__adb.htm(15):-- Copyright (c) 1998,2004 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-panels__ads.htm(15):-- Copyright (c) 1998,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-panels-user_data__adb.htm(15):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-panels-user_data__ads.htm(15):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-putwin__adb.htm(15):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-putwin__ads.htm(15):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-termcap__adb.htm(15):-- Copyright (c) 2000-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-termcap__ads.htm(15):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-terminfo__adb.htm(15):-- Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-terminfo__ads.htm(15):-- Copyright (c) 2000 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io__adb.htm(15):-- Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io__ads.htm(15):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-aux__adb.htm(15):-- Copyright (c) 1998,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-aux__ads.htm(15):-- Copyright (c) 1998,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-complex_io__adb.htm(15):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-complex_io__ads.htm(15):-- Copyright (c) 1998 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-decimal_io__adb.htm(15):-- Copyright (c) 1998 Free Software Foundation,

legal(ME)

Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-decimal_io__ad
s.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-enumeration_io
__adb.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-enumeration_io
__ads.htm(15):-- Copyright (c) 1998 Free Software
Foundation, Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-fixed_io__adb.
htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-fixed_io__ads.
htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-float_io__adb.
htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-float_io__ads.
htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-integer_io__ad
b.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-integer_io__ad
s.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-modular_io__ad
b.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-text_io-modular_io__ad
s.htm(15):-- Copyright (c) 1998 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-trace__adb.htm(15):<FO
NT COLOR=green>-- Copyright (c) 2000,2004 Free Software Foundation, Inc.
--
ncurses\ncurses-5.7\doc\html\ada\terminal_interface-curses-trace__ads.htm(15):<FO
NT COLOR=green>-- Copyright (c) 2000 Free Software Foundation,
Inc.--
ncurses\ncurses-5.7\doc\html\Ada95.html(5):* Copyright (c) 1998-2003,2004 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\announce.html(5):* Copyright (c) 1998-2006,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\announce.html(541):which holds the copyright on
ncurses.
ncurses\ncurses-5.7\doc\html\hackguide.html(5):* Copyright (c) 1998-2003,2005
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\index.html(5):* Copyright (c) 1998-2000,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\captainfo.1m.html(5):* Copyright (c)
1998-2006,2007 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\doc\html\man\clear.1.html(4):* Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_add_wch.3x.html(4):* Copyright (c) 2001-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_add_wchstr.3x.html(4):* Copyright (c) 2002-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_addch.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_addchstr.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_addstr.3x.html(4):* Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_addwstr.3x.html(4):* Copyright (c) 2002-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_attr.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_beep.3x.html(4):* Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_bkgd.3x.html(4):* Copyright (c) 1998-2002,2003 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_bkgrnd.3x.html(4):* Copyright (c) 2002-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_border.3x.html(4):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_border_set.3x.html(4):* Copyright (c) 2002-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_clear.3x.html(4):* Copyright (c) 1998-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_color.3x.html(4):* Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_delch.3x.html(4):* Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_deleteln.3x.html(4):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_extend.3x.html(4):* Copyright (c) 1999-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_get_wch.3x.html(4):* Copyright (c) 2002-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_get_wstr.3x.html(4):* Copyright (c) 2002-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_getcchar.3x.html(4):* Copyright (c) 2001-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_getch.3x.html(5):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_getstr.3x.html(4):* Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_getyx.3x.html(4):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_in_wch.3x.html(4):* Copyright (c) 2002,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\curs_in_wchstr.3x.html(4):* Copyright (c) 2002-2005,2006 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\doc\html\man\curs_inch.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_inchstr.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_initscr.3x.html(4):* Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_inopts.3x.html(4):* Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_ins_wch.3x.html(4):* Copyright (c) 2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_ins_wstr.3x.html(4):* Copyright (c) 2002,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_insch.3x.html(4):* Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_insstr.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_instr.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_inwstr.3x.html(4):* Copyright (c) 2002-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_kernel.3x.html(4):* Copyright (c) 1998-2001,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_legacy.3x.html(4):* Copyright (c) 2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_mouse.3x.html(5):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_move.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_opaque.3x.html(4):* Copyright (c) 2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_outopts.3x.html(4):* Copyright (c) 1998-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_overlay.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_pad.3x.html(4):* Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_print.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_printw.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_refresh.3x.html(4):* Copyright (c) 1998-2001,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_scanw.3x.html(4):* Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_scr_dump.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_scroll.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_slk.3x.html(4):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_termattrs.3x.html(4):* Copyright (c) 1998-2003,2007 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\doc\html\man\curs_termcap.3x.html(4):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_terminfo.3x.html(4):* Copyright (c) 1999-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_threads.3x.html(4):* Copyright (c) 2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_touch.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_trace.3x.html(4):* Copyright (c) 2000-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_util.3x.html(4):* Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\curs_window.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\default_colors.3x.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\define_key.3x.html(4):* Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form.3x.html(5):* Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_cursor.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\form_data.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\form_driver.3x.html(4):* Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_field.3x.html(5):* Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_field_attributes.3x.html(5):* Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_field_buffer.3x.html(5):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_field_info.3x.html(5):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_field_just.3x.html(5):* Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_field_new.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_field_opts.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_field_userptr.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\form_field_validation.3x.html(4):* Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_fieldtype.3x.html(5):* Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_hook.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_new.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\form_new_page.3x.html(5):* Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\doc\html\man\form_opts.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\form_page.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\form_post.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\form_requestname.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\form_userptr.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\form_win.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\index.html(5):* Copyright (c) 1998-2001,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\infocmp.1m.html(5):* Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\infotocap.1m.html(5):* Copyright (c) 1999-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\key_defined.3x.html(4):* Copyright (c) 2003-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\keybound.3x.html(4):* Copyright (c) 1999-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\keyok.3x.html(4):* Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\legacy_coding.3x.html(4):* Copyright (c) 2005,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\menu.3x.html(5):* Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\menu_attributes.3x.html(5):* Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\menu_cursor.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\menu_driver.3x.html(4):* Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\menu_format.3x.html(5):* Copyright (c) 1998-2001,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\menu_hook.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\menu_items.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\menu_mark.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\menu_new.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\menu_opts.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\menu_pattern.3x.html(4):* Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\menu_post.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\menu_requestname.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *

legal(ME)

ncurses\ncurses-5.7\doc\html\man\menu_spacing.3x.html(5):* Copyright (c) 1998-2001,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\menu_userptr.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\menu_win.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\mitem_current.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\mitem_name.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\mitem_new.3x.html(5):* Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\mitem_opts.3x.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\mitem_userptr.3x.html(5):* Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\doc\html\man\mitem_value.3x.html(4):* Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\mitem_visible.3x.html(5):* Copyright (c) 1998 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\ncurses.3x.html(5):* Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\panel.3x.html(4):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\resizeterm.3x.html(4):* Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\term.5.html(4):* Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\term.7.html(4):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\terminfo.5.html(40):* See "terminfo.head" for copyright.
ncurses\ncurses-5.7\doc\html\man\terminfo.5.html(9):* Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\tic.1m.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\toe.1m.html(4):* Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\tput.1.html(5):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\tset.1.html(4):* Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\man\wresize.3x.html(4):* Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\doc\html\ncurses-intro.html(5):* Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\f_trace.c(2): * Copyright (c) 2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_arg.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_attr.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\form\fld_current.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_def.c(2): * Copyright (c) 1998-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_dup.c(2): * Copyright (c) 1998-2004,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_ftchoice.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_ftlink.c(2): * Copyright (c) 1998-2004,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_info.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_just.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_link.c(2): * Copyright (c) 1998-2004,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_max.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_move.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_newftyp.c(2): * Copyright (c) 1998-2004,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_opts.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_pad.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_page.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_stat.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_type.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fld_user.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\form.h(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\form.priv.h(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_cursor.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_data.c(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_def.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_driver.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_hook.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_opts.c(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_page.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\form\frm_post.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_req_name.c(2): * Copyright (c) 1998-2005,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_scale.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_sub.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_user.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\frm_win.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fty_alnum.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fty_alpha.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fty_enum.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fty_int.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fty_ipv4.c(2): * Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fty_num.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\fty_regex.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\headers(2):# Copyright (c) 1998,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\form\llib-lform(2): * Copyright (c) 1998-2002,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\llib-lformw(2): * Copyright (c) 2002,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\form\Makefile.in(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\form\modules(3):# Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\form\README(2):-- Copyright (c) 1998-2003,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\include\capdefaults.c(2): * Copyright (c) 1998-2000,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\Caps(2):# Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\Caps.aix4(2):# Copyright (c) 2001-2002,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\Caps.hpux11(2):# Copyright (c) 2002-2003,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\Caps.keys(2):# Copyright (c) 2001-2002,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\Caps.osf1r5(2):# Copyright (c) 2002,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\include\Caps.uwin(2):# Copyright (c) 2001-2002,2006 Free Software Foundation, Inc.#

legal(ME)

ncurses\ncurses-5.7\include\curses.h.in(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\edit_cfg.sh(4):# Copyright (c) 1998,2000,2001 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\hashed_db.h(2): * Copyright (c) 2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\headers(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\Makefile.in(3):# Copyright (c) 1998,2000,2001 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\MKhashsize.sh(3):# Copyright (c) 1998,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\include\MKkey_defs.sh(4):# Copyright (c) 2001-2002,2003 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\MKncurses_def.sh(4):# Copyright (c) 2000 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\MKparametrized.sh(3):# Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\MKterm.h.awk.in(4):print" * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*"
ncurses\ncurses-5.7\include\nc_alloc.h(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\nc_panel.h(2): * Copyright (c) 1998-2000,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\nc_tparm.h(2): * Copyright (c) 2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\ncurses_cfg.h.in(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\ncurses_defs(3):# Copyright (c) 2000-2007,2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\include\ncurses_dll.h(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\term_entry.h(2): * Copyright (c) 1998-2005,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\termcap.h.in(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\include\tic.h(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\include\unctrl.h.in(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\INSTALL(2):-- Copyright (c) 1998-2006,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\install-sh(9):# Copyright (C) 1994 X Consortium
ncurses\ncurses-5.7\Makefile.in(3):# Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\Makefile.os2(2):# Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\man\captainfo.1m(3):.\" Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\clear.1(2):.\" Copyright (c) 1998-2000,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_add_wch.3x(2):.\" Copyright (c) 2001-2002,2006 Free

legal(ME)

Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_add_wchstr.3x(2):.\ " Copyright (c) 2002-2004,2005
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_addch.3x(3):.\ " Copyright (c) 1998-2006,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_addchstr.3x(2):.\ " Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_addstr.3x(2):.\ " Copyright (c) 1998-2003,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_addwstr.3x(2):.\ " Copyright (c) 2002-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_attr.3x(3):.\ " Copyright (c) 1998-2006,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_beep.3x(2):.\ " Copyright (c) 1998-2003,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_bkgd.3x(2):.\ " Copyright (c) 1998-2002,2003 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_bkgrnd.3x(2):.\ " Copyright (c) 2002-2004,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_border.3x(2):.\ " Copyright (c) 1998-2006,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_border_set.3x(2):.\ " Copyright (c) 2002-2004,2005
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_clear.3x(2):.\ " Copyright (c) 1998-2005,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_color.3x(2):.\ " Copyright (c) 1998-2004,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_delch.3x(2):.\ " Copyright (c) 1998-2000,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_deleteln.3x(2):.\ " Copyright (c) 1998-2006,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_extend.3x(2):.\ " Copyright (c) 1999-2004,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_get_wch.3x(2):.\ " Copyright (c) 2002-2003,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_get_wstr.3x(2):.\ " Copyright (c) 2002-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_getcchar.3x(2):.\ " Copyright (c) 2001-2006,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_getch.3x(3):.\ " Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_getstr.3x(2):.\ " Copyright (c) 1998-2003,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_getyx.3x(2):.\ " Copyright (c) 1998-2006,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_in_wch.3x(2):.\ " Copyright (c) 2002,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_in_wchstr.3x(2):.\ " Copyright (c) 2002-2005,2006
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_inch.3x(3):.\ " Copyright (c) 1998,2006 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_inchstr.3x(2):.\ " Copyright (c) 1998-2005,2006 Free

legal(ME)

Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_initscr.3x(2):.\" Copyright (c) 1998-2003,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_inopts.3x(2):.\" Copyright (c) 1998-2003,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_ins_wch.3x(2):.\" Copyright (c) 2002,2006 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\man\curs_ins_wstr.3x(2):.\" Copyright (c) 2002,2005 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\man\curs_insch.3x(2):.\" Copyright (c) 1998-2003,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_insstr.3x(2):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_instr.3x(2):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_inwstr.3x(2):.\" Copyright (c) 2002-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_kernel.3x(2):.\" Copyright (c) 1998-2001,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_legacy.3x(2):.\" Copyright (c) 2007 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_memleaks.3x(2):.\" Copyright (c) 2008 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_mouse.3x(3):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_move.3x(2):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_opaque.3x(2):.\" Copyright (c) 2007 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_outopts.3x(2):.\" Copyright (c) 1998-2005,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_overlay.3x(2):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_pad.3x(2):.\" Copyright (c) 1998-2004,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_print.3x(2):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_printw.3x(2):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_refresh.3x(2):.\" Copyright (c) 1998-2001,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_scanw.3x(2):.\" Copyright (c) 1998-2000,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_scr_dump.3x(2):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_scroll.3x(2):.\" Copyright (c) 1998-2005,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_slk.3x(2):.\" Copyright (c) 1998-2006,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_termattrs.3x(2):.\" Copyright (c) 1998-2003,2007
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_termcap.3x(2):.\" Copyright (c) 1998-2006,2007 Free

legal(ME)

Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_terminfo.3x(2):.\" Copyright (c) 1999-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_threads.3x(2):.\" Copyright (c) 2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_touch.3x(2):.\" Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_trace.3x(2):.\" Copyright (c) 2000-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_util.3x(2):.\" Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\curs_window.3x(2):.\" Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\default_colors.3x(2):.\" Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\define_key.3x(2):.\" Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form.3x(3):.\" Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_cursor.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\form_data.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\form_driver.3x(2):.\" Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_field.3x(3):.\" Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_field_attributes.3x(3):.\" Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_field_buffer.3x(3):.\" Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_field_info.3x(3):.\" Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_field_just.3x(3):.\" Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_field_new.3x(3):.\" Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_field_opts.3x(3):.\" Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_field_userptr.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\form_field_validation.3x(2):.\" Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_fieldtype.3x(3):.\" Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_hook.3x(3):.\" Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_new.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\form_new_page.3x(3):.\" Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_opts.3x(3):.\" Copyright (c) 1998-2006,2007 Free

legal(ME)

Software Foundation, Inc.*
ncurses\ncurses-5.7\man\form_page.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\form_post.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\form_requestname.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\form_userptr.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\form_win.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\infocmp.1m(3):.\" Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\infotocap.1m(3):.\" Copyright (c) 1999-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\key_defined.3x(2):.\" Copyright (c) 2003-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\keybound.3x(2):.\" Copyright (c) 1999-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\keyok.3x(2):.\" Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\legacy_coding.3x(2):.\" Copyright (c) 2005,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\make_sed.sh(4):# Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\man\Makefile.in(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\man\man_db.renames(2):# Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\man\manlinks.sed(3):# Copyright (c) 2000-2003,2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\man\menu.3x(3):.\" Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\menu_attributes.3x(3):.\" Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\menu_cursor.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\menu_driver.3x(2):.\" Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\menu_format.3x(3):.\" Copyright (c) 1998-2001,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\menu_hook.3x(3):.\" Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\menu_items.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\menu_mark.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\menu_new.3x(3):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\menu_opts.3x(3):.\" Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\menu_pattern.3x(2):.\" Copyright (c) 1998-2006,2008 Free

legal(ME)

Software Foundation, Inc.*
ncurses\ncurses-5.7\man\menu_post.3x(3):.\ " Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\menu_requestname.3x(3):.\ " Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\menu_spacing.3x(3):.\ " Copyright (c) 1998-2001,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\menu_userptr.3x(3):.\ " Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\menu_win.3x(3):.\ " Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\mitem_current.3x(3):.\ " Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\mitem_name.3x(3):.\ " Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\mitem_new.3x(3):.\ " Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\mitem_opts.3x(3):.\ " Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\mitem_userptr.3x(3):.\ " Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\man\mitem_value.3x(2):.\ " Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\mitem_visible.3x(3):.\ " Copyright (c) 1998 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\MKterminfo.sh(7):# Copyright (c) 1998,2002,2003 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\ncurses.3x(3):.\ " Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\panel.3x(2):.\ " Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\resizeterm.3x(2):.\ " Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\term.5(2):.\ " Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\term.7(2):.\ " Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\terminfo.head(2):.\ " Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\terminfo.tail(4):.\ " See "terminfo.head" for copyright.
ncurses\ncurses-5.7\man\tic.1m(2):.\ " Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\toe.1m(2):.\ " Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\tput.1(3):.\ " Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\tset.1(2):.\ " Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\wresize.3x(2):.\ " Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\man\eti.h(2): * Copyright (c) 1998-2002,2003 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\menu\headers(2):# Copyright (c) 1998,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\menu\llib-lmenu(2): * Copyright (c) 1999-2002,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\llib-lmenuw(2): * Copyright (c) 2002,2005 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\menu\m_attribs.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_cursor.c(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_driver.c(2): * Copyright (c) 1998-2005,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_format.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_global.c(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_hook.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_item_cur.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_item_nam.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_item_new.c(2): * Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_item_opt.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_item_top.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_item_use.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_item_val.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_item_vis.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_items.c(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_new.c(2): * Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_opts.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_pad.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_pattern.c(2): * Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_post.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_req_name.c(2): * Copyright (c) 1998-2005,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_scale.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_spacing.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\menu\m_sub.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_trace.c(2): * Copyright (c) 2004,2005 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\menu\m_userptr.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\m_win.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\Makefile.in(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\menu\menu.h(2): * Copyright (c) 1998-2003,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\menu.priv.h(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\mf_common.h(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\menu\modules(3):# Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\menu\README(2):-- Copyright (c) 1998-2003,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\misc\chkdef.cmd(2): * Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\misc\cleantic.cmd(2): * Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\misc\cmpdef.cmd(2): * Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\misc\csort(4):# Copyright (c) 2002 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\misc\emx.src(2):# Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\misc\gen_edit.sh(3):# Copyright (c) 2004 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\misc\jpf-indent(3):#* Copyright (c) 2004-2005,2006 Thomas E. Dickey*
ncurses\ncurses-5.7\misc\makedef.cmd(2): * Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\misc\Makefile.in(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\misc\makelib(3):# Copyright (c) 1998,2000 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\misc\ncu-indent(3):#* Copyright (c) 2001-2006,2008 Thomas E. Dickey*
ncurses\ncurses-5.7\misc\ncurses.sup(3):# Copyright (c) 2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\misc\ncurses-config.in(4):# Copyright (c) 2006,2007 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\misc\run_tic.in(4):# Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\misc\shlib(3):# Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\misc\tdlint(3):# Copyright (c) 1998 Free Software Foundation, Inc.#

legal(ME)

ncurses\ncurses-5.7\misc\terminfo.src(17755):# Copyright (c) 1989 BULL SA
ncurses\ncurses-5.7\misc\terminfo.src(18):# maintenance of ncurses (since 1996)
are generally conceded to be copyright
ncurses\ncurses-5.7\misc\terminfo.src(20617):#* Added COPYRIGHTS AND OTHER
DELUSIONS.
ncurses\ncurses-5.7\misc\terminfo.src(21687):#* add some notes regarding
copyright to terminfo.src -TD
ncurses\ncurses-5.7\misc\terminfo.src(23):# there is no explicit copyright notice
on the file itself.
ncurses\ncurses-5.7\misc\terminfo.src(266):# COPYRIGHTS AND OTHER DELUSIONS
ncurses\ncurses-5.7\misc\terminfo.src(269):# California copyright with dates from
1980 to 1993.
ncurses\ncurses-5.7\misc\terminfo.src(272):# It has an obnoxious boilerplate
copyright which I'm ignoring because they
ncurses\ncurses-5.7\misc\terminfo.src(274):# and didn't attribute it, thereby
violating the BSD Regents' copyright.
ncurses\ncurses-5.7\misc\terminfo.src(276):# Not that anyone should care.However
many valid functions copyrights may
ncurses\ncurses-5.7\misc\terminfo.src(278):# contributors makes about as much
sense as copyrighting a wall-full of
ncurses\ncurses-5.7\misc\terminfo.src(281):# This file deliberately has no
copyright.It belongs to no one and everyone.
ncurses\ncurses-5.7\misc\terminfo.src(32):# reuse common chunks also is creative
(and subject to copyright).Finally,
ncurses\ncurses-5.7\mk-0th.awk(3):# Copyright (c) 1998-2004,2005 Free Software
Foundation, Inc.#
ncurses\ncurses-5.7\mk-1st.awk(3):# Copyright (c) 1998-2006,2007 Free Software
Foundation, Inc.#
ncurses\ncurses-5.7\mk-2nd.awk(3):# Copyright (c) 1998-2004,2005 Free Software
Foundation, Inc.#
ncurses\ncurses-5.7\mk-hdr.awk(3):# Copyright (c) 2007 Free Software Foundation,
Inc.#
ncurses\ncurses-5.7\ncurses\base\define_key.c(2): * Copyright (c) 1998-2005,2006
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\key_defined.c(2): * Copyright (c) 2003,2006 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\keybound.c(2): * Copyright (c) 1999-2005,2006
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\keyok.c(2): * Copyright (c) 1998-2000,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\legacy_coding.c(2): * Copyright (c) 2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_addch.c(2): * Copyright (c) 1998-2006,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_addstr.c(2): * Copyright (c) 1998-2006,2007
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_beep.c(2): * Copyright (c) 1998-2000,2005
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_bkgd.c(2): * Copyright (c) 1998-2006,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_box.c(2): * Copyright (c) 1998-2002,2005
Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\ncurses\base\lib_chgat.c(2): * Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_clear.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_clearok.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_clrbot.c(2): * Copyright (c) 1998-2001,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_clreol.c(2): * Copyright (c) 1998,1999,2000,2001 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_color.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_colorset.c(2): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_delch.c(2): * Copyright (c) 1998,2000,2001 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_delwin.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_dft_fgbg.c(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_echo.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_endwin.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_erase.c(2): * Copyright (c) 1998,2000,2001 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_flash.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_freeall.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_getch.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_getstr.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_hline.c(2): * Copyright (c) 1998-2001,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_immedok.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_inchstr.c(2): * Copyright (c) 1998,2000,2001 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_initscr.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_insch.c(2): * Copyright (c) 1998-2005,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_insdel.c(2): * Copyright (c) 1998-2001,2003 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_insnstr.c(2): * Copyright (c) 2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_instr.c(2): * Copyright (c) 1998-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_isendwin.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *

legal(ME)

ncurses\ncurses-5.7\ncurses\base\lib_leaveok.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *

ncurses\ncurses-5.7\ncurses\base\lib_mouse.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_move.c(2): * Copyright (c) 1998-2000,2004 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_mvwin.c(2): * Copyright (c) 1998-2001,2006 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_newterm.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_newwin.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_nl.c(2): * Copyright (c) 1998,1999,2000 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_overlay.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_pad.c(2): * Copyright (c) 1998-2004,2006 Free Software Foundation, Inc. *

ncurses\ncurses-5.7\ncurses\base\lib_printw.c(2): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_redrawln.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_refresh.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_restart.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_scanw.c(2): * Copyright (c) 1998,2000,2001 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_screen.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_scroll.c(2): * Copyright (c) 1998-2004,2006 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_scrollok.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *

ncurses\ncurses-5.7\ncurses\base\lib_scrreg.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *

ncurses\ncurses-5.7\ncurses\base\lib_set_term.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_slk.c(2): * Copyright (c) 1998-2005,2008 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_slkatr_set.c(2): * Copyright (c) 1998-2003,2005 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_slkatrof.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_slkatron.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_slkatrset.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*

ncurses\ncurses-5.7\ncurses\base\lib_slkatr.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *

ncurses\ncurses-5.7\ncurses\base\lib_slkclear.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\ncurses\base\lib_slkcolor.c(2): * Copyright (c)
1998-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_slkinit.c(2): * Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_slklab.c(2): * Copyright (c) 1998-2000,2003
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_slkrefr.c(2): * Copyright (c) 1998-2006,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_slkset.c(2): * Copyright (c) 1998-2005,2007
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_slktouch.c(2): * Copyright (c) 1998,2000
Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_touch.c(2): * Copyright (c) 1998,2000 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\lib_ungetch.c(2): * Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_vline.c(2): * Copyright (c) 1998-2001,2006
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_wattroff.c(2): * Copyright (c)
1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_wattron.c(2): * Copyright (c) 1998-2005,2006
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_winch.c(2): * Copyright (c) 1998,2000,2001
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\lib_window.c(2): * Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\memmove.c(2): * Copyright (c) 1998-2000,2007
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\MKkeyname.awk(3):# Copyright (c) 1999-2007,2008
Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\base\MKlib_gen.sh(8):# Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\base\MKunctrl.awk(3):# Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\base\nc_panel.c(2): * Copyright (c) 1998,2000 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\README(2):-- Copyright (c) 1998,2006 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\ncurses\base\resizeterm.c(2): * Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\safe_sprintf.c(2): * Copyright (c)
1998-2003,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\sigaction.c(2): * Copyright (c) 1998-2002,2003
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\tries.c(2): * Copyright (c) 1998-2007,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\use_window.c(2): * Copyright (c) 2007,2008 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\base\version.c(2): * Copyright (c) 1999-2004,2005
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\base\vsscanf.c(2): * Copyright (c) 1998-2003,2004
Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\ncurses\base\wresize.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\curses.priv.h(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\fifo_defs.h(2): * Copyright (c) 1998-2002,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\llib-ncurses(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\llib-ncurses(2): * Copyright (c) 2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\llib-ncursesw(2): * Copyright (c) 2001-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\Makefile.in(3):# Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\modules(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\README(2):-- Copyright (c) 1998-2000,2006 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\ncurses\README.IZ(2):-- Copyright (c) 2002,2006 Free Software Foundation, Inc.--
ncurses\ncurses-5.7\ncurses\SigAction.h(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\tinfo\access.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\add_tries.c(2): * Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\alloc_entry.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\alloc_ttype.c(2): * Copyright (c) 1999-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\captain.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\comp_error.c(2): * Copyright (c) 1998-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\comp_expand.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\comp_hash.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\comp_parse.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\comp_scan.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\db_iterator.c(2): * Copyright (c) 2006,2007 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\tinfo\doalloc.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\tinfo\entries.c(2): * Copyright (c) 2006-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\free_ttype.c(2): * Copyright (c) 1999-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\getenv_num.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *

legal(ME)

ncurses\ncurses-5.7\ncurses\tinfo\hashed_db.c(2): * Copyright (c) 2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\home_terminfo.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\init_keytry.c(2): * Copyright (c) 1999-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_acs.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_baudrate.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_cur_term.c(2): * Copyright (c) 1998-2003,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_data.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_has_cap.c(2): * Copyright (c) 1998-2000,2003 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_kernel.c(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_longname.c(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_napms.c(2): * Copyright (c) 1998-2005,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_options.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_print.c(2): * Copyright (c) 1998-2002,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_raw.c(2): * Copyright (c) 1998-2002,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_setup.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_termcap.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_termname.c(2): * Copyright (c) 1998-2001,2003 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_tgoto.c(2): * Copyright (c) 2000-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_ti.c(2): * Copyright (c) 1998-2000,2003 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_tparm.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_tputs.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\lib_ttyflags.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\make_keys.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\MKcaptop.awk(2):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\tinfo\MKcaptop.sh(3):# Copyright (c) 2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\tinfo\MKcodes.awk(2):# Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.#

legal(ME)

ncurses\ncurses-5.7\ncurses\tinfo\MKfallback.sh(3):# Copyright (c) 1998-2001,2006
Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\tinfo\MKkeys_list.sh(4):# Copyright (c) 2001,2003
Free Software Foundation, Inc. #
ncurses\ncurses-5.7\ncurses\tinfo\MKnames.awk(2):# Copyright (c) 2007,2008 Free
Software Foundation, Inc. #
ncurses\ncurses-5.7\ncurses\tinfo\name_match.c(2): * Copyright (c) 1999-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\parse_entry.c(2): * Copyright (c)
1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\read_entry.c(2): * Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\read_termcap.c(2): * Copyright (c)
1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\read_termcap.c(658): * Copyright (c) 1980, 1993
ncurses\ncurses-5.7\ncurses\tinfo\read_termcap.c(96): * Copyright (c) 1992, 1993
ncurses\ncurses-5.7\ncurses\tinfo\README(2):-- Copyright (c) 1998,2006 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\ncurses\tinfo\setbuf.c(2): * Copyright (c) 1998-2003,2007
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\strings.c(2): * Copyright (c) 2000-2003,2007
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\trim_sgr0.c(2): * Copyright (c) 2005-2006,2007
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tinfo\use_screen.c(2): * Copyright (c) 2007,2008 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\tinfo\write_entry.c(2): * Copyright (c)
1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\lib_trace.c(2): * Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\lib_traceatr.c(2): * Copyright (c)
1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\lib_tracebits.c(2): * Copyright (c)
1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\lib_tracechr.c(2): * Copyright (c)
1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\lib_tracedmp.c(2): * Copyright (c)
1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\lib_tracemse.c(2): * Copyright (c)
1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\README(2):-- Copyright (c) 1998,2006 Free
Software Foundation, Inc.--
ncurses\ncurses-5.7\ncurses\trace\trace_buf.c(2): * Copyright (c) 1998-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\trace_tries.c(2): * Copyright (c)
1999-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\trace_xnames.c(2): * Copyright (c) 1999,2000
Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\trace\varargs.c(2): * Copyright (c) 2001-2007,2008
Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\trace\visbuf.c(2): * Copyright (c) 2001-2007,2008
Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\ncurses\tty\hardscroll.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tty\hashmap.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\tty\lib_mvcur.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tty\lib_tstp.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tty\lib_twait.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tty\lib_vidattr.c(2): * Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tty\MKexpanded.sh(3):# Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\ncurses\tty\tty_display.h(2): * Copyright (c) 1998-2003,2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\tty\tty_input.h(2): * Copyright (c) 1998,2000 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\tty\tty_update.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\charable.c(2): * Copyright (c) 2003-2005,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_add_wch.c(2): * Copyright (c) 2004,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\widechar\lib_box_set.c(2): * Copyright (c) 2002 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_cchar.c(2): * Copyright (c) 2001-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_erasewchar.c(2): * Copyright (c) 2002 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_get_wch.c(2): * Copyright (c) 2002-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_get_wstr.c(2): * Copyright (c) 2002-2004,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_hline_set.c(2): * Copyright (c) 2002 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_in_wch.c(2): * Copyright (c) 2002-2004,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_in_wchnstr.c(2): * Copyright (c) 2002-2004-2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_ins_wch.c(2): * Copyright (c) 2002-2003,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_inwstr.c(2): * Copyright (c) 2002,2004 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\widechar\lib_key_name.c(2): * Copyright (c) 2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_pecho_wchar.c(2): * Copyright (c) 2004 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_slk_wset.c(2): * Copyright (c) 2003-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_unget_wch.c(2): * Copyright (c) 2002-2007,2008 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\ncurses\widechar\lib_vid_attr.c(2): * Copyright (c) 2002-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_vline_set.c(2): * Copyright (c) 2002 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\ncurses\widechar\lib_wacs.c(2): * Copyright (c) 2002,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\ncurses\widechar\lib_wunctrl.c(2): * Copyright (c) 2001-2005,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\NEWS(1211):+ add copyright notices to files other than those that are generated,
ncurses\ncurses-5.7\NEWS(1251):+ add copyright notices to test-programs as needed (report by William
ncurses\ncurses-5.7\NEWS(2):-- Copyright (c) 1998-2007,2008 Free Software Foundation, Inc. --
ncurses\ncurses-5.7\NEWS(5203):of the copyright noticed to be omitted (reported by Peter
ncurses\ncurses-5.7\NEWS(6213):+ add copyright notices (and rcs id's) on remaining man-pages.
ncurses\ncurses-5.7\NEWS(6256):copyright patch (patch by Juergen Pfeifer).
ncurses\ncurses-5.7\NEWS(7729):+ add copyright notices to configuration scripts (written by Thomas
ncurses\ncurses-5.7\NEWS(8557):2) Pavel Curtis has renounced his copyright to the public domain.
ncurses\ncurses-5.7\NEWS(8560):NOT in the public domain, they are copyrighted by me.I'm
ncurses\ncurses-5.7\panel\headers(2):# Copyright (c) 1998,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\panel\llib-lpanel(2): * Copyright (c) 1998-2002,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\llib-lpanelw(2): * Copyright (c) 2002,2005 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\panel\Makefile.in(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\panel\modules(3):# Copyright (c) 1998,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\panel\p_above.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_below.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_bottom.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_delete.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_hidden.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_hide.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_move.c(2): * Copyright (c) 1998-2000,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_new.c(2): * Copyright (c) 1998-2005,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_replace.c(2): * Copyright (c) 1998-2000,2005 Free

legal(ME)

Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_show.c(2): * Copyright (c) 1998-2000,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_top.c(2): * Copyright (c) 1998-2000,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_update.c(2): * Copyright (c) 1998-2000,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_user.c(2): * Copyright (c) 1998-2000,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\p_win.c(2): * Copyright (c) 1998-2000,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\panel.c(2): * Copyright (c) 1998-2004,2005 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\panel.h(2): * Copyright (c) 1998-2001,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\panel\panel.priv.h(2): * Copyright (c) 1998-2005,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\progs\capconvert(3):# Copyright (c) 1998,2006 Free Software
Foundation, Inc. #
ncurses\ncurses-5.7\progs\clear.c(2): * Copyright (c) 1998-2006,2007 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\progs\clear.sh(3):# Copyright (c) 1998,2006 Free Software
Foundation, Inc. #
ncurses\ncurses-5.7\progs\dump_entry.c(2): * Copyright (c) 1998-2007,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\progs\dump_entry.h(2): * Copyright (c) 1998-2006,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\progs\infocmp.c(2): * Copyright (c) 1998-2007,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\progs\Makefile.in(3):# Copyright (c) 1998-2006,2007 Free
Software Foundation, Inc.#
ncurses\ncurses-5.7\progs\MKtermsort.sh(7):# Copyright (c) 1998-2003,2008 Free
Software Foundation, Inc.#
ncurses\ncurses-5.7\progs\modules(4):# Copyright (c) 1998-2005,2006 Free Software
Foundation, Inc.#
ncurses\ncurses-5.7\progs\progs.priv.h(2): * Copyright (c) 1998-2007,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\progs\tic.c(2): * Copyright (c) 1998-2007,2008 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\progs\toe.c(2): * Copyright (c) 1998-2007,2008 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\progs\tput.c(2): * Copyright (c) 1998-2007,2008 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\progs\tset.c(2): * Copyright (c) 1998-2007,2008 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\progs\tset.c(40): * University of California copyright
applies to some portions of the
ncurses\ncurses-5.7\progs\tset.c(44): * Copyright (c) 1980, 1991, 1993
ncurses\ncurses-5.7\README(2):-- Copyright (c) 1998-2004,2006 Free Software
Foundation, Inc. --
ncurses\ncurses-5.7\README.emx(2):-- Copyright (c) 1998-2005,2006 Free Software
Foundation, Inc. --

legal(ME)

ncurses\ncurses-5.7\tar-copy.sh(4):# Copyright (c) 1998,2003 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\test\aclocal.m4(2):dnl Copyright (c) 2003-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\aclocal.m4(35):dnl These macros are maintained separately from NCURSES.The copyright on
ncurses\ncurses-5.7\test\background.c(2): * Copyright (c) 2003,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\test\blue.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\bs.6(2):.\" Copyright (c) 1998,2006 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\test\bs.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\cardfile.c(2): * Copyright (c) 1999-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\chgat.c(2): * Copyright (c) 2006-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\color_set.c(2): * Copyright (c) 2003-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\configure(5):# Copyright (C) 1992, 93, 94, 95, 96 Free Software Foundation, Inc.
ncurses\ncurses-5.7\test\configure.in(2):dnl Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\demo_altkeys.c(2): * Copyright (c) 2005-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\demo_defkey.c(2): * Copyright (c) 2002-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\demo_forms.c(2): * Copyright (c) 2003-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\demo_keyok.c(2): * Copyright (c) 2002-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\demo_menus.c(2): * Copyright (c) 2005-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\demo_panels.c(2): * Copyright (c) 2007,2008 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\test\demo_termcap.c(2): * Copyright (c) 2005-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\ditto.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\dots.c(2): * Copyright (c) 1999-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\dots_mvcur.c(2): * Copyright (c) 1999-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\echochar.c(2): * Copyright (c) 2006-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\edit_field.c(2): * Copyright (c) 2003-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\edit_field.h(2): * Copyright (c) 2003-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\filter.c(2): * Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*

legal(ME)

ncurses\ncurses-5.7\test\firework.c(2): * Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\firstlast.c(2): * Copyright (c) 1998-2005,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\foldkeys.c(2): * Copyright (c) 2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\gdc.6(2):.\ " Copyright (c) 1998-2003,2006 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\gdc.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\hanoi.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\hashtest.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\inch_wide.c(2): * Copyright (c) 2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\inchs.c(2): * Copyright (c) 2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\ins_wide.c(2): * Copyright (c) 2002-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\inserts.c(2): * Copyright (c) 2002-2006,2007 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\key_names.c(2): * Copyright (c) 2007,2008 Free Software Foundation, Inc. *
ncurses\ncurses-5.7\test\keynames.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\knight.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\linux-color.dat(2):# Copyright (c) 2004,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\test\listused.sh(3):# Copyright (c) 2003,2006 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\test\lrtest.c(2): * Copyright (c) 1998-2004,2005 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\Makefile.in(3):# Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\test\mk-test.awk(3):# Copyright (c) 2006,2007 Free Software Foundation, Inc. #
ncurses\ncurses-5.7\test\modules(3):# Copyright (c) 1998-2006,2007 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\test\movewindow.c(2): * Copyright (c) 2006-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\ncurses.c(2): * Copyright (c) 1998-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\ncurses_tst.hin(2): * Copyright (c) 1998 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\programs(3):# Copyright (c) 2006-2007,2008 Free Software Foundation, Inc.#
ncurses\ncurses-5.7\test\railroad.c(2): * Copyright (c) 2000-2007,2008 Free Software Foundation, Inc.*
ncurses\ncurses-5.7\test\rain.c(2): * Copyright (c) 1998-2006,2008 Free Software Foundation, Inc.*

legal(ME)

```
ncurses\ncurses-5.7\test\README(2):-- Copyright (c) 1998-2007,2008 Free Software
Foundation, Inc. --
ncurses\ncurses-5.7\test\redraw.c(2): * Copyright (c) 2006,2007 Free Software
Foundation, Inc. *
ncurses\ncurses-5.7\test\savescreen.c(2): * Copyright (c) 2007 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\test\savescreen.sh(3):# Copyright (c) 2007 Free Software
Foundation, Inc.#
ncurses\ncurses-5.7\test\tclock.c(24):This program is copyright Howard Jones,
September 1994
ncurses\ncurses-5.7\test\tclock.c(26):long as this copyright message remains
intact, and any
ncurses\ncurses-5.7\test\test.priv.h(2): * Copyright (c) 1998-2007,2008 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\test\test_arrays.c(2): * Copyright (c) 2007,2008 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\test\test_get_wstr.c(2): * Copyright (c) 2007 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\test\test_getstr.c(2): * Copyright (c) 2007,2008 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\test\test_instr.c(2): * Copyright (c) 2007 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\test\test_inwstr.c(2): * Copyright (c) 2007 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\test\test_opaque.c(2): * Copyright (c) 2007,2008 Free
Software Foundation, Inc. *
ncurses\ncurses-5.7\test\testaddch.c(2): * Copyright (c) 1998-2002,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\test\testscanw.c(2): * Copyright (c) 1998-2002,2006 Free
Software Foundation, Inc.*
ncurses\ncurses-5.7\test\tracemunch(4):# Copyright (c) 1998-2002,2005 Free
Software Foundation, Inc.#
ncurses\ncurses-5.7\test\view.c(2): * Copyright (c) 1998-2007,2008 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\test\worm.c(2): * Copyright (c) 1998-2007,2008 Free Software
Foundation, Inc.*
ncurses\ncurses-5.7\test\xterm-16color.dat(2):# Copyright (c) 2004,2006 Free
Software Foundation, Inc. #
ncurses\ncurses-5.7\test\xterm-88color.dat(2):# Copyright (c) 2005,2006 Free
Software Foundation, Inc. #
ncurses\ncurses-5.7\T0-D0(2):-- Copyright (c) 1998-2007,2008 Free Software
Foundation, Inc. --
ncurses\NOTICE.txt(418): FreeSoftwareFoundation,whichholdsthecopyrighton ncurses.
net-tools\net-tools-1.60_mtk.patch(135):+#Copyright 1988-1993 MicroWalt
Corporation
net-tools\net-tools-1.60_patch\config.status(14):#Copyright 1988-1993 MicroWalt
Corporation
net-tools\net-tools-1.60_patch\Makefile(11):#Copyright 1995-1996 Bernd Eckenfels,
Germany
net-tools\net-tools-1.60_patch\Makefile(18):#Copyright 1988-1993 MicroWalt
Corporation
net-tools\net-tools-1.60_patch\Makefile(23):#Copyright 1993-1994 Swansea
```

legal(ME)

University Computer Society

net-tools\net-tools-1.60\config.in(14):#Copyright 1988-1993 MicroWalt Corporation

net-tools\net-tools-1.60\configure.sh(15):#Copyright 1988-1993 MicroWalt Corporation

net-tools\net-tools-1.60\COPYING(294):Copyright (C) 19yy<name of author>

net-tools\net-tools-1.60\COPYING(315):Gnomovision version 69, Copyright (C) 19yy name of author

net-tools\net-tools-1.60\COPYING(329):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

net-tools\net-tools-1.60\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

net-tools\net-tools-1.60\ifconfig.c(9): *and others.Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\include\mii.h(6): * Copyright (C) 2000 David A. Hinds -- dhinds@pcmcia.sourceforge.org

net-tools\net-tools-1.60\lib\activate.c(13): *Copyright 1996 Bernd Eckenfels, Germany

net-tools\net-tools-1.60\lib\af.c(8): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\arcnet.c(8): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\ax25.c(13): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\ax25_gr.c(8): *Copyright 1999 Bernd Eckenfels, Germany

net-tools\net-tools-1.60\lib\ether.c(8): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\getargs.c(7): *Copyright 1993,1994 MicroWalt Corporation

net-tools\net-tools-1.60\lib\getroute.c(13): *Copyright 1999 Bernd Eckenfels, Germany

net-tools\net-tools-1.60\lib\hdlclapb.c(10): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\hippi.c(8): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\hw.c(10): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\inet.c(9): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\inet6.c(9): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\loopback.c(7): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\Makefile(9):#Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\masq_info.c(12): *Copyright 1999 Bernd Eckenfels, Germany

net-tools\net-tools-1.60\lib\net-features.h(8): *Copyright 1996 Bernd Eckenfels, Germany

net-tools\net-tools-1.60\lib\netrom.c(13): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\netrom_gr.c(8): *Copyright 1999 Bernd Eckenfels, Germany

net-tools\net-tools-1.60\lib\net-support.h(16): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\nstrcmp.c(1):/* Copyright 1998 by Andi Kleen. Subject to the GPL. */

net-tools\net-tools-1.60\lib\ppp.c(8): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\proc.c(1):/* Tolerant /proc file parser. Copyright 1998 Andi Kleen */

net-tools\net-tools-1.60\lib\rose.c(10): *Copyright 1993 MicroWalt Corporation

net-tools\net-tools-1.60\lib\rose_gr.c(11): *Copyright 1999 Bernd Eckenfels, Germany

legal(ME)

net-tools\net-tools-1.60\lib\setroute.c(13): *Copyright 1999 Bernd Eckenfels, Germany
net-tools\net-tools-1.60\lib\sit.c(7): *Copyright 1993 MicroWalt Corporation
net-tools\net-tools-1.60\lib\slip.c(7): *Copyright 1993 MicroWalt Corporation
net-tools\net-tools-1.60\lib\slip_ac.c(9): *Copyright 1993 MicroWalt Corporation
net-tools\net-tools-1.60\lib\tr.c(8): *Copyright 1993 MicroWalt Corporation
net-tools\net-tools-1.60\lib\unix.c(7): *Copyright 1993 MicroWalt Corporation
net-tools\net-tools-1.60\lib\util.c(1):/* Copyright 1998 by Andi Kleen. Subject to the GPL. */
net-tools\net-tools-1.60\lib\x25.c(10): *Copyright 1993 MicroWalt Corporation
net-tools\net-tools-1.60\lib\x25_gr.c(10): *Copyright 1999 Bernd Eckenfels, Germany
net-tools\net-tools-1.60\Makefile(11):#Copyright 1995-1996 Bernd Eckenfels, Germany
net-tools\net-tools-1.60\Makefile(18):#Copyright 1988-1993 MicroWalt Corporation
net-tools\net-tools-1.60\Makefile(23):#Copyright 1993-1994 Swansea University Computer Society
net-tools\net-tools-1.60\man\en_US\mii-tool.8(1):.\" Copyright (C) 2000 David A. Hinds -- dhinds@pcmcia.sourceforge.org
net-tools\net-tools-1.60\man\Makefile(12):#Copyright 1995-1996 Bernd Eckenfels, Germany
net-tools\net-tools-1.60\mii-tool.c(13):Copyright (C) 2000 David A. Hinds -- dhinds@pcmcia.sourceforge.org
net-tools\net-tools-1.60\mii-tool.c(15):mii-diag is written/copyright 1997-2000 by Donald Becker
net-tools\net-tools-1.60\netstat.c(21): *Copyright (c) 1993Fred Baumgarten
net-tools\net-tools-1.60\plipconfig.c(4): Copyright (c) 1994 John Paul Morrison (VE7JPM).
net-tools\net-tools-1.60\po\cs.po(2):# Copyright (C) 1999 Free Software Foundation, Inc.
net-tools\net-tools-1.60\po\de.po(3):# Copyright (C) 1999 Ralf Böhle <ralf@gnu.org>
net-tools\net-tools-1.60\po\et_EE.po(2):# Copyright (C) 1999 Free Software Foundation, Inc.
net-tools\net-tools-1.60\po\fr.po(3):# Copyright (C) 1999 J.M.Vansteene <vanstee@worldnet.fr>
net-tools\net-tools-1.60\po\net-tools.pot(2):# Copyright (C) YEAR Free Software Foundation, Inc.
net-tools\net-tools-1.60\po\pt_BR.po(2):# Copyright (C) 2000 Free Software Foundation, Inc.
net-tools\net-tools-1.60\po\pt_BR.po(7):# Copyright (C) 1998, 1999 Free Software Foundation, Inc.
net-tools\net-tools-1.60\RPM\net-tools.spec(5):Copyright: GPL
net-tools\net-tools-1.60\slattach.c(13): *Copyright 1988-1993 MicroWalt Corporation
net-tools\net-tools-1.60\statistics.c(2): * Copyright 1997,1999,2000 Andi Kleen. Subject to the GPL.
net-tools\NOTICE.txt(294):Copyright (C) 19yy<name of author>
net-tools\NOTICE.txt(315):Gnomovision version 69, Copyright (C) 19yy name of author
net-tools\NOTICE.txt(329):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

legal(ME)

net-tools\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
openssl\1.0.1j\openssl-1.0.1j\apps\app_rand.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\app_rand.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\app_rand.c(59): * Copyright (c) 1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\apps.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\apps.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\apps.c(59): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\apps.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\apps.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\apps.h(59): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\asn1pars.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\asn1pars.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\ca.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\ca.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\ciphers.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\ciphers.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\cms.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\cr1.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\cr1.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\cr12p7.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\cr12p7.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\dgst.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\dgst.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\dh.c(17): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\dh.c(3):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\dhparam.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\dhparam.c(2):/* Copyright (C) 1995-1998 Eric

legal(ME)

Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\dhparam.c(59): * Copyright (c) 1998-2000 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\dsa.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\dsa.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\dsaparam.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\dsaparam.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\ec.c(6): * Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\ecparam.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\apps\ecparam.c(6): * Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\engine.c(6): * Copyright (c) 2000 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\errstr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\errstr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\gendh.c(17): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\gendh.c(3):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\gendsa.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\gendsa.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\genpkey.c(6): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\genrsa.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\genrsa.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\nseq.c(6): * Copyright (c) 1999 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\ocsp.c(6): * Copyright (c) 1999 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\openssl.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\openssl.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\openssl.c(59): * Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\pkcs12.c(6): * Copyright (c) 1999-2006 The

legal(ME)

OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\pkcs7.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\pkcs7.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\pkcs8.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\pkey.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\pkeyparam.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\pkeyutl.c(5): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\prime.c(2): * Copyright (c) 2004 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\rand.c(3): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\req.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\req.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\rsa.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\rsa.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\rsautl.c(6): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\s_apps.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\s_apps.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\s_apps.h(59): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\s_cb.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\s_cb.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\s_cb.c(59): * Copyright (c) 1998-2006 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\s_client.c(112): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\s_client.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\apps\s_client.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\apps\s_client.c(59): * Copyright (c) 1998-2006 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\s_server.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\apps\s_server.c(117): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\apps\s_server.c(16): * Copyright remains Eric

legal(ME)

Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\s_server.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\s_server.c(59): * Copyright (c) 1998-2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\s_socket.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\s_socket.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\s_time.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\s_time.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\sess_id.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\sess_id.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\smime.c(6): * Copyright (c) 1999-2004 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\speed.c(16): * Copyright remains Eric Young's,
and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\speed.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\speed.c(59): * Copyright 2002 Sun
Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\apps\spkac.c(8): * Copyright (c) 1999 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\srp.c(6): * Copyright (c) 2004 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\testrsa.h(17): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\testrsa.h(3):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\timeouts.h(7): * Copyright (c) 1999-2005 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\ts.c(6): * Copyright (c) 2001 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\tsget(3):# Copyright (c) 2002 The OpenTSA
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\verify.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\verify.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\version.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\version.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\apps\version.c(59): * Copyright (c) 1998-2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\winrand.c(3): * Copyright (c) 1998-2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\apps\x509.c(16): * Copyright remains Eric Young's,

legal(ME)

and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\apps\x509.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\bugs\alpha.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\bugs\alpha.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\bugs\stream.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\bugs\stream.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\CHANGES(10285): o merged COPYRIGHT into LICENSE
openssl\1.0.1j\openssl-1.0.1j\CHANGES(3469): copyright notice in crypto/bn/bn_gf2m.c before enabling it).
openssl\1.0.1j\openssl-1.0.1j\Configure(1995):VALUE "LegalCopyright", "Copyright 1998-2005 The OpenSSL Project. Copyright 1995-1998 Eric A. Young, Tim J. Hudson. All rights reserved.\\0"
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes.h(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_cbc.c(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_cfb.c(3): * Copyright (c) 2002-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_ctr.c(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_ecb.c(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_ige.c(3): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_locl.h(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_misc.c(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_ofb.c(3): * Copyright (c) 2002-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\aes\aes_wrap.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_bitstr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_bitstr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_bool.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_bool.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_bytes.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_bytes.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_d2i_fp.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_d2i_fp.c(2):/* Copyright (C)

legal(ME)

1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_digest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_digest.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_dup.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_dup.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_enum.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_enum.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_gentm.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_gentm.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_i2d_fp.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_i2d_fp.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_int.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_int.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_mbstr.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_object.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_object.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_octet.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_octet.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_print.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_print.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_set.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_set.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_sign.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_sign.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_sign.c(59): * Copyright (c) 1998-2003 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_strex.c(6): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_strnid.c(6): * Copyright (c) 1999 The

legal(ME)

OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_time.c(3): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_type.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_type.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_utctm.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_utctm.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_utf8.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_utf8.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_verify.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\a_verify.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\ameth_lib.c(5): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn_mime.c(6): * Copyright (c)
1999-2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn_moid.c(6): * Copyright (c)
2001-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn_pack.c(6): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_err.c(3): * Copyright (c)
1999-2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_gen.c(6): * Copyright (c) 2002 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_lib.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_lib.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_locl.h(6): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_mac.h(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_mac.h(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_par.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1_par.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\asn1t.h(6): * Copyright (c) 2000-2005
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\bio_asn1.c(6): * Copyright (c) 2006 The

legal(ME)

OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\bio_ndef.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\d2i_pr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\d2i_pr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\d2i_pu.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\d2i_pu.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\evp_asn1.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\evp_asn1.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\f_enum.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\f_enum.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\f_int.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\f_int.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\f_string.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\f_string.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\i2d_pr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\i2d_pr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\i2d_pu.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\i2d_pu.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\n_pkey.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\n_pkey.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\nsseq.c(6): * Copyright (c) 1999-2005 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\p5_pbe.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\p5_pbev2.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\p8_pkey.c(6): * Copyright (c) 1999-2005 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_bitst.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_cr1.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_pkey.c(16): * Copyright remains Eric

legal(ME)

Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_pkey.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_req.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_req.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_spki.c(6): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_x509.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_x509.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\t_x509a.c(6): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\tasn_dec.c(6): * Copyright (c)
2000-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\tasn_enc.c(6): * Copyright (c)
2000-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\tasn_fre.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\tasn_new.c(6): * Copyright (c)
2000-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\tasn_prn.c(6): * Copyright (c)
2000,2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\tasn_typ.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\tasn_utl.c(6): * Copyright (c)
2000-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_algor.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_attrib.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_attrib.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_bignum.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_crl.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_crl.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_exten.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_info.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_info.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_long.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_name.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_name.c(2):/* Copyright (C) 1995-1998

legal(ME)

Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_nx509.c(6): * Copyright (c) 2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_pkey.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_pkey.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_pubkey.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_pubkey.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_req.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_req.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_sig.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_sig.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_spki.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_spki.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_val.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_val.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_x509.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_x509.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\asn1\x_x509a.c(6): * Copyright (c) 1999 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_cbc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_cbc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_cfb64.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_cfb64.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_ecb.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_ecb.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_locl.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_locl.h(2):/* Copyright (C) 1995-1997

legal(ME)

Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_ofb64.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_ofb64.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_opts.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_opts.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_pi.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_pi.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_skey.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_skey.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_speed.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_speed.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_test.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_test.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_blowfish.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\bf_blowfish.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\COPYRIGHT(1):Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\COPYRIGHT(11):Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bf\README(3):The copyright notices seem a little harsh because I have not spent the
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\b_dump.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\b_dump.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\b_print.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\b_print.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\b_print.c(91): * Copyright Patrick Powell 1995
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\b_sock.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\b_sock.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bf_buff.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bf_buff.c(2):/* Copyright (C) 1995-1998

legal(ME)

Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bf_lbuf.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bf_lbuf.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bf_nbio.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bf_nbio.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bf_null.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bf_null.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bio.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bio.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bio_cb.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bio_cb.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bio_err.c(3): * Copyright (c) 1999-2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bio_lib.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bio_lib.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_acpt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_acpt.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_bio.c(3): * Copyright (c) 1998-2003 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_conn.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_conn.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_dgram.c(7): * Copyright (c) 1999-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_fd.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_fd.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_file.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_file.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_log.c(3): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_mem.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_mem.c(2):/* Copyright (C) 1995-1998

legal(ME)

Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_null.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_null.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_rtcp.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_rtcp.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_sock.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bio\bss_sock.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\asm\ia64.S(1525):// One can argue that this snippet is copyrighted to Intel
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\asm\ia64-mont.pl(844):.typecopyright#, \@object
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\asm\ia64-mont.pl(845):copyright:
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\asm\modexp512-x86_64.pl(13):# Copyright (c) 2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\asm\modexp512-x86_64.pl(3):# Copyright (c) 2010-2011 Intel Corp.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn.h(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn.h(2):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn.h(59): * Copyright (c) 1998-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_add.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_add.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_asm.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_asm.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_blind.c(3): * Copyright (c) 1998-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_blind.c(55):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_blind.c(69): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_ctx.c(4): * Copyright (c) 1998-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_depr.c(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_div.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_div.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_err.c(3): * Copyright (c) 1999-2007
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_exp.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_exp.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_exp.c(59): * Copyright (c) 1998-2005
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_exp2.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_exp2.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_exp2.c(59): * Copyright (c) 1998-2000
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_gcd.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_gcd.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_gcd.c(59): * Copyright (c) 1998-2001
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_gf2m.c(3): * Copyright 2002 Sun
Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_gf2m.c(38): * Copyright (c) 1998-2002
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_kron.c(3): * Copyright (c) 1998-2000
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_lcl.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_lcl.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_lcl.h(59): * Copyright (c) 1998-2000
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_lib.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_lib.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mod.c(5): * Copyright (c) 1998-2000
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mod.c(57):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mod.c(71): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mont.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mont.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mont.c(59): * Copyright (c) 1998-2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mpi.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mpi.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mul.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_mul.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_nist.c(6): * Copyright (c) 1998-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.c(59): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.pl(23):# /* Copyright (C) 1995-1997 Eric Young (eay@mincom.oz.au).
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.pl(25):#* Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.pl(34):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_prime.pl(48): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_print.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_print.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_rand.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_rand.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_rand.c(59): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_recp.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_recp.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_shift.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_shift.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_sqr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_sqr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_sqrt.c(5): * Copyright (c) 1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_word.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_word.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bn_x931p.c(6): * Copyright (c) 2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bnspeed.c(18): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bnspeed.c(4):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bntest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bntest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\bntest.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\expspeed.c(18): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\expspeed.c(4):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\exptest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\exptest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\bn\vms-helper.c(3): * Copyright (c) 1999 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\buffer\buf_err.c(3): * Copyright (c) 1999-2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\buffer\buf_str.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\buffer\buf_str.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\buffer\buffer.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\buffer\buffer.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\buffer\buffer.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\buffer\buffer.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\asm\cmll-x86.pl(4):# Copyright (c) 2008 Andy Polyakov <appro@openssl.org>

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\asm\cmll-x86_64.pl(4):# Copyright (c) 2008 Andy Polyakov <appro@openssl.org>

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\camellia.c(20): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\camellia.c(3): * Copyright 2006 NTT (Nippon Telegraph and Telephone Corporation) .

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\camellia.h(3): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_cbc.c(3): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_cfb.c(3): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_cfb.c(51):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_cfb.c(65): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_ctr.c(3): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_ecb.c(3): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_locl.h(20): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_locl.h(3): * Copyright 2006 NTT (Nippon Telegraph and Telephone Corporation) .
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_misc.c(3): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_ofb.c(3): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_ofb.c(51):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_ofb.c(65): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\camellia\cmll_utl.c(3): * Copyright (c) 2011 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_cfb64.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_cfb64.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_ecb.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_ecb.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_ofb64.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_ofb64.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_skey.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\c_skey.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\cast.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\cast.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\cast_lcl.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\cast_lcl.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\cast_s.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\cast_s.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\crypto\cast\cast_spd.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\cast_spd.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\castopts.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\castopts.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\castttest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cast\castttest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cmac\cm_ameth.c(5): * Copyright (c) 2010 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cmac\cm_pmeth.c(5): * Copyright (c) 2010 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cmac\cmac.c(6): * Copyright (c) 2010 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cmac\cmac.h(6): * Copyright (c) 2010 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms.h(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_asn1.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_att.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_cd.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_dd.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_enc.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_env.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_err.c(3): * Copyright (c) 1999-2009 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_ess.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_io.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_lcl.h(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_lib.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_pwri.c(6): * Copyright (c) 2009 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_sd.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cms\cms_smime.c(6): * Copyright (c) 2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\comp\comp_err.c(3): * Copyright (c) 1999-2007 The OpenSSL Project.All rights reserved.

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\crypto\conf\cnf_save.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\cnf_save.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_api.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_api.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_api.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_api.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_def.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_def.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_def.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_def.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_err.c(3): * Copyright (c) 1999-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_lib.c(6): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_mall.c(6): * Copyright (c) 2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_mod.c(6): * Copyright (c) 2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\conf_sap.c(6): * Copyright (c) 2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\keysets.pl(56):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\keysets.pl(70): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\test.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\conf\test.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\constant_time_locl.h(9): * Copyright (c) 2014 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\constant_time_test.c(9): * Copyright (c) 2014 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cpt_err.c(3): * Copyright (c) 1999-2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\cryptlib.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\cryptlib.c(3): * Copyright (c) 1998-2006 The OpenSSL Project.All rights reserved.

legal(ME)

```
openssl\1.0.1j\openssl-1.0.1j\crypto\cryptlib.c(55):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\cryptlib.c(69): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cryptlib.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cryptlib.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\crypto.h(112): * Copyright 2002 Sun
Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\crypto.h(3): * Copyright (c) 1998-2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\crypto.h(55):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\crypto.h(69): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cversion.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\cversion.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\asm\des_enc.m4(15):!Assembler version:
Copyright Svend Olaf Mikkelsen.
openssl\1.0.1j\openssl-1.0.1j\crypto\des\asm\des_enc.m4(17):!Original C code:
Copyright Eric A. Young.
openssl\1.0.1j\openssl-1.0.1j\crypto\des\asm\des_enc.m4(21):!The
LibDES/SSLeay/OpenSSL copyright notices must be respected.
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cbc_cksm.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cbc_cksm.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cbc_enc.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cbc_enc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cbc3_enc.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cbc3_enc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cfb_enc.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cfb_enc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cfb64ede.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cfb64ede.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cfb64enc.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\cfb64enc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\COPYRIGHT(1):Copyright (C) 1995-1997
Eric Young (eay@cryptsoft.com)
```

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\COPYRIGHT(11): Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des.h(2):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_locl.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_locl.h(2):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_old.c(22): * Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_old.h(38): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_old2.c(22): * Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_opts.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_opts.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_ver.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\des_ver.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\destest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\destest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\ecb_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\ecb_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\ecb3_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\ecb3_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\ede_cbcm_enc.c(6): * Copyright (c) 1999 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\des\enc_read.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\enc_read.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\enc_writ.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\enc_writ.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\fcrypt_b.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\fcrypt_b.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\Imakefile(14):GENERAL=COPYRIGHT FILES
INSTALL Imakefile README VERSION makefile times \

openssl\1.0.1j\openssl-1.0.1j\crypto\des\ncbc_enc.c(21): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\ncbc_enc.c(7):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\ofb_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\ofb_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\ofb64ede.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\ofb64ede.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\ofb64enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\ofb64enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\pcbc_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\pcbc_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\qud_cksm.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\qud_cksm.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\rand_key.c(3): * Copyright (c) 1998-2000 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\des\read_pwd.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\read_pwd.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\read2pwd.c(3): * Copyright (c) 2001-2002 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\des\read2pwd.c(55):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\read2pwd.c(69): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\README(4):Copyright (c) 1997, Eric Young
openssl\1.0.1j\openssl-1.0.1j\crypto\des\README(8):it under the terms specified in COPYRIGHT.

openssl\1.0.1j\openssl-1.0.1j\crypto\des\rpc_des.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\des\rpc_des.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\des\rpc_des.h(77): * INFRINGEMENT OF

legal(ME)

COPYRIGHTS, TRADE SECRETS OR ANY PATENTS BY SUN RPC

openssl\1.0.1j\openssl-1.0.1j\crypto\des\rpc_des.h(91): * Copyright (c) 1986 by Sun Microsystems, Inc.
openssl\1.0.1j\openssl-1.0.1j\crypto\des\rpc_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\rpc_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\rpw.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\rpw.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\set_key.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\set_key.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\speed.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\speed.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\spr.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\spr.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\str2key.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\str2key.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\des\VERSION(155):New copyright and usage stuff.Basically free for all to use
openssl\1.0.1j\openssl-1.0.1j\crypto\des\xcbc_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\des\xcbc_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_ameth.c(5): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_asn1.c(6): * Copyright (c) 2000-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_check.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_check.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_depr.c(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_err.c(3): * Copyright (c) 1999-2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_gen.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_gen.c(2):/* Copyright (C) 1995-1998

legal(ME)

Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_key.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_key.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_lib.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_lib.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_pmeth.c(5): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_prn.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dh_prn.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dhtest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\dhtest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\p1024.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\p1024.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\p192.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\p192.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\p512.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dh\p512.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_ameth.c(5): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_asn1.c(6): * Copyright (c) 2000-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_depr.c(3): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_err.c(3): * Copyright (c) 1999-2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_gen.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_gen.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_key.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_key.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_lib.c(16): * Copyright remains Eric

legal(ME)

Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_lib.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_locl.h(2): * Copyright (c) 2007 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_ossl.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_ossl.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_pmeth.c(5): * Copyright (c) 2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_prn.c(6): * Copyright (c) 2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_sign.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_sign.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_vrf.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsa_vrf.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsagen.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsagen.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsatest.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\dsa\dsatest.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso.h(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_beos.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_dl.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_dlfcn.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_err.c(3): * Copyright (c) 1999-2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_lib.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_null.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_openssl.c(6): * Copyright (c) 2000
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_vms.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\dso\dso_win32.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec.h(10): * Copyright (c) 1998-2005 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec.h(63): * Copyright 2002 Sun

legal(ME)

Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_ameth.c(5): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_asn1.c(6): * Copyright (c) 2000-2003 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_check.c(3): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_curve.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_curve.c(6): * Copyright (c) 1998-2010 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_cvt.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_cvt.c(6): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_err.c(3): * Copyright (c) 1999-2011 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_key.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_key.c(6): * Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_lcl.h(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_lcl.h(6): * Copyright (c) 1998-2010 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_lib.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_lib.c(6): * Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_mult.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_mult.c(6): * Copyright (c) 1998-2007 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_oct.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_oct.c(6): * Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_pmeth.c(5): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec_print.c(3): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec2_mult.c(17): * Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec2_mult.c(3): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec2_oct.c(17): * Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec2_oct.c(3): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec2_smp1.c(17): * Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ec2_smp1.c(3): * Copyright 2002 Sun

legal(ME)

Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\eck_prn.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\eck_prn.c(6): * Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_mont.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_mont.c(6): * Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_nist.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_nist.c(6): * Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_nistp224.c(5): /* Copyright 2011 Google Inc.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_nistp256.c(5): /* Copyright 2011 Google Inc.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_nistp521.c(5): /* Copyright 2011 Google Inc.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_nistputil.c(5): /* Copyright 2011 Google Inc.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_oct.c(60): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_oct.c(7): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_smp1.c(60): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ecp_smp1.c(7): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ectest.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ec\ectest.c(6): * Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ecdh.h(17): * Copyright (c) 2000-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ecdh.h(3): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ecdhtest.c(17): * Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ecdhtest.c(3): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ech_err.c(3): * Copyright (c) 1999-2011 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ech_key.c(17): * Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ech_key.c(3): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ech_lib.c(17): * Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ech_lib.c(3): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ech_loc1.h(3): * Copyright (c)

legal(ME)

2000-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ech_oss1.c(17): * Copyright (c)
1998-2003 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdh\ech_oss1.c(3): * Copyright 2002 Sun
Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecdsa.h(7): * Copyright (c) 2000-2005
The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecdsatest.c(59): * Copyright 2002 Sun
Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecdsatest.c(6): * Copyright (c)
2000-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecs_asn1.c(3): * Copyright (c)
2000-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecs_err.c(3): * Copyright (c)
1999-2011 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecs_lib.c(3): * Copyright (c)
1998-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecs_locl.h(6): * Copyright (c)
2000-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecs_oss1.c(6): * Copyright (c)
1998-2004 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecs_sign.c(3): * Copyright (c)
1998-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ecdsa\ecs_vrf.c(6): * Copyright (c)
1998-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_all.c(6): * Copyright (c)
2000-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_cnf.c(6): * Copyright (c) 2001
The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_cryptodev.c(2): * Copyright (c)
2002 Bob Beck <beck@openbsd.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_cryptodev.c(3): * Copyright (c)
2002 Theo de Raadt
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_cryptodev.c(4): * Copyright (c)
2002 Markus Friedl
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_ctrl.c(3): * Copyright (c)
1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_dyn.c(6): * Copyright (c)
1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_err.c(3): * Copyright (c)
1999-2010 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_fat.c(3): * Copyright (c)
1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_fat.c(56): * Copyright 2002 Sun
Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_init.c(3): * Copyright (c)
1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_int.h(59): * Copyright 2002 Sun
Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_int.h(6): * Copyright (c)
1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_lib.c(6): * Copyright (c)

legal(ME)

1999-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_list.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_list.c(6): * Copyright (c) 1999-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_openssl.c(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_openssl.c(6): * Copyright (c) 1999-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_pkey.c(3): * Copyright (c) 1999-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_rdrand.c(2): * Copyright (c) 2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_rsax.c(13): * Copyright (c) 1999-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_rsax.c(2):/* Copyright (c) 2010-2010 Intel Corp.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\eng_table.c(2): * Copyright (c) 2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\engine.h(59): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\engine.h(6): * Copyright (c) 1999-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\enginetest.c(6): * Copyright (c) 1999-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_asnmth.c(2): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_cipher.c(2): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_dh.c(2): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_digest.c(2): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_dsa.c(2): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_ecdh.c(17): * Copyright (c) 2000-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_ecdh.c(3): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_ecdsa.c(2): * Copyright (c) 2000-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_pkmeth.c(2): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_rand.c(2): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_rsa.c(2): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\engine\tb_store.c(2): * Copyright (c) 2003 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\err\err.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\err\err.c(2):/* Copyright (C) 1995-1998 Eric

legal(ME)

Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\err\err.c(59): * Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\err\err.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\err\err.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\err\err.h(59): * Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\err\err_all.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\err\err_all.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\err\err_prn.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\err\err_prn.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\bio_b64.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\bio_b64.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\bio_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\bio_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\bio_md.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\bio_md.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\bio_ok.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\bio_ok.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\c_all.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\c_all.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\c_allc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\c_allc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\c_alld.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\c_alld.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\digest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\digest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\digest.c(59): * Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\aes.c(2): * Copyright (c) 2001-2011

legal(ME)

The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_aes_cbc_hmac_sha1.c(2): * Copyright (c) 2011-2013 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_bf.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_bf.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_camellia.c(3): * Copyright (c) 2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_cast.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_cast.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_des.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_des.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_des3.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_des3.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_dsa.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_dsa.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_idea.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_idea.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_null.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_null.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_old.c(6): * Copyright (c) 2004 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_rc2.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_rc2.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_rc4.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_rc4.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_rc4_hmac_md5.c(2): * Copyright (c) 2011 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_rc5.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_rc5.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_seed.c(3): * Copyright (c) 2007 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\evp\e_xcbc_d.c(16): * Copyright remains Eric

legal(ME)

Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\excbc_d.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\encode.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\encode.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp.h(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_acnf.c(6): * Copyright (c) 2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_cnf.c(6): * Copyright (c) 2007 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_enc.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_enc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_err.c(3): * Copyright (c) 1999-2011
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_fips.c(6): * Copyright (c) 2011 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_key.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_key.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_lib.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_lib.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_loc1.h(6): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_pbe.c(6): * Copyright (c) 1999-2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_pkey.c(6): * Copyright (c) 1999-2005
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\evp_test.c(3): * Copyright (c) 2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\m_dss.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\m_dss.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\m_dss1.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\m_dss1.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\m_ecdsa.c(3): * Copyright (c) 1998-2002
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\m_ecdsa.c(55):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\m_ecdsa.c(69): * Copyright remains Eric

legal(ME)

Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p_open.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p_open.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p_seal.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p_seal.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p_sign.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p_sign.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p_verify.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p_verify.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p5_crpt.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\p5_crpt2.c(6): * Copyright (c) 1999-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\pmeth_fn.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\pmeth_gn.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\evp\pmeth_lib.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ex_data.c(31):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ex_data.c(45): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ex_data.c(88): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\fips_err.h(3): * Copyright (c) 1999-2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\hmac\hm_ameth.c(5): * Copyright (c) 2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\hmac\hm_pmeth.c(5): * Copyright (c) 2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\hmac\hmac.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\hmac\hmac.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\hmac\hmac.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\hmac\hmac.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\hmac\hmactest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\hmac\hmactest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_cbc.c(16): * Copyright remains Eric

legal(ME)

Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_cbc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_cfb64.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_cfb64.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_ecb.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_ecb.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_ofb64.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_ofb64.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_skey.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\i_skey.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\idea.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\idea.h(2):/* Copyright (C) 1995-1997
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\idea_lcl.h(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\idea_lcl.h(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\idea_spd.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\idea_spd.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\ideatest.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\idea\ideatest.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\jpake\jpake_err.c(3): * Copyright (c)
1999-2010 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\krb5\krb5_asn.c(6): * Copyright (c) 2000 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\krb5\krb5_asn.h(7): * Copyright (c)
1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\lhash\lh_stats.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\lhash\lh_stats.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\lhash\lh_test.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\lhash\lh_test.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\lhash\lhash.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\lhash\lhash.c(2):/* Copyright (C) 1995-1998

legal(ME)

Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\lhash\lhash.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\lhash\lhash.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\LPdir_nyi.c(3): * Copyright (c) 2004, Richard Levitte <richard@levitte.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\LPdir_unix.c(3): * Copyright (c) 2004, Richard Levitte <richard@levitte.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\LPdir_vms.c(2): * Copyright (c) 2004, Richard Levitte <richard@levitte.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\LPdir_win.c(2): * Copyright (c) 2004, Richard Levitte <richard@levitte.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\LPdir_win32.c(3): * Copyright (c) 2004, Richard Levitte <richard@levitte.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\LPdir_wince.c(3): * Copyright (c) 2004, Richard Levitte <richard@levitte.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2.h(2):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2_dgst.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2_dgst.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2_one.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2_one.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2test.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md2\md2test.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md32_common.h(3): * Copyright (c) 1999-2007 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4_dgst.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4_dgst.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4_loc1.h(16): * Copyright remains Eric

legal(ME)

Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4_locl.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4_one.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4_one.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4test.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md4\md4test.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\asm\md5-ia64.S(1):/* Copyright (c) 2005
Hewlett-Packard Development Company, L.P.
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\asm\md5-x86_64.pl(6):# Licence: I hereby
disclaim the copyright on this code and place it
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5.h(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5_dgst.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5_dgst.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5_locl.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5_locl.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5_one.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5_one.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5test.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\md5\md5test.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\mdc2\mdc2.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\mdc2\mdc2.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\mdc2\mdc2_one.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\mdc2\mdc2_one.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\mdc2\mdc2dgst.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\mdc2\mdc2dgst.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\mdc2\mdc2test.c(16): * Copyright remains

legal(ME)

Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\mdc2\mdc2test.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\mem.c(16): * Copyright remains Eric Young's,
and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\mem.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\mem_clr.c(6): * Copyright (c) 2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\mem_dbg.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\mem_dbg.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\mem_dbg.c(59): * Copyright (c) 1998-2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\cbc128.c(2): * Copyright (c) 2008 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\ccm128.c(2): * Copyright (c) 2011 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\cfb128.c(2): * Copyright (c) 2008 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\ctr128.c(2): * Copyright (c) 2008 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\cts128.c(2): * Copyright (c) 2008 The
OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\gcm128.c(2): * Copyright (c) 2010 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\modes.h(2): * Copyright (c) 2008 The
OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\modes_lcl.h(2): * Copyright (c) 2010
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\ofb128.c(2): * Copyright (c) 2008 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\modes\xts128.c(2): * Copyright (c) 2011 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\o_dir.c(6): * Copyright (c) 2004 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\o_dir.h(8): * Copyright (c) 2004, Richard
Levitte <richard@levitte.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\o_dir_test.c(8): * Copyright (c) 2004,
Richard Levitte <richard@levitte.org>
openssl\1.0.1j\openssl-1.0.1j\crypto\o_fips.c(5): * Copyright (c) 2011 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\o_init.c(6): * Copyright (c) 2011 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\o_str.c(6): * Copyright (c) 2003 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\o_str.h(6): * Copyright (c) 2003 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\o_time.c(9): * Copyright (c) 2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\o_time.h(6): * Copyright (c) 2001 The

legal(ME)

OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_dat.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_dat.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_dat.h(22): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_dat.h(8):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_dat.pl(178):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_dat.pl(192): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_err.c(3): * Copyright (c) 1999-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_lib.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_lib.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_mac.h(22): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_mac.h(8):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\obj_xref.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\objects.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\objects.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\objects.pl(129):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\objects\objects.pl(143): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp.h(11): * Copyright (c) 1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_asn.c(6): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_cl.c(11): * Copyright (c) 1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_err.c(3): * Copyright (c) 1999-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_ext.c(11): * Copyright (c) 1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_ht.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_lib.c(11): * Copyright (c) 1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_prn.c(11): * Copyright (c) 1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_srv.c(6): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ocsp\ocsp_vfy.c(6): * Copyright (c)

legal(ME)

2000-2004 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ossl_typ.h(2): * Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem.h(2):/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_all.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_all.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_all.c(59): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_err.c(3): * Copyright (c) 1999-2007 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_info.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_info.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_lib.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_lib.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_oth.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_oth.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_pk8.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_pk8.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_pkey.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_pkey.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_seal.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_seal.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_sign.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_sign.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_x509.c(6): * Copyright (c) 2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem_xaux.c(6): * Copyright (c) 2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pem2.h(2): * Copyright (c) 1999 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pem\pvkfmt.c(5): * Copyright (c) 2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_add.c(6): * Copyright (c) 1999

legal(ME)

The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_asn.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_attr.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_crpt.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_crt.c(6): * Copyright (c)
1999-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_decr.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_init.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_key.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_kiss.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_mutl.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_npas.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_p8d.c(6): * Copyright (c) 2001
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_p8e.c(6): * Copyright (c) 2001
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\p12_utl.c(6): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\pk12err.c(3): * Copyright (c)
1999-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs12\pkcs12.h(6): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\bio_pk7.c(6): * Copyright (c) 2008 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_asn1.c(6): * Copyright (c) 2000
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_attr.c(6): * Copyright (c)
2001-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_dgst.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_dgst.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_doit.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_doit.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_enc.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_enc.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_lib.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_lib.c(2):/* Copyright (C)

legal(ME)

1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_mime.c(6): * Copyright (c)
1999-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pk7_smime.c(6): * Copyright (c)
1999-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pkcs7.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pkcs7.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\pkcs7\pkcs7err.c(3): * Copyright (c)
1999-2014 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pqueue\pq_test.c(7): * Copyright (c)
1999-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pqueue\pqueue.c(7): * Copyright (c)
1999-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\pqueue\pqueue.h(7): * Copyright (c)
1999-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\md_rand.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\md_rand.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\md_rand.c(59): * Copyright (c)
1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_egd.c(4): * Copyright (c)
1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_err.c(3): * Copyright (c)
1999-2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_lcl.h(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_lcl.h(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_lcl.h(59): * Copyright (c)
1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_lib.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_lib.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_nw.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_nw.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_nw.c(59): * Copyright (c)
1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_os2.c(3): * Copyright (c)
1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_unix.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_unix.c(2):/* Copyright (C)

legal(ME)

1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_unix.c(59): * Copyright (c)
1998-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_vms.c(6): * Copyright (c)
1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_win.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_win.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_win.c(59): * Copyright (c)
1998-2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_win.c(727): * the original
copyright message is:
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\rand_win.c(729): * (C) Copyright
Microsoft Corp. 1993.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\randfile.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\randfile.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\randtest.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rand\randtest.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2.h(2):/* Copyright (C) 1995-1997 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2_cbc.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2_cbc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2_ecb.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2_ecb.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2_locl.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2_locl.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2_skey.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2_skey.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2cfb64.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2cfb64.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2ofb64.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2ofb64.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2speed.c(16): * Copyright remains Eric

legal(ME)

Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2speed.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2test.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc2\rc2test.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\asm\rc4-ia64.pl(316):.ident \"Copyright
(c) 2005 Hewlett-Packard Development Company, L.P.\
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\asm\rc4-ia64.pl(8):# Copyright (c) 2005
Hewlett-Packard Development Company, L.P.
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4.h(2):/* Copyright (C) 1995-1997 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4_enc.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4_enc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4_skey.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4_skey.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4_utl.c(3): * Copyright (c) 2011 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4speed.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4speed.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4test.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc4\rc4test.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5.h(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5_ecb.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5_ecb.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5_enc.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5_enc.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5_loc1.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5_loc1.h(2):/* Copyright (C) 1995-1998

legal(ME)

Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5_key.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5_key.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5cfb64.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5cfb64.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5ofb64.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5ofb64.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5speed.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5speed.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5test.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rc5\rc5test.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\ripemd.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\ripemd.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmd_dgst.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmd_dgst.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmd_locl.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmd_locl.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmd_one.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmd_one.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmd160.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmd160.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmdconst.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmdconst.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmdtest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ripemd\rmdtest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa.h(2):/* Copyright (C) 1995-1998 Eric

legal(ME)

Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_ameth.c(6): * Copyright (c) 2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_asn1.c(6): * Copyright (c) 2000-2005
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_chk.c(3): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_crpt.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_crpt.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_depr.c(3): * Copyright (c) 1998-2002
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_eay.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_eay.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_eay.c(59): * Copyright (c) 1998-2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_err.c(3): * Copyright (c) 1999-2011
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_gen.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_gen.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_lib.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_lib.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_none.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_none.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_null.c(6): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_pk1.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_pk1.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_pmeth.c(6): * Copyright (c) 2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_prn.c(6): * Copyright (c) 2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_pss.c(6): * Copyright (c) 2005 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_saos.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_saos.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_sign.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_sign.c(2):/* Copyright (C) 1995-1998

legal(ME)

Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_ssl.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_ssl.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\rsa\rsa_x931.c(6): * Copyright (c) 2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed.c(2): * Copyright (c) 2007 KISA(Korea Information Security Agency). All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed.h(2): * Copyright (c) 2007 KISA(Korea Information Security Agency). All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed.h(27): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_cbc.c(3): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_cfb.c(3): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_cfb.c(51):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_cfb.c(65): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_ecb.c(3): * Copyright (c) 2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_locl.h(2): * Copyright (c) 2007 KISA(Korea Information Security Agency). All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_ofb.c(3): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_ofb.c(51):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\seed\seed_ofb.c(65): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha_dgst.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha_dgst.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha_locl.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha_locl.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha_one.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha_one.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha1.c(16): * Copyright remains Eric

legal(ME)

Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha1.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha1_one.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha1_one.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha1dgst.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha1dgst.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha1test.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha1test.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha256.c(3): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha256t.c(3): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha512.c(3): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\sha512t.c(3): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\shatest.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\sha\shatest.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\srp\srp.h(7): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\srp\srp_lcl.h(6): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\srp\srp_lib.c(7): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\srp\srp_vfy.c(7): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\stack\safestack.h(2): * Copyright (c) 1999
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\stack\stack.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\stack\stack.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\stack\stack.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\stack\stack.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\store\store.h(6): * Copyright (c) 2003 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\store\str_err.c(3): * Copyright (c)
1999-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\store\str_lib.c(6): * Copyright (c) 2003 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\store\str_lcl.h(6): * Copyright (c) 2003

legal(ME)

The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\store\str_mem.c(6): * Copyright (c) 2003 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\store\str_meth.c(6): * Copyright (c) 2003
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\symhacks.h(2): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\threads\mttest.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\threads\mttest.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\threads\th-lock.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\threads\th-lock.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts.h(6): * Copyright (c) 2006 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_asn1.c(5): * Copyright (c) 2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_conf.c(6): * Copyright (c) 2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_err.c(3): * Copyright (c) 1999-2007
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_lib.c(6): * Copyright (c) 2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_req_print.c(6): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_req_utils.c(6): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_rsp_print.c(6): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_rsp_sign.c(6): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_rsp_utils.c(6): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_rsp_verify.c(6): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ts\ts_verify_ctx.c(6): * Copyright (c) 2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\txt_db\txt_db.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\txt_db\txt_db.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\txt_db\txt_db.h(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\txt_db\txt_db.h(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui.h(6): * Copyright (c) 2001 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_compat.c(3): * Copyright (c) 2001-2002
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_compat.h(6): * Copyright (c) 2001 The

legal(ME)

OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_err.c(3): * Copyright (c) 1999-2006
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_lib.c(6): * Copyright (c) 2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_locl.h(6): * Copyright (c) 2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_openssl.c(6): * Copyright (c) 2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_openssl.c(60): * Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_openssl.c(74): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\ui\ui_util.c(3): * Copyright (c) 2001-2002
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\uid.c(3): * Copyright (c) 2001 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\whrlpool\wp_test.c(2): * Copyright (c) 2005
The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\by_dir.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\by_dir.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\by_file.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\by_file.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x_all.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x_all.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509.h(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509.h(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509.h(59): * Copyright 2002 Sun
Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_att.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_att.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_cmp.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_cmp.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_d2.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_d2.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_def.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_def.c(2):/* Copyright (C)

legal(ME)

1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_err.c(3): * Copyright (c)
1999-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_ext.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_ext.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_lu.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_lu.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_obj.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_obj.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_r2x.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_r2x.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_req.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_req.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_set.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_set.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_trs.c(6): * Copyright (c) 1999 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_txt.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_txt.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_v3.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_v3.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_vfy.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_vfy.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_vfy.h(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_vfy.h(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509_vpm.c(6): * Copyright (c) 2004 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509cset.c(6): * Copyright (c) 2001 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509name.c(16): * Copyright remains
Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\x509name.c(2):/* Copyright (C)

legal(ME)

1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\rset.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\rset.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\spki.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\type.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\crypto\x509\type.c(2):/* Copyright (C)
1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\ext_dat.h(6): * Copyright (c)
1999-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\pcy_cache.c(6): * Copyright (c) 2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\pcy_data.c(6): * Copyright (c) 2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\pcy_int.h(6): * Copyright (c) 2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\pcy_lib.c(6): * Copyright (c) 2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\pcy_map.c(6): * Copyright (c) 2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\pcy_node.c(6): * Copyright (c) 2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\pcy_tree.c(6): * Copyright (c) 2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\tabtest.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_addr.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_akey.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_akeya.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_alt.c(6): * Copyright (c) 1999-2003 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_asid.c(6): * Copyright (c) 2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_bcons.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_bitst.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_conf.c(6): * Copyright (c) 1999-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_cpols.c(6): * Copyright (c) 1999-2004 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_crld.c(6): * Copyright (c) 1999-2008 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_enum.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_extku.c(6): * Copyright (c) 1999

legal(ME)

The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_genn.c(6): * Copyright (c) 1999-2008 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_ia5.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_info.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_int.c(6): * Copyright (c) 1999-2004 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_lib.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_ncons.c(6): * Copyright (c) 2003 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_ocsp.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_pci.c(5):/* Copyright (c) 2004 Kungliga Tekniska Högskolan

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_pcia.c(5):/* Copyright (c) 2004 Kungliga Tekniska Högskolan

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_pcons.c(6): * Copyright (c) 2003 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_pku.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_pmaps.c(6): * Copyright (c) 2003 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_prn.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_purp.c(6): * Copyright (c) 1999-2004 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_skey.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_sxnet.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3_utl.c(6): * Copyright (c) 1999-2003 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3conf.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3err.c(3): * Copyright (c) 1999-2007 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\v3prin.c(6): * Copyright (c) 1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\crypto\x509v3\x509v3.h(6): * Copyright (c) 1999-2004 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\demos\asn1\ocsp.c(6): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\demos\b64.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\demos\b64.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\demos\easy_tls\easy-tls.c(7): (c) Copyright 1999 Bodo Moeller.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\demos\easy_tls\easy-tls.h(7): * (c) Copyright 1999

legal(ME)

Bodo Moeller.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\demos\engines\cluster_labs\hw_cluster_labs.c(6): *
Copyright (c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\cluster_labs\hw_cluster_labs_err.c(3)
: * Copyright (c) 1999-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\cluster_labs\hw_cluster_labs_err.h(2)
: * Copyright (c) 2001-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\ibmca\hw_ibmca.c(59):/* (C) COPYRIGHT
International Business Machines Corp. 2001 */
openssl\1.0.1j\openssl-1.0.1j\demos\engines\ibmca\hw_ibmca.c(6): * Copyright (c)
1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\ibmca\hw_ibmca_err.c(3): * Copyright
(c) 1999-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\ibmca\hw_ibmca_err.h(2): * Copyright
(c) 2001-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\rsaref\rsaref_err.c(3): * Copyright
(c) 1999 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\rsaref\rsaref_err.h(3): * Copyright
(c) 1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\zencod\hw_zencod.c(12): * Copyright
(c) 1999-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\zencod\hw_zencod_err.c(3): *
Copyright (c) 1999-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\engines\zencod\hw_zencod_err.h(2): *
Copyright (c) 2001-2002 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\demos\prime\prime.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\demos\prime\prime.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\demos\sign\sign.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\demos\sign\sign.c(2):/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\demos\state_machine\state_machine.c(2): * Copyright
(c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\doc\ssl\SSL_CTX_set_psk_client_callback.pod(5):Copy
right 2005 Nokia. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\doc\ssl\SSL_CTX_use_psk_identity_hint.pod(5):Copyri
ght 2005 Nokia. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\doc\ssl\SSL_get_psk_identity.pod(5):Copyright 2005
Nokia. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\e_os.h(16): * Copyright remains Eric Young's, and
as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\e_os.h(2):/* Copyright (C) 1995-1998 Eric Young
(eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\e_os2.h(3): * Copyright (c) 1998-2000 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\e_gost_err.c(3): * Copyright (c)
1999-2009 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\e_gost_err.h(2): * Copyright (c)
2001-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\e_gost_err.proto(2): * Copyright (c)

legal(ME)

2001-2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_ameth.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_asn1.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_crypt.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_ctl.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_eng.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_keywrap.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_keywrap.h(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_lcl.h(5): * Copyright (c) 2006

Cryptocom LTD *

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_md.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_params.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_params.h(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_pmeth.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost_sign.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost2001.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost2001_keyx.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost89.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost89.h(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gost94_keyx.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gosthash.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gosthash.h(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\ccgost\gostsum.c(3): * Copyright (c)

2005-2006 Cryptocom LTD*

openssl\1.0.1j\openssl-1.0.1j\engines\e_4758cca.c(3): * Copyright (c) 1999 The
OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\engines\e_4758cca_err.c(3): * Copyright (c)

1999-2005 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\engines\e_4758cca_err.h(2): * Copyright (c) 2001
The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\engines\e_aep.c(2): * Copyright (c) 1999 The
OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\engines\e_aep_err.c(3): * Copyright (c) 1999-2005

legal(ME)

The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_aep_err.h(2): * Copyright (c) 2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_atalla.c(6): * Copyright (c) 1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_atalla_err.c(3): * Copyright (c) 1999-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_atalla_err.h(2): * Copyright (c) 2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_capi.c(6): * Copyright (c) 2008 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_capi_err.c(3): * Copyright (c) 1999-2009 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_capi_err.h(2): * Copyright (c) 2001-2008 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_chil.c(7): * Copyright (c) 1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_chil_err.c(3): * Copyright (c) 1999-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_chil_err.h(2): * Copyright (c) 2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_cswift.c(6): * Copyright (c) 1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_cswift_err.c(3): * Copyright (c) 1999-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_cswift_err.h(2): * Copyright (c) 2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_gmp.c(6): * Copyright (c) 1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_gmp_err.c(3): * Copyright (c) 1999-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_gmp_err.h(2): * Copyright (c) 2001-2002 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_nuron.c(6): * Copyright (c) 2000-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_nuron_err.c(3): * Copyright (c) 1999-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_nuron_err.h(2): * Copyright (c) 2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_padlock.c(12): * Copyright (c) 1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_sureware.c(37): * Copyright@2001 Baltimore Technologies Ltd.
openssl\1.0.1j\openssl-1.0.1j\engines\e_sureware_err.c(3): * Copyright (c) 1999-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_sureware_err.h(2): * Copyright (c) 2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_ubsec.c(8): * Copyright (c) 1999-2001 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_ubsec_err.c(3): * Copyright (c) 1999-2005 The OpenSSL Project. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\engines\e_ubsec_err.h(2): * Copyright (c) 2001 The

legal(ME)

OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\engines\vendor_defns\hw_ubsec.h(3): *Copyright 2000

openssl\1.0.1j\openssl-1.0.1j\engines\vendor_defns\hwcryptohook.h(11): * This file is Copyright 1998-2000 nCipher Corporation Limited.

openssl\1.0.1j\openssl-1.0.1j\engines\vendor_defns\sureware.h(4):* Copyright@2001 Baltimore Technologies Ltd.

openssl\1.0.1j\openssl-1.0.1j\FAQ(206):On other systems, the situation is less clear. Some GPL software copyright

openssl\1.0.1j\openssl-1.0.1j\FAQ(214):GPL software developed by others, you may want to ask the copyright holder

openssl\1.0.1j\openssl-1.0.1j\LICENSE(15): * Copyright (c) 1998-2011 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\LICENSE(71):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\LICENSE(85): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\MacOS\GetHTTPS.src\CPStringUtils.cpp(2): * Copyright (c) 1998-1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\MacOS\GetHTTPS.src\ErrorHandling.cpp(2): * Copyright (c) 1998-1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\MacOS\GetHTTPS.src\MacSocket.cpp(14): * Copyright (c) 1998-1999 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\README(4): Copyright (c) 1998-2011 The OpenSSL Project

openssl\1.0.1j\openssl-1.0.1j\README(5): Copyright (c) 1995-1998 Eric A. Young, Tim J. Hudson

openssl\1.0.1j\openssl-1.0.1j\ssl\bio_ssl.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\bio_ssl.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_both.c(59):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_both.c(7): * Copyright (c) 1998-2005 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_both.c(73): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_clnt.c(59):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_clnt.c(7): * Copyright (c) 1999-2007 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_clnt.c(73): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_enc.c(59):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_enc.c(7): * Copyright (c) 1998-2005 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_enc.c(73): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_lib.c(7): * Copyright (c) 1999-2005 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_meth.c(7): * Copyright (c) 1999-2005 The OpenSSL Project.All rights reserved.

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\ssl\d1_pkt.c(59):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_pkt.c(7): * Copyright (c) 1998-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_pkt.c(73): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_srtp.c(114):Copyright (C) 2006, Network Resonance, Inc.
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_srtp.c(115):Copyright (C) 2011, RTFM, Inc.
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_srtp.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_srtp.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_srtp.c(59): * Copyright (c) 1998-2006 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_srvr.c(59):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_srvr.c(7): * Copyright (c) 1999-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\d1_srvr.c(73): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\dtls1.h(7): * Copyright (c) 1999-2005 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\kssl.c(5): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\kssl.h(6): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\kssl_lcl.h(6): * Copyright (c) 2000 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_clnt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_clnt.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_clnt.c(59): * Copyright (c) 1998-2001 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_lib.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_lib.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_lib.c(59): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_meth.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_meth.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_pkt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\s2_pkt.c(2):/* Copyright (C) 1995-1998 Eric

legal(ME)

Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s2_pkt.c(59): * Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s2_srvr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s2_srvr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s2_srvr.c(59): * Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_clnt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_clnt.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_clnt.c(59): * Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_lib.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_lib.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_meth.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_meth.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_pkt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_pkt.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_srvr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_srvr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s23_srvr.c(59): * Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_both.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_both.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_both.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_both.c(59): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_cbc.c(3): * Copyright (c) 2012 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_clnt.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_clnt.c(125): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_clnt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_clnt.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_clnt.c(59): * Copyright (c) 1998-2007 The

legal(ME)

OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_enc.c(112): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_enc.c(59): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_lib.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_lib.c(125): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_lib.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_lib.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_lib.c(59): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_meth.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_meth.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_pkt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_pkt.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_pkt.c(59): * Copyright (c) 1998-2002 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_srvr.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_srvr.c(125): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_srvr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_srvr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\s3_srvr.c(59): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\srtp.h(114):Copyright (C) 2006, Network Resonance, Inc.

openssl\1.0.1j\openssl-1.0.1j\ssl\srtp.h(115):Copyright (C) 2011, RTFM, Inc.

openssl\1.0.1j\openssl-1.0.1j\ssl\srtp.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\srtp.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\srtp.h(59): * Copyright (c) 1998-2006 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl.h(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl.h(117): * Copyright 2005 Nokia. All rights reserved.

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl.h(59): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_algs.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_algs.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_asn1.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_asn1.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_asn1.c(59): * Copyright 2005 Nokia. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_cert.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_cert.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_cert.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_cert.c(59): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_ciph.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_ciph.c(117): * Copyright 2005 Nokia. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_ciph.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_ciph.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_ciph.c(59): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_err.c(3): * Copyright (c) 1999-2011 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_err2.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_err2.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_lib.c(114): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_lib.c(119): * Copyright 2005 Nokia. All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_lib.c(18): * Copyright remains Eric Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_lib.c(4):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_lib.c(61): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_locl.h(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_locl.h(117): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_locl.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_locl.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_locl.h(59): * Copyright (c) 1998-2007 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_rsa.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_rsa.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_sess.c(112): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_sess.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_sess.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_sess.c(59): * Copyright (c) 1998-2006 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_stat.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_stat.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_stat.c(59): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_task.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_task.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_txt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_txt.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_txt.c(59): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl_utst.c(6): * Copyright (c) 2014 The OpenSSL Project.All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl2.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl2.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl23.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl23.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl3.h(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl3.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl3.h(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

legal(ME)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssl3.h(59): * Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssltest.c(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssltest.c(117): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\ssltest.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\ssltest.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\ssltest.c(59): * Copyright (c) 1998-2000 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_clnt.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_clnt.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_enc.c(112): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_enc.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_enc.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_enc.c(59): * Copyright (c) 1998-2007 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_lib.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_lib.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_lib.c(59): * Copyright (c) 1998-2007 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_meth.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_meth.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_reneg.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_reneg.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_reneg.c(59): * Copyright (c) 1998-2009 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_srvr.c(16): * Copyright remains Eric Young's, and as such any Copyright notices in

openssl\1.0.1j\openssl-1.0.1j\ssl\t1_srvr.c(2):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

openssl\1.0.1j\openssl-1.0.1j\ssl\tls_srp.c(7): * Copyright (c) 2004-2011 The OpenSSL Project. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\tls1.h(112): * Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

openssl\1.0.1j\openssl-1.0.1j\ssl\tls1.h(125): * Copyright 2005 Nokia. All rights reserved.

openssl\1.0.1j\openssl-1.0.1j\ssl\tls1.h(16): * Copyright remains Eric Young's, and as such any Copyright notices in

legal(ME)

```
openssl\1.0.1j\openssl-1.0.1j\ssl\tls1.h(2):/* Copyright (C) 1995-1998 Eric Young
(eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\ssl\tls1.h(59): * Copyright (c) 1998-2006 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\test\cms-examples.pl(6):# Copyright (c) 2008 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\test\cms-test.pl(6):# Copyright (c) 2008 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\test\igettest.c(3): * Copyright (c) 2006 The OpenSSL
Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\test\methtest.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\test\methtest.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\test\pkits-test.pl(6):# Copyright (c) 2008 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\test\r160test.c(16): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\test\r160test.c(2):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\test\testutil.h(11): * Copyright (c) 2014 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\util\add_cr.pl(28):if (($in[1] !~ /^\/\* Copyright
\C\ [0-9-]+ Eric Young \(eay@cryptsoft.com\)\/))
openssl\1.0.1j\openssl-1.0.1j\util\add_cr.pl(3):# This adds a copyright message
to a souce code file.
openssl\1.0.1j\openssl-1.0.1j\util\add_cr.pl(63):sub Copyright
openssl\1.0.1j\openssl-1.0.1j\util\add_cr.pl(66):/* Copyright (C) 1995-1998 Eric
Young (eay@cryptsoft.com)
openssl\1.0.1j\openssl-1.0.1j\util\add_cr.pl(80): * Copyright remains Eric
Young's, and as such any Copyright notices in
openssl\1.0.1j\openssl-1.0.1j\util\mkerr.pl(394):" * Copyright (c) 2001-2011 The
OpenSSL Project.All rights reserved.\n",
openssl\1.0.1j\openssl-1.0.1j\util\mkerr.pl(579): * Copyright (c) 1999-2011 The
OpenSSL Project.All rights reserved.
openssl\1.0.1j\openssl-1.0.1j\util\mkrc.pl(60):VALUE "LegalCopyright", "Copyright
↵ 1998-2006 The OpenSSL Project. Copyright ↵ 1995-1998 Eric A. Young, Tim J.
Hudson. All rights reserved.\n"
openssl\1.0.1j\openssl-1.0.1j\util\pl\netware.pl(27):elsif (/^[\\s\t]+(Copyright
\C\ \d{4}\-\d{4} The OpenSSL Project)$/)
openssl\1.0.1j\openssl-1.0.1j\util\pl\netware.pl(398): print( DEF_OUT "COPYRIGHT
\n$nlmcpystr"\n");
openssl\1.0.1j\openssl-1.0.1j\util\pl\netware.pl(41):$nlmcpystr = "Copyright (c)
1998-now The OpenSSL Project" if (!$nlmcpystr);
openssl\1.0.1j\openssl-1.0.1j\util\pl\netware.pl(43):# die "OpenSSL copyright:
$nlmcpystr\nOpenSSL verstring: $nlmverstr\nOpenSSL vernumber: $nlmvernum\n";
openssl\NOTICE.txt(15): * Copyright (c) 1998-2011 The OpenSSL Project.All rights
reserved.
openssl\NOTICE.txt(71):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
openssl\NOTICE.txt(85): * Copyright remains Eric Young's, and as such any
Copyright notices in
png\libpng-1.2.43\aclocal.m4(24):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
```

legal(ME)

2001, 2003, 2004, 2005,
png\libpng-1.2.43\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004,
png\libpng-1.2.43\aclocal.m4(33):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001, 2003, 2004, 2005,
png\libpng-1.2.43\aclocal.m4(619):Copyright (C) 2008 Free Software Foundation,
Inc.
png\libpng-1.2.43\aclocal.m4(7366):# Copyright (C) 2004, 2005, 2007, 2008 Free
Software Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(7729):# Copyright (C) 2004, 2005, 2007, 2008 Free
Software Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(7853):# Copyright (C) 2004 Free Software Foundation,
Inc.
png\libpng-1.2.43\aclocal.m4(7877):# Copyright (C) 2004, 2005, 2007 Free Software
Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(7968):# Copyright (C) 2002, 2003, 2005, 2006, 2007,
2008Free Software Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8006):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8059):# Copyright (C) 1997, 2000, 2001, 2003, 2004,
2005, 2006, 2008
png\libpng-1.2.43\aclocal.m4(8093):# Copyright (C) 1999, 2000, 2001, 2002, 2003,
2004, 2005, 2006, 2009
png\libpng-1.2.43\aclocal.m4(8277):# Copyright (C) 1999, 2000, 2001, 2002, 2003,
2004, 2005, 2008
png\libpng-1.2.43\aclocal.m4(8355):# Copyright (C) 1996, 1997, 2000, 2001, 2003,
2005
png\libpng-1.2.43\aclocal.m4(8369):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004,
png\libpng-1.2.43\aclocal.m4(8506):# Copyright (C) 2001, 2003, 2005, 2008Free
Software Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8527):# Copyright (C) 2003, 2005Free Software
Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8551):# Copyright (C) 1996, 1998, 2000, 2001, 2002,
2003, 2004, 2005, 2008
png\libpng-1.2.43\aclocal.m4(8590):# Copyright (C) 2001, 2002, 2003, 2005,
2009Free Software Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8642):# Copyright (C) 1997, 1999, 2000, 2001, 2003,
2004, 2005, 2008
png\libpng-1.2.43\aclocal.m4(8683):# Copyright (C) 2003, 2004, 2005, 2006Free
Software Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8711):# Copyright (C) 2001, 2002, 2003, 2005,
2008Free Software Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8744):# Copyright (C) 1996, 1997, 2000, 2001, 2003,
2005, 2008
png\libpng-1.2.43\aclocal.m4(8807):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8835):# Copyright (C) 2006, 2008Free Software
Foundation, Inc.
png\libpng-1.2.43\aclocal.m4(8856):# Copyright (C) 2004, 2005Free Software
Foundation, Inc.
png\libpng-1.2.43\CHANGES(1480):copyright year accordingly.

legal(ME)

png\libpng-1.2.43\CHANGES(2591):Updated the copyright year in scripts/pngw32.rc from 2004 to 2009.

png\libpng-1.2.43\CHANGES(2637):Updated copyright year.

png\libpng-1.2.43\CHANGES(320):Removed references to IJG and JPEG in the ansi2knr.c copyright statement.

png\libpng-1.2.43\CHANGES(473):Copied the PNG copyright and license to a separate LICENSE file.

png\libpng-1.2.43\CMakeLists.txt(17):# Copyright (C) 2007-2010 Glenn Randers-Pehrson

png\libpng-1.2.43\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

png\libpng-1.2.43\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,

png\libpng-1.2.43\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

png\libpng-1.2.43\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,

png\libpng-1.2.43\configure(12152):Copyright (C) 2009 Free Software Foundation, Inc.

png\libpng-1.2.43\configure(13232):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

png\libpng-1.2.43\configure(1618):Copyright (C) 2009 Free Software Foundation, Inc.

png\libpng-1.2.43\configure(8):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,

png\libpng-1.2.43\contrib\gregbook\COPYING(316):Gnomovision version 69, Copyright (C) yearname of author

png\libpng-1.2.43\contrib\gregbook\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

png\libpng-1.2.43\contrib\gregbook\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

png\libpng-1.2.43\contrib\gregbook\LICENSE(3):Copyright (c) 1998-2008 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\readpng.c(7):Copyright (c) 1998-2007 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\readpng.h(7):Copyright (c) 1998-2007 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\readpng2.c(7):Copyright (c) 1998-2007 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\readpng2.h(7):Copyright (c) 1998-2008 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\readppm.c(12):Copyright (c) 1998-2007 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\rpng2-win.c(38):Copyright (c) 1998-2008 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\rpng2-x.c(46):Copyright (c) 1998-2008 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\rpng-win.c(30):Copyright (c) 1998-2008 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\rpng-x.c(32):Copyright (c) 1998-2008 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\wpng.c(41):Copyright (c) 1998-2007 Greg

legal(ME)

Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\wpng.c(553):fprintf(stderr, "Copyright: ");

png\libpng-1.2.43\contrib\gregbook\wpng.c(558):wpng_info.copyright = p;

png\libpng-1.2.43\contrib\gregbook\writepng.c(201):text[num_text].key = "Copyright";

png\libpng-1.2.43\contrib\gregbook\writepng.c(202):text[num_text].text = mainprog_ptr->copyright;

png\libpng-1.2.43\contrib\gregbook\writepng.c(7):Copyright (c) 1998-2007 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\gregbook\writepng.h(104):char *copyright;

png\libpng-1.2.43\contrib\gregbook\writepng.h(7):Copyright (c) 1998-2007 Greg Roelofs.All rights reserved.

png\libpng-1.2.43\contrib\pngminim\decoder\pngusr.h(3): * Copyright (c) 2007, 2009 Glenn Randers-Pehrson

png\libpng-1.2.43\contrib\pngminim\decoder\pngusr.h(9): * Derived from pngcrush.h, Copyright 1998-2007, Glenn Randers-Pehrson

png\libpng-1.2.43\contrib\pngminim\encoder\pngusr.h(3): * Copyright (c) 2007, 2009 Glenn Randers-Pehrson

png\libpng-1.2.43\contrib\pngminim\encoder\pngusr.h(9): * Derived from pngcrush.h, Copyright 1998-2007, Glenn Randers-Pehrson

png\libpng-1.2.43\contrib\pngminim\preader\pngusr.h(3): * Copyright (c) 2009 Glenn Randers-Pehrson

png\libpng-1.2.43\contrib\pngminim\preader\pngusr.h(9): * Derived from pngcrush.h, Copyright 1998-2007, Glenn Randers-Pehrson

png\libpng-1.2.43\contrib\pngminus\png2pnm.c(3): *copyright (C) 1999 by Willem van Schaik <willem@schaik.com>

png\libpng-1.2.43\contrib\pngminus\pnm2png.c(3): *copyright (C) 1999 by Willem van Schaik <willem@schaik.com>

png\libpng-1.2.43\contrib\pngminus\README(3):(copyright Willem van Schaik, 1999)

png\libpng-1.2.43\contrib\visupng\cexcept.h(10):Copyright (c) 2000-2008 Adam M. Costello and Cosmin Truta.

png\libpng-1.2.43\contrib\visupng\cexcept.h(15):with this software.The copyright holders make no guarantees

png\libpng-1.2.43\contrib\visupng\PngFile.c(5):// Copyright 2000, Willem van Schaik.

png\libpng-1.2.43\contrib\visupng\PngFile.h(5):// Copyright 2000, Willem van Schaik.

png\libpng-1.2.43\contrib\visupng\README.txt(4):Copyright 2000, Willem van Schaik.

png\libpng-1.2.43\contrib\visupng\VisualPng.c(5):// Copyright 2000, Willem van Schaik.

png\libpng-1.2.43\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009 Free

png\libpng-1.2.43\example.c(16): * in the public domain, and therefore does not require a copyright notice.

png\libpng-1.2.43\install-sh(10):# Copyright (C) 1994 X Consortium

png\libpng-1.2.43\libpng.3(131):\fBpng_byte png_get_copyright (png_structp \fIpng_ptr\fP);\fP

png\libpng-1.2.43\libpng.3(1874):Copyright (c) 1998-01-04 Charles Poynton <poynton at inforamp.net>

png\libpng-1.2.43\libpng.3(2886):CopyrightCopyright notice

png\libpng-1.2.43\libpng.3(4386):Copyright (c) 2004,2006-2008 Glenn

legal(ME)

Randers-Pehrson, and are
png\libpng-1.2.43\libpng.3(4393):Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are
png\libpng-1.2.43\libpng.3(4412):Copyright (c) 1998, 1999 Glenn Randers-Pehrson
png\libpng-1.2.43\libpng.3(4421):Copyright (c) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\libpng.3(4433):Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.
png\libpng-1.2.43\libpng.3(4435):For the purposes of this copyright and license, "Contributing Authors"
png\libpng-1.2.43\libpng.3(4471):A "png_get_copyright" function is available, for convenient use in "about"
png\libpng-1.2.43\libpng.3(827): Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\libpng.3(837): Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\libpng.3(841): Copyright (c) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\libpng.3(845): notice in png.h. Copyright (c) 1995, 1996 Guy Eric
png\libpng-1.2.43\libpng.3(849): Copyright (c) 1995, 1996 Frank J. T. Wojcik
png\libpng-1.2.43\libpng-1.2.43.txt(1053):Copyright (c) 1998-01-04 Charles Poynton <poynton at inforamp.net>
png\libpng-1.2.43\libpng-1.2.43.txt(16): Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\libpng-1.2.43.txt(20): Copyright (c) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\libpng-1.2.43.txt(2065):CopyrightCopyright notice
png\libpng-1.2.43\libpng-1.2.43.txt(24): notice in png.h. Copyright (c) 1995, 1996 Guy Eric
png\libpng-1.2.43\libpng-1.2.43.txt(28): Copyright (c) 1995, 1996 Frank J. T. Wojcik
png\libpng-1.2.43\libpng-1.2.43.txt(6): Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\LICENSE(14):Copyright (c) 2004, 2006-2009 Glenn Randers-Pehrson, and are
png\libpng-1.2.43\LICENSE(21):Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are
png\libpng-1.2.43\LICENSE(39):Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are
png\libpng-1.2.43\LICENSE(48):Copyright (c) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\LICENSE(60):Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.
png\libpng-1.2.43\LICENSE(62):For the purposes of this copyright and license, "Contributing Authors"
png\libpng-1.2.43\LICENSE(98):A "png_get_copyright" function is available, for convenient use in "about"
png\libpng-1.2.43\ltmain.sh(6):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007 2008 Free Software Foundation, Inc.
png\libpng-1.2.43\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
png\libpng-1.2.43\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006,
png\libpng-1.2.43\png.5(61):This man page is Copyright (c) 1998-2006 Glenn Randers-Pehrson. See png.h
png\libpng-1.2.43\png.5(65):Copyright (c) 2003 W3C. (MIT, ERCIM, Keio), All Rights Reserved.

legal(ME)

```
png\libpng-1.2.43\png.5(67):The PNG-1.2 specification is copyright (c) 1999 Glenn
Randers-Pehrson.
png\libpng-1.2.43\png.5(70):The PNG-1.0 specification is copyright (c) 1996
Massachusetts Institute of
png\libpng-1.2.43\png.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\png.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas
Dilger)
png\libpng-1.2.43\png.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric
Schalnat, Group 42, Inc.)
png\libpng-1.2.43\png.c(719):png_get_copyright(png_structp png_ptr)
png\libpng-1.2.43\png.c(722):#ifdef PNG_STRING_COPYRIGHT
png\libpng-1.2.43\png.c(723):return PNG_STRING_COPYRIGHT
png\libpng-1.2.43\png.c(728): "Copyright (c) 1998-2010 Glenn Randers-Pehrson"
PNG_STRING_NEWLINE \
png\libpng-1.2.43\png.c(729): "Copyright (c) 1996-1997 Andreas Dilger"
PNG_STRING_NEWLINE \
png\libpng-1.2.43\png.c(730): "Copyright (c) 1995-1996 Guy Eric Schalnat, Group
42, Inc." \
png\libpng-1.2.43\png.c(734):Copyright (c) 1998-2010 Glenn Randers-Pehrson\
png\libpng-1.2.43\png.c(735):Copyright (c) 1996-1997 Andreas Dilger\
png\libpng-1.2.43\png.c(736):Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42,
Inc.");
png\libpng-1.2.43\png.h(2704):extern PNG_EXPORT(png_charp,png_get_copyright)
PNGARG((png_structp png_ptr));
png\libpng-1.2.43\png.h(294): * Copyright (c) 2004, 2006-2010 Glenn
Randers-Pehrson, and are
png\libpng-1.2.43\png.h(301): * Copyright (c) 2000-2002 Glenn Randers-Pehrson,
and are
png\libpng-1.2.43\png.h(319): * Copyright (c) 1998, 1999, 2000 Glenn
Randers-Pehrson, and are
png\libpng-1.2.43\png.h(328): * Copyright (c) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\png.h(340): * Copyright (c) 1995, 1996 Guy Eric Schalnat, Group
42, Inc.
png\libpng-1.2.43\png.h(342): * For the purposes of this copyright and license,
"Contributing Authors"
png\libpng-1.2.43\png.h(379): * A "png_get_copyright" function is available, for
convenient use in "about"
png\libpng-1.2.43\png.h(4): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\png.h(5): * (Version 0.96 Copyright (c) 1996, 1997 Andreas
Dilger)
png\libpng-1.2.43\png.h(6): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric
Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngconf.h(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngconf.h(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas
Dilger)
png\libpng-1.2.43\pngconf.h(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric
Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngerror.c(5): * Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\pngerror.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas
Dilger)
png\libpng-1.2.43\pngerror.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy
Eric Schalnat, Group 42, Inc.)
```

legal(ME)

png\libpng-1.2.43\pngget.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngget.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngget.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngmem.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngmem.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngmem.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngpread.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngpread.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngpread.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngread.c(5): * Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\pngread.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngread.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngrio.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngrio.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngrio.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngtran.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngtran.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngtran.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngutil.c(5): * Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\pngutil.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngutil.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngset.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngset.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngset.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngtest.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngtest.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngtest.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngtrans.c(5): * Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\pngtrans.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngtrans.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngwio.c(5): * Copyright (c) 1998-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\pngwio.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)

legal(ME)

Dilger)

png\libpng-1.2.43\pngwio.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngwrite.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngwrite.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngwrite.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngwtran.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngwtran.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngwtran.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\pngwutil.c(5): * Copyright (c) 1998-2010 Glenn Randers-Pehrson
png\libpng-1.2.43\pngwutil.c(6): * (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
png\libpng-1.2.43\pngwutil.c(7): * (Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)
png\libpng-1.2.43\projects\visualc6\README.txt(3):Copyright (C) 2000-2004 Simon-Pierre Cadieux.
png\libpng-1.2.43\projects\visualc6\README.txt(4):Copyright (C) 2004 Cosmin Truta.
png\libpng-1.2.43\projects\visualc71\README.txt(3):Copyright (C) 2004 Simon-Pierre Cadieux.
png\libpng-1.2.43\projects\visualc71\README_zlib.txt(7):Copyright (C) 2004 Simon-Pierre Cadieux.
png\libpng-1.2.43\projects\visualc71\README_zlib.txt(8):Copyright (C) 2004 Cosmin Truta.
png\libpng-1.2.43\scripts\libpng.icc(3):// Copyright (C) 2000 Cosmin Truta
png\libpng-1.2.43\scripts\libpng-config.in(6):# Copyright (C) 2002, 2004, 2006, 2007 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\libpng-config-head.in(6):# Copyright (C) 2002 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.32sunu(3):# Copyright (C) 2002, 2006 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.32sunu(4):# Copyright (C) 1998 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.32sunu(5):# Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.64sunu(3):# Copyright (C) 2002, 2006 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.64sunu(4):# Copyright (C) 1998 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.64sunu(5):# Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.acorn(30):# (C) Copyright 1997 Tom Tanner
png\libpng-1.2.43\scripts\makefile.aix(2):# Copyright (C) 2002, 2006-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.aix(3):# Copyright (C) 2000 Cosmin Truta
png\libpng-1.2.43\scripts\makefile.aix(4):# Copyright (C) 2000 Marc O. Gloor (AIX support added, from makefile.gcc)
png\libpng-1.2.43\scripts\makefile.aix(5):# Copyright (C) 1995 Guy Eric Schalnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.amiga(3):# Copyright (C) 1995-2000 Wolf Faust

legal(ME)

png\libpng-1.2.43\scripts\makefile.atari(2):# Copyright (C) 2002 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.atari(3):# Copyright (C) 1995 Guy Eric Schalnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.beos(3):# Copyright (C) 2002, 2006, 2008 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.beos(4):# Copyright (C) 1999 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.beos(5):# Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.cegcc(6):# Copyright (C) 2008 Vincent Torri
png\libpng-1.2.43\scripts\makefile.cygwin(6):# Copyright (C) 2002, 2006-2008 Soren Anderson, Charles Wilson,
png\libpng-1.2.43\scripts\makefile.cygwin(8):# Copyright (C) 1998-2000 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.cygwin(9):# Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.darwin(2):# Copyright (C) 2002, 2004, 2006, 2008 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.darwin(3):# Copyright (C) 2001 Christoph Pfisterer
png\libpng-1.2.43\scripts\makefile.darwin(5):#Copyright (C) 1998, 1999 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.darwin(6):#Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.dec(2):# Copyright (C) 2000-2002, 2006 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.dec(3):# Copyright (C) 1995 Guy Eric Schalnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.dj2(2):# Copyright (C) 2002, 2006, 2009 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.dj2(3):# Copyright (C) 1995 Guy Eric Schalnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.elf(2):# Copyright (C) 1998, 1999, 2002, 2006, 2008 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.elf(4):# Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.freebsd(2):# Copyright (C) 2002, 2007, 2009 Glenn Randers-Pehrson and Andrey A. Chernov
png\libpng-1.2.43\scripts\makefile.gcc(2):# Copyright (C) 2008 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.gcc(3):# Copyright (C) 2000 Cosmin Truta
png\libpng-1.2.43\scripts\makefile.gcc(4):# Copyright (C) 1995 Guy Eric Schalnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.gcmmx(3):# Copyright 2002, 2006, 2008 Greg Roelofs and Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.gcmmx(4):# Copyright 1998-2001 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.gcmmx(5):# Copyright 1996-1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.hp64(2):# Copyright (C) 1999-2002, 2006, 2009 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.hp64(3):# Copyright (C) 1995 Guy Eric Schalnat, Group 42
png\libpng-1.2.43\scripts\makefile.hpgcc(2):# Copyright (C) 2002, 2006-2008 Glenn

legal(ME)

Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.hpgcc(3):# Copyright (C) 2001, Laurent faillie

png\libpng-1.2.43\scripts\makefile.hpgcc(4):# Copyright (C) 1998, 1999 Greg
Roelofs

png\libpng-1.2.43\scripts\makefile.hpgcc(5):# Copyright (C) 1996, 1997 Andreas
Dilger

png\libpng-1.2.43\scripts\makefile.hpux(2):# Copyright (C) 1999-2002, 2006 Glenn
Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.hpux(3):# Copyright (C) 1995 Guy Eric
Schalnat, Group 42

png\libpng-1.2.43\scripts\makefile.ibm(3):# Copyright (C) 2006 Glenn
Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.ibm(4):# Copyright (C) 2000 Cosmin Truta

png\libpng-1.2.43\scripts\makefile.intel(4):# Copyright (C) 2006 Glenn

Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.intel(5):# Copyright (C) 2000, Pawel Mrochen,
based on makefile.msc which is

png\libpng-1.2.43\scripts\makefile.intel(6):# copyright 1995 Guy Eric Schalnat,
Group 42, Inc.

png\libpng-1.2.43\scripts\makefile.knr(2):# Copyright (C) 2002, 2006, 2009 Glenn
Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.knr(3):# Copyright (C) 1995 Guy Eric Schalnat,
Group 42, Inc.

png\libpng-1.2.43\scripts\makefile.linux(2):# Copyright (C) 1998, 1999, 2002,
2006, 2008 Greg Roelofs and

png\libpng-1.2.43\scripts\makefile.linux(4):# Copyright (C) 1996, 1997 Andreas
Dilger

png\libpng-1.2.43\scripts\makefile.mingw(6):# Copyright (C) 2002, 2006, 2008
Soren Anderson, Charles Wilson,

png\libpng-1.2.43\scripts\makefile.mingw(8):# Copyright (C) 1998-2000, 2007 Greg
Roelofs

png\libpng-1.2.43\scripts\makefile.mingw(9):# Copyright (C) 1996, 1997 Andreas
Dilger

png\libpng-1.2.43\scripts\makefile.mips(2):# Copyright (C) Glenn Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.mips(3):# Copyright (C) 1995 Guy Eric
Schalnat, Group 42, Inc.

png\libpng-1.2.43\scripts\makefile.msc(2):# Copyright (C) 1995 Guy Eric Schalnat,
Group 42, Inc.

png\libpng-1.2.43\scripts\makefile.msc(3):# Copyright (C) 2006, 2009 Glenn
Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.ne12bsd(4):# Copyright (C) 2002 Patrick R.L.
Welche

png\libpng-1.2.43\scripts\makefile.ne12bsd(5):# Copyright (C) 2007, 2009 Glenn
Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.netbsd(4):# Copyright (C) 2002 Patrick R.L.
Welche

png\libpng-1.2.43\scripts\makefile.netbsd(5):# Copyright (C) 2007-2009 Glenn
Randers-Pehrson

png\libpng-1.2.43\scripts\makefile.nommx(2):# Copyright (C) 1998, 1999, 2002,
2006-2008 Greg Roelofs and

png\libpng-1.2.43\scripts\makefile.nommx(4):# Copyright (C) 1996, 1997 Andreas
Dilger

legal(ME)

png\libpng-1.2.43\scripts\makefile.openbsd(2):# Copyright (C) 1995 Guy Eric Schlnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.openbsd(3):# Copyright (C) 2007-2009 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.sco(4):# Copyright (C) 2002, 2006 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.sco(5):# Copyright (C) 1998 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.sco(6):# Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.sgcc(2):# Copyright (C) 2001-2002, 2006 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.sgcc(3):# Copyright (C) 1995 Guy Eric Schlnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.sgi(2):# Copyright (C) 2001-2002, 2006, 2007 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.sgi(3):# Copyright (C) 1995 Guy Eric Schlnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.so9(4):# Copyright (C) 2002, 2006, 2008 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.so9(5):# Copyright (C) 1998-2001 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.so9(6):# Copyright (C) 1996-1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.solaris(2):# Copyright (C) 2004, 2006-2008 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.solaris(4):# Copyright (C) 1998 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.solaris(5):# Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.solaris-x86(2):# Copyright (C) 2004, 2006-2008 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.solaris-x86(4):# Copyright (C) 1998 Greg Roelofs
png\libpng-1.2.43\scripts\makefile.solaris-x86(5):# Copyright (C) 1996, 1997 Andreas Dilger
png\libpng-1.2.43\scripts\makefile.std(2):# Copyright (C) 2002, 2006 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.std(3):# Copyright (C) 1995 Guy Eric Schlnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.sunos(2):# Copyright (C) 2002, 2006 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.sunos(3):# Copyright (C) 1995 Guy Eric Schlnat, Group 42, Inc.
png\libpng-1.2.43\scripts\makefile.vcwin32(2):# Copyright (C) 2006,2009 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.vcwin32(3):# Copyright (C) 1998 Tim Wegner
png\libpng-1.2.43\scripts\makefile.vcwin32(2):# Copyright (C) 1998 Tim Wegner
png\libpng-1.2.43\scripts\makefile.vcwin32(3):# Copyright (C) 2006,2009 Glenn Randers-Pehrson
png\libpng-1.2.43\scripts\makefile.watcom(4):# Copyright (C) 2000, Pawel Mrochen, based on makefile.msc which is
png\libpng-1.2.43\scripts\makefile.watcom(5):# copyright 1995 Guy Eric Schlnat, Group 42, Inc.
png\libpng-1.2.43\scripts\png32ce.def(35):png_get_copyright@27

```

                                legal(ME)
png\libpng-1.2.43\scripts\pngos2.def(40):png_get_copyright
png\libpng-1.2.43\scripts\pngw32.def(35):png_get_copyright@27
png\libpng-1.2.43\scripts\pngw32.rc(93):VALUE "LegalCopyright", "\251 1998-2009
Glenn Randers-Pehrson et al.\000"
png\libpng-1.2.43\scripts\smakefile.ppc(3):# Copyright (C) 1998 by Andreas R.
Kleinert
png\NOTICE.txt(14):Copyright (c) 2004, 2006-2007 Glenn Randers-Pehrson, and are
png\NOTICE.txt(21):Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are
png\NOTICE.txt(39):Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are
png\NOTICE.txt(48):Copyright (c) 1996, 1997 Andreas Dilger
png\NOTICE.txt(60):Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.
png\NOTICE.txt(62):For the purposes of this copyright and license, "Contributing
Authors"
png\NOTICE.txt(98):A "png_get_copyright" function is available, for convenient
use in "about"
procps\NOTICE.txt(294):Copyright (C) 19yy<name of author>
procps\NOTICE.txt(316):Gnomovision version 69, Copyright (C) 19yy name of author
procps\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in
the program
procps\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
procps\procps-3.2.8\COPYING(294):Copyright (C) 19yy<name of author>
procps\procps-3.2.8\COPYING(316):Gnomovision version 69, Copyright (C) 19yy name
of author
procps\procps-3.2.8\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright
interest in the program
procps\procps-3.2.8\COPYING(4): Copyright (C) 1989, 1991 Free Software
Foundation, Inc.
procps\procps-3.2.8\COPYING.LIB(4): Copyright (C) 1991 Free Software Foundation,
Inc.
procps\procps-3.2.8\COPYING.LIB(408):copyrighted by the Free Software Foundation,
write to the Free
procps\procps-3.2.8\COPYING.LIB(475):Yoyodyne, Inc., hereby disclaims all
copyright interest in the
procps\procps-3.2.8\free.1(2):.\ "This page Copyright (C) 1993 Matt Welsh,
mdw@sunsite.unc.edu.
procps\procps-3.2.8\free.c(10):// Copyright 2004 Albert Cahalan
procps\procps-3.2.8\free.c(9):// Copyright 2003 Robert Love
procps\procps-3.2.8\minimal.c(2): * Copyright 1998,2004 by Albert Cahalan; all
rights reserved.
procps\procps-3.2.8\NEWS(223):update copyright dates (GPL & LGPL require this)
procps\procps-3.2.8\pgrep.1(3):.\ " Copyright 2000 Kjetil Torgrim Homme
procps\procps-3.2.8\pgrep.c(5): * Copyright 2000 Kjetil Torgrim Homme
<kjetilho@ifi.uio.no>
procps\procps-3.2.8\pmap.c(2): * Copyright 2002 by Albert Cahalan; all rights
reserved.
procps\procps-3.2.8\proc\alloc.c(1):// Copyright (C) 1992-1998 by Michael K.
Johnson, johnsonm@redhat.com
procps\procps-3.2.8\proc\alloc.c(2):// Copyright 2002 Albert Cahalan
procps\procps-3.2.8\proc\COPYING(4): Copyright (C) 1991 Free Software Foundation,
Inc.
procps\procps-3.2.8\proc\COPYING(408):copyrighted by the Free Software
Foundation, write to the Free

```


legal(ME)

procps\procps-3.2.8\proc\COPYING(475):Yoyodyne, Inc., hereby disclaims all copyright interest in the
procps\procps-3.2.8\proc\devname.c(2): * Copyright 1998-2002 by Albert Cahalan; all rights resered.
procps\procps-3.2.8\proc\escape.c(2): * Copyright 1998-2002 by Albert Cahalan; all rights resered.
procps\procps-3.2.8\proc\ksym.c(2): * Copyright 1998-2003 by Albert Cahalan; all rights reserved.
procps\procps-3.2.8\proc\pwwcache.c(1):// Copyright (C) 1992-1998 by Michael K. Johnson, johnsonm@redhat.com
procps\procps-3.2.8\proc\pwwcache.c(4):// Copyright 2002, Albert Cahalan
procps\procps-3.2.8\proc\readproc.c(3): * Copyright (C) 1996 Charles L. Blake.
procps\procps-3.2.8\proc\readproc.c(4): * Copyright (C) 1998 Michael K. Johnson
procps\procps-3.2.8\proc\readproc.c(5): * Copyright 1998-2003 Albert Cahalan
procps\procps-3.2.8\proc\readproc.h(5):// Copyright 1996 Charles L. Blake.
procps\procps-3.2.8\proc\readproc.h(6):// Copyright 1998 Michael K. Johnson
procps\procps-3.2.8\proc\readproc.h(7):// Copyright 1998-2003 Albert Cahalan
procps\procps-3.2.8\proc\sigs.c(2): * Copyright 1998-2003 by Albert Cahalan; all rights resered.
procps\procps-3.2.8\proc\sigs.h(4): * Copyright 1998-2003 by Albert Cahalan; all rights resered.
procps\procps-3.2.8\proc\slab.c(10): * Copyright 2004, Albert Cahalan
procps\procps-3.2.8\proc\slab.c(9): * Copyright (C) 2003 Chris Rivera
procps\procps-3.2.8\proc\sysinfo.c(1):// Copyright (C) 1992-1998 by Michael K. Johnson, johnsonm@redhat.com
procps\procps-3.2.8\proc\sysinfo.c(2):// Copyright 1998-2003 Albert Cahalan
procps\procps-3.2.8\proc\sysinfo.c(448): * Copyright 1999 by Albert Cahalan; all rights reserved.
procps\procps-3.2.8\proc\version.c(2): * Copyright (c) 1995 Martin Schulze <joey@infodrom.north.de>
procps\procps-3.2.8\proc\version.c(28): * Copyright (c) 1996 Charles Blake <cblake@bbn.com>
procps\procps-3.2.8\proc\version.h(12): * Copyright 2002 Albert Cahalan
procps\procps-3.2.8\proc\version.h(7): * Copyright (c) 1995 Martin Schulze <joey@infodrom.north.de>
procps\procps-3.2.8\proc\version.h(9): * Copyright (c) 1996 Charles Blake <cblake@bbn.com>
procps\procps-3.2.8\ps\common.h(2): * Copyright 1998-2002 by Albert Cahalan; all rights resered.
procps\procps-3.2.8\ps\COPYING(4): Copyright (C) 1991 Free Software Foundation, Inc.
procps\procps-3.2.8\ps\COPYING(408):copyrighted by the Free Software Foundation, write to the Free
procps\procps-3.2.8\ps\COPYING(475):Yoyodyne, Inc., hereby disclaims all copyright interest in the
procps\procps-3.2.8\ps\display.c(2): * Copyright 1998-2003 by Albert Cahalan; all rights resered.
procps\procps-3.2.8\ps\global.c(2): * Copyright 1998-2002 by Albert Cahalan; all rights resered.
procps\procps-3.2.8\ps\help.c(2): * Copyright 1998-2004 by Albert Cahalan; all rights reserved.
procps\procps-3.2.8\ps\output.c(2): * Copyright 1999-2004 by Albert Cahalan; all

legal(ME)

rights reserved.

procs\procs-3.2.8\ps\parser.c(2): * Copyright 1998-2003 by Albert Cahalan; all rights reserved.

procs\procs-3.2.8\ps\select.c(2): * Copyright 1998-2002 by Albert Cahalan; all rights reserved.

procs\procs-3.2.8\ps\sortformat.c(2): * Copyright 1998-2004 by Albert Cahalan; all rights reserved.

procs\procs-3.2.8\pwdx.1(6):.\" Copyright 2004 Nicholas Miell.

procs\procs-3.2.8\pwdx.c(1):// Copyright 2004 Nicholas Miell

procs\procs-3.2.8\skill.c(2): * Copyright 1998-2002 by Albert Cahalan; all rights reserved.

procs\procs-3.2.8\slabtop.1(3):.\" Copyright (C) 2003 Chris Rivera

procs\procs-3.2.8\slabtop.c(9): * Copyright (C) 2003 Chris Rivera

procs\procs-3.2.8\sysctl.8(1):.\" Copyright 1999, George Staikos

(staikos@0wned.org)

procs\procs-3.2.8\sysctl.c(6): * "Copyright 1999 George Staikos

procs\procs-3.2.8\sysctl.conf.5(1):.\" Copyright 1999, George Staikos

(staikos@0wned.org)

procs\procs-3.2.8\tload.1(2):.\"This page Copyright (C) 1993 Matt Welsh, mdw@tc.cornell.edu.

procs\procs-3.2.8\tload.c(8): * Copyright (c) 1992 Branko Lankester

procs\procs-3.2.8\top.1(1239):Copyright (c) 2002 *(EM JC Warner & Associates, Ltd.

procs\procs-3.2.8\top.1(1265):Copyright (C) 2000Free Software Foundation, Inc.

procs\procs-3.2.8\top.1(1428):to the other copyright notices.

procs\procs-3.2.8\top.1(1536):of the Document, provided no compilation copyright is claimed for the

procs\procs-3.2.8\top.1(3):. Copyright (c) 2002, by:JC Warner & Associates, Ltd.

procs\procs-3.2.8\top.c(3): * Copyright (c) 2002, by:James C. Warner

procs\procs-3.2.8\top.h(3):// Copyright (c) 2002, by:James C. Warner

procs\procs-3.2.8\vmstat.8(1):.\"This page Copyright (C) 1994 Henry Ware <al172@yfn.ysu.edu>

procs\procs-3.2.8\vmstat.c(1):// old: "Copyright 1994 by Henry Ware <al172@yfn.ysu.edu>. Copyleft same year."

procs\procs-3.2.8\vmstat.c(2):// most code copyright 2002 Albert Cahalan sed\NOTICE.txt(316):Gnomovision version 69, Copyright (C) yearname of author

sed\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

sed\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(120):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005

sed\sed-4.1.5\aclocal.m4(14):# Copyright (C) 2002, 2003, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(277):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005

sed\sed-4.1.5\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

sed\sed-4.1.5\aclocal.m4(343):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005

sed\sed-4.1.5\aclocal.m4(35):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(357):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,

legal(ME)

2002, 2003, 2004, 2005

sed\sed-4.1.5\aclocal.m4(469):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(483):# Copyright (C) 2003, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(506):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(558):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2005

sed\sed-4.1.5\aclocal.m4(591):# Copyright (C) 2003, 2004, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(656):# Copyright (C) 2001, 2002, 2003, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(689):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005

sed\sed-4.1.5\aclocal.m4(739):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(769):# Copyright (C) 2004, 2005Free Software Foundation, Inc.

sed\sed-4.1.5\aclocal.m4(88):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005

sed\sed-4.1.5\basicdefs.h(2):Copyright (C) 1998, 1999, 2002, 2003 Free Software Foundation, Inc.

sed\sed-4.1.5\ChangeLog(1925):from gnu.org for baseline and/or edit copyright boilerplate

sed\sed-4.1.5\ChangeLog(1976):sed/sed.h, lib/strerror.c: update copyright notice text.

sed\sed-4.1.5\ChangeLog(2717):* Makefile, sed.c: Added new copyright notice.

sed\sed-4.1.5\ChangeLog(447):* sed/sed.c: Bump copyright year

sed\sed-4.1.5\config\codeset.m4(2):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\config\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

sed\sed-4.1.5\config\config.guess(56):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004

sed\sed-4.1.5\config\config.rpath(5):# Copyright 1996-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\config\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,

sed\sed-4.1.5\config\config.sub(73):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004

sed\sed-4.1.5\config\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004 Free Software Foundation, Inc.

sed\sed-4.1.5\config\gettext.m4(2):dn1 Copyright (C) 1995-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\config\glibc21.m4(2):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\config\help2man(221):# and seperated from any copyright/author details by a blank line.

sed\sed-4.1.5\config\help2man(332):# Copyright section

sed\sed-4.1.5\config\help2man(333):if (/^Copyright +[(\xa9)]/)

sed\sed-4.1.5\config\help2man(335):\$sect = 'COPYRIGHT';

sed\sed-4.1.5\config\help2man(347):# Convert iso9959-1 copyright symbol or (c) to nroff

sed\sed-4.1.5\config\help2man(349):s/^Copyright +(?:\xa9|\\([Cc]))/Copyright

legal(ME)

```
\\(co/mg;
sed\sed-4.1.5\config\help2man(35):Copyright (C) 1997, 1998, 1999, 2000, 2001,
2002 Free Software Foundation, Inc.
sed\sed-4.1.5\config\help2man(351):# Insert line breaks before additional
copyright messages
sed\sed-4.1.5\config\help2man(353):s/(.)\n(Copyright |This +is +free
+software)/$1\n.br\n$2/g;
sed\sed-4.1.5\config\help2man(4):# Copyright (C) 1997, 1998, 1999, 2000, 2001,
2002 Free Software
sed\sed-4.1.5\config\help2man(520):my @post = ('AUTHOR', 'REPORTING BUGS',
'COPYRIGHT', 'SEE ALSO');
sed\sed-4.1.5\config\iconv.m4(2):dnl Copyright (C) 2000-2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\config\install-sh(10):# Copyright (C) 1994 X Consortium
sed\sed-4.1.5\config\lcmmessage.m4(2):dnl Copyright (C) 1995-2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\config\lib-ld.m4(2):dnl Copyright (C) 1996-2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\config\lib-link.m4(2):dnl Copyright (C) 2001-2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\config\lib-prefix.m4(2):dnl Copyright (C) 2001-2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\config\mdate-sh(6):# Copyright (C) 1995, 1996, 1997, 2003Free
Software Foundation, Inc.
sed\sed-4.1.5\config\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002,
2003
sed\sed-4.1.5\config\progtest.m4(2):dnl Copyright (C) 1996-2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\config\stdbool.m4(3):# Copyright (C) 2002-2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\config\strverscmp.m4(2):dnl Copyright (C) 2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\config\texi2dvi(31):Copyright (C) 2003 Free Software Foundation,
Inc.
sed\sed-4.1.5\config\texi2dvi(4):# Copyright (C) 1992, 1993, 1994, 1995, 1996,
1997, 1998, 1999, 2001,
sed\sed-4.1.5\config\texinfo.tex(3289):\def\copyright{copyright}%
sed\sed-4.1.5\config\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991,
1992, 1993, 1994, 1995,
sed\sed-4.1.5\configure(10046):Copyright (C) 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\configure(7):# Copyright (C) 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\configure(986):Copyright (C) 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\COPYING(316):Gnomovision version 69, Copyright (C) yearname of
author
sed\sed-4.1.5\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright
interest in the program
sed\sed-4.1.5\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
sed\sed-4.1.5\COPYING.DOC(276):of the Document, provided no compilation copyright
is claimed for the
sed\sed-4.1.5\COPYING.DOC(4): Copyright (C) 2000Free Software Foundation, Inc.
sed\sed-4.1.5\doc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998,
1999, 2000, 2001, 2002,
```

legal(ME)

sed\sed-4.1.5\doc\sed.1(347):Copyright \(\co 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\doc\sed.info(12): Copyright (C) 1998, 1999, 2001, 2002, 2003, 2004
Free Software
sed\sed-4.1.5\doc\sed.info-1(12): Copyright (C) 1998, 1999, 2001, 2002, 2003,
2004 Free Software
sed\sed-4.1.5\doc\sed.info-1(133): Print out the version of `sed' that is being
run and a copyright
sed\sed-4.1.5\doc\sed.info-1(33): Copyright (C) 1998, 1999, 2001, 2002, 2003,
2004 Free Software
sed\sed-4.1.5\doc\sed.info-2(12): Copyright (C) 1998, 1999, 2001, 2002, 2003,
2004 Free Software
sed\sed-4.1.5\doc\sed.texi(196):Print out the version of @command{sed} that is
being run and a copyright notice,
sed\sed-4.1.5\doc\sed.texi(38):Copyright @copyright{} 1998, 1999, 2001, 2002,
2003, 2004 Free
sed\sed-4.1.5\doc\sed.texi(63):Copyright @copyright{} 1998, 1999 Free Software
Foundation, Inc.
sed\sed-4.1.5\doc\sed-in.texi(195):Print out the version of @command{sed} that is
being run and a copyright notice,
sed\sed-4.1.5\doc\sed-in.texi(37):Copyright @copyright{} 1998, 1999, 2001, 2002,
2003, 2004 Free
sed\sed-4.1.5\doc\sed-in.texi(62):Copyright @copyright{} 1998, 1999 Free Software
Foundation, Inc.
sed\sed-4.1.5\INSTALL(1):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002
Free Software
sed\sed-4.1.5\intl\bindtextdom.c(2): Copyright (C) 1995-1998, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\config.charset(4):# Copyright (C) 2000-2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\intl\dcgettext.c(2): Copyright (C) 1995-1999, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\dcigettext.c(2): Copyright (C) 1995-1999, 2000-2002 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\dcngettext.c(2): Copyright (C) 1995-1999, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\dgettext.c(2): Copyright (C) 1995-1997, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\dngettext.c(2): Copyright (C) 1995-1997, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\eval-plural.h(2): Copyright (C) 2000, 2001 Free Software
Foundation, Inc.
sed\sed-4.1.5\intl\explodename.c(1):/* Copyright (C) 1995-1998, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\finddomain.c(2): Copyright (C) 1995-1999, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\gettext.c(2): Copyright (C) 1995, 1997, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\gettextP.h(2): Copyright (C) 1995-1999, 2000, 2001 Free
Software Foundation, Inc.
sed\sed-4.1.5\intl\gmo.h(2): Copyright (C) 1995, 1997, 2000, 2001 Free Software
Foundation, Inc.
sed\sed-4.1.5\intl\hash-string.h(2): Copyright (C) 1995, 1997, 1998, 2000, 2001

legal(ME)

Free Software Foundation, Inc.

sed\sed-4.1.5\intl\intl-compat.c(3): Copyright (C) 1995, 2000, 2001 Software Foundation, Inc.

sed\sed-4.1.5\intl\l10nflist.c(1):/* Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\libgnuintl.h(2): Copyright (C) 1995-1997, 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\loadinfo.h(1):/* Copyright (C) 1996-1999, 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\loadmsgcat.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\localcharset.c(3): Copyright (C) 2000-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\locale.alias(2):# Copyright (C) 1996,1997,1998,1999,2000,2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\localealias.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\localename.c(2): Copyright (C) 1995-1999, 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\Makefile.in(2):# Copyright (C) 1995-1998, 2000-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\ngettext.c(2): Copyright (C) 1995, 1997, 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\os2compat.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\os2compat.h(3): Copyright (C) 2001-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\osdep.c(2): Copyright (C) 2001-2002 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\plural.c(23): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\plural.c(306): Copyright (C) 1984, 1989, 1990 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\plural.y(3): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\plural-exp.c(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\plural-exp.h(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\ref-add.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\ref-del.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.

sed\sed-4.1.5\intl\textdomain.c(2): Copyright (C) 1995-1998, 2000, 2001 Free Software Foundation, Inc.

sed\sed-4.1.5\lib\getopt.c(6): Copyright (C) 1987, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98

sed\sed-4.1.5\lib\getopt.h(2): Copyright (C) 1989,90,91,92,93,94,96,97 Free Software Foundation, Inc.

sed\sed-4.1.5\lib\getopt1.c(2): Copyright (C) 1987,88,89,90,91,92,93,94,96,97,98

sed\sed-4.1.5\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

legal(ME)

sed\sed-4.1.5\lib\memchr.c(1):/* Copyright (C) 1991, 1993, 1996, 1997 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\memcmp.c(1):/* Copyright (C) 1991, 1993, 1995, 1997, 1998 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\memmove.c(1):/* Copyright (C) 1998 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\obstack.c(2): Copyright (C) 1988,89,90,91,92,93,94,96,97 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\obstack.h(2): Copyright (C) 1988,89,90,91,92,93,94,96,97,98,99 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\regcomp.c(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\regex.c(2): Copyright (C) 2002, 2003, 2005 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\regex_.h(3): Copyright (C) 1985,1989-93,1995-98,2000,2001,2002,2003,2005
sed\sed-4.1.5\lib\regex_internal.c(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\regex_internal.h(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\regexexec.c(2): Copyright (C) 2002, 2003, 2004, 2005 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\stdbool_.h(1):/* Copyright (C) 2001-2002 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\strerror.c(6): Copyright (C) 1998 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\strverscmp.c(2): Copyright (C) 1997, 2000, 2002 Free Software Foundation, Inc.
sed\sed-4.1.5\lib\utils.c(2):Copyright (C) 1989, 1990, 1991, 1998, 1999, 2003
sed\sed-4.1.5\lib\utils.h(2):Copyright (C) 1989, 1990, 1991, 1998, 1999, 2003
sed\sed-4.1.5\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
sed\sed-4.1.5\po\af.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.
sed\sed-4.1.5\po\ca.po(2):# Copyright © 2002, 2003, 2004 Free Software Foundation, Inc.
sed\sed-4.1.5\po\cs.po(2):# Copyright (C) 1998 Free Software Foundation, Inc.
sed\sed-4.1.5\po\da.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
sed\sed-4.1.5\po\de.po(2):# Copyright (C) 2001, 2002, 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\po\el.po(2):# Copyright (C) 1998, 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
sed\sed-4.1.5\po\eo.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
sed\sed-4.1.5\po\es.po(2):# Copyright (C) 2001, 2002, 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\po\et.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
sed\sed-4.1.5\po\fi.po(2):# Copyright © 2002 Free Software Foundation, Inc.
sed\sed-4.1.5\po\fr.po(2):# Copyright (C) 1998, 2000, 2001, 2002, 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\po\ga.po(2):# Copyright (C) 2003, 2004 Free Software Foundation, Inc.
sed\sed-4.1.5\po\gl.po(2):# Copyright (C) 1999, 2002 Free Software Foundation, Inc.

legal(ME)

```
sed\sed-4.1.5\po\he.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
sed\sed-4.1.5\po\hr.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
sed\sed-4.1.5\po\hu.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
sed\sed-4.1.5\po\id.po(3):# Copyright (C) 1999, 2000, 2001, 2003, 2004 Free
Software Foundation, Inc.
sed\sed-4.1.5\po\it.po(2):# Copyright (C) 1999 Free Software Foundation, Inc.
sed\sed-4.1.5\po\ja.po(2):# Copyright (C) 1999, 2002, 2003, 2004, 2005 Free
Software Foundation, Inc.
sed\sed-4.1.5\po\ko.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
sed\sed-4.1.5\po\Makefile.in.in(2):# Copyright (C) 1995-1997, 2000-2002 by Ulrich
Drepper <drepper@gnu.ai.mit.edu>
sed\sed-4.1.5\po\Makefile.in.in(83):--copyright-holder='$(COPYRIGHT HOLDER)' \
sed\sed-4.1.5\po\Makevars(14):# $(DOMAIN).pot file.Set this to the copyright
holder of the surrounding
sed\sed-4.1.5\po\Makevars(16):# sources, belong to the copyright holder of the
package.)Translators are
sed\sed-4.1.5\po\Makevars(17):# expected to transfer the copyright for their
translations to this person
sed\sed-4.1.5\po\Makevars(18):# or entity, or to disclaim their copyright.The
empty string stands for
sed\sed-4.1.5\po\Makevars(20):# their copyright.
sed\sed-4.1.5\po\Makevars(21):COPYRIGHT HOLDER = Free Software Foundation, Inc.
sed\sed-4.1.5\po\nl.po(2):# Copyright (C) 2004, 2005 Free Software Foundation,
Inc.
sed\sed-4.1.5\po\pl.po(2):# Copyright (C) 2003, 2004 Free Software Foundation,
Inc.
sed\sed-4.1.5\po\pt_BR.po(2):# Copyright (C) 1999 Free Software Foundation, Inc.
sed\sed-4.1.5\po\ro.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\po\ru.po(2):# Copyright (C) 1998, 2004 Free Software Foundation,
Inc.
sed\sed-4.1.5\po\sed.pot(2):# Copyright (C) YEAR Free Software Foundation, Inc.
sed\sed-4.1.5\po\sk.po(2):# Copyright (C) 1999, 2002, 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\po\sl.po(2):# Copyright (C) 2000, 2001, 2002, 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\po\sr.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\po\sv.po(2):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004 Free
Software Foundation, Inc.
sed\sed-4.1.5\po\tr.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\po\zh_CN.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
sed\sed-4.1.5\sed\compile.c(2):Copyright (C)
1989,90,91,92,93,94,95,98,99,2002,2003,2004,2005,2006
sed\sed-4.1.5\sed\execute.c(2):Copyright (C)
1989,90,91,92,93,94,95,98,99,2002,2003,2004,2005,2006
sed\sed-4.1.5\sed\fmt.c(2): Copyright (C) 1994, 1995, 1996, 2002, 2003 Free
Software Foundation, Inc.
sed\sed-4.1.5\sed\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998,
1999, 2000, 2001, 2002,
sed\sed-4.1.5\sed\mbcs.c(2):Copyright (C) 2003 Free Software Foundation, Inc.
sed\sed-4.1.5\sed\regex.c(2):Copyright (C) 1999, 2002, 2003, 2004, 2005 Free
Software Foundation, Inc.
sed\sed-4.1.5\sed\sed.c(1):#define COPYRIGHT_NOTICE "Copyright (C) 2003 Free
```


legal(ME)

Software Foundation, Inc."

```
sed\sed-4.1.5\sed\sed.c(277):"), COPYRIGHT_NOTICE);
sed\sed-4.1.5\sed\sed.c(5):Copyright (C) 1989,90,91,92,93,94,95,98,99,2002,2003
sed\sed-4.1.5\sed\sed.h(2):Copyright (C) 1989,90,91,92,93,94,95,98,99,2002,2003
sed\sed-4.1.5\testsuite\BOOST.tests(33):; The copyright notices in the Software
and this entire statement, including
sed\sed-4.1.5\testsuite\bsd.sh(4):# Copyright (c) 1992 Diomidis Spinellis.
sed\sed-4.1.5\testsuite\bsd.sh(5):# Copyright (c) 1992, 1993
sed\sed-4.1.5\testsuite\bug-regex10.c(2): Copyright (C) 2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\bug-regex11.c(2): Copyright (C) 2002, 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\bug-regex12.c(2): Copyright (C) 2002, 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\bug-regex13.c(2): Copyright (C) 2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\bug-regex14.c(2): Copyright (C) 2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\bug-regex21.c(2): Copyright (C) 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\bug-regex7.c(2): Copyright (C) 2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\bug-regex8.c(2): Copyright (C) 2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\bug-regex9.c(2): Copyright (C) 2002 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002,
sed\sed-4.1.5\testsuite\PCRE.tests(16):# Copyright (c) 1997-2003 University of
Cambridge
sed\sed-4.1.5\testsuite\PCRE.tests(32):#which is open source software, written by
Philip Hazel, and copyright
sed\sed-4.1.5\testsuite\runptests.c(2): Copyright (C) 1998, 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\runtests.c(11):supporting documentation, and that the
name of the copyright holder not be
sed\sed-4.1.5\testsuite\runtests.c(3):Copyright 1995 by Tom Lord
sed\sed-4.1.5\testsuite\tst-boost.c(2): Copyright (C) 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\tst-pcre.c(2): Copyright (C) 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\tst-rxspencer.c(2): Copyright (C) 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\uniq.good(167):Copyright (c) 1997-2000 University of
Cambridge
sed\sed-4.1.5\testsuite\uniq.inp(569):Copyright (c) 1997-2000 University of
Cambridge
sed\sed-4.1.5\testsuite\version.gin(2):Copyright (C) 2003 Free Software
Foundation, Inc.
sed\sed-4.1.5\testsuite\xemacs.good(3):#Copyright 1994, 1995, 1996, 1997, 1998,
1999, 2000, 2001
sed\sed-4.1.5\testsuite\xemacs.inp(3):# Copyright 1994, 1995, 1996, 1997, 1998,
```

legal(ME)

1999, 2000, 2001

sqlite\amalgamation_3_8_4_3\lib\Makefile(2):# Copyright (c) 2009, MediaTek Inc.
sqlite\amalgamation_3_8_4_3\Makefile(2):# Copyright (c) 2010, MediaTek Inc.
sqlite\amalgamation_3_8_4_3\Makefile.lib(2):# Copyright (c) 2009, MediaTek Inc.
sqlite\NOTICE.txt(316):Gnomovision version 69, Copyright (C) year name of author
sqlite\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in
the program
sqlite\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
tar\NOTICE.txt(316):Gnomovision version 69, Copyright (C) yearname of author
tar\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in
the program
tar\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
tar\tar-1.17_patch\lib\argp.h(2): Copyright (C) 1995-1999,2003-2007 Free Software
Foundation, Inc.
tar\tar-1.17_patch\lib\argp-fmtstream.c(2): Copyright (C)
1997-1999,2001,2002,2003,2005 Free Software Foundation, Inc.
tar\tar-1.17_patch\lib\argp-fmtstream.h(2): Copyright (C) 1997, 2006 Free
Software Foundation, Inc.
tar\tar-1.17\aclocal.m4(129):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
tar\tar-1.17\aclocal.m4(182):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005,
2006
tar\tar-1.17\aclocal.m4(20):dnl Copyright (C) 1995-2002 Free Software Foundation,
Inc.
tar\tar-1.17\aclocal.m4(215):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004,
2005, 2006
tar\tar-1.17\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,
2002, 2003, 2004,
tar\tar-1.17\aclocal.m4(375):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004,
2005
tar\tar-1.17\aclocal.m4(444):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,
2002, 2003, 2004,
tar\tar-1.17\aclocal.m4(45):dnl Copyright (C) 1999-2006 Free Software Foundation,
Inc.
tar\tar-1.17\aclocal.m4(567):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
tar\tar-1.17\aclocal.m4(581):# Copyright (C) 2003, 2005Free Software Foundation,
Inc.
tar\tar-1.17\aclocal.m4(604):# Copyright (C) 2001, 2002, 2003, 2005Free Software
Foundation, Inc.
tar\tar-1.17\aclocal.m4(656):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004,
2005
tar\tar-1.17\aclocal.m4(690):# Copyright (C) 2003, 2004, 2005, 2006Free Software
Foundation, Inc.
tar\tar-1.17\aclocal.m4(718):# Copyright (C) 2001, 2002, 2003, 2005Free Software
Foundation, Inc.
tar\tar-1.17\aclocal.m4(749):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
tar\tar-1.17\aclocal.m4(768):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005
tar\tar-1.17\aclocal.m4(818):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.
tar\tar-1.17\aclocal.m4(846):# Copyright (C) 2006Free Software Foundation, Inc.

legal(ME)

tar\tar-1.17\aclocal.m4(860):# Copyright (C) 2004, 2005 Free Software Foundation, Inc.
tar\tar-1.17\aclocal.m4(93):# Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\build-aux\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
tar\tar-1.17\build-aux\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
tar\tar-1.17\build-aux\config.rpath(5):# Copyright 1996-2006 Free Software Foundation, Inc.
tar\tar-1.17\build-aux\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
tar\tar-1.17\build-aux\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
tar\tar-1.17\build-aux\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007 Free Software
tar\tar-1.17\build-aux\install-sh(10):# Copyright (C) 1994 X Consortium
tar\tar-1.17\build-aux\mdate-sh(6):# Copyright (C) 1995, 1996, 1997, 2003, 2004, 2005, 2007 Free Software
tar\tar-1.17\build-aux\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006
tar\tar-1.17\build-aux\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991, 1992, 1993, 1994, 1995,
tar\tar-1.17\build-aux\ylwrap(6):# Copyright (C) 1996, 1997, 1998, 1999, 2001, 2002, 2003, 2004, 2005
tar\tar-1.17\ChangeLog(8253):Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007
tar\tar-1.17\ChangeLog.1(1909):* tar.c: Adjust copyright years in --version output.
tar\tar-1.17\ChangeLog.1(2126):(decode_options): Add copyright and authors in --version output.
tar\tar-1.17\ChangeLog.1(5):Copyright (C) 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997
tar\tar-1.17\configure(1625):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
tar\tar-1.17\configure(38204):Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\configure(39507):# Copyright (C) 2000, 2001, 2003, 2004 Free Software Foundation, Inc.
tar\tar-1.17\configure(7):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
tar\tar-1.17\configure.ac(3):# Copyright (C) 1991, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
tar\tar-1.17\COPYING(316):Gnomovision version 69, Copyright (C) yearname of author
tar\tar-1.17\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright interest in the program
tar\tar-1.17\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
tar\tar-1.17\doc\dumpdir.texi(2):@c Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\doc\fdl.texi(419):Copyright (C)@var{year}@var{your name}.
tar\tar-1.17\doc\fdl.texi(9):Copyright @copyright{} 2000,2001,2002 Free Software Foundation, Inc.

legal(ME)

```
tar\tar-1.17\doc\gendocs_template(76):<div class="copyright">
tar\tar-1.17\doc\gendocs_template(92):Copyright (C) 2004 Free Software
Foundation, Inc.,
tar\tar-1.17\doc\genfile.texi(2):@c Copyright (C) 2005, 2006 Free Software
Foundation, Inc.
tar\tar-1.17\doc\getdate.texi(3):@c Copyright (C) 1994, 1995, 1996, 1997, 1998,
1999, 2000, 2001, 2002,
tar\tar-1.17\doc\header.texi(3):@comment Copyright (C) 1988, 1989, 1991, 1992,
1993, 1994, 1995, 1996, 1997,
tar\tar-1.17\doc\intern.texi(2):@c Copyright (C) 2006 Free Software Foundation,
Inc.
tar\tar-1.17\doc\Makefile.am(3):# Copyright (C) 1994, 1995, 1996, 1997, 1999,
2000, 2001, 2003, 2006 Free
tar\tar-1.17\doc\Makefile.in(19):# Copyright (C) 1994, 1995, 1996, 1997, 1999,
2000, 2001, 2003, 2006 Free
tar\tar-1.17\doc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998,
1999, 2000, 2001, 2002,
tar\tar-1.17\doc\mastermenu.el(3):;; Copyright (C) 2006 Free Software Foundation,
Inc.
tar\tar-1.17\doc\rendition.texi(2):@c Copyright (C) 1992, 1994, 1995, 1996, 1997,
1999, 2000, 2001,
tar\tar-1.17\doc\snapshot.texi(2):@c Copyright (C) 2005 Free Software Foundation,
Inc.
tar\tar-1.17\doc\sparse.texi(2):@c Copyright (C) 2006 Free Software Foundation,
Inc.
tar\tar-1.17\doc\tar.info(6): Copyright (C) 1992, 1994, 1995, 1996, 1997, 1999,
2000, 2001, 2003,
tar\tar-1.17\doc\tar.info-1(2906): Copyright (C) 2006 Free Software Foundation,
Inc.
tar\tar-1.17\doc\tar.info-1(40): Copyright (C) 1992, 1994, 1995, 1996, 1997,
1999, 2000, 2001, 2003,
tar\tar-1.17\doc\tar.info-1(6): Copyright (C) 1992, 1994, 1995, 1996, 1997, 1999,
2000, 2001, 2003,
tar\tar-1.17\doc\tar.info-2(3605): Copyright (C) 2000,2001,2002 Free Software
Foundation, Inc.
tar\tar-1.17\doc\tar.info-2(6): Copyright (C) 1992, 1994, 1995, 1996, 1997, 1999,
2000, 2001, 2003,
tar\tar-1.17\doc\tar.info-2(925):Copyright (C) 1983 by the Regents of the
University of California, but
tar\tar-1.17\doc\tar.texi(3368):Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\doc\tar.texi(37):Copyright @copyright{} 1992, 1994, 1995, 1996,
1997, 1999, 2000, 2001,
tar\tar-1.17\doc\tar.texi(9331):Copyright @copyright{} 1983 by the Regents of the
University of
tar\tar-1.17\doc\texify.sed(1):# Copyright (C) 2006 Free Software Foundation,
Inc.
tar\tar-1.17\doc\texinfo.tex(3363):\def\copyright{copyright}%
tar\tar-1.17\doc\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991,
1992, 1993, 1994, 1995,
tar\tar-1.17\doc\value.texi(2):@c Copyright (C) 1992, 1994, 1995, 1996, 1997,
1999, 2000, 2001,
tar\tar-1.17\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002,
```

legal(ME)

2004, 2005,

tar\tar-1.17\lib__fpending.c(2): Copyright (C) 2000, 2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib__fpending.h(3): Copyright (C) 2000, 2003, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\alloca_.h(3): Copyright (C) 1995, 1999, 2001-2004, 2006-2007 Free Software

tar\tar-1.17\lib\alloca.c(2): Copyright (C) 2003, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\alloca.h(2): Copyright (C) 2003-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\argmatch.c(3): Copyright (C) 1990, 1998, 1999, 2001, 2002, 2003, 2004, 2005, 2006, 2007

tar\tar-1.17\lib\argmatch.h(3): Copyright (C) 1990, 1998, 1999, 2001, 2002, 2004, 2005 Free Software

tar\tar-1.17\lib\argp.h(2): Copyright (C) 1995-1999, 2003-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-ba.c(2): Copyright (C) 1996, 1997, 1999 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-eexst.c(2): Copyright (C) 1997 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-fmtstream.c(2): Copyright (C) 1997-1999, 2001, 2002, 2003, 2005 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-fmtstream.h(2): Copyright (C) 1997, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-fs-xinl.c(2): Copyright (C) 1997, 2003, 2004 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-help.c(2): Copyright (C) 1995-2005, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-namefrob.h(2): Copyright (C) 1997, 2003, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-parse.c(2): Copyright (C) 1995-2000, 2002, 2003, 2004 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-pin.c(2): Copyright (C) 2005 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-pv.c(2): Copyright (C) 1996, 1997, 1999, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-pvh.c(2): Copyright (C) 1996, 1997, 1999, 2004 Free Software Foundation, Inc.

tar\tar-1.17\lib\argp-xinl.c(2): Copyright (C) 1997, 1998, 2004 Free Software Foundation, Inc.

tar\tar-1.17\lib\asprintf.c(2): Copyright (C) 1999, 2002, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\at-func.c(2): Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\backupfile.c(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998,

tar\tar-1.17\lib\backupfile.h(3): Copyright (C) 1990, 1991, 1992, 1997, 1998, 1999, 2003, 2004 Free

tar\tar-1.17\lib\basename.c(3): Copyright (C) 1990, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006 Free

tar\tar-1.17\lib\canonicalize.h(2): Copyright (C) 1996-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\canonicalize-lgpl.c(2): Copyright (C) 1996-2003, 2005-2006 Free

legal(ME)

Software Foundation, Inc.
tar\tar-1.17\lib\chdir-long.c(2): Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\chdir-long.h(2): Copyright (C) 2004, 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\chown.c(4): Copyright (C) 1997, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\closeout.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2006 Free
tar\tar-1.17\lib\closeout.h(3): Copyright (C) 1998, 2000, 2003, 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\close-stream.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2006 Free
tar\tar-1.17\lib\config.charset(4):# Copyright (C) 2000-2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\creat-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\dirent_.h(2): Copyright (C) 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\dirfd.c(3): Copyright (C) 2001, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\dirfd.h(2): Copyright (C) 2001, 2002, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\dirname.c(3): Copyright (C) 1990, 1998, 2000, 2001, 2003, 2004, 2005, 2006 Free Software
tar\tar-1.17\lib\dirname.h(3): Copyright (C) 1998, 2001, 2003-2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\dup2.c(3): Copyright (C) 1999, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\dup-safer.c(3): Copyright (C) 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\error.c(2): Copyright (C) 1990-1998, 2000-2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\error.h(2): Copyright (C) 1995, 1996, 1997, 2003, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\exclude.c(3): Copyright (C) 1992, 1993, 1994, 1997, 1999, 2000, 2001, 2002, 2003,
tar\tar-1.17\lib\exclude.h(3): Copyright (C) 1992, 1993, 1994, 1997, 1999, 2001, 2002, 2003, 2005,
tar\tar-1.17\lib\exitfail.c(3): Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\exitfail.h(3): Copyright (C) 2002 Free Software Foundation, Inc.
tar\tar-1.17\lib\fchdir.c(2): Copyright (C) 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\fchmodat.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\fchownat.c(7): Copyright (C) 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\fcntl--.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\fcntl_.h(3): Copyright (C) 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\fcntl-safer.h(3): Copyright (C) 2005 Free Software Foundation, Inc.

legal(ME)

tar\tar-1.17\lib\fd-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\fileblocks.c(3): Copyright (C) 1990, 1997, 1998, 1999, 2004, 2005, 2006 Free Software
tar\tar-1.17\lib\float_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\float+.h(2): Copyright (C) 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\fnmatch.c(1):/* Copyright (C)
1991,1992,1993,1996,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006,2007
tar\tar-1.17\lib\fnmatch_.h(1):/* Copyright (C) 1991, 1992, 1993, 1996, 1997,
1998, 1999, 2001, 2002, 2003,
tar\tar-1.17\lib\fnmatch_loop.c(1):/* Copyright (C)
1991,1992,1993,1996,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006
tar\tar-1.17\lib\fstatat.c(3): Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\full-write.c(3): Copyright (C) 1993, 1994, 1997, 1998, 1999,
2000, 2001, 2002, 2003,
tar\tar-1.17\lib\full-write.h(3): Copyright (C) 2002-2003 Free Software Foundation, Inc.
tar\tar-1.17\lib\getcwd.c(1):/* Copyright (C)
1991,92,93,94,95,96,97,98,99,2004,2005,2006,2007 Free Software
tar\tar-1.17\lib\getdate.c(119): Copyright (C) 1999, 2000, 2002, 2003, 2004,
2005, 2006, 2007 Free Software
tar\tar-1.17\lib\getdate.c(5): Copyright (C) 1984, 1989, 1990, 2000, 2001, 2002,
2003, 2004, 2005, 2006
tar\tar-1.17\lib\getdate.h(3): Copyright (C) 1995, 1997, 1998, 2003, 2004, 2007 Free Software
tar\tar-1.17\lib\getdate.y(4): Copyright (C) 1999, 2000, 2002, 2003, 2004, 2005, 2006, 2007 Free Software
tar\tar-1.17\lib\getdelim.c(2): Copyright (C) 1994, 1996, 1997, 1998, 2001, 2003, 2005, 2006 Free
tar\tar-1.17\lib\getdelim.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\getline.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\getline.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\getopt.c(5): Copyright (C)
1987,88,89,90,91,92,93,94,95,96,98,99,2000,2001,2002,2003,2004,2006
tar\tar-1.17\lib\getopt_.h(2): Copyright (C)
1989-1994,1996-1999,2001,2003,2004,2005,2006,2007
tar\tar-1.17\lib\getopt_int.h(2): Copyright (C)
1989-1994,1996-1999,2001,2003,2004
tar\tar-1.17\lib\getopt1.c(2): Copyright (C)
1987,88,89,90,91,92,93,94,96,97,98,2004,2006
tar\tar-1.17\lib\getpagesize.h(2): Copyright (C) 1999, 2000, 2004, 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\gettext.h(2): Copyright (C) 1995-1998, 2000-2002, 2004-2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\gettime.c(3): Copyright (C) 2002, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\gettimeofday.c(3): Copyright (C) 2001, 2002, 2003, 2005, 2006, 2007 Free Software
tar\tar-1.17\lib\gnulib.mk(3):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\hash.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003,

legal(ME)

2004, 2006 Free

tar\tar-1.17\lib\hash.h(2): Copyright (C) 1998, 1999, 2001, 2003 Free Software Foundation, Inc.

tar\tar-1.17\lib\human.c(3): Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

tar\tar-1.17\lib\human.h(3): Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,

tar\tar-1.17\lib\intprops.h(3): Copyright (C) 2001, 2002, 2003, 2004, 2005 Free Software Foundation, Inc.

tar\tar-1.17\lib\inttostr.c(3): Copyright (C) 2001, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\inttostr.h(3): Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006 Free Software

tar\tar-1.17\lib\inttypes_.h(1):/* Copyright (C) 2006-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\lchown.c(3): Copyright (C) 1998, 1999, 2002, 2004, 2006 Free Software

tar\tar-1.17\lib\lchown.h(3): Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\localcharset.c(3): Copyright (C) 2000-2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\localcharset.h(2): Copyright (C) 2000-2003 Free Software Foundation, Inc.

tar\tar-1.17\lib\lstat.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free

tar\tar-1.17\lib\lstat.h(2): Copyright (C) 2005 Free Software Foundation, Inc.

tar\tar-1.17\lib\Makefile.am(3):# Copyright (C) 1994, 1995, 1996, 1997, 1999, 2000, 2001, 2003, 2004,

tar\tar-1.17\lib\Makefile.in(19):# Copyright (C) 1994, 1995, 1996, 1997, 1999, 2000, 2001, 2003, 2004,

tar\tar-1.17\lib\Makefile.in(36):# Copyright (C) 2004-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

tar\tar-1.17\lib\malloc.c(3): Copyright (C) 1997, 1998, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\mbchar.c(1):/* Copyright (C) 2001, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\mbchar.h(2): Copyright (C) 2001, 2005-2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\mbscasecmp.c(2): Copyright (C) 1998-1999, 2005-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\mbuiter.h(2): Copyright (C) 2001, 2005, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\memchr.c(1):/* Copyright (C) 1991, 1993, 1996, 1997, 1999, 2000, 2003, 2004, 2006 Free

tar\tar-1.17\lib\mempcpy.c(2): Copyright (C) 2003, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\memrchr.c(3): Copyright (C) 1991, 1993, 1996, 1997, 1999, 2000, 2003, 2004, 2005,

tar\tar-1.17\lib\memset.c(2): Copyright (C) 1991, 2003 Free Software Foundation, Inc.

tar\tar-1.17\lib\mkdirat.c(2): Copyright (C) 2005, 2006 Free Software Foundation,

legal(ME)

Inc.

tar\tar-1.17\lib\mkdtemp.c(1):/* Copyright (C) 1999, 2001-2003, 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\mktime.c(2): Copyright (C) 1993-1999, 2002-2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\modechange.c(3): Copyright (C) 1989, 1990, 1997, 1998, 1999, 2001, 2003, 2004, 2005,
tar\tar-1.17\lib\modechange.h(3): Copyright (C) 1989, 1990, 1997, 2003, 2004, 2005, 2006 Free
tar\tar-1.17\lib\obstack.c(3): Copyright (C) 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1996, 1997,
tar\tar-1.17\lib\obstack.h(2): Copyright (C) 1988-1994,1996-1999,2003,2004,2005,2006
tar\tar-1.17\lib\openat.c(2): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\openat.h(2): Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\openat-die.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\openat-priv.h(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\openat-proc.c(3): Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\open-safer.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\pathmax.h(2): Copyright (C) 1992, 1999, 2001, 2003, 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\paxerror.c(3): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\paxexit.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\paxlib.h(3): Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2003,
tar\tar-1.17\lib\paxnames.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\pipe-safer.c(2): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\prepargs.c(2): Copyright 1999, 2000, 2001 Free Software Foundation, Inc.
tar\tar-1.17\lib\printf-args.c(2): Copyright (C) 1999, 2002-2003, 2005-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\printf-args.h(2): Copyright (C) 1999, 2002-2003, 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\printf-parse.c(2): Copyright (C) 1999-2000, 2002-2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\printf-parse.h(2): Copyright (C) 1999, 2002-2003 Free Software Foundation, Inc.
tar\tar-1.17\lib\quote.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2003, 2005, 2006 Free
tar\tar-1.17\lib\quote.h(3): Copyright (C) 1998, 1999, 2000, 2001, 2003 Free Software
tar\tar-1.17\lib\quotearg.c(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004, 2005, 2006, 2007 Free
tar\tar-1.17\lib\quotearg.h(3): Copyright (C) 1998, 1999, 2000, 2001, 2002, 2004,

legal(ME)

2006 Free

tar\tar-1.17\lib\readlink.c(2): Copyright (C) 2003-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\ref-add.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.

tar\tar-1.17\lib\ref-del.sin(3):# Copyright (C) 2000 Free Software Foundation, Inc.

tar\tar-1.17\lib\regcomp.c(2): Copyright (C) 2002,2003,2004,2005,2006,2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\regex.c(2): Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\regex.h(3): Copyright (C) 1985,1989-93,1995-98,2000,2001,2002,2003,2005,2006

tar\tar-1.17\lib\regex_internal.c(2): Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software

tar\tar-1.17\lib\regex_internal.h(2): Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\regexexec.c(2): Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software Foundation,

tar\tar-1.17\lib\rmdir.c(3): Copyright (C) 1988, 1990, 1999, 2003, 2004, 2005, 2006 Free

tar\tar-1.17\lib\rmt.h(3): Copyright (C) 1988, 1992, 1996, 1997, 2001, 2003, 2004 Free

tar\tar-1.17\lib\rpmatch.c(4): Copyright (C) 1996, 1998, 2000, 2002, 2003, 2006 Free Software

tar\tar-1.17\lib\rtapelib.c(3): Copyright (C) 1988, 1992, 1994, 1996, 1997, 1999, 2000, 2001, 2004,

tar\tar-1.17\lib\safe-read.c(3): Copyright (C) 1993, 1994, 1998, 2002, 2003, 2004, 2005, 2006 Free

tar\tar-1.17\lib\safe-read.h(2): Copyright (C) 2002, 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\safe-write.c(2): Copyright (C) 2002 Free Software Foundation, Inc.

tar\tar-1.17\lib\safe-write.h(2): Copyright (C) 2002 Free Software Foundation, Inc.

tar\tar-1.17\lib\same-inode.h(3): Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\lib\save-cwd.c(3): Copyright (C) 1995, 1997, 1998, 2003, 2004, 2005, 2006 Free

tar\tar-1.17\lib\save-cwd.h(3): Copyright (C) 1995, 1997, 1998, 2003 Free Software Foundation, Inc.

tar\tar-1.17\lib\savedir.c(3): Copyright (C) 1990, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

tar\tar-1.17\lib\savedir.h(3): Copyright (C) 1997, 1999, 2001, 2003, 2005 Free Software Foundation, Inc.

tar\tar-1.17\lib\setenv.c(1):/* Copyright (C) 1992,1995-1999,2000-2003,2005-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\setenv.h(2): Copyright (C) 2001-2004, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\sleep.c(2): Copyright (C) 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\stat-time.h(3): Copyright (C) 2005, 2007 Free Software Foundation, Inc.

legal(ME)

tar\tar-1.17\lib\stdbool_.h(1):/* Copyright (C) 2001, 2002, 2003, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\stdint_.h(1):/* Copyright (C) 2001-2002, 2004-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\stdio_.h(3): Copyright (C) 2004, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\stdlib_.h(3): Copyright (C) 1995, 2001-2002, 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\stdopen.c(3): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\stpcpy.c(2): Copyright (C) 1992, 1995, 1997-1998, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\strcasecmp.c(2): Copyright (C) 1998-1999, 2005-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\strchrnul.c(2): Copyright (C) 2003, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\strdup.c(1):/* Copyright (C) 1991, 1996, 1997, 1998, 2002, 2003, 2004, 2006, 2007 Free
tar\tar-1.17\lib\strerror.c(3): Copyright (C) 1986, 1988, 1989, 1991, 2002, 2003, 2006, 2007 Free
tar\tar-1.17\lib\string_.h(3): Copyright (C) 1995-1996, 2001-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\stripslash.c(3): Copyright (C) 1990, 2001, 2003-2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\strncasecmp.c(2): Copyright (C) 1998-1999, 2005-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\strndup.c(3): Copyright (C) 1996, 1997, 1998, 2001, 2002, 2003, 2005, 2006, 2007
tar\tar-1.17\lib\strnlen.c(2): Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\strnlen1.c(2): Copyright (C) 2005-2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\strnlen1.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\strtoimax.c(3): Copyright (C) 1999, 2001, 2002, 2003, 2004, 2006 Free Software
tar\tar-1.17\lib\strtoul.c(3): Copyright (C) 1991, 1992, 1994, 1995, 1996, 1997, 1998, 1999, 2003, 2005,
tar\tar-1.17\lib\strtoll.c(2): Copyright (C) 1995, 1996, 1997, 1999, 2001 Free Software Foundation, Inc.
tar\tar-1.17\lib\strtoul.c(1):/* Copyright (C) 1991, 1997 Free Software Foundation, Inc.
tar\tar-1.17\lib\strtoull.c(2): Copyright (C) 1995, 1996, 1997, 1999 Free Software Foundation, Inc.
tar\tar-1.17\lib\sys_stat_.h(2): Copyright (C) 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\sys_time_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\sys_exit_.h(2): Copyright (C) 2003, 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\system.h(3): Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2003,
tar\tar-1.17\lib\system-ioctl.h(3): Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2003,

legal(ME)

tar\tar-1.17\lib\tempname.c(3): Copyright (C) 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
tar\tar-1.17\lib\tempname.h(3): Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\time_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\time_r.c(3): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\timespec.h(3): Copyright (C) 2000, 2002, 2004, 2005, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\unistd--.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\unistd_.h(2): Copyright (C) 2004-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\unistd-safer.h(3): Copyright (C) 2001, 2003, 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\unlinkdir.c(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\unlinkdir.h(3): Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\unlocked-io.h(3): Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
tar\tar-1.17\lib\unsetenv.c(1):/* Copyright (C) 1992,1995-1999,2000-2002,2005-2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\utime.c(1):/* Copyright (C) 1998, 2001, 2002, 2003, 2004, 2006 Free Software
tar\tar-1.17\lib\utimens.c(3): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software
tar\tar-1.17\lib\vasnprintf.c(2): Copyright (C) 1999, 2002-2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\vasnprintf.h(2): Copyright (C) 2002-2004, 2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\verify.h(3): Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\version-etc.c(2): Copyright (C) 1999-2007 Free Software Foundation, Inc.
tar\tar-1.17\lib\version-etc.c(36):enum { COPYRIGHT_YEAR = 2007 };
tar\tar-1.17\lib\version-etc.c(63):/* TRANSLATORS: Translate "(C)" to the copyright symbol
tar\tar-1.17\lib\version-etc.c(66):fprintf (stream, version_etc_copyright, _("(C)"), COPYRIGHT_YEAR);
tar\tar-1.17\lib\version-etc.h(2): Copyright (C) 1999, 2003, 2005 Free Software Foundation, Inc.
tar\tar-1.17\lib\version-etc.h(26):extern const char version_etc_copyright[];
tar\tar-1.17\lib\version-etc-fsf.c(1):/* Variable with FSF copyright information, for version-etc.
tar\tar-1.17\lib\version-etc-fsf.c(2): Copyright (C) 1999-2006 Free Software Foundation, Inc.
tar\tar-1.17\lib\version-etc-fsf.c(25):/* Default copyright goes to the FSF. */
tar\tar-1.17\lib\version-etc-fsf.c(27):const char version_etc_copyright[] =
tar\tar-1.17\lib\version-etc-fsf.c(28):/* Do *not* mark this string for translation.%s is a copyright
tar\tar-1.17\lib\version-etc-fsf.c(29): symbol suitable for this locale, and %d is the copyright
tar\tar-1.17\lib\version-etc-fsf.c(31):"Copyright %s %d Free Software Foundation,

legal(ME)

Inc.";

tar\tar-1.17\lib\vsprintf.c(2): Copyright (C) 2004, 2006-2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\waitpid.c(2): Copyright 1994, 1995, 1998, 1999 Free Software Foundation, Inc.

tar\tar-1.17\lib\wchar_.h(3): Copyright (C) 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\wctype_.h(3): Copyright (C) 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\wcwidth.h(2): Copyright (C) 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\xalloc.h(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998,

tar\tar-1.17\lib\xalloc-die.c(3): Copyright (C) 1997, 1998, 1999, 2000, 2002, 2003, 2004, 2006 Free

tar\tar-1.17\lib\xgetcwd.c(3): Copyright (C) 2001, 2003, 2004, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\xgetcwd.h(2): Copyright (C) 1995, 2001, 2003 Free Software Foundation, Inc.

tar\tar-1.17\lib\xmalloc.c(3): Copyright (C) 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998,

tar\tar-1.17\lib\xstrndup.c(3): Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\lib\xstrndup.h(3): Copyright (C) 2003 Free Software Foundation, Inc.

tar\tar-1.17\lib\xstrtol.c(3): Copyright (C) 1995, 1996, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006

tar\tar-1.17\lib\xstrtol.h(3): Copyright (C) 1995, 1996, 1998, 1999, 2001, 2002, 2003, 2004, 2006

tar\tar-1.17\m4\absolute-header.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\alloca.m4(2):dnl Copyright (C) 2002-2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\alloca.m4(2):dnl Copyright (C) 2003-2004, 2006-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\argmatch.m4(2):dnl Copyright (C) 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\argp.m4(2):dnl Copyright (C) 2003-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\backupfile.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\bison.m4(3):# Copyright (C) 2002, 2005 Free Software Foundation, Inc.

tar\tar-1.17\m4\canonicalize-lgpl.m4(2):dnl Copyright (C) 2003, 2006-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\chdir-long.m4(9):dnl Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\chown.m4(4):dnl Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2007 Free

tar\tar-1.17\m4\clock_time.m4(2):dnl Copyright (C) 2002-2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\closeout.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\close-stream.m4(2):dnl Copyright (C) 2006-2007 Free Software

legal(ME)

Foundation, Inc.
tar\tar-1.17\m4\codeset.m4(2):dnl Copyright (C) 2000-2002, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\d-ino.m4(8):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2006, 2007 Free Software
tar\tar-1.17\m4\dirfd.m4(5):# Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006 Free Software
tar\tar-1.17\m4\dirname.m4(2):dnl Copyright (C) 2002-2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\dos.m4(6):# Copyright (C) 2000, 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\double-slash-root.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\dup2.m4(2):dnl Copyright (C) 2002, 2005, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\eealloc.m4(2):dnl Copyright (C) 2003 Free Software Foundation, Inc.
tar\tar-1.17\m4\overflow.m4(2):dnl Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\error.m4(3):# Copyright (C) 1996, 1997, 1998, 2001, 2002, 2003, 2004 Free Software
tar\tar-1.17\m4\exclude.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\exitfail.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\extensions.m4(4):# Copyright (C) 2003, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\fchdir.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\fcntl_h.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\fcntl-safer.m4(2):dnl Copyright (C) 2005-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\fileblocks.m4(2):dnl Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\float_h.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\fnmatch.m4(3):# Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 Free Software
tar\tar-1.17\m4\fpending.m4(3):# Copyright (C) 2000, 2001, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\ftruncate.m4(5):# Copyright (C) 2000, 2001, 2003-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\getcwd.m4(3):# Copyright (C) 2001, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\getcwd-abort-bug.m4(6):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\getcwd-path-max.m4(9):# Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\getdate.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\getdelim.m4(3):dnl Copyright (C) 2005, 2006 Free Software dnl

legal(ME)

Foundation, Inc.
tar\tar-1.17\m4\getline.m4(3):dnl Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2005, 2006 Free Software
tar\tar-1.17\m4\getopt.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\getpagesize.m4(2):dnl Copyright (C) 2002, 2004, 2005 Free Software Foundation, Inc.
tar\tar-1.17\m4\gettext.m4(2):dnl Copyright (C) 1995-2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\gettime.m4(2):dnl Copyright (C) 2002, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\gettimeofday.m4(3):# Copyright (C) 2001, 2002, 2003, 2005, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\glibc21.m4(2):dnl Copyright (C) 2000-2002, 2004 Free Software Foundation, Inc.
tar\tar-1.17\m4\gnulib-common.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\gnulib-comp.m4(4):# Copyright (C) 2004-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\hash.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\human.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\iconv.m4(2):dnl Copyright (C) 2000-2002, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\inline.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\intmax_t.m4(2):dnl Copyright (C) 1997-2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\inttostr.m4(2):dnl Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\inttypes.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\inttypes_h.m4(2):dnl Copyright (C) 1997-2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\inttypes-pri.m4(2):dnl Copyright (C) 1997-2002, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\lchown.m4(3):dnl Copyright (C) 1998, 2001, 2003, 2004, 2005, 2006 Free Software
tar\tar-1.17\m4\lib-ld.m4(2):dnl Copyright (C) 1996-2003 Free Software Foundation, Inc.
tar\tar-1.17\m4\lib-link.m4(2):dnl Copyright (C) 2001-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\lib-prefix.m4(2):dnl Copyright (C) 2001-2005 Free Software Foundation, Inc.
tar\tar-1.17\m4\localcharset.m4(2):dnl Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\longlong.m4(2):dnl Copyright (C) 1999-2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\lstat.m4(3):# Copyright (C) 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007
tar\tar-1.17\m4\mbchar.m4(2):dnl Copyright (C) 2005-2007 Free Software

legal(ME)

Foundation, Inc.

tar\tar-1.17\m4\mbiter.m4(2):dnl Copyright (C) 2005 Free Software Foundation, Inc.

tar\tar-1.17\m4\mbrtowc.m4(2):dnl Copyright (C) 2001-2002, 2004-2005 Free Software Foundation, Inc.

tar\tar-1.17\m4\mbscasecmp.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\mbstate_t.m4(2):dnl Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc.

tar\tar-1.17\m4\memchr.m4(2):dnl Copyright (C) 2002, 2003, 2004 Free Software Foundation, Inc.

tar\tar-1.17\m4\mempcpy.m4(2):dnl Copyright (C) 2003, 2004, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\memrchr.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\memset.m4(2):dnl Copyright (C) 2002 Free Software Foundation, Inc.

tar\tar-1.17\m4\mkdtemp.m4(2):dnl Copyright (C) 2001-2003, 2006-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\mktime.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\modechange.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\nls.m4(2):dnl Copyright (C) 1995-2003, 2005-2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\openat.m4(4):dnl Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\pathmax.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\po.m4(2):dnl Copyright (C) 1995-2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\progtest.m4(2):dnl Copyright (C) 1996-2003, 2005 Free Software Foundation, Inc.

tar\tar-1.17\m4\quote.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\quotearg.m4(2):dnl Copyright (C) 2002, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\readlink.m4(2):dnl Copyright (C) 2003, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\regex.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

tar\tar-1.17\m4\rmdir.m4(2):dnl Copyright (C) 2002, 2005 Free Software Foundation, Inc.

tar\tar-1.17\m4\rpmatch.m4(2):dnl Copyright (C) 2002, 2003 Free Software Foundation, Inc.

tar\tar-1.17\m4\safe-read.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\safe-write.m4(2):dnl Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\save-cwd.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\savedir.m4(2):dnl Copyright (C) 2002, 2003, 2005, 2006 Free

legal(ME)

Software Foundation, Inc.

tar\tar-1.17\m4\setenv.m4(2):dnl Copyright (C) 2001-2004, 2006-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\sleep.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\ssize_t.m4(2):dnl Copyright (C) 2001-2003, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\stat-time.m4(3):# Copyright (C) 1998, 1999, 2001, 2003, 2005, 2006, 2007 Free Software

tar\tar-1.17\m4\stdarg.m4(2):dnl Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\stdbool.m4(3):dnl Copyright (C) 2002-2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\stdint.m4(2):dnl Copyright (C) 2001-2002, 2004-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\stdint_h.m4(2):dnl Copyright (C) 1997-2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\stdio_h.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\stdlib_h.m4(2):dnl Copyright (C) 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\stpcpy.m4(2):dnl Copyright (C) 2002, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\strcase.m4(2):dnl Copyright (C) 2002, 2005-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\strchrnul.m4(2):dnl Copyright (C) 2003, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\strdup.m4(3):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007 Free Software

tar\tar-1.17\m4\strerror.m4(2):dnl Copyright (C) 2002, 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\string_h.m4(3):# Copyright (C) 2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\strndup.m4(2):dnl Copyright (C) 2002-2003, 2005-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\strlen.m4(2):dnl Copyright (C) 2002-2003, 2005-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\strtoimax.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\strtoul.m4(2):dnl Copyright (C) 2002, 2003, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\strtoll.m4(2):dnl Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\strtoul.m4(2):dnl Copyright (C) 2002, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\strtoull.m4(2):dnl Copyright (C) 2002, 2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\strtoumax.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\m4\sys_stat_h.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.

tar\tar-1.17\m4\sys_time_h.m4(3):# Copyright (C) 2007 Free Software Foundation, Inc.

legal(ME)

tar\tar-1.17\m4\sysexits.m4(2):dnl Copyright (C) 2003, 2005, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\system.m4(3):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\tempname.m4(3):# Copyright (C) 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\time_h.m4(3):# Copyright (C) 2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software
tar\tar-1.17\m4\time_r.m4(3):dnl Copyright (C) 2003, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\timespec.m4(3):# Copyright (C) 2000, 2001, 2003, 2004, 2005, 2006, 2007 Free Software
tar\tar-1.17\m4\tm_gmttoff.m4(2):dnl Copyright (C) 2002 Free Software Foundation, Inc.
tar\tar-1.17\m4\unistd_h.m4(2):dnl Copyright (C) 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\unistd-safer.m4(2):dnl Copyright (C) 2002, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\unlinkdir.m4(3):# Copyright (C) 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\unlocked-io.m4(3):# Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006
tar\tar-1.17\m4\utimbuf.m4(3):# Copyright (C) 1998, 1999, 2000, 2001, 2003, 2004, 2007 Free Software
tar\tar-1.17\m4\utime.m4(6):# Copyright (C) 1998, 2000, 2001, 2003, 2004 Free Software Foundation, Inc.
tar\tar-1.17\m4\utimens.m4(1):dnl Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\utimes.m4(3):dnl Copyright (C) 2003, 2004, 2005 Free Software Foundation, Inc.
tar\tar-1.17\m4\utimes-null.m4(3):# Copyright (C) 1998, 1999, 2001, 2003, 2004, 2006 Free Software
tar\tar-1.17\m4\vasnprintf.m4(2):dnl Copyright (C) 2002-2004, 2006-2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\vsprintf.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\wchar.m4(3):dnl Copyright (C) 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\wchar_t.m4(2):dnl Copyright (C) 2002-2003 Free Software Foundation, Inc.
tar\tar-1.17\m4\wctype.m4(3):dnl Copyright (C) 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\wcwidth.m4(2):dnl Copyright (C) 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\wint_t.m4(2):dnl Copyright (C) 2003, 2007 Free Software Foundation, Inc.
tar\tar-1.17\m4\xalloc.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\xgetcwd.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\m4\xstrndup.m4(2):dnl Copyright (C) 2003 Free Software Foundation, Inc.
tar\tar-1.17\m4\xstrtol.m4(2):dnl Copyright (C) 2002, 2003, 2004, 2005, 2006 Free

legal(ME)

Software Foundation, Inc.

tar\tar-1.17\Makefile.am(3):# Copyright (C) 1994, 1995, 1996, 1997, 1999, 2000, 2001, 2003 Free

tar\tar-1.17\Makefile.in(19):# Copyright (C) 1994, 1995, 1996, 1997, 1999, 2000, 2001, 2003 Free

tar\tar-1.17\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

tar\tar-1.17\NEWS(238):** The --version option now also outputs information about copyright,

tar\tar-1.17\NEWS(397):* Fixes for buffer overrun, porting, and copyright notice problems.

tar\tar-1.17\NEWS(403):* Bug, porting, and copyright notice fixes.

tar\tar-1.17\NEWS(413):* Porting and copyright notice fixes.

tar\tar-1.17\NEWS(888):Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2003,

tar\tar-1.17\po\bg.po(3):# Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\po\cs.po(2):# Copyright (C) 1997 Free Software Foundation, Inc.

tar\tar-1.17\po\cs.po(2437):#~ msgid "Copyright %d Free Software Foundation, Inc."

tar\tar-1.17\po\cs.po(2438):#~ msgstr "Copyright %d Free Software Foundation, Inc."

tar\tar-1.17\po\da.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.

tar\tar-1.17\po\da.po(2834):#~ msgid "Copyright %d Free Software Foundation, Inc."

tar\tar-1.17\po\da.po(2835):#~ msgstr "Copyright %d Free Software Foundation, Inc."

tar\tar-1.17\po\de.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.

tar\tar-1.17\po\el.po(2):# Copyright (C) 2003, 2004 Free Software Foundation, Inc.

tar\tar-1.17\po\es.po(2):# Copyright (C) 1997, 1998, 1999, 2000 Free Software Foundation, Inc.

tar\tar-1.17\po\es.po(3289):#~ msgid "Copyright %d Free Software Foundation, Inc."

tar\tar-1.17\po\es.po(3532):# 7 bits, no lo pueden usar; nosotros sí. Incluso "Copyright" por

tar\tar-1.17\po\es.po(3545):# Copyright ese y no se ve demasiado bien. sv

tar\tar-1.17\po\es.po(3549):# vea por consola, y con la poca resolución que tiene no es un Copyright

tar\tar-1.17\po\es.po(3555):# Pero es un sucedáneo, no el original. Es un copyright light. A mñ a mñ,

tar\tar-1.17\po\es.po(3556):# como dicen los catalanes, que ya aparece delante la palabra Copyright, por

tar\tar-1.17\po\es.po(3565):# para el símbolo de copyright. sv

tar\tar-1.17\po\es.po(3568):#~ "Copyright 1988, 92,93,94,95,96,97,98, 1999 Free Software Foundation, "

tar\tar-1.17\po\es.po(3572):#~ "Copyright 1988, 92,93,94,95,96,97,98, 1999 Free Software Foundation, "

tar\tar-1.17\po\et.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.

tar\tar-1.17\po\eu.po(2):# Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\po\fi.po(2):# Copyright 2002, 2003, 2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\po\fr.po(2):# Copyright 2004 Free Software Foundation, Inc.

legal(ME)

```
tar\tar-1.17\po\fr.po(3045):#~ msgid "Copyright %d Free Software Foundation,
Inc."
tar\tar-1.17\po\fr.po(3046):#~ msgstr "Copyright %d Free Software Foundation,
Inc."
tar\tar-1.17\po\fr.po(3255):#~ "Copyright 1988, 92,93,94,95,96,97,98, 1999 Free
Software Foundation, "
tar\tar-1.17\po\fr.po(3259):#~ "Copyright 1988, 92,93,94,95,96,97,98, 1999 Free
Software Foundation, "
tar\tar-1.17\po\ga.po(2):# Copyright (C) 2003, 2004 Free Software Foundation,
Inc.
tar\tar-1.17\po\gl.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
tar\tar-1.17\po\gl.po(3064):#~ "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free
Software Foundation, "
tar\tar-1.17\po\gl.po(3068):#~ "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free
Software Foundation, "
tar\tar-1.17\po\gl.po(3087):#~ "Copyright (C) 1995, 1996, 1997 Free Software
Foundation, Inc.\n"
tar\tar-1.17\po\gl.po(3090):#~ "Copyright (C) 1995, 1996, 1997 Free Software
Foundation, Inc.\n"
tar\tar-1.17\po\hr.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
tar\tar-1.17\po\hu.po(2):# Copyright (C) 2002, 2006 Free Software Foundation,
Inc.
tar\tar-1.17\po\id.po(2):# Copyright (C) 1999, 2002 Free Software Foundation,
Inc.
tar\tar-1.17\po\it.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
tar\tar-1.17\po\ja.po(2):# Copyright (C) 1999, 2000, 2001, 2004, 2006 Free
Software Foundation, Inc.
tar\tar-1.17\po\ko.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
tar\tar-1.17\po\ko.po(2972):#~ "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free
Software Foundation, "
tar\tar-1.17\po\ko.po(3004):#~ "Copyright (C) 1995, 1996, 1997 Free Software
Foundation, Inc.\n"
tar\tar-1.17\po\ky.po(2):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\po\Makefile.in.in(143):--copyright-holder='$(COPYRIGHT HOLDER)' \
tar\tar-1.17\po\Makefile.in.in(4):# Copyright (C) 1995-1997, 2000-2006 by Ulrich
Drepper <drepper@gnu.ai.mit.edu>
tar\tar-1.17\po\Makevars(32):# $(DOMAIN).pot file.Set this to the copyright
holder of the surrounding
tar\tar-1.17\po\Makevars(34):# sources, belong to the copyright holder of the
package.)Translators are
tar\tar-1.17\po\Makevars(35):# expected to transfer the copyright for their
translations to this person
tar\tar-1.17\po\Makevars(36):# or entity, or to disclaim their copyright.The
empty string stands for
tar\tar-1.17\po\Makevars(38):# their copyright.
tar\tar-1.17\po\Makevars(39):COPYRIGHT HOLDER = Free Software Foundation, Inc.
tar\tar-1.17\po\ms.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
tar\tar-1.17\po\nb.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
tar\tar-1.17\po\nb.po(2952):#~ "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free
Software Foundation, "
tar\tar-1.17\po\nb.po(2956):#~ "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free
Software Foundation, "
```

legal(ME)

tar\tar-1.17\po\nb.po(2996):#~ "Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.\n"
tar\tar-1.17\po\nb.po(2999):#~ "Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.\n"
tar\tar-1.17\po\nl.po(2):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\po\no.po(2):# Copyright (C) 1996 Free Software Foundation, Inc.
tar\tar-1.17\po\no.po(2778):#~ "Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.\n"
tar\tar-1.17\po\no.po(2781):#~ "Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.\n"
tar\tar-1.17\po\no.po(3000):#~ "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free Software Foundation, "
tar\tar-1.17\po\no.po(3004):#~ "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free Software Foundation, "
tar\tar-1.17\po\pl.po(2):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\po\POTFILES.in(3):# Copyright (C) 1996, 1999, 2000, 2003, 2004, 2005 Free Software
tar\tar-1.17\po\pt.po(2):# Copyright (1995) Free Software Foundation, Inc.
tar\tar-1.17\po\pt_BR.po(2):# Copyright (C) 1995, 2002 Free Software Foundation, Inc.
tar\tar-1.17\po\ro.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\po\ru.po(2):# Copyright (C) 1998, 1999, 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\po\rw.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\po\sk.po(2):# Copyright (C) 1997 Free Software Foundation, Inc.
tar\tar-1.17\po\sl.po(2):# Copyright (C) 1996, 1999, 2000, 2001, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\po\sl.po(3049):#~ msgid "Copyright %d Free Software Foundation, Inc."
tar\tar-1.17\po\sl.po(3050):#~ msgstr "Copyright %d Free Software Foundation, Inc."
tar\tar-1.17\po\sl.po(3315):#~ "Copyright (C) 1988, 92, 93, 94, 95, 96, 97 Free Software Foundation, "
tar\tar-1.17\po\sv.po(2):# Copyright 1996, 2001, 2004 Free Software Foundation, Inc.
tar\tar-1.17\po\tar.pot(2):# Copyright (C) YEAR Free Software Foundation, Inc.
tar\tar-1.17\po\tr.po(2):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\po\uk.po(2):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\po\vi.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\po\zh_CN.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\PORTS(146):* Copyright notice
tar\tar-1.17\PORTS(148):Copyright (C) 1999, 2001, 2003, 2004 Free Software Foundation, Inc.
tar\tar-1.17\README(225):Copyright (C) 1990, 1991, 1992, 1994, 1997, 1998, 1999, 2000,
tar\tar-1.17\rmt\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
tar\tar-1.17\rmt\rmt.c(20):/* Copyright (C) 1983 Regents of the University of California.
tar\tar-1.17\rmt\rmt.c(3): Copyright (C) 1994, 1995, 1996, 1997, 1999, 2000,

legal(ME)

2001, 2003, 2004,
tar\tar-1.17\scripts\backup.in(3):# Copyright (C) 2004, 2005, 2006 Free Software Foundation
tar\tar-1.17\scripts\backup.sh.in(3):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\scripts\backup.sh.in(342):Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\scripts\backup-specs(85):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\scripts\Makefile.am(1):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\scripts\Makefile.in(17):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\scripts\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
tar\tar-1.17\scripts\restore.in(3):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\src\arith.h(2): Copyright 1999 Free Software Foundation, Inc.
tar\tar-1.17\src\buffer.c(3): Copyright (C) 1988, 1992, 1993, 1994, 1996, 1997, 1999, 2000, 2001,
tar\tar-1.17\src\common.h(3): Copyright (C) 1988, 1992, 1993, 1994, 1996, 1997, 1999, 2000, 2001,
tar\tar-1.17\src\compare.c(3): Copyright (C) 1988, 1992, 1993, 1994, 1996, 1997, 1999, 2000, 2001,
tar\tar-1.17\src\create.c(3): Copyright (C) 1985, 1992, 1993, 1994, 1996, 1997, 1999, 2000, 2001,
tar\tar-1.17\src\delete.c(3): Copyright (C) 1988, 1992, 1994, 1996, 1997, 2000, 2001, 2003, 2004,
tar\tar-1.17\src\extract.c(3): Copyright (C) 1988, 1992, 1993, 1994, 1996, 1997, 1998, 1999, 2000,
tar\tar-1.17\src\incremen.c(3): Copyright (C) 1988, 1992, 1993, 1994, 1996, 1997, 1999, 2000, 2001,
tar\tar-1.17\src\list.c(3): Copyright (C) 1988, 1992, 1993, 1994, 1996, 1997, 1998, 1999, 2000,
tar\tar-1.17\src\Makefile.am(3):# Copyright (C) 1994, 1995, 1996, 1997, 1999, 2000, 2001, 2003, 2006
tar\tar-1.17\src\Makefile.in(19):# Copyright (C) 1994, 1995, 1996, 1997, 1999, 2000, 2001, 2003, 2006
tar\tar-1.17\src\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
tar\tar-1.17\src\misc.c(3): Copyright (C) 1988, 1992, 1994, 1995, 1996, 1997, 1999, 2000, 2001,
tar\tar-1.17\src\names.c(3): Copyright (C) 1988, 1992, 1994, 1996, 1997, 1998, 1999, 2000, 2001,
tar\tar-1.17\src\sparse.c(3): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\src\system.c(3): Copyright (C) 2003, 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\src\tar.c(3): Copyright (C) 1988, 1992, 1993, 1994, 1995, 1996, 1997, 1999, 2000,
tar\tar-1.17\src\tar.h(3): Copyright (C) 1988, 1989, 1991, 1992, 1993, 1994, 1995, 1996, 1997,

legal(ME)

tar\tar-1.17\src\transform.c(2): Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\src\update.c(3): Copyright (C) 1988, 1992, 1994, 1996, 1997, 1999, 2000, 2001, 2003,
tar\tar-1.17\src\utf8.c(3): Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\src\xheader.c(3): Copyright (C) 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.
tar\tar-1.17\tests\append.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\append01.at(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\append02.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\argcv.c(2): Copyright (C) 1999, 2000, 2001 Free Software Foundation, Inc.
tar\tar-1.17\tests\argcv.h(2): Copyright (C) 1999, 2000, 2001 Free Software Foundation, Inc.
tar\tar-1.17\tests\atlocal.in(3):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\chtype.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\comprec.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\delete01.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\delete02.at(4):# Copyright (C) 2004, 2005 Free Software Foundation, Inc.
tar\tar-1.17\tests\delete03.at(4):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\tests\delete04.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\delete05.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\exclude.at(4):# Copyright (C) 2007 Free Software Foundation, Inc.
tar\tar-1.17\tests\extrac01.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\extrac02.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\extrac03.at(4):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\tests\extrac04.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\extrac05.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\extrac06.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\extrac07.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\genfile.c(4): Copyright (C) 1995, 1996, 1997, 2001, 2003, 2004, 2005, 2006

legal(ME)

tar\tar-1.17\tests\grow.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\gzip.at(4):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\tests\ignfail.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\incr01.at(4):# Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\tests\incr02.at(4):# Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\tests\incr03.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\incr04.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\incremental.at(4):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\tests\indexfile.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\link01.at(4):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\tests\listed01.at(4):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\listed02.at(4):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\long01.at(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\longv7.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\lustar01.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\lustar02.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\lustar03.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\Makefile.am(3):# Copyright (C) 1996, 1997, 1999, 2000, 2001, 2003, 2004, 2005,
tar\tar-1.17\tests\Makefile.in(19):# Copyright (C) 1996, 1997, 1999, 2000, 2001, 2003, 2004, 2005,
tar\tar-1.17\tests\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
tar\tar-1.17\tests\multiv01.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\multiv02.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\multiv03.at(4):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\multiv04.at(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\multiv05.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\old.at(4):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\tests\options.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\options02.at(4):# Copyright (C) 2004, 2006 Free Software

legal(ME)

Foundation, Inc.
tar\tar-1.17\tests\pipe.at(4):# Copyright (C) 2004, 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\recurse.at(4):# Copyright (C) 2004 Free Software Foundation, Inc.
tar\tar-1.17\tests\rename01.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\rename02.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\rename03.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\same-order01.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\same-order02.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\shortrec.at(4):# Copyright (C) 2005 Free Software Foundation, Inc.
tar\tar-1.17\tests\sparse01.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\sparse02.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\sparse03.at(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\sparsemv.at(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\sparsemvp.at(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\spmvp00.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\spmvp01.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\spmvp10.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\star\gtarfail.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\star\gtarfail2.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\star\multi-fail.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\star\pax-big-10g.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\star\quicktest.sh(3):# Copyright (C) 2004, 2005 Free Software Foundation, Inc.
tar\tar-1.17\tests\star\ustar-big-2g.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\star\ustar-big-8g.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\T-empty.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.
tar\tar-1.17\tests\testsuite(3):# Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free Software
tar\tar-1.17\tests\testsuite(936):Copyright (C) 2000, 2001, 2002, 2003, 2004,

legal(ME)

2005, 2006 Free Software

tar\tar-1.17\tests\testsuite.at(4):# Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

tar\tar-1.17\tests\T-null.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\tests\truncate.at(4):# Copyright (C) 2005 Free Software Foundation, Inc.

tar\tar-1.17\tests\update.at(4):# Copyright (C) 2005, 2006 Free Software Foundation, Inc.

tar\tar-1.17\tests\verbose.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\tests\version.at(2):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\tests\volsize.at(4):# Copyright (C) 2006 Free Software Foundation, Inc.

tar\tar-1.17\tests\volume.at(4):# Copyright (C) 2004, 2006 Free Software Foundation, Inc.

tar\tar-1.17\TODO(46):* Copyright notice

tar\tar-1.17\TODO(48):Copyright (C) 2003, 2004 Free Software Foundation, Inc.

uboot\u-boot-2011.12\api\api.c(2): * (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\api\api_display.c(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\api\api_net.c(2): * (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\api\api_platform-arm.c(2): * (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\api\api_platform-powerpc.c(2): * (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\api\api_private.h(2): * (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\api\api_storage.c(2): * (C) Copyright 2007-2008 Semihalf

uboot\u-boot-2011.12\api\Makefile(2):# (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\arch\arm\config.mk(2):# (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\config.mk(2):# (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\cpu.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\cpu.c(6): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\start.S(10): *Copyright (c) 2002Gary Jennejohn <garyj@denx.de>

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\start.S(11): *Copyright (c)

2003Richard Woodruff <r-woodruff2@ti.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\start.S(12): *Copyright (c)

2003Kshitij <kshitij@ti.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\start.S(4): *Copyright (c) 2003Texas Instruments

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\start.S(8): *Copyright (c) 2001Marius Gr̄t̄lger <mag@sysgo.de>

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\start.S(9): *Copyright (c) 2002Alex Z̄̄̄pke <azu@sysgo.de>

uboot\u-boot-2011.12\arch\arm\cpu\arm_intcm\u-boot.lds(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm1136\config.mk(2):# (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm1136\cpu.c(2): * (C) Copyright 2004 Texas Instruments

uboot\u-boot-2011.12\arch\arm\cpu\arm1136\cpu.c(4): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm1136\cpu.c(8): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm1136\Makefile(2):# (C) Copyright 2000-2006

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx31\devices.c(3): * (C) Copyright 2009 Magnus Lilja <lilja.magnus@gmail.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx31\generic.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx31\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx31\timer.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx35\generic.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx35\generic.c(5): * (C) Copyright 2008-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx35\iomux.c(2): * Copyright 2008-2009 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx35\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx35\Makefile(5):# (C) Copyright 2008-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx35\timer.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\mx35\timer.c(5): * (C) Copyright 2008-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\reset.S(10): *Copyright (c) 2003Kshitij <kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\reset.S(4): *Copyright (c) 2004Texas Instruments <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\reset.S(6): *Copyright (c) 2001Marius Gr̄t̄lger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\reset.S(7): *Copyright (c) 2002Alex Z̄̄pke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\reset.S(8): *Copyright (c) 2002Gary Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\reset.S(9): *Copyright (c) 2003Richard Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\timer.c(11): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\timer.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\omap24xx\timer.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\start.S(10): *Copyright (c) 2003Kshitij <kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\start.S(4): *Copyright (c) 2004Texas Instruments <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\start.S(6): *Copyright (c) 2001Marius Gr̄t̄lger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\start.S(7): *Copyright (c) 2002Alex Z̄̄pke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\start.S(8): *Copyright (c) 2002Gary Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\start.S(9): *Copyright (c) 2003Richard Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\u-boot.lds(10): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\u-boot.lds(2): * (C) Copyright 2009

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\arm1136\u-boot.lds(5): * Copyright (C)
2005-2007 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\cpu\arm1136\u-boot.lds(8): * Copyright (c) 2004
Texas Instruments
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\cpu.c(2): * (C) Copyright 2004 Texas
Insturments
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\cpu.c(4): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\cpu.c(8): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\Makefile(5):# (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\config.mk(2):# (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\cpu_init.S(4): * Copyright (C)
2008
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\Makefile(2):# (C) Copyright
2000-2003
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\Makefile(5):# (C) Copyright
2008
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\reset.S(2): * Copyright (c)
2009 Samsung Electronics.
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\speed.c(2): * (C) Copyright
2001-2004
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\speed.c(5): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\timer.c(13): * (C) Copyright
2002-2004
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\timer.c(16): * (C) Copyright
2004
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\timer.c(19): * (C) Copyright
2008
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\timer.c(2): * (C) Copyright
2003
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\timer.c(5): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\s3c64xx\timer.c(9): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\start.S(4): * Copyright (c) 2007Samsung
Electronics
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\start.S(6): * Copyright (C) 2008
uboot\u-boot-2011.12\arch\arm\cpu\arm1176\u-boot.lds(2): * (C) Copyright
2002-2004
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\cpu.c(11): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\cpu.c(2): * Copyright (C) 2011-2012
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\cpu.c(5): * (C) Copyright 2004 Texas
Insturments
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\cpu.c(7): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\interrupts.c(14): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\interrupts.c(2): * Copyright (C)
2011-2012

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\interrupts.c(5): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\interrupts.c(9): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\start.S(4): * Copyright (c) 2007 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\start.S(6): * Copyright (C) 2008
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\u-boot.lds(3): * Copyright (c) 2004-2008 Texas Instruments
uboot\u-boot-2011.12\arch\arm\cpu\arm1176jzs\u-boot.lds(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\cpu.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\cpu.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\interrupts.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\interrupts.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\lpc2292\flash.c(2): * (C) Copyright 2006 Embedded Artists AB <www.embeddedartists.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\lpc2292\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\lpc2292\mmc_hw.h(3):Copyright (C) 2006 Embedded Artists AB (www.embeddedartists.com)
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\lpc2292\spi.c(3):Copyright (C) 2006 Embedded Artists AB (www.embeddedartists.com)
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\s3c4510b\cache.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\s3c4510b\cache.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\s3c4510b\Makefile(2):# (C) Copyright 2000-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\start.S(4): *Copyright (c) 2001Marius Gr̄nager <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\start.S(5): *Copyright (c) 2002Alex Z̄ypke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm720t\u-boot.lds(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\at91rm9200\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\at91rm9200\reset.S(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\at91rm9200\timer.c(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\at91rm9200_devices.c(4): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\at91rm9200_devices.c(7): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\clock.c(4): * Copyright (C) 2011 Andreas Biērnann
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\clock.c(5): * Copyright (C) 2005 David Brownell

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\clock.c(6): * Copyright (C) 2005
Ivan Kokshaysky
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\clock.c(7): * Copyright (C) 2009
Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\cpu.c(4): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\cpu.c(6): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\cpu.c(8): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\lowlevel_init.S(2): * Copyright
(C) 1999 2000 2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl) and
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\lowlevel_init.S(6): * (C)
Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\Makefile(2):# (C) Copyright
2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\reset.c(10): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\reset.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\reset.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\timer.c(10): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\timer.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\at91\timer.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\cpu.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\cpu.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\cpu.c(4): * Copyright (C) 2009
Matthias Kaehlcke <matthias@kaehlcke.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\cpu.c(6): * Copyright (C) 2004,
2005
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\led.c(2): * Copyright (C) 2010,
2009 Matthias Kaehlcke <matthias@kaehlcke.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\lowlevel_init.S(4): * Copyright
(C) 2009 Matthias Kaehlcke <matthias@kaehlcke.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\lowlevel_init.S(6): * Copyright
(C) 2006 Dominic Rath <Dominic.Rath@gmx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\Makefile(14):# (C) Copyright
2000, 2001, 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\Makefile(4):# Copyright (C) 2009
Matthias Kaehlcke <matthias@kaehlcke.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\Makefile(6):# Copyright (C)
2004, 2005
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\Makefile(9):# Copyright (C) 2006
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\speed.c(4): * Copyright (C) 2009
Matthias Kaehlcke <matthias@kaehlcke.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\timer.c(4): * Copyright (C)
2009, 2010 Matthias Kaehlcke <matthias@kaehlcke.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\timer.c(6): * Copyright (C)
2004, 2005
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ep93xx\u-boot.lds(2): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\imx\generic.c(6): *Copyright:
Synertronixx GmbH
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\imx\Makefile(2):# (C) Copyright
2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\imx\timer.c(10): * (C) Copyright 2002

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\arm920t\imx\timer.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\imx\timer.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\interrupts.c(10): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\interrupts.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\interrupts.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ks8695\lowlevel_init.S(4): *Copyright
(c) 2004-2005, Greg Ungerer <greg.ungerer@opengear.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ks8695\Makefile(2):# (C) Copyright
2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\ks8695\timer.c(2): * (C) Copyright
2004-2005, Greg Ungerer <greg.ungerer@opengear.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\cpu_info.c(2): * (C) Copyright
2010
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\interrupts.c(10): * (C)
Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\interrupts.c(2): * (C)
Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\interrupts.c(6): * (C)
Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\Makefile(2):# (C) Copyright
2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\speed.c(2): * (C) Copyright
2001-2004
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\speed.c(5): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\timer.c(10): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\timer.c(2): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\timer.c(6): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\usb.c(2): * (C) Copyright 2006
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\usb_ohci.c(4): * (C) Copyright
2003
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\usb_ohci.c(8): * (C) Copyright
1999 Roman Weissgaerber <weissg@vienna.at>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\usb_ohci.c(9): * (C) Copyright
2000-2002 David Brownell
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\usb_ohci.h(4): * (C) Copyright
1999 Roman Weissgaerber <weissg@vienna.at>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\s3c24x0\usb_ohci.h(5): * (C) Copyright
2000-2001 David Brownell <dbrownell@users.sourceforge.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\start.S(4): *Copyright (c) 2001Marius
Gr̄t̄lger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\start.S(5): *Copyright (c) 2002Alex
Z̄̄pke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\start.S(6): *Copyright (c) 2002Gary
Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\u-boot.lds(2): * (c) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\arm920t\u-boot.lds(6): * (C) Copyright
2000-2004

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\arm920t\u-boot.lds(9): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\cpu.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\cpu.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\omap925.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\start.S(10): *Copyright (c) 2002Gary
Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\start.S(11): *Copyright (c) 2003Richard
Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\start.S(12): *Copyright (c) 2003Kshitij
<kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\start.S(4): *Copyright (c) 2003Texas
Instruments
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\start.S(8): *Copyright (c) 2001Marius
Gr̄t̄lger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\start.S(9): *Copyright (c) 2002Alex
Z̄̄pke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\timer.c(12): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\timer.c(16): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\timer.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\timer.c(5): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\timer.c(8): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\u-boot.lds(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\arm925t\u-boot.lds(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\armada100\cpu.c(2): * (C) Copyright
2010
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\armada100\dram.c(2): * (C) Copyright
2010
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\armada100\Makefile(2):# (C) Copyright
2010
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\armada100\timer.c(2): * (C) Copyright
2010
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\at91cap9_devices.c(2): * (C)
Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\at91cap9_devices.c(6): * (C)
Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\at91sam9260_devices.c(2): * (C)
Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\at91sam9261_devices.c(2): * (C)
Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\at91sam9263_devices.c(2): * (C)
Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\at91sam9263_devices.c(6): * (C)
Copyright 2009-2011
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\at91sam9m10g45_devices.c(2): *
(C) Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\at91sam9r1_devices.c(2): * (C)
Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\clock.c(4): * Copyright (C) 2005
David Brownell
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\clock.c(5): * Copyright (C) 2005

legal(ME)

Ivan Kokshaysky

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\clock.c(6): * Copyright (C) 2009 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\cpu.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\cpu.c(4): * (C) Copyright 2009

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\eflash.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\led.c(2): * (C) Copyright 2007-2008

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\lowlevel_init.S(4): * Copyright (C) 1999 2000 2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl) and

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\lowlevel_init.S(7): * Copyright (C) 2008 Ronetix Ilko Iliev (www.ronetix.at)

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\lowlevel_init.S(8): * Copyright (C) 2009 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\Makefile(2):# (C) Copyright 2000-2008

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\reset.c(2): * (C) Copyright 2007-2008

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\at91\timer.c(2): * (C) Copyright 2007-2008

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\cache.c(2): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\config.mk(2):# (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\cpu.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\cpu.c(6): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\cpuinfo.c(4): * Copyright (C) 2004 Nokia Corporation

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\cpu.c(2): * Copyright (C) 2004 Texas Instruments.

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\cpu.c(3): * Copyright (C) 2009 David Brownell

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\da850_lowlevel.c(4): * Copyright (C) 2011

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\da850_pinmux.c(4): * Copyright (C) 2011 OMICRON electronics GmbH

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\dm355.c(4): * Copyright (C) 2009 David Brownell

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\dm365_lowlevel.c(5): * Copyright (C) 2011

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\dm644x.c(4): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\dm644x.c(5): * Copyright (C) 2008 Lyrtech <www.lyrtech.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\dm644x.c(6): * Copyright (C) 2004 Texas Instruments.

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\dp83848.c(5): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\et1011c.c(4): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\ksz8873.c(11): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\ksz8873.c(5): * Copyright (C)

legal(ME)

2011 Heiko Schocher <hsdenx.de>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\lowlevel_init.S(12): * (C)
Copyright 2003

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\lowlevel_init.S(4): *
Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\lowlevel_init.S(6): *
Partially based on TI sources, original copyrights follow:

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\lxt972.c(5): * Copyright (C)
2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\Makefile(2):# (C) Copyright
2000-2006

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\Makefile(5):# Copyright (C)
2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\misc.c(4): * Copyright (C)
2009 Nick Thompson, GE Fanuc Ltd, <nick.thompson@gefanuc.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\misc.c(5): * Copyright (C)
2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\misc.c(6): * Copyright (C)
2008 Lyrtech <www.lyrtech.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\misc.c(7): * Copyright (C)
2004 Texas Instruments.

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\pinmux.c(4): * Copyright (C)
2009 Nick Thompson, GE Fanuc Ltd, <nick.thompson@gefanuc.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\pinmux.c(5): * Copyright (C)
2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\pinmux.c(6): * Copyright (C)
2008 Lyrtech <www.lyrtech.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\pinmux.c(7): * Copyright (C)
2004 Texas Instruments.

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\psc.c(4): * Copyright (C)
2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\psc.c(5): * Copyright (C)
2008 Lyrtech <www.lyrtech.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\psc.c(6): * Copyright (C)
2004 Texas Instruments.

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\reset.S(4): * Copyright (C)
2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\spl.c(2): * Copyright (C)
2011

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\timer.c(13): * (C) Copyright
2002-2004

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\timer.c(16): * (C) Copyright
2004

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\timer.c(19): * Copyright (C)
2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\timer.c(2): * (C) Copyright
2003

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\timer.c(5): * (C) Copyright
2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\davinci\timer.c(9): * (C) Copyright
2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\interrupts.c(13): * (C) Copyright

legal(ME)

2002-2004

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\interrupts.c(16): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\interrupts.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\interrupts.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\interrupts.c(9): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\kirkwood\cpu.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\kirkwood\dram.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\kirkwood\Makefile(2):# (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\kirkwood\timer.c(2): * Copyright (C) Marvell International Ltd. and its affiliates
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mb86r0x\clock.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mb86r0x\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mb86r0x\reset.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mb86r0x\timer.c(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mb86r0x\timer.c(6): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\generic.c(2): * (C) Copyright 2009 DENX Software Engineering
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\generic.c(6): *Copyright (c) 2008 Eric Jarrige <eric.jarrige@armadeus.org>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\generic.c(7): *Copyright (c) 2009 Ilya Yanok <yanok@emcraft.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\reset.c(10): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\reset.c(13): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\reset.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\reset.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\timer.c(10): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\timer.c(13): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\timer.c(16): * (C) Copyright 2009 DENX Software Engineering
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\timer.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx25\timer.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\generic.c(2): *Copyright (c) 2008 Eric Jarrige <eric.jarrige@armadeus.org>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\generic.c(3): *Copyright (c) 2009 Ilya Yanok <yanok@emcraft.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\Makefile(2):# (C) Copyright

legal(ME)

2000-2006

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\reset.c(10): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\reset.c(13): * (C) Copyright 2009

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\reset.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\reset.c(6): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\timer.c(10): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\timer.c(13): * (C) Copyright 2009

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\timer.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx27\timer.c(6): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\clock.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\clock.c(8): * Copyright (C) 2010 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\iomux.c(2): * Copyright 2004-2006,2010 Freescale Semiconductor, Inc. All Rights Reserved.

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\iomux.c(3): * Copyright (C) 2008 by Sascha Hauer <kernel@pengutronix.de>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\iomux.c(4): * Copyright (C) 2009 by Jan Weitzel Phytex Messtechnik GmbH,

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\mx28.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\mx28.c(8): * Copyright (C) 2010 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\mx28_init.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\spl_boot.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\spl_mem_init.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\spl_power_init.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\start.S(10): *Copyright (c) 2002Gary Jennejohn <garyj@denx.de>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\start.S(11): *Copyright (c) 2003Richard Woodruff <r-woodruff2@ti.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\start.S(12): *Copyright (c) 2003Kshitij <kshitij@ti.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\start.S(13): *Copyright (c) 2010Albert Aribaud <albert.u.boot@aribaud.net>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\start.S(16): * Copyright (c) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\start.S(4): *Copyright (c) 2003Texas Instruments

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\start.S(8): *Copyright (c) 2001Marius Groger <mag@sysgo.de>

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\start.S(9): *Copyright (c)

legal(ME)

2002 Alex Zupke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\timer.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\timer.c(8): * (C) Copyright 2009-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\u-boot-spl.lds(2): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\u-boot-spl.lds(6): * Copyright (c) 2004-2008 Texas Instruments
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\mx28\u-boot-spl.lds(8): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\nomadik\gpio.c(2): * (C) Copyright 2009 Alessandro Rubini
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\nomadik\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\nomadik\timer.c(2): * (C) Copyright 2009 Alessandro Rubini
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\cpuinfo.c(4): * Copyright (C) 2004 Nokia Corporation
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\reset.S(10): * Copyright (c) 2002 Gary Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\reset.S(11): * Copyright (c) 2003 Richard Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\reset.S(12): * Copyright (c) 2003 Kshitij <kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\reset.S(4): * Copyright (c) 2003 Texas Instruments
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\reset.S(8): * Copyright (c) 2001 Marius Gr̄n̄ger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\reset.S(9): * Copyright (c) 2002 Alex Z̄pke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\timer.c(13): * (C) Copyright 2002-2004
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\timer.c(16): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\timer.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\timer.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\omap\timer.c(9): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\cpu.c(2): * Copyright (C) 2010 Albert ARIBAUD <albert.u.boot@aribaud.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\cpu.c(5): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\dram.c(2): * Copyright (C) 2010 Albert ARIBAUD <albert.u.boot@aribaud.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\dram.c(5): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\lowlevel_init.S(2): * Copyright (C) 2010 Albert ARIBAUD <albert.u.boot@aribaud.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\lowlevel_init.S(4): * (C) Copyright 2009

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\Makefile(2):# Copyright (C) 2010 Albert ARIBAUD <albert.u.boot@aribaud.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\Makefile(5):# (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\timer.c(2):* Copyright (C) 2010 Albert ARIBAUD <albert.u.boot@aribaud.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\orion5x\timer.c(5): * Copyright (C) Marvell International Ltd. and its affiliates
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\pantheon\cpu.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\pantheon\dram.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\pantheon\Makefile(2):# (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\pantheon\timer.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\spear\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\spear\reset.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\spear\timer.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\start.S(10): *Copyright (c) 2002Gary Jennejohn <gj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\start.S(11): *Copyright (c) 2003Richard Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\start.S(12): *Copyright (c) 2003Kshitij <kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\start.S(4): *Copyright (c) 2003Texas Instruments
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\start.S(8): *Copyright (c) 2001Marius Gruber <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\start.S(9): *Copyright (c) 2002Alex Zinke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\u-boot.lds(2): * (C) Copyright 2002-2004
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\reset.S(10): *Copyright (c) 2002Gary Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\reset.S(11): *Copyright (c) 2003Richard Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\reset.S(12): *Copyright (c) 2003Kshitij <kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\reset.S(4): *Copyright (c) 2003Texas Instruments
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\reset.S(8): *Copyright (c) 2001Marius Gruber <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\reset.S(9): *Copyright (c) 2002Alex Zinke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\timer.c(13): * (C) Copyright 2002-2004

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\timer.c(16): * (C)
Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\timer.c(2): * (C) Copyright
2003
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\timer.c(5): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm926ejs\versatile\timer.c(9): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\cpu.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\cpu.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\start.S(10): *Copyright (c) 2002Gary
Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\start.S(11): *Copyright (c)
2003Richard Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\start.S(12): *Copyright (c)
2003Kshitij <kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\start.S(13): *Copyright (c) 2010Albert
Aribaud <albert.u.boot@aribaud.net>
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\start.S(4): *Copyright (c) 2003Texas
Instruments
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\start.S(8): *Copyright (c) 2001Marius
Gr̄t̄lger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\start.S(9): *Copyright (c) 2002Alex
Z̄̄pke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\arm946es\u-boot.lds(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\am33xx\board.c(6): * Copyright (C) 2011,
Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\am33xx\clock.c(6): * Copyright (C) 2011,
Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\am33xx\ddr.c(4): * Copyright (C) 2011
Texas Instruments Incorporated -
uboot\u-boot-2011.12\arch\arm\cpu\armv7\am33xx\emif4.c(6): * Copyright (C) 2011,
Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\am33xx\lowlevel_init.S(6): * Copyright
(C) 2011, Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\am33xx\Makefile(2):# Copyright (C) 2011,
Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\am33xx\sys_info.c(6): * Copyright (C)
2011, Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\cache_v7.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\cpu.c(11): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\cpu.c(2): * Copyright (C) 2011-2012
uboot\u-boot-2011.12\arch\arm\cpu\armv7\cpu.c(5): * (C) Copyright 2004 Texas
Insturments
uboot\u-boot-2011.12\arch\arm\cpu\armv7\cpu.c(7): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\exynos\clock.c(2): * Copyright (C) 2010
Samsung Electronics
uboot\u-boot-2011.12\arch\arm\cpu\armv7\exynos\Makefile(2):# Copyright (C) 2009
Samsung Electronics

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\armv7\exynos\soc.c(2): * Copyright (c) 2010 Samsung Electronics.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\highbank\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\armv7\highbank\timer.c(2): * Copyright 2010-2011 Calxeda, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\imx-common\cpu.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\armv7\imx-common\cpu.c(5): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\imx-common\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\armv7\imx-common\Makefile(5):# (C) Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\imx-common\speed.c(2): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\arm\cpu\armv7\imx-common\speed.c(5): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\imx-common\timer.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\armv7\imx-common\timer.c(5): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\interrupts.c(14): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\interrupts.c(2): * Copyright (C) 2011-2012
uboot\u-boot-2011.12\arch\arm\cpu\armv7\interrupts.c(5): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\armv7\interrupts.c(9): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\clock.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\clock.c(5): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\iomux.c(2): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\lowlevel_init.S(2): * Copyright (C) 2007, Guennadi Liakhovetski <lg@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\lowlevel_init.S(4): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\Makefile(5):# (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\soc.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx5\soc.c(5): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\clock.c(2): * Copyright (C) 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\iomux-v3.c(3): * Copyright (C) 2008 by Sascha Hauer <kernel@pengutronix.de>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\iomux-v3.c(4): * Copyright (C) 2009 by Jan Weitzel Phytex Messtechnik GmbH,
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\iomux-v3.c(7): * Copyright (C) 2004-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\lowlevel_init.S(2): * Copyright (C) 2010-2011 Freescale Semiconductor, Inc.

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\Makefile(5):# (C) Copyright 2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\soc.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\cpu\armv7\mx6\soc.c(5): * (C) Copyright 2009
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\board.c(5): * (C) Copyright
2004-2008
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\clock.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\config.mk(2):# Copyright 2011
Linaro Limited
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\config.mk(6):# (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\emac.c(5): * (C) Copyright 2011,
Ilya Yanok, Emcraft Systems
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\emif4.c(7): * Copyright (C) 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\lowlevel_init.S(4): * (C) Copyright
2008
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\Makefile(2):# (C) Copyright
2000-2003
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\mem.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\sdr.c(11): * Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\sdr.c(8): * Copyright (C)
2004-2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\spl_id_nand.c(2): * (C) Copyright
2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap3\sys_info.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap4\clocks.c(5): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap4\config.mk(2):# Copyright 2011
Linaro Limited
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap4\config.mk(6):# (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap4\emif.c(4): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap4\hwinit.c(5): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap4\Makefile(2):# (C) Copyright
2000-2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap4\sdr.c(5): * (C) Copyright
2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap5\clocks.c(5): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap5\config.mk(2):# Copyright 2011
Linaro Limited
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap5\emif.c(4): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap5\hwinit.c(5): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap5\Makefile(2):# (C) Copyright
2000-2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap5\sdr.c(5): * (C) Copyright
2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\clocks-common.c(5): * (C)
Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\config.mk(2):# (C) Copyright
2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\emif-common.c(4): * (C)
Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\gpio.c(2): * Copyright (c)

legal(ME)

2009 Wind River Systems, Inc.

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\gpio.c(25): * Below is the original's header including its copyright

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\gpio.c(31): * Copyright (C) 2003-2005 Nokia Corporation

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\hwinit-common.c(5): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\lowlevel_init.S(4): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\Makefile(2):# (C) Copyright 2000-2003

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\mem-common.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\reset.S(2): * Copyright (c) 2009 Samsung Electronics.

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\spl.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\spl_mmc.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\spl_nand.c(2): * Copyright (C) 2011

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\timer.c(13): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\timer.c(2): * (C) Copyright 2008

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\timer.c(8): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\u-boot-spl.lds(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\u-boot-spl.lds(5): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\cpu\armv7\omap-common\utils.c(2): * Copyright 2011 Linaro Limited

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5pc1xx\cache.S(2): * Copyright (C) 2009 Samsung Electronics

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5pc1xx\clock.c(2): * Copyright (C) 2009 Samsung Electronics

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5pc1xx\Makefile(2):# (C) Copyright 2000-2003

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5pc1xx\Makefile(5):# (C) Copyright 2008

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5pc1xx\reset.S(2): * Copyright (c) 2009 Samsung Electronics.

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5p-common\cpu_info.c(2): * Copyright (C) 2009 Samsung Electronics

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5p-common\Makefile(2):# Copyright (C) 2009 Samsung Electronics

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5p-common\pwm.c(2): * Copyright (C) 2011 Samsung Electronics

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5p-common\sromc.c(2): * Copyright (C) 2010 Samsung Electronics

uboot\u-boot-2011.12\arch\arm\cpu\armv7\s5p-common\timer.c(2): * Copyright (C) 2009 Samsung Electronics

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\armv7\start.S(10): * Copyright (c) 2006-2008 Syed Mohammed Khasim <x0khasim@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\start.S(2): * Copyright (C) 2011-2012 Luis.Chen, MediaTek Inc <luis.chen@mediatek.com>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\start.S(3): * Copyright (c) 2004 Texas Instruments <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\start.S(5): * Copyright (c) 2001 Marius Gröbinger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\start.S(6): * Copyright (c) 2002 Alex Zehnpke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\start.S(7): * Copyright (c) 2002 Gary Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\start.S(8): * Copyright (c) 2003 Richard Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\start.S(9): * Copyright (c) 2003 Kshitij <kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\armv7\syslib.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\ap20.c(2): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\ap20.h(2): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\board.c(2): * (C) Copyright 2010, 2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\clock.c(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\config.mk(2):# (C) Copyright 2010, 2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\config.mk(5):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\lowlevel_init.S(4): * (C) Copyright 2010, 2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\Makefile(2):# (C) Copyright 2010, 2011 Nvidia Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\Makefile(4):# (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\pinmux.c(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\sys_info.c(2): * (C) Copyright 2010, 2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\timer.c(11): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\timer.c(16): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\timer.c(2): * (C) Copyright 2010, 2011
uboot\u-boot-2011.12\arch\arm\cpu\armv7\tegra2\timer.c(5): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\cpu\armv7\u8500\clock.c(2): * (C) Copyright 2009 ST-Ericsson
uboot\u-boot-2011.12\arch\arm\cpu\armv7\u8500\lowlevel.S(2): * (C) Copyright 2011 ST-Ericsson
uboot\u-boot-2011.12\arch\arm\cpu\armv7\u8500\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\armv7\u8500\timer.c(2): * Copyright (C) 2010 Linaro Limited
uboot\u-boot-2011.12\arch\arm\cpu\armv7\u8500\timer.c(7): * (C) Copyright 2009

legal(ME)

Alessandro Rubini

uboot\u-boot-2011.12\arch\arm\cpu\armv7\u8500\timer.c(8): * (C) Copyright 2010
ST-Ericsson

uboot\u-boot-2011.12\arch\arm\cpu\armv7\u-boot.lds(3): * Copyright (c) 2004-2008
Texas Instruments

uboot\u-boot-2011.12\arch\arm\cpu\armv7\u-boot.lds(5): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\ixp\config.mk(2):# (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\ixp\cpu.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\ixp\cpu.c(6): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\ixp\interrupts.c(2): * (C) Copyright 2006

uboot\u-boot-2011.12\arch\arm\cpu\ixp\interrupts.c(5): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\ixp\interrupts.c(9): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\cpu\ixp\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_error.h(11): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_error.h(3): * = COPYRIGHT

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_macros.h(11): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_macros.h(3): * = COPYRIGHT

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_os_type.h(11): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_os_type.h(3): * = COPYRIGHT

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_oss1.h(11): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_oss1.h(3): * = COPYRIGHT

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_symbols.h(11): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_symbols.h(3): * = COPYRIGHT

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_types.h(11): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\ix_types.h(3): * = COPYRIGHT

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxAssert.h(15): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxAtmdAcc.h(19): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxAtmdAccCtrl.h(19): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxAtmm.h(15): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxAtmSch.h(24): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxAtmTypes.h(14): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxDmaAcc.h(15): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthAcc.h(16): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthAcc_p.h(18): * Copyright
2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthAccDataPlane_p.h(18): *
Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthAccMac_p.h(9): * Copyright

legal(ME)

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthAccMii_p.h(18): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthAccQueueAssign_p.h(18): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthDB.h(12): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthDB_p.h(12): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthDBLocks_p.h(12): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthDBLog_p.h(12): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthDBMessages_p.h(12): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthDBPortDefs.h(12): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthDBQoS.h(12): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthMii.h(32): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthMii_p.h(18): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxEthNpe.h(12): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxFeatureCtrl.h(16): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxHssAcc.h(16): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxI2cDrv.h(14): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeA.h(17): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeDl.h(16): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeDlImageMgr_p.h(16): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeDlMacros_p.h(16): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeDlNpeMgr_p.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeDlNpeMgrEcRegisters_p.h(14

): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeDlNpeMgrUtils_p.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeMh.h(16): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeMhConfig_p.h(16): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeMhMacros_p.h(16): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeMhReceive_p.h(16): *

legal(ME)

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeMhSend_p.h(16): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeMhSolicitedCbMgr_p.h(17):

* Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeMhUnsolicitedCbMgr_p.h(17)

: * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxNpeMicrocode.h(17): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsal.h(13): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalAssert.h(14): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBackward.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBackwardAssert.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBackwardBufferMgt.h(15):

* Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBackwardCacheMMU.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBackwardMemMap.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBackwardOsServices.h(15):

* Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBackwardOssl.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBufferMgt.h(14): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBufferMgt.h(50): *

Copyright 1979, 1980, 1983, 1986, 1988, 1989, 1991, 1992, 1993, 1994

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalBufferMgtDefault.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalConfig.h(13): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalEndianess.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalIoMem.h(16): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalMemAccess.h(15): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalOem.h(13): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalOsBufferMgt.h(14): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalOsIxp400.h(14): *

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalOsIxp400CustomizedMapping

.h(21): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalTypes.h(14): * Copyright

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsalUtilitySymbols.h(13): *

legal(ME)

Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsBuffMgt.h(13): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsBuffPoolMgt.h(15): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsBufLib.h(15): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsCacheMMU.h(14): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsPrintf.h(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsServices.h(13): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsServicesComponents.h(14): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsServicesEndianess.h(14): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsServicesMemAccess.h(14): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxOsServicesMemMap.h(14): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxParityENAcc.h(16): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxPerfProfAcc.h(13): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxQMgr.h(30): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxQMgrAqmIf_p.h(31): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxQMgrDefines_p.h(16): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxQMgrDispatcher_p.h(16): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxQMgrLog_p.h(16): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxQMgrQAccess_p.h(16): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxQMgrQCfg_p.h(16): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxQueueAssignments.h(22): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxSspAcc.h(14): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxTimerCtrl.h(21): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxTimeSyncAcc.h(18): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxTypes.h(20): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxUART.h(29): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\IxVersionId.h(15): * Copyright

legal(ME)

2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\npe.h(2): * (C) Copyright 2005

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\os_datatypes.h(11): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\include\os_datatypes.h(3): * =
COPYRIGHT

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthAcc.c(17): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthAccCommon.c(17): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthAccControlInterface.c(17): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthAccDataPlane.c(18): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthAccMac.c(17): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthAccMii.c(16): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBAPI.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBAPISupport.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBCore.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBEvents.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBFeatures.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBFirewall.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBHashtable.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBLearning.c(10): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBMem.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBNPEAdaptor.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBPortUpdate.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBReports.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBSearch.c(10): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBSpanningTree.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBUtil.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBVlan.c(12): * Copyright 2001-2005, Intel Corporation.

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthDBWiFi.c(12): * Copyright 2001-2005, Intel Corporation.

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxEthMii.c(18): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxFeatureCtrl.c(16): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeDl.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeDlImageMgr.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeDlNpeMgr.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeDlNpeMgrUtils.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeMh.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeMhConfig.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeMhReceive.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeMhSend.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeMhSolicitedCbMgr.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxNpeMhUnsolicitedCbMgr.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxOsalBufferMgt.c(15): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxOsalIoMem.c(13): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxOsalOsCacheMMU.c(13): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxOsalOsMsgQ.c(13): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxOsalOsSemaphore.c(13): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxOsalOsServices.c(13): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxOsalOsThread.c(13): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxQMgrAqmIf.c(21): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxQMgrDispatcher.c(16): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxQMgrInit.c(16): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxQMgrQAccess.c(17): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\IxQMgrQCfg.c(19): * Copyright 2001-2005, Intel Corporation.
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\Makefile(2):# (C) Copyright 2006
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\miiphy.c(17):|must include the IBM copyright notice, this paragraph, and the
uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\miiphy.c(20):|COPYRIGHT I B M

legal(ME)

CORPORATION 1995

uboot\u-boot-2011.12\arch\arm\cpu\ixp\npe\npe.c(2): * (C) Copyright 2005-2006
uboot\u-boot-2011.12\arch\arm\cpu\ixp\start.S(5): * Copyright (C) 2003Kyle Harris
<kharris@nexus-tech.net>
uboot\u-boot-2011.12\arch\arm\cpu\ixp\timer.c(12): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\ixp\timer.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\cpu\ixp\timer.c(5): * (C) Copyright 2006
uboot\u-boot-2011.12\arch\arm\cpu\ixp\timer.c(8): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\ixp\u-boot.lds(2): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\cpu.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\cpu.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\speed.c(2): * (C) Copyright 2001-2004
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\speed.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\start.S(4): *Copyright (c) 2001Marius
Gr̄̄t̄̄nger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\start.S(5): *Copyright (c) 2002Alex
Z̄̄p̄̄ke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\start.S(6): *Copyright (c) 2002Gary
Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\timer.c(10): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\timer.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\timer.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\lh7a40x\u-boot.lds(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\pxa\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\pxa\cpuinfo.c(4): * Copyright (C) 2011 Marek
Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\pxa\pxa2xx.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\pxa\pxa2xx.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\pxa\pxafb.c(4): * (C) Copyright 2001-2002
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(10): *Copyright (C) 2002Gary
Jennejohn <garyj@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(11): *Copyright (C) 2002Kyle Harris
<kharris@nexus-tech.net>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(12): *Copyright (C) 2003Kai-Uwe
Bloem <kai-uwe.bloem@auerswald.de>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(13): *Copyright (C) 2003Kshitij
<kshitij@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(14): *Copyright (C) 2003Richard
Woodruff <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(15): *Copyright (C) 2003Robert
Schwebel <r.schwebel@pengutronix.de>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(16): *Copyright (C) 2004Texas
Instruments <r-woodruff2@ti.com>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(17): *Copyright (C) 2010Marek Vasut
<marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(4): *Copyright (C) 1998Dan Malek
<dmalek@jlc.net>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(5): *Copyright (C) 1999Magnus Damm
<kieraypc01.p.y.kie.era.ericsson.se>

legal(ME)

uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(6): *Copyright (C) 2000Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(7): *Copyright (C) 2001Alex Zuepke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(8): *Copyright (C) 2001Marius Groger <mag@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\start.S(9): *Copyright (C) 2002Alex Zupke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\timer.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\cpu\pxa\u-boot.lds(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\arch\arm\cpu\pxa\usb.c(2): * (C) Copyright 2006
uboot\u-boot-2011.12\arch\arm\cpu\s3c44b0\cache.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\s3c44b0\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\s3c44b0\cpu.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\s3c44b0\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\s3c44b0\start.S(4): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\s3c44b0\timer.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\cpu\s3c44b0\u-boot.lds(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\cpu.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\cpu.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\start.S(4): *Copyright (C) 1998Dan Malek <dmalek@jlc.net>
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\start.S(5): *Copyright (C) 1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\start.S(6): *Copyright (C) 2000Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\start.S(7): *Copyright (c) 2001Alex Z̄pke <azu@sysgo.de>
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\timer.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\timer.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\u-boot.lds(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\arch\arm\cpu\sa1100\u-boot.lds(5): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-a320\h(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\arch\arm\include\asm\arch-am33xx\clock.h(6): * Copyright (C) 2011, Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-am33xx\clocks_am33xx.h(6): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-am33xx\cpu.h(6): * Copyright (C) 2011, Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-am33xx\ddr_defs.h(6): * Copyright (C) 2011, Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-am33xx\hardware.h(6): * Copyright (C) 2011, Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-am33xx\sys_proto.h(6): * Copyright (C) 2011, Texas Instruments, Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm1176jzs\bits.h(2): * Copyright (c) 2004 Texas Instruments

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm1176jzs\sizes.h(17): *Copyright (C) ARM Limited 1998. All rights reserved.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\hardware.h(5): * Copyright (c) 2004Cucy Systems (<http://www.cucy.com>)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_dma_module.h(3): * Copyright (C) 2000 NETsilicon, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_dma_module.h(4): * Copyright (C) 2000 WireSpeed Communications Corporation

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_dma_module.h(6): * This software is copyrighted by WireSpeed. LICENSEE agrees that

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_eni_module.h(4): * Copyright (C) 2000 NETsilicon, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_eni_module.h(5): * Copyright (C) 2000 WireSpeed Communications Corporation

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_eni_module.h(7): * This software is copyrighted by WireSpeed. LICENSEE agrees that

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_eth_module.h(4): * Copyright (C) 2000 NETsilicon, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_eth_module.h(5): * Copyright (C) 2000 WireSpeed Communications Corporation

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_eth_module.h(7): * This software is copyrighted by WireSpeed. LICENSEE agrees that

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_gen_module.h(10): * This software is copyrighted by Red Hat. LICENSEE agrees that

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_gen_module.h(4): * Copyright (C) 2005

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_gen_module.h(7): * Copyright (C) 2000, 2001 NETsilicon, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_gen_module.h(8): * Copyright (C) 2000, 2001 Red Hat, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_mem_module.h(10): * This software is copyrighted by Red Hat. LICENSEE agrees that

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_mem_module.h(4): * Copyright (C) 2005

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_mem_module.h(7): * Copyright (C) 2000, 2001 NETsilicon, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_mem_module.h(8): * Copyright (C) 2000, 2001 Red Hat, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_registers.h(10): * This software is copyrighted by WireSpeed. LICENSEE agrees that

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_registers.h(4): * Copyright (C) 2005

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_registers.h(7): * Copyright (C) 2000, 2001 NETsilicon, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_registers.h(8): * Copyright (C) 2000, 2001 WireSpeed Communications Corporation

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_ser_module.h(4): * Copyright (C) 2000 NETsilicon, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_ser_module.h(5): * Copyright (C) 2000 Red Hat, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm720t\netarm_ser_module.h(7): * This software is copyrighted by Red Hat. LICENSEE agrees that

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-arm926ejs\sizes.h(21): *Copyright (C) ARM Limited 1998. All rights reserved.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\armada100.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\config.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\cpu.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\gpio.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\gpio.h(6): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\mfp.h(3): * (C) Copyright 2007

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\mfp.h(7): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\spi.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armada100\spi.h(6): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armv7\bits.h(2): * Copyright (c) 2004 Texas Instruments

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armv7\sizes.h(17): *Copyright (C) ARM Limited 1998. All rights reserved.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armv7\sysctrl.h(2): * (C) Copyright 2010 Linaro

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armv7\sys timer.h(2): * (C) Copyright 2010 Linaro

uboot\u-boot-2011.12\arch\arm\include\asm\arch-armv7\wdt.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_common.h(2): * (C) Copyright 2007-2008

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_dbu.h(2): * Copyright (C) 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_eefc.h(2): * Copyright (C) 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_emac.h(2): * Copyright (C) 2009 Jens Scharsig (js_at_ng@scharsoft.de)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_gpbr.h(2): * Copyright (C) 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_matrix.h(2): * Copyright (C) 2009 Jens Scharsig (js_at_ng@scharsoft.de)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_mc.h(2): * Copyright (C) 2009 Jens Scharsig (js_at_ng@scharsoft.de)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pdc.h(2): * Copyright (C) 2009 Jens Scharsig (js_at_ng@scharsoft.de)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pio.h(4): * Copyright (C) 2005 Ivan Kokshaysky

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pio.h(5): * Copyright (C) SAN People

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pio.h(6): * Copyright (C) 2009 Jens Scharsig (js_at_ng@scharsoft.de)

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pit.h(4): * Copyright (C) 2007 Andrew Victor
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pit.h(5): * Copyright (C) 2007 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pmc.h(4): * Copyright (C) 2005 Ivan Kokshaysky
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pmc.h(5): * Copyright (C) SAN People
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_pmc.h(6): * Copyright (C) 2009 Jens Scharsig (js_at_ng@scharsoft.de)
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_rstc.h(4): * Copyright (C) 2007 Andrew Victor
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_rstc.h(5): * Copyright (C) 2007 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_rtt.h(2): * Copyright (C) 2010
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_shdwn.h(2): * Copyright (C) 2010
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_spi.h(4): * Copyright (C) 2005 Ivan Kokshaysky
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_spi.h(5): * Copyright (C) SAN People
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_st.h(2): * Copyright (C) 2009 Jens Scharsig (js_at_ng@scharsoft.de)
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_tc.h(2): * Copyright (C) 2009 Jens Scharsig (js_at_ng@scharsoft.de)
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_wdt.h(4): * Copyright (C) 2008 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_wdt.h(5): * Copyright (C) 2007 Andrew Victor
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91_wdt.h(6): * Copyright (C) 2007 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91cap9.h(4): *Copyright (C) 2007 Stelian Pop <stelian@popies.net>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91cap9.h(5): *Copyright (C) 2007 Lead Tech Design <www.leadtechdesign.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91cap9.h(6): *Copyright (C) 2007 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91cap9_matrix.h(4): *Copyright (C) 2007 Stelian Pop <stelian@popies.net>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91cap9_matrix.h(5): *Copyright (C) 2007 Lead Tech Design <www.leadtechdesign.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91cap9_matrix.h(6): *Copyright (C) 2006 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9_matrix.h(2): * Copyright (C) 2009 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jrosoft.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9_sdramc.h(4): * Copyright (C) 2009 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9_sdramc.h(5): * Copyright (C) 2007 Andrew Victor
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9_sdramc.h(6): * Copyright (C) 2007 Atmel Corporation.

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9_smc.h(4): *
Copyright (C) 2007 Andrew Victor
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9_smc.h(5): *
Copyright (C) 2007 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9260.h(5): * (C)
Copyright 2010
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9260_matrix.h(4): *
Copyright (C) 2007 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9261.h(4): * Copyright
(C) SAN People
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9261.h(5): * (C)
Copyright 2010
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9261_matrix.h(4): *
Copyright (C) 2007 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9263.h(5): * (C)
Copyright 2010
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9263_matrix.h(4):
*Copyright (C) 2006 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9g45_matrix.h(4):
*Copyright (C) 2008 Atmel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9rl.h(4): *Copyright
(C) 2007 Atmel Corporation
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\at91sam9rl_matrix.h(4):
*Copyright (C) 2007 Atmel Corporation
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\clk.h(2): * (C) Copyright
2007
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\clk.h(5): * Copyright (C)
2009 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\gpio.h(4): *Copyright (C)
2005 HP Labs
uboot\u-boot-2011.12\arch\arm\include\asm\arch-at91\hardware.h(2): * (C)
Copyright 2007-2008
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\aintc_defs.h(2): *
Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\da850_lowlevel.h(4): *
Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\da8xx-fb.h(4): * (C)
Copyright 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\da8xx-fb.h(7): * Copyright
(C) 2008-2009 MontaVista Software Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\da8xx-fb.h(8): * Copyright
(C) 2008-2009 Texas Instruments Inc
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\davinci_misc.h(2): *
Copyright (C) 2008 Lyrtech <www.lyrtech.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\ddr2_defs.h(2): *
Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\dm365_lowlevel.h(4): *
Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\emac_defs.h(12): *
Copyright (C) 2005 Texas Instruments.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\emac_defs.h(2): *
Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\emif_defs.h(2): *
Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\gpio.h(2): * Copyright (C)
2009 Texas Instruments Incorporated
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\hardware.h(10): *Copyright
(C) 2006 Texas Instruments.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\hardware.h(2): * Copyright
(C) 2007 Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\i2c_defs.h(2): * (C)
Copyright 2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\i2c_defs.h(5): * Some
changes copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\nand_defs.h(2): *
Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\pinmux_defs.h(4): *
Copyright (C) 2011 OMICRON electronics GmbH
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\pll_defs.h(2): * Copyright
(C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\psc_defs.h(2): * Copyright
(C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\sdmmc_defs.h(4): *
Copyright (C) 2010 Texas Instruments Incorporated
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\syscfg_defs.h(2): *
Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-davinci\timer_defs.h(2): *
Copyright (C) 2011 DENX Software Engineering GmbH
uboot\u-boot-2011.12\arch\arm\include\asm\arch-ep93xx\ep93xx.h(10): * Copyright
(C) 2004, 2005
uboot\u-boot-2011.12\arch\arm\include\asm\arch-ep93xx\ep93xx.h(15): * Copyright
(C) 2004 Ray Lehtiniemi
uboot\u-boot-2011.12\arch\arm\include\asm\arch-ep93xx\ep93xx.h(16): * Copyright
(C) 2003 Cirrus Logic, Inc
uboot\u-boot-2011.12\arch\arm\include\asm\arch-ep93xx\ep93xx.h(17): * Copyright
(C) 1999 ARM Limited.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-ep93xx\ep93xx.h(4): * Copyright
(C) 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-ep93xx\ep93xx.h(7): * Copyright
(C) 2006
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\adc.h(2): *Copyright (C)
2010 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\clk.h(2): * (C) Copyright
2010 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\clock.h(2): * (C) Copyright
2010 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\cpu.h(2): * (C) Copyright
2010 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\gpio.h(2): * (C) Copyright
2010 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\mmc.h(2): * (C) Copyright
2009 SAMSUNG Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\pwm.h(2): * Copyright (C)
2009 Samsung Electronics

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\sromc.h(2): * (C) Copyright 2010 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\sys_proto.h(2): * Copyright (C) 2010 Samsung Electrnoics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-exynos\uart.h(2): * (C) Copyright 2009 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-ixp\ixp425.h(6): * Copyright (C) 2002 Intel Corporation.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-ixp\ixp425pci.h(3): * (C) Copyright 2004 eslab.whut.edu.cn
uboot\u-boot-2011.12\arch\arm\include\asm\arch-kirkwood\config.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-kirkwood\cpu.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-kirkwood\kirkwood.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-kirkwood\kw88f6192.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-kirkwood\kw88f6281.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-kirkwood\mpp.h(4): * Copyright 2009: Marvell Technology Group Ltd.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-kirkwood\spi.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-lpc2292\hardware.h(5): * Copyright (c) 2004Cucy Systems (<http://www.cucy.com>)
uboot\u-boot-2011.12\arch\arm\include\asm\arch-lpc2292\spi.h(3): Copyright (C) 2006Embedded Artists AB (www.embeddedartists.com)
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mb86r0x\hardware.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mb86r0x\mb86r0x.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mb86r0x\mb86r0x.h(9): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx25\gpio.h(2): * Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx25\imx-regs.h(11): *Copyright (C) 2009 Ilya Yanok,
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx25\imx-regs.h(2): * Copyright (C) 2009, DENX Software Engineering
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx25\imx-regs.h(6): *Copyright (C) 2009 Ilya Yanok,
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx25\imx-regs.h(9): *Copyright (C) 2007 Pengutronix,
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx25\macro.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx25\macro.h(5): * (C) Copyright 2009 DENX Software Engineering
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx25\sys_proto.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx27\mxcmmc.h(2): *Copyright (c) 2009 Ilya Yanok <yanok@emcraft.com>

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\clock.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\dma.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\dma.h(8): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\gpio.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\imx-regs.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\iomux.h(2): * Copyright (C) 2009 by Jan Weitzel Phytex Messtechnik GmbH,
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\iomux.h(4): * Copyright (C) 2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\iomux-mx28.h(2): * Copyright (C) 2009-2010 Amit Kucheria <amit.kucheria@canonical.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\iomux-mx28.h(3): * Copyright (C) 2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-apbh.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-apbh.h(8): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-base.h(10): * (C) Copyright 2009-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-base.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-base.h(8): * Copyright (C) 2008 Embedded Alley Solutions Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-bch.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-bch.h(8): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-clkctrl.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-clkctrl.h(8): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-common.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-gpmi.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-gpmi.h(8): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-i2c.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-ocotp.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-ocotp.h(8): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-pinctrl.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-pinctrl.h(8): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-power.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-rtc.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-ssp.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-ssp.h(7): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-timrot.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-timrot.h(7): * Copyright 2008-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-usb.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\regs-usbphy.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx28\sys_proto.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx31\gpio.h(2): * Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx31\sys_proto.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\clock.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\crm_regs.h(2): * Copyright 2004-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\gpio.h(2): * Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\imx-regs.h(4): * (C) Copyright 2008-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\iomux.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\iomux.h(5): * Copyright 2008-2009 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\lowlevel_macro.S(2): * Copyright (C) 2007, Guennadi Liakhovetski <lg@denx.de>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\lowlevel_macro.S(4): * (C) Copyright 2008-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\mx35_pins.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\mx35_pins.h(5): * Copyright 2008-2009 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx35\sys_proto.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx5\clock.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx5\crm_regs.h(2): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx5\gpio.h(2): * Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx5\imx-regs.h(2): * (C) Copyright 2009 Freescale Semiconductor, Inc.

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx5\iomux.h(2): * (C) Copyright 2008-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx5\mx5x_pins.h(2): * (C) Copyright 2008-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx5\sys_proto.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx6\ccm_regs.h(2): * Copyright 2011 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx6\clock.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx6\gpio.h(2): * Copyright (C) 2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx6\imx-regs.h(2): * Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx6\iomux-v3.h(3): * Copyright (C) 2009 by Jan Weitzel Phytex Messtechnik GmbH,
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx6\iomux-v3.h(6): * Copyright (C) 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx6\mx6x_pins.h(2): * Copyright (C) 2011 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-mx6\sys_proto.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-nomadik\gpio.h(2): * (C) Copyright 2009 Alessandro Rubini
uboot\u-boot-2011.12\arch\arm\include\asm\arch-nomadik\mtu.h(2): * (C) Copyright 2009 Alessandro Rubini
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap24xx\bits.h(2): * Copyright (c) 2004 Texas Instruments
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap24xx\clocks.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap24xx\i2c.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap24xx\mem.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap24xx\mux.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap24xx\omap2420.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap24xx\sys_info.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap24xx\sys_proto.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\am35x_def.h(8): * Copyright (c) 2010 Texas Instruments Incorporated
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\clocks.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\clocks_omap3.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\cpu.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\dma.h(4):/* Copyright (C) 2011

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\dss.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\ehci_omap3.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\ehci_omap3.h(7): * See there for additional Copyrights.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\emac_defs.h(12): * Copyright (C) 2005 Texas Instruments.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\emac_defs.h(2): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\emif4.h(5): * Copyright (C) 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\gpio.h(2): * Copyright (c) 2009 Wind River Systems, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\gpio.h(25): * Below is the original's header including its copyright

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\gpio.h(31): * Copyright (C) 2003-2005 Nokia Corporation

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\i2c.h(2): * (C) Copyright 2004-2008

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\mem.h(2): * (C) Copyright 2006-2008

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\mmc_host_def.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\mux.h(2): * (C) Copyright 2006-2008

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\omap_gpmmc.h(2): * (C) Copyright 2004-2008 Texas Instruments, <www.ti.com>

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\omap3.h(2): * (C) Copyright 2006-2008

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap3\sys_proto.h(2): * (C) Copyright 2004-2008

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\clocks.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\cpu.h(2): * (C) Copyright 2006-2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\gpio.h(2): * Copyright (c) 2009 Wind River Systems, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\gpio.h(25): * Below is the original's header including its copyright

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\gpio.h(31): * Copyright (C) 2003-2005 Nokia Corporation

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\i2c.h(2): * (C) Copyright 2004-2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\mmc_host_def.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\mux_omap4.h(2): * (C) Copyright 2004-2009

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\omap.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap4\sys_proto.h(2): * (C) Copyright 2010

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\clocks.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\cpu.h(2): * (C) Copyright 2006-2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\gpio.h(2): * Copyright (c) 2009 Wind River Systems, Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\gpio.h(25): * Below is the original's header including its copyright

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\gpio.h(31): * Copyright (C) 2003-2005 Nokia Corporation

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\i2c.h(2): * (C) Copyright 2004-2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\mmc_host_def.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\mux_omap5.h(2): * (C) Copyright 2004-2009

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\omap.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-omap5\sys_proto.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\include\asm\arch-orion5x\cpu.h(2): * Copyright (C) 2010 Albert ARIBAUD <albert.u.boot@aribaud.net>

uboot\u-boot-2011.12\arch\arm\include\asm\arch-orion5x\cpu.h(5): * (C) Copyright 2009

uboot\u-boot-2011.12\arch\arm\include\asm\arch-orion5x\mv88f5182.h(2): * Copyright (C) 2010 Albert ARIBAUD <albert.u.boot@aribaud.net>

uboot\u-boot-2011.12\arch\arm\include\asm\arch-orion5x\mv88f5182.h(5): * (C) Copyright 2009

uboot\u-boot-2011.12\arch\arm\include\asm\arch-orion5x\orion5x.h(2): * Copyright (C) 2010 Albert ARIBAUD <albert.u.boot@aribaud.net>

uboot\u-boot-2011.12\arch\arm\include\asm\arch-orion5x\orion5x.h(5): * (C) Copyright 2009

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pantheon\config.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pantheon\cpu.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pantheon\mfp.h(3): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pantheon\pantheon.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pxa\bitfield.h(5):
*AuthorCopyright (c) Marc A. Viredaz, 1998

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pxa\hardware.h(6):
*Copyright:MontaVista Software Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pxa\pxa.h(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pxa\pxa-regs.h(6):
*Copyright:MontaVista Software Inc.

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pxa\regs-mmc.h(2): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\arch\arm\include\asm\arch-pxa\regs-uart.h(2): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c24x0\memory.h(6): * Copyright (c) 1999 Nicolas Pitre <nico@visuaide.com>
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c24x0\s3c2400.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c24x0\s3c2410.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c24x0\s3c2440.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c24x0\s3c24x0.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c24x0\s3c24x0_cpu.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c4510b\hardware.h(5): * Copyright (c) 2004Cucy Systems (<http://www.cucy.com>)
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c64xx\hardware.h(4): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c64xx\s3c6400.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c64xx\s3c6400.h(6): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c64xx\s3c64x0.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s3c64xx\s3c64x0.h(5): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\clk.h(2): * (C) Copyright 2009 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\clock.h(2): * (C) Copyright 2009 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\cpu.h(2): * (C) Copyright 2009 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\gpio.h(2): * (C) Copyright 2009 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\mmc.h(2): * (C) Copyright 2009 SAMSUNG Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\power.h(2): * Copyright (c) 2009 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\pwm.h(2): * Copyright (C) 2009 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\sromc.h(2): * (C) Copyright 2010 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\sys_proto.h(2): * Copyright (C) 2009 Samsung Electrnoics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-s5pc1xx\uart.h(2): * (C) Copyright 2009 Samsung Electronics
uboot\u-boot-2011.12\arch\arm\include\asm\arch-sa1100\bitfield.h(5):
*AuthorCopyright (c) Marc A. Viredaz, 1998
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\hardware.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_defs.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_emi.h(2): * (C) Copyright 2009

legal(ME)

uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_gpt.h(2): * (C)
Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_i2c.h(2): * (C)
Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_misc.h(2): * (C)
Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_nand.h(2): * (C)
Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_smi.h(2): * (C)
Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_syscntl.h(2): * (C)
Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-spear\spr_xloader_table.h(2): *
(C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\clk_rst.h(2): *(C)
Copyright 2010,2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\clock.h(2): * Copyright (c)
2011 The Chromium OS Authors.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\gpio.h(2): * Copyright (c)
2011, Google Inc. All rights reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\pinmux.h(2): *(C) Copyright
2010,2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\pmc.h(2): *(C) Copyright
2010,2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\scu.h(2): *(C) Copyright
2010,2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\sys_proto.h(2): * (C)
Copyright 2010,2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\tegra2.h(2): * (C)
Copyright 2010,2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\timer.h(2): * Copyright (c)
2011 The Chromium OS Authors.
uboot\u-boot-2011.12\arch\arm\include\asm\arch-tegra2\uart.h(2): *(C) Copyright
2010,2011
uboot\u-boot-2011.12\arch\arm\include\asm\arch-u8500\clock.h(2): * Copyright (C)
ST-Ericsson SA 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-u8500\gpio.h(2): * Copyright (C)
ST-Ericsson SA 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-u8500\hardware.h(2): * Copyright
(C) ST-Ericsson SA 2009
uboot\u-boot-2011.12\arch\arm\include\asm\arch-u8500\sys_proto.h(2): * Copyright
(C) ST-Ericsson SA 2010
uboot\u-boot-2011.12\arch\arm\include\asm\arch-u8500\u8500.h(2): * Copyright (C)
ST-Ericsson SA 2009
uboot\u-boot-2011.12\arch\arm\include\asm\armv7.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\include\asm\assembler.h(4): *Copyright (C)
1996-2000 Russell King
uboot\u-boot-2011.12\arch\arm\include\asm\atomic.h(4): *Copyright (c) 1996
Russell King.
uboot\u-boot-2011.12\arch\arm\include\asm\bitops.h(2): * Copyright 1995, Russell
King.
uboot\u-boot-2011.12\arch\arm\include\asm\bitops.h(3): * Various bits and pieces

legal(ME)

copyrights include:

uboot\u-boot-2011.12\arch\arm\include\asm\cache.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\arm\include\asm\config.h(2): * Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\dma-mapping.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\arm\include\asm\emif.h(4): * Copyright (C) 2009-2010 Texas Instruments, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\global_data.h(2): * (C) Copyright 2002-2010
uboot\u-boot-2011.12\arch\arm\include\asm\gpio.h(2): * Copyright (c) 2011, NVIDIA Corp. All rights reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\hardware.h(4): *Copyright (C) 1996 Russell King
uboot\u-boot-2011.12\arch\arm\include\asm\io.h(4): *Copyright (C) 1996-2000 Russell King
uboot\u-boot-2011.12\arch\arm\include\asm\macro.h(4): * Copyright (C) 2009 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
uboot\u-boot-2011.12\arch\arm\include\asm\memory.h(4): *Copyright (C) 2000-2002 Russell King
uboot\u-boot-2011.12\arch\arm\include\asm\omap_common.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\include\asm\omap_gpio.h(2): * Copyright (c) 2009 Wind River Systems, Inc.
uboot\u-boot-2011.12\arch\arm\include\asm\omap_gpio.h(25): * Below is the original's header including its copyright
uboot\u-boot-2011.12\arch\arm\include\asm\omap_gpio.h(31): * Copyright (C) 2003-2005 Nokia Corporation
uboot\u-boot-2011.12\arch\arm\include\asm\pl310.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\include\asm\posix_types.h(4): *Copyright (C) 1996-1998 Russell King.
uboot\u-boot-2011.12\arch\arm\include\asm\proc-armv\domain.h(4): *Copyright (C) 1999 Russell King.
uboot\u-boot-2011.12\arch\arm\include\asm\proc-armv\processor.h(4): *Copyright (C) 1996-1999 Russell King.
uboot\u-boot-2011.12\arch\arm\include\asm\proc-armv\ptrace.h(4): *Copyright (C) 1996-1999 Russell King
uboot\u-boot-2011.12\arch\arm\include\asm\proc-armv\system.h(4): *Copyright (C) 1996 Russell King
uboot\u-boot-2011.12\arch\arm\include\asm\processor.h(4): *Copyright (C) 1995-2002 Russell King
uboot\u-boot-2011.12\arch\arm\include\asm\setup.h(4): *Copyright (C) 1997-1999 Russell King
uboot\u-boot-2011.12\arch\arm\include\asm\sizes.h(17): *Copyright (C) ARM Limited 1998. All rights reserved.
uboot\u-boot-2011.12\arch\arm\include\asm\u-boot.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\include\asm\u-boot.h(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\include\asm\u-boot-arm.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\include\asm\u-boot-arm.h(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\arm\include\asm\utils.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\arm\lib_ashldi3.S(1):/* Copyright 1995, 1996, 1998, 1999, 2000, 2003, 2004, 2005
uboot\u-boot-2011.12\arch\arm\lib_ashrdi3.S(1):/* Copyright 1995, 1996, 1998, 1999, 2000, 2003, 2004, 2005

legal(ME)

uboot\u-boot-2011.12\arch\arm\lib_lshr3.S(1):/* Copyright 1995, 1996, 1998, 1999, 2000, 2003, 2004, 2005

uboot\u-boot-2011.12\arch\arm\lib\board.c(2): * (C) Copyright 2002-2006

uboot\u-boot-2011.12\arch\arm\lib\board.c(5): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\bootm.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\bootm.c(6): * Copyright (C) 2001Erik Mouw (J.A.K.Mouw@its.tudelft.nl)

uboot\u-boot-2011.12\arch\arm\lib\cache.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\cache-cp15.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\cache-pl310.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\arm\lib\div0.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\eabi_compat.c(4): * (C) Copyright 2009 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\arm\lib\hal.c(7): * Copyright (c) 2010-2012 MediaTek Inc.

uboot\u-boot-2011.12\arch\arm\lib\hal_ca12.c(6): * Copyright (c) 2010-2012 MediaTek Inc.

uboot\u-boot-2011.12\arch\arm\lib\hal_ca9.c(6): * Copyright (c) 2010-2012 MediaTek Inc.

uboot\u-boot-2011.12\arch\arm\lib\interrupts.c(12): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\interrupts.c(16): * (C) Copyright 2002-2004

uboot\u-boot-2011.12\arch\arm\lib\interrupts.c(19): * (C) Copyright 2004

uboot\u-boot-2011.12\arch\arm\lib\interrupts.c(2): * Copyright (C) 2011-2012

uboot\u-boot-2011.12\arch\arm\lib\interrupts.c(5): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\arm\lib\interrupts.c(8): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\Makefile(2):# (C) Copyright 2002-2006

uboot\u-boot-2011.12\arch\arm\lib\memcpy.S(6): *Copyright:MontaVista Software, Inc.

uboot\u-boot-2011.12\arch\arm\lib\memset.S(4): *Copyright (C) 1995-2000 Russell King

uboot\u-boot-2011.12\arch\arm\lib\mmu.c(6):* Copyright (c) 2008-2012 ARM Limited.

uboot\u-boot-2011.12\arch\arm\lib\mmu_ca12.c(6): * Copyright (c) 2010-2012 MediaTek Inc.

uboot\u-boot-2011.12\arch\arm\lib\mmu_ca9.c(6): * Copyright (c) 2010-2012 MediaTek Inc.

uboot\u-boot-2011.12\arch\arm\lib\reset.c(10): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\reset.c(13): * (C) Copyright 2004

uboot\u-boot-2011.12\arch\arm\lib\reset.c(19): * (C) Copyright 2004 Texas Instruments

uboot\u-boot-2011.12\arch\arm\lib\reset.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\arm\lib\reset.c(6): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\avr32\config.mk(2):# (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\avr32\cpu\at32ap700x\clk.c(2): * Copyright (C) 2005-2008 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\cpu\at32ap700x\Makefile(2):# Copyright (C) 2005-2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\cpu\at32ap700x\portmux.c(2): * Copyright (C) 2006, 2008 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\cpu\cache.c(2): * Copyright (C) 2004-2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\cpu\config.mk(2):# Copyright (C) 2005-2006 Atmel Corporation

legal(ME)

uboot\u-boot-2011.12\arch\avr32\cpu\cpu.c(2): * Copyright (C) 2005-2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\cpu\exception.c(2): * Copyright (C) 2005-2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\cpu\hsdramc.c(2): * Copyright (C) 2005-2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\cpu\interrupts.c(2): * Copyright (C) 2004-2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\cpu\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\avr32\cpu\Makefile(5):# Copyright (C) 2005-2006 Atmel Corporation.
uboot\u-boot-2011.12\arch\avr32\cpu\portmux-gpio.c(2): * Copyright (C) 2008 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\cpu\portmux-pio.c(2): * Copyright (C) 2006, 2008 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\cpu\start.S(2): * Copyright (C) 2005-2008 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\cpu\u-boot.lds(3): * Copyright (C) 2005-2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-at32ap700x\addrspace.h(2): * Copyright (C) 2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-at32ap700x\cacheflush.h(2): * Copyright (C) 2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-at32ap700x\chip-features.h(2): * Copyright (C) 2007 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-at32ap700x\clk.h(2): * Copyright (C) 2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-at32ap700x\gpio.h(2): * Copyright (C) 2006, 2008 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-at32ap700x\hardware.h(2): * Copyright (C) 2005-2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-at32ap700x\hmatrix.h(2): * Copyright (C) 2008 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-at32ap700x\portmux.h(2): * Copyright (C) 2006, 2008 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-common\portmux-gpio.h(2): * Copyright (C) 2008 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\arch-common\portmux-pio.h(2): * Copyright (C) 2006, 2008 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\bitops.h(2): * Copyright (C) 2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\byteorder.h(2): * Copyright (C) 2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\cache.h(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\arch\avr32\include\asm\config.h(2): * Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\avr32\include\asm\dma-mapping.h(2): * Copyright (C) 2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\global_data.h(2): * Copyright (C) 2004-2006 Atmel Corporation
uboot\u-boot-2011.12\arch\avr32\include\asm\hmatrix-common.h(2): * Copyright (C)

legal(ME)

2008 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\io.h(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\posix_types.h(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\processor.h(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\ptrace.h(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\s dram.h(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\sections.h(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\setup.h(2): * Copyright (C) 2004-2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\setup.h(5): * Copyright (C) 1997-1999 Russel King

uboot\u-boot-2011.12\arch\avr32\include\asm\string.h(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\types.h(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\include\asm\u-boot.h(2): * Copyright (C) 2004-2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\lib\board.c(2): * Copyright (C) 2004-2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\lib\bootm.c(2): * Copyright (C) 2004-2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\lib\interrupts.c(2): * Copyright (C) 2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\lib\Makefile(2):# (C) Copyright 2002-2006

uboot\u-boot-2011.12\arch\avr32\lib\Makefile(5):# (C) Copyright 2004-2006 Atmel Corporation

uboot\u-boot-2011.12\arch\avr32\lib\memset.S(2): * Copyright (C) 2004-2006 Atmel Corporation

uboot\u-boot-2011.12\arch\blackfin\config.mk(2):# (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\blackfin\cpu\bootcount.c(4): * Copyright (c) 2010 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\cpu\cache.S(4): * Copyright 2003-2008 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\cpu\cpu.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\cpu\cpu.c(6): * (C) Copyright 2000-2004

uboot\u-boot-2011.12\arch\blackfin\cpu\cpu.h(4): *Copyright (c) 2005-2007 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\cpu\gpio.c(4): * Copyright 2006-2010 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\cpu\init.lds.S(4): * Copyright (c) 2005-2011 Analog Device Inc.

uboot\u-boot-2011.12\arch\blackfin\cpu\initcode.c(7): * Copyright (c) 2004-2011 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\cpu\initcode.h(4): * Copyright (c) 2004-2011 Analog Devices Inc.

legal(ME)

uboot\u-boot-2011.12\arch\blackfin\cpu\interrupt.S(4): * Copyright (c) 2005-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\interrupts.c(10): * Copyright 2002 Arcturus Networks Inc. MaTed <mat@d@sympatico.ca>
uboot\u-boot-2011.12\arch\blackfin\cpu\interrupts.c(11): * Copyright 2003 Metrowerks/Motorola
uboot\u-boot-2011.12\arch\blackfin\cpu\interrupts.c(12): * Copyright 2003 Bas Vermeulen <bas@buyways.nl>,
uboot\u-boot-2011.12\arch\blackfin\cpu\interrupts.c(15): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\cpu\interrupts.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\interrupts.c(7): * Copyright 1996 Roman Zippel
uboot\u-boot-2011.12\arch\blackfin\cpu\interrupts.c(8): * Copyright 1999 D. Jeff Dionne <jeff@uclinux.org>
uboot\u-boot-2011.12\arch\blackfin\cpu\interrupts.c(9): * Copyright 2000-2001 Lineo, Inc. D. Jeff Dionne <jeff@lineo.ca>
uboot\u-boot-2011.12\arch\blackfin\cpu\jtag-console.c(4): * Copyright (c) 2008-2010 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\Makefile(4):# Copyright (c) 2005-2008 Analog Device Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\Makefile(6):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\blackfin\cpu\os_log.c(4): * Copyright (c) 2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\reset.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(11): * Copyright(c) 2003Metrowerks<mwaddel@metrowerks.com>
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(12): * Copyright(c)2001Tony Z. Kou<tonyko@arcturusnetworks.com>
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(13): * Copyright(c)2001-2002 Arcturus Networks Inc. <www.arcturusnetworks.com>
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(16): * Copyright (C) 1995 David S. Miller<davem@caip.rutgers.edu>
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(17): * Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(18): * Copyright (C) 1998, 1999 D. Jeff Dionne <jeff@uclinux.org>
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(19): * Copyright (C) 1999 Vladimir Gurevich<vgurevic@cisco.com>
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(21): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.c(6): * Copyright (c) 2003Bas Vermeulen <bas@buyways.nl>,
uboot\u-boot-2011.12\arch\blackfin\cpu\serial.h(6): * Copyright (c) 2004-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\start.S(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\start.S(7): * Copyright (c) 2003Metrowerks/Motorola

legal(ME)

uboot\u-boot-2011.12\arch\blackfin\cpu\start.S(8): * Copyright (C) 1998D. Jeff Dionne <jeff@ryeham.ee.ryerson.ca>
uboot\u-boot-2011.12\arch\blackfin\cpu\traps.c(10): * Copyright 2003 Metrowerks - for Blackfin
uboot\u-boot-2011.12\arch\blackfin\cpu\traps.c(11): * Copyright 2000-2001 Lineo, Inc. D. Jeff Dionne <jeff@lineo.ca>
uboot\u-boot-2011.12\arch\blackfin\cpu\traps.c(12): * Copyright 1999-2000 D. Jeff Dionne, <jeff@uclinux.org>
uboot\u-boot-2011.12\arch\blackfin\cpu\traps.c(14): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\cpu\traps.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\traps.c(7): * No original Copyright holder listed,
uboot\u-boot-2011.12\arch\blackfin\cpu\u-boot.lds(4): * Copyright (c) 2005-2010 Analog Device Inc.
uboot\u-boot-2011.12\arch\blackfin\cpu\u-boot.lds(6): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\cpu\watchdog.c(4): * Copyright (c) 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\bitops.h(29): * Copyright 1992, Linus Torvalds.
uboot\u-boot-2011.12\arch\blackfin\include\asm\bitops.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\blackfin_local.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\byteorder.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\byteorder.h(6): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\include\asm\cache.h(2): * Copyright 2004-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\config.h(4): * Copyright (c) 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\config-pre.h(4): * Copyright (c) 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\cplb.h(4): * Copyright (c) 2002-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\deferred.h(4): * Copyright 2004-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\delay.h(30): * Copyright (C) 1994 Hamish Macdonald
uboot\u-boot-2011.12\arch\blackfin\include\asm\delay.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\dma.h(4): * Copyright 2004-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\entry.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\global_data.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\global_data.h(6): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\arch\blackfin\include\asm\gpio.h(2): * Copyright 2006-2009 Analog Devices Inc.

legal(ME)

uboot\u-boot-2011.12\arch\blackfin\include\asm\io.h(4): * Copyright 2004-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\linkage.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf506\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf506\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf506\portmux.h(2): * Copyright 2008-2010 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf518\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf518\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf518\portmux.h(2): * Copyright 2008-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf527\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf527\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf527\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf527\portmux.h(2): * Copyright 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf533\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf533\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf533\portmux.h(2): * Copyright 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf537\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf537\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf537\portmux.h(2): * Copyright 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf538\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf538\gpio.h(2): * Copyright (C) 2008-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf538\portmux.h(2): * Copyright 2008-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf548\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf548\gpio.h(2): * Copyright 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf548\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf548\portmux.h(2): * Copyright 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf561\anomaly.h(8): * Copyright 2004-2011 Analog Devices Inc.

legal(ME)

uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf561\gpio.h(2): * Copyright (C) 2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mach-bf561\portmux.h(2): * Copyright 2007-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\mem_map.h(4): * Copyright 2004-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\net.h(4): * Copyright (c) 2008-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\portmux.h(4): * Copyright 2007-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\posix_types.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\posix_types.h(6): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\include\asm\processor.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\processor.h(9): * Copyright (C) 1995 Hamish Macdonald
uboot\u-boot-2011.12\arch\blackfin\include\asm\ptrace.h(2): * Copyright 2004-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\sdh.h(4): * Copyright (c) 2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\shared_resources.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\string.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\system.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\traps.h(2): *Copyright 2004-2009 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\types.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\u-boot.h(4): * Copyright (c) 2005-2007 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\include\asm\u-boot.h(6): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\lib\board.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\lib\board.c(6): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\lib\boot.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\lib\boot.c(6): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\lib\cache.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\lib\cache.c(6): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\blackfin\lib\clocks.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\lib\cmd_cache_dump.c(4): * Copyright (c) 2007-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\lib\ins.S(4): * Copyright 2004-2008 Analog Devices Inc.
uboot\u-boot-2011.12\arch\blackfin\lib\ins.S(5): * Copyright (C) 2005 Bas

legal(ME)

Vermeulen, BuyWays BV <bas@buyways.nl>

uboot\u-boot-2011.12\arch\blackfin\lib\kgdb.c(4): * Copyright 2009 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\kgdb.h(3): * Copyright 2005-2009 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\Makefile(4):# Copyright (c) 2005-2008 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\Makefile(6):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\arch\blackfin\lib\memcmp.S(4): * Copyright 2004-2007 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\memcpy.S(4): * Copyright 2004-2007 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\memmove.S(4): * Copyright 2004-2007 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\memset.S(4): * Copyright 2004-2007 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\muldi3.c(4): * Copyright (c) 2005-2007 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\outs.S(4): * Copyright 2005-2009 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\post.c(4): * Copyright (c) 2005-2011 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\string.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.

uboot\u-boot-2011.12\arch\blackfin\lib\string.c(6): * (C) Copyright 2000-2004

uboot\u-boot-2011.12\arch\m68k\config.mk(2):# (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\config.mk(2):# (C) Copyright 2003 Josef Baumgartner <josef.baumgartner@telex.de>

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\config.mk(4):# (C) Copyright 2000-2004

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\cpu.c(3): * (C) Copyright 2000-2003

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\cpu.c(6): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\cpu_init.c(3): * (C) Copyright 2000-2003

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\cpu_init.c(6): * (C) Copyright 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\interrupts.c(3): * (C) Copyright 2000-2004

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\interrupts.c(6): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\Makefile(2):# (C) Copyright 2000-2004

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\speed.c(3): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\m68k\cpu\mcf5227x\start.S(2): * Copyright (C) 2003 Josef Baumgartner <josef.baumgartner@telex.de>

uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\config.mk(2):# (C) Copyright 2003 Josef Baumgartner <josef.baumgartner@telex.de>

uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\config.mk(4):# (C) Copyright 2000-2004

uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\cpu.c(3): * (C) Copyright 2000-2003

uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\cpu.c(6): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

legal(ME)

uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\cpu_init.c(3): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\cpu_init.c(6): * (C) Copyright 2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\interrupts.c(3): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\Makefile(2):# (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\speed.c(3): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\speed.c(6): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf523x\start.S(2): * Copyright (C) 2003Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\config.mk(2):# (C) Copyright 2003 Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\config.mk(4):# (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu.c(10): * Copyright (C) 2008 Arthur Shipkowski (art@videon-central.com)
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu.c(6): * (C) Copyright 2005
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu.h(4): *Copyright (c) 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu_init.c(11): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu_init.c(16): * Copyright (C) 2008 Arthur Shipkowski (art@videon-central.com)
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu_init.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu_init.c(6): * (C) Copyright 2005
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\cpu_init.c(8): * (c) Copyright 2010
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\interrupts.c(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\interrupts.c(5): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\speed.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\speed.c(5): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf52x2\start.S(2): * Copyright (C) 2003Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\config.mk(2):# (C) Copyright 2003 Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\config.mk(4):# (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\cpu.c(3): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\cpu.c(6): * Copyright (C) 2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\cpu_init.c(3): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\cpu_init.c(6): * (C) Copyright 2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\interrupts.c(3): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\Makefile(2):# (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\speed.c(3): * (C) Copyright 2000-2003

legal(ME)

uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\speed.c(6): * Copyright (C) 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\start.S(2): * Copyright (C) 2003Josef
Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\cpu\mcf532x\start.S(5): * (C) Copyright 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\config.mk(2):# (C) Copyright 2003
Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\config.mk(4):# (C) Copyright
2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\cpu.c(3): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\cpu.c(6): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\cpu_init.c(3): * (C) Copyright
2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\cpu_init.c(6): * (C) Copyright
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\interrupts.c(3): * (C) Copyright
2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\interrupts.c(6): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\Makefile(2):# (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\pci.c(2): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\speed.c(3): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf5445x\start.S(2): * Copyright (C) 2003Josef
Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\config.mk(2):# (C) Copyright 2003
Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\config.mk(4):# (C) Copyright
2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\cpu.c(3): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\cpu.c(6): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\cpu_init.c(3): * (C) Copyright
2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\cpu_init.c(6): * (C) Copyright 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\interrupts.c(3): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\Makefile(2):# (C) Copyright
2000-2004
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\pci.c(2): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\slicetimer.c(2): * (C) Copyright
2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\speed.c(3): * (C) Copyright
2000-2003
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\speed.c(6): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\cpu\mcf547x_8x\start.S(2): * Copyright (C)

legal(ME)

2003Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\include\asm\byteorder.h(2): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\cache.h(4): * Copyright (C) 2004-2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\ata.h(4): * Copyright (C)
2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\crossbar.h(4): * Copyright
(C) 2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\dspi.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\edma.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\eport.h(4): * Copyright (C)
2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\flexbus.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\flexcan.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\intctrl.h(4): * Copyright (C)
2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\lcd.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\mdha.h(4): * Copyright (C)
2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\pwm.h(4): * Copyright (C)
2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\qspi.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\rng.h(4): * Copyright (C)
2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\skha.h(4): * Copyright (C)
2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\coldfire\ssi.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\config.h(2): * Copyright 2009
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\fec.h(6): * Copyright (c) 1997 Dan
Malek (dmalek@jllc.net)
uboot\u-boot-2011.12\arch\m68k\include\asm\fec.h(9): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\fs1_i2c.h(4): * Copyright 2006
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\fs1_mcdmafec.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\global_data.h(2): * (C) Copyright 2002
- 2010
uboot\u-boot-2011.12\arch\m68k\include\asm\immap.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_520x.h(4): * Copyright (C)
2004-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5227x.h(4): * Copyright (C)

legal(ME)

2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5235.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5249.h(4): * Copyright (c) 2003
Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5253.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5271.h(4): * Copyright (c) 2003
Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5272.h(4): * Copyright (c) 2003
Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5275.h(4): * Copyright (c) 2005
Arthur Shipkowski <art@videon-central.com>
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5275.h(5): * Based on work
Copyright (c) 2003 Josef Baumgartner
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5282.h(4): * Copyright (c) 2003
Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5301x.h(4): * Copyright (C)
2004-2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5329.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_5445x.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\immap_547x_8x.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\io.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\m520x.h(4): * Copyright (C) 2004-2009
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\m5227x.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\m5235.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\m5249.h(5): *(C) Copyright 1999, Greg
Ungerer (gerg@snapgear.com)
uboot\u-boot-2011.12\arch\m68k\include\asm\m5249.h(6): *(C) Copyright 2000, Lineo
Inc. (www.lineo.com)
uboot\u-boot-2011.12\arch\m68k\include\asm\m5253.h(2): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\m5271.h(4): * (C) Copyright 2006, Lab
X Technologies <zachary.landau@labxtechnologies.com>
uboot\u-boot-2011.12\arch\m68k\include\asm\m5271.h(6): *(C) Copyright 1999, Greg
Ungerer (gerg@snapgear.com)
uboot\u-boot-2011.12\arch\m68k\include\asm\m5271.h(7): *(C) Copyright 2000, Lineo
Inc. (www.lineo.com)
uboot\u-boot-2011.12\arch\m68k\include\asm\m5272.h(5): *(C) Copyright 1999, Greg
Ungerer (gerg@snapgear.com)
uboot\u-boot-2011.12\arch\m68k\include\asm\m5272.h(6): *(C) Copyright 2000, Lineo
Inc. (www.lineo.com)
uboot\u-boot-2011.12\arch\m68k\include\asm\m5275.h(4): * Copyright (C) 2003-2004,
Greg Ungerer (gerg@snapgear.com)
uboot\u-boot-2011.12\arch\m68k\include\asm\m5275.h(5): * Copyright (C) 2004-2008

legal(ME)

Arthur Shipkowski (art@videon-central.com)
uboot\u-boot-2011.12\arch\m68k\include\asm\m5301x.h(4): * Copyright (C) 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\m5329.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\m5445x.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\m547x_8x.h(4): * Copyright (C)
2004-2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\rtc.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\timer.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\uart.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\m68k\include\asm\u-boot.h(2): * (C) Copyright 2000 -
2003
uboot\u-boot-2011.12\arch\m68k\lib\board.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\m68k\lib\board.c(5): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\m68k\lib\bootm.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\m68k\lib\cache.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\m68k\lib\interrupts.c(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\m68k\lib\interrupts.c(5): * (C) Copyright 2007
Freescale Semiconductor Inc
uboot\u-boot-2011.12\arch\m68k\lib\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\m68k\lib\time.c(2): * (C) Copyright 2003 Josef
Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\arch\m68k\lib\time.c(4): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\m68k\lib\traps.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\m68k\lib\traps.c(5): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\microblaze\config.mk(2):# (C) Copyright 2007-2008
Michal Simek
uboot\u-boot-2011.12\arch\microblaze\config.mk(5):# (C) Copyright 2004 Atmark
Techno, Inc.
uboot\u-boot-2011.12\arch\microblaze\cpu\cache.c(2): * (C) Copyright 2007 Michal
Simek
uboot\u-boot-2011.12\arch\microblaze\cpu\cpu.c(2): * (C) Copyright 2004 Atmark
Techno, Inc.
uboot\u-boot-2011.12\arch\microblaze\cpu\exception.c(2): * (C) Copyright 2007
Michal Simek
uboot\u-boot-2011.12\arch\microblaze\cpu\interrupts.c(2): * (C) Copyright 2007
Michal Simek
uboot\u-boot-2011.12\arch\microblaze\cpu\interrupts.c(3): * (C) Copyright 2004
Atmark Techno, Inc.
uboot\u-boot-2011.12\arch\microblaze\cpu\irq.S(2): * (C) Copyright 2007 Michal
Simek
uboot\u-boot-2011.12\arch\microblaze\cpu\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\microblaze\cpu\start.S(2): * (C) Copyright 2007 Michal
Simek
uboot\u-boot-2011.12\arch\microblaze\cpu\start.S(3): * (C) Copyright 2004 Atmark
Techno, Inc.
uboot\u-boot-2011.12\arch\microblaze\cpu\timer.c(2): * (C) Copyright 2007 Michal

legal(ME)

Simek

uboot\u-boot-2011.12\arch\microblaze\include\asm\asm.h(2): * (C) Copyright 2007
Michal Simek
uboot\u-boot-2011.12\arch\microblaze\include\asm\bitops.h(5): * Copyright 1992,
Linus Torvalds.
uboot\u-boot-2011.12\arch\microblaze\include\asm\byteorder.h(4): *Copyright (C)
2003John Williams <jwilliams@itee.uq.edu.au>
uboot\u-boot-2011.12\arch\microblaze\include\asm\byteorder.h(5): *Copyright (C)
2001NEC Corporation
uboot\u-boot-2011.12\arch\microblaze\include\asm\byteorder.h(6): *Copyright (C)
2001Miles Bader <miles@gnu.org>
uboot\u-boot-2011.12\arch\microblaze\include\asm\cache.h(2): * Copyright (c) 2011
The Chromium OS Authors.
uboot\u-boot-2011.12\arch\microblaze\include\asm\config.h(2): * Copyright 2009
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\microblaze\include\asm\global_data.h(2): * (C)
Copyright 2004 Atmark Techno, Inc.
uboot\u-boot-2011.12\arch\microblaze\include\asm\io.h(4): *Copyright (C) 2003
John Williams <jwilliams@itee.uq.edu.au>
uboot\u-boot-2011.12\arch\microblaze\include\asm\io.h(5): *Copyright (C)
2001,02NEC Corporation
uboot\u-boot-2011.12\arch\microblaze\include\asm\io.h(6): *Copyright (C)
2001,02Miles Bader <miles@gnu.org>
uboot\u-boot-2011.12\arch\microblaze\include\asm\microblaze_intc.h(2): * (C)
Copyright 2007 Michal Simek
uboot\u-boot-2011.12\arch\microblaze\include\asm\microblaze_timer.h(2): * (C)
Copyright 2007 Michal Simek
uboot\u-boot-2011.12\arch\microblaze\include\asm\posix_types.h(4): *Copyright (C)
2003 John Williams <jwilliams@itee.uq.edu.au>
uboot\u-boot-2011.12\arch\microblaze\include\asm\posix_types.h(5): *Copyright (C)
2001,2002NEC Corporation
uboot\u-boot-2011.12\arch\microblaze\include\asm\posix_types.h(6): *Copyright (C)
2001,2002Miles Bader <miles@gnu.org>
uboot\u-boot-2011.12\arch\microblaze\include\asm\processor.h(2): * Copyright (C)
2011 Michal Simek <monstr@monstr.eu>
uboot\u-boot-2011.12\arch\microblaze\include\asm\ptrace.h(4): *Copyright (C) 2003
John Williams <jwilliams@itee.uq.edu.au>
uboot\u-boot-2011.12\arch\microblaze\include\asm\ptrace.h(5): *Copyright (C)
2001,2002NEC Corporation
uboot\u-boot-2011.12\arch\microblaze\include\asm\ptrace.h(6): *Copyright (C)
2001,2002Miles Bader <miles@gnu.org>
uboot\u-boot-2011.12\arch\microblaze\include\asm\string.h(4): *Copyright (C) 2003
John Williams <jwilliams@itee.uq.edu.au>
uboot\u-boot-2011.12\arch\microblaze\include\asm\string.h(5): *Copyright (C)
2001,2002NEC Corporation
uboot\u-boot-2011.12\arch\microblaze\include\asm\string.h(6): *Copyright (C)
2001,2002Miles Bader <miles@gnu.org>
uboot\u-boot-2011.12\arch\microblaze\include\asm\system.h(4): *Copyright (C)
2003John Williams (jwilliams@itee.uq.edu.au)
uboot\u-boot-2011.12\arch\microblaze\include\asm\system.h(6): *Copyright (C)
2001NEC Corporation
uboot\u-boot-2011.12\arch\microblaze\include\asm\system.h(7): *Copyright (C)

legal(ME)

2001Miles Bader <miles@gnu.org>

uboot\u-boot-2011.12\arch\microblaze\include\asm\u-boot.h(2): * (C) Copyright 2004 Atmark Techno, Inc.

uboot\u-boot-2011.12\arch\microblaze\lib\board.c(2): * (C) Copyright 2007 Michal Simek

uboot\u-boot-2011.12\arch\microblaze\lib\board.c(3): * (C) Copyright 2004 Atmark Techno, Inc.

uboot\u-boot-2011.12\arch\microblaze\lib\bootm.c(2): * (C) Copyright 2007 Michal Simek

uboot\u-boot-2011.12\arch\microblaze\lib\bootm.c(3): * (C) Copyright 2004 Atmark Techno, Inc.

uboot\u-boot-2011.12\arch\microblaze\lib\Makefile(2):# (C) Copyright 2003-2006

uboot\u-boot-2011.12\arch\microblaze\lib\time.c(2): * (C) Copyright 2007 Michal Simek

uboot\u-boot-2011.12\arch\microblaze\lib\time.c(3): * (C) Copyright 2004 Atmark Techno, Inc.

uboot\u-boot-2011.12\arch\mips\config.mk(2):# (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\mips32\au1x00\au1x00_eth.c(3): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\mips32\au1x00\au1x00_serial.c(7): *Copyright (c) 2003Thomas.Lange@corelatus.se

uboot\u-boot-2011.12\arch\mips\cpu\mips32\au1x00\au1x00_usb_ohci.c(4): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\mips32\au1x00\au1x00_usb_ohci.h(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>

uboot\u-boot-2011.12\arch\mips\cpu\mips32\au1x00\au1x00_usb_ohci.h(5): * (C) Copyright 2000-2001 David Brownell <dbrownell@users.sourceforge.net>

uboot\u-boot-2011.12\arch\mips\cpu\mips32\au1x00\config.mk(2):# (C) Copyright 2011

uboot\u-boot-2011.12\arch\mips\cpu\mips32\au1x00\Makefile(2):# (C) Copyright 2011

uboot\u-boot-2011.12\arch\mips\cpu\mips32\cache.S(4): *Copyright (c) 2003Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\mips\cpu\mips32\config.mk(2):# (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\mips32\cpu.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\mips32\incaip\config.mk(2):# (C) Copyright 2011

uboot\u-boot-2011.12\arch\mips\cpu\mips32\incaip\incaip_clock.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\mips32\incaip\incaip_wdt.S(4): *Copyright (c) 2003Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\mips\cpu\mips32\incaip\Makefile(2):# (C) Copyright 2011

uboot\u-boot-2011.12\arch\mips\cpu\mips32\interrupts.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\mips32\Makefile(2):# (C) Copyright 2003-2006

uboot\u-boot-2011.12\arch\mips\cpu\mips32\start.S(4): *Copyright (c) 2003Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\mips\cpu\mips32\time.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\xburst\config.mk(2):# Copyright (C) 2011 Xiangfu Liu <xiangfu@openmobilefree.net>

uboot\u-boot-2011.12\arch\mips\cpu\xburst\cpu.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\mips\cpu\xburst\cpu.c(4): * (C) Copyright 2011

uboot\u-boot-2011.12\arch\mips\cpu\xburst\jz_serial.c(3): * Copyright (c) 2011

uboot\u-boot-2011.12\arch\mips\cpu\xburst\jz4740.c(3): * Copyright (c) 2006

legal(ME)

Ingenic Semiconductor, <jlwei@ingenic.cn>
uboot\u-boot-2011.12\arch\mips\cpu\xburst\Makefile(2):# Copyright (C) 2011
Xiangfu Liu <xiangfu@openmobilefree.net>
uboot\u-boot-2011.12\arch\mips\cpu\xburst\start.S(4): *Copyright (c) 2010 Xiangfu
Liu <xiangfu@sharism.cc>
uboot\u-boot-2011.12\arch\mips\cpu\xburst\timer.c(2): *Copyright (c) 2006
uboot\u-boot-2011.12\arch\mips\include\asm\addrspace.h(6): * Copyright (C) 1996,
99 Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\addrspace.h(7): * Copyright (C) 2000,
2002Maciej W. Rozycki
uboot\u-boot-2011.12\arch\mips\include\asm\addrspace.h(8): * Copyright (C) 1990,
1999 by Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\asm.h(6): * Copyright (C) 1995, 1996,
1997, 1999, 2001 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\asm.h(7): * Copyright (C) 1999 by
Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\asm.h(8): * Copyright (C) 2001 MIPS
Technologies, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\asm.h(9): * Copyright (C) 2002Maciej
W. Rozycki
uboot\u-boot-2011.12\arch\mips\include\asm\au1x00.h(6): * Copyright 2000,2001
MontaVista Software Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\bitops.h(6): * Copyright (c) 1994 -
1997, 1999, 2000Ralf Baechle (ralf@gnu.org)
uboot\u-boot-2011.12\arch\mips\include\asm\bitops.h(7): * Copyright (c)
2000Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\byteorder.h(6): * Copyright (C) 1996,
99, 2003 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\cache.h(2): * Copyright (c) 2011 The
Chromium OS Authors.
uboot\u-boot-2011.12\arch\mips\include\asm\cachectl.h(6): * Copyright (C) 1994,
1995, 1996 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\cacheops.h(8): * (C) Copyright 1996,
97, 99, 2002, 03 Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\cacheops.h(9): * (C) Copyright 1999
Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\config.h(2): * Copyright 2009
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\errno.h(6): * Copyright (C) 1995,
1999, 2001, 2002 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\global_data.h(2): * (C) Copyright
2002-2010
uboot\u-boot-2011.12\arch\mips\include\asm\inca-ip.h(3): Copyright (c) 2002,
Infineon Technologies.All rights reserved.
uboot\u-boot-2011.12\arch\mips\include\asm\io.h(6): * Copyright (C) 1994, 1995
Waldorf GmbH
uboot\u-boot-2011.12\arch\mips\include\asm\io.h(7): * Copyright (C) 1994 - 2000
Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\io.h(8): * Copyright (C) 1999, 2000
Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\io.h(9): * Copyright (C) 2000 FSMLabs,
Inc.

legal(ME)

uboot\u-boot-2011.12\arch\mips\include\asm\isadep.h(6): * Copyright (c) 1998 Harald Koerfgen
uboot\u-boot-2011.12\arch\mips\include\asm\mipsregs.h(10): * Copyright (C) 2000, 07 MIPS Technologies, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\mipsregs.h(11): * Copyright (C) 2003, 2004 Maciej W. Rozycki
uboot\u-boot-2011.12\arch\mips\include\asm\mipsregs.h(6): * Copyright (C) 1994, 1995, 1996, 1997, 2000, 2001 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\mipsregs.h(7): * Copyright (C) 2000 Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\posix_types.h(7): * Copyright (C) 1996, 1997, 1998, 2000 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\processor.h(6): * Copyright (C) 1994 Waldorf GMBH
uboot\u-boot-2011.12\arch\mips\include\asm\processor.h(7): * Copyright (C) 1995, 1996, 1997, 1998, 1999, 2001, 2002, 2003 Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\processor.h(8): * Copyright (C) 1996 Paul M. Antoine
uboot\u-boot-2011.12\arch\mips\include\asm\processor.h(9): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\ptrace.h(6): * Copyright (C) 1994, 95, 96, 97, 98, 99, 2000 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\ptrace.h(7): * Copyright (C) 1999, 2000 Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\reboot.h(6): * Copyright (C) 1997, 1999, 2001, 06 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\reboot.h(7): * Copyright (C) 2001 MIPS Technologies, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\reg.h(10): * Copyright (C) 1995, 1999 Silicon Graphics
uboot\u-boot-2011.12\arch\mips\include\asm\reg.h(9): * Copyright (C) 1995, 1999 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\regdef.h(6): * Copyright (C) 1985 MIPS Computer Systems, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\regdef.h(7): * Copyright (C) 1994, 95, 99, 2003 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\regdef.h(8): * Copyright (C) 1990 - 1992, 1999 Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\sgidefs.h(6): * Copyright (C) 1996, 1999, 2001 Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\sgidefs.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\sgidefs.h(8): * Copyright (C) 2001 MIPS Technologies, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\string.h(6): * Copyright (c) 1994, 95, 96, 97, 98, 2000, 01 Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\string.h(7): * Copyright (c) 2000 by Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\string.h(8): * Copyright (c) 2001 MIPS Technologies, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\system.h(14): * Copyright (C) 2000 MIPS Technologies, Inc.

legal(ME)

uboot\u-boot-2011.12\arch\mips\include\asm\system.h(6): * Copyright (C) 1994 - 1999 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\system.h(7): * Copyright (C) 1996 by Paul M. Antoine
uboot\u-boot-2011.12\arch\mips\include\asm\system.h(8): * Copyright (C) 1994 - 1999 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\types.h(6): * Copyright (C) 1994, 1995, 1996, 1999 by Ralf Baechle
uboot\u-boot-2011.12\arch\mips\include\asm\types.h(7): * Copyright (C) 1999 Silicon Graphics, Inc.
uboot\u-boot-2011.12\arch\mips\include\asm\u-boot.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\mips\include\asm\unaligned.h(6): * Copyright (C) 2007 Ralf Baechle (ralf@linux-mips.org)
uboot\u-boot-2011.12\arch\mips\lib\board.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\mips\lib\bootm.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\mips\lib\bootm_qemu_mips.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\mips\lib\Makefile(2):# (C) Copyright 2003-2006
uboot\u-boot-2011.12\arch\nds32\config.mk(2):# (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\nds32\config.mk(5):# (C) Copyright 2011
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\cpu.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\cpu.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\cpu.c(9): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\lowlevel_init.S(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\Makefile(2):# (C) Copyright 2009
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\Makefile(6):# Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\timer.c(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\timer.c(5): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\ag101\watchdog.S(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\Makefile(5):# Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\start.S(4): *Copyright (C) 2006Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\start.S(5): *Copyright (C) 2006Shawn Lin <nobuhiro@andestech.com>
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\start.S(6): *Copyright (C) 2011Macpaul Lin <macpaul@andestech.com>
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\u-boot.lds(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\nds32\cpu\n1213\u-boot.lds(5): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\arch-ag101\ag101.h(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\bitops.h(2): * Copyright 1995, Russell King.
uboot\u-boot-2011.12\arch\nds32\include\asm\bitops.h(3): * Various bits and pieces copyrights include:

legal(ME)

uboot\u-boot-2011.12\arch\nds32\include\asm\bitops.h(6): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\byteorder.h(4): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\cache.h(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\config.h(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\config.h(3): * Copyright (C) 2010 Shawn Lin (nobuhiro@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\config.h(4): * Copyright (C) 2011 Macpaul Lin (macpaul@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\global_data.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\nds32\include\asm\global_data.h(5): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\io.h(4): * Copyright (C) 1996-2000 Russell King
uboot\u-boot-2011.12\arch\nds32\include\asm\io.h(6): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\macro.h(4): * Copyright (C) 2009 Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>
uboot\u-boot-2011.12\arch\nds32\include\asm\macro.h(5): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\posix_types.h(4): * Copyright (C) 1996-1998 Russell King.
uboot\u-boot-2011.12\arch\nds32\include\asm\posix_types.h(6): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\posix_types.h(7): * Copyright (C) 2010 Shawn Lin (nobuhiro@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\posix_types.h(8): * Copyright (C) 2011 Macpaul Lin (macpaul@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\processor.h(4): * Copyright (C) 1995-2002 Russell King
uboot\u-boot-2011.12\arch\nds32\include\asm\processor.h(6): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\processor.h(7): * Copyright (C) 2010 Shawn Lin (nobuhiro@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\processor.h(8): * Copyright (C) 2011 Macpaul Lin (macpaul@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\ptrace.h(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\ptrace.h(3): * Copyright (C) 2010 Shawn Lin (nobuhiro@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\ptrace.h(4): * Copyright (C) 2011 Macpaul Lin (macpaul@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\string.h(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\string.h(3): * Copyright (C) 2010 Shawn Lin (nobuhiro@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\string.h(4): * Copyright (C) 2011 Macpaul Lin (macpaul@andestech.com)

legal(ME)

uboot\u-boot-2011.12\arch\nds32\include\asm\system.h(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\types.h(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\types.h(3): * Copyright (C) 2010 Shawn Lin (nobuhiro@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\types.h(4): * Copyright (C) 2011 Macpaul Lin (macpaul@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\u-boot.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\nds32\include\asm\u-boot.h(6): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\include\asm\u-boot.h(7): * Copyright (C) 2010 Shawn Lin (nobuhiro@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\u-boot.h(8): * Copyright (C) 2011 Macpaul Lin (macpaul@andestech.com)
uboot\u-boot-2011.12\arch\nds32\include\asm\u-boot-nds32.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\nds32\include\asm\u-boot-nds32.h(6): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\lib\board.c(2): * (C) Copyright 2002-2006
uboot\u-boot-2011.12\arch\nds32\lib\board.c(5): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\lib\bootm.c(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\lib\interrupts.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\nds32\lib\interrupts.c(6): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nds32\lib\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\nds32\lib\Makefile(5):# Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\arch\nios2\config.mk(2):# (C) Copyright 2004
uboot\u-boot-2011.12\arch\nios2\cpu\cpu.c(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\cpu\epcs.c(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\cpu\exceptions.S(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\cpu\fdt.c(2): * (C) Copyright 2011, Missing Link Electronics
uboot\u-boot-2011.12\arch\nios2\cpu\fdt.c(7): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\arch\nios2\cpu\interrupts.c(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\nios2\cpu\interrupts.c(5): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\cpu\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\nios2\cpu\start.S(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\cpu\sysid.c(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\cpu\traps.c(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\cpu\u-boot.lds(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>

legal(ME)

uboot\u-boot-2011.12\arch\nios2\include\asm\bitops.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\byteorder.h(2):* (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\cache.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\config.h(2): * Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\nios2\include\asm\global_data.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\gpio.h(11): * Copyright (C) 2010 Thomas Chou <thomas@wytron.com.tw>
uboot\u-boot-2011.12\arch\nios2\include\asm\io.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\opcodes.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\processor.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\psr.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\ptrace.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\status_led.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\string.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\system.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\include\asm\u-boot.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\lib\board.c(2): * (C) Copyright 2003, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\lib\board.c(5): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\nios2\lib\bootm.c(2): * (C) Copyright 2003, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\lib\cache.S(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\nios2\lib\longlong.h(2): Copyright (C) 1991, 1992, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2004,
uboot\u-boot-2011.12\arch\nios2\lib\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\nios2\lib\time.c(2): * (C) Copyright 2003, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\arch\powerpc\config.mk(2):# (C) Copyright 2000-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\config.mk(2):# (C) Copyright 2001
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\cpu.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\cpu_init.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\interrupts.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\io.S(2): *Copyright (C) 1998Dan Malek <dmalek@jlc.net>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\io.S(3): *Copyright (C) 1999Magnus

legal(ME)

Damm <kieraypc01.p.y.kie.era.ericsson.se>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\io.S(4): *Copyright (C) 2001Sysgo
Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\io.S(6): *Copyright (C)
2002Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\kgdb.S(2): *Copyright (C)
2000Murray Jensen <Murray.Jensen@cmst.csiro.au>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\Makefile(2):# (C) Copyright 2006
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\Makefile(5):# (C) Copyright 2001
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\speed.c(2): * (C) Copyright
2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\start.S(2): *Copyright (C) 1998Dan
Malek <dmalek@jlc.net>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\start.S(3): *Copyright (C)
1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\start.S(4): *Copyright (C)
2000,2001,2002 Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\start.S(5): *Copyright (C)
2001Josh Huber <huber@mclx.com>
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\traps.c(4): * Copyright (C)
1995-1996Gary Thomas (gdt@linuxppc.org)
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\traps.c(9): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\74xx_7xx\u-boot.lds(2): * (C) Copyright
2010 Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\config.mk(2):# (C) Copyright
2007-2010 DENX Software Engineering
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\cpu.c(2): * (C) Copyright 2007-2010
DENX Software Engineering
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\cpu.c(3): * Copyright (C) 2004-2006
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\cpu_init.c(2): * Copyright (C)
2004-2006 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\cpu_init.c(3): * Copyright (C)
2007-2009 DENX Software Engineering
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\diu.c(2): * Copyright 2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\fixed_sdram.c(2): * (C) Copyright
2007-2009 DENX Software Engineering
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\i2c.c(2): * (C) Copyright 2003 -
2009
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\ide.c(2): * (C) Copyright 2007-2009
DENX Software Engineering
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\iim.c(2): * Copyright 2008 Silicon
Turnkey Express, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\interrupts.c(2): * (C) Copyright
2000-2007
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\interrupts.c(5): * Copyright 2004
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\iopin.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\Makefile(2):# (C) Copyright
2007-2009 DENX Software Engineering
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\pci.c(2): * Copyright (C) 2009-2010

legal(ME)

DENX Software Engineering <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\pci.c(3): * Copyright (C) Freescale Semiconductor, Inc. 2006, 2007.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\serial.c(2): * (C) Copyright 2000 - 2010

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\speed.c(2): * (C) Copyright 2000-2009

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\speed.c(5): * Copyright (C) 2004-2006 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\start.S(2): * Copyright (C) 1998Dan Malek <dmalek@jlc.net>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\start.S(3): * Copyright (C) 1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\start.S(4): * Copyright (C) 2000-2009 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\start.S(5): * Copyright Freescale Semiconductor, Inc. 2004, 2006.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\traps.c(2): * (C) Copyright 2000 - 2007

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\traps.c(5): * Copyright (C) 1995-1996Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc512x\u-boot.lds(2): * (C) Copyright 2007-2010 DENX Software Engineering.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\config.mk(2):# (C) Copyright 2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\cpu.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\cpu_init.c(2): * (C) Copyright 2003Martin Winistoerfer, martinwinistoerfer@gmx.ch.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\interrupts.c(2): * (C) Copyright 2000-2002Wolfgang Denk, DENX Software Engineering, wd@denx.de.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\interrupts.c(3): * (C) Copyright 2003Martin Winistoerfer, martinwinistoerfer@gmx.ch.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\Makefile(5):# (C) Copyright 2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\serial.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\speed.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\spi.c(2): * Copyright (c) 2001 Navin Boppuri / Prashant Patel

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\spi.c(35): * Copyright (c) 2003 Denis Peter, MPL AG Switzerland, d.petr@mpl.ch.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\spi.c(5): * Copyright (c) 2001 Gerd Mennchen <Gerd.Mennchen@icn.siemens.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\spi.c(6): * Copyright (c) 2001 Wolfgang Denk, DENX Software Engineering, <wd@denx.de>.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\start.S(2): *Copyright (C) 1998Dan Malek <dmalek@jlc.net>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\start.S(3): *Copyright (C) 1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\start.S(4): *Copyright (C) 2000, 2001, 2002 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\start.S(5): *Copyright (C) 2003Martin Winistoerfer, martinwinistoerfer@gmx.ch.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\traps.c(4): * Copyright (C)

legal(ME)

1995-1996 Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\traps.c(9): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\u-boot.lds(2): * (C) Copyright
2001-2010 Wolfgang Denk, DENX Software Engineering, wd@denx.de

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xx\u-boot.lds(3): * (C) Copyright
2003 Martin Winistoerfer, martinwinistoerfer@gmx.ch

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\config.mk(2):# (C) Copyright
2003-2010

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\cpu.c(2): * (C) Copyright 2000-2010

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\cpu_init.c(2): * (C) Copyright
2000-2010

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\firmware_sc_task_bestcomm.impl.S(2)
: * Copyright (C) 2001, Software Center, Motorola China.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\i2c.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\ide.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\interrupts.c(2): * (C) Copyright
2006

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\interrupts.c(36): * Copyright (C)
2004 Sylvain Munaut <tnt@246tNt.com>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\interrupts.c(37): * Copyright (C)
2003 Montavista Software, Inc

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\interrupts.c(5): * (C) Copyright
-2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\interrupts.c(8): * (C) Copyright
2001

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\io.S(2): * Copyright (C) 1998 Dan
Malek <dmalek@j1lc.net>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\io.S(3): * Copyright (C) 1999 Magnus
Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\io.S(4): * Copyright (C) 2001 Sysgo
Real-Time Solutions, GmbH <www.elinos.com>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\io.S(6): * Copyright (C)
2003 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\loadtask.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\loadtask.c(6): * (C) Copyright
Motorola, Inc., 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\Makefile(2):# (C) Copyright
2003-2006

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\pci_mpc5200.c(2): * (C) Copyright
2000-2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\serial.c(2): * (C) Copyright 2000 -
2003

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\serial.c(25): * Linux/PPC sources
(m8260_tty.c had no copyright info in it).

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\speed.c(2): * (C) Copyright
2000-2002

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\start.S(2): * Copyright (C) 1998 Dan
Malek <dmalek@j1lc.net>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\start.S(3): * Copyright (C)
1999 Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\start.S(4): * Copyright (C) 2000 -
2003 Wolfgang Denk <wd@denx.de>

legal(ME)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\traps.c(10): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\traps.c(4): * Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\u-boot.lds(2): * (C) Copyright 2003-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\u-boot-customlayout.lds(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\usb.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\usb_ohci.c(11): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\usb_ohci.c(12): * (C) Copyright 2000-2002 David Brownell
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\usb_ohci.c(4): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\usb_ohci.c(7): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\usb_ohci.h(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc5xxx\usb_ohci.h(5): * (C) Copyright 2000-2001 David Brownell <dbrownell@users.sourceforge.net>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\config.mk(2):# (C) Copyright 2003-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\cpu.c(2): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\cpu_init.c(2): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\dma.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\dma.h(6): * (C) Copyright Motorola, Inc., 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\dramSetup.c(2): * (C) Copyright 2004, Freescale, Inc
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\fec.c(2): * (C) Copyright 2003-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\fec.c(6): * (C) Copyright Motorola, Inc., 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\fec.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\fec.h(6): * (C) Copyright Motorola, Inc., 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\fec_dma_tasks.S(2): * Copyright (C) 2004, Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\i2c.c(2): * (C) Copyright 2004, Freescale, Inc
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\i2cCore.c(3):/* Copyright 2004 Freescale Semiconductor, Inc. */
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\interrupts.c(2): * (C) Copyright -2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\interrupts.c(5): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\io.S(2): * Copyright (C) 1998 Dan Malek <dmalek@jlc.net>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\io.S(3): * Copyright (C) 1999 Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\io.S(4): * Copyright (C) 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>

legal(ME)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\io.S(6): *Copyright (C)
2003Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\loadtask.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\loadtask.c(6): * (C) Copyright
Motorola, Inc., 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\Makefile(2):# (C) Copyright
2003-2006
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\pci.c(2): * Copyright 2004
Freescale Semiconductor.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\pci.c(3): * Copyright (C) 2003
Motorola Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\speed.c(2): * (C) Copyright 2004,
Freescale, Inc
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\start.S(2): *Copyright (C) 1998Dan
Malek <dmalek@jlc.net>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\start.S(3): *Copyright (C)
1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\start.S(4): *Copyright (C) 2000 -
2003 Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\traps.c(10): * (C) Copyright
2000-2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\traps.c(4): * Copyright (C)
1995-1996Gary Thomas (gdt@linuxppc.org)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\uart.c(2): * (C) Copyright 2004,
Freescale, Inc
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8220\u-boot.lds(2): * (C) Copyright
2003-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\config.mk(2):# (C) Copyright
2000-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\cpu.c(2): * (C) Copyright 2000 -
2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\cpu_init.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\drivers\epic\epic1.c(3): *
copyright @ motorola, 1999
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\drivers\epic\epic2.S(3): *
copyright @ Motorola, 1999
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\drivers\epic\epicutil.S(3): *
copyright @ Motorola, 1999
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\drivers\errors.h(1):/*Copyright
Motorola, Inc. 1993, 1994
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\drivers\i2c_export.h(6): *
Copyright Motrola 1999
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\drivers\i2c\i2c.c(2): * (C)
Copyright 2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\interrupts.c(2): * (C) Copyright
2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\interrupts.c(41): * copyright
notices remain intact.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\Makefile(2):# (C) Copyright
2000-2006
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\pci.c(10): * Copyright 2001
MontaVista Software Inc.

legal(ME)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\speed.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\speed.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\start.S(2): *Copyright (C) 1998Dan
Malek <dmalek@jlc.net>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\start.S(3): *Copyright (C)
1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\start.S(4): *Copyright (C)
2000,2001,2002 Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\traps.c(4): * Copyright (C)
1995-1996Gary Thomas (gdt@linuxppc.org)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\traps.c(9): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc824x\u-boot.lds(2): * (C) Copyright
2001-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\commproc.c(3): * copyright notice:
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\commproc.c(7): * Copyright (c) 1999
Dan Malek (dmalek@jlc.net)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\commproc.c(8): * Copyright (c) 2000
MontaVista Software, Inc (source@mvista.com)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\config.mk(2):# (C) Copyright
2000-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\cpu.c(2): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\cpu_init.c(2): * (C) Copyright
2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\ether_fcc.c(4): * Copyright (c)
2000 MontaVista Software, Inc. Dan Malek (dmalek@jlc.net)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\ether_fcc.c(6): * (C) Copyright
2000 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\ether_scc.c(15): * (C) Copyright
2008
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\ether_scc.c(4): * Copyright (c)
2000 MontaVista Software, Inc. Dan Malek (dmalek@jlc.net)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\ether_scc.c(6): * (C) Copyright
2000 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\ether_scc.c(9): * (C) Copyright (c)
2001
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\i2c.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\i2c.c(5): * (C) Copyright 2000
Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\interrupts.c(2): * (C) Copyright
2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\interrupts.c(48):/* Linux/PPC 2.4.x
source. There was no copyright notice in that file.*/
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\kgdb.S(2): *Copyright (C)
2000Murray Jensen <Murray.Jensen@cmst.csiro.au>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\Makefile(2):# (C) Copyright
2000-2008
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\pci.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\pci.c(5): * Copyright (c) 2005
MontaVista Software, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\serial_scc.c(2): * (C) Copyright
2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\serial_smc.c(2): * (C) Copyright

legal(ME)

2000, 2001, 2002

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\serial_smc.c(25): * Linux/PPC sources (m8260_tty.c had no copyright info in it).

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\speed.c(2): * (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\speed.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\spi.c(2): * Copyright (c) 2001

Navin Boppuri / Prashant Patel

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\spi.c(5): * Copyright (c) 2001 Gerd Mennchen <Gerd.Mennchen@icn.siemens.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\spi.c(6): * Copyright (c) 2001-2003 Wolfgang Denk, DENX Software Engineering, <wd@denx.de>.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\start.S(2): *Copyright (C) 1998Dan Malek <dmalek@jlc.net>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\start.S(3): *Copyright (C)

1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\start.S(4): *Copyright (C) 2000, 2001,2002 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\traps.c(4): * Copyright (C)

1995-1996Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\traps.c(9): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8260\u-boot.lds(2): * (C) Copyright 2001-2010

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\config.mk(2):# Copyright 2004

Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\cpu.c(2): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\cpu_init.c(2): * Copyright (C)

2004-2009 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\ecc.c(2): * Copyright (C) 2007-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\fdt.c(2): * Copyright 2007

Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\fdt.c(4): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\interrupts.c(2): * (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\interrupts.c(5): * Copyright 2004

Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\law.c(2): * Copyright 2011

Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\Makefile(5):# Copyright 2004

Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\nand_init.c(2): * Copyright (C)

2004-2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\pci.c(2): * Copyright (C) Freescale Semiconductor, Inc. 2007

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\pcie.c(2): * Copyright (C)

2007-2009Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\pcie.c(3): * Copyright (C)

2008-2009MontaVista Software, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\qe_io.c(2): * Copyright (C) 2006

legal(ME)

Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\serdes.c(4): * Copyright (C) 2007,2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\serdes.c(5): * Copyright (C) 2008 MontaVista Software, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\spd_sdram.c(2): * (C) Copyright 2006-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\spd_sdram.c(4): * (C) Copyright 2006

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\spd_sdram.c(7): * Copyright (C) 2004-2006 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\spd_sdram.c(8): * (C) Copyright 2003 Motorola Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\speed.c(2): * (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\speed.c(5): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\start.S(2): * Copyright (C) 1998 Dan Malek <dmalek@jlc.net>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\start.S(3): * Copyright (C) 1999 Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\start.S(4): * Copyright (C) 2000, 2001, 2002 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\start.S(5): * Copyright Freescale Semiconductor, Inc. 2004, 2006, 2008.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\traps.c(2): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\traps.c(5): * Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc83xx\u-boot.lds(2): * (C) Copyright 2006-2010

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cmd_errata.c(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\commproc.c(10): * Copyright (c) 1999 Dan Malek (dmalek@jlc.net)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\commproc.c(11): * Copyright (c) 2000 MontaVista Software, Inc (source@mvista.com)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\commproc.c(13): * Copyright (c) 2003 Motorola, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\commproc.c(6): * copyright notice:

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\config.mk(2):# (C) Copyright 2002, 2003 Motorola Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cpu.c(2): * Copyright 2004, 2007-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cpu.c(3): * (C) Copyright 2002, 2003 Motorola Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cpu.c(6): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cpu_init.c(2): * Copyright 2007-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cpu_init.c(4): * (C) Copyright 2003 Motorola Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cpu_init.c(7): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cpu_init_early.c(2): * Copyright

legal(ME)

2009-2011 Freescale Semiconductor, Inc
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\cpu_init_nand.c(2): * Copyright
2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\ddr-gen1.c(2): * Copyright 2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\ddr-gen2.c(2): * Copyright
2008-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\ddr-gen3.c(2): * Copyright
2008-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\ether_fcc.c(3): * Copyright (c)
2003 Motorola, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\ether_fcc.c(6): * Copyright (c)
2000 MontaVista Software, Inc. Dan Malek (dmalek@jlc.net)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\ether_fcc.c(8): * (C) Copyright
2000 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\fdt.c(2): * Copyright 2007-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\fdt.c(4): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\fixed_ivor.S(2): * Copyright 2009
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\fs1_corenet_serdes.c(2): *
Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\fs1_corenet_serdes.h(2): *
Copyright 2009-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\interrupts.c(2): * (C) Copyright
2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\interrupts.c(5): * (C) Copyright
2002 (440 port)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\interrupts.c(8): * (C) Copyright
2003 Motorola Inc. (MPC85xx port)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\liodn.c(2): * Copyright 2008-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\Makefile(2):# (C) Copyright 2006
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\Makefile(5):# (C) Copyright
2002,2003 Motorola Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\mp.c(2): * Copyright 2008-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\mpc8536_serdes.c(2): * Copyright
2008,2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\mpc8544_serdes.c(2): * Copyright
2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\mpc8548_serdes.c(2): * Copyright
2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\mpc8568_serdes.c(2): * Copyright
2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\mpc8569_serdes.c(2): * Copyright
2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\mpc8572_serdes.c(2): * Copyright
2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p1010_serdes.c(2): * Copyright 2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p1021_serdes.c(2): * Copyright

legal(ME)

2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p1022_serdes.c(2): * Copyright 2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p1023_serdes.c(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p2020_serdes.c(2): * Copyright 2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p2041_ids.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p2041_serdes.c(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p3041_ids.c(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p3041_serdes.c(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p3060_ids.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p3060_serdes.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p4080_ids.c(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p4080_serdes.c(2): * Copyright 2009-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p5020_ids.c(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\p5020_serdes.c(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\pci.c(2): * Copyright 2004 Freescale Semiconductor.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\pci.c(3): * Copyright (C) 2003 Motorola Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\portals.c(2): * Copyright 2008-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\qe_io.c(2): * Copyright (C) 2006 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\release.S(2): * Copyright 2008-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\serial_scc.c(2): * (C) Copyright 2003 Motorola Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\serial_scc.c(6): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\speed.c(2): * Copyright 2004, 2007-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\speed.c(4): * (C) Copyright 2003 Motorola Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\speed.c(7): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\start.S(2): * Copyright 2004, 2007-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\start.S(3): * Copyright (C) 2003 Motorola, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\tlb.c(2): * Copyright 2008-2011 Freescale Semiconductor, Inc.

legal(ME)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\tlb.c(4): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\traps.c(13): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\traps.c(4): * Copyright 2007
Freescale Semiconductor.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\traps.c(5): * Copyright (C) 2003
Motorola
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\traps.c(8): * Copyright (C)
1995-1996Gary Thomas (gdt@linuxppc.org)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\u-boot.lds(2): * Copyright
2007-2009, 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\u-boot-nand.lds(2): * Copyright
2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\u-boot-nand_spl.lds(2): * (C)
Copyright 2006
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc85xx\u-boot-nand_spl.lds(5): * Copyright
2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\config.mk(2):# (C) Copyright 2004
Freescale Semiconductor.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\cpu.c(2): * Copyright
2006,2009-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\cpu_init.c(2): * Copyright
2004,2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\ddr-8641.c(2): * Copyright 2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\fdt.c(2): * Copyright 2008, 2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\interrupts.c(11): * (C) Copyright
2004, 2007 Freescale Semiconductor. (MPC86xx Port)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\interrupts.c(2): * (C) Copyright
2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\interrupts.c(5): * (C) Copyright
2002 (440 port)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\interrupts.c(8): * (C) Copyright
2003 Motorola Inc. (MPC85xx port)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\Makefile(2):# Copyright 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\Makefile(3):# (C) Copyright
2002,2003 Motorola Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\Makefile(6):# (C) Copyright 2004
Freescale Semiconductor. (MC86xx Port)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\mp.c(2): * Copyright 2008-2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\mpc8610_serdes.c(2): * Copyright
2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\mpc8641_serdes.c(2): * Copyright
2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\release.S(2): * Copyright 2004,
2007, 2008 Freescale Semiconductor.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\speed.c(2): * Copyright 2004
Freescale Semiconductor.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\speed.c(6): * (C) Copyright
2000-2002

legal(ME)

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\start.S(2): * Copyright 2004, 2007, 2011 Freescale Semiconductor.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\traps.c(2): * Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\traps.c(7): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc86xx\u-boot.lds(2): * Copyright 2006, 2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\commproc.c(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\config.mk(2):# (C) Copyright 2000-2010
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\cpu.c(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\cpu_init.c(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\fdt.c(2): * Copyright 2008 (C) Bryan O'Donoghue
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\fec.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\fec.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\i2c.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\i2c.c(5): * (C) Copyright 2000 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\interrupts.c(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\kgdb.S(2): * Copyright (C) 2000 Murray Jensen <Murray.Jensen@cmst.csiro.au>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\lcd.c(2): * (C) Copyright 2001-2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\plprcr_write.S(2): * (C) Copyright 2004
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\serial.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\speed.c(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\spi.c(2): * Copyright (c) 2001 Navin Boppuri / Prashant Patel
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\spi.c(5): * Copyright (c) 2001 Gerd Mennchen <Gerd.Mennchen@icn.siemens.de>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\spi.c(6): * Copyright (c) 2001 Wolfgang Denk, DENX Software Engineering, <wd@denx.de>.
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\start.S(2): * Copyright (C) 1998 Dan Malek <dmalek@jlc.net>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\start.S(3): * Copyright (C) 1999 Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\start.S(4): * Copyright (C) 2000, 2001, 2002 Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\traps.c(4): * Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\traps.c(9): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\video.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\video.c(4): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xx\wlkbd.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\cpu.c(2): * Copyright 2009-2011

legal(ME)

Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\common_timing_params.h(2): *
Copyright 2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\ctrl_regs.c(2): * Copyright
2008-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\ddr.h(2): * Copyright 2008-2011
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\ddr1_dimm_params.c(2): *
Copyright 2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\ddr2_dimm_params.c(2): *
Copyright 2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\ddr3_dimm_params.c(2): *
Copyright 2008-2009 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\interactive.c(2): * Copyright
2010-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\lc_common_dimm_params.c(2): *
Copyright 2008-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\main.c(2): * Copyright
2008-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\Makefile(2):# Copyright
2008-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\options.c(2): * Copyright 2008,
2010-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\ddr\util.c(2): * Copyright
2008-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\fdt.c(2): * Copyright 2009-2011
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\fs1_ifc.c(2): * Copyright 2010-2011
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\fs1_lbc.c(2): * Copyright 2010-2011
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\Makefile(2):# Copyright 2009-2010
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\mpc8xxx\srio.c(2): * Copyright 2011
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\40x_spd_sdram.c(19): * (C) Copyright
2002

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\40x_spd_sdram.c(23): * (C) Copyright
2005

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\40x_spd_sdram.c(6): * (C) Copyright
2001

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\44x_spd_ddr.c(19): * (C) Copyright
2002

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\44x_spd_ddr.c(23): * (C) Copyright
2005-2007

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\44x_spd_ddr.c(6): * (C) Copyright
2001

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\44x_spd_ddr2.c(12): * (C) Copyright
2007-2009

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\44x_spd_ddr2.c(15): * COPYRIGHT AMCC
CORPORATION 2004

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\44x_spd_ddr2.c(9): * Copyright (c)

legal(ME)

2008 Nuovation System Designs, LLC

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_ibm_ddr2_autocalib.c(12): * (C)
Copyright 2007-2008

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_ibm_ddr2_autocalib.c(15): *
COPYRIGHT AMCC CORPORATION 2004

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_ibm_ddr2_autocalib.c(9): * (C)
Copyright 2008 Applied Micro Circuits Corporation

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_pci.c(17): * must include the
IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_pci.c(20): * COPYRIGHT I B M
CORPORATION 1995

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_pcie.c(2): * (C) Copyright 2006
- 2008

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_pcie.c(5): * Copyright (c) 2005
Cisco Systems.All rights reserved.

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_uart.c(2): * (C) Copyright
2000-2006

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_uart.c(43): * must include the
IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_uart.c(46): * COPYRIGHT I B M
CORPORATION 1995

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\4xx_uart.c(5): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\cache.S(3): *Copyright (C) 1995-1996
Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\cmd_chip_config.c(2): * (C)
Copyright 2008-2009

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\cmd_chip_config.c(5): * (C)
Copyright 2009

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\cmd_ecctest.c(2): * (C) Copyright
2010

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\config.mk(2):# (C) Copyright
2000-2010

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\cpu.c(2): * (C) Copyright 2000-2007

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\cpu_init.c(2): * (C) Copyright
2000-2007

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\dcr.S(2): * (C) Copyright 2001

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\denali_data_eye.c(12): * (C)
Copyright 2006-2007

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\denali_data_eye.c(5): * (C)
Copyright 2006

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\denali_spd_ddr2.c(11): * (C)
Copyright 2007

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\denali_spd_ddr2.c(14): * COPYRIGHT
AMCC CORPORATION 2004

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\denali_spd_ddr2.c(6): * (C)
Copyright 2007-2008

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\ecc.c(11): *(C) Copyright 2001

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\ecc.c(2): *Copyright (c) 2008
Nuovation System Designs, LLC

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\ecc.c(5): *(C) Copyright 2005-2009

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\ecc.c(8): *(C) Copyright 2002

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\ecc.h(2): *Copyright (c) 2008

legal(ME)

Nuovation System Designs, LLC

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\ecc.h(5): *Copyright (c) 2007-2009
DENX Software Engineering, GmbH

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\fdt.c(2): * (C) Copyright 2007-2008

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\gpio.c(2): * (C) Copyright 2007-2008

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\interrupts.c(11): * (C) Copyright
2008 (PPC440X05 port for Virtex 5 FX)

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\interrupts.c(2): * (C) Copyright
2000-2002

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\interrupts.c(5): * (C) Copyright
2002 (440 port)

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\interrupts.c(8): * (C) Copyright
2003 (440GX port)

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\iop480_uart.c(2): * (C) Copyright
2000-2006

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\kgdb.S(2): *Copyright (C) 2000Murray
Jensen <Murray.Jensen@cmst.csiro.au>

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\Makefile(2):# (C) Copyright
2000-2006

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\miiphy.c(17):|must include the IBM
copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\miiphy.c(20):|COPYRIGHT I B M
CORPORATION 1995

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\reginfo.c(2): *(C) Copyright
2005-2009 Netstal Maschinen AG

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\resetvec.S(1):/* Copyright
MontaVista Software Incorporated, 2000 */

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\sdr.am.c(2): * (C) Copyright
2005-2007

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\sdr.am.c(5): * (C) Copyright 2006

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\sdr.am.c(8): * (C) Copyright
2002-2004

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\sdr.am.h(2): * (C) Copyright 2006

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\sdr.am.h(5): * (C) Copyright 2006

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\speed.c(2): * (C) Copyright
2000-2008

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\start.S(2): *Copyright (C) 1998Dan
Malek <dmalek@jlc.net>

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\start.S(3): *Copyright (C)
1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\start.S(4): *Copyright (C)
2000,2001,2002 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\start.S(43): * must include the IBM
copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\start.S(46): * COPYRIGHT I B M
CORPORATION 1995

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\start.S(5): *Copyright (C) 2007
Stefan Roese <sr@denx.de>, DENX Software Engineering

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\start.S(6): *Copyright (c) 2008
Nuovation System Designs, LLC

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\tlb.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\traps.c(4): * Copyright (C)

legal(ME)

1995-1996 Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\traps.c(9): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\u-boot.lds(2): * Copyright 2007-2009
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\uic.c(11): * (C) Copyright 2008
(PPC440X05 port for Virtex 5 FX)

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\uic.c(2): * (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\uic.c(5): * (C) Copyright 2002 (440
port)

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\uic.c(8): * (C) Copyright 2003
(440GX port)

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\usb.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\usb_ohci.c(11): * (C) Copyright 1999
Roman Weissgaerber <weissg@vienna.at>

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\usb_ohci.c(12): * (C) Copyright
2000-2002 David Brownell

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\usb_ohci.c(4): * (C) Copyright
2003-2004

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\usb_ohci.c(7): * (C) Copyright 2004

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\usb_ohci.h(4): * (C) Copyright 1999
Roman Weissgaerber <weissg@vienna.at>

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\usb_ohci.h(5): * (C) Copyright
2000-2001 David Brownell <dbrownell@users.sourceforge.net>

uboot\u-boot-2011.12\arch\powerpc\cpu\ppc4xx\xilinx_irq.c(2): * (C) Copyright
2008

uboot\u-boot-2011.12\arch\powerpc\include\asm\4xx_pcie.h(2): * Copyright (c) 2005
Cisco Systems. All rights reserved.

uboot\u-boot-2011.12\arch\powerpc\include\asm\5xx_immap.h(2): * (C) Copyright
2003

uboot\u-boot-2011.12\arch\powerpc\include\asm\8xx_immap.h(4): * Copyright (c)
1997 Dan Malek (dmalek@jlc.net)

uboot\u-boot-2011.12\arch\powerpc\include\asm\apm821xx.h(2): * Copyright (c)
2010, Applied Micro Circuits Corporation

uboot\u-boot-2011.12\arch\powerpc\include\asm\config.h(2): * Copyright 2009-2011
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\include\asm\config_mpc85xx.h(2): * Copyright
2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\include\asm\config_mpc86xx.h(2): * Copyright
2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\include\asm\cpm_8260.h(4): * Copyright (c) 1999
Dan Malek (dmalek@jlc.net)

uboot\u-boot-2011.12\arch\powerpc\include\asm\cpm_85xx.h(4): * Copyright (c)
2003, Motorola Inc.

uboot\u-boot-2011.12\arch\powerpc\include\asm\cpm_85xx.h(8): * Copyright (c) 1999
Dan Malek (dmalek@jlc.net)

uboot\u-boot-2011.12\arch\powerpc\include\asm\e300.h(2): * Copyright 2004
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_ddr_dimm_params.h(2): *
Copyright 2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_ddr_sdram.h(2): * Copyright
2008-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_dma.h(4): * Copyright 2006

legal(ME)

Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_dtsec.h(2): * Copyright
2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_enet.h(2): * Copyright 2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_fman.h(4): * Copyright
2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_i2c.h(4): * Copyright 2006
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_ifc.h(2): * Copyright 2010-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_law.h(2): * Copyright 2008-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_lbc.h(2): * Copyright (C)
2004-2008,2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_liodn.h(2): * Copyright
2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_mpc83xx_serdes.h(2): *
Copyright 2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_pci.h(2): * Copyright
2007,2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_portals.h(2): * Copyright
2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_secure_boot.h(2): * Copyright
2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_serdes.h(2): * Copyright 2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\fs1_tgec.h(2): * Copyright
2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\global_data.h(2): * (C) Copyright
2002-2010
uboot\u-boot-2011.12\arch\powerpc\include\asm\immap_512x.h(2): * (C) Copyright
2007-2009 DENX Software Engineering
uboot\u-boot-2011.12\arch\powerpc\include\asm\immap_8220.h(3): * Copyright (c)
2004 TsiChung Liew (Tsi-Chung.Liew@freescale.com)
uboot\u-boot-2011.12\arch\powerpc\include\asm\immap_8260.h(3): * Copyright (c)
1999 Dan Malek (dmalek@jlc.net)
uboot\u-boot-2011.12\arch\powerpc\include\asm\immap_83xx.h(2): * Copyright
2004-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\immap_85xx.h(4): * Copyright
2007-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\immap_85xx.h(6): * Copyright(c)
2002,2003 Motorola Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\immap_86xx.h(4): * Copyright 2004,
2011 Freescale Semiconductor
uboot\u-boot-2011.12\arch\powerpc\include\asm\immap_qe.h(6): * Copyright (c)
2006-2009, 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\interrupt.h(2): * (C) Copyright
2008
uboot\u-boot-2011.12\arch\powerpc\include\asm\mp.h(2): * Copyright 2009-2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\powerpc\include\asm\mpc85xx_gpio.h(2): * Copyright 2010

legal(ME)

eXMeritus, A Boeing Company

uboot\u-boot-2011.12\arch\powerpc\include\asm\mpc8xxx_spi.h(4): * Copyright 2008 Qstreams Networks, Inc.

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc405.h(17): |must include the IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc405.h(20): |COPYRIGHT I B M CORPORATION 1999

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc405cr.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc405ep.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc405ex.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc405ez.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc405gp.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440.h(17): |must include the IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440.h(20): |COPYRIGHT I B M CORPORATION 1999

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440.h(25): * (C) Copyright 2006

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440.h(32): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440ep_gr.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440epx_grx.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440gp.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440gx.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440sp.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc440spe.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc460ex_gt.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc460sx.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx.h(17): | must include the IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx.h(20): | COPYRIGHT I B M CORPORATION 1999

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx_config.h(2): * (C) Copyright 2008-2009

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx_config.h(5): * (C) Copyright 2009

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-ebc.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-emas.h(17): |must include the IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-emas.h(20): |COPYRIGHT I B M CORPORATION 1999

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-gpio.h(2): * (C) Copyright 2007-2008

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-i2c.h(2): * (C) Copyright 2007-2009

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-mal.h(18): |must include the IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-mal.h(21): |COPYRIGHT I B M CORPORATION 1999

legal(ME)

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-sdram.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-uic.h(2): *Copyright (C) 2002 Scott McNutt <smcnutt@artesyincp.com>

uboot\u-boot-2011.12\arch\powerpc\include\asm\ppc4xx-uic.h(4): * (C) Copyright 2008-2009

uboot\u-boot-2011.12\arch\powerpc\include\asm\u-boot.h(2): * (C) Copyright 2000 - 2002

uboot\u-boot-2011.12\arch\powerpc\include\asm\xilinx_irq.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\arch\powerpc\lib_ashldi3.S(4): * known as 2.6.38-rc5).The source file copyrights are as follows:

uboot\u-boot-2011.12\arch\powerpc\lib_ashldi3.S(6): * (C) Copyright 1995-1996 Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\lib_ashrdi3.S(4): * known as 2.6.38-rc5).The source file copyrights are as follows:

uboot\u-boot-2011.12\arch\powerpc\lib_ashrdi3.S(6): * (C) Copyright 1995-1996 Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\lib_lshrdi3.S(4): * known as 2.6.38-rc5).The source file copyrights are as follows:

uboot\u-boot-2011.12\arch\powerpc\lib_lshrdi3.S(6): * (C) Copyright 1995-1996 Gary Thomas (gdt@linuxppc.org)

uboot\u-boot-2011.12\arch\powerpc\lib\bat_rw.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\powerpc\lib\board.c(2): * (C) Copyright 2000-2011

uboot\u-boot-2011.12\arch\powerpc\lib\bootcount.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\lib\bootm.c(2): * (C) Copyright 2008 Semihalf

uboot\u-boot-2011.12\arch\powerpc\lib\bootm.c(4): * (C) Copyright 2000-2006

uboot\u-boot-2011.12\arch\powerpc\lib\cache.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\powerpc\lib\extable.c(2): * Copyright (C) 1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\lib\extable.c(4): * (C) Copyright 2000

uboot\u-boot-2011.12\arch\powerpc\lib\interrupts.c(2): * (C) Copyright 2000-2002

uboot\u-boot-2011.12\arch\powerpc\lib\interrupts.c(5): * (C) Copyright 2003

uboot\u-boot-2011.12\arch\powerpc\lib\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\arch\powerpc\lib\memcpy_mpc5200.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\arch\powerpc\lib\ppccache.S(2): * Copyright (C) 1998Dan Malek <dmalek@jlc.net>

uboot\u-boot-2011.12\arch\powerpc\lib\ppccache.S(3): * Copyright (C) 1999Magnus Damm <kieraypc01.p.y.kie.era.ericsson.se>

uboot\u-boot-2011.12\arch\powerpc\lib\ppccache.S(4): * Copyright (C) 2000, 2001,2002 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\lib\ppccache.S(5): * Copyright Freescale Semiconductor, Inc. 2004, 2006.

uboot\u-boot-2011.12\arch\powerpc\lib\ppcstring.S(4): * Copyright (C) 1996 Paul Mackerras.

uboot\u-boot-2011.12\arch\powerpc\lib\reloc.S(2): * Copyright (C) 2009 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\arch\powerpc\lib\ticks.S(2): * (C) Copyright 2000, 2001

uboot\u-boot-2011.12\arch\powerpc\lib\time.c(2): * (C) Copyright 2000, 2001

uboot\u-boot-2011.12\arch\sandbox\config.mk(1):# Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\cpu\cpu.c(2): * Copyright (c) 2011 The Chromium

legal(ME)

OS Authors.

uboot\u-boot-2011.12\arch\sandbox\cpu\Makefile(2):# Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\cpu\Makefile(4):# (C) Copyright 2000-2003

uboot\u-boot-2011.12\arch\sandbox\cpu\os.c(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\cpu\start.c(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\cpu\u-boot.lds(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\bitops.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\bitops.h(4): * Copyright 1995, Russell King.

uboot\u-boot-2011.12\arch\sandbox\include\asm\bitops.h(5): * Various bits and pieces copyrights include:

uboot\u-boot-2011.12\arch\sandbox\include\asm\byteorder.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\cache.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\config.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\global_data.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\global_data.h(4): * (C) Copyright 2002-2010

uboot\u-boot-2011.12\arch\sandbox\include\asm\io.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\posix_types.h(4): *Copyright (C) 1996-1998 Russell King.

uboot\u-boot-2011.12\arch\sandbox\include\asm\ptrace.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\string.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\system.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\types.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\u-boot.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\sandbox\include\asm\u-boot.h(6): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\sandbox\include\asm\u-boot-sandbox.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\include\asm\u-boot-sandbox.h(4): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\sandbox\include\asm\u-boot-sandbox.h(8): * (C) Copyright 2002

uboot\u-boot-2011.12\arch\sandbox\include\asm\unaligned.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\lib\board.c(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\arch\sandbox\lib\board.c(4): * (C) Copyright 2002-2006

uboot\u-boot-2011.12\arch\sandbox\lib\board.c(7): * (C) Copyright 2002

legal(ME)

uboot\u-boot-2011.12\arch\sandbox\lib\interrupts.c(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\arch\sandbox\lib\Makefile(2):# Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\arch\sandbox\lib\Makefile(4):# (C) Copyright 2002-2006
uboot\u-boot-2011.12\arch\sh\config.mk(2):# (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\sh\cpu\sh2\cache.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh2\cache.c(5): * Copyright (C) 2007, 2008 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\cpu\sh2\cache.c(6): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\cpu\sh2\config.mk(2):# (C) Copyright 2007-2008
uboot\u-boot-2011.12\arch\sh\cpu\sh2\cpu.c(2): * Copyright (C) 2007,2008 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\cpu\sh2\cpu.c(3): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\cpu\sh2\interrupts.c(2): * Copyright 2007,2008 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\cpu\sh2\interrupts.c(3): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\cpu\sh2\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\sh\cpu\sh2\Makefile(5):# Copyright (C) 2007,2008 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\cpu\sh2\Makefile(6):# Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\cpu\sh2\start.S(2): * Copyright (C) 2007,2008 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\cpu\sh2\start.S(3): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\cpu\sh2\u-boot.lds(2): * Copyright (C) 2008 Nobuhiro Iwamatsu
uboot\u-boot-2011.12\arch\sh\cpu\sh2\u-boot.lds(3): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\cpu\sh2\watchdog.c(2): * Copyright (C) 2008,2010 Nobuhiro Iwamatsu <nobuhiro.iwamatsu.yj@renesas.com>
uboot\u-boot-2011.12\arch\sh\cpu\sh2\watchdog.c(3): * Copyright (C) 2008,2010 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\cpu\sh3\cache.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\cache.c(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\config.mk(2):# (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\sh\cpu\sh3\config.mk(5):# (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\config.mk(8):# (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\cpu.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\cpu.c(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\interrupts.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\interrupts.c(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\sh\cpu\sh3\Makefile(5):# (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\Makefile(8):# (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\start.S(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\start.S(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\u-boot.lds(2): * Copyright (C) 2007

legal(ME)

uboot\u-boot-2011.12\arch\sh\cpu\sh3\u-boot.lds(5): * Copyright (C) 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh3\u-boot.lds(8): * Copyright (C) 2008
uboot\u-boot-2011.12\arch\sh\cpu\sh3\watchdog.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\sh\cpu\sh3\watchdog.c(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh4\cache.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh4\config.mk(2):# (C) Copyright 2000-2004
uboot\u-boot-2011.12\arch\sh\cpu\sh4\config.mk(5):# (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh4\cpu.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh4\interrupts.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh4\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\sh\cpu\sh4\Makefile(5):# (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh4\start.S(2): * (C) Copyright 2007, 2010
uboot\u-boot-2011.12\arch\sh\cpu\sh4\u-boot.lds(2): * Copyright (C) 2007
uboot\u-boot-2011.12\arch\sh\cpu\sh4\u-boot.lds(5): * Copyright (C) 2008-2009
uboot\u-boot-2011.12\arch\sh\include\asm\clk.h(2): * Copyright (C) 2009
Jean-Christophe PLAGNIO <plagnio@jcrosoft.com>
uboot\u-boot-2011.12\arch\sh\include\asm\config.h(2): * Copyright 2009 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh2.h(2): * Copyright (C) 2007,2008
Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh2.h(3): * Copyright (C) 2008
Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh3.h(2): * (C) Copyright 2007-2009
Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh3.h(3): * (C) Copyright 2007
Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh4.h(2): * (C) Copyright 2007,2008
Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7720.h(2): * Copyright 2007 (C)
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7720.h(5): * Copyright 2008 (C)
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7722.h(2): * (C) Copyright 2007
Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7723.h(2): * (C) Copyright 2008
Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7724.h(2): * (C) Copyright 2008,
2011 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7750.h(2): * (C) Copyright 2007
Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7757.h(2): * Copyright (C)
2011Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7763.h(2): * Copyright (C) 2008
Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7763.h(3): * Copyright (C)
2007,2008 Nobuhiro Iwamatsu
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7780.h(5): * Copyright (c)
2007,2008 Nobuhiro Iwamatsu
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7780.h(6): * Copyright (c) 2008
Yusuke Goda <goda.yusuke@renesas.com>
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7785.h(5): * Copyright (c)
2007,2008 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7785.h(6): * Copyright (c) 2008
Yusuke Goda <goda.yusuke@renesas.com>

legal(ME)

uboot\u-boot-2011.12\arch\sh\include\asm\cpu_sh7785.h(7): * Copyright (c) 2008 Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
uboot\u-boot-2011.12\arch\sh\include\asm\global_data.h(2): * (C) Copyright 2002-2010
uboot\u-boot-2011.12\arch\sh\include\asm\global_data.h(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sh\include\asm\io.h(4): *Copyright (C) 1996-2000 Russell King
uboot\u-boot-2011.12\arch\sh\include\asm\macro.h(2): * Copyright (C) 2008 Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
uboot\u-boot-2011.12\arch\sh\include\asm\ptrace.h(5): * Copyright (C) 1999, 2000Niibe Yutaka
uboot\u-boot-2011.12\arch\sh\include\asm\string.h(5): * Copyright (C) 1999 Niibe Yutaka
uboot\u-boot-2011.12\arch\sh\include\asm\system.h(5): * Copyright (C) 1999, 2000Niibe Yutaka&Kaz Kojima
uboot\u-boot-2011.12\arch\sh\include\asm\system.h(6): * Copyright (C) 2002 Paul Mundt
uboot\u-boot-2011.12\arch\sh\include\asm\zimage.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\sh\lib\ashiftrt.S(1):/* Copyright (C) 1994, 1995, 1997, 1998, 1999, 2000, 2001, 2002, 2003,
uboot\u-boot-2011.12\arch\sh\lib\ashiftrt.S(1):/* Copyright (C) 1994, 1995, 1997, 1998, 1999, 2000, 2001, 2002, 2003,
uboot\u-boot-2011.12\arch\sh\lib\ashrsi3.S(1):/* Copyright (C) 1994, 1995, 1997, 1998, 1999, 2000, 2001, 2002, 2003,
uboot\u-boot-2011.12\arch\sh\lib\board.c(2): * Copyright (C) 2007, 2008, 2010
uboot\u-boot-2011.12\arch\sh\lib\bootm.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\sh\lib\bootm.c(5): * (c) Copyright 2008 Nobuhiro Iwamatsu <iwamatsu.nobuhiro@renesas.com>
uboot\u-boot-2011.12\arch\sh\lib\bootm.c(6): * (c) Copyright 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\lib\lshiftrt.S(1):/* Copyright (C) 1994, 1995, 1997, 1998, 1999, 2000, 2001, 2002, 2003,
uboot\u-boot-2011.12\arch\sh\lib\Makefile(2):# Copyright (c) 2007
uboot\u-boot-2011.12\arch\sh\lib\movmem.S(1):/* Copyright (C) 1994, 1995, 1997, 1998, 1999, 2000, 2001, 2002, 2003,
uboot\u-boot-2011.12\arch\sh\lib\time.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\sh\lib\time.c(5): * (C) Copyright 2007-2010
uboot\u-boot-2011.12\arch\sh\lib\time.c(8): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\sh\lib\time_sh2.c(2): * Copyright (C) 2007,2008 Nobobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\arch\sh\lib\time_sh2.c(3): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\arch\sh\lib\time_sh2.c(5): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\sh\lib\zimageboot.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\arch\sparc\config.mk(2):# (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\config.mk(2):# (C) Copyright 2003
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\cpu.c(3): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\cpu_init.c(4): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\interrupts.c(11): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\interrupts.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\interrupts.c(5): * (C) Copyright 2006
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\interrupts.c(8): * (C) Copyright -2003

legal(ME)

uboot\u-boot-2011.12\arch\sparc\cpu\leon2\Makefile(2):# (C) Copyright 2003-2006
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\prom.c(3): * Copyright (C) 2003 Konrad
Eisele <eiselekd@web.de>
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\prom.c(4): * Copyright (C) 2004 Stefan
Holst <mail@s-holst.de>
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\prom.c(5): * Copyright (C) 2007 Daniel
Hellstrom <daniel@gaisler.com>
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\serial.c(3): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\sparc\cpu\leon2\start.S(2): * Copyright (C) 2007,
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\ambapp.c(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\config.mk(2):# (C) Copyright 2003
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\cpu.c(3): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\cpu_init.c(4): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\interrupts.c(11): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\interrupts.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\interrupts.c(5): * (C) Copyright 2006
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\interrupts.c(8): * (C) Copyright -2003
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\Makefile(2):# (C) Copyright 2003-2006
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\prom.c(3): * Copyright (C) 2003 Konrad
Eisele <eiselekd@web.de>
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\prom.c(4): * Copyright (C) 2004 Stefan
Holst <mail@s-holst.de>
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\prom.c(5): * Copyright (C) 2007 Daniel
Hellstrom <daniel@gaisler.com>
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\serial.c(3): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\start.S(2): * Copyright (C) 2007,
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\usb_uhci.c(15): * (C) Copyright 1999
Linus Torvalds
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\usb_uhci.c(16): * (C) Copyright 1999
Johannes Erdfelt
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\usb_uhci.c(17): * (C) Copyright 1999
Randy Dunlap
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\usb_uhci.c(18): * (C) Copyright 1999
Gregory P. Smith
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\usb_uhci.c(22): * (C) Copyright 2001
Denis Peter, MPL AG Switzerland
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\usb_uhci.c(23): * (C) Copyright 2008,
Daniel Hellstrom, daniel@gaisler.com
uboot\u-boot-2011.12\arch\sparc\cpu\leon3\usb_uhci.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\sparc\include\asm\arch-leon2\asi.h(3): * Copyright (C)
2008 Daniel Hellstrom (daniel@gaisler.com)
uboot\u-boot-2011.12\arch\sparc\include\asm\arch-leon3\asi.h(3): * Copyright (C)
2008 Daniel Hellstrom (daniel@gaisler.com)
uboot\u-boot-2011.12\arch\sparc\include\asm\asi.h(3): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\sparc\include\asm\asmmacro.h(3): * (C) Copyright 2007,
taken from linux asm-sparc/asmmacro.h
uboot\u-boot-2011.12\arch\sparc\include\asm\atomic.h(3): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\sparc\include\asm\bitops.h(3): * (C) Copyright 2007,
taken from asm-ppc/bitops.h
uboot\u-boot-2011.12\arch\sparc\include\asm\byteorder.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\sparc\include\asm\byteorder.h(5): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\sparc\include\asm\cache.h(2): * (C) Copyright 2008,

legal(ME)

uboot\u-boot-2011.12\arch\sparc\include\asm\config.h(2): * Copyright 2009
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\sparc\include\asm\global_data.h(2): * (C) Copyright
2002-2010
uboot\u-boot-2011.12\arch\sparc\include\asm\global_data.h(5): * (C) Copyright
2007
uboot\u-boot-2011.12\arch\sparc\include\asm\io.h(3): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\irq.h(3): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\leon.h(3): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\leon2.h(3): * (C) Copyright 2008
uboot\u-boot-2011.12\arch\sparc\include\asm\leon3.h(4): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\machines.h(6): * Copyright (C) 1995
David S. Miller (davem@caip.rutgers.edu)
uboot\u-boot-2011.12\arch\sparc\include\asm\machines.h(7): * Copyright (C) 2007
Daniel Hellstrom (daniel@gaisler.com)
uboot\u-boot-2011.12\arch\sparc\include\asm\page.h(4): * Copyright (C) 1995 David
S. Miller (davem@caip.rutgers.edu)
uboot\u-boot-2011.12\arch\sparc\include\asm\page.h(5): * Copyright (C) 2007
Daniel Hellstrom (daniel@gaisler.com)
uboot\u-boot-2011.12\arch\sparc\include\asm\posix_types.h(2): * (C) Copyright
2000 - 2002
uboot\u-boot-2011.12\arch\sparc\include\asm\posix_types.h(5): * (C) Copyright
2007, taken from asm-ppc/posix_types.h
uboot\u-boot-2011.12\arch\sparc\include\asm\processor.h(4): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\prom.h(6): * Copyright (C) 1995 David
S. Miller (davem@caip.rutgers.edu)
uboot\u-boot-2011.12\arch\sparc\include\asm\prom.h(7): * Copyright (C) 2007
Daniel Hellstrom (daniel@gaisler.com)
uboot\u-boot-2011.12\arch\sparc\include\asm\psr.h(10): * Copyright (C) 2007
Daniel Hellstrom (daniel@gaisler.com)
uboot\u-boot-2011.12\arch\sparc\include\asm\psr.h(9): * Copyright (C) 1994 David
S. Miller (davem@caip.rutgers.edu)
uboot\u-boot-2011.12\arch\sparc\include\asm\ptrace.h(4): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\srmmu.h(4): * Copyright (C) 2007
Daniel Hellstrom (daniel@gaisler.com)
uboot\u-boot-2011.12\arch\sparc\include\asm\srmmu.h(5): * Copyright (C) 1995
David S. Miller (davem@caip.rutgers.edu)
uboot\u-boot-2011.12\arch\sparc\include\asm\stack.h(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\string.h(2): * (C) Copyright 2000 -
2002
uboot\u-boot-2011.12\arch\sparc\include\asm\string.h(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\types.h(2): * (C) Copyright 2000 -
2002
uboot\u-boot-2011.12\arch\sparc\include\asm\u-boot.h(2): * (C) Copyright 2000 -
2002
uboot\u-boot-2011.12\arch\sparc\include\asm\u-boot.h(5): * (C) Copyright 2007,
From asm-ppc/u-boot.h
uboot\u-boot-2011.12\arch\sparc\include\asm\winmacro.h(4): * Copyright (C) 2007
uboot\u-boot-2011.12\arch\sparc\include\asm\winmacro.h(8): * Copyright (C)
2004Gaisler Research AB
uboot\u-boot-2011.12\arch\sparc\lib\board.c(3): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\sparc\lib\board.c(6): * (C) Copyright 2007

legal(ME)

uboot\u-boot-2011.12\arch\sparc\lib\bootm.c(3): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\lib\cache.c(3): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\lib\interrupts.c(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\sparc\lib\interrupts.c(5): * (C) Copyright 2003
uboot\u-boot-2011.12\arch\sparc\lib\interrupts.c(8): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\sparc\lib\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\arch\sparc\lib\time.c(2): * (C) Copyright 2000, 2001
uboot\u-boot-2011.12\arch\sparc\lib\time.c(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\x86\config.mk(2):# (C) Copyright 2000-2002
uboot\u-boot-2011.12\arch\x86\cpu\config.mk(2):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\cpu.c(12): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\cpu.c(2): * (C) Copyright 2008-2011
uboot\u-boot-2011.12\arch\x86\cpu\cpu.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\cpu.c(8): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\interrupts.c(2): * (C) Copyright 2008-2011
uboot\u-boot-2011.12\arch\x86\cpu\interrupts.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\interrupts.c(9): *Copyright (C) 1991, 1992Linus
Torvalds
uboot\u-boot-2011.12\arch\x86\cpu\Makefile(2):# (C) Copyright 2006
uboot\u-boot-2011.12\arch\x86\cpu\Makefile(5):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\resetvec.S(4): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\sc520\Makefile(2):# (C) Copyright 2008
uboot\u-boot-2011.12\arch\x86\cpu\sc520\Makefile(5):# (C) Copyright 2006
uboot\u-boot-2011.12\arch\x86\cpu\sc520\Makefile(8):# (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520.c(2): * (C) Copyright 2008-2011
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_car.S(2): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_pci.c(2): * (C) Copyright 2008-2011
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_pci.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_reset.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_reset.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_sdram.c(2): * (C) Copyright
2010,2011
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_ssi.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_timer.c(2): * (C) Copyright
2008-2011
uboot\u-boot-2011.12\arch\x86\cpu\sc520\sc520_timer.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\start.S(4): * (C) Copyright 2008-2011
uboot\u-boot-2011.12\arch\x86\cpu\start.S(7): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\cpu\start16.S(4): * (C) Copyright 2008-2011
uboot\u-boot-2011.12\arch\x86\cpu\start16.S(7): * (C) Copyright 2002,2003
uboot\u-boot-2011.12\arch\x86\cpu\u-boot.lds(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\arch-sc520\pci.h(2): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\x86\include\asm\arch-sc520\sc520.h(2): * (C) Copyright
2002
uboot\u-boot-2011.12\arch\x86\include\asm\arch-sc520\ssi.h(2): * (C) Copyright
2008
uboot\u-boot-2011.12\arch\x86\include\asm\bitops.h(5): * Copyright 1992, Linus
Torvalds.
uboot\u-boot-2011.12\arch\x86\include\asm\cache.h(2): * Copyright (c) 2011 The
Chromium OS Authors.

legal(ME)

uboot\u-boot-2011.12\arch\x86\include\asm\config.h(2): * Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\arch\x86\include\asm\global_data.h(2): * (C) Copyright 2002-2010
uboot\u-boot-2011.12\arch\x86\include\asm\i8254.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\i8259.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\libmpc.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\interrupt.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\x86\include\asm\interrupt.h(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\ist.h(6): * Copyright 2002 Andy Grover <andrew.grover@intel.com>
uboot\u-boot-2011.12\arch\x86\include\asm\pci.h(4): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\processor.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\realmode.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\u-boot.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\u-boot.h(6): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\u-boot-x86.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\include\asm\zimage.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\bios.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\bios.S(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\bios.S(27): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\x86\lib\bios_pci.S(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\bios_setup.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\bios_setup.c(27): * (C) Copyright 2000
uboot\u-boot-2011.12\arch\x86\lib\board.c(11): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\board.c(2): * (C) Copyright 2008-2011
uboot\u-boot-2011.12\arch\x86\lib\board.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\board.c(8): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\bootm.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\bootm.c(6): * Copyright (C) 2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl)
uboot\u-boot-2011.12\arch\x86\lib\gcc.c(4): * Copyright (C) 2009 coresystems GmbH
uboot\u-boot-2011.12\arch\x86\lib\interrupts.c(11): * (C) Copyright -2003
uboot\u-boot-2011.12\arch\x86\lib\interrupts.c(14): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\interrupts.c(17): * (C) Copyright 2001
uboot\u-boot-2011.12\arch\x86\lib\interrupts.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\x86\lib\interrupts.c(5): * (C) Copyright 2007
uboot\u-boot-2011.12\arch\x86\lib\interrupts.c(8): * (C) Copyright 2006
uboot\u-boot-2011.12\arch\x86\lib\Makefile(2):# (C) Copyright 2002-2006
uboot\u-boot-2011.12\arch\x86\lib\pcat_interrupts.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\arch\x86\lib\pcat_interrupts.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\pcat_timer.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\pci.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\pci_type1.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\realmode.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\realmode_switch.S(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\string.c(2): * Copyright (C) 1991,1992,1993,1997,1998,2003, 2005 Free Software Foundation, Inc.
uboot\u-boot-2011.12\arch\x86\lib\string.c(4): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\arch\x86\lib\timer.c(2): * (C) Copyright 2008,2009
uboot\u-boot-2011.12\arch\x86\lib\timer.c(5): * (C) Copyright 2002

legal(ME)

uboot\u-boot-2011.12\arch\x86\lib\video.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\video_bios.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\arch\x86\lib\zimage.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\board\mt53xx_com\mt53xx_com_board.c(6): * Copyright (c)
2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\common\mt53xx_com_board.c(6): * Copyright (c)
2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drv_def_file.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drv_default.h(1011):#ifndef
AUDIO_IEC_COPYRIGHT
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drv_default.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drvcust_if.c(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drvcust_if.c(3138):case
eAudioIecCopyright:
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drvcust_if.c(3139):*pu4Data =
(UPTR)AUDIO_IEC_COPYRIGHT;
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drvcust_if.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drvcust_if.h(2673):eAudioIecCo
pyright,
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drvcust_init.c(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\drvcust_lib.c(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\Makefile(11):# MediaTek Inc.
Copyright (C) 2010. All rights reserved.#
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\amp_cust.c(29): *
Copyright (c) 2005, MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\amp_cust.h(29): *
Copyright (c) 2005, MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\common.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\common_drv_linux.h(
11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_ap.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_cn.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_cn_d
rv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_eu.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_eu_d
rv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_sa.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_sa_d
rv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_slt.

legal(ME)

h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_us.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_bi_m1v1_us_d
rv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_m1v1_eu.h(11
) : * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sl_t.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sm_m1v1_cn.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sm_m1v1_cn_d
rv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sm_m1v1_eu.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sm_m1v1_eu_d
rv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sm_m1v1_sa.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sm_m1v1_sl_t.
h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sm_m1v1_us.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\mt5891_sm_m2v1_eu_d
rv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\turnkey_mt5891_bi_m
1v1_ap.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\turnkey_mt5891_bi_m
1v1_eu.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\turnkey_mt5891_bi_m
1v1_sa.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\config\turnkey_mt5891_bi_m
1v1_us.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\default_backlight_drv.c(11
) : * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\default_video_drv.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\dummy_tcon_cust.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\empty_hdmi_conf.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\hdmi_conf.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\Makefile(11):# MediaTek
Inc. Copyright (C) 2010. All rights reserved.#
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\MediaTek_600x100x5.h(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\MediaTek_DrvLogo.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\MediaTek_Mpeg2Logo.h(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_aud.h(11): * MediaTek

legal(ME)

Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_aud_amp_339.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_aud_amp_339.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_aud_amp_82581.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_aud_amp_82581.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_button.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_cust_eeprom.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_dmx.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_edid.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_fbm_mmap.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_gpio.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_hdmi.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_ir.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_ir_nec_tbl.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_ir_rc5_code_tbl.h(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_ir_rc5_func_tbl.h(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_nec_joystick_ir.h(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_nonlinear_tbl.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_pdwnc_ext.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_pin_setup.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_PowerMusic.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_rtc_ext.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_sif_cfg.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_tcon_cust.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_tve.c(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_vga.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_vga_autocolor_table.h(

legal(ME)

11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_video_drv.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\mtk_video_drv_4k2k.c(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\Mustang_aud.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\Oryx_tcon_cust.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\panel_cust.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\PANEL_DEFAULT\color_param.
h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\panel_table_cust.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\panel_table_cust.c.bak(11)
: * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\Pi3hdm11310_hdmi_conf.c(11
) : * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\PI3HDMI2410_hdmi_conf.c(11
) : * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\QTY_DEFAULT\mtk_QtyTbl.h(1
1): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\source_table.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\source_table_m3v1.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\mtk\turnkey_m1v1_mtk_aud.h(11)
: * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\panel.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_cust\panel_table.c(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_inc\check_file_update.sh(12):#
MediaTek Inc. Copyright (C) 2010. All rights reserved.#
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_inc\drv_common.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_inc\drv_tve.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_inc\Makefile(11):# MediaTek Inc.
Copyright (C) 2010. All rights reserved.#
uboot\u-boot-2011.12\board\mt5891\drv_lib\drv_inc\tve_ctrl.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\Makefile(11):# MediaTek Inc.
Copyright (C) 2010. All rights reserved.#
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\nucleus.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\nucleus.h(77):/* Copyright Mentor
Graphics Corporation 2002*/
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\openssl\aes.h(3): * Copyright (c)
1998-2002 The OpenSSL Project.All rights reserved.
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_assert.h(11): * MediaTek Inc.

legal(ME)

Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_bim.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_ckgen.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_clksrc.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_config.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_csemaphore.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_debug.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_dram.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_drv_cli.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_gpio.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_hal_5381.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_hal_926.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_hal_arm.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_hal_io.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_irq.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_ldr_env.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_libc.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_lint.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_list.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_mid.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_mid_cli.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_pdwnc.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_pinmux.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_printf.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_rand.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_serial.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_slist.h(11): * MediaTek Inc.

legal(ME)

Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_stl_lib.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_suspend.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_syslog.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_timeprofile.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_timer.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_typedef.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\x_util.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\zconf.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\zconf.h(397):# pragma
map(inflate_copyright,"INCOPY")
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\zconf.h(76): * Copyright (C)
1995-2004 Jean-loup Gailly.
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\zlib.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\inc\zlib.h(78):Copyright (C) 1995-2004
Jean-loup Gailly and Mark Adler
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\api_backlt.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\api_eep.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\api_notify.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\api_srch_if.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\api_wss.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\di_debug.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_adcset.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_async.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_auto.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_autocolor.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_bnr_int.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_contrast.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_css.h(29): * Copyright
(c) 2005, MediaTek, Inc.
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_ddcci.h(11): *

legal(ME)

MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_di.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_di_int.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_display.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_dram.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_dsycn.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_dvi2.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_dvi2com.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_edid.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_hdmi14ana.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_hdmi2.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_hdmi2.h(433):BOOL
fgCopyRight;
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_hdmi2.h(657):extern
void vHDMI2AudChannelStatus(HdmiRxPort ePort, BOOL *pfgCopyRight, UINT8
*pu1CategoryCode,
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_hdmi2com.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_hdtv.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_lbox.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_lcdim_v2.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_ldmspi.h(29): *
Copyright (c) 2005, MediaTek, Inc.
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_lvds.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_meter.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_mfd.h(29): * Copyright
(c) 2005, MediaTek, Inc.
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_mhl.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_mhlcom.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_mjc.h(29): * Copyright
(c) 2005, MediaTek, Inc.
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_mjc_if.h(29): *
Copyright (c) 2005, MediaTek, Inc.
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_mon_out.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_mpeg.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_noisemeter.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_nr.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_nr_int.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_od.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_pq_cust.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_pqstress.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_predown.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_pwm.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_regen.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_scaler.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_scaler_drvif.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_scaler_psc.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_scart.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_scpos.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_tcon.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_tdc.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_tdnavi.h(29): * Copyright (c) 2005, MediaTek, Inc.

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_tdtv.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_tdtv_drvif.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_ttd.h(29): * Copyright (c) 2005, MediaTek, Inc.

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_tvd.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_upscaler.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_vbi.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_vbi_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_vbyone.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_vdoclk.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_vga.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_video.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\drv_ycproc.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\frametrack_drvif.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\hal_ycproc.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\Makefile(11):# MediaTek
Inc. Copyright (C) 2010. All rights reserved.#
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\vga_auto.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\drv\vga_table.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\dvi_debug.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hdmi_debug.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_async.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_avlink.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_ddds.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_dgo.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_di_int.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_dsync.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_dvi.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_hdmi14ana.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_hdmi2.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_hdtv.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_irtx.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_lcdim_v2.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_ldmspi.h(29):*Copyright
Statement:
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_ldmspi.h(31):*This
software is protected by Copyright and the information contained
uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_lvds.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_mfd.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_mhl.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_mjcf.d.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_mlvs.d.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_nr.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_nr_int.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_od.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_ospe.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_pdwnc.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_predown.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_regen.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_scart.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_scpip_pq.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_scpos.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_scslicer.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_sw.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_sys.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_tcon.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_tdc.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_tddc.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_tdnavi.h(29): * Copyright (c) 2005, MediaTek, Inc.

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_tg.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_ttd.h(29): * Copyright (c) 2005, MediaTek, Inc.

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_tvd.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_vbi.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_vbyone.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_vdoin.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_vfe.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\hw_ycproc.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\hw\Makefile(11):# MediaTek Inc. Copyright (C) 2010. All rights reserved.#

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\Makefile(11):# MediaTek Inc. Copyright (C) 2010. All rights reserved.#

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\mhl_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\mjc_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\mute_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\mute_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\nptv_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\nptv_drvif.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\nptv_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\nptv_vdec_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\nr_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\ostg_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\pe_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\pe_table.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\scpos_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\dram_map.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\eeplib.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\feature.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\general.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\Makefile(11):# MediaTek Inc. Copyright (C) 2010. All rights reserved.#

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\source_select.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\source_table.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\sv_const.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\typedef.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\util.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\vdo_fpga.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\vdo_misc.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\vdo_rm.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\vdp_display.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\vdp_venc_ctrl.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\sys\vendor.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\tvd_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\vdo_chip.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\vdo_drvif.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\vdo_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\video_def.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\drv_lib\nptv\inc\video_timing.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\env.c(4): * Copyright (c) 2010-2012 MediaTek Inc.

uboot\u-boot-2011.12\board\mt5891\env.c(6): *Copyright (C) 2002 ARM Ltd.

uboot\u-boot-2011.12\board\mt5891\Makefile(2):# (C) Copyright 2000-2004

uboot\u-boot-2011.12\board\mt5891\Makefile(5):# (C) Copyright 2004

uboot\u-boot-2011.12\board\mt5891\memsetup.S(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\ckgen.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\dmx.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\dmx_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\dmx_drm_drvif.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\dmx_drm_if.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\dmx_drm_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\dmx_dtcp_api.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\dmx_emu.h(11): * MediaTek Inc. Copyright

legal(ME)

(C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\dmx_if.h(1060):BOOL fgCopyright; ///
The copyright flag in PES header
uboot\u-boot-2011.12\board\mt5891\module\dmx_if.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\dmx_mm.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\dmx_mm_if.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\dmx_pcr.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\dmx_pcr_hal.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\dmx_pcr_hw.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\dmx_pcr_reg.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\drv_display.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\drv_lvds.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\drv_pwm.c(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\drv_scaler_hw.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\drv_scaler_psc.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\drv_tcon.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\drv_vbyone.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\eeeprom_hw.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\eeeprom_if.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\fvr.h(11): * MediaTek Inc. Copyright (C)
2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\fvr_debug.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\fvr_if.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\gcpu.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\gcpu_api.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\gcpu_debug.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\gcpu_dram.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\gcpu_hw.c(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\module\gcpu_if.c(11): * MediaTek Inc. Copyright

legal(ME)

(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\gcpu_if.h(29): * Copyright (c) 2005, MediaTek Inc.

uboot\u-boot-2011.12\board\mt5891\module\gcpu_iram0_83.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\gcpu_iram0_90.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\gcpu_iram0_99.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\gcpu_iram1_98.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\gpio.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\hal_io.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\hw_vdoin.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\ir_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\ir_hw.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\ir_ph.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\ir_ph.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\irrx_if.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\msdc_drv.h(35):* [Copyright]

uboot\u-boot-2011.12\board\mt5891\module\msdc_drv.h(36):*Copyright (C) 2011 MediaTek Incorporation. All Rights Reserved.

uboot\u-boot-2011.12\board\mt5891\module\msdc_host_hw.h(35):* [Copyright]

uboot\u-boot-2011.12\board\mt5891\module\msdc_host_hw.h(36):*Copyright (C) 2011 MediaTek Incorporation. All Rights Reserved.

uboot\u-boot-2011.12\board\mt5891\module\msdc_slave_hw.h(35):* [Copyright]

uboot\u-boot-2011.12\board\mt5891\module\msdc_slave_hw.h(36):*Copyright (C) 2011 MediaTek Incorporation. All Rights Reserved.

uboot\u-boot-2011.12\board\mt5891\module\nandhw_reg.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\nor_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_base_hw.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_base_if.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_cursor_hw.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_dma.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_drvif.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\board\mt5891\module\osd_hw.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_plane_hw.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_plane_if.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_region_hw.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_region_if.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_scaler_hw.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\osd_scaler_if.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\ostg_if.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_config.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_debug.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_drvif.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_entry.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_entry.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_gpio.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_gpio.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_hw.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_hw.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_if.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_pwm.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_pwm.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_srvad.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_srvad.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_t8032.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pdwnc_t8032.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pinmux.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\board\mt5891\module\pmx_drvif.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pmx_hw.c(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pmx_hw.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pmx_if.c(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\pmx_if.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\serialflash_hw.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\serialflash_hw.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\setpll.c(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_debug.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_diag.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_hw.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_hw_m0.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_hw_m1.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_hw_m2.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_hw_pdm0.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_hw_pdm1.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_hw_sec0.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_if.c(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_if.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_isr.c(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\sif_isr.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\stc_drvif.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\vdo_evtflg.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\video_data.c(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\x_gpio.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

uboot\u-boot-2011.12\board\mt5891\module\x_pdwnc.h(11): * MediaTek Inc. Copyright
(C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\board\mt5891\mt5891_board.c(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\mt5891_board.c(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\board\mt5891\mt5891_flash.c(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\mt5891_flash.c(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\board\mt5891\mt5891_mac.c(6): * Copyright (c) 2008-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\mt5891_mac.h(6): * Copyright (c) 2008-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\mt5891_mmc.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\mt5891_nand.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\mt5891_panel.c(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\mt5891_panel.c(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\board\mt5891\mt5891_secure_rom.c(6): * Copyright (c) 2008-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\mt5891_secure_rom.h(6): * Copyright (c) 2008-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\mt5891_sif.c(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\board\mt5891\mt5891_sif.c(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\board\mt5891\nand_aes.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\board\mt5891\u-boot.lds(2): * (C) Copyright 2002
uboot\u-boot-2011.12\common\bedbug.c(1240): * Copyright (c) 2000 William L. Pitts and W. Gerald Hicks
uboot\u-boot-2011.12\common\cmd_ambapp.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\common\cmd_bdinfor.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\common\cmd_bedbug.c(408): * Copyright (c) 2001 William L. Pitts
uboot\u-boot-2011.12\common\cmd_bmp.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_boot.c(2): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\common\cmd_bootldr.c(4): * Copyright (c) 2005-2008 Analog Devices Inc.
uboot\u-boot-2011.12\common\cmd_bootm.c(2): * (C) Copyright 2000-2009
uboot\u-boot-2011.12\common\cmd_cache.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_console.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_cplbinfor.c(4): * Copyright (c) 2007-2008 Analog Devices Inc.
uboot\u-boot-2011.12\common\cmd_dataflash_mmc_mux.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_date.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_dcr.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_df.c(4): * Copyright (C) 2008 Atmel Corporation
uboot\u-boot-2011.12\common\cmd_diag.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_display.c(2): * (C) Copyright 2005
uboot\u-boot-2011.12\common\cmd_dtt.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_echo.c(2): * Copyright 2000-2009
uboot\u-boot-2011.12\common\cmd_eeprom.c(2): * (C) Copyright 2000, 2001
uboot\u-boot-2011.12\common\cmd_elf.c(2): * Copyright (c) 2001 William L. Pitts

legal(ME)

uboot\u-boot-2011.12\common\cmd_exit.c(2): * Copyright 2000-2009
uboot\u-boot-2011.12\common\cmd_ext2.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\common\cmd_ext2.c(8): * (C) Copyright 2003 - 2004
uboot\u-boot-2011.12\common\cmd_ext4.c(10): * (C) Copyright 2004
uboot\u-boot-2011.12\common\cmd_ext4.c(16): * (C) Copyright 2003 - 2004
uboot\u-boot-2011.12\common\cmd_ext4.c(2): * (C) Copyright 2011 - 2012 Samsung
Electronics
uboot\u-boot-2011.12\common\cmd_fat.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_fdc.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_fdos.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_fdt.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\common\cmd_fitupd.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\common\cmd_flash.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_fpga.c(2): * (C) Copyright 2000, 2001
uboot\u-boot-2011.12\common\cmd_gpio.c(4): * Copyright (c) 2008-2011 Analog
Devices Inc.
uboot\u-boot-2011.12\common\cmd_help.c(2): * Copyright 2000-2009
uboot\u-boot-2011.12\common\cmd_i2c.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_i2c.c(76): * Adapted from cmd_mem.c which is
copyright Wolfgang Denk (wd@denx.de).
uboot\u-boot-2011.12\common\cmd_ide.c(2): * (C) Copyright 2000-2011
uboot\u-boot-2011.12\common\cmd_immap.c(2): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\common\cmd_irq.c(2): * Copyright 2008 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\common\cmd_itest.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\common\cmd_jffs2.c(11): * (C) Copyright 2005
uboot\u-boot-2011.12\common\cmd_jffs2.c(19): * Copyright 2002 SYSGO Real-Time
Solutions GmbH
uboot\u-boot-2011.12\common\cmd_jffs2.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_jffs2.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_jffs2.c(8): * (C) Copyright 2003
uboot\u-boot-2011.12\common\cmd_ldrinfo.c(4): * Copyright (c) 2010 Analog Devices
Inc.
uboot\u-boot-2011.12\common\cmd_led.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\common\cmd_led.c(7): * (C) Copyright 2008
uboot\u-boot-2011.12\common\cmd_license.c(2): * (C) Copyright 2007 by OpenMoko,
Inc.
uboot\u-boot-2011.12\common\cmd_load.c(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\common\cmd_log.c(2): * (C) Copyright 2002-2007
uboot\u-boot-2011.12\common\cmd_log.c(6): * Copyright (C) 1991, 1992 Linus
Torvalds
uboot\u-boot-2011.12\common\cmd_mac.c(2): * Copyright 2006 Freescale
Semiconductor
uboot\u-boot-2011.12\common\cmd_md5sum.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_mdio.c(2): * (C) Copyright 2011 Freescale
Semiconductor, Inc
uboot\u-boot-2011.12\common\cmd_mem.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_mem.c(751): * information follows: Copyright (c)
1998 by Michael
uboot\u-boot-2011.12\common\cmd_mfs1.c(2): * (C) Copyright 2007 Michal Simek
uboot\u-boot-2011.12\common\cmd_mgdisk.c(2): * (C) Copyright 2009 mGine co.
uboot\u-boot-2011.12\common\cmd_mii.c(2): * (C) Copyright 2001

legal(ME)

uboot\u-boot-2011.12\common\cmd_misc.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_mmc.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\common\cmd_mmc_spi.c(4): * Copyright (C) 2010 Thomas Chou
<thomas@wytron.com.tw>
uboot\u-boot-2011.12\common\cmd_mp.c(2): * Copyright 2008-2009 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\common\cmd_mtdparts.c(11): * (C) Copyright 2005
uboot\u-boot-2011.12\common\cmd_mtdparts.c(18): * (C) Copyright 2008
uboot\u-boot-2011.12\common\cmd_mtdparts.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_mtdparts.c(22): * Copyright 2002 SYSGO Real-Time
Solutions GmbH
uboot\u-boot-2011.12\common\cmd_mtdparts.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_mtdparts.c(8): * (C) Copyright 2003
uboot\u-boot-2011.12\common\cmd_nand.c(10): * (C) Copyright 2006-2007 OpenMoko,
Inc.
uboot\u-boot-2011.12\common\cmd_nand.c(14): * Copyright 2010 Freescale
Semiconductor
uboot\u-boot-2011.12\common\cmd_nand.c(15): * The portions of this file whose
copyright is held by Freescale and which
uboot\u-boot-2011.12\common\cmd_net.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_nvedit.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\common\cmd_nvedit.c(5): * (C) Copyright 2001 Sysgo Real-Time
Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\common\cmd_nvedit.c(8): * Copyright 2011 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\common\cmd_onenand.c(4): *Copyright (C) 2005-2008 Samsung
Electronics
uboot\u-boot-2011.12\common\cmd_otp.c(4): * Copyright (c) 2007-2008 Analog
Devices Inc.
uboot\u-boot-2011.12\common\cmd_pci.c(2): * (C) Copyright 2001 Sysgo Real-Time
Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\common\cmd_pci.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_pcmcia.c(2): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\common\cmd_portio.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\common\cmd_pxe.c(2): * Copyright 2010-2011 Calxeda, Inc.
uboot\u-boot-2011.12\common\cmd_reginfo.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_reiser.c(2): * (C) Copyright 2003 - 2004
uboot\u-boot-2011.12\common\cmd_sata.c(2): * Copyright (C) 2000-2005, DENX
Software Engineering
uboot\u-boot-2011.12\common\cmd_sata.c(4): * Copyright (C) Procsys. All rights
reserved.
uboot\u-boot-2011.12\common\cmd_sata.c(7): * Copyright (C) 2008 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\common\cmd_scsi.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_setexpr.c(2): * Copyright 2008 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\common\cmd_sf.c(4): * Copyright (C) 2008 Atmel Corporation
uboot\u-boot-2011.12\common\cmd_sha1sum.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_source.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_spi.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\common\cmd_spibootldr.c(4): * Copyright (c) 2005-2008 Analog
Devices Inc.

legal(ME)

uboot\u-boot-2011.12\common\cmd_strings.c(4): * Copyright (c) 2008 Analog Devices Inc.
uboot\u-boot-2011.12\common\cmd_terminal.c(2): * (C) Copyright 2007 OpenMoko, Inc.
uboot\u-boot-2011.12\common\cmd_test.c(2): * Copyright 2000-2009
uboot\u-boot-2011.12\common\cmd_time.c(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\common\cmd_tpm.c(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\common\cmd_tsi148.c(2): * (C) Copyright 2009 Reinhard Arlt, reinhard.arlt@esd-electronics.com
uboot\u-boot-2011.12\common\cmd_tsi148.c(6): * (C) Copyright 2003 Stefan Roese, stefan.roese@esd-electronics.com
uboot\u-boot-2011.12\common\cmd_ubi.c(4): *Copyright (C) 2008 Samsung Electronics
uboot\u-boot-2011.12\common\cmd_ubi.c(7): * Copyright 2008-2009 Stefan Roese <sr@denx.de>, DENX Software Engineering
uboot\u-boot-2011.12\common\cmd_ubifs.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\common\cmd_universe.c(2): * (C) Copyright 2003 Stefan Roese, stefan.roese@esd-electronics.com
uboot\u-boot-2011.12\common\cmd_unzip.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\cmd_usb.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\cmd_version.c(2): * Copyright 2000-2009
uboot\u-boot-2011.12\common\cmd_ximg.c(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\common\cmd_ximg.c(5): * (C) Copyright 2003
uboot\u-boot-2011.12\common\command.c(2): * (C) Copyright 2000-2009
uboot\u-boot-2011.12\common\console.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\ddr_spd.c(2): * Copyright 2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\common\env_common.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\common\env_common.c(5): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\common\env_eeprom.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\common\env_eeprom.c(5): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\common\env_embedded.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\env_flash.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\common\env_flash.c(5): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\common\env_mgdisk.c(2): * (C) Copyright 2009 mGine co.
uboot\u-boot-2011.12\common\env_mmc.c(2): * (C) Copyright 2008-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\common\env_nand.c(11): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\common\env_nand.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\common\env_nand.c(5): * (C) Copyright 2008
uboot\u-boot-2011.12\common\env_nand.c(8): * (C) Copyright 2004
uboot\u-boot-2011.12\common\env_nowhere.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\common\env_nowhere.c(5): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\common\env_nvram.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\common\env_nvram.c(5): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>

legal(ME)

uboot\u-boot-2011.12\common\env_onenand.c(2): * (C) Copyright 2010 DENX Software Engineering
uboot\u-boot-2011.12\common\env_onenand.c(5): * (C) Copyright 2005-2009 Samsung Electronics
uboot\u-boot-2011.12\common\env_sf.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\common\env_sf.c(5): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\common\env_sf.c(8): * (C) Copyright 2008 Atmel Corporation
uboot\u-boot-2011.12\common\fdt_support.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\common\fdt_support.c(5): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\common\flash.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\hash.c(2): * Copyright (c) 2012 The Chromium OS Authors.
uboot\u-boot-2011.12\common\hash.c(4): * (C) Copyright 2011
uboot\u-boot-2011.12\common\hash.c(7): * (C) Copyright 2000
uboot\u-boot-2011.12\common\hush.c(14): *which is Copyright (C) 2000 by Lineo, Inc., and
uboot\u-boot-2011.12\common\hush.c(7): * Copyright (C) 2000,2001Larry Doolittle<larry@doolittle.boa.org>
uboot\u-boot-2011.12\common\hwconfig.c(4): * Copyright (c) 2009MontaVista Software, Inc.
uboot\u-boot-2011.12\common\hwconfig.c(5): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\common\image.c(2): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\common\image.c(4): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\common\image-android.c(2): * Copyright (c) 2011 Sebastian Andrzej Siewior <bigeasy@linutronix.de>
uboot\u-boot-2011.12\common\image-android-sig.c(2): * Copyright (c) 2015, Google Inc.
uboot\u-boot-2011.12\common\image-sig.c(2): * Copyright (c) 2013, Google Inc.
uboot\u-boot-2011.12\common\iomux.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\common\kallsyms.c(4): * Copyright (c) 2008-2009 Analog Devices Inc.
uboot\u-boot-2011.12\common\kgdb_stubs.c(5): * Copyright 2009 Analog Devices Inc.
uboot\u-boot-2011.12\common\lcd.c(4): * (C) Copyright 2001-2002
uboot\u-boot-2011.12\common\lynxkdi.c(2): * Copyright (c) Orbacom Systems, Inc <www.orbacom.com>
uboot\u-boot-2011.12\common\main.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\main.c(6): * (C) Copyright 2005
uboot\u-boot-2011.12\common\Makefile(2):# (C) Copyright 2004-2006
uboot\u-boot-2011.12\common\memsize.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\common\menu.c(2): * Copyright 2010-2011 Calxeda, Inc.
uboot\u-boot-2011.12\common\miiphyutil.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\modem.c(2): * (C) Copyright 2002-2009
uboot\u-boot-2011.12\common\s_record.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\serial.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\common\sparse_format.h(2): * Copyright (C) 2010 The Android Open Source Project
uboot\u-boot-2011.12\common\stdio.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\common\system_map.c(4): * Copyright (c) 2008-2009 Analog Devices Inc.

```

                                legal(ME)
uboot\u-boot-2011.12\common\update.c(2): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\common\usb.c(10): * (C) Copyright Randy Dunlap 2000
uboot\u-boot-2011.12\common\usb.c(11): * (C) Copyright David Brownell 2000
(kernel hotplug, usb_device_id)
uboot\u-boot-2011.12\common\usb.c(12): * (C) Copyright Yggdrasil Computing, Inc.
2000
uboot\u-boot-2011.12\common\usb.c(16): * (C) Copyright 2001 Denis Peter, MPL AG
Switzerland
uboot\u-boot-2011.12\common\usb.c(5): * (C) Copyright Linus Torvalds 1999
uboot\u-boot-2011.12\common\usb.c(6): * (C) Copyright Johannes Erdfelt 1999-2001
uboot\u-boot-2011.12\common\usb.c(7): * (C) Copyright Andreas Gal 1999
uboot\u-boot-2011.12\common\usb.c(8): * (C) Copyright Gregory P. Smith 1999
uboot\u-boot-2011.12\common\usb.c(9): * (C) Copyright Deti Fliegl 1999 (new USB
architecture)
uboot\u-boot-2011.12\common\usb_kbd.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\common\usb_storage.c(11): * (C) Copyright 2001 Denis Peter,
MPL AG Switzerland
uboot\u-boot-2011.12\common\usb_storage.c(13): * For BBB support (C) Copyright
2003
uboot\u-boot-2011.12\common\xyzModem.c(12): * Copyright (C) 1998, 1999, 2000,
2001, 2002 Red Hat, Inc.
uboot\u-boot-2011.12\common\xyzModem.c(13): * Copyright (C) 2002 Gary Thomas
uboot\u-boot-2011.12\config.mk(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\COPYING(1):U-Boot is Free Software.It is copyrighted by
Wolfgang Denk and
uboot\u-boot-2011.12\COPYING(20):Also note that the GPL below is copyrighted by
the Free Software
uboot\u-boot-2011.12\COPYING(22):source code) is copyrighted by me and others who
actually wrote it.
uboot\u-boot-2011.12\COPYING(30): Copyright (C) 1989, 1991 Free Software
Foundation, Inc.
uboot\u-boot-2011.12\disk\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\disk\part.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\disk\part_amiga.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\disk\part_amiga.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\disk\part_dos.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\disk\part_dos.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\disk\part_efi.c(2): * Copyright (C) 2008 RuggedCom, Inc.
uboot\u-boot-2011.12\disk\part_efi.h(2): * Copyright (C) 2008 RuggedCom, Inc.
uboot\u-boot-2011.12\disk\part_iso.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\disk\part_iso.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\disk\part_mac.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\disk\part_mac.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\doc\README.alaska8220(319):tracek: Copyright (C) Motorola,
2003.
uboot\u-boot-2011.12\doc\README.alaska8220(323):elp-fpanel: Copyright (C)
Motorola, 2003.
uboot\u-boot-2011.12\doc\README.alaska8220(325):elp-engine: Copyright (C)
Motorola, 2003.
uboot\u-boot-2011.12\doc\README.alaska8220(327):Alpine 1284 driver: Copyright (C)
Motorola, 2003.
uboot\u-boot-2011.12\doc\README.alaska8220(329):Alpine USB driver: Copyright (C)

```

legal(ME)

Motorola, 2003.
uboot\u-boot-2011.12\doc\README.alaska8220(334):elp-dmaram: Copyright (C) Motorola, 2003.
uboot\u-boot-2011.12\doc\README.alaska8220(337):Xicor NVRAM driver: Copyright (C) Motorola, 2003.
uboot\u-boot-2011.12\doc\README.alaska8220(338):elp-video: Copyright (C) Motorola, 2003.
uboot\u-boot-2011.12\doc\README.alaska8220(340):elp-pfm: Copyright (C) Motorola, 2003.
uboot\u-boot-2011.12\doc\README.alaska8220(341):paddle: Copyright (C) Motorola, 2001, present.
uboot\u-boot-2011.12\doc\README.arm-relocation(117):Copyright (C) 2007 Free Software Foundation, Inc.
uboot\u-boot-2011.12\doc\README.autoboot(2): * (C) Copyright 2001
uboot\u-boot-2011.12\doc\README.bus_vcxk(2): * (C) Copyright 2008-2009
uboot\u-boot-2011.12\doc\README.console(2): * (C) Copyright 2000
uboot\u-boot-2011.12\doc\README.fads(2): * (C) Copyright 2000
uboot\u-boot-2011.12\doc\README.fdt-control(2):# Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\doc\README.iomux(2): * (C) Copyright 2008
uboot\u-boot-2011.12\doc\README.marubun-pcmcia(64):Copyright (c) 2007
uboot\u-boot-2011.12\doc\README.menu(2): * Copyright 2010-2011 Calxeda, Inc.
uboot\u-boot-2011.12\doc\README.nand(5):# (C) Copyright 2003
uboot\u-boot-2011.12\doc\README.PlanetCore(19):Copyright 2001 Embedded Planet.All rights reserved.
uboot\u-boot-2011.12\doc\README.PlanetCore(42):Copyright 2001 Embedded Planet.All rights reserved.
uboot\u-boot-2011.12\doc\README.PlanetCore(63):Copyright 2001 Embedded Planet.All rights reserved.
uboot\u-boot-2011.12\doc\README.PlanetCore(91):Copyright 2001 Embedded Planet.All rights reserved.
uboot\u-boot-2011.12\doc\README.pxe(2): * Copyright 2010-2011 Calxeda, Inc.
uboot\u-boot-2011.12\doc\README.qemu_mips(120):Copyright (C) 2006 Free Software Foundation, Inc.
uboot\u-boot-2011.12\doc\README.sandbox(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\doc\README.sbc8641d(5):Copyright 2007, Embedded Specialties, Inc.
uboot\u-boot-2011.12\doc\README.sbc8641d(6):Copyright 2007 Wind River Systemes, Inc.
uboot\u-boot-2011.12\doc\README.sh(103):Copyright (c) 2007,2008
uboot\u-boot-2011.12\doc\README.usb(2): * (C) Copyright 2001
uboot\u-boot-2011.12\doc\README.video(2): * (C) Copyright 2000
uboot\u-boot-2011.12\drivers\bios_emulator\atibios.c(6):* Copyright (C) 2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\atibios.c(9):* Copyright (C) 1991-2004 SciTech Software, Inc. All rights reserved.
uboot\u-boot-2011.12\drivers\bios_emulator\besys.c(11):* Copyright (C) 1991-2004 SciTech Software, Inc. All rights reserved.
uboot\u-boot-2011.12\drivers\bios_emulator\besys.c(8):* Copyright (C) 2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\bios.c(6):*Copyright (C) 2007

legal(ME)

Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\bios.c(9):* Copyright (C) 1996-1999
SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\biosemu.c(6):*Copyright (C) 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\biosemu.c(9):*Copyright (C) 1996-1999
SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\biosemui.h(6):*Copyright (C) 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\biosemui.h(9):*Copyright (C) 1996-1999
SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\biosemu.h(6):* Copyright (C)
1996-1999 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu.h(5):* Copyright (C)
1996-1999 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu.h(6):*Copyright (C)
David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu.h(7):*Copyright (C)
1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\debug.h(5):*Copyright
(C) 1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\debug.h(6):* Copyright
(C) David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\debug.h(7):* Copyright
(C) 1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\decode.h(5):* Copyright
(C) 1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\decode.h(6):*Copyright
(C) David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\decode.h(7):*Copyright
(C) 1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\ops.h(5):* Copyright
(C) 1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\ops.h(6):*Copyright (C)
David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\ops.h(7):*Copyright (C)
1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\prim_asm.h(5):*
Copyright (C) 1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\prim_asm.h(6):*Copyrigh
t (C) David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\prim_asm.h(7):*Copyrigh
t (C) 1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\prim_ops.h(5):*
Copyright (C) 1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\prim_ops.h(6):*Copyrigh
t (C) David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\prim_ops.h(7):*Copyrigh
t (C) 1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\regs.h(5):*Copyright
(C) 1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\regs.h(6):* Copyright

legal(ME)

(C) David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\regs.h(7):* Copyright
(C) 1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\x86emui.h(5):*
Copyright (C) 1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\x86emui.h(6):*Copyright
(C) David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\include\x86emu\x86emui.h(7):*Copyright
(C) 1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\debug.c(5):* Copyright (C)
1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\debug.c(6):*Copyright (C) David
Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\debug.c(7):*Copyright (C) 1999
Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\decode.c(5):*Copyright (C)
1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\decode.c(6):* Copyright (C)
David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\decode.c(7):* Copyright (C)
1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\ops.c(4):*Copyright (C) 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\ops.c(7):*Copyright (C)
1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\ops.c(8):* Copyright (C) David
Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\ops.c(9):* Copyright (C) 1999
Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\ops2.c(10):* Copyright (C) 1999
Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\ops2.c(5):*Copyright (C) 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\ops2.c(8):*Copyright (C)
1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\ops2.c(9):* Copyright (C) David
Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\prim_ops.c(5):*Copyright (C)
1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\prim_ops.c(6):* Copyright (C)
David Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\prim_ops.c(7):* Copyright (C)
1999 Egbert Eich
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\sys.c(5):* Copyright (C)
1991-2004 SciTech Software, Inc.
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\sys.c(6):*Copyright (C) David
Mosberger-Tang
uboot\u-boot-2011.12\drivers\bios_emulator\x86emu\sys.c(7):*Copyright (C) 1999
Egbert Eich
uboot\u-boot-2011.12\drivers\block\ahci.c(2): * Copyright (C) Freescale
Semiconductor, Inc. 2006.
uboot\u-boot-2011.12\drivers\block\ata_piix.c(2): * Copyright (C) Procsys. All

legal(ME)

rights reserved.

uboot\u-boot-2011.12\drivers\block\fs1_sata.c(2): * Copyright (C) 2008,2010
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\block\fs1_sata.h(2): * Copyright (C) 2007-2008
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\block\ftide020.c(4): * (C) Copyright 2011 Andes
Technology

uboot\u-boot-2011.12\drivers\block\ftide020.h(4): * (C) Copyright 2011 Andes
Technology

uboot\u-boot-2011.12\drivers\block\libata.c(2): * Copyright (C) 2008 Freescale
Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\block\Makefile(2):# (C) Copyright 2000-2007

uboot\u-boot-2011.12\drivers\block\mg_disk.c(2): * (C) Copyright 2009 mGine co.

uboot\u-boot-2011.12\drivers\block\mg_disk_prv.h(2): * (C) Copyright 2009 mGine
co.

uboot\u-boot-2011.12\drivers\block\mvsata_ide.c(2): * Copyright (C) 2010 Albert
ARIBAUD <albert.u.boot@aribaud.net>

uboot\u-boot-2011.12\drivers\block\mx_c_ata.c(11): * Copyright (C) 1998, 1999,
2000, 2001, 2002 Red Hat, Inc.

uboot\u-boot-2011.12\drivers\block\mx_c_ata.c(4): * Copyright (C) 2010 Marek Vasut
<marek.vasut@gmail.com>

uboot\u-boot-2011.12\drivers\block\pata_bfin.c(6): * Copyright (c) 2008 Analog
Devices Inc.

uboot\u-boot-2011.12\drivers\block\pata_bfin.h(6): * Copyright (c) 2008 Analog
Devices Inc.

uboot\u-boot-2011.12\drivers\block\sata_dwc.c(12): *Copyright 2006 Applied Micro
Circuits Corporation

uboot\u-boot-2011.12\drivers\block\sata_dwc.c(13): *COPYRIGHT (C) 2005SYNOPSIS,
INC.ALL RIGHTS RESERVED

uboot\u-boot-2011.12\drivers\block\sata_dwc.c(9): * Copyright 2008 DENX Software
Engineering

uboot\u-boot-2011.12\drivers\block\sata_dwc.h(12): *Copyright 2006 Applied Micro
Circuits Corporation

uboot\u-boot-2011.12\drivers\block\sata_dwc.h(13): *COPYRIGHT (C) 2005SYNOPSIS,
INC.ALL RIGHTS RESERVED

uboot\u-boot-2011.12\drivers\block\sata_dwc.h(9): * Copyright 2008 DENX Software
Engineering

uboot\u-boot-2011.12\drivers\block\sata_sil.c(2): * Copyright (C) 2011 Freescale
Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\block\sata_sil.h(2): * Copyright (C) 2011 Freescale
Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\block\sata_sil3114.c(2): * Copyright (C) Excito
Elektronik i Sk̄·ne AB, All rights reserved.

uboot\u-boot-2011.12\drivers\block\sata_sil3114.h(2): * Copyright (C) Excito
Elektronik i Sk̄·ne AB, All rights reserved.

uboot\u-boot-2011.12\drivers\block\sil680.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\drivers\block\sym53c8xx.c(2): * (C) Copyright 2001

uboot\u-boot-2011.12\drivers\block\systemace.c(2): * Copyright (c) 2004 Picture
Elements, Inc.

uboot\u-boot-2011.12\drivers\dma\apbh_dma.c(4): * Copyright (C) 2011 Marek Vasut
<marek.vasut@gmail.com>

uboot\u-boot-2011.12\drivers\dma\apbh_dma.c(8): * Copyright (C) 2010 Freescale

legal(ME)

Semiconductor, Inc. All Rights Reserved.

uboot\u-boot-2011.12\drivers\dma\fs1_dma.c(2): * Copyright 2004,2007,2008
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\dma\fs1_dma.c(3): * (C) Copyright 2002, 2003
Motorola Inc.

uboot\u-boot-2011.12\drivers\dma\fs1_dma.c(6): * (C) Copyright 2000

uboot\u-boot-2011.12\drivers\dma\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\drivers\dma\MCD_dmaApi.c(2): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\dma\MCD_tasks.c(2): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\dma\MCD_tasksInit.c(2): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\dma\omap3_dma.c(1):/* Copyright (C) 2011

uboot\u-boot-2011.12\drivers\fpga\ACEX1K.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\fpga\ACEX1K.c(5): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\fpga\altera.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\fpga\altera.c(5): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\fpga\cyclon2.c(2): * (C) Copyright 2006

uboot\u-boot-2011.12\drivers\fpga\fpga.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\fpga\ivm_core.c(4): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\fpga\ivm_core.c(9): * Copyright 2009 Lattice
Semiconductor Corp.

uboot\u-boot-2011.12\drivers\fpga\lattice.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\fpga\lattice.c(5): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\fpga\lattice.c(9): * Copyright 2009 Lattice
Semiconductor Corp.

uboot\u-boot-2011.12\drivers\fpga\Makefile(2):# (C) Copyright 2008

uboot\u-boot-2011.12\drivers\fpga\spartan2.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\fpga\spartan3.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\fpga\stratixII.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\drivers\fpga\virtex2.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\fpga\xilinx.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\gpio\altera_pio.c(4): * Copyright (C) 2011Missing
Link Electronics

uboot\u-boot-2011.12\drivers\gpio\at91_gpio.c(4): * Copyright (C) 2009 Jens
Scharsig (js_at_ng@scharsoft.de)

uboot\u-boot-2011.12\drivers\gpio\at91_gpio.c(6): *Copyright (C) 2005 HP Labs

uboot\u-boot-2011.12\drivers\gpio\da8xx_gpio.c(4): * (C) Copyright 2011 Guralp
Systems Ltd.

uboot\u-boot-2011.12\drivers\gpio\Makefile(2):# Copyright 2000-2008

uboot\u-boot-2011.12\drivers\gpio\mvgpio.c(2): * (C) Copyright 2011

uboot\u-boot-2011.12\drivers\gpio\mvgpio.c(6): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\gpio\mvgpio.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\drivers\gpio\mvgpio.h(6): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\gpio\mvmfp.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\gpio\mx_c_gpio.c(2): * Copyright (C) 2009

uboot\u-boot-2011.12\drivers\gpio\mx_c_gpio.c(5): * Copyright (C) 2011

uboot\u-boot-2011.12\drivers\gpio\mxs_gpio.c(4): * Copyright (C) 2011 Marek Vasut
<marek.vasut@gmail.com>

uboot\u-boot-2011.12\drivers\gpio\pca953x.c(2): * Copyright 2008 Extreme
Engineering Solutions, Inc.

legal(ME)

uboot\u-boot-2011.12\drivers\gpio\pca9698.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\drivers\gpio\s5p_gpio.c(2): * (C) Copyright 2009 Samsung Electronics
uboot\u-boot-2011.12\drivers\gpio\tegra2_gpio.c(3): *(C) Copyright 2010,2011
uboot\u-boot-2011.12\drivers\hwmon\adm1021.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\hwmon\adm1021.c(7): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\hwmon\adt7460.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\drivers\hwmon\ds1621.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\hwmon\lm63.c(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\drivers\hwmon\lm73.c(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\drivers\hwmon\lm73.c(7): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\hwmon\lm75.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\hwmon\lm81.c(2): * (C) Copyright 2006
uboot\u-boot-2011.12\drivers\hwmon\lm81.c(7): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\hwmon\Makefile(2):# (C) Copyright 2006
uboot\u-boot-2011.12\drivers\hwmon\Makefile(5):# (C) Copyright 2001
uboot\u-boot-2011.12\drivers\i2c\bfin-twi_i2c.c(4): * Copyright (c) 2006-2010 Analog Devices Inc.
uboot\u-boot-2011.12\drivers\i2c\davinci_i2c.c(4): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\drivers\i2c\fs1_i2c.c(2): * Copyright 2006,2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\i2c\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\i2c\mv_i2c.c(11): * (C) Copyright 2011 Marvell Inc.
uboot\u-boot-2011.12\drivers\i2c\mv_i2c.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\drivers\i2c\mv_i2c.c(5): * (C) Copyright 2000 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\drivers\i2c\mv_i2c.c(8): * (C) Copyright 2003 Pengutronix e.K.
uboot\u-boot-2011.12\drivers\i2c\mv_i2c.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\drivers\i2c\mvtsi.c(6): * Copyright (c) 2010 Albert Aribaud.
uboot\u-boot-2011.12\drivers\i2c\mx_c_i2c.c(10): *Copyright (C) 2007 RightHand Technologies, Inc.
uboot\u-boot-2011.12\drivers\i2c\mx_c_i2c.c(11): *Copyright (C) 2008 Darius Augulis <darius.augulis at teltonika.lt>
uboot\u-boot-2011.12\drivers\i2c\mx_c_i2c.c(8): *Copyright (C) 2005 Torsten Koschorrek <koschorrek at synertronixx.de>
uboot\u-boot-2011.12\drivers\i2c\mx_c_i2c.c(9): *Copyright (C) 2005 Matthias Blaschke <blaschke at synertronixx.de>
uboot\u-boot-2011.12\drivers\i2c\mxs_i2c.c(11): * Copyright (C) 2009-2010 Freescale Semiconductor, Inc. All Rights Reserved.
uboot\u-boot-2011.12\drivers\i2c\mxs_i2c.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\drivers\i2c\mxs_i2c.c(8): * Copyright (C) 2011 Wolfram Sang, Pengutronix e.K.
uboot\u-boot-2011.12\drivers\i2c\omap1510_i2c.c(16): * Copyright (c) 2003 Wolfgang Denk, wd@denx.de
uboot\u-boot-2011.12\drivers\i2c\omap1510_i2c.c(4): * Copyright (c) 2003 Texas Instruments
uboot\u-boot-2011.12\drivers\i2c\omap24xx_i2c.c(16): * Copyright (c) 2003 Wolfgang Denk, wd@denx.de

legal(ME)

uboot\u-boot-2011.12\drivers\i2c\omap24xx_i2c.c(4): * Copyright (c) 2004 Texas Instruments
uboot\u-boot-2011.12\drivers\i2c\omap24xx_i2c.h(2): * (C) Copyright 2004-2010
uboot\u-boot-2011.12\drivers\i2c\pca9564_i2c.c(10): * Copyright 2009 CJSC "NII STT", <http://www.niistt.ru/>
uboot\u-boot-2011.12\drivers\i2c\ppc4xx_i2c.c(2): * (C) Copyright 2007-2009
uboot\u-boot-2011.12\drivers\i2c\ppc4xx_i2c.c(7): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\i2c\s3c24x0_i2c.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\i2c\s3c44b0_i2c.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\i2c\sh_i2c.c(2): * Copyright (C) 2011 Renesas Solutions Corp.
uboot\u-boot-2011.12\drivers\i2c\sh_i2c.c(3): * Copyright (C) 2011 Nobuhiro Iwamatsu <nobuhiro.iwamatsu.yj@renesas.com>
uboot\u-boot-2011.12\drivers\i2c\soft_i2c.c(2): * (C) Copyright 2001, 2002
uboot\u-boot-2011.12\drivers\i2c\spr_i2c.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\i2c\tsi108_i2c.c(2): * (C) Copyright 2004 Tundra Semiconductor Corp.
uboot\u-boot-2011.12\drivers\i2c\u8500_i2c.c(2): * Copyright (C) ST-Ericsson SA 2010
uboot\u-boot-2011.12\drivers\i2c\u8500_i2c.h(2): * Copyright (C) ST-Ericsson SA 2009
uboot\u-boot-2011.12\drivers\input\i8042.c(2): * (C) Copyright 2002 ELTEC Elektronik AG
uboot\u-boot-2011.12\drivers\input\keyboard.c(3): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\input\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\input\pc_keyb.c(3): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\input\ps2mult.c(3): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\input\ps2ser.c(3): * (C) Copyright 2004-2009
uboot\u-boot-2011.12\drivers\misc\ali512x.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\misc\ali512x.c(27): * (C) Copyright 2000
uboot\u-boot-2011.12\drivers\misc\ds4510.c(2): * Copyright 2008 Extreme Engineering Solutions, Inc.
uboot\u-boot-2011.12\drivers\misc\fs1_law.c(2): * Copyright 2008-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\misc\fs1_law.c(4): * (C) Copyright 2000
uboot\u-boot-2011.12\drivers\misc\gpio_led.c(4): * Copyright (C) 2010 Thomas Chou <thomas@wytron.com.tw>
uboot\u-boot-2011.12\drivers\misc\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\misc\mc9sdz60.c(2): * (C) Copyright 2010 Stefano Babic <sbabic@denx.de>
uboot\u-boot-2011.12\drivers\misc\ns87308.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\drivers\misc\pdsp188x.c(2): * Copyright 2010 Sergey Poselenov, Emcraft Systems, <sposelenov@emcraft.com>
uboot\u-boot-2011.12\drivers\misc\pdsp188x.c(3): * Copyright 2010 Ilya Yanok, Emcraft Systems, <yanok@emcraft.com>
uboot\u-boot-2011.12\drivers\misc\pmic_core.c(2): * Copyright (C) 2011 Samsung Electronics
uboot\u-boot-2011.12\drivers\misc\pmic_core.c(5): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\misc\pmic_core.c(8): * (C) Copyright 2008-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\misc\pmic_fs1.c(2): *Copyright (C) 2011 Samsung Electronics

legal(ME)

uboot\u-boot-2011.12\drivers\misc\pmic_i2c.c(2): * Copyright (C) 2011 Samsung Electronics
uboot\u-boot-2011.12\drivers\misc\pmic_i2c.c(5): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\misc\pmic_i2c.c(8): * (C) Copyright 2008-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\misc\pmic_max8998.c(2): *Copyright (C) 2011 Samsung Electronics
uboot\u-boot-2011.12\drivers\misc\pmic_spi.c(2): * Copyright (C) 2011 Samsung Electronics
uboot\u-boot-2011.12\drivers\misc\pmic_spi.c(5): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\misc\pmic_spi.c(8): * (C) Copyright 2008-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\misc\status_led.c(2): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\drivers\misc\twl4030_led.c(2): * Copyright (c) 2009 Wind River Systems, Inc.
uboot\u-boot-2011.12\drivers\misc\twl4030_led.c(22): * (C) Copyright 2004-2008
uboot\u-boot-2011.12\drivers\mmc\arm_pl180_mmc.c(4): * Copyright (C) ST-Ericsson SA 2010
uboot\u-boot-2011.12\drivers\mmc\arm_pl180_mmc.h(4): * Copyright (C) ST-Ericsson SA 2010
uboot\u-boot-2011.12\drivers\mmc\atmel_mci.c(2): * Copyright (C) 2004-2006 Atmel Corporation
uboot\u-boot-2011.12\drivers\mmc\atmel_mci.h(2): * Copyright (C) 2005-2006 Atmel Corporation
uboot\u-boot-2011.12\drivers\mmc\bfin_sdh.c(4): * Copyright (c) 2008-2009 Analog Devices Inc.
uboot\u-boot-2011.12\drivers\mmc\davinci_mmc.c(4): * Copyright (C) 2010 Texas Instruments Incorporated
uboot\u-boot-2011.12\drivers\mmc\fs1_esdhc.c(2): * Copyright 2007, 2010-2011 Freescale Semiconductor, Inc
uboot\u-boot-2011.12\drivers\mmc\fs1_esdhc.c(6): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\mmc\ftsdc010_esdhc.c(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\drivers\mmc\gen_atmel_mci.c(2): * Copyright (C) 2010
uboot\u-boot-2011.12\drivers\mmc\gen_atmel_mci.c(7): * Copyright (C) 2004-2006 Atmel Corporation
uboot\u-boot-2011.12\drivers\mmc\Makefile(2):# (C) Copyright 2006
uboot\u-boot-2011.12\drivers\mmc\mmc.c(2): * Copyright 2008, Freescale Semiconductor, Inc
uboot\u-boot-2011.12\drivers\mmc\mmc_spi.c(4): * Copyright (C) 2010 Thomas Chou <thomas@wytron.com.tw>
uboot\u-boot-2011.12\drivers\mmc\mxcmmc.c(7): *Copyright (C) 2009 Ilya Yanok, <yanok@emcraft.com>
uboot\u-boot-2011.12\drivers\mmc\mxcmmc.c(8): *Copyright (C) 2008 Sascha Hauer, Pengutronix <s.hauer@pengutronix.de>
uboot\u-boot-2011.12\drivers\mmc\mxcmmc.c(9): *Copyright (C) 2006 Pavel Pisa, PiKRON <ppisa@pikron.com>
uboot\u-boot-2011.12\drivers\mmc\mxsmmc.c(11): * Copyright 2007, Freescale Semiconductor, Inc
uboot\u-boot-2011.12\drivers\mmc\mxsmmc.c(15): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\mmc\mxsmmc.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>

legal(ME)

uboot\u-boot-2011.12\drivers\mmc\mxsmmc.c(8): * (C) Copyright 2008-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\mmc\omap_hsmmc.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\drivers\mmc\pxa_mmc.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\mmc\pxa_mmc.h(5): *Copyright:MontaVista Software Inc.
uboot\u-boot-2011.12\drivers\mmc\pxa_mmc_gen.c(2): * Copyright (C) 2010 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\drivers\mmc\s5p_mmc.c(2): * (C) Copyright 2009 SAMSUNG Electronics
uboot\u-boot-2011.12\drivers\mmc\sdhci.c(2): * Copyright 2011, Marvell Semiconductor Inc.
uboot\u-boot-2011.12\drivers\mmc\sh_mmcif.c(4): * Copyright (C)2011 Renesas Solutions Corp.
uboot\u-boot-2011.12\drivers\mmc\sh_mmcif.h(4): * Copyright (C)2011 Renesas Solutions Corp.
uboot\u-boot-2011.12\drivers\mmc\tegra2_mmc.c(2): * (C) Copyright 2009 SAMSUNG Electronics
uboot\u-boot-2011.12\drivers\mmc\tegra2_mmc.c(5): * Portions Copyright 2011 NVIDIA Corporation
uboot\u-boot-2011.12\drivers\mmc\tegra2_mmc.h(2): * (C) Copyright 2009 SAMSUNG Electronics
uboot\u-boot-2011.12\drivers\mmc\tegra2_mmc.h(4): * Portions Copyright (C) 2011 NVIDIA Corporation
uboot\u-boot-2011.12\drivers\mtd\cfi_flash.c(11): * Copyright (C) 2006
uboot\u-boot-2011.12\drivers\mtd\cfi_flash.c(2): * (C) Copyright 2002-2004
uboot\u-boot-2011.12\drivers\mtd\cfi_flash.c(5): * Copyright (C) 2003 Arabella Software Ltd.
uboot\u-boot-2011.12\drivers\mtd\cfi_flash.c(8): * Copyright (C) 2004
uboot\u-boot-2011.12\drivers\mtd\cfi_mtd.c(2): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\drivers\mtd\ftsmc020.c(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\drivers\mtd\jedec_flash.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\drivers\mtd\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\mtd\nand\atmel_nand.c(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\drivers\mtd\nand\atmel_nand.c(6): * (C) Copyright 2006 ATMEL Rousset, Lacrosonniere Nicolas
uboot\u-boot-2011.12\drivers\mtd\nand\bfin_nand.c(6): * Copyright (c) 2007-2008 Analog Devices Inc.
uboot\u-boot-2011.12\drivers\mtd\nand\davinci_nand.c(15): * Copyright (C) 2006 Texas Instruments.
uboot\u-boot-2011.12\drivers\mtd\nand\davinci_nand.c(4): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\drivers\mtd\nand\davinci_nand.c(6): * Based on Linux DaVinci NAND driver by TI. Original copyright follows:
uboot\u-boot-2011.12\drivers\mtd\nand\diskonchip.c(14): * Copyright (C) 2000 Netgem S.A.
uboot\u-boot-2011.12\drivers\mtd\nand\fs1_elbc_nand.c(3): * Copyright (c) 2006-2008 Freescale Semiconductor
uboot\u-boot-2011.12\drivers\mtd\nand\fs1_ifc_nand.c(3): * Copyright (c) 2011 Freescale Semiconductor, Inc
uboot\u-boot-2011.12\drivers\mtd\nand\fs1_upm.c(4): * Copyright (C) 2007

legal(ME)

MontaVista Software, Inc.

uboot\u-boot-2011.12\drivers\mtd\nand\jz4740_nand.c(4): * Copyright (c) 2007
Ingenic Semiconductor Inc.

uboot\u-boot-2011.12\drivers\mtd\nand\kb9202_nand.c(2): * (C) Copyright 2006

uboot\u-boot-2011.12\drivers\mtd\nand\kb9202_nand.c(5): * (C) Copyright 2009

uboot\u-boot-2011.12\drivers\mtd\nand\kirkwood_nand.c(2): * (C) Copyright 2009

uboot\u-boot-2011.12\drivers\mtd\nand\kmeter1_nand.c(2): * (C) Copyright 2009

uboot\u-boot-2011.12\drivers\mtd\nand\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\drivers\mtd\nand\mpc5121_nfc.c(2): * Copyright 2004-2008
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\mtd\nand\mpc5121_nfc.c(3): * Copyright 2009
Semihalf.

uboot\u-boot-2011.12\drivers\mtd\nand\mpc5121_nfc.c(4): * (C) Copyright 2009
Stefan Roese <sr@denx.de>

uboot\u-boot-2011.12\drivers\mtd\nand\mxnand.c(2): * Copyright 2004-2007
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\mtd\nand\mxnand.c(3): * Copyright 2008 Sascha
Hauer, kernel@pengutronix.de

uboot\u-boot-2011.12\drivers\mtd\nand\mxnand.c(4): * Copyright 2009 Ilya Yanok,
<yanok@emcraft.com>

uboot\u-boot-2011.12\drivers\mtd\nand\mxs_nand.c(10): * Copyright (C) 2010
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\mtd\nand\mxs_nand.c(11): * Copyright (C) 2008
Embedded Alley Solutions, Inc.

uboot\u-boot-2011.12\drivers\mtd\nand\mxs_nand.c(4): * Copyright (C) 2011 Marek
Vasut <marek.vasut@gmail.com>

uboot\u-boot-2011.12\drivers\mtd\nand\nand.c(2): * (C) Copyright 2005

uboot\u-boot-2011.12\drivers\mtd\nand\nand_base.c(12): *Copyright (C) 2000 Steven
J. Hill (sjhill@realitydiluted.com)

uboot\u-boot-2011.12\drivers\mtd\nand\nand_bbt.c(7): *Copyright (C) 2004 Thomas
Gleixner (tglx@linutronix.de)

uboot\u-boot-2011.12\drivers\mtd\nand\nand_ecc.c(10): * Copyright (C) 2006 Thomas
Gleixner <tglx@linutronix.de>

uboot\u-boot-2011.12\drivers\mtd\nand\nand_ecc.c(7): * Copyright (C) 2000-2004
Steven J. Hill (sjhill@realitydiluted.com)

uboot\u-boot-2011.12\drivers\mtd\nand\nand_ids.c(4): *Copyright (C) 2002 Thomas
Gleixner (tglx@linutronix.de)

uboot\u-boot-2011.12\drivers\mtd\nand\nand_plat.c(4): * Copyright (c) 2006-2009
Analog Devices Inc.

uboot\u-boot-2011.12\drivers\mtd\nand\nand_spl_load.c(2): * Copyright (C) 2011

uboot\u-boot-2011.12\drivers\mtd\nand\nand_spl_simple.c(2): * (C) Copyright
2006-2008

uboot\u-boot-2011.12\drivers\mtd\nand\nand_util.c(14): * Copyright (C) 2008 Nokia
Corporation: drop_ffs() function by

uboot\u-boot-2011.12\drivers\mtd\nand\nand_util.c(34): * Copyright 2010 Freescale
Semiconductor

uboot\u-boot-2011.12\drivers\mtd\nand\nand_util.c(35): * The portions of this
file whose copyright is held by Freescale and which

uboot\u-boot-2011.12\drivers\mtd\nand\nand_util.c(4): * Copyright (C) 2006 by
Weiss-Electronic GmbH.

uboot\u-boot-2011.12\drivers\mtd\nand\ndfc.c(11): *Copyright 2006 IBM

uboot\u-boot-2011.12\drivers\mtd\nand\ndfc.c(6): * (C) Copyright 2006-2009

legal(ME)

uboot\u-boot-2011.12\drivers\mtd\nand\nomadik.c(2): * (C) Copyright 2007
STMicroelectronics, <www.st.com>
uboot\u-boot-2011.12\drivers\mtd\nand\nomadik.c(3): * (C) Copyright 2009
Alessandro Rubini <rubini@unipv.it>
uboot\u-boot-2011.12\drivers\mtd\nand\omap_gpmmc.c(2): * (C) Copyright 2004-2008
Texas Instruments, <www.ti.com>
uboot\u-boot-2011.12\drivers\mtd\nand\s3c2410_nand.c(2): * (C) Copyright 2006
OpenMoko, Inc.
uboot\u-boot-2011.12\drivers\mtd\nand\s3c64xx.c(2): * (C) Copyright 2006 DENX
Software Engineering
uboot\u-boot-2011.12\drivers\mtd\nand\s3c64xx.c(6): * (C) Copyright 2008
uboot\u-boot-2011.12\drivers\mtd\nand\spr_nand.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\mtd\onenand\Makefile(2):# Copyright (C) 2005-2007
Samsung Electronics.
uboot\u-boot-2011.12\drivers\mtd\onenand\onenand_base.c(10): *Copyright (C) Nokia
Corporation, 2007
uboot\u-boot-2011.12\drivers\mtd\onenand\onenand_base.c(15): *Copyright (C)
Samsung Electronics, 2009
uboot\u-boot-2011.12\drivers\mtd\onenand\onenand_base.c(4): *Copyright (C)
2005-2007 Samsung Electronics
uboot\u-boot-2011.12\drivers\mtd\onenand\onenand_bbt.c(6): *Copyright(c)
2005-2008 Samsung Electronics
uboot\u-boot-2011.12\drivers\mtd\onenand\onenand_spl.c(2): * Copyright (C) 2011
Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\drivers\mtd\onenand\onenand_spl.c(5): *Copyright (C)
2005-2009 Samsung Electronics
uboot\u-boot-2011.12\drivers\mtd\onenand\onenand_uboot.c(4): *Copyright (C)
2005-2008 Samsung Electronics
uboot\u-boot-2011.12\drivers\mtd\onenand\samsung.c(4): * Copyright (C) 2008-2009
Samsung Electronics
uboot\u-boot-2011.12\drivers\mtd\spi\atmel.c(4): * Copyright (C) 2008 Atmel
Corporation
uboot\u-boot-2011.12\drivers\mtd\spi\eeeprom_m95xxx.c(2): * Copyright (C) 2009
uboot\u-boot-2011.12\drivers\mtd\spi\eon.c(2): * (C) Copyright 2010, ucRobotics
Inc.
uboot\u-boot-2011.12\drivers\mtd\spi\macronix.c(10): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\mtd\spi\macronix.c(2): * Copyright 2009(C) Marvell
International Ltd. and its affiliates
uboot\u-boot-2011.12\drivers\mtd\spi\macronix.c(7): * Copyright 2008, Network
Appliance Inc.
uboot\u-boot-2011.12\drivers\mtd\spi\Makefile(2):# (C) Copyright 2006
uboot\u-boot-2011.12\drivers\mtd\spi\ramtron.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\mtd\spi\spansion.c(2): * Copyright (C) 2009
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\mtd\spi\spi_flash.c(4): * Copyright (C) 2008 Atmel
Corporation
uboot\u-boot-2011.12\drivers\mtd\spi\spi_flash.c(5): * Copyright (C) 2010
Reinhard Meyer, EMK Elektronik
uboot\u-boot-2011.12\drivers\mtd\spi\spi_flash_internal.h(4): * Copyright (C)
2008 Atmel Corporation
uboot\u-boot-2011.12\drivers\mtd\spi\sst.c(10): * Copyright (c) 2008-2009 Analog

legal(ME)

Devices Inc.

uboot\u-boot-2011.12\drivers\mtd\spi\sst.c(4): * (C) Copyright 2000-2002

uboot\u-boot-2011.12\drivers\mtd\spi\sst.c(6): * Copyright 2008, Network
Appliance Inc.

uboot\u-boot-2011.12\drivers\mtd\spi\sst.c(8): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\mtd\spi\stmicro.c(2): * (C) Copyright 2000-2002

uboot\u-boot-2011.12\drivers\mtd\spi\stmicro.c(5): * Copyright 2008, Network
Appliance Inc.

uboot\u-boot-2011.12\drivers\mtd\spi\stmicro.c(8): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\mtd\spi\winbond.c(2): * Copyright 2008, Network
Appliance Inc.

uboot\u-boot-2011.12\drivers\mtd\spr_smi.c(2): * (C) Copyright 2009

uboot\u-boot-2011.12\drivers\mtd\ubi\build.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\build.c(3): * Copyright (c) Nokia
Corporation, 2007

uboot\u-boot-2011.12\drivers\mtd\ubi\crc32.c(4): * Code was from the public
domain, copyright abandoned.Code was

uboot\u-boot-2011.12\drivers\mtd\ubi\debug.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\debug.h(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\eba.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\io.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\io.c(3): * Copyright (c) Nokia Corporation,
2006, 2007

uboot\u-boot-2011.12\drivers\mtd\ubi\kapi.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\misc.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\scan.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\scan.h(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\ubi.h(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\ubi.h(3): * Copyright (c) Nokia Corporation,
2006, 2007

uboot\u-boot-2011.12\drivers\mtd\ubi\ubi-media.h(2): * Copyright (c)
International Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\upd.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\upd.c(3): * Copyright (c) Nokia Corporation,
2006

uboot\u-boot-2011.12\drivers\mtd\ubi\vmt.c(2): * Copyright (c) International
Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\vtbl.c(2): * Copyright (c) International

legal(ME)

Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\mtd\ubi\vtbl.c(3): * Copyright (c) Nokia Corporation, 2006, 2007

uboot\u-boot-2011.12\drivers\mtd\ubi\wl.c(2): * Copyright (c) International Business Machines Corp., 2006

uboot\u-boot-2011.12\drivers\net\4xx_enet.c(17): * must include the IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\drivers\net\4xx_enet.c(20): * COPYRIGHT I B M CORPORATION 1995

uboot\u-boot-2011.12\drivers\net\altera_tse.c(4): * Copyright (C) 2008 Altera Corporation.

uboot\u-boot-2011.12\drivers\net\altera_tse.c(5): * Copyright (C) 2010 Thomas Chou <thomas@wytron.com.tw>

uboot\u-boot-2011.12\drivers\net\altera_tse.h(4): * Copyright (C) 2008 Altera Corporation.

uboot\u-boot-2011.12\drivers\net\altera_tse.h(5): * Copyright (C) 2010 Thomas Chou <thomas@wytron.com.tw>

uboot\u-boot-2011.12\drivers\net\armada100_fec.c(2): * (C) Copyright 2011

uboot\u-boot-2011.12\drivers\net\armada100_fec.c(6): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\net\armada100_fec.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\drivers\net\armada100_fec.h(6): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\net\at91_emac.c(2): * Copyright (C) 2009 BuS Elektronik GmbH & Co. KG

uboot\u-boot-2011.12\drivers\net\at91_emac.c(5): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\net\bfin_mac.c(4): * Copyright (c) 2005-2008 Analog Device, Inc.

uboot\u-boot-2011.12\drivers\net\bfin_mac.h(4): * Copyright (c) 2005-2008 Analog Device, Inc.

uboot\u-boot-2011.12\drivers\net\cs8900.c(11): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\net\cs8900.c(15): * Copyright (C) 1999 Ben Williamson <benw@pobox.com>

uboot\u-boot-2011.12\drivers\net\cs8900.h(13): * Copyright (C) 1999 Ben Williamson <benw@pobox.com>

uboot\u-boot-2011.12\drivers\net\cs8900.h(9): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\net\davinci_emac.c(15): * Copyright (C) 2005 Texas Instruments.

uboot\u-boot-2011.12\drivers\net\davinci_emac.c(4): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\drivers\net\davinci_emac.c(6): * Parts shamelessly stolen from TI's dm644x_emac.c. Original copyright

uboot\u-boot-2011.12\drivers\net\davinci_emac.h(2): * Copyright (C) 2011 Ilya Yanok, Emcraft Systems

uboot\u-boot-2011.12\drivers\net\davinci_emac.h(5): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\drivers\net\designware.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\net\designware.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\net\dm9000x.c(17):(C)Copyright 1997-1998 DAVICOM Semiconductor, Inc. All Rights Reserved.

uboot\u-boot-2011.12\drivers\net\dm9000x.c(5): Copyright (C) 1997 Sten Wang

uboot\u-boot-2011.12\drivers\net\dnet.c(4): * Copyright (C) 2008 Dave S.r.l. <www.dave.eu>

uboot\u-boot-2011.12\drivers\net\dnet.h(4): * Copyright (C) 2008 Dave S.r.l.

legal(ME)

<www.dave.eu>

uboot\u-boot-2011.12\drivers\net\e1000.c(10):Copyright(c) 1999 - 2002 Intel Corporation. All rights reserved.

uboot\u-boot-2011.12\drivers\net\e1000.c(35): *Copyright (C) Archway Digital Solutions.

uboot\u-boot-2011.12\drivers\net\e1000.c(40): *Copyright (C) Linux Networx.

uboot\u-boot-2011.12\drivers\net\e1000.c(44): *Copyright 2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\net\e1000.h(4):Copyright(c) 1999 - 2002 Intel Corporation. All rights reserved.

uboot\u-boot-2011.12\drivers\net\e1000.h(5):Copyright 2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\net\eeepro100.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\net\enc28j60.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\net\ep93xx_eth.c(13): * (C) Copyright 2002 2003

uboot\u-boot-2011.12\drivers\net\ep93xx_eth.c(4): * Copyright (C) 2010, 2009

uboot\u-boot-2011.12\drivers\net\ep93xx_eth.c(7): * Copyright (C) 2004, 2005

uboot\u-boot-2011.12\drivers\net\ep93xx_eth.h(2): * Copyright (C) 2009 Matthias Kaehlcke <matthias@kaehlcke.net>

uboot\u-boot-2011.12\drivers\net\ep93xx_eth.h(4): * Copyright (C) 2004, 2005

uboot\u-boot-2011.12\drivers\net\ethoc.c(4): * Copyright (C) 2007-2008 Avionic Design Development GmbH

uboot\u-boot-2011.12\drivers\net\ethoc.c(5): * Copyright (C) 2008-2009 Avionic Design GmbH

uboot\u-boot-2011.12\drivers\net\ethoc.c(7): * Copyright (C) 2010 Thomas Chou <thomas@wytron.com.tw>

uboot\u-boot-2011.12\drivers\net\fec_mxc.c(2): * (C) Copyright 2009 Ilya Yanok, Emcraft Systems Ltd <yanok@emcraft.com>

uboot\u-boot-2011.12\drivers\net\fec_mxc.c(3): * (C) Copyright 2008,2009 Eric Jarrige <eric.jarrige@armadeus.org>

uboot\u-boot-2011.12\drivers\net\fec_mxc.c(4): * (C) Copyright 2008 Armadeus Systems nc

uboot\u-boot-2011.12\drivers\net\fec_mxc.c(5): * (C) Copyright 2007 Pengutronix, Sascha Hauer <s.hauer@pengutronix.de>

uboot\u-boot-2011.12\drivers\net\fec_mxc.c(6): * (C) Copyright 2007 Pengutronix, Juergen Beisert <j.beisert@pengutronix.de>

uboot\u-boot-2011.12\drivers\net\fec_mxc.h(12): * (C) Copyright Motorola, Inc., 2000

uboot\u-boot-2011.12\drivers\net\fec_mxc.h(2): * (C) Copyright 2009 Ilya Yanok, Emcraft Systems Ltd <yanok@emcraft.com>

uboot\u-boot-2011.12\drivers\net\fec_mxc.h(3): * (C) Copyright 2008 Armadeus Systems, nc

uboot\u-boot-2011.12\drivers\net\fec_mxc.h(4): * (C) Copyright 2008 Eric Jarrige <eric.jarrige@armadeus.org>

uboot\u-boot-2011.12\drivers\net\fec_mxc.h(5): * (C) Copyright 2007 Pengutronix, Sascha Hauer <s.hauer@pengutronix.de>

uboot\u-boot-2011.12\drivers\net\fec_mxc.h(6): * (C) Copyright 2007 Pengutronix, Juergen Beisert <j.beisert@pengutronix.de>

uboot\u-boot-2011.12\drivers\net\fec_mxc.h(8): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\net\fm\dtsec.c(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\net\fm\eth.c(2): * Copyright 2009-2011 Freescale

legal(ME)

Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\fm.c(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\fm.h(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\init.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\Makefile(2):# Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\p1023.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\p3060.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\p4080.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\p5020.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\tgcec.c(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fm\tgcec_phy.c(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fsl_mcdmafec.c(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\drivers\net\fsl_mcdmafec.c(5): * (C) Copyright 2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\fsl_mdio.c(2): * Copyright 2009-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\ftgmac100.c(4): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\drivers\net\ftgmac100.c(7): * (C) Copyright 2010 Andes Technology
uboot\u-boot-2011.12\drivers\net\ftgmac100.h(4): * (C) Copyright 2010 Faraday Technology
uboot\u-boot-2011.12\drivers\net\ftgmac100.h(7): * (C) Copyright 2010 Andes Technology
uboot\u-boot-2011.12\drivers\net\ftmac100.c(4): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\drivers\net\ftmac100.h(4): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\drivers\net\greth.c(5): * (C) Copyright 2007
uboot\u-boot-2011.12\drivers\net\greth.h(3): * (C) Copyright 2007
uboot\u-boot-2011.12\drivers\net\inca-ip_sw.c(4): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\drivers\net\ks8695eth.c(4): * (C) Copyright 2004-2005, Greg Ungerer <greg.ungerer@opengear.com>
uboot\u-boot-2011.12\drivers\net\lan91c96.c(10): * Copyright (C) 2001 Standard Microsystems Corporation (SMSC)
uboot\u-boot-2011.12\drivers\net\lan91c96.c(12): * Copyright (C) 1996 by Erik Stahlman (ES)
uboot\u-boot-2011.12\drivers\net\lan91c96.c(6): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\net\lan91c96.h(4): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\net\lan91c96.h(7): * Copyright (C) 2001 Standard Microsystems Corporation (SMSC)
uboot\u-boot-2011.12\drivers\net\lan91c96.h(9): * Copyright (C) 1996 by Erik

legal(ME)

Stahlman (ES)

uboot\u-boot-2011.12\drivers\net\macb.c(2): * Copyright (C) 2005-2006 Atmel Corporation

uboot\u-boot-2011.12\drivers\net\macb.h(2): * Copyright (C) 2005-2006 Atmel Corporation

uboot\u-boot-2011.12\drivers\net\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\drivers\net\mcffec.c(2): * (C) Copyright 2000-2004

uboot\u-boot-2011.12\drivers\net\mcffec.c(5): * (C) Copyright 2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\net\mcfmii.c(2): * Copyright (C) 2004-2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\net\mpc512x_fec.c(2): * (C) Copyright 2003-2010

uboot\u-boot-2011.12\drivers\net\mpc512x_fec.h(2): * (C) Copyright 2003 - 2009

uboot\u-boot-2011.12\drivers\net\mpc5xxx_fec.c(2): * (C) Copyright 2003-2010

uboot\u-boot-2011.12\drivers\net\mpc5xxx_fec.c(6): * (C) Copyright Motorola, Inc., 2000

uboot\u-boot-2011.12\drivers\net\mpc5xxx_fec.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\net\mpc5xxx_fec.h(6): * (C) Copyright Motorola, Inc., 2000

uboot\u-boot-2011.12\drivers\net\mvgbe.c(10): * Copyright (C) 2002

rabeeh@galileo.co.il

uboot\u-boot-2011.12\drivers\net\mvgbe.c(2): * (C) Copyright 2009

uboot\u-boot-2011.12\drivers\net\mvgbe.c(6): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\net\mvgbe.h(2): * (C) Copyright 2009

uboot\u-boot-2011.12\drivers\net\mvgbe.h(7): * Copyright (C) 2002

rabeeh@galileo.co.il

uboot\u-boot-2011.12\drivers\net\natsemi.c(19): Original Copyright Notice:

uboot\u-boot-2011.12\drivers\net\natsemi.c(21): Written/copyright 1999-2001 by Donald Becker.

uboot\u-boot-2011.12\drivers\net\natsemi.c(26): retain the authorship, copyright and license notice. This file is not

uboot\u-boot-2011.12\drivers\net\natsemi.c(7): Copyright (C) 2001 Entity Cyber, Inc.

uboot\u-boot-2011.12\drivers\net\ne2000.c(18): Copyright (C) 1998, 1999, 2000, 2001, 2002 Red Hat, Inc.

uboot\u-boot-2011.12\drivers\net\ne2000.h(18): Copyright (C) 1998, 1999, 2000, 2001, 2002 Red Hat, Inc.

uboot\u-boot-2011.12\drivers\net\ne2000_base.c(18): Copyright (C) 1998, 1999, 2000, 2001, 2002 Red Hat, Inc.

uboot\u-boot-2011.12\drivers\net\ne2000_base.h(19): Copyright (C) 1998, 1999, 2000, 2001, 2002 Red Hat, Inc.

uboot\u-boot-2011.12\drivers\net\netarm_eth.c(2): * Copyright (C) 2004 IMMS gGmbH <www.imms.de>

uboot\u-boot-2011.12\drivers\net\netarm_eth.h(2): * Copyright (C) 2003 IMMS gGmbH <www.imms.de>

uboot\u-boot-2011.12\drivers\net\netconsole.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\drivers\net\nicext.h(2): * Copyright(c) 2000-2001 Broadcom Corporation. All rights reserved.

uboot\u-boot-2011.12\drivers\net\ns8382x.c(19): Written/copyright 1999-2002 by Donald Becker.

uboot\u-boot-2011.12\drivers\net\ns8382x.c(7): Copyright (C) 2001 Entity Cyber, Inc.

legal(ME)

uboot\u-boot-2011.12\drivers\net\pcnet.c(2): * (C) Copyright 2002 Wolfgang Grandegger, wg@denx.de.
uboot\u-boot-2011.12\drivers\net\phy\atheros.c(19): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\broadcom.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\davicom.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\generic_10g.c(20): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\lxt.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\Makefile(2):# (C) Copyright 2008
uboot\u-boot-2011.12\drivers\net\phy\marvell.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\micrel.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\miiphybb.c(2): * (C) Copyright 2009 Industrie Dial Face S.p.A.
uboot\u-boot-2011.12\drivers\net\phy\miiphybb.c(5): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\net\phy\mv88e61xx.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\net\phy\mv88e61xx.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\net\phy\natsemi.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\phy.c(20): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\realtek.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\smsc.c(20): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\smsc.c(24): * Copyright (c) 2006 Herbert Valerio Riedel <hvr@gnu.org>
uboot\u-boot-2011.12\drivers\net\phy\teranetics.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\phy\vitesse.c(19): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\plb2800_eth.c(4): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\net\sh_eth.c(4): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\drivers\net\sh_eth.c(5): * Copyright (c) 2008 Nobuhiro Iwamatsu
uboot\u-boot-2011.12\drivers\net\sh_eth.c(6): * Copyright (c) 2007 Carlos Munoz <carlos@kenati.com>
uboot\u-boot-2011.12\drivers\net\sh_eth.h(4): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\drivers\net\sh_eth.h(5): * Copyright (c) 2008 Nobuhiro Iwamatsu
uboot\u-boot-2011.12\drivers\net\sh_eth.h(6): * Copyright (c) 2007 Carlos Munoz <carlos@kenati.com>
uboot\u-boot-2011.12\drivers\net\smc91111.c(11): . Copyright (C) 1996 by Erik Stahlman (ES)
uboot\u-boot-2011.12\drivers\net\smc91111.c(5): . (C) Copyright 2002

legal(ME)

uboot\u-boot-2011.12\drivers\net\smc91111.c(9): . Copyright (C) 2001 Standard Microsystems Corporation (SMSC)
uboot\u-boot-2011.12\drivers\net\smc91111.h(4): . (C) Copyright 2002
uboot\u-boot-2011.12\drivers\net\smc91111.h(7): . Copyright (C) 2001 Standard Microsystems Corporation (SMSC)
uboot\u-boot-2011.12\drivers\net\smc91111.h(9): . Copyright (C) 1996 by Erik Stahlman (ES)
uboot\u-boot-2011.12\drivers\net\tsec.c(8): * Copyright 2004-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\tsec.c(9): * (C) Copyright 2003, Motorola, Inc.
uboot\u-boot-2011.12\drivers\net\tsi108_eth.c(3): * Copyright (c) 2005 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\uli526x.c(2): * Copyright 2007, 2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\net\vsc7385.c(6): * Copyright 2008 Freescale Semiconductor, Inc. This file is licensed
uboot\u-boot-2011.12\drivers\net\xilinx_axi_emac.c(2): * Copyright (C) 2011 Michal Simek <monstr@monstr.eu>
uboot\u-boot-2011.12\drivers\net\xilinx_axi_emac.c(3): * Copyright (C) 2011 PetaLogix
uboot\u-boot-2011.12\drivers\net\xilinx_axi_emac.c(4): * Copyright (C) 2010 Xilinx, Inc. All rights reserved.
uboot\u-boot-2011.12\drivers\net\xilinx_emaclite.c(2): * (C) Copyright 2007-2009 Michal Simek
uboot\u-boot-2011.12\drivers\net\xilinx_emaclite.c(3): * (C) Copyright 2003 Xilinx Inc.
uboot\u-boot-2011.12\drivers\pci\fs1_pci_init.c(2): * Copyright 2007-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\pci\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\pci\pci.c(2): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\drivers\pci\pci.c(5): * (C) Copyright 2002, 2003
uboot\u-boot-2011.12\drivers\pci\pci_auto.c(8): * Copyright 2000 MontaVista Software Inc.
uboot\u-boot-2011.12\drivers\pci\pci_ftpci100.c(4): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\drivers\pci\pci_ftpci100.h(4): * Copyright (C) 2010 Andes Technology Corporation
uboot\u-boot-2011.12\drivers\pci\pci_indirect.c(4): * Copyright (C) 1998 Gabriel Paubert.
uboot\u-boot-2011.12\drivers\pci\pci_ixp.c(4): * (C) Copyright 2011
uboot\u-boot-2011.12\drivers\pci\pci_ixp.c(6): * (C) Copyright 2004 eslab.whut.edu.cn
uboot\u-boot-2011.12\drivers\pci\tsi108_pci.c(2): * (C) Copyright 2004 Tundra Semiconductor Corp.
uboot\u-boot-2011.12\drivers\pci\w83c553f.c(2): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\drivers\pcmcia\i82365.c(2): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\drivers\pcmcia\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\pcmcia\ti_pci1410a.c(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\drivers\pcmcia\ti_pci1410a.c(4): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\power\ftpmu010.c(2): * (C) Copyright 2009 Faraday

legal(ME)

Technology

uboot\u-boot-2011.12\drivers\power\ftpmu010.c(5): * Copyright (C) 2010 Andes Technology Corporation
uboot\u-boot-2011.12\drivers\power\Makefile(2):# Copyright (c) 2009 Wind River Systems, Inc.
uboot\u-boot-2011.12\drivers\power\twl4030.c(2): * Copyright (c) 2009 Wind River Systems, Inc.
uboot\u-boot-2011.12\drivers\power\twl4030.c(23): * Copyright (C) 2007-2009 Texas Instruments, Inc.
uboot\u-boot-2011.12\drivers\power\twl4030.c(27): * (C) Copyright 2004-2008
uboot\u-boot-2011.12\drivers\power\twl6030.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\qe\fdt.c(2): * Copyright 2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\fdt.c(4): * (C) Copyright 2000
uboot\u-boot-2011.12\drivers\qe\Makefile(2):# Copyright (C) 2006 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\qe.c(2): * Copyright (C) 2006-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\qe.h(2): * Copyright (C) 2006-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\uccf.c(2): * Copyright (C) 2006 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\uccf.h(2): * Copyright (C) 2006 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\uec.c(2): * Copyright (C) 2006-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\uec.h(2): * Copyright (C) 2006-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\uec_phy.c(2): * Copyright (C) 2005,2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\qe\uec_phy.h(2): * Copyright (C) 2005, 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\rtc\at91sam9_rtt.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\rtc\bfin_rtc.c(2): * Copyright (c) 2004-2008 Analog Devices Inc.
uboot\u-boot-2011.12\drivers\rtc\bfin_rtc.c(4): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\rtc\date.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\rtc\davinci.c(2): * (C) Copyright 2011 DENX Software Engineering GmbH
uboot\u-boot-2011.12\drivers\rtc\ds12887.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\rtc\ds1306.c(2): * (C) Copyright 2002 SIXNET, dge@sixnetio.com.
uboot\u-boot-2011.12\drivers\rtc\ds1306.c(4): * (C) Copyright 2004, Li-Pro.Net <www.li-pro.net>
uboot\u-boot-2011.12\drivers\rtc\ds1307.c(2): * (C) Copyright 2001, 2002, 2003
uboot\u-boot-2011.12\drivers\rtc\ds1337.c(2): * (C) Copyright 2001-2008
uboot\u-boot-2011.12\drivers\rtc\ds1374.c(2): * (C) Copyright 2001, 2002, 2003
uboot\u-boot-2011.12\drivers\rtc\ds1556.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\rtc\ds164x.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\rtc\ds174x.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\rtc\ds3231.c(2): * (C) Copyright 2006
uboot\u-boot-2011.12\drivers\rtc\ftrtc010.c(4): * (C) Copyright 2009 Faraday

legal(ME)

Technology

uboot\u-boot-2011.12\drivers\rtc\isl1208.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\drivers\rtc\m41t11.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\rtc\m41t60.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\drivers\rtc\m41t60.c(7): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\rtc\m41t62.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\drivers\rtc\m41t94.c(5): * Copyright (C) 2008 Kim B. Heino
uboot\u-boot-2011.12\drivers\rtc\m41t94.c(8): * Copyright (C) 2009
uboot\u-boot-2011.12\drivers\rtc\m48t35ax.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\rtc\Makefile(2):# (C) Copyright 2001-2006
uboot\u-boot-2011.12\drivers\rtc\max6900.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\rtc\mc13xxx-rtc.c(2): * Copyright (C) 2008, Guennadi
Liakhovetski <lg@denx.de>
uboot\u-boot-2011.12\drivers\rtc\mc146818.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\rtc\mcfrtc.c(2): * Copyright (C) 2004-2007 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\rtc\mk48t59.c(2): * (C) Copyright 2001 Sysgo
Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\drivers\rtc\mpc5xxx.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\rtc\mpc8xx.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\rtc\mvrtc.c(2): * Copyright (C) 2011
uboot\u-boot-2011.12\drivers\rtc\mvrtc.h(2): * Copyright (C) 2011
uboot\u-boot-2011.12\drivers\rtc\mxsrtc.c(4): * Copyright (C) 2011 Marek Vasut
<marek.vasut@gmail.com>
uboot\u-boot-2011.12\drivers\rtc\pcf8563.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\drivers\rtc\pl031.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\drivers\rtc\pt7c4338.c(2): * Copyright 2010 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\rtc\rs5c372.c(6): * Copyright (C) 2004 Gary
Jennejohn garyj@denx.de
uboot\u-boot-2011.12\drivers\rtc\rs5c372.c(9): * (C) Copyright 2001, 2002, 2003
uboot\u-boot-2011.12\drivers\rtc\rtc4543.c(2): * (C) Copyright 2008, 2009
uboot\u-boot-2011.12\drivers\rtc\rv3029.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\rtc\rx8025.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\drivers\rtc\s3c24x0_rtc.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\rtc\s3c44b0_rtc.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\rtc\x1205.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\drivers\rtc\x1205.c(6): *Copyright 2004 Karen Spearel
uboot\u-boot-2011.12\drivers\rtc\x1205.c(7): *Copyright 2005 Alessandro Zummo
uboot\u-boot-2011.12\drivers\serial\altera_jtag_uart.c(2): * (C) Copyright 2004,
Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\drivers\serial\altera_uart.c(2): * (C) Copyright 2004,
Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\drivers\serial\arm_dcc.c(2): * Copyright (C) 2004-2007 ARM
Limited.
uboot\u-boot-2011.12\drivers\serial\arm_dcc.c(3): * Copyright (C) 2008
Jean-Christophe PLAGNIOIOL-VILLARD <plagnioj@jcrosoft.com>
uboot\u-boot-2011.12\drivers\serial\atmel_usart.c(2): * Copyright (C) 2004-2006
Atmel Corporation
uboot\u-boot-2011.12\drivers\serial\atmel_usart.h(4): * Copyright (C) 2005-2006
Atmel Corporation
uboot\u-boot-2011.12\drivers\serial\Makefile(2):# (C) Copyright 2006-2009

legal(ME)

uboot\u-boot-2011.12\drivers\serial\mcfuart.c(2): * (C) Copyright 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\serial\ns9750_serial.c(3): * Copyright (C) 2004 by
FS Forth-Systeme GmbH.
uboot\u-boot-2011.12\drivers\serial\opencores_yanu.c(2): * Copyright 2010, Renato
Andreola <renato.andreola@imagos.it>
uboot\u-boot-2011.12\drivers\serial\s3c4510b_uart.c(11): * (C) Copyright
2002-2004
uboot\u-boot-2011.12\drivers\serial\s3c4510b_uart.c(14): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\s3c4510b_uart.c(18): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\s3c4510b_uart.c(2): * Copyright (c) 2004Cucy
Systems (<http://www.cucy.com>)
uboot\u-boot-2011.12\drivers\serial\s3c4510b_uart.c(22): * Copyright (C) 1999
2000 2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl)
uboot\u-boot-2011.12\drivers\serial\s3c4510b_uart.c(5): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\serial\s3c4510b_uart.h(5): * Copyright (c) 2004Cucy
Systems (<http://www.cucy.com>)
uboot\u-boot-2011.12\drivers\serial\s3c64xx.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\s3c64xx.c(5): * (C) Copyright 2008
uboot\u-boot-2011.12\drivers\serial\sandbox.c(2): * Copyright (c) 2011 The
Chromium OS Authors.
uboot\u-boot-2011.12\drivers\serial\serial.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\drivers\serial\serial_clps7111.c(13): * Copyright (C) 1999
2000 2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl)
uboot\u-boot-2011.12\drivers\serial\serial_clps7111.c(2): * (C) Copyright
2002-2004
uboot\u-boot-2011.12\drivers\serial\serial_clps7111.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_clps7111.c(9): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_ixp.c(13): * Copyright (C) 1999 2000
2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl)
uboot\u-boot-2011.12\drivers\serial\serial_ixp.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_ixp.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_ixp.c(9): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_ks8695.c(4): * (C) Copyright 2004,
Greg Ungerer <greg.ungerer@opengear.com>
uboot\u-boot-2011.12\drivers\serial\serial_lh7a40x.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_lpc2292.c(13): * Copyright (C) 1999
2000 2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl)
uboot\u-boot-2011.12\drivers\serial\serial_lpc2292.c(2): * (C) Copyright
2002-2004
uboot\u-boot-2011.12\drivers\serial\serial_lpc2292.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_lpc2292.c(9): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_max3100.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\serial\serial_mt53xx.c(4): * Copyright (c) 2010-2012
MediaTek Inc.
uboot\u-boot-2011.12\drivers\serial\serial_mt53xx.c(6): *Copyright (C) 2002 ARM
Ltd.
uboot\u-boot-2011.12\drivers\serial\serial_mt53xx.h(4): * Copyright (c) 2010-2012
MediaTek Inc.
uboot\u-boot-2011.12\drivers\serial\serial_mt53xx.h(6): *Copyright (C) 2002 ARM
Ltd.
uboot\u-boot-2011.12\drivers\serial\serial_netarm.c(4): * (C) Copyright 2002

legal(ME)

uboot\u-boot-2011.12\drivers\serial\serial_pl01x.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\drivers\serial\serial_pl01x.c(5): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\serial\serial_pl01x.h(2): * (C) Copyright 2003, 2004
uboot\u-boot-2011.12\drivers\serial\serial_pl2303.c(4): * Copyright (c) 2010-2012
MediaTek Inc.
uboot\u-boot-2011.12\drivers\serial\serial_pl2303.c(6): *Copyright (C) 2002 ARM
Ltd.
uboot\u-boot-2011.12\drivers\serial\serial_pl2303.h(4): * Copyright (c) 2010-2012
MediaTek Inc.
uboot\u-boot-2011.12\drivers\serial\serial_pl2303.h(6): *Copyright (C) 2002 ARM
Ltd.
uboot\u-boot-2011.12\drivers\serial\serial_pxa.c(11): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_pxa.c(15): * Copyright (C) 1999 2000
2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl)
uboot\u-boot-2011.12\drivers\serial\serial_pxa.c(2): * Copyright (C) 2011 Marek
Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\drivers\serial\serial_pxa.c(4): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_pxa.c(7): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_s3c24x0.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_s3c44b0.c(11): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_s3c44b0.c(15): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_s3c44b0.c(19): * Copyright (C) 1999
2000 2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl)
uboot\u-boot-2011.12\drivers\serial\serial_s3c44b0.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\serial\serial_s3c44b0.c(8): * (C) Copyright
2002-2004
uboot\u-boot-2011.12\drivers\serial\serial_s5p.c(2): * (C) Copyright 2009 SAMSUNG
Electronics
uboot\u-boot-2011.12\drivers\serial\serial_sa1100.c(13): * Copyright (C) 1999
2000 2001 Erik Mouw (J.A.K.Mouw@its.tudelft.nl)
uboot\u-boot-2011.12\drivers\serial\serial_sa1100.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_sa1100.c(5): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_sa1100.c(9): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\serial\serial_sh.c(3): * Copyright (C)
2007,2008,2010 Nobuhiro Iwamatsu
uboot\u-boot-2011.12\drivers\serial\serial_sh.c(4): * Copyright (C) 2002 -
2008Paul Mundt
uboot\u-boot-2011.12\drivers\serial\serial_xuartlite.c(2): * (C) Copyright
2008-2011 Michal Simek <monstr@monstr.eu>
uboot\u-boot-2011.12\drivers\serial\serial_xuartlite.c(5): * (C) Copyright 2004
Atmark Techno, Inc.
uboot\u-boot-2011.12\drivers\serial\usbttty.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\serial\usbttty.c(5): * (C) Copyright 2006
uboot\u-boot-2011.12\drivers\serial\usbttty.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\serial\usbttty.h(5): * (C) Copyright 2006
uboot\u-boot-2011.12\drivers\spi\altera_spi.c(5): * Copyright (c) 2005-2008
Analog Devices Inc.
uboot\u-boot-2011.12\drivers\spi\altera_spi.c(6): * Copyright (C) 2010 Thomas
Chou <thomas@wytron.com.tw>
uboot\u-boot-2011.12\drivers\spi\andes_spi.c(4): * (C) Copyright 2011 Andes
Technology
uboot\u-boot-2011.12\drivers\spi\andes_spi.h(4): * (C) Copyright 2011 Andes

legal(ME)

Technology

uboot\u-boot-2011.12\drivers\spi\armada100_spi.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\drivers\spi\armada100_spi.c(6): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\spi\atmel_spi.c(2): * Copyright (C) 2007 Atmel
Corporation
uboot\u-boot-2011.12\drivers\spi\bfin_spi.c(4): * Copyright (c) 2005-2010 Analog
Devices Inc.
uboot\u-boot-2011.12\drivers\spi\cf_spi.c(3): * (C) Copyright 2000-2003
uboot\u-boot-2011.12\drivers\spi\cf_spi.c(6): * Copyright (C) 2004-2009 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\spi\davinci_spi.c(2): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\drivers\spi\davinci_spi.c(7): * Copyright (C) 2007 Atmel
Corporation
uboot\u-boot-2011.12\drivers\spi\davinci_spi.h(2): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\drivers\spi\fs1_espi.c(4): * Copyright 2010-2011 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\spi\kirkwood_spi.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\spi\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\spi\mpc52xx_spi.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\spi\mpc52xx_spi.c(4): * (C) Copyright 2009 Semihalf,
Grzegorz Bernacki
uboot\u-boot-2011.12\drivers\spi\mpc8xxx_spi.c(2): * Copyright (c) 2006 Ben
Warren, Qstreams Networks Inc.
uboot\u-boot-2011.12\drivers\spi\mxs_spi.c(2): * Copyright (C) 2008, Guennadi
Liakhovetski <lg@denx.de>
uboot\u-boot-2011.12\drivers\spi\mxs_spi.c(4): * Copyright (C) 2011 Marek Vasut
<marek.vasut@gmail.com>
uboot\u-boot-2011.12\drivers\spi\oc_tiny_spi.c(7): * Copyright (c) 2005-2008
Analog Devices Inc.
uboot\u-boot-2011.12\drivers\spi\oc_tiny_spi.c(8): * Copyright (C) 2010 Thomas
Chou <thomas@wytron.com.tw>
uboot\u-boot-2011.12\drivers\spi\omap3_spi.c(10): * Copyright (C) 2005, 2006
Nokia Corporation
uboot\u-boot-2011.12\drivers\spi\omap3_spi.c(2): * Copyright (C) 2010 Dirk Behme
<dirk.behme@googlemail.com>
uboot\u-boot-2011.12\drivers\spi\omap3_spi.c(5): * Copyright (C) 2009 Texas
Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\drivers\spi\omap3_spi.c(7): * Copyright (C) 2007 Atmel
Corporation
uboot\u-boot-2011.12\drivers\spi\omap3_spi.h(4): * Copyright (C) 2010 Dirk Behme
<dirk.behme@googlemail.com>
uboot\u-boot-2011.12\drivers\spi\omap3_spi.h(7): * Copyright (C) 2005, 2006 Nokia
Corporation
uboot\u-boot-2011.12\drivers\spi\sh_spi.c(4): * Copyright (C) 2011 Renesas
Solutions Corp.
uboot\u-boot-2011.12\drivers\spi\sh_spi.h(4): * Copyright (C) 2011 Renesas
Solutions Corp.
uboot\u-boot-2011.12\drivers\spi\soft_spi.c(2): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\tpm\generic_lpc_tpm.c(2): * Copyright (c) 2011 The
Chromium OS Authors.

legal(ME)

uboot\u-boot-2011.12\drivers\tpm\Makefile(1):# Copyright (c) 2011 The Chromium OS Authors. All rights reserved.

uboot\u-boot-2011.12\drivers\twserial\Makefile(2):# (C) Copyright 2009

uboot\u-boot-2011.12\drivers\twserial\soft_tws.c(2): * (C) Copyright 2009

uboot\u-boot-2011.12\drivers\usb\eth\asix.c(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\drivers\usb\eth\Makefile(2):# Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\drivers\usb\eth\smc95xx.c(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\drivers\usb\eth\smc95xx.c(3): * Copyright (C) 2009 NVIDIA, Corporation

uboot\u-boot-2011.12\drivers\usb\eth\usb_ether.c(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\drivers\usb\gadget\config.c(4): * Copyright (C) 2003 David Brownell

uboot\u-boot-2011.12\drivers\usb\gadget\core.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\usb\gadget\core.c(8): * Copyright (c) 2000, 2001, 2002 Lineo

uboot\u-boot-2011.12\drivers\usb\gadget\core.c(9): * Copyright (c) 2001 Hewlett Packard

uboot\u-boot-2011.12\drivers\usb\gadget\ep0.c(11): * Copyright (c) 2000, 2001, 2002 Lineo

uboot\u-boot-2011.12\drivers\usb\gadget\ep0.c(12): * Copyright (c) 2001 Hewlett Packard

uboot\u-boot-2011.12\drivers\usb\gadget\ep0.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\usb\gadget\ep0.c(5): * (C) Copyright 2006

uboot\u-boot-2011.12\drivers\usb\gadget\ep0.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\usb\gadget\ep0.h(8): * Copyright (c) 2000, 2001, 2002 Lineo

uboot\u-boot-2011.12\drivers\usb\gadget\ep0.h(9): * Copyright (c) 2001 Hewlett Packard

uboot\u-boot-2011.12\drivers\usb\gadget\epautoconf.c(4): * Copyright (C) 2004 David Brownell

uboot\u-boot-2011.12\drivers\usb\gadget\ether.c(4): * Copyright (C) 2003-2005,2008 David Brownell

uboot\u-boot-2011.12\drivers\usb\gadget\ether.c(5): * Copyright (C) 2003-2004 Robert Schwebel, Benedikt Spranger

uboot\u-boot-2011.12\drivers\usb\gadget\ether.c(6): * Copyright (C) 2008 Nokia Corporation

uboot\u-boot-2011.12\drivers\usb\gadget\Makefile(2):# (C) Copyright 2000-2007

uboot\u-boot-2011.12\drivers\usb\gadget\mpc8xx_udc.c(2): * Copyright (C) 2006 by Bryan O'Donoghue, CodeHermit

uboot\u-boot-2011.12\drivers\usb\gadget\mv_udc.c(2): * Copyright 2011, Marvell Semiconductor Inc.

uboot\u-boot-2011.12\drivers\usb\gadget\ndis.h(9): * THIS SOFTWARE IS NOT COPYRIGHTED

uboot\u-boot-2011.12\drivers\usb\gadget\omap1510_udc.c(11): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\usb\gadget\omap1510_udc.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\usb\gadget\pxa27x_udc.c(4): * Copyright (C) 2007 Rodolfo Giometti <giometti@linux.it>

uboot\u-boot-2011.12\drivers\usb\gadget\pxa27x_udc.c(5): * Copyright (C) 2007

legal(ME)

Eurotech S.p.A.<info@eurotech.it>
uboot\u-boot-2011.12\drivers\usb\gadget\pxa27x_udc.c(6): * Copyright (C) 2008 Vivek Kotal<vivek.kotal@azingo.com>
uboot\u-boot-2011.12\drivers\usb\gadget\regs-otg.h(3): * Copyright (C) 2004 Herbert Poetzl <herbert@13thfloor.at>
uboot\u-boot-2011.12\drivers\usb\gadget\rndis.c(20): * Copyright (C) 2004 by David Brownell
uboot\u-boot-2011.12\drivers\usb\gadget\s3c_udc_otg.c(5): * Copyright (C) 2008 for Samsung Electronics
uboot\u-boot-2011.12\drivers\usb\gadget\s3c_udc_otg_xfer_dma.c(5): * Copyright (C) 2009 for Samsung Electronics
uboot\u-boot-2011.12\drivers\usb\gadget\spr_udc.c(5): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\usb\gadget\usbstring.c(2): * Copyright (C) 2003 David Brownell
uboot\u-boot-2011.12\drivers\usb\host\ehci.h(2): * Copyright (c) 2007-2008, Juniper Networks, Inc.
uboot\u-boot-2011.12\drivers\usb\host\ehci.h(3): * Copyright (c) 2008, Michael Trimarchi <trimarchimichael@yahoo.it>
uboot\u-boot-2011.12\drivers\usb\host\ehci-core.h(2): * Copyright (c) 2007-2008, Juniper Networks, Inc.
uboot\u-boot-2011.12\drivers\usb\host\ehci-core.h(3): * Copyright (c) 2008, Excito Elektronik i Sk \bar{t} ne AB
uboot\u-boot-2011.12\drivers\usb\host\ehci-fsl.c(2): * (C) Copyright 2009, 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\usb\host\ehci-fsl.c(4): * (C) Copyright 2008, Excito Elektronik i Sk=E5ne AB
uboot\u-boot-2011.12\drivers\usb\host\ehci-hcd.c(2): * Copyright (c) 2007-2008, Juniper Networks, Inc.
uboot\u-boot-2011.12\drivers\usb\host\ehci-hcd.c(3): * Copyright (c) 2008, Excito Elektronik i Sk \bar{t} ne AB
uboot\u-boot-2011.12\drivers\usb\host\ehci-hcd.c(4): * Copyright (c) 2008, Michael Trimarchi <trimarchimichael@yahoo.it>
uboot\u-boot-2011.12\drivers\usb\host\ehci-ixp4xx.c(2): * (C) Copyright 2008, Michael Trimarchi <trimarchimichael@yahoo.it>
uboot\u-boot-2011.12\drivers\usb\host\ehci-kirkwood.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\drivers\usb\host\ehci-mpc512x.c(2): * (C) Copyright 2010, Damien Dusha, <d.dusha@gmail.com>
uboot\u-boot-2011.12\drivers\usb\host\ehci-mpc512x.c(4): * (C) Copyright 2009, Value Team S.p.A.
uboot\u-boot-2011.12\drivers\usb\host\ehci-mpc512x.c(7): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\usb\host\ehci-mpc512x.c(9): * (C) Copyright 2008, Excito Elektronik i Sk=E5ne AB
uboot\u-boot-2011.12\drivers\usb\host\ehci-mx5.c(2): * Copyright (c) 2009 Daniel Mack <daniel@caiaq.de>
uboot\u-boot-2011.12\drivers\usb\host\ehci-mx5.c(3): * Copyright (C) 2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\usb\host\ehci-mxc.c(2): * Copyright (c) 2009 Daniel Mack <daniel@caiaq.de>
uboot\u-boot-2011.12\drivers\usb\host\ehci-mxs.c(4): * Copyright (C) 2011 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\drivers\usb\host\ehci-pci.c(2): * Copyright (c) 2007-2008,

legal(ME)

Juniper Networks, Inc.

uboot\u-boot-2011.12\drivers\usb\host\ehci-ppc4xx.c(2): * (C) Copyright 2010, Chris Zhang <chris@seamicro.com>

uboot\u-boot-2011.12\drivers\usb\host\ehci-vct.c(2): * (C) Copyright 2009 Stefan Roese <sr@denx.de>, DENX Software Engineering

uboot\u-boot-2011.12\drivers\usb\host\isp116x.h(10): * Copyright (C) 2004 David Brownell

uboot\u-boot-2011.12\drivers\usb\host\isp116x.h(4): * Copyright (C) 2007 Rodolfo Giometti <giometti@linux.it>

uboot\u-boot-2011.12\drivers\usb\host\isp116x.h(5): * Copyright (C) 2007 Eurotech S.p.A. <info@eurotech.it>

uboot\u-boot-2011.12\drivers\usb\host\isp116x.h(6): * Copyright (C) 2005 Olav Kongas <ok@artecdesign.ee>

uboot\u-boot-2011.12\drivers\usb\host\isp116x.h(8): * Copyright (C) 2004 Lothar Wassmann

uboot\u-boot-2011.12\drivers\usb\host\isp116x.h(9): * Copyright (C) 2004 Psion Teklogix

uboot\u-boot-2011.12\drivers\usb\host\isp116x-hcd.c(24): * (original copyright message follows):

uboot\u-boot-2011.12\drivers\usb\host\isp116x-hcd.c(26): *(C) Copyright 2004

uboot\u-boot-2011.12\drivers\usb\host\isp116x-hcd.c(34): *Copyright (c) 2003/06, Courage Co., Ltd.

uboot\u-boot-2011.12\drivers\usb\host\isp116x-hcd.c(4): * Copyright (C) 2006-2007 Rodolfo Giometti <giometti@linux.it>

uboot\u-boot-2011.12\drivers\usb\host\isp116x-hcd.c(46): * (original copyright message follows):

uboot\u-boot-2011.12\drivers\usb\host\isp116x-hcd.c(5): * Copyright (C) 2006-2007 Eurotech S.p.A. <info@eurotech.it>

uboot\u-boot-2011.12\drivers\usb\host\isp116x-hcd.c(50): *(C) Copyright 2003

uboot\u-boot-2011.12\drivers\usb\host\Makefile(2):# (C) Copyright 2000-2007

uboot\u-boot-2011.12\drivers\usb\host\ohci.h(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>

uboot\u-boot-2011.12\drivers\usb\host\ohci.h(5): * (C) Copyright 2000-2001 David Brownell <dbrownell@users.sourceforge.net>

uboot\u-boot-2011.12\drivers\usb\host\ohci-at91.c(2): * (C) Copyright 2006

uboot\u-boot-2011.12\drivers\usb\host\ohci-hcd.c(10): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\usb\host\ohci-hcd.c(14): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>

uboot\u-boot-2011.12\drivers\usb\host\ohci-hcd.c(15): * (C) Copyright 2000-2002 David Brownell

uboot\u-boot-2011.12\drivers\usb\host\ohci-hcd.c(17): * Modified for the MP2USB by (C) Copyright 2005 Eric Benard

uboot\u-boot-2011.12\drivers\usb\host\ohci-hcd.c(7): * (C) Copyright 2007

uboot\u-boot-2011.12\drivers\usb\host\r8a66597.h(4): * Copyright (C)

2008Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>

uboot\u-boot-2011.12\drivers\usb\host\r8a66597-hcd.c(4): * Copyright (C)

2008Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>

uboot\u-boot-2011.12\drivers\usb\host\s3c64xx-hcd.c(4): * Copyright (C) 2008,

uboot\u-boot-2011.12\drivers\usb\host\sl811-hcd.c(10): * Copyright (c) 2003/06, Courage Co., Ltd.

uboot\u-boot-2011.12\drivers\usb\host\sl811-hcd.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\drivers\usb\isp116x.h(10): * Copyright (C) 2004 David

legal(ME)

Brownell

uboot\u-boot-2011.12\drivers\usb\isp116x.h(4): * Copyright (C) 2007 Rodolfo Giometti <giometti@linux.it>
uboot\u-boot-2011.12\drivers\usb\isp116x.h(5): * Copyright (C) 2007 Eurotech S.p.A. <info@eurotech.it>
uboot\u-boot-2011.12\drivers\usb\isp116x.h(6): * Copyright (C) 2005 Olav Kongas <ok@artecdesign.ee>
uboot\u-boot-2011.12\drivers\usb\isp116x.h(8): * Copyright (C) 2004 Lothar Wassmann
uboot\u-boot-2011.12\drivers\usb\isp116x.h(9): * Copyright (C) 2004 Psion Teklogix
uboot\u-boot-2011.12\drivers\usb\isp116x-hcd.c(24): * (original copyright message follows):
uboot\u-boot-2011.12\drivers\usb\isp116x-hcd.c(26): *(C) Copyright 2004
uboot\u-boot-2011.12\drivers\usb\isp116x-hcd.c(34): *Copyright (c) 2003/06, Courage Co., Ltd.
uboot\u-boot-2011.12\drivers\usb\isp116x-hcd.c(4): * Copyright (C) 2006-2007 Rodolfo Giometti <giometti@linux.it>
uboot\u-boot-2011.12\drivers\usb\isp116x-hcd.c(46): * (original copyright message follows):
uboot\u-boot-2011.12\drivers\usb\isp116x-hcd.c(5): * Copyright (C) 2006-2007 Eurotech S.p.A. <info@eurotech.it>
uboot\u-boot-2011.12\drivers\usb\isp116x-hcd.c(50): *(C) Copyright 2003
uboot\u-boot-2011.12\drivers\usb\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\usb\mgc_dma.h(12): * Copyright (C) 2011-2012
uboot\u-boot-2011.12\drivers\usb\mgc_dma.h(3): *Copyright Mentor Graphics Corporation 2003-2004 *
uboot\u-boot-2011.12\drivers\usb\mgc_drc.h(12): * Copyright (C) 2011-2012
uboot\u-boot-2011.12\drivers\usb\mgc_drc.h(3): *Copyright Mentor Graphics Corporation 2003-2004 *
uboot\u-boot-2011.12\drivers\usb\mgc_hdrc.h(12): * Copyright (C) 2011-2012
uboot\u-boot-2011.12\drivers\usb\mgc_hdrc.h(3): *Copyright Mentor Graphics Corporation 2003-2004 *
uboot\u-boot-2011.12\drivers\usb\mt_usb.c(2):* Copyright (c) MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mt_usb.c(21): * Copyright (c) 2012 MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mt_usb.h(2):* Copyright (c) MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mt_usb.h(21): * Copyright (c) 2012 MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mtk_usb.c(6): * Copyright (c) 2008-2012 MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mu3d_fb\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\usb\mu3d_fb\mu3d_usb.c(2):* Copyright (c) MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mu3d_fb\mu3d_usb.c(21): * Copyright (c) 2012 MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mu3d_fb\mu3d_usb.h(2):* Copyright (c) MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mu3d_fb\mu3d_usb.h(21): * Copyright (c) 2012 MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mu3d_fb\ssusb_qmu.c(2):* Copyright (c) MediaTek Inc.
uboot\u-boot-2011.12\drivers\usb\mu3d_fb\ssusb_qmu.c(21):* @par Copyright Statement:

legal(ME)

uboot\u-boot-2011.12\drivers\usb\mu3d_fb\ssusb_qmu.c(23):*This software is protected by Copyright and the information contained

uboot\u-boot-2011.12\drivers\usb\musb\am35x.c(8): * Copyright (c) 2010 Texas Instruments Incorporated

uboot\u-boot-2011.12\drivers\usb\musb\am35x.h(8): * Copyright (c) 2010 Texas Instruments Incorporated

uboot\u-boot-2011.12\drivers\usb\musb\blackfin_usb.c(4): * Copyright (c) 2008-2009 Analog Devices Inc.

uboot\u-boot-2011.12\drivers\usb\musb\blackfin_usb.h(4): * Copyright (c) 2008-2009 Analog Devices Inc.

uboot\u-boot-2011.12\drivers\usb\musb\da8xx.c(8): * Copyright (C) 2009 Texas Instruments Incorporated

uboot\u-boot-2011.12\drivers\usb\musb\da8xx.h(8): * Copyright (C) 2009 Texas Instruments Incorporated

uboot\u-boot-2011.12\drivers\usb\musb\davinci.c(4): * Copyright (c) 2008 Texas Instruments

uboot\u-boot-2011.12\drivers\usb\musb\davinci.h(4): * Copyright (c) 2008 Texas Instruments

uboot\u-boot-2011.12\drivers\usb\musb\Makefile(2):# (C) Copyright 2000-2007

uboot\u-boot-2011.12\drivers\usb\musb\musb_core.c(5): * Copyright (c) 2008 Texas Instruments

uboot\u-boot-2011.12\drivers\usb\musb\musb_core.h(2): * Copyright 2008 Mentor Graphics Corporation

uboot\u-boot-2011.12\drivers\usb\musb\musb_core.h(3): * Copyright (C) 2008 by Texas Instruments

uboot\u-boot-2011.12\drivers\usb\musb\musb_debug.h(2): * Copyright (c) 2009 Wind River Systems, Inc.

uboot\u-boot-2011.12\drivers\usb\musb\musb_hcd.c(4): * Copyright (c) 2008 Texas Instruments

uboot\u-boot-2011.12\drivers\usb\musb\musb_hcd.h(4): * Copyright (c) 2008 Texas Instruments

uboot\u-boot-2011.12\drivers\usb\musb\musb_udc.c(13): * (C) Copyright 2008 - 2009

uboot\u-boot-2011.12\drivers\usb\musb\musb_udc.c(2): * Copyright (c) 2009 Wind River Systems, Inc.

uboot\u-boot-2011.12\drivers\usb\musb\musb_udc.c(23): * This is the unique part of its copyright :

uboot\u-boot-2011.12\drivers\usb\musb\musb_udc.c(27): * (C) Copyright 2008 Texas Instruments Incorporated.

uboot\u-boot-2011.12\drivers\usb\musb\musb_udc.c(9): * This is the unique part of its copyright :

uboot\u-boot-2011.12\drivers\usb\musb\omap3.c(13): * Copyright (c) 2009 Texas Instruments

uboot\u-boot-2011.12\drivers\usb\musb\omap3.c(2): * Copyright (c) 2009 Wind River Systems, Inc.

uboot\u-boot-2011.12\drivers\usb\musb\omap3.c(9): * This is the unique part of its copyright :

uboot\u-boot-2011.12\drivers\usb\musb\omap3.h(11): * Copyright (c) 2008 Texas Instruments

uboot\u-boot-2011.12\drivers\usb\musb\omap3.h(2): * Copyright (c) 2009 Wind River Systems, Inc.

uboot\u-boot-2011.12\drivers\usb\musb\omap3.h(7): * This is the unique part of its copyright:

legal(ME)

uboot\u-boot-2011.12\drivers\usb\phy\Makefile(2):# Copyright (c) 2009 Wind River Systems, Inc.
uboot\u-boot-2011.12\drivers\usb\phy\twl4030.c(13): ** (C) Copyright 2009 Atin Malaviya (atin.malaviya@gmail.com)
uboot\u-boot-2011.12\drivers\usb\phy\twl4030.c(16): * Copyright (C) 2004-2007 Texas Instruments
uboot\u-boot-2011.12\drivers\usb\phy\twl4030.c(17): * Copyright (C) 2008 Nokia Corporation
uboot\u-boot-2011.12\drivers\usb\phy\twl4030.c(2): * Copyright (c) 2009 Wind River Systems, Inc.
uboot\u-boot-2011.12\drivers\usb\phy\twl4030.c(9): * This is the unique part of its copyright :
uboot\u-boot-2011.12\drivers\usb\r8a66597.h(4): * Copyright (C) 2008Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
uboot\u-boot-2011.12\drivers\usb\r8a66597-hcd.c(4): * Copyright (C) 2008Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
uboot\u-boot-2011.12\drivers\usb\sl811_usb.c(10): * Copyright (c) 2003/06, Courage Co., Ltd.
uboot\u-boot-2011.12\drivers\usb\sl811_usb.c(2): * (C) Copyright 2004
uboot\u-boot-2011.12\drivers\usb\udc.h(2): * Copyright (c) 2009, Google Inc.
uboot\u-boot-2011.12\drivers\usb\ulpi\Makefile(2):# Copyright (C) 2011 Jana Rapava <fermata7@gmail.com>
uboot\u-boot-2011.12\drivers\usb\ulpi\ulpi.c(12): * Original Copyright follow:
uboot\u-boot-2011.12\drivers\usb\ulpi\ulpi.c(13): * Copyright (C) 2009 Daniel Mack <daniel@caiaq.de>
uboot\u-boot-2011.12\drivers\usb\ulpi\ulpi.c(2): * Copyright (C) 2011 Jana Rapava <fermata7@gmail.com>
uboot\u-boot-2011.12\drivers\usb\ulpi\ulpi.c(3): * Copyright (C) 2011 CompuLab, Ltd. <www.complab.co.il>
uboot\u-boot-2011.12\drivers\usb\ulpi\ulpi-viewport.c(11): * Original Copyright follow:
uboot\u-boot-2011.12\drivers\usb\ulpi\ulpi-viewport.c(12): * Copyright (C) 2011 Google, Inc.
uboot\u-boot-2011.12\drivers\usb\ulpi\ulpi-viewport.c(2): * Copyright (C) 2011 Jana Rapava <fermata7@gmail.com>
uboot\u-boot-2011.12\drivers\usb\ulpi\ulpi-viewport.c(3): * Copyright (C) 2011 CompuLab, Ltd. <www.complab.co.il>
uboot\u-boot-2011.12\drivers\usb\usb_ohci.c(10): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\usb\usb_ohci.c(14): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
uboot\u-boot-2011.12\drivers\usb\usb_ohci.c(15): * (C) Copyright 2000-2002 David Brownell
uboot\u-boot-2011.12\drivers\usb\usb_ohci.c(17): * Modified for the MP2USB by (C) Copyright 2005 Eric Benard
uboot\u-boot-2011.12\drivers\usb\usb_ohci.c(7): * (C) Copyright 2007
uboot\u-boot-2011.12\drivers\usb\usb_ohci.h(4): * (C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>
uboot\u-boot-2011.12\drivers\usb\usb_ohci.h(5): * (C) Copyright 2000-2001 David Brownell <dbrownell@users.sourceforge.net>
uboot\u-boot-2011.12\drivers\usb\usbdcore.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\usb\usbdcore.c(8): * Copyright (c) 2000, 2001, 2002 Lineo

legal(ME)

uboot\u-boot-2011.12\drivers\usb\usbdcore.c(9): * Copyright (c) 2001 Hewlett Packard
uboot\u-boot-2011.12\drivers\usb\usbdcore_ep0.c(11): * Copyright (c) 2000, 2001, 2002 Lineo
uboot\u-boot-2011.12\drivers\usb\usbdcore_ep0.c(12): * Copyright (c) 2001 Hewlett Packard
uboot\u-boot-2011.12\drivers\usb\usbdcore_ep0.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\usb\usbdcore_ep0.c(5): * (C) Copyright 2006
uboot\u-boot-2011.12\drivers\usb\usbdcore_mpc8xx.c(2): * Copyright (C) 2006 by Bryan O'Donoghue, CodeHermit
uboot\u-boot-2011.12\drivers\usb\usbdcore_omap1510.c(11): * (C) Copyright 2002
uboot\u-boot-2011.12\drivers\usb\usbdcore_omap1510.c(2): * (C) Copyright 2003
uboot\u-boot-2011.12\drivers\video\amba.c(4): * Copyright (C) 2009 Alessandro Rubini
uboot\u-boot-2011.12\drivers\video\ati_radeon_fb.c(4): * Copyright 2007 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\video\atmel_lcdfb.c(4): * Copyright (C) 2007 Atmel Corporation
uboot\u-boot-2011.12\drivers\video\bus_vcxx.c(2): * (C) Copyright 2005-2009
uboot\u-boot-2011.12\drivers\video\cfb_console.c(2): * (C) Copyright 2002 ELTEC Elektronik AG
uboot\u-boot-2011.12\drivers\video\ct69000.c(5): * (C) Copyright 2002 Denis Peter, MPL AG Switzerland
uboot\u-boot-2011.12\drivers\video\da8xx-fb.c(4): * (C) Copyright 2011
uboot\u-boot-2011.12\drivers\video\da8xx-fb.c(7): * Copyright (C) 2008-2009 MontaVista Software Inc.
uboot\u-boot-2011.12\drivers\video\da8xx-fb.c(8): * Copyright (C) 2008-2009 Texas Instruments Inc
uboot\u-boot-2011.12\drivers\video\fs1_diu_fb.c(2): * Copyright 2007, 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\video\ipu.h(4): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\video\ipu.h(9): * (C) Copyright 2005-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\video\ipu_common.c(4): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\video\ipu_common.c(9): * (C) Copyright 2005-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\video\ipu_disp.c(4): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\video\ipu_disp.c(9): * (C) Copyright 2005-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\video\ipu_regs.h(4): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\video\ipu_regs.h(9): * (C) Copyright 2005-2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\video\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\drivers\video\mb862xx.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\drivers\video\mb86r0xgdc.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\video\mx3fb.c(2): * Copyright (C) 2009
uboot\u-boot-2011.12\drivers\video\mx3fb.c(4): * Copyright (C) 2011
uboot\u-boot-2011.12\drivers\video\mx3fb_ipuv3_fb.c(4): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\video\mx3fb_ipuv3_fb.c(9): * (C) Copyright 2004-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\drivers\video\mx3fb.h(4): * (C) Copyright 2010
uboot\u-boot-2011.12\drivers\video\mx3fb.h(9): * (C) Copyright 2004-2009

legal(ME)

Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\video\omap3_dss.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\drivers\video\s6e63d6.c(2): * Copyright (C) 2009

uboot\u-boot-2011.12\drivers\video\sed13806.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\video\sed156x.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\drivers\video\sm501.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\drivers\video\sm501.c(6): * (C) Copyright 2005

uboot\u-boot-2011.12\drivers\video\smiLynxEM.c(2): * (C) Copyright 1997-2002

ELTEC Elektronik AG

uboot\u-boot-2011.12\drivers\video\videomodes.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\drivers\video\videomodes.c(4): * Copyright 2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\drivers\video\videomodes.h(2): * (C) Copyright 2004

uboot\u-boot-2011.12\drivers\watchdog\at91sam9_wdt.c(6): * Copyright (C) 2008

Jean-Christophe PLAGNIOL-VILLARD <plagnioj@jcrosoft.com>

uboot\u-boot-2011.12\drivers\watchdog\at91sam9_wdt.c(7): * Copyright (C) 2008

Renaud CERRATO r.cerrato@til-technologies.fr

uboot\u-boot-2011.12\drivers\watchdog\ftwtdt010_wdt.c(4): * (c) Copyright 2004

Faraday Technology Corp. (www.faraday-tech.com)

uboot\u-boot-2011.12\drivers\watchdog\ftwtdt010_wdt.c(8): * Copyright (C) 2011

Andes Technology Corporation

uboot\u-boot-2011.12\drivers\watchdog\Makefile(2):# (C) Copyright 2008

uboot\u-boot-2011.12\dts\Makefile(2):# Copyright (c) 2011 The Chromium OS

Authors.

uboot\u-boot-2011.12\examples\api\crt0.S(2): * (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\examples\api\demo.c(2): * (C) Copyright 2007-2008 Semihalf

uboot\u-boot-2011.12\examples\api\glue.c(2): * (C) Copyright 2007-2008 Semihalf,

Rafal Jaworowski <raj@semihalf.com>

uboot\u-boot-2011.12\examples\api\glue.h(2): * (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\examples\api\libgenwrap.c(2): * (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\examples\api\Makefile(2):# (C) Copyright 2007 Semihalf

uboot\u-boot-2011.12\examples\standalone\82559_eeprom.c(3): * Copyright 1998-2001

by Donald Becker.

uboot\u-boot-2011.12\examples\standalone\atmel_df_pow2.c(4): * Copyright 2009

Analog Devices Inc.

uboot\u-boot-2011.12\examples\standalone\eeepro100_eeprom.c(2): * Copyright

1998-2001 by Donald Becker.

uboot\u-boot-2011.12\examples\standalone\hello_world.c(2): * (C) Copyright 2000

uboot\u-boot-2011.12\examples\standalone\interrupt.c(2): * (C) Copyright 2006

uboot\u-boot-2011.12\examples\standalone\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\examples\standalone\mem_to_mem_idma2intr.c(11): * copyright

notice:

uboot\u-boot-2011.12\examples\standalone\mem_to_mem_idma2intr.c(15): * Copyright

(c) 1999 Dan Malek (dmalek@jlc.net)

uboot\u-boot-2011.12\examples\standalone\mem_to_mem_idma2intr.c(16): * Copyright

(c) 2000 MontaVista Software, Inc (source@mvista.com)

uboot\u-boot-2011.12\examples\standalone\mips.lds(2): * (C) Copyright 2003

uboot\u-boot-2011.12\examples\standalone\nds32.lds(2): * Copyright (C) 2011 Andes

Technology Corporation

uboot\u-boot-2011.12\examples\standalone\ppc_longjmp.S(2): Copyright (C) 1995,

1996, 1997, 1999, 2000 Free Software Foundation, Inc.

uboot\u-boot-2011.12\examples\standalone\ppc_setjmp.S(2): Copyright (C) 1995,

legal(ME)

1996, 1997, 1999, 2000 Free Software Foundation, Inc.

uboot\u-boot-2011.12\examples\standalone\smc91111_eeeprom.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\examples\standalone\smc911x_eeeprom.c(5): * Copyright 2004-2009 Analog Devices Inc.

uboot\u-boot-2011.12\examples\standalone\sparc.lds(2): * (C) Copyright 2003, Psyent Corporation <www.psyent.com>

uboot\u-boot-2011.12\examples\standalone\test_burst.c(2): * (C) Copyright 2005

uboot\u-boot-2011.12\examples\standalone\test_burst.h(2): * (C) Copyright 2005

uboot\u-boot-2011.12\examples\standalone\test_burst_lib.S(2): * (C) Copyright 2005

uboot\u-boot-2011.12\examples\standalone\timer.c(2): * (C) Copyright 2000

uboot\u-boot-2011.12\fs\cramfs\cramfs.c(4): * Copyright (C) 1999 Linus Torvalds

uboot\u-boot-2011.12\fs\cramfs\cramfs.c(6): * Copyright (C) 2000-2002 Transmeta Corporation

uboot\u-boot-2011.12\fs\cramfs\cramfs.c(8): * Copyright (C) 2003 Kai-Uwe Bloem,

uboot\u-boot-2011.12\fs\cramfs\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\fs\cramfs\uncompress.c(4): * Copyright (C) 1999 Linus Torvalds

uboot\u-boot-2011.12\fs\cramfs\uncompress.c(5): * Copyright (C) 2000-2002 Transmeta Corporation

uboot\u-boot-2011.12\fs\ext2\dev.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\fs\ext2\dev.c(8): *(C) Copyright 2003 - 2004

uboot\u-boot-2011.12\fs\ext2\ext2fs.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\fs\ext2\ext2fs.c(9): *Copyright (C) 2003, 2004Free Software Foundation, Inc.

uboot\u-boot-2011.12\fs\ext2\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\fs\ext2\Makefile(5):# (C) Copyright 2003

uboot\u-boot-2011.12\fs\ext4\crc16.h(8): * Copyright (c) 2005 Ben Gardner <bgardner at wabtec.com>

uboot\u-boot-2011.12\fs\ext4\dev.c(14): * (C) Copyright 2003 - 2004

uboot\u-boot-2011.12\fs\ext4\dev.c(2): * (C) Copyright 2011 - 2012 Samsung Electronics

uboot\u-boot-2011.12\fs\ext4\dev.c(8): * (C) Copyright 2004

uboot\u-boot-2011.12\fs\ext4\ext4_common.c(15): * Copyright (C) 2003, 2004Free Software Foundation, Inc.

uboot\u-boot-2011.12\fs\ext4\ext4_common.c(2): * (C) Copyright 2011 - 2012 Samsung Electronics

uboot\u-boot-2011.12\fs\ext4\ext4_common.c(9): * (C) Copyright 2004

uboot\u-boot-2011.12\fs\ext4\ext4_common.h(15): * Copyright (C) 2003, 2004Free Software Foundation, Inc.

uboot\u-boot-2011.12\fs\ext4\ext4_common.h(2): * (C) Copyright 2011 - 2012 Samsung Electronics

uboot\u-boot-2011.12\fs\ext4\ext4_common.h(9): * (C) Copyright 2004

uboot\u-boot-2011.12\fs\ext4\ext4_journal.c(12): * Copyright 1998-2000 Red Hat, Inc --- All Rights Reserved

uboot\u-boot-2011.12\fs\ext4\ext4_journal.c(2): * (C) Copyright 2011 - 2012 Samsung Electronics

uboot\u-boot-2011.12\fs\ext4\ext4_journal.h(13): * Copyright 1998-2000 Red Hat, Inc --- All Rights Reserved

uboot\u-boot-2011.12\fs\ext4\ext4_journal.h(2): * (C) Copyright 2011 - 2012

legal(ME)

Samsung Electronics

uboot\u-boot-2011.12\fs\ext4\ext4fs.c(11): * (C) Copyright 2004

uboot\u-boot-2011.12\fs\ext4\ext4fs.c(17): * Copyright (C) 2003, 2004 Free Software Foundation, Inc.

uboot\u-boot-2011.12\fs\ext4\ext4fs.c(2): * (C) Copyright 2011 - 2012 Samsung Electronics

uboot\u-boot-2011.12\fs\ext4\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\fs\ext4\Makefile(5):# (C) Copyright 2003

uboot\u-boot-2011.12\fs\fdos\dev.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\fs\fdos\dos.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\fs\fdos\fat.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\fs\fdos\fdos.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\fs\fdos\fdos.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\fs\fdos\fs.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\fs\fdos\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\fs\fdos\Makefile(5):# (C) Copyright 2002

uboot\u-boot-2011.12\fs\fdos\subdir.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\fs\fdos\vfat.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\fs\jffs2\compr_lzo.c(22): Original copyright notice follows:

uboot\u-boot-2011.12\fs\jffs2\compr_lzo.c(35): Copyright (C) 1996-2002 Markus Franz Xaver Johannes Oberhumer

uboot\u-boot-2011.12\fs\jffs2\compr_lzo.c(4): * Copyright (C) 2004 Patrik Kluba,

uboot\u-boot-2011.12\fs\jffs2\compr_rtime.c(4): * Copyright (C) 2001 Red Hat, Inc.

uboot\u-boot-2011.12\fs\jffs2\compr_rubin.c(4): * Copyright (C) 2001 Red Hat, Inc.

uboot\u-boot-2011.12\fs\jffs2\compr_zlib.c(4): * Copyright (C) 2001 Red Hat, Inc.

uboot\u-boot-2011.12\fs\jffs2\jffs2_1pass.c(15): * Copyright (C) 2001 Red Hat, Inc.

uboot\u-boot-2011.12\fs\jffs2\jffs2_1pass.c(5): * Copyright: Copyright (C) 2001, Russ Dill

uboot\u-boot-2011.12\fs\jffs2\LICENCE(4): Copyright ʘʘ 2001-2007 Red Hat, Inc. and others

uboot\u-boot-2011.12\fs\jffs2\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\fs\jffs2\mini_inflate.c(4): * Copyright: Copyright (C) 2001, Russ Dill

uboot\u-boot-2011.12\fs\jffs2\summary.h(4): * Copyright ʘʘ 2004 Ferenc Havasi <havasi@inf.u-szeged.hu>

uboot\u-boot-2011.12\fs\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\fs\reiserfs\dev.c(2): *(C) Copyright 2003 - 2004

uboot\u-boot-2011.12\fs\reiserfs\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\fs\reiserfs\Makefile(5):# (C) Copyright 2003

uboot\u-boot-2011.12\fs\reiserfs\mode_string.c(4): * Copyright (C) 2003 Manuel Novoa III <mjn3@codepoet.org>

uboot\u-boot-2011.12\fs\reiserfs\reiserfs.c(2): * Copyright 2000-2002 by Hans Reiser, licensing governed by reiserfs/README

uboot\u-boot-2011.12\fs\reiserfs\reiserfs.c(5): * Copyright (C) 2000, 2001 Free Software Foundation, Inc.

uboot\u-boot-2011.12\fs\reiserfs\reiserfs.c(7): *(C) Copyright 2003 - 2004

uboot\u-boot-2011.12\fs\reiserfs\reiserfs_private.h(2): * Copyright 2000-2002 by Hans Reiser, licensing governed by reiserfs/README

uboot\u-boot-2011.12\fs\reiserfs\reiserfs_private.h(5): * Copyright (C) 2000,

legal(ME)

2001Free Software Foundation, Inc.

uboot\u-boot-2011.12\fs\reiserfs\reiserfs_private.h(7): *(C) Copyright 2003 - 2004

uboot\u-boot-2011.12\fs\ubifs\budget.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\crc16.h(9): * Copyright (c) 2005 Ben Gardner <bgardner@wabtec.com>

uboot\u-boot-2011.12\fs\ubifs\debug.c(4): * Copyright (C) 2006-2008 Nokia Corporation

uboot\u-boot-2011.12\fs\ubifs\debug.h(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\io.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\io.c(5): * Copyright (C) 2006, 2007 University of Szeged, Hungary

uboot\u-boot-2011.12\fs\ubifs\key.h(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\log.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\lprops.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\lpt.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\lpt_commit.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\Makefile(2):# (C) Copyright 2006

uboot\u-boot-2011.12\fs\ubifs\Makefile(5):# (C) Copyright 2003

uboot\u-boot-2011.12\fs\ubifs\master.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\misc.h(4): * Copyright (C) 2006-2008 Nokia Corporation

uboot\u-boot-2011.12\fs\ubifs\orphan.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\recovery.c(4): * Copyright (C) 2006-2008 Nokia Corporation

uboot\u-boot-2011.12\fs\ubifs\replay.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\sb.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\scan.c(4): * Copyright (C) 2006-2008 Nokia Corporation

uboot\u-boot-2011.12\fs\ubifs\super.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\tnc.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\tnc_misc.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\ubifs.c(4): * Copyright (C) 2006-2008 Nokia Corporation.

uboot\u-boot-2011.12\fs\ubifs\ubifs.c(6): * (C) Copyright 2008-2010

uboot\u-boot-2011.12\fs\ubifs\ubifs.h(4): * Copyright (C) 2006-2008 Nokia Corporation

legal(ME)

uboot\u-boot-2011.12\fs\ubifs\ubifs.h(6): * Copyright 2008-2009
uboot\u-boot-2011.12\fs\ubifs\ubifs-media.h(4): * Copyright (C) 2006-2008 Nokia Corporation.
uboot\u-boot-2011.12\fs\yaffs2\devextras.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\Makefile(6):# Copyright (C) 2003 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_checkptrw.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_checkptrw.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_ecc.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_ecc.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_flashif.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_guts.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_guts.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_malloc.h(5): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_mtdif.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_mtdif.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_mtdif2.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_mtdif2.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_nand.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_nand.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_nandemul2k.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_packedtags1.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_packedtags1.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_packedtags2.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_packedtags2.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_qsort.c(2): * Copyright (c) 1992, 1993
uboot\u-boot-2011.12\fs\yaffs2\yaffs_qsort.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_ramdisk.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_tagscompat.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.
uboot\u-boot-2011.12\fs\yaffs2\yaffs_tagscompat.h(4): * Copyright (C) 2002-2007

legal(ME)

Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\yaffs_tagsvalidity.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\yaffs_tagsvalidity.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\yaffscfg.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\yaffscfg.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\yaffsfs.c(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\yaffsfs.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\yaffsinterface.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\ydirectenv.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\fs\yaffs2\yportenv.h(4): * Copyright (C) 2002-2007 Aleph One Ltd.

uboot\u-boot-2011.12\include\74xx_7xx.h(2): * (C) Copyright 2001

uboot\u-boot-2011.12\include\ACEX1K.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\include\ACEX1K.h(5): * (C) Copyright 2002

uboot\u-boot-2011.12\include\addr_map.h(5): * Copyright 2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\ahci.h(2): * Copyright (C) Freescale Semiconductor, Inc. 2006.

uboot\u-boot-2011.12\include\ali512x.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\include\altera.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\include\amba_clcd.h(7): * Copyright (C) 2001 ARM Limited

uboot\u-boot-2011.12\include\ambapp.h(6): * (C) Copyright 2007

uboot\u-boot-2011.12\include\andestech\andes_pcu.h(2): * (C) Copyright 2011 Andes Technology Corp

uboot\u-boot-2011.12\include\android_image.h(7): * Copyright (C) 2008 The Android Open Source Project

uboot\u-boot-2011.12\include\api_public.h(2): * (C) Copyright 2007-2008 Semihalf

uboot\u-boot-2011.12\include\armcoremodule.h(2): * (C) Copyright 2005

uboot\u-boot-2011.12\include\asm-generic\errno.h(4): * Copyright (c) 2005-2007

Analog Devices Inc.

uboot\u-boot-2011.12\include\asm-generic\gpio.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\include\ata.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\atmel_lcdc.h(6): *Copyright (C) 2007 Atmel Corporation

uboot\u-boot-2011.12\include\bcm5221.h(4): * (C) Copyright 2005 REA Elektronik GmbH <www.rea.de>

uboot\u-boot-2011.12\include\bedbug\bedbug.h(28): * Copyright (c) 2001 William L. Pitts

uboot\u-boot-2011.12\include\bedbug\ppc.h(401): * Copyright (c) 2000 William L. Pitts and W. Gerald Hicks

uboot\u-boot-2011.12\include\bedbug\regs.h(390): * Copyright (c) 2000 William L. Pitts and W. Gerald Hicks

uboot\u-boot-2011.12\include\bedbug\tables.h(589): * Copyright (c) 2000 William

legal(ME)

L. Pitts and W. Gerald Hicks

uboot\u-boot-2011.12\include\bignum.h(4): *Copyright (C) 2006-2009, Paul Bakker
<polarssl_maintainer at polarssl.org>

uboot\u-boot-2011.12\include\bignum.h(7): *Joined copyright on original XySSL
code with: Christophe Devine

uboot\u-boot-2011.12\include\bmp_layout.h(1):/* (C) Copyright 2002

uboot\u-boot-2011.12\include\bn_mul.h(4): *Copyright (C) 2006-2009, Paul Bakker
<polarssl_maintainer at polarssl.org>

uboot\u-boot-2011.12\include\bn_mul.h(7): *Joined copyright on original XySSL
code with: Christophe Devine

uboot\u-boot-2011.12\include\bootimg.h(3):** Copyright 2007, The Android Open
Source Project

uboot\u-boot-2011.12\include\bus_vcxc.h(2): * (C) Copyright 2005-2009

uboot\u-boot-2011.12\include\bzlib.h(15):Copyright (C) 1996-2002 Julian R
Seward.All rights reserved.

uboot\u-boot-2011.12\include\cirbuf.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\include\clps7111.h(7): *Copyright (C) 2000 Deep Blue
Solutions Ltd.

uboot\u-boot-2011.12\include\command.h(2): * (C) Copyright 2000-2009

uboot\u-boot-2011.12\include\common.h(2): * (C) Copyright 2000-2009

uboot\u-boot-2011.12\include\commproc.h(3): * Copyright (c) 1997 Dan Malek
(dmalek@jlc.net)

uboot\u-boot-2011.12\include\commproc.h(5): * (C) Copyright 2000-2006

uboot\u-boot-2011.12\include\config_cmd_all.h(2): * Copyright 2007 Freescale
Semiconductor, Inc.

uboot\u-boot-2011.12\include\config_cmd_default.h(2): * Copyright 2007 Freescale
Semiconductor, Inc.

uboot\u-boot-2011.12\include\config_cmd_defaults.h(4): * Copyright (c) 2010-2011
Analog Devices Inc.

uboot\u-boot-2011.12\include\config_defaults.h(4): * Copyright (c) 2009 Analog
Devices Inc.

uboot\u-boot-2011.12\include\config_phylib_all_drivers.h(8): * Copyright 2011
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\configs\A3000.h(2): * (C) Copyright 2001, 2002, 2003

uboot\u-boot-2011.12\include\configs\a320evb.h(2): * (C) Copyright 2009 Faraday
Technology

uboot\u-boot-2011.12\include\configs\a4m072.h(2): * (C) Copyright 2003-2005

uboot\u-boot-2011.12\include\configs\a4m072.h(5): * (C) Copyright 2010

uboot\u-boot-2011.12\include\configs\acadia.h(2): * (C) Copyright 2007

uboot\u-boot-2011.12\include\configs\actux1.h(2): * (C) Copyright 2007

uboot\u-boot-2011.12\include\configs\actux2.h(2): * (C) Copyright 2007

uboot\u-boot-2011.12\include\configs\actux3.h(2): * (C) Copyright 2007

uboot\u-boot-2011.12\include\configs\actux4.h(2): * (C) Copyright 2007

uboot\u-boot-2011.12\include\configs\ADCIOP.h(2): * (C) Copyright 2001

uboot\u-boot-2011.12\include\configs\Adder.h(2): * Copyright (C) 2004-2005
Arabella Software Ltd.

uboot\u-boot-2011.12\include\configs\AdderUSB.h(2): * Copyright (C) 2006
CodeHermit.

uboot\u-boot-2011.12\include\configs\adp-ag101.h(2): * Copyright (C) 2011 Andes
Technology Corporation

uboot\u-boot-2011.12\include\configs\adp-ag101p.h(2): * Copyright (C) 2011 Andes
Technology Corporation

legal(ME)

uboot\u-boot-2011.12\include\configs\ADS860.h(7): * Copyright (c) 1998 Dan Malek (dmalek@jlc.net)
uboot\u-boot-2011.12\include\configs\ae.v.h(2): * (C) Copyright 2003-2006
uboot\u-boot-2011.12\include\configs\ae.v.h(5): * (C) Copyright 2004-2005
uboot\u-boot-2011.12\include\configs\afeb9260.h(2): * (C) Copyright 2008 Sergey Lapin <slapin@ossfans.org>
uboot\u-boot-2011.12\include\configs\Alaska8220.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\alpr.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\am335x_evm.h(4): * Copyright (C) 2011 Texas Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\include\configs\am3517_crane.h(8): * Copyright (C) 2011 Mistral Solutions pvt Ltd
uboot\u-boot-2011.12\include\configs\am3517_evm.h(8): * Copyright (C) 2010 Texas Instruments Incorporated
uboot\u-boot-2011.12\include\configs\amcc-common.h(2): * (C) Copyright 2008, 2009
uboot\u-boot-2011.12\include\configs\AMX860.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\AP1000.h(11): * and must retain the authorship, copyright and this license notice. This
uboot\u-boot-2011.12\include\configs\ap325rxa.h(4): * Copyright (C) 2008 Renesas Solutions Corp.
uboot\u-boot-2011.12\include\configs\ap325rxa.h(5): * Copyright (C) 2008 Nobuhiro Iwamatsu <iwamatsu.nobuhiro@renesas.com>
uboot\u-boot-2011.12\include\configs\APC405.h(2): * (C) Copyright 2005-2008
uboot\u-boot-2011.12\include\configs\APC405.h(5): * (C) Copyright 2001-2004
uboot\u-boot-2011.12\include\configs\apollon.h(2): * (C) Copyright 2005-2008
uboot\u-boot-2011.12\include\configs\AR405.h(2): * (C) Copyright 2001-2004
uboot\u-boot-2011.12\include\configs\aria.h(2): * (C) Copyright 2009 Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\include\configs\aria.h(3): * (C) Copyright 2009, DAVE Srl <www.dave.eu>
uboot\u-boot-2011.12\include\configs\ASH405.h(2): * (C) Copyright 2001-2003
uboot\u-boot-2011.12\include\configs\aspenite.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\astro_mcf53731.h(4): * (C) Copyright 2003 Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\include\configs\at91rm9200ek.h(2): * Copyright (C) 2010 Andreas Bießmann <biessmann.devel@gmail.com>
uboot\u-boot-2011.12\include\configs\at91sam9260ek.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\at91sam9261ek.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\at91sam9263ek.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\at91sam9m10g45ek.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\at91sam9rlek.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\atc.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\atngw100.h(2): * Copyright (C) 2006 Atmel Corporation
uboot\u-boot-2011.12\include\configs\atstk1002.h(2): * Copyright (C) 2005-2006 Atmel Corporation
uboot\u-boot-2011.12\include\configs\atstk1003.h(2): * Copyright (C) 2007 Atmel Corporation

legal(ME)

uboot\u-boot-2011.12\include\configs\atstk1004.h(2): * Copyright (C) 2007 Atmel Corporation
uboot\u-boot-2011.12\include\configs\atstk1006.h(2): * Copyright (C) 2005-2006 Atmel Corporation
uboot\u-boot-2011.12\include\configs\balloon3.h(4): * Copyright (C) 2010 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\include\configs\bamboo.h(2): * (C) Copyright 2005-2007
uboot\u-boot-2011.12\include\configs\BC3450.h(10): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\BC3450.h(4): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\BC3450.h(7): * (C) Copyright 2004-2005
uboot\u-boot-2011.12\include\configs\bluestone.h(4): * Copyright (c) 2010, Applied Micro Circuits Corporation
uboot\u-boot-2011.12\include\configs\BMW.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\bubinga.h(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\configs\c2mon.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\ca9x4_ct_vxp.h(2): * (C) Copyright 2010 Linaro
uboot\u-boot-2011.12\include\configs\cam_enc_4xx.h(2): * Copyright (C) 2009 Texas Instruments Incorporated
uboot\u-boot-2011.12\include\configs\cam_enc_4xx.h(4): * Copyright (C) 2011
uboot\u-boot-2011.12\include\configs\CANBT.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\canmb.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\canyonlands.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\CATcenter.h(4): * (C) Copyright 2004-2005 DENX Software Engineering,
uboot\u-boot-2011.12\include\configs\CATcenter.h(6): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\charon.h(2): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\charon.h(5): * (C) Copyright 2004-2006
uboot\u-boot-2011.12\include\configs\charon.h(8): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\cm_t35.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\configs\cm_t35.h(8): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\cm4008.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\cm41xx.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\cm5200.h(2): * (C) Copyright 2003-2007
uboot\u-boot-2011.12\include\configs\cmi_mpc5xx.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\CMS700.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\cobra5272.h(4): * (C) Copyright 2003 Josef Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\include\configs\cogent_common.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\cogent_mpc8260.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\cogent_mpc8xx.h(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\include\configs\colibri_pxa270.h(4): * Copyright (C) 2010 Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\include\configs\corenet_ds.h(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\CPC45.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\CPCI2DP.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\CPCI405.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\CPCI4052.h(2): * (C) Copyright 2001-2004
uboot\u-boot-2011.12\include\configs\CPCI405AB.h(2): * (C) Copyright 2001-2003
uboot\u-boot-2011.12\include\configs\CPCI405DT.h(2): * (C) Copyright 2001-2004

legal(ME)

uboot\u-boot-2011.12\include\configs\cpci5200.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\include\configs\CPCI750.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\CPCIISER4.h(2): * (C) Copyright 2001-2003
uboot\u-boot-2011.12\include\configs\CPU86.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\CPU87.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\cpu9260.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\cpu9260.h(7): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\cpuat91.h(2): * CPUAT91 by (C) Copyright
2006-2010 Eric Benard
uboot\u-boot-2011.12\include\configs\CRAYL1.h(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\include\configs\csb272.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\csb472.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\CU824.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\da830evm.h(2): * Copyright (C) 2008 Texas
Instruments, Inc <www.ti.com>
uboot\u-boot-2011.12\include\configs\da830evm.h(4): * Based on davinci_dvevm.h.
Original Copyrights follow:
uboot\u-boot-2011.12\include\configs\da830evm.h(6): * Copyright (C) 2007 Sergey
Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\da850_am18xxevm.h(2): * Copyright (C) 2011
Texas Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\include\configs\da850_am18xxevm.h(4): * Based on
davinci_dvevm.h. Original Copyrights follow:
uboot\u-boot-2011.12\include\configs\da850_am18xxevm.h(6): * Copyright (C) 2007
Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\da850evm.h(2): * Copyright (C) 2010 Texas
Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\include\configs\da850evm.h(4): * Based on davinci_dvevm.h.
Original Copyrights follow:
uboot\u-boot-2011.12\include\configs\da850evm.h(6): * Copyright (C) 2007 Sergey
Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\DASA_SIM.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\davinci_dm355evm.h(2): * Copyright (C) 2009
David Brownell
uboot\u-boot-2011.12\include\configs\davinci_dm355leopard.h(2): * Copyright (C)
2009 Texas Instruments Incorporated
uboot\u-boot-2011.12\include\configs\davinci_dm365evm.h(2): * Copyright (C) 2009
Texas Instruments Incorporated
uboot\u-boot-2011.12\include\configs\davinci_dm6467evm.h(2): * Copyright (C) 2009
Texas Instruments Incorporated
uboot\u-boot-2011.12\include\configs\davinci_dm6467Tevm.h(2): * Copyright (C)
2011 Texas Instruments Incorporated
uboot\u-boot-2011.12\include\configs\davinci_dvevm.h(2): * Copyright (C) 2007
Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\davinci_schmoogie.h(2): * Copyright (C) 2007
Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\davinci_sffsdr.h(2): * Copyright (C) 2007
Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\davinci_sffsdr.h(4): * Copyright (C) 2008
Lyrtech <www.lyrtech.com>
uboot\u-boot-2011.12\include\configs\davinci_sffsdr.h(5): * Copyright (C) 2008
Philip Balister, OpenSDR <philip@opensdr.com>

legal(ME)

uboot\u-boot-2011.12\include\configs\davinci_sonata.h(2): * Copyright (C) 2007
Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\DB64360.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\DB64460.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\dbau1x00.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\debris.h(2): * (C) Copyright 2001, 2002
uboot\u-boot-2011.12\include\configs\devkit8000.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\devkit8000.h(7): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\dig297.h(2): * (C) Copyright 2011 Comelit
Group SpA
uboot\u-boot-2011.12\include\configs\dig297.h(6): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\digsy_mtc.h(10): * (C) Copyright 2009
Semihalf
uboot\u-boot-2011.12\include\configs\digsy_mtc.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\include\configs\digsy_mtc.h(5): * (C) Copyright 2005-2007
uboot\u-boot-2011.12\include\configs\dkb.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\configs\dlvvision.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\dlvvision-10g.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\dockstar.h(2): * Copyright (C) 2010 Eric C.
Cooper <ecc@cmu.edu>
uboot\u-boot-2011.12\include\configs\dockstar.h(6): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\DP405.h(2): * (C) Copyright 2001-2003
uboot\u-boot-2011.12\include\configs\dreamplug.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\configs\DU405.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\DU440.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\dlvhost.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\ea20.h(2): * Copyright (C) 2010 Texas
Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\include\configs\ea20.h(4): * Based on davinci_dvevm.h.
Original Copyrights follow:
uboot\u-boot-2011.12\include\configs\ea20.h(6): * Copyright (C) 2007 Sergey
Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\eb_cpx9k2.h(2): * (C) Copyright 2008-2009
uboot\u-boot-2011.12\include\configs\EB+MCF-EV123.h(4): * (C) Copyright 2005-2009
BuS Elektronik GmbH & Co.KG <esw@bus-elektronik.de>
uboot\u-boot-2011.12\include\configs\ebony.h(2): * (C) Copyright 2002 Scott
McNutt <smcnutt@artesyincp.com>
uboot\u-boot-2011.12\include\configs\ecovec.h(4): * Copyright (C) 2009 - 2011
Renesas Solutions Corp.
uboot\u-boot-2011.12\include\configs\ecovec.h(5): * Copyright (C) 2009 Kuninori
Morimoto <morimoto.kuninori@renesas.com>
uboot\u-boot-2011.12\include\configs\ecovec.h(6): * Copyright (C) 2010, 2011
Nobuhiro Iwamatsu <nobuhiro.iwamatsu.yj@renesas.com>
uboot\u-boot-2011.12\include\configs\edminiv2.h(2): * Copyright (C) 2010 Albert
ARIBAUD <albert.u.boot@aribaud.net>
uboot\u-boot-2011.12\include\configs\edminiv2.h(5): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\efikamx.h(2): * Copyright (C) 2007, Guennadi
Liakhovetski <lg@denx.de>
uboot\u-boot-2011.12\include\configs\efikamx.h(4): * (C) Copyright 2009 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\ELPPC.h(2): * (C) Copyright 2002 ELTEC
Elektronik AG

legal(ME)

uboot\u-boot-2011.12\include\configs\ELPT860.h(4):** Copyright (C) 2000, 2001, 2002, 2003

uboot\u-boot-2011.12\include\configs\enbw_cmc.h(10): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>

uboot\u-boot-2011.12\include\configs\enbw_cmc.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\include\configs\enbw_cmc.h(6): * Copyright (C) 2010 Texas Instruments Incorporated - <http://www.ti.com/>

uboot\u-boot-2011.12\include\configs\enbw_cmc.h(8): * Based on davinci_dvevm.h. Original Copyrights follow:

uboot\u-boot-2011.12\include\configs\eNET.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\include\configs\ep8248.h(2): * Copyright (C) 2004 Arabella Software Ltd.

uboot\u-boot-2011.12\include\configs\ep8260.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\include\configs\ep82xxm.h(2): * Copyright (C) 2006 Embedded Planet, LLC.

uboot\u-boot-2011.12\include\configs\EP88x.h(2): * Copyright (C) 2005 Arabella Software Ltd.

uboot\u-boot-2011.12\include\configs\espt.h(4): * Copyright (C) 2008 Renesas Solutions Corp.

uboot\u-boot-2011.12\include\configs\espt.h(5): * Copyright (C) 2008 Nobuhiro Iwamatsu <iwamatsu.nobuhiro@renesas.com>

uboot\u-boot-2011.12\include\configs\ESTEEM192E.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\configs\ethernut5.h(2): * (C) Copyright 2011

uboot\u-boot-2011.12\include\configs\ETX094.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\configs\EVB64260.h(2): * (C) Copyright 2001

uboot\u-boot-2011.12\include\configs\exAlion.h(2): * (C) Copyright 2001

uboot\u-boot-2011.12\include\configs\EXBITGEN.h(2): * (C) Copyright 2000-2004

uboot\u-boot-2011.12\include\configs\FADS823.h(7):* Copyright (c) 1998 Dan Malek (dmalek@jlc.net)

uboot\u-boot-2011.12\include\configs\FADS850SAR.h(7):* Copyright (c) 1998 Dan Malek (dmalek@jlc.net)

uboot\u-boot-2011.12\include\configs\FADS860T.h(7):* Copyright (c) 1998 Dan Malek (dmalek@jlc.net)

uboot\u-boot-2011.12\include\configs\favr-32-ezkit.h(2): * Copyright (C) 2008 Atmel Corporation

uboot\u-boot-2011.12\include\configs\FLAGADM.h(2): * (C) Copyright 2001

uboot\u-boot-2011.12\include\configs\flea3.h(2): * (C) Copyright 2011, Stefano Babic <sbabic@denx.de>

uboot\u-boot-2011.12\include\configs\flea3.h(4): * (C) Copyright 2008-2010 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\configs\flea3.h(6): * Copyright (C) 2007, Guennadi Liakhovetski <lg@denx.de>

uboot\u-boot-2011.12\include\configs\FPS850L.h(2): * (C) Copyright 2000-2008

uboot\u-boot-2011.12\include\configs\FPS860L.h(2): * (C) Copyright 2000-2008

uboot\u-boot-2011.12\include\configs\fx12mm.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\include\configs\G2000.h(2): * (C) Copyright 2004

uboot\u-boot-2011.12\include\configs\galaxy5200.h(11): * (C) Copyright 2009

uboot\u-boot-2011.12\include\configs\galaxy5200.h(2): * (C) Copyright 2003-2005

uboot\u-boot-2011.12\include\configs\galaxy5200.h(5): * (C) Copyright 2006

uboot\u-boot-2011.12\include\configs\galaxy5200.h(8): * (C) Copyright 2009

uboot\u-boot-2011.12\include\configs\gdppc440etx.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\include\configs\gdppc440etx.h(6): * (C) Copyright 2005-2007

legal(ME)

uboot\u-boot-2011.12\include\configs\GEN860T.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\GENIETV.h(7): * Copyright (c) 1998 Dan Malek
(dmalek@jlc.net)
uboot\u-boot-2011.12\include\configs\gplugd.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\configs\gplugd.h(7): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\gr_cpci_ax2000.h(5): * (C) Copyright
2003-2005
uboot\u-boot-2011.12\include\configs\gr_cpci_ax2000.h(8): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\gr_ep2s60.h(6): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\gr_ep2s60.h(9): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\gr_xc3s_1500.h(4): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\gr_xc3s_1500.h(7): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\grasshopper.h(2): * Copyright (C) 2011
uboot\u-boot-2011.12\include\configs\grsim.h(4): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\grsim.h(7): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\grsim_leon2.h(3): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\grsim_leon2.h(6): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\gth2.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\guruplug.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\gw8260.h(13): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\gw8260.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\gw8260.h(46): * Copyright (c) 2001, Advent
Networks, Inc.
uboot\u-boot-2011.12\include\configs\gw8260.h(5): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\gw8260.h(9): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\h2_p2_dbg_board.h(6): * Copyright (C) 2004
MPC-Data Limited. (<http://www.mpc-data.co.uk>)
uboot\u-boot-2011.12\include\configs\hammerhead.h(2): * Copyright (C) 2008
Miromico AG
uboot\u-boot-2011.12\include\configs\harmony.h(2): *(C) Copyright 2010,2011
uboot\u-boot-2011.12\include\configs\hawkboard.h(2): * Copyright (C) 2010 Texas
Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\include\configs\hawkboard.h(4): * Based on davinci_dvevm.h.
Original Copyrights follow:
uboot\u-boot-2011.12\include\configs\hawkboard.h(6): * Copyright (C) 2007 Sergey
Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\hermes.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\HH405.h(2): * (C) Copyright 2001-2004
uboot\u-boot-2011.12\include\configs\HH405.h(5): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\HH405.h(8): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\HIDDEN_DRAGON.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\HIDDEN_DRAGON.h(5): * (C) Copyright 2001,
2002
uboot\u-boot-2011.12\include\configs\highbank.h(2): * Copyright 2010-2011
Calxeda, Inc.
uboot\u-boot-2011.12\include\configs\hmi1001.h(2): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\HUB405.h(2): * (C) Copyright 2001-2003
uboot\u-boot-2011.12\include\configs\HWW1U1A.h(2): * Copyright 2009-2010
eXMeritus, A Boeing Company
uboot\u-boot-2011.12\include\configs\hymod.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\IAD210.h(2): * (C) Copyright 2001, 2002
uboot\u-boot-2011.12\include\configs\IceCube.h(2): * (C) Copyright 2003-2005

legal(ME)

uboot\u-boot-2011.12\include\configs\icon.h(2): * (C) Copyright 2009-2010
uboot\u-boot-2011.12\include\configs\ICU862.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\idmr.h(5): * (C) Copyright 2006 Wolfgang
Denk, DENX Software Engineering, wd@denx.de.
uboot\u-boot-2011.12\include\configs\idmr.h(6): * (C) Copyright 2006 Lab X
Technologies <zachary.landau@labxtechnologies.com>
uboot\u-boot-2011.12\include\configs\idmr.h(7): * (C) Copyright 2003 Josef
Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\include\configs\IDS8247.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\igep0020.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\igep0030.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\imx27lite.h(2): * Copyright (C) 2009 Ilya
Yanok <yanok@emcraft.com>
uboot\u-boot-2011.12\include\configs\imx27lite-common.h(2): * Copyright (C) 2010
Heiko Schocher <hs@denx.de>
uboot\u-boot-2011.12\include\configs\imx27lite-common.h(5): * Copyright (C) 2009
Ilya Yanok <yanok@emcraft.com>
uboot\u-boot-2011.12\include\configs\imx31_litekit.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\imx31_phycore.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\incaip.h(2): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\inka4x0.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\inka4x0.h(5): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\integratorap.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\integratorap.h(7): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\integratorcp.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\integratorcp.h(7): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\intip.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\intip.h(6): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\io.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\io64.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\configs\iocon.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\ip04.h(4): * Copyright (c) 2006 Intratrade
Ltd., Ivan Danov, idanov@gmail.com
uboot\u-boot-2011.12\include\configs\ip04.h(6): * Copyright (c) 2005-2010 Analog
Devices Inc.
uboot\u-boot-2011.12\include\configs\ip04.h(8): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\include\configs\IP860.h(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\configs\ipek01.h(2): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\ipek01.h(5): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\IPHASE4539.h(2): * (C) Copyright 2002
Wolfgang Grandegger <wg@denx.de>
uboot\u-boot-2011.12\include\configs\ISPAN.h(2): * Copyright (C) 2004 Arabella
Software Ltd.
uboot\u-boot-2011.12\include\configs\IVML24.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\IVMS8.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\jadecpu.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\jornada.h(2): * Copyright 2010 (C)
uboot\u-boot-2011.12\include\configs\JSE.h(2): * (C) Copyright 2003 Picture
Elements, Inc.
uboot\u-boot-2011.12\include\configs\jupiter.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\KAREF.h(2): * (C) Copyright 2004 Sandburst
Corporation

legal(ME)

uboot\u-boot-2011.12\include\configs\katmai.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\katmai.h(5): * (C) Copyright 2004 Paul
Reynolds <PaulReynolds@lhsolutions.com>
uboot\u-boot-2011.12\include\configs\kilauea.h(2): * Copyright (c) 2008 Nuovation
System Designs, LLC
uboot\u-boot-2011.12\include\configs\kilauea.h(5): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\km_kirkwood.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\km_kirkwood.h(6): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\km_kirkwood.h(9): * (C) Copyright 2011
uboot\u-boot-2011.12\include\configs\km\keymile-common.h(2): * (C) Copyright
2008-2011
uboot\u-boot-2011.12\include\configs\km\km_arm.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\km\km_arm.h(6): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\km\km_arm.h(9): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\include\configs\km\km82xx-common.h(2): * (C) Copyright
2007-2010
uboot\u-boot-2011.12\include\configs\km\km8321-common.h(11): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\km\km8321-common.h(14): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\km\km8321-common.h(17): * (C) Copyright
2010-2011
uboot\u-boot-2011.12\include\configs\km\km8321-common.h(2): * Copyright (C) 2006
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\km\km8321-common.h(5): * Copyright (C) 2007
Logic Product Development, Inc.
uboot\u-boot-2011.12\include\configs\km\km8321-common.h(8): * Copyright (C) 2007
MontaVista Software, Inc.
uboot\u-boot-2011.12\include\configs\km\km83xx-common.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\km\km-powerpc.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\configs\kmeter1.h(11): * (C) Copyright 2008-2011
uboot\u-boot-2011.12\include\configs\kmeter1.h(2): * Copyright (C) 2006 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\kmeter1.h(5): * Copyright (C) 2007 Logic
Product Development, Inc.
uboot\u-boot-2011.12\include\configs\kmeter1.h(8): * Copyright (C) 2007
MontaVista Software, Inc.
uboot\u-boot-2011.12\include\configs\kmsupx5.h(11): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\kmsupx5.h(14): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\kmsupx5.h(17): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\include\configs\kmsupx5.h(2): * Copyright (C) 2006 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\kmsupx5.h(5): * Copyright (C) 2007 Logic
Product Development, Inc.
uboot\u-boot-2011.12\include\configs\kmsupx5.h(8): * Copyright (C) 2007
MontaVista Software, Inc.
uboot\u-boot-2011.12\include\configs\korat.h(2): * (C) Copyright 2007-2009
uboot\u-boot-2011.12\include\configs\korat.h(5): * (C) Copyright 2006-2007
uboot\u-boot-2011.12\include\configs\korat.h(8): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\KUP4K.h(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\include\configs\KUP4X.h(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\configs\kvme080.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\lacie_kw.h(2): * Copyright (C) 2011 Simon
Guinot <sguinot@lacie.com>

legal(ME)

uboot\u-boot-2011.12\include\configs\LANTEC.h(2): * (C) Copyright 2000, 2001
uboot\u-boot-2011.12\include\configs\LANTEC.h(4): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\linkstation.h(2): * Copyright (C) 2006 Mihai
Georgian <u-boot@linuxnotincluded.org.uk>
uboot\u-boot-2011.12\include\configs\luan.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\lubbock.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\lubbock.h(5): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\lwmon.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\lwmon5.h(2): * (C) Copyright 2007-2010
uboot\u-boot-2011.12\include\configs\m28evk.h(2): * Copyright (C) 2011 Marek
Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\include\configs\M5208EVBE.h(4): * Copyright (C) 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M52277EVB.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M5235EVB.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M5249EVB.h(4): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\M5253DEMO.h(2): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M5253EVBE.h(2): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M5271EVB.h(5): * (C) Copyright 2006 Lab X
Technologies <zachary.landau@labxtechnologies.com>
uboot\u-boot-2011.12\include\configs\M5271EVB.h(6): * (C) Copyright 2003 Josef
Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\include\configs\M5272C3.h(4): * (C) Copyright 2003 Josef
Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\include\configs\M5275EVB.h(5): * Copyright (C) 2005 Videon
Central, Inc.
uboot\u-boot-2011.12\include\configs\M5282EVB.h(4): * (C) Copyright 2003 Josef
Baumgartner <josef.baumgartner@telex.de>
uboot\u-boot-2011.12\include\configs\M53017EVB.h(4): * Copyright (C) 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M5329EVB.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M5373EVB.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M54451EVB.h(4): * Copyright (C) 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M54455EVB.h(4): * Copyright (C) 2004-2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M5475EVB.h(4): * Copyright (C) 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\M5485EVB.h(4): * Copyright (C) 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\magnesium.h(2): * Copyright (C) 2010 Heiko
Schocher <hs@denx.de>
uboot\u-boot-2011.12\include\configs\magnesium.h(5): * Copyright (C) 2009 Ilya
Yanok <yanok@emcraft.com>
uboot\u-boot-2011.12\include\configs\makalu.h(2): * Copyright (c) 2008 Nuovation
System Designs, LLC

legal(ME)

uboot\u-boot-2011.12\include\configs\makalu.h(5): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\manroland\common.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\manroland\mpc5200-common.h(2): * (C)
Copyright 2009
uboot\u-boot-2011.12\include\configs\MBX.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\MBX860T.h(9):* Copyright (c) 1998 Dan Malek
(dmalek@jlc.net)
uboot\u-boot-2011.12\include\configs\mcc200.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\mecp5123.h(2): * (C) Copyright 2009 Wolfgang
Denk <wd@denx.de>
uboot\u-boot-2011.12\include\configs\mecp5123.h(3): * (C) Copyright 2009, DAVE
Srl <www.dave.eu>
uboot\u-boot-2011.12\include\configs\mecp5200.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\include\configs\meesc.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\meesc.h(6): * (C) Copyright 2009-2011
uboot\u-boot-2011.12\include\configs\MERGERBOX.h(2): * Copyright (C) 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MERGERBOX.h(4): * Copyright (C) 2011 Matrix
Vision GmbH
uboot\u-boot-2011.12\include\configs\METROBOX.h(2): * (C) Copyright 2004
Sandburst Corporation
uboot\u-boot-2011.12\include\configs\mgcoge.h(2): * (C) Copyright 2007-2011
uboot\u-boot-2011.12\include\configs\mgcoge3ne.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\configs\mgcoge3un.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\mgcoge3un.h(6): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\mgcoge3un.h(9): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\include\configs\MHPC.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\MHPC.h(5): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\microblaze-generic.h(2): * (C) Copyright
2007-2010 Michal Simek
uboot\u-boot-2011.12\include\configs\MigoR.h(4): * Copyright (C) 2007 Nobuhiro
Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\include\configs\mimc200.h(2): * Copyright (C) 2006 Atmel
Corporation
uboot\u-boot-2011.12\include\configs\MIP405.h(2): * (C) Copyright 2001, 2002
uboot\u-boot-2011.12\include\configs\ML2.h(15): * and must retain the authorship,
copyright and this license notice. This
uboot\u-boot-2011.12\include\configs\ML2.h(4): * Copyright 2002 Mind NV
uboot\u-boot-2011.12\include\configs\ml507.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\motionpro.h(2): * (C) Copyright 2003-2007
uboot\u-boot-2011.12\include\configs\MOUSSE.h(2): * (C) Copyright 2000, 2001
uboot\u-boot-2011.12\include\configs\MOUSSE.h(5): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\mpc5121ads.h(2): * (C) Copyright 2007-2009
DENX Software Engineering
uboot\u-boot-2011.12\include\configs\mpc5121-common.h(2): * (C) Copyright 2010
DENX Software Engineering
uboot\u-boot-2011.12\include\configs\mpc7448hpc2.h(2): * Copyright (c) 2005
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mpc7448hpc2.h(4): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\MPC8260ADS.h(10): * (C) Copyright 2003-2004
Arabella Software Ltd.
uboot\u-boot-2011.12\include\configs\MPC8260ADS.h(16): * Copyright (c) 2005

legal(ME)

MontaVista Software, Inc.

uboot\u-boot-2011.12\include\configs\MPC8260ADS.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\MPC8260ADS.h(20): * Copyright (C) Freescale
Semiconductor, Inc. 2006-2009.
uboot\u-boot-2011.12\include\configs\MPC8266ADS.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\mpc8308_p1m.h(2): * Copyright (C) 2009-2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mpc8308_p1m.h(3): * Copyright (C) 2010 Ilya
Yanok, Emcraft Systems, yanok@emcraft.com
uboot\u-boot-2011.12\include\configs\MPC8308RDB.h(2): * Copyright (C) 2009-2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8308RDB.h(3): * Copyright (C) 2010 Ilya
Yanok, Emcraft Systems, yanok@emcraft.com
uboot\u-boot-2011.12\include\configs\MPC8313ERDB.h(2): * Copyright (C) Freescale
Semiconductor, Inc. 2006, 2010.
uboot\u-boot-2011.12\include\configs\MPC8315ERDB.h(2): * Copyright (C) 2007-2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8323ERDB.h(2): * Copyright (C) 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC832XEMDS.h(2): * Copyright (C) 2006
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8349EMDS.h(2): * (C) Copyright 2006-2010
uboot\u-boot-2011.12\include\configs\MPC8349ITX.h(2): * Copyright (C) Freescale
Semiconductor, Inc. 2006.
uboot\u-boot-2011.12\include\configs\MPC8360EMDS.h(2): * Copyright (C) 2006,2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8360ERDK.h(2): * Copyright (C) 2006
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8360ERDK.h(5): * Copyright (C) 2007 Logic
Product Development, Inc.
uboot\u-boot-2011.12\include\configs\MPC8360ERDK.h(8): * Copyright (C) 2007
MontaVista Software, Inc.
uboot\u-boot-2011.12\include\configs\MPC837XEMDS.h(2): * Copyright (C) 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC837XERDB.h(2): * Copyright (C) 2007
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8536DS.h(2): * Copyright
2007-2009,2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8540ADS.h(2): * Copyright 2004, 2011
Freescale Semiconductor.
uboot\u-boot-2011.12\include\configs\MPC8540ADS.h(3): * (C) Copyright 2002,2003
Motorola, Inc.
uboot\u-boot-2011.12\include\configs\MPC8541CDS.h(2): * Copyright 2004, 2011
Freescale Semiconductor.
uboot\u-boot-2011.12\include\configs\MPC8544DS.h(2): * Copyright 2007, 2010-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8548CDS.h(2): * Copyright 2004, 2007,
2010-2011 Freescale Semiconductor.
uboot\u-boot-2011.12\include\configs\MPC8555CDS.h(2): * Copyright 2004, 2011
Freescale Semiconductor.
uboot\u-boot-2011.12\include\configs\MPC8560ADS.h(2): * Copyright 2004, 2011
Freescale Semiconductor.

legal(ME)

uboot\u-boot-2011.12\include\configs\MPC8560ADS.h(3): * (C) Copyright 2002,2003 Motorola, Inc.
uboot\u-boot-2011.12\include\configs\MPC8568MDS.h(2): * Copyright 2004-2007, 2010-2011 Freescale Semiconductor.
uboot\u-boot-2011.12\include\configs\MPC8569MDS.h(2): * Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8572DS.h(2): * Copyright 2007-2008,2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8610HPCD.h(2): * Copyright 2007-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\MPC8641HPCN.h(2): * Copyright 2006, 2010-2011 Freescale Semiconductor.
uboot\u-boot-2011.12\include\configs\MPC86xADS.h(5):* Copyright (c) 1998 Dan Malek (dmalek@jlc.net)
uboot\u-boot-2011.12\include\configs\MPC885ADS.h(6): * Copyright (C) 2003-2004 Arabella Software Ltd.
uboot\u-boot-2011.12\include\configs\mpq101.h(2): * Copyright 2011 Alex Dubov <oakad@yahoo.com>
uboot\u-boot-2011.12\include\configs\mpr2.h(4): * Copyright (C) 2008
uboot\u-boot-2011.12\include\configs\ms7720se.h(4): * Copyright (C) 2007 Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
uboot\u-boot-2011.12\include\configs\ms7722se.h(4): * Copyright (C) 2007 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\include\configs\ms7750se.h(4): * Copyright (C) 2007 Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\include\configs\mt5389.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5389.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5396.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5396.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5398.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5398.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5399.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5399.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5880.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5880.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5881.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5881.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5882.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5882.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5883.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5883.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5886.h(4): * Copyright (c) 2010-2012 MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5886.h(6): *Copyright (C) 2002 ARM Ltd.

legal(ME)

uboot\u-boot-2011.12\include\configs\mt5890.h(4): * Copyright (c) 2010-2012
MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5890.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5891.h(4): * Copyright (c) 2010-2012
MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5891.h(6): *Copyright (C) 2002 ARM Ltd.
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drv_def_file.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drv_default.h(1011):#ifndef
AUDIO_IEC_COPYRIGHT
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drv_default.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drvcust_if.c(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drvcust_if.c(3138):case
eAudioIecCopyright:
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drvcust_if.c(3139):*pu4Data
= (UPTR)AUDIO_IEC_COPYRIGHT;
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drvcust_if.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drvcust_if.h(2673):eAudioIec
Copyright,
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drvcust_init.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\drvcust_lib.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\Makefile(11):# MediaTek Inc.
Copyright (C) 2010. All rights reserved.#
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\amp_cust.c(29): *
Copyright (c) 2005, MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\amp_cust.h(29): *
Copyright (c) 2005, MediaTek Inc.
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\common.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\common_drv_linux.
h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_ap
.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_cn
.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_cn
_drv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_eu
.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_eu
_drv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_sa
.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_sa
_drv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_sl
t.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_us.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_bi_m1v1_us_drv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_m1v1_eu.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sl.t.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sm_m1v1_cn.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sm_m1v1_cn_drv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sm_m1v1_eu.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sm_m1v1_eu_drv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sm_m1v1_sa.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sm_m1v1_sl.t.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sm_m1v1_us.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\mt5891_sm_m2v1_eu_drv_linux.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\turnkey_mt5891_bi_m1v1_ap.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\turnkey_mt5891_bi_m1v1_eu.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\turnkey_mt5891_bi_m1v1_sa.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\config\turnkey_mt5891_bi_m1v1_us.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\default_backlight_drv.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\default_video_drv.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\dummy_tcon_cust.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\empty_hdmi_conf.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\hdmi_conf.c(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\Makefile(11):# MediaTek Inc. Copyright (C) 2010. All rights reserved.#

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\MediaTek_600x100x5.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\MediaTek_DrvLogo.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\MediaTek_Mpeg2Logo.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_aud.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_aud_amp_339.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_aud_amp_339.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_aud_amp_82581.c(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_aud_amp_82581.h(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_button.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_cust_eeprom.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_dmx.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_edid.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_fbm_mmap.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_gpio.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_hdmi.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_ir.h(11): * MediaTek
Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_ir_nec_tbl.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_ir_rc5_code_tbl.h(11
) : * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_ir_rc5_func_tbl.h(11
) : * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_nec_joystick_ir.h(11
) : * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_nonlinear_tbl.h(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_pdwnc_ext.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_pin_setup.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_PowerMusic.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_rtc_ext.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_sif_cfg.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_tcon_cust.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_tve.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_vga.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_vga_autocolor_table.
h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *

legal(ME)

uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_video_drv.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\mtk_video_drv_4k2k.c(11)
: * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\Mustang_aud.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\Oryx_tcon_cust.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\panel_cust.h(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\PANEL_DEFAULT\color_para
m.h(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\panel_table_cust.c(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\panel_table_cust.c.bak(1
1): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\Pi3hdm11310_hdmi_conf.c(
11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\PI3HDMI2410_hdmi_conf.c(
11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\QTY_DEFAULT\mtk_QtyTbl.h
(11): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\source_table.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\source_table_m3v1.c(11):
* MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\mtk\turnkey_m1v1_mtk_aud.h(1
1): * MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\panel.h(11): * MediaTek Inc.
Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\mt5891\drv_cust\panel_table.c(11): *
MediaTek Inc. Copyright (C) 2010. All rights reserved. *
uboot\u-boot-2011.12\include\configs\muas3001.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\mucmc52.h(2): * (C) Copyright 2008-2009
uboot\u-boot-2011.12\include\configs\mucmc52.h(5): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\munices.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\MUSENKI.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\mv88f6281gtw_ge.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\MVBC_P.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\include\configs\MVBC_P.h(5): * (C) Copyright 2004-2008
uboot\u-boot-2011.12\include\configs\MVBLM7.h(2): * Copyright (C) Matrix Vision
GmbH 2008
uboot\u-boot-2011.12\include\configs\MVBLUE.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\mv-common.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\MVS1.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\MVSMR.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\include\configs\MVSMR.h(5): * (C) Copyright 2004-2010
uboot\u-boot-2011.12\include\configs\mx1ads.h(4): * (c) Copyright 2004
uboot\u-boot-2011.12\include\configs\mx25pdk.h(2): * (C) Copyright 2011 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mx31ads.h(2): * Copyright (C) 2008, Guennadi
Liakhovetski <lg@denx.de>

legal(ME)

uboot\u-boot-2011.12\include\configs\mx31pdk.h(2): * (C) Copyright 2008 Magnus Lilja <lilja.magnus@gmail.com>
uboot\u-boot-2011.12\include\configs\mx31pdk.h(4): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\mx35pdk.h(2): * (C) Copyright 2010, Stefano Babic <sbabic@denx.de>
uboot\u-boot-2011.12\include\configs\mx35pdk.h(4): * (C) Copyright 2008-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mx35pdk.h(6): * Copyright (C) 2007, Guennadi Liakhovetski <lg@denx.de>
uboot\u-boot-2011.12\include\configs\mx51evk.h(2): * Copyright (C) 2007, Guennadi Liakhovetski <lg@denx.de>
uboot\u-boot-2011.12\include\configs\mx51evk.h(4): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mx53ard.h(2): * Copyright (C) 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mx53evk.h(2): * Copyright (C) 2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mx53loco.h(2): * Copyright (C) 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mx53smd.h(2): * Copyright (C) 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\mx6qarm2.h(2): * Copyright (C) 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\neo.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\NETPHONE.h(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\include\configs\NETTA.h(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\include\configs\NETTA2.h(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\include\configs\NETVIA.h(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\include\configs\nhk8815.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\nios2-generic.h(2): * (C) Copyright 2005, Psyent Corporation <www.psyent.com>
uboot\u-boot-2011.12\include\configs\nios2-generic.h(4): * (C) Copyright 2010, Thomas Chou <thomas@wytron.com.tw>
uboot\u-boot-2011.12\include\configs\ns9750dev.h(2): * Copyright (C) 2004 by FS Forth-Systeme GmbH.
uboot\u-boot-2011.12\include\configs\NSCU.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\NX823.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\NX823.h(5): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\o2dnt.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\ocotea.h(2): * (C) Copyright 2004 Paul Reynolds <PaulReynolds@lhsolutions.com>
uboot\u-boot-2011.12\include\configs\ocotea.h(4): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\OCRTC.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\omap1510.h(6): * Copyright (C) 2001 RidgeRun, Inc. (<http://www.ridgerun.com>)
uboot\u-boot-2011.12\include\configs\omap1510inn.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\omap1610h2.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\omap1610inn.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\omap2420h4.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\omap3_beagle.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\omap3_evm.h(4): * Copyright (C) 2006-2011 Texas Instruments Incorporated - <http://www.ti.com/>

legal(ME)

uboot\u-boot-2011.12\include\configs\omap3_evm_common.h(4): * Copyright (C)
2006-2011 Texas Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\include\configs\omap3_evm_quick_mmc.h(4): * Copyright (C)
2006-2010 Texas Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\include\configs\omap3_evm_quick_nand.h(4): * Copyright (C)
2006-2010 Texas Instruments Incorporated - <http://www.ti.com/>
uboot\u-boot-2011.12\include\configs\omap3_mvblx.h(5): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\omap3_pandora.h(2): * (C) Copyright
2008-2010
uboot\u-boot-2011.12\include\configs\omap3_sdp3430.h(2): * (C) Copyright
2006-2009
uboot\u-boot-2011.12\include\configs\omap3_zoom1.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\omap3_zoom2.h(2): * (C) Copyright 2006-2009
uboot\u-boot-2011.12\include\configs\omap4_common.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\omap4_panda.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\omap4_sdp4430.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\omap5_evm.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\omap5912osk.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\omap730.h(6): * Copyright (C) 2004 MPC-Data
Limited. (<http://www.mpc-data.co.uk>)
uboot\u-boot-2011.12\include\configs\omap730p2.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\include\configs\openrd.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\openrd.h(7): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\origen.h(2): * Copyright (C) 2011 Samsung
Electronics
uboot\u-boot-2011.12\include\configs\ORSG.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\otc570.h(2): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\include\configs\otc570.h(6): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\P1_P2_RDB.h(2): * Copyright 2009-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\p1_p2_rdb_pc.h(2): * Copyright 2010-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P1010RDB.h(2): * Copyright 2010-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P1022DS.h(2): * Copyright 2010-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P1023RDS.h(2): * Copyright 2010-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P2020COME.h(2): * Copyright 2009-2010
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P2020DS.h(2): * Copyright 2007-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P2041RDB.h(2): * Copyright 2011 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P3041DS.h(2): * Copyright 2010-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P3060QDS.h(2): * Copyright 2011 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P3G4.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\p3mx.h(2): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\p3mx.h(6): *Roel Loeffen, (C) Copyright 2006
Prodrive B.V.

legal(ME)

uboot\u-boot-2011.12\include\configs\p3p440.h(2): * (C) Copyright 2005-2006
uboot\u-boot-2011.12\include\configs\p3p440.h(5): * (C) Copyright 2002 Scott
McNutt <smcnutt@artesyincp.com>
uboot\u-boot-2011.12\include\configs\P4080DS.h(2): * Copyright 2009-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\P5020DS.h(2): * Copyright 2009-2011
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\palmld.h(4): * Copyright (C) 2010 Marek
Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\include\configs\palmtc.h(4): * Copyright (C) 2009-2010 Marek
Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\include\configs\PATI.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\pb1x00.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\PCI405.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\PCI405.h(5): * (C) Copyright 2001-2004
uboot\u-boot-2011.12\include\configs\PCI5441.h(2): * (C) Copyright 2004, Psyent
Corporation <www.psyent.com>
uboot\u-boot-2011.12\include\configs\PCIPPC2.h(2): * (C) Copyright 2002-2005
uboot\u-boot-2011.12\include\configs\PCIPPC6.h(2): * (C) Copyright 2002-2005
uboot\u-boot-2011.12\include\configs\pcm030.h(2): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\pcm030.h(5): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\pcm030.h(8): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\pcs440ep.h(2): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\pdm360ng.h(2): * (C) Copyright 2009-2010
uboot\u-boot-2011.12\include\configs\pdnb3.h(2): * (C) Copyright 2006-2007
uboot\u-boot-2011.12\include\configs\pf5200.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\include\configs\PIP405.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\PK1C20.h(2): * (C) Copyright 2004, Psyent
Corporation <www.psyent.com>
uboot\u-boot-2011.12\include\configs\PLU405.h(2): * (C) Copyright 2001-2003
uboot\u-boot-2011.12\include\configs\PM520.h(2): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\PM826.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\PM828.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\pm9261.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\pm9263.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\pm9g45.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\pm9g45.h(7): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\PMC405.h(2): * (C) Copyright 2001-2004
uboot\u-boot-2011.12\include\configs\PMC405DE.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\PMC440.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\PMC440.h(6): * (C) Copyright 2006-2007
uboot\u-boot-2011.12\include\configs\PMC440.h(9): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\PN62.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\portl2.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\portl2.h(6): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\portl2.h(9): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\include\configs\PPChameleonEVB.h(2): * (C) Copyright
2003-2005
uboot\u-boot-2011.12\include\configs\PPChameleonEVB.h(5): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\ppmc7xx.h(8): * Copyright (C) 2005 Wind
River Systems
uboot\u-boot-2011.12\include\configs\ppmc8260.h(2): * (C) Copyright 2000

legal(ME)

uboot\u-boot-2011.12\include\configs\ppmc8260.h(5): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\ppmc8260.h(9): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\pxa255_idp.h(11): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\pxa255_idp.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\pxa255_idp.h(5): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\pxa-common.h(4): * Copyright (C) 2010 Marek
Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\include\configs\qemu-mips.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\qong.h(2): * Copyright (C) 2009, Ilya Yanok,
Emcraft Systems, <yanok@emcraft.com>
uboot\u-boot-2011.12\include\configs\QS823.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\QS823.h(5): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\QS823.h(8): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\QS850.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\QS850.h(5): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\QS850.h(8): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\QS860T.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\QS860T.h(5): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\QS860T.h(8): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\quad100hd.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\quantum.h(2): * (C) Copyright 2003-2010
uboot\u-boot-2011.12\include\configs\R360MPI.h(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\configs\r7780mp.h(4): * Copyright (C) 2007,2008
Nobuhiro Iwamatsu <iwamatsu@nigauri.org>
uboot\u-boot-2011.12\include\configs\r7780mp.h(5): * Copyright (C) 2008 Yusuke
Goda <goda.yusuke@renesas.com>
uboot\u-boot-2011.12\include\configs\Rattler.h(2): * Copyright (C) 2004 Arabella
Software Ltd.
uboot\u-boot-2011.12\include\configs\RBC823.h(2): * (C) Copyright 2000, 2001
uboot\u-boot-2011.12\include\configs\rd6281a.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\redwood.h(4): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\RPXClassic.h(2): * (C) Copyright 2000, 2001,
2002
uboot\u-boot-2011.12\include\configs\RPXlite.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\RPXlite_DW.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\RRvision.h(2): * (C) Copyright 2000, 2001,
2002
uboot\u-boot-2011.12\include\configs\rsdproto.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\rsdproto.h(5): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\rsk7203.h(4): * Copyright (C) 2008 Nobuhiro
Iwamatsu
uboot\u-boot-2011.12\include\configs\rsk7203.h(5): * Copyright (C) 2008 Renesas
Solutions Corp.
uboot\u-boot-2011.12\include\configs\rsk7264.h(4): * Copyright (C) 2011 Renesas
Electronics Europe Ltd.
uboot\u-boot-2011.12\include\configs\rsk7264.h(5): * Copyright (C) 2008 Nobuhiro
Iwamatsu
uboot\u-boot-2011.12\include\configs\rsk7264.h(6): * Copyright (C) 2008 Renesas
Solutions Corp.
uboot\u-boot-2011.12\include\configs\s5p_goni.h(2): * Copyright (C) 2009 Samsung
Electronics
uboot\u-boot-2011.12\include\configs\s5pc210_universal.h(2): * Copyright (C) 2010

legal(ME)

Samsung Electronics

uboot\u-boot-2011.12\include\configs\sacsng.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\sacsng.h(5): * (C) Copyright 2000
uboot\u-boot-2011.12\include\configs\sacsng.h(9): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\sandbox.h(2): * Copyright (c) 2011 The
Chromium OS Authors.
uboot\u-boot-2011.12\include\configs\Sandpoint8240.h(2): * (C) Copyright
2001-2005
uboot\u-boot-2011.12\include\configs\Sandpoint8245.h(2): * (C) Copyright
2001-2005
uboot\u-boot-2011.12\include\configs\sbc35_a9g20.h(2): * Copyright (C) 2009
uboot\u-boot-2011.12\include\configs\sbc405.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\sbc8349.h(3): * Copyright (c) 2006, 2007
Wind River Systems, Inc.
uboot\u-boot-2011.12\include\configs\SBC8540.h(2): * (C) Copyright 2002,2003
Motorola, Inc.
uboot\u-boot-2011.12\include\configs\SBC8540.h(5): * (C) Copyright 2004 Wind
River Systems Inc <www.windriver.com>.
uboot\u-boot-2011.12\include\configs\sbc8548.h(2): * Copyright 2007,2009 Wind
River Systems <www.windriver.com>
uboot\u-boot-2011.12\include\configs\sbc8548.h(3): * Copyright 2007 Embedded
Specialties, Inc.
uboot\u-boot-2011.12\include\configs\sbc8548.h(4): * Copyright 2004, 2007
Freescale Semiconductor.
uboot\u-boot-2011.12\include\configs\sbc8560.h(2): * (C) Copyright 2002,2003
Motorola, Inc.
uboot\u-boot-2011.12\include\configs\sbc8560.h(5): * (C) Copyright 2004 Wind
River Systems Inc <www.windriver.com>.
uboot\u-boot-2011.12\include\configs\sbc8641d.h(2): * Copyright 2007 Wind River
Systems <www.windriver.com>
uboot\u-boot-2011.12\include\configs\sbc8641d.h(3): * Copyright 2007 Embedded
Specialties, Inc.
uboot\u-boot-2011.12\include\configs\sbc8641d.h(6): * Copyright 2006 Freescale
Semiconductor.
uboot\u-boot-2011.12\include\configs\sc3.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\sc3.h(6): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\scb9328.h(2): * Copyright (C) 2003 ETC
s.r.o.
uboot\u-boot-2011.12\include\configs\SCM.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\seaboard.h(2): *(C) Copyright 2010,2011
uboot\u-boot-2011.12\include\configs\sequoia.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\sequoia.h(5): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\sh7757lcr.h(4): * Copyright (C) 2011 Renesas
Solutions Corp.
uboot\u-boot-2011.12\include\configs\sh7763rdp.h(4): * Copyright (C) 2008 Renesas
Solutions Corp.
uboot\u-boot-2011.12\include\configs\sh7763rdp.h(5): * Copyright (C) 2008
Nobuhiro Iwamatsu <iwamatsu.nobuhiro@renesas.com>
uboot\u-boot-2011.12\include\configs\sh7785lcr.h(4): * Copyright (C) 2008
Yoshihiro Shimoda <shimoda.yoshihiro@renesas.com>
uboot\u-boot-2011.12\include\configs\sheevaplug.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\configs\shmin.h(4): * Copyright (C) 2010, 2011

legal(ME)

Nobuhiro Iwamatsu <iwamatsu@nigauri.org>

uboot\u-boot-2011.12\include\configs\SIMPC8313.h(2): * Copyright (C) Sheldon Instruments, Inc. 2008

uboot\u-boot-2011.12\include\configs\SM850.h(2): * (C) Copyright 2000-2008

uboot\u-boot-2011.12\include\configs\smdk2410.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\include\configs\smdk6400.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\include\configs\smdk6400.h(8): * (C) Copyright 2008

uboot\u-boot-2011.12\include\configs\smdkc100.h(2): * (C) Copyright 2009 Samsung Electronics

uboot\u-boot-2011.12\include\configs\smdkv310.h(2): * Copyright (C) 2011 Samsung Electronics

uboot\u-boot-2011.12\include\configs\snapper9260.h(4): * (C) Copyright 2011 Bluewater Systems

uboot\u-boot-2011.12\include\configs\socrates.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\include\configs\socrates.h(6): * Copyright 2004 Freescale Semiconductor.

uboot\u-boot-2011.12\include\configs\socrates.h(7): * (C) Copyright 2002,2003 Motorola,Inc.

uboot\u-boot-2011.12\include\configs\sorcery.h(2): * (C) Copyright 2004

uboot\u-boot-2011.12\include\configs\spc1920.h(2): * (C) Copyright 2006

uboot\u-boot-2011.12\include\configs\SPD823TS.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\configs\spear3xx.h(2): * (C) Copyright 2009

uboot\u-boot-2011.12\include\configs\spear6xx.h(2): * (C) Copyright 2009

uboot\u-boot-2011.12\include\configs\spear-common.h(2): * (C) Copyright 2009

uboot\u-boot-2011.12\include\configs\spieval.h(2): * (C) Copyright 2003-2005

uboot\u-boot-2011.12\include\configs\spieval.h(5): * (C) Copyright 2004-2005

uboot\u-boot-2011.12\include\configs\stxgp3.h(2): * (C) Copyright 2003 Embedded Edge, LLC

uboot\u-boot-2011.12\include\configs\stxgp3.h(7): * (C) Copyright 2002,2003 Motorola,Inc.

uboot\u-boot-2011.12\include\configs\stxssa.h(2): * (C) Copyright 2005 Embedded Alley Solutions, Inc.

uboot\u-boot-2011.12\include\configs\stxssa.h(7): * (C) Copyright 2002,2003 Motorola,Inc.

uboot\u-boot-2011.12\include\configs\stxxtc.h(2): * (C) Copyright 2000-2004

uboot\u-boot-2011.12\include\configs\suvd3.h(11): * (C) Copyright 2010

uboot\u-boot-2011.12\include\configs\suvd3.h(2): * Copyright (C) 2006 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\configs\suvd3.h(5): * Copyright (C) 2007 Logic Product Development, Inc.

uboot\u-boot-2011.12\include\configs\suvd3.h(8): * Copyright (C) 2007 MontaVista Software, Inc.

uboot\u-boot-2011.12\include\configs\svm_sc8xx.h(2): * (C) Copyright 2000, 2001, 2002

uboot\u-boot-2011.12\include\configs\SX1.h(2): * (C) Copyright 2004

uboot\u-boot-2011.12\include\configs\SXNI855T.h(7): * Copyright (c) 2000-2002 Dave Ellis, SIXNET, dge@sixnetio.com

uboot\u-boot-2011.12\include\configs\t3corp.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\include\configs\taihu.h(2): * (C) Copyright 2000-2005

uboot\u-boot-2011.12\include\configs\taihu.h(5): * (C) Copyright 2005-2007

uboot\u-boot-2011.12\include\configs\taishan.h(2): * (C) Copyright 2007

uboot\u-boot-2011.12\include\configs\TASREG.h(4): * (C) Copyright 2004

legal(ME)

uboot\u-boot-2011.12\include\configs\tb0229.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\TB5200.h(2): * (C) Copyright 2003-2006
uboot\u-boot-2011.12\include\configs\TB5200.h(5): * (C) Copyright 2004-2006
uboot\u-boot-2011.12\include\configs\tegra2-common.h(2): *(C) Copyright 2010,2011
uboot\u-boot-2011.12\include\configs\TK885D.h(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\configs\TK885D.h(5): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\tnetv107x_evm.h(2): * Copyright (C) 2008
Texas Instruments, Inc <www.ti.com>
uboot\u-boot-2011.12\include\configs\tnetv107x_evm.h(4): * Based on
davinci_dvevm.h. Original Copyrights follow:
uboot\u-boot-2011.12\include\configs\tnetv107x_evm.h(6): * Copyright (C) 2007
Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\configs\tny_a9260.h(2): * (C) Copyright 2007-2008
uboot\u-boot-2011.12\include\configs\tny_a9260.h(6): * Copyright (C) 2009
uboot\u-boot-2011.12\include\configs\TOP5200.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\TOP860.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\top9000.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\Total15200.h(2): * (C) Copyright 2003-2004
uboot\u-boot-2011.12\include\configs\Total15200.h(5): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\TQM5200.h(2): * (C) Copyright 2003-2005
uboot\u-boot-2011.12\include\configs\TQM5200.h(5): * (C) Copyright 2004-2006
uboot\u-boot-2011.12\include\configs\TQM823L.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM823M.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM8260.h(2): * (C) Copyright 2001-2005
uboot\u-boot-2011.12\include\configs\TQM8272.h(2): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\TQM834x.h(2): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\TQM850L.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM850M.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM855L.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM855M.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM85xx.h(10): * (C) Copyright 2002,2003
Motorola, Inc.
uboot\u-boot-2011.12\include\configs\TQM85xx.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\TQM85xx.h(5): * (C) Copyright 2005
uboot\u-boot-2011.12\include\configs\TQM85xx.h(9): * Copyright 2004 Freescale
Semiconductor.
uboot\u-boot-2011.12\include\configs\TQM860L.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM860M.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM862L.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM862M.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM866M.h(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\include\configs\TQM885D.h(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\configs\TQM885D.h(5): * (C) Copyright 2006
uboot\u-boot-2011.12\include\configs\trizepsiv.h(11): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\trizepsiv.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\trizepsiv.h(5): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\trizepsiv.h(8): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\tt01.h(2): * (C) Copyright 2011 HALE
electronic <helmut.raiger@hale.at>
uboot\u-boot-2011.12\include\configs\tt01.h(3): * (C) Copyright 2008 Magnus Lilja
<lilja.magnus@gmail.com>
uboot\u-boot-2011.12\include\configs\tuda1.h(11): * (C) Copyright 2008

legal(ME)

uboot\u-boot-2011.12\include\configs\tuda1.h(14): * (C) Copyright 2010-2011
uboot\u-boot-2011.12\include\configs\tuda1.h(2): * Copyright (C) 2006 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\tuda1.h(5): * Copyright (C) 2007 Logic
Product Development, Inc.
uboot\u-boot-2011.12\include\configs\tuda1.h(8): * Copyright (C) 2007 MontaVista
Software, Inc.
uboot\u-boot-2011.12\include\configs\tuxa1.h(11): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\tuxa1.h(14): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\tuxa1.h(2): * Copyright (C) 2006 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\tuxa1.h(5): * Copyright (C) 2007 Logic
Product Development, Inc.
uboot\u-boot-2011.12\include\configs\tuxa1.h(8): * Copyright (C) 2007 MontaVista
Software, Inc.
uboot\u-boot-2011.12\include\configs\tx25.h(2): * (C) Copyright 2009 DENX
Software Engineering
uboot\u-boot-2011.12\include\configs\u8500_href.h(2): * Copyright (C) ST-Ericsson
SA 2009
uboot\u-boot-2011.12\include\configs\uc100.h(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\configs\uc101.h(2): * (C) Copyright 2003-2009
uboot\u-boot-2011.12\include\configs\utx8245.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\utx8245.h(5): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\v37.h(2): * (C) Copyright 2000, 2001
uboot\u-boot-2011.12\include\configs\v38b.h(2): * (C) Copyright 2003-2006
Wolfgang Denk, DENX Software Engineering,
uboot\u-boot-2011.12\include\configs\v5fx30teval.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\VCMA9.h(2): * (C) Copyright 2002, 2003
uboot\u-boot-2011.12\include\configs\vct.h(2): * (C) Copyright 2008 Stefan Roes
<sr@denx.de>, DENX Software Engineering
uboot\u-boot-2011.12\include\configs\ve8313.h(2): * Copyright (C) Freescale
Semiconductor, Inc. 2006.
uboot\u-boot-2011.12\include\configs\ve8313.h(4): * (C) Copyright 2010
uboot\u-boot-2011.12\include\configs\ventana.h(2): *(C) Copyright 2010,2011
uboot\u-boot-2011.12\include\configs\versatile.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\configs\versatile.h(7): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\virtlab2.h(2): * (C) Copyright 2006-2008
uboot\u-boot-2011.12\include\configs\vision2.h(2): * Copyright (C) 2007, Guennadi
Liakhovetski <lg@denx.de>
uboot\u-boot-2011.12\include\configs\vision2.h(4): * (C) Copyright 2009 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\vme8349.h(3): * Copyright (c) 2008, 2009 esd
gmbh Hannover Germany
uboot\u-boot-2011.12\include\configs\vme8349.h(5): * (C) Copyright 2006-2010
uboot\u-boot-2011.12\include\configs\VOH405.h(2): * (C) Copyright 2001-2003
uboot\u-boot-2011.12\include\configs\VOM405.h(2): * (C) Copyright 2001-2004
uboot\u-boot-2011.12\include\configs\VoVPN-GW.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\vpac270.h(4): * Copyright (C) 2010 Marek
Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\include\configs\W70LMC.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\W70LMG.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\configs\walnut.h(2): * (C) Copyright 2000-2005

legal(ME)

uboot\u-boot-2011.12\include\configs\WUH405.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\xaeniah.h(11): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\xaeniah.h(2): * (C) Copyright 2004-2005
uboot\u-boot-2011.12\include\configs\xaeniah.h(5): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\xaeniah.h(8): * (C) Copyright 2002
uboot\u-boot-2011.12\include\configs\xilinx-ppc.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\xilinx-ppc.h(6): *(C) Copyright 2008
uboot\u-boot-2011.12\include\configs\xilinx-ppc405.h(3): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\xilinx-ppc405.h(7): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\xilinx-ppc405-generic.h(3): * (C) Copyright
2008
uboot\u-boot-2011.12\include\configs\xilinx-ppc405-generic.h(7): * (C) Copyright
2008
uboot\u-boot-2011.12\include\configs\xilinx-ppc440.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\configs\xilinx-ppc440-generic.h(2): * (C) Copyright
2008
uboot\u-boot-2011.12\include\configs\xpedite1000.h(2): * (C) Copyright 2002 Scott
McNutt <smcnutt@artesyincp.com>
uboot\u-boot-2011.12\include\configs\xpedite1000.h(26): * (C) Copyright 2003
Sandhurst Corporation
uboot\u-boot-2011.12\include\configs\xpedite517x.h(2): * Copyright 2009 Extreme
Engineering Solutions, Inc.
uboot\u-boot-2011.12\include\configs\xpedite517x.h(3): * Copyright 2007-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\xpedite520x.h(2): * Copyright 2008 Extreme
Engineering Solutions, Inc.
uboot\u-boot-2011.12\include\configs\xpedite520x.h(3): * Copyright 2004-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\xpedite537x.h(2): * Copyright 2008 Extreme
Engineering Solutions, Inc.
uboot\u-boot-2011.12\include\configs\xpedite537x.h(3): * Copyright 2007-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\xpedite550x.h(2): * Copyright 2010 Extreme
Engineering Solutions, Inc.
uboot\u-boot-2011.12\include\configs\xpedite550x.h(3): * Copyright 2007-2008
Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\configs\yosemite.h(2): * (C) Copyright 2005-2007
uboot\u-boot-2011.12\include\configs\yucca.h(2): * (C) Copyright 2004 Paul
Reynolds <PaulReynolds@lhsolutions.com>
uboot\u-boot-2011.12\include\configs\Yukon8220.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\configs\zeus.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\configs\zipitz2.h(4): * Copyright (C) 2009-2010
Marek Vasut <marek.vasut@gmail.com>
uboot\u-boot-2011.12\include\configs\ZPC1900.h(2): * Copyright (C) 2003-2005
Arabella Software Ltd.
uboot\u-boot-2011.12\include\configs\ZUMA.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\crc.h(12): * Copyright (C) 2002 Andrew Lunn
uboot\u-boot-2011.12\include\da9030.h(2): * (C) Copyright 2006 DENX Software
Engineering
uboot\u-boot-2011.12\include\dataflash.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\ddr_spd.h(2): * Copyright 2008 Freescale
Semiconductor, Inc.

legal(ME)

uboot\u-boot-2011.12\include\div64.h(4): * Copyright (C) 2003 Bernardo Innocenti <bernie@develer.com>
uboot\u-boot-2011.12\include\dp83848.h(4): * Copyright (C) 2007 Sergey Kubushyn <ksi@koi8.net>
uboot\u-boot-2011.12\include\ds4510.h(2): * Copyright 2008 Extreme Engineering Solutions, Inc.
uboot\u-boot-2011.12\include\dtc.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\e500.h(2): * Copyright 2003 Motorola, Inc.
uboot\u-boot-2011.12\include\elf.h(2): * Copyright (c) 1995, 1996, 2001, 2002
uboot\u-boot-2011.12\include\environment.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\ext_common.h(10): * (C) Copyright 2004
uboot\u-boot-2011.12\include\ext_common.h(16): * Copyright (C) 2003, 2004 Free Software Foundation, Inc.
uboot\u-boot-2011.12\include\ext_common.h(2): * (C) Copyright 2011 - 2012 Samsung Electronics
uboot\u-boot-2011.12\include\ext2fs.h(3): * Copyright (C) 2000, 2001 Free Software Foundation, Inc.
uboot\u-boot-2011.12\include\ext2fs.h(5): * (C) Copyright 2003 Sysgo Real-Time Solutions, AG <www.elinos.com>
uboot\u-boot-2011.12\include\ext4fs.h(10): * Copyright (c) 2003-2006, Cluster File Systems, Inc, info at clusterfs.com
uboot\u-boot-2011.12\include\ext4fs.h(2): * (C) Copyright 2011 - 2012 Samsung Electronics
uboot\u-boot-2011.12\include\faraday\ftahbc020s.h(2): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\include\faraday\ftpmu010.h(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\include\faraday\ftsd010.h(4): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\include\faraday\ftsdmc020.h(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\include\faraday\ftsdmc021.h(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\include\faraday\ftsdmc021.h(5): * (C) Copyright 2011 Andes Technology Corp
uboot\u-boot-2011.12\include\faraday\ftsmc020.h(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\include\faraday\fttmr010.h(2): * (C) Copyright 2009 Faraday Technology
uboot\u-boot-2011.12\include\faraday\ftwtd010_wdt.h(4): * (c) Copyright 2004 Faraday Technology Corp. (www.faraday-tech.com)
uboot\u-boot-2011.12\include\faraday\ftwtd010_wdt.h(8): * Copyright (C) 2011 Andes Technology Corporation
uboot\u-boot-2011.12\include\fdc.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\fdt_support.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\fdtdec.h(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\include\fis.h(2): * Copyright (C) 2008 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\flash.h(2): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\fm_eth.h(2): * Copyright 2009-2011 Freescale

legal(ME)

Semiconductor, Inc.
uboot\u-boot-2011.12\include\fpga.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\fs1_diu_fb.h(2): * Copyright 2007, 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\fs1_esdhc.h(5): * Copyright 2007-2008,2010-2011 Freescale Semiconductor, Inc
uboot\u-boot-2011.12\include\fs1_mdio.h(2): * Copyright 2009-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\fs1_pmic.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\fs1_pmic.h(5): * (C) Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\galileo\core.h(3):/* Copyright Galileo Technology. */
uboot\u-boot-2011.12\include\galileo\gt64260R.h(3):/* Copyright - Galileo technology. */
uboot\u-boot-2011.12\include\galileo\memory.h(3):/* Copyright - Galileo technology. */
uboot\u-boot-2011.12\include\galileo\pci.h(3):/* Copyright - Galileo technology. */
uboot\u-boot-2011.12\include\gdsys_fpga.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\hash.h(2): * Copyright (c) 2012 The Chromium OS Authors.
uboot\u-boot-2011.12\include\hush.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\hw_sha.h(4): * Copyright (c) 2012Samsung Electronics
uboot\u-boot-2011.12\include\hwconfig.h(4): * Copyright (c) 2009MontaVista Software, Inc.
uboot\u-boot-2011.12\include\hwconfig.h(5): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\i2c.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\i8042.h(2): * (C) Copyright 2002 ELTEC Elektronik AG
uboot\u-boot-2011.12\include\ide.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\image.h(2): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\include\image.h(4): * (C) Copyright 2000-2005
uboot\u-boot-2011.12\include\iomux.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\include\ipu_pixfmt.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\ipu_pixfmt.h(7): * (C) Copyright 2005-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\jffs2\jffs2.h(4): * Copyright (C) 2001 Red Hat, Inc.
uboot\u-boot-2011.12\include\jffs2\load_kernel.h(6): * Copyright: Copyright (C) 2001, Russ Dill
uboot\u-boot-2011.12\include\jffs2\mini_inflate.h(4): * Copyright: Copyright (C) 2001, Russ Dill
uboot\u-boot-2011.12\include\lattice.h(4): * (C) Copyright 2010
uboot\u-boot-2011.12\include\lattice.h(9): * Lattice Semiconductor Corp. Copyright 2009
uboot\u-boot-2011.12\include\lcd.h(7): * (C) Copyright 2001
uboot\u-boot-2011.12\include\lcdvideo.h(3): * Copyright (c) 1999 Dan Malek (dmalek@jlc.net)
uboot\u-boot-2011.12\include\led-display.h(2): * (C) Copyright 2005-2010
uboot\u-boot-2011.12\include\led-display.h(5): * (C) Copyright 2010
uboot\u-boot-2011.12\include\libata.h(2): * Copyright 2003-2004 Red Hat, Inc. All rights reserved.

legal(ME)

uboot\u-boot-2011.12\include\libata.h(3): * Copyright 2003-2004 Jeff Garzik
uboot\u-boot-2011.12\include\libata.h(4): * Copyright (C) 2008 Freescale
Semiconductor, Inc.
uboot\u-boot-2011.12\include\libfdt.h(5): * Copyright (C) 2006 David Gibson, IBM
Corporation.
uboot\u-boot-2011.12\include\libfdt_env.h(3): * Copyright (C) 2007 Gerald Van
Baren, Custom IDEAS, vanbaren@cideas.com
uboot\u-boot-2011.12\include\linux_logo.h(5): * Copyright (C) 1996 Larry Ewing
(lewing@isc.tamu.edu)
uboot\u-boot-2011.12\include\linux_logo.h(6): * Copyright (C) 1996,1998 Jakub
Jelinek (jj@sunsite.mff.cuni.cz)
uboot\u-boot-2011.12\include\linux\apm_bios.h(6): * Copyright 1994-2001 Stephen
Rothwell (sfr@canb.auug.org.au)
uboot\u-boot-2011.12\include\linux\edd.h(3): *Copyright (C) 2002, 2003, 2004 Dell
Inc.
uboot\u-boot-2011.12\include\linux\ethtool.h(10): * Portions Copyright (C) Sun
Microsystems 2008
uboot\u-boot-2011.12\include\linux\ethtool.h(4): * Copyright (C) 1998 David S.
Miller (davem@redhat.com)
uboot\u-boot-2011.12\include\linux\ethtool.h(5): * Copyright 2001 Jeff Garzik
<jgarzik@pobox.com>
uboot\u-boot-2011.12\include\linux\ethtool.h(6): * Portions Copyright 2001 Sun
Microsystems (thockin@sun.com)
uboot\u-boot-2011.12\include\linux\ethtool.h(7): * Portions Copyright 2002 Intel
(eli.kupermann@intel.com,
uboot\u-boot-2011.12\include\linux\lzo.h(7): *Copyright (C) 1996-2005 Markus
F.X.J. Oberhumer <markus@oberhumer.com>
uboot\u-boot-2011.12\include\linux\mc146818rtc.h(2): * Copyright Torsten Duwe
<duwe@informatik.uni-erlangen.de> 1993
uboot\u-boot-2011.12\include\linux\mc146818rtc.h(3): * derived from Data Sheet,
Copyright Motorola 1984 (!).
uboot\u-boot-2011.12\include\linux\mdio.h(3): * Copyright 2006-2009 Solarflare
Communications Inc.
uboot\u-boot-2011.12\include\linux\mii.h(5): * Copyright (C) 1996, 1999, 2001
David S. Miller (davem@redhat.com)
uboot\u-boot-2011.12\include\linux\mtd\bbm.h(10): *Copyright (c) 2000-2005
uboot\u-boot-2011.12\include\linux\mtd\bbm.h(7): *Copyright (c) 2005-2007 Samsung
Electronics
uboot\u-boot-2011.12\include\linux\mtd\doc2000.h(4): * Copyright (C) 1999 Machine
Vision Holdings, Inc.
uboot\u-boot-2011.12\include\linux\mtd\doc2000.h(5): * Copyright (C) 2001-2003
David Woodhouse <dwmw2@infradead.org>
uboot\u-boot-2011.12\include\linux\mtd\doc2000.h(6): * Copyright (C) 2002-2003
Greg Ungerer <gerg@snapgear.com>
uboot\u-boot-2011.12\include\linux\mtd\doc2000.h(7): * Copyright (C) 2002-2003
SnapGear Inc
uboot\u-boot-2011.12\include\linux\mtd\fs1_upm.h(4): * Copyright (C) 2007
MontaVista Software, Inc.
uboot\u-boot-2011.12\include\linux\mtd\mtd.h(2): * Copyright (C) 1999-2003 David
Woodhouse <dwmw2@infradead.org> et al.
uboot\u-boot-2011.12\include\linux\mtd\nand.h(4): *Copyright (c) 2000 David
Woodhouse <dwmw2@infradead.org>

legal(ME)

uboot\u-boot-2011.12\include\linux\mtd\nand_ecc.h(4): *Copyright (C) 2000 Steven J. Hill (sjhill@realitydiluted.com)

uboot\u-boot-2011.12\include\linux\mtd\ndfc.h(4): *Copyright (c) 2006 Thomas Gleixner <tglx@linutronix.de>

uboot\u-boot-2011.12\include\linux\mtd\onenand.h(4): *Copyright (C) 2005-2007 Samsung Electronics

uboot\u-boot-2011.12\include\linux\mtd\onenand_regs.h(6): *Copyright (C) 2005-2007 Samsung Electronics

uboot\u-boot-2011.12\include\linux\mtd\samsung_onenand.h(2): *Copyright (C) 2005-2009 Samsung Electronics

uboot\u-boot-2011.12\include\linux\mtd\ubi.h(2): * Copyright (c) International Business Machines Corp., 2006

uboot\u-boot-2011.12\include\linux\usb\gadget.h(9): * (C) Copyright 2002-2004 by David Brownell

uboot\u-boot-2011.12\include\lmb.h(9): * Copyright (C) 2001 Peter Bergner, IBM Corp.

uboot\u-boot-2011.12\include\logbuff.h(2): * (C) Copyright 2002-2007

uboot\u-boot-2011.12\include\lxt971a.h(3): * Copyright (C) 2004 by FS Forth-Systeme GmbH.

uboot\u-boot-2011.12\include\lynxkdi.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\include\lzma\LzmaDec.h(4): * Copyright (C) 2007-2009 Industrie Dial Face S.p.A.

uboot\u-boot-2011.12\include\lzma\LzmaTools.h(4): * Copyright (C) 2007-2009 Industrie Dial Face S.p.A.

uboot\u-boot-2011.12\include\lzma\LzmaTypes.h(4): * Copyright (C) 2007-2009 Industrie Dial Face S.p.A.

uboot\u-boot-2011.12\include\max8998_pmic.h(2): *Copyright (C) 2011 Samsung Electronics

uboot\u-boot-2011.12\include\mb862xx.h(2): * (C) Copyright 2007

uboot\u-boot-2011.12\include\mc13892.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\include\mc13892.h(5): * (C) Copyright 2009 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\mc9sdz60.h(2): * Copyright (C) 2009 Marc Kleine-Budde <mkl@pengutronix.de>

uboot\u-boot-2011.12\include\mc9sdz60.h(4): * Copyright 2004-2009 Freescale Semiconductor, Inc. All Rights Reserved.

uboot\u-boot-2011.12\include\MCD_dma.h(2): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\MCD_progCheck.h(2): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\MCD_tasksInit.h(2): * Copyright (C) 2004-2007 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\menu.h(2): * Copyright 2010-2011 Calxeda, Inc.

uboot\u-boot-2011.12\include\mg_disk.h(2): * (C) Copyright 2009 mGine co.

uboot\u-boot-2011.12\include\miiphy.h(17):|must include the IBM copyright notice, this paragraph, and the

uboot\u-boot-2011.12\include\miiphy.h(20):|COPYRIGHT I B M CORPORATION 1999

uboot\u-boot-2011.12\include\miiphy.h(23):| Additions (C) Copyright 2009 Industrie Dial Face S.p.A.

uboot\u-boot-2011.12\include\mk48t59.h(2): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>

uboot\u-boot-2011.12\include\mmc.h(2): * Copyright 2008,2010 Freescale

legal(ME)

Semiconductor, Inc

uboot\u-boot-2011.12\include\mpc106.h(2): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>

uboot\u-boot-2011.12\include\mpc5xx.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\include\mpc5xxx_sdma.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\include\mpc5xxx_sdma.h(6): * (C) Copyright Motorola, Inc., 2000

uboot\u-boot-2011.12\include\mpc824x.h(2): * Copyright Rob Taylor, Flying Pig Systems Ltd. 2000.

uboot\u-boot-2011.12\include\mpc824x.h(3): * Copyright (C) 2001, James Dougherty, jfd@cs.stanford.edu

uboot\u-boot-2011.12\include\mpc8260.h(2): * (C) Copyright 2000, 2001

uboot\u-boot-2011.12\include\mpc83xx.h(2): * Copyright (C) 2004-2007, 2010 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\include\mpc85xx.h(2): * Copyright 2004, 2007 Freescale Semiconductor.

uboot\u-boot-2011.12\include\mpc85xx.h(3): * Copyright(c) 2003 Motorola Inc.

uboot\u-boot-2011.12\include\mpc86xx.h(2): * Copyright 2006 Freescale Semiconductor.

uboot\u-boot-2011.12\include\mpc8xx.h(2): * (C) Copyright 2000-2004

uboot\u-boot-2011.12\include\mtd\cfi_flash.h(2): * (C) Copyright 2009

uboot\u-boot-2011.12\include\mtd\ubi-user.h(2): * Copyright (c) International Business Machines Corp., 2006

uboot\u-boot-2011.12\include\mvmfp.h(2): * (C) Copyright 2010

uboot\u-boot-2011.12\include\nand.h(2): * (C) Copyright 2005

uboot\u-boot-2011.12\include\net.h(4): *Copyright 1994 - 2000 Neil Russell.

uboot\u-boot-2011.12\include\netdev.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\include\nios2.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>

uboot\u-boot-2011.12\include\nios2-epcs.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>

uboot\u-boot-2011.12\include\nios2-io.h(2): * (C) Copyright 2004, Psyent Corporation <www.psyent.com>

uboot\u-boot-2011.12\include\nios2-yanu.h(2): * (C) Copyright 2006, Imagos S.a.s <www.imagos.it>

uboot\u-boot-2011.12\include\ns87308.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\ns9750_bbus.h(3): * Copyright (C) 2004 by FS Forth-Systeme GmbH.

uboot\u-boot-2011.12\include\ns9750_mem.h(3): * Copyright (C) 2004 by FS Forth-Systeme GmbH.

uboot\u-boot-2011.12\include\ns9750_ser.h(3): * Copyright (C) 2004 by FS Forth-Systeme GmbH.

uboot\u-boot-2011.12\include\ns9750_sys.h(3): * Copyright (C) 2004 by FS Forth-Systeme GmbH.

uboot\u-boot-2011.12\include\onenand_uboot.h(6): *Copyright (C) 2005-2007 Samsung Electronics

uboot\u-boot-2011.12\include\os.h(2): * Copyright (c) 2011 The Chromium OS Authors.

uboot\u-boot-2011.12\include\part.h(2): * (C) Copyright 2000-2004

uboot\u-boot-2011.12\include\pca953x.h(2): * Copyright 2008 Extreme Engineering Solutions, Inc.

uboot\u-boot-2011.12\include\pca9564.h(9): * Copyright 2009 CJSC "NII STT",

legal(ME)

<http://www.niistt.ru/>

uboot\u-boot-2011.12\include\pca9698.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\include\pci.h(2): * (C) Copyright 2001 Sysgo Real-Time Solutions, GmbH <www.elinos.com>
uboot\u-boot-2011.12\include\pci.h(5): * (C) Copyright 2002
uboot\u-boot-2011.12\include\pcmcia.h(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\include\pcmcia\cirrus.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
uboot\u-boot-2011.12\include\pcmcia\i82365.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
uboot\u-boot-2011.12\include\pcmcia\ss.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
uboot\u-boot-2011.12\include\pcmcia\ti113x.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
uboot\u-boot-2011.12\include\pcmcia\yenta.h(16): * are Copyright (C) 1999 David A. Hinds.All Rights Reserved.
uboot\u-boot-2011.12\include\phy.h(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\pmic.h(2): *Copyright (C) 2011 Samsung Electronics
uboot\u-boot-2011.12\include\post.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\post.h(5): * (C) Copyright 2010
uboot\u-boot-2011.12\include\ppc_asm.tpl(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\include\ppc_defs.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\pwm.h(4): * Copyright (c) 2011 samsung electronics
uboot\u-boot-2011.12\include\reiserfs.h(2): *Copyright 2000-2002 by Hans Reiser, licensing governed by reiserfs/README
uboot\u-boot-2011.12\include\reiserfs.h(5): *Copyright (C) 2000, 2001Free Software Foundation, Inc.
uboot\u-boot-2011.12\include\reiserfs.h(7): *(C) Copyright 2003 Sysgo Real-Time Solutions, AG <www.elinos.com>
uboot\u-boot-2011.12\include\rsa.h(2): * Copyright (c) 2013, Google Inc.
uboot\u-boot-2011.12\include\rsa.h(4): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\include\rsa.h(6): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\include\rtc.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\s_record.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\s6e63d6.h(2): * Copyright (C) 2009
uboot\u-boot-2011.12\include\SA-1100.h(5): *AuthorCopyright (c) Marc A. Viredaz, 1998
uboot\u-boot-2011.12\include\scsi.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\sdhci.h(2): * Copyright 2011, Marvell Semiconductor Inc.
uboot\u-boot-2011.12\include\search.h(25): * Copyright (C) 2010 Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\include\search.h(3): * Copyright (C) 1995-1999, 2000 Free Software Foundation, Inc.
uboot\u-boot-2011.12\include\sed13806.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\sed156x.h(2): * (C) Copyright 2004
uboot\u-boot-2011.12\include\sha1.h(6): *Copyright (C) 2003-2006Christophe Devine
uboot\u-boot-2011.12\include\sja1000.h(2): * Copyright 2009, Matthias Fuchs <matthias.fuchs@esd.eu>
uboot\u-boot-2011.12\include\sm501.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\sm501.h(6): * (C) Copyright 2005

legal(ME)

uboot\u-boot-2011.12\include\smiLynxEM.h(2): * (C) Copyright 1997-2002 ELTEC Elektronik AG
uboot\u-boot-2011.12\include\spartan2.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\spartan3.h(2): * (C) Copyright 2002
uboot\u-boot-2011.12\include\spd.h(2): * Copyright (C) 2003 Arabella Software Ltd.
uboot\u-boot-2011.12\include\spi.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\spi_flash.h(4): * Copyright (C) 2008 Atmel Corporation
uboot\u-boot-2011.12\include\status_led.h(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\include\stdio_dev.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\include\stratixII.h(2): * (C) Copyright 2007
uboot\u-boot-2011.12\include\sym53c8xx.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\synopsys\dwccdr21mctl.h(2): * (C) Copyright 2011 Andes Technology Corp
uboot\u-boot-2011.12\include\systemace.h(4): * Copyright (c) 2004 Picture Elements, Inc.
uboot\u-boot-2011.12\include\timestamp.h(2): * Copyright 2008 Extreme Engineering Solutions, Inc.
uboot\u-boot-2011.12\include\tpm.h(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\include\tsec.h(10): * Copyright 2004, 2007, 2009, 2011Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\include\tsec.h(11): * (C) Copyright 2003, Motorola, Inc.
uboot\u-boot-2011.12\include\tsi108.h(2): * (C) Copyright 2003;Tundra Semiconductor Corp.
uboot\u-boot-2011.12\include\tsi108.h(3): * (C) Copyright 2006;Freescale Semiconductor Corp.
uboot\u-boot-2011.12\include\tsi148.h(2): * (C) Copyright 2009 Reinhard Arlt, reinhard.arlt@esd-electronics.com
uboot\u-boot-2011.12\include\tsi148.h(6): * (C) Copyright 2003 Stefan Roesse, stefan.roesse@esd-electronics.com
uboot\u-boot-2011.12\include\twl4030.h(2): * Copyright (c) 2009 Wind River Systems, Inc.
uboot\u-boot-2011.12\include\twl4030.h(22): * Copyright (C) 2007-2009 Texas Instruments, Inc.
uboot\u-boot-2011.12\include\twl6030.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\include\tws.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\ubi_uboot.h(6): *Copyright (C) 2005-2007 Samsung Electronics
uboot\u-boot-2011.12\include\u-boot\crc.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\u-boot\rsa.h(2): * Copyright (c) 2013, Google Inc.
uboot\u-boot-2011.12\include\u-boot\rsa.h(4): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\include\u-boot\rsa.h(6): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\include\u-boot\rsa-checksum.h(2): * Copyright (c) 2013, Andreas Oetken.
uboot\u-boot-2011.12\include\u-boot\rsa-mod-exp.h(2): * Copyright (c) 2014, Ruchika Gupta.
uboot\u-boot-2011.12\include\u-boot\sha1.h(6): *Copyright (C) 2003-2006Christophe Devine
uboot\u-boot-2011.12\include\u-boot\u-boot.lds.h(4): * Copyright (c) 2009 Analog Devices Inc.

legal(ME)

uboot\u-boot-2011.12\include\u-boot\zlib.h(18):Copyright (C) 1995-2005 Jean-loup Gailly and Mark Adler
uboot\u-boot-2011.12\include\u-boot\zlib.h(376):# pragma
map(inflate_copyright,"INCOPY")
uboot\u-boot-2011.12\include\u-boot\zlib.h(57): * Copyright (C) 1995-2005
Jean-loup Gailly.
uboot\u-boot-2011.12\include\universe.h(2): * (C) Copyright 2003 Stefan Roese,
stefan.roese@esd-electronics.com
uboot\u-boot-2011.12\include\usb.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\usb_cdc_acm.h(2): * (C) Copyright 2006
uboot\u-boot-2011.12\include\usb_defcs.h(2): * (C) Copyright 2001
uboot\u-boot-2011.12\include\usb_ether.h(2): * Copyright (c) 2011 The Chromium OS
Authors.
uboot\u-boot-2011.12\include\usb\ehci-fsl.h(2): * Copyright (c) 2005, 2009
Freescale Semiconductor, Inc
uboot\u-boot-2011.12\include\usb\ehci-fsl.h(3): * Copyright (c) 2005 MontaVista
Software
uboot\u-boot-2011.12\include\usb\ehci-fsl.h(4): * Copyright (c) 2008 Excito
Elektronik i Sk=E5ne AB
uboot\u-boot-2011.12\include\usb\lin_gadget_compat.h(2): * Copyright (c) 2011
Samsung Electronics
uboot\u-boot-2011.12\include\usb\mpc8xx_udc.h(2): * Copyright (C) 2006 Bryan
O'Donoghue, CodeHermit
uboot\u-boot-2011.12\include\usb\musb_udc.h(2): * Copyright (c) 2009 Wind River
Systems, Inc.
uboot\u-boot-2011.12\include\usb\mv_udc.h(2): * Copyright 2011, Marvell
Semiconductor Inc.
uboot\u-boot-2011.12\include\usb\omap1510_udc.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\usb\pxa27x_udc.h(4): * Copyright (C) 2007 Rodolfo
Giometti <giometti@linux.it>
uboot\u-boot-2011.12\include\usb\pxa27x_udc.h(5): * Copyright (C) 2007 Eurotech
S.p.A. <info@eurotech.it>
uboot\u-boot-2011.12\include\usb\s3c_udc.h(4): * Copyright (C) 2005 for Samsung
Electronics
uboot\u-boot-2011.12\include\usb\spr_udc.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\include\usb\ulpi.h(13): * Original Copyrights follow:
uboot\u-boot-2011.12\include\usb\ulpi.h(14): * Copyright (C) 2010 Nokia
Corporation
uboot\u-boot-2011.12\include\usb\ulpi.h(4): * Copyright (C) 2011 Jana Rapava
<fermata7@gmail.com>
uboot\u-boot-2011.12\include\usb\ulpi.h(5): * Copyright (C) 2011 Compulab, Ltd.
<www.compulab.co.il>
uboot\u-boot-2011.12\include\usbdcore.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\usbdcore.h(7): * Copyright (c) 2000, 2001, 2002
Lineo
uboot\u-boot-2011.12\include\usbdcore.h(8): * Copyright (c) 2001 Hewlett Packard
uboot\u-boot-2011.12\include\usbdcore_ep0.h(2): * (C) Copyright 2003
uboot\u-boot-2011.12\include\usbdcore_ep0.h(8): * Copyright (c) 2000, 2001, 2002
Lineo
uboot\u-boot-2011.12\include\usbdcore_ep0.h(9): * Copyright (c) 2001 Hewlett
Packard
uboot\u-boot-2011.12\include\usbdcore_mpc8xx.h(2): * Copyright (C) 2006 Bryan

legal(ME)

O'Donoghue, CodeHermit

uboot\u-boot-2011.12\include\usbdcore_omap1510.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\include\usbdescriptors.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\include\usbdescriptors.h(8): * Copyright (c) 2000, 2001, 2002 Lineo

uboot\u-boot-2011.12\include\usbdescriptors.h(9): * Copyright (c) 2001 Hewlett Packard

uboot\u-boot-2011.12\include\usbdevice.h(2): * (C) Copyright 2003

uboot\u-boot-2011.12\include\usbdevice.h(7): * Copyright (c) 2000, 2001, 2002 Lineo

uboot\u-boot-2011.12\include\usbdevice.h(8): * Copyright (c) 2001 Hewlett Packard

uboot\u-boot-2011.12\include\version.h(2): * (C) Copyright 2000-2006

uboot\u-boot-2011.12\include\video_ad7176.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\video_ad7177.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\video_ad7179.h(2): * (C) Copyright 2003 Wolfgang Grandegger <wg@denx.de>

uboot\u-boot-2011.12\include\video_fb.h(2): * (C) Copyright 1997-2002 ELTEC Elektronik AG

uboot\u-boot-2011.12\include\video_font.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\video_font_data.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\virtex2.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\include\vsc7385.h(6): * Copyright 2008 Freescale

Semiconductor, Inc. This file is licensed

uboot\u-boot-2011.12\include\vxworks.h(2): * (C) Copyright 2008

uboot\u-boot-2011.12\include\w83c553f.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\include\watchdog.h(2): * (C) Copyright 2001

uboot\u-boot-2011.12\include\x_typedef.h(4): * Copyright (c) 2010-2012 MediaTek Inc.

uboot\u-boot-2011.12\include\x_typedef.h(6): * Copyright (C) 2002 ARM Ltd.

uboot\u-boot-2011.12\include\xilinx.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\include\xyzModem.h(12): * Copyright (C) 1998, 1999, 2000, 2001, 2002 Red Hat, Inc.

uboot\u-boot-2011.12\include\xyzModem.h(13): * Copyright (C) 2002 Gary Thomas

uboot\u-boot-2011.12\lib\addr_map.c(2): * Copyright 2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\lib\bignum.c(4): * Copyright (C) 2006-2009, Paul Bakker <polarssl_maintainer at polarssl.org>

uboot\u-boot-2011.12\lib\bignum.c(7): * Joined copyright on original XySSL code with: Christophe Devine

uboot\u-boot-2011.12\lib\bzlib.c(19): Copyright (C) 1996-2002 Julian R Seward. All rights reserved.

uboot\u-boot-2011.12\lib\bzlib_crctable.c(12): Copyright (C) 1996-2002 Julian R Seward. All rights reserved.

uboot\u-boot-2011.12\lib\bzlib_decompress.c(14): Copyright (C) 1996-2002 Julian R Seward. All rights reserved.

uboot\u-boot-2011.12\lib\bzlib_huffman.c(12): Copyright (C) 1996-2002 Julian R Seward. All rights reserved.

uboot\u-boot-2011.12\lib\bzlib_private.h(15): Copyright (C) 1996-2002 Julian R Seward. All rights reserved.

uboot\u-boot-2011.12\lib\bzlib_randtable.c(12): Copyright (C) 1996-2002 Julian R Seward. All rights reserved.

uboot\u-boot-2011.12\lib\cirdbuf.c(2): * (C) Copyright 2003

legal(ME)

uboot\u-boot-2011.12\lib\crc16.c(12): * Copyright (C) 1998, 1999, 2000, 2001, 2002 Red Hat, Inc.
uboot\u-boot-2011.12\lib\crc16.c(13): * Copyright (C) 2002 Gary Thomas
uboot\u-boot-2011.12\lib\crc32.c(7): * Copyright (C) 1995-1998 Mark Adler
uboot\u-boot-2011.12\lib\ctype.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\lib\ctype.c(27): *Copyright (C) 1991, 1992Linus Torvalds
uboot\u-boot-2011.12\lib\display_options.c(2): * (C) Copyright 2000-2002
uboot\u-boot-2011.12\lib\div64.c(2): * Copyright (C) 2003 Bernardo Innocenti <bernie@develer.com>
uboot\u-boot-2011.12\lib\div64.c(5): *Copyright (C) 1999 Hewlett-Packard Co
uboot\u-boot-2011.12\lib\div64.c(6): *Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com>
uboot\u-boot-2011.12\lib\fdtdec.c(2): * Copyright (c) 2011 The Chromium OS Authors.
uboot\u-boot-2011.12\lib\gunzip.c(2): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\lib\hashtable.c(5): * Copyright (C) 2010 Wolfgang Denk <wd@denx.de>
uboot\u-boot-2011.12\lib\hashtable.c(9): * Copyright (C) 1993, 1995, 1996, 1997, 2002 Free Software Foundation, Inc.
uboot\u-boot-2011.12\lib\ldiv.c(1):/* Copyright (C) 1992, 1997 Free Software Foundation, Inc.
uboot\u-boot-2011.12\lib\libfdt\fdt.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
uboot\u-boot-2011.12\lib\libfdt\fdt_ro.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
uboot\u-boot-2011.12\lib\libfdt\fdt_rw.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
uboot\u-boot-2011.12\lib\libfdt\fdt_strerror.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
uboot\u-boot-2011.12\lib\libfdt\fdt_sw.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
uboot\u-boot-2011.12\lib\libfdt\fdt_wip.c(3): * Copyright (C) 2006 David Gibson, IBM Corporation.
uboot\u-boot-2011.12\lib\libfdt\libfdt_internal.h(5): * Copyright (C) 2006 David Gibson, IBM Corporation.
uboot\u-boot-2011.12\lib\libfdt\Makefile(2):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\lib\lmb.c(5): * Copyright (C) 2001 Peter Bergner.
uboot\u-boot-2011.12\lib\lzma\LzmaTools.c(4): * Copyright (C) 2007-2009 Industrie Dial Face S.p.A.
uboot\u-boot-2011.12\lib\lzma\LzmaTools.c(7): * Copyright (C) 1999-2005 Igor Pavlov
uboot\u-boot-2011.12\lib\lzma\LzmaTools.h(4): * Copyright (C) 2007-2008 Industrie Dial Face S.p.A.
uboot\u-boot-2011.12\lib\lzma\LzmaTools.h(7): * Copyright (C) 1999-2005 Igor Pavlov
uboot\u-boot-2011.12\lib\lzma\Makefile(2):# Copyright (C) 2007-2008 Industrie Dial Face S.p.A.
uboot\u-boot-2011.12\lib\lzma\Makefile(5):# (C) Copyright 2003-2006
uboot\u-boot-2011.12\lib\lzo\lzo1x_decompress.c(4): *Copyright (C) 1996-2005 Markus F.X.J. Oberhumer <markus@oberhumer.com>
uboot\u-boot-2011.12\lib\lzo\lzodefs.h(4): *Copyright (C) 1996-2005 Markus F.X.J. Oberhumer <markus@oberhumer.com>

legal(ME)

uboot\u-boot-2011.12\lib\lzo\Makefile(2):# (C) Copyright 2008
uboot\u-boot-2011.12\lib\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\lib\md5.c(9): * written by Colin Plumb in 1993, no copyright
is claimed.
uboot\u-boot-2011.12\lib\net_utils.c(4): * Copyright 1994 - 2000 Neil Russell.
uboot\u-boot-2011.12\lib\net_utils.c(5): * Copyright 2000 Roland Borde
uboot\u-boot-2011.12\lib\net_utils.c(6): * Copyright 2000 Paolo Scaffardi
uboot\u-boot-2011.12\lib\net_utils.c(7): * Copyright 2000-2002 Wolfgang Denk,
wd@denx.de
uboot\u-boot-2011.12\lib\net_utils.c(8): * Copyright 2009 Dirk Behme,
dirk.behme@googlegmail.com
uboot\u-boot-2011.12\lib\rsa\Makefile(2):# Copyright (c) 2013, Google Inc.
uboot\u-boot-2011.12\lib\rsa\Makefile(4):# (C) Copyright 2000-2007
uboot\u-boot-2011.12\lib\rsa\rsa-checksum.c(2): * Copyright (c) 2013, Andreas
Oetken.
uboot\u-boot-2011.12\lib\rsa\rsa-mod-exp.c(2): * Copyright (c) 2013, Google Inc.
uboot\u-boot-2011.12\lib\rsa\rsa-sign.c(2): * Copyright (c) 2013, Google Inc.
uboot\u-boot-2011.12\lib\rsa\rsa-verify.c(2): * Copyright (c) 2013, Google Inc.
uboot\u-boot-2011.12\lib\sha1.c(6): *Copyright (C) 2003-2006Christophe Devine
uboot\u-boot-2011.12\lib\sha256.c(4): * Copyright (C) 2001-2003Christophe Devine
uboot\u-boot-2011.12\lib\string.c(4): *Copyright (C) 1991, 1992Linus Torvalds
uboot\u-boot-2011.12\lib\strmhz.c(2): * (C) Copyright 2002-2006
uboot\u-boot-2011.12\lib\time.c(2): * (C) Copyright 2000-2009
uboot\u-boot-2011.12\lib\unlzo.c(10): * Copyright (C) 2009
uboot\u-boot-2011.12\lib\unlzo.c(14): * Copyright (C) 1996-2005 Markus Franz
Xaver Johannes Oberhumer
uboot\u-boot-2011.12\lib\unlzo.c(6): * Copyright (C) 2011-2012
uboot\u-boot-2011.12\lib\uuid.c(2): * Copyright 2011 Calxeda, Inc.
uboot\u-boot-2011.12\lib\vsprintf.c(4): *Copyright (C) 1991, 1992Linus Torvalds
uboot\u-boot-2011.12\lib\zlib\adler32.c(2): * Copyright (C) 1995-2004 Mark Adler
uboot\u-boot-2011.12\lib\zlib\inffast.c(2): * Copyright (C) 1995-2004 Mark Adler
uboot\u-boot-2011.12\lib\zlib\inffast.h(2): * Copyright (C) 1995-2003 Mark Adler
uboot\u-boot-2011.12\lib\zlib\inflate.c(2): * Copyright (C) 1995-2005 Mark Adler
uboot\u-boot-2011.12\lib\zlib\inflate.h(2): * Copyright (C) 1995-2004 Mark Adler
uboot\u-boot-2011.12\lib\zlib\infrees.c(17):copyright string in the executable
of your product.
uboot\u-boot-2011.12\lib\zlib\infrees.c(2): * Copyright (C) 1995-2005 Mark Adler
uboot\u-boot-2011.12\lib\zlib\infrees.h(2): * Copyright (C) 1995-2005 Mark Adler
uboot\u-boot-2011.12\lib\zlib\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\lib\zlib\zutil.c(2): * Copyright (C) 1995-2005 Jean-loup
Gailly.
uboot\u-boot-2011.12\lib\zlib\zutil.h(2): * Copyright (C) 1995-2005 Jean-loup
Gailly.
uboot\u-boot-2011.12\Makefile(2):# (C) Copyright 2000-2011
uboot\u-boot-2011.12\nand_spl\board\amcc\acadia\config.mk(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\amcc\acadia\Makefile(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\amcc\acadia\u-boot.lds(2): * (C) Copyright
2007
uboot\u-boot-2011.12\nand_spl\board\amcc\bamboo\config.mk(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\amcc\bamboo\Makefile(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\amcc\bamboo\sdr.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\amcc\bamboo\u-boot.lds(2): * (C) Copyright

legal(ME)

2007

uboot\u-boot-2011.12\nand_spl\board\amcc\canyonlands\config.mk(2):# (C) Copyright 2008

uboot\u-boot-2011.12\nand_spl\board\amcc\canyonlands\ddr2_fixed.c(2): * (C) Copyright 2008-2009

uboot\u-boot-2011.12\nand_spl\board\amcc\canyonlands\Makefile(2):# (C) Copyright 2008

uboot\u-boot-2011.12\nand_spl\board\amcc\canyonlands\u-boot.lds(2): * (C) Copyright 2008

uboot\u-boot-2011.12\nand_spl\board\amcc\kilauea\config.mk(2):# (C) Copyright 2007

uboot\u-boot-2011.12\nand_spl\board\amcc\kilauea\Makefile(2):# (C) Copyright 2007

uboot\u-boot-2011.12\nand_spl\board\amcc\kilauea\u-boot.lds(2): * (C) Copyright 2007

uboot\u-boot-2011.12\nand_spl\board\amcc\sequoia\config.mk(2):# (C) Copyright 2006

uboot\u-boot-2011.12\nand_spl\board\amcc\sequoia\Makefile(2):# (C) Copyright 2006-2007

uboot\u-boot-2011.12\nand_spl\board\amcc\sequoia\u-boot.lds(2): * (C) Copyright 2006-2010

uboot\u-boot-2011.12\nand_spl\board\davinci\da8xxevm\Makefile(2):# (C) Copyright 2006-2007

uboot\u-boot-2011.12\nand_spl\board\davinci\da8xxevm\Makefile(5):# (C) Copyright 2008

uboot\u-boot-2011.12\nand_spl\board\davinci\da8xxevm\u-boot.lds(2): * (C) Copyright 2002

uboot\u-boot-2011.12\nand_spl\board\davinci\da8xxevm\u-boot.lds(5): * (C) Copyright 2008

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8313erdb\Makefile(2):# (C) Copyright 2007

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8313erdb\Makefile(4):# (C) Copyright 2008 Freescale Semiconductor

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8313erdb\u-boot.lds(2): * (C) Copyright 2006

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8313erdb\u-boot.lds(5): * Copyright 2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8315erdb\Makefile(2):# (C) Copyright 2007

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8315erdb\Makefile(4):# (C) Copyright 2008 Freescale Semiconductor

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8315erdb\u-boot.lds(2): * (C) Copyright 2006

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8315erdb\u-boot.lds(5): * Copyright 2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8536ds\Makefile(2):# (C) Copyright 2007

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8536ds\Makefile(5):# Copyright 2009-2011 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8536ds\nand_boot.c(2): * Copyright 2009 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8569mds\Makefile(2):# (C) Copyright 2007

legal(ME)

uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8569mds\Makefile(5):# Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8569mds\nand_boot.c(2): * Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8572ds\Makefile(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8572ds\Makefile(5):# Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\mpc8572ds\nand_boot.c(2): * Copyright 2009-2010 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\mx31pdk\u-boot.lds(2): * (C) Copyright 2009
uboot\u-boot-2011.12\nand_spl\board\freescale\p1_p2_rdb_pc\Makefile(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\freescale\p1_p2_rdb_pc\Makefile(5):# Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\p1_p2_rdb_pc\nand_boot.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\p1_p2_rdb\Makefile(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\freescale\p1_p2_rdb\Makefile(5):# Copyright 2009-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\p1_p2_rdb\nand_boot.c(2): * Copyright 2009 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\p1010rdb\Makefile(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\freescale\p1010rdb\Makefile(5):# Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\p1010rdb\nand_boot.c(2): * Copyright 2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\p1023rds\Makefile(2):# Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\freescale\p1023rds\nand_boot.c(2): * Copyright 2010-2011 Freescale Semiconductor, Inc.
uboot\u-boot-2011.12\nand_spl\board\karo\tx25\Makefile(2):# (C) Copyright 2009 DENX Software Engineering
uboot\u-boot-2011.12\nand_spl\board\karo\tx25\u-boot.lds(2): * (C) Copyright 2009
uboot\u-boot-2011.12\nand_spl\board\samsung\smdk6400\config.mk(2):# (C) Copyright 2006
uboot\u-boot-2011.12\nand_spl\board\samsung\smdk6400\Makefile(2):# (C) Copyright 2006-2007
uboot\u-boot-2011.12\nand_spl\board\samsung\smdk6400\Makefile(5):# (C) Copyright 2008
uboot\u-boot-2011.12\nand_spl\board\samsung\smdk6400\u-boot.lds(2): * (C) Copyright 2002
uboot\u-boot-2011.12\nand_spl\board\samsung\smdk6400\u-boot.lds(5): * (C) Copyright 2008
uboot\u-boot-2011.12\nand_spl\board\sheldon\simpc8313\Makefile(2):# (C) Copyright 2007
uboot\u-boot-2011.12\nand_spl\board\sheldon\simpc8313\Makefile(4):# (C) Copyright 2008 Freescale Semiconductor
uboot\u-boot-2011.12\nand_spl\board\sheldon\simpc8313\Makefile(5):# (C) Copyright

legal(ME)

Sheldon Instruments, Inc. 2008

uboot\u-boot-2011.12\nand_spl\board\sheldon\simpc8313\u-boot.lds(2): * (C)
Copyright 2006

uboot\u-boot-2011.12\nand_spl\board\sheldon\simpc8313\u-boot.lds(5): * Copyright
2008 Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\nand_spl\nand_boot.c(2): * (C) Copyright 2006-2008

uboot\u-boot-2011.12\nand_spl\nand_boot_fsl_elbc.c(4): * (C) Copyright 2006-2008

uboot\u-boot-2011.12\nand_spl\nand_boot_fsl_elbc.c(7): * Copyright (c) 2008
Freescale Semiconductor, Inc.

uboot\u-boot-2011.12\nand_spl\nand_boot_fsl_ifc.c(4): * Copyright 2011 Freescale
Semiconductor, Inc.

uboot\u-boot-2011.12\nand_spl\nand_boot_fsl_nfc.c(2): * (C) Copyright 2009

uboot\u-boot-2011.12\nand_spl\nand_boot_fsl_nfc.c(5): * (C) Copyright 2008

uboot\u-boot-2011.12\nand_spl\nand_boot_fsl_nfc.c(8): * (C) Copyright 2006-2008

uboot\u-boot-2011.12\net\bootp.c(4): *Copyright 1994, 1995, 2000 Neil Russell.

uboot\u-boot-2011.12\net\bootp.c(6): *Copyright 2000 Roland Borde

uboot\u-boot-2011.12\net\bootp.c(7): *Copyright 2000 Paolo Scaffardi

uboot\u-boot-2011.12\net\bootp.c(8): *Copyright 2000-2004 Wolfgang Denk,
wd@denx.de

uboot\u-boot-2011.12\net\bootp.h(4): *Copyright 1994, 1995, 2000 Neil Russell.

uboot\u-boot-2011.12\net\bootp.h(6): *Copyright 2000 Paolo Scaffardi

uboot\u-boot-2011.12\net\dns.c(11): * The packet handling is partly based on
TADNS, original copyrights

uboot\u-boot-2011.12\net\dns.c(17): * Copyright (c) 2004-2005 Sergey Lyubka
<valenok@gmail.com>

uboot\u-boot-2011.12\net\dns.c(4): * Copyright (c) 2008 Pieter Voorthuijsen
<pieter.voorthuijsen@prodrive.nl>

uboot\u-boot-2011.12\net\dns.c(5): * Copyright (c) 2009 Robin Getz
<rgetz@blackfin.uclinux.org>

uboot\u-boot-2011.12\net\dns.h(3): *Copyright 2009, Robin Getz
<rgetz@blackfin.uclinux.org>

uboot\u-boot-2011.12\net\eth.c(2): * (C) Copyright 2001-2010

uboot\u-boot-2011.12\net\Makefile(2):# (C) Copyright 2000-2006

uboot\u-boot-2011.12\net\net.c(4): *Copyright 1994 - 2000 Neil Russell.

uboot\u-boot-2011.12\net\net.c(6): *Copyright 2000 Roland Borde

uboot\u-boot-2011.12\net\net.c(7): *Copyright 2000 Paolo Scaffardi

uboot\u-boot-2011.12\net\net.c(8): *Copyright 2000-2002 Wolfgang Denk, wd@denx.de

uboot\u-boot-2011.12\net\rarp.c(2): * (C) Copyright 2000-2002

uboot\u-boot-2011.12\net\rarp.h(2): * (C) Copyright 2000

uboot\u-boot-2011.12\net\tftp.c(2): * Copyright 1994, 1995, 2000 Neil Russell.

uboot\u-boot-2011.12\net\tftp.c(4): * Copyright 2000, 2001 DENX Software

Engineering, Wolfgang Denk, wd@denx.de

uboot\u-boot-2011.12\net\tftp.c(5): * Copyright 2011 Comelit Group SpA,

uboot\u-boot-2011.12\net\tftp.h(4): *Copyright 1994, 1995, 2000 Neil Russell.

uboot\u-boot-2011.12\net\tftp.h(5): *Copyright 2011 Comelit Group SpA

uboot\u-boot-2011.12\nonenand_ip1\board\apollon\apollon.c(2): * (C) Copyright
2005-2008 Samsung Electronics

uboot\u-boot-2011.12\nonenand_ip1\board\apollon\config.mk(2):# (C) Copyright
2005-2008 Samsung Electronics

uboot\u-boot-2011.12\nonenand_ip1\board\apollon\low_levelinit.S(4): * (C)
Copyright 2005-2008 Samsung Electronics

uboot\u-boot-2011.12\nonenand_ip1\board\apollon\u-boot.onenand.lds(2): * (C)

legal(ME)

Copyright 2005-2008 Samsung Electronics

uboot\u-boot-2011.12\onenand_ip1\onenand_boot.c(2): * (C) Copyright 2005-2008 Samsung Electronics

uboot\u-boot-2011.12\onenand_ip1\onenand_ip1.h(2): * (C) Copyright 2005-2008 Samsung Electronics

uboot\u-boot-2011.12\onenand_ip1\onenand_read.c(2): * (C) Copyright 2005-2009 Samsung Electronics

uboot\u-boot-2011.12\post\board\lwmon\Makefile(2):# (C) Copyright 2002-2006

uboot\u-boot-2011.12\post\board\lwmon\sysmon.c(2): * (C) Copyright 2003

uboot\u-boot-2011.12\post\board\lwmon5\dsp.c(2): * (C) Copyright 2008 Dmitry Rakhchev, EmCraft Systems, rda@emcraft.com

uboot\u-boot-2011.12\post\board\lwmon5\dspic.c(2): * (C) Copyright 2008 Dmitry Rakhchev, EmCraft Systems, rda@emcraft.com

uboot\u-boot-2011.12\post\board\lwmon5\fpga.c(2): * (C) Copyright 2008 Dmitry Rakhchev, EmCraft Systems, rda@emcraft.com

uboot\u-boot-2011.12\post\board\lwmon5\gdc.c(2): * (C) Copyright 2008 Dmitry Rakhchev, EmCraft Systems, rda@emcraft.com

uboot\u-boot-2011.12\post\board\lwmon5\Makefile(2):# (C) Copyright 2008 Dmitry Rakhchev, EmCraft Systems, rda@emcraft.com

uboot\u-boot-2011.12\post\board\lwmon5\sysmon.c(2): * (C) Copyright 2008 Dmitry Rakhchev, EmCraft Systems, rda@emcraft.com

uboot\u-boot-2011.12\post\board\lwmon5\watchdog.c(2): * (C) Copyright 2008 Dmitry Rakhchev, EmCraft Systems, rda@emcraft.com

uboot\u-boot-2011.12\post\board\netta\codec.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\post\board\netta\dsp.c(2): * (C) Copyright 2004

uboot\u-boot-2011.12\post\board\netta\Makefile(2):# (C) Copyright 2002-2006

uboot\u-boot-2011.12\post\board\pdm360ng\coproc_com.c(2): * (C) Copyright 2010 DENX Software Engineering,

uboot\u-boot-2011.12\post\board\pdm360ng\Makefile(2):# (C) Copyright 2010 DENX Software Engineering

uboot\u-boot-2011.12\post\cpu\mpc83xx\ecc.c(2): * (C) Copyright 2010

uboot\u-boot-2011.12\post\cpu\mpc83xx\Makefile(2):# (C) Copyright 2002-2007

uboot\u-boot-2011.12\post\cpu\mpc8xx\cache.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\cpu\mpc8xx\cache_8xx.S(2): *Copyright (C) 2002 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\post\cpu\mpc8xx\ether.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\cpu\mpc8xx\Makefile(2):# (C) Copyright 2002-2007

uboot\u-boot-2011.12\post\cpu\mpc8xx\spr.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\cpu\mpc8xx\uart.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\cpu\mpc8xx\usb.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\cpu\mpc8xx\watchdog.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\cpu\ppc4xx\cache.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\post\cpu\ppc4xx\cache_4xx.S(2): * (C) Copyright 2007

uboot\u-boot-2011.12\post\cpu\ppc4xx\denali_ecc.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\post\cpu\ppc4xx\ether.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\post\cpu\ppc4xx\fpv.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\post\cpu\ppc4xx\Makefile(2):# (C) Copyright 2002-2007

uboot\u-boot-2011.12\post\cpu\ppc4xx\ocm.c(2): * (C) Copyright 2008 Ilya Yanok, EmCraft Systems, yanok@emcraft.com

uboot\u-boot-2011.12\post\cpu\ppc4xx\spr.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\post\cpu\ppc4xx\uart.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\post\cpu\ppc4xx\uart.c(7): * Copyright 2010, Stefan Roese,

legal(ME)

DENX Software Engineering, sr@denx.de

uboot\u-boot-2011.12\post\cpu\ppc4xx\watchdog.c(2): * (C) Copyright 2007

uboot\u-boot-2011.12\post\drivers\flash.c(4): * Copyright (c) 2005-2011 Analog Devices Inc.

uboot\u-boot-2011.12\post\drivers\i2c.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\drivers\Makefile(2):# (C) Copyright 2002-2006

uboot\u-boot-2011.12\post\drivers\memory.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\drivers\rtc.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\andi.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\asm.S(2): *Copyright (C) 2002 Wolfgang Denk <wd@denx.de>

uboot\u-boot-2011.12\post\lib_powerpc\b.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\cmp.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\cmpi.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\complex.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\cpu.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\cpu_asm.h(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\cr.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\fpu\20001122-1.c(2): * Copyright (C) 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\20010114-2.c(2): * Copyright (C) 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\20010226-1.c(2): * Copyright (C) 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\980619-1.c(2): * Copyright (C) 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\acc1.c(2): * Copyright (C) 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\compare-fp-1.c(2): * Copyright (C) 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\darwin-ldouble.c(5): Copyright (C)

1993, 2003, 2004, 2005, 2006, 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\fpu.c(2): * Copyright (C) 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\Makefile(2):# (C) Copyright 2007

uboot\u-boot-2011.12\post\lib_powerpc\fpu\mul-subnormal-single-1.c(2): * Copyright (C) 2007

uboot\u-boot-2011.12\post\lib_powerpc\load.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\Makefile(2):# (C) Copyright 2002-2006

uboot\u-boot-2011.12\post\lib_powerpc\multi.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\rlwimi.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\rlwinm.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\rlwnm.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\srawi.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\store.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\string.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\three.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\threei.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\threeex.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\two.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\lib_powerpc\twox.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\Makefile(2):# (C) Copyright 2002-2006

uboot\u-boot-2011.12\post\post.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\post\rules.mk(2):# (C) Copyright 2002-2006

uboot\u-boot-2011.12\post\tests.c(2): * (C) Copyright 2002

uboot\u-boot-2011.12\README(1372):of logo, copyright and system information on the LCD

uboot\u-boot-2011.12\README(2):# (C) Copyright 2000 - 2011

uboot\u-boot-2011.12\rules.mk(2):# (C) Copyright 2006

legal(ME)

uboot\u-boot-2011.12\spl\Makefile(2):# (C) Copyright 2000-2011
uboot\u-boot-2011.12\spl\Makefile(5):# (C) Copyright 2011
uboot\u-boot-2011.12\spl\Makefile(8):# (C) Copyright 2011
uboot\u-boot-2011.12\tools\aisimage.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\tools\aisimage.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\tools\bddb\badsubmit.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\brlog.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\browse.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\config.php(2):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\create_tables.sql(6):# (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\defs.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\dodelete.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\dodelog.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\doedit.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\doedlog.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\donew.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\donewlog.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\edit.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\edlog.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\execute.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\index.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\new.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\newlog.php(3):// (C) Copyright 2001
uboot\u-boot-2011.12\tools\bddb\README(3):(C) Copyright 2001
uboot\u-boot-2011.12\tools\bin2header.c(4): * (C) Copyright 2008 by Harald Welte
<laforge@openmoko.org>
uboot\u-boot-2011.12\tools\default_image.c(2): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\tools\default_image.c(4): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\tools\env\fw_env.c(2): * (C) Copyright 2000-2010
uboot\u-boot-2011.12\tools\env\fw_env.c(5): * (C) Copyright 2008
uboot\u-boot-2011.12\tools\env\fw_env.h(2): * (C) Copyright 2002-2008
uboot\u-boot-2011.12\tools\env\fw_env_main.c(2): * (C) Copyright 2000-2008
uboot\u-boot-2011.12\tools\env\Makefile(2):# (C) Copyright 2002-2006
uboot\u-boot-2011.12\tools\envcrc.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\tools\fdt_host.h(2): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\tools\fit_image.c(2): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\tools\fit_image.c(4): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\tools\gdb\error.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\gdb\error.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\gdb\gdbcont.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\gdb\gdbsend.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\gdb\Makefile(2):# (C) Copyright 2006
uboot\u-boot-2011.12\tools\gdb\Makefile(5):# (C) Copyright 2000
uboot\u-boot-2011.12\tools\gdb\remote.c(105): Copyright 1988, 91, 92, 93, 94, 95,
96, 97, 98, 1999
uboot\u-boot-2011.12\tools\gdb\remote.c(7): * all the copyright notices etc have
been left in
uboot\u-boot-2011.12\tools\gdb\remote.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\gdb\serial.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\gdb\serial.h(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\gen_eth_addr.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\tools\getline.c(3):Copyright (C) 1993, 1996, 2001, 2002 Free

legal(ME)

Software Foundation, Inc.

uboot\u-boot-2011.12\tools\img2srec.c(2):|COPYRIGHT (c) 2000 BY ABATRON AG
uboot\u-boot-2011.12\tools\imls\imls.c(2): * (C) Copyright 2009 Marco Stornelli
uboot\u-boot-2011.12\tools\imls\Makefile(2):# (C) Copyright 2009 Marco Stornelli
<marco.stornelli@gmail.com>
uboot\u-boot-2011.12\tools\imls\README(2):# (C) Copyright 2009 Marco Stornelli
<marco.stornelli@gmail.com>
uboot\u-boot-2011.12\tools\imximage.c(2): * (C) Copyright 2009
uboot\u-boot-2011.12\tools\imximage.c(5): * (C) Copyright 2008
uboot\u-boot-2011.12\tools\imximage.h(2): * (C) Copyright 2009
uboot\u-boot-2011.12\tools\kwbimage.c(2): * (C) Copyright 2008
uboot\u-boot-2011.12\tools\kwbimage.h(2): * (C) Copyright 2008
uboot\u-boot-2011.12\tools\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\tools\mingw_support.c(2): * Copyright 2008 Extreme
Engineering Solutions, Inc.
uboot\u-boot-2011.12\tools\mingw_support.c(6): * Copyright (c) 2005-2006
Gianluigi Tiesi <sherpya@netfarm.it>
uboot\u-boot-2011.12\tools\mingw_support.c(84): Copyright (C)
1991,1996-1999,2001,2004,2007 Free Software Foundation, Inc.
uboot\u-boot-2011.12\tools\mingw_support.h(2): * Copyright 2008 Extreme
Engineering Solutions, Inc.
uboot\u-boot-2011.12\tools\mkenvimage.c(2): * (C) Copyright 2011 Free Electrons
uboot\u-boot-2011.12\tools\mkenvimage.c(6): * (C) Copyright 2001
uboot\u-boot-2011.12\tools\mkimage.c(2): * (C) Copyright 2008 Semihalf
uboot\u-boot-2011.12\tools\mkimage.c(4): * (C) Copyright 2000-2009
uboot\u-boot-2011.12\tools\mkimage.h(2): * (C) Copyright 2000-2004
uboot\u-boot-2011.12\tools\mpc86x_clk.c(2): * (C) Copyright 2003 Intracom S.A.
uboot\u-boot-2011.12\tools\mxsboot.c(4): * Copyright (C) 2011 Marek Vasut
<marek.vasut@gmail.com>
uboot\u-boot-2011.12\tools\omap\clocks_get_m_n.c(5): * (C) Copyright 2010
uboot\u-boot-2011.12\tools\omapimage.c(10): * (C) Copyright 2008
uboot\u-boot-2011.12\tools\omapimage.c(2): * (C) Copyright 2010
uboot\u-boot-2011.12\tools\omapimage.c(7): * (C) Copyright 2009
uboot\u-boot-2011.12\tools\omapimage.h(2): * (C) Copyright 2010
uboot\u-boot-2011.12\tools\os_support.c(2): * Copyright 2009 Extreme Engineering
Solutions, Inc.
uboot\u-boot-2011.12\tools\os_support.h(2): * Copyright 2009 Extreme Engineering
Solutions, Inc.
uboot\u-boot-2011.12\tools\scripts\README(2):# (C) Copyright 2001
uboot\u-boot-2011.12\tools\ublimage.c(2): * (C) Copyright 2011
uboot\u-boot-2011.12\tools\ublimage.c(6): * (C) Copyright 2009
uboot\u-boot-2011.12\tools\ublimage.c(9): * (C) Copyright 2008
uboot\u-boot-2011.12\tools\ublimage.h(2): * (C) Copyright 2011
uboot\u-boot-2011.12\tools\ublimage.h(6): * (C) Copyright 2009
uboot\u-boot-2011.12\tools\ubsha1.c(2): * (C) Copyright 2007
uboot\u-boot-2011.12\tools\updater\cmd_flash.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\updater\ctype.c(2): * (C) Copyright 2000
uboot\u-boot-2011.12\tools\updater\ctype.c(27): *Copyright (C) 1991, 1992Linus
Torvalds
uboot\u-boot-2011.12\tools\updater\flash.c(2): * (C) Copyright 2000-2006
uboot\u-boot-2011.12\tools\updater\flash_hw.c(2): * (C) Copyright 2001
uboot\u-boot-2011.12\tools\updater\flash_hw.c(5): * (C) Copyright 2002

legal(ME)

uboot\u-boot-2011.12\tools\updater\Makefile(2):# (C) Copyright 2000-2006
uboot\u-boot-2011.12\tools\updater\ppcstring.S(4): * Copyright (C) 1996 Paul
Mackerras.
uboot\u-boot-2011.12\tools\updater\string.c(4): *Copyright (C) 1991, 1992Linus
Torvalds
udhcp\NOTICE.txt(294):Copyright (C) 19yy<name of author>
udhcp\NOTICE.txt(315):Gnomovision version 69, Copyright (C) 19yy name of author
udhcp\NOTICE.txt(329):Yoyodyne, Inc., hereby disclaims all copyright interest in
the program
udhcp\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
udhcp\udhcp-install\v0.0\COPYING(294):Copyright (C) 19yy<name of author>
udhcp\udhcp-install\v0.0\COPYING(315):Gnomovision version 69, Copyright (C) 19yy
name of author
udhcp\udhcp-install\v0.0\COPYING(329):Yoyodyne, Inc., hereby disclaims all
copyright interest in the program
udhcp\udhcp-install\v0.0\COPYING(4): Copyright (C) 1989, 1991 Free Software
Foundation, Inc.
udhcp\udhcp-install\v0.0\dhcpcd.c(4): * Copyright (C) 1999 Matthew Ramsay
<matthewr@moreton.com.au>
udhcp\udhcp-install\v0.0\socket.c(5): * Copyright (C) 1999 Matthew Ramsay
<matthewr@moreton.com.au>
uriparser\aclocal.m4(119):# Copyright (C) 1997, 2000, 2001, 2003, 2004, 2005,
2006, 2008
uriparser\aclocal.m4(153):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004,
2005, 2006, 2009,
uriparser\aclocal.m4(23):# Copyright (C) 2002, 2003, 2005, 2006, 2007, 2008, 2011
Free Software
uriparser\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002,
2003, 2004,
uriparser\aclocal.m4(341):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004,
2005, 2008
uriparser\aclocal.m4(421):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,
2002, 2003, 2004,
uriparser\aclocal.m4(558):# Copyright (C) 2001, 2003, 2005, 2008, 2011 Free
Software Foundation,
uriparser\aclocal.m4(582):# Copyright (C) 2003, 2005Free Software Foundation,
Inc.
uriparser\aclocal.m4(605):# Copyright (C) 2001, 2002, 2003, 2005, 2009Free
Software Foundation, Inc.
uriparser\aclocal.m4(64):# Copyright (C) 2001, 2003, 2005, 2011 Free Software
Foundation, Inc.
uriparser\aclocal.m4(657):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004,
2005, 2008
uriparser\aclocal.m4(698):# Copyright (C) 2003, 2004, 2005, 2006, 2011 Free
Software Foundation,
uriparser\aclocal.m4(729):# Copyright (C) 2001, 2002, 2003, 2005, 2008, 2010 Free
Software
uriparser\aclocal.m4(763):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005,
2008
uriparser\aclocal.m4(826):# Copyright (C) 2001, 2003, 2005, 2011 Free Software
Foundation, Inc.
uriparser\aclocal.m4(856):# Copyright (C) 2006, 2008, 2010 Free Software

legal(ME)

Foundation, Inc.
uriparser\acllocal.m4(877):# Copyright (C) 2004, 2005, 2012 Free Software Foundation, Inc.
uriparser\autom4te.cache\output.0(1509):Copyright (C) 2010 Free Software Foundation, Inc.
uriparser\autom4te.cache\output.0(16149):Copyright (C) 2010 Free Software Foundation, Inc.
uriparser\autom4te.cache\output.0(17189):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
uriparser\autom4te.cache\output.0(6):@%:@ Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
uriparser\build-aux\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
uriparser\build-aux\config.guess(57):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
uriparser\build-aux\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
uriparser\build-aux\config.sub(76):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
uriparser\build-aux\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009, 2010,
uriparser\build-aux\install-sh(10):# Copyright (C) 1994 X Consortium
uriparser\build-aux\ltmain.sh(5):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006,
uriparser\build-aux\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006,
uriparser\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
uriparser\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
uriparser\configure(1509):Copyright (C) 2010 Free Software Foundation, Inc.
uriparser\configure(16149):Copyright (C) 2010 Free Software Foundation, Inc.
uriparser\configure(17189):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
uriparser\configure(6):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
uriparser\COPYING(3):Copyright (C) 2007, Weijia Song <songweijia@gmail.com>
uriparser\COPYING(4):Copyright (C) 2007, Sebastian Pipping <webmaster@hartwork.org>
uriparser\doc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
uriparser\doc\rfc3513.htm(139): Copyright (C) The Internet Society (2003).All Rights Reserved.
uriparser\doc\rfc3513.htm(1522): Copyright (C) The Internet Society (2003).All Rights Reserved.
uriparser\doc\rfc3513.htm(1531): the copyright notice or references to the Internet Society or other
uriparser\doc\rfc3986.htm(141): Copyright (C) The Internet Society (2005).
uriparser\doc\rfc3986.htm(3482): Copyright (C) The Internet Society (2005).
uriparser\include\uriparser\Uri.h(4): * Copyright (C) 2007, Weijia Song <songweijia@gmail.com>
uriparser\include\uriparser\Uri.h(5): * Copyright (C) 2007, Sebastian Pipping

legal(ME)

<webmaster@hartwork.org>
uriparser\include\uriparser\UriBase.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\include\uriparser\UriBase.h(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\include\uriparser\UriDefsAnsi.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\include\uriparser\UriDefsAnsi.h(5): * Copyright (C) 2007, Sebastian
Pipping <webmaster@hartwork.org>
uriparser\include\uriparser\UriDefsConfig.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\include\uriparser\UriDefsConfig.h(5): * Copyright (C) 2007, Sebastian
Pipping <webmaster@hartwork.org>
uriparser\include\uriparser\UriDefsUnicode.h(4): * Copyright (C) 2007, Weijia
Song <songweijia@gmail.com>
uriparser\include\uriparser\UriDefsUnicode.h(5): * Copyright (C) 2007, Sebastian
Pipping <webmaster@hartwork.org>
uriparser\include\uriparser\UriIp4.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\include\uriparser\UriIp4.h(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\m4\libtool.m4(13):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,
2003, 2004, 2005,
uriparser\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,
2003, 2004, 2005,
uriparser\m4\libtool.m4(642):Copyright (C) 2011 Free Software Foundation, Inc.
uriparser\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005, 2007, 2009 Free
Software Foundation, Inc.
uriparser\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007, 2008, 2009 Free
Software Foundation,
uriparser\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software
Foundation, Inc.
uriparser\m4\ltversion.m4(3):# Copyright (C) 2004 Free Software Foundation, Inc.
uriparser\m4\pkg.m4(3):# Copyright ㄗ 2004 Scott James Remnant
<scott@netsplit.com>.
uriparser\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999,
2000, 2001, 2002,
uriparser\NOTICE.txt(3):Copyright (C) 2007, Weijia Song <songweijia@gmail.com>
uriparser\NOTICE.txt(4):Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriCommon.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriCommon.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriCommon.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriCommon.h(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriCompare.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriCompare.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>

legal(ME)

uriparser\src\UriEscape.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriEscape.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriFile.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriFile.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriIp4.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriIp4.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriIp4Base.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriIp4Base.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriIp4Base.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriIp4Base.h(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriNormalize.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriNormalize.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriNormalizeBase.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriNormalizeBase.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriNormalizeBase.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriNormalizeBase.h(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriParse.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriParse.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriParseBase.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriParseBase.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriParseBase.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriParseBase.h(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriQuery.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriQuery.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriRecompose.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriRecompose.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>

```

                                legal(ME)
uriparser\src\UriResolve.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriResolve.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\src\UriShorten.c(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\src\UriShorten.c(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\test\FourSuite.cpp(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\test\FourSuite.cpp(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\test\FourSuite.h(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\test\FourSuite.h(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\test\test.cpp(4): * Copyright (C) 2007, Weijia Song
<songweijia@gmail.com>
uriparser\test\test.cpp(5): * Copyright (C) 2007, Sebastian Pipping
<webmaster@hartwork.org>
uriparser\win32\MinGW\Makefile(4):# Copyright (C) 2008, Michael Anthony Puls II
<shadow2531@gmail.com>
uriparser\win32\MinGW\Makefile(5):# Copyright (C) 2008, Sebastian Pipping
<webmaster@hartwork.org>
util-linux-ng\NOTICE.txt(316):Gnomovision version 69, Copyright (C) yearname of
author
util-linux-ng\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright
interest in the program
util-linux-ng\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation,
Inc.
util-linux-ng\shlibs\blkid\src\devname.c(4): * Copyright (C) Andries Brouwer
util-linux-ng\shlibs\blkid\src\devname.c(5): * Copyright (C) 1999, 2000, 2001,
2002, 2003 Theodore Ts'o
util-linux-ng\shlibs\blkid\src\devname.c(6): * Copyright (C) 2001 Andreas Dilger
util-linux-ng\util-linux-ng-2.18_patch\shlibs\blkid\src\devname.c(4): * Copyright
(C) Andries Brouwer
util-linux-ng\util-linux-ng-2.18_patch\shlibs\blkid\src\devname.c(5): * Copyright
(C) 1999, 2000, 2001, 2002, 2003 Theodore Ts'o
util-linux-ng\util-linux-ng-2.18_patch\shlibs\blkid\src\devname.c(6): * Copyright
(C) 2001 Andreas Dilger
util-linux-ng\util-linux-ng-2.18\aclocal.m4(1020):# Copyright (C) 2006, 2008Free
Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(1041):# Copyright (C) 2004, 2005Free
Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(178):# Copyright (C) 2002, 2003,
2005, 2006, 2007, 2008Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(216):# Copyright (C) 2001, 2003,
2005Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(24):# Copyright ㄣ 2004 Scott James
Remnant <scott@netsplit.com>.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(269):# Copyright (C) 1997, 2000,
2001, 2003, 2004, 2005, 2006, 2008

```

legal(ME)

util-linux-ng\util-linux-ng-2.18\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
util-linux-ng\util-linux-ng-2.18\aclocal.m4(303):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2009
util-linux-ng\util-linux-ng-2.18\aclocal.m4(487):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2008
util-linux-ng\util-linux-ng-2.18\aclocal.m4(567):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004,
util-linux-ng\util-linux-ng-2.18\aclocal.m4(704):# Copyright (C) 2001, 2003, 2005, 2008Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(725):# Copyright (C) 2003, 2005Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(748):# Copyright (C) 2001, 2002, 2003, 2005, 2009Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(800):# Copyright (C) 1997, 1999, 2000, 2001, 2003, 2004, 2005, 2008
util-linux-ng\util-linux-ng-2.18\aclocal.m4(841):# Copyright (C) 2003, 2004, 2005, 2006Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(869):# Copyright (C) 2001, 2002, 2003, 2005, 2008Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(902):# Copyright (C) 1996, 1997, 2000, 2001, 2003, 2005, 2008
util-linux-ng\util-linux-ng-2.18\aclocal.m4(965):# Copyright (C) 2009Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\aclocal.m4(992):# Copyright (C) 2001, 2003, 2005Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\autogen.sh(6):# Copyright (C) 2006-2009 - Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\config\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
util-linux-ng\util-linux-ng-2.18\config\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
util-linux-ng\util-linux-ng-2.18\config\config.rpath(5):# Copyright 1996-2003 Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\config\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
util-linux-ng\util-linux-ng-2.18\config\config.sub(78):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
util-linux-ng\util-linux-ng-2.18\config\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009 Free
util-linux-ng\util-linux-ng-2.18\config\install-sh(10):# Copyright (C) 1994 X Consortium
util-linux-ng\util-linux-ng-2.18\config\ltmain.sh(6):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007 2008 Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\config\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006,
util-linux-ng\util-linux-ng-2.18\config\texinfo.tex(3441):\def\copyright{copyright}%
util-linux-ng\util-linux-ng-2.18\config\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991, 1992, 1993, 1994, 1995,
util-linux-ng\util-linux-ng-2.18\configure(1959):Copyright (C) 1992, 1993, 1994,

legal(ME)

1995, 1996, 1998, 1999, 2000, 2001,
util-linux-ng\util-linux-ng-2.18\configure(23555):Copyright (C) 2008 Free
Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\configure(24790):# Copyright (C) 1996, 1997,
1998, 1999, 2000, 2001, 2003, 2004, 2005,
util-linux-ng\util-linux-ng-2.18\configure(7):# Copyright (C) 1992, 1993, 1994,
1995, 1996, 1998, 1999, 2000, 2001,
util-linux-ng\util-linux-ng-2.18\COPYING(316):Gnomovision version 69, Copyright
(C) yearname of author
util-linux-ng\util-linux-ng-2.18\COPYING(330):Yoyodyne, Inc., hereby disclaims
all copyright interest in the program
util-linux-ng\util-linux-ng-2.18\COPYING(4): Copyright (C) 1989, 1991 Free
Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\disk-utils\blockdev.8(2):.\" Copyright 1998
Andries E. Brouwer (aeb@cw.nl)
util-linux-ng\util-linux-ng-2.18\disk-utils\blockdev.8(3):.\" Copyright 2007
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\disk-utils\cramfs_common.c(4): * Copyright (c)
2008 Roy Peled, the.roy.peled-at-gmail.com
util-linux-ng\util-linux-ng-2.18\disk-utils\cramfs_common.c(5): * Copyright (c)
2004-2006 by Michael Holzt, kju -at- fqdn.org
util-linux-ng\util-linux-ng-2.18\disk-utils\cramfs_common.h(4): * Copyright (c)
2008 Roy Peled, the.roy.peled-at-gmail
util-linux-ng\util-linux-ng-2.18\disk-utils\cramfs_common.h(5): * Copyright (c)
2004-2006 by Michael Holzt, kju -at- fqdn.org
util-linux-ng\util-linux-ng-2.18\disk-utils\elvtune.c(4): *Copyright (C) 2000
Andrea Arcangeli <andrea@suse.de> SuSE
util-linux-ng\util-linux-ng-2.18\disk-utils\fdformat.8(1):.\" Copyright 1992,
1993 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\disk-utils\fsck.cramfs.c(4): * Copyright (C)
2000-2002 Transmeta Corporation
util-linux-ng\util-linux-ng-2.18\disk-utils\fsck.minix.8(1):.\" Copyright 1992,
1993, 1994 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\disk-utils\fsck.minix.c(293): * mounted
partition.Code adapted from e2fsck, Copyright (C) 1993,
util-linux-ng\util-linux-ng-2.18\disk-utils\isosize.c(106):unsigned char
copyright_file_id [ISODCL (703, 739)]; /* 7.5 dchars */
util-linux-ng\util-linux-ng-2.18\disk-utils\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\disk-utils\mkfs.bfs.8(1):.\" Copyright 1999
Andries E. Brouwer (aeb@cw.nl)
util-linux-ng\util-linux-ng-2.18\disk-utils\mkfs.cramfs.c(4): * Copyright (C)
1999-2002 Transmeta Corporation
util-linux-ng\util-linux-ng-2.18\disk-utils\mkfs.minix.8(1):.\" Copyright 1992,
1993, 1994 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\disk-utils\mkfs.minix.c(161): * an already
mounted partition.Code adapted from mke2fs, Copyright
util-linux-ng\util-linux-ng-2.18\disk-utils\mkfs.minix.c(5): * the Linux
copyright.
util-linux-ng\util-linux-ng-2.18\disk-utils\mkswap.8(1):.\" Copyright 1998
Andries E. Brouwer (aeb@cw.nl)
util-linux-ng\util-linux-ng-2.18\disk-utils\mkswap.c(358): * an already mounted

legal(ME)

partition.Code adapted from mke2fs, Copyright
util-linux-ng\util-linux-ng-2.18\disk-utils\mkswap.c(5): * the Linux copyright.
util-linux-ng\util-linux-ng-2.18\disk-utils\raw.c(9): * Copyright Red Hat
Software, 1999, 2000
util-linux-ng\util-linux-ng-2.18\disk-utils\swaplabel.8(1):.\ " Copyright 2010
Jason Borden <jborden@bluehost.com>
util-linux-ng\util-linux-ng-2.18\disk-utils\swaplabel.c(4): * Copyright (C) 2010
Jason Borden <jborden@bluehost.com>
util-linux-ng\util-linux-ng-2.18\disk-utils\swaplabel.c(5): * Copyright (C) 2010
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\fdisk\cfdisk.8(2):.\ " Copyright 1994 Kevin E.
Martin (martin@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\fdisk\cfdisk.8(403):Print the version number and
copyright.
util-linux-ng\util-linux-ng-2.18\fdisk\cfdisk.c(12): * Copyright (C) 1994 Kevin
E. Martin (martin@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\fdisk\cfdisk.c(2175):N_("Copyright (C) 1994-1999
Kevin E. Martin & aeb"),
util-linux-ng\util-linux-ng-2.18\fdisk\cfdisk.c(2796):fprintf(stderr,
_("Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"));
util-linux-ng\util-linux-ng-2.18\fdisk\fdisk.8(1):.\ " Copyright 1992, 1993
Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\fdisk\fdisk.8(2):.\ " Copyright 1998 Andries E.
Brouwer (aeb@cwi.nl)
util-linux-ng\util-linux-ng-2.18\fdisk\fdisk.c(3): * Copyright (C) 1992A. V. Le
Blanc (LeBlanc@mcc.ac.uk)
util-linux-ng\util-linux-ng-2.18\fdisk\fdiskaixlabel.h(6): * Copyright (C)
Andreas Neuper, Sep 1998.
util-linux-ng\util-linux-ng-2.18\fdisk\fdiskbsdlabel.c(6): Copyright (c) 1987,
1988 Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\fdisk\fdiskbsdlabel.h(5): * Copyright (c) 1987,
1988 Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\fdisk\fdiskmaclabel.h(6): * Copyright (C)
Andreas Neuper, Sep 1998.
util-linux-ng\util-linux-ng-2.18\fdisk\fdisksgilabel.c(5): * Copyright (C)
Andreas Neuper, Sep 1998.
util-linux-ng\util-linux-ng-2.18\fdisk\fdisksgilabel.h(9): * Copyright (C)
Andreas Neuper, Sep 1998.
util-linux-ng\util-linux-ng-2.18\fdisk\gpt.c(24): * Copyright (C) 2007 Karel Zak
<kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\fdisk\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\fdisk\README.cfdisk(27):Copyright (C) 1994 Kevin
E. Martin (martin@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\fdisk\sfdisk.8(1):.\ " Copyright 1995 Andries E.
Brouwer (aeb@cwi.nl)
util-linux-ng\util-linux-ng-2.18\fdisk\sfdisk.8(4):.\ " -- Copyright 1992, 1993
Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\fdisk\sfdisk.c(4): * Copyright (C) 1995Andries
E. Brouwer (aeb@cwi.nl)
util-linux-ng\util-linux-ng-2.18\fsck\base_device.c(14): * Copyright (C) 2000
Theodore Ts'o.

legal(ME)

util-linux-ng\util-linux-ng-2.18\fsck\fsck.8(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o.All Rights Reserved.

util-linux-ng\util-linux-ng-2.18\fsck\fsck.c(19): * Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,

util-linux-ng\util-linux-ng-2.18\fsck\fsck.c(22): * Copyright (C) 2009 Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\fsck\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

util-linux-ng\util-linux-ng-2.18\getopt\COPYING(294):Copyright (C) 19yy<name of author>

util-linux-ng\util-linux-ng-2.18\getopt\COPYING(315):Gnomovision version 69, Copyright (C) 19yy name of author

util-linux-ng\util-linux-ng-2.18\getopt\COPYING(329):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

util-linux-ng\util-linux-ng-2.18\getopt\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\getopt\getopt.c(3):Copyright (c) 1997-2005 Frodo Looijaard <frodo@frodo.looijaard.name>

util-linux-ng\util-linux-ng-2.18\getopt\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

util-linux-ng\util-linux-ng-2.18\getopt\README(72):copy it, it is copyright (c) 1997-2005 by Frodo Looijaard

util-linux-ng\util-linux-ng-2.18\getopt\README(74):Files in the gnu directory are from glibc-2.0.4: copyright (C) 1987, 88,

util-linux-ng\util-linux-ng-2.18\hwclock\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

util-linux-ng\util-linux-ng-2.18\include\list.h(2): * Copyright (C) 2008 Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\include\list.h(3): * Copyright (C) 1999-2008 by Theodore Ts'o

util-linux-ng\util-linux-ng-2.18\include\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

util-linux-ng\util-linux-ng-2.18\include\mbsalign.h(2): Copyright (C) 2009-2010 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\include\tt.h(4): * Copyright (C) 2010 Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\INSTALL(4):Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005 Free

util-linux-ng\util-linux-ng-2.18\lib\canonicalize.c(3): * Copyright (C) 1993 Rick Sladkey <jrs@world.std.com>

util-linux-ng\util-linux-ng-2.18\lib\cpuset.c(10): * Copyright (C) 2010 Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\lib\crc32.c(2): *COPYRIGHT (C) 1986 Gary S. Brown.You may use this program, or

util-linux-ng\util-linux-ng-2.18\lib\ismounted.c(4): * Copyright (C) 1995,1996,1997,1998,1999,2000,2008 Theodore Ts'o.

util-linux-ng\util-linux-ng-2.18\lib\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

util-linux-ng\util-linux-ng-2.18\lib\mangle.c(6): * Copyright (C) 2010 Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\lib\mbsalign.c(2): Copyright (C) 2009-2010 Free Software Foundation, Inc.

legal(ME)

util-linux-ng\util-linux-ng-2.18\lib\md5.c(4): * written by Colin Plumb in 1993, no copyright is claimed.

util-linux-ng\util-linux-ng-2.18\lib\strtosize.c(23): * Copyright (C) 2010 Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\lib\tt.c(8): * Copyright (C) 2010 Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\licenses\COPYING.GPL(294):Copyright (C) 19yy<name of author>

util-linux-ng\util-linux-ng-2.18\licenses\COPYING.GPL(315):Gnomovision version 69, Copyright (C) 19yy name of author

util-linux-ng\util-linux-ng-2.18\licenses\COPYING.GPL(329):Yoyodyne, Inc., hereby disclaims all copyright interest in the program

util-linux-ng\util-linux-ng-2.18\licenses\COPYING.GPL(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\licenses\COPYING.UCB(2): * Copyright (c) 1989 The Regents of the University of California.

util-linux-ng\util-linux-ng-2.18\login-utils\initctl.8(1):.\" Copyright (C) 2000-2001Richard Gooch

util-linux-ng\util-linux-ng-2.18\login-utils\initctl.c(5):Copyright (C) 2000Richard Gooch

util-linux-ng\util-linux-ng-2.18\login-utils\last.c(5): * Copyright (c) 1987 Regents of the University of California.

util-linux-ng\util-linux-ng-2.18\login-utils\login.1(1):.\" Copyright 1993 Rickard E. Faith (faith@cs.unc.edu)

util-linux-ng\util-linux-ng-2.18\login-utils\login.c(58): * Copyright (c) 1980, 1987, 1988 The Regents of the University of California.

util-linux-ng\util-linux-ng-2.18\login-utils\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

util-linux-ng\util-linux-ng-2.18\login-utils\mesg.1(1):.\" Copyright (c) 1987, 1990, 1993

util-linux-ng\util-linux-ng-2.18\login-utils\mesg.c(2): * Copyright (c) 1987, 1993

util-linux-ng\util-linux-ng-2.18\login-utils\shutdown.8(1):.\" Copyright 1992 Rickard E. Faith (faith@cs.unc.edu)

util-linux-ng\util-linux-ng-2.18\login-utils\simpleinit.8(1):.\" Copyright 1992, 1993 Rickard E. Faith (faith@cs.unc.edu)

util-linux-ng\util-linux-ng-2.18\login-utils\ttymsg.c(2): * Copyright (c) 1989, 1993

util-linux-ng\util-linux-ng-2.18\login-utils\vipw.8(1):.\" Copyright (c) 1983, 1991 The Regents of the University of California.

util-linux-ng\util-linux-ng-2.18\login-utils\vipw.c(2): * Copyright (c) 1987 Regents of the University of California.

util-linux-ng\util-linux-ng-2.18\login-utils\wall.1(1):.\" Copyright (c) 1989, 1990 The Regents of the University of California.

util-linux-ng\util-linux-ng-2.18\login-utils\wall.c(2): * Copyright (c) 1988, 1990, 1993

util-linux-ng\util-linux-ng-2.18\m4\gettext.m4(2):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\iconv.m4(2):dn1 Copyright (C) 2000-2002 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\lib-ld.m4(2):dn1 Copyright (C) 1996-2003 Free Software Foundation, Inc.

legal(ME)

util-linux-ng\util-linux-ng-2.18\m4\lib-link.m4(2):dn1 Copyright (C) 2001-2003 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\lib-prefix.m4(2):dn1 Copyright (C) 2001-2003 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\libtool.m4(12):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

util-linux-ng\util-linux-ng-2.18\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

util-linux-ng\util-linux-ng-2.18\m4\libtool.m4(604):Copyright (C) 2008 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005, 2007 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\ltversion.m4(3):# Copyright (C) 2004 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\nls.m4(2):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\po.m4(2):dn1 Copyright (C) 1995-2003 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\m4\progtest.m4(2):dn1 Copyright (C) 1996-2003 Free Software Foundation, Inc.

util-linux-ng\util-linux-ng-2.18\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

util-linux-ng\util-linux-ng-2.18\misc-utils\blkid.8(1):.\" Copyright 2000 Andreas Dilger (adilger@turbolinux.com)

util-linux-ng\util-linux-ng-2.18\misc-utils\blkid.c(4): * Copyright (C) 2001 Andreas Dilger

util-linux-ng\util-linux-ng-2.18\misc-utils\cal.1(1):.\" Copyright (c) 1989, 1990, 1993

util-linux-ng\util-linux-ng-2.18\misc-utils\cal.c(2): * Copyright (c) 1989, 1993, 1994

util-linux-ng\util-linux-ng-2.18\misc-utils\chkdupexe.1(5):.\" Copyright 1995 Rickard E. Faith (faith@cs.unc.edu)

util-linux-ng\util-linux-ng-2.18\misc-utils\chkdupexe.pl(8):# Copyright 1993 Nicolai Langfeldt. janl@math.uio.no

util-linux-ng\util-linux-ng-2.18\misc-utils\findfs.8(2):.\" Copyright 1993, 1994, 1995 by Theodore Ts'o.All Rights Reserved.

util-linux-ng\util-linux-ng-2.18\misc-utils\findfs.c(2): * Copyright (C) 2009 Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\misc-utils\findmnt.c(4): * Copyright (C) 2010 Red Hat, Inc. All rights reserved.

util-linux-ng\util-linux-ng-2.18\misc-utils\kill.1(1):.\" Copyright 1994 Salvatore Valente (svalente@mit.edu)

util-linux-ng\util-linux-ng-2.18\misc-utils\kill.1(2):.\" Copyright 1992 Rickard E. Faith (faith@cs.unc.edu)

util-linux-ng\util-linux-ng-2.18\misc-utils\kill.c(2): * Copyright (c) 1988, 1993, 1994

util-linux-ng\util-linux-ng-2.18\misc-utils\logger.1(1):.\" Copyright (c) 1983, 1990, 1993

legal(ME)

util-linux-ng\util-linux-ng-2.18\misc-utils\logger.c(2): * Copyright (c) 1983, 1993
util-linux-ng\util-linux-ng-2.18\misc-utils\look.1(1):.\" Copyright (c) 1990, 1993
util-linux-ng\util-linux-ng-2.18\misc-utils\look.c(2): * Copyright (c) 1991, 1993
util-linux-ng\util-linux-ng-2.18\misc-utils\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\misc-utils\namei.c(2): * Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\misc-utils\reset.1(1):.\" Copyright 1992 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\misc-utils\script.1(1):.\" Copyright (c) 1980, 1990 Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\misc-utils\script.c(2): * Copyright (c) 1980 Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\misc-utils\scriptreplay.1(197):.SH "COPYRIGHT"
util-linux-ng\util-linux-ng-2.18\misc-utils\scriptreplay.1(198):.IX Header "COPYRIGHT"
util-linux-ng\util-linux-ng-2.18\misc-utils\scriptreplay.1(199):Copyright \(\co 2008 James Youngman
util-linux-ng\util-linux-ng-2.18\misc-utils\scriptreplay.1(201):Copyright \(\co 2008 Karel Zak
util-linux-ng\util-linux-ng-2.18\misc-utils\scriptreplay.c(2): * Copyright (C) 2008, Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\misc-utils\scriptreplay.c(3): * Copyright (C) 2008, James Youngman <jay@gnu.org>
util-linux-ng\util-linux-ng-2.18\misc-utils\setterm.1(1):.\" Copyright 1990 Gordon Irlam (gordoni@cs.ua.oz.au)
util-linux-ng\util-linux-ng-2.18\misc-utils\setterm.1(2):.\" Copyright 1992 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\misc-utils\setterm.c(3): * Copyright (C) 1990 Gordon Irlam (gordoni@cs.ua.oz.au).Conditions of use,
util-linux-ng\util-linux-ng-2.18\misc-utils\uuid.8(2):.\" Copyright 2007 by Theodore Ts'o.All Rights Reserved.
util-linux-ng\util-linux-ng-2.18\misc-utils\uuid.c(4): * Copyright (C) 2007Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\misc-utils\uuidgen.1(1):.\" Copyright 1999 Andreas Dilger (adilger@enl.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\misc-utils\uuidgen.c(4): * Copyright (C) 1999, Andreas Dilger and Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\misc-utils\whereis.1(1):.\" Copyright (c) 1980, 1990 The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\misc-utils\whereis.c(2): * Copyright (c) 1980 The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\misc-utils\wipefs.8(2):.\" Copyright 2009 by Karel Zak.All Rights Reserved.
util-linux-ng\util-linux-ng-2.18\misc-utils\wipefs.c(4): * Copyright (C) 2009 Red Hat, Inc. All rights reserved.
util-linux-ng\util-linux-ng-2.18\misc-utils\write.1(1):.\" Copyright (c) 1989, 1993
util-linux-ng\util-linux-ng-2.18\misc-utils\write.c(2): * Copyright (c) 1989, 1993

legal(ME)

util-linux-ng\util-linux-ng-2.18\mount\fstab.5(1):.\" Copyright (c) 1980, 1989, 1991 The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\mount\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\mount\mount.8(1):.\" Copyright (c) 1996-2004
Andries Brouwer
util-linux-ng\util-linux-ng-2.18\mount\swapon.8(1):.\" Copyright (c) 1980, 1991
Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\mount\umount.8(1):.\" Copyright (c) 1996 Andries
Brouwer
util-linux-ng\util-linux-ng-2.18\partx\addpart.8(2):.\" Copyright 2007 Karel Zak
<kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\partx\addpart.8(3):.\" Copyright 2007 Red Hat,
Inc.
util-linux-ng\util-linux-ng-2.18\partx\crc32.c(3): * This code is in the public
domain; copyright abandoned.
util-linux-ng\util-linux-ng-2.18\partx\delpart.8(2):.\" Copyright 2007 Karel Zak
<kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\partx\delpart.8(3):.\" Copyright 2007 Red Hat,
Inc.
util-linux-ng\util-linux-ng-2.18\partx\efi.h(4):Copyright (C) 2001 Dell Computer
Corporation <Matt_Domsch@dell.com>
util-linux-ng\util-linux-ng-2.18\partx\gpt.c(4):Copyright (C) 2000-2001 Dell
Computer Corporation <Matt_Domsch@dell.com>
util-linux-ng\util-linux-ng-2.18\partx\gpt.h(4):Copyright (C) 2000-2001 Dell
Computer Corporation <Matt_Domsch@dell.com>
util-linux-ng\util-linux-ng-2.18\partx\Makefile.in(4):# Copyright (C) 1994, 1995,
1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\partx\partx.8(2):.\" Copyright 2007 Karel Zak
<kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\partx\partx.8(3):.\" Copyright 2007 Red Hat,
Inc.
util-linux-ng\util-linux-ng-2.18\po\ca.po(2):# Copyright    2002, 2003, 2004,
2005 Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\ca.po(2156):msgid \"Copyright (C) 1994-1999
Kevin E. Martin & aeb\"
util-linux-ng\util-linux-ng-2.18\po\ca.po(2157):msgstr \"Copyright    1994-1999
Kevin E. Martin i aeb\"
util-linux-ng\util-linux-ng-2.18\po\ca.po(2555):msgid \"Copyright (C) 1994-2002
Kevin E. Martin & aeb\\n\"
util-linux-ng\util-linux-ng-2.18\po\ca.po(2556):msgstr \"Copyright    1994-2002
Kevin E. Martin i aeb\\n\"
util-linux-ng\util-linux-ng-2.18\po\cs.po(2120):msgid \"Copyright (C) 1994-1999
Kevin E. Martin & aeb\"
util-linux-ng\util-linux-ng-2.18\po\cs.po(2121):msgstr \"Copyright (C) 1994-1999
Kevin E. Martin & aeb\"
util-linux-ng\util-linux-ng-2.18\po\cs.po(2516):msgid \"Copyright (C) 1994-2002
Kevin E. Martin & aeb\\n\"
util-linux-ng\util-linux-ng-2.18\po\cs.po(2517):msgstr \"Copyright    1994  02
Kevin E.  Martin & aeb\\n\"
util-linux-ng\util-linux-ng-2.18\po\da.po(2):# Copyright (C) 2002, 2004, 2005
Free Software Foundation, Inc.

legal(ME)

util-linux-ng\util-linux-ng-2.18\po\da.po(2116):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\da.po(2117):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\da.po(2511):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\da.po(2512):msgstr "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\de.po(15):# Copyright (C) 1999, 2000, 2001
Elrond <Elrond@Wunder-Nett.org>.
util-linux-ng\util-linux-ng-2.18\po\de.po(2):# Copyright ㄣ 1999, 2000, 2001
Elrond <Elrond@Wunder-Nett.org>
util-linux-ng\util-linux-ng-2.18\po\de.po(2175):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\de.po(2176):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\de.po(2594):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\de.po(2595):msgstr "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\de.po(3):# Copyright ㄣ 2001, 2002 Karl
Eichwalder.
util-linux-ng\util-linux-ng-2.18\po\de.po(4):# Copyright ㄣ Michael Piefel
<piefel@informatik.hu-berlin.de>, 2002, 2004, 2005, 2007, 2008.
util-linux-ng\util-linux-ng-2.18\po\es.po(2):# Copyright (C) 2000 Beth Powell
<bpowell@turbolinux.com>.
util-linux-ng\util-linux-ng-2.18\po\es.po(2144):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\es.po(2145):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\es.po(2549):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\es.po(2550):msgstr "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\es.po(3):# Copyright (C) 2001, 2002, 2003
Santiago Vila Doncel <sanvila@unex.es>.
util-linux-ng\util-linux-ng-2.18\po\et.po(2):# Copyright (C) 2002 Free Software
Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\et.po(2081):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\et.po(2082):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\et.po(2481):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\et.po(2482):msgstr "Copyright (C) 1994-2000
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\et.po(3):# Copyright (C) 2002 Meelis Roos
<mroos@linux.ee>
util-linux-ng\util-linux-ng-2.18\po\eu.po(2):# Copyright (C) 2010 Free Software
Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\eu.po(2058):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"

legal(ME)

util-linux-ng\util-linux-ng-2.18\po\eu.po(2059):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\eu.po(2461):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\eu.po(2462):msgstr "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\fi.po(2117):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\fi.po(2118):msgstr "Copyright ㄣ 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\fi.po(2514):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\fi.po(2515):msgstr "Copyright ㄣ 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\fi.po(3):# Copyright ㄣ 2002-2003, 2005,
2007-2009 Lauri Nurmi <lanurmi@iki.fi>
util-linux-ng\util-linux-ng-2.18\po\fr.po(2):# Copyright ㄣ 2008 Free Software
Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\fr.po(2152):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\fr.po(2153):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\fr.po(2560):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\fr.po(2561):msgstr "Copyright ㄣ 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\hu.po(2):# Copyright (C) 2002, 2007, 2008
Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\hu.po(2125):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\hu.po(2126):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\hu.po(2523):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\hu.po(2524):msgstr "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\id.po(2):# Copyright (C) 2005 Adrian Bunk
<bunk@stusta.de>
util-linux-ng\util-linux-ng-2.18\po\id.po(2115):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\id.po(2518):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\it.po(2):# Copyright (C) 2000, 2005, 2006,
2008 Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\it.po(2109):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\it.po(2110):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\it.po(2520):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\it.po(2521):msgstr "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"

legal(ME)

```
util-linux-ng\util-linux-ng-2.18\po\ja.po(2):# Copyright (C) 2001 Free Software
Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\ja.po(2108):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\ja.po(2109):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\ja.po(2503):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\ja.po(2504):msgstr "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\Makefile.in.in(106):--copyright-holder='$(COP
YRIGHT HOLDER)' \
util-linux-ng\util-linux-ng-2.18\po\Makefile.in.in(2):# Copyright (C) 1995-1997,
2000-2004 by Ulrich Drepper <drepper@gnu.ai.mit.edu>
util-linux-ng\util-linux-ng-2.18\po\Makevars(14):# $(DOMAIN).pot file.Set this to
the copyright holder of the surrounding
util-linux-ng\util-linux-ng-2.18\po\Makevars(16):# sources, belong to the
copyright holder of the package.)Translators are
util-linux-ng\util-linux-ng-2.18\po\Makevars(17):# expected to transfer the
copyright for their translations to this person
util-linux-ng\util-linux-ng-2.18\po\Makevars(18):# or entity, or to disclaim
their copyright.The empty string stands for
util-linux-ng\util-linux-ng-2.18\po\Makevars(20):# their copyright.
util-linux-ng\util-linux-ng-2.18\po\Makevars(21):COPYRIGHT HOLDER = Karel Zak
<kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\po\nl.po(2137):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\nl.po(2138):msgstr "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\nl.po(2538):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\nl.po(2539):msgstr "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\pl.po(2):# Copyright (C) 2005 Free Software
Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\pl.po(2106):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\pl.po(2107):msgstr "Copyright (C) 1994-1999
Kevin E. Martin i aeb"
util-linux-ng\util-linux-ng-2.18\po\pl.po(2504):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\pl.po(2505):msgstr "Copyright (C) 1994-2002
Kevin E. Martin i aeb\n"
util-linux-ng\util-linux-ng-2.18\po\pt_BR.po(2):# Copyright (C) 2000 Free
Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\pt_BR.po(2105):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\pt_BR.po(2106):msgstr "Copyright (C)
1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\pt_BR.po(2512):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\pt_BR.po(2513):msgstr "Copyright (C)
```

legal(ME)

1994-2000 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\ru.po(2):# Copyright (C) 2003 Free Software Foundation Inc.
util-linux-ng\util-linux-ng-2.18\po\ru.po(2127):msgid "Copyright (C) 1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\ru.po(2128):msgstr "Copyright (C) 1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\ru.po(2527):msgid "Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\ru.po(2528):msgstr "Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\sl.po(2):# Copyright (C) 2002, 2003 Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\sl.po(2135):msgid "Copyright (C) 1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\sl.po(2136):msgstr "Copyright (C) 1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\sl.po(2537):msgid "Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\sl.po(2538):msgstr "Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\sv.po(2):# Copyright (C) 2001, 2002, 2003, 2004, 2007 Free Software Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\sv.po(2131):msgid "Copyright (C) 1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\sv.po(2132):msgstr "Copyright ㄣ 1994-1999 Kevin E. Martin och aeb"
util-linux-ng\util-linux-ng-2.18\po\sv.po(2533):msgid "Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\sv.po(2534):msgstr "Copyright ㄣ 1994-2002 Kevin E. Martin och aeb\n"
util-linux-ng\util-linux-ng-2.18\po\tr.po(2):# Copyright ㄣ 2004 Nilg̃n Belma Bug̃ner.
util-linux-ng\util-linux-ng-2.18\po\tr.po(2127):msgid "Copyright (C) 1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\tr.po(2527):msgid "Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\uk.po(2):# Copyright (C) 2004 Free Software Foundation, Inc
util-linux-ng\util-linux-ng-2.18\po\uk.po(2116):msgid "Copyright (C) 1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\uk.po(2117):msgstr "Copyright (C) 1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\uk.po(2515):msgid "Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\uk.po(2516):msgstr "Copyright (C) 1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\update-potfiles(3):# Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\po\util-linux-ng.pot(2):# Copyright (C) YEAR Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\po\util-linux-ng.pot(2005):msgid "Copyright (C)

legal(ME)

1994-1999 Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\util-linux-ng.pot(2400):msgid "Copyright (C)
1994-2002 Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\vi.po(2):# Copyright © 2010 Free Software
Foundation, Inc.
util-linux-ng\util-linux-ng-2.18\po\vi.po(2106):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\vi.po(2506):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\po\zh_CN.po(2):# Copyright (C) 2008
util-linux-ng\util-linux-ng-2.18\po\zh_CN.po(2032):msgid "Copyright (C) 1994-1999
Kevin E. Martin & aeb"
util-linux-ng\util-linux-ng-2.18\po\zh_CN.po(2427):msgid "Copyright (C) 1994-2002
Kevin E. Martin & aeb\n"
util-linux-ng\util-linux-ng-2.18\schedutils\chrt.1(137):Copyright \ (co 2004
Robert M. Love
util-linux-ng\util-linux-ng-2.18\schedutils\chrt.1(3):.\" Copyright (C) 2004
Robert Love
util-linux-ng\util-linux-ng-2.18\schedutils\chrt.c(21): * Copyright (C) 2004
Robert Love
util-linux-ng\util-linux-ng-2.18\schedutils\ionice.c(4): * Copyright (C) 2005
Jens Axboe <jens@axboe.dk>
util-linux-ng\util-linux-ng-2.18\schedutils\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\schedutils\taskset.1(110):Copyright \ (co 2004
Robert M. Love
util-linux-ng\util-linux-ng-2.18\schedutils\taskset.1(3):.\" Copyright (C) 2004
Robert Love
util-linux-ng\util-linux-ng-2.18\schedutils\taskset.c(18): * Copyright (C) 2004
Robert Love
util-linux-ng\util-linux-ng-2.18\schedutils\taskset.c(19): * Copyright (C) 2010
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\docs\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\libblkid.3(1):.\" Copyright 2001
Andreas Dilger (adilger@turbolinux.com)
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\samples\Makefile.in(4):# Copyright
(C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\samples\mkfs.c(2): * Copyright (C)
2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\samples\partitions.c(2): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\samples\superblocks.c(2): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\samples\topology.c(2): * Copyright
(C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\blkid.h.in(4): * Copyright (C)
2001 Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\blkid.h.in(5): * Copyright (C)
2003 Theodore Ts'o

legal(ME)

util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\blkid.h.in(6): * Copyright (C)
2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\blkidP.h(4): * Copyright (C)
2001 Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\blkidP.h(5): * Copyright (C)
2003 Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\cache.c(4): * Copyright (C)
2001 Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\cache.c(5): * Copyright (C)
2003 Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\config.c(4): * Copyright (C)
2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\dev.c(4): * Copyright (C) 2001
Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\dev.c(5): * Copyright (C) 2003
Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\devname.c(4): * Copyright (C)
Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\devname.c(5): * Copyright (C)
1999, 2000, 2001, 2002, 2003 Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\devname.c(6): * Copyright (C)
2001 Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\devno.c(4): * Copyright (C)
2000, 2001, 2003 Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\devno.c(5): * Copyright (C)
2001 Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\encode.c(6): * Copyright (C)
2008 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\encode.c(7): * Copyright (C)
2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\evaluate.c(4): * Copyright (C)
2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\getsize.c(4): * Copyright (C)
1995, 1995 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\getsize.c(5): * Copyright (C)
2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\llseek.c(4): * Copyright (C)
1994, 1995, 1996, 1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\aix.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\bsd.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\dos.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\gpt.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\mac.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\Makefile.in(4):#
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

legal(ME)

util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\minix.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\partitions.c(4): *
Copyright (C) 2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\sgi.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\solaris_x86.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\sun.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\ultrix.c(4): *
Copyright (C) 2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\partitions\unixware.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\probe.c(4): * Copyright (C)
2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\read.c(4): * Copyright (C)
2001, 2003 Theodore Y. Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\read.c(5): * Copyright (C) 2001
Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\resolve.c(4): * Copyright (C)
2001, 2003 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\resolve.c(5): * Copyright (C)
2001 Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\save.c(4): * Copyright (C) 2001
by Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\save.c(5): * Copyright (C) 2003
Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\adaptec_raid.c(2):
* Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\befs.c(2): *
Copyright (C) 2010 Jeroen Oortwijn <oortwijn@gmail.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\bfs.c(2): *
Copyright (C) 2009 Red Hat, Inc.
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\btrfs.c(2): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\cramfs.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\cramfs.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\cramfs.c(4): *
Copyright (C) 2001 by Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\cramfs.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\cramfs.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ddf_raid.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\drbd.c(2): *
Copyright (C) 2009 by Bastian Friedrich <bastian.friedrich@collax.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\exfat.c(2): *
Copyright (C) 2010 Andrew Nayenko <resver@gmail.com>

legal(ME)

util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ext.c(2): *
Copyright (C) 1999, 2001 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ext.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ext.c(4): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\gfs.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\hfs.c(2): *
Copyright (C) 2004-2008 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\hfs.c(3): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\highpoint_raid.c(2)
: * Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\hpfs.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\iso9660.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\iso9660.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\iso9660.c(4): *
Copyright (C) 2001 by Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\iso9660.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\iso9660.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\isw_raid.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\jfs.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\jfs.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\jfs.c(4): *
Copyright (C) 2001 by Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\jfs.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\jfs.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\jmicron_raid.c(2):
* Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\linux_raid.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\lsi_raid.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\luks.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\lvm.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\lvm.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\lvm.c(4): *
Copyright (C) 2001 by Andreas Dilger

legal(ME)

util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\lvm.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\lvm.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\Makefile.in(4):#
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\minix.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\minix.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\minix.c(4): *
Copyright (C) 2001 by Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\minix.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\minix.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\netware.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ntfs.c(2): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ntfs.c(3): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\nvidia_raid.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\nvidia_raid.c(3): *
Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ocfs.c(2): *
Copyright (C) 1999, 2001 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ocfs.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ocfs.c(4): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\promise_raid.c(2):
* Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\reiserfs.c(2): *
Copyright (C) 1999, 2001 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\reiserfs.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\reiserfs.c(4): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\romfs.c(2): *
Copyright (C) 1999, 2001 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\romfs.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\romfs.c(4): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\silicon_raid.c(2):
* Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\silicon_raid.c(3):
* Copyright (C) 2005 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\squashfs.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>

legal(ME)

util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\superblocks.c(4): *
Copyright (C) 2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\superblocks.h(2): *
Copyright (C) 2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\swap.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\swap.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\swap.c(4): *
Copyright (C) 2001 by Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\swap.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\swap.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\sysv.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ubifs.c(2): *
Copyright (C) 2009 Corentin Chary <corentincj@iksaif.net>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\udf.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\udf.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\udf.c(4): *
Copyright (C) 2001 by Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\udf.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\udf.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\ufs.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\vfat.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\vfat.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\vfat.c(4): *
Copyright (C) 2001 by Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\vfat.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\vfat.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\via_raid.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\vmfs.c(2): *
Copyright (C) 2009 Mike Hommey <mh@glandium.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\vxfs.c(2): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\xfs.c(2): *
Copyright (C) 1999 by Andries Brouwer
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\xfs.c(3): *
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\xfs.c(4): *
Copyright (C) 2001 by Andreas Dilger

legal(ME)

util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\xfs.c(5): *
Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\xfs.c(6): *
Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\superblocks\zfs.c(2): *
Copyright (C) 2009-2010 by Andreas Dilger <adilger@sun.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src>tag.c(4): * Copyright (C) 2001
Andreas Dilger
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src>tag.c(5): * Copyright (C) 2003
Theodore Ts'o
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\topology\dm.c(6): * Copyright
(C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\topology\evms.c(6): * Copyright
(C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\topology\ioctl.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\topology\lvm.c(6): * Copyright
(C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\topology\Makefile.in(4):#
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\topology\md.c(6): * Copyright
(C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\topology\sysfs.c(4): *
Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\topology\topology.c(4): *
Copyright 2009 Red Hat, Inc. All rights reserved.
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\tst_types.c(4): * Copyright (C)
2006 by Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\verify.c(2): * Copyright (C)
2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\blkid\src\version.c(4): * Copyright (C)
2004 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\mount\docs\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\mount\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\cache.c(2): * Copyright (C)
2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\fs.c(2): * Copyright (C)
2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\init.c(2): * Copyright (C) 2008
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\iter.c(2): * Copyright (C) 2009
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\lock.c(2): * Copyright (C) 2009
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\mount.h.in(4): * Copyright (C)
2008-2009 Karel Zak <kzak@redhat.com>

legal(ME)

util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\mountP.h(4): * Copyright (C)
2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\optent.c(2): * Copyright (C)
2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\optls.c(2): * Copyright (C)
2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\optmap.c(2): * Copyright (C)
2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\optstr.c(2): * Copyright (C)
2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\tab.c(2): * Copyright (C)
2008-2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\tab_parse.c(2): * Copyright (C)
2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\test.c(2): * Copyright (C)
2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\utils.c(2): * Copyright (C)
2008-2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\mount\src\version.c(4): * Copyright (C)
2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\Makefile.in(4):# Copyright (C)
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid.3(1):.\" Copyright 1999
Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid_clear.3(1):.\" Copyright
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid_compare.3(1):.\" Copyright
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid_copy.3(1):.\" Copyright
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid_generate.3(1):.\" Copyright
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid_is_null.3(1):.\" Copyright
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid_parse.3(1):.\" Copyright
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid_time.3(1):.\" Copyright
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\man\uuid_unparse.3(1):.\" Copyright
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\clear.c(4): * Copyright (C)
1996, 1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\compare.c(6): * Copyright (C)
1996, 1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\copy.c(4): * Copyright (C) 1996,
1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\gen_uuid.c(4): * Copyright (C)
1996, 1997, 1998, 1999 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\isnull.c(4): * Copyright (C)
1996, 1997 Theodore Ts'o.

legal(ME)

util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\pack.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\parse.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\tst_uuid.c(4): * Copyright (C) 1996, 1997, 1998 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\unpack.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\unparse.c(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\uuid.h(4): * Copyright (C) 1996, 1997, 1998 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\uuid_time.c(6): * Copyright (C) 1998, 1999 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\uuuid.h(4): * Copyright (C) 2007 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\shlibs\uuid\src\uuidP.h(4): * Copyright (C) 1996, 1997 Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\sys-utils\arch.1(2):.\" Copyright 1993 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\sys-utils\arch.c(4): * Copyright 1993 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\sys-utils\ctrlaltdel.8(1):.\" Copyright 1992, 1993 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\sys-utils\cytune.8(5):.\" Copyright 1995 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\sys-utils\cytune.c(3): * Copyright 1995 Nick Simicich (njs@scifi.emi.net)
util-linux-ng\util-linux-ng-2.18\sys-utils\dmesg.1(1):.\" Copyright 1993 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\sys-utils\dmesg.c(4): * Copyright 1993 Theodore Ts'o (tytso@athena.mit.edu)
util-linux-ng\util-linux-ng-2.18\sys-utils\fallocate.c(4): * Copyright (C) 2008-2009 Red Hat, Inc. All rights reserved.
util-linux-ng\util-linux-ng-2.18\sys-utils\fallocate.c(9): * Copyright (C) 2003-2005 Silicon Graphics, Inc.
util-linux-ng\util-linux-ng-2.18\sys-utils\flock.1(105):Copyright \ (co 2003\ -2006 H. Peter Anvin.
util-linux-ng\util-linux-ng-2.18\sys-utils\flock.1(3):.\" Copyright 2003-2006 H. Peter Anvin - All Rights Reserved
util-linux-ng\util-linux-ng-2.18\sys-utils\flock.c(3): * Copyright 2003-2005 H. Peter Anvin - All Rights Reserved
util-linux-ng\util-linux-ng-2.18\sys-utils\fsfreeze.c(4): * Copyright (C) 2010 Hajime Taira <htaira@redhat.com>
util-linux-ng\util-linux-ng-2.18\sys-utils\ipc.info(6): Copyright (C) 1992krishna balasubramanian
util-linux-ng\util-linux-ng-2.18\sys-utils\ipc.texi(12):Copyright @copyright{} 1992krishna balasubramanian
util-linux-ng\util-linux-ng-2.18\sys-utils\ipc.texi(27):Copyright @copyright{} 1992krishna balasubramanian

legal(ME)

util-linux-ng\util-linux-ng-2.18\sys-utils\ipcmk.1(1):.\" Copyright 2008 Hayden A. James (hayden.james@gmail.com)
util-linux-ng\util-linux-ng-2.18\sys-utils\ipcmk.c(4): *Copyright (C) 2008 Hayden A. James (hayden.james@gmail.com)
util-linux-ng\util-linux-ng-2.18\sys-utils\ipcmk.c(5): *Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\sys-utils\ipcrm.1(1):.\" Copyright 2002 Andre C. Mazzone (linuxdev@karagee.com)
util-linux-ng\util-linux-ng-2.18\sys-utils\ipcs.1(1):.\" Copyright 1993 Rickard E. Faith (faith@cs.unc.edu)
util-linux-ng\util-linux-ng-2.18\sys-utils\ldattach.8(1):.\" Copyright 2008 Tilman Schmidt (tilman@imap.cc)
util-linux-ng\util-linux-ng-2.18\sys-utils\lscpu.c(4): * Copyright (C) 2008 Cai Qian <qcai@redhat.com>
util-linux-ng\util-linux-ng-2.18\sys-utils\lscpu.c(5): * Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\sys-utils\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\sys-utils\pivot_root.c(4): * Copyright (C) 2000 Werner Almesberger
util-linux-ng\util-linux-ng-2.18\sys-utils\readprofile.c(4): *Copyright (C) 1994,1996 Alessandro Rubini (rubini@ipvvis.unipv.it)
util-linux-ng\util-linux-ng-2.18\sys-utils\renice.1(1):.\" Copyright (c) 1983, 1991, 1993
util-linux-ng\util-linux-ng-2.18\sys-utils\renice.c(2): * Copyright (c) 1983, 1989, 1993
util-linux-ng\util-linux-ng-2.18\sys-utils\rtcwake.8(1):.\" Copyright (c) 2007, SUSE LINUX Products GmbH
util-linux-ng\util-linux-ng-2.18\sys-utils\setarch.c(2): * Copyright (C) 2003-2007 Red Hat, Inc.
util-linux-ng\util-linux-ng-2.18\sys-utils\switch_root.c(4): * Copyright 2002-2009 Red Hat, Inc.All rights reserved.
util-linux-ng\util-linux-ng-2.18\sys-utils\tunelp.8(1):.\" This file Copyright (C) 1992-1997 Michael K. Johnson <johnsonm@redhat.com>
util-linux-ng\util-linux-ng-2.18\sys-utils\tunelp.8(2):.\" This file Copyright (C) 1998Andrea Arcangeli <andrea@e-mind.com>
util-linux-ng\util-linux-ng-2.18\sys-utils\tunelp.c(2):*Copyright (C) 1992-1997 Michael K. Johnson, johnsonm@redhat.com*
util-linux-ng\util-linux-ng-2.18\sys-utils\tunelp.c(24): * Fixed copyright and license.
util-linux-ng\util-linux-ng-2.18\sys-utils\unshare.c(4): * Copyright (C) 2009 Mikhail Gusarov <dottedmag@dottedmag.net>
util-linux-ng\util-linux-ng-2.18\tests\functions.sh(2):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\helpers\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\tests\helpers\test_byteswap.c(4): * Copyright (C) 2000 by Theodore Ts'o.
util-linux-ng\util-linux-ng-2.18\tests\helpers\test_byteswap.c(5): * Copyright (C) 2008 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\helpers\test_pathnames.c(2): * Copyright (C) 2007 Karel Zak <kzak@redhat.com>

legal(ME)

util-linux-ng\util-linux-ng-2.18\tests\helpers\test_sysinfo.c(2): * Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\tests\run.sh(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\bitops\swapbytes(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\blkid\low-probe(4):# Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\blkid\lowprobe-pt(4):# Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\blkid\md-raid1-part(4):# Copyright (C) 2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\blkid\md-raid1-whole(4):# Copyright (C) 2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\cal\1m(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\cal\3m(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\cal\year(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\col\multibyte(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\cramfs\fsck-endianness(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\cramfs\mkfs(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\cramfs\mkfs-endianness(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\fsck\ismounted(3):# Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\hwclock\systohc(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\ipcs\functions.sh(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\ipcs\headers(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\ipcs\limits(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\ipcs\limits2(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\login\checktty(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\login\islocal(4):# Copyright (C) 2008 James Youngman <jay@gnu.org>
util-linux-ng\util-linux-ng-2.18\tests\ts\look\separator(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\lscpu\lscpu(3):# Copyright (C) 2008 Cai Qian <qcai@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\lscpu\mk-input.sh(3):# Copyright (C) 2008-2009 Karel Zak <kzak@redhat.com>

legal(ME)

util-linux-ng\util-linux-ng-2.18\tests\ts\md5\md5(4):# Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\minix\fscck(3):# Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\minix\mkfs(3):# Copyright (C) 2009 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\misc\strtosize(4):# Copyright (C) 2010 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\devname(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-devname(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-devname2label(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-devname2uuid(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-label(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-label2devname(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-label2uuid(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-symlink(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-uuid(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-uuid2devname(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\fstab-uuid2label(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\label(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\move(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\mtablock(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\noncanonical(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\paths(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\remount(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\special(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\mount\uuid(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\namei\logic(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\paths\built-in(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\script\race(4):# Copyright (C) 2007 Karel Zak <kzak@redhat.com>

legal(ME)

util-linux-ng\util-linux-ng-2.18\tests\ts\swapon\devname(4):# Copyright (C) 2007
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\swapon\label(4):# Copyright (C) 2007
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\tests\ts\swapon\uuid(4):# Copyright (C) 2007
Karel Zak <kzak@redhat.com>
util-linux-ng\util-linux-ng-2.18\text-utils\col.1(1):.\" Copyright (c) 1990 The
Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\col.c(2): * Copyright (c) 1990 The
Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\colcrt.1(1):.\" Copyright (c) 1980,
1990, 1993
util-linux-ng\util-linux-ng-2.18\text-utils\colcrt.c(2): * Copyright (c) 1980,
1993
util-linux-ng\util-linux-ng-2.18\text-utils\colrm.1(1):.\" Copyright (c) 1980,
1990 The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\colrm.c(2): * Copyright (c) 1980
Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\column.1(1):.\" Copyright (c) 1989,
1990, 1993
util-linux-ng\util-linux-ng-2.18\text-utils\column.c(2): * Copyright (c) 1989,
1993, 1994
util-linux-ng\util-linux-ng-2.18\text-utils\conv.c(2): * Copyright (c) 1989 The
Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\display.c(2): * Copyright (c) 1989
The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\hexdump.1(1):.\" Copyright (c) 1989,
1990, 1993
util-linux-ng\util-linux-ng-2.18\text-utils\hexdump.c(2): * Copyright (c) 1989
The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\hexdump.h(2): * Copyright (c) 1989
The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\hexsyntax.c(2): * Copyright (c) 1990
The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\LICENSE.pg(2): *Copyright (c)
2000-2001 Gunnar Ritter. All rights reserved.
util-linux-ng\util-linux-ng-2.18\text-utils\Makefile.in(4):# Copyright (C) 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
util-linux-ng\util-linux-ng-2.18\text-utils\more.1(1):.\" Copyright (c) 1988,
1990 The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\more.1(2):.\" Copyright (c) 1988 Mark
Nudleman
util-linux-ng\util-linux-ng-2.18\text-utils\more.c(2): * Copyright (C) 1980 The
Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\odsyntax.c(2): * Copyright (c) 1990
The Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\parse.c(2): * Copyright (c) 1989 The
Regents of the University of California.
util-linux-ng\util-linux-ng-2.18\text-utils\pg.c(143):const char *copyright =
util-linux-ng\util-linux-ng-2.18\text-utils\pg.c(144):\"@(#)pg 1.44 2/8/02.
Copyright (c) 2000-2001 Gunnar Ritter. \";
util-linux-ng\util-linux-ng-2.18\text-utils\pg.c(4): *Copyright (c) 2000-2001

legal(ME)

Gunnar Ritter. All rights reserved.

util-linux-ng\util-linux-ng-2.18\text-utils\rev.1(1):.\" Copyright (c) 1985, 1992
The Regents of the University of California.

util-linux-ng\util-linux-ng-2.18\text-utils\rev.c(2): * Copyright (c) 1987, 1992
The Regents of the University of California.

util-linux-ng\util-linux-ng-2.18\text-utils\tailf.1(3):.\" Copyright 1996, 2003
Rickard E. Faith (faith@acm.org)

util-linux-ng\util-linux-ng-2.18\text-utils\tailf.c(3): * Copyright 1996, 2003
Rickard E. Faith (faith@acm.org)

util-linux-ng\util-linux-ng-2.18\text-utils\ul.1(1):.\" Copyright (c) 1980, 1991,
1993

util-linux-ng\util-linux-ng-2.18\text-utils\ul.c(2): * Copyright (c) 1980, 1993

util-linux-ng\util-linux-ng-2.18\tools\checkconfig.sh(10):# Copyright (C) 2008
Karel Zak <kzak@redhat.com>

util-linux-ng\util-linux-ng-2.18\tools\checkconfig.sh(9):# Copyright (C) 2007
Matthias Koenig <mkoenig@suse.de>

util-linux-ng\util-linux-ng-2.18\tools\checkincludes.pl(4):# Copyright abandoned,
2000, Niels Kristian Bech Jensen <nkbj@image.dk>.

webp\libwebp-0.2.1\aclocal.m4(113):# Copyright (C) 1997, 2000, 2001, 2003, 2004,
2005, 2006, 2008

webp\libwebp-0.2.1\aclocal.m4(147):# Copyright (C) 1999, 2000, 2001, 2002, 2003,
2004, 2005, 2006, 2009

webp\libwebp-0.2.1\aclocal.m4(22):# Copyright (C) 2002, 2003, 2005, 2006, 2007,
2008Free Software Foundation, Inc.

webp\libwebp-0.2.1\aclocal.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004,

webp\libwebp-0.2.1\aclocal.m4(331):# Copyright (C) 1999, 2000, 2001, 2002, 2003,
2004, 2005, 2008

webp\libwebp-0.2.1\aclocal.m4(411):# Copyright (C) 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004,

webp\libwebp-0.2.1\aclocal.m4(548):# Copyright (C) 2001, 2003, 2005, 2008Free
Software Foundation, Inc.

webp\libwebp-0.2.1\aclocal.m4(569):# Copyright (C) 2003, 2005Free Software
Foundation, Inc.

webp\libwebp-0.2.1\aclocal.m4(592):# Copyright (C) 2001, 2002, 2003, 2005,
2009Free Software Foundation, Inc.

webp\libwebp-0.2.1\aclocal.m4(60):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.

webp\libwebp-0.2.1\aclocal.m4(642):# Copyright (C) 1999, 2000, 2001, 2003, 2004,
2005, 2008

webp\libwebp-0.2.1\aclocal.m4(679):# Copyright (C) 1997, 1999, 2000, 2001, 2003,
2004, 2005, 2008

webp\libwebp-0.2.1\aclocal.m4(720):# Copyright (C) 2003, 2004, 2005, 2006Free
Software Foundation, Inc.

webp\libwebp-0.2.1\aclocal.m4(748):# Copyright (C) 2001, 2002, 2003, 2005,
2008Free Software Foundation, Inc.

webp\libwebp-0.2.1\aclocal.m4(781):# Copyright (C) 1996, 1997, 2000, 2001, 2003,
2005, 2008

webp\libwebp-0.2.1\aclocal.m4(844):# Copyright (C) 2009Free Software Foundation,
Inc.

webp\libwebp-0.2.1\aclocal.m4(871):# Copyright (C) 2001, 2003, 2005Free Software
Foundation, Inc.

legal(ME)

webp\libwebp-0.2.1\aclocal.m4(899):# Copyright (C) 2006, 2008 Free Software Foundation, Inc.
webp\libwebp-0.2.1\aclocal.m4(920):# Copyright (C) 2004, 2005 Free Software Foundation, Inc.
webp\libwebp-0.2.1\autom4te.cache\output.0(12110):Copyright (C) 2009 Free Software Foundation, Inc.
webp\libwebp-0.2.1\autom4te.cache\output.0(13196):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
webp\libwebp-0.2.1\autom4te.cache\output.0(1637):Copyright (C) 2009 Free Software Foundation, Inc.
webp\libwebp-0.2.1\autom4te.cache\output.0(8):@%:@ Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
webp\libwebp-0.2.1\autom4te.cache\output.1(12110):Copyright (C) 2009 Free Software Foundation, Inc.
webp\libwebp-0.2.1\autom4te.cache\output.1(13196):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
webp\libwebp-0.2.1\autom4te.cache\output.1(1637):Copyright (C) 2009 Free Software Foundation, Inc.
webp\libwebp-0.2.1\autom4te.cache\output.1(8):@%:@ Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
webp\libwebp-0.2.1\autom4te.cache\traces.0(1500):Copyright (C) 2008 Free Software Foundation, Inc.
webp\libwebp-0.2.1\ChangeLog(604):ad1e163 cosmetics: normalize copyright headers
webp\libwebp-0.2.1\compile(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2009 Free Software
webp\libwebp-0.2.1\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
webp\libwebp-0.2.1\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
webp\libwebp-0.2.1\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
webp\libwebp-0.2.1\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
webp\libwebp-0.2.1\configure(12110):Copyright (C) 2009 Free Software Foundation, Inc.
webp\libwebp-0.2.1\configure(13196):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,
webp\libwebp-0.2.1\configure(1637):Copyright (C) 2009 Free Software Foundation, Inc.
webp\libwebp-0.2.1\configure(8):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999, 2000, 2001,
webp\libwebp-0.2.1\COPYING(1):Copyright (c) 2010, Google Inc. All rights reserved.
webp\libwebp-0.2.1\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006, 2007, 2009 Free
webp\libwebp-0.2.1\examples\cwebp.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\examples\dwebp.c(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\examples\example_util.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\examples\example_util.h(1):// Copyright 2012 Google Inc. All

legal(ME)

Rights Reserved.

webp\libwebp-0.2.1\examples\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

webp\libwebp-0.2.1\examples\stopwatch.h(1):// Copyright 2011 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\examples\vwebp.c(1):// Copyright 2011 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\examples\webpmux.c(1):// Copyright 2011 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\install-sh(10):# Copyright (C) 1994 X Consortium

webp\libwebp-0.2.1\ltmain.sh(6):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005, 2006, 2007 2008 Free Software Foundation, Inc.

webp\libwebp-0.2.1\m4\ax_pthread.m4(56):# Copyright (c) 2008 Steven G. Johnson <stevenj@alum.mit.edu>

webp\libwebp-0.2.1\m4\ax_pthread.m4(57):# Copyright (c) 2011 Daniel Richard G. <skunk@iSKUNK.ORG>

webp\libwebp-0.2.1\m4\ax_pthread.m4(72):# As a special exception, the respective Autoconf Macro's copyright owner

webp\libwebp-0.2.1\m4\libtool.m4(12):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

webp\libwebp-0.2.1\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003, 2004, 2005,

webp\libwebp-0.2.1\m4\libtool.m4(604):Copyright (C) 2008 Free Software Foundation, Inc.

webp\libwebp-0.2.1\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005, 2007 Free Software Foundation, Inc.

webp\libwebp-0.2.1\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.

webp\libwebp-0.2.1\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software Foundation, Inc.

webp\libwebp-0.2.1\m4\ltversion.m4(3):# Copyright (C) 2004 Free Software Foundation, Inc.

webp\libwebp-0.2.1\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

webp\libwebp-0.2.1\man\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,

webp\libwebp-0.2.1\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003, 2004, 2005, 2006,

webp\libwebp-0.2.1\src\dec\alpha.c(1):// Copyright 2011 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\src\dec\buffer.c(1):// Copyright 2011 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\src\dec\decode_vp8.h(1):// Copyright 2010 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\src\dec\frame.c(1):// Copyright 2010 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\src\dec\idec.c(1):// Copyright 2011 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\src\dec\io.c(1):// Copyright 2011 Google Inc. All Rights Reserved.

webp\libwebp-0.2.1\src\dec\layer.c(1):// Copyright 2011 Google Inc. All Rights Reserved.

legal(ME)

webp\libwebp-0.2.1\src\dec\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
webp\libwebp-0.2.1\src\dec\quant.c(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dec\tree.c(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dec\vp8.c(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dec\vp8i.h(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dec\vp8l.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dec\vp8li.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dec\webp.c(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dec\webpi.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\cpu.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\dec.c(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\dec_neon.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\dec_sse2.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\dsp.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\enc.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\enc_sse2.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\lossless.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\lossless.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
webp\libwebp-0.2.1\src\dsp\upsampling.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\upsampling_sse2.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\yuv.c(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\dsp\yuv.h(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\alpha.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\analysis.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\backward_references.c(1):// Copyright 2012 Google Inc. All Rights Reserved.

legal(ME)

webp\libwebp-0.2.1\src\enc\backward_references.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\config.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\cost.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\cost.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\filter.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\frame.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\histogram.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\histogram.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\iterator.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\layer.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
webp\libwebp-0.2.1\src\enc\picture.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\quant.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\syntax.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\tree.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\vp8enci.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\vp8l.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\vp8li.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\enc\webpenc.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
webp\libwebp-0.2.1\src\mux\demux.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\mux\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
webp\libwebp-0.2.1\src\mux\muxedit.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\mux\muxi.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\mux\muxinternal.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\mux\muxread.c(1):// Copyright 2011 Google Inc. All Rights Reserved.

legal(ME)

webp\libwebp-0.2.1\src\utils\bit_reader.c(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\bit_reader.h(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\bit_writer.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\bit_writer.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\color_cache.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\color_cache.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\filters.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\filters.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\huffman.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\huffman.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\huffman_encode.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\huffman_encode.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
webp\libwebp-0.2.1\src\utils\quant_levels.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\quant_levels.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\rescaler.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\rescaler.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\thread.c(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\thread.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\utils.c(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\utils\utils.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\webp\decode.h(1):// Copyright 2010 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\webp\encode.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\webp\format_constants.h(1):// Copyright 2012 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\webp\mux.h(1):// Copyright 2011 Google Inc. All Rights Reserved.
webp\libwebp-0.2.1\src\webp\types.h(1):// Copyright 2010 Google Inc. All Rights Reserved.

legal(ME)

webp\libwebp-0.2.1\swig\libwebp.i(1):// Copyright 2011 Google Inc.
webp\NOTICE.txt(1):Copyright (c) 2010, Google Inc. All rights reserved.
wget\NOTICE.txt(294):Copyright (C) 19yy<name of author>
wget\NOTICE.txt(316):Gnomovision version 69, Copyright (C) 19yy name of author
wget\NOTICE.txt(330):Yoyodyne, Inc., hereby disclaims all copyright interest in
the program
wget\NOTICE.txt(4): Copyright (C) 1989, 1991 Free Software Foundation, Inc.
wget\wget-1.10.2\autogen.sh(5):# Copyright (C) 2005 Free Software Foundation,
Inc.
wget\wget-1.10.2\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996,
1997, 1998, 1999,
wget\wget-1.10.2\config.guess(58):Copyright (C) 1992, 1993, 1994, 1995, 1996,
1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
wget\wget-1.10.2\config.rpath(5):# Copyright 1996-2005 Free Software Foundation,
Inc.
wget\wget-1.10.2\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996,
1997, 1998, 1999,
wget\wget-1.10.2\config.sub(74):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
wget\wget-1.10.2\configure(12377):Copyright (C) 2003 Free Software Foundation,
Inc.
wget\wget-1.10.2\configure(5):# Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\configure(972):Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\configure.bat(3):rem Copyright (C) 1995, 1996, 1997 Free
Software Foundation, Inc.
wget\wget-1.10.2\configure.bat.in(3):rem Copyright (C) 1995, 1996, 1997 Free
Software Foundation, Inc.
wget\wget-1.10.2\configure.in(2):dnl Copyright (C) 1995, 1996, 1997, 2001 Free
Software Foundation, Inc.
wget\wget-1.10.2\COPYING(316):Gnomovision version 69, Copyright (C) year name of
author
wget\wget-1.10.2\COPYING(330):Yoyodyne, Inc., hereby disclaims all copyright
interest in the program
wget\wget-1.10.2\COPYING(4): Copyright (C) 1989, 1991 Free Software Foundation,
Inc.
wget\wget-1.10.2\doc\fdl.texi(8):Copyright @copyright{} 2000,2001,2002 Free
Software Foundation, Inc.
wget\wget-1.10.2\doc\gpl.texi(381):Yoyodyne, Inc., hereby disclaims all copyright
interest in the program
wget\wget-1.10.2\doc\gpl.texi(8):Copyright @copyright{} 1989, 1991 Free Software
Foundation, Inc.
wget\wget-1.10.2\doc\Makefile.in(2):# Copyright (C) 1995, 1996, 1997 Free
Software Foundation, Inc.
wget\wget-1.10.2\doc\texi2pod.pl.in(3):# Copyright (C) 1999, 2000, 2001, 2003
Free Software Foundation, Inc.
wget\wget-1.10.2\doc\texinfo.tex(8):% Copyright (C) 1985, 1986, 1988, 1990, 1991,
1992, 1993, 1994, 1995,
wget\wget-1.10.2\doc\wget.info(11): Copyright (C) 1996-2005 Free Software
Foundation, Inc.
wget\wget-1.10.2\doc\wget.info(3370): Copyright (C) 1989, 1991 Free Software
Foundation, Inc.
wget\wget-1.10.2\doc\wget.info(34): Copyright (C) 1996-2005 Free Software

legal(ME)

Foundation, Inc.
wget\wget-1.10.2\doc\wget.info(3671): Copyright (C) YYYYNAME OF AUTHOR
wget\wget-1.10.2\doc\wget.info(3693): Gnomovision version 69, Copyright (C) 19YY
NAME OF AUTHOR
wget\wget-1.10.2\doc\wget.info(3708): Yoyodyne, Inc., hereby disclaims all
copyright interest in the program
wget\wget-1.10.2\doc\wget.info(3728): Copyright (C) 2000,2001,2002 Free Software
Foundation, Inc.
wget\wget-1.10.2\doc\wget.texi(34):Copyright @copyright{} 1996--2005 Free
Software Foundation, Inc.
wget\wget-1.10.2\doc\wget.texi(73):Copyright @copyright{} 1996--2005, Free
Software Foundation, Inc.
wget\wget-1.10.2\doc\wget.texi(91):Copyright @copyright{} 1996--2005 Free
Software Foundation, Inc.
wget\wget-1.10.2\install-sh(6):# Copyright 1991 by the Massachusetts Institute of
Technology
wget\wget-1.10.2\m4\lib-ld.m4(2):dnl Copyright (C) 1996-2003 Free Software
Foundation, Inc.
wget\wget-1.10.2\m4\lib-link.m4(2):dnl Copyright (C) 2001-2005 Free Software
Foundation, Inc.
wget\wget-1.10.2\m4\lib-prefix.m4(2):dnl Copyright (C) 2001-2005 Free Software
Foundation, Inc.
wget\wget-1.10.2\m4\wget.m4(2):dnl Copyright (C) 1996-2005 Free Software
Foundation, Inc.
wget\wget-1.10.2\Makefile.in(2):# Copyright (C) 1995, 1996, 1997 Free Software
Foundation, Inc.
wget\wget-1.10.2\NEWS(3):Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\NEWS(552):Copyright information:
wget\wget-1.10.2\NEWS(554):Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\po\bg.po(2):# Copyright (C) 1998, 1999, 2000, 2001, 2002 Free
Software Foundation, Inc.
wget\wget-1.10.2\po\bg.po(977):msgid "Copyright (C) 1995, 1996, 1997, 1998, 2000,
2001 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\ca.po(1380):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\ca.po(1381):msgstr "Copyright ㄣ 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\ca.po(2):# Copyright ㄣ 2002, 2003, 2005 Free Software
Foundation, Inc.
wget\wget-1.10.2\po\cs.po(2):# Copyright (C) 1998, 2000, 2001 Free Software
Foundation, Inc.
wget\wget-1.10.2\po\cs.po(974):"Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001
Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\cs.po(980):"Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001
Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\da.po(2):# Copyright (C) 1998 Free Software Foundation, Inc.
wget\wget-1.10.2\po\da.po(928):msgid "Copyright (C) 1995, 1996, 1997, 1998, 2000,
2001 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\de.po(1394):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\de.po(1395):msgstr "Copyright (C) 2005 Free Software
Foundation, Inc.\n"

legal(ME)

wget\wget-1.10.2\po\de.po(2):# Copyright (C) 1997, 1998, 2000 Free Software Foundation, Inc.
wget\wget-1.10.2\po\el.po(1077):msgid "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\el.po(2):# Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\po\en_GB.po(1090):msgid "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\en_GB.po(1091):msgstr "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\en_GB.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\po\eo.po(1295):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\eo.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\po\es.po(1151):msgid "Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\es.po(1152):msgstr "Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\es.po(2):# Copyright (C) 2001 Free Software Foundation, Inc.
wget\wget-1.10.2\po\et.po(1309):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\et.po(2):# Copyright (C) 1998 Free Software Foundation, Inc.
wget\wget-1.10.2\po\eu.po(1091):msgid "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\eu.po(1092):msgstr "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\eu.po(3):# Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\po\fi.po(1341):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\fi.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\po\fr.po(1322):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\fr.po(1323):msgstr "Copyright ą 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\fr.po(2):# Copyright ą 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\po\ga.po(1326):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\ga.po(1327):msgstr "Copyright ą 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\ga.po(2):# Copyright (C) 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\po\gl.po(1115):msgid "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\gl.po(1116):msgstr "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\gl.po(2):# Copyright (C) 2000, 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\po\he.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
wget\wget-1.10.2\po\he.po(903):"Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\he.po(909):"Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001 Free Software Foundation, Inc.\n"

legal(ME)

wget\wget-1.10.2\po\hr.po(1326):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\hr.po(1327):msgstr "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\hr.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\po\hu.po(1112):msgid "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\hu.po(1113):msgstr "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\hu.po(2):# Copyright (C) 2001, 2002, 2003, 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\po\it.po(1366):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\it.po(1367):msgstr "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\it.po(2):# Copyright (C) 1998, 2004, 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\po\ja.po(1315):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\ja.po(1316):msgstr "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\ja.po(2):# Copyright (C) 1998 Free Software Foundation, Inc.
wget\wget-1.10.2\po\Makefile.in.in(2):# Copyright (C) 1995, 1996, 1997 by Ulrich Drepper <drepper@gnu.ai.mit.edu>
wget\wget-1.10.2\po\nl.po(1343):msgid "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\nl.po(1344):msgstr "Copyright (C) 2005 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\nl.po(2):# Copyright (C) 1997, 1998, 2004, 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\po\no.po(2):# Copyright (C) 1998 Free Software Foundation, Inc.
wget\wget-1.10.2\po\no.po(876):"Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\no.po(882):"Copyright (C) 1995, 1996, 1997, 1998 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\pl.po(1125):msgid "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\pl.po(1126):msgstr "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\pl.po(2):# Copyright (C) 2002 Free Software Foundation, Inc.
wget\wget-1.10.2\po\POTFILES.in(2):# Copyright (C) 1998 Free Software Foundation, Inc.
wget\wget-1.10.2\po\pt_BR.po(1148):msgid "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\pt_BR.po(1149):msgstr "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\pt_BR.po(2):# Copyright (C) 1998 Free Software Foundation, Inc.
wget\wget-1.10.2\po\ro.po(1082):msgid "Copyright (C) 2003 Free Software Foundation, Inc.\n"
wget\wget-1.10.2\po\ro.po(1083):msgstr "Copyright (C) 2003 Free Software Foundation, Inc.\n"

legal(ME)

```
wget\wget-1.10.2\po\ro.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\po\ru.po(1321):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\ru.po(1322):msgstr "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\ru.po(2):# Copyright (C) 1998, 1999, 2000, 2001, 2004, 2005
Free Software Foundation, Inc.
wget\wget-1.10.2\po\sk.po(1410):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\sk.po(2):# Copyright (C) 1999, 2002, 2003, 2005 Free Software
Foundation, Inc.
wget\wget-1.10.2\po\sl.po(1115):msgid "Copyright (C) 2003 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\sl.po(1116):msgstr "Copyright (C) 2003 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\sl.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\po\sr.po(1094):msgid "Copyright (C) 2003 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\sr.po(1095):msgstr "Copyright (C) 2003 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\sr.po(2):# Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\po\sv.po(1116):msgid "Copyright (C) 2003 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\sv.po(1117):msgstr "Copyright 2003 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\sv.po(2):# Copyright (C) 1999, 2000, 2001, 2002, 2003 Free
Software Foundation, Inc.
wget\wget-1.10.2\po\tr.po(1388):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\tr.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\po\uk.po(1109):msgid "Copyright (C) 2003 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\uk.po(2):# Copyright (C) 1999 Free Software Foundation, Inc.
wget\wget-1.10.2\po\vi.po(1315):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\vi.po(2):# Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\po\zh_CN.po(1089):msgid "Copyright (C) 2003 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\zh_CN.po(2):# Copyright (C) 2003 Free Software Foundation,
Inc.
wget\wget-1.10.2\po\zh_TW.po(1324):msgid "Copyright (C) 2005 Free Software
Foundation, Inc.\n"
wget\wget-1.10.2\po\zh_TW.po(2):# Copyright (C) 1998, 2000, 01, 02, 05 Free
Software Foundation, Inc.
wget\wget-1.10.2\README(65):Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\ansi2knr.c(1):/* Copyright (C) 1989, 1997, 1998, 1999
Aladdin Enterprises.All rights reserved. */
wget\wget-1.10.2\src\ansi2knr.c(18):things, the copyright notice and this notice
must be preserved on all
wget\wget-1.10.2\src\ansi2knr.c(94):lpd 1995-04-05 changed copyright notice to
make it clear that
wget\wget-1.10.2\src\ChangeLog(1416):* main.c: Updated copyright.
```


legal(ME)

wget\wget-1.10.2\src\ChangeLog(4615):* main.c (main): Split the copyright notice for easier

wget\wget-1.10.2\src\ChangeLog(4791):* all: Update copyright information.

wget\wget-1.10.2\src\ChangeLog(5440):copyright issues and absence of any feedback to our queries.

wget\wget-1.10.2\src\ChangeLog(5443):copyright issues and absence of any feedback to our queries.

wget\wget-1.10.2\src\cmpt.c(2): Copyright (C) 1995-2005 Free Software Foundation, Inc.

wget\wget-1.10.2\src\cmpt.c(242):/* Copyright (C) 1993, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.

wget\wget-1.10.2\src\cmpt.c(518): Copyright (C) 1996, 1997, 1998, 1999, 2000 Free Software Foundation, Inc.

wget\wget-1.10.2\src\connect.c(2): Copyright (C) 1995, 1996, 1997, 2001, 2002 Free Software Foundation, Inc.

wget\wget-1.10.2\src\connect.h(2): Copyright (C) 1995, 1996, 1997, 2000 Free Software Foundation, Inc.

wget\wget-1.10.2\src\convert.c(2): Copyright (C) 2005 Free Software Foundation, Inc.

wget\wget-1.10.2\src\convert.h(2): Copyright (C) 2003 Free Software Foundation, Inc.

wget\wget-1.10.2\src\cookies.c(2): Copyright (C) 2001, 2002 Free Software Foundation, Inc.

wget\wget-1.10.2\src\cookies.h(2): Copyright (C) 2001, 2002 Free Software Foundation, Inc.

wget\wget-1.10.2\src\ftp.c(2): Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001

wget\wget-1.10.2\src\ftp.h(2): Copyright (C) 1995, 1996, 1997, 2000 Free Software Foundation, Inc.

wget\wget-1.10.2\src\ftp-basic.c(2): Copyright (C) 1995, 1996, 1997, 1998, 2000 Free Software Foundation, Inc.

wget\wget-1.10.2\src\ftp-ls.c(2): Copyright (C) 1995, 1996, 1997, 2000, 2001

wget\wget-1.10.2\src\ftp-opie.c(2): Copyright (C) 1998 Free Software Foundation, Inc.

wget\wget-1.10.2\src\gen-md5.c(2): Copyright (C) 2001 Free Software Foundation, Inc.

wget\wget-1.10.2\src\gen-md5.h(2): Copyright (C) 2001 Free Software Foundation, Inc.

wget\wget-1.10.2\src\getopt.c(5): Copyright (C) 1987, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99

wget\wget-1.10.2\src\getopt.h(2): Copyright (C) 1989, 1990, 1991, 1992, 1993 Free Software Foundation, Inc.

wget\wget-1.10.2\src\gnu-md5.c(3): Copyright (C) 1995, 1996 Free Software Foundation, Inc.

wget\wget-1.10.2\src\gnu-md5.h(3): Copyright (C) 1995, 1996 Free Software Foundation, Inc.

wget\wget-1.10.2\src\hash.c(2): Copyright (C) 2000, 2001 Free Software Foundation, Inc.

wget\wget-1.10.2\src\hash.h(2): Copyright (C) 2000 Free Software Foundation, Inc.

wget\wget-1.10.2\src\host.c(2): Copyright (C) 1995, 1996, 1997, 2000, 2001 Free Software Foundation, Inc.

wget\wget-1.10.2\src\host.h(2): Copyright (C) 1995, 1996, 1997, 2001 Free Software Foundation, Inc.

legal(ME)

wget\wget-1.10.2\src\html-parse.c(2): Copyright (C) 1998, 2000, 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\src\html-parse.h(2): Copyright (C) 1998 Free Software Foundation, Inc.
wget\wget-1.10.2\src\html-url.c(2): Copyright (C) 1998, 2000, 2001, 2002, 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\src\http.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\http.c(2535): usable.getdate was big and unwieldy, and had potential copyright
wget\wget-1.10.2\src\http-ntlm.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\http-ntlm.h(4): Copyright (C) 1995, 1996, 1997, 2000 Free Software Foundation, Inc.
wget\wget-1.10.2\src\init.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\init.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\src\log.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\log.h(2): Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\src\main.c(2): Copyright (C) 2003, 2004, 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\main.c(659):Copyright (C) 2005 Free Software Foundation, Inc.\n"), stdout);
wget\wget-1.10.2\src\Makefile.in(2):# Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\src\mswindows.c(2): Copyright (C) 1995, 1996, 1997, 1998, 2004
wget\wget-1.10.2\src\mswindows.h(2): Copyright (C) 1995, 1997, 1997, 1998, 2004
wget\wget-1.10.2\src\netrc.c(2): Copyright (C) 1996, Free Software Foundation, Inc.
wget\wget-1.10.2\src\netrc.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\src\openssl.c(2): Copyright (C) 2000-2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\options.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\src\progress.c(2): Copyright (C) 2001, 2002 Free Software Foundation, Inc.
wget\wget-1.10.2\src\progress.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
wget\wget-1.10.2\src\ptimer.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\ptimer.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\recur.c(2): Copyright (C) 1995, 1996, 1997, 2000, 2001 Free Software Foundation, Inc.
wget\wget-1.10.2\src\recur.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\src\res.c(2): Copyright (C) 2001 Free Software Foundation, Inc.
wget\wget-1.10.2\src\res.h(2): Copyright (C) 2001 Free Software Foundation, Inc.
wget\wget-1.10.2\src\retr.c(2): Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001 Free Software Foundation, Inc.
wget\wget-1.10.2\src\retr.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.

legal(ME)

wget\wget-1.10.2\src\safe-ctype.c(3): Copyright (C) 2000 Free Software Foundation, Inc.
wget\wget-1.10.2\src\safe-ctype.h(3): Copyright (C) 2000 Free Software Foundation, Inc.
wget\wget-1.10.2\src\snprintf.c(11): * Copyright Patrick Powell 1995
wget\wget-1.10.2\src\snprintf.c(3): Powell and modified by other people. All the copyright and other
wget\wget-1.10.2\src\ssl.h(2): Copyright (C) 2000 Free Software Foundation, Inc.
wget\wget-1.10.2\src\sysdep.h(2): Copyright (C) 1995, 1996, 1997, 1998, 2000 Free Software Foundation, Inc.
wget\wget-1.10.2\src\url.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\url.h(2): Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\src\utils.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\utils.h(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\wget.h(2): Copyright (C) 1995, 1996, 1997, 1998, 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\src\xmalloc.c(2): Copyright (C) 2005 Free Software Foundation, Inc.
wget\wget-1.10.2\src\xmalloc.h(2): Copyright (C) 2003 Free Software Foundation, Inc.
wget\wget-1.10.2\util\dist-wget(3):# Copyright (C) 2001 Free Software Foundation, Inc.
wget\wget-1.10.2\util\Makefile.in(2):# Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\util\rmold.pl(3):# Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\util\wget.spec(4):Copyright: GPL
wget\wget-1.10.2\windows\config.h.bor(2): Copyright (C) 1995, 1996, 1997, 1998, 2004
wget\wget-1.10.2\windows\config.h.mingw(2): Copyright (C) 1995, 1996, 1997, 1998, 2000, 2001, 2004
wget\wget-1.10.2\windows\config.h.ms(2): Copyright (C) 1995, 1996, 1997, 1998, 2004
wget\wget-1.10.2\windows\Makefile.doc(2):# Copyright (C) 1995, 1996, 1997, 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\windows\Makefile.in(2):# Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wget\wget-1.10.2\windows\Makefile.src(2):# Copyright (C) 1995, 1996, 1997, 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\windows\Makefile.top(2):# Copyright (C) 1995, 1996, 1997, 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\windows\Makefile.top.bor(2):# Copyright (C) 1995, 1996, 1997, 2004 Free Software Foundation, Inc.
wget\wget-1.10.2\windows\Makefile.top.mingw(2):# Copyright (C) 1995, 1996, 1997 Free Software Foundation, Inc.
wpa_supplicant\Makefile(2):# Copyright (c) 2011, MediaTek Inc.
wpa_supplicant\NOTICE.txt(4):Copyright (c) 2003-2011, Jouni Malinen <j@w1.fi> and contributors
wpa_supplicant\wpa_supplicant_cfg80211\CleanSpec.mk(1):# Copyright (C) 2007 The

legal(ME)

Android Open Source Project

wpa_supplicant\wpa_supplicant_cfg80211\CONTRIBUTIONS(115):Copyright (c) 2002-2014, Jouni Malinen <j@w1.fi> and contributors
wpa_supplicant\wpa_supplicant_cfg80211\CONTRIBUTIONS(73):Copyright (C) 2004, 2006 The Linux Foundation and its contributors.
wpa_supplicant\wpa_supplicant_cfg80211\COPYING(20):terms. However, such copyright and license notifications are maintained
wpa_supplicant\wpa_supplicant_cfg80211\COPYING(4):Copyright (c) 2002-2012, Jouni Malinen <j@w1.fi> and contributors
wpa_supplicant\wpa_supplicant_cfg80211\hardware_legacy\driver_nl80211.h(3): * Copyright (c) 2002-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hardware_legacy\driver_nl80211.h(4): * Copyright (c) 2003-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\hardware_legacy\driver_nl80211.h(5): * Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\hardware_legacy\driver_nl80211.h(6): * Copyright (c) 2007, Johannes Berg <johannes@sipsolutions.net>
wpa_supplicant\wpa_supplicant_cfg80211\hardware_legacy\driver_nl80211.h(7): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\Android.mk(1):# Copyright (C) 2008 The Android Open Source Project
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\config_file.c(3): * Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\config_file.h(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\ctrl_iface.c(3): * Copyright (c) 2004-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\ctrl_iface.h(3): * Copyright (c) 2004, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\eap_register.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\eap_register.h(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\hapd_module_tests.c(3): * Copyright (c) 2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\hlr_auc_gw.c(1008): "Copyright (c) 2005-2007, 2012-2013, Jouni Malinen <j@w1.fi>\n"
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\hlr_auc_gw.c(3): * Copyright (c) 2005-2007, 2012-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\hostapd_cli.c(21):"Copyright (c) 2004-2014, Jouni Malinen <j@w1.fi> and contributors";
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\hostapd_cli.c(3): * Copyright (c) 2004-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\logwatch\hostapd(5):# Copyright 2005 Henrik Brix Andersen <brix@gentoo.org>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\logwatch\hostapd.conf(3):# Copyright 2005 Henrik Brix Andersen <brix@gentoo.org>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\main.c(3): * Copyright (c) 2002-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\main.c(430):Copyright (c) 2002-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\nt_password_hash.c(3): * Copyright

legal(ME)

(c) 2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\README(5):Copyright (c) 2002-2014,
Jouni Malinen <j@w1.fi> and contributors
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\http.h(3): * Copyright (c)
2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\http.h(4): * Copyright (c)
2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\http.h(5): * Copyright (c)
2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\http.h(6): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\http_cli.c(3): * Copyright
(c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\http_cli.h(3): * Copyright
(c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\http_ser.c(3): * Copyright
(c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\http_ser.h(3): * Copyright
(c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\httpread.c(4): * Copyright
2008 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\httpread.h(4): * Copyright
2008 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\ndef.c(4): * Copyright (c)
2009-2012, Masashi Honma <masashi.honma@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\upnp_xml.c(3): * Copyright
(c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\upnp_xml.c(4): * Copyright
(c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\upnp_xml.c(5): * Copyright
(c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\upnp_xml.c(6): * Copyright
(c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\upnp_xml.h(3): * Copyright
(c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\upnp_xml.h(4): * Copyright
(c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\upnp_xml.h(5): * Copyright
(c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\upnp_xml.h(6): * Copyright
(c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\wps.c(3): * Copyright (c)
2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\wps.h(3): * Copyright (c)
2007-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\src\wps\wps_attr.c(3): * Copyright
(c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hostapd\wps-ap-nfc.py(4):# Copyright (c)
2012-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\hs20\client\est.c(3): * Copyright (c)
2012-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\hs20\client\oma_dm_client.c(3): *

legal(ME)

Copyright (c) 2013-2014, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\hs20\client\osu_client.c(3): * Copyright (c) 2012-2014, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\hs20\client\osu_client.h(3): * Copyright (c) 2013-2014, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\hs20\client\spp_client.c(3): * Copyright (c) 2012-2014, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\hs20\server\hs20_spp_server.c(3): * Copyright (c) 2012-2013, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\hs20\server\spp_server.c(3): * Copyright (c) 2012-2013, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\hs20\server\spp_server.h(3): * Copyright (c) 2012-2013, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\README(4): Copyright (c) 2002-2014, Jouni Malinen <j@w1.fi> and contributors

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\accounting.c(3): * Copyright (c) 2002-2009, 2012, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\accounting.h(3): * Copyright (c) 2002-2005, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\acs.c(3): * Copyright (c) 2011, Atheros Communications

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\acs.c(4): * Copyright (c) 2013, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\acs.h(3): * Copyright (c) 2011, Atheros Communications

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\acs.h(4): * Copyright (c) 2013, Qualcomm Atheros, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_config.c(3): * Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_config.h(3): * Copyright (c) 2003-2012, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_drv_ops.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_drv_ops.h(3): * Copyright (c) 2009-2014, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_list.c(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_list.c(4): * Copyright (c) 2003-2004, Instant802 Networks, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_list.c(5): * Copyright (c) 2006, Devicescape Software, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_list.h(3): * Copyright (c) 2002-2003, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_list.h(4): * Copyright (c) 2003-2004, Instant802 Networks, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_list.h(5): * Copyright (c) 2006, Devicescape Software, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_mlme.c(3): * Copyright 2003-2006, Jouni Malinen <j@w1.fi>

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_mlme.c(4): * Copyright 2003-2004, Instant802 Networks, Inc.

wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_mlme.c(5): * Copyright

legal(ME)

2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_mlme.h(3): * Copyright 2003, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_mlme.h(4): * Copyright 2003-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ap_mlme.h(5): * Copyright 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\authsrv.c(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\authsrv.h(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\beacon.c(3): * Copyright (c) 2002-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\beacon.c(4): * Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\beacon.c(5): * Copyright (c) 2008-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\beacon.h(3): * Copyright (c) 2002-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\beacon.h(4): * Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ctrl_iface_ap.c(3): * Copyright (c) 2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ctrl_iface_ap.h(3): * Copyright (c) 2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\dfs.c(3): * Copyright (c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\dfs.c(4): * Copyright (c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\dfs.h(3): * Copyright (c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\dfs.h(4): * Copyright (c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\drv_callbacks.c(3): * Copyright (c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\eap_user_db.c(3): * Copyright (c) 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\gas_serv.c(3): * Copyright (c) 2011-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\gas_serv.h(3): * Copyright (c) 2011-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hostapd.c(3): * Copyright (c) 2002-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hostapd.h(3): * Copyright (c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hs20.c(3): * Copyright (c) 2009, Atheros Communications, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hs20.c(4): * Copyright (c) 2011-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hs20.h(3): * Copyright (c) 2011-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hw_features.c(3): * Copyright

legal(ME)

2002-2003, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hw_features.c(4): * Copyright
2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hw_features.c(5): * Copyright (c)
2008-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hw_features.h(3): * Copyright
2002-2003, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hw_features.h(4): * Copyright
2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\hw_features.h(5): * Copyright (c)
2008-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\iapp.c(3): * Copyright (c)
2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\iapp.h(3): * Copyright (c)
2002-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_11.c(3): * Copyright (c)
2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_11.h(3): * Copyright (c)
2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_11_auth.c(3): * Copyright
(c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_11_auth.h(3): * Copyright
(c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_11_ht.c(3): * Copyright (c)
2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_11_ht.c(4): * Copyright (c)
2007-2008, Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_11_shared.c(3): * Copyright
(c) 2002-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_11_vht.c(3): * Copyright
(c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_1x.c(3): * Copyright (c)
2002-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\ieee802_1x.h(3): * Copyright (c)
2002-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\p2p_hostapd.c(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\p2p_hostapd.h(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\peerkey_auth.c(3): * Copyright (c)
2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\pmksa_cache_auth.c(3): * Copyright
(c) 2004-2008, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\pmksa_cache_auth.h(3): * Copyright
(c) 2004-2008, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\preauth_auth.c(3): * Copyright (c)
2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\preauth_auth.h(3): * Copyright (c)
2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\sta_info.c(3): * Copyright (c)
2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\sta_info.h(3): * Copyright (c)

legal(ME)

2002-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\tkip_countermeasures.c(3): *
Copyright (c) 2002-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\tkip_countermeasures.h(3): *
Copyright (c) 2002-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\utils.c(3): * Copyright (c) 2009,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\vlan_init.c(3): * Copyright 2003,
Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\vlan_init.c(4): * Copyright
2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\vlan_init.c(5): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\vlan_init.h(3): * Copyright 2003,
Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\vlan_init.h(4): * Copyright 2005,
Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\vlan_util.c(3): * Copyright (c)
2012, Michael Braun <michael-dev@fami-braun.de>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\vlan_util.h(3): * Copyright (c)
2012, Michael Braun <michael-dev@fami-braun.de>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wmm.c(3): * Copyright 2002-2003,
Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wmm.c(4): * Copyright 2005-2006,
Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wmm.c(5): * Copyright (c) 2009,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wmm.h(3): * Copyright 2002-2003,
Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wmm.h(4): * Copyright 2005-2006,
Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wnm_ap.c(3): * Copyright (c)
2011-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wnm_ap.h(3): * Copyright (c)
2011-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wpa_auth.c(3): * Copyright (c)
2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wpa_auth.h(3): * Copyright (c)
2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wpa_auth_ft.c(3): * Copyright (c)
2004-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wpa_auth_glue.c(3): * Copyright (c)
2002-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wpa_auth_glue.h(3): * Copyright (c)
2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wpa_auth_i.h(3): * Copyright (c)
2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wpa_auth_ie.c(3): * Copyright (c)
2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wpa_auth_ie.h(3): * Copyright (c)
2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wps_hostapd.c(3): * Copyright (c)

legal(ME)

2008-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\ap\wps_hostapd.h(3): * Copyright (c)
2008-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\common_module_tests.c(3): *
Copyright (c) 2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\defs.h(3): * Copyright (c)
2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\eapol_common.h(3): * Copyright
(c) 2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\gas.c(3): * Copyright (c) 2009,
Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\common\gas.c(4): * Copyright (c)
2011-2012, Qualcomm Atheros
wpa_supplicant\wpa_supplicant_cfg80211\src\common\gas.h(3): * Copyright (c) 2009,
Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\common\gas.h(4): * Copyright (c)
2011-2012, Qualcomm Atheros
wpa_supplicant\wpa_supplicant_cfg80211\src\common\ieee802_11_common.c(3): *
Copyright (c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\ieee802_11_common.h(3): *
Copyright (c) 2002-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\ieee802_11_defs.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\ieee802_11_defs.h(4): *
Copyright (c) 2007-2008 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\common\ieee802_1x_defs.h(3): *
Copyright (c) 2013-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\common\privsep_commands.h(3): *
Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\qca-vendor.h(3): * Copyright
(c) 2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\common\qca-vendor-attr.h(3): *
Copyright (c) 2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\common\sae.c(3): * Copyright (c)
2012-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\sae.h(3): * Copyright (c)
2012-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\tnc.h(3): * Copyright (c)
2007-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\wpa_common.c(3): * Copyright
(c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\wpa_common.h(3): * Copyright
(c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\wpa_ctrl.c(3): * Copyright (c)
2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\wpa_ctrl.h(3): * Copyright (c)
2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\common\wpa_helpers.c(3): * Copyright
(c) 2010-2011, Atheros Communications, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\common\wpa_helpers.c(4): * Copyright
(c) 2011-2012, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\common\wpa_helpers.h(3): * Copyright

legal(ME)

(c) 2010-2011, Atheros Communications, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\common\wpa_helpers.h(4): * Copyright
(c) 2011-2012, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes.h(3): * Copyright (c)
2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes_i.h(3): * Copyright (c)
2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes_wrap.h(12): * Copyright (c)
2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-cbc.c(4): * Copyright (c)
2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-ccm.c(4): * Copyright (c)
2010-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-ctr.c(4): * Copyright (c)
2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-eax.c(4): * Copyright (c)
2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-encblock.c(4): * Copyright
(c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-gcm.c(4): * Copyright (c)
2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-internal.c(11): * Copyright
(c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-internal-dec.c(11): *
Copyright (c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-internal-enc.c(11): *
Copyright (c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-omac1.c(4): * Copyright (c)
2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-unwrap.c(4): * Copyright
(c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\aes-wrap.c(4): * Copyright (c)
2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto.h(3): * Copyright (c)
2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_cryptoapi.c(3): *
Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_gnutls.c(3): * Copyright
(c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_internal.c(3): *
Copyright (c) 2006-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_internal-cipher.c(3): *
Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_internal-modexp.c(3): *
Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_internal-rsa.c(3): *
Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_libtomcrypt.c(3): *
Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_none.c(3): * Copyright
(c) 2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_nss.c(3): * Copyright

legal(ME)

(c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\crypto_openssl.c(3): *
Copyright (c) 2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\des_i.h(3): * Copyright (c)
2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\des-internal.c(5): * Copyright
(c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\dh_group5.c(3): * Copyright (c)
2009, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\dh_group5.h(3): * Copyright (c)
2009, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\dh_groups.c(3): * Copyright (c)
2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\dh_groups.h(3): * Copyright (c)
2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\fips_prf_internal.c(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\fips_prf_openssl.c(3): *
Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\md4-internal.c(3): * Copyright
(c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\md4-internal.c(48): * written
by Colin Plumb in 1993, no copyright is claimed.
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\md5.c(3): * Copyright (c)
2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\md5.h(3): * Copyright (c)
2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\md5_i.h(3): * Copyright (c)
2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\md5-internal.c(3): * Copyright
(c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\md5-internal.c(48): * written
by Colin Plumb in 1993, no copyright is claimed.
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\milena.c(3): * Copyright (c)
2006-2007 <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\milena.h(3): * Copyright (c)
2006-2007 <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\ms_funcs.c(3): * Copyright (c)
2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\ms_funcs.h(3): * Copyright (c)
2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\random.c(3): * Copyright (c)
2010-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\random.h(3): * Copyright (c)
2010-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\rc4.c(3): * Copyright (c)
2002-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha1.c(3): * Copyright (c)
2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha1.h(3): * Copyright (c)
2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha1_i.h(3): * Copyright (c)

legal(ME)

2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha1-internal.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha1-pbkdf2.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha1-prf.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha1-tlsprf.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha1-tprf.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha256.c(3): * Copyright (c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha256.h(3): * Copyright (c) 2003-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha256_i.h(3): * Copyright (c) 2003-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha256-internal.c(3): * Copyright (c) 2003-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha256-prf.c(3): * Copyright (c) 2003-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\sha256-tlsprf.c(3): * Copyright (c) 2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\tls.h(3): * Copyright (c) 2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\tls_gnutls.c(3): * Copyright (c) 2004-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\tls_internal.c(3): * Copyright (c) 2004-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\tls_none.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\tls_nss.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\tls_openssl.c(3): * Copyright (c) 2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\crypto\tls_schannel.c(3): * Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver.h(3): * Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_atheros.c(3): * Copyright (c) 2004, Sam Leffler <sam@errno.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_atheros.c(4): * Copyright (c) 2004, Video54 Technologies
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_atheros.c(5): * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_atheros.c(6): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_bsd.c(3): * Copyright (c) 2004, Sam Leffler <sam@errno.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_bsd.c(4): * Copyright (c) 2004, 2Wire, Inc
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_common.c(3): *

legal(ME)

Copyright (c) 2003-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_hostap.c(3): *
Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_hostap.h(3): *
Copyright (c) 2002-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_macsec_qca.c(3): *
Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_macsec_qca.c(4): *
Copyright (c) 2004, Gunter Burchardt <tira@isx.de>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_macsec_qca.c(5): *
Copyright (c) 2013-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_madwifi.c(3): *
Copyright (c) 2004, Sam Leffler <sam@errno.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_madwifi.c(4): *
Copyright (c) 2004, Video54 Technologies
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_madwifi.c(5): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_ndis.c(3): * Copyright
(c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_ndis.h(3): * Copyright
(c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_ndis_.c(3): * Copyright
(c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_nl80211.c(3): *
Copyright (c) 2002-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_nl80211.c(4): *
Copyright (c) 2003-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_nl80211.c(5): *
Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_nl80211.c(6): *
Copyright (c) 2007, Johannes Berg <johannes@sipsolutions.net>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_nl80211.c(7): *
Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_none.c(3): * Copyright
(c) 2008, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_openbsd.c(3): *
Copyright (c) 2013, Mark Kettenis
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_privsep.c(3): *
Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_roboswitch.c(3): *
Copyright (c) 2008-2009 Jouke Witteveen
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_test.c(3): * Copyright
(c) 2004-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_wext.c(3): * Copyright
(c) 2003-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_wext.h(3): * Copyright
(c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_wired.c(3): * Copyright
(c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\driver_wired.c(4): * Copyright
(c) 2004, Gunter Burchardt <tira@isx.de>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\drivers.c(3): * Copyright (c)

legal(ME)

2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\linux_ioctl.c(3): * Copyright (c) 2002-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\linux_ioctl.h(3): * Copyright (c) 2002-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\linux_wext.h(3): * Copyright (c) 2003-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\ndis_events.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\netlink.c(3): * Copyright (c) 2002-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\netlink.h(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\nl80211_copy.h(10): * Copyright 2008, 2009 Luis R. Rodriguez <lrodriguez@atheros.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\nl80211_copy.h(11): * Copyright 2008 Jouni Malinen <jouni.malinen@atheros.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\nl80211_copy.h(12): * Copyright 2008 Colin McCabe <colin@cozybit.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\nl80211_copy.h(6): * Copyright 2006-2010 Johannes Berg <johannes@sipsolutions.net>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\nl80211_copy.h(7): * Copyright 2008 Michael Wu <flamingice@sourmilk.net>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\nl80211_copy.h(8): * Copyright 2008 Luis Carlos Cobo <luisca@cozybit.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\nl80211_copy.h(9): * Copyright 2008 Michael Buesch <m@bues.ch>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\priv_netlink.h(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\rfkill.c(3): * Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\rfkill.h(3): * Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\chap.c(3): * Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\chap.h(3): * Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\wpa_common.c(3): * Copyright (c) 2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\wpa_common.h(3): * Copyright (c) 2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\wpa_defs.h(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\wpa_eke_common.c(3): * Copyright (c) 2011-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\wpa_eke_common.h(3): * Copyright (c) 2011-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\wpa_fast_common.c(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\wpa_fast_common.h(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\drivers\wpa_common\wpa_gpsk_common.c(3): *

legal(ME)

Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_gpsk_common.h(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_ikev2_common.c(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_ikev2_common.h(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_pax_common.c(3): *
Copyright (c) 2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_pax_common.h(3): *
Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_peap_common.c(3): *
Copyright (c) 2008-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_peap_common.h(3): *
Copyright (c) 2008-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_psk_common.c(3): *
Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_psk_common.h(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_pwd_common.c(3): *
Copyright (c) 2010, Dan Harkins <dharkins@lounge.org>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_pwd_common.h(3): *
Copyright (c) 2009, Dan Harkins <dharkins@lounge.org>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_sake_common.c(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_sake_common.h(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_sim_common.c(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_sim_common.h(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_tlv_common.h(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_ttls.h(3): * Copyright
(c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_wsc_common.c(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\eap_wsc_common.h(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\ikev2_common.c(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_common\ikev2_common.h(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap.c(3): * Copyright (c)
2004-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap.h(3): * Copyright (c)
2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_aka.c(3): * Copyright (c)
2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_config.h(3): * Copyright
(c) 2003-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_eke.c(3): * Copyright (c)

legal(ME)

2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_fast.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_fast_pac.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_fast_pac.h(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_gpsk.c(3): * Copyright (c) 2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_gtc.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_i.h(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_ikev2.c(3): * Copyright (c) 2007-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_leap.c(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_md5.c(3): * Copyright (c) 2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_methods.c(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_methods.h(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_mschapv2.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_otp.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_pax.c(3): * Copyright (c) 2005-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_peap.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_proxy.h(3): * Copyright (c) 2011-2013 Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_proxy_dummy.c(3): * Copyright (c) 2013 Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_psk.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_pwd.c(3): * Copyright (c) 2010, Dan Harkins <dharkins@lounge.org>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_sake.c(3): * Copyright (c) 2006-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_sim.c(3): * Copyright (c) 2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_tls.c(3): * Copyright (c) 2004-2008, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_tls_common.c(3): * Copyright (c) 2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_tls_common.h(3): * Copyright (c) 2004-2009, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_tnc.c(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_ttls.c(3): * Copyright

legal(ME)

(c) 2004-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_vendor_test.c(3): *
Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\eap_wsc.c(3): * Copyright (c)
2007-2009, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\ikev2.c(3): * Copyright (c)
2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\ikev2.h(3): * Copyright (c)
2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\mschapv2.c(3): * Copyright
(c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\mschapv2.h(3): * Copyright
(c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\tncc.c(3): * Copyright (c)
2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_peer\tncc.h(3): * Copyright (c)
2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap.h(3): * Copyright (c)
2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_i.h(3): * Copyright (c)
2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_methods.h(3): *
Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server.c(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_aka.c(3): *
Copyright (c) 2005-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_ike.c(3): *
Copyright (c) 2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_fast.c(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_gpsk.c(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_gtc.c(3): *
Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_identity.c(3): *
Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_ikev2.c(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_md5.c(3): *
Copyright (c) 2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_methods.c(3): *
Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_mschapv2.c(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_pax.c(3): *
Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_peap.c(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_psk.c(3): *
Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_pwd.c(3): *

legal(ME)

Copyright (c) 2010, Dan Harkins <dharkins@lounge.org>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_sake.c(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_sim.c(3): *
Copyright (c) 2005-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_tls.c(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_tls_common.c(3):
* Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_tnc.c(3): *
Copyright (c) 2007-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_ttls.c(3): *
Copyright (c) 2004-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_vendor_test.c(3)
: * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_server_wsc.c(3): *
Copyright (c) 2007-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_sim_db.c(3): *
Copyright (c) 2005-2010, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_sim_db.h(3): *
Copyright (c) 2005-2008, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\eap_tls_common.h(3): *
Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\ikev2.c(3): * Copyright (c)
2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\ikev2.h(3): * Copyright (c)
2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\tnacs.c(3): * Copyright (c)
2007-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eap_server\tnacs.h(3): * Copyright (c)
2007-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eapol_auth\eapol_auth_dump.c(3): *
Copyright (c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eapol_auth\eapol_auth_sm.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eapol_auth\eapol_auth_sm.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eapol_auth\eapol_auth_sm_i.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eapol_supp\eapol_supp_sm.c(3): *
Copyright (c) 2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\eapol_supp\eapol_supp_sm.h(3): *
Copyright (c) 2004-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet.h(3): * Copyright
(c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet_freebsd.c(3): *
Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet_freebsd.c(4): *
Copyright (c) 2005, Sam Leffler <sam@errno.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet_linux.c(3): *
Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet_ndis.c(3): *

legal(ME)

Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet_none.c(3): *
Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet_pcap.c(3): *
Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet_privsep.c(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\l2_packet\l2_packet_winpcap.c(3): *
Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p.c(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p.h(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_build.c(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_dev_disc.c(3): * Copyright (c)
2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_go_neg.c(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_group.c(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_i.h(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_invitation.c(3): * Copyright
(c) 2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_parse.c(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_pd.c(3): * Copyright (c)
2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_sd.c(3): * Copyright (c) 2009,
Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\p2p\p2p_utils.c(3): * Copyright (c)
2009, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_cp.c(3): * Copyright
(c) 2013-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_cp.h(3): * Copyright
(c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_kay.c(3): * Copyright
(c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_kay.h(3): * Copyright
(c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_kay_i.h(3): * Copyright
(c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_key.c(3): * Copyright
(c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_key.h(3): * Copyright
(c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_secy_ops.c(3): *
Copyright (c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\pae\ieee802_1x_secy_ops.h(3): *
Copyright (c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\radius\radius.c(3): * Copyright (c)

legal(ME)

2002-2009, 2011-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\radius\radius.h(3): * Copyright (c)
2002-2009, 2012, 2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\radius\radius_client.c(3): * Copyright
(c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\radius\radius_client.h(3): * Copyright
(c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\radius\radius_das.c(3): * Copyright
(c) 2012-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\radius\radius_das.h(3): * Copyright
(c) 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\radius\radius_server.c(3): * Copyright
(c) 2005-2009, 2011-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\radius\radius_server.h(3): * Copyright
(c) 2005-2009, 2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\peerkey.c(3): * Copyright (c)
2006-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\peerkey.h(3): * Copyright (c)
2006-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\pmksa_cache.c(3): * Copyright
(c) 2004-2009, 2011-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\pmksa_cache.h(3): * Copyright
(c) 2003-2009, 2011-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\preauth.c(3): * Copyright (c)
2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\preauth.h(3): * Copyright (c)
2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\tdls.c(3): * Copyright (c)
2010-2011, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\wpa.c(3): * Copyright (c)
2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\wpa.h(3): * Copyright (c)
2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\wpa_ft.c(3): * Copyright (c)
2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\wpa_i.h(3): * Copyright (c)
2004-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\wpa_ie.c(3): * Copyright (c)
2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\rsn_supp\wpa_ie.h(3): * Copyright (c)
2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\asn1.c(3): * Copyright (c)
2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\asn1.h(3): * Copyright (c) 2006,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\bignum.c(3): * Copyright (c) 2006,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\bignum.h(3): * Copyright (c) 2006,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\pkcs1.c(3): * Copyright (c)
2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\pkcs1.h(3): * Copyright (c)

legal(ME)

2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\pkcs5.c(3): * Copyright (c) 2009,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\pkcs5.h(3): * Copyright (c) 2009,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\pkcs8.c(3): * Copyright (c)
2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\pkcs8.h(3): * Copyright (c)
2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\rsa.c(3): * Copyright (c)
2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\rsa.h(3): * Copyright (c) 2006,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_client.c(3): * Copyright (c)
2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_client.h(3): * Copyright (c)
2006-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_client_i.h(3): * Copyright
(c) 2006-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_client_read.c(3): *
Copyright (c) 2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_client_write.c(3): *
Copyright (c) 2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_common.c(3): * Copyright (c)
2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_common.h(3): * Copyright (c)
2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_cred.c(3): * Copyright (c)
2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_cred.h(3): * Copyright (c)
2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_record.c(3): * Copyright (c)
2006-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_record.h(3): * Copyright (c)
2006-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_server.c(3): * Copyright (c)
2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_server.h(3): * Copyright (c)
2006-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_server_i.h(3): * Copyright
(c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_server_read.c(3): *
Copyright (c) 2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\tlsv1_server_write.c(3): *
Copyright (c) 2006-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\x509v3.c(3): * Copyright (c)
2006-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\tls\x509v3.h(3): * Copyright (c)
2006-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\base64.c(3): * Copyright (c)
2005-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\base64.h(3): * Copyright (c)

legal(ME)

2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\bitfield.c(3): * Copyright (c)
2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\bitfield.h(3): * Copyright (c)
2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\browser.c(3): * Copyright (c)
2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\browser.h(3): * Copyright (c)
2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\browser-android.c(3): *
Copyright (c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\browser-system.c(3): * Copyright
(c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\browser-wpadebug.c(3): *
Copyright (c) 2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\build_config.h(3): * Copyright
(c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\common.c(3): * Copyright (c)
2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\common.h(3): * Copyright (c)
2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\edit.c(3): * Copyright (c)
2010-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\edit.h(3): * Copyright (c) 2010,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\edit_readline.c(3): * Copyright
(c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\edit_simple.c(3): * Copyright
(c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\eloop.c(3): * Copyright (c)
2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\eloop.h(3): * Copyright (c)
2002-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\eloop_win.c(3): * Copyright (c)
2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\ext_password.c(3): * Copyright
(c) 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\ext_password.h(3): * Copyright
(c) 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\ext_password_i.h(3): * Copyright
(c) 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\ext_password_test.c(3): *
Copyright (c) 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\http_curl.c(3): * Copyright (c)
2012-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\http-utils.h(3): * Copyright (c)
2012-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\includes.h(3): * Copyright (c)
2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\ip_addr.c(3): * Copyright (c)
2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\ip_addr.h(3): * Copyright (c)

legal(ME)

2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\list.h(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\os.h(3): * Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\os_internal.c(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\os_none.c(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\os_unix.c(3): * Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\os_win32.c(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\pcsc_funcs.c(3): * Copyright (c) 2004-2007, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\pcsc_funcs.h(3): * Copyright (c) 2004-2006, 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\radiotap.c(4): * Copyright 2007 Andy Green <andy@warmcat.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\radiotap.c(5): * Copyright 2009 Johannes Berg <johannes@sipsolutions.net>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\radiotap.h(2): * Copyright (c) 2003, 2004 David Young. All rights reserved.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\state_machine.h(3): * Copyright (c) 2002-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\trace.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\trace.h(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\utils_module_tests.c(3): * Copyright (c) 2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\uuid.c(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\uuid.h(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\wpa_debug.c(3): * Copyright (c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\wpa_debug.h(3): * Copyright (c) 2002-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\wpabuf.c(3): * Copyright (c) 2007-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\wpabuf.h(3): * Copyright (c) 2007-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\xml_libxml2.c(3): * Copyright (c) 2012-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\xml-utils.c(3): * Copyright (c) 2012-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\utils\xml-utils.h(3): * Copyright (c) 2012-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\http.h(3): * Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\http.h(4): * Copyright (c)

legal(ME)

2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\http.h(5): * Copyright (c)
2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\http.h(6): * Copyright (c) 2009,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\http_client.c(3): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\http_client.h(3): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\http_server.c(3): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\http_server.h(3): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\httpread.c(4): * Copyright 2008
Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\httpread.h(4): * Copyright 2008
Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\ndef.c(4): * Copyright (c)
2009-2012, Masashi Honma <masashi.honma@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\upnp_xml.c(3): * Copyright (c)
2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\upnp_xml.c(4): * Copyright (c)
2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\upnp_xml.c(5): * Copyright (c)
2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\upnp_xml.c(6): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\upnp_xml.h(3): * Copyright (c)
2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\upnp_xml.h(4): * Copyright (c)
2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\upnp_xml.h(5): * Copyright (c)
2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\upnp_xml.h(6): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps.c(3): * Copyright (c)
2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps.h(3): * Copyright (c)
2007-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_attr_build.c(3): * Copyright
(c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_attr_parse.c(3): * Copyright
(c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_attr_parse.h(3): * Copyright
(c) 2008-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_attr_process.c(3): * Copyright
(c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_common.c(3): * Copyright (c)
2008-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_defs.h(3): * Copyright (c)
2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_dev_attr.c(3): * Copyright (c)

legal(ME)

2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_dev_attr.h(3): * Copyright (c)
2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_enrollee.c(3): * Copyright (c)
2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_er.c(3): * Copyright (c)
2009-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_er.h(3): * Copyright (c) 2009,
Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_er_ssdp.c(3): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_i.h(3): * Copyright (c)
2008-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_module_tests.c(3): * Copyright
(c) 2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_registrar.c(3): * Copyright
(c) 2008-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.c(3): * Copyright (c)
2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.c(4): * Copyright (c)
2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.c(5): * Copyright (c)
2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.c(55): * Copyright:
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.c(56): * Copyright 2008
Atheros Communications.
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.c(6): * Copyright (c)
2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.c(60): *Copyright (c)
2006-2007 Sony Corporation. All Rights Reserved.
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.c(94): * Copyright (c)
2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.h(3): * Copyright (c)
2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.h(4): * Copyright (c)
2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.h(5): * Copyright (c)
2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp.h(6): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_ap.c(3): * Copyright (c)
2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_event.c(3): * Copyright
(c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_event.c(4): * Copyright
(c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_event.c(5): * Copyright
(c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_event.c(6): * Copyright
(c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_i.h(3): * Copyright (c)
2000-2003 Intel Corporation

legal(ME)

wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_i.h(4): * Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_i.h(5): * Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_i.h(6): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_ssd.c(3): * Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_ssd.c(4): * Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_ssd.c(5): * Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_ssd.c(6): * Copyright (c) 2009-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_web.c(3): * Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_web.c(4): * Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_web.c(5): * Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_upnp_web.c(6): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\src\wps\wps_validate.c(3): * Copyright (c) 2010, Atheros Communications, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant_8_lib\Android.mk(2):# Copyright (C) 2008 The Android Open Source Project
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\Android.mk(2):# Copyright (C) 2008 The Android Open Source Project
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ap.c(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ap.c(4): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ap.h(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ap.h(4): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\autoscan.c(3): * Copyright (c) 2012, Intel Corporation. All rights reserved.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\autoscan.h(3): * Copyright (c) 2012, Intel Corporation. All rights reserved.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\autoscan_exponential.c(3): * Copyright (c) 2012, Intel Corporation. All rights reserved.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\autoscan_periodic.c(3): * Copyright (c) 2012, Intel Corporation. All rights reserved.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\bgscan.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\bgscan.h(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\bgscan_learn.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\bgscan_simple.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\blacklist.c(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\blacklist.h(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\bss.c(3): * Copyright (c) 2009-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\bss.h(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\config.c(3): * Copyright (c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\config.h(3): * Copyright (c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\config_file.c(3): * Copyright (c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\config_none.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\config_ssid.h(3): * Copyright (c) 2003-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\config_winreg.c(3): * Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ctrl_iface.c(3): * Copyright (c) 2004-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ctrl_iface.h(3): * Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ctrl_iface_named_pipe.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ctrl_iface_udp.c(3): * Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\ctrl_iface_unix.c(3): * Copyright (c) 2004-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common.c(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common.c(4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common.c(5): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common.h(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common.h(4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common.h(5): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common_i.h(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common_i.h(4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_common_i.h(5): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_dict_helpers.c(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_dict_helpers.h(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.

legal(ME)

wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new.c(3): *
Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new.c(4): *
Copyright (c) 2009-2010, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new.c(5): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new.h(3): *
Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new.h(4): *
Copyright (c) 2009-2010, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers.c(3)
: * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers.c(4)
: * Copyright (c) 2009-2010, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers.c(5)
: * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers.h(3)
: * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers.h(4)
: * Copyright (c) 2009-2010, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers_p2p.
c(3): * Copyright (c) 2011-2012, Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers_p2p.
h(3): * Copyright (c) 2011-2012, Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers_wps.
c(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_handlers_wps.
c(4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_helpers.c(3):
* Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_helpers.c(4):
* Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_helpers.h(3):
* Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_helpers.h(4):
* Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_introspect.c(
3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_introspect.c(
4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_new_introspect.c(
5): * Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_old.c(3): *
Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_old.h(3): *
Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_old_handlers.c(3)
: * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_old_handlers.h(3)
: * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\dbus\dbus_old_handlers_wps.
c(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.

legal(ME)

wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\doc\docbook\eapol_test.sgml(197):<para>wpa_supplicant is copyright (c) 2003-2014,
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\doc\docbook\wpa_background.sgml(93):<para>wpa_supplicant is copyright (c) 2003-2014,
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\doc\docbook\wpa_cli.sgml(348):<para>wpa_supplicant is copyright (c) 2003-2014,
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\doc\docbook\wpa_gui.sgml(77):<para>wpa_supplicant is copyright (c) 2003-2014,
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\doc\docbook\wpa_passphrase.sgml(65):<para>wpa_supplicant is copyright (c) 2003-2014,
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\doc\docbook\wpa_priv.sgml(140):<para>wpa_supplicant is copyright (c) 2003-2014,
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\doc\docbook\wpa_supplicant.sgml(739):<para>wpa_supplicant is copyright (c) 2003-2014,
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\driver_i.h(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\eap_register.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\eapol_test.c(3): * Copyright (c) 2003-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\events.c(3): * Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\examples\p2p-nfc.py(4):# Copyright (c) 2012-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\examples\wps-nfc.py(4):# Copyright (c) 2012-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\gas_query.c(3): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\gas_query.c(4): * Copyright (c) 2011-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\gas_query.c(5): * Copyright (c) 2011-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\gas_query.h(3): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\gas_query.h(4): * Copyright (c) 2011, Qualcomm Atheros
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\hs20_supplicant.c(2): * Copyright (c) 2009, Atheros Communications, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\hs20_supplicant.c(3): * Copyright (c) 2011-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\hs20_supplicant.h(2): * Copyright (c) 2011-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\libss_rsn.c(3): * Copyright (c) 2009-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\libss_rsn.h(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\interworking.c(3): * Copyright (c) 2011-2013, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\interworking.c(4): * Copyright (c) 2011-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\interworking.h(3): * Copyright (c) 2011-2012, Qualcomm Atheros

legal(ME)

wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\main.c(3): * Copyright (c) 2003-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\main_none.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\main_winmain.c(3): * Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\main_winsvc.c(3): * Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\nfc_pw_token.c(3): * Copyright (c) 2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\notify.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\notify.h(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\offchannel.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\offchannel.c(4): * Copyright (c) 2011, Qualcomm Atheros
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\offchannel.h(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\offchannel.h(4): * Copyright (c) 2011, Qualcomm Atheros
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\p2p_supplicant.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\p2p_supplicant.c(4): * Copyright (c) 2010-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\p2p_supplicant.h(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\preauth_test.c(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\README(4): Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi> and contributors
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\README-Windows.txt(4): Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi> and contributors
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\scan.c(3): * Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\scan.h(3): * Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\sme.c(3): * Copyright (c) 2009-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\sme.h(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\http.h(3): * Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\http.h(4): * Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\http.h(5): * Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\http.h(6): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\http_cli.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\http_cli.h(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\http_ser.c(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\http_ser.h(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\httpread.c(4): *
Copyright 2008 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\httpread.h(4): *
Copyright 2008 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\ndef.c(4): *
Copyright (c) 2009-2012, Masashi Honma <masashi.honma@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\upnp_xml.c(3): *
Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\upnp_xml.c(4): *
Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\upnp_xml.c(5): *
Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\upnp_xml.c(6): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\upnp_xml.h(3): *
Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\upnp_xml.h(4): *
Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\upnp_xml.h(5): *
Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\upnp_xml.h(6): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\wps.c(3): *
Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\wps.h(3): *
Copyright (c) 2007-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\src\wps\wps_attr.c(3): *
Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\tests\test_eap_sim_common.c
(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\tests\test_wpa.c(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\utils\log2pcap.py(3):#
Copyright (c) 2012, Intel Corporation
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wifi_display.c(3): *
Copyright (c) 2011, Atheros Communications, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wifi_display.c(4): *
Copyright (c) 2011-2012, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wifi_display.h(3): *
Copyright (c) 2011, Atheros Communications, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wifi_display.h(4): *
Copyright (c) 2011-2012, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\win_if_list.c(3): *
Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wnm_sta.c(3): * Copyright
(c) 2011-2013, Qualcomm Atheros, Inc.

legal(ME)

wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wnm_sta.h(3): * Copyright (c) 2011-2012, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_cli.c(3): * Copyright (c) 2004-2013, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_cli.c(31): "Copyright (c) 2004-2014, Jouni Malinen <j@w1.fi> and contributors";
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\addinterface.cpp(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\addinterface.h(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\eventhistory.cpp(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\eventhistory.h(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\icons\README(10): Copyright (c) 2008 Bernard Gray <bernard.gray@gmail.com>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\main.cpp(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\networkconfig.cpp(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\networkconfig.h(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\peers.cpp(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\peers.h(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\scanresults.cpp(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\scanresults.h(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\signalbar.cpp(3): * Copyright (c) 2011, Kel Modderman <kel@otaku42.de>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\signalbar.h(3): * Copyright (c) 2011, Kel Modderman <kel@otaku42.de>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\stringquery.cpp(3): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\stringquery.h(3): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\userdatarequest.cpp(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\userdatarequest.h(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\wpagui.cpp(3): * Copyright (c) 2005-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\wpagui.cpp(712): "Copyright (c) 2003-2013,\n"
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\wpagui.h(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_gui-qt4\wpamsg.h(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_passphrase.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_priv.c(3): * Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_priv.c(938): "Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi> and "
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_supplicant.c(3): * Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_supplicant.c(59): "Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi> and contributors";
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_supplicant_conf.mk(2):# Copyright (C) 2010 The Android Open Source Project
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_supplicant_conf.sh(3):# Copyright (C) 2010 The Android Open Source Project
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpa_supplicant_i.h(3): * Copyright (c) 2003-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpas_glue.c(3): * Copyright (c) 2003-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpas_glue.h(3): * Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpas_kay.c(3): * Copyright (c) 2013-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpas_kay.h(3): * Copyright (c) 2013-2014, Qualcomm Atheros, Inc.
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wpas_module_tests.c(3): * Copyright (c) 2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wps_supplicant.c(3): * Copyright (c) 2008-2014, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_cfg80211\wpa_supplicant\wps_supplicant.h(3): * Copyright (c) 2008-2012, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\Android.mk(2):# Copyright (C) 2008 The Android Open Source Project
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ap.c(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ap.c(4): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ap.h(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ap.h(4): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\bgscan.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\bgscan.h(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\bgscan_learn.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\bgscan_simple.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\blacklist.c(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\blacklist.h(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\bss.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\bss.h(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\config.c(3): * Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\config.h(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\config_file.c(3): * Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\config_none.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\config_ssid.h(3): * Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\config_winreg.c(3): * Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ctrl_iface.c(3): * Copyright (c) 2004-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ctrl_iface.h(3): * Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ctrl_iface_named_pipe.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ctrl_iface_udp.c(3): * Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\ctrl_iface_unix.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common.c(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common.c(4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common.c(5): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common.h(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common.h(4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common.h(5): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common_i.h(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common_i.h(4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_common_i.h(5): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_dict_helpers.c(3) : * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_dict_helpers.h(3) : * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new.c(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new.c(4): * Copyright (c) 2009-2010, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new.c(5): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new.h(3): *
Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new.h(4): *
Copyright (c) 2009-2010, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_handlers.c(3)
: * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_handlers.c(4)
: * Copyright (c) 2009-2010, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_handlers.c(5)
: * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_handlers.h(3)
: * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_handlers.h(4)
: * Copyright (c) 2009-2010, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_handlers_wps.
c(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_handlers_wps.
c(4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_helpers.c(3):
* Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_helpers.c(4):
* Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_helpers.h(3):
* Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_helpers.h(4):
* Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_introspect.c(
3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_introspect.c(
4): * Copyright (c) 2009, Witold Sowa <witold.sowa@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_new_introspect.c(
5): * Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_old.c(3): *
Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_old.h(3): *
Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_old_handlers.c(3)
: * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_old_handlers.h(3)
: * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\dbus\dbus_old_handlers_wps.
c(3): * Copyright (c) 2006, Dan Williams <dcbw@redhat.com> and Red Hat, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\doc\docbook\wpa_background.
sgml(93):<para>wpa_supplicant is copyright (c) 2003-2007,
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\doc\docbook\wpa_cli.sgml(33
1):<para>wpa_supplicant is copyright (c) 2003-2007,
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\doc\docbook\wpa_gui.sgml(77
)<para>wpa_supplicant is copyright (c) 2003-2007,
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\doc\docbook\wpa_passphrase.
sgml(65):<para>wpa_supplicant is copyright (c) 2003-2007,
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\doc\docbook\wpa_priv.sgml(1
40):<para>wpa_supplicant is copyright (c) 2003-2007,

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\doc\docbook\wpa_supplicant.sgml(791):<para>wpa_supplicant is copyright (c) 2003-2007,
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\driver_i.h(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\eap_register.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\eapol_test.c(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\events.c(3): * Copyright (c) 2003-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\libss_rsn.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\libss_rsn.h(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\main.c(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\main_none.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\main_symbian.cpp(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\main_winmain.c(3): * Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\main_winsvc.c(3): * Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\mlme.c(3): * Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\mlme.c(4): * Copyright (c) 2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\mlme.c(5): * Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\mlme.h(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\mlme.h(4): * Copyright (c) 2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\mlme.h(5): * Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\notify.c(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\notify.h(3): * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\p2p_supplicant.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\p2p_supplicant.h(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\preauth_test.c(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\README(4):Copyright (c) 2003-2011, Jouni Malinen <j@w1.fi> and contributors
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\README-Windows.txt(328): * Copyright (c) 1998-2004 The OpenSSL Project.All rights reserved.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\README-Windows.txt(384):/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\README-Windows.txt(398): *
Copyright remains Eric Young's, and as such any Copyright notices in
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\README-Windows.txt(4): Copyr
ight (c) 2003-2009, Jouni Malinen <j@w1.fi> and contributors
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\README-Windows.txt(446): The
Qt GUI Toolkit is Copyright (C) 1994-2007 Trolltech ASA.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\scan.c(3): * Copyright (c)
2003-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\scan.h(3): * Copyright (c)
2003-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\sme.c(3): * Copyright (c)
2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\sme.h(3): * Copyright (c)
2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\accounting.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\accounting.h(3): *
Copyright (c) 2002-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_config.c(3): *
Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_config.h(3): *
Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_drv_ops.c(3): *
Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_drv_ops.h(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_list.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_list.c(4): *
Copyright (c) 2003-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_list.c(5): *
Copyright (c) 2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_list.h(3): *
Copyright (c) 2002-2003, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_list.h(4): *
Copyright (c) 2003-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_list.h(5): *
Copyright (c) 2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_mlme.c(3): *
Copyright 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_mlme.c(4): *
Copyright 2003-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_mlme.c(5): *
Copyright 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_mlme.h(3): *
Copyright 2003, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_mlme.h(4): *
Copyright 2003-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ap_mlme.h(5): *
Copyright 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\authsrv.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\authsrv.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\beacon.c(3): *
Copyright (c) 2002-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\beacon.c(4): *
Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\beacon.c(5): *
Copyright (c) 2008-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\beacon.h(3): *
Copyright (c) 2002-2004, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\beacon.h(4): *
Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ctrl_iface_ap.c(3):
* Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ctrl_iface_ap.h(3):
* Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\drv_callbacks.c(3):
* Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\hostapd.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\hostapd.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\hw_features.c(3): *
Copyright 2002-2003, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\hw_features.c(4): *
Copyright 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\hw_features.c(5): *
Copyright (c) 2008-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\hw_features.h(3): *
Copyright 2002-2003, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\hw_features.h(4): *
Copyright 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\iapp.c(3): *
Copyright (c) 2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\iapp.h(3): *
Copyright (c) 2002-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ieee802_11.c(3): *
Copyright (c) 2002-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ieee802_11.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ieee802_11_auth.c(3)
: * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ieee802_11_auth.h(3)
: * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ieee802_11_ht.c(3):
* Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ieee802_11_ht.c(4):
* Copyright (c) 2007-2008, Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ieee802_1x.c(3): *
Copyright (c) 2002-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\ieee802_1x.h(3): *
Copyright (c) 2002-2007, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\p2p_hostapd.c(3): *
Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\p2p_hostapd.h(3): *
Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\peerkey_auth.c(3): *
Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\pmksa_cache_auth.c(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\pmksa_cache_auth.h(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\preauth_auth.c(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\preauth_auth.h(3): *
Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\sta_info.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\sta_info.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\tkip_countermeasures.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\tkip_countermeasures.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\utils.c(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\vlan_init.c(3): *
Copyright 2003, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\vlan_init.c(4): *
Copyright 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\vlan_init.c(5): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\vlan_init.h(3): *
Copyright 2003, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\vlan_init.h(4): *
Copyright 2005, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wmm.c(3): *
Copyright 2002-2003, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wmm.c(4): *
Copyright 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wmm.c(5): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wmm.h(3): *
Copyright 2002-2003, Instant802 Networks, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wmm.h(4): *
Copyright 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wpa_auth.c(3): *
Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wpa_auth.h(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wpa_auth_ft.c(3): *
Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wpa_auth_glue.c(3): *
* Copyright (c) 2002-2011, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wpa_auth_glue.h(3):
* Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wpa_auth_i.h(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wpa_auth_ie.c(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wpa_auth_ie.h(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wps_hostapd.c(3): *
Copyright (c) 2008-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\ap\wps_hostapd.h(3): *
Copyright (c) 2008-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\defs.h(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\eapol_common.h(3
) : * Copyright (c) 2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\ieee802_11_commo
n.c(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\ieee802_11_commo
n.h(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\ieee802_11_defs.
h(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\ieee802_11_defs.
h(4): * Copyright (c) 2007-2008 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\privsep_commands
.h(3): * Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\wpa_common.c(3):
* Copyright (c) 2002-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\wpa_common.h(3):
* Copyright (c) 2002-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\wpa_ctrl.c(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\common\wpa_ctrl.h(3): *
Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes.h(3): *
Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes_i.h(3): *
Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes_wrap.h(10):
* Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-cbc.c(4): *
Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-ctr.c(4): *
Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-eax.c(4): *
Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-encblock.c(4
) : * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-internal.c(1
2): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-internal-dec
.c(12): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-internal-enc.c(12): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-omac1.c(4): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-unwrap.c(4): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\aes-wrap.c(4): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto.h(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_cryptoapi.c(3): * Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_gnutls.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_internal.c(3): * Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_internal_cipher.c(3): * Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_internal_modexp.c(3): * Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_internal_rsa.c(3): * Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_libtomcrypt.c(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_none.c(3): * Copyright (c) 2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_nss.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\crypto_openssl.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\des_i.h(3): * Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\des-internal.c(5): * Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\dh_group5.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\dh_group5.h(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\dh_groups.c(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\dh_groups.h(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\fips_prf_cryptoapi.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\fips_prf_gnutls.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\fips_prf_internal.c(3): * Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\fips_prf_nss.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\fips_prf_openssl.c(3): * Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\md4-internal.c(3): * Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\md4-internal.c(54): * written by Colin Plumb in 1993, no copyright is claimed.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\md5.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\md5.h(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\md5_i.h(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\md5-internal.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\md5-internal.c(54): * written by Colin Plumb in 1993, no copyright is claimed.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\md5-non-fips.c(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\milena.c(3): * Copyright (c) 2006-2007 <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\milena.h(3): * Copyright (c) 2006-2007 <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\ms_funcs.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\ms_funcs.h(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\random.c(3): * Copyright (c) 2010-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\random.h(3): * Copyright (c) 2010-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\rc4.c(3): * Copyright (c) 2002-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha1.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha1.h(3): * Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha1_i.h(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha1-internal.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha1-pbkdf2.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha1-tlsprf.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha1-tprf.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha256.c(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha256.h(3): * Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\sha256-internal.c(3): * Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\tls.h(3): * Copyright (c) 2004-2010, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\tls_gnutls.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\tls_internal.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\tls_none.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\tls_nss.c(3): * Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\tls_openssl.c(3): * Copyright (c) 2004-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\crypto\tls_schannel.c(3): * Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver.h(3): * Copyright (c) 2003-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_atheros.c(3): * Copyright (c) 2004, Sam Leffler <sam@errno.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_atheros.c(4): * Copyright (c) 2004, Video54 Technologies
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_atheros.c(5): * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_atheros.c(6): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_broadcom.c(3): * Copyright (c) 2004, Nikki Chumkov <nikki@gattaca.ru>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_broadcom.c(4): * Copyright (c) 2004, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_bsd.c(3): * Copyright (c) 2004, Sam Leffler <sam@errno.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_bsd.c(4): * Copyright (c) 2004, 2Wire, Inc
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_hostap.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_hostap.h(3): * Copyright (c) 2002-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_iphone.m(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_madwifi.c(3): * Copyright (c) 2004, Sam Leffler <sam@errno.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_madwifi.c(4): * Copyright (c) 2004, Video54 Technologies
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_madwifi.c(5): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_ndis.c(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_ndis.h(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_ndis.c(3): * Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_nl80211.c(3): * Copyright (c) 2002-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_nl80211.c(4): * Copyright (c) 2003-2004, Instant802 Networks, Inc.

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_nl80211.c(5): * Copyright (c) 2005-2006, Devicescape Software, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_nl80211.c(6): * Copyright (c) 2007, Johannes Berg <johannes@sipsolutions.net>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_nl80211.c(7): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_none.c(3): * Copyright (c) 2008, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_osx.m(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_privsep.c(3): * Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_ralink.c(3): * Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_ralink.c(4): * Copyright (c) 2007, Snowpin Lee <snowpin_lee@ralinktech.com.tw>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_ralink.h(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_ralink.h(4): * Copyright (c) 2007, Snowpin Lee <snowpin_lee@ralinktech.com.tw>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_robotswitch.c(3): * Copyright (c) 2008-2009 Jouke Witteveen
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_test.c(3): * Copyright (c) 2004-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_wext.c(3): * Copyright (c) 2003-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_wext.h(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_wired.c(3): * Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\driver_wired.c(4): * Copyright (c) 2004, Gunter Burchardt <tira@isx.de>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\drivers.c(3): * Copyright (c) 2004-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\linux_ioctl.c(3): * Copyright (c) 2002-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\linux_ioctl.h(3): * Copyright (c) 2002-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\ndis_events.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\netlink.c(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\netlink.h(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\nl80211_copy.h(10): * Copyright 2008, 2009 Luis R. Rodriguez <lrodriguez@atheros.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\nl80211_copy.h(11): * Copyright 2008 Jouni Malinen <jouni.malinen@atheros.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\nl80211_copy.h(12): * Copyright 2008 Colin McCabe <colin@cozybit.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\nl80211_copy.h(6): * Copyright 2006-2010 Johannes Berg <johannes@sipsolutions.net>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\nl80211_copy.h(7): * Copyright 2008 Michael Wu <flamingice@sourmilk.net>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\nl80211_copy.h(8): * Copyright 2008 Luis Carlos Cobo <luisca@cozybit.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\nl80211_copy.h(9): * Copyright 2008 Michael Buesch <mb@bu3sch.de>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\priv_netlink.h(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\rfkill.c(3): * Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\rfkill.h(3): * Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\drivers\wireless_copy.h(14): * Copyright (c) 1997-2007 Jean Tourrilhes, All Rights Reserved.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\chap.c(3): * Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\chap.h(3): * Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_common.c(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_common.h(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_defs.h(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_fast_common.c(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_fast_common.h(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_gpsk_common.c(3): * Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_gpsk_common.h(3): * Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_ikev2_common.c(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_ikev2_common.h(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_pax_common.c(3): * Copyright (c) 2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_pax_common.h(3): * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_peap_common.c(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_peap_common.h(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_psk_common.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_psk_common.h(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_pwd_common.c(3): * Copyright (c) 2010, Dan Harkins <dharkins@lounge.org>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_common\eap_pwd_common.h(3): * Copyright (c) 2009, Dan Harkins <dharkins@lounge.org>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_otp.c(3):
* Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_pax.c(3):
* Copyright (c) 2005-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_peap.c(3):
* Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_psk.c(3):
* Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_pwd.c(3):
* Copyright (c) 2010, Dan Harkins <dharkins@lounge.org>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_sake.c(3):
* Copyright (c) 2006-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_sim.c(3):
* Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_tls.c(3):
* Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_tls_common
.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_tls_common
.h(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_tnc.c(3):
* Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_ttls.c(3):
* Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_vendor_tes
t.c(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\eap_wsc.c(3):
* Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\ikev2.c(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\ikev2.h(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\mschapv2.c(3):
* Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\mschapv2.h(3):
* Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\tncc.c(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_peer\tncc.h(3): *
Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap.h(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_i.h(3):
* Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_methods.
h(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server.c
(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_a
ka.c(3): * Copyright (c) 2005-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_f
ast.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_g
psk.c(3): * Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_g
tc.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_i
dentity.c(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_i
kev2.c(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_m
d5.c(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_m
ethods.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_m
schapv2.c(3): * Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_p
ax.c(3): * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_p
eap.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_p
sk.c(3): * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_p
wd.c(3): * Copyright (c) 2010, Dan Harkins <dharkins@lounge.org>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_s
ake.c(3): * Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_s
im.c(3): * Copyright (c) 2005-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_t
ls.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_t
ls_common.c(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_t
nc.c(3): * Copyright (c) 2007-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_t
tls.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_v
endor_test.c(3): * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_server_w
sc.c(3): * Copyright (c) 2007-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_sim_db.c
(3): * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_sim_db.h
(3): * Copyright (c) 2005-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\eap_tls_comm
on.h(3): * Copyright (c) 2004-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\ikev2.c(3):
* Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\ikev2.h(3):
* Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\tnccs.c(3): *
Copyright (c) 2007-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eap_server\tnccs.h(3): *
Copyright (c) 2007-2008, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eapol_auth\eapol_auth_dump.c(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eapol_auth\eapol_auth_sm.c(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eapol_auth\eapol_auth_sm.h(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eapol_auth\eapol_auth_sm_i.h(3): * Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eapol_supp\eapol_supp_sm.c(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\eapol_supp\eapol_supp_sm.h(3): * Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet.h(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet_frebsd.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet_frebsd.c(4): * Copyright (c) 2005, Sam Leffler <sam@errno.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet_linux.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet_ndis.c(3): * Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet_none.c(3): * Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet pcap.c(3): * Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet_privsep.c(3): * Copyright (c) 2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\l2_packet\l2_packet_winpcap.c(3): * Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p.h(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_build.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_dev_disc.c(3): * Copyright (c) 2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_go_neg.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_group.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_i.h(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_invitation.c(3): * Copyright (c) 2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_parse.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_pd.c(3): * Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_sd.c(3): * Copyright (c) 2009, Atheros Communications

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\p2p\p2p_utils.c(3): *
Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\radius\radius.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\radius\radius.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\radius\radius_client.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\radius\radius_client.h(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\radius\radius_server.c(3): *
Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\radius\radius_server.h(3): *
Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\peerkey.c(3): *
Copyright (c) 2006-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\peerkey.h(3): *
Copyright (c) 2006-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\pmksa_cache.c(3): *
Copyright (c) 2004-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\pmksa_cache.h(3): *
Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\preauth.c(3): *
Copyright (c) 2003-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\preauth.h(3): *
Copyright (c) 2003-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\tdls.c(3): *
Copyright (c) 2010-2011, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\wpa.c(3): *
Copyright (c) 2003-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\wpa.h(3): *
Copyright (c) 2003-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\wpa_ft.c(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\wpa_i.h(3): *
Copyright (c) 2004-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\wpa_ie.c(3): *
Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\rsn_supp\wpa_ie.h(3): *
Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\tls\asn1.c(3): *
Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\tls\asn1.h(3): *
Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\tls\bignum.c(3): *
Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\tls\bignum.h(3): *
Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\tls\pkcs1.c(3): *
Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\tls\pkcs1.h(3): *
Copyright (c) 2006-2009, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\build_config.h(3)
: * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\common.c(3): *
Copyright (c) 2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\common.h(3): *
Copyright (c) 2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\edit.c(3): *
Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\edit.h(3): *
Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\edit_readline.c(3
) : * Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\edit_simple.c(3):
* Copyright (c) 2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\eloop.c(3): *
Copyright (c) 2002-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\eloop.h(3): *
Copyright (c) 2002-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\eloop_none.c(3):
* Copyright (c) 2002-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\eloop_win.c(3): *
Copyright (c) 2002-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\includes.h(3): *
Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\ip_addr.c(3): *
Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\ip_addr.h(3): *
Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\list.h(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\os.h(3): *
Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\os_internal.c(3):
* Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\os_none.c(3): *
Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\os_unix.c(3): *
Copyright (c) 2005-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\os_win32.c(3): *
Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\pcsc_funcs.c(3):
* Copyright (c) 2004-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\pcsc_funcs.h(3):
* Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\radiotap.c(4): *
Copyright 2007 Andy Green <andy@warmcat.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\radiotap.h(5): *
Copyright (c) 2003, 2004 David Young. All rights reserved.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\state_machine.h(3
) : * Copyright (c) 2002-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\trace.c(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\trace.h(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\uuid.c(3): *
Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\uuid.h(3): *
Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\wpa_debug.c(3): *
Copyright (c) 2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\wpa_debug.h(3): *
Copyright (c) 2002-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\wpabuf.c(3): *
Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\utils\wpabuf.h(3): *
Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\http.h(3): *
Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\http.h(4): *
Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\http.h(5): *
Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\http.h(6): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\http_client.c(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\http_client.h(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\http_server.c(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\http_server.h(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\httpread.c(4): *
Copyright 2008 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\httpread.h(4): *
Copyright 2008 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\ndef.c(4): *
Copyright (c) 2009, Masashi Honma <honma@ictec.co.jp>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\upnp_xml.c(3): *
Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\upnp_xml.c(4): *
Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\upnp_xml.c(5): *
Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\upnp_xml.c(6): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\upnp_xml.h(3): *
Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\upnp_xml.h(4): *
Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\upnp_xml.h(5): *
Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\upnp_xml.h(6): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps.c(3): *
Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps.h(3): *
Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_attr_build.c(3)
: * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_attr_parse.c(3)
: * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_attr_process.c(
3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_common.c(3): *
Copyright (c) 2008-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_defs.h(3): *
Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_dev_attr.c(3):
* Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_dev_attr.h(3):
* Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_enrollee.c(3):
* Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_er.c(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_er.h(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_er_ssd.c(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_i.h(3): *
Copyright (c) 2008-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_nfc.c(3): *
Copyright (c) 2009, Masashi Honma <honma@ictec.co.jp>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_nfc_pn531.c(3):
* Copyright (c) 2009, Masashi Honma <honma@ictec.co.jp>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_registrar.c(3):
* Copyright (c) 2008-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_ufd.c(3): *
Copyright (c) 2009, Masashi Honma <honma@ictec.co.jp>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.c(3): *
Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.c(4): *
Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.c(5): *
Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.c(56): *
Copyright 2008 Atheros Communications.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.c(6): *
Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.c(60):
*Copyright (c) 2006-2007 Sony Corporation. All Rights Reserved.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.c(94): *
Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.h(3): *
Copyright (c) 2000-2003 Intel Corporation

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.h(4): *
Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.h(5): *
Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp.h(6): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_ap.c(3): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_event.c(3)
: * Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_event.c(4)
: * Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_event.c(5)
: * Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_event.c(6)
: * Copyright (c) 2009-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_i.h(3): *
Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_i.h(4): *
Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_i.h(5): *
Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_i.h(6): *
Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_ssdp.c(3):
* Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_ssdp.c(4):
* Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_ssdp.c(5):
* Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_ssdp.c(6):
* Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_web.c(3):
* Copyright (c) 2000-2003 Intel Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_web.c(4):
* Copyright (c) 2006-2007 Sony Corporation
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_web.c(5):
* Copyright (c) 2008-2009 Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_upnp_web.c(6):
* Copyright (c) 2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\src\wps\wps_validate.c(3):
* Copyright (c) 2010, Atheros Communications, Inc.
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\symbian\README.symbian(4):C
opyright (c) 2003-2007, Jouni Malinen <j@w1.fi> and
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_aes.c(3): *
Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_eap_sim_common.
(3): * Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_md4.c(3): *
Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_md5.c(3): *
Copyright (c) 2006, Jouni Malinen <j@w1.fi>

legal(ME)

wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_ms_funcs.c(3): *
Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_sha1.c(3): *
Copyright (c) 2003-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_sha256.c(3): *
Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_wpa.c(3): *
Copyright (c) 2006-2007, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\tests\test_x509v3.c(3): *
Copyright (c) 2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\win_if_list.c(3): *
Copyright (c) 2004-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_cli.c(3): * Copyright
(c) 2004-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_cli.c(35): "Copyright
(c) 2004-2011, Jouni Malinen <j@w1.fi> and contributors";
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui\wpagui.ui.h(470):
"Copyright (c) 2003-2008,\n"
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\addinterface.cp
p(3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\addinterface.h(
3): * Copyright (c) 2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\eventhistory.cp
p(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\eventhistory.h(
3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\icons\README(10
) : Copyright (c) 2008 Bernard Gray <bernard.gray@gmail.com>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\main.cpp(3): *
Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\networkconfig.c
pp(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\networkconfig.h
(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\peers.cpp(3): *
Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\peers.h(3): *
Copyright (c) 2009-2010, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\scanresults.cpp
(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\scanresults.h(3
) : * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\stringquery.cpp
(3): * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\stringquery.h(3
) : * Copyright (c) 2009, Atheros Communications
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\userdatarequest
.cpp(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\userdatarequest
.h(3): * Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\wpagui.cpp(3):
* Copyright (c) 2005-2011, Jouni Malinen <j@w1.fi>

legal(ME)

```
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\wpagui.cpp(722)
: "Copyright (c) 2003-2011,\n"
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\wpagui.h(3): *
Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_gui-qt4\wpams.h(3): *
Copyright (c) 2005-2006, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_passphrase.c(3): *
Copyright (c) 2003-2005, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_priv.c(1028):
"Copyright (c) 2007-2009, Jouni Malinen <j@w1.fi> and "
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_priv.c(3): * Copyright
(c) 2007-2009, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_supplicant.c(3): *
Copyright (c) 2003-2011, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_supplicant.c(58):"Copyr
ight (c) 2003-2011, Jouni Malinen <j@w1.fi> and contributors";
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpa_supplicant_i.h(3): *
Copyright (c) 2003-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpas_glue.c(3): * Copyright
(c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wpas_glue.h(3): * Copyright
(c) 2003-2008, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wps_supplicant.c(3): *
Copyright (c) 2008-2010, Jouni Malinen <j@w1.fi>
wpa_supplicant\wpa_supplicant_wext\src\wpa_supplicant\wps_supplicant.h(3): *
Copyright (c) 2008-2009, Jouni Malinen <j@w1.fi>
xerces\config\compile(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2009 Free
Software
xerces\config\config.guess(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997,
1998, 1999,
xerces\config\config.guess(59):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001,
xerces\config\config.sub(3):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997,
1998, 1999,
xerces\config\config.sub(75):Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997,
1998, 1999, 2000, 2001,
xerces\config\depcomp(6):# Copyright (C) 1999, 2000, 2003, 2004, 2005, 2006,
2007, 2009 Free
xerces\config\install-sh(10):# Copyright (C) 1994 X Consortium
xerces\config\ltmain.sh(6):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,
2003, 2004, 2005, 2006, 2007 2008 Free Software Foundation, Inc.
xerces\config\missing(6):# Copyright (C) 1996, 1997, 1999, 2000, 2002, 2003,
2004, 2005, 2006,
xerces\configure(1714):Copyright (C) 2009 Free Software Foundation, Inc.
xerces\configure(19956):Copyright (C) 2009 Free Software Foundation, Inc.
xerces\configure(21136):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003,
2004, 2005,
xerces\configure(5):# Copyright (C) 1992, 1993, 1994, 1995, 1996, 1998, 1999,
2000, 2001,
xerces\m4\libtool.m4(12):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001,
2003, 2004, 2005,
xerces\m4\libtool.m4(3):# Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2003,
```

legal(ME)

2004, 2005,
xerces\m4\libtool.m4(604):Copyright (C) 2008 Free Software Foundation, Inc.
xerces\m4\lt~obsolete.m4(3):# Copyright (C) 2004, 2005, 2007 Free Software
Foundation, Inc.
xerces\m4\ltoptions.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software
Foundation, Inc.
xerces\m4\ltsugar.m4(3):# Copyright (C) 2004, 2005, 2007, 2008 Free Software
Foundation, Inc.
xerces\m4\ltversion.m4(3):# Copyright (C) 2004 Free Software Foundation, Inc.
xerces\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000,
2001, 2002,
xerces\NOTICE(10): - software copyright (c) 1999, IBM Corporation.,
<http://www.ibm.com>.
xerces\NOTICE.txt(10): - software copyright (c) 1999, IBM Corporation.,
<http://www.ibm.com>.
xerces\samples\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999,
2000, 2001, 2002,
xerces\src\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999,
2000, 2001, 2002,
xerces\src\xercesc\util\MsgLoaders\Win32\Version.rc(54):VALUE "LegalCopyright",
"Copyright © 1999-2010 Apache Software Foundation; subject to licensing terms\0"
xerces\tests\Makefile.in(4):# Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999,
2000, 2001, 2002,
xerces\version.incl(2):# Copyright 1999-2004 The Apache Software Foundation.
zlib\NOTICE.txt(4):Copyright (C) 1995-2005 Jean-loup Gailly and Mark Adler
zlib\zlib-1.2.3\adler32.c(2): * Copyright (C) 1995-2004 Mark Adler
zlib\zlib-1.2.3\amiga\Makefile.pup(3):# Copyright (C) 1998 by Andreas R. Kleinert
zlib\zlib-1.2.3\amiga\Makefile.sas(2):# Modified from the standard UNIX Makefile
Copyright Jean-loup Gailly
zlib\zlib-1.2.3\compress.c(2): * Copyright (C) 1995-2003 Jean-loup Gailly.
zlib\zlib-1.2.3\contrib\ada\buffer_demo.adb(4):--Copyright (C) 2002-2004 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\mtest.adb(4):--Copyright (C) 2002-2003 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\read.adb(4):--Copyright (C) 2002-2003 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\test.adb(4):--Copyright (C) 2002-2003 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\zlib.adb(4):--Copyright (C) 2002-2004 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\zlib.ads(4):--Copyright (C) 2002-2004 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\zlib-streams.adb(4):--Copyright (C) 2002-2003 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\zlib-streams.ads(4):--Copyright (C) 2002-2003 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\zlib-thin.adb(4):--Copyright (C) 2002-2003 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\ada\zlib-thin.ads(4):--Copyright (C) 2002-2003 Dmitriy
Anisimkov --
zlib\zlib-1.2.3\contrib\asm586\match.S(3): * Copyright (C) 1998 Brian Raiter
<breadbox@muppetlabs.com>

legal(ME)

zlib\zlib-1.2.3\contrib\asm686\match.S(3): * Copyright (C) 1998 Brian Raiter
<breadbox@muppetlabs.com>
zlib\zlib-1.2.3\contrib\blast\blast.c(2): * Copyright (C) 2003 Mark Adler
zlib\zlib-1.2.3\contrib\blast\blast.h(2): Copyright (C) 2003 Mark Adler
zlib\zlib-1.2.3\contrib\delphi\readme.txt(8): The original ZLib unit is Copyright
(c) 1997,99 Borland Corp.,
zlib\zlib-1.2.3\contrib\delphi\ZLib.pas(6): { Copyright (c) 1997,99 Borland
Corporation }
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\AssemblyInfo.cs(14): [assembly:
AssemblyCopyright("(c) 2004 by Henrik Ravn")]
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\ChecksumImpl.cs(2): // ʘ Copyright Henrik
Ravn 2004
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\CircularBuffer.cs(2): // ʘ Copyright
Henrik Ravn 2004
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\CodecBase.cs(2): // ʘ Copyright Henrik
Ravn 2004
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\Deflater.cs(2): // ʘ Copyright Henrik Ravn
2004
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\DotZLib.cs(2): // ʘ Copyright Henrik Ravn
2004
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\GZipStream.cs(2): // ʘ Copyright Henrik
Ravn 2004
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\Inflater.cs(2): // ʘ Copyright Henrik Ravn
2004
zlib\zlib-1.2.3\contrib\dotzlib\DotZLib\UnitTests.cs(2): // ʘ Copyright Henrik
Ravn 2004
zlib\zlib-1.2.3\contrib\dotzlib\readme.txt(55): Copyright (c) Henrik Ravn 2004
zlib\zlib-1.2.3\contrib\infback9\infback9.c(2): * Copyright (C) 1995-2003 Mark
Adler
zlib\zlib-1.2.3\contrib\infback9\infback9.h(2): * Copyright (C) 2003 Mark Adler
zlib\zlib-1.2.3\contrib\infback9\inflate9.h(2): * Copyright (C) 1995-2003 Mark
Adler
zlib\zlib-1.2.3\contrib\infback9\inf tree9.c(12): " inflate9 1.2.3 Copyright
1995-2005 Mark Adler ";
zlib\zlib-1.2.3\contrib\infback9\inf tree9.c(2): * Copyright (C) 1995-2005 Mark
Adler
zlib\zlib-1.2.3\contrib\infback9\inf tree9.h(2): * Copyright (C) 1995-2003 Mark
Adler
zlib\zlib-1.2.3\contrib\inflate86\inffas86.c(4): * Copyright (C) 1995-2003 Mark
Adler
zlib\zlib-1.2.3\contrib\inflate86\inffas86.c(7): * Copyright (C) 2003 Chris
Anderson <christop@charm.net>
zlib\zlib-1.2.3\contrib\inflate86\inffast.S(5): * Copyright (C) 1995-2003 Mark
Adler
zlib\zlib-1.2.3\contrib\inflate86\inffast.S(8): * Copyright (C) 2003 Chris
Anderson <christop@charm.net>
zlib\zlib-1.2.3\contrib\iostream2\zstream.h(3): * Copyright (c) 1997
zlib\zlib-1.2.3\contrib\masm686\match.asm(14): ; Copyright (C) 1998 Brian Raiter
<breadbox@muppetlabs.com>
zlib\zlib-1.2.3\contrib\masm686\match.asm(5): ; Copyright (C) 2000 Dan Higdon
<hdan@kinesoft.com>
zlib\zlib-1.2.3\contrib\masmx64\gvm64.asm(6): ; Copyright (C) 1995-2005

legal(ME)

Jean-loup Gailly, Brian Raiter and Gilles Vollant.

zlib\zlib-1.2.3\contrib\masmx64\inffas8664.c(4): * Copyright (C) 1995-2003 Mark Adler

zlib\zlib-1.2.3\contrib\masmx64\inffas8664.c(7): * Copyright (C) 2003 Chris Anderson <christop@charm.net>

zlib\zlib-1.2.3\contrib\masmx86\gvmat32.asm(2):; Copyright (C) 1995-1996 Jean-loup Gailly and Gilles Vollant.

zlib\zlib-1.2.3\contrib\masmx86\gvmat32.asm(658):;;; Copyright (C) 1998 Brian Raiter <breadbox@muppetlabs.com>

zlib\zlib-1.2.3\contrib\masmx86\gvmat32c.c(2): * Copyright (C) 1995-1996 Jean-loup Gailly and Gilles Vollant.

zlib\zlib-1.2.3\contrib\masmx86\inffas32.asm(5):; * Copyright (C) 1995-2003 Mark Adler

zlib\zlib-1.2.3\contrib\masmx86\inffas32.asm(8):; * Copyright (C) 2003 Chris Anderson <christop@charm.net>

zlib\zlib-1.2.3\contrib\minizip\crypt.h(6): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\ioapi.c(6): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\ioapi.h(6): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\iowin32.c(7): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\iowin32.h(7): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\miniunz.c(5): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\minizip.c(5): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\unzip.c(14):Copyright (c) 1990-2000 Info-ZIP.All rights reserved.

zlib\zlib-1.2.3\contrib\minizip\unzip.c(4): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\unzip.h(4): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\zip.c(7): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\minizip\zip.h(4): Copyright (C) 1998-2005 Gilles Vollant

zlib\zlib-1.2.3\contrib\pascal\example.pas(10): * Copyright (C) 2003 by Cosmin Truta.

zlib\zlib-1.2.3\contrib\pascal\example.pas(2): * Copyright (C) 1995-2003 Jean-loup Gailly.

zlib\zlib-1.2.3\contrib\pascal\example.pas(6): * Copyright (C) 1998 by Jacques Nomssi Nzali.

zlib\zlib-1.2.3\contrib\pascal\readme.txt(52):Copyright (C) 1995-2003 Jean-loup Gailly and Mark Adler.

zlib\zlib-1.2.3\contrib\pascal\readme.txt(53):Copyright (C) 1998 by Bob Dellaca.

zlib\zlib-1.2.3\contrib\pascal\readme.txt(54):Copyright (C) 2003 by Cosmin Truta.

zlib\zlib-1.2.3\contrib\pascal\readme.txt(57):Copyright (C) 1995-2003 by Jean-loup Gailly.

zlib\zlib-1.2.3\contrib\pascal\readme.txt(58):Copyright (C) 1998,1999,2000 by Jacques Nomssi Nzali.

zlib\zlib-1.2.3\contrib\pascal\readme.txt(59):Copyright (C) 2003 by Cosmin Truta.

legal(ME)

zlib\zlib-1.2.3\contrib\pascal\zlibpas.pas(3): * Copyright (C) 2003 Cosmin Truta.
zlib\zlib-1.2.3\contrib\puff\puff.c(3): * Copyright (C) 2002-2004 Mark Adler
zlib\zlib-1.2.3\contrib\puff\puff.h(2):Copyright (C) 2002, 2003 Mark Adler, all rights reserved
zlib\zlib-1.2.3\contrib\vstudio\vc7\zlib.rc(25):VALUE "LegalCopyright", "(C) 1995-2003 Jean-loup Gailly & Mark Adler\0"
zlib\zlib-1.2.3\contrib\vstudio\vc8\zlib.rc(25):VALUE "LegalCopyright", "(C) 1995-2003 Jean-loup Gailly & Mark Adler\0"
zlib\zlib-1.2.3\crc32.c(2): * Copyright (C) 1995-2005 Mark Adler
zlib\zlib-1.2.3\deflate.c(2): * Copyright (C) 1995-2005 Jean-loup Gailly.
zlib\zlib-1.2.3\deflate.h(2): * Copyright (C) 1995-2004 Jean-loup Gailly
zlib\zlib-1.2.3\example.c(2): * Copyright (C) 1995-2004 Jean-loup Gailly.
zlib\zlib-1.2.3\examples\gun.c(2): * Copyright (C) 2003, 2005 Mark Adler
zlib\zlib-1.2.3\examples\gzappend.c(3):Copyright (C) 2003 Mark Adler, all rights reserved
zlib\zlib-1.2.3\examples\gzappend.c(474):printf("gzappend 1.1 (4 Nov 2003) Copyright (C) 2003 Mark Adler\n");
zlib\zlib-1.2.3\examples\gzjoin.c(3):Copyright (C) 2004 Mark Adler, all rights reserved
zlib\zlib-1.2.3\examples\gzlog.c(3): * Copyright (C) 2004 Mark Adler
zlib\zlib-1.2.3\examples\gzlog.h(2):Copyright (C) 2004 Mark Adler, all rights reserved
zlib\zlib-1.2.3\examples\zlib_how.html(23): Not copyrighted -- provided to the public domain
zlib\zlib-1.2.3\examples\zlib_how.html(521):<i>Copyright (c) 2004 by Mark Adler
Last modified 13 November 2004</i>
zlib\zlib-1.2.3\examples\zlib_how.html(7):<!--Copyright (c) 2004 Mark Adler.-->
zlib\zlib-1.2.3\examples\zran.c(2): * Copyright (C) 2005 Mark Adler
zlib\zlib-1.2.3\gzio.c(2): * Copyright (C) 1995-2005 Jean-loup Gailly.
zlib\zlib-1.2.3\inffback.c(2): * Copyright (C) 1995-2005 Mark Adler
zlib\zlib-1.2.3\inffast.c(2): * Copyright (C) 1995-2004 Mark Adler
zlib\zlib-1.2.3\inffast.h(2): * Copyright (C) 1995-2003 Mark Adler
zlib\zlib-1.2.3\inflate.c(2): * Copyright (C) 1995-2005 Mark Adler
zlib\zlib-1.2.3\inflate.h(2): * Copyright (C) 1995-2004 Mark Adler
zlib\zlib-1.2.3\infrees.c(12): " inflate 1.2.3 Copyright 1995-2005 Mark Adler ";
zlib\zlib-1.2.3\infrees.c(2): * Copyright (C) 1995-2005 Mark Adler
zlib\zlib-1.2.3\infrees.h(2): * Copyright (C) 1995-2005 Mark Adler
zlib\zlib-1.2.3\Makefile(2):# Copyright (C) 1995-2005 Jean-loup Gailly.
zlib\zlib-1.2.3\Makefile.in(2):# Copyright (C) 1995-2005 Jean-loup Gailly.
zlib\zlib-1.2.3\minigzip.c(2): * Copyright (C) 1995-2005 Jean-loup Gailly.
zlib\zlib-1.2.3\msdos\Makefile.dj2(2):# Copyright (C) 1995-1998 Jean-loup Gailly.
zlib\zlib-1.2.3\msdos\Makefile.emx(2):# Copyright (C) 1995-1998 Jean-loup Gailly.
zlib\zlib-1.2.3\old\zlib.html(28):Copyright (C) 1995-2002 Jean-loup Gailly and Mark Adler
zlib\zlib-1.2.3\projects\visualc6\README.txt(3):Copyright (C) 2000-2004 Simon-Pierre Cadieux.
zlib\zlib-1.2.3\projects\visualc6\README.txt(4):Copyright (C) 2004 Cosmin Truta.
zlib\zlib-1.2.3\trees.c(2): * Copyright (C) 1995-2005 Jean-loup Gailly
zlib\zlib-1.2.3\uncompr.c(2): * Copyright (C) 1995-2003 Jean-loup Gailly.
zlib\zlib-1.2.3\win32\Makefile.emx(2):# Copyright (C) 1995-1998 Jean-loup Gailly.
zlib\zlib-1.2.3\win32\Makefile.gcc(7):# Copyright (C) 1995-2003 Jean-loup Gailly.
zlib\zlib-1.2.3\win32\zlib1.rc(28):VALUE "LegalCopyright", (C) 1995-2004 Jean-loup

legal(ME)

Gailly & Mark Adler\0

zlib\zlib-1.2.3\zconf.h(2): * Copyright (C) 1995-2005 Jean-loup Gailly.

zlib\zlib-1.2.3\zconf.in.h(2): * Copyright (C) 1995-2005 Jean-loup Gailly.

zlib\zlib-1.2.3\zlib.3(137):Copyright (C) 1995-2005 Jean-loup Gailly
(jloup@gzip.org)

zlib\zlib-1.2.3\zlib.h(4):Copyright (C) 1995-2005 Jean-loup Gailly and Mark Adler

zlib\zlib-1.2.3\zutil.c(2): * Copyright (C) 1995-2005 Jean-loup Gailly.

zlib\zlib-1.2.3\zutil.h(2): * Copyright (C) 1995-2005 Jean-loup Gailly.