

Download Catalog : www.panasonic.com/ph/business/ecosolutions.html

Please contact :

Panasonic Philippines
 (Sales Division of Panasonic Manufacturing Philippines Corporation)
Eco Solutions Department

■ 14 Floor, 6788 Ayala Avenue, 1226 Makati City
 ■ Tel Nos: +63 2 886 6291 to 94 ■ Fax No.: +63 2 886 6295
www.panasonic.com/ph

Manufactured by
Panasonic Manufacturing Ayuthaya Co., Ltd.
Panasonic Corporation Eco Solutions Company
 All Rights Reserved © 2014 COPYRIGHT Panasonic Philippines Co., Ltd.

Panasonic[®]

All Rights Reserved © 2016 COPYRIGHT Panasonic Philippines Co., Ltd.

■ PHENG2 09/2016-1XB

Panasonic



SlimArt

New Slim Designs to Harmonize
 with Any Living Space

2016.9



Slimmer and Easier-to-use Setting the Standard for Advanced Wiring Device Designs

Design



LED Indicator
Includes gentle lighted indicator for better visibility in the dark.



Slim with Snow White Color
Simple and elegant design matches any room interior.

Operation



Soft-touch Operation
Advanced mechanism allows smoother ON/OFF switching.



Wide Switch
Designed for easiest possible operation.

Material



Resists Color Fading
material resists fading and discoloration.



*Yellowing of conventional products




Scratch-Resistant
Robust surface uses effective scratch-free material.

Manufactured to Offer Safety and Reliability.



Flame-retardant Material

Incorporates Urea Resin* with high heat resistance.
*some exceptions



Polycarbonate Urea Resin

Durable, Smooth Action

Uses specially designed copper alloy for improved heat resistance, increasing safety when plugging or unplugging electrical products.



Direct Driving Mechanism

Panasonic proprietary direct driving mechanism maintains constant connector pressure to ensure low heat stability. Arcing is efficiently minimized because this mechanism with its quick, positive on/off switching action has reduced bounce as well.





Switches

WSAG5511-5

Switch "B",
Single Pole,
1-Device,
Quick Connect
Terminal
16AX 250V~



WSAG5521-5

Switch "B", Single Pole, 2-Device,
Quick Connect Terminal
16AX 250V~



WSAG5531-5

Switch "B", Single Pole, 3-Device,
Quick Connect Terminal
16AX 250V~



WSAG1181-5

Grounding Universal Receptacle with Safety Shutter,
Quick Connect Terminal
16A 250V~



IP20

WSAG1191-5*

Grounding Universal Receptacle,
Quick Connect Terminal
16A 250V~



WSAG1582-5

Grounding Duplex Universal Receptacle
with Safety Shutter, Quick Connect Terminal
16A 250V~



IP20

WSAG5512-5

Switch "C",
3-way, 1-Device,
Quick Connect
Terminal
16AX 250V~



WSAG5522-5

Switch "C", 3-way, 2-Device,
Quick Connect Terminal
16AX 250V~



WSAG5532-5

Switch "C", 3-way, 3-Device,
Quick Connect Terminal
16AX 250V~



WSAG1592-5

Grounding Duplex Universal Receptacle,
Quick Connect Terminal
16A 250V~



WEGP1741SW-5

EL Guard Grounding Receptacle (Snow White)
10A 220V~



WSAG2488

CAT5E Data Modular Jack



WSAG5551-5

Illuminated Switch "B"
Single Pole,
1-Device,
Quick Connect
Terminal
16AX 250V~



WSAG5561-5

Illuminated Switch "B",
Single Pole, 2-Device,
Quick Connect Terminal
16AX 250V~



WSAG5571-5

Illuminated Switch "B",
Single Pole, 3-Device,
Quick Connect Terminal
16AX 250V~



WSAG24886

CAT6 Data Modular Jack



WSAG2701

Television Terminal (Current Passing Type)



WSAG2731

F Type Television Terminal (Current Passing Type)




WSAG5552-5

Illuminated Switch "C", 3-way,
1-Device, Quick Connect Terminal
16AX 250V~




WSAG5562-5

Illuminated Switch "C", 3-way,
2-Device, Quick Connect Terminal
16AX 250V~



WSAG5572-5

Illuminated Switch "C", 3-way,
3-Device, Quick Connect Terminal
16AX 250V~



WSAG2164

Telephone Modular Jack (6P4C)



WSAG5411-011

Entrance Bell, 1-Device
10A 250V~



WSAG5431-011

Entrance Bell, 3-Device
10A 250V~



Receptacles and Accessories

WSAG5004-5

Switch "E", 4-way,
Quick Connect Terminal
16AX 250V~



WSAG1091-5

Universal Receptacle,
Quick Connect Terminal
16A 250V~




WSAG1461-5

20A Tandem Grounding Receptacle
20A 250V~



WSAG3020

Blank Chip



Dimmer Switches

WSAG575151

Dimmer Switch (Incandescent Light Control)
500W 220V~ (Off Function Type)



Slim Art

Plates

Unit: mm

	<p>1-Touch Plate, 1-Gang 1-Device</p>	<p>1-Touch Plate, 1-Gang 2-Device</p>	<p>1-Touch Plate, 1-Gang 3-Device</p>
	WSAG6801-1	WSAG6802-1	WSAG6803-1
	<p>1-Touch Plate, 1-Gang Center 2-Device</p>	<p>1-Touch Plate, 1-Gang Cover</p>	<p>F-Plate (Plate for EL Guard) (Snow White)</p>
	WSAG68029-1	WSAG6891-1	WSAG1813

Compare WIDE series with Slim Art series

Unit: mm

	Switch	Socket

Slim Art

DIMENSIONS

Unit: mm

<p>WSAG5511-5, WSAG5551-5 WSAG5552-5</p>	<p>WSAG5521-5 WSAG5561-5 WSAG5562-5</p>	<p>WSAG5531-5 WSAG5571-5 WSAG5572-5</p>	<p>WSAG5512-5</p>
<p>WSAG5522-5</p>	<p>WSAG5532-5 WSAG5004-5</p>	<p>WSAG1091-5</p>	<p>WSAG1461-5</p>
<p>WSAG1181-5 WSAG1191-5</p>	<p>WSAG1582-5 WSAG1592-5</p>	<p>WEGP1741SW-5</p>	<p>WSAG2488 WSAG2486</p>
<p>WSAG2701</p>	<p>WSAG2731</p>	<p>WSAG2164</p>	<p>WSAG5411-011</p>
<p>WSAG5431-011</p>	<p>WSAG3020</p>	<p>WSAG575151</p>	