

4MP Full HD IR Dome Camera

Key Features

- 1/3" 4Megapixel HD Color Image Sensor
- Max 25/30fps@4MP
- DWDR, Day/Night(ICR),2D-DNR, AWB, AGC, BLC, HLC
- 2.8~12mm Varifocal lens
- Max. IR LEDs Length 30m, IP66



Technical Specifications

Model	PI-HFN401CL
Camera	
Image Sensor	1/3" 4 MP HD Color Image Sensor
Effective Pixels	2560(H)×1440(V)
Signal System	PAL/ NTSC
Electronic Shutter Speed	1/50s(1/60s)-1/100,000s (Auto/Fixed)
Min. Illumination	Color(0.1Lux), White and Black(0.01 Lux IR LED On)
S/N Ratio	>60dB
Video Output	1.0Vp-p Composite Output (75Ω / BNC), HD-AHD(4MP), HD-TVI(4MP), HD-CVI(4MP), CVBS, CVI Default setting
Camera Features	
Max. IR LEDs Length	30m
Day/Night	Auto/ White and Black/ Color/ External control OSD adjustable
Backlight Compensation	BLC/ HLC/OFF
White Balance	AWB/AUTO/AWC- SET/INDOOR/OUTDOOR/MANUAL
Gain Control	Auto
Gamma Correction	0.45
Auto Gain	Support
DWDR	Support
OSD	Support
UTC	N/A
Lens	
Focal Length	2.8mm~12mm Lens
Video	
Resolution	4MP
Frame Rate	30fps (60Hz) , 25fps (50Hz)
Audio	
Compression	N/A
Interface	N/A
General	
Power Supply	DC12V(+/-15%)
Power Consumption	1W Max
Working Environment	-10°C~ 50°C, 10% ~ 90% (humidity)
Working Humidity	<95% RH no dew
Dimensions	140mm x 140mm x 126.7mm
Weight	0.8KG

Dimensions (mm)

