

**Panasonic  
R410A Cooling Only  
Multi-Split  
Air Conditioning  
System Combination  
Capacity Table**

## CU-2S18SKH: Only Wall-Mounted and Free Multi Indoor Combination

| Indoor Unit Combination |         | Cooling Capacity (kW) |        |        |        |       | Input Power (W) |       | Current (A) |      |      |
|-------------------------|---------|-----------------------|--------|--------|--------|-------|-----------------|-------|-------------|------|------|
|                         |         | Room A                | Room B | Room C | Room D | Total | min ~ max       | Rated | min ~ max   | 220V | 240V |
| <b>1</b><br>Room        | 28      | 2.80                  | -      | -      | -      | 2.80  | 1.10 ~ 3.5      | 0.75  | 0.22 ~ 1.00 | 3.7  | 3.4  |
|                         | 32      | 3.20                  | -      | -      | -      | 3.20  | 1.10 ~ 4.0      | 0.92  | 0.22 ~ 1.22 | 4.5  | 4.2  |
| <b>2</b><br>Rooms       | 28 + 28 | 2.40                  | 2.40   | -      | -      | 4.80  | 1.50 ~ 5.8      | 1.34  | 0.25 ~ 1.72 | 6.5  | 6.1  |
|                         | 28 + 32 | 2.30                  | 2.70   | -      | -      | 5.00  | 1.50 ~ 5.9      | 1.52  | 0.25 ~ 1.74 | 7.4  | 6.9  |
|                         | 32 + 32 | 2.50                  | 2.50   | -      | -      | 5.00  | 1.50 ~ 6.0      | 1.43  | 0.25 ~ 1.78 | 6.8  | 6.3  |

## CU-3S27SBH: Only Wall-Mounted and Free Multi Indoor Combination

| Indoor Unit Combination |              | Cooling Capacity (kW) |        |        |        |       | Input Power (W) |       | Current (A) |      |      |
|-------------------------|--------------|-----------------------|--------|--------|--------|-------|-----------------|-------|-------------|------|------|
|                         |              | Room A                | Room B | Room C | Room D | Total | min ~ max       | Rated | min ~ max   | 220V | 240V |
| <b>1</b><br>Room        | 28           | 2.80                  | -      | -      | -      | 2.80  | 1.7 ~ 3.4       | 700   | 380 ~ 890   | 3.8  | 3.5  |
|                         | 32           | 3.20                  | -      | -      | -      | 3.20  | 1.7 ~ 4.0       | 800   | 380 ~ 1,200 | 4.3  | 3.9  |
|                         | 40           | 4.00                  | -      | -      | -      | 4.00  | 1.7 ~ 4.8       | 1,180 | 380 ~ 1,480 | 6.1  | 5.6  |
|                         | 50           | 5.00                  | -      | -      | -      | 5.00  | 1.9 ~ 5.8       | 1,460 | 400 ~ 1,890 | 7.4  | 6.8  |
| <b>2</b><br>Rooms       | 28 + 28      | 2.80                  | 2.80   | -      | -      | 5.60  | 1.7 ~ 6.4       | 1,750 | 420 ~ 2,600 | 8.7  | 8.0  |
|                         | 28 + 32      | 2.80                  | 3.20   | -      | -      | 6.00  | 1.7 ~ 6.5       | 2,010 | 420 ~ 2,600 | 10.0 | 9.2  |
|                         | 28 + 40      | 2.80                  | 4.00   | -      | -      | 6.80  | 2.5 ~ 7.3       | 2,420 | 550 ~ 3,330 | 12.0 | 11.0 |
|                         | 28 + 50      | 2.69                  | 4.81   | -      | -      | 7.50  | 2.7 ~ 7.7       | 2,810 | 530 ~ 3,310 | 13.9 | 12.7 |
|                         | 32 + 32      | 3.20                  | 3.20   | -      | -      | 6.40  | 2.3 ~ 7.1       | 2,290 | 570 ~ 3,350 | 11.3 | 10.4 |
|                         | 32 + 40      | 3.20                  | 4.00   | -      | -      | 7.20  | 2.5 ~ 7.4       | 2,770 | 550 ~ 3,330 | 13.7 | 12.5 |
|                         | 32 + 50      | 2.93                  | 4.57   | -      | -      | 7.50  | 2.8 ~ 7.7       | 2,760 | 530 ~ 3,310 | 13.6 | 12.5 |
|                         | 40 + 40      | 3.75                  | 3.75   | -      | -      | 7.50  | 2.7 ~ 7.6       | 2,870 | 540 ~ 3,310 | 14.2 | 13.0 |
|                         | 40 + 50      | 3.33                  | 4.17   | -      | -      | 7.50  | 2.8 ~ 7.8       | 2,600 | 530 ~ 3,300 | 12.8 | 11.8 |
|                         | 50 + 50      | 3.75                  | 3.75   | -      | -      | 7.50  | 2.9 ~ 8.0       | 2,440 | 520 ~ 3,300 | 12.1 | 11.1 |
| <b>3</b><br>Rooms       | 28 + 28 + 28 | 2.50                  | 2.50   | 2.50   | -      | 7.50  | 2.4 ~ 7.6       | 2,740 | 580 ~ 3,170 | 13.5 | 12.4 |
|                         | 28 + 28 + 32 | 2.39                  | 2.39   | 2.72   | -      | 7.50  | 2.4 ~ 7.7       | 2,690 | 580 ~ 3,170 | 13.3 | 12.2 |
|                         | 28 + 28 + 40 | 2.19                  | 2.19   | 3.12   | -      | 7.50  | 2.6 ~ 8.0       | 2,490 | 600 ~ 3,260 | 12.3 | 11.3 |
|                         | 28 + 28 + 50 | 1.98                  | 1.98   | 3.54   | -      | 7.50  | 2.8 ~ 8.0       | 2,250 | 600 ~ 2,910 | 11.1 | 10.2 |
|                         | 28 + 32 + 32 | 2.28                  | 2.61   | 2.61   | -      | 7.50  | 2.4 ~ 7.7       | 2,690 | 580 ~ 3,180 | 13.3 | 12.2 |
|                         | 28 + 32 + 40 | 2.10                  | 2.40   | 3.00   | -      | 7.50  | 2.6 ~ 8.0       | 2,450 | 600 ~ 3,200 | 12.1 | 11.1 |
|                         | 28 + 32 + 50 | 1.91                  | 2.18   | 3.41   | -      | 7.50  | 2.8 ~ 8.0       | 2,250 | 600 ~ 2,910 | 11.1 | 10.2 |
|                         | 28 + 40 + 40 | 1.94                  | 2.78   | 2.78   | -      | 7.50  | 2.7 ~ 8.0       | 2,290 | 600 ~ 3,020 | 11.3 | 10.4 |
|                         | 28 + 40 + 50 | 1.78                  | 2.54   | 3.18   | -      | 7.50  | 2.8 ~ 8.0       | 2,170 | 580 ~ 2,760 | 10.7 | 9.8  |
|                         | 28 + 50 + 50 | 1.64                  | 2.93   | 2.93   | -      | 7.50  | 2.8 ~ 8.0       | 2,070 | 520 ~ 2,650 | 10.2 | 9.4  |
|                         | 32 + 32 + 32 | 2.50                  | 2.50   | 2.50   | -      | 7.50  | 2.4 ~ 7.7       | 2,650 | 590 ~ 3,190 | 13.1 | 12.0 |
|                         | 32 + 32 + 40 | 2.31                  | 2.31   | 2.88   | -      | 7.50  | 2.6 ~ 8.0       | 2,450 | 600 ~ 3,210 | 12.1 | 11.1 |
|                         | 32 + 32 + 50 | 2.11                  | 2.11   | 3.28   | -      | 7.50  | 2.8 ~ 8.0       | 2,250 | 600 ~ 2,920 | 11.1 | 10.2 |
|                         | 32 + 40 + 40 | 2.14                  | 2.68   | 2.68   | -      | 7.50  | 2.8 ~ 8.0       | 2,290 | 600 ~ 2,960 | 11.3 | 10.4 |
|                         | 32 + 40 + 50 | 1.97                  | 2.46   | 3.07   | -      | 7.50  | 2.8 ~ 8.0       | 2,170 | 580 ~ 2,760 | 10.7 | 9.8  |
|                         | 32 + 50 + 50 | 1.82                  | 2.84   | 2.84   | -      | 7.50  | 2.8 ~ 8.0       | 2,060 | 520 ~ 2,650 | 10.2 | 9.4  |
|                         | 40 + 40 + 40 | 2.50                  | 2.50   | 2.50   | -      | 7.50  | 2.8 ~ 8.0       | 2,170 | 590 ~ 2,820 | 10.7 | 9.8  |
|                         | 40 + 40 + 50 | 2.31                  | 2.31   | 2.88   | -      | 7.50  | 2.8 ~ 8.0       | 2,070 | 540 ~ 2,650 | 10.2 | 9.4  |

• Specification based on JIS C 9612 standard.  
 • A minimum of 2 indoor units must be connected.

**CU-3S28SBH: Only Wall-Mounted and Free Multi Indoor Combination**

| Indoor Unit Combination |              | Cooling Capacity (kW) |        |        |        |           | Input Power (W) |             | Current (A) |      |      |
|-------------------------|--------------|-----------------------|--------|--------|--------|-----------|-----------------|-------------|-------------|------|------|
|                         |              | Room A                | Room B | Room C | Room D | Total     | min ~ max       | Rated       | min ~ max   | 220V | 240V |
| <b>1</b><br>Room        | 28           | 2.80                  | -      | -      | --     | 2.80      | 1.7 ~ 3.4       | 700         | 380 ~ 890   | 3.7  | 3.4  |
|                         | 32           | 3.20                  | -      | -      | -      | 3.20      | 1.7 ~ 4.0       | 800         | 380 ~ 1,200 | 4.2  | 3.9  |
|                         | 40           | 4.00                  | -      | -      | -      | 4.00      | 1.7 ~ 4.8       | 1,180       | 380 ~ 1,480 | 6.0  | 5.5  |
|                         | 50           | 5.00                  | -      | -      | -      | 5.00      | 1.9 ~ 5.8       | 1,460       | 400 ~ 1,890 | 7.3  | 6.7  |
|                         | 60           | 6.00                  | -      | -      | -      | 6.00      | 1.9 ~ 6.2       | 1920        | 400 ~ 2,070 | 9.3  | 8.6  |
| <b>2</b><br>Rooms       | 28 + 28      | 2.80                  | 2.80   | -      | -      | 5.60      | 1.7 ~ 6.7       | 1,750       | 420 ~ 2,340 | 8.6  | 7.9  |
|                         | 28 + 32      | 2.80                  | 3.20   | -      | -      | 6.00      | 1.7 ~ 6.7       | 2,010       | 420 ~ 2,340 | 9.8  | 9.0  |
|                         | 28 + 40      | 2.80                  | 4.00   | -      | -      | 6.80      | 2.5 ~ 7.6       | 2,420       | 550 ~ 2,990 | 11.8 | 10.8 |
|                         | 28 + 50      | 2.69                  | 4.81   | -      | -      | 7.50      | 2.7 ~ 8.0       | 2,810       | 530 ~ 2,980 | 13.7 | 12.6 |
|                         | 28 + 60      | 2.39                  | 5.11   | -      | -      | 7.50      | 2.7 ~ 8.0       | 2,810       | 530 ~ 2,980 | 13.7 | 12.6 |
|                         | 32 + 32      | 3.20                  | 3.20   | -      | -      | 6.40      | 2.3 ~ 7.4       | 2,290       | 570 ~ 3,010 | 11.2 | 10.3 |
|                         | 32 + 40      | 3.20                  | 4.00   | -      | -      | 7.20      | 2.5 ~ 7.7       | 2,770       | 550 ~ 2,990 | 13.5 | 12.4 |
|                         | 32 + 50      | 2.93                  | 4.57   | -      | -      | 7.50      | 2.8 ~ 8.0       | 2,760       | 530 ~ 2,970 | 13.5 | 12.4 |
|                         | 32 + 60      | 2.61                  | 4.89   | -      | -      | 7.50      | 2.8 ~ 8.0       | 2,760       | 530 ~ 2,970 | 13.5 | 12.4 |
|                         | 40 + 40      | 3.75                  | 3.75   | -      | -      | 7.50      | 2.7 ~ 7.9       | 2,870       | 540 ~ 2,980 | 14.0 | 12.9 |
|                         | 40 + 50      | 3.33                  | 4.17   | -      | -      | 7.50      | 2.8 ~ 8.1       | 2,600       | 530 ~ 2,970 | 12.7 | 11.6 |
|                         | 40 + 60      | 3.00                  | 4.50   | -      | -      | 7.50      | 2.8 ~ 8.1       | 2,600       | 530 ~ 2,970 | 12.7 | 11.6 |
|                         | 50 + 50      | 3.75                  | 3.75   | -      | -      | 7.50      | 2.9 ~ 8.3       | 2,440       | 520 ~ 2,970 | 11.9 | 10.9 |
|                         | 50 + 60      | 3.41                  | 4.09   | -      | -      | 7.50      | 2.9 ~ 8.3       | 2,440       | 520 ~ 2,970 | 11.9 | 10.9 |
|                         | 60 + 60      | 3.75                  | 3.75   | -      | -      | 7.50      | 2.9 ~ 8.3       | 2,440       | 520 ~ 2,970 | 11.9 | 10.9 |
| <b>3</b><br>Rooms       | 28 + 28 + 28 | 2.50                  | 2.50   | 2.50   | -      | 7.50      | 2.4 ~ 7.9       | 2,740       | 580 ~ 2,840 | 13.4 | 12.3 |
|                         | 28 + 28 + 32 | 2.39                  | 2.39   | 2.72   | -      | 7.50      | 2.4 ~ 8.0       | 2,690       | 580 ~ 2,850 | 13.1 | 12.1 |
|                         | 28 + 28 + 40 | 2.19                  | 2.19   | 3.12   | -      | 7.50      | 2.6 ~ 8.4       | 2,490       | 600 ~ 2,930 | 12.2 | 11.2 |
|                         | 28 + 28 + 50 | 1.98                  | 1.98   | 3.54   | -      | 7.50      | 2.8 ~ 8.8       | 2,250       | 600 ~ 3,010 | 11.0 | 10.1 |
|                         | 28 + 28 + 60 | 1.81                  | 1.81   | 3.88   | -      | 7.50      | 2.8 ~ 8.8       | 2,250       | 600 ~ 3,010 | 11.0 | 10.1 |
|                         | 28 + 32 + 32 | 2.28                  | 2.61   | 2.61   | -      | 7.50      | 2.4 ~ 8.0       | 2,690       | 580 ~ 2,860 | 13.1 | 12.1 |
|                         | 28 + 32 + 40 | 2.10                  | 2.40   | 3.00   | -      | 7.50      | 2.6 ~ 8.4       | 2,450       | 600 ~ 2,930 | 12.0 | 11.0 |
|                         | 28 + 32 + 50 | 1.91                  | 2.18   | 3.41   | -      | 7.50      | 2.8 ~ 8.8       | 2,250       | 600 ~ 3,020 | 11.0 | 10.1 |
|                         | 28 + 32 + 60 | 1.75                  | 2.00   | 3.75   | -      | 7.50      | 2.8 ~ 8.8       | 2,250       | 600 ~ 3,020 | 11.0 | 10.1 |
|                         | 28 + 40 + 40 | 1.94                  | 2.78   | 2.78   | -      | 7.50      | 2.7 ~ 8.7       | 2,290       | 600 ~ 3,000 | 11.2 | 10.3 |
|                         | 28 + 40 + 50 | 1.78                  | 2.54   | 3.18   | -      | 7.50      | 2.8 ~ 9.0       | 2,170       | 580 ~ 3,050 | 10.6 | 9.7  |
|                         | 28 + 40 + 60 | 1.64                  | 2.34   | 3.52   | -      | 7.50      | 2.8 ~ 9.0       | 2,170       | 580 ~ 3,050 | 10.6 | 9.7  |
|                         | 28 + 50 + 50 | 1.64                  | 2.93   | 2.93   | -      | 7.50      | 2.8 ~ 9.0       | 2,070       | 520 ~ 2,830 | 10.1 | 9.3  |
|                         | 32 + 32 + 32 | 2.50                  | 2.50   | 2.50   | -      | 7.50      | 2.4 ~ 8.0       | 2,650       | 590 ~ 2,860 | 13.0 | 11.9 |
|                         | 32 + 32 + 40 | 2.31                  | 2.31   | 2.88   | -      | 7.50      | 2.6 ~ 8.4       | 2,450       | 600 ~ 2,940 | 12.0 | 11.0 |
|                         | 32 + 32 + 50 | 2.11                  | 2.11   | 3.28   | -      | 7.50      | 2.8 ~ 8.8       | 2,250       | 600 ~ 3,020 | 11.0 | 10.1 |
|                         | 32 + 32 + 60 | 1.94                  | 1.94   | 3.62   | -      | 7.50      | 2.8 ~ 8.8       | 2,250       | 600 ~ 3,020 | 11.0 | 10.1 |
|                         | 32 + 40 + 40 | 2.14                  | 2.68   | 2.68   | -      | 7.50      | 2.8 ~ 8.7       | 2,290       | 600 ~ 3,000 | 11.2 | 10.3 |
|                         | 32 + 40 + 50 | 1.97                  | 2.46   | 3.07   | -      | 7.50      | 2.8 ~ 9.0       | 2,170       | 580 ~ 3,060 | 10.6 | 9.7  |
|                         | 32 + 40 + 60 | 1.82                  | 2.27   | 3.41   | -      | 7.50      | 2.8 ~ 9.0       | 2,170       | 580 ~ 3,060 | 10.6 | 9.7  |
| 32 + 50 + 50            | 1.82         | 2.84                  | 2.84   | -      | 7.50   | 2.8 ~ 9.0 | 2,060           | 520 ~ 2,830 | 10.1        | 9.2  |      |
| 40 + 40 + 40            | 2.50         | 2.50                  | 2.50   | -      | 7.50   | 2.8 ~ 9.0 | 2,170           | 590 ~ 3,040 | 10.6        | 9.7  |      |
| 40 + 40 + 50            | 2.31         | 2.31                  | 2.88   | -      | 7.50   | 2.8 ~ 9.0 | 2,070           | 540 ~ 2,830 | 10.1        | 9.3  |      |

• Specification based on JIS C 9612 standard.  
 • A minimum of 2 indoor units must be connected.

## CU-4S27SBH: Only Wall-Mounted and Free Multi Indoor Combination

| Indoor Unit Combination |                   | Cooling Capacity (kW) |        |        |        |           |           | Input Power (W) |             | Current (A) |      |
|-------------------------|-------------------|-----------------------|--------|--------|--------|-----------|-----------|-----------------|-------------|-------------|------|
|                         |                   | Room A                | Room B | Room C | Room D | Total     | min - max | Rated           | min - max   | 220V        | 240V |
| <b>1</b><br>Rooms       | 28                | 2.800                 | -      | -      | -      | 2.80      | 1.7 - 3.4 | 700             | 380 - 890   | 3.8         | 3.5  |
|                         | 32                | 3.200                 | -      | -      | -      | 3.20      | 1.7 - 4.0 | 800             | 380 - 1,200 | 4.3         | 3.9  |
|                         | 40                | 4.000                 | -      | -      | -      | 4.00      | 1.7 - 4.8 | 1,180           | 380 - 1,480 | 6.1         | 5.6  |
|                         | 50                | 5.000                 | -      | -      | -      | 5.00      | 1.9 - 5.8 | 1,460           | 400 - 1,890 | 7.4         | 6.8  |
| <b>2</b><br>Rooms       | 28 + 28           | 2.800                 | 2.800  | -      | -      | 5.60      | 1.7 - 6.4 | 1,750           | 420 - 2,600 | 8.7         | 8.0  |
|                         | 28 + 32           | 2.800                 | 3.200  | -      | -      | 6.00      | 1.7 - 6.5 | 2,010           | 420 - 2,600 | 10.0        | 9.2  |
|                         | 28 + 40           | 2.800                 | 4.000  | -      | -      | 6.80      | 2.5 - 7.3 | 2,420           | 550 - 3,330 | 12.0        | 11.0 |
|                         | 28 + 50           | 2.690                 | 4.810  | -      | -      | 7.50      | 2.7 - 7.7 | 2,810           | 530 - 3,310 | 13.9        | 12.7 |
|                         | 32 + 32           | 3.200                 | 3.200  | -      | -      | 6.40      | 2.3 - 7.1 | 2,290           | 570 - 3,350 | 11.3        | 10.4 |
|                         | 32 + 40           | 3.200                 | 4.000  | -      | -      | 7.20      | 2.5 - 7.4 | 2,770           | 550 - 3,330 | 13.7        | 12.5 |
|                         | 32 + 50           | 2.930                 | 4.570  | -      | -      | 7.50      | 2.8 - 7.7 | 2,760           | 530 - 3,310 | 13.6        | 12.5 |
|                         | 40 + 40           | 3.750                 | 3.750  | -      | -      | 7.50      | 2.7 - 7.6 | 2,870           | 540 - 3,310 | 14.2        | 13.0 |
|                         | 40 + 50           | 3.330                 | 4.170  | -      | -      | 7.50      | 2.8 - 7.8 | 2,600           | 530 - 3,300 | 12.8        | 11.8 |
|                         | 50 + 50           | 3.750                 | 3.750  | -      | -      | 7.50      | 2.9 - 8.0 | 2,440           | 520 - 3,300 | 12.1        | 11.1 |
| <b>3</b><br>Rooms       | 28 + 28 + 28      | 2.500                 | 2.500  | 2.500  | -      | 7.50      | 2.4 - 7.6 | 2,740           | 580 - 3,170 | 13.5        | 12.4 |
|                         | 28 + 28 + 32      | 2.390                 | 2.390  | 2.720  | -      | 7.50      | 2.4 - 7.7 | 2,690           | 580 - 3,170 | 13.3        | 12.2 |
|                         | 28 + 28 + 40      | 2.190                 | 2.190  | 3.120  | -      | 7.50      | 2.6 - 8.0 | 2,490           | 600 - 3,260 | 12.3        | 11.3 |
|                         | 28 + 28 + 50      | 1.980                 | 1.980  | 3.540  | -      | 7.50      | 2.8 - 8.0 | 2,250           | 600 - 2,910 | 11.1        | 10.2 |
|                         | 28 + 32 + 32      | 2.280                 | 2.610  | 2.610  | -      | 7.50      | 2.4 - 7.7 | 2,690           | 580 - 3,180 | 13.3        | 12.2 |
|                         | 28 + 32 + 40      | 2.100                 | 2.400  | 3.000  | -      | 7.50      | 2.6 - 8.0 | 2,450           | 600 - 3,200 | 12.1        | 11.1 |
|                         | 28 + 32 + 50      | 1.910                 | 2.180  | 3.410  | -      | 7.50      | 2.8 - 8.0 | 2,250           | 600 - 2,910 | 11.1        | 10.2 |
|                         | 28 + 40 + 40      | 1.940                 | 2.780  | 2.780  | -      | 7.50      | 2.7 - 8.0 | 2,290           | 600 - 3,020 | 11.3        | 10.4 |
|                         | 28 + 40 + 50      | 1.780                 | 2.540  | 3.180  | -      | 7.50      | 2.8 - 8.0 | 2,170           | 580 - 2,760 | 10.7        | 9.8  |
|                         | 28 + 50 + 50      | 1.640                 | 2.930  | 2.930  | -      | 7.50      | 2.8 - 8.0 | 2,070           | 520 - 2,650 | 10.2        | 9.4  |
|                         | 32 + 32 + 32      | 2.500                 | 2.500  | 2.500  | -      | 7.50      | 2.4 - 7.7 | 2,650           | 590 - 3,190 | 13.1        | 12.0 |
|                         | 32 + 32 + 40      | 2.310                 | 2.310  | 2.880  | -      | 7.50      | 2.6 - 8.0 | 2,450           | 600 - 3,210 | 12.1        | 11.1 |
|                         | 32 + 32 + 50      | 2.110                 | 2.110  | 3.280  | -      | 7.50      | 2.8 - 8.0 | 2,250           | 600 - 2,920 | 11.1        | 10.2 |
|                         | 32 + 40 + 40      | 2.140                 | 2.680  | 2.680  | -      | 7.50      | 2.8 - 8.0 | 2,290           | 600 - 2,960 | 11.3        | 10.4 |
|                         | 32 + 40 + 50      | 1.970                 | 2.460  | 3.070  | -      | 7.50      | 2.8 - 8.0 | 2,170           | 580 - 2,760 | 10.7        | 9.8  |
|                         | 32 + 50 + 50      | 1.820                 | 2.840  | 2.840  | -      | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,650 | 10.2        | 9.4  |
| 40 + 40 + 40            | 2.500             | 2.500                 | 2.500  | -      | 7.50   | 2.8 - 8.0 | 2,170     | 590 - 2,820     | 10.7        | 9.8         |      |
| 40 + 40 + 50            | 2.310             | 2.310                 | 2.880  | -      | 7.50   | 2.8 - 8.0 | 2,070     | 540 - 2,650     | 10.2        | 9.4         |      |
| <b>4</b><br>Rooms       | 28 + 28 + 28 + 28 | 1.875                 | 1.875  | 1.875  | 1.875  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,650 | 10.2        | 9.4  |
|                         | 28 + 28 + 28 + 32 | 1.810                 | 1.810  | 1.810  | 2.070  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,650 | 10.2        | 9.4  |
|                         | 28 + 28 + 28 + 40 | 1.690                 | 1.690  | 1.690  | 2.430  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,590 | 10.2        | 9.4  |
|                         | 28 + 28 + 28 + 50 | 1.570                 | 1.570  | 1.570  | 2.790  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,530 | 10.2        | 9.4  |
|                         | 28 + 28 + 32 + 32 | 1.750                 | 1.750  | 2.000  | 2.000  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,650 | 10.2        | 9.4  |
|                         | 28 + 28 + 32 + 40 | 1.640                 | 1.640  | 1.880  | 2.340  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,590 | 10.2        | 9.4  |
|                         | 28 + 32 + 32 + 32 | 1.680                 | 1.940  | 1.940  | 1.940  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,650 | 10.2        | 9.4  |
|                         | 28 + 32 + 32 + 40 | 1.590                 | 1.820  | 1.820  | 2.270  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,590 | 10.2        | 9.4  |
|                         | 32 + 32 + 32 + 32 | 1.875                 | 1.875  | 1.875  | 1.875  | 7.50      | 2.8 - 8.0 | 2,060           | 520 - 2,590 | 10.2        | 9.4  |

• Specification based on JIS C 9612 standard.  
 • A minimum of 2 indoor units must be connected.

**CU-4S34SBH: Only Wall-Mounted and Free Multi Indoor Combination**

| Indoor Unit Combination |              | Cooling Capacity (kW) |        |        |        |            | Input Power (W) |             | Current (A) |      |      |
|-------------------------|--------------|-----------------------|--------|--------|--------|------------|-----------------|-------------|-------------|------|------|
|                         |              | Room A                | Room B | Room C | Room D | Total      | min ~ max       | Rated       | min ~ max   | 220V | 240V |
| <b>1</b><br>Room        | 28           | 2.80                  | -      | -      | -      | 2.80       | 1.7 ~ 3.4       | 700         | 380 ~ 890   | 3.6  | 3.3  |
|                         | 32           | 3.20                  | -      | -      | -      | 3.20       | 1.7 ~ 4.0       | 800         | 380 ~ 1,200 | 4.1  | 3.8  |
|                         | 40           | 4.00                  | -      | -      | -      | 4.00       | 1.7 ~ 4.8       | 1,240       | 380 ~ 1,480 | 6.0  | 5.5  |
|                         | 50           | 5.00                  | -      | -      | -      | 5.00       | 1.9 ~ 5.8       | 1,550       | 400 ~ 1,890 | 7.5  | 6.9  |
|                         | 60           | 6.00                  | -      | -      | -      | 6.00       | 1.9 ~ 6.2       | 2,030       | 400 ~ 2,070 | 9.6  | 8.8  |
|                         | 70           | 7.00                  | -      | -      | -      | 7.00       | 2.0 ~ 7.2       | 2,490       | 400 ~ 2,770 | 11.8 | 10.8 |
| <b>2</b><br>Rooms       | 28 + 28      | 2.80                  | 2.80   | -      | -      | 5.60       | 2.4 ~ 5.8       | 1,740       | 300 ~ 1,860 | 8.5  | 7.8  |
|                         | 28 + 32      | 2.80                  | 3.20   | -      | -      | 6.00       | 2.4 ~ 6.7       | 1,920       | 300 ~ 2,360 | 9.3  | 8.5  |
|                         | 28 + 40      | 2.80                  | 4.00   | -      | -      | 6.80       | 2.4 ~ 7.2       | 2,420       | 300 ~ 2,760 | 11.7 | 10.7 |
|                         | 28 + 50      | 2.80                  | 5.00   | -      | -      | 7.80       | 2.4 ~ 8.6       | 2,680       | 280 ~ 3,330 | 12.9 | 11.8 |
|                         | 28 + 60      | 2.80                  | 6.00   | -      | -      | 8.80       | 2.5 ~ 9.1       | 3,450       | 310 ~ 3,640 | 16.6 | 15.2 |
|                         | 28 + 70      | 2.80                  | 7.00   | -      | -      | 9.80       | 2.5 ~ 10.1      | 4,140       | 310 ~ 4,620 | 20.0 | 18.3 |
|                         | 32 + 32      | 3.20                  | 3.20   | -      | -      | 6.40       | 2.4 ~ 7.2       | 2,100       | 290 ~ 2,620 | 10.1 | 9.3  |
|                         | 32 + 40      | 3.20                  | 4.00   | -      | -      | 7.20       | 2.4 ~ 8.1       | 2,620       | 290 ~ 3,390 | 12.6 | 11.6 |
|                         | 32 + 50      | 3.20                  | 5.00   | -      | -      | 8.20       | 2.5 ~ 9.1       | 2,890       | 310 ~ 3,490 | 13.9 | 12.8 |
|                         | 32 + 60      | 3.20                  | 6.00   | -      | -      | 9.20       | 2.5 ~ 10.0      | 3,570       | 310 ~ 4,460 | 17.2 | 15.8 |
|                         | 32 + 70      | 3.14                  | 6.86   | -      | -      | 10.00      | 2.5 ~ 10.4      | 4,220       | 310 ~ 4,800 | 20.3 | 18.6 |
|                         | 40 + 40      | 4.00                  | 4.00   | -      | -      | 8.00       | 2.5 ~ 8.6       | 3,240       | 320 ~ 3,930 | 15.6 | 14.3 |
|                         | 40 + 50      | 4.00                  | 5.00   | -      | -      | 9.00       | 2.5 ~ 10.0      | 3,460       | 310 ~ 4,460 | 16.7 | 15.3 |
|                         | 40 + 60      | 4.00                  | 6.00   | -      | -      | 10.00      | 2.5 ~ 10.4      | 4,460       | 310 ~ 4,790 | 21.5 | 19.7 |
|                         | 40 + 70      | 3.64                  | 6.36   | -      | -      | 10.00      | 2.5 ~ 10.4      | 4,150       | 310 ~ 4,800 | 20.0 | 18.3 |
|                         | 50 + 50      | 5.00                  | 5.00   | -      | -      | 10.00      | 2.5 ~ 10.4      | 3,610       | 300 ~ 4,000 | 17.4 | 16.0 |
|                         | 50 + 60      | 4.55                  | 5.45   | -      | -      | 10.00      | 2.5 ~ 10.4      | 3,610       | 300 ~ 4,000 | 17.4 | 16.0 |
|                         | 50 + 70      | 4.17                  | 5.83   | -      | -      | 10.00      | 2.5 ~ 10.4      | 3,470       | 300 ~ 3,850 | 16.7 | 15.3 |
|                         | 60 + 60      | 5.00                  | 5.00   | -      | -      | 10.00      | 2.5 ~ 10.4      | 3,610       | 300 ~ 4,000 | 17.4 | 16.0 |
|                         | 60 + 70      | 4.62                  | 5.38   | -      | -      | 10.00      | 2.5 ~ 10.4      | 3,470       | 300 ~ 3,850 | 16.7 | 15.3 |
| 70 + 70                 | 5.00         | 5.00                  | -      | -      | 10.00  | 2.5 ~ 10.4 | 3,320           | 330 ~ 3,690 | 16.0        | 14.7 |      |
| <b>3</b><br>Rooms       | 28 + 28 + 28 | 2.80                  | 2.80   | 2.80   | -      | 8.40       | 2.9 ~ 8.7       | 2,750       | 360 ~ 2,880 | 13.3 | 12.2 |
|                         | 28 + 28 + 32 | 2.80                  | 2.80   | 3.20   | -      | 8.80       | 2.9 ~ 9.6       | 2,880       | 390 ~ 3,320 | 13.9 | 12.7 |
|                         | 28 + 28 + 40 | 2.80                  | 2.80   | 4.00   | -      | 9.60       | 2.9 ~ 10.1      | 3,320       | 390 ~ 3,770 | 16.0 | 14.7 |
|                         | 28 + 28 + 50 | 2.64                  | 2.64   | 4.72   | -      | 10.00      | 2.9 ~ 10.7      | 3,180       | 390 ~ 3,770 | 15.3 | 14.1 |
|                         | 28 + 28 + 60 | 2.41                  | 2.41   | 5.18   | -      | 10.00      | 2.9 ~ 10.7      | 3,180       | 390 ~ 3,770 | 15.3 | 14.1 |
|                         | 28 + 28 + 70 | 2.22                  | 2.22   | 5.56   | -      | 10.00      | 2.9 ~ 10.7      | 3,110       | 390 ~ 3,620 | 15.0 | 13.7 |
|                         | 28 + 32 + 32 | 2.80                  | 3.20   | 3.20   | -      | 9.20       | 2.9 ~ 10.1      | 2,990       | 390 ~ 3,690 | 14.4 | 13.2 |
|                         | 28 + 32 + 40 | 2.80                  | 3.20   | 4.00   | -      | 10.00      | 2.9 ~ 10.7      | 3,540       | 390 ~ 4,320 | 17.1 | 15.6 |
|                         | 28 + 32 + 50 | 2.54                  | 2.91   | 4.55   | -      | 10.00      | 2.9 ~ 10.7      | 3,110       | 390 ~ 3,700 | 15.0 | 13.7 |
|                         | 28 + 32 + 60 | 2.33                  | 2.67   | 5.00   | -      | 10.00      | 2.9 ~ 10.7      | 3,110       | 390 ~ 3,700 | 15.0 | 13.7 |
|                         | 28 + 32 + 70 | 2.15                  | 2.46   | 5.39   | -      | 10.00      | 2.9 ~ 10.7      | 3,040       | 420 ~ 3,540 | 14.7 | 13.4 |
|                         | 28 + 40 + 40 | 2.60                  | 3.70   | 3.70   | -      | 10.00      | 2.9 ~ 10.7      | 3,540       | 390 ~ 4,320 | 17.1 | 15.6 |
|                         | 28 + 40 + 50 | 2.37                  | 3.39   | 4.24   | -      | 10.00      | 2.9 ~ 10.7      | 3,110       | 390 ~ 3,620 | 15.0 | 13.7 |
|                         | 28 + 40 + 60 | 2.18                  | 3.13   | 4.69   | -      | 10.00      | 2.9 ~ 10.7      | 3,110       | 390 ~ 3,620 | 15.0 | 13.7 |
|                         | 28 + 40 + 70 | 2.03                  | 2.90   | 5.07   | -      | 10.00      | 2.9 ~ 10.7      | 2,970       | 420 ~ 3,540 | 14.3 | 13.1 |
|                         | 28 + 50 + 50 | 2.18                  | 3.91   | 3.91   | -      | 10.00      | 2.9 ~ 10.7      | 2,830       | 430 ~ 3,250 | 13.6 | 12.5 |
|                         | 28 + 50 + 60 | 2.03                  | 3.62   | 4.35   | -      | 10.00      | 2.9 ~ 10.7      | 2,830       | 430 ~ 3,250 | 13.6 | 12.5 |
|                         | 28 + 50 + 70 | 1.89                  | 3.38   | 4.73   | -      | 10.00      | 2.9 ~ 10.7      | 2,760       | 460 ~ 3,180 | 13.3 | 12.2 |
|                         | 28 + 60 + 60 | 1.90                  | 4.05   | 4.05   | -      | 10.00      | 2.9 ~ 10.7      | 2,830       | 430 ~ 3,250 | 13.6 | 12.5 |
|                         | 28 + 60 + 70 | 1.77                  | 3.80   | 4.43   | -      | 10.00      | 2.9 ~ 10.7      | 2,760       | 460 ~ 3,180 | 13.3 | 12.2 |
|                         | 28 + 70 + 70 | 1.66                  | 4.17   | 4.17   | -      | 10.00      | 2.9 ~ 10.7      | 2,690       | 460 ~ 3,110 | 13.0 | 11.9 |
|                         | 32 + 32 + 32 | 3.20                  | 3.20   | 3.20   | -      | 9.60       | 2.9 ~ 10.7      | 3,110       | 390 ~ 3,540 | 15.0 | 13.7 |
|                         | 32 + 32 + 40 | 3.08                  | 3.08   | 3.84   | -      | 10.00      | 2.9 ~ 10.7      | 3,470       | 390 ~ 4,160 | 16.7 | 15.3 |
|                         | 32 + 32 + 50 | 2.81                  | 2.81   | 4.38   | -      | 10.00      | 2.9 ~ 10.7      | 3,040       | 390 ~ 3,540 | 14.7 | 13.4 |
|                         | 32 + 32 + 60 | 2.58                  | 2.58   | 4.84   | -      | 10.00      | 2.9 ~ 10.7      | 3,040       | 390 ~ 3,540 | 14.7 | 13.4 |
|                         | 32 + 32 + 70 | 2.39                  | 2.39   | 5.22   | -      | 10.00      | 2.9 ~ 10.7      | 2,970       | 420 ~ 3,470 | 14.3 | 13.1 |
|                         | 32 + 40 + 40 | 2.86                  | 3.57   | 3.57   | -      | 10.00      | 2.9 ~ 10.7      | 3,390       | 390 ~ 4,160 | 16.3 | 15.0 |
|                         | 32 + 40 + 50 | 2.62                  | 3.28   | 4.10   | -      | 10.00      | 2.9 ~ 10.7      | 3,040       | 420 ~ 3,540 | 14.7 | 13.4 |
|                         | 32 + 40 + 60 | 2.42                  | 3.03   | 4.55   | -      | 10.00      | 2.9 ~ 10.7      | 3,040       | 420 ~ 3,540 | 14.7 | 13.4 |
|                         | 32 + 40 + 70 | 2.25                  | 2.82   | 4.93   | -      | 10.00      | 2.9 ~ 10.7      | 2,970       | 420 ~ 3,470 | 14.3 | 13.1 |
|                         | 32 + 50 + 50 | 2.42                  | 3.79   | 3.79   | -      | 10.00      | 2.9 ~ 10.7      | 2,760       | 460 ~ 3,180 | 13.3 | 12.2 |
|                         | 32 + 50 + 60 | 2.25                  | 3.52   | 4.23   | -      | 10.00      | 2.9 ~ 10.7      | 2,760       | 460 ~ 3,180 | 13.3 | 12.2 |
| 32 + 50 + 70            | 2.10         | 3.29                  | 4.61   | -      | 10.00  | 2.9 ~ 10.7 | 2,690           | 460 ~ 3,110 | 13.0        | 11.9 |      |
| 32 + 60 + 60            | 2.10         | 3.95                  | 3.95   | -      | 10.00  | 2.9 ~ 10.7 | 2,760           | 460 ~ 3,180 | 13.3        | 12.2 |      |
| 32 + 60 + 70            | 1.98         | 3.70                  | 4.32   | -      | 10.00  | 2.9 ~ 10.7 | 2,690           | 460 ~ 3,110 | 13.0        | 11.9 |      |

\* Specification based on JIS C 9612 standard.  
 \* A minimum of 2 indoor units must be connected.

**CU-4S34SBH: Only Wall-Mounted and Free Multi Indoor Combination**

| Indoor Unit Combination | Cooling Capacity (kW) |        |        |        |       | Input Power (W) |            | Current (A) |             |      |      |
|-------------------------|-----------------------|--------|--------|--------|-------|-----------------|------------|-------------|-------------|------|------|
|                         | Room A                | Room B | Room C | Room D | Total | min ~ max       | Rated      | min ~ max   | 220V        | 240V |      |
| <b>3 Rooms</b>          | 32 + 70 + 70          | 1.86   | 4.07   | 4.07   | -     | 10.00           | 2.9 ~ 10.7 | 2,700       | 470 ~ 3,110 | 13.0 | 11.9 |
|                         | 40 + 40 + 40          | 3.33   | 3.33   | 3.33   | -     | 9.99            | 2.9 ~ 10.7 | 3,390       | 390 ~ 4,080 | 16.3 | 15.0 |
|                         | 40 + 40 + 50          | 3.08   | 3.08   | 3.84   | -     | 10.00           | 2.9 ~ 10.7 | 2,970       | 420 ~ 3,540 | 14.3 | 13.1 |
|                         | 40 + 40 + 60          | 2.86   | 2.86   | 4.28   | -     | 10.00           | 2.9 ~ 10.7 | 2,970       | 420 ~ 3,540 | 14.3 | 13.1 |
|                         | 40 + 40 + 70          | 2.67   | 2.67   | 4.66   | -     | 10.00           | 2.9 ~ 10.7 | 2,900       | 420 ~ 3,400 | 14.0 | 12.8 |
|                         | 40 + 50 + 50          | 2.86   | 3.57   | 3.57   | -     | 10.00           | 2.9 ~ 10.7 | 2,760       | 460 ~ 3,180 | 13.3 | 12.2 |
|                         | 40 + 50 + 60          | 2.67   | 3.33   | 4.00   | -     | 10.00           | 2.9 ~ 10.7 | 2,760       | 460 ~ 3,180 | 13.3 | 12.2 |
|                         | 40 + 50 + 70          | 2.49   | 3.13   | 4.38   | -     | 10.00           | 2.9 ~ 10.7 | 2,690       | 460 ~ 3,110 | 13.0 | 11.9 |
|                         | 40 + 60 + 60          | 2.50   | 3.75   | 3.75   | -     | 10.00           | 2.9 ~ 10.7 | 2,760       | 460 ~ 3,180 | 13.3 | 12.2 |
|                         | 40 + 60 + 70          | 2.35   | 3.53   | 4.12   | -     | 10.00           | 2.9 ~ 10.7 | 2,690       | 460 ~ 3,110 | 13.0 | 11.9 |
|                         | 50 + 50 + 50          | 3.33   | 3.33   | 3.33   | -     | 9.99            | 2.9 ~ 10.7 | 2,570       | 510 ~ 2,970 | 12.4 | 11.4 |
|                         | 50 + 50 + 60          | 3.13   | 3.13   | 3.74   | -     | 10.00           | 2.9 ~ 10.7 | 2,630       | 510 ~ 2,970 | 12.7 | 11.6 |
|                         | 50 + 50 + 70          | 2.94   | 2.94   | 4.12   | -     | 10.00           | 2.9 ~ 10.7 | 2,570       | 510 ~ 2,970 | 12.4 | 11.4 |
|                         | 50 + 60 + 60          | 2.94   | 3.53   | 3.53   | -     | 10.00           | 2.9 ~ 10.7 | 2,630       | 510 ~ 2,970 | 12.7 | 11.6 |
| <b>4 Rooms</b>          | 28 + 28 + 28 + 28     | 2.50   | 2.50   | 2.50   | 2.50  | 10.00           | 2.9 ~ 10.6 | 3,220       | 420 ~ 3,770 | 15.5 | 14.2 |
|                         | 28 + 28 + 28 + 32     | 2.41   | 2.41   | 2.41   | 2.77  | 10.00           | 2.9 ~ 10.6 | 3,150       | 420 ~ 3,680 | 15.2 | 13.9 |
|                         | 28 + 28 + 28 + 40     | 2.26   | 2.26   | 2.26   | 3.22  | 10.00           | 2.9 ~ 10.8 | 3,150       | 430 ~ 3,850 | 15.2 | 13.9 |
|                         | 28 + 28 + 28 + 50     | 2.09   | 2.09   | 2.09   | 3.73  | 10.00           | 2.9 ~ 10.8 | 2,930       | 470 ~ 3,520 | 14.1 | 12.9 |
|                         | 28 + 28 + 28 + 60     | 1.94   | 1.94   | 1.94   | 4.18  | 10.00           | 2.9 ~ 11.0 | 2,930       | 470 ~ 3,690 | 14.1 | 12.9 |
|                         | 28 + 28 + 28 + 70     | 1.82   | 1.82   | 1.82   | 4.54  | 10.00           | 2.9 ~ 11.0 | 2,930       | 500 ~ 3,610 | 14.1 | 12.9 |
|                         | 28 + 28 + 32 + 32     | 2.33   | 2.33   | 2.67   | 2.67  | 10.00           | 2.9 ~ 10.6 | 3,070       | 430 ~ 3,600 | 14.8 | 13.6 |
|                         | 28 + 28 + 32 + 40     | 2.19   | 2.19   | 2.49   | 3.13  | 10.00           | 2.9 ~ 10.8 | 3,070       | 430 ~ 3,770 | 14.8 | 13.6 |
|                         | 28 + 28 + 32 + 50     | 2.03   | 2.03   | 2.32   | 3.62  | 10.00           | 2.9 ~ 10.8 | 2,930       | 500 ~ 3,440 | 14.1 | 12.9 |
|                         | 28 + 28 + 32 + 60     | 1.89   | 1.89   | 2.16   | 4.06  | 10.00           | 2.9 ~ 11.0 | 2,930       | 500 ~ 3,610 | 14.1 | 12.9 |
|                         | 28 + 28 + 32 + 70     | 1.77   | 1.77   | 2.03   | 4.43  | 10.00           | 2.9 ~ 11.2 | 2,860       | 510 ~ 3,690 | 13.8 | 12.6 |
|                         | 28 + 28 + 40 + 40     | 2.06   | 2.06   | 2.94   | 2.94  | 10.00           | 2.9 ~ 10.8 | 3,070       | 430 ~ 3,770 | 14.8 | 13.6 |
|                         | 28 + 28 + 40 + 50     | 1.92   | 1.92   | 2.74   | 3.42  | 10.00           | 2.9 ~ 11.0 | 2,930       | 500 ~ 3,610 | 14.1 | 12.9 |
|                         | 28 + 28 + 40 + 60     | 1.79   | 1.79   | 2.56   | 3.86  | 10.00           | 2.9 ~ 11.0 | 2,930       | 500 ~ 3,610 | 14.1 | 12.9 |
|                         | 28 + 28 + 40 + 70     | 1.69   | 1.69   | 2.40   | 4.22  | 10.00           | 2.9 ~ 11.2 | 2,860       | 510 ~ 3,690 | 13.8 | 12.6 |
|                         | 28 + 28 + 50 + 50     | 1.79   | 1.79   | 3.21   | 3.21  | 10.00           | 2.9 ~ 11.0 | 2,800       | 560 ~ 3,460 | 13.5 | 12.4 |
|                         | 28 + 28 + 50 + 60     | 1.69   | 1.69   | 3.01   | 3.61  | 10.00           | 2.9 ~ 11.2 | 2,800       | 560 ~ 3,540 | 13.5 | 12.4 |
|                         | 28 + 32 + 32 + 32     | 2.26   | 2.58   | 2.58   | 2.58  | 10.00           | 2.9 ~ 10.8 | 3,070       | 460 ~ 3,680 | 14.8 | 13.6 |
|                         | 28 + 32 + 32 + 40     | 2.12   | 2.42   | 2.42   | 3.04  | 10.00           | 2.9 ~ 10.8 | 3,070       | 460 ~ 3,680 | 14.8 | 13.6 |
|                         | 28 + 32 + 32 + 50     | 1.97   | 2.25   | 2.25   | 3.53  | 10.00           | 2.9 ~ 11.0 | 2,860       | 510 ~ 3,610 | 13.8 | 12.6 |
|                         | 28 + 32 + 32 + 60     | 1.83   | 2.11   | 2.11   | 3.95  | 10.00           | 2.9 ~ 11.0 | 2,860       | 510 ~ 3,610 | 13.8 | 12.6 |
|                         | 28 + 32 + 32 + 70     | 1.72   | 1.98   | 1.98   | 4.32  | 10.00           | 2.9 ~ 11.2 | 2,860       | 510 ~ 3,690 | 13.8 | 12.6 |
|                         | 28 + 32 + 40 + 40     | 1.99   | 2.29   | 2.86   | 2.86  | 10.00           | 2.9 ~ 10.8 | 3,070       | 460 ~ 3,680 | 14.8 | 13.6 |
|                         | 28 + 32 + 40 + 50     | 1.87   | 2.13   | 2.67   | 3.33  | 10.00           | 2.9 ~ 11.0 | 2,860       | 510 ~ 3,530 | 13.8 | 12.6 |
|                         | 28 + 32 + 40 + 60     | 1.75   | 2.00   | 2.50   | 3.75  | 10.00           | 2.9 ~ 11.2 | 2,860       | 510 ~ 3,690 | 13.8 | 12.6 |
|                         | 28 + 32 + 40 + 70     | 1.65   | 1.88   | 2.35   | 4.12  | 10.00           | 2.9 ~ 11.2 | 2,860       | 510 ~ 3,690 | 13.8 | 12.6 |
|                         | 28 + 32 + 50 + 50     | 1.74   | 2.00   | 3.13   | 3.13  | 10.00           | 2.9 ~ 11.2 | 2,800       | 560 ~ 3,540 | 13.5 | 12.4 |
|                         | 28 + 32 + 50 + 60     | 1.65   | 1.88   | 2.94   | 3.53  | 10.00           | 2.9 ~ 11.2 | 2,800       | 560 ~ 3,540 | 13.5 | 12.4 |
|                         | 28 + 40 + 40 + 40     | 1.90   | 2.70   | 2.70   | 2.70  | 10.00           | 2.9 ~ 11.0 | 3,000       | 460 ~ 3,770 | 14.5 | 13.3 |
|                         | 28 + 40 + 40 + 50     | 1.77   | 2.53   | 2.53   | 3.17  | 10.00           | 2.9 ~ 11.2 | 2,860       | 510 ~ 3,690 | 13.8 | 12.6 |
|                         | 28 + 40 + 40 + 60     | 1.67   | 2.38   | 2.38   | 3.57  | 10.00           | 2.9 ~ 11.2 | 2,860       | 510 ~ 3,690 | 13.8 | 12.6 |
|                         | 28 + 40 + 50 + 50     | 1.66   | 2.38   | 2.98   | 2.98  | 10.00           | 2.9 ~ 11.2 | 2,800       | 560 ~ 3,540 | 13.5 | 12.4 |
|                         | 32 + 32 + 32 + 32     | 2.50   | 2.50   | 2.50   | 2.50  | 10.00           | 2.9 ~ 10.8 | 3,000       | 460 ~ 3,600 | 14.5 | 13.3 |
|                         | 32 + 32 + 32 + 40     | 2.35   | 2.35   | 2.35   | 2.95  | 10.00           | 2.9 ~ 10.8 | 3,000       | 460 ~ 3,600 | 14.5 | 13.3 |
|                         | 32 + 32 + 32 + 50     | 2.19   | 2.19   | 2.19   | 3.43  | 10.00           | 2.9 ~ 11.0 | 2,860       | 510 ~ 3,530 | 13.8 | 12.6 |
|                         | 32 + 32 + 32 + 60     | 2.05   | 2.05   | 2.05   | 3.85  | 10.00           | 2.9 ~ 11.0 | 2,860       | 510 ~ 3,530 | 13.8 | 12.6 |
|                         | 32 + 32 + 32 + 70     | 1.93   | 1.93   | 1.93   | 4.21  | 10.00           | 2.9 ~ 11.2 | 2,860       | 520 ~ 3,610 | 13.8 | 12.6 |
|                         | 32 + 32 + 40 + 40     | 2.22   | 2.22   | 2.78   | 2.78  | 10.00           | 2.9 ~ 11.0 | 3,000       | 460 ~ 3,770 | 14.5 | 13.3 |
|                         | 32 + 32 + 40 + 50     | 2.08   | 2.08   | 2.59   | 3.25  | 10.00           | 2.9 ~ 11.0 | 2,860       | 510 ~ 3,530 | 13.8 | 12.6 |
|                         | 32 + 32 + 40 + 60     | 1.95   | 1.95   | 2.44   | 3.66  | 10.00           | 2.9 ~ 11.2 | 2,860       | 510 ~ 3,690 | 13.8 | 12.6 |
|                         | 32 + 32 + 40 + 70     | 1.84   | 1.84   | 2.30   | 4.02  | 10.00           | 2.9 ~ 11.2 | 2,860       | 550 ~ 3,610 | 13.8 | 12.6 |
|                         | 32 + 32 + 50 + 50     | 1.95   | 1.95   | 3.05   | 3.05  | 10.00           | 2.9 ~ 11.2 | 2,800       | 600 ~ 3,540 | 13.5 | 12.4 |
| 32 + 32 + 50 + 60       | 1.84                  | 1.84   | 2.87   | 3.45   | 10.00 | 2.9 ~ 11.2      | 2,800      | 600 ~ 3,540 | 13.5        | 12.4 |      |
| 32 + 40 + 40 + 40       | 2.11                  | 2.63   | 2.63   | 2.63   | 10.00 | 2.9 ~ 11.0      | 3,000      | 460 ~ 3,770 | 14.5        | 13.3 |      |
| 32 + 40 + 40 + 50       | 1.97                  | 2.47   | 2.47   | 3.09   | 10.00 | 2.9 ~ 11.2      | 2,860      | 510 ~ 3,690 | 13.8        | 12.6 |      |
| 32 + 40 + 40 + 60       | 1.85                  | 2.33   | 2.33   | 3.49   | 10.00 | 2.9 ~ 11.2      | 2,860      | 510 ~ 3,690 | 13.8        | 12.6 |      |
| 32 + 40 + 50 + 50       | 1.85                  | 2.33   | 2.91   | 2.91   | 10.00 | 2.9 ~ 11.2      | 2,810      | 600 ~ 3,540 | 13.5        | 12.4 |      |
| 40 + 40 + 40 + 40       | 2.50                  | 2.50   | 2.50   | 2.50   | 10.00 | 2.9 ~ 11.2      | 3,000      | 470 ~ 3,850 | 14.5        | 13.3 |      |
| 40 + 40 + 40 + 50       | 2.35                  | 2.35   | 2.35   | 2.95   | 10.00 | 2.9 ~ 11.2      | 2,860      | 520 ~ 3,610 | 13.8        | 12.6 |      |

\* Specification based on JIS C 9612 standard.  
 \* A minimum of 2 indoor units must be connected.